BLACK PEN Answer all questions first. **GREEN PEN** Then: tick and rewrite mistakes.

LESSON 036 · Assessment Feedback and Reteaching

Name: _____ Class: _____ Date: _____

Work through the pages in order. Answer in BLACK PEN first. Check in GREEN PEN only after the Exit Ticket.

Do Now · Recall previous learning

Q1. State what LAN stands for.

Q2. Using decimal units, how many GB are in 2 TB?
A. 2 GB
B. 200 GB
C. 20,000 GB
D. 2,000 GB

Q3. “The letter A must be stored as a miniature bitmap in every text file.” Correct this. Explain why.

Q4. Two computers must read the same text codes. “A character set is a list of fonts.” Correct this. Why must the codes agree?

BLACK PEN Answer all questions first. **GREEN PEN** Then: tick and rewrite mistakes.

I Do · Read new knowledge

Key vocabulary

Misconception — An incorrect understanding that can cause repeat errors.

Feedback — Information showing what was correct and how to improve.

Correction — An improved accurate response.

Command word — Instruction such as explain, state or compare.

Cause and effect — A clear link between how a feature works and what changes.

Retrieval practice — Remembering earlier knowledge without first looking at the answer.

New learning

Read your actual feedback: Record your score and review teacher-identified misconceptions after marking. Do not assume everyone missed the same question.

Identify the error type: Was it a knowledge gap, wrong technical term, missing link between cause/effect, or lost marks for incomplete detail?

Reteach an explanation: Model an accurate answer from one area needing improvement, then try a different example while the steps are shown.

Prove the improvement: Answer new questions independently without copying the model. Compare the new answer with a mark-point checklist only after attempting it.

Worked example

A pupil wrote: 'A firewall makes the Internet safe.' Improve this into a specific two-mark explanation of how a firewall works. [2 marks]

1. The phrase 'makes it safe' is too general to show an exact mechanism.

2. A firewall checks traffic against configured rules [1].

3. It blocks disallowed or suspicious connections [1], helping restrict unauthorised network access.

4. Two linked technical points earn marks; do not claim the firewall stops every attack.

We Do · Practise with guidance

Guided 1

An answer says: 'DNS opens the Internet.' Rewrite it as a two-mark explanation of DNS. [2 marks]

BLACK PEN Answer all questions first. **GREEN PEN** Then: tick and rewrite mistakes.

Worked method: DNS looks up an IP address associated with a domain name [1], allowing the client to contact the requested server [1].

Guided 2

An answer says: 'A mesh is better.' Improve it using one advantage and a reason. [2 marks]

Worked method: Mesh can provide alternative routes [1], so traffic may still get through when a link fails [1].

Guided 3

An answer says: 'Encryption stops hackers.' Write a better two-mark explanation. [2 marks]

Worked method: Encryption scrambles data into ciphertext [1], so an interceptor without the key cannot readily read it [1].

BLACK PEN Answer all questions first. **GREEN PEN** Then: tick and rewrite mistakes.

You Do · Work independently

BLACK PEN: Write your own answers. Do not look at the Review & Improve pages yet.

Code First · Predict → Write → Test → Improve

Predict the number of outstanding errors.

```
errors = 2
errors = errors - 1
print(errors)
```

predict

Question 1

A pupil says a router switches devices on and off. State its real role. [2 marks] Source: Original J277-style feedback question, not an OCR past-paper original.

Question 2

A colleague claims a two-factor login is unnecessary if a password is long. Explain how two-factor authentication still improves security. [4 marks] Source: Original J277-style feedback question, not an OCR past-paper original.

Question 3

A student confuses phishing, malware and denial of service. Explain the difference between these threats and one consequence each. [6 marks] Source: Original J277-style feedback question, not an OCR past-paper original.

BLACK PEN Answer all questions first. **GREEN PEN** Then: tick and rewrite mistakes.

Exit Ticket · Answer before checking

Useful assessment feedback identifies what to improve and allows a new attempt.

BLACK PEN Answer all questions first. **GREEN PEN** Then: tick and rewrite mistakes.

Review & Improve · GREEN PEN

Now change to GREEN PEN. Find each original question. Tick correct answers; read the model and rewrite mistakes.

Page 1 onwards · Do Now

Q1. Local Area Network.

Q2. D — 2,000 GB

Q3. A character is mapped to a numerical code which is represented in binary.

Q4. A character set links characters to codes. Use the given code and letter order to find nearby codes; you need not learn the whole ASCII table.

I Do / We Do pages · Guided practice

Q1. DNS looks up an IP address associated with a domain name [1], allowing the client to contact the requested server [1].

Q2. Mesh can provide alternative routes [1], so traffic may still get through when a link fails [1].

Q3. Encryption scrambles data into ciphertext [1], so an interceptor without the key cannot readily read it [1].

You Do pages · Code First

```
errors = 2
errors = errors - 1
print(errors)
```

Expected result: 1

You Do pages · Independent questions

Q1. Forwards data between networks [1] using IP addresses [1].

Q2. Additional independent evidence is required [1], such as a separate authenticator code/device [1]. A stolen password alone is insufficient [1], reducing unauthorised login risk [1].

Q3. Phishing deceives users [1] to reveal private details [1]. Malware is malicious software [1] that may steal or damage files [1]. DoS overwhelms services [1], stopping legitimate users from accessing them [1].

BLACK PEN Answer all questions first. **GREEN PEN** Then: tick and rewrite mistakes.

Exit Ticket · Model answer

True

Try the question again

Choose one question you got wrong. All correct? Choose the hardest.

1. Copy the whole original question:

2. Write a complete new answer in GREEN PEN. Show working if needed: