

ROSE-HULMAN INSTITUTE OF TECHNOLOGY

University of Wisconsin-Madison | Department of Computer Sciences
Human-Computer Interaction Laboratory



MILESTONE 4


Trey Cahill Katie Greenwald Samad Jawaid Kevin Risden

Contents


1	\mathbf{Sys}	stem Sequence Diagrams				
	1.1	Browse and Select Experiment				
	1.2	Create Experiment				
	1.3	Modify Experiment				
2	Operations Contracts					
	2.1	CreateExperiment				
	2.2	ModifyExperiment				
	2.3	LoadExperiments				
	2.4	LoadExperiment				
	2.5	Sign Up Experiment				
	2.6	Verify Sign up				
	2.7	Verify Appointment				
	_					
3		eraction Diagrams				
	3.1	Sign Up For Experiment				
4	Pac	ckage Diagram				
5	Cla	ass Diagram				
6	GR	ASP Principles				
	6.1	Creator				
	6.2	Info Expert				
	6.3	Controller				
	6.4	High Cohesion				
	6.5	Low Coupling				
	6.6	Pure Fabrication				
	6.7	Indirection				
	6.8	Polymorphism				
	6.9	Protected Variation				
7	Ref	ferences				
8	App	pendix				

1 System Sequence Diagrams


1.1 Browse and Select Experiment



1.2 Create Experiment



1.3 Modify Experiment



2 Operations Contracts

This section provides operation contracts for vital operations.

2.1 CreateExperiment

Operation:	CreateExperiment()
Cross References:	Uses Cases: Add Experiment
Preconditions	User is an Administrator and/or a Researcher and has authenticated
Postconditions:	Experiment object will have been created, or an error message will have been displayed

2.2 ModifyExperiment

	Operation:	ModifyExperiment(ID)
ſ	Cross References:	Uses Cases: Modify Experiment
L	Preconditions	User is an Administrator and/or a Researcher and has authenticated
	Postconditions:	The experiment object will have its fields modified, will have been deleted, or an error message will have

2.3 LoadExperiments

Operation:	LoadExperiments()
Cross References:	Uses Cases: Select Experiment
Preconditions	The participant has loaded the web page.
Postconditions:	Experiments collection was created (instance creation)

2.4 LoadExperiment

Operation:	LoadExperiment(ID)
Cross References:	Uses Cases: Select Experiment
Preconditions	The participant as clicked on an experiment.
Postconditions:	Experiment was created (instance creation)
	Experiment attributes was loaded into the web page

2.5 Sign Up Experiment

Operation:	SignupExperiment()
Cross References:	Uses Cases: Sign up for Experiment
Preconditions	The participant has clicked on an experiment to sign up for
Postconditions:	LogIn was created (instance creation)
	LogIn.logged became loggedIn (attribute modification)

2.6 Verify Sign up


Operation:	VerifySignup(Login)
Cross References:	Uses Cases: Sign up for Experiment
Preconditions	The participant has logged into or created an account
Postconditions:	this.hasConflict is set to false (attribute modification)

2.7 Verify Appointment


Operation:	VerifyAppointment(Time,Date)
Cross References:	Uses Cases: Sign up for Experiment
Preconditions	The participant has selected a time and date slot.
Postconditions:	experiment.slots has been modified (attribute modification)
	Database is updated

3 Interaction Diagrams


3.1 Sign Up For Experiment



4 Package Diagram



5 Class Diagram



6 GRASP Principles

- 6.1 Creator
- 6.2 Info Expert
- 6.3 Controller
- 6.4 High Cohesion
- 6.5 Low Coupling
- 6.6 Pure Fabrication
- 6.7 Indirection
- 6.8 Polymorphism
- 6.9 Protected Variation
- 7 References
- 8 Appendix