Case study 4: Bookcase

National 5 · Practical Woodworking · 10 marks · open book

The product. A bookcase for a school library has two fixed shelves and a plywood back fitted into a rebate. Use the drawing to answer the questions. Answer in sentences for describe and explain questions; you can add labelled sketches.



Main sizes (mm)

Height 918
Width 600
Depth 250
Board thickness 18
Back: 6 mm plywood

Case study 4: Bookcase

National 5 · Practical Woodworking · 10 marks · open book

1 *The shelves are fitted into the sides with through housing joints.*

(a) Name the hand tool used to level the bottom of a housing. **(1 mark)**

(b) Describe the stages in cutting a through housing. Your answer can include sketches. **(3 marks)**

Space for sketches

2 *The back of the bookcase fits into a rebate cut along the back edge of each side.*

Name the plane used to cut the rebate. **(1 mark)**

3 *The bookcase could be made from pine or from chipboard covered in veneer.*

Describe one advantage and one disadvantage of chipboard compared with pine. **(2 marks)**

Case study 4: Bookcase

National 5 · Practical Woodworking · 10 marks · open book

4 *The bookcase is glued up using sash cramps.*

Describe how to check the bookcase is square after it has been cramped. **(1 mark)**

State how to stop the sash cramps marking the bookcase. **(1 mark)**

Explain why excess glue should be wiped off. **(1 mark)**

Total: ___ / 10