

QBR Agent — First-Time Setup Guide

A step-by-step guide to get the **AI Account Review & Expansion Agent** running from a clean machine, log in, create an account, upload the case-study dataset, and run a full QBR.

Follow the steps top to bottom. Each step says exactly what to type and what you should see.

1. Install prerequisites

Install these once (skip any you already have):

Tool	Version	Check it's installed
Node.js	20+	<code>node -v</code>
npm	10+ (ships with Node)	<code>npm -v</code>
Docker + Docker Compose	any recent	<code>docker -v</code>

You also need an **Anthropic API key** (starts with `sk-ant-...`) for live runs. Get one at <https://console.anthropic.com>.

2. Install the project

From the project folder:

```
npm install
```

This installs all dependencies. It takes a minute or two.

3. Configure environment (.env)

Copy the template and open `.env` in an editor:

```
cp .env.example .env
```

Set these **two** values (everything else has working defaults):

```
# 1. Your Anthropic key – required for real QBR runs
```

```
ANTHROPIC_API_KEY=sk-ant-...
```

```
# 2. Database URL for running on your own machine – use the HOST one:
```

```
DATABASE_URL=postgresql://postgres:postgres@localhost:5433/qbr_agent?schema=public
```

Tip: `.env.example` ships with `DATABASE_URL` pointed at a Docker-network hostname

(for containerized runs). When running on your laptop, replace it with the

`localhost:5433` value shown above (that's the `DATABASE_URL_HOST` line in the template).

4. Start the database (Postgres)

The app uses Postgres (with the `pgvector` extension). Start it with Docker:

```
docker compose up -d postgres
```

Check it's healthy:

```
docker compose ps
```

You should see `qbr-agent-postgres` with status **healthy**. It listens on `localhost:5433`.

5. Create the database tables

Apply the schema with Prisma:

```
npx prisma migrate dev --name init
```

You should see `Your database is now in sync with your schema.`

6. Seed the login users (users only — no demo accounts)

To create just the workspace + login users (and **no** sample customer accounts, so you start clean):

```
npm run seed:users
```

You should see:

```
Seeded admin@demo (admin)
Seeded am@demo (am)
Seeded lead@demo (cs_lead)
Workspace "Demo Workspace" ready — password: demo1234
```

`npm run seed:users` is **idempotent** — safe to re-run; it never deletes data.

(If you instead want the database pre-filled with the 3 sample accounts and their transcripts already loaded, run `npm run seed` instead. For this guide we use the empty `seed:users` so you can practice the full add-account → upload → run flow.)

7. Start the app

```
npm run dev
```

Open <http://localhost:3000> in your browser.

8. Log in as admin

On the login screen, sign in with:

Email	Password
admin@demo	demo1234

(There are also `am@demo` and `lead@demo`, same password, for the AM / CS-lead roles.)

After login you land on the **Home / Portfolio** page. It will be empty — no accounts yet.

9. Create an account

1. Go to **Portfolio** (`/portfolio`).
2. Find the **New account** card.
3. Fill in:

- **Account name** (required) — e.g. `Meridian Furniture`
- **Vertical** (optional) — e.g. `Retail` or `Home Services`
- **Tier** — leave as `growth`
- **ARR** (optional) — e.g. `90000`
- **Renewal date** (optional)

1. Click **Create account**. You're assigned as the primary owner.

Shortcut: You can skip manual creation entirely — the **Upload sources** button (next step) auto-creates the account from the files. Manual creation is just for when you want the record to exist first.

10. Upload the dataset

The case-study data lives in the project under:

`AI GTM Engineer Case Study - Data Sets/`

It contains call transcripts (`.txt`) and one usage extract (`.xlsx`).

To upload:

1. On the **Portfolio** page, click **Upload sources**.
2. Select one or more files from the dataset folder, for example all the `call-transcript--meridian-furniture-*.txt` files.
3. The agent **previews** each file: it detects which customer account each belongs to (creating the account if it's new) and classifies the source type (**call / email / usage**).
4. Review the proposed routing (you can correct the account or type per file).
5. Click to **commit** — the sources are attached to their accounts.

About the usage .xlsx: export/save it as `.csv` first if the uploader doesn't accept the raw spreadsheet. The agent reads the `ORGANIZATION NAME` column to route it.

Note on the bundled data: the usage row names (`Mr Sparky, Auscraft Furniture`)

intentionally do **not** match the transcript account names — there's no shared join key, so they're handled as separate accounts. This is expected.

11. Run a QBR

1. Open the account: **Portfolio** → **click the account name** ([/accounts/\[id\]](/accounts/[id])).
 2. Confirm its **Sources** list shows the transcripts/usage you uploaded.
 3. Click **Run QBR** (goes to [/accounts/\[id\]/qbr/new](/accounts/[id]/qbr/new)).
 4. Watch the **5 stages** stream live:
 5. **Goal extraction** — customer goals, each with an evidence quote
 6. **Usage analysis** — each goal marked working / partial / lagging
 7. **Gap detection** — underused features tied to goals (severity 1–5)
 8. **Opportunity mapping** — scored upsells from the gaps
 9. **Narrative generation** — the QBR brief + deck slides
 10. When it finishes, you land on the saved brief ([/accounts/\[id\]/qbr/\[runId\]](/accounts/[id]/qbr/[runId])).
-

12. Review, export, and share the brief

On the brief page you can:

- **Read** the summary, customer goals, current performance, top-3 gaps, top-3 opportunities, and the QBR outline — every claim has a clickable **evidence quote**.
- Check the header badges: **confidence %**, **evidence grounded %** (target 100%), and **~N min saved vs 45-min manual prep**.
- **Edit** the summary / selections inline, then **Save** and **Approve**.
- **Download PPTX** / **Download PDF** — the customer-facing deck.
- **Push to CRM** / **Push to Slack** — mock integrations (no real external calls).

That's the full flow. 🎉

Quick reference (copy-paste)

```
# one-time setup
npm install
cp .env.example .env # set ANTHROPIC_API_KEY + DATABASE_URL
(localhost:5433)
docker compose up -d postgres
npx prisma migrate dev --name init
npm run seed:users # login users only, no demo accounts

# run it
npm run dev # http://localhost:3000
# login: admin@demo / demo1234
```

Troubleshooting

Symptom	Fix
App can't reach the database	Make sure <code>DATABASE_URL</code> uses <code>localhost:5433</code> (not the container hostname) when running on your machine. Confirm <code>docker compose ps</code> shows Postgres healthy .
<code>migrate dev</code> fails to connect	Postgres isn't up yet — run <code>docker compose up -d postgres</code> and wait for healthy.
Login fails	Run <code>npm run seed:users</code> and use <code>admin@demo / demo1234</code> .
QBR run errors / no output	<code>ANTHROPIC_API_KEY</code> is missing or invalid in <code>.env</code> .
Want a clean DB but keep logins	<code>npm run db:clean</code> removes accounts/runs but preserves users + workspace.
Want the DB pre-filled with sample accounts	<code>npm run seed</code> (loads the 3 case-study accounts + transcripts).

Want to skip the database entirely?

There's a no-login, no-DB demo at <http://localhost:3000/workbench> — pick a bundled account, click **Run QBR pipeline**, and get a brief + deck. Good for a fast demo; the full authenticated flow above is

the real AM experience. See [docs/USAGE_GUIDE.md](#) for details.