

FindAndOpen | picoCTF Writeup

Written by: Alexander M. Sapo

FindAndOpen

Forensics Medium 200 pts

by Mubarak Mikail

Someone might have hidden the password in the trace file.

Find the key to unlock [this file](#). [This tracefile](#) might be good to analyze.


HINTS ⓘ

- Download the pcap and look for the password or flag.
- Don't try to use a password cracking tool, there are easier ways here.

process:

The packet capture contains only MDNS and Ethernet II traffic.

While inspecting the Ethernet II frames in Wireshark, I noticed the following message embedded in the payload:



Flying on Ethernet secret: Is this the flag

This hinted that the password was hidden within the Ethernet II traffic.

To inspect the raw packet data, I used:

```
tshark -r dump.pcap -x
```

While reviewing the payloads, I found several Base64-like strings. The first string I decoded produced mostly unreadable characters along with a partial `picoCTF{`, indicating that it was not the complete password.

iBwaWNvQ1RGe1
PBwaWUvQ1RGe1

Decoded output:

X0B00øpie/CTF{

Continuing through the remaining Ethernet II payloads, I found another Base64 string:

```

0000 69 42 77 61 57 4e 76 51 31 52 47 65 31 43 6f 75 iBwaMNVQ1RGe1Cou ifb
0010 6c 64 20 74 68 65 20 66 6c 61 67 20 68 61 76 65 ld the flag have C2F
0020 20 62 65 65 6e 20 73 70 6c 69 74 74 65 64 3f 63 been splitted? ACEB
0030 69 42 77 61 57 4e 76 51 31 52 47 65 31 43 6f 75 iBwaMNVQ1RGe1Cou set
0040 6c 64 20 74 68 65 20 66 6c 61 67 20 68 61 76 65 ld the flag have n=L
0050 20 62 65 65 6e 20 73 70 6c 69 74 74 65 64 3f 63 been splitted? IV.ca
0060 41 41 42 42 48 48 50 4a 47 54 46 52 4c 4b 56 47 AABBBHPJGTFRLKVG
0070 68 70 63 79 42 70 63 69 42 30 61 47 55 67 63 32 hpcyBpcyB0aGugc2
0080 56 6a 63 6d 56 30 4f 69 42 77 61 57 4e 76 51 31 VjcmV00iBwaMNVQ1
0090 52 47 65 31 49 7a 4e 45 52 4a 54 6b 64 66 54 45 RGe1IzNERJTkdfTE
00a0 39 4c 5a 46 38 3d 9LZF8=
00b0 50 42 77 61 57 55 76 51 31 52 47 65 73 61 62 61 PBwaMUVQ1RGeSaba...
00c0 62 61 62 6b 6a 61 41 53 4b 42 4b 53 42 41 43 56 babkjaASKBKSBCACV D
00d0 56 41 56 53 44 44 53 53 53 53 44 53 4b 4a 42 4a VAVSDSSSSSDSKBJ
00e0 53 S
00f0 00 5e 00 00 fb 00 50 56 f5 e2 91 08 00 45 S.....PY.....E.
0100 50 42 77 61 57 55 76 51 31 52 47 65 73 61 62 61 PBwaMUVQ1RGeSaba...
0110 62 61 62 6b 6a 61 41 53 4b 42 4b 53 42 41 43 56 babkjaASKBKSBCACV ...
0120 56 41 56 53 44 44 53 53 53 44 53 4b 4a 42 4a VAVSDSSSSSDSKBJ eca
0130 53 73 74 04 5f 7a 63 70 05 6c 6f 63 61 6c 00 00 S st_tcp.local...


```

VGhpcyBpcyB0aGUgc2
VjcmV00iBwaWNvQ1
RGe1IzNERJTkdfTE
9LZF8=

The Base64 data was concatenated with unrelated bytes in the payload, so I extracted only the valid Base64 portion before decoding it. The result was:

This is the secret: picoCTF{R34DING_L0Kd_

This revealed the password required to extract the ZIP archive. After opening the archive with the recovered password, I obtained the final flag:



flag:

picoCTF{R34DING_L0Kd_fil56_succ3ss_5ed3a878}