CREx: comparison

back to distance matrix

Bforsk → Mleid

- family diagram for Bforsk **(e)**



- family diagram for Mleid **(e)**



- strong interval tree for Bforsk



- strong interval tree for Mleid



- scenario:
  - transposition



  - tdrl



Bforsk → Pbach

- family diagram for Bforsk **(e)**



- family diagram for Pbach **(e)**



- strong interval tree for Bforsk



- strong interval tree for Pbach



- scenario:
  - transposition



- reverse transposition





Mleid → Bforsk

- family diagram for Mleid **(e)**



- family diagram for Bforsk **(e)**



- strong interval tree for Mleid



- strong interval tree for Bforsk



- scenario:
  - transposition

ND1 CYTB	(e)
CYTB ND1	(e)

transposition	COX3 ND3 COX2 16S ND4 ND4L ND5 CYTB ND1 (e)

→	COX2 16S COX3 ND3 ND4 ND4L ND5 CYTB ND1	(e)
transposition	COX2 16S COX3 ND3 ND4 ND4L ND5 CYTB ND1	(e)
→	16S COX3 ND3 ND4 ND4L ND5 CYTB ND1 COX2	(e)

Mleid → Pbach

- family diagram for Mleid **(e)**



- family diagram for Pbach **(e)**



- strong interval tree for Mleid



- strong interval tree for Pbach



- scenario:
  - transposition





Pbach → Bforsk

- family diagram for Pbach **(e)**



- family diagram for Bforsk **(e)**



- strong interval tree for Pbach



- strong interval tree for Bforsk



- scenario:

- transposition



- reverse transposition





Pbach → Mleid

- family diagram for Pbach **(e)**

- family diagram for Mleid **(e)**



- strong interval tree for Pbach



- strong interval tree for Mleid



- scenario:
  - transposition






→
ND4L COX3 ND5 ND1 CYTB ND3 COX2 16S ND4
(e)
tdrl
ND4L COX3 ND5 ND1 CYTB ND3 COX2 16S ND4
(e)
→
COX3 ND3 COX2 16S ND4 ND4L ND5 ND1 CYTB
(e)