




Annelida — top GO enrichments per namespace (fold $\geq 3\times$, $k \geq 4$)




Arthropoda — top GO enrichments per namespace (fold $\geq 3\times$, $k \geq 4$)




Bilateria — top GO enrichments per namespace (fold $\geq 3\times$, $k \geq 4$)




Bivalvia — top GO enrichments per namespace (fold $\geq 3\times$, $k \geq 4$)




Cephalopoda — top GO enrichments per namespace (fold $\geq 3\times$, $k \geq 4$)




Chordata — top GO enrichments per namespace (fold $\geq 3\times$, $k \geq 4$)




Clitellata — top GO enrichments per namespace (fold $\geq 3\times$, $k \geq 4$)




Cnidaria — top GO enrichments per namespace (fold $\geq 3\times$, $k \geq 4$)




Coleoidea — top GO enrichments per namespace (fold $\geq 3\times$, $k \geq 4$)




Ctenophora — top GO enrichments per namespace (fold $\geq 3\times$, $k \geq 4$)




Decapodiformes — top GO enrichments per namespace (fold $\geq 3\times$, $k \geq 4$)




Deuterostomia — top GO enrichments per namespace (fold $\geq 3\times$, $k \geq 4$)




Diptera — top GO enrichments per namespace (fold $\geq 3\times$, $k \geq 4$)




Echinodermata — top GO enrichments per namespace (fold $\geq 3\times$, $k \geq 4$)




Gastropoda — top GO enrichments per namespace (fold ≥ 3×, k ≥ 4)




Hexapoda — top GO enrichments per namespace (fold $\geq 3\times$, $k \geq 4$)


Insecta — top GO enrichments per namespace (fold $\geq 3\times$, $k \geq 4$)




Mammalia — top GO enrichments per namespace (fold $\geq 3\times$, $k \geq 4$)




Mollusca — top GO enrichments per namespace (fold $\geq 3\times$, $k \geq 4$)




Nematoda — top GO enrichments per namespace (fold $\geq 3\times$, $k \geq 4$)




Neoptera — top GO enrichments per namespace (fold $\geq 3\times$, $k \geq 4$)




Platyhelminthes — top GO enrichments per namespace (fold $\geq 3\times$, $k \geq 4$)




Porifera — top GO enrichments per namespace (fold ≥ 3×, k ≥ 4)




Protostomia — top GO enrichments per namespace (fold $\geq 3\times$, $k \geq 4$)




Scaphopoda — top GO enrichments per namespace (fold ≥ 3×, k ≥ 4)



Spiralia — top GO enrichments per namespace (fold $\geq 3\times$, $k \geq 4$)



Teleostei — top GO enrichments per namespace (fold $\geq 3\times$, $k \geq 4$)



Vertebrata — top GO enrichments per namespace (fold $\geq 3\times$, $k \geq 4$)

