




Annelida — top GO enrichments per namespace (fold $\geq 3\times$, $k \geq 4$)




Arthropoda — top GO enrichments per namespace (fold $\geq 3\times$, $k \geq 4$)




Bilateria — top GO enrichments per namespace (fold $\geq 3\times$, $k \geq 4$)




Bivalvia — top GO enrichments per namespace (fold $\geq 3\times$, $k \geq 4$)






Cephalopoda — top GO enrichments per namespace (fold $\geq 3\times$, $k \geq 4$)




Chordata — top GO enrichments per namespace (fold $\geq 3\times$, $k \geq 4$)




Clitellata — top GO enrichments per namespace (fold $\geq 3\times$, $k \geq 4$)




Cnidaria — top GO enrichments per namespace (fold ≥ 3×, k ≥ 4)




Coleoidea — top GO enrichments per namespace (fold ≥ 3×, k ≥ 4)




Ctenophora — top GO enrichments per namespace (fold $\geq 3\times$, $k \geq 4$)




Decapodiformes — top GO enrichments per namespace (fold $\geq 3\times$, $k \geq 4$)




Deuterostomia — top GO enrichments per namespace (fold $\geq 3\times$, $k \geq 4$)






Diptera — top GO enrichments per namespace (fold $\geq 3\times$, $k \geq 4$)




Echinodermata — top GO enrichments per namespace (fold $\geq 3\times$, $k \geq 4$)




Gastropoda — top GO enrichments per namespace (fold $\geq 3\times$, $k \geq 4$)






Hexapoda — top GO enrichments per namespace (fold ≥ 3×, k ≥ 4)




Insecta — top GO enrichments per namespace (fold $\geq 3\times$, $k \geq 4$)




Mammalia — top GO enrichments per namespace (fold $\geq 3\times$, $k \geq 4$)




Mollusca — top GO enrichments per namespace (fold ≥ 3×, k ≥ 4)




Nematoda — top GO enrichments per namespace (fold ≥ 3×, k ≥ 4)




Neoptera — top GO enrichments per namespace (fold ≥ 3×, k ≥ 4)






Platyhelminthes — top GO enrichments per namespace (fold $\geq 3\times$, $k \geq 4$)




Porifera — top GO enrichments per namespace (fold $\geq 3\times$, $k \geq 4$)






Protostomia — top GO enrichments per namespace (fold ≥ 3×, k ≥ 4)




Scaphopoda — top GO enrichments per namespace (fold $\geq 3\times$, $k \geq 4$)



Spiralia — top GO enrichments per namespace (fold $\geq 3\times$, $k \geq 4$)



Teleostei — top GO enrichments per namespace (fold $\geq 3\times$, $k \geq 4$)



Vertebrata — top GO enrichments per namespace (fold ≥ 3×, k ≥ 4)

