




Annelida — top GO enrichments per namespace (fold $\geq 3\times$, $k \geq 3$)




Arthropoda — top GO enrichments per namespace (fold ≥ 3×, k ≥ 3)




Bilateria — top GO enrichments per namespace (fold ≥ 3×, k ≥ 3)




Bivalvia — top GO enrichments per namespace (fold $\geq 3\times$, $k \geq 3$)




Cephalopoda — top GO enrichments per namespace (fold ≥ 3×, k ≥ 3)




Chordata — top GO enrichments per namespace (fold $\geq 3\times$, $k \geq 3$)




Clitellata — top GO enrichments per namespace (fold $\geq 3\times$, $k \geq 3$)




Cnidaria — top GO enrichments per namespace (fold $\geq 3\times$, $k \geq 3$)




Coleoidea — top GO enrichments per namespace (fold $\geq 3\times$, $k \geq 3$)




Ctenophora — top GO enrichments per namespace (fold $\geq 3\times$, $k \geq 3$)




Decapodiformes — top GO enrichments per namespace (fold $\geq 3\times$, $k \geq 3$)




Deuterostomia — top GO enrichments per namespace (fold ≥ 3×, k ≥ 3)




Diptera — top GO enrichments per namespace (fold $\geq 3\times$, $k \geq 3$)




Echinodermata — top GO enrichments per namespace (fold ≥ 3×, k ≥ 3)




Gastropoda — top GO enrichments per namespace (fold $\geq 3\times$, $k \geq 3$)




Hexapoda — top GO enrichments per namespace (fold $\geq 3\times$, $k \geq 3$)


Insecta — top GO enrichments per namespace (fold $\geq 3\times$, $k \geq 3$)




Mammalia — top GO enrichments per namespace (fold $\geq 3\times$, $k \geq 3$)




Mollusca — top GO enrichments per namespace (fold ≥ 3×, k ≥ 3)




Nematoda — top GO enrichments per namespace (fold $\geq 3\times$, $k \geq 3$)




Neoptera — top GO enrichments per namespace (fold $\geq 3\times$, $k \geq 3$)




Platyhelminthes — top GO enrichments per namespace (fold $\geq 3\times$, $k \geq 3$)




Porifera — top GO enrichments per namespace (fold $\geq 3\times$, $k \geq 3$)




Protostomia — top GO enrichments per namespace (fold $\geq 3\times$, $k \geq 3$)




Scaphopoda — top GO enrichments per namespace (fold ≥ 3×, k ≥ 3)



Spiralia — top GO enrichments per namespace (fold $\geq 3\times$, $k \geq 3$)



Teleostei — top GO enrichments per namespace (fold $\geq 3\times$, $k \geq 3$)



Vertebrata — top GO enrichments per namespace (fold $\geq 3\times$, $k \geq 3$)

