




Annelida — top GO enrichments per namespace (fold ≥ 3×)




Bilateria — top GO enrichments per namespace (fold $\geq 3\times$)




Bivalvia — top GO enrichments per namespace (fold ≥ 3×)




Cnidaria — top GO enrichments per namespace (fold $\geq 3\times$)




Coleoidea — top GO enrichments per namespace (fold ≥ 3×)




Ctenophora — top GO enrichments per namespace (fold ≥ 3×)




Decapodiformes — top GO enrichments per namespace (fold ≥ 3×)




Deuterostomia — top GO enrichments per namespace (fold $\geq 3\times$)




Diptera — top GO enrichments per namespace (fold $\geq 3\times$)




Echinodermata — top GO enrichments per namespace (fold ≥ 3×)




Gastropoda — top GO enrichments per namespace (fold $\geq 3\times$)




Insecta — top GO enrichments per namespace (fold $\geq 3\times$)




Mollusca — top GO enrichments per namespace (fold ≥ 3x)




Nematoda — top GO enrichments per namespace (fold ≥ 3×)




Neoptera — top GO enrichments per namespace (fold ≥ 3×)




Porifera — top GO enrichments per namespace (fold ≥ 3×)




Protostomia — top GO enrichments per namespace (fold $\geq 3\times$)



Scaphopoda — top GO enrichments per namespace (fold ≥ 3×)



Spiralia — top GO enrichments per namespace (fold $\geq 3\times$)



Vertebrata — top GO enrichments per namespace (fold ≥ 3×)

