## Test Report Assignment week 4

## Assignment 4

For assignment 4, we built quickCheck-testable tests:

```
testSimpleIntersect :: Set Int -> Set Int -> Bool
testSimpleIntersect a b = subSet (setIntersect a b) a && subSet (setIntersect a b) b
```

This function tests if the intersect of a and b is a subset of a and b.

```
testSubsetUnion :: Set Int -> Set Int -> Bool
testSubsetUnion a b = subSet a (setUnion a b) && subSet b (setUnion a b)
```

This function tests if the a is a subset of the union of a and b, and if b is a subset of the union of a and b.

```
testDifferenceSubset :: Set Int -> Set Int -> Bool
testDifferenceSubset a b = subSet (setDiff a b) a
```

This function tests if the difference set of a and b is a subset of a.

```
testEquivalenceRelations :: Set Int -> Set Int -> Bool
testEquivalenceRelations a b = (setIntersect a b) == (setDiff (setUnion a b) (setUnion)
```

This function tests all three functions, by testing if the intersection of a and b is equivalent to the difference set of the union of a and b and the union of the difference set a b and b a. From these tests, we built an hypec function which tests the three properties for different sets of a and b. This quickCheck worked correctly.

## Assignment 7

To test TRCLOS we found on Wikipedia that it should hold, that:

```
R^+ \Longleftrightarrow R \subseteq R^+ \cap R^+ is transative \cap R^+ is minimal
```

In the workshop we also proved that,

```
R \circ R \subseteq R \Leftrightarrow Ristransative
```

We tested this using the following three methods:

```
testTransitive :: [(Int, Int)] -> Bool
testTransitive r = (r @@ r) 'isInfixOf' r
```

Which tests  $R \circ R \subseteq R \Leftrightarrow R$  is transitive:

```
testTrClosRoRinR :: [(Int, Int)] -> Bool
testTrClosRoRinR r = testTransitive $ trClos r
```

We then tested if R was in the transitive closure of R:

```
testTrClosRinR :: [(Int, Int)] -> Bool
testTrClosRinR r = r 'isInfixOf' (trClos r)
```

And than  $R^+$ should be minimal, so there shouldn't be a smaller subset thats also transative and contains R, we solved this with an  $O(2^n)$  time test function, which basicly creates all the possible powerLists of  $R^+$ .

```
testTrClosIsMinimal :: [(Int, Int)] -> Bool
testTrClosIsMinimal rNotUnique = (1==) $ length $ (filter testTransitive (map (r -
```

From these tests, we built an hspec function which tests the three properties for different sets of a and b. This quickCheck worked correctly. This is shown in assignment 6.