

REUSE
Symbol Design Guide

VERSION 2.0, JUNE 2026

Table of Contents

Purpose of These Guidelines 3

REUSE Symbol 4

REUSE Colors. 5

Legibility Examples 6

REUSE Symbol & Wordmark 7

Lockup Compositions 8

Lockup Spacing 9

Lockup & Symbol Clearance 10

Symbol Usage Dont's 11

Typography. 12

Labeling Examples. 13

Labeling Details 14

Signage Examples 15

Collection Point Examples 16

Promotional Examples 17

Purpose of These Guidelines

These guidelines explain how to apply the reuse symbol to assets and infrastructure to identify, enable and/or promote reusable packaging systems.

These guidelines should be used in conjunction with the symbol usage criteria and RES-003/ CSA R302 Reusable packaging system design standard: Marking and labeling of reusable containers, collection points, signage, and other assets.

REUSE Symbol


In 2025, the PR3 Global Standards Panel launched Rebrand Reuse, a global design initiative to set a standardized symbol for reusable packaging and the reuse movement. The initiative solicited symbol concepts from designers around the world, receiving over 225 entries from 29 countries. Using a rigorous evaluation process and consumer surveying, this symbol was selected by both a global jury of prominent designers, business leaders, and cultural influencers and PR3's Standards Panel. The symbol was designed by Epigrama Studios, a design collective from Colombia. It is now trademarked by PR3 and incorporated into the PR3 labeling standard.

The reuse symbol is meant to be recognizable and distinct from existing recycling symbols; to be visually appealing, memorable, and clearly understood; to be legible, scalable, and adaptable no matter its application; and to inspire action and encourage adoption of reuse.



REUSE Colors

In addition to black and white, purple can be applied to the reuse symbol, text and other elements.
RES-003/ CSA R302 recommends purple as the color for reuse systems, but the use of purple is not required.




Purple

DIGITAL
HEX #8A2BE2

PRINT (CMYK)
C: 38.94, M: 80.97, Y:0, K:11.37
PANTONE 267 CP


PRINT (SPOT) PANTONE 266 C



Black

DIGITAL
HEX #FFFFFF

PRINT (CMYK)
C: 0, M: 0, Y:0, K: 100



White

DIGITAL
HEX #000000

PRINT (CMYK)
C: 0, M: 0, Y:0, K: 0

Legibility Examples

To ensure legibility, the reuse symbol should be a minimum of 10 mm tall when on containers. It can be black, white, purple, or colorless (i.e. embossed or etched), based on its context, making it adaptable to most scenarios and existing branding systems. No matter the application, the symbol should be clearly visible and identifiable.



REUSE Symbol & Wordmark

The reuse symbol should have the wordmark “reuse” or the most commonly used equivalent term in the region where it is being displayed. This lockup can also be edited to incorporate additional information, such as a return incentive amount or return instructions. The recommended typeface for the “reuse” wordmark is: Inter Bold.

Note that the wordmark is written in uppercase to enable legibility in diverse contexts, including embossing and etching.









Lockup Compositions

The reuse symbol and wordmark can be locked up in various ways, making it easily adaptable.

INLINE



STACKED AND CENTERED



STACKED AND ALIGNED LEFT




STACKED AND HYPHENATED




Lockup Spacing

The reuse symbol has a certain amount of negative space around it for the application of the wordmark.

Depending on lockup style, the amount of negative space between the word and the symbol is calculated in multiples of the thickness of the tail of the symbol's arrow (shown in blue), or the space between the arrow's point and it's tail (shown in orange).



INLINE




STACKED AND CENTERED

STACKED AND ALIGNED LEFT



STACKED AND HYPHENATED




Lockup & Symbol Clearance


A protected negative space, measured by 2X the thickness of the tail of the symbol's arrow (for symbol), or 3X (for any lockup), designates the absolute minimum zone in which no other graphic element (text, line, shapes, image box, etc.) may appear.

It also indicates how close the logo can be to the edge of a page or object. This zone helps to avoid problems of legibility.

Consistent with these same considerations, the symbol may exist at a size of no smaller than 10mm along its longest side.



SYMBOL CLEARANCE



LOCKUP CLEARANCE

Symbol Application Dont's

Because visual consistency is key, please reference the examples on this page of improper usage and enforce these rules when designing reuse communications and materials.



DON'T apply outlines



DON'T add drop shadows



DON'T use unapproved colors



DON'T apply gradients



DON'T tilt



DON'T skew



DON'T change original aspect ratio of 1:1.15



DON'T add patterns

Typography

Inter is offered as both traditional constant font files as well as a Variable Font. Inter is a typeface carefully crafted & designed for optimal legibility. The typeface features a tall x-height to aid in readability of mixed-case and lower-case text. Several OpenType features are provided as well, like contextual alternates.

Inter supports many languages from around the world. Your language may be supported with this font, check https://rsms.me/inter/#languages.

A quick brown fox jumps over the lazy dog.

Inter Extra Bold
ABCDEFGHIJKLMNOPQRST UVWXYZ
abcdefghijklmnopqrstuvwxyz
1234567890!@£$%^&*

Inter Bold
ABCDEFGHIJKLMNOPQRST UVWXYZ
abcdefghijklmnopqrstuvwxyz
1234567890!@£$%^&*

Inter Medium
ABCDEFGHIJKLMNOPQRST UVWXYZ
abcdefghijklmnopqrstuvwxyz
1234567890!@£$%^&*

Inter Light
ABCDEFGHIJKLMNOPQRST UVWXYZ
abcdefghijklmnopqrstuvwxyz
1234567890!@£$%^&*

Labeling Examples

Examples of how brands, service providers, and vendors could use the symbol on their containers and packaging in accordance with the symbol usage criteria.



Labeling Details

Example of how the symbol can be displayed on a package, grouped together with information related to reuse and unobstructed by the package branding or other information, in accordance with the symbol usage criteria.



Signage Examples

Examples of how vendors and venues could use the symbol to denote reuse infrastructure and offer a visual marker for reusable packaging systems in accordance with the symbol usage criteria.







Collection Point Examples

Examples of how vendors and venues could use the symbol to denote collection points for reusables in accordance with the symbol usage criteria. Signs can be used to explain how to interact with a part of a reusable packaging system and how reuse relates to other waste or collection streams.









Promotional Examples

Examples of how the symbol can be used to promote, celebrate, or advance reusable packaging systems in accordance with the symbol usage criteria.





