

CEH v13 — Module 01 : Dump Complet (Partie 1 + Partie 2)

Compilation pédagogique pour le passage de l'examen CEH 312-50. - Partie 1 : 60 questions QCM originales (générées à partir du contenu officiel du Module 01) + corrigé détaillé - **Partie 2 :** 27 questions supplémentaires récupérées sur des sites gratuits d'entraînement (OpenExamPrep, Examzify, Quizlet) + vocabulaire clé + liens sources

CEH v13 Dump — Module 01 : Introduction to Ethical Hacking

Exam-Style Practice Questions (312-50) — With Answer Key

60 multiple-choice questions based on Module 01 content. Answer key at the end (page 8).

Questions

Part A — Information Security (Q1-Q15)

Q1. What are the five elements of information security per CEH v13? - A) Confidentiality, Integrity, Availability, Authenticity, Non-repudiation - B) Confidentiality, Integrity, Availability, Authorization, Audit - C) Authentication, Authorization, Availability, Encryption, Non-repudiation - D) Confidentiality, Integrity, Availability, Authentication, Non-repudiation

Q2. Which formula correctly represents the relationship between attack components? - A) $\text{Attack} = \text{Threat} + \text{Vulnerability} + \text{Impact}$ - B) $\text{Attack} = \text{Motive (Goal)} + \text{Method (TTP)} + \text{Vulnerability}$ - C) $\text{Attack} = \text{Motive} + \text{Exploit} + \text{Payload}$ - D) $\text{Attack} = \text{Vulnerability} \times \text{Threat} \times \text{Asset value}$

Q3. Which control ensures **non-repudiation**? - A) Biometrics - B) Smart cards - C) Digital signatures - D) Checksum

Q4. According to the IATF framework, what is the classification of an attack where the attacker is **physically close** to the target (shoulder surfing, dumpster diving)? - A) Passive attack - B) Active attack - C) Close-in attack - D) Distribution attack

- Q5.** Sniffing and eavesdropping are examples of: - A) Active attacks - B) Passive attacks - C) Insider attacks - D) Distribution attacks
- Q6.** Which formula defines the risk level? - A) Risk = Threat × Vulnerability - B) Risk = Consequence × Likelihood - C) Risk = Impact × Probability × Cost - D) Risk = Asset × Threat
- Q7.** What does **TTP** stand for? - A) Tools, Techniques, Protocols - B) Tactics, Techniques, and Procedures - C) Threats, Targets, and Policies - D) Tactics, Tools, and Processes
- Q8.** Which of the following is a **configuration vulnerability**? - A) HTTP protocol is intrinsically insecure - B) OS is not patched with the latest updates - C) A network uses default passwords on its equipment - D) Firewalls and VPN are poorly implemented
- Q9. Defense in depth** is a strategy that consists of: - A) Using multiple layers of protection placed throughout an information system - B) Concentrating all security controls at the network perimeter - C) Deploying only antivirus solutions - D) Encrypting only data at rest
- Q10.** In information warfare (as defined by Martin Libicki), **psychological warfare** uses: - A) Electronic jamming - B) Propaganda and terror to demoralize the adversary - C) Viruses and logic bombs - D) Blocking the flow of information
- Q11.** Which of these attacks is an example of an **active attack**? - A) Footprinting - B) Network traffic analysis - C) Session hijacking - D) Decrypting weakly encrypted traffic
- Q12.** What are the two main causes of vulnerable systems in a network? - A) Misconfiguration and poor programming practices - B) Lack of firewall and lack of antivirus - C) Too much network traffic and too many users - D) Lack of budget and lack of staff
- Q13. Authenticity** is the guarantee that: - A) Data is accessible only to authorized people - B) A communication, document, or data is genuine - C) The sender cannot deny having sent a message - D) Systems are available when users need them
- Q14.** Which HHS/HIPAA rule mandates **administrative, physical, and technical safeguards** for electronic protected health information (e-PHI)? - A) Privacy Rule - B) Security Rule - C) Enforcement Rule - D) National Identifier Standard
- Q15.** Footprinting and sniffing are examples of: - A) Active attacks - B) Passive attacks - C) Close-in attacks - D) Distribution attacks
-

Part B — Hackers and Hacker Classes (Q16-Q28)

- Q16.** Who are **Script Kiddies**? - A) Security professionals employed by companies - B) Inexperienced young individuals who use pre-fabricated scripts and tools without understanding them - C) Government-employed hackers for espionage - D) Political activists
- Q17.** Which hacker class **discloses vulnerabilities found** without permission but may help vendors improve their products? - A) Black Hat - B) White Hat - C) Gray Hat - D) Red Hat
- Q18.** State-sponsored hackers are mainly motivated by: - A) Personal financial gain - B) National security, espionage, and political objectives - C) Thrill and recognition - D) Promoting a social cause

Q19. What fundamentally distinguishes an **ethical hacker** from a **cracker**? - A) The level of technical skill - B) The **consent** (authorization from the system owner) - C) The tools used - D) The target operating system

Q20. Insiders are: - A) External attackers who penetrate through the network - B) Trusted employees with access to an organization's critical assets - C) Hackers who work alone - D) Members of criminal syndicates

Q21. Suicide hackers are individuals who: - A) Seek professional recognition - B) Aim to bring down critical infrastructures for a "cause" without fear of the consequences - C) Work for governments - D) Sell information to the highest bidder

Q22. Industrial spies often use APTs to: - A) Deface government websites - B) Steal critical information such as plans, formulas, designs, and trade secrets - C) Create botnets for DDoS - D) Promote a political ideology

Q23. Hacking is defined as: - A) The creation of malicious software - B) Exploiting system vulnerabilities and compromising security controls to gain unauthorized access to resources - C) Protecting networks against attacks - D) Using artificial intelligence

Q24. What are the main motives of an information security attack? - A) Only financial gain - B) Disrupting business continuity, stealing information, damaging reputation, demanding ransom, etc. - C) Only state espionage - D) Simple technical curiosity

Q25. Red Hat Hackers are vigilantes who: - A) Strictly follow ethical rules - B) Target and neutralize black hat activities using aggressive methods - C) Work under contract for companies - D) Are beginners in hacking

Q26. Criminal syndicates: - A) Work alone and use their own devices - B) Are organized in a hierarchy and use botnets and rented crimeware services - C) Only operate in one country - D) Never try to steal money

Q27. Blue Hat Hackers are: - A) Vigilantes who hunt black hats - B) Security professionals hired temporarily to test systems before a product's release - C) Beginners learning hacking - D) Political activists

Q28. Which of these motivations corresponds to **hacktivists**? - A) Financial gain - B) Promoting a social or political cause - C) National security - D) Learning and curiosity

Part C — Ethical Hacking (Q29-Q38)

Q29. Ethical hacking consists of: - A) Hacking systems for profit - B) Using hacking tools, tricks, and techniques to identify vulnerabilities and ensure security, with authorization - C) Creating malware to test systems - D) Monitoring a company's employees

Q30. What is one of the **limitations** of ethical hacking? - A) It can never be performed legally - B) The ethical hacker helps understand the system, but it is up to the organization to implement proper protections - C) It can only be performed by government agencies - D) It guarantees absolute security

Q31. Which step is part of the ethical security audit framework? - A) Defacing the client's website - B) Preparing and signing NDA documents with the client - C) Publishing discovered vulnerabilities on the Internet - D) Selling confidential information

Q32. Which **non-technical** skill should an ethical hacker possess? - A) Knowledge of programming languages - B) Ability to quickly learn new technologies, work ethics, communication - C) Mastery of sniffing tools - D) Knowledge of network architectures

Q33. The ethical hacker should perform DoS attacks during a test only if: - A) The network is protected by a firewall - B) It has been agreed upon in advance with the client - C) The server is abroad - D) The team is large enough

Q34. According to the course, when can a penetration test begin? - A) After a simple conversation with the client - B) Upon receipt of a signed legal document giving express authorization - C) After finding the first vulnerability - D) At any time, if the intention is good

Q35. The three fundamental questions of an ethical hacker are: what can an attacker see?, what can an intruder do with that information?, and: - A) How much will it cost to fix? - B) Are the attacker's attempts noticed on the target system? - C) What is the client's name? - D) How long will the audit last?

Q36. A "**Tiger Team**" is: - A) A group of malicious hackers - B) A group of ethical hackers working together for a large-scale test covering all aspects of the network - C) An IT maintenance team - D) A type of malware

Q37. Which document must the ethical hacker sign to protect the confidentiality of information disclosed during the test? - A) An employment contract - B) An NDA (non-disclosure agreement) - C) A software license - D) An insurance policy

Q38. Why do organizations hire ethical hackers? - A) To reduce staff costs - B) To discover vulnerabilities before attackers do, protect customer data, and strengthen security - C) To improve their website - D) To replace their IT team

Part D — Frameworks and Methodologies (Q39-Q50)

Q39. What are the **5 phases** of the CEH framework? - A) Reconnaissance, Scanning, Exploitation, Post-exploitation, Reporting - B) Reconnaissance, Vulnerability Scanning, Gaining Access, Maintaining Access, Clearing Tracks - C) Reconnaissance, Weaponization, Delivery, Exploitation, Installation - D) Footprinting, Enumeration, Privilege Escalation, Persistence, Exfiltration

Q40. In Lockheed Martin's Cyber Kill Chain, which phase involves **creating the malicious payload** (exploit + backdoor)? - A) Reconnaissance - B) Weaponization - C) Delivery - D) Exploitation

Q41. What is the **last phase** of the Cyber Kill Chain? - A) Command and Control - B) Installation - C) Actions on Objectives - D) Exploitation

Q42. How many **tactics** does MITRE's ATT&CK for Enterprise contain? - A) 7 - B) 10 - C) 14 - D) 20

Q43. What are the 4 basic features of the **Diamond Model**? - A) Attacker, Tool, Target, Network - B) Adversary, Victim, Capability, Infrastructure - C) Threat, Vulnerability, Impact, Probability - D) Motive, Method, Actor, Target

Q44. In the Diamond Model, the "**Infrastructure**" feature answers the question: - A) Who? - B) Where? - C) How? - D) What? (what the adversary used to reach the victim)

Q45. Scanning is used to identify: - A) User passwords - B) Active hosts, open ports, and unnecessary services enabled on hosts - C) Employee salaries - D) Zero-day vulnerabilities only

Q46. Enumeration consists of: - A) Sending phishing emails - B) Making active connections to the target system to gather lists of users, routing tables, shares, applications, and banners - C) Clearing attack traces - D) Creating a C2 channel

Q47. Which CEH framework phase consists of **modifying or deleting logs** to stay undetected? - A) Maintaining Access - B) Clearing Tracks - C) Gaining Access - D) Vulnerability Scanning

Q48. IoCs (Indicators of Compromise) are: - A) Hacking tools - B) Clues, artifacts, and forensic data indicating a potential intrusion or malicious activity - C) Network protocols - D) Digital certificates

Q49. What are the **4 types of threat intelligence**? - A) Passive, Active, Close-in, Insider - B) Strategic, Tactical, Operational, Technical - C) Low, Medium, High, Critical - D) Preventive, Detective, Corrective, Compensatory

Q50. The **MITRE ATT&CK** framework is mainly used to: - A) Automate DDoS attacks - B) Know adversary tactics and techniques based on real-world observations - C) Manage passwords - D) Encrypt data

Part E — Controls, Laws and Standards (Q51-Q60)

Q51. ISO/IEC 27001:2022 defines: - A) Requirements for an Information Security Management System (ISMS) - B) Payment card data protection rules - C) Penalties for computer fraud - D) Digital signature formats

Q52. The **PCI DSS** standard applies to: - A) All companies with more than 500 employees - B) All entities that store, process, or transmit cardholder data - C) Banks only - D) Government organizations only

Q53. The **GDPR** came into force on: - A) 25 May 2018 - B) 1 January 2021 - C) 1 January 2002 - D) 25 May 2016

Q54. How many data protection principles does Article 5 of the GDPR define? - A) 4 - B) 5 - C) 6 - D) 7

Q55. SOX (Sarbanes-Oxley Act) is a 2002 US law mainly aimed at: - A) Protecting health data - B) Protecting investors by strengthening corporate accountability and financial disclosures - C) Regulating Internet usage - D) Certifying ethical hackers

Q56. The **NPI** (National Provider Identifier) is an identifier of: - A) 8 digits - B) 10 digits - C) 12 digits - D) 15 digits

Q57. The **Data Protection Act 2018** (DPA) is the data protection law of: - A) France - B) The United Kingdom - C) The United States - D) Canada

Q58. Which US law prohibits **circumventing technological protection measures** of copyrighted works? - A) SOX - B) FISMA - C) DMCA - D) HIPAA

Q59. **FISMA** provides a framework for: - A) Ensuring the effectiveness of security controls on US federal resources - B) Protecting payment card data - C) Managing health incidents - D) Certifying Microsoft products

Q60. In the threat intelligence lifecycle, the **dissemination and integration** phase consists of: - A) Collecting raw data - B) Distributing intelligence to relevant consumers and collecting feedback - C) Transforming raw data into actionable intelligence - D) Defining intelligence requirements

Answer Key

Part A

Q	Answer	Explanation
1	A	Confidentiality, Integrity, Availability, Authenticity, Non-repudiation
2	B	Attack = Motive (Goal) + Method (TTP) + Vulnerability
3	C	Digital signatures ensure non-repudiation
4	C	Close-in attack: physical proximity (shoulder surfing, dumpster diving, etc.)
5	B	Sniffing and eavesdropping = interception without alteration = passive
6	B	Risk level = Consequence × Likelihood
7	B	Tactics, Techniques, and Procedures
8	C	Default passwords = configuration vulnerability. (A/B/D = technological)
9	A	Multiple protection layers; a breach leads to the next layer
10	B	Psychological warfare = propaganda + terror
11	C	Session hijacking = alteration/disruption = active (footprinting, traffic analysis, decrypting = passive)
12	A	Misconfiguration and poor programming practices
13	B	Authenticity = genuine nature
14	B	Security Rule = administrative, physical, technical safeguards for e-PHI
15	B	Footprinting and sniffing = passive attacks

Part B

Q	Answer	Explanation
16	B	Script kiddies = inexperienced, pre-fabricated scripts
17	C	Gray hat = discovers vulnerabilities without permission, sometimes discloses them
18	B	National security, espionage, political objectives
19	B	Consent is the fundamental difference
20	B	Insiders = trusted people with access to critical assets
21	B	Suicide hackers = sacrifice everything for a "cause"
22	B	Industrial espionage: plans, formulas, designs, trade secrets
23	B	Definition of hacking in the course
24	B	Multiple motives (continuity, theft, reputation, ransom...)
25	B	Red hat = aggressive methods to neutralize black hats
26	B	Criminal syndicates = hierarchical, botnets and crimeware
27	B	Blue hat = testing systems before product release
28	B	Hacktivists = social/political cause

Part C

Q	Answer	Explanation
29	B	Definition of ethical hacking with authorization
30	B	The organization must implement protections; the ethical hacker can't do everything
31	B	The audit framework includes preparing and signing NDAs
32	B	Non-technical skills: fast learning, work ethics, communication
33	B	DoS only if agreed upon in advance with the client
34	B	Written signed authorization required before starting
35	B	Are the attempts noticed?
36	B	Tiger Team = complete multi-aspect test
37	B	NDA = non-disclosure agreement
38	B	Discover vulnerabilities, protect customer data, strengthen security

Part D

Q	Answer	Explanation
39	B	Reconnaissance → Vulnerability Scanning → Gaining Access → Maintaining Access → Clearing Tracks

Q	Answer	Explanation
40	B	Weaponization = creating the payload (exploit + backdoor)
41	C	Actions on Objectives
42	C	14 ATT&CK Enterprise tactics
43	B	Adversary, Victim, Capability, Infrastructure
44	D	Infrastructure = "what" the adversary used to reach the victim
45	B	Active hosts, open ports, unnecessary services
46	B	Enumeration = active connections, user lists, routing tables, banners
47	B	Clearing Tracks = modifying/deleting logs
48	B	IoCs = potential intrusion indicators
49	B	Strategic, Tactical, Operational, Technical
50	B	Knowledge base of adversary tactics/techniques

Part E

Q	Answer	Explanation
51	A	ISO/IEC 27001 = ISMS requirements
52	B	PCI DSS = entities handling cardholder data
53	A	GDPR in force 25/05/2018
54	D	7 principles (Article 5.1-2)
55	B	SOX = investor protection, financial disclosures, anti-fraud
56	B	NPI = 10 digits
57	B	DPA 2018 = United Kingdom
58	C	DMCA = prohibits circumventing protection measures
59	A	FISMA = security of US federal resources
60	B	Dissemination and integration = distribution + feedback

Indicative scoring

- **50-60 correct:** excellent — ready for the exam
- **40-49:** good — review the missed sections
- **30-39:** average — restudy the course, then retry
- **< 30:** re-read the complete Module 01 course document

PARTIE 2 — Questions des sites d'entraînement en ligne

CEH v13 — Module 01 : Online Practice Questions (Compilation)

Questions récupérées depuis des sites gratuits d'entraînement — en anglais (format examen)

Compilation de questions d'entraînement **gratuites et légales**, récupérées depuis des sites publics de préparation CEH. Sources : OpenExamPrep, Examzify, Quizlet. Ce ne sont pas des questions officielles d'examen — uniquement du matériel de préparation. Rendu du document : le cours officiel (texte OCR) reste la référence en cas de divergence.

Section 1 — OpenExamPrep (open-exam-prep.com/practice/ceh)

Q1. What is the primary purpose of ethical hacking? - A) To illegally access systems for personal gain - B) To identify vulnerabilities and strengthen security defenses - C) To steal confidential information from competitors - D) To disable security systems for testing purposes

Réponse : B. Ethical hacking is the practice of deliberately penetrating systems **with permission** to identify vulnerabilities before malicious hackers can exploit them. The goal is to improve the security posture.

Q2. Which of the following best describes the difference between a black hat and white hat hacker? - A) Black hats use more advanced tools than white hats - B) Black hats operate without authorization; white hats have explicit permission - C) Black hats only target government systems - D) Black hats work during nighttime hours

Réponse : B. The primary distinction is **authorization**. Both may use similar techniques and tools, but intent and legal standing differ fundamentally.

Q3. What legal document is required before conducting a penetration test? - A) A service level agreement (SLA) - B) A rules of engagement (ROE) document with written authorization - C) An insurance policy - D) A non-disclosure agreement (NDA) only

Réponse : B. A **Rules of Engagement (ROE)** with explicit written authorization is essential. It defines scope, timing, methods, and boundaries. NDAs are common but do NOT authorize testing.

Q4. In the context of penetration testing, what does the term "scope" refer to? - A) The budget allocated for the engagement - B) The specific systems, networks, and assets authorized for testing - C) The timeline for completing the assessment - D) The number of vulnerabilities to be discovered

Réponse : B. Scope defines the boundaries of authorized activity (IPs, domains, systems, physical locations). Testing outside scope is unauthorized and potentially illegal.

Q5. Which phase of the ethical hacking methodology involves gathering information about the target without directly interacting with it? - A) Scanning - B) Reconnaissance - C) Exploitation - D) Post-exploitation

Réponse : B. Reconnaissance (footprinting) = passive info gathering (public info, DNS records, social media, open sources).

Q6. What is the term for a hacker who operates between ethical and malicious boundaries, often hacking without permission but claiming to have good intentions? - A) White hat - B) Black hat - C) Gray hat - D) Red hat

Réponse : C. A **gray hat** sometimes accesses systems without permission but without intent to harm. Their actions are still technically illegal (no authorization).

Q7. According to the CEH methodology, what are the five phases of ethical hacking in correct order? - A) Reconnaissance, Scanning, Gaining Access, Maintaining Access, Covering Tracks - B) Scanning, Reconnaissance, Exploitation, Pivoting, Reporting - C) Information Gathering, Vulnerability Assessment, Exploitation, Persistence, Cleanup - D) Footprinting, Enumeration, Exploitation, Backdoor Installation, Log Deletion

Réponse : A. 1) Reconnaissance, 2) Scanning, 3) Gaining Access, 4) Maintaining Access, 5) Covering Tracks.

Q8. Which of the following is NOT a type of information security control? - A) Physical controls - B) Technical controls - C) Administrative controls - D) Financial controls

Réponse : D. The three categories are Physical, Technical, and Administrative. Financial controls relate to accounting, not information security.

Q9. What is the primary difference between vulnerability assessment and penetration testing? - A) Vulnerability assessment is automated; penetration testing is manual - B) Vulnerability assessment identifies weaknesses; penetration testing exploits them - C) Vulnerability assessment is cheaper than penetration testing - D) Vulnerability assessment is illegal; penetration testing is legal

Réponse : B. VA identifies/catalogs weaknesses; **pen testing actually exploits** them to demonstrate real-world impact.

Q10. Which regulation in the United States requires organizations to protect the confidentiality, integrity, and availability of electronic protected health information (ePHI)? - A) GDPR - B) HIPAA - C) PCI DSS - D) SOX

Réponse : B. HIPAA Security Rule mandates administrative, physical, and technical safeguards for ePHI.

Section 2 — Examzify (cehv13mod1.examzify.com)

Q11. What is the consequence of a breach of integrity in information security? - A) Unauthorized access - B) Compromised data trustworthiness - C) Loss of confidentiality - D) Increased availability issues

Réponse : B. Integrity ensures data remains accurate and unaltered. A breach compromises the **trustworthiness** of the data. (Unauthorized access relates to confidentiality, not integrity.)

Q12. What is a standard in the context of compliance and regulation? - A) A document established by consensus and approved by a recognized body - B) An unofficial guideline for best practices - C) A project plan for organizational improvement - D) A law enforced by government bodies

Réponse : A. A standard is established by consensus and approved by a recognized body. Laws are mandatory legal requirements, different from consensus-driven standards.

Section 3 — Quizlet — Practice Questions Module 1 (quizlet.com/411356720, 72 flashcards)

Q13. A security team implements security controls but not all risks are mitigated. What is the next best step? - Continue applying controls until all risk is eliminated / Ignore remaining risk as "best effort controlled" / **Ensure remaining risk is residual or low and accept the risk** / Remove all controls

Réponse : Accept the residual risk if it is residual or low.

Q14. A Certified Ethical Hacker follows a methodology. Which step comes after footprinting in the CEH methodology? (Scanning, Enumeration, Reconnaissance, Application attack)

Réponse : Scanning.

Q15. Which of the following best describes a newly discovered flaw in a software application?

Réponse : Zero-day.

Q16. Which type of security control is met by encryption?

Réponse : Preventative.

Q17. You're on a pen test team. The client wants the attack to simulate a normal user who finds ways to elevate privileges and create attacks. Which test type does the client want?

Réponse : A gray box test.

Q18. What is defined as ensuring enforcement of organizational security policy does not rely on voluntary user compliance by assigning sensitivity labels on information and comparing this to the security level a user is operating at?

Réponse : Mandatory Access Control (MAC).

Q19. You begin a pen test by checking IP address ranges owned by the target, domain name registration details, and visiting job boards and financial websites to gather technical information online. What activity are you performing?

Réponse : Passive footprinting.

Q20. Which best defines a formal written document defining what employees are allowed to use organization systems for, what is not allowed, and the repercussions for breaking the rules?

Réponse : Information security policy (ISP).

Q21. An ethical hacker is given no prior knowledge of the network, has a framework to work in, and the agreement specifies boundaries, NDAs, and a completion date. Which of the following is true?

Réponse : A white hat is attempting a black-box test.

Q22. Which of the following is a detective control?

Réponse : Audit trail.

Q23. As part of a pen test on a U.S. government system, you discover files with Social Security numbers and PII. You are asked about controls on the dissemination of this information. Which act should you check?

Réponse : Privacy Act.

Q24. During an audit, Joe discovers a user has a dial-out modem installed on a PC. Which security policy should be checked to see whether modems are allowed?

Réponse : Remote access policy.

Q25. A hacker gets frustrated and starts a DoS attack against a server. Which security control is the hacker affecting?

Réponse : Availability.

Q26. In which phase of the ethical hacking methodology would a hacker discover available targets on a network?

Réponse : Scanning and Enumeration.

Q27. Which of the following are potential drawbacks to a black-box test?

Réponse : The client does not get a focused picture of an internal attacker dedicated to their systems; this test takes the longest amount of time to complete.

Section 4 — Quizlet — Vocabulaire clé CEHv13 Module 01 (quizlet.com/950748441, 178 termes)

Terme	Définition
Elements of Information Security	Confidentiality, Integrity, Availability, Authenticity, Non-repudiation
Confidentiality	Assurance that information is accessible only to those authorized to have access
Integrity	The trustworthiness of data or resources in terms of preventing improper or unauthorized changes
Availability	Assurance that systems responsible for delivering, storing, and processing information are accessible when required by authorized users
Authenticity	The quality of being genuine / not counterfeit
Non-repudiation	Guarantee that the sender cannot deny having sent the message and the recipient cannot deny having received it
Entity	Something that makes use of a resource or communication channel
Hacking	Exploiting system vulnerabilities and compromising security controls to gain unauthorized or inappropriate access to a system
Hacker	A person who breaks into a system or network without authorization to destroy, steal sensitive data, or perform malicious acts
Script Kiddie	Inexperienced hackers using premade scripts and tools without understanding them
White Hat Hacker	A cybersecurity professional who increases security by conducting penetration tests and vulnerability assessments

Terme	Définition
Black Hat Hacker	Individuals with malicious intent who violate security
Grey Hat Hacker	Skilled hackers operating between ethical and unethical lines
Hacktivists	Politically or socially motivated individuals or groups
State Sponsored Hackers	Highly trained professionals working for government agencies
Cyber Terrorists	Extremists using cyber attacks to promote political or religious beliefs

Liens vers les sources (pour t'entraîner en ligne)

Site	Lien	Gratuit
OpenExamPrep (212+ questions CEH v13)	https://open-exam-prep.com/practice/ceh	oui
Examzify Module 1 (20 questions gratuites)	https://cehv13mod1.examzify.com/	oui (limité)
Passetra Module 1 (221+ questions)	https://cehv13mod1.passetra.com/	oui (aperçu)
Quizlet Flashcards Module 1 (72)	https://quizlet.com/411356720/	oui
Quizlet Vocabulaire CEHv13 M01 (178)	https://quizlet.com/950748441	oui
aguidetocloud (20 questions gratuites, 250 pour \$9)	https://www.aguidetocloud.com/guided/eccouncil-ceh-v13/	partiellement

Compilation à but pédagogique personnel. Tous les droits sur les questions restent à leurs auteurs respectifs (OpenExamPrep, Examzify, Quizlet et leurs contributeurs).