

```
---
launchpad: sahara
release-model: cycle-with-milestones
team: sahara
type: service
releases:
- version: 9.0.0.0b1
  projects:
    - repo: openstack/sahara
      hash: 5994c935b9519e1aa93d98a3cb176bdd950135ff
- version: 9.0.0.0b2
  projects:
    - repo: openstack/sahara
      hash: ebda88534a8bc9b24ed88301c583cc585740d9f1
- version: 9.0.0.0b3
  projects:
    - repo: openstack/sahara
      hash: 09b858b8b1f8072205b0dffe70a975373c402cf3
- version: 9.0.0.0rc1
  projects:
    - repo: openstack/sahara
      hash: bd725857097dcc7b3e9da36e9c4367df10013704
- version: 9.0.0.0rc2
  projects:
    - repo: openstack/sahara
      hash: 7d9483b21c1e45ef4834f3d3d9973d95d181df3c
- diff-start: 8.0.0
  projects:
    - repo: openstack/sahara
      hash: 7d9483b21c1e45ef4834f3d3d9973d95d181df3c
  version: 9.0.0
- projects:
    - repo: openstack/sahara
      hash: 9ae675fdc83bf51fa3d16880ff978eecee458180
  version: 9.0.1
- projects:
    - repo: openstack/sahara
      hash: 8677168b80aeee669d468a09bfb754498f81f5c2
  version: 9.0.2
- version: rocky-em
  projects:
    - repo: openstack/sahara
      hash: 8677168b80aeee669d468a09bfb754498f81f5c2
branches:
- name: stable/rocky
  location: 9.0.0.0rc1
repository-settings:
  openstack/sahara: {}
cycle-highlights:
- Plugins versions were updated.
- Added support to boot from volume.
- Ability to use S3 as job binary and data source backend.
release-notes: https://docs.openstack.org/releasenotes/sahara/rocky.html
```