

FOR THE STATE OF T

Forms

```
<form>
  <div class="form-group">
    <label for="email1">
      Email address</label>
    <<u>input</u> type="email"
            class="form-control"
            id="email1"/>
  </div>
```

Help Blocks

```
<form>
<div class="form-group">
   <label for="inputFile">File input
   </label>
   <input type="file" id="inputFile">
   Help text here.
 </div>
</form>
```

Checkboxes

```
<<u>form</u>>
 <div class="checkbox">
    <lahel>
      <input type="checkbox">
      Check me out
    </label>
  </div>
```

Inline Forms

```
<form class="form-inline">
```

Horizontal Responsive Forms

```
<form class="form-horizontal">
  <div class="form-group">
    <label for="email3"</pre>
      class="<u>col-sm-2 control-label</u>">
      Email</label>
    <div class="col-sm-10">
      <input type="email" class="form-control"</pre>
          id="email3" placeholder="Email"/>
    </div>
  </div>
</form>
```

Form Offsets

```
<form class="form-horizontal">
 <div class="form-group">
    <div class="col-sm-offset-2 col-sm-10">
      <div class="checkbox">
        <label>
          <input type="checkbox"> Remember me
        </label>
      </div>
    </div>
  </div>
</form>
```

Buttons

```
<a class="btn btn-default" href="#">Link</a>
<button class="btn btn-default"</pre>
        type="submit">Button</button>
<input class="btn btn-default"</pre>
        type="button" value="Input">
<input class="btn btn-default"</pre>
        type="submit" value="Submit">
```

Context Buttons

```
<button class="btn btn-default">Default/button>
<button class="btn btn-primary">Primary</button>
<button class="btn btn-success">Success</button>
<button class="btn btn-info">Info</button>
<button class="btn btn-warning">Warning</button>
<button class="btn btn-danger">Danger</button>
<button class="btn btn-link">Link</button>
```

Button Sizes

```
<button class="btn btn-lg">Large</button>
<button class="btn">Default</button>
<button class="btn btn-sm">Small</button>
<button class="btn btn-xs">Extra small</button>
```

Block Buttons

Block level button

```
</button>
```

Active and Disabled Buttons

```
<button class="btn btn-primary</pre>
                 active">Button</button>
<a href="#" class="btn btn-primary</pre>
                     active">Link</a>
<button class="btn btn-primary"</pre>
       disabled="disabled">Button</button>
<a href="#" class="btn btn-primary</pre>
                     disabled">Link</a>
```


Creating a Login Form

```
<form>
  <div class="form-group row">
  ... next slide ...
  </div>
  <div class="form-group row">
  ... slide after that ...
  </div>
</form>
```

Add a Username Form Field

```
<div class="form-group row">
   <label for="username" class="col-sm-2">
    Username</label>
   <div class="col-sm-10">
      <input class="form-control"</pre>
                placeholder="alice"
                id="username">
   </div>
```

Password Field

```
<div class="form-group row">
   <label for="password" class="col-sm-2">
     Password</label>
   <div class="col-sm-10">
      <input class="form-control"</pre>
          type="password"
          placeholder="!@#$QWERzxc"
          id="password">
   </div>
```

Sign in Button

```
<form>
  <div class="form-group row">
  ... previous slide ...
  </div>
  <button type="button"</pre>
         class="btn btn-primary">
         Sign in</button>
</form>
```

Preview

Username

alice

Password

!@#\$QWERzxc

Sign in