# COLORS

Dr. Jose Annunziato

# Foreground color

Consider the following HTML snippet

```
<h1>Basic Styling</h1>
<p style="
  color: blue;">
Text can be colored and
styled to be bold, italic
or underlined
</p>
```

Style attribute used only for illustration purposes. Use link instead for best practice

## Basic Styling

Text can be colored and styled to be bold, italic or underlined

Use the color property to configure the foreground color

# Background color

## Basic Styling

```
<h1>Basic Styling</h1>
<p style="
    background-color: yellow;
    color: blue;">
Text can be colored and
styled to be bold, italic
or underlined
</p>
```

Text can be colored and styled to be bold, italic or underlined

Use the **background-color** property to configure the background color

# Bold, italic and underlined text

## Basic Styling

```
<h1>Basic Styling</h1>
<p style="
   background-color: yellow;
   color: blue;">
Text can be colored and
styled to be <b>bold</b>,
<i>italic</i> or
<u>underlined</u></p>
```

Text can be colored and styled to be **bold**, *italic* or <u>underlined</u>

# Font styles

## Basic Styling

```
<h1>Basic Styling</h1>
<p style="...">
<span style="
  font-weight: bold;
  font-family: 'Courier';
  font-size: 20px;">
    Text can be colored and
styled                    .
</span></p>
```

**Text can be colored and styled** to be **bold**, *italic* or <u>underlined</u>

CSS styling is preferable to using elements such as b, i, u

# Foreground Color

**index.css**

**.fg-color-black** { color: black; }
**.fg-color-white** { color: white; }
**.fg-color-blue** { color: #7070ff; }
**.fg-color-red** { color: #ff7070; }
**.fg-color-green** { color: green; }

**index.html**

```
<h2>Colors</h2>
<h3 class="fg-color-blue">
    Foreground color</h3>
<p class="fg-color-red">
    The text in this paragraph is red but
    <span class="fg-color-green">
     this text is green
    </span>
</p>
```

Foreground color

The text in this paragraph is red but this text is green

# Background Color

**index.css**

**.bg-color-yellow**
{ background-color: #ffff07; }
**.bg-color-blue**
{ background-color: #7070ff; }
**.bg-color-red**
{ background-color: #ff7070; }
**.bg-color-green**
{ background-color: green; }

**index.html**

```
<h3 class="bg-color-blue fg-color-white">
Background color</h3>
<p class="bg-color-red fg-color-black">
This background of this paragraph is red but
<span class="bg-color-green fg-color-white">
the background of this text is green and the
foreground white</span></p>
```

**Background color**

This background of this paragraph is red but the background of this text is green and the foreground white