

REACT +

BOOTSTRAP

Dr. Jose Annunziato

Install and import bootstrap

- Install bootstrap from the command line

```
$ npm install bootstrap --save
```

- Import bootstrap from index.js

```
import "bootstrap/dist/css/bootstrap.css";
```

Wrap content w/bootstrap .container

```
export default class WhiteBoard
  extends React.Component {
    render() {
      return (
        <div className="container-fluid">
          <h1>WhiteBoard</h1>
        </div>
      )
    }
  }
```

BOOTSTRAP CARDS & DECKS

Dr. Jose Annunziato

Create a card to provide small summaries

```
const CourseCard = () => {  
  return (  
    <div className="card" styles={{width: '18rem'}}>  
        
      <div className="card-body">  
        <h5 className="card-title">Card title</h5>  
        <p className="card-text">Card text.</p>  
        <a href="#" className="btn btn-primary">More...</a>  
      </div></div>);  
}
```

Group many cards into a card deck

```
import CourseCard from './CourseCard';  
<div className="container-fluid">  
  <h1>Whiteboard</h1>  
  <div className="card-deck">  
    <CourseCard/>  
    <CourseCard/>  
  </div>  
</div>
```

Course Manager



Card title

Card text

[Go somewhere](#)



Card title

Card text

[Go somewhere](#)

BOOTSTRAP LISTS

Dr. Jose Annunziato

Implement ModuleListItem component

```
import React from 'react';
import '../bootstrap/.../bootstrap.css';
const ModuleListItem = () => {
  return (
    <li className="list-group-item">
      Module 1</li>
    );
}
```

Implement ModuleList container component

```
import ModuleListItem from './ModuleListItem';  
const ModuleList = () => {  
  return (  
    <ul className="list-group">  
      <ModuleListItem/><ModuleListItem/>...  
    </ul>  
  );  
};
```

FONTAWESOME ICONS

Dr. Jose Annunziato

Install font awesome

- Fontawesome provides many useful open source icons.
Install using npm

```
$ npm install @fontawesome/fontawesome-free --save
```

- Import fontawesome in component wherever you need an icon

```
import '@fontawesome/fontawesome-free/css/all.min.css'
```

Add trash and pencil icons to ModuleListItem

```
<li className="list-group-item">
```

Module Title

```
<i className="fa fa-trash"></i>
```

```
<i className="fa fa-pencil"></i>
```

```
</li>
```

Course Manager

Module Title  

Module Title  

Module Title  

Module Title  

Float the icons to the right

```
<li className="list-group-item">
```

Module Title

```
<span className="float-end">
```

```
<i className="fa fa-trash"></i>
```

```
<i className="fa fa-pencil"></i>
```

```
</span>
```

```
</li>
```

Course Manager

Module Title



Module Title



Module Title



Module Title



BOOTSTRAP TABS

Dr. Jose Annunziato

Bootstrap Tabs

- Use tabs to navigate between sections

```
const LessonTabs = () => {  
  return(  
    <ul class="nav nav-tabs">  
      <li class="nav-item"><a class="nav-link active"  
        href="#">Active Tab</a></li>  
      <li class="nav-item"><a class="nav-link"  
        href="#">Another Tab</a></li>  
    </ul>  
  );  
};
```



Course Manager

Active Tab

Another Tab

Link

Disabled

Module Title	 
Module Title	 
Module Title	 
Module Title	 

BOOTSTRAP PILLS

Dr. Jose Annunziato

Bootstrap Pills

- Use pills to navigate between sections

```
const TopicPills = () => {  
  return(  
    <ul class="nav nav-pills">  
      <li class="nav-item">  
        <a class="nav-link active"  
          href="#">Topic 1</a></li>  
      <li class="nav-item"><a class="nav-link"  
        href="#">Topic 2</a></li></ul>);  
  }  
}
```

Embed pills in LessonTabs

- Could embed in pills so we only show if lessons load

```
import TopicPills from './TopicPills';
```

```
const LessonTabs = () => {
```

```
  return(
```

```
    <div> ...
```

```
      <TopicPills/>
```

```
    </div>);
```

```
}
```

BOOTSTRAP GRIDS

Dr. Jose Annunziato

Split View with Bootstrap Grids

- Implement CourseEditor.js

```
<div className="row">  
  <div className="col-4">  
    <h2>Left 1/3</h2>  
  </div>  
  <div className="col-8">  
    <h2>Right 2/3</h2>  
  </div>  
</div>
```


Import and display CourseEditor in CourseManager

```
import CourseEditor from './CourseEditor';  
return (  
  <div className="container-fluid">  
    <h1>Course Manager</h1>  
    <CourseEditor />  
  </div>  
)
```

Split View with Bootstrap Grids

- In CourseEditor, render Modules and Lessons

```
<div className="row">  
  <div className="col-4">  
    <h2>Modules</h2><ModuleList/>  
  </div>  
  <div className="col-8">  
    <h2>Lessons</h2><LessonTabs/>  
  </div>  
</div>
```

Course Manager

Modules

Module Title	 
Module Title	 
Module Title	 
Module Title	 

Lessons

Active Tab

Another Tab

Link

Disabled

Topic 1

Topic 2

Topic 3