



Safety Data Sheet

SDS Revision 1.1



Date: 07/03/2023

RN

1. CHEMICALS AND COMPANY IDENTIFICATION

Chemical Name : RN
Other Names : NP-RN
Use recommendations and limitations : See Technical Data Sheet.
Name, addresses, and phone numbers of the manufacturer, importer or supplier : NANPAO RESINS VIETNAM ENTERPRISE LRD. NO. 10 Thong Nhat Road, Song Than 2 Industrial Zone, Di An City, Binh Duong Province, Viet Nam. +84-274-3790378 /Fax: +84-274-3790377(Vietnam factory)
Emergency contact phone numbers/fax numbers : +84-274-3790378 /Fax: +84-274-3790377(Vietnam factory)

2. HAZARDS IDENTIFICATION

Classification of the substance or mixture	
Flammable Liquid, category 2;H225	Highly Flammable liquid and vapor.
Serious eye damage / eye irritation, category 2;H319	Causes serious eye irritation.
Skin sensitizer category 1;H317	May cause an allergic skin reaction.
Specific target organ toxicity, single exposure category 3;H336	May cause drowsiness or dizziness.
Label contents: Classification of hazards in Taiwan	
Pictograms:	
	
Flame	Exclamation Mark
Signal Word: Danger	
Hazard Statements : H225 Highly flammable liquid and vapor. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H336 May cause drowsiness and dizziness.	

Precautionary Statements :**[Prevention]:**

P210 Keep away from heat, sparks, open flames, hot surfaces - No smoking.

P233 Keep container tightly closed.

P235 Keep cool.

P240 Ground, bond container and receiving equipment.

P241 Use explosion-proof electrical, ventilating, light, equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.

P261 Avoid breathing dust, fume, gas, mist, vapors, spray.

P264 Wash thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P272 Contaminated work clothing should not be allowed out of the workplace.

P280 Wear protective gloves, eye protection, face protection.

[Response]:

P302+352 IF ON SKIN: Wash with plenty of soap and water.

P303+361+353 IF ON SKIN (or hair): Remove, take off immediately all contaminated clothing. Rinse skin with water, shower.

P304+340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P312 Call a POISON CENTER, doctor or physician if you feel unwell.

P305+351+338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do - continue rinsing.

P313 Get medical advice , attention.

P333+313 If skin irritation or a rash occurs: Get medical advice or attention.

P337+313 If eye irritation persists: Get medical advice or attention.

P363 Wash contaminated clothing before reuse.

P370+378 In case of fire: Use extinguishing media listed in section 5 of SDS for extinction.

[Storage]:

P403+233 Store in a well ventilated place. Keep container tightly closed.

P405 Store locked up.

[Disposal]:

P501 Dispose of contents or container in accordance with local and national regulations.

Other hazards : This product contains no PBT/vPvB chemicals.

3. INGREDIENTS IDENTIFICATION INFORMATION

MIXTURE :

This product contains the following substances that present a hazard within the regulations of Taiwan.

Chemical Property :			
Chemical Name	CAS Number	Concentration or concentration ranges (% of contents)	Classification according to regulation in Taiwan*
Ethyl acetate	CAS Number: 0000141-78-6 EC No.: 205-500-4 Index No.: 607-022-00-5	66 - 76	Flammable Liquid, category 2;H225 Serious eye damage / eye irritation, category 2;H319 Specific target organ toxicity, single exposure category 3;H336
Polyisocyanate	CAS Number: 0003779-63-3 EC No.: 223-242-0 Index No.:	25 - 33	Skin sensitizer category 1;H317

Non-hazardous Components

Ingredient/Chemical Designations	Weight %	GHS Classification
----------------------------------	----------	--------------------

4. FIRST-AID MEASURES

The first-aid measures for different exposure routes :
General : In all cases of doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person.
Inhalation : Remove to fresh air, keep patient warm and at rest. If breathing is irregular or stopped, give artificial respiration. If unconscious place in the recovery position and obtain immediate medical attention. Give nothing by mouth.
Skin contact : Remove contaminated clothing. Wash skin thoroughly with soap and water or use a recognized skin cleanser.

Eye contact :

Irrigate copiously with clean water for at least 15 minutes, holding the eyelids apart and seek medical attention.

Ingestion :

If swallowed obtain immediate medical attention. Keep at rest. Do NOT induce vomiting.

Most important symptoms and hazardous effects :**General :**

No specific symptom data available.

Inhalation :

May cause drowsiness or dizziness.

Eye contact :

Causes serious eye irritation.

Skin contact :

May cause an allergic skin reaction.

The protection of first-aiders :

Wear C-class protective equipment and stay in a safe area to implement first aid.

Notes to physicians :

Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable fire extinguishing media :

Recommended extinguishing media; alcohol resistant foam, CO₂, powder, water spray.

Special hazards may be encountered during fire-fighting :

Hazardous decomposition: Carbon Dioxide, Carbon Monoxide

Keep away from heat, sparks, open flames, hot surfaces - No smoking.

Keep container tightly closed.

Keep cool.

Ground, bond container and receiving equipment.

Use explosion-proof electrical, ventilating, light, equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

Avoid breathing dust, fume, gas, mist, vapors, spray.

Special fire-fighting methods :

No available information.

Special equipment and protections for fire-fighters :

As with all fires, wear positive pressure, self-contained breathing apparatus, (SCBA) with a full facepiece and protective clothing. Persons without respiratory protection should leave area. Wear SCBA during clean-up immediately after fire. No smoking.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions :

Put on appropriate personal protective equipment (see section 8).

Environmental precautions :

Do not allow spills to enter drains or waterways.

Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

Methods for cleaning up :

Ventilate the area and avoid breathing vapors. Take the personal protective measures listed in section 8.

Contain and absorb spillage with non-combustible materials e.g. sand, earth, and vermiculite. Place in closed containers outside buildings and dispose of according to the Waste Regulations.

7. SAFE HANDLING AND STORAGE MEASURES

Handling :

See section 2 for further details. - [Prevention]:

Storage :

Handle containers carefully to prevent damage and spillage.

Incompatible materials: No data available.

See section 2 for further details. - [Storage]:

8. EXPOSURE CONTROLS MEASURES

Engineering Controls :

Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and any vapor below occupational exposure limits suitable respiratory protection must be worn.

Control parameters					
Ingredient	8 hours time weighted average exposure limits	Short-term exposure limits	Maximum exposure limits	Other Regulations	
0000141-78-6 / Ethyl acetate	400 ppm TWA; 1440 mg/m3 TWA	500 ppm 1440 mg/m3	No available information	ACGIH	TWA: 150 ppm
				NIOSH	TWA 400 ppm (1400 mg/m3)
0003779-63-3 / Polyisocyanate	No available information	No available information	No available information	ACGIH	No available information
				NIOSH	No available information
Ingredient		BEI			
0000141-78-6 /Ethyl acetate (Ethyl acetate)		No available information			
0003779-63-3 /Polyisocyanate (Polyisocyanate)		No available information			

Personal protective equipment :**Respiratory protection :**

If workers are exposed to concentrations above the exposure limit they must use the appropriate, certified respirators.

Hand protection :

Protective gloves recommended.

Eye protection :

Wear safety glasses with side shields to protect the eyes. An eye wash station is suggested as a good workplace practice.

Skin and body protection :

Avoid skin contact.

Hygiene measures :

Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance (state, color, etc.) : Colorless to light yellow Liquid	Odor : Solvent
Odor threshold : No available information	Melting point : No available information
pH value : No available information	Boiling point / Boiling range : 77 °C
Flammability (solid, liquid) : No available information	Flashpoint: Test method(Open cup or Close cup): -4.4 °C(Close cup)
Decomposition temperature : No available information	Explosion limits : 2% - 11.5%
Auto-ignition temperature : 427 °C	Vapor Density : 3.04 (Air=1)
Vapor pressure : 9.73 Kpa at 23°C	Solubility : Insoluble
Density : 0.91	Evaporation rate : 6.2 (Butyl acetate=1)
Octanol-Water partition coefficient : 0.7	Explosive properties : No available information
Oxidising properties : No available information	Odor threshold (Detect) : No available information
Odor threshold (Sense) : No available information	

10. STABILITY AND REACTIVITY

Reactivity :

Hazardous Polymerization will not occur.

Chemical stability :

Stable under normal circumstances.

Possible hazardous reactions occurring under specific conditions :

No available information

Conditions to avoid :

Avoid temperatures exceeding the flash point. Contact with incompatible materials.

Materials to avoid :

No data available.

Hazardous decomposition products :

Carbon Dioxide, Carbon Monoxide

11. TOXICOLOGICAL INFORMATION

Exposure routes/symptom :**Exposure routes**

Ingestion 、 Skin contact 、 Eye contact 、 Inhalation

Symptom

Irritation 、 Nausea 、 Puke 、 Headache 、 Drowsiness 、 Dizziness

Acute toxicity

Exposure to solvent vapor concentrations from the component solvents in excess of the stated occupational exposure limits may result in adverse health effects such as mucous membrane and respiratory system irritation and adverse effects on the kidneys, liver and central nervous system. Symptoms include headache, nausea, dizziness, fatigue, muscular weakness, drowsiness and in extreme cases, loss of consciousness.

Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in dryness, irritation and possible non-allergic contact dermatitis. Solvents may also be absorbed through the skin. Splashes of liquid in the eyes may cause irritation and soreness with possible reversible damage.

Ingredient	Oral LD50, mg/kg	Skin LD50, mg/kg	Inhalation Vapour LC50, mg/L/4hr	Inhalation Dust/Mist LC50, mg/L/4hr	Inhalation Gas LC50, ppm
Ethyl acetate - (141-78-6)	4,934.00, Rat - Category: 5	20,001.00, Rabbit - Category: NA	58.60, Rat - Category: NA	No available information	No available information
Polyisocyanate - (3779-63-3)	2,501.00, Rat - Category: 5	>2,000.00, Rat - Category: 5	No available information	No available information	No available information

Note: When no route specific LD50 data is available for an acute toxin, the converted acute toxicity point estimate was used in the calculation of the product's ATE (Acute Toxicity Estimate).

Carcinogen Data

CAS No.	Ingredient	Source	Value
0000141-78-6	Ethyl acetate	OSHA	Regulated Carcinogen: No

		NTP	Known: No; Suspected: No
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;
0003779-63-3	Polyisocyanate	OSHA	Regulated Carcinogen: No
		NTP	Known: No; Suspected: No
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;
Chronic toxicity or long term toxicity :			

12. ECOLOGICAL INFORMATION

Ecotoxicity				
No additional information provided for this product. See Section 3 for chemical specific data.				
Ingredient	96 hr LC50 fish, mg/l	48 hr EC50 crustacea, mg/l	ErC50 algae, mg/l	Biodegradability %
Ethyl acetate - (141-78-6)	230.00, Pimephales promelas	100.00, Daphnia magna	>100.00 (72 hr), Desmodesmus subspicatus	60.00
Polyisocyanate - (3779-63-3)	No available information	No available information	No available information	0.00
Persistence and degradation :				
There is no data available on the preparation itself.				
Organism accumulation :				
No available information				
Movement through soil, Koc :				
No available information				
Results of PBT and vPvB assessment :				
This product contains no PBT/vPvB chemicals.				
Other negative effects :				
No available information				

13. WASTE DISPOSAL MEASURES

Methods of waste disposal :
Observe all federal, state and local regulations when disposing of this substance.

14. TRANSPORT INFORMATION

	DOT (Domestic Surface Transportation)	IMO / IMDG (Ocean Transportation)	ICAO/IATA
United Nation number (UN No)	UN1993	UN1993	UN1993
UN proper shipping name	Flammable liquids, n.o.s.	Flammable liquids, n.o.s., (Ethyl Acetate)	Flammable liquids, n.o.s., (Ethyl Acetate)

Transport hazard classification	DOT Hazard Class: 3	IMDG: 3 Sub Class: Not Applicable	Air class: 3
Packing group	II	II	II
ERG Guide No.	128		
Ocean contaminants (Yes/No)	No		
Specific transport measures and precautionary conditions :	No available information		

15. REGULATORY INFORMATION

Applicable regulations :

Occupational Safety and Health Act

Toxic and Concerned Chemical Substances Control Act

Standards of Permissible Exposure Limits of Airborne Hazardous Substances in Workplace

Regulations for the Labeling and Hazard Communication of Hazardous Chemicals

Regulations Governing Designating and Handling of Priority Management Chemicals

Methods and Facilities Standards for the Storage, Clearance and Disposal of Industrial Waste

Toxic and Concerned Chemical Substances Transportation Management Regulations:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Taiwan - Priority Management Chemicals - Carcinogenic, Mutagenic, and Reproductive Toxic (CMR) Substances:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Taiwan - Priority Management Chemicals - Substances with Physical and Health Hazards:

Ethyl acetate

Organic Solvents, Taiwan OSHA:

Ethyl acetate

Specified Chemical Substances, Taiwan OSHA:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Specified Management Substances, Taiwan OSHA:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Jobsite Monitoring for Organic Solvents, Taiwan OSHA:

Ethyl acetate

Jobsite Monitoring for Specified Chemical Substance, Taiwan OSHA:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Monitoring Records kept for 30 years, Taiwan OSHA:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

16. OTHER INFORMATION

Reference	1. Department of Occupational Safety and Health, GHS Chemical Global Harmonization System website (http://ghs.osha.gov.tw/CHT/masterpage/index_CHT.aspx) 2. Environmental Protection Department of the Executive Yuan Department of Toxic Chemical Substances (http://www.epa.gov.tw/np.asp?ctNode=31422&mp=epa) 3. The website of the European Chemical Agency. (http://echa.europa.eu/)
Prepared by	Title Assistant Name (Signature) LE THI TRAM
Issue Date	2023-03-07

Remarks	<p>The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products.</p> <p>Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.</p>
----------------	--

End of Document