

CAF Current State — Vol 3: Operators, Mimic & BVS

Aggregated export — 2026-07-10. Source markdown in repo is unchanged.

Bundle id: 13-caf-current-state-vol3-mimic

Included:

docs/volumes/CAF_CONTEXT_VOL3_Operators_Mimic_and_BVS.md

CAF Current State Context Pack — Operators Mimic and BVS

Volume 3 of 4 | Generated 2026-07-10 | Full pack: docs/CAF_CURRENT_STATE_CONTEXT_PACK.md

9. Review app and operator workflow

Architecture

- **Next.js** in `apps/review/` — **client only**
- All data via `caf-core-client.ts` → `${CAF_CORE_URL}/v1/...`
- 78 proxy routes under `apps/review/src/app/api/`
- Embedded in Core Fly image at `/admin/workbench`

Two audiences

1. **Marketer:** `/workspace` → `/brand/[slug]/*` (profile, research, ideas, content, publishing, performance)
2. **Operator:** `/review`, `/runs`, `/pipeline`, `/publish`, `/learning` (enable via `?debug=1` or operator sidebar)

Queue and job detail

- `GET /api/tasks` → Core review queue
- `GET /api/task/[task_id]` → full job + assets + payload slices
- `TaskReviewClient.tsx` orchestrates viewers and edit panels

Carousel editing (`FLOW_CAROUSEL`)

- `CarouselSlider.tsx` — live preview via `/api/renderer/preview-live-slide`
- `CarouselEdits.tsx` + `CarouselBrandStylingPanel.tsx` — typography, palette, logo, frame
- Rework overrides sent on decision

Mimic carousel editing (TP-grounded flows)

- `MimicCarouselLayerEditorPanel.tsx` — 3-column: copy | DocAI layer editor | typography/BVS
- **Save layout** → `mimic-docai-layer-positions`
- **Reprint text** (cheap) → `reprint-text-overlay` — Puppeteer on stored plates
- **Regenerate slides** (expensive) → Flux/Qwen when picture is wrong
- `FLOW_TOP_PERFORMER_MIMIC_CAROUSEL` : original vs generated compare
- `FLOW_VISUAL_FIRST_CAROUSEL` : same editor, **no** compare row

Decisions (`DecisionPanel.tsx`)

`APPROVED` | `NEEDS_EDIT` | `REJECTED` → Core `/v1/review-queue/:slug/decide`
Auto-upgrades `APPROVED` → `NEEDS_EDIT` if unsaved edits exist.

Rework options

`rewrite_copy` , `regenerate` , `carousel_rework_change_template` ,
`slide_rework_indices` , skip video/image regen flags.

Publishing UI

`/publish` — schedule placements, n8n payload export, Meta start (when configured).

Learning UI

`/learning/*` — rule inbox, apply/retire, context preview, analyzers, observatory.

Review owns vs Core owns

Review owns	Core owns
UX, live preview assembly	<code>content_jobs.status</code> , <code>generation_payload</code>
Proxy auth headers	QC, render orchestration
Background job toasts (polling)	<code>editorial_reviews</code> , <code>assets rows</code>
Marketer funnel navigation	Publication execution

Contract guard

`src/routes/review-contract.test.ts` — every `REVIEW_CRITICAL_PATHS` must exist in Core routes (CI breakage detector).

Env

`CAF_CORE_URL` , `CAF_CORE_TOKEN` , `PROJECT_SLUG` , `REVIEW_WRITE_TOKEN` ,
`RENDERER_BASE_URL` , `NEXT_PUBLIC_APP_URL`

10. Inputs pipeline and signal pack creation

Implemented

1. XLSX upload → `inputs_evidence_imports` + rows
2. Scraper config/runs (Apify) → same evidence shape
3. Evidence packs (multi-platform)
4. Processing profile (criteria, models, caps)
5. Insight tiers: `broad_llm` , `top_performer_deep` , `top_performer_video` ,
`top_performer_carousel`
6. Document AI OCR on carousel tiers
7. Rating/synthesis → `overall_candidates_json`
8. Idea lists (`inputs_idea_lists` , `inputs_ideas`)
9. Signal pack build (from import or idea list)
10. RTP summary, QC flow profiles, API audit

Partial / TBD (from roadmap + code)

- Structured Stage-3 idea picker at plan time (idea lists exist; full planner UX incomplete)
- Rich explainable idea scoring with brand/risk eligibility gates
- Persist `decideGenerationPlan` I/O snapshot per run
- Optional persisted candidate audit rows

- HTML/platform summary folding
- Review app: upload + inspect only (no processing controls)

Signal pack → run

POST /v1/runs with signal_pack_id → materialize planned_jobs_json → startRun()
→ content_jobs at PLANNED .

11. Creative intelligence and mimic system

Top-performer ingest

src/routes/creative-intelligence.ts — ingest assets, run vision analysis, store insights, styling packs, mimic-carousel-template mint/apply.

Tables: creative_intelligence_assets , analyses, insights (migration 055+).

Visual guidelines on signal packs

visual_guidelines_pack_v1 merged into generation creation pack; derived_globals_json from styling merge.

Mimic reference resolution (mimic-draft-prep.ts)

- Archives frames from CI assets
- Filters promo/video slides
- Builds reference_items , slide_plans , visual_guideline
- **New visual bypasses this (new-visual-carousel-prep.ts)**

Mode classification (mimic-mode-classifier.ts)

Priority: reviewer override → Nemotron mimic_evaluation → heuristics (mimic-text-heavy.ts)

Mode	Visual strategy	Text strategy
template_bg	Background plate (reference strip or BVS-invented T2I)	HBS/DocAI overlay
carousel_visual	Per-slide art-only plate (full_bleed)	HBS/DocAI overlay
image_full	Single image-edit pass	Copy on-image from LLM

Execution modes on mimic_v1

execution_mode	Flow	Behavior
classic	FLOW_TOP_PERFORMER_MIMIC_CAROUSEL	TP fidelity + references
why_mimic	FLOW WHY_MIMIC_CAROUSEL	SIL-driven strategic copy/prompts
new_visual	FLOW_VISUAL_FIRST_CAROUSEL	Idea+BVS, empty references, always carousel_visual

Brand Visual System (BVS)

Brand bible (brand_bibles table, brand_bible_v1 schema):

- Visual mode, palette, motifs, asset roles (slide_frame , logo , style_reference , ...)
- application_guide.mimic_policy / original_policy
- API: brand bible CRUD on review-queue routes

Job snapshot (generation_payload.bvs_v1):

- Stamped at plan when `candidate_data.use_brand_visual_system === true`
- Visual-first lane defaults BVS on
- `bvs_render_plan` on `mimic_v1` for `template_bg` invented plates

Render overlays (`bvs-render-overlays.ts`):

- Logo/frame auto-overlay for `template_bg` + `bvs_enabled`
- Palette injection into carousel theme colors

Text overlay / DocAI / reprint

Invariant: TP-grounded carousels do **not** bake LLM copy into Flux (`mimicCarouselTextViaFlux` hardcoded false in `job-pipeline.ts`).

Pipeline:

```
Art-only plate → DocAI seed from reference OCR → Puppeteer HBS
→ reviewer docai_layer_positions → reprint-text-overlay → CAROUSEL_IMAGE assets
```

Templates: `carousel_mimic_bg.hbs` , `MIMIC_FULL_BLEED_RENDER_TEMPLATE` .

Layout QA loop (`mimic-post-render-layout-loop.ts`): optional automated reposition + reprint (`MIMIC_LAYOUT_QA_*`).

Composite saliency QA (full automation): documented in `MIMIC_TEXT_PLACEMENT_AUTOMATION.md` , **not implemented**.

Automated vs manual

Automated	Manual
CI ingest + vision	TP selection for ingest
Mode classification	<code>mimic_mode_overrides</code> on signal pack
Reference resolve + plate generation	Brand bible editing
DocAI box seed	Layer editor geometry
Optional plate text QA + layout QA reprint	Editorial approve/reject
BVS snapshot at plan	Per-slide Flux regen when picture wrong

Current limitations

- `MIMIC_IMAGE_ENABLED=false` by default — render blocked without explicit enable
- New visual docs still describe old TP-grounded model in places
- Duplicate migration prefix `071_*` (slide intelligence + new visual prompt)
- Why Mimic requires substantive SIL (`WHY_MIMIC_REQUIRE_SUBSTANTIVE_SIL`)

Included:
`apps/review/CHATGPT_CAROUSEL_REVIEW_CONSOLE_EDIT_GUIDE`

ChatGPT Agent Mode — CAF Review Console: Carousel Editing Guide

Copy everything below the line into **ChatGPT agent mode** (with browsing).

Use this prompt when: you need to **hands-on edit carousel jobs** in the CAF Review Console — copy, layout, typography, highlights, and reprint — including **Apply to all** deck actions.

Primary URL: `https://caf-core.fly.dev/admin/workbench` (add `?project=SNS` or open from **Content** workbench for a brand).

Companion docs (same folder):

File	Use for
CHATGPT_SNS_LISTICLE_EDIT_PROMPT.md	Generate/fix template_bg zodiac listicle copy as JSON before pasting into Slide copy
CHATGPT_MIMIC_CAROUSEL_EDIT_CONTINUE_PROMPT.md	Task-specific edit pass with reporting template
CHATGPT_SNS_BVS_ASSET_GENERATION_PROMPT.md	Brand visual assets (logos, frames, backgrounds) — not slide editing

Hard refresh once before starting (`Ctrl+Shift+R` / `Cmd+Shift+R`) so you get the latest editor UI.

Mission

You are a **senior content editor** operating the CAF Review Console carousel workbench.

Your job on each carousel task:

1. Rewrite on-slide copy and post caption/hashtags until on-brand and publish-ready.
2. Fix text placement, font size, and colour on every slide.
3. Use **Apply to all** deck actions to propagate layout efficiently — do not manually tune 12 identical body slides one by one unless necessary.
4. **Reprint text** when the deck is done so slide **thumbnails** match the editor.
5. Log issues and UX friction for product/engineering.

You may save, reprint, and edit copy/layout. **Do not** Approve/Reject unless explicitly asked.

Before you start

Health check

```
GET https://caf-core.fly.dev/api/agent/health
```

Must return `"ok": true` . If 502/503, wait 30–60s and retry.

Find carousel jobs

1. Open workbench: `https://caf-core.fly.dev/admin/workbench?project=SNS`
2. Filter by flow type:
 - **Visual mimic / Top Performer Mimic carousel** — full-bleed art + text overlay
 - **Visual-first carousel** — same editor, no original-vs-generated compare
 - **template_bg listicles** — shared background plates (cover / middle / CTA slots)
3. Open a job in **IN_REVIEW** (or equivalent reviewable state).
4. Record `task_id` at the top of your notes.

Maximize editor space

Use workbench header controls when available: **Hide nav**, **Hide filters**, **Focus** — the layer editor needs horizontal room (three-column layout).

Which editor you get

Flow	Editor	Left column	Compare row
FLOW_TOP_PERFORMER_MIMIC_CAROUSEL	Full layer editor	Slide copy / text phrases	Original vs Generated (top)
FLOW_VISUAL_FIRST_CAROUSEL	Same layer editor	Same	No compare
FLOW_CAROUSEL (classic)	Slide fields + brand styling	Headline/body per slide type	N/A

This guide focuses on **TP-grounded mimic / visual-first / template_bg** jobs — the three-column **layout editor**.

Editor layout (three columns)

Column	Label in UI	What you do
Left	Slide copy (template_bg) or Text phrases (full-bleed)	Edit headline, body, subtitle, handle, CTA fields per slide
Center	Canvas preview	Drag text boxes, resize corners, see live typography on the background plate
Right	Inspector	Font size, weight, colour, family; Apply to all slides; overlays; save/reprint footer

Slide picker row (above canvas): numbered buttons **1 ... N** with a green dot when layout is saved. **Unsaved** badge warns before you leave a slide.

Thumbnails below the editor show the **last reprint** until you click **Reprint text**. The center canvas shows **live** layout + copy.

The golden workflow

Edit copy (left) → tune layout on one reference slide (center + right)
→ Apply to all (right inspector) → spot-check every slide number
→ Reprint text (All slides) → verify thumbnails

Step	Action	Persists?	Updates PNG thumbnails?
Edit Slide copy + Save slide	Left column → Save slide	Yes (copy)	No — canvas preview updates
Drag boxes / change font	Canvas + inspector	In memory until save	No — canvas preview only
Apply all layout to all slides	Right inspector	Yes — auto-saves all touched slides	No
Save layout — slide N	Inspector footer	Yes (layout for one slide)	No
Save all slides	Inspector footer or Apply section	Yes (layout all edited slides)	No
Reprint text	Inspector footer, scope All slides	Saves first, then reprints	Yes
Regenerate / All slides (N)	Toolbar above canvas	New AI background (billed)	Yes — new art, text must be reprinted

Rule: finishing a deck = **Reprint text** with **All slides** selected. Layout survives refresh; images do not update until reprint.

Apply to all slides (inspector — right column)

This section is the main efficiency tool. Read the hints under each button — scopes differ by deck type.

1. Apply all layout to all slides (primary button)

What it does: Copies the **current slide's** headline and body box settings — position, size, font size, weight, colour, family — to other slides.

Prerequisite: On the current slide, position and style **both** headline and body boxes (or at least one role). If neither exists, you get: *"Edit headline and body boxes on this slide first, then apply to all."*

template_bg listicles (cover / middle / CTA): Scope is **slot-aware**, not literally every slide:

You are on...	Apply reaches...
Slide 1 (cover)	Cover slide only
Any middle sign slide (2 ... N-1)	All middle slides (shared body layout)
Last slide (CTA)	CTA slide only

Headline boxes **auto-stretch width** per slide to fit longer sign names. Body placement and typography sync across the slot group.

After click: Layout auto-saves. Toast confirms e.g. *"Applied headline + body to 12 middle slides ... Reprint when images should match."*

When to use: After tuning one **representative middle slide** (e.g. slide 3) — apply to all 12 sign slides. Repeat separately for **cover** (slide 1) and **CTA** (last slide) if their layouts differ.

2. Typography → all Headline boxes

What it does: Propagates **font only** (size, weight, colour, family, italic) from the **selected box** to every headline box in scope.

Prerequisite: Select a headline box on canvas first.

Scope: Same slot rules as above for template_bg. On full-bleed mimic decks, all headline-role boxes across the deck.

When to use: You like the font size on one headline but boxes are already positioned — typography-only pass without moving boxes.

3. Typography → all Body boxes

Same as headline typography, but for body-role boxes.

4. Box placement → all Headline boxes

What it does: Copies **x, y, width, height** (and locks the box) from the selected headline to all headline boxes in scope.

When to use: Rare for listicles (headline lengths vary) — prefer **Apply all layout** which auto-sizes headline width. Useful on full-bleed mimic when every slide shares the same headline zone.

5. Box placement → all Body boxes

Copies body box geometry to all body boxes in scope. Common for listicles after tuning one middle slide's body block position.

6. Save all slides

Persists layout for every slide you have edited. **Does not reprint.** Use when you want a checkpoint before reprint, or after apply-all if you want explicit confirmation.

Overlay options (deck-wide — apply on reprint)

Below the Apply section, checkboxes affect **every slide** on the next reprint:

Toggle	Effect
Highlight behind text	Semi-opaque backing behind text blocks
Colour + brand swatches	Highlight fill colour
Stamp brand logo (lower-right)	Logo overlay
Brand slide frame	Frame from Brand Visual System

Apply buttons (when deck has 2+ slides):

Button	Effect
Highlight → all slides	Ensures highlight setting is deck-consistent
Brand logo → all slides	Enables logo stamp across deck
Brand frame → all slides	Enables selected frame across deck

Hint in UI: *"These toggles apply on the next reprint — save layout first, check every slide, then reprint."*

Note: Highlight feels per-box in the inspector but is a **deck-wide render flag** — toggling it changes all slides on reprint.

Canvas toolbar (above preview)

Control	Use
Undo / Redo	Revert accidental drags (Ctrl/Cmd+Z)
Fit boxes to text	Shrink oversized OCR boxes on current slide
Add text box	Manual box (avoid unless necessary — duplicates cause clutter)
Delete box	Remove selected box
Clear added boxes	Remove all manually added boxes on this slide
Restore hidden	Surfaces boxes hidden by reset or dedupe
Layer tabs	Quick jump between text boxes on this slide

Per-box inspector (when a box is selected):

- Font size slider (typical range ~32–60px; can go higher)
- Font weight, colour, family
- **Fit box to text** — single-box version

template_bg: On-canvas text is read-only — edit copy in **Slide copy** (left). Canvas follows those fields.

Inspector footer (save + reprint)

Button	Action
Save layout — slide N	Persist current slide layout only
Reset slide layout	Clear saved positions + manual boxes for this slide
Remove duplicates	Auto-remove redundant custom boxes repeating same copy
Save all slides	Persist all edited slide layouts
Reprint text	Save layout, then bake copy + styling into PNGs

Reprint scope (radio buttons):

- **All slides** — default finish step for a completed deck
- **Slide N only** — touch-up one slide after full reprint

Regenerate (toolbar — use sparingly)

Button	Cost	When
Regenerate / This slide	Billed (Flux/Qwen)	Background image wrong — artifacts, wrong scene
All slides (N)	Billed × N	Entire deck art is broken
Regen cover / Regen middle (12) / Regen CTA	Billed per slot	template_bg — refresh shared plate for that slot

Regen note field: optional short instruction appended to the image prompt.

Do not use Regenerate to "finish" copy edits. After regen, you still need **Reprint text** to bake copy onto new plates.

template_bg listicle — recommended edit order

For a **14-slide zodiac deck** (1 cover + 12 signs + 1 CTA):

A. Copy pass

1. Use `CHATGPT_SNS_LISTICLE_EDIT_PROMPT.md` to produce clean JSON if starting from scratch.
2. For each slide, paste into **Slide copy** fields:
 - Cover: Headline + Subtitle
 - Body slides: Headline (`ARIES: Theme`) + Body
 - CTA: Headline + Body + Handle (`@signandsound`)
3. Click **Save slide** per slide (or batch-edit then save each).

B. Layout pass (three apply cycles)

1. **Cover (slide 1)**: Tune headline + subtitle boxes → **Apply all layout to all slides** (hits cover only).
2. **Middle (slide 2 or 3)**: Tune headline + body → **Apply all layout** (hits all 12 middle slides).
3. **CTA (slide 14)**: Tune headline + body + handle → **Apply all layout** (hits CTA only).
4. Click through slides **2–13** — confirm headline auto-width looks good; nudge individual slides only if one sign name breaks layout.

C. Overlays (optional)

Enable highlight and/or logo/frame → **Highlight** → **all slides** etc. if needed.

D. Finish

- 1. **Reprint text** → scope **All slides**
- 2. Wait for completion message (~30–60s)
- 3. Scroll all thumbnails — baked text must match editor
- 4. Fix stragglers with **Slide N only** reprint

Full-bleed mimic — recommended edit order

- 1. Edit **Text phrases** (left) per slide — hook, body lines, etc.
- 2. Per slide or on a "template" slide: position boxes, set font size.
- 3. Use **Typography** → **all Body boxes** or **Box placement** → **all Body boxes** if multiple slides share structure; otherwise edit slide-by-slide.
- 4. **Apply all layout** applies across the **entire deck** (no cover/middle/CTA slot split).
- 5. **Reprint text** → **All slides**.

Post copy (sidebar or below preview)

Separate from on-slide text:

Field	Purpose
Hook	Instagram hook / cover line (may mirror slide 1)
Caption	Post caption
Hashtags	Post hashtags

Editing these does **not** require reprint — they are publication metadata, not baked into slide PNGs.

Common mistakes (avoid)

Mistake	Fix
Expecting thumbnails to update after layout edits	Click Reprint text
Using Regenerate to apply copy changes	Use Reprint text only
Apply all layout on cover slide expecting middle slides to update	Switch to a middle slide first — slot scope is different
Duplicate text boxes after edits	Remove duplicates or Delete box
Hidden boxes after Reset slide layout	Restore hidden
Editing on-canvas text on template_bg	Use Slide copy (left)
Skipping slide spot-check after apply-all	Always click through every slide number
Approving before reprint completes	Wait for thumbnails to match

Reporting template (when asked to log work)

```
## Carousel – {task_id}

**Flow:** ... | **Slides:** N | **Mode:** template_bg | full-bleed

### Workflow used
```

- Copy: ...
- Apply all: cover / middle / CTA (which slides used as source)
- Reprint: All slides | Slide N only

Changes per slide

- Slide 1: ...
- ...

Issues / UX friction

- ...

Verdict

Publish now | Minor polish | Regen needed | Reject

Rules

- Report only what you observe on **live production**.
- Prefer **Apply to all** over repetitive per-slide layout when slides share a slot (listicle middle slides).
- **Reprint text** (All slides) is the mandatory finish step.
- **Regenerate** only for broken **background images**.
- If reprint hangs >3 min, log `task_id` + `pipeline_stuck` and retry once.