## datetime2-it-fulltext

## Claudio Duchi email: claduc at libero dot it

August 9, 2015

This packet defines five styles for datetime2, it-fulltext, it-fulltext-twenty-four, it-fulltext-second, it-fulltext-twenty-four-second, it-fulltext-semplice. The necessary packets are datetime2, itnumpar, ifxetex and ifluatex. The packet is the translation and adaptation of datetime2-en-fulltext.

```
\DTMsetdatestyle{it-fulltext}
\DTMsavetimestamp{mydate}{2015-04-01T08:05:00+01:00}
\DTMuse{mydate}
mercoledì primo aprile, duemilaquindici cinque minuti dopo le otto del mattino
\DTMsettimestyle{it-fulltext}
\DTMdisplaytime{0}{1}{1}.
0:01:01 un minuto dopo mezzanotte.
\DTMsetdatestyle{it-fulltext-twenty-four}
\DTMsavetimestamp{mydate}{2015-04-01T08:05:00+01:00}
\DTMuse{mydate}
mercoledì primo aprile, duemilaquindici 08:05:00 CET
\DTMsetdatestyle{it-fulltext-twenty-four}
\DTMsettimestyle{it-fulltext-twenty-four}
\DTMsavetimestamp{mydate}{2015-04-01T08:05:00+01:00}
\DTMuse{mydate}
mercoledì primo aprile, duemilaquindici cinque minuti dopo le otto CET
\DTMsetdatestyle{it-fulltext-second}
\DTMsettimestyle{it-fulltext-second}
\DTMsavetimestamp{mydate}{2015-04-01T08:05:00+01:00}
\DTMuse{mydate}
mercoledì primo aprile, duemilaquindici cinque minuti e zero secondi dopo le otto
del mattino CET
\DTMsetdatestyle{it-fulltext-twenty-four-second}
\DTMsettimestyle{it-fulltext-twenty-four-second}
\DTMsavetimestamp{mydate}{2015-04-01T08:05:00+01:00}
\DTMuse{mydate}
```

mercoledì primo aprile, duemilaquindici cinque minuti e zero secondi dopo le otto CET

```
\DTMsetdatestyle{it-fulltext-semplice}
\DTMsettimestyle{it-fulltext-semplice}
\DTMsavetimestamp{mydate}{2015-04-01T08:05:00+01:00}
\DTMuse{mydate}
```

mercoledì primo aprile, duemilaquindici ore otto cinque minuti e zero secondi CET

## 1 The Code

```
1 \NeedsTeXFormat{LaTeX2e}
   2 \ProvidesPackage{datetime2-it-fulltext}[2015/08/06 v1.6]
   4 \ProcessOptions
   5 \RequirePackage{datetime2}
   6 \RequirePackage{itnumpar}
   7 \RequirePackage{ifxetex,ifluatex}
   8 \setminus ifxetex
  9 \RequireDateTimeModule{it-fulltext-utf8}
10 \else
11 \ifluatex
12 \RequireDateTimeModule{it-fulltext-utf8}
13 \setminus else
14 \RequireDateTimeModule{it-fulltext-ascii}
15 \fi
16 \fi
17 \def\CurrentTrackedDialect{italian}
18 \RequireDateTimeModule{italian}
19 \undef\CurrentTrackedDialect
20 \newcommand*\DTMitfulltextmonthyearsep{,\space}
21 \newcommand{\DTMitore}[1]{%
22 \ \texttt{ifcase#1\DTMitalianmidnight} or \texttt{DTMoneatnightstring} \\ else \texttt{printnumeroinparole \{\#1\} \fi} \\ \% \\ \text{for the printnumeroinparole and the printnumeroinparole and
23 \newcommand{\DTMitminuti}[1]{%
26 \newcommand{\DTMitsecondi}[1]{%
27 \ifcase#1\printnumeroinparole{#1}\space\DTMitsecondsstring%
28 \verb|\DTMitonesecondstring\space\DTMitsecondstring\% | \cite{Condstring} | \cite{Con
31 \DTMnewdatestyle{it-fulltext}{%
32 \renewcommand*\DTMdisplaydate[4]{%
33 \ifDTMshowdow
34 \ifnum##4>-1
```

```
35 \DTMitalianweekdayname{##4}\space\fi\fi%
36 \ifnum##3=1\DTMitthefirstoneofthemonth\space\DTMitalianmonthname{##2}%
37 \DTMitfulltextmonthyearsep\protect\printnumeroinparole{##1}\space%
38 \else\protect\printnumeroinparole{##3}\space\DTMitalianmonthname{##2}%
39 \DTMitfulltextmonthyearsep\protect\printnumeroinparole{##1}\fi}}%
40 \DTMsetdatestyle{it-fulltext}
41 \DTMnewtimestyle{it-fulltext}{%
42 \renewcommand\DTMdisplaytime[3]{%
43 \ifboolexpr
44 \text{ \{test {\innequal{\pmu}} and }
45 (test {\ifnumequal{##1}{0}}
46 or test {\ifnumequal{##1}{12}}
47 or test {\ifnumequal{##1}{24}})}%
48 {\ifnum##1=12\DTMitaliannoon\else\DTMitalianmidnight\fi}%
49 \left\{ \lim\#2=0 \right\} \\ + 1 = 1 \\ + 1 \\ + 2 \\ + 2 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ + 3 \\ +
50 {\DTMoneatnightstring\space\DTMitoclockstring}%
51 {\ifnum##1>12\protect\printnumeroinparole{\numexpr##1-12}\space\DTMitoclockstring
52 \else\protect\printnumeroinparole{##1}\space\DTMitoclockstring\fi}%
53 \else
54 \ifnum##2<31
55 \ifnum##2=15
56 \ifnum##1=1\DTMquarterpaststringTWO\else
57 \in {\infty} or test {\ifnumcomp{##1}{=}{12}} or test {\ifnumcomp{##1}{=}{0}} or test {\ifnumcomp{##1}{=}{0}}
58 {\DTMquarterpaststringONE}%
59 {\ifnum##1=13\DTMquarterpaststringTWO\else\DTMquarterpaststringTHREE\fi}%
60 \fi%
61 \epsilon
62 \ifnum##2=30%
63 \leftarrow {\star \{ (ifnumcomp{##1}{=}{1}) \}}
64 {\DTMhalfpaststringTWO}%
65 {\ifboolexpr{ test {\ifnumcomp{##1}{=}{0}} or test {\ifnumcomp{##1}{=}{24}} or test {\ifnumcomp{##1}{=}{0}}
66 {\DTMhalfpaststringONE}%
67 {\DTMhalfpaststringTHREE}}%
68 \else%
69 \ifnum##2=1\DTMoneminutestring\else\protect\printnumeroinparole{##2}\space%
70 \fi%
71 \ifnum##2=1
72 \ifboolexpr{ test {\ifnumcomp}{##1}{=}{12}} or test {\ifnumcomp}{##1}{=}{0}} or test {\ifnumcomp}{##1}{=}{0}}
73 {\DTMminutepaststringONE}%
74 {\ifboolexpr{ test {\ifnumcomp{##1}{=}{13}} or test {\ifnumcomp{##1}{=}{1}}}
75 {\DTMminutepaststringTWO}%
76 {\DTMminutepaststringTHREE}}%
77 \else
78 \ifboolexpr{ test {\ifnumcomp}{##1}{=}{12}} or test {\ifnumcomp}{##1}{=}{0}}or test {\ifn
79 {\DTMminutespaststringONE}%THREE
80 {\ifboolexpr{ test {\ifnumcomp{##1}{=}{13}} or test {\ifnumcomp{##1}{=}{1}}}
81 {\DTMminutespaststringTWO}%TWO
82 {\DTMminutespaststringTHREE}}\fi\fi\fi\
83 \ifnum##1>12
```

84 \ifnum##1=24\DTMitalianmidnight%

```
85 \setminus else
   86 \ifnum##1=13\DTMoneatnightstring\else\protect\printnumeroinparole{\numexpr##1-12}\fi%
   87 \fi%
   88 \else
   89 \ifnum##1=0\DTMitalianmidnight%
   91 \ifnum##1=1\DTMoneatnightstring\else\ifnum##1=12\DTMitaliannoon\else\protect\printnumeroinpa
   92 \fi%
  93 \fi%
   94 \else
   95 \ifnum##2=45
   96 \leftarrow {\text{y}} = {\text{y}} = {\text{y}}  or test {\text{y}} = {\text{y}
   97 {\DTMquartertostringTWO}%
   98 \left\{ \left( \frac{m}{m} \right) \right\} or test \left( \frac{m}{m} \right)
   99 {\DTMquartertostringONE}%
 100 {\DTMquartertostringTHREE}}%
101 \else
102 \ifnum##2=59\DTMoneminutestring\else\protect\printnumeroinparole{\numexpr60-##2}\fi
103 \ifnum##2=59
104 \ifboolexpr{ test {\sim m}_{\#1}_{=}0} or test {\sim m}_{\#1}_{=}12} rest {\sim m}_{\#1}_{=}12}
105 {\DTMminutetostringTWO}%
106 {\ifboolexpr{ test {\ifnumcomp{##1}{=}{11}} or test {\ifnumcomp{##1}{=}{23}}}
107 {\DTMminutetostringONE\space}%
108 {\DTMminutetostringTHREE\space}}%
109 \else\space
110 \ifboolexpr{ test {\ifnumcomp{##1}{=}{0}} or test {\ifnumcomp{##1}{=}{24}} or test {\ifnumcomp{##1}{=}}
111 {\DTMminutestostringTWO}%
112 {\ifboolexpr{ test {\ifnumcomp{##1}{=}{11}} or test {\ifnumcomp{##1}{=}{23}}}
113 {\DTMminutestostringONE\space}%
114 {\DTMminutestostringTHREE\space}}\fi\fi%
115 \ifnum##1>12
116 \ifnum##1=24\DTMoneatnightstring%
117 \else
118 \ifnum##1=23\DTMitalianmidnight\else\protect\printnumeroinparole{\numexpr##1-11}\fi\fi%
119 \else
120 \ifnum##1=12\DTMoneatnightstring\space\DTMitafternoonstring%
121 \else
122 \ifnum##1=0\DTMoneatnightstring\space%
123 \else%
125 \ifnum##1>11
126 \ifnum##1=23
127 \ifnum##2<31\space\DTMitafternoonstring\fi%
128 \else
129 \ifnum##1=24
130 \ifnum##2>30\space\DTMitmorningstring\fi%
132 \ifnum##1=12\space\else\space\DTMitafternoonstring\fi\fi\fi\% of the constring is a second of the constring in the constring is a second of the constring in the constring is a second of the constring in the constring is a second of the constraint of t
133 \else
```

134 \ifnum##1>0

```
135 \ifnum##1=11\else\space\DTMitmorningstring\fi%
136 \else
137 \ifnum##2>30\space\DTMitmorningstring\fi\fi\fi}}}%
138 \DTMnewdatestyle{it-fulltext-twenty-four}{%
139 \renewcommand*\DTMdisplaydate[4]{%
140 \ifDTMshowdow
141 \ifnum##4>-1\DTMitalianweekdayname{##4}\space\fi\fi%
142 \ \texttt{142} \ \texttt{143} \ \texttt{144} \ \texttt{14
143 \DTMitfulltextmonthyearsep\protect\printnumeroinparole{##1}\space%
144 \else\protect\printnumeroinparole{##3}\space\DTMitalianmonthname{##2}%
145 \DTMitfulltextmonthyearsep\protect\printnumeroinparole{##1}\fi}}%
146 \DTMsetdatestyle{it-fulltext-twenty-four}
147 \DTMnewtimestyle{it-fulltext-twenty-four}{%
148 \renewcommand\DTMdisplaytime[3] {%
149 \ifboolexpr
150 {test {\ifnumequal{##2}{0}} and (test {\ifnumequal{##1}{0}}
151 or test {\ifnumequal{##1}{12}}
152 or test {\simeq {152 \text{ or test }}}
153)
154 }%
156 \ifnum##1=12\DTMitaliannoon\else\DTMitalianmidnight
157 \fi
158 }%
159 {%
160 \ifnum##2=0\protect\printnumeroinparole{##1}\space\DTMitoclockstring%
161 \else
162 \ifnum##2<31
163 \ifnum##2=15
164 \ifnum##1=1\DTMquarterpaststringTWO\else
165 \ifboolexpr{ test {\ifnumcomp{##1}{=}{12}} or test {\ifnumcomp{##1}{=}{0}} or test {\ifnumcomp{##1}{=}}{0}} or test {\ifnumcomp{##1}{=}{0}} or test {\ifn
166 {\DTMquarterpaststringONE}%
167 {\DTMquarterpaststringTHREE}%
168 \fi%
169 \else
170 \ifnum##2=30
171 \ifnum##1=1\DTMhalfpaststringTWO%
172 \else%
173 \ifboolexpr{ test { \left( \frac{#1}{=}{0} \right) } or test { \left( \frac{#1}{=}{24} \right) } or test { \left( \frac{4}{1} \right) }
174 {\DTMhalfpaststringONE}%
175 {\DTMhalfpaststringTHREE}%
176 \fi
177 \else
178 \ifnum##2=1\DTMoneminutestring\else\protect\printnumeroinparole{##2}\space
179 \fi
180 \ifnum##2=1
181 \ifboolexpr{ test {\sim f^{\#1}}={12} or test {\sim f^{\#1}}={0} or test {\sim f^{\#1}}={0}
182 {\DTMminutepaststringONE}%one
```

 $183 {\tifnum\#1=1\DTMminutepaststringTWO\else\DTMminutepaststringTHREE\fi}\%$ 

```
184 \else
185 \ifboolexpr{ test {\ifnumcomp}{##1}{=}{12} or test {\ifnumcomp}{##1}{=}{0}}or test {\ifnumcomp}{##1}{=}{0}}
186 {\DTMminutespaststringONE}%THREE
187 {\ifnum##1=1\DTMminutespaststringTWO\else\DTMminutespaststringTHREE\fi}%
188 \fi%
189 \fi%
190 \fi%
191 \ifnum##1>12
192 \ifnum##1=24\DTMitalianmidnight\else\protect\printnumeroinparole{##1}%
193 \fi%
194 \else
195 \ifnum##1=0\DTMitalianmidnight\space%
197 \ifnum##1=1\DTMoneatnightstring\else\ifnum##1=12\DTMitaliannoon\else\protect\printnumeroinpa
198 \fi
199 \fi
200 \ensuremath{\setminus} \text{else}
201 \ifnum##2=45%
202 \ifboolexpr{test {\ifnumcomp{##1}{=}{0}}or test {\ifnumcomp{##1}{=}{24}}}
203 {\DTMquartertostringTWO}%
204 {\ifboolexpr{ test {\ifnumcomp{##1}{=}{11}} or test {\ifnumcomp{##1}{=}{23}}}
205 {\DTMquartertostringONE}%
206 {\DTMquartertostringTHREE}%
207 }%
208 \else
209 \ifnum##2=59\DTMoneminutestring\else\protect\printnumeroinparole{\numexpr60-##2}\space\fi
210 \ifnum##2=59
211 \ifboolexpr{ test \left\{ \int_{=}^{4}1} \left( \frac{1}{24} \right) \right\}
212 {\DTMminutetostringTWO}%
213 {\ifboolexpr{ test {\ifnumcomp{##1}{=}{11}} or test {\ifnumcomp{##1}{=}{23}}}
214 {\DTMminutetostringONE\space}%
215 {\DTMminutetostringTHREE\space}%
216 }%
217 \ensuremath{\setminus} else
218 \ifboolexpr{ test {\sim mp{##1}{=}{0}} or test {\sim mp{##1}{=}{24}}
219 {\DTMminutestostringTWO}%
220 {\ifboolexpr{ test {\ifnumcomp{##1}{=}{11}} or test {\ifnumcomp{##1}{=}{23}}}
221 {\DTMminutestostringONE\space}%
222 {\DTMminutestostringTHREE\space}%
223 }%
224\fi
225 \fi
226 \ifnum##1>12
227 \ifnum##1=24
228 \DTMoneatnightstring%
229 \else
230 \ifnum##1=23
231 \DTMitalianmidnight
232 \else
233 \protect\printnumeroinparole{##1}%
```

```
234 \fi
235 \fi
236 \else
237 \ifnum##1=12\protect\printnumeroinparole{\numexpr##1+1}
239 \ifnum##1=0\DTMoneatnightstring%
240 \else
241 \ \texttt{lifnum##1=11\DTMitaliannoon\else\protect\printnumeroinparole\{\texttt{numexpr##1+1}\} find the property of t
242 \fi%
243 \fi
244 \fi
245 \fi
246 \fi
247 }}}%
248 \DTMnewdatestyle{it-fulltext-second}{\%
249 \renewcommand*\DTMdisplaydate[4]{\%
250 \ifDTMshowdow\ifnum##4>-1\DTMitalianweekdayname{##4}\space\fi\fi%
251 \ifnum##3=1\DTMitthefirstoneofthemonth\space\DTMitalianmonthname{##2}%
253 \else\protect\printnumeroinparole{##3}\space\DTMitalianmonthname{##2}%
254 \DTMitfulltextmonthyearsep\protect\printnumeroinparole{##1}\fi}}%
255 \DTMsetdatestyle{it-fulltext-second}
256 \DTMnewtimestyle{it-fulltext-second}{%
257 \renewcommand\DTMdisplaytime[3] {%
258 \ifboolexpr
259 {test {\insumequal{\#2}{0}}} and
260 (test {\ifnumequal{##1}{0}}
261 or test {\times \{12\}}
262 or test {\ifnumequal{##1}{24}} )}%
263 {\ifnum##1=12\DTMitaliannoon\space\DTMitsecondsep\space\DTMitminuti{##2}\DTMitsecondi{##3}
264 \verb|\DTMitalianmidnight\space\DTMitminuti{##2}\DTMitsecondsep\DTMitsecondi{##3}\fi}{\%} in the condition of the condition 
265 {\ifnum##2=0
266 \ifboolexpr{ (test \{ \lim mcomp{##1}{=}{13} \}) and test \{ \lim mcomp{##1}{=}{13} \}) and test \{ \lim mcomp{##1}{=}{13} \}
267 {\DTMoneatnightstring\space\DTMitminuti{##2}\DTMitsecondsep\DTMitsecondi{##3}}%
268 {\ifnum##1>13\protect\printnumeroinparole{\numexpr##1-12}\space\DTMitsecondsep\DTMitminuti{#
269 \ifboolexpr{ test {\sim mp{\#1}{=}{1}} or test {\sim mp{\#1}{=}{1}}
270 {\DTMoneatnightstring\space\DTMitminuti{##2}\DTMitsecondsep\DTMitsecondi{##3}}
271 {\printnumeroinparole{##1}\space\DTMitminuti{##2}\DTMitsecondsep\DTMitsecondi{##3}}\fi}%
272 \else
273 \ifnum##2<31
274 \ifnum##2=15
275 \ifnum##1=1\DTMquarterpaststringZERO\DTMitsecondi{##3}\space\DTMitpoststringTWO\else
276 \ifboolexpr{ test {\ifnumcomp}{\#1}{=}{12} or test {\ifnumcomp}{\#1}{=}{0} or test {\ifnumcomp}{\#1}{=}{0}
277 {\DTMquarterpaststringZERO\DTMitsecondi{##3}\space\DTMitpoststringONE\space}%
278 {\ifnum##1=13\DTMquarterpaststringZERO\DTMitsecondi{##3}\space\DTMitpoststringTWO \else\DTMc
279 \fi\else%
280 \ifnum##2=30
281 \ifboolexpr{ test {\sim mp{##1}{=}{1}} or test {\sim mp{##1}{=}{1}}
```

```
283 \left\{ \frac{\#1}{=}{0} \right\} or test \left\{ \frac{\#1}{=}{24} \right\} or test \left\{ \frac{\#1}{=}{24} \right\}
284 {\DTMhalfstringZERO\DTMitsecondi{##3}\space\DTMitpoststringONE\space}%
285 {\DTMhalfstringZERO\DTMitsecondi{##3}\space\DTMitpoststringTHREE}}%
286 \else%
287 \ifnum##2=1\DTMoneminutestring\else\protect\printnumeroinparole{##2}\space%
288 \fi
289 \ifnum##2=1
290 \ifboolexpr{ test {\ifnumcomp}{##1}{=}{12} or test {\ifnumcomp}{##1}{=}{0} or test {\ifnumcomp}{##1}{=}{0}
291 {\DTMminutetostringZERO\DTMitsecondi{##3}\space\DTMitpoststringONE\space}%one
292 {\ifboolexpr{ test {\ifnumcomp{##1}{=}{1}}} or test {\ifnumcomp{##1}{=}{1}}}
293 {\DTMminutetostringZERO\DTMitsecondi{##3}\space\DTMitpoststringTWO}%two
294 {\DTMminutetostringZERO\DTMitsecondi{##3}\space\DTMitpoststringTHREE}%three
295 }%
296 \ensuremath{\setminus} \texttt{else}
297 \ifboolexpr{ test {\ifnumcomp}{##1}{=}{12} or test {\ifnumcomp}{##1}{=}{0}}or test {\ifnumcomp}{##1}{=}{0}}
298 {\DTMminutesstringZERO\DTMitsecondi{##3}\space\DTMitpoststringONE\space}%
299 {\ifboolexpr{ test {\ifnumcomp{##1}{=}{13}} or test {\ifnumcomp{##1}{=}{1}}}
300 {\DTMminutesstringZERO\DTMitsecondi{##3}\space\DTMitpoststringTWO}%TWO
301 {\tt \DTMminutesstringZERO\DTMitsecondi{\#\#3}\space\DTMitpoststringTHREE}} \% \\
302\fi
303 \fi%
304 \fi%
305 \ifnum##1>12
306 \ifnum##1=24
307 \DTMitalianmidnight
309 \ifnum##1=13\DTMoneatnightstring\else\protect\printnumeroinparole{\numexpr##1-12}\fi%
310 \fi%
311 \else
312 \ifnum##1=0
313 \DTMitalianmidnight
314 \else
315 \ifnum##1=1\DTMoneatnightstring\else\ifnum##1=12\DTMitaliannoon\else\protect\printnumeroinpa
316 \else
317 \ifnum##2=45
318 \ifboolexpr{ test {\ifnumcomp}{##1}{=}{12} or test {\ifnumcomp}{##1}{=}{0}}or test {\ifnumcomp}{##1}{=}{0}}
319 {\DTMquartertostringZERO\DTMitsecondi{##3}\space\DTMitsep}%
320 {\ifboolexpr{ test {\ifnumcomp{##1}{=}{11}} or test {\ifnumcomp{##1}{=}{23}}}
321 {\DTMquartertostringZERO\DTMitsecondi{##3}\space\DTMitsecondsepTWO\space}%
322 {\tt DTMquartertostringZERO\tt DTMitsecondi{\#\#3}\space\tt DTMitsepTWO\space}} \% \\
323 \else
324 \ifnum##2=59\DTMoneminutestring\else\protect\printnumeroinparole{\numexpr60-##2}\fi
325 \ifnum##2=59
326 \left( \frac{\#1}{2} \right)  or test \left( \frac{\#1}{2} \right) or test \left( \frac{\#1}{2} \right)
327 {\DTMminutetostringZERO\DTMitsecondi{##3}\space\DTMitsep}%
328 {\ifboolexpr{ test {\ifnumcomp{##1}{=}{11}} or test {\ifnumcomp{##1}{=}{23}}}
329 {\DTMminutetostringZERO\DTMitsecondi{##3}\space\DTMitsecondsepTW0\space}%
330 {\DTMminutetostringZERO\DTMitsecondi{##3}\space\DTMitsepTWO\space}%
331 }%
```

332 \else\space

```
333 \ifboolexpr{ test {\sim m}_{\#1}_{=}0} or test {\sim m}_{\#1}_{=}24} rest {\sim m}_{\#1}_{=}24}
334 {\DTMminutesstringZERO\DTMitsecondi{##3}\space\DTMitsep}%
335 {\ifboolexpr{ test {\ifnumcomp{##1}{=}{11}} or test {\ifnumcomp{##1}{=}{23}}}
336 {\DTMminutesstringZERO\DTMitsecondi{##3}\space\DTMitsecondsepTWO\space}%
337 {\DTMminutesstringZERO\DTMitsecondi{##3}\space\DTMitsepTWO\space}}%
338 \fi\fi%
339 \ifnum##1>12
340 \ifnum##1=24
341\ \DTMoneatnightstring\%
342 \else
344 \fi
345 \fi
346 \ensuremath{\setminus} \texttt{else}
347 \ifnum##1=12\DTMoneatnightstring%\DTMitafternoonstring%
349 \ \texttt{ifnum\#\#1=0} \ \texttt{DTMoneatnightstring\%ifnum\#\#2=45} \ \texttt{DTMoneatnightstring\fi} \ \texttt{else\DTMoneatnightstring\fi} \ \texttt{finum\#\#1=0} \ \texttt{oneatnightstring\fi} \ \texttt{oneatn
350 \else%
351 \ \texttt{ifnum\#\#1=11\DTMitaliannoon\else\ifnum\#\#2=45\protect\printnumeroinparole\{numexpr\#\#1+1\}\}}
353 \ifnum##1>11
354 \ifnum##1=23
355 \ifnum##2<31
356 \space\DTMitafternoonstring%
357 \fi
358 \setminus else
359 \ifnum##1=24
360 \ifnum##2>30
361 \space\DTMitmorningstring%
362 \fi
363 \else
364 \ifnum##1=12\space\else\space\DTMitafternoonstring\fi
365 \fi
366 \fi
367 \ensuremath{\setminus} \texttt{else}
369 \ifnum##1=11\else\space\DTMitmorningstring\fi
370 \else
371 \ifnum##2>30
372 \space\DTMitmorningstring
373 \fi
374 \fi
375 \fi
377 \DTMnewdatestyle{it-fulltext-twenty-four-second}{%
378 \renewcommand*\DTMdisplaydate[4]{%
379 \ifnum##4>-1
380 \DTMitalianweekdayname{##4}\space%
381 \fi
```

```
382 \ifnum##3=1\DTMitthefirstoneofthemonth\space\DTMitalianmonthname{##2}%
383 \DTMitfulltextmonthyearsep\protect\printnumeroinparole{##1}\space%
384 \else\protect\printnumeroinparole{##3}\space\DTMitalianmonthname{##2}%
385 \DTMitfulltextmonthyearsep\protect\printnumeroinparole{##1}\fi%
387 \DTMsetdatestyle{it-fulltext-twenty-four-second}
388 \DTMnewtimestyle{it-fulltext-twenty-four-second}{%
389 \mbox{ \lower} \mbox{DTMdisplaytime} \mbox{[3]} \mbox{ \lower} \mbox{\lower}
390 \ifboolexpr
391 {test {\ifnumequal{##2}{0}} and
392 (test {\ifnumequal{##1}{0}}
393 or test {\ifnumequal{##1}{12}}
394 \text{ or test } \{ \lim_{x \to 0} \{\#1\} \}
395)}%
396 {%
397 \ifnum##1=12\DTMitaliannoon\space\DTMitminuti{##2}\DTMitsecondsep\DTMitsecondi{##3}
398 \else\DTMitalianmidnight\space\DTMitminuti{##2}\DTMitsecondsep\DTMitsecondi{##3}%
399 \fi}%
400 {%
401 \leftarrow 20\ (test {\ifnumcomp{##1}{=}{1}}) and test {\ifnumcomp{##3}{=}{0}}}
402 {\DTMoneatnightstring\space\DTMitminuti{##2}\DTMitsecondsep\DTMitsecondi{##3}}%
403 {\ifnum##1>13\protect\printnumeroinparole{##1}\space\DTMitminuti{##2}\space\DTMitsecondsep
404 \ifnum##1=1\protect\DTMoneatnightstring\space\DTMitminuti{##2}\DTMitsecondsep\DTMitsecondi{#
405 \else\printnumeroinparole{##1}\space\DTMitminuti{##2}\DTMitsecondsep\DTMitsecondi{##3}\fi\fi
406 \ensuremath{\setminus} else
407 \ifnum##2<31
408 \ifnum##2=15
409 \ifnum##1=1\DTMquarterpaststringZERO\DTMitsecondi{##3}\space\DTMitpoststringTWO\else
410 \ifboolexpr{ test {\ifnumcomp}{##1}{=}{12} or test {\ifnumcomp}{##1}{=}{0} or test {\ifnumcomp}{##1}{=}{0}
411 {\DTMquarterpaststringZERO\DTMitsecondi{##3}\space\DTMitpoststringONE\space}%
412 {\ifnum##1=13\DTMquarterpaststringZERO\DTMitsecondi{##3}\space\DTMitpoststringTHREE
413 \else\DTMquarterpaststringZERO\DTMitsecondi{##3}\space\DTMitpoststringTHREE\fi}%
414 \fi%
415 \else%
416 \ifnum##2=30
417 \ifboolexpr{ test {\ifnumcomp{##1}{=}{1}} or test {\ifnumcomp{##1}{=}{13}}}
418 {\DTMhalfstringZERO\DTMitsecondi{##3}\space\DTMitpoststringTHREE}%
419 {\ifboolexpr{ test {\ifnumcomp{##1}{=}{0}} or test {\ifnumcomp{##1}{=}{24}} or test {\ifnumcomp{##1}}
420 {\DTMhalfstringZERO\DTMitsecondi{##3}\space\DTMitpoststringONE\space}%
421 {\tt DTMhalfstringZERO \tt DTMitsecondi{\##3} \tt space \tt DTMitpoststringTHREE}\% \\
422 }%
423 \else%
424 \ifnum##2=1\DTMoneminutestring\else\protect\printnumeroinparole{##2}\space%
425 \fi
426 \ifnum##2=1
428 {\DTMminutetostringZERO\DTMitsecondi{##3}\space\DTMitpoststringONE\space}%one
429 {\ifboolexpr{ test {\ifnumcomp{##1}{=}{13}} or test {\ifnumcomp{##1}{=}{1}}}
430 {\DTMminutetostringZERO\DTMitsecondi{##3}\space\DTMitpoststringTHREE}%two
```

 $431 $$ DTMminute to string ZERO DTM it second is $$ \arraycolor{$\#$3} \simeq DTM it poststring THREE $$ three $$ $$ THREE $$ T$ 

```
432 }%
433 \else
434 \leftarrow {12} or test {\sim {12}} or test {\sim {12}}
435 {\DTMminutesstringZERO\DTMitsecondi{##3}\space\DTMitpoststringONE\space}%
436 {\ifboolexpr{ test {\ifnumcomp{##1}{=}{13}}}
437 {\DTMminutesstringZERO\DTMitsecondi{##3}\space\DTMitpoststringTHREE}%TWO
438 {\DTMminutesstringZERO\DTMitsecondi{##3}\space\DTMitpoststringTHREE}}%
439 \fi%
440 \fi%
441 \fi%
442 \ifnum##1>12
443 \ifnum##1=24
444 \DTMitalianmidnight
446 \protect\printnumeroinparole{##1}%\fi%
447 \fi%
448 \else
449 \ifnum##1=0
450 \DTMitalianmidnight
452 \ifnum##1=1\DTMoneatnightstring\else\ifnum##1=12\DTMitaliannoon
453 \else\protect\printnumeroinparole{##1}\fi\fi%
454 \fi
455 \fi
456 \else
457 \ifnum##2=45
458 \ifboolexpr{ test \left\{ \int_{0}^{\#1}{=} 0\right\} or test \left\{ \int_{0}^{\#1}{=} 24\right\}
459 {\DTMquartertostringZERO\DTMitsecondi{##3}\space\DTMitsep}%
460 {\bf test 
461 {\tt DTMquartertostringZERO\DTMitsecondi{\##3}\space\DTMitsecondsepTWO\space}{\tt X} \\
462 {\tt DTMquartertostringZERO\DTMitsecondi{\#\#3}\space\DTMitsepTWO\space}\% 
463 }%
464 \ensuremath{\setminus} else
465 \ifnum##2=59\DTMoneminutestring\else\protect\printnumeroinparole{\numexpr60-##2}\fi
466 \ifnum##2=59
467 \ifboolexpr{ test {\sim m}{\#1}{=}{0} or test {\sim m}{\#1}{=}{24}}
468 {\DTMminutetostringZERO\DTMitsecondi{##3}\space\DTMitsep}%
469 {\ifboolexpr{ test {\ifnumcomp{##1}{=}{11}} or test {\ifnumcomp{##1}{=}{23}}}
470 {\DTMminutetostringZERO\DTMitsecondi{##3}\space\DTMitsecondsepTW0\space}%
471 {\tt DTMminutetostringZERO\tt DTMitsecondi{\##3}\space\tt DTMitsepTWO\tt space}\%
472 }%
473 \else\space
474 \ifboolexpr{ test {\sim mp{\#1}{=}{0}} or test {\sim mp{\#1}{=}{24}}
475 {\DTMminutesstringZERO\DTMitsecondi{##3}\space\DTMitsep}%
476 \in \text{mnoomp}(\#1) = \{11\}  or test \{ \
477 {\DTMminutesstringZERO\DTMitsecondi{##3}\space\DTMitsecondsepTWO\space}%
478 {\DTMminutesstringZERO\DTMitsecondi{##3}\space\DTMitsepTWO\space}%
479 }%
480 \fi
481 \fi
```

```
482 \ifnum##1>12
483 \ifnum##1=24
484 \DTMoneatnightstring%
486 \ifnum##1=23\DTMitalianmidnight\else\protect\printnumeroinparole{##1}%
487 \fi
488 \fi
489 \else
490 \ifnum##1=0\ifnum##2=45\DTMoneatnightstring\else\DTMoneatnightstring\fi%
491 \else%
492 \ifnum##1=11\DTMitaliannoon\else
493 \ifnum##2=45\protect\printnumeroinparole{\numexpr##1+1}
494 \else\protect\printnumeroinparole{\numexpr##1+1}\fi\fi
495 \fi%
496 \fi
497 \fi
498 \fi
499 }%
500 }%
501 }%
502 \DTMnewdatestyle{it-fulltext-semplice}{%
503 \renewcommand*\DTMdisplaydate[4]{%
504 \ifnum##4>-1\DTMitalianweekdayname{##4}\space\fi%
505 \ifnum##3=1\DTMitthefirstoneofthemonth\space\DTMitalianmonthname{##2}%
506 \DTMitfulltextmonthyearsep\protect\printnumeroinparole{##1}\space%
507 \else\protect\printnumeroinparole{##3}\space\DTMitalianmonthname{##2}%
508 \ \ DTM it full text month years ep protect print numero in parole { ##1} fi% of the print of the print numero in parole { ##1} fi% of the print numero in parole { ##1} fi% of the print numero in parole { ##1} fi% of the print numero in parole { ##1} fi% of the print numero in parole { ##1} fi% of the print numero in parole { ##1} fi% of the print numero in parole { ##1} fi% of the print numero in parole { ##1} fi% of the print numero in parole { ##1} fi% of the print numero in parole { ##1} fi% of the print numero in parole { ##1} fi% of the print numero in parole { ##1} fi% of the print numero in parole { ##1} fi% of the print numero in parole { ##1} fi% of the print numero in parole { ##1} fi% of the print numero in parole { ##1} fi% of the print numero in parole { ##1} fi% of the print numero in parole { ##1} fi% of the print numero in parole { ##1} fi% of the print numero in parole { ##1} fi% of the print numero in parole { ##1} fi% of the print numero in parole { ##1} fi% of the print numero in parole { ##1} fi% of the print numero in parole { ##1} fi% of the print numero in parole { ##1} fi% of the print numero in parole { ##1} fi% of the print numero in parole { ##1} fi% of the print numero in parole { ##1} fi% of the print numero in parole { ##1} fi% of the print numero in parole { ##1} fi% of the print numero in parole { ##1} fi% of the print numero in parole { ##1} fi% of the print numero in parole { ##1} fi% of the print numero in parole { ##1} fi% of the print numero in parole { ##1} fi% of the parole 
509 }%
510 }%
511 \DTMsetdatestyle{it-fulltext-semplice}
512 \DTMnewtimestyle{it-fulltext-semplice}{%
513 \renewcommand\DTMdisplaytime[3]{%
514 \ifboolexpr
515 {test {\ifnumequal{##1}{0}}}
516 \text{ or test } \{ \inf \{\#1\} \} 
517 or test {\ifnumequal{##1}{24}}}%
518 {\ifboolexpr
519 {test {\ifnumequal{##1}{0}}%
520 or test {\ifnumequal{##1}{24}}}%
521 {\DTMitalianmidnight\space\DTMitminuti{##2}\space\DTMitsecondsep\DTMitsecondi{##3}}%
522 {\DTMitaliannoon\space\DTMitminuti{##2}\space\DTMitsecondsep\DTMitsecondi{##3}}}%
523 {ore\space\DTMitore{##1}\space\DTMitminuti{##2}\space\DTMitsecondsep\DTMitsecondi{##3}}%
524 }%
525 }%
526 \ProvidesDateTimeModule{it-fulltext-utf8}[2015/05/10 v1.2]
527 \newcommand*{\DTMitsecondstring}{secondo}
528 \newcommand*{\DTMitsecondsstring}{secondi}
529 \newcommand*{\DTMitminutesstring}{minuti}
```

```
530 \newcommand*{\DTMitsecondsep}{e\space}
531 \newcommand*{\DTMitminutessep}{,\space}
532 \newcommand*{\DTMitsecondsepTWO}{a}
533 \newcommand*{\DTMitsep}{all'}
534 \newcommand*{\DTMitsepTWO}{alle}
535 \newcommand*{\DTMitonesecondstring}{un}
536 \newcommand*{\DTMitpoststringONE}{dopo}
537 \newcommand*{\DTMitpoststringTWO}{dopo 1'}
538 \newcommand*{\DTMitpoststringTHREE}{dopo le\space}
539 \newcommand*{\DTMitoneminutestring}{un minuto\space}
540 \newcommand*{\DTMitzerominutsestring}{zero minuti\space}
541
542 \newcommand*{\DTMitoclockstring}{in punto}
543 \newcommand*{\DTMoneminutestring}{un\space}
544 \newcommand*{\DTMoneatnightstring}{una}
545
546 \mbox{ \newcommand}*{\DTMitthefirstoneofthemonth}{primo}
547
548 \newcommand*{\DTMquarterpaststringZERO}{quindici minuti e\space}
549 \newcommand*{\DTMquarterpaststringONE}{quindici minuti dopo\space}
550 \newcommand*{\DTMquarterpaststringTWO}{quindici minuti dopo 1'}
551 \newcommand*{\DTMquarterpaststringTHREE}{quindici minuti dopo le\space}
553 \newcommand*{\DTMminutepaststringONE}{minuto dopo\space}
554 \newcommand*{\DTMminutepaststringTWO}{minuto dopo 1'}
555 \newcommand*{\DTMminutepaststringTHREE}{minuto dopo le\space}
557 \newcommand*{\DTMminutespaststringONE}{minuti dopo\space}
558 \newcommand*{\DTMminutespaststringTWO}{minuti dopo 1'}
559 \newcommand*{\DTMminutespaststringTHREE}{minuti dopo le\space}
561 \newcommand*{\DTMhalfstringZERO}{trenta minuti e\space}
562 \newcommand*{\DTMhalfpaststringONE}{trenta minuti dopo\space}
563 \newcommand*{\DTMhalfpaststringTWO}{trenta minuti dopo 1'}
564 \newcommand*{\DTMhalfpaststringTHREE}{trenta minuti dopo le\space}
566 \newcommand*{\DTMquartertostringZERO}{un quarto e\space}
567 \newcommand*{\DTMquartertostringONE}{un quarto a\space}
568 \newcommand*{\DTMquartertostringTWO}{un quarto all'}
569 \newcommand*{\DTMquartertostringTHREE}{un quarto alle\space}
570
571 \newcommand*{\DTMminutetostringZERO}{minuto e\space}
572 \newcommand*{\DTMminutetostringONE}{minuto a}
573 \newcommand*{\DTMminutetostringTWO}{minuto all'}
574 \newcommand*{\DTMminutetostringTHREE}{minuto alle}
576 \newcommand*{\DTMminutesstringZERO}{minuti e\space}
577 \newcommand*{\DTMminutestostringONE}{minuti a}
578 \newcommand*{\DTMminutestostringTWO}{minuti all'}
579 \newcommand*{\DTMminutestostringTHREE}{minuti alle}
```

```
580
581
582 \newcommand*{\DTMitmorningstring}{del mattino}
583 \newcommand*{\DTMitafternoonstring}{del pomeriggio}
584 \ProvidesDateTimeModule{it-fulltext-ascii}[2015/04/10 v1.1]
585 \newcommand*{\DTMitsecondstring}{secondo}
586 \newcommand*{\DTMitsecondsstring}{secondi}
587 \newcommand*{\DTMitminutesstring}{minuti}
588 \newcommand*{\DTMitsecondsep}{e\space}
589 \newcommand*{\DTMitminutessep}{,\space}
590 \newcommand*{\DTMitsecondsepTWO}{a}
591 \newcommand*{\DTMitsep}{all\protect'}
592 \newcommand*{\DTMitsepTWO}{alle}
593 \newcommand*{\DTMitonesecondstring}{un}
594 \newcommand*{\DTMitpoststringONE}{dopo}
595 \newcommand*{\DTMitpoststringTWO}{dopo 1\protect'}
596 \newcommand*{\DTMitpoststringTHREE}{dopo le\space}
597 \newcommand*{\DTMitoneminutestring}{un minuto\space}
598 \newcommand*{\DTMitzerominutsestring}{zero minuti\space}
600 \newcommand*{\DTMitoclockstring}{in punto}
601 \newcommand*{\DTMoneminutestring}{un\space}
602 \newcommand*{\DTMoneatnightstring}{una}
604 \newcommand*{\DTMitthefirstoneofthemonth}{primo}
606 \newcommand*{\DTMquarterpaststringZERO}{quindici minuti e\space}
607 \newcommand*{\DTMquarterpaststringONE}{quindici minuti dopo\space}
608 \newcommand*{\DTMquarterpaststringTWO}{quindici minuti dopo 1\protect'}
609 \newcommand*{\DTMquarterpaststringTHREE}{quindici minuti dopo le\space}
611 \newcommand*{\DTMminutepaststringONE}{minuto dopo\space}
612 \newcommand*{\DTMminutepaststringTWO}{minuto dopo 1\protect'}
613 \newcommand*{\DTMminutepaststringTHREE}{minuto dopo le\space}
614
615 \newcommand*{\DTMminutespaststringONE}{minuti dopo\space}
616 \newcommand*{\DTMminutespaststringTWO}{minuti dopo l\protect'}
617 \newcommand*{\DTMminutespaststringTHREE}{minuti dopo le\space}
619 \newcommand*{\DTMhalfstringZERO}{trenta minuti e\space}
620 \newcommand*{\DTMhalfpaststringONE}{trenta minuti dopo\space}
621 \newcommand*{\DTMhalfpaststringTWO}{trenta minuti dopo l\protect'}
622 \newcommand*{\DTMhalfpaststringTHREE}{trenta minuti dopo le\space}
623
625 \newcommand*{\DTMquartertostringONE}{un quarto a\space}
626 \newcommand*{\DTMquartertostringTWO}{un quarto all\protect'}
627 \newcommand*{\DTMquartertostringTHREE}{un quarto alle\space}
```

```
629 \newcommand*{\DTMminutetostringZERO}{minuto e\space}
630 \newcommand*{\DTMminutetostringONE}{minuto a}
631 \newcommand*{\DTMminutetostringTWO}{minuto all\protect'}
632 \newcommand*{\DTMminutetostringTHREE}{minuto alle}
633
634 \newcommand*{\DTMminutesstringZERO}{minuti e\space}
635 \newcommand*{\DTMminutestostringONE}{minuti a}
636 \newcommand*{\DTMminutestostringTWO}{minuti all\protect'}
637 \newcommand*{\DTMminutestostringTHREE}{minuti alle}
638
639
640 \newcommand*{\DTMitmorningstring}{del mattino}
641 \newcommand*{\DTMitafternoonstring}{del pomeriggio}
```