```
package main

import (
	"fmt"

	"github.com/connerohnesorge/goffice/drawingml"
	"github.com/connerohnesorge/goffice/presentation"
)

// createBarChartSlide creates a slide with a clustered bar chart showing quarterly
sales.
// The chart displays sales data for three regions (North, South, East) across four
quarters.
func createBarChartSlide(
	doc *presentation.Document,
) error {
	slidePart, err := doc.AddSlide()
	if err != nil {
		return fmt.Errorf(
			errFailedToAddSlide,
			err,
		)
	}
	slide := slidePart.Slide()

	// Add slide title
	addTitleToSlide(
		slide,
		"Quarterly Sales Comparison",
	)

	// Create chart with title
	chartSpace, chart := createChartWithTitle(
		"2024 Quarterly Sales by Region",
	)
	plotArea := chart.PlotArea()

	// Add clustered bar chart
	barChart := plotArea.AddBarChart(
		drawingml.BarDirectionCol,
		drawingml.BarGroupingClustered,
	)

	// Add series for each region
	addBarChartSeries(
		barChart,
		&chartSeriesConfig{
			seriesName:     "North",
			categoryRange:  barCategoryRange,
			categoryValues: barCategories,
			valuesRange:    barNorthRange,
			values:         barNorthData,
			seriesIndex:    0,
		},
	)
	addBarChartSeries(
		barChart,
		&chartSeriesConfig{
			seriesName:     "South",
```

```
				categoryRange:  barCategoryRange,
				categoryValues: barCategories,
				valuesRange:    barSouthRange,
				values:         barSouthData,
				seriesIndex:    1,
			},
		)
		addBarChartSeries(
			barChart,
			&chartSeriesConfig{
				seriesName:     "East",
				categoryRange:  barCategoryRange,
				categoryValues: barCategories,
				valuesRange:    barEastRange,
				values:         barEastData,
				seriesIndex:    2,
			},
		)

		// Configure axes
		barChart.AddAxisID(categoryAxisID)
		barChart.AddAxisID(valueAxisID)
		addChartAxes(plotArea)

		// Add legend on the right side
		legend := drawingml.NewLegendWithPosition(
			drawingml.LegendPositionRight,
		)
		chart.SetLegend(legend)

		return addChartToSlide(slidePart, chartSpace)
}

// createLineChartSlide creates a slide with a line chart showing temperature
trends.
// The chart displays average monthly temperatures for three cities.
func createLineChartSlide(
		doc *presentation.Document,
) error {
		slidePart, err := doc.AddSlide()
		if err != nil {
			return fmt.Errorf(
				errFailedToAddSlide,
				err,
			)
		}
		slide := slidePart.Slide()

		// Add slide title
		addTitleToSlide(
			slide,
			"Monthly Temperature Trends",
		)

		// Create chart with title
		chartSpace, chart := createChartWithTitle(
			"Average Temperature by City (2024)",
		)
		plotArea := chart.PlotArea()
```

```
	// Add line chart
	lineChart := plotArea.AddLineChart(
		drawingml.GroupingStandard,
	)

	// Add series for each city
	addLineChartSeries(
		lineChart,
		&chartSeriesConfig{
			seriesName:     "New York",
			categoryRange:  lineCategoryRange,
			categoryValues: lineCategories,
			valuesRange:    lineNYRange,
			values:         lineNYData,
			seriesIndex:    0,
		},
	)
	addLineChartSeries(
		lineChart,
		&chartSeriesConfig{
			seriesName:     "Los Angeles",
			categoryRange:  lineCategoryRange,
			categoryValues: lineCategories,
			valuesRange:    lineLARange,
			values:         lineLAData,
			seriesIndex:    1,
		},
	)
	addLineChartSeries(
		lineChart,
		&chartSeriesConfig{
			seriesName:     "Chicago",
			categoryRange:  lineCategoryRange,
			categoryValues: lineCategories,
			valuesRange:    lineChicagoRange,
			values:         lineChicagoData,
			seriesIndex:    2,
		},
	)

	// Configure axes
	lineChart.AddAxisID(categoryAxisID)
	lineChart.AddAxisID(valueAxisID)
	addChartAxes(plotArea)

	// Add legend at the bottom
	legend := drawingml.NewLegendWithPosition(
		drawingml.LegendPositionBottom,
	)
	chart.SetLegend(legend)

	return addChartToSlide(slidePart, chartSpace)
}
```