

```

//nolint:revive // Data file contains test values that should not be converted to
constants
package main

// Data helper types and functions for ML results example
// These contain test data values that should not be converted to constants

type modelData struct {
    name      string
    params    float64
    train     float64
    speed     float64
    top1      float64
    top5      float64
    mAP       float64
    memory    float64
}

func getModelData() []modelData {
    return []modelData{
        {
            "ResNet-50",
            25.5,
            48.2,
            1250,
            76.1,
            92.9,
            37.2,
            2.1,
        },
        {
            "ResNet-101",
            44.5,
            72.5,
            890,
            77.8,
            93.7,
            39.1,
            3.2,
        },
        {
            "EfficientNet-B0",
            5.3,
            36.1,
            2150,
            77.1,
            93.5,
            38.4,
            0.9,
        },
        {
            "EfficientNet-B4",
            19.3,
            98.5,
            1050,
            82.9,
            96.3,
            42.8,
            2.8,
        },
    }
}

```

```
},
{
    "Vision Transformer-B",
    86.6,
    156.0,
    850,
    81.1,
    95.3,
    40.5,
    4.2,
},
{
    "YOLO-v8n",
    3.2,
    24.0,
    3500,
    72.5,
    90.1,
    35.6,
    0.6,
},
{
    "YOLO-v8s",
    11.2,
    42.0,
    2800,
    75.2,
    91.8,
    37.9,
    1.2,
},
{
    "YOLO-v8m",
    25.9,
    68.0,
    1950,
    79.3,
    94.1,
    40.2,
    2.3,
},
{
    "Swin-Transformer-T",
    28.3,
    120.0,
    720,
    81.5,
    95.5,
    41.1,
    3.5,
},
{
    "ConvNext-T",
    28.6,
    110.0,
    950,
    82.1,
    95.9,
    41.8,
```

```

        3.3,
    },
}

type analysisData struct {
    name    string
    params  float64
    acc     float64
}

func getAnalysisData() []analysisData {
    return []analysisData{
        {"ResNet-50", 25.5, 76.1},
        {"ResNet-101", 44.5, 77.8},
        {"EfficientNet-B0", 5.3, 77.1},
        {"EfficientNet-B4", 19.3, 82.9},
        {"Vision Transformer-B", 86.6, 81.1},
        {"YOLO-v8n", 3.2, 72.5},
        {"YOLO-v8s", 11.2, 75.2},
        {"YOLO-v8m", 25.9, 79.3},
        {"Swin-Transformer-T", 28.3, 81.5},
        {"ConvNeXt-T", 28.6, 82.1},
    }
}

type epochData struct {
    epoch    int
    trLoss   float64
    valLoss  float64
    trAcc    float64
    valAcc   float64
    lr       float64
}

func getEpochData() []epochData {
    return []epochData{
        {1, 2.302, 2.298, 12.5, 15.2, 0.001},
        {2, 1.956, 1.845, 28.3, 35.1, 0.001},
        {3, 1.542, 1.423, 42.7, 48.9, 0.001},
        {5, 0.892, 0.934, 65.3, 62.1, 0.001},
        {10, 0.345, 0.412, 87.2, 84.5, 0.0005},
        {20, 0.156, 0.198, 94.2, 91.3, 0.0001},
        {30, 0.089, 0.127, 96.5, 93.8, 0.00005},
        {40, 0.052, 0.098, 97.8, 94.9, 0.00001},
        {50, 0.031, 0.084, 98.6, 95.5, 0.000001},
    }
}

type hyperparameterData struct {
    exp    int
    lr     float64
    batch  int
    wd     float64
    warmup int
    acc    float64
    time   float64
}

```

```

func getHyperparameterData() []hyperparameterData {
    return []hyperparameterData{
        {1, 0.001, 32, 0.0001, 500, 91.2, 48.0},
        {2, 0.001, 64, 0.0001, 500, 92.1, 45.0},
        {3, 0.001, 128, 0.0001, 500, 91.8, 42.0},
        {4, 0.002, 64, 0.0001, 1000, 93.5, 46.0},
        {5, 0.002, 64, 0.00005, 1000, 93.2, 47.0},
        {6, 0.0005, 64, 0.0001, 500, 92.8, 52.0},
        {7, 0.002, 128, 0.0001, 1000, 94.1, 44.0},
        {
            8,
            0.002,
            128,
            0.00005,
            1500,
            94.8,
            48.5,
        },
    },
}

```