



Get Started with the CDM for Collateral

Module B – Accessing the CDM

Version 1.0 – June 2024

Click below to get started!

[Start](#)

There are six modules in this Get Started guide:

A	Introduction to the CDM	15 minutes	Complete
B	Accessing the CDM	10 minutes	Start
C	How the CDM works	30 minutes	Start
D	How the CDM is used	45 minutes	Start
E	Collateral Use Cases	45 minutes	Start
F	Advanced Features	30 minutes	Start

B

The second module in this series explains how you can access the CDM and introduces the main tools.

1

Components of the CDM

[Start](#)

2

Open Source, FINOS and GitHub

[Start](#)

3

Access to the Rosetta tools

[Start](#)

4

The CDM Projects: Core and DRR

[Start](#)

Rune DSL (Open Source)

Rosetta Language

- Specifies the syntax used to build model definitions

Domain Specific Language (DSL)

github.com/finos/rune-dsl

Code Generator: Java

- Automatically generates executable code based on model definitions

Other Code Generators

- Scala
- TypeScript
- DAML
- etc.

Code Generators

github.com/REGnosys/rosetta-code-generators

FINOS CDM Distribution (Open Source) github.com/finos/common-domain-model

Model Definition

Data Model

- Product Model
- Event Model
- Legal Agreement Model

Process Model

- Calculation
- Event Logic
- Event / Product Qualification

Reporting

- Eligibility Rule
- Reportable Field
- Regulatory Reference

Data Validation

- Condition
- Special Syntax: eg choice, one-of

Annotation

- Meta-Data: eg 'key' / 'reference'
- Function Type

Namespace

- Model Partition
- Description
- Hierarchy

Interfaces

Mapping / Synonym

- FpML
- DTCC
- CME
- ISO 20022

Examples (.json)

- Product samples
- Event samples

Executable Code Distribution

Organised into namespaces

Data Model

- Product Model
- Event Model
- Legal Agreement

Process Model

- Calculation
- Event Logic
- Event / Product Qualification

Data Validation

- Condition
- Syntax: e.g. 'choice', 'one-of'

Reporting

- Eligibility Rule
- Reportable Field

Default Implementation

Hand-crafted code (not auto-generated)

Meta-Data Processor

- 'Key' hash code implementation and override
- Meta-Type
- Event Effect Post-Processor

Function

- Calculation period
- Days in period
- Resolve index

Serialiser

- JSON

Service Providers

Documentation cdm.finos.org

CDM Homepage

- Apache license via GitHub
- Various model definitions
- Documentation

CDM Object Builder

- Create, import, share or inspect CDM JSON
- cdm-object-builder.finos.org

Integration Test Pack

Ingestion Test (.xml, .json)

- Input samples: FpML / DTCC / CME
- Output + assertion files (JSON)

Function Test

- Function input samples (XML)
- Output + assertion files (JSON)

CDM Applications

Rosetta SDK (by REGnosys) ui.rosetta-technology.io

Edition and Contribution

- Develop / extend the CDM
- Source control integration

Translation

- Develop / extend 'synonyms' for proprietary data models
- Manage integration test pack

Ingestion and Testing

- Convert data into CDM
- Run live integration tests
- UI or cloud-hosted API

Applications by other service providers

- The CDM consists of a number of different components which, when used together, create an ecosystem for the creation of models, events and processes for financial products.
- We will drill into the details behind these components later (in Module D).
- But first, let's get you access to the CDM.

B

The second module in this series explains how you can access the CDM and introduces the main tools.

1

Components of the CDM

[Complete](#)

2

Open Source, FINOS and GitHub

[Start](#)

3

Access to the Rosetta tools

[Start](#)

4

The CDM Projects: Core and DRR

[Start](#)

[FINOS CDM Distribution \(Open Source\)](https://github.com/finos/common-domain-model)
github.com/finos/common-domain-model

Model Definition

Data Model

- [Product Model](#)
- [Event Model](#)
- [Legal Agreement Model](#)

Process Model

- [Calculation](#)
- [Event Logic](#)
- [Event / Product Qualification](#)

Reporting

- [Eligibility Rule](#)
- [Reportable Field](#)
- [Regulatory Reference](#)

Data Validation

- [Condition](#)
- [Special Syntax:](#)
eg choice, one-of

Annotation

- [Meta-Data:](#) eg 'key' / 'reference'
- [Function Type](#)

Namespace

- [Model Partition](#)
- [Description](#)
- [Hierarchy](#)

Interfaces

Mapping / Synonym

- [FpML](#)
- [DTCC](#)
- [CME](#)
- [ISO 20022](#)

Examples (.json)

- [Product samples](#)
- [Event samples](#)

Executable Code Distribution

Organised into namespaces

Data Model

- [Product Model](#)
- [Event Model](#)
- [Legal Agreement](#)

Process Model

- [Calculation](#)
- [Event Logic](#)
- [Event / Product Qualification](#)

Data Validation

- [Condition](#)
- [Syntax:](#) e.g. 'choice', 'one-of'

Reporting

- [Eligibility Rule](#)
- [Reportable Field](#)

Default Implementation

Hand-crafted code (not auto-generated)

Meta-Data

- [Processor](#)
- ['Key' hash code implementation and override](#)
- [Meta-Type](#)
- [Event Effect Post-Processor](#)

Function

- [Calculation period](#)
- [Days in period](#)
- [Resolve index](#)

Serialiser

- [JSON](#)

Applications by Other Service Providers

Documentation cdm.finos.org

CDM Homepage

- [Apache license via GitHub](#)
- [Various model definitions](#)
- [Documentation](#)

CDM Object Builder

- [Create, import, share or inspect CDM JSON](#)
- cdm-object-builder.finos.org

Integration Test Pack

Ingestion Test (.xml, .json)

- [Input samples:](#) FpML / DTCC / CME
- [Output + assertion files \(JSON\)](#)

Function Test

- [Function input samples \(XML\)](#)
- [Output + assertion files \(JSON\)](#)

- As we saw in Module A, the three Trade Associations agreed in 2023 to make the CDM open source and available on FINOS.
- First, let's get you access to the FINOS CDM Distribution.

- FINOS is responsible for the open source **CDM Distribution**.
- It is actually hosted on **GitHub**, a platform that allows collaborators to create, store, manage and share their code.
- GitHub provides distributed version control plus access control, bug tracking, software feature requests, task management, continuous integration, and wikis for every project. It is commonly used to host open source software development projects.
- As of January 2023, GitHub reported having over 100 million developers and more than 420 million repositories, including at least 28 million public repositories.
- Anyone can browse and download public repositories, but only registered users can contribute content to repositories. With a registered user account, users can have discussions, manage repositories, submit contributions to others' repositories, and review changes to code.


Get your ducks in a row with GitHub

Watch this 3 minute video for a quick introduction to the features of GitHub.

[Watch](#)[Next](#)

- All of the FINOS projects are stored in their individual repository, which is a dedicated store of the code for the project.
- Visit FINOS on GitHub: <https://github.com/finos>. You do not need an account, login ID or subscription to access GitHub*.
- You will see that FINOS has over 100 repositories; you can scroll down to see some of them.
- As one of the most active FINOS repositories, you should see the CDM (ie “common-domain-model”) in the list of repositories. If you cannot immediately see it, search for “CDM”.
- Click on “common-domain-model” to open the CDM Repository home page.
- In future, you can also access the CDM Repository home page directly at: <https://github.com/finos/common-domain-model>.
- Please bookmark this page in your browser now.

*Can't Access?



[Next](#)

- Are you having issues accessing GitHub via this link? <https://github.com/finos>.
- Although you do not need an account, login ID or subscription to access GitHub, some financial services organizations restrict access to the site for security reasons.
- There are typically several alternatives in this case:
 1. The quickest and easiest method is to use a personal device (ie PC or Mac) on your home network, so that you do not encounter any of the corporate controls. If you are only accessing GitHub for the purposes of learning about the CDM via this Get Started guide, you will not be breaking any rules nor creating any security concerns.
 2. Ask colleagues about an exception or approval process inside your firm to be given the appropriate access to GitHub. Even if possible, this may take a few days, so you might want to use option #1 above while you continue this module.
 3. Some organizations provide internal copies of approved open-source repositories, which can be accessed freely inside the organization using a company-specific tool and without using GitHub. Again, option #1 might be an acceptable short-term solution while you find if the CDM is available via this method.

- If you are a **developer** or more technically-minded, you may want to download the CDM from GitHub and use within your own development environment.

- If not, feel free to skip this page!

[Skip](#)

- Three steps for **Developer Get Started**:

1. **Choose a version**, either production or the development version; The production version offers a stable, well-supported environment for consumers of the model. Any change shall adhere to a strict governance process as it must be backward-compatible. In contrast, the development version fosters continued, rapid change development and involves model contributions made by the industry community. Changes that break backward compatibility are allowed.

2. **Set up the code**; using Java 8 or later, create a project using your preferred IDE.


3. **Install via Maven Central**; add this dependency definition to your maven pom file to install the CDM:

```
<dependency>
  <groupId>org.finos.cdm</groupId>
  <artifactId>cdm-java</artifactId>
  <!-- {version} can be 4.0.0, 5.0.0-dev1, etc -->
  <version>{version}</version>
</dependency>
```


- For further detail on these steps, please visit:

regnosys.com/insights/hello-cdm-three-easy-steps-to-implement-the-common-domain-model-in-java/

[Next](#)



- The default tab on GitHub is < > **Code**, as shown in this screen shot.
- The CDM, being a digital representation of a Data and Process model, is stored in GitHub as a hierarchy of files, visible in the Code tab.
- Each of the files represents one of the “namespaces” in the CDM – don’t worry about this too much yet, suffice to ensure that you have access to GitHub and can find files.
- Let’s look at an example.



CDM Example:

- Many of the definitions for Collateral in the CDM are defined in the namespace:
cdm.product.collateral
- This can be found by scrolling down the Files hierarchy to find **product-collateral-type.rosetta**.
- Clicking on this file on the left will display the CDM definition on the right; again, we will explain how to understand this in due course.
- The same file can also be accessed by a direct link:

<https://github.com/finos/common-domain-model/blob/master/rosetta-source/src/main/rosetta/product-collateral-type.rosetta>

B

The second module in this series explains how you can access the CDM and introduces the main tools.

1

Components of the CDM

[Complete](#)

2

Open Source, FINOS and GitHub

[Complete](#)

3

Access to the Rosetta tools

[Start](#)

4

The CDM Projects: Core and DRR

[Start](#)

[FINOS CDM Distribution \(Open Source\)](https://github.com/finos/common-domain-model)
github.com/finos/common-domain-model

Model Definition

Data Model

- Product Model
- Event Model
- Legal Agreement Model

Process Model

- Calculation
- Event Logic
- Event / Product Qualification

Reporting

- Eligibility Rule
- Reportable Field
- Regulatory Reference

Data Validation

- Condition
- Special Syntax: eg choice, one-of

Annotation

- Meta-Data: eg 'key' / 'reference'
- Function Type

Namespace

- Model Partition
- Description
- Hierarchy

Interfaces

Mapping / Synonym

- FpML
- DTCC
- CME
- ISO 20022

Examples (.json)

- Product samples
- Event samples

Executable Code Distribution

Organised into namespaces

Data Model

- Product Model
- Event Model
- Legal Agreement

Process Model

- Calculation
- Event Logic
- Event / Product Qualification

Data Validation

- Condition
- Syntax: e.g. 'choice', 'one-of'

Reporting

- Eligibility Rule
- Reportable Field

Default Implementation

Hand-crafted code (not auto-generated)

Meta-Data Processor

- 'Key' hash code implementation and override
- Meta-Type
- Event Effect Post-Processor

Function

- Calculation period
- Days in period
- Resolve index

Serialiser

- JSON

Service Providers

Documentation cdm.finos.org

CDM Homepage

- Apache license via GitHub
- Various model definitions
- Documentation

CDM Object Builder

- Create, import, share or inspect CDM JSON
- cdm-object-builder.finos.org

Integration Test Pack

Ingestion Test (.xml, .json)

- Input samples: FpML / DTCC / CME
- Output + assertion files (JSON)

Function Test

- Function input samples (XML)
- Output + assertion files (JSON)

CDM Applications

Rosetta SDK (by REGnosys)

ui.rosetta-technology.io

Edition and Contribution

- Develop / extend the CDM
- Source control integration

Translation

- Develop / extend 'synonyms' for proprietary data models
- Manage integration test pack


Ingestion and Testing

- Convert data into CDM
- Run live integration tests
- UI or cloud-hosted API

Applications by other service providers


- We have shown you GitHub as the repository for the FINOS CDM Distribution and how it can be accessed by developers.
- But this Guide is designed for the less technically-minded, so what other ways are there to view the CDM?
- A number of third-party applications are available to do this including:
 - Rosetta SDK Platform.
 - Legend Studio.
 - Commercial ETL software solutions.

- **Rosetta** is a complete Software Development Kit (SDK or dev kit) for the Rosetta DSL, which is the technology used to build the CDM.
- It consists of an integrated set of modelling tools for using and developing models using the Rosetta DSL.
- Users of Rosetta can start modelling "from scratch" and can also use existing models or leverage some of those models' existing components.
- **Rosetta** (the Application) is a web application, secured with user credentials and accessible through a web browser at:
<https://ui.rosetta-technology.io>.



- Please visit the site now and follow these instructions to sign up and gain access.

- In order to access the Application as a first-time user, please register for an account by clicking on the **sign up for free** link on the login page.
- Please fill in the Registration Form, which consists of providing some information and accepting the Rosetta [Terms of Service](#), [Subscription Form](#) and [Privacy Statement](#).
- Please use your corporate email address (i.e. not a personal one at, for example Gmail or iCloud) and correct organization details as this will ensure that you are granted the appropriate access.
- This sign-up will be for free “Community” access that provides read-only access to public projects.



The image shows a user registration form for Rosetta. The form is titled "Let's get rolling." and is divided into two main sections: "About you" and "Your organisation".

About you section includes:

- Title * (dropdown menu)
- Email address * (text input)
- Forename * (text input)
- Surname * (text input)
- Password * (text input with strength indicator)
- Confirm password * (text input with strength indicator)

Your organisation section includes:



- ☐ I have read and I accept the Rosetta [Terms of Service](#) and [Subscription Form](#)
- ☐ I have also read and understood the REGnosys [Privacy Statement](#)
- Register button (with a circular arrow icon)

At the bottom, there is a link: "Already have an account? [Sign in.](#)"

Footer links: [Privacy Statement](#) | [Terms of Service](#) | [Subscription Form](#) | [Availability and Support](#)


- After successful registration, please verify your email address to use the Application.

- To login, enter your email as Username and your Password to get access to the Application.
- A **Forgotten password?** link is available if you need to reset your password.
- You can change your user profile and password by clicking on the user menu at the top-right of the page and clicking on **User Profile**.



- The Rosetta interface provides an integrated working environment when you work on a model.
- This integrated environment is known as a **Workspace** and connects all the Application's components together. See Workspace documentation.
- Rosetta is a cloud-native application. This means that the Workspace exists not in the user's local browser but on a remote server and simply rendered in their browser window. In particular, the model files are not stored anywhere on the user's desktop and the user does not need to manage how these files are organised, nor configure dependencies, etc.


- When you open Rosetta, you should see your available **Projects** in the **Workspace Manager** – these are the models available to you.
- You should see at least the **CDM** and a **Demo** model.




Create button for a new Workspace

[Next](#)

- Open the **Demonstration Model** by clicking on the “Prod” label beneath the icon.
- The main sections are:
 - **Information banner**
 - The **Workspace Window** (Rosetta Design by default)
 - Additional **Rosetta** Components and Features
 - Others: Model Compile **Status** and In-App **Chat**
- The application menu icons top right: **Help**, **Notifications** and **User**.
- Please make sure you can open the Demo model and access these different features now; click on [Issues](#) here if you are facing challenges.




- This will open up the **Rosetta Design** application to view, and in some cases edit, a model.




[Issues](#)

[Next](#)


- The Rosetta Design window has a default “Textual” view which displays the model in digital code form.
- Alternative views can be selected from the Rosetta Design Tab bar.




- The Toolbar also provides mechanism for navigating Models, including search:



- **Textual View:** displays functional expressions of data and business logic of a model as text, using the Rosetta DSL syntax.
- The Rosetta Design Model Explorer is displayed as a tree structure on the left hand-side.




- **Graphical View:** displays any selected part of a model as an interactive graphical tree, indicating the relationship between the different model components.
- This view is particularly useful to test and validate progress on model editing.



- You can find further documentation and help resources on the Rosetta applications using the link below and from the in-app help links:
<https://docs.rosetta-technology.io/rosetta/rosetta-products/2-rosetta-design/>
- You can also get help from the Rosetta team using the **In-App Chat** function.
- Before moving on, please familiarize yourself with the Rosetta interface so that you are comfortable navigating models. We will be doing this a lot in the remainder of this **Guide!**
- If you have had any issues accessing Rosetta, please click the Issues icon below before proceeding.

[Issues](#)



[Done](#)

- If you have faced issues using Rosetta, please check these Minimum IT Requirements.
- Rosetta uses WebSockets to communicate with its server processes. Some corporate networks sometimes block these. If they are blocked, you will need to contact your system/network admin to allow WebSocket connections.
- If you need further help:
 - Please use the Rosetta In-App Chat facility.
 - Contact your ISDA contact for assistance.
 - Reach out by email to MarketInfrastructureandTechnology@isda.org.
 - As a reminder other 3rd party applications exist in addition to Rosetta, which you may use.

Minimum IT Requirements

docs.rosetta-technology.io/rosetta/rosetta-products/0-welcome-to-rosetta/

- Supported Browsers: Not all web browsers support Rosetta, and some browsers will have problems loading Rosetta if ad blockers or pop-up blockers are enabled. Javascript must be enabled on your browser.
 - Windows: Microsoft Edge, Mozilla Firefox, or Google Chrome
 - Mac OS X (10.10 and later): Apple Safari 10+, Mozilla Firefox or Google Chrome
 - Linux: Mozilla Firefox or Google Chrome
 - No mobile browsers are supported.
- Operating System: Ideally, you should use the latest operating system available for your device.
- Hardware
 - Processor: 1.6 GHz or higher, or Intel-based Mac computer
 - Memory: 4 GB of RAM or higher
 - Resolution: 1024 × 768 minimum
- Network
 - Internet connection: High-speed internet access is recommended.

B

The second module in this series explains how you can access the CDM and introduces the main tools.

1

Components of the CDM

[Complete](#)

2

Open Source, FINOS and GitHub

[Complete](#)

3

Access to the Rosetta tools


[Complete](#)

4

The CDM Projects: Core and DRR

[Start](#)

- Now that you are familiar with accessing models in Rosetta, go back to the Workspace Manager where you should see a number of **Projects**, depending on your access permission.
- At a minimum, you should see the **Demonstration Model**, which is used for training and education, and is based on regulations on auto emissions in Europe.
- You should also see and have access to the **Common Domain Model**, which is the FINOS CDM Distribution we saw before on GitHub, displayed and accessible in the Rosetta Design application.



- As was the case on GitHub, you can select whether to view the stable **Production** version or the latest release of the **Development** version, using the drop down on the **Project** tile.


- The CDM is an open-source, public model; “public” means that anyone can access it.
- There are also additional “private” models, available only to a restricted user base. This could be corporate model, restricted to employees, or a vendor model, restricted to certain clients.
- ISDA has a private model, available only to approved ISDA members; they are still open-source, so members are allowed, and encouraged, to participate in updates to these models.



- The DRR model supports the eponymous **Digital Regulatory Reporting** initiative led by ISDA. The model contains regulatory reporting regulations digitized as rules by ISDA members; we will cover this later on in Module D.

For access to this model, please contact cdmdrr@isda.org by email.

- We have now explained how to access the CDM using both GitHub and Rosetta.
- As a reminder other 3rd party applications exist in addition to Rosetta.
- We have shown you the other ISDA private models such as DRR
- If you plan to use these, we encourage you to obtain your access before proceeding.
- **Otherwise, are you ready to get into some real modelling and to find out how the CDM works and how to use it?**



B

The second module in this series explains how you can access the CDM and introduces the main tools.

1

Components of the CDM

[Complete](#)

2

Open Source, FINOS and GitHub

[Complete](#)

3

Access to the Rosetta tools

[Complete](#)

4

The CDM Projects: Core & DRR

[Complete](#)

5

Take your knowledge check

[Start](#)

Q: Which of the following statements is not true about GitHub?

A1 It enables many individuals and organisations to collaborate effectively on the same code base

A2 It enables the maintenance of public repositories of code

A3 It enables the maintenance of project documentation

A4 It enables the maintenance of private repositories of code

A5 It can only be used by software engineers using Java

Q: Which of the following statements is not true about GitHub?

- A1 It enables many individuals and organisations to collaborate effectively on the same code base
- A2 It enables the maintenance of public repositories of code
- A3 It enables the maintenance of project documentation
- A4 It enables the maintenance of private repositories of code
- A5 It can only be used by software engineers using Java

The first four statements are correct and are some of the reasons that GitHub is so powerful as a tool for the CDM.

The last answer is not true; anyone can use GitHub, regardless of their role or skills.

Q: Which of the following statements is true about the FINOS CDM Distribution on GitHub?

A1 It hosts the model code for the CDM

A2 It hosts the model code for the DRR

A3 It hosts the application code for Rosetta SDK

A4 It hosts the code for the Rune DSL

A5 All the above

Q: Which of the following statements is true about the FINOS CDM Distribution on GitHub?

- A1 It hosts the model code for the CDM
- A2 It hosts the model code for the DRR
- A3 It hosts the application code for Rosetta SDK
- A4 It hosts the code for the Rune DSL
- A5 All the above

The CDM model code is part of the FINOS CDM Distribution on GitHub.

The other answers refer to code which is also hosted on GitHub, but that is not part of the FINOS CDM Distribution.

Q: Where might you access the ISDA Foundations model?

A1 [In the FINOS CDM Distribution on GitHub](#)

A2 [As a private Project in the Rosetta SDK](#)

A3 [As a private Repository on GitHub](#)

A4 [A1 and A2](#)

A5 [A2 and A3](#)

Q: Where might you access the ISDA Foundations model?

A1 In the FINOS CDM Distribution on GitHub

A2 As a private Project in the Rosetta SDK

A3 As a private Repository on GitHub

A4 A1 and A2

A5 A2 and A3

The ISDA Foundations model is available privately both within the Rosetta SDK and on GitHub.

The ISDA Foundations model is not part of the FINOS CDM Distribution.

Q: You have been asked to demonstrate the structure of the CDM in a diagrammatic form. Which tool would you use?

[A1 The Graphical View in the Rosetta Design application](#)

[A2 The Code tab on the FINOS CDM GitHub web page](#)

[A3 An Integrated Development Environment using Maven dependencies](#)

[A4 The Textual View in the Rosetta Design application](#)

[A5 The Rune DSL on GitHub](#)

Q: You have been asked to demonstrate the structure of the CDM in a diagrammatical form. Which tool would you use?

- A1 The Graphical View in the Rosetta Design application
- A2 The Code tab on the FINOS CDM GitHub web page
- A3 An Integrated Development Environment using Maven dependencies
- A4 The Textual View in the Rosetta Design application
- A5 The Rune DSL on GitHub

The Graphical View in the Rosetta Design application is the most appropriate tool to use to view the CDM.

While the other tools can be used to view and manipulate the underlying digital model, they do not provide a graphical view.

Q: Which of the following methods cannot be used to access the CDM?

A1 [The Rosetta SDK](#)

A2 [The GitHub web page](#)

A3 [An Integrated Development Environment using Maven dependencies](#)

A4 [By becoming a member of the Fintech Open Source Foundation](#)

A5 [A download of the model from GitHub](#)

Q: Which of the following methods cannot be used to access the CDM?

A1 The Rosetta SDK

A2 The GitHub web page

A3 An Integrated Development Environment using Maven dependencies

A4 By becoming a member of the Fintech Open Source Foundation

A5 A download of the model from GitHub

Any of the Rosetta SDK, the GitHub website, an IDE, or a download of the source files from GitHub, can be used to access the CDM.

The CDM is a project under the Fintech Open Source Foundation (FINOS). However, membership of FINOS is not required to access the CDM. Furthermore, access to the FINOS CDM is provided by one of the other methods listed here.

Accessing the CDM

B

1

Components of the CDM

[Review](#)

2

Open Source, FINOS and GitHub

[Review](#)

3

Access to the Rosetta tools

[Review](#)

4

The CDM Projects: Core and DRR

[Review](#)

5

Take your knowledge check

[Review](#)

Well Done! You have completed the second module

You can review any of the complete sections again or move on to the next module.

[Done](#)