

— PEAK 11 MEDIA — PRODUCTION SOP

Build Runbook

The exact repeatable process to turn a client “yes” into a gorgeous, live website — fast.

This is the proven **v3 pipeline** — the same one that produced TSW Auto Service, Avalanche Roofing, and the eight Forge demo sites. It is reference-driven, mobile-first, and **real-data-only**. Follow it step for step and any capable operator (human or AI) will ship an agency-quality site in **24–48 hours**.

01	02	03	04	05	06
INTAKE	CONTENT	BUILD	QA	DEPLOY	GO-LIVE
Gather inputs	Pull real photos & reviews	Reference-drive n, per-trade	390 → 768 → 1440	GitHub Pages via gh api	Client domain (DNS)

THE STANDARD, IN ONE LINE. A trade business site should feel like precision equipment, not a marketing flyer. Authority comes from scale, restraint, and the business’s **real facts** — not gradients, emoji, or stock-photo smiles. Canonical system: **PrimoSites/design/DESIGN.md** (Forge Media Design System). If this runbook and DESIGN.md ever disagree, DESIGN.md wins.

Stage 0 — The Trigger

A build starts the moment a prospect says yes (verbal yes on a call, or a reply approving the free preview). Start the clock: the 24–48h turnaround target runs from here. Create the working folder and brief immediately.

Create the client workspace:

Folder	operation-50k/clients/<business-slug>/
Brief	build-brief.md — every fact + source (mirror the Avalanche brief)
Assets	assets/ — real photos, logo, map screenshot
Proof	screenshots/ — 390 / 768 / 1440 QA captures, plus live-* after deploy
Output	index.html — self-contained: HTML + embedded CSS, no build step

— STAGE 1

Inputs to Gather (per client)

Everything the site needs to be true. Pull from the business's own listings first (Google Business Profile, their existing site, Yelp, Facebook, BBB, GAF/trade registries, the state contractor license DB). Capture the **source** next to every fact in build-brief.md so anything can be re-verified. Flag gaps for the owner call — **never fill a gap by inventing.**

Business name	Exact legal name + the name they go by. Founding year (powers “since 19XX” trust line).
Services	The real service list, in their words. 6 or fewer → 3×2 grid; 7–8 → dense 4×2 / 2-col mobile.
Real photos source	Their Google Business Profile gallery first, then their site / FB / IG. Owner is the best source — ask for 8–12 of their best job, crew, and before/after shots.
Reviews	Verbatim quotes + reviewer name + source + recency. Google & Yelp & Facebook & BBB & trade pages. Capture the live rating + total review count.
Phone	Primary tap-to-call number. This is the #1 conversion path — verify it's correct and reachable.
Hours	Day-by-day open hours + service area / coverage radius.
Brand colors	Pull from their truck wrap / logo / storefront. Map to ONE site accent matched to the trade (auto=amber, plumbing=deep blue, roofing=red/charcoal, landscaping=green).
Domain status	Do they own a domain? Is it live, broken, or parked? Registrar + where DNS is managed. (Drives the Stage 6 cutover.)
Credentials	License #, BBB rating, manufacturer certs (GAF, etc.), insured/bonded — only if verifiable . Note unverified ones as “confirm with owner.”
Hero angle	The one-sentence positioning pulled from real reviews (e.g. “fair bid in 24h, finished on the date promised, exceptional clean-up”).

GAP RULE. Anything you can't verify (exact address, insurance, warranty terms, a service you're unsure they still offer) goes in an “ASK THE OWNER” list at the bottom of build-brief.md — it does **not** go on the site until confirmed. A missing fact is fine; a fabricated one is a fireable error.

Stage 2 — Content Gathering (their real assets)

The site is built from **their** reality. Use Chrome automation to pull from public sources, then curate hard.

Photos

- Source from their Google Business Profile gallery first, then their existing site, Facebook, and Instagram. The owner's own job photos are the single strongest asset — request 8–12.
- **Verify ownership.** Discard any image carrying a competitor watermark or that clearly isn't their work. (On Avalanche we deleted 3 competitor-watermarked images Google surfaced — used 5 confirmed-theirs photos.)
- Save to assets/ with descriptive filenames. Note resolution; prefer ≥1200px for hero candidates.

- If real photos are thin, fall back to dark, moody, close-up workshop/equipment photography (per DESIGN.md §5). **Never** smiling stock models, handshakes, or headset call-center clichés.

Reviews

- Copy 4–6 of the strongest reviews **verbatim** — exact wording, real reviewer name, source label (“Google review”), and recency.
- Capture the headline number truthfully: live star rating + total count (e.g. “4.9★ · 96 Google reviews”).
- Prefer reviews that name a specific trust hook (on-time, fair price, clean-up, one-day re-roof) — they double as hero/positioning copy.

Map & contact

- Grab the exact Google Maps pin / embed for the contact section. Confirm the address matches the GBP pin (directories often list stale alternates).
- Confirm hours and phone against the live Google Business Profile — it's the most current source.

NEVER FABRICATE. No invented testimonials, no fake review counts, no unearned badges. “Licensed & insured,” “family-owned since 20XX,” “GAF-certified” — every claim must trace to a real source in the brief. Real-data-only is the whole product: it's why these sites out-convert the template shops.

— STAGE 3

Build — Reference-Driven, Mobile-First

One self-contained index.html: semantic HTML + embedded CSS, Barlow + Barlow Condensed via Google Fonts and the map iframe as the only external dependencies (plus imagery). **No build step, no framework, no page builder.** Build the page top-to-bottom in the canonical section order; populate every slot with the real data from Stage 1–2.

Reference-driven

- Open the canonical system (**PrimoSites/design/DESIGN.md**) and the closest prior v3 build of the same trade as a working reference before writing a line.
- Match the trade: pick the ONE accent for this client; everything else is the fixed neutral base (ink / steel / paper / chalk).
- Reuse the proven component HTML/CSS from a prior build — don't reinvent the nav, cards, or call bar each time.

Per-trade section architecture (canonical order)

1. **Sticky nav** — 64px, white, hairline bottom. Wordmark (business name + condensed trade descriptor) + 3–4 anchor links + accent phone CTA pill (real **tel:** number).
2. **Hero** — full-bleed real photo, ~88vh, left-weighted dark scrim. Eyebrow → display-xl headline (their positioning) → body-lg sub → accent CTA pill + ghost pill.
3. **Trust strip (spec plate)** — 3–4 real facts under the hero: years in business, rating + review count (accent stars), family-owned, hours.
4. **Service cards** — their real services. 3×2 desktop / 2-col tablet / 1-col mobile (or dense 4×2 for 7–8 services). Inline SVG line icons, no emoji.
5. **Meet-the-shop stat block** — treated real photo + short story + one oversized stat (years, jobs, rating).
6. **Reviews** — dark (ink) band, verbatim quotes + attribution + “Google review” label, accent stars. Link out to the full listing.
7. **Contact / map** — condensed-label data list (address, headline-sized tap-to-call phone, real hours table, service area) + grayscale Google Maps embed.
8. **Footer** — ink band, wordmark, one-line credibility fact, address + phone, copyright. No link farms, no icon rows.
9. **Sticky mobile call bar** — fixed bottom <768px, full-width accent, “Call — (real number)” **tel:**, 56px tall. Add 56px body padding-bottom. **Highest-converting element — never omit.**

Non-negotiable build rules (from DESIGN.md §6)

- | | |
|--|--|
| • No emoji — icons are inline SVG line-art, currentColor, ~1.75 stroke. | • No drop shadows for elevation — hairlines + surface shifts (paper→chalk→ink) only. |
| • ONE accent, rationed — CTA fill, rating stars, eyebrow tick. Nothing else. | • Real data only — real reviews, hours, services, founding year. No fakes. |
| • One h1; eyebrow → h2 per section; obvious size/weight hierarchy. | • Semantic HTML, labelled landmarks, tel: on every phone mention. |
| • Contrast ≥ 4.5:1; accent fills always carry ink text, never white. | • Generous whitespace — 96px+ between desktop sections; never a divider graphic. |

— STAGE 4

Mobile-First QA — Screenshot & Look

Most visitors are on a phone, so QA is mobile-first: get 390px perfect **first**, then widen. The method is literal — **screenshot it and actually look at the pixels**, don't assume the code is right. Save every capture to screenshots/ as proof.

390px (phone) — do this first

- Render at 390px wide; screenshot the fold and the full page.
- Sticky tap-to-call bar is present, full-width, accent, real number, and the body has 56px bottom padding so nothing hides behind it.
- Hero headline doesn't wrap past ~4 lines (drop the clamp floor to 36–38px if it does).
- No horizontal scroll. No dead space / no giant empty gaps. Cards stack cleanly, ≥150px wide.
- Phone, services, reviews, hours all legible at arm's length; tap targets comfortable.

768px (tablet)

- Service grid reflows to 2-col; trust strip and contact split behave.
- Sticky mobile bar is still present right up to the 768 breakpoint, then hands off to the nav phone pill.
- Screenshot fold + full; check for awkward mid-width gaps.

1440px (desktop)

- Content caps at 1200px with even gutters; 96px+ section rhythm; surface bands alternate correctly.
- Hero scrim reads, headline 2–3 lines max, photography graded as one shoot.
- Screenshot fold + full.

The “not-a-template” gut check

- Does it feel like precision equipment, or a generic flyer? If generic, the accent is over-used, the type hierarchy is flat, or the photos aren't graded — fix before shipping.
- Is every fact on the page real and sourced? Any placeholder, lorem, or {{VARIABLE}} left → stop.
- Would a staff engineer / a real agency ship this? If not, iterate.

Stage 5 — Deploy to GitHub Pages (via gh api)

System git is blocked (Xcode license), so all pushes go through the GitHub REST API with the gh CLI. Sites live in the **consciousmirage/forgedemos** repo, each under its own slug folder, served by GitHub Pages. The pattern is always: **blobs** → **tree** → **commit** → **ref**.

1. **Blob** each changed file: `gh api repos/consciousmirage/forgedemos/git/blobs` with base64 content → returns a blob SHA (index.html + every asset).
2. **Base tree**: read the latest commit on the branch, grab its tree SHA.
3. **New tree**: `git/trees` with `base_tree` = that SHA and one entry per file (path <slug>/index.html, mode 100644, the new blob SHAs).
4. **Commit**: `git/commits` pointing to the new tree with the latest commit as parent.
5. **Update ref**: `PATCH git/refs/heads/main` to the new commit SHA. Pages auto-rebuilds.

6. Verify the **live** URL: `consciousmirage.github.io/forge-demos/<slug>/` — load it, screenshot at 390px, save as `screenshots/live-390-fold.png`. “Deployed” isn’t done; “confirmed live” is done.

The repo root is intentionally a blank “Peak 11 Media” page — no directory listing, so each prospect only ever sees their own link.

— STAGE 6

Go-Live on the Client's Real Domain (DNS)

Once approved, move the site from the GitHub Pages preview URL onto the client's own domain by pointing DNS at GitHub Pages. High-level flow below — **full step-by-step (registrar logins, record values, SSL, propagation checks) lives in the Delivery SOP.**

1. Confirm domain ownership & registrar access (from the Stage 1 domain-status input).
2. Set the custom domain on the Pages site (CNAME file in the repo / Pages settings).
3. Point DNS: apex A records to GitHub Pages IPs, or a CNAME for www → consciousness.github.io. (Exact records in the Delivery SOP.)
4. Enable HTTPS / wait for the GitHub-provisioned certificate.
5. Verify the live domain on real devices, 390px first; confirm tap-to-call dials the right number.
6. Send the go-live confirmation; archive final screenshots as proof of delivery.

**TURNAROUND
TARGET**

24–48 hours from the client's "yes" to a live, confirmed site. Most of the clock is content gathering and QA — the build itself is fast because the system is fixed and components are reused.

Per-Build Checklist

The operator (human or AI) runs this **every** build, top to bottom. Don't skip a box because it "looks obvious" — the discipline is the product.

Intake

- Working folder + build-brief.md created; 24–48h clock started.
- Legal name, name-they-go-by, and founding year captured.
- Real service list (their words) captured; count noted for grid layout.
- Phone verified; hours + service area captured.
- Brand colors pulled → ONE trade-matched accent chosen.
- Domain status recorded (owned? live/broken/parked? registrar + DNS host).
- Credentials captured WITH sources; unverifiable ones moved to "Ask the owner."
- Hero angle written from real review language.

Content (real assets only)

- 8–12 real photos sourced (GBP gallery / site / owner); ownership verified.
- Competitor-watermarked / non-their-work images discarded.
- Photos saved to assets/ with descriptive names; hero candidates ≥1200px.
- 4–6 reviews copied VERBATIM with reviewer name + source + recency.
- Live rating + total review count captured truthfully.
- Google Maps pin/embed + confirmed address captured.
- Zero fabricated reviews, counts, or badges anywhere.

Build

- DESIGN.md + closest prior same-trade v3 build open as reference.
- Self-contained index.html (HTML + embedded CSS, no build step).
- All 9 sections present in canonical order, nav → mobile call bar.
- Every slot filled with REAL data — no lorem, no {{VARIABLE}}, no placeholder.
- ONE accent only (CTA / stars / eyebrow tick); neutral base everywhere else.
- Inline SVG line icons only — no emoji; no drop shadows; hairlines + surface bands.
- One h1; semantic landmarks; tel: on EVERY phone mention.
- Services grid layout matches service count (3×2 default / dense 4×2 for 7–8).

Mobile-first QA

- 390px: screenshot fold + full saved to screenshots/.
- Sticky tap-to-call present, accent, correct number; 56px body bottom padding.
- 390px: no horizontal scroll, no dead space, hero ≤4 lines, cards ≥150px.
- 768px: 2-col reflow correct; screenshots saved.
- 1440px: 1200px cap, 96px rhythm, alternating bands; screenshots saved.
- “Not-a-template” gut check passed — reads as precision equipment.
- Every on-page fact is real and sourced.

Deploy (gh api)

- Blobs created for index.html + all assets.
- Base tree SHA read from latest commit.
- New tree → commit → PATCH ref on main completed.
- Live URL loaded and confirmed: .../forge-demos//.
- live-390-fold.png saved as proof.

Go-live + handoff

- Custom domain set; DNS pointed per Delivery SOP; HTTPS active.
- Live domain verified on real devices, 390px first; tap-to-call dials correctly.
- Go-live confirmation sent; final screenshots archived.
- Build delivered within the 24–48h target.

Canonical design system: PrimoSites/design/DESIGN.md · Proven on TSW Auto, Avalanche Roofing, + 8 Forge demos · DNS detail in the Delivery SOP · Real data only, mobile-first, 24–48h.