

Typesetting Flow Graphs with `tikz`

Greg Restall

July 11, 2017

These notes attempt to explain how to use the L^AT_EX package `tikz` to typeset flow graphs, used for indicating the flow of information in different kinds of proofs. The code can be downloaded from <https://github.com/consequently/flowgraphs>.

In your L^AT_EX document, to set things up, load `tikz` in the preamble and define some colours.

```
\usepackage{tikz}
\definecolor{Red}{rgb}{0.66,0,0}
\definecolor{Green}{rgb}{0,0.5,0}
\definecolor{Blue}{rgb}{0,0,0.66}
```

In this document, I will typeset some proofs and derivations. For that, I'll use `ebproof`, so I need to load that package too:

```
\usepackage{ebproof}
```

Both `tikz` and `ebproof` are available on [ctan](#), and they should be already on any reasonably up-to-date L^AT_EX installation.

To typeset flow graphs with `tikz`, you use two definitions. The first, `\tm` (short for “**atom**”) defines the nodes for the graph:

```
\newcommand{\tm}[2]{%
  \ensuremath{\mathord{%
    \tikz[remember picture,baseline=(#2.base)]%
    \node[inner sep=.5pt,outer sep=.5pt](#2){\({\#1}\)};%
  }}%
}%
```

`\tm{p}{p1}` typesets p in math mode, inside a `tikz` picture, as a node with label `p1`, which can be used as the source or a target for a link in a graph, typeset later in the code. To typeset the links, you use a `tikzpicture` with the `flowgraph` style:

```
\tikzstyle{flowgraph} = [overlay, remember picture,
    Red, thick, ->,
    >=stealth, shorten >=0.5pt]
```

Such a `tikzpicture` is typeset as an *overlay* (it is typeset over the other text), and the default links are set in the color `Red`, with the `tikz` style `thick`, as arrows with the “`stealth`” arrowhead, and shortened at the end by a little bit (for clarity). Of course, these defaults can all be overridden. (In the examples below you’ll see `Blue` and `Green` links, too.)

The General Idea


You can mark an atom like this p , typesetting it in a small `tikz` picture, where you remember its node name and location, and do the same with another one like this— p —and then typeset a link from the one to the other.

You can mark an atom like this `\tm{p}{p1}`, typesetting it in a small `tikz` picture, where you remember its node name and location, and do the same with another one like this—`\tm{p}{p2}`—and then typeset a link from the one to the other.


```
\begin{tikzpicture}[flowgraph]
\draw (p1) -- (p2);
\end{tikzpicture}
```

Here are some concrete examples of using flow graphs in proofs.

Example 1: In an Array



```
\[
\begin{array}{c}
\tm{p}{pp}\land(\tm{q}{qp}\lor \tm{r}{rp}) \ \backslash[0.66cm]
(\tm{p}{p1c}\land \tm{q}{qc})\lor(\tm{p}{p2c}\land \tm{r}{rc})
\end{array}
\]
\begin{tikzpicture}[flowgraph]
\draw (pp) -- (p1c); \draw (pp) -- (p2c);
```




```

\draw (q3) -- (q4); \draw (q4) -- (q5);
\draw (q5) -- (q7); \draw (q6) -- (q7);
\end{scope}
%% r links
\begin{scope}[Green]
\draw (r1) -- (r2);
\path (r2) edge[bend left] (r3);
\draw (r3) -- (r4); \draw (r4) -- (r6);
\draw (r5) -- (r7); \draw (r6) -- (r7);
\end{scope}
\end{tikzpicture}

```

However, there it is still difficult to follow such a complex flow graph with many different links at play. You can reuse the same derivation code and link up only *some* of the atoms. The new node labels take precedence over the old ones.



Here's the code:

```

\[
\begin{prooftree}[rule margin=.9ex, separation=0.2em]
\Hypo{p\land(\tm{q}{q1}\lor \tm{r}{r1})}
\Infer1{\tm{q}{q2}\lor \tm{r}{r2}}
\Hypo{\tm{p}{p1}\land(q\lor r)}
\Infer1{\tm{p}{p3}}
\Hypo{[\tm{q}{q3}]}
\Infer2{\tm{p}{p5}\land \tm{q}{q4}}
\Infer1{(\tm{p}{p7}\land \tm{q}{q5})\lor(\tm{p}{p8}\land \tm{r}{r5})}
\Hypo{\tm{p}{p2}\land(q\lor r)}
\Infer1{\tm{p}{p4}}
\Hypo{[\tm{r}{r3}]}
\Infer2{\tm{p}{p6}\land \tm{r}{r4}}
\Infer1{(\tm{p}{p9}\land \tm{q}{q6})\lor(\tm{p}{p10}\land \tm{r}{r6})}
\Infer3{(\tm{p}{p11}\land \tm{q}{q7})\lor(\tm{p}{p12}\land \tm{r}{r7})}
\end{prooftree}
\]
\begin{tikzpicture}[flowgraph,bend angle=90]
\draw (p1) -- (p3); \draw (p3) -- (p5);
\draw (p5) -- (p7); \draw (p7) -- (p11);
\draw (p2) -- (p4); \draw (p4) -- (p6);
\draw (p6) -- (p10); \draw (p8) -- (p12);


```

```

\draw (p9) -- (p11); \draw (p10) -- (p12);
\end{tikzpicture}

```

Example 3: In a Sequent Derivation



```

\l
\begin{prooftree}
\Hypo{\tm{p}{p1}\vdash \tm{p}{p2}}
\Hypo{\tm{q}{q1}\vdash \tm{q}{q2}}
\Infer2{\tm{p}{p5},\tm{q}{q3}\vdash \tm{p}{p6}\land \tm{q}{q4}}
\Hypo{\tm{p}{p3}\vdash \tm{p}{p4}}
\Hypo{\tm{r}{r1}\vdash \tm{r}{r2}}
\Infer2{\tm{p}{p7},\tm{r}{r3}\vdash \tm{p}{p8}\land \tm{r}{r4}}
\Infer2{\tm{p}{p9},\tm{q}{q5}\lor \tm{r}{r5}}
\vdash \tm{p}{p10}\land \tm{q}{q6},\tm{p}{p11}\land \tm{r}{r6}}
\Infer1{\tm{p}{p12},\tm{q}{q7}\lor \tm{r}{r7}\vdash
(\tm{p}{p13}\land \tm{q}{q8})\lor(\tm{p}{p14}\land \tm{r}{r8})}
\Infer1{\tm{p}{p15}\land(\tm{q}{q9}\lor \tm{r}{r9})
\vdash(\tm{p}{p16}\land \tm{q}{q10})\lor(\tm{p}{p17}\land \tm{r}{r10})}
\end{prooftree}
\l
\begin{tikzpicture}[flowgraph,bend angle=60]
%%
\path (p1) edge[bend left] (p2);
\path (p3) edge[bend left] (p4);
\draw (p15) -- (p12); \draw (p12) -- (p9);
\draw (p9) -- (p5); \draw (p9) -- (p7);
\draw (p7) -- (p3); \draw (p5) -- (p1);
\draw (p2) -- (p6); \draw (p6) -- (p10);
\draw (p10) -- (p13); \draw (p13) -- (p16);
\draw (p4) -- (p8); \draw (p8) -- (p11);
\draw (p11) -- (p14); \draw (p14) -- (p17);
%%
\begin{scope}[Blue]
\path (q1) edge[bend left] (q2);
\draw (q3) -- (q1); \draw (q5) -- (q3);
\draw (q7) -- (q5); \draw (q9) -- (q7);
\draw (q2) -- (q4); \draw (q4) -- (q6);
\end{scope}

```

```

\draw (q6) -- (q8); \draw (q8) -- (q10);
\end{scope}
%%
\begin{scope}[Green]
\path (r1) edge[bend left] (r2);
\draw (r3) -- (r1); \draw (r5) -- (r3);
\draw (r7) -- (r5); \draw (r9) -- (r7);
\draw (r2) -- (r4); \draw (r4) -- (r6);
\draw (r6) -- (r8); \draw (r8) -- (r10);
\end{scope}
\end{tikzpicture}

```

Again, the thicket of arrows in over an entire sequent derivation makes a flow graph a little hard to scan. You can reuse the code for the derivation and draw a flow graph on its *endsequent*.

$$\begin{array}{c}
\frac{p \vdash p \quad q \vdash q}{p, q \vdash p \wedge q} \quad \frac{p \vdash p \quad r \vdash r}{p, r \vdash p \wedge r} \\
\hline
p, q \vee r \vdash p \wedge q, p \wedge r \\
\hline
p, q \vee r \vdash (p \wedge q) \vee (p \wedge r) \\
\hline
p \wedge (q \vee r) \vdash (p \wedge q) \vee (p \wedge r)
\end{array}$$

```

\[
\begin{prooftree}
\Hypo{\tm{p}{p1}\vdash \tm{p}{p2}}
\Hypo{\tm{q}{q1}\vdash \tm{q}{q2}}
\Infer2{\tm{p}{p5},\tm{q}{q3}\vdash \tm{p}{p6}\land \tm{q}{q4}}
\Hypo{\tm{p}{p3}\vdash \tm{p}{p4}}
\Hypo{\tm{r}{r1}\vdash \tm{r}{r2}}
\Infer2{\tm{p}{p7},\tm{r}{r3}\vdash \tm{p}{p8}\land \tm{r}{r4}}
\Infer2{\tm{p}{p9},\tm{q}{q5}\lor \tm{r}{r5}}
\vdash \tm{p}{p10}\land \tm{q}{q6},\tm{p}{p11}\land \tm{r}{r6}}
\Infer1{\tm{p}{p12},\tm{q}{q7}\lor \tm{r}{r7}\vdash
(\tm{p}{p13}\land \tm{q}{q8})\lor(\tm{p}{p14}\land \tm{r}{r8})}
\Infer1{\tm{p}{p15}\land(\tm{q}{q9}\lor \tm{r}{r9})
\vdash(\tm{p}{p16}\land \tm{q}{q10})\lor(\tm{p}{p17}\land \tm{r}{r10})}
\end{prooftree}
\]
\begin{tikzpicture}[flowgraph,bend angle=45]
\path (p15) edge[bend right] (p16);
\path (p15) edge[bend right] (p17);
\path (q9) edge[bend right, Blue] (q10);
\path (r9) edge[bend right, Green] (r10);
\end{tikzpicture}

```
