

Feature			Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S	
user_creation	0.027 s	1	0	1	0	2	0	1	1	


Tag	Scenario			Feature				
Name	T	P	F	S	Т	P	F	S
@excel	1	0	1	0	1	0	1	0

FEATURES SUMMARY -- 4



#	Feature Name	T	P	F	S	Duration
1	<u>user_creation</u>	1	0	1	0	0.027 s

SCENARIOS SUMMARY -- 5 --




#	Feature Name	Scenario Name	T	P	F	S	Duration	
1	user_creation	TC_user_creating_test	2	0	1	1	0.025 s	

DETAILED SECTION -- 6 --

user_creation

FAILED	DURATION - 0.027 s	Scenarios		Steps	
		Total - 1		Total - 2	
/ 9:07:42.460 AM //	9:07:42.487 AM /	Pass - 0	1	Pass - 0	2
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 1	

TC_user_creating_test



#	Step / Hook Details	Status	Duration
1	Given user navigates to "https://editor.datatables.net/" and enters data from "user_data" from "data_sheet.xlsx" excel	FAILED	0.007 s
	java.lang.RuntimeException: java.io.FileNotFoundException: test_data/data_sheet.xlsx (No such file or directory) at utilities.ExcelUtils. <init>(ExcelUtils.java:23) at stepdefinitions.ExcelStepDefs.user_navigates_to_and_enters_data_from_from_excel(ExcelStepDefs.java:19) at ?user navigates to "https://editor.datatables.net/" and enters data from "user_data" from "data_sheet.xlsx" excel(file:///Users/eozer1/Selenium%20Projects/mycucumberproject/./src/test/resources/features/day22_excel_automation.feature:4) Caused by: java.io.FileNotFoundException: test_data/data_sheet.xlsxdata_sheet.xlsx (No such file or directory) at java.base/java.io.FileInputStream.open0(Native Method) at java.base/java.io.FileInputStream.eopen(FileInputStream.java:219) at java.base/java.io.FileInputStream. init>(FileInputStream.java:157) at java.base/java.io.FileInputStream. init>(FileInputStream.java:112) at utilities.ExcelUtils.<init>(ExcelUtils.java:17) at stepdefinitions.ExcelStepDefs.user_navigates_to_and_enters_data_from_from_excel(ExcelStepDefs.java:19) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at io.cucumber.java.lnvoker.dolnvoke(Invoker.java:66)</init></init>		

#	Step / Hook Details	Status	Duration
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:56)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:84)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137)		
	at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28)		
	at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)		
	at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89)		
	at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runFeatures\$6(CucumberExecutionContext.java:148)		
	at io.cucumber.core.runtime.CucumberExecutionContext.execute(CucumberExecutionContext.java:163)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runFeatures(CucumberExecutionContext.java:146)		
	at io.cucumber.junit.Cucumber\$StartAndFinishTestRun.evaluate(Cucumber.java:226)		
	at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at org.junit.runner.JUnitCore.run(JUnitCore.java:137)		
	at com.intellij.junit4.JUnit4ldeaTestRunner.startRunnerWithArgs(JUnit4ldeaTestRunner.java:69)		

DETAILED SECTION -- 8 --

#	Step / Hook Details	Status	Duration
	at com.intellij.rt.junit.IdeaTestRunner\$Repeater\$1.execute(IdeaTestRunner.java:38) at com.intellij.rt.execution.junit.TestsRepeater.repeat(TestsRepeater.java:11) at com.intellij.rt.junit.IdeaTestRunner\$Repeater.startRunnerWithArgs(IdeaTestRunner.java:35) at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:232) at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:55) * Not displayable characters are replaced by '?'.		
2	And close the application	SKIPPED	0.001 s