

# Cucumber Report

Aug 22, 2023, 1:31:57 PM

Start : Aug 22, 1:31:56.224 PM

End : Aug 22, 1:31:56.264 PM

Duration : 0.040 s

Features

Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 0  
FAILED - 1  
SKIPPED - 1




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>user_creation</u>	0.040 s	1	0	1	0	2	0	1	1

Tag	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@excel	1	0	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>user_creation</u>	1	0	1	0	0.040 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>user_creation</u>	<u>TC_user_creating_test</u>	2	0	1	1	0.037 s

**user\_creation**

<b>FAILED</b>	<b>DURATION - 0.040 s</b>	Scenarios		Steps	
/ 1:31:56.224 PM // 1:31:56.264 PM /		Total - 1		Total - 2	
		Pass - 0		Pass - 0	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 1	

**TC\_user\_creating\_test**

<div>FAILED</div> <div>DURATION - 0.037 s</div>		<div></div>	<div>Steps</div> <div>Total - 2</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div></div>
<div>/ 1:31:56.227 PM // 1:31:56.264 PM /</div>				
<div>user_creation</div>				
<div>@excel</div>				

#	Step / Hook Details	Status	Duration
1	<p>Given user navigates to "https://editor.datatables.net/" and enters data from "user_data" from "data_sheet.xlsx" excel</p> <p>java.lang.RuntimeException: java.io.FileNotFoundException: test_data/data_sheet.xlsxdata_sheet.xlsx (No such file or directory)  at utilities.ExcelUtils.&lt;init&gt;(ExcelUtils.java:23)  at stepdefinitions.ExcelStepDefs.user_navigates_to_and_enters_data_from_from_excel(ExcelStepDefs.java:19)  at ?.user navigates to "https://editor.datatables.net/" and enters data from "user_data" from "data_sheet.xlsx" excel(file:///Users/eozer1/Selenium%20Projects/mycucumberproject/.src/test/resources/features/day22_excel_automation.feature:4)  Caused by: java.io.FileNotFoundException: test_data/data_sheet.xlsxdata_sheet.xlsx (No such file or directory)  at java.base/java.io.FileInputStream.open0(Native Method)  at java.base/java.io.FileInputStream.open(FileInputStream.java:219)  at java.base/java.io.FileInputStream.&lt;init&gt;(FileInputStream.java:157)  at java.base/java.io.FileInputStream.&lt;init&gt;(FileInputStream.java:112)  at utilities.ExcelUtils.&lt;init&gt;(ExcelUtils.java:17)  at stepdefinitions.ExcelStepDefs.user_navigates_to_and_enters_data_from_from_excel(ExcelStepDefs.java:19)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)  at java.base/java.lang.reflect.Method.invoke(Method.java:566)  at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)</p>	<b>FAILED</b>	0.010 s

#	Step / Hook Details	Status	Duration
	at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runFeatures\$6(CucumberExecutionContext.java:148) at io.cucumber.core.runtime.CucumberExecutionContext.execute(CucumberExecutionContext.java:163) at io.cucumber.core.runtime.CucumberExecutionContext.runFeatures(CucumberExecutionContext.java:146) at io.cucumber.junit.Cucumber\$StartAndFinishTestRun.evaluate(Cucumber.java:226) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.junit.runner.JUnitCore.run(JUnitCore.java:137) at com.intellij.junit4.JUnit4IdeaTestRunner.startRunnerWithArgs(JUnit4IdeaTestRunner.java:69)		

#	Step / Hook Details	Status	Duration
	<pre>at com.intellij.rt.junit.IdeaTestRunner\$Repeater\$1.execute(IdeaTestRunner.java:38) at com.intellij.rt.execution.junit.TestsRepeater.repeat(TestsRepeater.java:11) at com.intellij.rt.junit.IdeaTestRunner\$Repeater.startRunnerWithArgs(IdeaTestRunner.java:35) at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:232) at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:55) * Not displayable characters are replaced by '?'. </pre>		
2	And close the application	SKIPPED	0.001 s