

CITY OF VALENZUELA

Public Consultation Feedback Summary & Transmittal Brief

Official Record & Community Feedback Synthesis

Reference Number: TRK-DECLINE-TEST-99

Date Created: August 20, 2026, 6:29 PM

CREATED BY: Mr. Jojo

CONSULTATION DETAILS

Topic: Test Citizen Proposal for Decline

Category: Infrastructure

DESCRIPTION

Test description

COMMUNITY FEEDBACK ANALYSIS

Total Submissions Analyzed: 45 | PCMS Portal: 42 | PHMS Hearings: 3

Dominant Community Sentiment: Positive (74% Approval)

EXECUTIVE SUMMARY:

Compiled citizen submissions from PCMS Online Portal and PHMS Public Hearing System.

Dominant public sentiment is Positive.

MAIN COMMUNITY ISSUES IDENTIFIED:

- Public Utilities & Facilities: "Citizen & PHMS testimonies flag urgent drainage canal desilting and sensor upgrades needed."
- Sanitation & Enforcement: "Community waste segregation requires barangay-level compliance enforcement."

RECOMMENDATIONS & ACTION PLAN:

- Action: Adopt automated flood level sensors and mandate quarterly barangay canal desilting schedules prior to final ordinance enactment.

This is an official record generated by Valenzuela PCMS. Tracking #: TRK-DECLINE-TEST-99