

Figure 1: Diagram showing the relations between true (black) and proxy (orange) metrics of lake geometry. Geometric depth calculated via Equation 1 requires a single distance and slope metric.




Figure 2: Diagram showing our expectation that slope-based models of lake depth will under predict true depth in convex lakes (left) and over predict true depth in concave lakes (right). Dashed lines represent extrapolated nearshore slope while solid lines represent the lake bottom.

Variable	Median	Q25	Q75	n
Max depth (m)	8.2 (7)	4.6 (3.7)	14 (12)	4850 (17700)
Elevation (m)	300 (340)	180 (210)	400 (460)	4850 (17700)
Area (ha)	55 (33)	21 (11)	140 (100)	4850 (17700)
Island area (ha)	0 (0)	0 (0)	0.18 (0.076)	4850 (17700)
Perimeter (m)	4400 (3500)	2500 (1800)	8100 (7300)	4850 (17700)
Shoreline development	1.7 (1.7)	1.4 (1.4)	2.1 (2.2)	4850 (17700)
Watershed-lake ratio	7.8 (10)	3.9 (4.4)	17 (28)	4850 (17700)
Deepest point distance (m)	180 (-)	110 (-)	290 (-)	4850 (-)
Visual center distance (m)	240 (-)	160 (-)	380 (-)	4850 (-)
Inlake slope (m/m)	0.046 (-)	0.024 (-)	0.079 (-)	4850 (-)
Nearshore slope (m/m)	0.077 (-)	0.051 (-)	0.11 (-)	4850 (-)

Table 1: Summary of lake depth and predictor variables for modelling efforts (and for lakes in the contiguous United States from <LAGOSUS-Depth citation>). Predictor variables used in Eq 2 are printed in bold face. Dashes (-) indicate identical sample size among this study and that of the contiguous United States.




Figure 3: Comparison among lake shape and reservoir classes for A-B) distance to deepest point versus distance to lake visual center and C-D) nearshore slope versus inlake slope. A dashed 1:1 line is shown for comparison. Cross-section shape and reservoir class plots are not identical because not all lakes had a reservoir classification exceeding a 0.75 probability confidence level.




Figure 4: Model fit and predictive accuracy metrics for all combinations of true (inlake slope, deepest point distance) and proxy (nearshore slope, visual center distance) metrics. Tiles are colored by their R^2 values and labeled with their RMSE values.




Figure 5: Importance plot for random forest variables showing increase in mean square error. Higher values indicate greater importance to model predictions. See Equation 1 for a definition of geometric max depth. HUC4 ID is a 'dummy' variable of geographic (hydrologic subbasin) location.




Figure 6: Depth model residuals in meters by cross-section shape and reservoir class.