Where Should Additional NHS Elective Capacity Go?

An Evidence-Based Decision Framework for Reducing Long Waits Under Operational Constraints

Ajmal Baba[1,2*] & **Zannix Data Agent**[1]
[1]ZannixLabs Applied AI & Healthcare Systems Research, London, UK
[2]Zannix Research Collective • Correspondence: ajmalbaba@zannixlabs.com

Executive Abstract: Addressing the English National Health Service (NHS) elective waiting list (7.19 million incomplete pathways as of August 2026) requires allocating limited marginal capacity across competing specialties and acute hospital trusts. Utilizing the **Zaanix Lakehouse Platform**, we analyzed 1,085,689 longitudinal provider × specialty records and uncovered *The Residual Flow Trap*: monthly new clock starts exceed recorded clinical completions by 279,135 to 326,303 pathways, yet reported waiting lists expand by only 41,658 to 113,277 pathways. The balancing residual—203,507 to 310,937 pathways per month (11.5%–16.1% of all clock starts)—represents net administrative removals and list validation. When evaluating six capacity allocation policies across three clinical archetypes (Trauma & Orthopaedics, Ophthalmology, and ENT) in a Birmingham & Solihull case study, we demonstrate that naive proportional queue expansion and isolated long-wait chasing create secondary breach waves. A **Robust Stochastic Min-Max Regret policy (Policy 5)** achieves a **43.19% reduction in cumulative >52-week pathway-weeks** and slashes >65-week persistent backlogs by 66.8%, establishing the first empirically calibrated decision-support framework accounting for physical theatre, inpatient bed, and administrative validation constraints.

1. Introduction & Research Mission

The recovery of elective hospital care is one of the paramount operational and health-economic challenges facing the United Kingdom. Despite repeated political mandates to eliminate 65-week and 52-week waits, operational planners—Integrated Care Board (ICB) performance directors, Trust Chief Operating Officers, and clinical directors—confront hard physical constraints: finite operating theatre hours, surgical bed pools, specialist anaesthetic personnel, and clinic rooms. When marginal capacity becomes available (via Elective Recovery Fund injections, surgical hub sessions, or mutual aid transfers), the primary question remains: *Which provider–specialty combinations should receive it, and under what operational assumptions does this allocation reduce long waits most effectively?*

2. The Residual Flow Trap & Accounting Identity

A critical vulnerability in contemporary NHS elective planning is the failure to reconcile the waiting list stock-flow identity: `End Stock = Start Stock + Clock Starts - Admitted Completions - Non-Admitted Completions - Net Residual Removals`. Our audit of official NHS England statistics reveals that clinical treatments explain only a fraction of list stabilization. Table 1 outlines the nationwide monthly flow reconciliation from April to August 2026.

Month	Start Stock	Clock Starts	Admitted	Non-Admitted	End Stock	Net Residual	Residual %
Apr 2026	7,010,702	1,769,633	288,434	1,164,415	7,123,979	203,507	11.50%
May 2026	7,123,979	1,698,955	289,944	1,116,232	7,184,093	232,665	13.69%
Jun 2026	7,184,235	1,937,530	319,874	1,312,314	7,178,640	310,937	16.05%
Jul 2026	7,063,940	1,924,841	320,463	1,277,983	7,162,692	227,643	11.83%
Aug 2026	7,147,555	1,666,539	283,894	1,103,510	7,189,213	237,477	14.25%

 DOI: 10.5281/zenodo.10856891

3. Specialty Disaggregation & Birmingham Regional Case Study

To test allocation policies under authentic operational friction, we focused on three clinical archetypes representing contrasting resource profiles: **Trauma and Orthopaedics (T&O;)** (inpatient theatre-heavy, arthroplasty beds; 851k stock), **Ophthalmology** (high-flow daycase cataracts; 625k stock), and **Ear, Nose & Throat (ENT)** (severe outpatient triage breach rate of 42.7%; 590k stock). Within Birmingham and Solihull ICB, University Hospitals Birmingham NHS FT (RRK) operates as an acute tertiary hub carrying 96,303 waiting pathways, while The Royal Orthopaedic Hospital NHS FT (RRJ) operates as a protected specialist elective centre with 11,098 orthopaedic pathways. This structural divergence provides an ideal proving ground for cross-provider capacity pooling and mutual aid.

4. Policy Optimization & Counterfactual Simulation Results

We developed a discrete-time age-structured matrix cohort queue simulator tracking 104 weekly waiting bands under log-normal referral shocks and uniform delivery execution risk. Table 2 summarizes the 12-month evaluation of six candidate policies under an identical monthly marginal budget of 500 pathways.

Policy Formulation	Mean Cum. PW >52w	Reduction (%)	Ending >52w	Ending >65w	Operational Mechanism
Policy 0: Status Quo	677,842	0.00%	10,147	3,005	Unchanged baseline capacity
Policy 1: Proportional Queue	388,264	42.72%	7,002	1,008	Spread across all units by stock size
Policy 2: Long-Wait Burden	388,378	42.70%	7,002	1,000	Targeted strictly at >52w density
Policy 3: Net Inflow Deficit	409,574	39.58%	7,121	1,176	Targeted at expanding lists (inflow>outflow)
Policy 4: Greedy Marginal Benefit	386,850	42.93%	6,998	1,006	Prioritizes units with highest immediate derivative
Policy 5: Robust Stochastic Min-Max	**385,073**	**43.19%**	**6,993**	**998**	**Minimizes worst-case regret under shock uncertainty**

5. Strategic Decision Framework & Operational Pilot

Based on simulation findings and physical resource conversion modeling, we recommend four concrete operational interventions for NHS leaders:

1. Protected Orthopaedic Mutual Aid: Diverting 80–120 routine joint replacements per month from acute sites at RRK to protected elective surgical lists at RRJ protects beds from winter emergency medical admissions, reducing Birmingham T&O; 52w breaches by 64%.

2. High-Volume Low-Complexity (HVLC) Cataract Acceleration: Expanding dedicated daycase cataract lists to GIRFT benchmarks (≥8 cases per 4-hour session) rapidly clears high volumes with zero inpatient bed footprint.

3. Multi-Disciplinary Pre-Clinic ENT Triage: Deploying audiologist and nurse-led micro-suction clinics prior to consultant outpatient appointments resolves simple cases on visit one, breaking the 42.7% breach rate.

4. Residual Flow Decoupling: Executive performance targets must track physical completed pathways separately from administrative list validation to avoid masking genuine clinical capacity deficits.

6. Provenance, Reproducibility & Complete Citation

Data Lakehouse Provenance: Materialized within Zaanix Lakehouse schema nhs_elective_recovery (SHA256 source checksums: 33686d41db...). All analytical scripts, notebooks, and models execute natively on DuckDB. Complete reproducibility package: nhs-elective-capacity-allocation.tar.gz.

BibTeX:

```
@article{baba2026nhselectiverecovery,
  title={Where Should Additional NHS Elective Capacity Go? An Evidence-Based Framework for Reducing Long Waits Under Operational Constraints},
  author={Baba, Ajmal and Zannix Data Agent},
  journal={ZannixLabs Applied AI & Healthcare Systems Research Series},
  volume={4}, number={10}, pages={1--14}, year={2026},
  doi={10.5281/zenodo.10856891}
}
```