



# LOGOBOOK UNITED HVAC

repair and installation

# Contents

Basic option. Vertical	4	Logo security field	11
Basic option. Horizontal	5	Brand colors	14
Brand name	6	Logo on the background	15
Black and white version	7	Logo on the photo	16
Logo grid	10	Logo. Prohibitions	18

# Logo

# Basic option. Vertical

The vertical logo is designed to be placed on a square or narrow vertical area with a light (white) background.


For example: square lightbox, imprint for printing and the like.



# Basic option. Horizontal

A horizontal logo is designed to be placed on a wide area with a light-colored (white) background.


For example: business card, website, banner, etc.



**UNITED HVAC**  
repair and installation

# Brand name

The abbreviated version is intended for placement in a social network (avatar), on a website, etc., where the area is small and the readability of the text is compromised.



UNITED HVAC

Logobook

Black and white version

# Black and white version

The inversion version is designed  
for use when it is not possible to print  
a full-color version.






# Logo structure

# Logo grid


The logo in the form of waves is drawn using circles, which makes the logo harmonious and concise.




# Logo security field

The security margin is the minimum allowable space around the logo. In order to make the logo more recognizable on various media, it is necessary to use a "security margin" around the logo.

In this case, the width of the guard box is equal to the height of the logo mark (x).





**UNITED HVAC**  
repair and installation

# Color

# Brand colors

The brand has 3 colors: Science Blue, Lava Red, and Dark Jungle Green.

These colors will be used in the corporate identity, its printed materials, social media and advertising.

Science Blue

HEX: #0958CD  
RGB: (9, 88, 205)  
CMYK: (96%, 57%, 0%, 2%)

Lava Red

HEX: #D81F05  
RGB: (216, 31, 5)  
CMYK: (0%, 86%, 98%, 15%)

Dark Jungle Green

HEX: #1B2025  
RGB: (27, 32, 37)  
CMYK: (27%, 14%, 0%, 85%)

# Logo on the background

The main rule is that the logo should contrast with the background. Light background – dark logo, or dark background – light logo

On a background similar to the colors of the logo, use the monochrome version



# Logo on the photo

The same rule applies to photography.

Light photo – put a black logo. Dark photo – put a light logo. If the symbol is poorly visible or the colors of the photo are similar to the colors of the symbol – use the monochrome version.

It is allowed to use dies





# Logo. Prohibitions

# Logo. Prohibitions

You may not use the logo in the following variations.

1. It is forbidden to tilt it
2. It is forbidden to pull out
3. Do not stretch
4. Do not use other colors
5. Do not use a security field







## Contents

- Basic option: Vertical
- Basic option: Horizontal
- Brand name
- Black and white version
- Logo grid
- Logo security field
- Brand colors
- Logo on the background
- Logo on the photo
- Logo: Right alignment



# Conclusion

Our brand is more than just a logo and colors. It is a cohesive visual identity system that reflects our values and commitment to quality. Use this guideline as a guide to maintain a consistent style at all levels of customer interaction.

If you have any questions or need additional guidance, please contact us. We're always happy to help!

Thank you for helping to keep the United HVAC identity top-of-mind.

# UNITED HVAC

repair and installation

Developed by Castells  
Agency studio in 2025