

BENCHMARK: MARGINAL

Results

Mid-Transit Time (Tmid)	2460254.8613 +/- 0.0025 BJD_TDB
Ratio of Planet to Stellar Radius (Rp/R*)	0.1066 +/- 0.0066
Transit depth (Rp/Rs)^2	1.14 +/- 0.14 [%]
Orbital Inclination (inc)	89.22 +/- 0.83
Airmass coefficient 1 (a1)	1.1402 +/- 0.007
Airmass coefficient 2 (a2)	-0.0954 +/- 0.0075
Scatter in the residuals of the lightcurve fit is	0.61 %
Best Comparison Star	None
Optimal Aperture	4.53
Optimal Annulus	8.64
Transit Duration (day)	0.1323 +/- 0.0021

Accuracy vs published ephemeris (ExoClock/NEA)

Rp/R■ fit vs published	0.1066 ± 0.0066 vs 0.1241 (deviation 2.64σ)
Duration fit vs published	0.1323 d vs 0.1317 d (deviation 0.3σ)
Mid-time O–C	-2.9 min
Depth SNR	16.1
Residual scatter	0.61 %

Light curve




Figure 1 — FinalLightCurve_WASP-35 b_2023-11-05.png (SHA-256 519347930b17a9e9...)

Method & software

EXOTIC 4.3.1 aperture photometry with nested-sampling transit fit (ultranest 3.6.5); priors from the NASA Exoplanet Archive. Camera CCD, binning 1x1, filter CV, target pixel [343, 218], 3 comparison star(s). Exact configuration: parameters.inits_json in record.json (SHA-256 fc7bf262cc33d474...).

exotic 4.3.1 · astropy 6.1.7 · photutils 2.0.2 · numpy 1.26.4 · scipy 1.14.1 · twirl 0.5.1 · astroquery 0.4.11 · ultranest 3.6.5 · python 3.12.13 · pipeline_commit ba3ef8b

Data provenance

91 FITS frames (60 MB), WASP-35231106064216.FITS → WASP-35231106111215.FITS. Every input frame is SHA-256-fingerprinted in record.json; raw frames available on request and verifiable against that manifest. Artifacts: bench-WASP-35-231106.log (c5de2a3efaab...), FinalLightCurve_WASP-35 b_2023-11-05.png (519347930b17...), FinalLightCurve_WASP-35 b_2023-11-05.csv (a120822995ff...)

Compute resources

Wall time 160.3 s · peak memory None MB · host mac-mini-m1-8gb (macOS-26.4-arm64-arm-64bit)

Observer: — · AAVSO obscode ABGA · Automated pipeline with human review — nothing is submitted without a human approving this specific result. Data license CC-BY-4.0. Generated 2026-07-31 18:54Z.