

How to access the live environment

Three hostnames on **strikemap.space**, one AWS EC2 origin in Singapore (ap-southeast-1), with Cloudflare as the security and connectivity control plane.


WHO CAN ACCESS

All three hosts are protected by **Cloudflare Access**. Allowed identities: the project owner and **any @cloudflare.com email address**. Everyone else stops at the login page.

LOG IN (BROWSER)

- 1 Open any URL in the table below, e.g. `tunnel.strikemap.space/secure`.
- 2 Enter your **@cloudflare.com** email and click **Send login code**.
- 3 Paste the **one-time PIN** from your inbox.
- 4 You're in for **24 hours**. The other NOVA hosts open with a quick redirect, normally without a new code.

Security rules run **before** Access: the WAF and rate limiting still filter anonymous traffic, and the origin IP cannot be reached directly.



Cloudflare Access login the first screen on every host.

LIVE ENVIRONMENT


<code>nova.strikemap.space</code>	Public customer-facing application	Cloudflare proxy → Full (strict) TLS → Nginx → Express on EC2
<code>app.strikemap.space</code>	Edge Console: demonstrates the Cloudflare controls live	Cloudflare proxy → Full (strict) TLS → Nginx → console + API
<code>tunnel.strikemap.space/secure</code>	Staff portal: Tunnel, Access, Worker and private R2	Access → Worker → Cloudflare Tunnel → Express on EC2

WHAT TO CHECK


WHAT	URL / COMMAND	WHAT YOU SHOULD SEE
Headers via proxy	<code>https://nova.strikemap.space/headers</code>	Every request header (CF-Ray, CF-IPCountry, CF-Connecting-IP ...). JSON for curl, an inspector in a browser
Headers via Tunnel	<code>https://tunnel.strikemap.space/headers</code>	The same origin, served through Cloudflare Tunnel (cf-warp-tag-id header present)
Protected page (Worker)	<code>https://tunnel.strikemap.space/secure</code>	Access login, then HTML: "EMAIL authenticated at TIMESTAMP from COUNTRY"
Flag from private R2	<code>https://tunnel.strikemap.space/secure/SG</code>	Singapore flag streamed from a private R2 bucket, content-type image/svg+xml
Rate limiting	<code>nova.strikemap.space/markets</code> → submit 6 demo orders in 10 s (or the curl loop, page 2)	200 ×5, then 429 "Too many requests" with a Cloudflare Ray ID
WAF	<code>curl "https://nova.strikemap.space/?q=<script>"</code>	403 JSON from the edge, even before logging in
Origin bypass	<code>curl -m 5 -k https://[ORIGIN_IP]</code>	Connection times out: 443 only accepts Cloudflare IP ranges
Edge Console	<code>https://app.strikemap.space</code>	Live request trace, WAF / rate-limit demos, TLS, tunnel health, economics
Worker + project code	<code>github.com/contentcreatordarsh/cloudflare-se-demo</code>	Public repository: Worker (Wrangler), app, runbooks, detailed README




nova.strikemap.space home: live CoinMarketCap prices, demo trading clearly labelled.



nova.strikemap.space/headers request inspector: Ray ID, country, TLS, origin.



nova.strikemap.space/markets live market table and the rate-limited demo order form.



app.strikemap.space Edge Console: live traces, telemetry, request journey.

FROM A TERMINAL

```
# one-time: get an Access token (same @cloudflare.com login)
brew install cloudflared
cloudflared access login https://nova.strikemap.space
export TOKEN=$(cloudflared access token -app=https://nova.strikemap.space)

curl -H "cf-access-token: $TOKEN" https://nova.strikemap.space/headers

# rate limit: expect 200 x5, then 429 (anonymous: 302 x5, then 429; limiting runs before Access)
for i in {1..10}; do curl -s -o /dev/null -w "%{http_code}\n" -H "cf-access-token: $TOKEN" \
-X POST https://nova.strikemap.space/api/orders -H "Content-Type: application/json" \
-d '{"symbol": "BTC-USD", "side": "buy", "quantity": 0.01}'; done

curl -m 5 -k https://[ORIGIN_IP] # expect: timeout (no way around Cloudflare)
```

Demo data	NOVA is fictional. Market prices are real (CoinMarketCap, fetched server-side); orders are simulated and never executed.
If something fails	No login code or access denied: use an @cloudflare.com address. Orders keep returning 429: wait 60 s (the block window). Stale page: hard refresh.
Source code	github.com/contentcreatordarsh/cloudflare-se-demo. The README covers every step of the brief with verification commands.