ConTEXt

commandes

ConTEXt

ConTEXt

commandes

```
AfterPar                          \AfterPar {...}
Alphabeticnumerals                \Alphabeticnumerals {...}
AMSTEX                            \AMSTEX
AmSTeX                           \AmSTeX
And                              \And
a                                \a {...} {...} [...]
abjadnaivenumerals               \abjadnaivenumerals {...}
abjadnodotnumerals               \abjadnodotnumerals {...}
abjadnumerals                    \abjadnumerals {...}
activatespacehandler             \activatespacehandler {...}
actualday                        \actualday
actualmonth                      \actualmonth
actualyear                       \actualyear
acute                            \acute {...}
adaptcollector                   \adaptcollector [...] [..=..]
adaptedisposition                \adaptedisposition [...] [..=..]
adaptfontfeature                 \adaptfontfeature [...] [..=..]
adaptpapersize                   \adaptpapersize [...] [...]
addfeature                       \addfeature [...]
addfeature:direct                \addfeature {...}
addfontpath                      \addfontpath [...]
addtocommalist                   \addtocommalist {...} \...
addtoJSpreamble                  \addtoJSpreamble {...} {...}
addvalue                         \addvalue {...} {...}
aftersplitstring                 \aftersplitstring ... \at ... \to \...
aftertestandsplitstring          \aftertestandsplitstring ... \at ... \to \...
ajustechamp                      \ajustechamp [...] [..=..]
alaligne                         \alaligne {...} [...]
alapage                          \alapage [...]
alignbottom                      \alignbottom
aligneadroite                    \aligneadroite {...}
aligneagauche                    \aligneagauche {...}
aligneaumilieu                   \aligneaumilieu {...}
aligned                          \aligned [...] {...}
alignedbox                       \alignedbox [...] \... {...}
alignedline                      \alignedline {...} {...} {...}
alignhere                        \alignhere
alignmentcharacter               \alignmentcharacter
allinputpaths                    \allinputpaths
alphabeticnumerals               \alphabeticnumerals {...}
alwayscitation                   \alwayscitation [..=..] [...]
alwayscitation:alternative       \alwayscitation [...] [...]
alwayscitation:userdata          \alwayscitation [..=..] [..=..]
alwayscite                       \alwayscite [..=..] [...]
alwayscite:alternative           \alwayscite [...] [...]
alwayscite:userdata              \alwayscite [..=..] [..=..]
ampersand                        \ampersand
anchor                           \anchor [...] [..=..] [..=..] {...}
appendetoks                      \appendetoks ... \to \...
appendgvalue                     \appendgvalue {...} {...}
appendtocommalist                \appendtocommalist {...} \...
appendtoks                       \appendtoks ... \to \...
appendtoksonce                   \appendtoksonce ... \to \...
appendvalue                      \appendvalue {...} {...}
apply                            \apply {...} {...}
applyalternativestyle            \applyalternativestyle {...}
applyprocessor                   \applyprocessor {...} {...}
applytocharacters                \applytocharacters \... {...}
applytofirstcharacter            \applytofirstcharacter \... {...}
applytosplitstringchar           \applytosplitstringchar \... {...}
applytosplitstringcharspaced     \applytosplitstringcharspaced \... {...}
applytosplitstringline           \applytosplitstringline \... {...}
applytosplitstringlinespaced     \applytosplitstringlinespaced \... {...}
applytosplitstringword           \applytosplitstringword \... {...}
applytosplitstringwordspaced     \applytosplitstringwordspaced \... {...}
applytowords                     \applytowords \... {...}
arabicdecimals                   \arabicdecimals {...}
arabicexnumerals                 \arabicexnumerals {...}
arabicnumerals                   \arabicnumerals {...}
arg                              \arg {...}
arriereplan                      \arriereplan {...}
arriereplan:example              \ARRIEREPLAN {...}
```

asciistr	`\asciistr {...}`
assignalfadimension	`\assignalfadimension {...} \... {...} {...} {...}`
assigndimen	`\assigndimen \... {...}`
assigndimension	`\assigndimension {...} \... {...} {...} {...}`
assignifempty	`\assignifempty \... {...}`
assigntranslation	`\assigntranslation [..=..] \to \...`
assignvalue	`\assignvalue {...} \... {...} {...} {...}`
assignwidth	`\assignwidth {...} \... {...} {...}`
assumelongusagecs	`\assumelongusagecs \... {...}`
astype	`\astype {...}`
attachment:instance	`\ATTACHMENT [...] [..=..]`
attachment:instance:attachment	`\attachment [...] [..=..]`
autocap	`\autocap {...}`
autodirhbox	`\autodirhbox ... {...}`
autodirvbox	`\autodirvbox ... {...}`
autodirvtop	`\autodirvtop ... {...}`
autoinsertnextspace	`\autoinsertnextspace`
autointegral	`\autointegral {...} {...} {...}`
automathematics	`\automathematics {...}`
autopagestaterealpage	`\autopagestaterealpage {...}`
autopagestaterealpageorder	`\autopagestaterealpageorder {...}`
autosetups	`\autosetups {...}`
autostarttexte	`\autostarttexte ... \autostoptexte`
availablehsize	`\availablehsize`
averagecharwidth	`\averagecharwidth`
BeforePar	`\BeforePar {...}`
Big	`\Big ...`
Bigg	`\Bigg ...`
Biggl	`\Biggl ...`
Biggm	`\Biggm ...`
Biggr	`\Biggr ...`
Bigl	`\Bigl ...`
Bigm	`\Bigm ...`
Bigr	`\Bigr ...`
backgroundimage	`\backgroundimage {...} {...} {...} {...}`
backgroundimagefill	`\backgroundimagefill {...} {...} {...} {...}`
backgroundline	`\backgroundline [...] {...}`
baha	`\baha [...] {...} {...}`
bar	`\bar {...}`
barrecouleur	`\barrecouleur [...]`
barreinteraction	`\barreinteraction [...] [..=..]`
bar:instance	`\BAR {...}`
bar:instance:hiddenbar	`\hiddenbar {...}`
bar:instance:nobar	`\nobar {...}`
bar:instance:overbar	`\overbar {...}`
bar:instance:overbars	`\overbars {...}`
bar:instance:overstrike	`\overstrike {...}`
bar:instance:overstrikes	`\overstrikes {...}`
bar:instance:underbar	`\underbar {...}`
bar:instance:underbars	`\underbars {...}`
bar:instance:underdash	`\underdash {...}`
bar:instance:underdashes	`\underdashes {...}`
bar:instance:underdot	`\underdot {...}`
bar:instance:underdots	`\underdots {...}`
bar:instance:underrandom	`\underrandom {...}`
bar:instance:underrandoms	`\underrandoms {...}`
bar:instance:understrike	`\understrike {...}`
bar:instance:understrikes	`\understrikes {...}`
bas	`\bas {...}`
basegrid	`\basegrid [..=..]`
baselinebottom	`\baselinebottom`
baselineleftbox	`\baselineleftbox {...}`
baselinemiddlebox	`\baselinemiddlebox {...}`
baselinerightbox	`\baselinerightbox {...}`
bas:instance	`\LOW {...}`
bas:instance:unitslow	`\unitslow {...}`
bbordermatrix	`\bbordermatrix {...}`
bbox	`\bbox {...}`
beforesplitstring	`\beforesplitstring ... \at ... \to \...`
beforetestandsplitstring	`\beforetestandsplitstring ... \at ... \to \...`
beginblock:example	`\beginBLOCK [...] [..=..] ... \endBLOCK`
beginhbox	`\beginhbox ... \endhbox`

```
beginofshapebox                          \beginofshapebox ... \endofshapebox
beginvbox                                \beginvbox ... \endvbox
beginvtop                                \beginvtop ... \endvtop
begstrut                                 \begstrut ... \endstrut
bigg                                     \bigg ...
bigger                                   \bigger
biggl                                    \biggl ...
biggm                                    \biggm ...
biggr                                    \biggr ...
bigl                                     \bigl ...
bigm                                     \bigm ...
bigr                                     \bigr ...
bigskip                                  \bigskip
bitmapimage                              \bitmapimage [..=..] {...}
blap                                     \blap {...}
bleed                                    \bleed [..=..] {...}
bleedheight                              \bleedheight
bleedwidth                               \bleedwidth
blockligatures                           \blockligatures [...]
blocksynctexfile                         \blocksynctexfile [...]
blockuservariable                        \blockuservariable {...}
bodyfontenvironmentlist                  \bodyfontenvironmentlist
bodyfontsize                             \bodyfontsize
boldface                                 \boldface
booleanmodevalue                         \booleanmodevalue {...}
bordermatrix                             \bordermatrix {...}
bottombox                                \bottombox {...}
bottomleftbox                            \bottomleftbox {...}
bottomrightbox                           \bottomrightbox {...}
bouton                                   \bouton [..=..] {...} [...]
boutonmenu:button                        \boutonmenu [..=..] {...} {...}
boutonmenu:interactionmenu               \boutonmenu [...] [..=..] {...} {...}
boutonsinteraction                       \boutonsinteraction [..=..] [...]
bouton:example                           \BUTTON [..=..] {...} [...]
boxcursor                                \boxcursor
boxmarker                                \boxmarker {...} {...}
boxofsize                                \boxofsize \... ... {...}
boxreference                             \boxreference [...] \... {...}
bpar                                     \bpar ... \epar
bpos                                     \bpos {...}
breakhere                                \breakhere
breve                                    \breve {...}
bTABLE                                   \bTABLE [..=..] ... \eTABLE
bTABLEbody                               \bTABLEbody [..=..] ... \eTABLEbody
bTABLEfoot                               \bTABLEfoot [..=..] ... \eTABLEfoot
bTABLEhead                               \bTABLEhead [..=..] ... \eTABLEhead
bTABLEnext                               \bTABLEnext [..=..] ... \eTABLEnext
bTC                                      \bTC [..=..] ... \eTC
bTD                                      \bTD [..=..] ... \eTD
bTDs                                     \bTDs [...] ... \eTDs
bTH                                      \bTH [..=..] ... \eTH
bTN                                      \bTN [..=..] ... \eTN
bTR                                      \bTR [..=..] ... \eTR
bTRs                                     \bTRs [...] ... \eTRs
bTX                                      \bTX [..=..] ... \eTX
bTY                                      \bTY [..=..] ... \eTY
btxabbreviatedjournal                    \btxabbreviatedjournal {...}
btxaddjournal                            \btxaddjournal [...] [...]
btxalwayscitation                        \btxalwayscitation [..=..] [...]
btxalwayscitation:alternative            \btxalwayscitation [...] [...]
btxalwayscitation:userdata               \btxalwayscitation [..=..] [..=..]
btxauthorfield                           \btxauthorfield {...}
btxdetail                                \btxdetail {...}
btxdirect                                \btxdirect {...}
btxdoif                                  \btxdoif {...} {...}
btxdoifcombiinlistelse                   \btxdoifcombiinlistelse {...} {...} {...} {...}
btxdoifelse                              \btxdoifelse {...} {...} {...}
btxdoifelsecombiinlist                   \btxdoifelsecombiinlist {...} {...} {...} {...}
btxdoifelsesameasprevious                \btxdoifelsesameasprevious {...} {...} {...}
btxdoifelsesameaspreviouschecked         \btxdoifelsesameaspreviouschecked {...} {...} {...} {...}
btxdoifelseuservariable                  \btxdoifelseuservariable {...} {...} {...}
btxdoifnot                               \btxdoifnot {...} {...}
```

btxdoifsameaspreviouscheckedelse	`\btxdoifsameaspreviouscheckedelse {...} {...} {...} {...}`
btxdoifsameaspreviouselse	`\btxdoifsameaspreviouselse {...} {...} {...}`
btxdoifuservariableelse	`\btxdoifuservariableelse {...} {...} {...}`
btxexpandedjournal	`\btxexpandedjournal {...}`
btxfield	`\btxfield {...}`
btxfieldname	`\btxfieldname {...}`
btxfieldtype	`\btxfieldtype {...}`
btxfirstofrange	`\btxfirstofrange {...}`
btxflush	`\btxflush {...}`
btxflushauthor	`\btxflushauthor [...] {...}`
btxflushauthorinverted	`\btxflushauthorinverted {...}`
btxflushauthorinvertedshort	`\btxflushauthorinvertedshort {...}`
btxflushauthorname	`\btxflushauthorname {...}`
btxflushauthornormal	`\btxflushauthornormal {...}`
btxflushauthornormalshort	`\btxflushauthornormalshort {...}`
btxflushsuffix	`\btxflushsuffix`
btxfoundname	`\btxfoundname {...}`
btxfoundtype	`\btxfoundtype {...}`
btxhiddencitation	`\btxhiddencitation [...]`
btxhybridcite	`\btxhybridcite [..=..] [...]`
btxhybridcite:alternative	`\btxhybridcite [...] [...]`
btxhybridcite:direct	`\btxhybridcite {...}`
btxhybridcite:userdata	`\btxhybridcite [..=..] [..=..]`
btxlistcitation	`\btxlistcitation [..=..] [...]`
btxlistcitation:alternative	`\btxlistcitation [...] [...]`
btxlistcitation:userdata	`\btxlistcitation [..=..] [..=..]`
btxloadjournalist	`\btxloadjournalist [...]`
btxoneorrange	`\btxoneorrange {...} {...} {...}`
btxremapauthor	`\btxremapauthor [...] [...]`
btxsavejournalist	`\btxsavejournalist [...]`
btxsetup	`\btxsetup {...}`
btxsingularorplural	`\btxsingularorplural {...} {...} {...}`
btxsingularplural	`\btxsingularplural {...} {...} {...}`
btxtextcitation	`\btxtextcitation [..=..] [...]`
btxtextcitation:alternative	`\btxtextcitation [...] [...]`
btxtextcitation:userdata	`\btxtextcitation [..=..] [..=..]`
buildmathaccent	`\buildmathaccent {...} {...}`
buildtextaccent	`\buildtextaccent {...} {...}`
buildtextbottomcomma	`\buildtextbottomcomma {...}`
buildtextbottomdot	`\buildtextbottomdot {...}`
buildtextcedilla	`\buildtextcedilla {...}`
buildtextgrave	`\buildtextgrave {...}`
buildtextmacron	`\buildtextmacron {...}`
buildtextognek	`\buildtextognek {...}`
Cap	`\Cap {...}`
Caps	`\Caps {...}`
Caractere	`\Caractere {...}`
Caracteres	`\Caracteres {...}`
Chiffresromains	`\Chiffresromains {...}`
CONTEXT	`\CONTEXT`
ConTeXt	`\ConTeXt`
Context	`\Context`
ConvertConstantAfter	`\ConvertConstantAfter \... {...} {...}`
ConvertToConstant	`\ConvertToConstant \... {...} {...}`
cacheblocs	`\cacheblocs [...] [...]`
calligraphique	`\calligraphique`
camel	`\camel {...}`
cap	`\cap {...}`
capitale	`\capitale {...}`
caractere	`\caractere {...}`
caracteres	`\caracteres {...}`
catcodetablename	`\catcodetablename`
cbox	`\cbox ... {...}`
centeraligned	`\centeraligned {...}`
centerbox	`\centerbox ... {...}`
centeredbox	`\centeredbox ... {...}`
centeredlastline	`\centeredlastline`
centerednextbox	`\centerednextbox ... {...}`
centerline	`\centerline {...}`
cfrac	`\cfrac [...] {...} {...}`
champ	`\champ [...] [...]`
changepolicecorps	`\changepolicecorps [...]`

characterkerning:example	`\CHARACTERKERNING [...] {...}`
chardescription	`\chardescription {...}`
charwidthlanguage	`\charwidthlanguage`
check	`\check {...}`
checkcharacteralign	`\checkcharacteralign {...}`
checkedblank	`\checkedblank [...]`
checkedchar	`\checkedchar {...} {...}`
checkedfiller	`\checkedfiller {...}`
checkedstrippedcsname	`\checkedstrippedcsname \...`
checkedstrippedcsname:string	`\checkedstrippedcsname ...`
checkinjector	`\checkinjector [...]`
checknextindentation	`\checknextindentation [...]`
checknextinjector	`\checknextinjector [...]`
checkpage	`\checkpage [...] [..=..]`
checkparameters	`\checkparameters [...]`
checkpreviousinjector	`\checkpreviousinjector [...]`
checksoundtrack	`\checksoundtrack {...}`
checktwopassdata	`\checktwopassdata {...}`
checkvariables	`\checkvariables [...] [..=..]`
chem	`\chem {...} {...} {...}`
chemical	`\chemical [...] [...] [...]`
chemicalbottext	`\chemicalbottext {...}`
chemicalmidtext	`\chemicalmidtext {...}`
chemicalsymbol	`\chemicalsymbol [...]`
chemicaltext	`\chemicaltext {...}`
chemicaltoptext	`\chemicaltoptext {...}`
chiffresromains	`\chiffresromains {...}`
chineseallnumerals	`\chineseallnumerals {...}`
chinesecapnumerals	`\chinesecapnumerals {...}`
chinesenumerals	`\chinesenumerals {...}`
citation	`\citation [..=..] [...]`
citation:alternative	`\citation [...] [...]`
citation:direct	`\citation {...}`
citation:userdata	`\citation [..=..] [..=..]`
cite	`\cite [..=..] [...]`
cite:alternative	`\cite [...] [...]`
cite:direct	`\cite {...}`
cite:userdata	`\cite [..=..] [..=..]`
clap	`\clap {...}`
classfont	`\classfont {...} {...}`
cldcommand	`\cldcommand {...}`
cldcontext	`\cldcontext {...}`
cldloadfile	`\cldloadfile {...}`
cldprocessfile	`\cldprocessfile {...}`
clip	`\clip [..=..] {...}`
clippedoverlayimage	`\clippedoverlayimage {...}`
clonechamp	`\clonechamp [...] [...] [...] [...]`
collect	`\collect {...}`
collectedtext	`\collectedtext [..=..] [..=..] {...} {...}`
collectexpanded	`\collectexpanded {...}`
colonne	`\colonne [...]`
colorcomponents	`\colorcomponents {...}`
colored	`\colored [..=..] {...}`
colored:name	`\colored [...] {...}`
coloronly	`\coloronly [...] {...}`
columnbreak	`\columnbreak [...]`
columnsetspanwidth	`\columnsetspanwidth {...}`
combinepages	`\combinepages [...] [..=..]`
commalistelement	`\commalistelement`
commalistsentence	`\commalistsentence [...] [...]`
commalistsize	`\commalistsize`
commentaire	`\commentaire (...,...) (...,...) [..=..] {...}`
commentaire:instance	`\COMMENT [...] [..=..] {...}`
commentaire:instance:comment	`\comment [...] [..=..] {...}`
comparedimension	`\comparedimension {...} {...}`
comparedimensioneps	`\comparedimensioneps {...} {...}`
comparegroupecouleur	`\comparegroupecouleur [...]`
comparepalette	`\comparepalette [...]`
completebtxrendering	`\completebtxrendering [...] [..=..]`
completecombinedlist:instance	`\completeCOMBINEDLIST [..=..]`
completecombinedlist:instance:content	`\completecontent [..=..]`
completelist	`\completelist [...] [..=..]`

completelistoffloats:instance	\completelistofFLOATS [..=..]
completelistoffloats:instance:chemicals	\completelistofchemicals [..=..]
completelistoffloats:instance:figures	\completelistoffigures [..=..]
completelistoffloats:instance:graphics	\completelistofgraphics [..=..]
completelistoffloats:instance:intermezzi	\completelistofintermezzi [..=..]
completelistoffloats:instance:tables	\completelistoftables [..=..]
completelistofpublications	\completelistofpublications [...] [..=..]
completelistofsorts	\completelistofsorts [...] [..=..]
completelistofsorts:instance	\completelistofSORTS [..=..]
completelistofsorts:instance:logos	\completelistoflogos [..=..]
completelistofsynonyms	\completelistofsynonyms [...] [..=..]
completelistofsynonyms:instance	\completelistofSYNONYMS [..=..]
completelistofsynonyms:instance:abbreviations	\completelistofabbreviations [..=..]
completenumeropage	\completenumeropage
completeregistre	\completeregistre [...] [..=..]
completeregistre:instance	\completeREGISTER [..=..]
completeregistre:instance:index	\completeindex [..=..]
complexorsimple	\complexorsimple \...
complexorsimpleempty	\complexorsimpleempty \...
complexorsimpleempty:argument	\complexorsimpleempty {...}
complexorsimple:argument	\complexorsimple {...}
composant	\composant [...]
composant:string	\composant ...
composedcollector	\composedcollector {...}
composedlayer	\composedlayer {...}
compresult	\compresult
concernant	\concernant [...]
constantdimen	\constantdimen \...
constantdimenargument	\constantdimenargument \...
constantemptyargument	\constantemptyargument \...
constantnumber	\constantnumber \...
constantnumberargument	\constantnumberargument \...
contentreference	\contentreference [...] [..=..] {...}
continuednumber	\continuednumber {...}
continueifinputfile	\continueifinputfile {...}
convertargument	\convertargument ... \to \...
convertcommand	\convertcommand \... \to \...
convertedcounter	\convertedcounter [...] [..=..]
converteddimen	\converteddimen {...} {...}
convertedsubcounter	\convertedsubcounter [...] [...] [..=..]
convertitnumero	\convertitnumero {...} {...}
convertmonth	\convertmonth {...}
convertvalue	\convertvalue ... \to \...
convertvboxtohbox	\convertvboxtohbox
copitchamp	\copitchamp [...] [...]
copyboxfromcache	\copyboxfromcache {...} {...} ...
copylabeltext:instance	\copyLABELtexte [...] [..=..]
copylabeltext:instance:btxlabel	\copybtxlabeltexte [...] [..=..]
copylabeltext:instance:head	\copyheadtexte [...] [..=..]
copylabeltext:instance:label	\copylabeltexte [...] [..=..]
copylabeltext:instance:mathlabel	\copymathlabeltexte [...] [..=..]
copylabeltext:instance:operator	\copyoperatortexte [...] [..=..]
copylabeltext:instance:prefix	\copyprefixtexte [...] [..=..]
copylabeltext:instance:suffix	\copysuffixtexte [...] [..=..]
copylabeltext:instance:taglabel	\copytaglabeltexte [...] [..=..]
copylabeltext:instance:unit	\copyunittexte [...] [..=..]
copypages	\copypages [...] [..=..] [..=..]
copyparameters	\copyparameters [...] [...] [...]
copyposition	\copyposition {...} {...}
copysetups	\copysetups [...] [...]
corrigeespaceblanc	\corrigeespaceblanc {...}
couleur	\couleur [...] {...}
couleurgrise	\couleurgrise [...] {...}
countersubs	\countersubs [...] [...]
counttoken	\counttoken ... \in ... \to \...
counttokens	\counttokens ... \to \...
cramped	\cramped {...}
crampedclap	\crampedclap {...}
crampedllap	\crampedllap {...}
crampedrlap	\crampedrlap {...}
crlf	\crlf
crlfplaceholder	\crlfplaceholder

```
ctop                                      \ctop ... {...}
ctxcommand                                \ctxcommand {...}
ctxdirectcommand                          \ctxdirectcommand {...}
ctxdirectlua                              \ctxdirectlua {...}
ctxfunction                               \ctxfunction {...}
ctxfunctiondefinition:example             \CTXFUNCTIONDEFINITION
ctxfunction:example                       \CTXFUNCTION
ctxlatecommand                            \ctxlatecommand {...}
ctxlatelua                                \ctxlatelua {...}
ctxloadluafile                            \ctxloadluafile {...}
ctxlua                                    \ctxlua {...}
ctxluabuffer                              \ctxluabuffer [...]
ctxluacode                                \ctxluacode {...}
ctxreport                                 \ctxreport {...}
ctxsprint                                 \ctxsprint {...}
currentassignmentlistkey                  \currentassignmentlistkey
currentassignmentlistvalue                \currentassignmentlistvalue
currentbtxuservariable                    \currentbtxuservariable {...}
currentcommalistitem                      \currentcommalistitem
currentcomponent                          \currentcomponent
currentenvironment                        \currentenvironment
currentfeaturetest                        \currentfeaturetest
currentinterface                          \currentinterface
currentlabel:example                      \currentETIQUETTE [...] {...}
currentlanguage                           \currentlanguage
currentlistentrydestinationattribute      \currentlistentrydestinationattribute
currentlistentrylimitedtext               \currentlistentrylimitedtext {...}
currentlistentrynumber                    \currentlistentrynumber
currentlistentrypagenumber                \currentlistentrypagenumber
currentlistentryreferenceattribute        \currentlistentryreferenceattribute {...}
currentlistentrytitle                     \currentlistentrytitle
currentlistentrytitlerendered             \currentlistentrytitlerendered
currentlistsymbol                         \currentlistsymbol
currentmainlanguage                       \currentmainlanguage
currentmessagetext                        \currentmessagetext
currentmoduleparameter                    \currentmoduleparameter {...}
currentoutputstream                       \currentoutputstream
currentproduct                            \currentproduct
currentproject                            \currentproject
currentregime                             \currentregime
currentregisterpageuserdata               \currentregisterpageuserdata {...}
currentresponses                          \currentresponses
currenttime                               \currenttime [...]
currentvalue                              \currentvalue
currentxtablecolumn                       \currentxtablecolumn
currentxtablerow                          \currentxtablerow
d                                         \d {...}
dactylographier                           \dactylographier [..=..] {...}
dactylographier:angles                    \dactylographier [..=..] <<...>>
dactylographier:example                   \TYPE [..=..] {...}
dactylographier:example:angles            \TYPE [..=..] <<...>>
dans                                      \dans {...} {...} [...]
datasetvariable                           \datasetvariable {...} {...} {...}
date                                      \date [..=..] [...]
datecourante                              \datecourante [...]
dayoftheweek                              \dayoftheweek {...} {...} {...}
dayspermonth                              \dayspermonth {...} {...}
dddot                                     \dddot {...}
ddot                                      \ddot {...}
de                                        \de [...]
decrement                                 \decrement \...
decrementcounter                          \decrementcounter [...] [...]
decrementedcounter                        \decrementedcounter [...]
decrementpagenumber                       \decrementpagenumber
decrementsubpagenumber                    \decrementsubpagenumber
decrementvalue                            \decrementvalue {...}
decrement:argument                        \decrement (...)
defaultinterface                          \defaultinterface
defaultobjectpage                         \defaultobjectpage
defaultobjectreference                    \defaultobjectreference
defcatcodecommand                         \defcatcodecommand \... ... {...}
defconvertedargument                      \defconvertedargument \... {...}
```

```
defconvertedcommand                        \defconvertedcommand \... \...
defconvertedvalue                          \defconvertedvalue \... {...}
defineactivecharacter                      \defineactivecharacter ... {...}
definealternativestyle                     \definealternativestyle [...] [...] [...]
defineanchor                               \defineanchor [...] [...] [..=..] [..=..]
defineattachment                           \defineattachment [...] [...] [..=..]
defineattribute                            \defineattribute [...] [...]
definebackground                           \definebackground [...] [...] [..=..]
definebar                                  \definebar [...] [...] [..=..]
definebodyfontswitch                       \definebodyfontswitch [...] [...]
definebreakpoint                           \definebreakpoint [...] [...] [..=..]
definebreakpoints                          \definebreakpoints [...]
definebtx                                  \definebtx [...] [...] [..=..]
definebtxdataset                           \definebtxdataset [...] [...] [..=..]
definebtxregister                          \definebtxregister [...] [...] [..=..]
definebtxrendering                         \definebtxrendering [...] [...] [..=..]
definebutton                               \definebutton [...] [...] [..=..]
definecapitals                             \definecapitals [...] [...] [..=..]
definecharacterkerning                     \definecharacterkerning [...] [...] [..=..]
definecharacterspacing                     \definecharacterspacing [...]
definechemical                             \definechemical [...] {...}
definechemicals                            \definechemicals [...] [...] [..=..]
definechemicalsymbol                       \definechemicalsymbol [...] [...]
definecollector                            \definecollector [...] [...] [..=..]
definecolumnsetarea                        \definecolumnsetarea [...] [...] [..=..]
definecolumnsetspan                        \definecolumnsetspan [...] [...] [..=..]
definecombination                          \definecombination [...] [...] [..=..]
definecomment                              \definecomment [...] [...] [..=..]
definecomplexorsimple                      \definecomplexorsimple \...
definecomplexorsimpleempty                 \definecomplexorsimpleempty \...
definecomplexorsimpleempty:argument        \definecomplexorsimpleempty {...}
definecomplexorsimple:argument             \definecomplexorsimple {...}
defineconversionset                        \defineconversionset [...] [...] [...]
definecounter                              \definecounter [...] [...] [..=..]
definedataset                              \definedataset [...] [...] [..=..]
definedelimitedtext                        \definedelimitedtext [...] [...] [..=..]
definedfont                                \definedfont [...]
defineeffect                               \defineeffect [...] [...] [..=..]
defineexpandable                           \defineexpandable [...] \... {...}
defineexternalfigure                       \defineexternalfigure [...] [...] [..=..]
definefacingfloat                          \definefacingfloat [...] [...] [..=..]
definefallbackfamily                       \definefallbackfamily [...] [...] [...] [..=..]
definefallbackfamily:preset                \definefallbackfamily [...] [...] [...] [...]
definefieldbody                            \definefieldbody [...] [...] [..=..]
definefieldbodyset                         \definefieldbodyset [...] [...]
definefieldcategory                        \definefieldcategory [...] [...] [..=..]
definefileconstant                         \definefileconstant {...} {...}
definefilefallback                         \definefilefallback [...] [...]
definefilesynonym                          \definefilesynonym [...] [...]
definefiller                               \definefiller [...] [...] [..=..]
definefirstline                            \definefirstline [...] [...] [..=..]
definefittingpage                          \definefittingpage [...] [...] [..=..]
definefontalternative                      \definefontalternative [...]
definefontfallback                         \definefontfallback [...] [...] [...] [..=..]
definefontfamily                           \definefontfamily [...] [...] [...] [..=..]
definefontfamilypreset                     \definefontfamilypreset [...] [..=..]
definefontfamilypreset:name                \definefontfamilypreset [...] [...]
definefontfamily:preset                    \definefontfamily [...] [...] [...] [...]
definefontfeature                          \definefontfeature [...] [...] [..=..]
definefontfile                             \definefontfile [...] [...] [..=..]
definefontsize                             \definefontsize [...]
definefontsolution                         \definefontsolution [...] [...] [..=..]
defineformula                              \defineformula [...] [...] [..=..]
defineformulaalternative                   \defineformulaalternative [...] [...] [...]
defineformulaframed                        \defineformulaframed [...] [...] [..=..]
defineframed                               \defineframed [...] [...] [..=..]
defineframedcontent                        \defineframedcontent [...] [...] [..=..]
defineframedtable                          \defineframedtable [...] [...]
defineframedtext                           \defineframedtext [...] [...] [..=..]
definefrozenfont                           \definefrozenfont [...] [...]
defineglobalcolor                          \defineglobalcolor [...] [..=..]
defineglobalcolor:name                     \defineglobalcolor [...] [...]
```

```
definegraphictypesynonym          \definegraphictypesynonym [...] [...]
definegridsnapping                 \definegridsnapping [...] [...]
defineheadalternative              \defineheadalternative [...] [...] [..=..]
definehelp                         \definehelp [...] [...] [..=..]
definehigh                         \definehigh [...] [...] [..=..]
definehighlight                    \definehighlight [...] [...] [..=..]
definehspace                       \definehspace [...] [...] [...]
definehypenationfeatures           \definehypenationfeatures [...] [..=..]
defineindentedtext                 \defineindentedtext [...] [...] [..=..]
defineindenting                    \defineindenting [...] [...]
defineinitial                      \defineinitial [...] [...] [..=..]
defineinsertion                    \defineinsertion [...] [...] [..=..]
defineinteraction                  \defineinteraction [...] [...] [..=..]
defineinteractionbar               \defineinteractionbar [...] [...] [..=..]
defineinterfaceconstant            \defineinterfaceconstant {...} {...}
defineinterfaceelement             \defineinterfaceelement {...} {...}
defineinterfacevariable            \defineinterfacevariable {...} {...}
defineinterlinespace               \defineinterlinespace [...] [...] [..=..]
defineintermediatecolor            \defineintermediatecolor [...] [...] [..=..]
defineitemgroup                    \defineitemgroup [...] [...] [..=..]
defineitems                        \defineitems [...] [...] [..=..]
definelabelclass                   \definelabelclass [...] [...]
definelayerpreset                  \definelayerpreset [...] [..=..]
definelayerpreset:name             \definelayerpreset [...] [...]
definelinefiller                   \definelinefiller [...] [...] [..=..]
definelinenote                     \definelinenote [...] [...] [..=..]
definelinenumbering                \definelinenumbering [...] [...] [..=..]
definelines                        \definelines [...] [...] [..=..]
definelistalternative              \definelistalternative [...] [...] [..=..]
definelistextra                    \definelistextra [...] [...] [..=..]
definelow                          \definelow [...] [...] [..=..]
definelowhigh                      \definelowhigh [...] [...] [..=..]
definelowmidhigh                   \definelowmidhigh [...] [...] [..=..]
defineMPinstance                   \defineMPinstance [...] [...] [..=..]
definemarginblock                  \definemarginblock [...] [...] [..=..]
definemargindata                   \definemargindata [...] [...] [..=..]
definemarker                       \definemarker [...]
definemathaccent                   \definemathaccent ... ...
definemathalignment                \definemathalignment [...] [...] [..=..]
definemathcases                    \definemathcases [...] [...] [..=..]
definemathcommand                  \definemathcommand [...] [...] [...] {...}
definemathdouble                   \definemathdouble [...] [...] [...] [...]
definemathdoubleextensible         \definemathdoubleextensible [...] [...] [...] [...]
definemathematics                  \definemathematics [...] [...] [..=..]
definemathextensible               \definemathextensible [...] [...] [...]
definemathfence                    \definemathfence [...] [...] [..=..]
definemathfraction                 \definemathfraction [...] [...] [..=..]
definemathframed                   \definemathframed [...] [...] [..=..]
definemathmatrix                   \definemathmatrix [...] [...] [..=..]
definemathornament                 \definemathornament [...] [...] [..=..]
definemathover                     \definemathover [...] [...] [...]
definemathoverextensible           \definemathoverextensible [...] [...] [...]
definemathovertextextensible       \definemathovertextextensible [...] [...] [...]
definemathradical                  \definemathradical [...] [...] [..=..]
definemathstackers                 \definemathstackers [...] [...] [..=..]
definemathstyle                    \definemathstyle [...] [...]
definemathtriplet                  \definemathtriplet [...] [...] [...]
definemathunder                    \definemathunder [...] [...] [...]
definemathunderextensible          \definemathunderextensible [...] [...] [...]
definemathundertextextensible      \definemathundertextextensible [...] [...] [...]
definemathunstacked                \definemathunstacked [...] [...] [...]
definemeasure                      \definemeasure [...] [...]
definemessageconstant              \definemessageconstant {...}
definemixedcolumns                 \definemixedcolumns [...] [...] [..=..]
definemode                         \definemode [...] [...]
definemultitonecolor               \definemultitonecolor [...] [..=..] [..=..] [..=..]
definenamedcolor                   \definenamedcolor [...] [..=..]
definenamedcolor:name              \definenamedcolor [...] [...]
definenamespace                    \definenamespace [...] [..=..]
definenarrower                     \definenarrower [...] [...] [..=..]
definenote                         \definenote [...] [...] [..=..]
defineornament:collector           \defineornament [...] [..=..] [..=..]
```

```
defineornament:layer                    \defineornament [...] [..=..] [..=..]
defineoutputroutine                      \defineoutputroutine [...] [...] [..=..]
defineoutputroutinecommand               \defineoutputroutinecommand [...]
definepage                               \definepage [...] [...]
definepagechecker                        \definepagechecker [...] [...] [..=..]
definepagecolumns                        \definepagecolumns [...] [...] [..=..]
definepageinjection                      \definepageinjection [...] [...] [..=..]
definepageinjectionalternative           \definepageinjectionalternative [...] [...] [..=..]
definepageshift                          \definepageshift [...] [...] [...]
definepagestate                          \definepagestate [...] [...] [..=..]
definepairedbox                          \definepairedbox [...] [...] [..=..]
defineparagraph                          \defineparagraph [...] [...] [..=..]
defineparallel                           \defineparallel [...] [...]
defineparbuilder                         \defineparbuilder [...]
defineperiodkerning                      \defineperiodkerning [...] [...] [..=..]
defineplacement                          \defineplacement [...] [...] [..=..]
definepositioning                        \definepositioning [...] [...] [..=..]
defineprefixset                          \defineprefixset [...] [...] [...]
defineprocesscolor                       \defineprocesscolor [...] [...] [..=..]
defineprocessor                          \defineprocessor [...] [...] [..=..]
definepushbutton                         \definepushbutton [...] [..=..]
definepushsymbol                         \definepushsymbol [...] [...]
definerenderingwindow                    \definerenderingwindow [...] [...] [..=..]
defineresetset                           \defineresetset [...] [...] [...]
defineruby                               \defineruby [...] [...] [..=..]
definescale                              \definescale [...] [...] [..=..]
definescript                             \definescript [...] [...] [..=..]
definesectionlevels                      \definesectionlevels [...] [...]
defineselector                           \defineselector [...] [..=..]
defineseparatorset                       \defineseparatorset [...] [...] [...]
defineshift                              \defineshift [...] [...] [..=..]
definesidebar                            \definesidebar [...] [...] [..=..]
definesort                               \definesort [...] [...] [...] {...}
definespotcolor                          \definespotcolor [...] [...] [..=..]
definestyleinstance                      \definestyleinstance [...] [...] [...] [...]
definesubformula                         \definesubformula [...] [...] [..=..]
definesynonym                            \definesynonym [...] [...] [...] {...} {...}
definesystemattribute                    \definesystemattribute [...] [...]
definesystemconstant                     \definesystemconstant {...}
definesystemvariable                     \definesystemvariable {...}
defineTABLEsetup                         \defineTABLEsetup [...] [..=..]
definetabulation                         \definetabulation [...] [...] [..=..]
definetextbackground                     \definetextbackground [...] [...] [..=..]
definetextflow                           \definetextflow [...] [...] [..=..]
definetextnote                           \definetextnote [...] [...] [..=..]
definetokenlist                          \definetokenlist [...]
definetooltip                            \definetooltip [...] [...] [..=..]
definetransparency:1                     \definetransparency [...] [...]
definetransparency:2                     \definetransparency [...] [..=..]
definetransparency:3                     \definetransparency [...] [...]
definetwopasslist                        \definetwopasslist {...}
definetypeface                           \definetypeface [...] [...] [...] [...] [...] [..=..]
definetypescriptprefix                   \definetypescriptprefix [...] [...]
definetypescriptsynonym                  \definetypescriptsynonym [...] [...]
definetypesetting                        \definetypesetting [...] [...] [..=..]
defineunit                               \defineunit [...] [...] [..=..]
defineuserdata                           \defineuserdata [...] [...] [..=..]
defineuserdataalternative                \defineuserdataalternative [...] [...] [..=..]
defineviewerlayer                        \defineviewerlayer [...] [...] [..=..]
definevspace                             \definevspace [...] [...] [...]
definevspacing                           \definevspacing [...] [...]
definevspacingamount                     \definevspacingamount [...] [...] [...]
definextable                             \definextable [...] [...] [..=..]
definicaractere                          \definicaractere ... ...
definit                                  \definit [...] \... {...}
definitaccent                            \definitaccent ... ... ...
definitbloc                              \definitbloc [...] [...] [..=..]
definitblocsection                       \definitblocsection [...] [...] [..=..]
definitbuffer                            \definitbuffer [...] [...] [..=..]
definitcalque                            \definitcalque [...] [...] [..=..]
definitchamp                             \definitchamp [...] [...] [...] [...] [...]
definitcommande                          \definitcommande ... ...
```

```
definitconversion                      \definitconversion [...] [...] [...]
definitconversion:list                 \definitconversion [...] [...] [...]
definitcouleur                         \definitcouleur [...] [..=..]
definitcouleur:name                    \definitcouleur [...] [...]
definitdactylo                         \definitdactylo [...] [...] [..=..]
definitdemarrestoppe                   \definitdemarrestoppe [...] [...] [..=..]
definitdescription                     \definitdescription [...] [...] [..=..]
definitdisposition                     \definitdisposition [...] [...] [..=..]
definitenumeration                     \definitenumeration [...] [...] [..=..]
definitenvironnementpolicecorps        \definitenvironnementpolicecorps [...] [...] [..=..]
definitetiquette                       \definitetiquette [...] [...] [..=..]
definitflottant                        \definitflottant [...] [...] [..=..]
definitflottant:name                   \definitflottant [...] [...] [...]
definitformatreference                 \definitformatreference [...] [...] [..=..]
definitgroupecouleur                   \definitgroupecouleur [...] [...] [x:y:z,..]
definithbox                            \definithbox [...] [...]
definitjeucolonne                      \definitjeucolonne [...] [...] [..=..]
definitliste                           \definitliste [...] [...] [..=..]
definitlisteimbriquee                  \definitlisteimbriquee [...] [...] [..=..]
definitmakeup                          \definitmakeup [...] [...] [..=..]
definitmarquage                        \definitmarquage [...] [...] [..=..]
definitmenuinteraction                 \definitmenuinteraction [...] [...] [..=..]
definitpalette                         \definitpalette [...] [..=..]
definitpalette:name                    \definitpalette [...] [...]
definitparagraphes                     \definitparagraphes [...] [...] [..=..]
definitpilechamp                       \definitpilechamp [...] [...] [..=..]
definitpolice                          \definitpolice [...] [...] [..=..]
definitpolicecorps                     \definitpolicecorps [...] [...] [...] [..=..]
definitpolicecorps:argument            \definitpolicecorps [...] [...] [...] [...]
definitpolice:argument                 \definitpolice [...] [...] [...]
definitprofil                          \definitprofil [...] [...] [..=..]
definitprogramme                       \definitprogramme [...] [...] [...]
definitreference                       \definitreference [...] [...]
definitregistre                        \definitregistre [...] [...] [..=..]
definitrevetement                      \definitrevetement [...] [...] [...]
definitsautdecolonne                   \definitsautdecolonne [...] [...]
definitsautdepage                      \definitsautdepage [...] [...]
definitsection                         \definitsection [...]
definitsouschamp                       \definitsouschamp [...] [...] [...]
definitstyle                           \definitstyle [...] [...] [..=..]
definitstylepolice                     \definitstylepolice [...] [...]
definitsymbole                         \definitsymbole [...] [...] [...]
definitsymbolefigure                   \definitsymbolefigure [...] [...] [..=..]
definitsynonymepolice                  \definitsynonymepolice [...] [...] [..=..]
definitsynonymes                       \definitsynonymes [...] [...] [...] [...]
definittabulation                      \definittabulation [...] [...] [|...|]
definittaillepapier                    \definittaillepapier [...] [..=..]^{OPT}
definittaillepapier:name               \definittaillepapier [...] [...] [...]
definittete                            \definittete [...] [...] [..=..]
definittexte                           \definittexte [...] [...] [...] [...] [...] [...] [...]
definittrametableau                    \definittrametableau [...] [|...|] [...] [...]
definittri                             \definittri [...] [...] [...]
definittype                            \definittype [...] [...] [..=..]
definitvide                            \definitvide [...]
delimited                              \delimited [...] [...] {...}
delimitedtext                          \delimitedtext [...] [...] {...}
delimitedtext:instance                 \DELIMITEDTEXT [...] {...}
delimitedtext:instance:aside           \aside [...] {...}
delimitedtext:instance:blockquote      \blockquote [...] {...}
delimitedtext:instance:quotation       \quotation [...] {...}
delimitedtext:instance:quote           \quote [...] {...}
delimitedtext:instance:speech          \speech [...] {...}
demarre                                \demarre [...] ... \stoppe
demarrealigneadroite                   \demarrealigneadroite ... \stoppealigneadroite
demarrealigneagauche                   \demarrealigneagauche ... \stoppealigneagauche
demarrealigneaumilieu                  \demarrealigneaumilieu ... \stoppealigneaumilieu
demarrealignment                       \demarrealignment [...] ... \stoppealignment
demarreallmodes                        \demarreallmodes [...] ... \stoppeallmodes
demarrearriereplan                     \demarrearriereplan [..=..] ... \stoppearriereplan
demarrearriereplan:example             \demarreARRIEREPLAN [..=..] ... \stoppeARRIEREPLAN
demarreattachment:instance             \demarreATTACHMENT [...] [..=..] ... \stoppeATTACHMENT
demarreattachment:instance:attachment  \demarreattachment [...] [..=..] ... \stoppeattachment
```

```
demarrebar                                  \demarrebar [...] ... \stoppebar
demarrebbordermatrix                        \demarrebbordermatrix ... \stoppebbordermatrix
demarrebitmapimage                          \demarrebitmapimage [..=..] ... \stoppebitmapimage
demarrebordermatrix                         \demarrebordermatrix ... \stoppebordermatrix
demarrebtxrenderingdefinitions              \demarrebtxrenderingdefinitions [...] ... \stoppebtxrenderingdefinitions
demarrebuffer                               \demarrebuffer [...] ... \stoppebuffer
demarrebuffer:instance                      \demarreBUFFER ... \stoppeBUFFER
demarrebuffer:instance:hiding               \demarrehiding ... \stoppehiding
demarrecatcodetable                         \demarrecatcodetable \... ... \stoppecatcodetable
demarrecenteraligned                        \demarrecenteraligned ... \stoppecenteraligned
demarrecharacteralign                       \demarrecharacteralign [..=..] ... \stoppecharacteralign
demarrecharacteralign:argument              \demarrecharacteralign [...] ... \stoppecharacteralign
demarrecheckedfences                        \demarrecheckedfences ... \stoppecheckedfences
demarrechemical                             \demarrechemical [...] [..=..] ... \stoppechemical
demarreciter                                \demarreciter [..=..]
demarrecollect                              \demarrecollect ... \stoppecollect
demarrecollecting                           \demarrecollecting ... \stoppecollecting
demarrecolorintent                          \demarrecolorintent [...] ... \stoppecolorintent
demarrecoloronly                            \demarrecoloronly [...] ... \stoppecoloronly
demarrecolorset                             \demarrecolorset [...] ... \stoppecolorset
demarrecolumnset                            \demarrecolumnset [...] [..=..] ... \stoppecolumnset
demarrecolumnsetspan                        \demarrecolumnsetspan [...] [..=..] ... \stoppecolumnsetspan
demarrecolumnset:example                    \demarreCOLUMNSET [..=..] ... \stoppeCOLUMNSET
demarrecombination                          \demarrecombination [...] [..=..] ... \stoppecombination
demarrecombination:matrix                   \demarrecombination [...] [...] ... \stoppecombination
demarrecommentairepage                      \demarrecommentairepage ... \stoppecommentairepage
demarrecommentaire:instance                 \demarreCOMMENT [...] [..=..] ... \stoppeCOMMENT
demarrecommentaire:instance:comment         \demarrecomment [...] [..=..] ... \stoppecomment
demarrecomposant                            \demarrecomposant [...] ... \stoppecomposant
demarrecomposant:string                     \demarrecomposant ... ... \stoppecomposant
demarrecontextcode                          \demarrecontextcode ... \stoppecontextcode
demarrecontextdefinitioncode                \demarrecontextdefinitioncode ... \stoppecontextdefinitioncode
demarrecouleur                              \demarrecouleur [...] ... \stoppecouleur
demarrectxfunction                          \demarrectxfunction ... ... \stoppectxfunction
demarrectxfunctiondefinition                \demarrectxfunctiondefinition ... ... \stoppectxfunctiondefinition
demarrecurrentcolor                         \demarrecurrentcolor ... \stoppecurrentcolor
demarrecurrentlistentrywrapper              \demarrecurrentlistentrywrapper ... \stoppecurrentlistentrywrapper
demarredegroupe                             \demarredegroupe ... \stoppedegroupe
demarredelimited                            \demarredelimited [...] [...] [...] ... \stoppedelimited
demarredelimitedtext                        \demarredelimitedtext [...] [...] [...] ... \stoppedelimitedtext
demarredelimitedtext:instance               \demarreDELIMITEDTEXT [...] [...] ... \stoppeDELIMITEDTEXT
demarredelimitedtext:instance:aside         \demarreaside [...] [...] ... \stoppeaside
demarredelimitedtext:instance:blockquote    \demarreblockquote [...] [...] ... \stoppeblockquote
demarredelimitedtext:instance:quotation     \demarrequotation [...] [...] ... \stoppequotation
demarredelimitedtext:instance:quote         \demarrequote [...] [...] ... \stoppequote
demarredelimitedtext:instance:speech        \demarrespeech [...] [...] ... \stoppespeech
demarredescription:example                  \demarreDESCRIPTION [..=..] ... \stoppeDESCRIPTION
demarredescription:example:title            \demarreDESCRIPTION [...] {...} ... \stoppeDESCRIPTION
demarredisplaymath                          \demarredisplaymath ... \stoppedisplaymath
demarredmath                                \demarredmath ... \stoppedmath
demarredocument                             \demarredocument [..=..] ... \stoppedocument
demarreeffect                               \demarreeffect [...] ... \stoppeeffect
demarreeffect:example                       \demarreEFFECT ... \stoppeEFFECT
demarreelement                              \demarreelement [...] ... \stoppeelement
demarreembeddedxtable                       \demarreembeddedxtable [..=..] ... \stoppeembeddedxtable
demarreembeddedxtable:name                  \demarreembeddedxtable [...] ... \stoppeembeddedxtable
demarreenumeration:example                  \demarreENUMERATION [..=..] ... \stoppeENUMERATION
demarreenumeration:example:title            \demarreENUMERATION [...] {...} ... \stoppeENUMERATION
demarreenvironement                         \demarreenvironement [...] ... \stoppeenvironement
demarreenvironementblocsection              \demarreenvironementblocsection [...] ... \stoppeenvironementblocsection
demarreenvironement:string                  \demarreenvironement ... ... \stoppeenvironement
demarreetroit                               \demarreetroit [...] [..=..] ... \stoppeetroit
demarreetroit:assignment                    \demarreetroit [..=..] [...] ... \stoppeetroit
demarreetroit:name                          \demarreetroit [...] [...] ... \stoppeetroit
demarreexceptions                           \demarreexceptions [...] ... \stoppeexceptions
demarreexpanded                             \demarreexpanded ... \stoppeexpanded
demarreexpandedcollect                      \demarreexpandedcollect ... \stoppeexpandedcollect
demarreextendedcatcodetable                 \demarreextendedcatcodetable \... ... \stoppeextendedcatcodetable
demarreexternalfigurecollection             \demarreexternalfigurecollection [...] ... \stoppeexternalfigurecollection
demarrefacingfloat                          \demarrefacingfloat [...] ... \stoppefacingfloat
demarrefigure                               \demarrefigure [...] [...] [..=..] ... \stoppefigure
demarrefittingpage                          \demarrefittingpage [...] [..=..] ... \stoppefittingpage
```

13

demarrefittingpage:instance	\demarreFITTINGPAGE [..=..] ... \stoppeFITTINGPAGE
demarrefittingpage:instance:MPpage	\demarreMPpage [..=..] ... \stoppeMPpage
demarrefittingpage:instance:TEXpage	\demarreTEXpage [..=..] ... \stoppeTEXpage
demarrefixe	\demarrefixe [...] ... \stoppefixe
demarrefloatcombination	\demarrefloatcombination [..=..] ... \stoppefloatcombination
demarrefloatcombination:matrix	\demarrefloatcombination [...] ... \stoppefloatcombination
demarrefloattext:instance	\demarreFLOATtexte [...] [...] {...} ... \stoppeFLOATtexte
demarrefloattext:instance:chemical	\demarrechemicaltexte [...] [...] {...} ... \stoppechemicaltexte
demarrefloattext:instance:figure	\demarrefiguretexte [...] [...] {...} ... \stoppefiguretexte
demarrefloattext:instance:graphic	\demarregraphictexte [...] [...] {...} ... \stoppegraphictexte
demarrefloattext:instance:intermezzo	\demarreintermezzotexte [...] [...] {...} ... \stoppeintermezzotexte
demarrefloattext:instance:table	\demarretabletexte [...] [...] {...} ... \stoppetabletexte
demarrefont	\demarrefont [...] ... \stoppefont
demarrefontclass	\demarrefontclass [...] ... \stoppefontclass
demarrefontsolution	\demarrefontsolution [...] ... \stoppefontsolution
demarreformule	\demarreformule [...] ... \stoppeformule
demarreformules	\demarreformules [...] ... \stoppeformules
demarreformule:assignment	\demarreformule [..=..] ... \stoppeformule
demarreformule:instance	\demarreFORMULAformula [...] ... \stoppeFORMULAformula
demarreformule:instance:md	\demarremdformula [...] ... \stoppemdformula
demarreformule:instance:mp	\demarrempformula [...] ... \stoppempformula
demarreformule:instance:sd	\demarresdformula [...] ... \stoppesdformula
demarreformule:instance:sp	\demarrespformula [...] ... \stoppespformula
demarreframed	\demarreframed [...] [..=..] ... \stoppeframed
demarreframedcell	\demarreframedcell [..=..] ... \stoppeframedcell
demarreframedcontent	\demarreframedcontent [...] ... \stoppeframedcontent
demarreframedrow	\demarreframedrow [..=..] ... \stoppeframedrow
demarreframedtable	\demarreframedtable [...] [..=..] ... \stoppeframedtable
demarregridsnapping	\demarregridsnapping [...] ... \stoppegridsnapping
demarregridsnapping:list	\demarregridsnapping [...] ... \stoppegridsnapping
demarregroupe	\demarregroupe [...] ... \stoppegroupe
demarrehboxestohbox	\demarrehboxestohbox ... \stoppehboxestohbox
demarrehboxregister	\demarrehboxregister ... ... \stoppehboxregister
demarrehelp:instance	\demarreHELP [...] ... \stoppeHELP
demarrehelp:instance:helptext	\demarrehelptext [...] ... \stoppehelptext
demarrehighlight	\demarrehighlight [...] ... \stoppehighlight
demarrehyphenation	\demarrehyphenation [...] ... \stoppehyphenation
demarreimath	\demarreimath ... \stoppeimath
demarreindentedtext	\demarreindentedtext [...] ... \stoppeindentedtext
demarreindentedtext:example	\demarreINDENTEDTEXT ... \stoppeINDENTEDTEXT
demarreinteraction	\demarreinteraction [...] ... \stoppeinteraction
demarreinterface	\demarreinterface ... ... \stoppeinterface
demarreintertext	\demarreintertext ... \stoppeintertext
demarreitemgroup	\demarreitemgroup [...] [...] [..=..] ... \stoppeitemgroup
demarreitemgroup:instance	\demarreITEMGROUP [...] [..=..] ... \stoppeITEMGROUP
demarreitemgroup:instance:itemize	\demarreitemize [...] [..=..] ... \stoppeitemize
demarreJScode	\demarreJScode ... ... \stoppeJScode
demarreJSpreamble	\demarreJSpreamble ... ... \stoppeJSpreamble
demarreknockout	\demarreknockout ... \stoppeknockout
demarrelabeltexte:instance	\demarreLABELtexte [...] [...] ... \stoppeLABELtexte
demarrelabeltexte:instance:btxlabel	\demarrebtxlabeltexte [...] [...] ... \stoppebtxlabeltexte
demarrelabeltexte:instance:head	\demarreheadtexte [...] [...] ... \stoppeheadtexte
demarrelabeltexte:instance:label	\demarrelabeltexte [...] [...] ... \stoppelabeltexte
demarrelabeltexte:instance:mathlabel	\demarremathlabeltexte [...] [...] ... \stoppemathlabeltexte
demarrelabeltexte:instance:operator	\demarreoperatortexte [...] [...] ... \stoppeoperatortexte
demarrelabeltexte:instance:prefix	\demarreprefixtexte [...] [...] ... \stoppeprefixtexte
demarrelabeltexte:instance:suffix	\demarresuffixtexte [...] [...] ... \stoppesuffixtexte
demarrelabeltexte:instance:taglabel	\demarretaglabeltexte [...] [...] ... \stoppetaglabeltexte
demarrelabeltexte:instance:unit	\demarreunittexte [...] [...] ... \stoppeunittexte
demarrelangue	\demarrelangue [...] ... \stoppelangue
demarrelayout	\demarrelayout [...] ... \stoppelayout
demarreligne	\demarreligne [...]
demarreligneregleetexte	\demarreligneregleetexte {...} ... \stoppeligneregleetexte
demarrelignes:instance	\demarreLINES [..=..] ... \stoppeLINES
demarrelignes:instance:lines	\demarrelines [..=..] ... \stoppelines
demarrelinealignment	\demarrelinealignment [...] ... \stoppelinealignment
demarrelinecorrection	\demarrelinecorrection [...] ... \stoppelinecorrection
demarrelinefiller	\demarrelinefiller [...] [..=..] ... \stoppelinefiller
demarrelinenumbering	\demarrelinenumbering [...] [..=..] ... \stoppelinenumbering
demarrelinenumbering:argument	\demarrelinenumbering [...] [...] ... \stoppelinenumbering
demarrelinetable	\demarrelinetable ... \stoppelinetable
demarrelinetablebody	\demarrelinetablebody ... \stoppelinetablebody

demarrelinetablecell	\demarrelinetablecell [..=..] ... \stoppelinetablecell
demarrelinetablehead	\demarrelinetablehead ... \stoppelinetablehead
demarrelocalfootnotes	\demarrelocalfootnotes ... \stoppelocalfootnotes
demarrelocalheadsetup	\demarrelocalheadsetup ... \stoppelocalheadsetup
demarrelocallinecorrection	\demarrelocallinecorrection [...] ... \stoppelocallinecorrection
demarrelocalnotes	\demarrelocalnotes [...] ... \stoppelocalnotes
demarrelocalsetups	\demarrelocalsetups [...] [...] ... \stoppelocalsetups
demarrelocalsetups:string	\demarrelocalsetups ... ... \stoppelocalsetups
demarrelua	\demarrelua ... \stoppelua
demarreluacode	\demarreluacode ... \stoppeluacode
demarreluaparameterset	\demarreluaparameterset [...] ... \stoppeluaparameterset
demarreluasetups	\demarreluasetups [...] [...] ... \stoppeluasetups
demarreluasetups:string	\demarreluasetups ... ... \stoppeluasetups
demarreMPclip	\demarreMPclip {...} ... \stoppeMPclip
demarreMPcode	\demarreMPcode {...} ... \stoppeMPcode
demarreMPdefinitions	\demarreMPdefinitions {...} ... \stoppeMPdefinitions
demarreMPdrawing	\demarreMPdrawing [...] ... \stoppeMPdrawing
demarreMPenvironment	\demarreMPenvironment [...] ... \stoppeMPenvironment
demarreMPextensions	\demarreMPextensions {...} ... \stoppeMPextensions
demarreMPinclusions	\demarreMPinclusions [...] {...} ... \stoppeMPinclusions
demarreMPinitializations	\demarreMPinitializations ... \stoppeMPinitializations
demarreMPpositiongraphic	\demarreMPpositiongraphic {...} {...} ... \stoppeMPpositiongraphic
demarreMPpositionmethod	\demarreMPpositionmethod {...} ... \stoppeMPpositionmethod
demarreMPrun	\demarreMPrun {...} ... \stoppeMPrun
demarremakeup	\demarremakeup [...] [..=..] ... \stoppemakeup
demarremakeup:instance	*\demarreMAKEUPmakeup [..=..] ... \stoppeMAKEUPmakeup*
demarremakeup:instance:middle	*\demarremiddlemakeup [..=..] ... \stoppemiddlemakeup*
demarremakeup:instance:page	*\demarrepagemakeup [..=..] ... \stoppepagemakeup*
demarremakeup:instance:standard	*\demarrestandardmakeup [..=..] ... \stoppestandardmakeup*
demarremakeup:instance:text	*\demarretextmakeup [..=..] ... \stoppetextmakeup*
demarremargereglee	\demarremargereglee [...] ... \stoppemargereglee
demarremargereglee:assignment	\demarremargereglee [..=..] ... \stoppemargereglee
demarremarginblock	\demarremarginblock [...] ... \stoppemarginblock
demarremarkedcontent	\demarremarkedcontent [...] ... \stoppemarkedcontent
demarremarkpages	\demarremarkpages [...] ... \stoppemarkpages
demarremathalignment:instance	*\demarreMATHALIGNMENT [..=..] ... \stoppeMATHALIGNMENT*
demarremathalignment:instance:align	*\demarrealign [..=..] ... \stoppealign*
demarremathalignment:instance:mathalignment	*\demarremathalignment [..=..] ... \stoppemathalignment*
demarremathcases:instance	*\demarreMATHCASES [..=..] ... \stoppeMATHCASES*
demarremathcases:instance:cases	*\demarrecases [..=..] ... \stoppecases*
demarremathcases:instance:mathcases	*\demarremathcases [..=..] ... \stoppemathcases*
demarremathmatrix:instance	*\demarreMATHMATRIX [..=..] ... \stoppeMATHMATRIX*
demarremathmatrix:instance:mathmatrix	*\demarremathmatrix [..=..] ... \stoppemathmatrix*
demarremathmatrix:instance:matrix	*\demarrematrix [..=..] ... \stoppematrix*
demarremathmode	\demarremathmode ... \stoppemathmode
demarremathstyle	\demarremathstyle [...] ... \stoppemathstyle
demarrematrices	\demarrematrices [..=..] ... \stoppematrices
demarremaxaligned	\demarremaxaligned ... \stoppemaxaligned
demarremenuinteraction	\demarremenuinteraction [...] ... \stoppemenuinteraction
demarremiddlealigned	\demarremiddlealigned ... \stoppemiddlealigned
demarremixedcolumns	\demarremixedcolumns [...] [..=..] ... \stoppemixedcolumns
demarremixedcolumns:instance	*\demarreMIXEDCOLUMNS [..=..] ... \stoppeMIXEDCOLUMNS*
demarremixedcolumns:instance:boxedcolumns	*\demarreboxedcolumns [..=..] ... \stoppeboxedcolumns*
demarremixedcolumns:instance:columns	*\demarrecolumns [..=..] ... \stoppecolumns*
demarremixedcolumns:instance:itemgroupcolumns	*\demarreitemgroupcolumns [..=..] ... \stoppeitemgroupcolumns*
demarremode	\demarremode [...] ... \stoppemode
demarremodeset	\demarremodeset [...] {...} ... \stoppemodeset
demarremodule	\demarremodule [...] ... \stoppemodule
demarremoduletestsection	\demarremoduletestsection ... \stoppemoduletestsection
demarremodule:string	\demarremodule ... ... \stoppemodule
demarrenamedsection	\demarrenamedsection [...] [..=..] [..=..] ... \stoppenamedsection
demarrenamedsubformulas	\demarrenamedsubformulas [...] {...} ... \stoppenamedsubformulas
demarrenarrower	\demarrenarrower [...] ... \stoppenarrower
demarrenarrower:example	*\demarreNARROWER [...] ... \stoppeNARROWER*
demarrenegatif	\demarrenegatif ... \stoppenegatif
demarrenicelyfilledbox	\demarrenicelyfilledbox [..=..] ... \stoppenicelyfilledbox
demarrenointerference	\demarrenointerference ... \stoppenointerference
demarrenotallmodes	\demarrenotallmodes [...] ... \stoppenotallmodes
demarrenotext	\demarrenotext ... \stoppenotext
demarrenote:instance	*\demarreNOTE [...] ... \stoppeNOTE*
demarrenote:instance:assignment	*\demarreNOTE [..=..] ... \stoppeNOTE*
demarrenote:instance:assignment:endnote	*\demarreendnote [..=..] ... \stoppeendnote*

```
demarrenote:instance:assignment:footnote       \demarrefootnote [..=..] ... \stoppefootnote
demarrenote:instance:endnote                    \demarreendnote [...] ... \stoppeendnote
demarrenote:instance:footnote                   \demarrefootnote [...] ... \stoppefootnote
demarrenotmode                                  \demarrenotmode [...] ... \stoppenotmode
demarreopposition                               \demarreopposition ... \stoppeopposition
demarreoutputstream                             \demarreoutputstream [...] ... \stoppeoutputstream
demarreoverprint                                \demarreoverprint ... \stoppeoverprint
demarrepagecolumns                              \demarrepagecolumns [..=..] ... \stoppepagecolumns
demarrepagecolumns:instance                     \demarrePAGECOLUMNS ... \stoppePAGECOLUMNS
demarrepagecolumns:name                         \demarrepagecolumns [...] ... \stoppepagecolumns
demarrepagefigure                               \demarrepagefigure [...] [..=..] ... \stoppepagefigure
demarrepagelayout                               \demarrepagelayout [...] ... \stoppepagelayout
demarrepar                                      \demarrepar [...] [..=..] ... \stoppepar
demarreparagraphe                               \demarreparagraphe [...] [..=..] ... \stoppeparagraphe
demarreparagraphs                               \demarreparagraphs [...] ... \stoppeparagraphs
demarreparagraphscell                           \demarreparagraphscell ... \stoppeparagraphscell
demarreparagraphs:example                       \demarrePARAGRAPHS ... \stoppePARAGRAPHS
demarreparallel:example                         \demarrePARALLEL ... \stoppePARALLEL
demarreparbuilder                               \demarreparbuilder [...] ... \stoppeparbuilder
demarreplaceflottant                            \demarreplaceflottant [...] [..=..] [..=..] ... \stoppeplaceflottant
demarreplaceflottant:instance                   \demarreplaceFLOAT [..=..] [..=..] ... \stoppeplaceFLOAT
demarreplaceflottant:instance:chemical          \demarreplacechemical [..=..] [..=..] ... \stoppeplacechemical
demarreplaceflottant:instance:figure            \demarreplacefigure [..=..] [..=..] ... \stoppeplacefigure
demarreplaceflottant:instance:graphic           \demarreplacegraphic [..=..] [..=..] ... \stoppeplacegraphic
demarreplaceflottant:instance:intermezzo        \demarreplaceintermezzo [..=..] [..=..] ... \stoppeplaceintermezzo
demarreplaceflottant:instance:table             \demarreplacetable [..=..] [..=..] ... \stoppeplacetable
demarreplaceformule                             \demarreplaceformule [..=..] ... \stoppeplaceformule
demarreplaceformule:argument                    \demarreplaceformule [...] ... \stoppeplaceformule
demarreplacepairedbox                           \demarreplacepairedbox [...] [..=..] ... \stoppeplacepairedbox
demarreplacepairedbox:instance                  \demarreplacePAIREDBOX [..=..] ... \stoppeplacePAIREDBOX
demarreplacepairedbox:instance:legend           \demarreplacelegend [..=..] ... \stoppeplacelegend
demarrepositif                                  \demarrepositif ... \stoppepositif
demarrepositioning                              \demarrepositioning [...] [..=..] ... \stoppepositioning
demarrepositionoverlay                          \demarrepositionoverlay {...} ... \stoppepositionoverlay
demarrepostponing                               \demarrepostponing [...] ... \stoppepostponing
demarrepostponingnotes                          \demarrepostponingnotes ... \stoppepostponingnotes
demarreprocessassignmentcommand                 \demarreprocessassignmentcommand [..=..] ... \stoppeprocessassignmentcom
demarreprocessassignmentlist                    \demarreprocessassignmentlist [..=..] ... \stoppeprocessassignmentlist
demarreprocesscommacommand                      \demarreprocesscommacommand [...] ... \stoppeprocesscommacommand
demarreprocesscommalist                         \demarreprocesscommalist [...] ... \stoppeprocesscommalist
demarreproduit                                  \demarreproduit [...] ... \stoppeproduit
demarreproduit:string                           \demarreproduit ... ... \stoppeproduit
demarreprojet                                   \demarreprojet [...] ... \stoppeprojet
demarreprojet:string                            \demarreprojet ... ... \stoppeprojet
demarreprotectedcolors                          \demarreprotectedcolors ... \stoppeprotectedcolors
demarrepublication                              \demarrepublication [...] [..=..] ... \stoppepublication
demarrequeuetableau                             \demarrequeuetableau [...] ... \stoppequeuetableau
demarrequeuetabule                              \demarrequeuetabule [...] ... \stoppequeuetabule
demarrerandomized                               \demarrerandomized ... \stopperandomized
demarrerawsetups                                \demarrerawsetups [...] [...] ... \stopperawsetups
demarrerawsetups:string                         \demarrerawsetups ... ... \stopperawsetups
demarrereadingfile                              \demarrereadingfile ... \stoppereadingfile
demarreregime                                   \demarreregime [...] ... \stopperegime
demarrereusableMPgraphic                        \demarrereusableMPgraphic {...} {...} ... \stoppereusableMPgraphic
demarrerevetement                               \demarrerevetement ... \stopperevetement
demarreruby                                     \demarreruby [...] ... \stopperuby
demarrescript                                   \demarrescript [...] ... \stoppescript
demarresectionblock                             \demarresectionblock [...] [..=..] ... \stoppesectionblock
demarresectionblock:instance                    \demarreSECTIONBLOCK [..=..] ... \stoppeSECTIONBLOCK
demarresectionblock:instance:appendices         \demarreappendices [..=..] ... \stoppeappendices
demarresectionblock:instance:backmatter         \demarrebackmatter [..=..] ... \stoppebackmatter
demarresectionblock:instance:bodymatter         \demarrebodymatter [..=..] ... \stoppebodymatter
demarresectionblock:instance:frontmatter        \demarrefrontmatter [..=..] ... \stoppefrontmatter
demarresectionlevel                             \demarresectionlevel [...] [..=..] [..=..] ... \stoppesectionlevel
demarresection:instance                         \demarreSECTION [..=..] [..=..] ... \stoppeSECTION
demarresection:instance:chapter                 \demarrechapter [..=..] [..=..] ... \stoppechapter
demarresection:instance:part                    \demarrepart [..=..] [..=..] ... \stoppepart
demarresection:instance:section                 \demarresection [..=..] [..=..] ... \stoppesection
demarresection:instance:subject                 \demarresubject [..=..] [..=..] ... \stoppesubject
demarresection:instance:subsection              \demarresubsection [..=..] [..=..] ... \stoppesubsection
demarresection:instance:subsubject              \demarresubsubject [..=..] [..=..] ... \stoppesubsubject
demarresection:instance:subsubsection           \demarresubsubsection [..=..] [..=..] ... \stoppesubsubsection
```

demarresection:instance:subsubsubject	\demarresubsubsubject [..=..] [..=..] ... \stoppesubsubsubject
demarresection:instance:subsubsubsection	\demarresubsubsubsection [..=..] [..=..] ... \stoppesubsubsubsubsection
demarresection:instance:subsubsubsubject	\demarresubsubsubsubject [..=..] [..=..] ... \stoppesubsubsubsubject
demarresection:instance:subsubsubsubsection	\demarresubsubsubsubsection [..=..] [..=..] ... \stoppesubsubsubsubsecti
demarresection:instance:subsubsubsubsubject	\demarresubsubsubsubsubject [..=..] [..=..] ... \stoppesubsubsubsubsubje
demarresection:instance:title	\demarretitle [..=..] [..=..] ... \stoppetitle
demarresetups	\demarresetups [...] [...] ... \stoppesetups
demarresetups:string	\demarresetups ... ... \stoppesetups
demarreshift	\demarreshift [...] ... \stoppeshift
demarresidebar	\demarresidebar [...] [..=..] ... \stoppesidebar
demarresimplecolumns	\demarresimplecolumns [..=..] ... \stoppesimplecolumns
demarrespecialitem:item	\demarrespecialitem [...] [...] ... \stoppespecialitem
demarrespecialitem:none	\demarrespecialitem [...] ... \stoppespecialitem
demarrespecialitem:symbol	\demarrespecialitem [...] {...} ... \stoppespecialitem
demarresplitformula	\demarresplitformula ... \stoppesplitformula
demarresplittext	\demarresplittext ... \stoppesplittext
demarrespread	\demarrespread ... \stoppespread
demarrestartstop:example	\demarreSTARTSTOP ... \stoppeSTARTSTOP
demarrestaticMPfigure	\demarrestaticMPfigure {...} ... \stoppestaticMPfigure
demarrestaticMPgraphic	\demarrestaticMPgraphic {...} {...} ... \stoppestaticMPgraphic
demarrestrictinspectnextcharacter	\demarrestrictinspectnextcharacter ... \stoppestrictinspectnextcharacter
demarrestyle	\demarrestyle [..=..] ... \stoppestyle
demarrestyle:argument	\demarrestyle [...] ... \stoppestyle
demarrestyle:instance	\demarreSTYLE ... \stoppeSTYLE
demarresubformulas	\demarresubformulas [...] ... \stoppesubformulas
demarresubjectlevel	\demarresubjectlevel [...] [..=..] [..=..] ... \stoppesubjectlevel
demarresubsentence	\demarresubsentence ... \stoppesubsentence
demarresubstack	\demarresubstack ... \stoppesubstack
demarresuspend	\demarresuspend [..=..] {...} ... \stoppesuspend
demarresuspend:argument	\demarresuspend [...] {...} ... \stoppesuspend
demarresymbolset	\demarresymbolset [...] [..=..] ... \stoppesymbolset
demarreTABLE	\demarreTABLE [..=..] ... \stoppeTABLE
demarreTABLEbody	\demarreTABLEbody [..=..] ... \stoppeTABLEbody
demarreTABLEfoot	\demarreTABLEfoot [..=..] ... \stoppeTABLEfoot
demarreTABLEhead	\demarreTABLEhead [..=..] ... \stoppeTABLEhead
demarreTABLEnext	\demarreTABLEnext [..=..] ... \stoppeTABLEnext
demarretableau	\demarretableau [|...|] [..=..] ... \stoppetableau
demarretableau:name	\demarretableau [...] [..=..] ... \stoppetableau
demarretables	\demarretables [|...|] ... \stoppetables
demarretables:name	\demarretables [...] ... \stoppetables
demarretabulation:example	\demarreTABULATION [...] [..=..] ... \stoppeTABULATION
demarretabule	\demarretabule [|...|] [..=..] ... \stoppetabule
demarretabule:instance	\demarreTABULATE [ᴼᴾᵀ..] [..=..] ... \stoppeTABULATE
demarretabule:instance:fact	\demarrefact [...] [..=..] ... \stoppefact
demarretabule:instance:legend	\demarrelegend [...] [..=..] ... \stoppelegend
demarretete	\demarretete [...] {...} ... \stoppetete
demarretetetableau	\demarretetetableau [...] ... \stoppetetetableau
demarretetetabule	\demarretetetabule [...] ... \stoppetetetabule
demarretexcode	\demarretexcode ... \stoppetexcode
demarretexdefinition	\demarretexdefinition ... ... \stoppetexdefiniti
demarretextbackground	\demarretextbackground [...] [..=..] ... \stoppetextbackground
demarretextbackgroundmanual	\demarretextbackgroundmanual ... \stoppetextbackgroundmanual
demarretextbackground:example	\demarreTEXTBACKGROUND [..=..] ... \stoppeTEXTBACKGROUND
demarretextcolor	\demarretextcolor [...] ... \stoppetextcolor
demarretextcolorintent	\demarretextcolorintent ... \stoppetextcolorintent
demarretexte	\demarretexte ... \stoppetexte
demarretexteaide	\demarretexteaide [...] ... \stoppetexteaide
demarretexteencadre:instance	\demarreFRAMEDTEXT [...] [..=..] ... \stoppeFRAMEDTEXT
demarretexteencadre:instance:framedtext	\demarreframedtext [...] [..=..] ... \stoppeframedtext
demarretextflow	\demarretextflow [...] ... \stoppetextflow
demarretokenlist	\demarretokenlist [...] ... \stoppetokenlist
demarretokens	\demarretokens [...] ... \stoppetokens
demarretransparent	\demarretransparent [...] ... \stoppetransparent
demarretypescript	\demarretypescript [...] [...] [...] ... \stoppetypescript
demarretypescriptcollection	\demarretypescriptcollection [...] ... \stoppetypescriptcollection
demarretyping:instance	\demarreTYPING [..=..] ... \stoppeTYPING
demarretyping:instance:argument	\demarreTYPING [...] ... \stoppeTYPING
demarretyping:instance:argument:LUA	\demarreLUA [...] ... \stoppeLUA
demarretyping:instance:argument:MP	\demarreMP [...] ... \stoppeMP
demarretyping:instance:argument:PARSEDXML	\demarrePARSEDXML [...] ... \stoppePARSEDXML
demarretyping:instance:argument:TEX	\demarreTEX [...] ... \stoppeTEX
demarretyping:instance:argument:typing	\demarretyping [...] ... \stoppetyping

demarretyping:instance:argument:XML	\demarreXML [...] ... \stoppeXML
demarretyping:instance:LUA	\demarreLUA [..=..] ... \stoppeLUA
demarretyping:instance:MP	\demarreMP [..=..] ... \stoppeMP
demarretyping:instance:PARSEDXML	\demarrePARSEDXML [..=..] ... \stoppePARSEDXML
demarretyping:instance:TEX	\demarreTEX [..=..] ... \stoppeTEX
demarretyping:instance:typing	\demarretyping [..=..] ... \stoppetyping
demarretyping:instance:XML	\demarreXML [..=..] ... \stoppeXML
demarreuniqueMPgraphic	\demarreuniqueMPgraphic {...} {...} ... \stoppeuniqueMPgraphic
demarreuniqueMPpagegraphic	\demarreuniqueMPpagegraphic {...} {...} ... \stoppeuniqueMPpagegraphic
demarreusableMPgraphic	\demarreusableMPgraphic {...} {...} ... \stoppeusableMPgraphic
demarreuseMPgraphic	\demarreuseMPgraphic {...} {...} ... \stoppeuseMPgraphic
demarreusemathstyleparameter	\demarreusemathstyleparameter \... ... \stoppeusemathstyleparameter
demarreuserdata	\demarreuserdata [...] [..=..] ... \stoppeuserdata
demarreusingbtxspecification	\demarreusingbtxspecification [...] ... \stoppeusingbtxspecification
demarreva	\demarreva [...] ... \stoppeva
demarrevboxregister	\demarrevboxregister ... ... \stoppevboxregister
demarrevboxtohbox	\demarrevboxtohbox ... \stoppevboxtohbox
demarrevboxtohboxseparator	\demarrevboxtohboxseparator ... \stoppevboxtohboxseparator
demarreviewerlayer	\demarreviewerlayer [...] ... \stoppeviewerlayer
demarreviewerlayer:example	\demarreVIEWERLAYER ... \stoppeVIEWERLAYER
demarrevtopregister	\demarrevtopregister ... ... \stoppevtopregister
demarrexcell	\demarrexcell [...] [..=..] ... \stoppexcell
demarrexcellgroup	\demarrexcellgroup [...] [..=..] ... \stoppexcellgroup
demarrexcolumn	\demarrexcolumn [..=..] ... \stoppexcolumn
demarrexcolumn:name	\demarrexcolumn [...] ... \stoppexcolumn
demarrexgroup	\demarrexgroup [...] [..=..] ... \stoppexgroup
demarrexmldisplayverbatim	\demarrexmldisplayverbatim [...] ... \stoppexmldisplayverbatim
demarrexmlinlineverbatim	\demarrexmlinlineverbatim [...] ... \stoppexmlinlineverbatim
demarrexmlraw	\demarrexmlraw ... \stoppexmlraw
demarrexmlsetups	\demarrexmlsetups [...] [...] ... \stoppexmlsetups
demarrexmlsetups:string	\demarrexmlsetups ... ... \stoppexmlsetups
demarrexrow	\demarrexrow [...] [..=..] ... \stoppexrow
demarrexrowgroup	\demarrexrowgroup [...] [..=..] ... \stoppexrowgroup
demarrextable	\demarrextable [..=..] ... \stoppextable
demarrextablebody	\demarrextablebody [..=..] ... \stoppextablebody
demarrextablebody:name	\demarrextablebody [...] ... \stoppextablebody
demarrextablefoot	\demarrextablefoot [..=..] ... \stoppextablefoot
demarrextablefoot:name	\demarrextablefoot [...] ... \stoppextablefoot
demarrextablehead	\demarrextablehead [..=..] ... \stoppextablehead
demarrextablehead:name	\demarrextablehead [...] ... \stoppextablehead
demarrextablenext	\demarrextablenext [..=..] ... \stoppextablenext
demarrextablenext:name	\demarrextablenext [...] ... \stoppextablenext
demarrextable:example	\demarreXTABLE [..=..] ... \stoppeXTABLE
demarrextable:name	\demarrextable [...] ... \stoppextable
depthofstring	\depthofstring {...}
depthonlybox	\depthonlybox {...}
depthspanningtext	\depthspanningtext {...} {...} {...}
depthstrut	\depthstrut
dernieresouspage	\dernieresouspage
description:example	\DESCRIPTION [...] {...} ... \par
determinecaracteristiqueliste	\determinecaracteristiqueliste [...] [..=..]
determinecaracteristiquesregistre	\determinecaracteristiquesregistre [...] [..=..]
determinenoflines	\determinenoflines {...}
determinenumerotete	\determinenumerotete [...]
devanagarinumerals	\devanagarinumerals {...}
digits	\digits {...}
digits:string	\digits ...
dimensiontocount	\dimensiontocount {...} \...
directboxfromcache	\directboxfromcache {...} {...}
directcolor	\directcolor [...]
directcolored	\directcolored [..=..]
directcolored:name	\directcolored [...]
directconvertedcounter	\directconvertedcounter {...} {...}
directcopyboxfromcache	\directcopyboxfromcache {...} {...}
directdummyparameter	\directdummyparameter {...}
directgetboxllx	\directgetboxllx ...
directgetboxlly	\directgetboxlly ...
directhighlight	\directhighlight {...} {...}
directlocalframed	\directlocalframed [...] {...}
directluacode	\directluacode {...}
directselect	\directselect {...} {...} {...} {...} {...} {...}
directsetbar	\directsetbar {...} ^{OPT OPT OPT OPT OPT}

```
directsetup                        \directsetup {...}
directsymbol                       \directsymbol {...} {...}
directvspacing                     \directvspacing {...}
dis                                \dis {...}
disabledirectives                  \disabledirectives [...]
disableexperiments                 \disableexperiments [...]
disablemode                        \disablemode [...]
disableoutputstream                \disableoutputstream
disableparpositions                \disableparpositions
disableregime                      \disableregime
disabletrackers                    \disabletrackers [...]
displaymath                        \displaymath {...}
displaymathematics                 \displaymathematics {...}
displaymessage                     \displaymessage {...}
distributedhsize                   \distributedhsize {...} {...} {...}
dividedsize                        \dividedsize {...} {...} {...}
doadaptleftskip                    \doadaptleftskip {...}
doadaptrightskip                   \doadaptrightskip {...}
doaddfeature                       \doaddfeature {...}
doassign                           \doassign [...] [..=..]
doassignempty                      \doassignempty [...] [..=..]
doboundtext                        \doboundtext {...} {...} {...}
docheckassignment                  \docheckassignment {...}
docheckedpagestate                 \docheckedpagestate {...} {...} {...} {...} {...} {...} {...}
docheckedpair                      \docheckedpair {...}
documentvariable                   \documentvariable {...}
dodoubleargument                   \dodoubleargument \... [...] [...]
dodoubleargumentwithset            \dodoubleargumentwithset \... [...] [...]
dodoubleempty                      \dodoubleempty \... [...] [...]
dodoubleemptywithset               \dodoubleemptywithset \... [...] [...]
dodoublegroupempty                 \dodoublegroupempty \... {...} {...}
doeassign                          \doeassign [...] [..=..]
doexpandedrecurse                  \doexpandedrecurse {...} {...}
dofastloopcs                       \dofastloopcs {...} \...
dogetattribute                     \dogetattribute {...}
dogetattributeid                   \dogetattributeid {...}
dogetcommacommandelement           \dogetcommacommandelement ... \from ... \to \...
dogobbledoubleempty                \dogobbledoubleempty [...] [...]
dogobblesingleempty                \dogobblesingleempty [...]
doif                               \doif {...} {...} {...}
doifallcommon                      \doifallcommon {...} {...} {...}
doifallcommonelse                  \doifallcommonelse {...} {...} {...} {...}
doifalldefinedelse                 \doifalldefinedelse {...} {...} {...}
doifallmodes                       \doifallmodes {...} {...} {...}
doifallmodeselse                   \doifallmodeselse {...} {...} {...}
doifassignmentelse                 \doifassignmentelse {...} {...} {...}
doifassignmentelsecs               \doifassignmentelsecs {...} \... \...
doifblackelse                      \doifblackelse {...} {...} {...}
doifbothsides                      \doifbothsides {...} {...} {...}
doifbothsidesoverruled             \doifbothsidesoverruled {...} {...} {...}
doifboxelse                        \doifboxelse {...} {...} {...} {...}
doifbufferelse                     \doifbufferelse {...} {...} {...}
doifcolor                          \doifcolor {...} {...}
doifcolorelse                      \doifcolorelse {...} {...} {...}
doifcommandhandler                 \doifcommandhandler \... {...} {...}
doifcommandhandlerelse             \doifcommandhandlerelse \... {...} {...} {...}
doifcommon                         \doifcommon {...} {...} {...}
doifcommonelse                     \doifcommonelse {...} {...} {...} {...}
doifcontent                        \doifcontent {...} {...} {...} \... {...}
doifconversiondefinedelse          \doifconversiondefinedelse {...} {...} {...}
doifconversionnumberelse           \doifconversionnumberelse {...} {...} {...} {...}
doifcounter                        \doifcounter {...} {...}
doifcounterelse                    \doifcounterelse {...} {...} {...}
doifcurrentfonthasfeatureelse      \doifcurrentfonthasfeatureelse {...} {...} {...}
doifdefined                        \doifdefined {...} {...}
doifdefinedcounter                 \doifdefinedcounter {...} {...}
doifdefinedcounterelse             \doifdefinedcounterelse {...} {...} {...}
doifdefinedelse                    \doifdefinedelse {...} {...} {...}
doifdimensionelse                  \doifdimensionelse {...} {...} {...}
doifdimenstringelse                \doifdimenstringelse {...} {...} {...}
doifdocumentargument               \doifdocumentargument {...} {...}
doifdocumentargumentelse           \doifdocumentargumentelse {...} {...} {...}
```

doifdocumentfilename	\doifdocumentfilename {...} {...}
doifdocumentfilenameelse	\doifdocumentfilenameelse {...} {...} {...}
doifdocumentvariable	\doifdocumentvariable {...} {...}
doifdocumentvariableelse	\doifdocumentvariableelse {...} {...} {...}
doifdrawingblackelse	\doifdrawingblackelse {...} {...}
doifelse	\doifelse {...} {...} {...} {...}
doifelseallcommon	\doifelseallcommon {...} {...} {...} {...}
doifelsealldefined	\doifelsealldefined {...} {...} {...}
doifelseallmodes	\doifelseallmodes {...} {...} {...}
doifelseassignment	\doifelseassignment {...} {...} {...}
doifelseassignmentcs	\doifelseassignmentcs {...} \... \...
doifelseblack	\doifelseblack {...} {...} {...}
doifelsebox	\doifelsebox {...} {...} {...} {...}
doifelseboxincache	\doifelseboxincache {...} {...} {...} {...}
doifelsebuffer	\doifelsebuffer {...} {...} {...}
doifelsecolor	\doifelsecolor {...} {...} {...}
doifelsecommandhandler	\doifelsecommandhandler \... {...} {...} {...}
doifelsecommon	\doifelsecommon {...} {...} {...} {...}
doifelseconversiondefined	\doifelseconversiondefined {...} {...} {...}
doifelseconversionnumber	\doifelseconversionnumber {...} {...} {...} {...}
doifelsecounter	\doifelsecounter {...} {...} {...}
doifelsecurrentfonthasfeature	\doifelsecurrentfonthasfeature {...} {...} {...}
doifelsecurrentsortingused	\doifelsecurrentsortingused {...} {...}
doifelsecurrentsynonymshown	\doifelsecurrentsynonymshown {...} {...}
doifelsecurrentsynonymused	\doifelsecurrentsynonymused {...} {...}
doifelsedefined	\doifelsedefined {...} {...} {...}
doifelsedefinedcounter	\doifelsedefinedcounter {...} {...} {...}
doifelsedimension	\doifelsedimension {...} {...} {...}
doifelsedimenstring	\doifelsedimenstring {...} {...} {...}
doifelsedocumentargument	\doifelsedocumentargument {...} {...} {...}
doifelsedocumentfilename	\doifelsedocumentfilename {...} {...} {...}
doifelsedocumentvariable	\doifelsedocumentvariable {...} {...} {...}
doifelsedrawingblack	\doifelsedrawingblack {...} {...}
doifelseempty	\doifelseempty {...} {...} {...}
doifelseemptyvalue	\doifelseemptyvalue {...} {...} {...}
doifelseemptyvariable	\doifelseemptyvariable {...} {...} {...} {...}
doifelseenv	\doifelseenv {...} {...} {...}
doifelsefastoptionalcheck	\doifelsefastoptionalcheck {...} {...}
doifelsefastoptionalcheckcs	\doifelsefastoptionalcheckcs \... \...
doifelsefieldbody	\doifelsefieldbody {...} {...} {...}
doifelsefieldcategory	\doifelsefieldcategory {...} {...} {...}
doifelsefigure	\doifelsefigure {...} {...} {...}
doifelsefile	\doifelsefile {...} {...} {...}
doifelsefiledefined	\doifelsefiledefined {...} {...} {...}
doifelsefileexists	\doifelsefileexists {...} {...} {...}
doifelsefirstchar	\doifelsefirstchar {...} {...} {...} {...}
doifelseflagged	\doifelseflagged {...} {...} {...}
doifelsefontchar	\doifelsefontchar {...} {...} {...} {...}
doifelsefontfeature	\doifelsefontfeature {...} {...} {...}
doifelsefontpresent	\doifelsefontpresent {...} {...} {...}
doifelsefontsynonym	\doifelsefontsynonym {...} {...} {...}
doifelseframed	\doifelseframed \... {...} {...}
doifelsehasspace	\doifelsehasspace {...} {...} {...}
doifelsehelp	\doifelsehelp {...} {...}
doifelseincsname	\doifelseincsname {...} {...} {...} {...}
doifelseinelement	\doifelseinelement {...} {...} {...}
doifelseinputfile	\doifelseinputfile {...} {...} {...}
doifelseinsertion	\doifelseinsertion {...} {...} {...}
doifelseinset	\doifelseinset {...} {...} {...} {...}
doifelseinstring	\doifelseinstring {...} {...} {...} {...}
doifelseinsymbolset	\doifelseinsymbolset {...} {...} {...} {...}
doifelseintoks	\doifelseintoks {...} {...} {...} {...}
doifelseintwopassdata	\doifelseintwopassdata {...} {...} {...} {...}
doifelseitalic	\doifelseitalic {...} {...}
doifelselanguage	\doifelselanguage {...} {...} {...}
doifelselayerdata	\doifelselayerdata {...} {...} {...}
doifelselayoutdefined	\doifelselayoutdefined {...} {...} {...}
doifelselayoutsomeline	\doifelselayoutsomeline {...} {...} {...}
doifelselayouttextline	\doifelselayouttextline {...} {...} {...}
doifelseleapyear	\doifelseleapyear {...} {...} {...}
doifelselist	\doifelselist {...} {...} {...}
doifelselocation	\doifelselocation {...} {...}

```
doifelselocfile                    \doifelselocfile {...} {...} {...}
doifelseMPgraphic                  \doifelseMPgraphic {...} {...} {...}
doifelsemainfloatbody              \doifelsemainfloatbody {...} {...}
doifelsemarkedpage                 \doifelsemarkedpage {...} {...} {...}
doifelsemarking                    \doifelsemarking {...} {...} {...}
doifelsemeaning                    \doifelsemeaning \... \... {...} {...}
doifelsemessage                    \doifelsemessage {...} {...} {...} {...}
doifelsemode                       \doifelsemode {...} {...} {...}
doifelsenextbgroup                 \doifelsenextbgroup {...} {...}
doifelsenextbgroupcs               \doifelsenextbgroupcs \... \...
doifelsenextchar                   \doifelsenextchar {...} {...} {...}
doifelsenextoptional               \doifelsenextoptional {...} {...}
doifelsenextoptionalcs             \doifelsenextoptionalcs \... \...
doifelsenextparenthesis            \doifelsenextparenthesis {...} {...}
doifelsenonzeropositive            \doifelsenonzeropositive {...} {...} {...}
doifelsenoteonsamepage             \doifelsenoteonsamepage {...} {...} {...}
doifelsenothing                    \doifelsenothing {...} {...} {...}
doifelsenumber                     \doifelsenumber {...} {...} {...}
doifelseobjectfound                \doifelseobjectfound {...} {...} {...} {...}
doifelseobjectreferencefound       \doifelseobjectreferencefound {...} {...} {...} {...}
doifelseoddpage                    \doifelseoddpage {...} {...}
doifelseoddpagefloat               \doifelseoddpagefloat {...} {...}
doifelseoldercontext               \doifelseoldercontext {...} {...} {...}
doifelseolderversion               \doifelseolderversion {...} {...} {...} {...}
doifelseoverlapping                \doifelseoverlapping {...} {...} {...} {...}
doifelseoverlay                    \doifelseoverlay {...} {...} {...}
doifelseparallel                   \doifelseparallel {...} {...} {...} {...}
doifelseparentfile                 \doifelseparentfile {...} {...} {...}
doifelsepath                       \doifelsepath {...} {...} {...}
doifelsepathexists                 \doifelsepathexists {...} {...} {...}
doifelsepatterns                   \doifelsepatterns {...} {...} {...}
doifelseposition                   \doifelseposition {...} {...} {...}
doifelsepositionaction             \doifelsepositionaction {...} {...} {...}
doifelsepositiononpage             \doifelsepositiononpage {...} {...} {...} {...}
doifelsepositionsonsamepage        \doifelsepositionsonsamepage {...} {...} {...}
doifelsepositionsonthispage        \doifelsepositionsonthispage {...} {...} {...}
doifelsepositionsused              \doifelsepositionsused {...} {...}
doifelsereferencefound             \doifelsereferencefound {...} {...} {...}
doifelserightpage                  \doifelserightpage {...} {...}
doifelserightpagefloat             \doifelserightpagefloat {...} {...}
doifelserighttoleftinbox           \doifelserighttoleftinbox ... {...} {...}
doifelsesamelinereference          \doifelsesamelinereference {...} {...} {...}
doifelsesamestring                 \doifelsesamestring {...} {...} {...} {...}
doifelsesetups                     \doifelsesetups {...} {...} {...}
doifelsesomebackground             \doifelsesomebackground {...} {...} {...}
doifelsesomespace                  \doifelsesomespace {...} {...} {...}
doifelsesomething                  \doifelsesomething {...} {...} {...}
doifelsesometoks                   \doifelsesometoks \... {...} {...}
doifelsestringinstring             \doifelsestringinstring {...} {...} {...} {...}
doifelsestructurelisthasnumber     \doifelsestructurelisthasnumber {...} {...}
doifelsestructurelisthaspage       \doifelsestructurelisthaspage {...} {...}
doifelsesymboldefined              \doifelsesymboldefined {...} {...} {...}
doifelsesymbolset                  \doifelsesymbolset {...} {...} {...}
doifelsetext                       \doifelsetext {...} {...} {...}
doifelsetextflow                   \doifelsetextflow {...} {...} {...}
doifelsetextflowcollector          \doifelsetextflowcollector {...} {...} {...}
doifelsetopofpage                  \doifelsetopofpage {...} {...}
doifelsetypingfile                 \doifelsetypingfile {...} {...} {...}
doifelseundefined                  \doifelseundefined {...} {...} {...}
doifelseurldefined                 \doifelseurldefined {...} {...} {...}
doifelsevalue                      \doifelsevalue {...} {...} {...} {...}
doifelsevaluenothing               \doifelsevaluenothing {...} {...} {...}
doifelsevariable                   \doifelsevariable {...} {...} {...} {...}
doifempty                          \doifempty {...} {...}
doifemptyelse                      \doifemptyelse {...} {...} {...}
doifemptytoks                      \doifemptytoks \... {...}
doifemptyvalue                     \doifemptyvalue {...} {...}
doifemptyvalueelse                 \doifemptyvalueelse {...} {...} {...}
doifemptyvariable                  \doifemptyvariable {...} {...} {...}
doifemptyvariableelse              \doifemptyvariableelse {...} {...} {...} {...}
doifenv                            \doifenv {...} {...}
doifenvelse                        \doifenvelse {...} {...} {...}
```

```
doiffastoptionalcheckcselse          \doiffastoptionalcheckcselse \... \...
doiffastoptionalcheckelse            \doiffastoptionalcheckelse {...} {...}
doiffieldbodyelse                    \doiffieldbodyelse {...} {...} {...}
doiffieldcategoryelse                \doiffieldcategoryelse {...} {...} {...}
doiffigureelse                       \doiffigureelse {...} {...} {...}
doiffile                             \doiffile {...} {...}
doiffiledefinedelse                  \doiffiledefinedelse {...} {...} {...}
doiffileelse                         \doiffileelse {...} {...} {...}
doiffileexistselse                   \doiffileexistselse {...} {...} {...}
doiffirstcharelse                    \doiffirstcharelse {...} {...} {...} {...}
doifflaggedelse                      \doifflaggedelse {...} {...} {...}
doiffontcharelse                     \doiffontcharelse {...} {...} {...} {...}
doiffontfeatureelse                  \doiffontfeatureelse {...} {...} {...}
doiffontpresentelse                  \doiffontpresentelse {...} {...} {...}
doiffontsynonymelse                  \doiffontsynonymelse {...} {...} {...}
doifhasspaceelse                     \doifhasspaceelse {...} {...} {...}
doifhelpelse                         \doifhelpelse {...} {...}
doifincsnameelse                     \doifincsnameelse {...} {...} {...} {...}
doifinelementelse                    \doifinelementelse {...} {...} {...}
doifinputfileelse                    \doifinputfileelse {...} {...} {...}
doifinsertionelse                    \doifinsertionelse {...} {...} {...}
doifinset                            \doifinset {...} {...} {...}
doifinsetelse                        \doifinsetelse {...} {...} {...} {...}
doifinstring                         \doifinstring {...} {...} {...}
doifinstringelse                     \doifinstringelse {...} {...} {...} {...}
doifinsymbolset                      \doifinsymbolset {...} {...} {...} {...}
doifinsymbolsetelse                  \doifinsymbolsetelse {...} {...} {...} {...}
doifintokselse                       \doifintokselse {...} {...} {...} {...}
doifintwopassdataelse                \doifintwopassdataelse {...} {...} {...} {...}
doifitalicelse                       \doifitalicelse {...} {...}
doiflanguageelse                     \doiflanguageelse {...} {...} {...}
doiflayerdataelse                    \doiflayerdataelse {...} {...} {...}
doiflayoutdefinedelse                \doiflayoutdefinedelse {...} {...} {...}
doiflayoutsomelineelse               \doiflayoutsomelineelse {...} {...} {...}
doiflayouttextlineelse               \doiflayouttextlineelse {...} {...} {...}
doifleapyearelse                     \doifleapyearelse {...} {...} {...}
doiflistelse                         \doiflistelse {...} {...} {...}
doiflocationelse                     \doiflocationelse {...} {...}
doiflocfileelse                      \doiflocfileelse {...} {...} {...}
doifMPgraphicelse                    \doifMPgraphicelse {...} {...} {...}
doifmainfloatbodyelse                \doifmainfloatbodyelse {...} {...}
doifmarkingelse                      \doifmarkingelse {...} {...} {...}
doifmeaningelse                      \doifmeaningelse \... \... {...} {...}
doifmessageelse                      \doifmessageelse {...} {...} {...} {...}
doifmode                             \doifmode {...} {...}
doifmodeelse                         \doifmodeelse {...} {...} {...}
doifnextbgroupcselse                 \doifnextbgroupcselse \... \...
doifnextbgroupelse                   \doifnextbgroupelse {...} {...}
doifnextcharelse                     \doifnextcharelse {...} {...} {...}
doifnextoptionalcselse               \doifnextoptionalcselse \... \...
doifnextoptionalelse                 \doifnextoptionalelse {...} {...}
doifnextparenthesiselse              \doifnextparenthesiselse {...} {...}
doifnonzeropositiveelse              \doifnonzeropositiveelse {...} {...} {...}
doifnot                              \doifnot {...} {...} {...}
doifnotallcommon                     \doifnotallcommon {...} {...} {...}
doifnotallmodes                      \doifnotallmodes {...} {...} {...}
doifnotcommandhandler                \doifnotcommandhandler \... {...} {...}
doifnotcommon                        \doifnotcommon {...} {...} {...}
doifnotcounter                       \doifnotcounter {...} {...}
doifnotdocumentargument              \doifnotdocumentargument {...} {...}
doifnotdocumentfilename              \doifnotdocumentfilename {...} {...}
doifnotdocumentvariable              \doifnotdocumentvariable {...} {...}
doifnotempty                         \doifnotempty {...} {...}
doifnotemptyvalue                    \doifnotemptyvalue {...} {...}
doifnotemptyvariable                 \doifnotemptyvariable {...} {...} {...}
doifnotenv                           \doifnotenv {...} {...}
doifnoteonsamepageelse               \doifnoteonsamepageelse {...} {...} {...}
doifnotescollected                   \doifnotescollected {...} {...}
doifnotfile                          \doifnotfile {...} {...}
doifnotflagged                       \doifnotflagged {...} {...}
doifnothing                          \doifnothing {...} {...}
doifnothingelse                      \doifnothingelse {...} {...} {...}
```

```
doifnotinset                          \doifnotinset {...} {...} {...}
doifnotinsidesplitfloat               \doifnotinsidesplitfloat {...}
doifnotinstring                       \doifnotinstring {...} {...} {...}
doifnotmode                           \doifnotmode {...} {...}
doifnotnumber                         \doifnotnumber {...} {...}
doifnotsamestring                     \doifnotsamestring {...} {...} {...}
doifnotsetups                         \doifnotsetups {...} {...}
doifnotvalue                          \doifnotvalue {...} {...} {...}
doifnotvariable                       \doifnotvariable {...} {...} {...}
doifnumber                            \doifnumber {...} {...}
doifnumberelse                        \doifnumberelse {...} {...} {...}
doifobjectfoundelse                   \doifobjectfoundelse {...} {...} {...} {...}
doifobjectreferencefoundelse          \doifobjectreferencefoundelse {...} {...} {...} {...}
doifoddpageelse                       \doifoddpageelse {...} {...}
doifoddpagefloatelse                  \doifoddpagefloatelse {...} {...}
doifoldercontextelse                  \doifoldercontextelse {...} {...} {...}
doifolderversionelse                  \doifolderversionelse {...} {...} {...} {...}
doifoverlappingelse                   \doifoverlappingelse {...} {...} {...} {...}
doifoverlayelse                       \doifoverlayelse {...} {...} {...}
doifparallelelse                      \doifparallelelse {...} {...} {...} {...}
doifparentfileelse                    \doifparentfileelse {...} {...} {...}
doifpathelse                          \doifpathelse {...} {...} {...}
doifpathexistselse                    \doifpathexistselse {...} {...} {...}
doifpatternselse                      \doifpatternselse {...} {...} {...}
doifposition                          \doifposition {...} {...} {...}
doifpositionaction                    \doifpositionaction {...} {...} {...}
doifpositionactionelse                \doifpositionactionelse {...} {...} {...}
doifpositionelse                      \doifpositionelse {...} {...} {...}
doifpositiononpageelse                \doifpositiononpageelse {...} {...} {...} {...}
doifpositionsonsamepageelse           \doifpositionsonsamepageelse {...} {...} {...}
doifpositionsonthispageelse           \doifpositionsonthispageelse {...} {...} {...}
doifpositionsusedelse                 \doifpositionsusedelse {...} {...}
doifreferencefoundelse                \doifreferencefoundelse {...} {...} {...}
doifrightpagefloatelse                \doifrightpagefloatelse {...} {...}
doifrighttoleftinboxelse              \doifrighttoleftinboxelse ... {...} {...}
doifsamelinereferenceelse             \doifsamelinereferenceelse {...} {...} {...}
doifsamestring                        \doifsamestring {...} {...} {...}
doifsamestringelse                    \doifsamestringelse {...} {...} {...} {...}
doifsetups                            \doifsetups {...} {...}
doifsetupselse                        \doifsetupselse {...} {...} {...}
doifsomebackground                    \doifsomebackground {...} {...} {...}
doifsomebackgroundelse                \doifsomebackgroundelse {...} {...} {...}
doifsomespaceelse                     \doifsomespaceelse {...} {...} {...}
doifsomething                         \doifsomething {...} {...}
doifsomethingelse                     \doifsomethingelse {...} {...} {...}
doifsometoks                          \doifsometoks \... {...}
doifsometokselse                      \doifsometokselse \... {...} {...}
doifstringinstringelse                \doifstringinstringelse {...} {...} {...} {...}
doifstructurelisthasnumberelse        \doifstructurelisthasnumberelse {...} {...}
doifstructurelisthaspageelse          \doifstructurelisthaspageelse {...} {...}
doifsymboldefinedelse                 \doifsymboldefinedelse {...} {...} {...}
doifsymbolsetelse                     \doifsymbolsetelse {...} {...} {...}
doiftext                              \doiftext {...} {...} {...}
doiftextelse                          \doiftextelse {...} {...} {...}
doiftextflowcollectorelse             \doiftextflowcollectorelse {...} {...} {...}
doiftextflowelse                      \doiftextflowelse {...} {...} {...}
doiftopofpageelse                     \doiftopofpageelse {...} {...}
doiftypingfileelse                    \doiftypingfileelse {...} {...} {...}
doifundefined                         \doifundefined {...} {...}
doifundefinedcounter                  \doifundefinedcounter {...} {...}
doifundefinedelse                     \doifundefinedelse {...} {...} {...}
doifunknownfontfeature                \doifunknownfontfeature {...} {...} {...}
doifurldefinedelse                    \doifurldefinedelse {...} {...} {...}
doifvalue                             \doifvalue {...} {...} {...}
doifvalueelse                         \doifvalueelse {...} {...} {...} {...}
doifvaluenothing                      \doifvaluenothing {...} {...}
doifvaluenothingelse                  \doifvaluenothingelse {...} {...} {...}
doifvaluesomething                    \doifvaluesomething {...} {...}
doifvariable                          \doifvariable {...} {...} {...}
doifvariableelse                      \doifvariableelse {...} {...} {...} {...}
doindentation                         \doindentation
dollar                                \dollar
```

doloop	`\doloop {...}`
doloopoverlist	`\doloopoverlist {...} {...}`
donothing	`\donothing`
dontconvertfont	`\dontconvertfont`
dontleavehmode	`\dontleavehmode`
dontpermitspacesbetweengroups	`\dontpermitspacesbetweengroups`
dopositionaction	`\dopositionaction {...}`
doprocesslocalsetups	`\doprocesslocalsetups {...}`
doquadrupleargument	`\doquadrupleargument \... [...] [...] [...] [...]`
doquadrupleempty	`\doquadrupleempty \... [...] [...] [...] [...]`
doquadruplegroupempty	`\doquadruplegroupempty \... {...} {...} {...} {...}`
doquintupleargument	`\doquintupleargument \... [...] [...] [...] [...] [...]`
doquintupleempty	`\doquintupleempty \... [...] [...] [...] [...] [...]`
doquintuplegroupempty	`\doquintuplegroupempty \... {...} {...} {...} {...} {...}`
dorechecknextindentation	`\dorechecknextindentation`
dorecurse	`\dorecurse {...} {...}`
dorepeatwithcommand	`\dorepeatwithcommand [...] \...`
doreplacefeature	`\doreplacefeature {...}`
doresetandafffeature	`\doresetandafffeature {...}`
doresetattribute	`\doresetattribute {...}`
dorotatebox	`\dorotatebox {...} \... {...}`
dosetattribute	`\dosetattribute {...} {...}`
dosetleftskipadaption	`\dosetleftskipadaption {...}`
dosetrightskipadaption	`\dosetrightskipadaption {...}`
dosetupcheckedinterlinespace	`\dosetupcheckedinterlinespace {..=..}`
dosetupcheckedinterlinespace:argument	`\dosetupcheckedinterlinespace {...}`
dosetupcheckedinterlinespace:name	`\dosetupcheckedinterlinespace {...}`
doseventupleargument	`\doseventupleargument \... [...] [...] [...] [...] [...] [...] [...]`
doseventupleempty	`\doseventupleempty \... [...] [...] [...] [...] [...] [...] [...]`
dosingleargument	`\dosingleargument \... [...]`
dosingleempty	`\dosingleempty \... [...]`
dosinglegroupempty	`\dosinglegroupempty \... {...}`
dosixtupleargument	`\dosixtupleargument \... [...] [...] [...] [...] [...] [...]`
dosixtupleempty	`\dosixtupleempty \... [...] [...] [...] [...] [...] [...]`
dostarttagged	`\dostarttagged {...} {...} ... \dostoptagged`
dostepwiserecurse	`\dostepwiserecurse {...} {...} {...} {...}`
dosubtractfeature	`\dosubtractfeature {...}`
dotfskip	`\dotfskip {...}`
dotoks	`\dotoks \...`
dotripleargument	`\dotripleargument \... [...] [...] [...]`
dotripleargumentwithset	`\dotripleargumentwithset \... [...] [...] [...]`
dotripleempty	`\dotripleempty \... [...] [...] [...]`
dotripleemptywithset	`\dotripleemptywithset \... [...] [...] [...]`
dotriplegroupempty	`\dotriplegroupempty \... {...} {...} {...}`
doublebond	`\doublebond`
dowith	`\dowith {...} {...}`
dowithnextbox	`\dowithnextbox {...} \... {...}`
dowithnextboxcontent	`\dowithnextboxcontent {...} {...} \... {...}`
dowithnextboxcontentcs	`\dowithnextboxcontentcs \... \... \... {...}`
dowithnextboxcs	`\dowithnextboxcs \... \... {...}`
dowithpargument	`\dowithpargument \...`
dowithrange	`\dowithrange {...} \...`
dowithwargument	`\dowithwargument \...`
dpofstring	`\dpofstring {...}`
droite	`\droite ...`
dummydigit	`\dummydigit`
dummyparameter	`\dummyparameter {...}`
ETEX	`\ETEX`
EveryLine	`\EveryLine {...}`
EveryPar	`\EveryPar {...}`
echelle	`\echelle [...] [..=..] {...}`
ecran	`\ecran [...]`
ecritdansliste	`\ecritdansliste [...] [..=..] {...} {...}`
ecritentreliste	`\ecritentreliste [...] [..=..] {...}`
edefconvertedargument	`\edefconvertedargument \... {...}`
efcmaxheight	`\efcmaxheight {...}`
efcmaxwidth	`\efcmaxwidth {...}`
efcminheight	`\efcminheight {...}`
efcminwidth	`\efcminwidth {...}`
efcparameter	`\efcparameter {...} {...}`
effect	`\effect [...] {...}`
elapsedseconds	`\elapsedseconds`

elapsedtime	\elapsedtime
element	\element [...]
elements	\elements [..=..] {...}
em	\em
emphasisboldface	\emphasisboldface
emphasistypeface	\emphasistypeface
emptylines	\emptylines [...]
emspace	\emspace
enabledirectives	\enabledirectives [...]
enableexperiments	\enableexperiments [...]
enablemode	\enablemode [...]
enableoutputstream	\enableoutputstream [...]
enableparpositions	\enableparpositions
enableregime	\enableregime [...]
enabletrackers	\enabletrackers [...]
enskip	\enskip
enspace	\enspace
enumeration:example	\ENUMERATION [...] {...} ... \par
env	\env {...}
environement	\environement [...]
environement:string	\environement ...
envvar	\envvar {...} {...}
epos	\epos {...}
equaldigits	\equaldigits {...}
espace	\espace
espacefixe	\espacefixe
espacesfixes	\espacesfixes
eTeX	\eTeX
etiquette:example	\ETIQUETTE [...] {...}
etire	\etire [..=..] {...}
executeifdefined	\executeifdefined {...} {...}
exitloop	\exitloop
exitloopnow	\exitloopnow
expandcheckedcsname	\expandcheckedcsname \... {...} {...}
expanded	\expanded {...}
expandeddoif	\expandeddoif {...} {...} {...}
expandeddoifelse	\expandeddoifelse {...} {...} {...} {...}
expandeddoifnot	\expandeddoifnot {...} {...} {...}
expandfontsynonym	\expandfontsynonym \... {...}
expdoif	\expdoif {...} {...} {...}
expdoifcommonelse	\expdoifcommonelse {...} {...} {...} {...}
expdoifelse	\expdoifelse {...} {...} {...} {...}
expdoifelsecommon	\expdoifelsecommon {...} {...} {...} {...}
expdoifelseinset	\expdoifelseinset {...} {...} {...} {...}
expdoifinsetelse	\expdoifinsetelse {...} {...} {...} {...}
expdoifnot	\expdoifnot {...} {...} {...}
externalfigurecollectionmaxheight	\externalfigurecollectionmaxheight {...}
externalfigurecollectionmaxwidth	\externalfigurecollectionmaxwidth {...}
externalfigurecollectionminheight	\externalfigurecollectionminheight {...}
externalfigurecollectionminwidth	\externalfigurecollectionminwidth {...}
externalfigurecollectionparameter	\externalfigurecollectionparameter {...} {...}
faitreference	\faitreference (...,...) (...,...) [...]
fakebox	\fakebox ...
fastdecrement	\fastdecrement \...
fastincrement	\fastincrement \...
fastlocalframed	\fastlocalframed [...] [..=..] {...}
fastloopfinal	\fastloopfinal
fastloopindex	\fastloopindex
fastscale	\fastscale {...} {...}
fastsetup	\fastsetup {...}
fastsetupwithargument	\fastsetupwithargument {...} {...}
fastsetupwithargumentswapped	\fastsetupwithargumentswapped {...} {...}
fastswitchtobodyfont	\fastswitchtobodyfont {...}
fastsxsy	\fastsxsy {...} {...} {...}
feature	\feature [...] [...]
feature:direct	\feature {...} {...}
fence	\fence
fenced	\fenced [...] {...}
fence:example	\FENCE {...}
fetchallmarkings	\fetchallmarkings [...] [...]
fetchallmarks	\fetchallmarks [...]
fetchmark	\fetchmark [...] [...]

```
fetchmarking                    \fetchmarking [...] [...] [...]
fetchonemark                    \fetchonemark [...] [...]
fetchonemarking                 \fetchonemarking [...] [...] [...]
fetchruntinecommand             \fetchruntinecommand \... {...}
fetchtwomarkings                \fetchtwomarkings [...] [...]
fetchtwomarks                   \fetchtwomarks [...]
fichierdactylo                  \fichierdactylo [...] [..=..] {...}
fieldbody                       \fieldbody [...] [..=..]
fifthoffivearguments            \fifthoffivearguments {...} {...} {...} {...} {...}
fifthofsixarguments             \fifthofsixarguments {...} {...} {...} {...} {...} {...}
figureexterne                   \figureexterne [...] [...] [..=..]
figurefilename                  \figurefilename
figurefilepath                  \figurefilepath
figurefiletype                  \figurefiletype
figurefullname                  \figurefullname
figureheight                    \figureheight
figurenaturalheight             \figurenaturalheight
figurenaturalwidth              \figurenaturalwidth
figuresymbol                    \figuresymbol [...] [..=..]
figurewidth                     \figurewidth
filename                        \filename {...}
filledhboxb                     \filledhboxb ... {...}
filledhboxc                     \filledhboxc ... {...}
filledhboxg                     \filledhboxg ... {...}
filledhboxk                     \filledhboxk ... {...}
filledhboxm                     \filledhboxm ... {...}
filledhboxr                     \filledhboxr ... {...}
filledhboxy                     \filledhboxy ... {...}
filler                          \filler [...]
fillupto                        \fillupto [...] {...}
filterfromnext                  \filterfromnext {...} {...} {...} {...} {...} {...} {...}
filterfromvalue                 \filterfromvalue {...} {...} {...}  OPT   OPT   OPT   OPT
filterpages                     \filterpages [...] [...] [..=..]
filterreference                 \filterreference {...}
findtwopassdata                 \findtwopassdata {...} {...}
finishregisterentry             \finishregisterentry [...] [..=..] [..=..]
firstcharacter                  \firstcharacter
firstcounter                    \firstcounter [...] [...]
firstcountervalue               \firstcountervalue [...]
firstinlist                     \firstinlist [...]
firstoffivearguments            \firstoffivearguments {...} {...} {...} {...} {...}
firstoffourarguments            \firstoffourarguments {...} {...} {...} {...}
firstofoneargument              \firstofoneargument {...}
firstofoneunexpanded            \firstofoneunexpanded {...}
firstofsixarguments             \firstofsixarguments {...} {...} {...} {...} {...} {...}
firstofthreearguments           \firstofthreearguments {...} {...} {...}
firstofthreeunexpanded          \firstofthreeunexpanded {...} {...} {...}
firstoftwoarguments             \firstoftwoarguments {...} {...}
firstoftwounexpanded            \firstoftwounexpanded {...} {...}
firstrealpage                   \firstrealpage
firstrealpagenumber             \firstrealpagenumber
firstsubcountervalue            \firstsubcountervalue [...] [...]
firstsubpagenumber              \firstsubpagenumber
firstuserpage                   \firstuserpage
firstuserpagenumber             \firstuserpagenumber
fitfieldframed                  \fitfieldframed [..=..] {...}
fittopbaselinegrid              \fittopbaselinegrid {...}
flag                            \flag {...}
floatuserdataparameter          \floatuserdataparameter {...}
flushbox                        \flushbox {...} {...}
flushboxregister                \flushboxregister ...
flushcollector                  \flushcollector [...]
flushedrightlastline            \flushedrightlastline
flushlayer                      \flushlayer [...]
flushlocalfloats                \flushlocalfloats
flushnextbox                    \flushnextbox
flushnotes                      \flushnotes
flushoutputstream               \flushoutputstream [...]
flushshapebox                   \flushshapebox
flushtextflow                   \flushtextflow {...}
flushtokens                     \flushtokens [...]
flushtoks                       \flushtoks \...
```

```
fontalternative                    \fontalternative
fontbody                           \fontbody
fontchar                           \fontchar {...}
fontcharbyindex                    \fontcharbyindex {...}
fontclass                          \fontclass
fontclassname                      \fontclassname {...} {...}
fontface                           \fontface
fontfeaturelist                    \fontfeaturelist [...] [...]
fontsize                           \fontsize
fontstyle                          \fontstyle
forcecharacterstripping            \forcecharacterstripping
forcelocalfloats                   \forcelocalfloats
forgeteverypar                     \forgeteverypar
forgetparameters                   \forgetparameters [...] [..=..]
forgetparskip                      \forgetparskip
forgetragged                       \forgetragged
formule                            \formule [...] {...}
foundbox                           \foundbox {...} {...}
fourthoffivearguments              \fourthoffivearguments {...} {...} {...} {...} {...}
fourthoffourarguments              \fourthoffourarguments {...} {...} {...} {...}
fourthofsixarguments               \fourthofsixarguments {...} {...} {...} {...} {...} {...}
fraction:instance                  \FRACTION {...} {...}
fraction:instance:binom            \binom {...} {...}
fraction:instance:dbinom           \dbinom {...} {...}
fraction:instance:dfrac            \dfrac {...} {...}
fraction:instance:frac             \frac {...} {...}
fraction:instance:sfrac            \sfrac {...} {...}
fraction:instance:tbinom           \tbinom {...} {...}
fraction:instance:xfrac            \xfrac {...} {...}
fraction:instance:xxfrac           \xxfrac {...} {...}
framed                             \framed [..=..] {...}
frameddimension                    \frameddimension {...}
framedparameter                    \framedparameter {...}
framed:instance                    \FRAMED [..=..] {...}
framed:instance:fitfieldframed     \fitfieldframed [..=..] {...}
framed:instance:unframed           \unframed [..=..] {...}
freezedimenmacro                   \freezedimenmacro \... \...
freezemeasure                      \freezemeasure [...] [...]
frenchspacing                      \frenchspacing
fromlinenote                       \fromlinenote [...] {...}
frozenhbox                         \frozenhbox {...}
frule                              \frule ... \relax
GetPar                             \GetPar
GotoPar                            \GotoPar
Greeknumerals                      \Greeknumerals {...}
gardeblocs                         \gardeblocs [...] [...]
gauche                             \gauche ...
gdefconvertedargument              \gdefconvertedargument \... {...}
gdefconvertedcommand               \gdefconvertedcommand \... \...
getboxfromcache                    \getboxfromcache {...} {...} ...
getboxllx                          \getboxllx ...
getboxlly                          \getboxlly ...
getbufferdata                      \getbufferdata [...]
getcommacommandsize                \getcommacommandsize [...]
getcommalistsize                   \getcommalistsize [...]
getdayoftheweek                    \getdayoftheweek {...} {...} {...}
getdayspermonth                    \getdayspermonth {...} {...}
getdefinedbuffer                   \getdefinedbuffer [...]
getdocumentargument                \getdocumentargument {...}
getdocumentargumentdefault         \getdocumentargumentdefault {...} {...}
getdocumentfilename                \getdocumentfilename {...}
getdummyparameters                 \getdummyparameters [..=..]
getemptyparameters                 \getemptyparameters [...] [..=..]
geteparameters                     \geteparameters [...] [..=..]
getexpandedparameters              \getexpandedparameters [...] [..=..]
getfiguredimensions                \getfiguredimensions [...] [..=..]
getfirstcharacter                  \getfirstcharacter {...}
getfirsttwopassdata                \getfirsttwopassdata {...}
getfromcommacommand                \getfromcommacommand [...] [...]
getfromcommalist                   \getfromcommalist [...] [...]
getfromtwopassdata                 \getfromtwopassdata {...} {...}
getglyphdirect                     \getglyphdirect {...} {...}
```

getglyphstyled	`\getglyphstyled {...} {...}`
getgparameters	`\getgparameters [...] [..=..]`
getinlineuserdata	`\getinlineuserdata`
getlasttwopassdata	`\getlasttwopassdata {...}`
getlocalfloat	`\getlocalfloat {...}`
getlocalfloats	`\getlocalfloats`
getMPdrawing	`\getMPdrawing`
getMPlayer	`\getMPlayer [...] [..=..] {...}`
getmessage	`\getmessage {...} {...}`
getnamedglyphdirect	`\getnamedglyphdirect {...} {...}`
getnamedglyphstyled	`\getnamedglyphstyled {...} {...}`
getnamedtwopassdatalist	`\getnamedtwopassdatalist \... {...}`
getnaturaldimensions	`\getnaturaldimensions ...`
getnoflines	`\getnoflines {...}`
getobject	`\getobject {...} {...}`
getobjectdimensions	`\getobjectdimensions {...} {...}`
getpaletsize	`\getpaletsize [...]`
getparameters	`\getparameters [...] [..=..]`
getprivatechar	`\getprivatechar {...}`
getprivateslot	`\getprivateslot {...}`
getrandomcount	`\getrandomcount \... {...} {...}`
getrandomdimen	`\getrandomdimen \... {...} {...}`
getrandomfloat	`\getrandomfloat \... {...} {...}`
getrandomnumber	`\getrandomnumber \... {...} {...}`
getrandomseed	`\getrandomseed \...`
getraweparameters	`\getraweparameters [...] [..=..]`
getrawgparameters	`\getrawgparameters [...] [..=..]`
getrawnoflines	`\getrawnoflines {...}`
getrawparameters	`\getrawparameters [...] [..=..]`
getrawxparameters	`\getrawxparameters [...] [..=..]`
getreference	`\getreference [...] [...]`
getreferenceentry	`\getreferenceentry {...}`
getroundednoflines	`\getroundednoflines {...}`
getsubstring	`\getsubstring {...} {...} {...}`
gettokenlist	`\gettokenlist [...]`
gettwopassdata	`\gettwopassdata {...}`
gettwopassdatalist	`\gettwopassdatalist {...}`
getuserdata	`\getuserdata`
getuvalue	`\getuvalue {...}`
getvalue	`\getvalue {...}`
getvariable	`\getvariable {...} {...}`
getvariabledefault	`\getvariabledefault {...} {...} {...}`
getxparameters	`\getxparameters [...] [..=..]`
globaldisablemode	`\globaldisablemode [...]`
globalenablemode	`\globalenablemode [...]`
globalletempty	`\globalletempty \...`
globalpopbox	`\globalpopbox ...`
globalpopmacro	`\globalpopmacro \...`
globalpreventmode	`\globalpreventmode [...]`
globalprocesscommalist	`\globalprocesscommalist [...] \...`
globalpushbox	`\globalpushbox ...`
globalpushmacro	`\globalpushmacro \...`
globalpushreferenceprefix	`\globalpushreferenceprefix {...} ... \globalpopreferenceprefix`
globalswapcounts	`\globalswapcounts \... \...`
globalswapdimens	`\globalswapdimens \... \...`
globalswapmacros	`\globalswapmacros \... \...`
globalundefine	`\globalundefine {...}`
glyphfontfile	`\glyphfontfile {...}`
gobbledoubleempty	`\gobbledoubleempty [...] [...]`
gobbleeightarguments	`\gobbleeightarguments {...} {...} {...} {...} {...} {...} {...} {...}`
gobblefivearguments	`\gobblefivearguments {...} {...} {...} {...} {...}`
gobblefiveoptionals	`\gobblefiveoptionals [...] [...] [...] [...] [...]`
gobblefourarguments	`\gobblefourarguments {...} {...} {...} {...}`
gobblefouroptionals	`\gobblefouroptionals [...] [...] [...] [...]`
gobbleninearguments	`\gobbleninearguments {...} {...} {...} {...} {...} {...} {...} {...} {...`
gobbleoneargument	`\gobbleoneargument {...}`
gobbleoneoptional	`\gobbleoneoptional [...]`
gobblesevenarguments	`\gobblesevenarguments {...} {...} {...} {...} {...} {...} {...}`
gobblesingleempty	`\gobblesingleempty [...]`
gobblesixarguments	`\gobblesixarguments {...} {...} {...} {...} {...} {...}`
gobblespacetokens	`\gobblespacetokens`
gobbletenarguments	`\gobbletenarguments {...} {...} {...} {...} {...} {...} {...} {...} {...`

gobblethreearguments	`\gobblethreearguments {...} {...} {...}`
gobblethreeoptionals	`\gobblethreeoptionals [...] [...] [...]`
gobbletwoarguments	`\gobbletwoarguments {...} {...}`
gobbletwooptionals	`\gobbletwooptionals [...] [...]`
gobbleuntil	`\gobbleuntil \...`
gobbleuntilrelax	`\gobbleuntilrelax ... \relax`
grabbufferdata	`\grabbufferdata [...] [...] [...] [...]`
grabbufferdatadirect	`\grabbufferdatadirect {...} {...} {...}`
grabuntil	`\grabuntil {...} \...`
grand	`\grand ...`
grandepolicecorp	`\grandepolicecorp`
gras	`\gras`
grasincline	`\grasincline`
grasinclinepetit	`\grasinclinepetit`
grasitalique	`\grasitalique`
grasitaliquepetit	`\grasitaliquepetit`
graspetit	`\graspetit`
grave	`\grave {...}`
grayvalue	`\grayvalue {...}`
greedysplitstring	`\greedysplitstring ... \at ... \to \... \and \...`
greeknumerals	`\greeknumerals {...}`
grille	`\grille [..=..]`
groupedcommand	`\groupedcommand {...} {...}`
gsetboxllx	`\gsetboxllx ... {...}`
gsetboxlly	`\gsetboxlly ... {...}`
gujaratinumerals	`\gujaratinumerals {...}`
gurmurkhinumerals	`\gurmurkhinumerals {...}`
hairspace	`\hairspace`
halflinestrut	`\halflinestrut`
halfstrut	`\halfstrut`
halfwaybox	`\halfwaybox {...}`
handletokens	`\handletokens ... \with \...`
hash	`\hash`
hat	`\hat {...}`
haut	`\haut {...}`
haut:instance	*\HIGH {...}*
haut:instance:unitshigh	*\unitshigh {...}*
hboxofvbox	`\hboxofvbox ...`
hboxreference	`\hboxreference [...] {...}`
hbox:example	*\hboxBOX {...}*
hdofstring	`\hdofstring {...}`
headhbox	`\headhbox ... {...}`
headnumbercontent	`\headnumbercontent`
headnumberdistance	`\headnumberdistance`
headnumberwidth	`\headnumberwidth`
headreferenceattributes	`\headreferenceattributes`
headsetupspacing	`\headsetupspacing`
headtextcontent	`\headtextcontent`
headtextdistance	`\headtextdistance`
headtextwidth	`\headtextwidth`
headvbox	`\headvbox ... {...}`
headwidth	`\headwidth`
heightanddepthofstring	`\heightanddepthofstring {...}`
heightofstring	`\heightofstring {...}`
heightspanningtext	`\heightspanningtext {...} {...} {...}`
help:instance	*\HELP [...] {...} {...}*
help:instance:helptext	*\helptext [...] {...} {...}*
hglue	`\hglue ...`
hiddencitation	`\hiddencitation [...]`
hiddencite	`\hiddencite [...]`
highlight	`\highlight [...] {...}`
highlight:example	*\HIGHLIGHT {...}*
highordinalstr	`\highordinalstr {...}`
hilo	`\hilo [...] {...} {...}`
himilo	`\himilo {...} {...} {...}`
hl	`\hl [...]`
horizontalgrowingbar	`\horizontalgrowingbar [..=..]`
horizontalpositionbar	`\horizontalpositionbar [..=..]`
hpackbox	`\hpackbox`
hpackedbox	`\hpackedbox`
hphantom	`\hphantom {...}`
hpos	`\hpos {...} {...}`

hsizefraction	`\hsizefraction {...} {...}`
hsmash	`\hsmash {...}`
hsmashbox	`\hsmashbox ...`
hsmashed	`\hsmashed {...}`
hspace	`\hspace [...] [...]`
htdpofstring	`\htdpofstring {...}`
htofstring	`\htofstring {...}`
hyphen	`\hyphen`
hyphenatedcoloredword	`\hyphenatedcoloredword {...}`
hyphenatedfile	`\hyphenatedfile {...}`
hyphenatedfilename	`\hyphenatedfilename {...}`
hyphenatedhbox	`\hyphenatedhbox {...}`
hyphenatedpar	`\hyphenatedpar {...}`
hyphenatedurl	`\hyphenatedurl {...}`
hyphenatedword	`\hyphenatedword {...}`
INRSTEX	`\INRSTEX`
ibox	`\ibox {...}`
ifassignment	`\ifassignment ... \else ... \fi`
iff	`\iff`
ifinobject	`\ifinobject ... \else ... \fi`
ifinoutputstream	`\ifinoutputstream ... \else ... \fi`
ifparameters	`\ifparameters ... \else ... \fi`
iftrialtypesetting	`\iftrialtypesetting ... \else ... \fi`
ignoreimplicitspaces	`\ignoreimplicitspaces`
ignoretagsinexport	`\ignoretagsinexport [...]`
ignorevalue	`\ignorevalue {...}`
immediatesavetwopassdata	`\immediatesavetwopassdata {...} {...} {...}`
impliedby	`\impliedby`
implies	`\implies`
incline	`\incline`
inclinegras	`\inclinegras`
inclinegraspetit	`\inclinegraspetit`
inclinepetit	`\inclinepetit`
includemenu	`\includemenu [...]`
includeversioninfo	`\includeversioninfo {...}`
inconnu	`\inconnu`
incrementcounter	`\incrementcounter [...] [...]`
incremente	`\incremente \...`
incrementedcounter	`\incrementedcounter [...]`
incremente:argument	`\incremente (...)`
incrementpagenumber	`\incrementpagenumber`
incrementsubpagenumber	`\incrementsubpagenumber`
incrementvalue	`\incrementvalue {...}`
indentation	`\indentation`
infofont	`\infofont`
infofontbold	`\infofontbold`
inframed	`\inframed [..=..] {...}`
infull	`\infull {...}`
inheritparameter	`\inheritparameter [...] [...] [...]`
inhibitblank	`\inhibitblank`
initializeboxstack	`\initializeboxstack {...}`
inlinebuffer	`\inlinebuffer [...]`
inlinedbox	`\inlinedbox {...}`
inlinemath	`\inlinemath {...}`
inlinemathematics	`\inlinemathematics {...}`
inlinemessage	`\inlinemessage {...}`
inlineordisplaymath	`\inlineordisplaymath {...} {...}`
inlineprettyprintbuffer	`\inlineprettyprintbuffer {...} {...}`
inlinerange	`\inlinerange [...]`
innerflushshapebox	`\innerflushshapebox`
input	`\input {...}`
inputfilebarename	`\inputfilebarename`
inputfilename	`\inputfilename`
inputfilerealsuffix	`\inputfilerealsuffix`
inputfilesuffix	`\inputfilesuffix`
inputgivenfile	`\inputgivenfile {...}`
input:string	`\input ...`
insertpages	`\insertpages [...] [...] [..=..]`
installactionhandler	`\installactionhandler {...}`
installactivecharacter	`\installactivecharacter ...`
installanddefineactivecharacter	`\installanddefineactivecharacter ... {...}`
installattributestack	`\installattributestack \...`

installautocommandhandler	`\installautocommandhandler \... {...} \...`
installautosetuphandler	`\installautosetuphandler \... {...}`
installbasicautosetuphandler	`\installbasicautosetuphandler \... {...} \...`
installbasicparameterhandler	`\installbasicparameterhandler \... {...}`
installbottomframerenderer	`\installbottomframerenderer {...} {...}`
installcommandhandler	`\installcommandhandler \... {...} \...`
installcorenamespace	`\installcorenamespace {...}`
installdefinehandler	`\installdefinehandler \... {...} \...`
installdefinitionset	`\installdefinitionset \... {...}`
installdefinitionsetmember	`\installdefinitionsetmember \... {...} \... {...}`
installdirectcommandhandler	`\installdirectcommandhandler \... {...}`
installdirectparameterhandler	`\installdirectparameterhandler \... {...}`
installdirectparametersethandler	`\installdirectparametersethandler \... {...}`
installdirectsetuphandler	`\installdirectsetuphandler \... {...}`
installdirectstyleandcolorhandler	`\installdirectstyleandcolorhandler \... {...}`
installelangue	`\installelangue [...] [..=..]`
installelangue:name	`\installelangue [...] [...]`
installframedautocommandhandler	`\installframedautocommandhandler \... {...} \...`
installframedcommandhandler	`\installframedcommandhandler \... {...} \...`
installglobalmacrostack	`\installglobalmacrostack \...`
installleftframerenderer	`\installleftframerenderer {...} {...}`
installmacrostack	`\installmacrostack \...`
installnamespace	`\installnamespace {...}`
installoutputroutine	`\installoutputroutine \... {...}`
installpagearrangement	`\installpagearrangement ... {...}`
installparameterhandler	`\installparameterhandler \... {...}`
installparameterhashhandler	`\installparameterhashhandler \... {...}`
installparametersethandler	`\installparametersethandler \... {...}`
installparentinjector	`\installparentinjector \... {...}`
installrightframerenderer	`\installrightframerenderer {...} {...}`
installrootparameterhandler	`\installrootparameterhandler \... {...}`
installsetuphandler	`\installsetuphandler \... {...}`
installsetuponlycommandhandler	`\installsetuponlycommandhandler \... {...}`
installshipoutmethod	`\installshipoutmethod {...} {...}`
installsimplecommandhandler	`\installsimplecommandhandler \... {...} \...`
installsimpleframedcommandhandler	`\installsimpleframedcommandhandler \... {...} \...`
installstyleandcolorhandler	`\installstyleandcolorhandler \... {...}`
installswitchcommandhandler	`\installswitchcommandhandler \... {...} \...`
installswitchsetuphandler	`\installswitchsetuphandler \... {...}`
installtexdirective	`\installtexdirective {...} {...} {...}`
installtextracker	`\installtextracker {...} {...} {...}`
installtopframerenderer	`\installtopframerenderer {...} {...}`
installunitsseparator	`\installunitsseparator {...} {...}`
installunitsspace	`\installunitsspace {...} {...}`
installversioninfo	`\installversioninfo {...} {...}`
integerrounding	`\integerrounding {...}`
intertext	`\intertext {...}`
invokepageheandler	`\invokepageheandler {...} {...}`
italiccorrection	`\italiccorrection`
italicface	`\italicface`
italique	`\italique`
italiquegras	`\italiquegras`
italiquegraspetit	`\italiquegraspetit`
itemtag	`\itemtag [...]`
JOURSEMAINE	`\JOURSEMAINE {...}`
jobfilename	`\jobfilename`
jobfilesuffix	`\jobfilesuffix`
joursemaine	`\joursemaine {...}`
kap	`\kap {...}`
keeplinestogether	`\keeplinestogether {...}`
keepunwantedspaces	`\keepunwantedspaces`
kerncharacters	`\kerncharacters [...] {...}`
koreancirclenumerals	`\koreancirclenumerals {...}`
koreannumerals	`\koreannumerals {...}`
koreannumeralsc	`\koreannumeralsc {...}`
koreannumeralsp	`\koreannumeralsp {...}`
koreanparentnumerals	`\koreanparentnumerals {...}`
LAMSTEX	`\LAMSTEX`
LATEX	`\LATEX`
LamSTeX	`\LamSTeX`
LaTeX	`\LaTeX`
LUAJITTEX	`\LUAJITTEX`

```
LUAMETATEX                              \LUAMETATEX
LUATEX                                  \LUATEX
Lua                                     \Lua
LuajitTeX                               \LuajitTeX
LuaMetaTeX                              \LuaMetaTeX
LuaTeX                                  \LuaTeX
labellanguage:instance                  \LABELlangue
labellanguage:instance:btxlabel         \btxlabellangue
labellanguage:instance:head             \headlangue
labellanguage:instance:label            \labellangue
labellanguage:instance:mathlabel        \mathlabellangue
labellanguage:instance:operator         \operatorlangue
labellanguage:instance:prefix           \prefixlangue
labellanguage:instance:suffix           \suffixlangue
labellanguage:instance:taglabel         \taglabellangue
labellanguage:instance:unit             \unitlangue
labeltexte:instance                     \LABELtexte {...}
labeltexte:instance:btxlabel            \btxlabeltexte {...}
labeltexte:instance:head                \headtexte {...}
labeltexte:instance:label               \labeltexte {...}
labeltexte:instance:mathlabel           \mathlabeltexte {...}
labeltexte:instance:operator            \operatortexte {...}
labeltexte:instance:prefix              \prefixtexte {...}
labeltexte:instance:suffix              \suffixtexte {...}
labeltexte:instance:taglabel            \taglabeltexte {...}
labeltexte:instance:unit                \unittexte {...}
labeltexts:instance                     \LABELtexts {...} {...}
labeltexts:instance:head                \headtexts {...} {...}
labeltexts:instance:label               \labeltexts {...} {...}
labeltexts:instance:mathlabel           \mathlabeltexts {...} {...}
languageCharacters                      \languageCharacters {...}
languagecharacters                      \languagecharacters {...}
languagecharwidth                       \languagecharwidth {...}
langue                                  \langue [...]
langueprincipale                        \langueprincipale [...]
langue:example                          \LANGUAGE
largeurligne                            \largeurligne
lastcounter                             \lastcounter [...] [...]
lastcountervalue                        \lastcountervalue [...]
lastdigit                               \lastdigit {...}
lastlinewidth                           \lastlinewidth
lastnaturalboxdp                        \lastnaturalboxdp
lastnaturalboxht                        \lastnaturalboxht
lastnaturalboxwd                        \lastnaturalboxwd
lastpredefinedsymbol                    \lastpredefinedsymbol
lastrealpage                            \lastrealpage
lastrealpagenumber                      \lastrealpagenumber
lastsubcountervalue                     \lastsubcountervalue [...] [...]
lastsubpagenumber                       \lastsubpagenumber
lasttwodigits                           \lasttwodigits {...}
lastuserpage                            \lastuserpage
lastuserpagenumber                      \lastuserpagenumber
lateluacode                             \lateluacode {...}
layeredtext                             \layeredtext [..=..] [..=..] {...} {...}
layerheight                             \layerheight
layerwidth                              \layerwidth
lazysavetaggedtwopassdata               \lazysavetaggedtwopassdata {...} {...} {...} {...}
lazysavetwopassdata                     \lazysavetwopassdata {...} {...} {...}
lbox                                    \lbox ... {...}
leftbottombox                           \leftbottombox {...}
leftbox                                 \leftbox {...}
lefthbox                                \lefthbox {...}
leftlabeltext:instance                  \leftLABELtexte {...}
leftlabeltext:instance:head             \leftheadtexte {...}
leftlabeltext:instance:label            \leftlabeltexte {...}
leftlabeltext:instance:mathlabel        \leftmathlabeltexte {...}
leftline                                \leftline {...}
leftorrighthbox                         \leftorrighthbox ... {...}
leftorrightvbox                         \leftorrightvbox ... {...}
leftorrightvtop                         \leftorrightvtop ... {...}
leftskipadaption                        \leftskipadaption
leftsubguillemot                        \leftsubguillemot
```

```
lefttopbox                      \lefttopbox {...}
lefttoright                     \lefttoright
lefttorighthbox                 \lefttorighthbox ... {...}
lefttorightvbox                 \lefttorightvbox ... {...}
lefttorightvtop                 \lefttorightvtop ... {...}
letbeundefined                  \letbeundefined {...}
letcatcodecommand               \letcatcodecommand \... ... \...
letcscsname                     \letcscsname \... \csname ... \endcsname
letcsnamecs                     \letcsnamecs \csname ... \endcsname \...
letcsnamecsname                 \letcsnamecsname \csname ... \endcsname \csname ... \endcsname
letdummyparameter               \letdummyparameter {...} \...
letempty                        \letempty \...
letgvalue                       \letgvalue {...} \...
letgvalueempty                  \letgvalueempty {...}
letgvaluerelax                  \letgvaluerelax {...}
letterampersand                 \letterampersand
letterat                        \letterat
letterbackslash                 \letterbackslash
letterbar                       \letterbar
letterbgroup                    \letterbgroup
letterclosebrace                \letterclosebrace
lettercolon                     \lettercolon
letterdollar                    \letterdollar
letterdoublequote               \letterdoublequote
letteregroup                    \letteregroup
letterescape                    \letterescape
letterexclamationmark           \letterexclamationmark
letterhash                      \letterhash
letterhat                       \letterhat
letterleftbrace                 \letterleftbrace
letterleftbracket               \letterleftbracket
letterleftparenthesis           \letterleftparenthesis
letterless                      \letterless
lettermore                      \lettermore
letteropenbrace                 \letteropenbrace
letterpercent                   \letterpercent
letterquestionmark              \letterquestionmark
letterrightbrace                \letterrightbrace
letterrightbracket              \letterrightbracket
letterrightparenthesis          \letterrightparenthesis
lettersinglequote               \lettersinglequote
letterslash                     \letterslash
letterspacing                   \letterspacing [...] {...}
lettertilde                     \lettertilde
letterunderscore                \letterunderscore
letvalue                        \letvalue {...} \...
letvalueempty                   \letvalueempty {...}
letvaluerelax                   \letvaluerelax {...}
lfence                          \lfence {...}
lhbox                           \lhbox {...}
ligne                           \ligne {...}
ligneh                          \ligneh
lignenoire                      \lignenoire [..=..]
ligneregleetexte                \ligneregleetexte [...] {...}
lignesnoires                    \lignesnoires [..=..]
limitatefirstline               \limitatefirstline {...} {...} {...}
limitatelines                   \limitatelines {...} {...} {...}
limitatetext                    \limitatetext {...} {...} {...}
limitatetext:list               \limitatetext {...} {...} {...}
linebox                         \linebox {...}
linespanningtext                \linespanningtext {...} {...} {...}
listcitation                    \listcitation [..=..] [...]
listcitation:alternative        \listcitation [...] [...]
listcitation:userdata           \listcitation [..=..] [..=..]
listcite                        \listcite [..=..] [...]
listcite:alternative            \listcite [...] [...]
listcite:userdata               \listcite [..=..] [..=..]
listnamespaces                  \listnamespaces
llap                            \llap {...}
llongueurliste                  \llongueurliste
loadanyfile                     \loadanyfile [...]
loadanyfileonce                 \loadanyfileonce [...]
```

loadbtxdefinitionfile	`\loadbtxdefinitionfile [...]`
loadbtxreplacementfile	`\loadbtxreplacementfile [...]`
loadcldfile	`\loadcldfile [...]`
loadcldfileonce	`\loadcldfileonce [...]`
loadfontgoodies	`\loadfontgoodies [...]`
loadluafile	`\loadluafile [...]`
loadluafileonce	`\loadluafileonce [...]`
loadspellchecklist	`\loadspellchecklist [...] [...]`
loadtexfile	`\loadtexfile [...]`
loadtexfileonce	`\loadtexfileonce [...]`
loadtypescriptfile	`\loadtypescriptfile [...]`
localframed	`\localframed [...] [..=..] {...}`
localframedwithsettings	`\localframedwithsettings [...] [..=..] {...}`
localhsize	`\localhsize`
localpopbox	`\localpopbox ...`
localpopmacro	`\localpopmacro \...`
localpushbox	`\localpushbox ...`
localpushmacro	`\localpushmacro \...`
localundefine	`\localundefine {...}`
locatedfilepath	`\locatedfilepath`
locatefilepath	`\locatefilepath {...}`
locfilename	`\locfilename {...}`
lomihi	`\lomihi {...} {...} {...}`
lowerbox	`\lowerbox {...} \... {...}`
lowercased	`\lowercased {...}`
lowercasestring	`\lowercasestring ... \to \...`
lowerleftdoubleninequote	`\lowerleftdoubleninequote`
lowerleftsingleninequote	`\lowerleftsingleninequote`
lowerrightdoubleninequote	`\lowerrightdoubleninequote`
lowerrightsingleninequote	`\lowerrightsingleninequote`
lowhigh:instance	`\LOWHIGH [...] {...} {...}`
lowmidhigh:instance	`\LOWMIDHIGH {...} {...} {...}`
lrtbbox	`\lrtbbox {...} {...} {...} {...} {...}`
ltop	`\ltop ... {...}`
ltrhbox	`\ltrhbox ... {...}`
ltrvbox	`\ltrvbox ... {...}`
ltrvtop	`\ltrvtop ... {...}`
luacode	`\luacode {...}`
luaconditional	`\luaconditional \...`
luaenvironment	`\luaenvironment ...`
luaexpanded	`\luaexpanded {...}`
luaexpr	`\luaexpr {...}`
luafunction	`\luafunction {...}`
luajitTeX	`\luajitTeX`
luamajorversion	`\luamajorversion`
luametaTeX	`\luametaTeX`
luaminorversion	`\luaminorversion`
luaparameterset	`\luaparameterset {...} {...}`
luasetup	`\luasetup {...}`
luaTeX	`\luaTeX`
luaversion	`\luaversion`
METAFONT	`\METAFONT`
METAFUN	`\METAFUN`
METAPOST	`\METAPOST`
MetaFont	`\MetaFont`
MetaFun	`\MetaFun`
MetaPost	`\MetaPost`
MKII	`\MKII`
MKIV	`\MKIV`
MKIX	`\MKIX`
MKVI	`\MKVI`
MKXI	`\MKXI`
MOIS	`\MOIS {...}`
MONTHLONG	`\MONTHLONG {...}`
MONTHSHORT	`\MONTHSHORT {...}`
MOT	`\MOT {...}`
MOTS	`\MOTS {...}`
Mot	`\Mot {...}`
Mots	`\Mots {...}`
MPanchor	`\MPanchor {...}`
MPbetex	`\MPbetex {...}`
MPc	`\MPc {...}`

```
MPcode                                  \MPcode {...} {...}
MPcolor                                 \MPcolor {...}
MPcoloronly                             \MPcoloronly {...}
MPcolumn                                \MPcolumn {...}
MPd                                     \MPd {...}
MPdrawing                               \MPdrawing {...}
MPfontsizehskip                         \MPfontsizehskip {...}
MPgetmultipars                          \MPgetmultipars {...} {...}
MPgetmultishape                         \MPgetmultishape {...} {...}
MPgetposboxes                           \MPgetposboxes {...} {...}
MPh                                     \MPh {...}
MPII                                    \MPII
MPIV                                    \MPIV
MPinclusions                            \MPinclusions [...] {...} {...}
MPleftskip                              \MPleftskip {...}
MPll                                    \MPll {...}
MPlr                                    \MPlr {...}
MPls                                    \MPls {...}
MPmenubuttons                           \MPmenubuttons {...}
MPn                                     \MPn {...}
MPoptions                               \MPoptions {...}
MPoverlayanchor                         \MPoverlayanchor {...}
MPp                                     \MPp {...}
MPpage                                  \MPpage {...}
MPpardata                               \MPpardata {...}
MPplus                                  \MPplus {...} {...} {...}
MPpos                                   \MPpos {...}
MPpositiongraphic                       \MPpositiongraphic {...} {..=..}
MPposset                                \MPposset {...}
MPr                                     \MPr {...}
MPrawvar                                \MPrawvar {...} {...}
MPregion                                \MPregion {...}
MPrest                                  \MPrest {...} {...}
MPrightskip                             \MPrightskip {...}
MPrs                                    \MPrs {...}
MPstring                                \MPstring {...}
MPtext                                  \MPtext {...}
MPtransparency                          \MPtransparency {...}
MPul                                    \MPul {...}
MPur                                    \MPur {...}
MPVI                                    \MPVI
MPv                                     \MPv {...} {...} {...}
MPvar                                   \MPvar {...}
MPvariable                              \MPvariable {...}
MPvv                                    \MPvv {...} {...}
MPw                                     \MPw {...}
MPwhd                                   \MPwhd {...}
MPx                                     \MPx {...}
MPxy                                    \MPxy {...}
MPxywhd                                 \MPxywhd {...}
MPy                                     \MPy {...}
m                                       \m [...] {...}
makecharacteractive                     \makecharacteractive ...
makerawcommalist                        \makerawcommalist [...] \...
makestrutofbox                          \makestrutofbox ...
manuscript                              \manuscript
mapfontsize                             \mapfontsize [...] [...]
margindata                              \margindata [...] [..=..] [..=..] {...}
margindata:instance                     \MARGINDATA [..=..] [..=..] {...}
margindata:instance:atleftmargin        \atleftmargin [..=..] [..=..] {...}
margindata:instance:atrightmargin       \atrightmargin [..=..] [..=..] {...}
margindata:instance:ininner             \ininner [..=..] [..=..] {...}
margindata:instance:ininneredge         \ininneredge [..=..] [..=..] {...}
margindata:instance:ininnermargin       \ininnermargin [..=..] [..=..] {...}
margindata:instance:inleft              \inleft [..=..] [..=..] {...}
margindata:instance:inleftedge          \inleftedge [..=..] [..=..] {...}
margindata:instance:inleftmargin        \inleftmargin [..=..] [..=..] {...}
margindata:instance:inmargin            \inmargin [..=..] [..=..] {...}
margindata:instance:inother             \inother [..=..] [..=..] {...}
margindata:instance:inouter             \inouter [..=..] [..=..] {...}
margindata:instance:inouteredge         \inouteredge [..=..] [..=..] {...}
margindata:instance:inoutermargin       \inoutermargin [..=..] [..=..] {...}
```

`margindata:instance:inright`	`\inright [..=..] [..=..] {...}`
`margindata:instance:inrightedge`	`\inrightedge [..=..] [..=..] {...}`
`margindata:instance:inrightmargin`	`\inrightmargin [..=..] [..=..] {...}`
`margindata:instance:margintext`	`\margintext [..=..] [..=..] {...}`
`markcontent`	`\markcontent [...] {...}`
`markedpages`	`\markedpages [...]`
`markinjector`	`\markinjector [...]`
`markpage`	`\markpage [...] [...]`
`marquage`	`\marquage (...,...) (...,...) [...]`
`marquepage`	`\marquepage [...] {...}`
`mat`	`\mat {...}`
`math`	`\math [...] {...}`
`mathbf`	`\mathbf`
`mathbi`	`\mathbi`
`mathblackboard`	`\mathblackboard`
`mathbs`	`\mathbs`
`mathcommand:example`	`\MATHCOMMAND {...} {...}`
`mathdefault`	`\mathdefault`
`mathdouble`	`\mathdouble [...] {...} {...} {...}`
`mathdoubleextensible:instance`	`\MATHDOUBLEEXTENSIBLE {...} {...}`
`mathdoubleextensible:instance:doublebar`	`\doublebar {...} {...}`
`mathdoubleextensible:instance:doublebrace`	`\doublebrace {...} {...}`
`mathdoubleextensible:instance:doublebracket`	`\doublebracket {...} {...}`
`mathdoubleextensible:instance:doubleparent`	`\doubleparent {...} {...}`
`mathdoubleextensible:instance:overbarunderbar`	`\overbarunderbar {...} {...}`
`mathdoubleextensible:instance:overbraceunderbrace`	`\overbraceunderbrace {...} {...}`
`mathdoubleextensible:instance:overbracketunderbracket`	`\overbracketunderbracket {...} {...}`
`mathdoubleextensible:instance:overparentunderparent`	`\overparentunderparent {...} {...}`
`mathematique`	`\mathematique [...] {...}`
`mathematique:assignment`	`\mathematique [..=..] {...}`
`mathextensible:instance`	`\MATHEXTENSIBLE {...} {...}`
`mathextensible:instance:cleftarrow`	`\cleftarrow {...} {...}`
`mathextensible:instance:crightarrow`	`\crightarrow {...} {...}`
`mathextensible:instance:crightoverleftarrow`	`\crightoverleftarrow {...} {...}`
`mathextensible:instance:eleftarrowfill`	`\eleftarrowfill {...} {...}`
`mathextensible:instance:eleftharpoondownfill`	`\eleftharpoondownfill {...} {...}`
`mathextensible:instance:eleftharpoonupfill`	`\eleftharpoonupfill {...} {...}`
`mathextensible:instance:eleftrightarrowfill`	`\eleftrightarrowfill {...} {...}`
`mathextensible:instance:eoverbarfill`	`\eoverbarfill {...} {...}`
`mathextensible:instance:eoverbracefill`	`\eoverbracefill {...} {...}`
`mathextensible:instance:eoverbracketfill`	`\eoverbracketfill {...} {...}`
`mathextensible:instance:eoverparentfill`	`\eoverparentfill {...} {...}`
`mathextensible:instance:erightarrowfill`	`\erightarrowfill {...} {...}`
`mathextensible:instance:erightharpoondownfill`	`\erightharpoondownfill {...} {...}`
`mathextensible:instance:erightharpoonupfill`	`\erightharpoonupfill {...} {...}`
`mathextensible:instance:etwoheadrightarrowfill`	`\etwoheadrightarrowfill {...} {...}`
`mathextensible:instance:eunderbarfill`	`\eunderbarfill {...} {...}`
`mathextensible:instance:eunderbracefill`	`\eunderbracefill {...} {...}`
`mathextensible:instance:eunderbracketfill`	`\eunderbracketfill {...} {...}`
`mathextensible:instance:eunderparentfill`	`\eunderparentfill {...} {...}`
`mathextensible:instance:mequal`	`\mequal {...} {...}`
`mathextensible:instance:mhookleftarrow`	`\mhookleftarrow {...} {...}`
`mathextensible:instance:mhookrightarrow`	`\mhookrightarrow {...} {...}`
`mathextensible:instance:mLeftarrow`	`\mLeftarrow {...} {...}`
`mathextensible:instance:mLeftrightarrow`	`\mLeftrightarrow {...} {...}`
`mathextensible:instance:mleftarrow`	`\mleftarrow {...} {...}`
`mathextensible:instance:mleftharpoondown`	`\mleftharpoondown {...} {...}`
`mathextensible:instance:mleftharpoonup`	`\mleftharpoonup {...} {...}`
`mathextensible:instance:mleftrightarrow`	`\mleftrightarrow {...} {...}`
`mathextensible:instance:mleftrightharpoons`	`\mleftrightharpoons {...} {...}`
`mathextensible:instance:mmapsto`	`\mmapsto {...} {...}`
`mathextensible:instance:mRightarrow`	`\mRightarrow {...} {...}`
`mathextensible:instance:mrel`	`\mrel {...} {...}`
`mathextensible:instance:mrightarrow`	`\mrightarrow {...} {...}`
`mathextensible:instance:mrightharpoondown`	`\mrightharpoondown {...} {...}`
`mathextensible:instance:mrightharpoonup`	`\mrightharpoonup {...} {...}`
`mathextensible:instance:mrightleftharpoons`	`\mrightleftharpoons {...} {...}`
`mathextensible:instance:mrightoverleftarrow`	`\mrightoverleftarrow {...} {...}`
`mathextensible:instance:mtriplerel`	`\mtriplerel {...} {...}`
`mathextensible:instance:mtwoheadleftarrow`	`\mtwoheadleftarrow {...} {...}`
`mathextensible:instance:mtwoheadrightarrow`	`\mtwoheadrightarrow {...} {...}`
`mathextensible:instance:tequal`	`\tequal {...} {...}`

```
mathextensible:instance:thookleftarrow          \thookleftarrow {...} {...}
mathextensible:instance:thookrightarrow         \thookrightarrow {...} {...}
mathextensible:instance:tLeftarrow              \tLeftarrow {...} {...}
mathextensible:instance:tLeftrightarrow         \tLeftrightarrow {...} {...}
mathextensible:instance:tleftarrow              \tleftarrow {...} {...}
mathextensible:instance:tleftharpoondown        \tleftharpoondown {...} {...}
mathextensible:instance:tleftharpoonup          \tleftharpoonup {...} {...}
mathextensible:instance:tleftrightarrow         \tleftrightarrow {...} {...}
mathextensible:instance:tleftrightharpoons      \tleftrightharpoons {...} {...}
mathextensible:instance:tmapsto                 \tmapsto {...} {...}
mathextensible:instance:tRightarrow             \tRightarrow {...} {...}
mathextensible:instance:trel                    \trel {...} {...}
mathextensible:instance:trightarrow             \trightarrow {...} {...}
mathextensible:instance:trightharpoondown       \trightharpoondown {...} {...}
mathextensible:instance:trightharpoonup         \trightharpoonup {...} {...}
mathextensible:instance:trightleftharpoons      \trightleftharpoons {...} {...}
mathextensible:instance:trightoverleftarrow     \trightoverleftarrow {...} {...}
mathextensible:instance:ttriplerel              \ttriplerel {...} {...}
mathextensible:instance:ttwoheadleftarrow       \ttwoheadleftarrow {...} {...}
mathextensible:instance:ttwoheadrightarrow      \ttwoheadrightarrow {...} {...}
mathextensible:instance:xequal                  \xequal {...} {...}
mathextensible:instance:xhookleftarrow          \xhookleftarrow {...} {...}
mathextensible:instance:xhookrightarrow         \xhookrightarrow {...} {...}
mathextensible:instance:xLeftarrow              \xLeftarrow {...} {...}
mathextensible:instance:xLeftrightarrow         \xLeftrightarrow {...} {...}
mathextensible:instance:xleftarrow              \xleftarrow {...} {...}
mathextensible:instance:xleftharpoondown        \xleftharpoondown {...} {...}
mathextensible:instance:xleftharpoonup          \xleftharpoonup {...} {...}
mathextensible:instance:xleftrightarrow         \xleftrightarrow {...} {...}
mathextensible:instance:xleftrightharpoons      \xleftrightharpoons {...} {...}
mathextensible:instance:xmapsto                 \xmapsto {...} {...}
mathextensible:instance:xRightarrow             \xRightarrow {...} {...}
mathextensible:instance:xrel                    \xrel {...} {...}
mathextensible:instance:xrightarrow             \xrightarrow {...} {...}
mathextensible:instance:xrightharpoondown       \xrightharpoondown {...} {...}
mathextensible:instance:xrightharpoonup         \xrightharpoonup {...} {...}
mathextensible:instance:xrightleftharpoons      \xrightleftharpoons {...} {...}
mathextensible:instance:xrightoverleftarrow     \xrightoverleftarrow {...} {...}
mathextensible:instance:xtriplerel              \xtriplerel {...} {...}
mathextensible:instance:xtwoheadleftarrow       \xtwoheadleftarrow {...} {...}
mathextensible:instance:xtwoheadrightarrow      \xtwoheadrightarrow {...} {...}
mathfraktur                                     \mathfraktur
mathframed:instance                             \MATHFRAMED [..=..] {...}
mathframed:instance:inmframed                   \inmframed [..=..] {...}
mathframed:instance:mcframed                     \mcframed [..=..] {...}
mathframed:instance:mframed                     \mframed [..=..] {...}
mathfunction                                    \mathfunction {...}
mathit                                          \mathit
mathitalic                                      \mathitalic
mathmatrix                                      \MATHMATRIX {...}
mathop                                          \mathop {...}
mathornament:example                            \MATHORNAMENT {...}
mathover                                        \mathover [...] {...} {...}
mathoverextensible:example                      \MATHOVEREXTENSIBLE {...}
mathovertextextensible:instance                 \MATHOVERTEXTEXTENSIBLE {...} {...}
mathradical:example                             \MATHRADICAL [...] {...}
mathrm                                          \mathrm
mathscript                                      \mathscript
mathsl                                          \mathsl
mathss                                          \mathss
mathtext                                        \mathtext ... {...}
mathtextbf                                      \mathtextbf ... {...}
mathtextbi                                      \mathtextbi ... {...}
mathtextbs                                      \mathtextbs ... {...}
mathtextit                                      \mathtextit ... {...}
mathtextsl                                      \mathtextsl ... {...}
mathtextttf                                     \mathtextttf ... {...}
mathtf                                          \mathtf
mathtriplet                                     \mathtriplet [...] {...} {...} {...}
mathtriplet:example                             \MATHTRIPLET [...] {...} {...} {...}
mathtt                                          \mathtt
mathunder                                       \mathunder [...] {...} {...}
```

```
mathunderextensible:example          \MATHUNDEREXTENSIBLE {...}
mathundertextextensible:instance      \MATHUNDERTEXTEXTENSIBLE {...} {...}
mathunstacked:example                 \MATHUNSTACKED
mathupright                           \mathupright
mathword                              \mathword ... {...}
mathwordbf                            \mathwordbf ... {...}
mathwordbi                            \mathwordbi ... {...}
mathwordbs                            \mathwordbs ... {...}
mathwordit                            \mathwordit ... {...}
mathwordsl                            \mathwordsl ... {...}
mathwordtf                            \mathwordtf ... {...}
math:assignment                       \math [..=..] {...}
maxaligned                            \maxaligned {...}
mbox                                  \mbox {...}
measure                               \measure {...}
measured                              \measured {...}
medskip                               \medskip
medspace                              \medspace
menuinteraction                       \menuinteraction [...] [..=..]
message                               \message {...}
mfence                                \mfence {...}
mfunction                             \mfunction {...}
mfunctionlabeltext                    \mfunctionlabeltext {...}
mhbox                                 \mhbox {...}
middlealigned                         \middlealigned {...}
middlebox                             \middlebox {...}
midhbox                               \midhbox {...}
midsubsentence                        \midsubsentence
milieu                                \milieu ...
minimalhbox                           \minimalhbox ... {...}
mixedcaps                             \mixedcaps {...}
mkvibuffer                            \mkvibuffer [...]
moduleparameter                       \moduleparameter {...} {...}
mois                                  \mois {...}
molecule                              \molecule {...}
mono                                  \mono
monogras                              \monogras
mononormal                            \mononormal
monthlong                             \monthlong {...}
monthshort                            \monthshort {...}
montrecadre                           \montrecadre [...] [...]
montrecouleur                         \montrecouleur [...]
montredisposition                     \montredisposition [...]
montreedition                         \montreedition [...] [...] [..=..]
montreenvironnementpolicecorps        \montreenvironnementpolicecorps [...]
montregrille                          \montregrille [...]
montregroupecouleur                   \montregroupecouleur [...] [...]
montrejeusymboles                     \montrejeusymboles [...]
montremakeup                          \montremakeup [...]
montrepalette                         \montrepalette [...] [...]
montrepolicecorps                     \montrepolicecorps [...]
montrereglages                        \montrereglages [...]
montrestruts                          \montrestruts
mot                                   \mot {...}
motdroit                              \motdroit [...] {...}
mprandomnumber                        \mprandomnumber
mtext                                 \mtext {...}
m:assignment                          \m [..=..] {...}
NormalizeFontHeight                   \NormalizeFontHeight \... {...} {...} {...}
NormalizeFontWidth                    \NormalizeFontWidth \... {...} {...} {...}
NormalizeTextHeight                   \NormalizeTextHeight {...} {...} {...}
NormalizeTextWidth                    \NormalizeTextWidth {...} {...} {...}
Numeros                               \Numeros {...}
namedheadnumber                       \namedheadnumber {...}
namedstructureheadlocation            \namedstructureheadlocation {...}
namedstructureuservariable            \namedstructureuservariable {...} {...}
namedstructurevariable                \namedstructurevariable {...} {...}
namedtaggedlabeltexts                 \namedtaggedlabeltexts {...} {...} {...} {...} {...}
naturalhbox                           \naturalhbox ... {...}
naturalhpack                          \naturalhpack ... {...}
naturaltpack                          \naturaltpack ... {...}
naturalvbox                           \naturalvbox ... {...}
```

```
naturalvcenter                          \naturalvcenter ... {...}
naturalvpack                            \naturalvpack ... {...}
naturalvtop                             \naturalvtop ... {...}
naturalwd                               \naturalwd ...
negatecolorbox                          \negatecolorbox ...
negated                                 \negated {...}
negemspace                              \negemspace
negenspace                              \negenspace
negthinspace                            \negthinspace
newattribute                            \newattribute \...
newcatcodetable                         \newcatcodetable \...
newcounter                              \newcounter \...
newevery                                \newevery \... \...
newfrenchspacing                        \newfrenchspacing
newmode                                 \newmode {...}
newsignal                               \newsignal \...
newsystemmode                           \newsystemmode {...}
nextbox                                 \nextbox
nextboxdp                               \nextboxdp
nextboxht                               \nextboxht
nextboxhtdp                             \nextboxhtdp
nextboxwd                               \nextboxwd
nextcounter                             \nextcounter [...] [...]
nextcountervalue                        \nextcountervalue [...]
nextdepth                               \nextdepth
nextparagraphs                          \nextparagraphs
nextparagraphs:example                  \suivantPARAGRAPHS
nextrealpage                            \nextrealpage
nextrealpagenumber                      \nextrealpagenumber
nextsubcountervalue                     \nextsubcountervalue [...] [...]
nextsubpagenumber                       \nextsubpagenumber
nextuserpage                            \nextuserpage
nextuserpagenumber                      \nextuserpagenumber
nocap                                   \nocap {...}
nocharacteralign                        \nocharacteralign
nocitation                              \nocitation [...]
nocitation:direct                       \nocitation {...}
nocite                                  \nocite [...]
nocite:direct                           \nocite {...}
nodetostring                            \nodetostring \... {...}
noffigurepages                          \noffigurepages
noflines                                \noflines
noflocalfloats                          \noflocalfloats
noheightstrut                           \noheightstrut
noindentation                           \noindentation
noitem                                  \noitem
nonfrenchspacing                        \nonfrenchspacing
nonmathematics                          \nonmathematics {...}
normal                                  \normal
normalboldface                          \normalboldface
normalframedwithsettings                \normalframedwithsettings [..=..] {...}
normalitalicface                        \normalitalicface
normalizebodyfontsize                   \normalizebodyfontsize \... {...}
normalizedfontsize                      \normalizedfontsize
normalizefontdepth                      \normalizefontdepth \... {...} {...} {...}
normalizefontheight                     \normalizefontheight \... {...} {...} {...}
normalizefontline                       \normalizefontline \... {...} {...} {...}
normalizefontwidth                      \normalizefontwidth \... {...} {...} {...}
normalizetextdepth                      \normalizetextdepth {...} {...} {...}
normalizetextheight                     \normalizetextheight {...} {...} {...}
normalizetextline                       \normalizetextline {...} {...} {...}
normalizetextwidth                      \normalizetextwidth {...} {...} {...}
normalpetit                             \normalpetit
normalslantedface                       \normalslantedface
normaltypeface                          \normaltypeface
note                                    \note [...] [...]
noteligne:instance                      \LINENOTE {...}
noteligne:instance:linenote             \linenote {...}
notesymbol                              \notesymbol [...] [...]
note:instance                           \NOTE [...] {...}
note:instance:assignment                \NOTE [..=..]
note:instance:assignment:endnote        \endnote [..=..]
```

note:instance:assignment:footnote	`\footnote [..=..]`
note:instance:endnote	`\endnote [...] {...}`
note:instance:footnote	`\footnote [...] {...}`
notragged	`\notragged`
ntimes	`\ntimes {...} {...}`
numberofpoints	`\numberofpoints {...}`
numeroformule	`\numeroformule [...]`
numeropage	`\numeropage`
numeros	`\numeros {...}`
numerotete	`\numerotete [...] [...]`
numerotetecourant	`\numerotetecourant`
obeydepth	`\obeydepth`
objectdepth	`\objectdepth`
objectheight	`\objectheight`
objectmargin	`\objectmargin`
objectwidth	`\objectwidth`
obox	`\obox {...}`
obtientmarquage	`\obtientmarquage [...] [...] [...]`
offset	`\offset [..=..] {...}`
offsetbox	`\offsetbox [..=..] \... {...}`
onedigitrounding	`\onedigitrounding {...}`
ordinaldaynumber	`\ordinaldaynumber {...}`
ordinalstr	`\ordinalstr {...}`
oriente	`\oriente [..=..] {...}`
ornamenttext:collector	`\ornamenttext [..=..] [..=..] {...} {...}`
ornamenttext:direct	`\ornamenttext [...] {...} {...}`
ornamenttext:layer	`\ornamenttext [..=..] [..=..] {...} {...}`
ornament:example	`\ORNAMENT {...} {...}`
outputfilename	`\outputfilename`
outputstreambox	`\outputstreambox [...]`
outputstreamcopy	`\outputstreamcopy [...]`
outputstreamunvbox	`\outputstreamunvbox [...]`
outputstreamunvcopy	`\outputstreamunvcopy [...]`
over	`\over [...]`
overlaybutton	`\overlaybutton [...]`
overlaybutton:direct	`\overlaybutton {...}`
overlaycolor	`\overlaycolor`
overlaydepth	`\overlaydepth`
overlayfigure	`\overlayfigure {...}`
overlayheight	`\overlayheight`
overlayimage	`\overlayimage {...}`
overlaylinecolor	`\overlaylinecolor`
overlaylinewidth	`\overlaylinewidth`
overlayoffset	`\overlayoffset`
overlayrollbutton	`\overlayrollbutton [...] [...]`
overlaywidth	`\overlaywidth`
overloaderror	`\overloaderror`
overset	`\overset {...} {...}`
PDFcolor	`\PDFcolor {...}`
PDFETEX	`\PDFETEX`
PDFTEX	`\PDFTEX`
PICTEX	`\PICTEX`
PiCTeX	`\PiCTeX`
PointsToBigPoints	`\PointsToBigPoints {...} \...`
PointsToReal	`\PointsToReal {...} \...`
PointsToWholeBigPoints	`\PointsToWholeBigPoints {...} \...`
PPCHTEX	`\PPCHTEX`
PPCHTeX	`\PPCHTeX`
PRAGMA	`\PRAGMA`
PtToCm	`\PtToCm {...}`
page	`\page [...]`
pagearea	`\pagearea [...] [...] [...]`
pagebreak	`\pagebreak [...]`
pagefigure	`\pagefigure [...] [..=..]`
pageinjection	`\pageinjection [...] [..=..]`
pageinjection:assignment	`\pageinjection [..=..] [..=..]`
pagestaterealpage	`\pagestaterealpage {...} {...}`
pagestaterealpageorder	`\pagestaterealpageorder {...} {...}`
paletsize	`\paletsize`
paragraphs:example	`\PARAGRAPHS`
pdfactualtext	`\pdfactualtext {...} {...}`
pdfbackendactualtext	`\pdfbackendactualtext {...} {...}`

```
pdfbackendcurrentresources          \pdfbackendcurrentresources
pdfbackendsetcatalog                \pdfbackendsetcatalog {...} {...}
pdfbackendsetcolorspace             \pdfbackendsetcolorspace {...} {...}
pdfbackendsetextgstate              \pdfbackendsetextgstate {...} {...}
pdfbackendsetinfo                   \pdfbackendsetinfo {...} {...}
pdfbackendsetname                   \pdfbackendsetname {...} {...}
pdfbackendsetpageattribute          \pdfbackendsetpageattribute {...} {...}
pdfbackendsetpageresource           \pdfbackendsetpageresource {...} {...}
pdfbackendsetpagesattribute         \pdfbackendsetpagesattribute {...} {...}
pdfbackendsetpattern                \pdfbackendsetpattern {...} {...}
pdfbackendsetshade                  \pdfbackendsetshade {...} {...}
pdfcolor                            \pdfcolor {...}
pdfeTeX                             \pdfeTeX
pdfTeX                              \pdfTeX
percent                             \percent
percentdimen                        \percentdimen {...} {...}
periodes                            \periodes [...]
periodes:assignment                 \periodes [..=..]
permitcaretescape                   \permitcaretescape
permitcircumflexescape              \permitcircumflexescape
permitspacesbetweengroups           \permitspacesbetweengroups
persiandecimals                     \persiandecimals {...}
persiannumerals                     \persiannumerals {...}
petit                               \petit
petitpolicecorps                    \petitpolicecorps
petitescapitales                    \petitescapitales {...}
petittype                           \petittype
phantom                             \phantom {...}
phantombox                          \phantombox [..=..]
pickupgroupedcommand                \pickupgroupedcommand {...} {...} {...}
pilechamp                           \pilechamp [...] [...] [..=..]
placeattachments                    \placeattachments
placebtxrendering                   \placebtxrendering [...] [..=..]
placecitation                       \placecitation [...]
placecomments                       \placecomments
placecoteacote                      \placecoteacote {...} {...}
placecurrentformulanumber           \placecurrentformulanumber
placedbox                           \placedbox {...}
placefloatwithsetups                \placefloatwithsetups [...] [...] [...] {...} {...}
placeflottant                       \placeflottant [...] [...] [...] {...} {...}
placeflottant:instance              \placeFLOAT [...] [...] {...} {...}
placeflottant:instance:chemical     \placechemical [...] [...] {...} {...}
placeflottant:instance:figure       \placefigure [...] [...] {...} {...}
placeflottant:instance:graphic      \placegraphic [...] [...] {...} {...}
placeflottant:instance:intermezzo   \placeintermezzo [...] [...] {...} {...}
placeflottant:instance:table        \placetable [...] [...] {...} {...}
placeformule                        \placeformule [...] {...}
placeframed                         \placeframed [...] [..=..] {...}
placehelp                           \placehelp
placeinitial                        \placeinitial [...]
placelayer                          \placelayer [...]
placelayeredtext                    \placelayeredtext [...] [..=..] [..=..] {...} {...}
placelesunsaudessusdesautres        \placelesunsaudessusdesautres {...} {...}
placeliste                          \placeliste [...] [..=..]
placelisteinmbriquee                \placelisteinmbriquee [...] [..=..]
placelisteinmbriquee:instance       \placeCOMBINEDLIST [..=..]
placelisteinmbriquee:instance:content \placecontent [..=..]
placelistoffloats:instance          \placelistofFLOATS [..=..]
placelistoffloats:instance:chemicals \placelistofchemicals [..=..]
placelistoffloats:instance:figures  \placelistoffigures [..=..]
placelistoffloats:instance:graphics \placelistofgraphics [..=..]
placelistoffloats:instance:intermezzi \placelistofintermezzi [..=..]
placelistoffloats:instance:tables   \placelistoftables [..=..]
placelistofpublications             \placelistofpublications [...] [..=..]
placelistofsorts                    \placelistofsorts [...] [..=..]
placelistofsorts:instance           \placelistofSORTS [..=..]
placelistofsorts:instance:logos     \placelistoflogos [..=..]
placelistofsynonyms                 \placelistofsynonyms [...] [..=..]
placelistofsynonyms:instance        \placelistofSYNONYMS [..=..]
placelistofsynonyms:instance:abbreviations \placelistofabbreviations [..=..]
placelocalnotes                     \placelocalnotes [...] [..=..]
placemarquespages                   \placemarquespages [...] [...] [..=..]
```

```
placement                           \placement [...] [..=..] {...}
placement:example                   \PLACEMENT [..=..] {...}
placenamedfloat                     \placenamedfloat [...] [...]
placenamedformula                   \placenamedformula [...] {...} {...}
placenotes                          \placenotes [...] [..=..]
placenotespdp                       \placenotespdp [..=..]
placenotespdplocales                \placenotespdplocales [..=..]
placenumeropage                     \placenumeropage
placenumerotete                     \placenumerotete [...]
placepairedbox                      \placepairedbox [...] [..=..] {...} {...}
placepairedbox:instance             \placePAIREDBOX [..=..] {...} {...}
placepairedbox:instance:legend      \placelegend [..=..] {...} {...}
placeparallel                       \placeparallel [...] [...] [..=..]
placerawheaddata                    \placerawheaddata [...]
placerawheadnumber                  \placerawheadnumber [...]
placerawheadtext                    \placerawheadtext [...]
placerawlist                        \placerawlist [...] [..=..]
placeregistre                       \placeregistre [...] [..=..]
placeregistre:instance              \placeREGISTER [..=..]
placeregistre:instance:index        \placeindex [..=..]
placerenderingwindow                \placerenderingwindow [...] [...]
placesousformule                    \placesousformule [...] {...}
placesurgrille                      \placesurgrille [...] {...}
placesurgrille:list                 \placesurgrille [...] {...}
placetextetete                      \placetextetete [...]
point                               \point {...}
popattribute                        \popattribute \...
popmacro                            \popmacro \...
popmode                             \popmode [...]
popsystemmode                       \popsystemmode {...}
position                            \position [..=..] (...,...) {...}
positionoverlay                     \positionoverlay {...}
positionregionoverlay               \positionregionoverlay {...} {...}
postponenotes                       \postponenotes
predefinedfont                      \predefinedfont [...]
predefinefont                       \predefinefont [...] [...]
predefinesymbol                     \predefinesymbol [...]
prefixedpagenumber                  \prefixedpagenumber
premieresouspage                    \premieresouspage
prendbuffer                         \prendbuffer [...]
prendbuffer:instance                \obtientBUFFER
prependetoks                        \prependetoks ... \to \...
prependgvalue                       \prependgvalue {...} {...}
prependtocommalist                  \prependtocommalist {...} \...
prependtoks                         \prependtoks ... \to \...
prependtoksonce                     \prependtoksonce ... \to \...
prependvalue                        \prependvalue {...} {...}
prerollblank                        \prerollblank [...]
presetdocument                      \presetdocument [..=..]
presetfieldsymbols                  \presetfieldsymbols [...]
presetlabeltext:instance            \presetLABELtexte [...] [..=..]
presetlabeltext:instance:btxlabel   \presetbtxlabeltexte [...] [..=..]
presetlabeltext:instance:head       \presetheadtexte [...] [..=..]
presetlabeltext:instance:label      \presetlabeltexte [...] [..=..]
presetlabeltext:instance:mathlabel  \presetmathlabeltexte [...] [..=..]
presetlabeltext:instance:operator   \presetoperatortexte [...] [..=..]
presetlabeltext:instance:prefix     \presetprefixtexte [...] [..=..]
presetlabeltext:instance:suffix     \presetsuffixtexte [...] [..=..]
presetlabeltext:instance:taglabel   \presettaglabeltexte [...] [..=..]
presetlabeltext:instance:unit       \presetunittexte [...] [..=..]
pretocommalist                      \pretocommalist {...} \...
prettyprintbuffer                   \prettyprintbuffer {...} {...}
prevcounter                         \prevcounter [...] [...]
prevcountervalue                    \prevcountervalue [...]
preventmode                         \preventmode [...]
prevrealpage                        \prevrealpage
prevrealpagenumber                  \prevrealpagenumber
prevsubcountervalue                 \prevsubcountervalue [...] [...]
prevsubpage                         \prevsubpage
prevsubpagenumber                   \prevsubpagenumber
prevuserpage                        \prevuserpage
prevuserpagenumber                  \prevuserpagenumber
```

procent	`\procent`
processaction	`\processaction [...] [..,..=>..,..]`
processallactionsinset	`\processallactionsinset [...] [..,..=>..,..]`
processassignlist	`\processassignlist [...] \...`
processassignmentcommand	`\processassignmentcommand [..=..] \...`
processassignmentlist	`\processassignmentlist [..=..] \...`
processbetween	`\processbetween {...} \...`
processbodyfontenvironmentlist	`\processbodyfontenvironmentlist \...`
processcolorcomponents	`\processcolorcomponents {...}`
processcommacommand	`\processcommacommand [...] \...`
processcommalist	`\processcommalist [...] \...`
processcommalistwithparameters	`\processcommalistwithparameters [...] \...`
processcontent	`\processcontent {...} \...`
processfile	`\processfile {...}`
processfilemany	`\processfilemany {...}`
processfilenone	`\processfilenone {...}`
processfileonce	`\processfileonce {...}`
processfirstactioninset	`\processfirstactioninset [...] [..,..=>..,..]`
processisolatedchars	`\processisolatedchars {...} \...`
processisolatedwords	`\processisolatedwords {...} \...`
processlinetablebuffer	`\processlinetablebuffer [...]`
processlinetablefile	`\processlinetablefile {...}`
processlist	`\processlist {...} {...} {...} \...`
processMPbuffer	`\processMPbuffer [...]`
processMPfigurefile	`\processMPfigurefile {...}`
processmonth	`\processmonth {...} {...} {...}`
processranges	`\processranges [...] \...`
processseparatedlist	`\processseparatedlist [...] [...] {...}`
processtexbuffer	`\processTEXbuffer [...]`
processtokens	`\processtokens {...} {...} {...} {...} {...}`
processuntil	`\processuntil \...`
processxtablebuffer	`\processxtablebuffer [...]`
processyear	`\processyear {...} {...} {...} {...}`
produit	`\produit [...]`
produit:string	`\produit ...`
profiledbox	`\profiledbox [...] [..=..] {...}`
profilegivenbox	`\profilegivenbox {...} ...`
programme	`\programme [...]`
projet	`\projet [...]`
projet:string	`\projet ...`
pseudoMixedCapped	`\pseudoMixedCapped {...}`
pseudoSmallCapped	`\pseudoSmallCapped {...}`
pseudoSmallcapped	`\pseudoSmallcapped {...}`
pseudosmallcapped	`\pseudosmallcapped {...}`
purenumber	`\purenumber {...}`
pusharrangedpages	`\pusharrangedpages ... \poparrangedpages`
pusharriereplan	`\pusharriereplan [...] ... \poparriereplan`
pushattribute	`\pushattribute \...`
pushbar	`\pushbar [...] ... \popbar`
pushbutton	`\pushbutton [...] [...]`
pushcatcodetable	`\pushcatcodetable ... \popcatcodetable`
pushcouleur	`\pushcouleur [...] ... \popcouleur`
pushendofline	`\pushendofline ... \popendofline`
pushindentation	`\pushindentation ... \popindentation`
pushMPdrawing	`\pushMPdrawing ... \popMPdrawing`
pushmacro	`\pushmacro \...`
pushmathstyle	`\pushmathstyle ... \popmathstyle`
pushmode	`\pushmode [...]`
pushoutputstream	`\pushoutputstream [...]`
pushpath	`\pushpath [...] ... \poppath`
pushpunctuation	`\pushpunctuation ... \poppunctuation`
pushrandomseed	`\pushrandomseed ... \poprandomseed`
pushreferenceprefix	`\pushreferenceprefix {...} ... \popreferenceprefix`
pushsystemmode	`\pushsystemmode {...}`
putboxincache	`\putboxincache {...} {...} ...`
putnextboxincache	`\putnextboxincache {...} {...} \... {...}`
qqpart	`\qqpart {...} {...} [...]`
qquad	`\qquad`
quad	`\quad`
quads	`\quads [...]`
quarterstrut	`\quarterstrut`
quitcommalist	`\quitcommalist`

quitprevcommalist	\quitprevcommalist
quittypescriptscanning	\quittypescriptscanning
ReadFile	\ReadFile {...}
raggedbottom	\raggedbottom
raggedcenter	\raggedcenter
raggedleft	\raggedleft
raggedright	\raggedright
raggedwidecenter	\raggedwidecenter
raisebox	\raisebox {...} \... {...}
randomizetext	\randomizetext {...}
randomnumber	\randomnumber {...} {...}
rawcounter	\rawcounter [...] [...]
rawcountervalue	\rawcountervalue [...]
rawdate	\rawdate [...]
rawdoifelseinset	\rawdoifelseinset {...} {...} {...} {...}
rawdoifinset	\rawdoifinset {...} {...} {...}
rawdoifinsetelse	\rawdoifinsetelse {...} {...} {...} {...}
rawgetparameters	\rawgetparameters [...] [..=..]
rawprocessaction	\rawprocessaction [...] [..,..=>..,..]
rawprocesscommacommand	\rawprocesscommacommand [...] \...
rawprocesscommalist	\rawprocesscommalist [...] \...
rawstructurelistuservariable	\rawstructurelistuservariable {...}
rawsubcountervalue	\rawsubcountervalue [...] [...]
razmarquage	\razmarquage [...]
rbox	\rbox ... {...}
readfile	\readfile {...} {...} {...}
readfixfile	\readfixfile {...} {...} {...} {...}
readjobfile	\readjobfile {...} {...} {...}
readlocfile	\readlocfile {...} {...} {...}
readsetfile	\readsetfile {...} {...} {...} {...}
readsysfile	\readsysfile {...} {...} {...}
readtexfile	\readtexfile {...} {...} {...}
readxmlfile	\readxmlfile {...} {...} {...}
realpagenumber	\realpagenumber
realSmallCapped	\realSmallCapped {...}
realSmallcapped	\realSmallcapped {...}
realsmallcapped	\realsmallcapped {...}
recursedepth	\recursedepth
recurselevel	\recurselevel
recursestring	\recursestring
redoconvertfont	\redoconvertfont
ref	\ref [...] [...]
reference	\reference [...] {...}
referenceformat:example	\REFERENCEFORMAT {...} {...} [...]
referencepage	\referencepage [...]
referenceprefix	\referenceprefix
referencetexte	\referencetexte [...] {...}
reflete	\reflete {...}
registerattachment	\registerattachment [...] [..=..]
registerctxluafile	\registerctxluafile {...} {...}
registerexternalfigure	\registerexternalfigure [...] [...] [..=..]
registerfontclass	\registerfontclass {...}
registerhyphenationexception	\registerhyphenationexception [...] [...]
registerhyphenationpattern	\registerhyphenationpattern [...] [...]
registermenubuttons	\registermenubuttons [...] [...]
registersort	\registersort [...] [...]
registersynonym	\registersynonym [...] [...]
registerunit	\registerunit [...] [..=..]
registre:instance	\REGISTER [...] {..+...+..}
registre:instance:index	\index [...] {..+...+..}
registre:instance:ownnumber	\REGISTER [...] {...} {..+...+..}
registre:instance:ownnumber:index	\index [...] {...} {..+...+..}
regle	\regle [...]
reglealignement	\reglealignement [...]
reglearrangement	\reglearrangement [...]
reglearriereplan	\reglearriereplan [...] [..=..]
reglearriereplans	\reglearriereplans [...] [...] [..=..]
reglearriereplans:page	\reglearriereplans [...] [..=..]
reglebarreinteraction	\reglebarreinteraction [...] [..=..]
reglebloc	\reglebloc [...] [..=..]
regleblocsection	\regleblocsection [...] [..=..]
reglebuffer	\reglebuffer [...] [..=..]

reglecapitales	`\reglecapitales [...] [..=..]`
reglechamp	`\reglechamp [...] [...] [..=..] [..=..] [..=..]`
reglechamps	`\reglechamps [...] [..=..] [..=..] [..=..]`
regleclipping	`\regleclipping [..=..]`
reglecolonnes	`\reglecolonnes [..=..]`
reglecommentaire	`\reglecommentaire [...] [..=..]`
reglecommentairepage	`\reglecommentairepage [..=..]`
reglecompoetroite	`\reglecompoetroite [...] [..=..]`
reglecomposeenalinea	`\reglecomposeenalinea [...]`
reglecouleur	`\reglecouleur [...]`
reglecouleurs	`\reglecouleurs [..=..]`
regledactylo	`\regledactylo [...] [..=..]`
regledemarrestoppe	`\regledemarrestoppe [...] [..=..]`
regledisposition	`\regledisposition [...] [..=..]`
regledisposition:name	`\regledisposition [...]`
regleecraninteraction	`\regleecraninteraction [..=..]`
regleelements	`\regleelements [...] [..=..]`
regleencadre	`\regleencadre [...] [..=..]`
regleentete	`\regleentete [...] [..=..]`
regleenumerations	`\regleenumerations [...] [..=..]`
regleepaisseurligne	`\regleepaisseurligne [...]`
regleespaceblanc	`\regleespaceblanc [...]`
regleespacement	`\regleespacement [...]`
regleespacementinterligne	`\regleespacementinterligne [...] [..=..]`
regleespacementinterligne:argument	`\regleespacementinterligne [...]`
regleespacementinterligne:name	`\regleespacementinterligne [...]`
regleflottant	`\regleflottant [...] [..=..]`
regleflottants	`\regleflottants [...] [..=..]`
regleformulaires	`\regleformulaires [..=..]`
regleformules	`\regleformules [...] [..=..]`
reglegroupeselements	`\reglegroupeselements [...] [..=..]`
regleinf	`\regleinf [...] [..=..]`
regleinteraction	`\regleinteraction [...] [..=..]`
regleinteraction:name	`\regleinteraction [...]`
regleintitule	`\regleintitule [...] [..=..]`
regleintitules	`\regleintitules [...] [..=..]`
reglejeucolonne	`\reglejeucolonne [...] [..=..]`
reglejeusymboles	`\reglejeusymboles [...]`
reglelabeltexte:instance	*`\regleLABELtexte [...] [..=..]`*
reglelabeltexte:instance:btxlabel	*`\reglebtxlabeltexte [...] [..=..]`*
reglelabeltexte:instance:head	*`\regleheadtexte [...] [..=..]`*
reglelabeltexte:instance:label	*`\reglelabeltexte [...] [..=..]`*
reglelabeltexte:instance:mathlabel	*`\reglemathlabeltexte [...] [..=..]`*
reglelabeltexte:instance:operator	*`\regleoperatortexte [...] [..=..]`*
reglelabeltexte:instance:prefix	*`\regleprefixtexte [...] [..=..]`*
reglelabeltexte:instance:suffix	*`\reglesuffixtexte [...] [..=..]`*
reglelabeltexte:instance:taglabel	*`\regletaglabeltexte [...] [..=..]`*
reglelabeltexte:instance:unit	*`\regleunittexte [...] [..=..]`*
reglelangue	`\reglelangue [...] [..=..]`
reglelignes	`\reglelignes [...] [..=..]`
reglelignesnoires	`\reglelignesnoires [..=..]`
reglelignesreglestexte	`\reglelignesreglestexte [..=..]`
regleliste	`\regleliste [...] [..=..]`
reglelisteimbriquee	`\reglelisteimbriquee [...] [..=..]`
reglelisteimbriquee:instance	*`\regleCOMBINEDLIST [..=..]`*
reglelisteimbriquee:instance:content	*`\reglecontent [..=..]`*
reglemakeup	`\reglemakeup [...] [..=..]`
reglemargereglee	`\reglemargereglee [...] [..=..]`
reglemarquage	`\reglemarquage [...] [..=..]`
reglemarquagehyphenation	`\reglemarquagehyphenation [..=..]`
reglemenuinteraction	`\reglemenuinteraction [...] [..=..]`
reglenotepdp	`\reglenotepdp [..=..]`
reglenumeropage	`\reglenumeropage [..=..]`
reglenumerotationligne	`\reglenumerotationligne [...] [..=..]`
reglenumerotationpage	`\reglenumerotationpage [..=..]`
reglenumerotationparagraphe	`\reglenumerotationparagraphe [..=..]`
reglenumerotete	`\reglenumerotete [...] [...]`
regleoriente	`\regleoriente [..=..]`
reglepalette	`\reglepalette [...]`
reglepapier	`\reglepapier [..=..]`
regleparagraphes	`\regleparagraphes [...] [...] [..=..]`
regleparagraphes:assignment	`\regleparagraphes [...] [..=..]`

reglepdp	`\reglepdp [...] [..=..]`
regleplacementopposition	`\regleplacementopposition [..=..]`
reglepolicecorps	`\reglepolicecorps [...]`
reglepositionnement	`\reglepositionnement [...] [..=..]`
regleprogrammes	`\regleprogrammes [..=..]`
reglereferencage	`\reglereferencage [..=..]`
regleregistre	`\regleregistre [...] [..=..]`
regleregistre:argument	`\regleregistre [...] [...] [..=..]`
regleregistre:instance	*`\regleREGISTER [...] [..=..]`*
regleregistre:instance:index	*`\regleindex [...] [..=..]`*
regleremplitligne	`\regleremplitligne [..=..]`
regleremplitlignesreglees	`\regleremplitlignesreglees [..=..]`
regleseparationflottant	`\regleseparationflottant [..=..]`
reglesousnumeropage	`\reglesousnumeropage [..=..]`
reglesup	`\reglesup [...] [..=..]`
reglesynonymes	`\reglesynonymes [...] [..=..]`
regletableaux	`\regletableaux [..=..]`
regletabulation	`\regletabulation [...] [...] [..=..]`
regletaillepapier	`\regletaillepapier [...] [..=..]`
regletaillepapier:name	`\regletaillepapier [...] [...]`
regletete	`\regletete [...] [..=..]`
regletetes	`\regletetes [...] [..=..]`
regletexte	`\regletexte [...] [..=..]`
regletextesentete	`\regletextesentete [...] [...] [...] [...] [...]`
regletextesinf	`\regletextesinf [...] [...] [...] [...] [...]`
regletextespdp	`\regletextespdp [...] [...] [...] [...] [...]`
regletextessup	`\regletextessup [...] [...] [...] [...] [...]`
regletextestexte	`\regletextestexte [...] [...] [...] [...] [...]`
regletolerance	`\regletolerance [...]`
regletraitsfins	`\regletraitsfins [..=..]`
regletransitionspage	`\regletransitionspage [...]`
regletri	`\regletri [...] [..=..]`
regletype	`\regletype [...] [..=..]`
regleurl	`\regleurl [..=..]`
regle:direct	`\regle {...}`
regulier	`\regulier`
relatemarking	`\relatemarking [...] [...]`
relateparameterhandlers	`\relateparameterhandlers {...} {...} {...} {...}`
relaxvalueifundefined	`\relaxvalueifundefined {...}`
remainingcharacters	`\remainingcharacters`
removebottomthings	`\removebottomthings`
removedepth	`\removedepth`
removefromcommalist	`\removefromcommalist {...} \...`
removelastskip	`\removelastskip`
removelastspace	`\removelastspace`
removemarkedcontent	`\removemarkedcontent [...]`
removepunctuation	`\removepunctuation`
removesubstring	`\removesubstring ... \from ... \to \...`
removetoks	`\removetoks ... \from \...`
removeunwantedspaces	`\removeunwantedspaces`
remplitligne	`\remplitligne [..=..]`
remplitlignesreglees	`\remplitlignesreglees [..=..] {...} {...}`
remplittexte	`\remplittexte [..=..] {...} {...}`
repeathead	`\repeathead [...]`
replacefeature	`\replacefeature [...]`
replacefeature:direct	`\replacefeature {...}`
replaceincommalist	`\replaceincommalist \... {...}`
replaceword	`\replaceword [...] [...] [...]`
rescan	`\rescan {...}`
rescanwithsetup	`\rescanwithsetup {...} {...}`
resetallattributes	`\resetallattributes`
resetandaddfeature	`\resetandaddfeature [...]`
resetandaddfeature:direct	`\resetandaddfeature {...}`
resetbar	`\resetbar`
resetboxesincache	`\resetboxesincache {...}`
resetbreakpoints	`\resetbreakpoints`
resetbuffer	`\resetbuffer [...]`
resetcharacteralign	`\resetcharacteralign`
resetcharacterkerning	`\resetcharacterkerning`
resetcharacterspacing	`\resetcharacterspacing`
resetcharacterstripping	`\resetcharacterstripping`
resetcollector	`\resetcollector [...]`

resetcounter	\resetcounter [...] [...]
resetdigitsmanipulation	\resetdigitsmanipulation
resetdirection	\resetdirection
resetfeature	\resetfeature
resetflag	\resetflag {...}
resetfontcolorsheme	\resetfontcolorsheme
resetfontfallback	\resetfontfallback [...] [...]
resetfontsolution	\resetfontsolution
resethyphenationfeatures	\resethyphenationfeatures
resetinjector	\resetinjector [...]
resetinteractionmenu	\resetinteractionmenu [...]
resetitaliccorrection	\resetitaliccorrection
resetlayer	\resetlayer [...]
resetlocalfloats	\resetlocalfloats
resetMPdrawing	\resetMPdrawing
resetMPenvironment	\resetMPenvironment
resetMPinstance	\resetMPinstance [...]
resetmarker	\resetmarker [...]
resetmode	\resetmode {...}
resetpagenumber	\resetpagenumber
resetparallel	\resetparallel [...] [...]
resetpath	\resetpath
resetpenalties	\resetpenalties \...
resetperiodkerning	\resetperiodkerning
resetprofile	\resetprofile
resetrecurselevel	\resetrecurselevel
resetreference	\resetreference [...]
resetreplacement	\resetreplacement
resetscript	\resetscript
resetsetups	\resetsetups [...]
resetshownsynonyms	\resetshownsynonyms [...]
resetsubpagenumber	\resetsubpagenumber
resetsymbolset	\resetsymbolset
resetsystemmode	\resetsystemmode {...}
resettimer	\resettimer
resettokenlist	\resettokenlist [...]
resettrackers	\resettrackers
resettrialtypesetting	\resettrialtypesetting
resetusedsortings	\resetusedsortings [...]
resetusedsynonyms	\resetusedsynonyms [...]
resetuserpagenumber	\resetuserpagenumber
resetvalue	\resetvalue {...}
resetvisualizers	\resetvisualizers
reshapebox	\reshapebox {...}
resolvedglyphdirect	\resolvedglyphdirect {...} {...}
resolvedglyphstyled	\resolvedglyphstyled {...} {...}
restartcounter	\restartcounter [...] [...] [...]
restorebox	\restorebox {...} {...}
restorecatcodes	\restorecatcodes
restorecounter	\restorecounter [...]
restorecurrentattributes	\restorecurrentattributes {...}
restoreendofline	\restoreendofline
restoreglobalbodyfont	\restoreglobalbodyfont
reusableMPgraphic	\reusableMPgraphic {...} {..=..}
reuseMPgraphic	\reuseMPgraphic {...} {..=..}
reuserandomseed	\reuserandomseed
reversehbox	\reversehbox ... {...}
reversehpack	\reversehpack ... {...}
reversetpack	\reversetpack ... {...}
reversevbox	\reversevbox ... {...}
reversevpack	\reversevpack ... {...}
reversevtop	\reversevtop ... {...}
revivefeature	\revivefeature
rfence	\rfence {...}
rhbox	\rhbox {...}
rightbottombox	\rightbottombox {...}
rightbox	\rightbox {...}
righthbox	\righthbox {...}
rightlabeltext:instance	\rightLABELtexte {...}
rightlabeltext:instance:head	\rightheadtexte {...}
rightlabeltext:instance:label	\rightlabeltexte {...}
rightlabeltext:instance:mathlabel	\rightmathlabeltexte {...}

rightline	`\rightline {...}`
rightorleftpageaction	`\rightorleftpageaction {...} {...}`
rightpageorder	`\rightpageorder`
rightskipadaption	`\rightskipadaption`
rightsubguillemot	`\rightsubguillemot`
righttoleft	`\righttoleft`
righttolefthbox	`\righttolefthbox ... {...}`
righttoleftvbox	`\righttoleftvbox ... {...}`
righttoleftvtop	`\righttoleftvtop ... {...}`
righttopbox	`\righttopbox {...}`
ring	`\ring {...}`
rlap	`\rlap {...}`
robustaddtocommalist	`\robustaddtocommalist {...} \...`
robustdoifelseinset	`\robustdoifelseinset {...} {...} {...} {...}`
robustdoifinsetelse	`\robustdoifinsetelse {...} {...} {...} {...}`
robustpretocommalist	`\robustpretocommalist {...} \...`
rollbutton:button	`\rollbutton [..=..] ... [...]`
rollbutton:interactionmenu	`\rollbutton [...] [..=..] ... [...]`
roman	`\roman`
rtlhbox	`\rtlhbox ... {...}`
rtlvbox	`\rtlvbox ... {...}`
rtlvtop	`\rtlvtop ... {...}`
rtop	`\rtop ... {...}`
ruby	`\ruby [...] {...} {...}`
ruledhbox	`\ruledhbox ... {...}`
ruledhpack	`\ruledhpack ... {...}`
ruledmbox	`\ruledmbox {...}`
ruledtopv	`\ruledtopv ... {...}`
ruledtpack	`\ruledtpack ... {...}`
ruledvbox	`\ruledvbox ... {...}`
ruledvpack	`\ruledvpack ... {...}`
ruledvtop	`\ruledvtop ... {...}`
runMPbuffer	`\runMPbuffer [...]`
runninghbox	`\runninghbox {...}`
ScaledPointsToBigPoints	`\ScaledPointsToBigPoints {...} \...`
ScaledPointsToWholeBigPoints	`\ScaledPointsToWholeBigPoints {...} \...`
Smallcapped	`\Smallcapped {...}`
safechar	`\safechar {...}`
samplefile	`\samplefile {...}`
sans	`\sans`
sansespace	`\sansespace`
sansgras	`\sansgras`
sanslignesenteteetpdp	`\sanslignesenteteetpdp`
sanslignessupetinf	`\sanslignessupetinf`
sansnormal	`\sansnormal`
sansserif	`\sansserif`
savebox	`\savebox {...} {...} {...}`
savebtxdataset	`\savebtxdataset [...] [...] [..=..]`
savebuffer	`\savebuffer [..=..]`
savebuffer:list	`\savebuffer [...] [...]`
savecouleur	`\savecouleur ... \restorecouleur`
savecounter	`\savecounter [...]`
savecurrentattributes	`\savecurrentattributes {...}`
savenormalmeaning	`\savenormalmeaning \...`
savetaggedtwopassdata	`\savetaggedtwopassdata {...} {...} {...} {...}`
savetwopassdata	`\savetwopassdata {...} {...} {...}`
sbox	`\sbox {...}`
script:instance	`\SCRIPT`
script:instance:ethiopic	`\ethiopic`
script:instance:hangul	`\hangul`
script:instance:hanzi	`\hanzi`
script:instance:latin	`\latin`
script:instance:nihongo	`\nihongo`
script:instance:test	`\test`
script:instance:thai	`\thai`
secondoffivearguments	`\secondoffivearguments {...} {...} {...} {...} {...}`
secondoffourarguments	`\secondoffourarguments {...} {...} {...} {...}`
secondofsixarguments	`\secondofsixarguments {...} {...} {...} {...} {...} {...}`
secondofthreearguments	`\secondofthreearguments {...} {...} {...}`
secondofthreeunexpanded	`\secondofthreeunexpanded {...} {...} {...}`
secondoftwoarguments	`\secondoftwoarguments {...} {...}`
secondoftwounexpanded	`\secondoftwounexpanded {...} {...}`

```
section:instance                                    \SECTION [...] {...}
section:instance:assignment                         \SECTION [..=..]
section:instance:assignment:chapter                 \chapter [..=..]
section:instance:assignment:part                    \part [..=..]
section:instance:assignment:section                 \section [..=..]
section:instance:assignment:subject                 \subject [..=..]
section:instance:assignment:subsection              \subsection [..=..]
section:instance:assignment:subsubject              \subsubject [..=..]
section:instance:assignment:subsubsection           \subsubsection [..=..]
section:instance:assignment:subsubsubject           \subsubsubject [..=..]
section:instance:assignment:subsubsubsection        \subsubsubsection [..=..]
section:instance:assignment:subsubsubsubject        \subsubsubsubject [..=..]
section:instance:assignment:title                   \title [..=..]
section:instance:chapter                            \chapter [...] {...}
section:instance:ownnumber                          \SECTION [...] {...} {...}
section:instance:ownnumber:chapter                  \chapter [...] {...} {...}
section:instance:ownnumber:part                     \part [...] {...} {...}
section:instance:ownnumber:section                  \section [...] {...} {...}
section:instance:ownnumber:subject                  \subject [...] {...} {...}
section:instance:ownnumber:subsection               \subsection [...] {...} {...}
section:instance:ownnumber:subsubject               \subsubject [...] {...} {...}
section:instance:ownnumber:subsubsection            \subsubsection [...] {...} {...}
section:instance:ownnumber:subsubsubject            \subsubsubject [...] {...} {...}
section:instance:ownnumber:subsubsubsection         \subsubsubsection [...] {...} {...}
section:instance:ownnumber:subsubsubsubject         \subsubsubsubject [...] {...} {...}
section:instance:ownnumber:title                    \title [...] {...} {...}
section:instance:part                               \part [...] {...}
section:instance:section                            \section [...] {...}
section:instance:subject                            \subject [...] {...}
section:instance:subsection                         \subsection [...] {...}
section:instance:subsubject                         \subsubject [...] {...}
section:instance:subsubsection                      \subsubsection [...] {...}
section:instance:subsubsubject                      \subsubsubject [...] {...}
section:instance:subsubsubsection                   \subsubsubsection [...] {...}
section:instance:subsubsubsubject                   \subsubsubsubject [...] {...}
section:instance:title                              \title [...] {...}
seeregister:instance                                \voitREGISTER [...] {..+...+..} {...}
seeregister:instance:index                          \voitindex [...] {..+...+..} {...}
select                                              \select {...} {...} {...} {...} {...} {...}
selectionneblocs                                    \selectionneblocs [...] [...] [...] [..=..]    OPT
separeflottant                                      \separeflottant [..=..] {...} {...}
serializecommalist                                  \serializecommalist [...]
serializedcommalist                                 \serializedcommalist
serif                                               \serif
serifbold                                           \serifbold
serifnormal                                         \serifnormal
setautopagestaterealpageno                          \setautopagestaterealpageno {...}
setbar                                              \setbar [...]
setbigbodyfont                                      \setbigbodyfont
setboxllx                                           \setboxllx ... {...}
setboxlly                                           \setboxlly ... {...}
setbreakpoints                                      \setbreakpoints [...]
setbuffer                                           \setbuffer [...] ... \endbuffer
setcapstrut                                         \setcapstrut
setcatcodetable                                     \setcatcodetable \...
setcharacteralign                                   \setcharacteralign {...} {...}
setcharacteraligndetail                             \setcharacteraligndetail {...} {...} {...} {...}
setcharactercasing                                  \setcharactercasing [...]
setcharactercleaning                                \setcharactercleaning [...]
setcharacterkerning                                 \setcharacterkerning [...]
setcharacterspacing                                 \setcharacterspacing [...]
setcharacterstripping                               \setcharacterstripping [...]
setcharstrut                                        \setcharstrut {...}
setcollector                                        \setcollector [...] [..=..] {...}
setcolormodell                                      \setcolormodell [...]
setcounter                                          \setcounter [...] [...] [...]
```

setcounterown	`\setcounterown [...] [...] [...]`
setcurrentfontclass	`\setcurrentfontclass {...}`
setdataset	`\setdataset [...] [...] [..=..]`
setdefaultpenalties	`\setdefaultpenalties`
setdigitsmanipulation	`\setdigitsmanipulation [...]`
setdirection	`\setdirection [...]`
setdocumentargument	`\setdocumentargument {...} {...}`
setdocumentargumentdefault	`\setdocumentargumentdefault {...} {...}`
setdocumentfilename	`\setdocumentfilename {...} {...}`
setdummyparameter	`\setdummyparameter {...} {...}`
setelementexporttag	`\setelementexporttag [...] [...] [...]`
setemeasure	`\setemeasure {...} {...}`
setevalue	`\setevalue {...} {...}`
setevariable	`\setevariable {...} {...} {...}`
setevariables	`\setevariables [...] [..=..]`
setfirstline	`\setfirstline [...]`
setfirstpasscharacteralign	`\setfirstpasscharacteralign`
setflag	`\setflag {...}`
setfont	`\setfont ...`
setfontcolorsheme	`\setfontcolorsheme [...]`
setfontfeature	`\setfontfeature {...}`
setfontsolution	`\setfontsolution [...]`
setfontstrut	`\setfontstrut`
setglobalscript	`\setglobalscript [...]`
setgmeasure	`\setgmeasure {...} {...}`
setgvalue	`\setgvalue {...} {...}`
setgvariable	`\setgvariable {...} {...} {...}`
setgvariables	`\setgvariables [...] [..=..]`
sethboxregister	`\sethboxregister ... {...}`
sethyphenatedurlafter	`\sethyphenatedurlafter {...}`
sethyphenatedurlbefore	`\sethyphenatedurlbefore {...}`
sethyphenatedurlnormal	`\sethyphenatedurlnormal {...}`
sethyphenationfeatures	`\sethyphenationfeatures [...]`
setinitial	`\setinitial [...] [..=..]`
setinjector	`\setinjector [...] [...] [...]`
setinteraction	`\setinteraction [...]`
setinterfacecommand	`\setinterfacecommand {...} {...}`
setinterfaceconstant	`\setinterfaceconstant {...} {...}`
setinterfaceelement	`\setinterfaceelement {...} {...}`
setinterfacemessage	`\setinterfacemessage {...} {...} {...}`
setinterfacevariable	`\setinterfacevariable {...} {...}`
setinternalrendering	`\setinternalrendering [...] [...] {...}`
setitaliccorrection	`\setitaliccorrection [...]`
setJSpreamble	`\setJSpreamble {...} {...}`
setlayer	`\setlayer [...] [...] [..=..] {...}`
setlayerframed	`\setlayerframed [...] [..=..] [..=..] {...}`
setlayerframed:combination	`\setlayerframed [...] [..=..] {...}`
setlayertext	`\setlayertext [...] [..=..] [..=..] {...}`
setlinefiller	`\setlinefiller [...]`
setlocalhsize	`\setlocalhsize [...]`
setlocalscript	`\setlocalscript [...]`
setMPlayer	`\setMPlayer [...] [...] [..=..] {...}`
setMPpositiongraphic	`\setMPpositiongraphic {...} {...} {..=..}`
setMPpositiongraphicrange	`\setMPpositiongraphicrange {...} {...} {...} {..=..}`
setMPtext	`\setMPtext {...} {...}`
setMPvariable	`\setMPvariable [...] [..=..]`
setMPvariables	`\setMPvariables [...] [..=..]`
setmainbodyfont	`\setmainbodyfont`
setmainparbuilder	`\setmainparbuilder [...]`
setmarker	`\setmarker [...] [...]`
setmarking	`\setmarking [...] {...}`
setmathstyle	`\setmathstyle {...}`
setmeasure	`\setmeasure {...} {...}`
setmessagetext	`\setmessagetext {...} {...}`
setmode	`\setmode {...}`
setnostrut	`\setnostrut`
setnote	`\setnote [...] [...] {...}`
setnotetext	`\setnotetext [...] [...] {...}`
setnotetext:assignment	`\setnotetext [...] [..=..]`
setnote:assignment	`\setnote [...] [..=..]`
setobject	`\setobject {...} {...} \... {...}`
setoldstyle	`\setoldstyle`

setpagereference	`\setpagereference {...} {...}`
setpagestate	`\setpagestate [...] [...]`
setpagestaterealpageno	`\setpagestaterealpageno {...} {...}`
setpenalties	`\setpenalties \... {...} {...}`
setpercentdimen	`\setpercentdimen {...} {...}`
setperiodkerning	`\setperiodkerning [...]`
setposition	`\setposition {...}`
setpositionbox	`\setpositionbox {...} \... {...}`
setpositiondata	`\setpositiondata {...} {...} {...} {...}`
setpositiondataplus	`\setpositiondataplus {...} {...} {...} {...} {...}`
setpositiononly	`\setpositiononly {...}`
setpositionplus	`\setpositionplus {...} {...} \... {...}`
setpositionstrut	`\setpositionstrut {...}`
setprofile	`\setprofile [...]`
setrandomseed	`\setrandomseed {...}`
setreference	`\setreference [...] [..=..]`
setreferencedobject	`\setreferencedobject {...} {...} \... {...}`
setregisterentry	`\setregisterentry [...] [..=..] [..=..]`
setreplacement	`\setreplacement [...]`
setrigidcolumnbalance	`\setrigidcolumnbalance ...`
setrigidcolumnhsize	`\setrigidcolumnhsize {...} {...} {...}`
setscript	`\setscript [...]`
setsecondpasscharacteralign	`\setsecondpasscharacteralign`
setsectionblock	`\setsectionblock [...] [..=..]`
setsimplecolumnshsize	`\setsimplecolumnshsize [..=..]`
setsmallbodyfont	`\setsmallbodyfont`
setsmallcaps	`\setsmallcaps`
setstackbox	`\setstackbox {...} {...} {...}`
setstructurepageregister	`\setstructurepageregister [...] [..=..] [..=..]`
setstrut	`\setstrut`
setsuperiors	`\setsuperiors`
setsystemmode	`\setsystemmode {...}`
settabular	`\settabular`
settaggedmetadata	`\settaggedmetadata [..=..]`
settestcrlf	`\settestcrlf`
settext	`\settext [...] [...] [...] [...] [...]`
settightobject	`\settightobject {...} {...} \... {...}`
settightreferencedobject	`\settightreferencedobject {...} {...} \... {...}`
settightstrut	`\settightstrut`
settightunreferencedobject	`\settightunreferencedobject {...} {...} \... {...}`
settokenlist	`\settokenlist [...] {...}`
settrialtypesetting	`\settrialtypesetting`
setuevalue	`\setuevalue {...} {...}`
setugvalue	`\setugvalue {...} {...}`
setunreferencedobject	`\setunreferencedobject {...} {...} \... {...}`
setupalternativestyles	`\setupalternativestyles [..=..]`
setupattachment	`\setupattachment [...] [..=..]`
setupattachments	`\setupattachments [...] [..=..]`
setupbackend	`\setupbackend [..=..]`
setupbar	`\setupbar [...] [..=..]`
setupbars	`\setupbars [...] [..=..]`
setupbleeding	`\setupbleeding [..=..]`
setupbookmark	`\setupbookmark [..=..]`
setupbtx	`\setupbtx [...] [..=..]`
setupbtxdataset	`\setupbtxdataset [...] [..=..]`
setupbtxlist	`\setupbtxlist [...] [..=..]`
setupbtxregister	`\setupbtxregister [...] [..=..]`
setupbtxrendering	`\setupbtxrendering [...] [..=..]`
setupbtx:name	`\setupbtx [...]`
setupbutton	`\setupbutton [...] [..=..]`
setupcharacteralign	`\setupcharacteralign [..=..]`
setupcharacterkerning	`\setupcharacterkerning [...] [..=..]`
setupcharacterspacing	`\setupcharacterspacing [...] [...] [..=..]`
setupchemical	`\setupchemical [...] [..=..]`
setupchemicalframed	`\setupchemicalframed [...] [..=..]`
setupcollector	`\setupcollector [...] [..=..]`
setupcolumnsetarea	`\setupcolumnsetarea [...] [..=..]`
setupcolumnsetareatext	`\setupcolumnsetareatext [...] [...]`
setupcolumnsetlines	`\setupcolumnsetlines [...] [...] [...] [...]`
setupcolumnsetspan	`\setupcolumnsetspan [...] [..=..]`
setupcolumnsetstart	`\setupcolumnsetstart [...] [...] [...] [...]`
setupcombination	`\setupcombination [...] [..=..]`

setupcounter	\setupcounter [...] [..=..]
setupdataset	\setupdataset [...] [..=..]
setupdelimitedtext	\setupdelimitedtext [...] [..=..]
setupdescription	\setupdescription [...] [..=..]
setupdirections	\setupdirections [..=..]
setupdocument	\setupdocument [..=..]
setupeffect	\setupeffect [...] [..=..]
setupenumeration	\setupenumeration [...] [..=..]
setupenv	\setupenv [..=..]
setupexport	\setupexport [..=..]
setupexternalfigure	\setupexternalfigure [...] [..=..]
setupexternalsoundtracks	\setupexternalsoundtracks [..=..]
setupfacingfloat	\setupfacingfloat [...] [..=..]
setupfieldbody	\setupfieldbody [...] [..=..]
setupfieldcategory	\setupfieldcategory [...] [..=..]
setupfieldcontentframed	\setupfieldcontentframed [...] [..=..]
setupfieldlabelframed	\setupfieldlabelframed [...] [..=..]
setupfieldtotalframed	\setupfieldtotalframed [...] [..=..]
setupfiller	\setupfiller [...] [..=..]
setupfirstline	\setupfirstline [...] [..=..]
setupfittingpage	\setupfittingpage [...] [..=..]
setupfloatframed	\setupfloatframed [...] [..=..]
setupfontexpansion	\setupfontexpansion [...] [..=..]
setupfontprotrusion	\setupfontprotrusion [...] [..=..]
setupfonts	\setupfonts [..=..]
setupfontsolution	\setupfontsolution [...] [..=..]
setupformula	\setupformula [...] [..=..]
setupformulaframed	\setupformulaframed [...] [..=..]
setupframedcontent	\setupframedcontent [...] [..=..]
setupframedtable	\setupframedtable [...] [..=..]
setupframedtablecolumn	\setupframedtablecolumn [...] [...] [..=..]
setupframedtablerow	\setupframedtablerow [...] [...] [..=..]
setupframedtext	\setupframedtext [...] [..=..]
setupframedtexts	\setupframedtexts [...] [..=..]
setupglobalreferenceprefix	\setupglobalreferenceprefix [...]
setupheadalternative	\setupheadalternative [...] [..=..]
setuphelp	\setuphelp [...] [..=..]
setuphigh	\setuphigh [...] [..=..]
setuphighlight	\setuphighlight [...] [..=..]
setuphyphenation	\setuphyphenation [..=..]
setupindentedtext	\setupindentedtext [...] [..=..]
setupinitial	\setupinitial [...] [..=..]
setupinsertion	\setupinsertion [...] [..=..]
setupitaliccorrection	\setupitaliccorrection [...]
setupitemgroup	\setupitemgroup [...] [...] [...] [..=..]
setupitemgroup:assignment	\setupitemgroup [...] [..=..]
setupitemgroup:instance	\regleITEMGROUP [...] [...] [..=..]
setupitemgroup:instance:itemize	\regleitemize [...] [...] [..=..]
setuplabel	\setuplabel [...] [..=..]
setuplayer	\setuplayer [...] [..=..]
setuplayeredtext	\setuplayeredtext [...] [..=..]
setuplayouttext	\setuplayouttext [...] [...] [..=..]
setuplinefiller	\setuplinefiller [...] [..=..]
setuplinefillers	\setuplinefillers [...] [..=..]
setuplinenote	\setuplinenote [...] [..=..]
setuplinetable	\setuplinetable [...] [...] [..=..]
setuplistalternative	\setuplistalternative [...] [..=..]
setuplistextra	\setuplistextra [...] [..=..]
setuplocalfloats	\setuplocalfloats [..=..]
setuplocalinterlinespace	\setuplocalinterlinespace [...] [..=..]
setuplocalinterlinespace:argument	\setuplocalinterlinespace [...]
setuplocalinterlinespace:name	\setuplocalinterlinespace [...]
setuplow	\setuplow [...] [..=..]
setuplowhigh	\setuplowhigh [...] [..=..]
setuplowmidhigh	\setuplowmidhigh [...] [..=..]
setupMPgraphics	\setupMPgraphics [..=..]
setupMPinstance	\setupMPinstance [...] [..=..]
setupMPpage	\setupMPpage [..=..]
setupMPvariables	\setupMPvariables [...] [..=..]
setupmarginblock	\setupmarginblock [...] [..=..]
setupmargindata	\setupmargindata [...] [..=..]
setupmarginframed	\setupmarginframed [...] [..=..]

setupmarginrule	\setupmarginrule [...] [..=..]
setupmathalignment	\setupmathalignment [...] [..=..]
setupmathcases	\setupmathcases [...] [..=..]
setupmathematics	\setupmathematics [...] [..=..]
setupmathfence	\setupmathfence [...] [..=..]
setupmathfraction	\setupmathfraction [...] [..=..]
setupmathfractions	\setupmathfractions [...] [..=..]
setupmathframed	\setupmathframed [...] [..=..]
setupmathmatrix	\setupmathmatrix [...] [..=..]
setupmathornament	\setupmathornament [...] [..=..]
setupmathradical	\setupmathradical [...] [..=..]
setupmathstackers	\setupmathstackers [...] [..=..]
setupmathstyle	\setupmathstyle [...]
setupmixedcolumns	\setupmixedcolumns [...] [..=..]
setupmodule	\setupmodule [...] [..=..]
setupnotation	\setupnotation [...] [..=..]
setupnotations	\setupnotations [...] [..=..]
setupnote	\setupnote [...] [..=..]
setupnotes	\setupnotes [...] [..=..]
setupoffset	\setupoffset [..=..]
setupoffsetbox	\setupoffsetbox [..=..]
setupoutputroutine	\setupoutputroutine [...] [..=..]
setupoutputroutine:name	\setupoutputroutine [...]
setuppagechecker	\setuppagechecker [...] [..=..]
setuppagecolumns	\setuppagecolumns [...] [..=..]
setuppageinjection	\setuppageinjection [...] [..=..]
setuppageinjectionalternative	\setuppageinjectionalternative [...] [..=..]
setuppageshift	\setuppageshift [...] [...] [...]
setuppagestate	\setuppagestate [...] [..=..]
setuppairedbox	\setuppairedbox [...] [..=..]
setuppairedbox:instance	\reglePAIREDBOX [..=..]
setuppairedbox:instance:legend	\reglelegend [..=..]
setupparagraph	\setupparagraph [...] [..=..]
setupparagraphintro	\setupparagraphintro [...] [...]
setupparallel	\setupparallel [...] [...] [..=..]
setupperiodkerning	\setupperiodkerning [...] [..=..]
setupperiods	\setupperiods [..=..]
setupplacement	\setupplacement [...] [..=..]
setuppositionbar	\setuppositionbar [..=..]
setupprocessor	\setupprocessor [...] [..=..]
setupprofile	\setupprofile [...] [..=..]
setupquotation	\setupquotation [..=..]
setuprealpagenumber	\setuprealpagenumber [..=..]
setupreferenceformat	\setupreferenceformat [...] [..=..]
setupreferenceprefix	\setupreferenceprefix [...]
setupreferencestructureprefix	\setupreferencestructureprefix [...] [...] [..=..]
setupregisters	\setupregisters [...] [..=..]
setupregisters:argument	\setupregisters [...] [...] [..=..]
setuprenderingwindow	\setuprenderingwindow [...] [..=..]
setupruby	\setupruby [...] [..=..]
setups	\setups [...]
setupscale	\setupscale [...] [..=..]
setupscript	\setupscript [...] [..=..]
setupscripts	\setupscripts [...] [..=..]
setupselector	\setupselector [...] [..=..]
setupshift	\setupshift [...] [..=..]
setupsidebar	\setupsidebar [...] [..=..]
setupspellchecking	\setupspellchecking [..=..]
setupstretched	\setupstretched [..=..]
setupstruts	\setupstruts [...]
setupstyle	\setupstyle [...] [..=..]
setupsubformula	\setupsubformula [...] [..=..]
setupsubformulas	\setupsubformulas [...] [..=..]
setupsymbols	\setupsymbols [..=..]
setupsynctex	\setupsynctex [..=..]
setups:direct	\setups {...}
setupTABLE	\setupTABLE [...] [...] [..=..]
setupTEXpage	\setupTEXpage [..=..]
setuptabulation	\setuptabulation [...] [..=..]
setuptagging	\setuptagging [..=..]
setuptextbackground	\setuptextbackground [...] [..=..]
setuptextflow	\setuptextflow [...] [..=..]

setuptextnote	`\setuptextnote [...] [..=..]`
setuptooltip	`\setuptooltip [...] [..=..]`
setupunit	`\setupunit [...] [..=..]`
setupuserdata	`\setupuserdata [...] [..=..]`
setupuserdataalternative	`\setupuserdataalternative [...] [..=..]`
setupuserpagenumber	`\setupuserpagenumber [..=..]`
setupversion	`\setupversion [...]`
setupviewerlayer	`\setupviewerlayer [..=..]`
setupvspacing	`\setupvspacing [...]`
setupwithargument	`\setupwithargument {...} {...}`
setupwithargumentswapped	`\setupwithargumentswapped {...} {...}`
setupxml	`\setupxml [..=..]`
setupxtable	`\setupxtable [...] [..=..]`
setuvalue	`\setuvalue {...} {...}`
setuxvalue	`\setuxvalue {...} {...}`
setvalue	`\setvalue {...} {...}`
setvariable	`\setvariable {...} {...} {...}`
setvariables	`\setvariables [...] [..=..]`
setvboxregister	`\setvboxregister ... {...}`
setvisualizerfont	`\setvisualizerfont [...]`
setvtopregister	`\setvtopregister ... {...}`
setwidthof	`\setwidthof ... \to \...`
setxmeasure	`\setxmeasure {...} {...}`
setxvalue	`\setxvalue {...} {...}`
setxvariable	`\setxvariable {...} {...} {...}`
setxvariables	`\setxvariables [...] [..=..]`
shapedhbox	`\shapedhbox {...}`
shiftbox	`\shiftbox {...}`
shift:instance	`\SHIFT {...}`
shift:instance:shiftdown	`\shiftdown {...}`
shift:instance:shiftup	`\shiftup {...}`
showallmakeup	`\showallmakeup`
showattributes	`\showattributes`
showboxes	`\showboxes`
showbtxdatasetauthors	`\showbtxdatasetauthors [..=..]`
showbtxdatasetauthors:argument	`\showbtxdatasetauthors [...]`
showbtxdatasetcompleteness	`\showbtxdatasetcompleteness [..=..]`
showbtxdatasetcompleteness:argument	`\showbtxdatasetcompleteness [...]`
showbtxdatasetfields	`\showbtxdatasetfields [..=..]`
showbtxdatasetfields:argument	`\showbtxdatasetfields [...]`
showbtxfields	`\showbtxfields [..=..]`
showbtxfields:argument	`\showbtxfields [...]`
showbtxhashedauthors	`\showbtxhashedauthors [...]`
showbtxtables	`\showbtxtables [...]`
showchardata	`\showchardata {...}`
showcharratio	`\showcharratio {...}`
showcolorbar	`\showcolorbar [...]`
showcolorcomponents	`\showcolorcomponents [...]`
showcolorset	`\showcolorset [...]`
showcolorstruts	`\showcolorstruts`
showcounter	`\showcounter [...]`
showdirectives	`\showdirectives`
showdirsinmargin	`\showdirsinmargin`
showedebuginfo	`\showedebuginfo`
showexperiments	`\showexperiments`
showfont	`\showfont [...] [...]`
showfontdata	`\showfontdata`
showfontexpansion	`\showfontexpansion`
showfontitalics	`\showfontitalics`
showfontkerns	`\showfontkerns`
showfontparameters	`\showfontparameters`
showfontstrip	`\showfontstrip [...]`
showfontstyle	`\showfontstyle [...] [...] [...] [...]`
showglyphdata	`\showglyphdata`
showglyphs	`\showglyphs`
showgridsnapping	`\showgridsnapping`
showhelp	`\showhelp {...} [...]`
showhyphenationtrace	`\showhyphenationtrace [...] [...]`
showhyphens	`\showhyphens {...}`
showinjector	`\showinjector [...]`
showjustification	`\showjustification`
showkerning	`\showkerning {...}`

showlayoutcomponents	`\showlayoutcomponents`
showligature	`\showligature {...}`
showligatures	`\showligatures [...]`
showlogcategories	`\showlogcategories`
showmargins	`\showmargins`
showmessage	`\showmessage {...} {...} {...}`
showminimalbaseline	`\showminimalbaseline`
shownextbox	`\shownextbox \... {...}`
showotfcomposition	`\showotfcomposition {...} {...} {...}`
showparentchain	`\showparentchain \... {...}`
showsetupsdefinition	`\showsetupsdefinition [...]`
showtimer	`\showtimer {...}`
showtokens	`\showtokens [...]`
showtrackers	`\showtrackers`
showvalue	`\showvalue {...}`
showvariable	`\showvariable {...} {...}`
showwarning	`\showwarning {...} {...} {...}`
signalrightpage	`\signalrightpage`
simplealignedbox	`\simplealignedbox {...} {...} {...}`
simplealignedboxplus	`\simplealignedboxplus {...} {...} {...} {...}`
simplealignedspreadbox	`\simplealignedspreadbox {...} {...} {...}`
simplegroupedcommand	`\simplegroupedcommand {...} {...}`
simplereversealignedbox	`\simplereversealignedbox {...} {...} {...}`
simplereversealignedboxplus	`\simplereversealignedboxplus {...} {...} {...} {...}`
singalcharacteralign	`\singalcharacteralign {...} {...}`
singlebond	`\singlebond`
sixthofsixarguments	`\sixthofsixarguments {...} {...} {...} {...} {...} {...}`
slantedface	`\slantedface`
slicepages	`\slicepages [...] [..=..] [..=..]`
slovenianNumerals	`\slovenianNumerals {...}`
sloveniannumerals	`\sloveniannumerals {...}`
smallcappedcharacters	`\smallcappedcharacters {...}`
smallcappedromannumerals	`\smallcappedromannumerals {...}`
smaller	`\smaller`
smallskip	`\smallskip`
smash	`\smash [...] {...}`
smashbox	`\smashbox ...`
smashboxed	`\smashboxed ...`
smashedhbox	`\smashedhbox ... {...}`
smashedvbox	`\smashedvbox ... {...}`
snaptogrid	`\snaptogrid [...] \... {...}`
snaptogrid:list	`\snaptogrid [...] \... {...}`
someheadnumber	`\someheadnumber [...] [...]`
somekindoftab	`\somekindoftab [..=..]`
somelocalfloat	`\somelocalfloat`
somenamedheadnumber	`\somenamedheadnumber {...} {...}`
someplace	`\someplace {...} {...} {...} {...} {...} [...]`
sorting:instance	`\SORTING [...] {...}`
sorting:instance:logo	`\logo [...] {...}`
sousnumeropage	`\sousnumeropage`
souspagesuivante	`\souspagesuivante`
spaceddigits	`\spaceddigits {...}`
spaceddigitsmethod	`\spaceddigitsmethod`
spaceddigitsseparator	`\spaceddigitsseparator`
spaceddigitssymbol	`\spaceddigitssymbol`
spanishNumerals	`\spanishNumerals {...}`
spanishnumerals	`\spanishnumerals {...}`
splitatasterisk	`\splitatasterisk ... \... \...`
splitatcolon	`\splitatcolon ... \... \...`
splitatcolons	`\splitatcolons ... \... \...`
splitatcomma	`\splitatcomma ... \... \...`
splitatperiod	`\splitatperiod ... \... \...`
splitdfrac	`\splitdfrac {...} {...}`
splitfilename	`\splitfilename {...}`
splitfrac	`\splitfrac {...} {...}`
splitoffbase	`\splitoffbase`
splitofffull	`\splitofffull`
splitoffkind	`\splitoffkind`
splitoffname	`\splitoffname`
splitoffpath	`\splitoffpath`
splitoffroot	`\splitoffroot`
splitofftokens	`\splitofftokens ... \from ... \to \...`

```
splitofftype                               \splitofftype
splitstring                                \splitstring ... \at ... \to \... \and \...
spreadhbox                                 \spreadhbox ...
sqrt                                       \sqrt [...] {...}
stackrel                                   \stackrel {...} {...}
stackscripts                               \stackscripts
startlinenote:instance                     \demarreLINENOTE [...] {...}
startlinenote:instance:linenote            \demarrelinenote [...] {...}
startregister                              \startregister [...] [...] [...] [...] {..+...+..} ... \stopregister [..
startstop:example                          \STARTSTOP {...}
startstructurepageregister                 \startstructurepageregister [...] [...] [..=..] [..=..] ... \stopstructu
stoplinenote:instance                      \stoppeLINENOTE [...]
stoplinenote:instance:linenote             \stoppelinenote [...]
stoppeligne                                \stoppeligne [...]
strictdoifelsenextoptional                 \strictdoifelsenextoptional {...} {...}
strictdoifnextoptionalelse                 \strictdoifnextoptionalelse {...} {...}
stripcharacter                             \stripcharacter ... \from ... \to \...
strippedcsname                             \strippedcsname \...
strippedcsname:string                      \strippedcsname ...
stripspaces                                \stripspaces \from ... \to \...
structurelistuservariable                  \structurelistuservariable {...}
structurenumber                            \structurenumber
structuretitle                             \structuretitle
structureuservariable                      \structureuservariable {...}
structurevariable                          \structurevariable {...}
strut                                      \strut
strutdp                                    \strutdp
strutgap                                   \strutgap
strutht                                    \strutht
struthtdp                                  \struthtdp
struttedbox                                \struttedbox {...}
strutwd                                    \strutwd
style                                      \style [..=..] {...}
styleinstance                              \styleinstance [...]
style:argument                             \style [...] {...}
style:instance                             \STYLE {...}
subsentence                                \subsentence {...}
substituteincommalist                      \substituteincommalist {...} {...} \...
subtractfeature                            \subtractfeature [...]
subtractfeature:direct                     \subtractfeature {...}
suggestion:instance                        \TOOLTIP [..=..] {...} {...}
suggestion:instance:argument               \TOOLTIP [...] {...} {...}
suggestion:instance:argument:tooltip       \tooltip [...] {...} {...}
suggestion:instance:tooltip                \tooltip [..=..] {...} {...}
swapcounts                                 \swapcounts \... \...
swapdimens                                 \swapdimens \... \...
swapface                                   \swapface
swapmacros                                 \swapmacros \... \...
swaptypeface                               \swaptypeface
switchstyleonly                            \switchstyleonly [...]
switchstyleonly:command                    \switchstyleonly \...
switchtocolor                              \switchtocolor [...]
switchtointerlinespace                     \switchtointerlinespace [...] [..=..]
switchtointerlinespace:argument            \switchtointerlinespace [...]
switchtointerlinespace:name                \switchtointerlinespace [...]
symbole                                     \symbole [...] [...]
symbole:direct                             \symbole {...}
symbolreference                            \symbolreference [...]
synchronizeblank                           \synchronizeblank
synchronizeindenting                       \synchronizeindenting
synchronizemarking                         \synchronizemarking [...] [...] [...]
synchronizeoutputstreams                   \synchronizeoutputstreams [...]
synchronizestrut                           \synchronizestrut {...}
synchronizewhitespace                      \synchronizewhitespace
synctexblockfilename                       \synctexblockfilename {...}
synctexresetfilename                       \synctexresetfilename
synctexsetfilename                         \synctexsetfilename {...}
synonym:instance                           \SYNONYM [...] {...} {...}
synonym:instance:abbreviation              \abbreviation [...] {...} {...}
systemlog                                  \systemlog {...} {...} {...}
systemlogfirst                             \systemlogfirst {...} {...} {...}
systemloglast                              \systemloglast {...} {...} {...}
```

systemsetups	`\systemsetups {...}`
TABLE	`\TABLE`
TaBlE	`\TaBlE`
TEX	`\TEX`
TeX	`\TeX`
TheNormalizedFontSize	`\TheNormalizedFontSize`
TransparencyHack	`\TransparencyHack`
tabulateautoline	`\tabulateautoline`
tabulateautorule	`\tabulateautorule`
tabulateline	`\tabulateline`
tabulaterule	`\tabulaterule`
taggedctxcommand	`\taggedctxcommand {...}`
taggedlabeltexts	`\taggedlabeltexts {...} {...} {...}`
tapebuffer	`\tapebuffer [...] [..=..]`
tapebuffer:instance	`\dactylographierBUFFER [..=..]`
tbox	`\tbox {...}`
testandsplitstring	`\testandsplitstring ... \at ... \to \... \and \...`
testcolumn	`\testcolumn [...] [...]`
testfeature	`\testfeature {...} {...}`
testfeatureonce	`\testfeatureonce {...} {...}`
testpage	`\testpage [...] [...]`
testpageonly	`\testpageonly [...] [...]`
testpagesync	`\testpagesync [...] [...]`
testtokens	`\testtokens [...]`
tex	`\tex {...}`
texdefinition	`\texdefinition {...}`
texsetup	`\texsetup {...}`
textbackground:example	`\TEXTBACKGROUND {...}`
textcitation	`\textcitation [..=..] [...]`
textcitation:alternative	`\textcitation [...] [...]`
textcitation:userdata	`\textcitation [..=..] [..=..]`
textcite	`\textcite [..=..] [...]`
textcite:alternative	`\textcite [...] [...]`
textcite:userdata	`\textcite [..=..] [..=..]`
textcontrolspace	`\textcontrolspace`
texteaide	`\texteaide [...] {...} {...}`
texteencadre:instance	`\FRAMEDTEXT [..=..] {...}`
texteencadre:instance:framedtext	`\framedtext [..=..] {...}`
textenotepdp	`\textenotepdp [...] {...}`
textenotepdp:assignment	`\textenotepdp [..=..]`
textflowcollector	`\textflowcollector {...}`
textmath	`\textmath {...}`
textminus	`\textminus`
textnote	`\textnote [..=..] {...}`
textormathchar	`\textormathchar {...}`
textormathchars	`\textormathchars {...}`
textplus	`\textplus`
textvisiblespace	`\textvisiblespace`
thainumerals	`\thainumerals {...}`
thefirstcharacter	`\thefirstcharacter {...}`
thenormalizedbodyfontsize	`\thenormalizedbodyfontsize {...}`
theremainingcharacters	`\theremainingcharacters {...}`
thickspace	`\thickspace`
thinspace	`\thinspace`
thirdoffivearguments	`\thirdoffivearguments {...} {...} {...} {...} {...}`
thirdoffourarguments	`\thirdoffourarguments {...} {...} {...} {...}`
thirdofsixarguments	`\thirdofsixarguments {...} {...} {...} {...} {...} {...}`
thirdofthreearguments	`\thirdofthreearguments {...} {...} {...}`
thirdofthreeunexpanded	`\thirdofthreeunexpanded {...} {...} {...}`
threedigitrounding	`\threedigitrounding {...}`
tibetannumerals	`\tibetannumerals {...}`
tightlayer	`\tightlayer [...]`
tilde	`\tilde {...}`
tinyfont	`\tinyfont`
tlap	`\tlap {...}`
tochar	`\tochar {...}`
tolinenote	`\tolinenote [...]`
topbox	`\topbox {...}`
topleftbox	`\topleftbox {...}`
toplinebox	`\toplinebox {...}`
toprightbox	`\toprightbox {...}`
topskippedbox	`\topskippedbox {...}`

```
tracecatcodetables                          \tracecatcodetables
tracedfontname                              \tracedfontname {...}
traceoutputroutines                         \traceoutputroutines
tracepositions                              \tracepositions
traduire                                    \traduire [..=..]
traiteblocs                                 \traiteblocs [...] [...] [..=..]
traitfin                                    \traitfin
traitsfins                                  \traitsfins [..=..]
transparencycomponents                      \transparencycomponents {...}
transparent                                 \transparent [...] {...}
triplebond                                  \triplebond
truefilename                                \truefilename {...}
truefontname                                \truefontname {...}
ttraggedright                               \ttraggedright
twodigitrounding                            \twodigitrounding {...}
tx                                          \tx
txx                                         \txx
typ                                         \typ [..=..] {...}
typedefinedbuffer                           \typedefinedbuffer [...] [..=..]
typeface                                    \typeface
typeinlinebuffer                            \typeinlinebuffer [...] [..=..]
typescriptone                               \typescriptone
typescriptprefix                            \typescriptprefix {...}
typescriptthree                             \typescriptthree
typescripttwo                               \typescripttwo
typesetbuffer                               \typesetbuffer [...] [..=..]
typesetfile                                 \typesetfile [...] [...] [..=..]
typ:angles                                  \typ [..=..] <<...>>
uconvertnumber                              \uconvertnumber {...} {...}
uedcatcodecommand                           \uedcatcodecommand \... ... {...}
undefinevalue                               \undefinevalue {...}
undepthed                                   \undepthed {...}
underset                                    \underset {...} {...}
undoassign                                  \undoassign [...] [..=..]
uneligne                                    \uneligne [...]
unexpandeddocumentvariable                  \unexpandeddocumentvariable {...}
unhhbox                                      \unhhbox ... \with {...}
unihex                                       \unihex {...}
uniqueMPgraphic                             \uniqueMPgraphic {...} {..=..}
uniqueMPpagegraphic                         \uniqueMPpagegraphic {...} {..=..}
unite:instance                              \UNIT {...}
unite:instance:unit                         \unit {...}
unprotect                                   \unprotect ... \protect
unprotected                                 \unprotected ... \par
unregisterhyphenationpattern                \unregisterhyphenationpattern [...] [...]
unspaceafter                                \unspaceafter \... {...}
unspaceargument                             \unspaceargument ... \to \...
unspaced                                    \unspaced {...}
unspacestring                               \unspacestring ... \to \...
unstackscripts                              \unstackscripts
untexargument                               \untexargument {...} \to \...
untexcommand                                \untexcommand {...} \to \...
uppercased                                  \uppercased {...}
uppercasestring                             \uppercasestring ... \to \...
upperleftdoubleninequote                    \upperleftdoubleninequote
upperleftdoublesixquote                     \upperleftdoublesixquote
upperleftsingleninequote                    \upperleftsingleninequote
upperleftsinglesixquote                     \upperleftsinglesixquote
upperrightdoubleninequote                   \upperrightdoubleninequote
upperrightdoublesixquote                    \upperrightdoublesixquote
upperrightsingleninequote                   \upperrightsingleninequote
upperrightsinglesixquote                    \upperrightsinglesixquote
url                                         \url [...]
usealignparameter                           \usealignparameter \...
useblankparameter                           \useblankparameter \...
usebodyfont                                 \usebodyfont [...]
usebodyfontparameter                        \usebodyfontparameter \...
usebtxdataset                               \usebtxdataset [...] [...] [..=..]
usebtxdefinitions                           \usebtxdefinitions [...]
usecitation                                 \usecitation [...]
usecitation:direct                          \usecitation {...}
usecolors                                   \usecolors [...]
```

usecomponent	\usecomponent [...]
usedummycolorparameter	\usedummycolorparameter {...}
usedummystyleandcolor	\usedummystyleandcolor {...} {...}
usedummystyleparameter	\usedummystyleparameter {...}
useenvironment	\useenvironment [...]
useexternalrendering	\useexternalrendering [...] [...] [...] [...]
usefigurebase	\usefigurebase [...]
usefile	\usefile [...] [...] [...]
usegridparameter	\usegridparameter \...
useindentingparameter	\useindentingparameter \...
useindentnextparameter	\useindentnextparameter \...
useinterlinespaceparameter	\useinterlinespaceparameter \...
uselanguageparameter	\uselanguageparameter \...
useluamodule	\useluamodule [...]
useMPenvironmentbuffer	\useMPenvironmentbuffer [...]
useMPgraphic	\useMPgraphic {...} {..=..}
useMPlibrary	\useMPlibrary [...]
useMPrun	\useMPrun {...} {...}
useMPvariables	\useMPvariables [...] [...]
usemathstyleparameter	\usemathstyleparameter \...
useproduct	\useproduct [...]
useprofileparameter	\useprofileparameter \...
useproject	\useproject [...]
usereferenceparameter	\usereferenceparameter \...
userpagenumber	\userpagenumber
usesetupsparameter	\usesetupsparameter \...
usestaticMPfigure	\usestaticMPfigure [..=..] [...]
usesubpath	\usesubpath [...]
usetexmodule	\usetexmodule [...] [...] [..=..]
usetypescript	\usetypescript [...] [...] [...]
usetypescriptfile	\usetypescriptfile [...]
usezipfile	\usezipfile [...] [...]
utfchar	\utfchar {...}
utflower	\utflower {...}
utfupper	\utfupper {...}
utiliseblocs	\utiliseblocs [...] [...] [..=..]
utilisechemin	\utilisechemin [...]
utilisedocumentexterne	\utilisedocumentexterne [...] [...] [...]
utilisefigureexterne	\utilisefigureexterne [...] [...] [...] [..=..]
utiliseJSscripts	\utiliseJSscripts [...] [...]
utilisemodule	\utilisemodule [...] [...] [..=..]
utilisepsiteaudioexterne	\utilisepsiteaudioexterne [...] [...]
utilisesymboles	\utilisesymboles [...]
utiliseURL	\utiliseURL [...] [...] [...] [...]
utiliseurl	\utiliseurl [...] [...] [...] [...]
utilityregisterlength	\utilityregisterlength
VerboseNumber	\VerboseNumber {...}
va	\va {...} [...]
vaalaboite	\vaalaboite {...} [...]
vaalapage	\vaalapage {...} [...]
vaenbas	\vaenbas [...]
valeurcouleur	\valeurcouleur {...}
vboxreference	\vboxreference [...] {...}
vec	\vec {...}
verbatim	\verbatim {...}
verbatimstring	\verbatimstring {...}
verbosenumber	\verbosenumber {...}
version	\version [...]
verticalgrowingbar	\verticalgrowingbar [..=..]
verticalpositionbar	\verticalpositionbar [..=..]
veryraggedcenter	\veryraggedcenter
veryraggedleft	\veryraggedleft
veryraggedright	\veryraggedright
vglue	\vglue ...
vide	\vide [...]
viewerlayer	\viewerlayer [...] {...}
vl	\vl [...]
vpackbox	\vpackbox
vpackedbox	\vpackedbox
vphantom	\vphantom {...}
vpos	\vpos {...} {...}
vsmash	\vsmash {...}

```
vsmashbox                      \vsmashbox ...
vsmashed                       \vsmashed {...}
vspace                         \vspace [...] [...]
vspacing                       \vspacing [...]
WidthSpanningText              \WidthSpanningText {...} {...} {...}
wdofstring                     \wdofstring {...}
widthofstring                  \widthofstring {...}
widthspanningtext              \widthspanningtext {...} {...} {...}
withoutpt                      \withoutpt {...}
words                          \words {...}
wordtonumber                   \wordtonumber {...} {...}
writedatatolist                \writedatatolist [...] [..=..] [..=..]
writestatus                    \writestatus {...} {...}
XETEX                          \XETEX
XeTeX                          \XeTeX
xdefconvertedargument          \xdefconvertedargument \... {...}
xmladdindex                    \xmladdindex {...}
xmlafterdocumentsetup          \xmlafterdocumentsetup {...} {...} {...}
xmlaftersetup                  \xmlaftersetup {...} {...}
xmlall                         \xmlall {...} {...}
xmlappenddocumentsetup         \xmlappenddocumentsetup {...} {...}
xmlappendsetup                 \xmlappendsetup {...}
xmlapplyselectors              \xmlapplyselectors {...}
xmlatt                         \xmlatt {...} {...}
xmlattdef                      \xmlattdef {...} {...} {...}
xmlattribute                   \xmlattribute {...} {...} {...}
xmlattributedef                \xmlattributedef {...} {...} {...} {...}
xmlbadinclusions               \xmlbadinclusions {...}
xmlbeforedocumentsetup         \xmlbeforedocumentsetup {...} {...} {...}
xmlbeforesetup                 \xmlbeforesetup {...} {...}
xmlchainatt                    \xmlchainatt {...} {...}
xmlchainattdef                 \xmlchainattdef {...} {...} {...}
xmlchecknamespace              \xmlchecknamespace {...} {...}
xmlcommand                     \xmlcommand {...} {...} {...}
xmlconcat                      \xmlconcat {...} {...} {...}
xmlconcatrange                 \xmlconcatrange {...} {...} {...} {...} {...}
xmlcontext                     \xmlcontext {...} {...}
xmlcount                       \xmlcount {...}
xmldefaulttotext               \xmldefaulttotext {...}
xmldirectives                  \xmldirectives {...}
xmldirectivesafter             \xmldirectivesafter {...}
xmldirectivesbefore            \xmldirectivesbefore {...}
xmldisplayverbatim             \xmldisplayverbatim {...}
xmldoif                        \xmldoif {...} {...} {...}
xmldoifatt                     \xmldoifatt {...} {...}
xmldoifelse                    \xmldoifelse {...} {...} {...} {...}
xmldoifelseatt                 \xmldoifelseatt {...} {...} {...}
xmldoifelseempty               \xmldoifelseempty {...} {...} {...} {...}
xmldoifelseselfempty           \xmldoifelseselfempty {...} {...} {...}
xmldoifelsetext                \xmldoifelsetext {...} {...} {...} {...}
xmldoifelsevalue               \xmldoifelsevalue {...} {...} {...} {...}
xmldoifnot                     \xmldoifnot {...} {...} {...}
xmldoifnotatt                  \xmldoifnotatt {...} {...}
xmldoifnotselfempty            \xmldoifnotselfempty {...} {...}
xmldoifnottext                 \xmldoifnottext {...} {...} {...}
xmldoifselfempty               \xmldoifselfempty {...} {...}
xmldoiftext                    \xmldoiftext {...} {...} {...}
xmlelement                     \xmlelement {...} {...}
xmlfilter                      \xmlfilter {...} {...}
xmlfirst                       \xmlfirst {...} {...}
xmlflush                       \xmlflush {...}
xmlflushcontext                \xmlflushcontext {...}
xmlflushdocumentsetups         \xmlflushdocumentsetups {...} {...}
xmlflushlinewise               \xmlflushlinewise {...}
xmlflushpure                   \xmlflushpure {...}
xmlflushspacewise              \xmlflushspacewise {...}
xmlflushtext                   \xmlflushtext {...}
xmlinclude                     \xmlinclude {...} {...} {...}
xmlinclusion                   \xmlinclusion {...}
xmlinclusions                  \xmlinclusions {...}
xmlinfo                        \xmlinfo {...}
xmlinjector                    \xmlinjector {...}
```

```
xmlinlineprettyprint            \xmlinlineprettyprint {...} {...}
xmlinlineprettyprinttext        \xmlinlineprettyprinttext {...} {...}
xmlinlineverbatim               \xmlinlineverbatim {...}
xmlinstalldirective             \xmlinstalldirective {...} {...}
xmllast                         \xmllast {...} {...}
xmllastatt                      \xmllastatt
xmllastmatch                    \xmllastmatch
xmllastpar                      \xmllastpar
xmlloadbuffer                   \xmlloadbuffer {...} {...} {...}
xmlloaddata                     \xmlloaddata {...} {...} {...}
xmlloaddirectives               \xmlloaddirectives {...}
xmlloadfile                     \xmlloadfile {...} {...} {...}
xmlloadonly                     \xmlloadonly {...} {...} {...}
xmlmain                         \xmlmain {...}
xmlmapvalue                     \xmlmapvalue {...} {...} {...}
xmlname                         \xmlname {...}
xmlnamespace                    \xmlnamespace {...}
xmlnonspace                     \xmlnonspace {...} {...}
xmlpar                          \xmlpar {...} {...}
xmlparam                        \xmlparam {...} {...} {...}
xmlpath                         \xmlpath {...}
xmlpos                          \xmlpos {...}
xmlposition                     \xmlposition {...} {...} {...}
xmlprependdocumentsetup         \xmlprependdocumentsetup {...} {...}
xmlprependsetup                 \xmlprependsetup {...}
xmlprettyprint                  \xmlprettyprint {...} {...}
xmlprettyprinttext              \xmlprettyprinttext {...} {...}
xmlprocessbuffer                \xmlprocessbuffer {...} {...} {...}
xmlprocessdata                  \xmlprocessdata {...} {...} {...}
xmlprocessfile                  \xmlprocessfile {...} {...} {...}
xmlpure                         \xmlpure {...} {...}
xmlraw                          \xmlraw {...}
xmlrefatt                       \xmlrefatt {...} {...}
xmlregistereddocumentsetups     \xmlregistereddocumentsetups {...} {...}
xmlregisteredsetups             \xmlregisteredsetups
xmlregisterns                   \xmlregisterns {...} {...}
xmlremapname                    \xmlremapname {...} {...} {...} {...}
xmlremapnamespace               \xmlremapnamespace {...} {...} {...}
xmlremovedocumentsetup          \xmlremovedocumentsetup {...} {...}
xmlremovesetup                  \xmlremovesetup {...}
xmlresetdocumentsetups          \xmlresetdocumentsetups {...}
xmlresetinjectors               \xmlresetinjectors
xmlresetsetups                  \xmlresetsetups {...}
xmlsave                         \xmlsave {...} {...}
xmlsetatt                       \xmlsetatt {...} {...} {...}
xmlsetattribute                 \xmlsetattribute {...} {...} {...} {...}
xmlsetentity                    \xmlsetentity {...} {...}
xmlsetfunction                  \xmlsetfunction {...} {...} {...}
xmlsetinjectors                 \xmlsetinjectors [...]
xmlsetpar                       \xmlsetpar {...} {...} {...}
xmlsetparam                     \xmlsetparam {...} {...} {...} {...}
xmlsetsetup                     \xmlsetsetup {...} {...} {...}
xmlsetup                        \xmlsetup {...} {...}
xmlshow                         \xmlshow {...}
xmlsnippet                      \xmlsnippet {...} {...}
xmlstrip                        \xmlstrip {...} {...}
xmlstripnolines                 \xmlstripnolines {...} {...}
xmlstripped                     \xmlstripped {...} {...}
xmlstrippednolines              \xmlstrippednolines {...} {...}
xmltag                          \xmltag {...}
xmltexentity                    \xmltexentity {...} {...}
xmltext                         \xmltext {...} {...}
xmltobuffer                     \xmltobuffer {...} {...} {...}
xmltobufferverbose              \xmltobufferverbose {...} {...} {...}
xmltofile                       \xmltofile {...} {...} {...}
xmlvalue                        \xmlvalue {...} {...} {...}
xmlverbatim                     \xmlverbatim {...}
xsplitstring                    \xsplitstring \... {...}
xypos                           \xypos {...}
zeronumberconversion            \zeronumberconversion {...}
```