




# ConTeXt

## commandes

# FR







# ConTeXt

## commandes

**language** : fr / français  
**version** : 30 décembre 2019  
**maintainer** : Wolfgang Schuster  
**comments** : [ntg-context@ntg.nl](mailto:ntg-context@ntg.nl)





|                              |   |
|------------------------------|---|
| AfterPar                     | \AfterPar {...}                               |
| Alphabeticnumerals           | \Alphabeticnumerals {...}                     |
| AMSTEX                       | \AMSTEX                                       |
| AmSTeX                       | \AmSTeX                                       |
| And                          | \And  |
| a                            | \a {...} {...} [...]                          |
| abjadnaivenumerals           | \abjadnaivenumerals {...}                     |
| abjadnodotnumerals           | \abjadnodotnumerals {...}                     |
| abjadnumerals                | \abjadnumerals {...}                          |
| activatespacehandler         | \activatespacehandler {...}                   |
| actualday                    | \actualday                                    |
| actualmonth                  | \actualmonth                                  |
| actualyear                   | \actualyear                                   |
| acute                        | \acute {...}                                  |
| adaptcollector               | \adaptcollector [...] [..=..]                 |
| adaptedisposition            | \adaptedisposition [...] [..=..]              |
| adaptfontfeature             | \adaptfontfeature [...] [..=..]               |
| adaptpapersize               | \adaptpapersize [...] [...]                   |
| addfeature                   | \addfeature [...]                             |
| addfeature:direct            | \addfeature {...}                             |
| addfontpath                  | \addfontpath [...]                            |
| addtocommalist               | \addtocommalist {...} \...                    |
| addtoJSreamble               | \addtoJSreamble {...} {...}                   |
| addvalue                     | \addvalue {...} {...}                         |
| aftersplitstring             | \aftersplitstring ... \at ... \to \...        |
| aftertestandsplitstring      | \aftertestandsplitstring ... \at ... \to \... |
| ajustechamp                  | \ajustechamp [...] [..=..]                    |
| alaligne                     | \alaligne {...} [...]                         |
| alapage                      | \alapage [...]                                |
| alignbottom                  | \alignbottom                                  |
| aligneadroite                | \aligneadroite {...}                          |
| aligneagauche                | \aligneagauche {...}                          |
| aligneaumilieu               | \aligneaumilieu {...}                         |
| aligned                      | \aligned [...] {...}                          |
| alignedbox                   | \alignedbox [...] \... {...}                  |
| alignedline                  | \alignedline {...} {...} {...}                |
| alignhere                    | \alignhere                                    |
| alignmentcharacter           | \alignmentcharacter                           |
| allinputpaths                | \allinputpaths                                |
| alphabeticnumerals           | \alphabeticnumerals {...}                     |
| alwayscitation               | \alwayscitation [..=..] [...]                 |
| alwayscitation:alternative   | \alwayscitation [...] [...]                   |
| alwayscitation:userdata      | \alwayscitation [..=..] [..=..]               |
| alwayscite                   | \alwayscite [..=..] [...]                     |
| alwayscite:alternative       | \alwayscite [...] [...]                       |
| alwayscite:userdata          | \alwayscite [..=..] [..=..]                   |
| ampersand                    | \ampersand                                    |
| anchor                       | \anchor [...] [..=..] [..=..] {...}           |
| appendetoks                  | \appendetoks ... \to \...                     |
| appendgvalue                 | \appendgvalue {...} {...}                     |
| appendtocommalist            | \appendtocommalist {...} \...                 |
| appendtoks                   | \appendtoks ... \to \...                      |
| appendtoksonce               | \appendtoksonce ... \to \...                  |
| appendvalue                  | \appendvalue {...} {...}                      |
| apply                        | \apply {...} {...}                            |
| applyalternativestyle        | \applyalternativestyle {...}                  |
| applyprocessor               | \applyprocessor {...} {...}                   |
| applytocharacters            | \applytocharacters \... {...}                 |
| applytofirstcharacter        | \applytofirstcharacter \... {...}             |
| applytosplitstringchar       | \applytosplitstringchar \... {...}            |
| applytosplitstringcharspaced | \applytosplitstringcharspaced \... {...}      |
| applytosplitstringline       | \applytosplitstringline \... {...}            |
| applytosplitstringlinespaced | \applytosplitstringlinespaced \... {...}      |
| applytosplitstringword       | \applytosplitstringword \... {...}            |
| applytosplitstringwordspaced | \applytosplitstringwordspaced \... {...}      |
| applytowords                 | \applytowords \... {...}                      |
| arabicdecimals               | \arabicdecimals {...}                         |
| arabicexnumerals             | \arabicexnumerals {...}                       |
| arabicnumerals               | \arabicnumerals {...}                         |
| arg                          | \arg {...}                                    |
| arriereplan                  | \arriereplan {...}                            |
| arriereplan:example          | \ARRIEREPLAN {...}                            |



|                                |   |
|--------------------------------|---|
| asciistr                       | \asciistr {...}                                   |
| assignalfadimension            | \assignalfadimension {...} \... {...} {...} {...} |
| assignndimen                   | \assignndimen \... {...}                          |
| assignndimension               | \assignndimension {...} \... {...} {...} {...}    |
| assignnifempty                 | \assignnifempty \... {...}                        |
| assigntranslation              | \assigntranslation [..=..] \to \...               |
| assignvalue                    | \assignvalue {...} \... {...} {...} {...}         |
| assignwidth                    | \assignwidth {...} \... {...} {...}               |
| assumelongusagecs              | \assumelongusagecs \... {...}                     |
| astype                         | \astype {...}                                     |
| attachment:instance            | \ATTACHMENT [...] [..=..]                         |
| attachment:instance:attachment | \attachment [...] [..=..]                         |
| autocap                        | \autocap {...}                                    |
| autodirhbox                    | \autodirhbox ... {...}                            |
| autodirvbox                    | \autodirvbox ... {...}                            |
| autodirvtop                    | \autodirvtop ... {...}                            |
| autoinsertnextspace            | \autoinsertnextspace                              |
| autointegral                   | \autointegral {...} {...} {...}                   |
| automathematics                | \automathematics {...}                            |
| autopagestaterealpage          | \autopagestaterealpage {...}                      |
| autopagestaterealpageorder     | \autopagestaterealpageorder {...}                 |
| autosetups                     | \autosetups {...}                                 |
| autostarttexte                 | \autostarttexte ... \autostoptexte                |
| availablehsize                 | \availablehsize                                   |
| averagecharwidth               | \averagecharwidth                                 |
| BeforePar                      | \BeforePar {...}                                  |
| Big                            | \Big ...  |
| Bigg                           | \Bigg ...   |
| Biggl                          | \Biggl ...  |
| Biggm                          | \Biggm ...  |
| Biggr                          | \Biggr ...  |
| Bigl                           | \Bigl ...   |
| Bigm                           | \Bigm ...   |
| Bigr                           | \Bigr ...   |
| backgroundimage                | \backgroundimage {...} {...} {...} {...}          |
| backgroundimagefill            | \backgroundimagefill {...} {...} {...} {...}      |
| backgroundline                 | \backgroundline [...] {...}                       |
| baha                           | \baha [...] {...} {...}                           |
| bar                            | \bar {...}  |
| barrecouleur                   | \barrecouleur [...]                               |
| barreinteraction               | \barreinteraction [...] [..=..]                   |
| bar:instance                   | \BAR {...}  |
| bar:instance:hiddenbar         | \hiddenbar {...}                                  |
| bar:instance:nobar             | \nobar {...}                                      |
| bar:instance:overbar           | \overbar {...}                                    |
| bar:instance:overbars          | \overbars {...}                                   |
| bar:instance:overstrike        | \overstrike {...}                                 |
| bar:instance:overstrikes       | \overstrikes {...}                                |
| bar:instance:underbar          | \underbar {...}                                   |
| bar:instance:underbars         | \underbars {...}                                  |
| bar:instance:underdash         | \underdash {...}                                  |
| bar:instance:underdashes       | \underdashes {...}                                |
| bar:instance:underdot          | \underdot {...}                                   |
| bar:instance:underdots         | \underdots {...}                                  |
| bar:instance:underrandom       | \underrandom {...}                                |
| bar:instance:underrandoms      | \underrandoms {...}                               |
| bar:instance:understrike       | \understrike {...}                                |
| bar:instance:understrikes      | \understrikes {...}                               |
| bas                            | \bas {...}  |
| basegrid                       | \basegrid [..=..]                                 |
| baselinebottom                 | \baselinebottom                                   |
| baselineleftbox                | \baselineleftbox {...}                            |
| baselinemiddlebox              | \baselinemiddlebox {...}                          |
| baselinerightbox               | \baselinerightbox {...}                           |
| bas:instance                   | \LOW {...}  |
| bas:instance:unitslow          | \unitslow {...}                                   |
| bbordermatrix                  | \bbordermatrix {...}                              |
| bbox                           | \bbox {...}                                       |
| beforesplitstring              | \beforesplitstring ... \at ... \to \...           |
| beforetestandsplitstring       | \beforetestandsplitstring ... \at ... \to \...    |
| beginblock:example             | \beginBLOCK [...] [..=..] ... \endBLOCK           |
| beginhbox                      | \beginhbox ... \endhbox                           |

|                                  |   |
|----------------------------------|---|
| beginofshapebox                  | \beginofshapebox ... \endofshapebox                       |
| beginvbox                        | \beginvbox ... \endvbox                                   |
| beginvtop                        | \beginvtop ... \endvtop                                   |
| begstrut                         | \begstrut ... \endstrut                                   |
| bigg                             | \bigg ...   |
| bigger                           | \bigger   |
| biggl                            | \biggl ...  |
| biggm                            | \biggm ...  |
| biggr                            | \biggr ...  |
| bigl                             | \bigl ...   |
| bigm                             | \bigm ...   |
| bigr                             | \bigr ...   |
| bigskip                          | \bigskip  |
| bitmapimage                      | \bitmapimage [..=..] {...}                                |
| blap                             | \blap {...}   |
| bleed                            | \bleed [..=..] {...}                                      |
| bleedheight                      | \bleedheight  |
| bleedwidth                       | \bleedwidth   |
| blockligatures                   | \blockligatures [...]                                     |
| blocksynctexfile                 | \blocksynctexfile [...]                                   |
| blockuservariable                | \blockuservariable {...}                                  |
| bodyfontenvironmentlist          | \bodyfontenvironmentlist                                  |
| bodyfontsize                     | \bodyfontsize   |
| boldface                         | \boldface   |
| booleanmodevalue                 | \booleanmodevalue {...}                                   |
| bordermatrix                     | \bordermatrix {...}                                       |
| bottombox                        | \bottombox {...}  |
| bottomleftbox                    | \bottomleftbox {...}                                      |
| bottomrightbox                   | \bottomrightbox {...}                                     |
| bouton                           | \bouton [..=..] {...} [...]                               |
| boutonmenu:button                | \boutonmenu [..=..] {...} {...}                           |
| boutonmenu:interactionmenu       | \boutonmenu [...] [..=..] {...} {...}                     |
| boutonsinteraction               | \boutonsinteraction [..=..] [...]                         |
| bouton:example                   | \BUTTON [..=..] {...} [...]                               |
| boxcursor                        | \boxcursor  |
| boxmarker                        | \boxmarker {...} {...}                                    |
| boxofsize                        | \boxofsize \... ... {...}                                 |
| boxreference                     | \boxreference [...] \... {...}                            |
| bpar                             | \bpar ... \epar   |
| bpos                             | \bpos {...}   |
| breakhere                        | \breakhere  |
| breve                            | \breve {...}  |
| bTABLE                           | \bTABLE [..=..] ... \eTABLE                               |
| bTABLEbody                       | \bTABLEbody [..=..] ... \eTABLEbody                       |
| bTABLEfoot                       | \bTABLEfoot [..=..] ... \eTABLEfoot                       |
| bTABLEhead                       | \bTABLEhead [..=..] ... \eTABLEhead                       |
| bTABLEnext                       | \bTABLEnext [..=..] ... \eTABLEnext                       |
| bTC                              | \bTC [..=..] ... \eTC                                     |
| bTD                              | \bTD [..=..] ... \eTD                                     |
| bTDs                             | \bTDs [...] ... \eTDs                                     |
| bTH                              | \bTH [..=..] ... \eTH                                     |
| bTN                              | \bTN [..=..] ... \eTN                                     |
| bTR                              | \bTR [..=..] ... \eTR                                     |
| bTRs                             | \bTRs [...] ... \eTRs                                     |
| bTX                              | \bTX [..=..] ... \eTX                                     |
| bTY                              | \bTY [..=..] ... \eTY                                     |
| btabbreviatedjournal             | \btabbreviatedjournal {...}                               |
| btaddjournal                     | \btaddjournal [...] [...]                                 |
| btalwayscitation                 | \btalwayscitation [..=..] [...]                           |
| btalwayscitation:alternative     | \btalwayscitation [...] [...]                             |
| btalwayscitation:userdata        | \btalwayscitation [..=..] [..=..]                         |
| btauthorfield                    | \btauthorfield {...}                                      |
| btxdetail                        | \btxdetail {...}  |
| btxdirect                        | \btxdirect {...}  |
| btxdoif                          | \btxdoif {...} {...}                                      |
| btxdoifcombiinlistelse           | \btxdoifcombiinlistelse {...} {...} {...} {...}           |
| btxdoifelse                      | \btxdoifelse {...} {...} {...}                            |
| btxdoifelsecombiinlist           | \btxdoifelsecombiinlist {...} {...} {...} {...}           |
| btxdoifelsesameasprevious        | \btxdoifelsesameasprevious {...} {...} {...}              |
| btxdoifelsesameaspreviouschecked | \btxdoifelsesameaspreviouschecked {...} {...} {...} {...} |
| btxdoifelseuservariable          | \btxdoifelseuservariable {...} {...} {...}                |
| btxdoifnot                       | \btxdoifnot {...} {...}                                   |

|                                  |   |
|----------------------------------|---|
| btxdoifsameaspreviouscheckedelse | \btxdoifsameaspreviouscheckedelse {...} {...} {...} {...} |
| btxdoifsameaspreviouselse        | \btxdoifsameaspreviouselse {...} {...} {...}              |
| btxdoifuservariableelse          | \btxdoifuservariableelse {...} {...} {...}                |
| btxexpandedjournal               | \btxexpandedjournal {...}                                 |
| btxfield                         | \btxfield {...}   |
| btxfieldname                     | \btxfieldname {...}                                       |
| btxfieldtype                     | \btxfieldtype {...}                                       |
| btxfirstofrange                  | \btxfirstofrange {...}                                    |
| btxflush                         | \btxflush {...}   |
| btxflushauthor                   | \btxflushauthor [...] {...}                               |
| btxflushauthorinverted           | \btxflushauthorinverted {...}                             |
| btxflushauthorinvertedshort      | \btxflushauthorinvertedshort {...}                        |
| btxflushauthorname               | \btxflushauthorname {...}                                 |
| btxflushauthornormal             | \btxflushauthornormal {...}                               |
| btxflushauthornormalshort        | \btxflushauthornormalshort {...}                          |
| btxflushsuffix                   | \btxflushsuffix   |
| btxfoundname                     | \btxfoundname {...}                                       |
| btxfoundtype                     | \btxfoundtype {...}                                       |
| btxhiddencitation                | \btxhiddencitation [...]                                  |
| btxhybridcite                    | \btxhybridcite [..=..] [...]                              |
| btxhybridcite:alternative        | \btxhybridcite [...] [...]                                |
| btxhybridcite:direct             | \btxhybridcite {...}                                      |
| btxhybridcite:userdata           | \btxhybridcite [..=..] [..=..]                            |
| btxlistcitation                  | \btxlistcitation [..=..] [...]                            |
| btxlistcitation:alternative      | \btxlistcitation [...] [...]                              |
| btxlistcitation:userdata         | \btxlistcitation [..=..] [..=..]                          |
| btxloadjournalist                | \btxloadjournalist [...]                                  |
| btxoneorrange                    | \btxoneorrange {...} {...} {...}                          |
| btxremapauthor                   | \btxremapauthor [...] [...]                               |
| btxsavjournalist                 | \btxsavjournalist [...]                                   |
| btxsetup                         | \btxsetup {...}   |
| btxsingularorplural              | \btxsingularorplural {...} {...} {...}                    |
| btxsingularplural                | \btxsingularplural {...} {...} {...}                      |
| btxtextcitation                  | \btxtextcitation [..=..] [...]                            |
| btxtextcitation:alternative      | \btxtextcitation [...] [...]                              |
| btxtextcitation:userdata         | \btxtextcitation [..=..] [..=..]                          |
| buildmathaccent                  | \buildmathaccent {...} {...}                              |
| buildtextaccent                  | \buildtextaccent {...} {...}                              |
| buildtextbottomcomma             | \buildtextbottomcomma {...}                               |
| buildtextbottomdot               | \buildtextbottomdot {...}                                 |
| buildtextcedilla                 | \buildtextcedilla {...}                                   |
| buildtextgrave                   | \buildtextgrave {...}                                     |
| buildtextmacron                  | \buildtextmacron {...}                                    |
| buildtextognek                   | \buildtextognek {...}                                     |
| Cap                              | \Cap {...}  |
| Caps                             | \Caps {...}   |
| Caractere                        | \Caractere {...}  |
| Caracteres                       | \Caracteres {...}   |
| Chiffresromains                  | \Chiffresromains {...}                                    |
| CONTEXT                          | \CONTEXT  |
| ConTeXt                          | \ConTeXt  |
| Context                          | \Context  |
| ConvertConstantAfter             | \ConvertConstantAfter \... {...} {...}                    |
| ConvertToConstant                | \ConvertToConstant \... {...} {...}                       |
| cacheblocs                       | \cacheblocs [...] [...]                                   |
| calligraphique                   | \calligraphique   |
| camel                            | \camel {...}  |
| cap                              | \cap {...}  |
| capitale                         | \capitale {...}   |
| caractere                        | \caractere {...}  |
| caracteres                       | \caracteres {...}   |
| catcodetablename                 | \catcodetablename   |
| cbox                             | \cbox ... {...}   |
| centraligned                     | \centraligned {...}                                       |
| centerbox                        | \centerbox ... {...}                                      |
| centeredbox                      | \centeredbox ... {...}                                    |
| centeredlastline                 | \centeredlastline   |
| centerednextbox                  | \centerednextbox ... {...}                                |
| centerline                       | \centerline {...}   |
| cfrac                            | \cfrac [...] {...} {...}                                  |
| champ                            | \champ [...] [...]  |
| changepolicecorps                | \changepolicecorps [...]                                  |

|                                       |  |
|---------------------------------------|--|
| characterkerning:example              | \CHARACTERKERNING [...] {...}                  |
| chardescription                       | \chardescription {...}                         |
| charwidthlanguage                     | \charwidthlanguage                             |
| check                                 | \check {...}                                   |
| checkcharacteralign                   | \checkcharacteralign {...}                     |
| checkedblank                          | \checkedblank [...]                            |
| checkedchar                           | \checkedchar {...} {...}                       |
| checkedfiller                         | \checkedfiller {...}                           |
| checkedstrippedcsname                 | \checkedstrippedcsname \...                    |
| checkedstrippedcsname:string          | \checkedstrippedcsname ...                     |
| checkinjector                         | \checkinjector [...]                           |
| checknextindentation                  | \checknextindentation [...]                    |
| checknextinjector                     | \checknextinjector [...]                       |
| checkpage                             | \checkpage [...] [..=..]                       |
| checkparameters                       | \checkparameters [...]                         |
| checkpreviousinjector                 | \checkpreviousinjector [...]                   |
| checksoundtrack                       | \checksoundtrack {...}                         |
| checktwopassdata                      | \checktwopassdata {...}                        |
| checkvariables                        | \checkvariables [...] [..=..]                  |
| chem                                  | \chem {...} {...} {...}                        |
| chemical                              | \chemical [...] [...] [...]                    |
| chemicalbottext                       | \chemicalbottext {...}                         |
| chemicalmidtext                       | \chemicalmidtext {...}                         |
| chemicalsymbol                        | \chemicalsymbol [...]                          |
| chemicaltext                          | \chemicaltext {...}                            |
| chemicaltoptext                       | \chemicaltoptext {...}                         |
| chiffresromains                       | \chiffresromains {...}                         |
| chineseallnumerals                    | \chineseallnumerals {...}                      |
| chinesecapnumerals                    | \chinesecapnumerals {...}                      |
| chinesenumerals                       | \chinesenumerals {...}                         |
| citation                              | \citation [..=..] [...]                        |
| citation:alternative                  | \citation [...] [...]                          |
| citation:direct                       | \citation {...}                                |
| citation:userdata                     | \citation [..=..] [..=..]                      |
| cite                                  | \cite [..=..] [...]                            |
| cite:alternative                      | \cite [...] [...]                              |
| cite:direct                           | \cite {...}                                    |
| cite:userdata                         | \cite [..=..] [..=..]                          |
| clap                                  | \clap {...}                                    |
| classfont                             | \classfont {...} {...}                         |
| cldcommand                            | \cldcommand {...}                              |
| cldcontext                            | \cldcontext {...}                              |
| cldloadfile                           | \cldloadfile {...}                             |
| cldprocessfile                        | \cldprocessfile {...}                          |
| clip                                  | \clip [..=..] {...}                            |
| clippedoverlayimage                   | \clippedoverlayimage {...}                     |
| clonechamp                            | \clonechamp [...] [...] [...] [...]            |
| collect                               | \collect {...}                                 |
| collectedtext                         | \collectedtext [..=..] [..=..] {...} {...}     |
| collectexpanded                       | \collectexpanded {...}                         |
| colonne                               | \colonne [...]                                 |
| colorcomponents                       | \colorcomponents {...}                         |
| colored                               | \colored [..=..] {...}                         |
| colored:name                          | \colored [...] {...}                           |
| coloronly                             | \coloronly [...] {...}                         |
| columnbreak                           | \columnbreak [...]                             |
| columnsetspanwidth                    | \columnsetspanwidth {...}                      |
| combinepages                          | \combinepages [...] [..=..]                    |
| commalistelement                      | \commalistelement                              |
| commalistsentence                     | \commalistsentence [...] [...]                 |
| commalistsize                         | \commalistsize                                 |
| commentaire                           | \commentaire (...,...) (...,...) [..=..] {...} |
| commentaire:instance                  | \COMMENT [...] [..=..] {...}                   |
| commentaire:instance:comment          | \comment [...] [..=..] {...}                   |
| comparedimension                      | \comparedimension {...} {...}                  |
| comparedimensioneps                   | \comparedimensioneps {...} {...}               |
| comparegroupecouleur                  | \comparegroupecouleur [...]                    |
| comparepalette                        | \comparepalette [...]                          |
| completebt rendering                  | \completebt rendering [...] [..=..]            |
| completecombinedlist:instance         | \completeCOMBINEDLIST [..=..]                  |
| completecombinedlist:instance:content | \completecontent [..=..]                       |
| completelist                          | \completelist [...] [..=..]                    |

|   |   |
|---|---|
| completelistoffloats:instance                 | \completelistofFLOATS [..=..]             |
| completelistoffloats:instance:chemicals       | \completelistofchemicals [..=..]          |
| completelistoffloats:instance:figures         | \completelistoffigures [..=..]            |
| completelistoffloats:instance:graphics        | \completelistofgraphics [..=..]           |
| completelistoffloats:instance:intermezzi      | \completelistofintermezzi [..=..]         |
| completelistoffloats:instance:tables          | \completelistoftables [..=..]             |
| completelistofpublications                    | \completelistofpublications [...] [..=..] |
| completelistofsorts                           | \completelistofsorts [...] [..=..]        |
| completelistofsorts:instance                  | \completelistofSORTS [..=..]              |
| completelistofsorts:instance:logos            | \completelistoflogos [..=..]              |
| completelistofsynonyms                        | \completelistofsynonyms [...] [..=..]     |
| completelistofsynonyms:instance               | \completelistofSYNONYMS [..=..]           |
| completelistofsynonyms:instance:abbreviations | \completelistofabbreviations [..=..]      |
| completenumeropage                            | \completenumeropage                       |
| completeregistre                              | \completeregistre [...] [..=..]           |
| completeregistre:instance                     | \completeREGISTER [..=..]                 |
| completeregistre:instance:index               | \completeindex [..=..]                    |
| complexorsimple                               | \complexorsimple \...                     |
| complexorsimpleempty                          | \complexorsimpleempty \...                |
| complexorsimpleempty:argument                 | \complexorsimpleempty {...}               |
| complexorsimple:argument                      | \complexorsimple {...}                    |
| composant                                     | \composant [...]                          |
| composant:string                              | \composant ...                            |
| composedcollector                             | \composedcollector {...}                  |
| composedlayer                                 | \composedlayer {...}                      |
| compresult                                    | \compresult                               |
| concernant                                    | \concernant [...]                         |
| constantdimen                                 | \constantdimen \...                       |
| constantdimenargument                         | \constantdimenargument \...               |
| constantemptyargument                         | \constantemptyargument \...               |
| constantnumber                                | \constantnumber \...                      |
| constantnumberargument                        | \constantnumberargument \...              |
| contentreference                              | \contentreference [...] [..=..] {...}     |
| continuednumber                               | \continuednumber {...}                    |
| continueifinputfile                           | \continueifinputfile {...}                |
| convertargument                               | \convertargument ... \to \...             |
| convertcommand                                | \convertcommand \... \to \...             |
| convertedcounter                              | \convertedcounter [...] [..=..]           |
| converteddimen                                | \converteddimen {...} {...}               |
| convertedsubcounter                           | \convertedsubcounter [...] [...] [..=..]  |
| convertitnumero                               | \convertitnumero {...} {...}              |
| convertmonth                                  | \convertmonth {...}                       |
| convertvalue                                  | \convertvalue ... \to \...                |
| convertvboxtohbox                             | \convertvboxtohbox                        |
| copitchamp                                    | \copitchamp [...] [...]                   |
| copyboxfromcache                              | \copyboxfromcache {...} {...} ...         |
| copylabeltext:instance                        | \copyLABELtexte [...] [..=..]             |
| copylabeltext:instance:btxlabel               | \copybtxlabeltexte [...] [..=..]          |
| copylabeltext:instance:head                   | \copyheadtexte [...] [..=..]              |
| copylabeltext:instance:label                  | \copylabeltexte [...] [..=..]             |
| copylabeltext:instance:mathlabel              | \copymathlabeltexte [...] [..=..]         |
| copylabeltext:instance:operator               | \copyoperatortexte [...] [..=..]          |
| copylabeltext:instance:prefix                 | \copyprefixtexte [...] [..=..]            |
| copylabeltext:instance:suffix                 | \copsuffixtexte [...] [..=..]             |
| copylabeltext:instance:taglabel               | \copytaglabeltexte [...] [..=..]          |
| copylabeltext:instance:unit                   | \copyunittexte [...] [..=..]              |
| copypages                                     | \copypages [...] [..=..] [..=..]          |
| copyparameters                                | \copyparameters [...] [...] [...]         |
| copyposition                                  | \copyposition {...} {...}                 |
| copysetups                                    | \copysetups [...] [...]                   |
| corrigeespaceblanc                            | \corrigeespaceblanc {...}                 |
| couleur                                       | \couleur [...] {...}                      |
| couleurgrise                                  | \couleurgrise [...] {...}                 |
| countersubs                                   | \countersubs [...] [...]                  |
| counttoken                                    | \counttoken ... \in ... \to \...          |
| counttokens                                   | \counttokens ... \to \...                 |
| cramped                                       | \cramped {...}                            |
| crampedclap                                   | \crampedclap {...}                        |
| crampedllap                                   | \crampedllap {...}                        |
| crampedrlap                                   | \crampedrlap {...}                        |
| crlf  | \crlf                                     |
| crlfplaceholder                               | \crlfplaceholder                          |

|                                      |   |
|--------------------------------------|---|
| ctop                                 | \ctop ... {...}                           |
| ctxcommand                           | \ctxcommand {...}                         |
| ctxdirectcommand                     | \ctxdirectcommand {...}                   |
| ctxdirectlua                         | \ctxdirectlua {...}                       |
| ctxfunction                          | \ctxfunction {...}                        |
| ctxfunctiondefinition:example        | \CTXFUNCTIONDEFINITION                    |
| ctxfunction:example                  | \CTXFUNCTION                              |
| ctxlatecommand                       | \ctxlatecommand {...}                     |
| ctxlatelua                           | \ctxlatelua {...}                         |
| ctxloadluafile                       | \ctxloadluafile {...}                     |
| ctxlua                               | \ctxlua {...}                             |
| ctxluabuffer                         | \ctxluabuffer [...]                       |
| ctxluacode                           | \ctxluacode {...}                         |
| ctxreport                            | \ctxreport {...}                          |
| ctxsprint                            | \ctxsprint {...}                          |
| currentassignmentlistkey             | \currentassignmentlistkey                 |
| currentassignmentlistvalue           | \currentassignmentlistvalue               |
| currentbtbxuservariable              | \currentbtbxuservariable {...}            |
| currentcommalistitem                 | \currentcommalistitem                     |
| currentcomponent                     | \currentcomponent                         |
| currentenvironment                   | \currentenvironment                       |
| currentfeaturetest                   | \currentfeaturetest                       |
| currentinterface                     | \currentinterface                         |
| currentlabel:example                 | \currentETIQUETTE [...] {...}             |
| currentlanguage                      | \currentlanguage                          |
| currentlistentrydestinationattribute | \currentlistentrydestinationattribute     |
| currentlistentrylimitedtext          | \currentlistentrylimitedtext {...}        |
| currentlistentrynumber               | \currentlistentrynumber                   |
| currentlistentrypagenumber           | \currentlistentrypagenumber               |
| currentlistentryreferenceattribute   | \currentlistentryreferenceattribute {...} |
| currentlistentrytitle                | \currentlistentrytitle                    |
| currentlistentrytitlrendered         | \currentlistentrytitlrendered             |
| currentlistsymbol                    | \currentlistsymbol                        |
| currentmainlanguage                  | \currentmainlanguage                      |
| currentmessagetext                   | \currentmessagetext                       |
| currentmoduleparameter               | \currentmoduleparameter {...}             |
| currentoutputstream                  | \currentoutputstream                      |
| currentproduct                       | \currentproduct                           |
| currentproject                       | \currentproject                           |
| currentregime                        | \currentregime                            |
| currentregisterpageuserdata          | \currentregisterpageuserdata {...}        |
| currentresponses                     | \currentresponses                         |
| currenttime                          | \currenttime [...]                        |
| currentvalue                         | \currentvalue                             |
| currentxtablecolumn                  | \currentxtablecolumn                      |
| currentxtablerow                     | \currentxtablerow                         |
| d                                    | \d {...}                                  |
| dactylographier                      | \dactylographier [..=..] {...}            |
| dactylographier:angles               | \dactylographier [..=..] <<...>>          |
| dactylographier:example              | \TYPE [..=..] {...}                       |
| dactylographier:example:angles       | \TYPE [..=..] <<...>>                     |
| dans                                 | \dans {...} {...} [...]                   |
| datasetvariable                      | \datasetvariable {...} {...} {...}        |
| date                                 | \date [..=..] [...]                       |
| datecourante                         | \datecourante [...]                       |
| dayoftheweek                         | \dayoftheweek {...} {...} {...}           |
| dayspermonth                         | \dayspermonth {...} {...}                 |
| dddot                                | \dddot {...}                              |
| ddot                                 | \ddot {...}                               |
| de                                   | \de [...]                                 |
| decrement                            | \decrement \...                           |
| decrementcounter                     | \decrementcounter [...] [...]             |
| decrementedcounter                   | \decrementedcounter [...]                 |
| decrementpagenumber                  | \decrementpagenumber                      |
| decrementsubpagenumber               | \decrementsubpagenumber                   |
| decrementvalue                       | \decrementvalue {...}                     |
| decrement:argument                   | \decrement (...)                          |
| defaultinterface                     | \defaultinterface                         |
| defaultobjectpage                    | \defaultobjectpage                        |
| defaultobjectreference               | \defaultobjectreference                   |
| defcatcodecommand                    | \defcatcodecommand \... ... {...}         |
| defconvertedargument                 | \defconvertedargument \... {...}          |

|                                     |   |
|-------------------------------------|---|
| defconvertedcommand                 | \defconvertedcommand \... \...                    |
| defconvertedvalue                   | \defconvertedvalue \... {...}                     |
| defineactivecharacter               | \defineactivecharacter ... {...}                  |
| definealternativestyle              | \definealternativestyle [...] [...] [...]         |
| defineanchor                        | \defineanchor [...] [...] [..=..] [..=..]         |
| defineattachment                    | \defineattachment [...] [...] [..=..]             |
| defineattribute                     | \defineattribute [...] [...]                      |
| definebackground                    | \definebackground [...] [...] [..=..]             |
| definebar                           | \definebar [...] [...] [..=..]                    |
| definebodyfontswitch                | \definebodyfontswitch [...] [...]                 |
| definebreakpoint                    | \definebreakpoint [...] [...] [..=..]             |
| definebreakpoints                   | \definebreakpoints [...]                          |
| definebtx                           | \definebtx [...] [...] [..=..]                    |
| definebtxdataset                    | \definebtxdataset [...] [...] [..=..]             |
| definebtxregister                   | \definebtxregister [...] [...] [..=..]            |
| definebtxrendering                  | \definebtxrendering [...] [...] [..=..]           |
| definebutton                        | \definebutton [...] [...] [..=..]                 |
| definecapitals                      | \definecapitals [...] [...] [..=..]               |
| definecharacterkerning              | \definecharacterkerning [...] [...] [..=..]       |
| definecharacterspacing              | \definecharacterspacing [...]                     |
| definechemical                      | \definechemical [...] {...}                       |
| definechemicals                     | \definechemicals [...] [...] [..=..]              |
| definechemicalsymbol                | \definechemicalsymbol [...] [...]                 |
| definecollector                     | \definecollector [...] [...] [..=..]              |
| definecolumnsetarea                 | \definecolumnsetarea [...] [...] [..=..]          |
| definecolumnsetspan                 | \definecolumnsetspan [...] [...] [..=..]          |
| definecombination                   | \definecombination [...] [...] [..=..]            |
| definecomment                       | \definecomment [...] [...] [..=..]                |
| definecomplexorsimple               | \definecomplexorsimple \...                       |
| definecomplexorsimpleempty          | \definecomplexorsimpleempty \...                  |
| definecomplexorsimpleempty:argument | \definecomplexorsimpleempty {...}                 |
| definecomplexorsimple:argument      | \definecomplexorsimple {...}                      |
| defineconversionset                 | \defineconversionset [...] [...] [...]            |
| definecounter                       | \definecounter [...] [...] [..=..]                |
| definedataset                       | \definedataset [...] [...] [..=..]                |
| definedelimitedtext                 | \definedelimitedtext [...] [...] [..=..]          |
| definedfont                         | \definedfont [...]                                |
| defineeffect                        | \defineeffect [...] [...] [..=..]                 |
| defineexpandable                    | \defineexpandable [...] \... {...}                |
| defineexternalfigure                | \defineexternalfigure [...] [...] [..=..]         |
| definefacingfloat                   | \definefacingfloat [...] [...] [..=..]            |
| definefallbackfamily                | \definefallbackfamily [...] [...] [...] [..=..]   |
| definefallbackfamily:preset         | \definefallbackfamily [...] [...] [...] [...]     |
| definefieldbody                     | \definefieldbody [...] [...] [..=..]              |
| definefieldbodyset                  | \definefieldbodyset [...] [...]                   |
| definefieldcategory                 | \definefieldcategory [...] [...] [..=..]          |
| definefileconstant                  | \definefileconstant {...} {...}                   |
| definefilefallback                  | \definefilefallback [...] [...]                   |
| definefilesynonym                   | \definefilesynonym [...] [...]                    |
| definefiller                        | \definefiller [...] [...] [..=..]                 |
| definefirstline                     | \definefirstline [...] [...] [..=..]              |
| definefittingpage                   | \definefittingpage [...] [...] [..=..]            |
| definefontalternative               | \definefontalternative [...]                      |
| definefontfallback                  | \definefontfallback [...] [...] [...] [..=..]     |
| definefontfamily                    | \definefontfamily [...] [...] [...] [..=..]       |
| definefontfamilypreset              | \definefontfamilypreset [...] [..=..]             |
| definefontfamilypreset:name         | \definefontfamilypreset [...] [...]               |
| definefontfamily:preset             | \definefontfamily [...] [...] [...] [...]         |
| definefontfeature                   | \definefontfeature [...] [...] [..=..]            |
| definefontfile                      | \definefontfile [...] [...] [..=..]               |
| definefontsize                      | \definefontsize [...]                             |
| definefontsolution                  | \definefontsolution [...] [...] [..=..]           |
| defineformula                       | \defineformula [...] [...] [..=..]                |
| defineformulaalternative            | \defineformulaalternative [...] [...] [...] [...] |
| defineformulaframed                 | \defineformulaframed [...] [...] [..=..]          |
| defineframed                        | \defineframed [...] [...] [..=..]                 |
| defineframedcontent                 | \defineframedcontent [...] [...] [..=..]          |
| defineframedtable                   | \defineframedtable [...] [...]                    |
| defineframedtext                    | \defineframedtext [...] [...] [..=..]             |
| definefrozenfont                    | \definefrozenfont [...] [...]                     |
| defineglobalcolor                   | \defineglobalcolor [...] [..=..]                  |
| defineglobalcolor:name              | \defineglobalcolor [...] [...]                    |

|                                |   |
|--------------------------------|---|
| definegraphicstypesynonym      | \definegraphicstypesynonym [...] [...]              |
| definegridsnapping             | \definegridsnapping [...] [...]                     |
| defineheadalternative          | \defineheadalternative [...] [...] [..=..]          |
| definehelp                     | \definehelp [...] [...] [..=..]                     |
| definehigh                     | \definehigh [...] [...] [..=..]                     |
| definehighlight                | \definehighlight [...] [...] [..=..]                |
| definehspace                   | \definehspace [...] [...] [...]                     |
| definehypenationfeatures       | \definehypenationfeatures [...] [..=..]             |
| defineindentedtext             | \defineindentedtext [...] [...] [..=..]             |
| defineindenting                | \defineindenting [...] [...]                        |
| defineinitial                  | \defineinitial [...] [...] [..=..]                  |
| defineinsertion                | \defineinsertion [...] [...] [..=..]                |
| defineinteraction              | \defineinteraction [...] [...] [..=..]              |
| defineinteractionbar           | \defineinteractionbar [...] [...] [..=..]           |
| defineinterfaceconstant        | \defineinterfaceconstant {...} {...}                |
| defineinterfaceelement         | \defineinterfaceelement {...} {...}                 |
| defineinterfacevariable        | \defineinterfacevariable {...} {...}                |
| defineinterlinespace           | \defineinterlinespace [...] [...] [..=..]           |
| defineintermediatecolor        | \defineintermediatecolor [...] [...] [..=..]        |
| defineitemgroup                | \defineitemgroup [...] [...] [..=..]                |
| defineitems                    | \defineitems [...] [...] [..=..]                    |
| definelabelclass               | \definelabelclass [...] [...]                       |
| definelaypreset                | \definelaypreset [...] [..=..]                      |
| definelaypreset:name           | \definelaypreset [...] [...]                        |
| definelinefiller               | \definelinefiller [...] [...] [..=..]               |
| definelinenote                 | \definelinenote [...] [...] [..=..]                 |
| definelinenumbering            | \definelinenumbering [...] [...] [..=..]            |
| definelines                    | \definelines [...] [...] [..=..]                    |
| definelistalternative          | \definelistalternative [...] [...] [..=..]          |
| definelistextra                | \definelistextra [...] [...] [..=..]                |
| definelow                      | \definelow [...] [...] [..=..]                      |
| definelowhigh                  | \definelowhigh [...] [...] [..=..]                  |
| definelowmidhigh               | \definelowmidhigh [...] [...] [..=..]               |
| defineMPinstance               | \defineMPinstance [...] [...] [..=..]               |
| definemarginblock              | \definemarginblock [...] [...] [..=..]              |
| definemargindata               | \definemargindata [...] [...] [..=..]               |
| definemarker                   | \definemarker [...]                                 |
| definemathaccent               | \definemathaccent ... ..                            |
| definemathalignment            | \definemathalignment [...] [...] [..=..]            |
| definemathcases                | \definemathcases [...] [...] [..=..]                |
| definemathcommand              | \definemathcommand [...] [...] [...] {...}          |
| definemathdouble               | \definemathdouble [...] [...] [...] [...]           |
| definemathdoubleextensible     | \definemathdoubleextensible [...] [...] [...] [...] |
| definemathtics                 | \definemathtics [...] [...] [..=..]                 |
| definemathtextextensible       | \definemathtextextensible [...] [...] [...]         |
| definemathtfence               | \definemathtfence [...] [...] [..=..]               |
| definemathtfraction            | \definemathtfraction [...] [...] [..=..]            |
| definemathtframed              | \definemathtframed [...] [...] [..=..]              |
| definemathtmatrix              | \definemathtmatrix [...] [...] [..=..]              |
| definemathtornament            | \definemathtornament [...] [...] [..=..]            |
| definemathtover                | \definemathtover [...] [...] [...]                  |
| definemathtoverextensible      | \definemathtoverextensible [...] [...] [...]        |
| definemathtovertextextensible  | \definemathtovertextextensible [...] [...] [...]    |
| definemathttriple              | \definemathttriple [...] [...] [...]                |
| definemathtunder               | \definemathtunder [...] [...] [...]                 |
| definemathtunderextensible     | \definemathtunderextensible [...] [...] [...]       |
| definemathtundertextextensible | \definemathtundertextextensible [...] [...] [...]   |
| definemathtunstacked           | \definemathtunstacked [...] [...] [...]             |
| definemeasure                  | \definemeasure [...] [...]                          |
| definemessageconstant          | \definemessageconstant {...}                        |
| definemixedcolumns             | \definemixedcolumns [...] [...] [..=..]             |
| definemode                     | \definemode [...] [...]                             |
| definemultitonecolor           | \definemultitonecolor [...] [..=..] [..=..] [..=..] |
| definenamecolor                | \definenamecolor [...] [..=..]                      |
| definenamecolor:name           | \definenamecolor [...] [...]                        |
| definenamepace                 | \definenamepace [...] [..=..]                       |
| definenamearrower              | \definenamearrower [...] [...] [..=..]              |
| definename                     | \definename [...] [...] [..=..]                     |
| defineornament:collector       | \defineornament [...] [..=..] [..=..]               |



|                                |   |
|--------------------------------|---|
| defineornament:layer           | \defineornament [...] [..=..] [..=..]                 |
| defineoutputroutine            | \defineoutputroutine [...] [...] [..=..]              |
| defineoutputroutinecommand     | \defineoutputroutinecommand [...]                     |
| definepage                     | \definepage [...] [...]                               |
| definepagechecker              | \definepagechecker [...] [...] [..=..]                |
| definepagecolumns              | \definepagecolumns [...] [...] [..=..]                |
| definepageinjection            | \definepageinjection [...] [...] [..=..]              |
| definepageinjectionalternative | \definepageinjectionalternative [...] [...] [..=..]   |
| definepageshift                | \definepageshift [...] [...] [...]                    |
| definepagestate                | \definepagestate [...] [...] [..=..]                  |
| definepairedbox                | \definepairedbox [...] [...] [..=..]                  |
| defineparagraph                | \defineparagraph [...] [...] [..=..]                  |
| defineparallel                 | \defineparallel [...] [...]                           |
| defineparbuilder               | \defineparbuilder [...]                               |
| defineperiodkerning            | \defineperiodkerning [...] [...] [..=..]              |
| defineplacement                | \defineplacement [...] [...] [..=..]                  |
| definepositioning              | \definepositioning [...] [...] [..=..]                |
| defineprefixset                | \defineprefixset [...] [...] [...]                    |
| defineprocesscolor             | \defineprocesscolor [...] [...] [..=..]               |
| defineprocessor                | \defineprocessor [...] [...] [..=..]                  |
| definepushbutton               | \definepushbutton [...] [..=..]                       |
| definepushsymbol               | \definepushsymbol [...] [...]                         |
| definerenderingwindow          | \definerenderingwindow [...] [...] [..=..]            |
| defineresetset                 | \defineresetset [...] [...] [...]                     |
| defineruby                     | \defineruby [...] [...] [..=..]                       |
| definescale                    | \definescale [...] [...] [..=..]                      |
| definescript                   | \definescript [...] [...] [..=..]                     |
| definesectionlevels            | \definesectionlevels [...] [...]                      |
| defineselector                 | \defineselector [...] [..=..]                         |
| defineseparatorset             | \defineseparatorset [...] [...] [...]                 |
| defineshift                    | \defineshift [...] [...] [..=..]                      |
| definesidebar                  | \definesidebar [...] [...] [..=..]                    |
| definesort                     | \definesort [...] [...] [...] {...}                   |
| definespotcolor                | \definespotcolor [...] [...] [..=..]                  |
| definestyleinstance            | \definestyleinstance [...] [...] [...] [...]          |
| definesubformula               | \definesubformula [...] [...] [..=..]                 |
| definesynonym                  | \definesynonym [...] [...] [...] {...} {...}          |
| definesystemattribute          | \definesystemattribute [...] [...]                    |
| definesystemconstant           | \definesystemconstant {...}                           |
| definesystemvariable           | \definesystemvariable {...}                           |
| defineTABLEsetup               | \defineTABLEsetup [...] [..=..]                       |
| definetabulation               | \definetabulation [...] [...] [..=..]                 |
| definetextbackground           | \definetextbackground [...] [...] [..=..]             |
| definetextflow                 | \definetextflow [...] [...] [..=..]                   |
| definetextnote                 | \definetextnote [...] [...] [..=..]                   |
| definetokenlist                | \definetokenlist [...]                                |
| definetooltip                  | \definetooltip [...] [...] [..=..]                    |
| definetransparency:1           | \definetransparency [...] [...]                       |
| definetransparency:2           | \definetransparency [...] [..=..]                     |
| definetransparency:3           | \definetransparency [...] [...]                       |
| definetwopasslist              | \definetwopasslist {...}                              |
| definetypeface                 | \definetypeface [...] [...] [...] [...] [...] [..=..] |
| definetypescriptprefix         | \definetypescriptprefix [...] [...]                   |
| definetypescriptsynonym        | \definetypescriptsynonym [...] [...]                  |
| definetypesetting              | \definetypesetting [...] [...] [..=..]                |
| defineunit                     | \defineunit [...] [...] [..=..]                       |
| defineuserdata                 | \defineuserdata [...] [...] [..=..]                   |
| defineuserdataalternative      | \defineuserdataalternative [...] [...] [..=..]        |
| defineviewerlayer              | \defineviewerlayer [...] [...] [..=..]                |
| definevspace                   | \definevspace [...] [...] [...]                       |
| definevspacing                 | \definevspacing [...] [...]                           |
| definevspacingamount           | \definevspacingamount [...] [...] [...]               |
| definextable                   | \definextable [...] [...] [..=..]                     |
| definicaractere                | \definicaractere ... ..                               |
| definit                        | \definit [...] \... {...}                             |
| definitaccent                  | \definitaccent ... ..                                 |
| definitbloc                    | \definitbloc [...] [...] [..=..]                      |
| definitblocsection             | \definitblocsection [...] [...] [..=..]               |
| definitbuffer                  | \definitbuffer [...] [...] [..=..]                    |
| definitcalque                  | \definitcalque [...] [...] [..=..]                    |
| definitchamp                   | \definitchamp [...] [...] [...] [...] [...]           |
| definitcommande                | \definitcommande ... ..                               |

|  |  |
|--|--|
| definitconversion                      | \definitconversion [...] [...]                           |
| definitconversion:list                 | \definitconversion [...] [...]                           |
| definitcouleur                         | \definitcouleur [...] [..=..]                            |
| definitcouleur:name                    | \definitcouleur [...] [...]                              |
| definitdactylo                         | \definitdactylo [...] [...] [..=..]                      |
| definitdemarrestoppe                   | \definitdemarrestoppe [...] [...] [..=..]                |
| definitdescription                     | \definitdescription [...] [...] [..=..]                  |
| definitdisposition                     | \definitdisposition [...] [...] [..=..]                  |
| definitenumeration                     | \definitenumeration [...] [...] [..=..]                  |
| definitenvironnementpolicecorps        | \definitenvironnementpolicecorps [...] [...] [..=..]     |
| definitetiquette                       | \definitetiquette [...] [...] [..=..]                    |
| definitflottant                        | \definitflottant [...] [...] [..=..]                     |
| definitflottant:name                   | \definitflottant [...] [...] [...]                       |
| definitformatreference                 | \definitformatreference [...] [...] [..=..]              |
| definitgroupecouleur                   | \definitgroupecouleur [...] [...] [x:y:z,..]             |
| definit hbox                           | \definit hbox [...] [...]                                |
| definitjeucolonne                      | \definitjeucolonne [...] [...] [..=..]                   |
| definitliste                           | \definitliste [...] [...] [..=..]                        |
| definitlisteimbriquee                  | \definitlisteimbriquee [...] [...] [..=..]               |
| definitmakeup                          | \definitmakeup [...] [...] [..=..]                       |
| definitmarquage                        | \definitmarquage [...] [...] [..=..]                     |
| definitmenuinteraction                 | \definitmenuinteraction [...] [...] [..=..]              |
| definitpalette                         | \definitpalette [...] [..=..]                            |
| definitpalette:name                    | \definitpalette [...] [...]                              |
| definitparagraphes                     | \definitparagraphes [...] [...] [..=..]                  |
| definitpilechamp                       | \definitpilechamp [...] [...] [..=..]                    |
| definitpolice                          | \definitpolice [...] [...] [..=..]                       |
| definitpolicecorps                     | \definitpolicecorps [...] [...] [...] [..=..]            |
| definitpolicecorps:argument            | \definitpolicecorps [...] [...] [...] [...]              |
| definitpolice:argument                 | \definitpolice [...] [...] [...]                         |
| definitprofil                          | \definitprofil [...] [...] [..=..]                       |
| definitprogramme                       | \definitprogramme [...] [...] [...]                      |
| definitreference                       | \definitreference [...] [...]                            |
| definitregistre                        | \definitregistre [...] [...] [..=..]                     |
| definitrevetement                      | \definitrevetement [...] [...] [...]                     |
| definit saut de colonne                | \definit saut de colonne [...] [...]                     |
| definit saut de page                   | \definit saut de page [...] [...]                        |
| definitsection                         | \definitsection [...]                                    |
| definit sous champ                     | \definit sous champ [...] [...] [...]                    |
| definitstyle                           | \definitstyle [...] [...] [..=..]                        |
| definitstylepolice                     | \definitstylepolice [...] [...]                          |
| definit symbole                        | \definit symbole [...] [...] [...]                       |
| definit symbole figure                 | \definit symbole figure [...] [...] [..=..]              |
| definit synonyme police                | \definit synonyme police [...] [...] [..=..]             |
| definit synonymes                      | \definit synonymes [...] [...] [...] [...]               |
| definit tabulation                     | \definit tabulation [...] [...] [/.../]                  |
| definit taille papier                  | \definit taille papier [...] [..=..] <sup>PPT</sup>      |
| definit taille papier:name             | \definit taille papier [...] [...] [...]                 |
| definit tete                           | \definit tete [...] [...] [..=..]                        |
| definit texte                          | \definit texte [...] [...] [...] [...] [...] [...] [...] |
| definit tram tableau                   | \definit tram tableau [...] [/.../] [...] [...]          |
| definit tri                            | \definit tri [...] [...] [...]                           |
| definit type                           | \definit type [...] [...] [..=..]                        |
| definit vide                           | \definit vide [...]                                      |
| delimited                              | \delimited [...] [...] {...}                             |
| delimited text                         | \delimited text [...] [...] {...}                        |
| delimited text:instance                | \DELIMITEDTEXT [...] {...}                               |
| delimited text:instance:aside          | \aside [...] {...}                                       |
| delimited text:instance:blockquote     | \blockquote [...] {...}                                  |
| delimited text:instance:quotation      | \quotation [...] {...}                                   |
| delimited text:instance:quote          | \quote [...] {...}                                       |
| delimited text:instance:speech         | \speech [...] {...}                                      |
| demarre                                | \demarre [...] ... \stoppe                               |
| demarre aligne droite                  | \demarre aligne droite ... \stoppe aligne droite         |
| demarre aligne gauche                  | \demarre aligne gauche ... \stoppe aligne gauche         |
| demarre aligne au milieu               | \demarre aligne au milieu ... \stoppe aligne au milieu   |
| demarre alignement                     | \demarre alignement [...] ... \stoppe alignement         |
| demarre all modes                      | \demarre all modes [...] ... \stoppe all modes           |
| demarre arriere plan                   | \demarre arriere plan [..=..] ... \stoppe arriere plan   |
| demarre arriere plan:exemple           | \demarreARRIEREPLAN [..=..] ... \stoppeARRIEREPLAN       |
| demarre attachment:instance            | \demarreATTACHMENT [...] [..=..] ... \stoppeATTACHMENT   |
| demarre attachment:instance:attachment | \demarre attachment [...] [..=..] ... \stoppe attachment |

|  |  |
|--|--|
| demarrebar                               | \demarrebar [...] ... \stoppebar   |
| demarrebbordermatrix                     | \demarrebbordermatrix ... \stoppebbordermatrix                             |
| demarrebitmapimage                       | \demarrebitmapimage [..=..] ... \stoppebitmapimage                         |
| demarrebbordermatrix                     | \demarrebbordermatrix ... \stoppebordermatrix                              |
| demarrebtxrenderingdefinitions           | \demarrebtxrenderingdefinitions [...] ... \stoppebtxrenderingdefinitions   |
| demarrebuffer                            | \demarrebuffer [...] ... \stoppebuffer                                     |
| demarrebuffer:instance                   | \demarreBUFFER ... \stoppeBUFFER   |
| demarrebuffer:instance:hiding            | \demarrehiding ... \stoppehiding   |
| demarrecatcodetable                      | \demarrecatcodetable \... ... \stoppecatcodetable                          |
| demarrecenteraligned                     | \demarrecenteraligned ... \stoppecenteraligned                             |
| demarrecharacteralign                    | \demarrecharacteralign [..=..] ... \stoppecharacteralign                   |
| demarrecharacteralign:argument           | \demarrecharacteralign [...] ... \stoppecharacteralign                     |
| demarrecheckedfences                     | \demarrecheckedfences ... \stoppecheckedfences                             |
| demarrechemical                          | \demarrechemical [...] [..=..] ... \stoppechemical                         |
| demarreciter                             | \demarreciter [..=..]  |
| demarrecollect                           | \demarrecollect ... \stoppecollect   |
| demarrecollecting                        | \demarrecollecting ... \stoppecollecting                                   |
| demarrecolorintent                       | \demarrecolorintent [...] ... \stoppecolorintent                           |
| demarrecoloronly                         | \demarrecoloronly [...] ... \stoppecoloronly                               |
| demarrecolorset                          | \demarrecolorset [...] ... \stoppecolorset                                 |
| demarrecolumnset                         | \demarrecolumnset [...] [..=..] ... \stoppecolumnset                       |
| demarrecolumnsetspan                     | \demarrecolumnsetspan [...] [..=..] ... \stoppecolumnsetspan               |
| demarrecolumnset:example                 | \demarreCOLUMNSET [..=..] ... \stoppeCOLUMNSET                             |
| demarrecombination                       | \demarrecombination [...] [..=..] ... \stoppecombination                   |
| demarrecombination:matrix                | \demarrecombination [...] [...] ... \stoppecombination                     |
| demarrecommentairepage                   | \demarrecommentairepage ... \stoppecommentairepage                         |
| demarrecommentaire:instance              | \demarreCOMMENT [...] [..=..] ... \stoppeCOMMENT                           |
| demarrecommentaire:instance:comment      | \demarrecomment [...] [..=..] ... \stoppecomment                           |
| demarrecomposant                         | \demarrecomposant [...] ... \stoppecomposant                               |
| demarrecomposant:string                  | \demarrecomposant ... ... \stoppecomposant                                 |
| demarrecontextcode                       | \demarrecontextcode ... \stoppecontextcode                                 |
| demarrecontextdefinitioncode             | \demarrecontextdefinitioncode ... \stoppecontextdefinitioncode             |
| demarrecouleur                           | \demarrecouleur [...] ... \stoppecouleur                                   |
| demarrectxfuction                        | \demarrectxfuction ... ... \stoppectxfuction                               |
| demarrectxfuctiondefinition              | \demarrectxfuctiondefinition ... ... \stoppectxfuctiondefinition           |
| demarreccurrentcolor                     | \demarreccurrentcolor ... \stoppeccurrentcolor                             |
| demarreccurrentlistentrywrapper          | \demarreccurrentlistentrywrapper ... \stoppeccurrentlistentrywrapper       |
| demarredegrroupe                         | \demarredegrroupe ... \stoppedegrroupe                                     |
| demarredelimited                         | \demarredelimited [...] [...] [...] ... \stoppedelimited                   |
| demarredelimitedtext                     | \demarredelimitedtext [...] [...] [...] ... \stoppedelimitedtext           |
| demarredelimitedtext:instance            | \demarreDELIMITEDTEXT [...] [...] ... \stoppeDELIMITEDTEXT                 |
| demarredelimitedtext:instance:aside      | \demarreaside [...] [...] ... \stoppeaside                                 |
| demarredelimitedtext:instance:blockquote | \demarreblockquote [...] [...] ... \stoppeblockquote                       |
| demarredelimitedtext:instance:quotation  | \demarrequotation [...] [...] ... \stoppequotation                         |
| demarredelimitedtext:instance:quote      | \demarrequote [...] [...] ... \stoppequote                                 |
| demarredelimitedtext:instance:speech     | \demarrespeech [...] [...] ... \stoppespeech                               |
| demarredescription:example               | \demarreDESCRIPTION [..=..] ... \stoppeDESCRIPTION                         |
| demarredescription:example:title         | \demarreDESCRIPTION [...] {...} ... \stoppeDESCRIPTION                     |
| demarredisplaymath                       | \demarredisplaymath ... \stoppedisplaymath                                 |
| demarredmath                             | \demarredmath ... \stoppedmath   |
| demarredocument                          | \demarredocument [..=..] ... \stoppedocument                               |
| demarreeffect                            | \demarreeffect [...] ... \stoppeeffect                                     |
| demarreeffect:example                    | \demarreEFFECT ... \stoppeEFFECT   |
| demarreelement                           | \demarreelement [...] ... \stoppeelement                                   |
| demarreembeddedxtable                    | \demarreembeddedxtable [..=..] ... \stoppeembeddedxtable                   |
| demarreembeddedxtable:name               | \demarreembeddedxtable [...] ... \stoppeembeddedxtable                     |
| demarreenumeration:example               | \demarreENUMERATION [..=..] ... \stoppeENUMERATION                         |
| demarreenumeration:example:title         | \demarreENUMERATION [...] {...} ... \stoppeENUMERATION                     |
| demarreenvironnement                     | \demarreenvironnement [...] ... \stoppeenvironnement                       |
| demarreenvironnementblocsection          | \demarreenvironnementblocsection [...] ... \stoppeenvironnementblocsection |
| demarreenvironnement:string              | \demarreenvironnement ... ... \stoppeenvironnement                         |
| demarreetroit                            | \demarreetroit [...] [..=..] ... \stoppeetroit                             |
| demarreetroit:assignment                 | \demarreetroit [..=..] [...] ... \stoppeetroit                             |
| demarreetroit:name                       | \demarreetroit [...] [...] ... \stoppeetroit                               |
| demarreexceptions                        | \demarreexceptions [...] ... \stoppeexceptions                             |
| demarreexpanded                          | \demarreexpanded ... \stoppeexpanded                                       |
| demarreexpandedcollect                   | \demarreexpandedcollect ... \stoppeexpandedcollect                         |
| demarreextendedcatcodetable              | \demarreextendedcatcodetable \... ... \stoppeextendedcatcodetable          |
| demarreexternalfigurecollection          | \demarreexternalfigurecollection [...] ... \stoppeexternalfigurecollection |
| demarrefacingfloat                       | \demarrefacingfloat [...] ... \stoppefacingfloat                           |
| demarrefigure                            | \demarrefigure [...] [...] [..=..] ... \stoppefigure                       |
| demarrefittingpage                       | \demarrefittingpage [...] [..=..] ... \stoppefittingpage                   |

|                                      |  |
|--------------------------------------|--|
| demarrefittingpage:instance          | \demarreFITTINGPAGE [..=..] ... \stoppeFITTINGPAGE                   |
| demarrefittingpage:instance:MPPage   | \demarreMPPage [..=..] ... \stoppeMPPage                             |
| demarrefittingpage:instance:TEXpage  | \demarreTEXpage [..=..] ... \stoppeTEXpage                           |
| demarrefixe                          | \demarrefixe [...] ... \stoppefixe                                   |
| demarrefloatcombination              | \demarrefloatcombination [..=..] ... \stoppefloatcombination         |
| demarrefloatcombination:matrix       | \demarrefloatcombination [...] ... \stoppefloatcombination           |
| demarrefloattext:instance            | \demarreFLOATtexte [...] [...] {...} ... \stoppeFLOATtexte           |
| demarrefloattext:instance:chemical   | \demarrechemicaltexte [...] [...] {...} ... \stoppechemicaltexte     |
| demarrefloattext:instance:figure     | \demarrefiguretexte [...] [...] {...} ... \stoppefiguretexte         |
| demarrefloattext:instance:graphic    | \demarregraphictexte [...] [...] {...} ... \stoppegraphictexte       |
| demarrefloattext:instance:intermezzo | \demarreintermezzotexte [...] [...] {...} ... \stoppeintermezzotexte |
| demarrefloattext:instance:table      | \demarretabletexte [...] [...] {...} ... \stoppetabletexte           |
| demarrefont                          | \demarrefont [...] ... \stoppefont                                   |
| demarrefontclass                     | \demarrefontclass [...] ... \stoppefontclass                         |
| demarrefontsolution                  | \demarrefontsolution [...] ... \stoppefontsolution                   |
| demarreformule                       | \demarreformule [...] ... \stoppeformule                             |
| demarreformules                      | \demarreformules [...] ... \stoppeformules                           |
| demarreformule:assignment            | \demarreformule [..=..] ... \stoppeformule                           |
| demarreformule:instance              | \demarreFORMULAformula [...] ... \stoppeFORMULAformula               |
| demarreformule:instance:md           | \demarremdformula [...] ... \stoppendformula                         |
| demarreformule:instance:mp           | \demarremppformula [...] ... \stoppempformula                        |
| demarreformule:instance:sd           | \demarresdformula [...] ... \stoppesdformula                         |
| demarreformule:instance:sp           | \demarrespformula [...] ... \stoppespformula                         |
| demarreframed                        | \demarreframed [...] [..=..] ... \stoppeframed                       |
| demarreframedcell                    | \demarreframedcell [..=..] ... \stoppeframedcell                     |
| demarreframedcontent                 | \demarreframedcontent [...] ... \stoppeframedcontent                 |
| demarreframedrow                     | \demarreframedrow [..=..] ... \stoppeframedrow                       |
| demarreframedtable                   | \demarreframedtable [...] [..=..] ... \stoppeframedtable             |
| demarregridsnapping                  | \demarregridsnapping [...] ... \stoppegridsnapping                   |
| demarregridsnapping:list             | \demarregridsnapping [...] ... \stoppegridsnapping                   |
| demarregruppe                        | \demarregruppe [...] ... \stoppegruppe                               |
| demarrecheckboxestohbox              | \demarrecheckboxestohbox ... \stoppecheckboxestohbox                 |
| demarrecheckboxregister              | \demarrecheckboxregister ... .. \stoppecheckboxregister              |
| demarrehelp:instance                 | \demarreHELP [...] ... \stoppeHELP                                   |
| demarrehelp:instance:helptext        | \demarrehelptext [...] ... \stoppehelptext                           |
| demarrehighlight                     | \demarrehighlight [...] ... \stoppehighlight                         |
| demarrehyphenation                   | \demarrehyphenation [...] ... \stoppehyphenation                     |
| demarreimath                         | \demarreimath ... \stoppeimath                                       |
| demarreindentedtext                  | \demarreindentedtext [...] ... \stoppeindentedtext                   |
| demarreindentedtext:example          | \demarreINDENTEDTEXT ... \stoppeINDENTEDTEXT                         |
| demarreinteraction                   | \demarreinteraction [...] ... \stoppeinteraction                     |
| demarreinterface                     | \demarreinterface ... .. \stoppeinterface                            |
| demarreintertext                     | \demarreintertext ... \stoppeintertext                               |
| demarreitemgroup                     | \demarreitemgroup [...] [...] [..=..] ... \stoppeitemgroup           |
| demarreitemgroup:instance            | \demarreITEMGROUP [...] [..=..] ... \stoppeITEMGROUP                 |
| demarreitemgroup:instance:itemize    | \demarreitemize [...] [..=..] ... \stoppeitemize                     |
| demarreJScode                        | \demarreJScode ... .. \stoppeJScode                                  |
| demarreJSpreamble                    | \demarreJSpreamble ... .. \stoppeJSpreamble                          |
| demarreknockout                      | \demarreknockout ... \stoppeknockout                                 |
| demarrelabeltexte:instance           | \demarreLABELtexte [...] [...] ... \stoppeLABELtexte                 |
| demarrelabeltexte:instance:btxlabel  | \demarrebtxlabeltexte [...] [...] ... \stoppebtxlabeltexte           |
| demarrelabeltexte:instance:head      | \demarreheadtexte [...] [...] ... \stoppeheadtexte                   |
| demarrelabeltexte:instance:label     | \demarrelabeltexte [...] [...] ... \stoppelabeltexte                 |
| demarrelabeltexte:instance:mathlabel | \demarremathlabeltexte [...] [...] ... \stoppemathlabeltexte         |
| demarrelabeltexte:instance:operator  | \demarreoperatortexte [...] [...] ... \stoppeoperatortexte           |
| demarrelabeltexte:instance:prefix    | \demarreprefixtexte [...] [...] ... \stoppeprefixtexte               |
| demarrelabeltexte:instance:suffix    | \demarresuffixtexte [...] [...] ... \stoppesuffixtexte               |
| demarrelabeltexte:instance:taglabel  | \demarretaglabeltexte [...] [...] ... \stoppetaglabeltexte           |
| demarrelabeltexte:instance:unit      | \demarreunitttexte [...] [...] ... \stoppeunitttexte                 |
| demarrelangue                        | \demarrelangue [...] ... \stoppelangue                               |
| demarrelayout                        | \demarrelayout [...] ... \stoppelayout                               |
| demarreligne                         | \demarreligne [...]  |
| demarreligneregleetexte              | \demarreligneregleetexte {...} ... \stoppeligneregleetexte           |
| demarrelignes:instance               | \demarreLINES [..=..] ... \stoppeLINES                               |
| demarrelignes:instance:lines         | \demarrelines [..=..] ... \stoppelines                               |
| demarrelinealignment                 | \demarrelinealignment [...] ... \stoppelinealignment                 |
| demarrelinecorrection                | \demarrelinecorrection [...] ... \stoppelinecorrection               |
| demarrelinefiller                    | \demarrelinefiller [...] [..=..] ... \stoppelinefiller               |
| demarrelinenumbering                 | \demarrelinenumbering [...] [..=..] ... \stoppelinenumbering         |
| demarrelinenumbering:argument        | \demarrelinenumbering [...] [...] ... \stoppelinenumbering           |
| demarrelinetable                     | \demarrelinetable ... \stoppelinetable                               |
| demarrelinetablebody                 | \demarrelinetablebody ... \stoppelinetablebody                       |

|   |  |
|---|--|
| demarrelinetablecell                          | \demarrelinetablecell [..=..] ... \stoppelinetablecell             |
| demarrelinetablehead                          | \demarrelinetablehead ... \stoppelinetablehead                     |
| demarrellocalfootnotes                        | \demarrellocalfootnotes ... \stoppellocalfootnotes                 |
| demarrellocalheadsetup                        | \demarrellocalheadsetup ... \stoppellocalheadsetup                 |
| demarrellocallinecorrection                   | \demarrellocallinecorrection [...] ... \stoppellocallinecorrection |
| demarrellocalnotes                            | \demarrellocalnotes [...] ... \stoppellocalnotes                   |
| demarrellocalsetups                           | \demarrellocalsetups [...] [...] ... \stoppellocalsetups           |
| demarrellocalsetups:string                    | \demarrellocalsetups ... ... \stoppellocalsetups                   |
| demarrelua                                    | \demarrelua ... \stoppelua   |
| demarreluacode                                | \demarreluacode ... \stoppeluacode                                 |
| demarreluaparameterset                        | \demarreluaparameterset [...] ... \stoppeluaparameterset           |
| demarreluasetsups                             | \demarreluasetsups [...] [...] ... \stoppeluasetsups               |
| demarreluasetsups:string                      | \demarreluasetsups ... ... \stoppeluasetsups                       |
| demarreMPclip                                 | \demarreMPclip {...} ... \stoppeMPclip                             |
| demarreMPcode                                 | \demarreMPcode {...} ... \stoppeMPcode                             |
| demarreMPdefinitions                          | \demarreMPdefinitions {...} ... \stoppeMPdefinitions               |
| demarreMPdrawing                              | \demarreMPdrawing [...] ... \stoppeMPdrawing                       |
| demarreMPenvironment                          | \demarreMPenvironment [...] ... \stoppeMPenvironment               |
| demarreMPextensions                           | \demarreMPextensions {...} ... \stoppeMPextensions                 |
| demarreMPinclusions                           | \demarreMPinclusions [...] {...} ... \stoppeMPinclusions           |
| demarreMPinitializations                      | \demarreMPinitializations ... \stoppeMPinitializations             |
| demarreMPpositiongraphic                      | \demarreMPpositiongraphic {...} {...} ... \stoppeMPpositiongraphic |
| demarreMPpositionmethod                       | \demarreMPpositionmethod {...} ... \stoppeMPpositionmethod         |
| demarreMPrun                                  | \demarreMPrun {...} ... \stoppeMPrun                               |
| demarremakeup                                 | \demarremakeup [...] [..=..] ... \stoppemakeup                     |
| demarremakeup:instance                        | \demarreMAKEUPmakeup [..=..] ... \stoppeMAKEUPmakeup               |
| demarremakeup:instance:middle                 | \demarremiddlemakeup [..=..] ... \stoppemiddlemakeup               |
| demarremakeup:instance:page                   | \demarrepagemakeup [..=..] ... \stoppepagemakeup                   |
| demarremakeup:instance:standard               | \demarrestandardmakeup [..=..] ... \stoppestandardmakeup           |
| demarremakeup:instance:text                   | \demarretextmakeup [..=..] ... \stoppetextmakeup                   |
| demarremargereglee                            | \demarremargereglee [...] ... \stoppemargereglee                   |
| demarremargereglee:assignment                 | \demarremargereglee [..=..] ... \stoppemargereglee                 |
| demarremarginblock                            | \demarremarginblock [...] ... \stoppemarginblock                   |
| demarremarkedcontent                          | \demarremarkedcontent [...] ... \stoppemarkedcontent               |
| demarremarkpages                              | \demarremarkpages [...] ... \stoppeemarkpages                      |
| demarremathalignment:instance                 | \demarreMATHALIGNMENT [..=..] ... \stoppeMATHALIGNMENT             |
| demarremathalignment:instance:align           | \demarrealign [..=..] ... \stoppealign                             |
| demarremathalignment:instance:mathalignment   | \demarremathalignment [..=..] ... \stoppemathalignment             |
| demarremathcases:instance                     | \demarreMATHCASES [..=..] ... \stoppeMATHCASES                     |
| demarremathcases:instance:cases               | \demarrecases [..=..] ... \stoppecases                             |
| demarremathcases:instance:mathcases           | \demarremathcases [..=..] ... \stoppemathcases                     |
| demarremathmatrix:instance                    | \demarreMATHMATRIX [..=..] ... \stoppeMATHMATRIX                   |
| demarremathmatrix:instance:mathmatrix         | \demarremathmatrix [..=..] ... \stoppemathmatrix                   |
| demarremathmatrix:instance:matrix             | \demarrematrix [..=..] ... \stoppematrix                           |
| demarremathmode                               | \demarremathmode ... \stoppemathmode                               |
| demarremathstyle                              | \demarremathstyle [...] ... \stoppemathstyle                       |
| demarrematrices                               | \demarrematrices [..=..] ... \stoppematrices                       |
| demarremaxaligned                             | \demarremaxaligned ... \stoppemaxaligned                           |
| demarremenuinteraction                        | \demarremenuinteraction [...] ... \stoppemenuinteraction           |
| demarremiddlealigned                          | \demarremiddlealigned ... \stoppemiddlealigned                     |
| demarremixedcolumns                           | \demarremixedcolumns [...] [..=..] ... \stoppemixedcolumns         |
| demarremixedcolumns:instance                  | \demarreMIXEDCOLUMNS [..=..] ... \stoppeMIXEDCOLUMNS               |
| demarremixedcolumns:instance:boxedcolumns     | \demarreboxedcolumns [..=..] ... \stoppeboxedcolumns               |
| demarremixedcolumns:instance:columns          | \demarrecolumns [..=..] ... \stoppecolumns                         |
| demarremixedcolumns:instance:itemgroupcolumns | \demarreitemgroupcolumns [..=..] ... \stoppeitemgroupcolumns       |
| demarremode                                   | \demarremode [...] ... \stoppemode                                 |
| demarremodeset                                | \demarremodeset [...] {...} ... \stoppemodeset                     |
| demarremodule                                 | \demarremodule [...] ... \stoppemodule                             |
| demarremoduletestsection                      | \demarremoduletestsection ... \stoppemoduletestsection             |
| demarremodule:string                          | \demarremodule ... ... \stoppemodule                               |
| demarrenamedsection                           | \demarrenamedsection [...] [..=..] [..=..] ... \stoppenamedsection |
| demarrenamedsubformulas                       | \demarrenamedsubformulas [...] {...} ... \stoppenamedsubformulas   |
| demarrenarrower                               | \demarrenarrower [...] ... \stoppenarrower                         |
| demarrenarrower:example                       | \demarreNARROWER [...] ... \stoppeNARROWER                         |
| demarrenegatif                                | \demarrenegatif ... \stoppenegatif                                 |
| demarrenicelyfilledbox                        | \demarrenicelyfilledbox [..=..] ... \stoppenicelyfilledbox         |
| demarrenointerference                         | \demarrenointerference ... \stoppenointerference                   |
| demarrenotallmodes                            | \demarrenotallmodes [...] ... \stoppenotallmodes                   |
| demarrenotext                                 | \demarrenotext ... \stoppenotext                                   |
| demarrenote:instance                          | \demarreNOTE [...] ... \stoppeNOTE                                 |
| demarrenote:instance:assignment               | \demarreNOTE [..=..] ... \stoppeNOTE                               |
| demarrenote:instance:assignment:endnote       | \demarreendnote [..=..] ... \stoppeendnote                         |

|  |  |
|--|--|
| demarrenote:instance:assignment:footnote | \demarrefootnote [..=..] ... \stoppefootnote                                 |
| demarrenote:instance:endnote             | \demarreendnote [...] ... \stoppeendnote                                     |
| demarrenote:instance:footnote            | \demarrefootnote [...] ... \stoppefootnote                                   |
| demarrenotmode                           | \demarrenotmode [...] ... \stoppenotmode                                     |
| demarreopposition                        | \demarreopposition ... \stoppeopposition                                     |
| demarreoutputstream                      | \demarreoutputstream [...] ... \stoppeoutputstream                           |
| demarreoverprint                         | \demarreoverprint ... \stoppeoverprint                                       |
| demarrepagecolumns                       | \demarrepagecolumns [..=..] ... \stoppepagecolumns                           |
| demarrepagecolumns:instance              | \demarrePAGECOLUMNS ... \stoppePAGECOLUMNS                                   |
| demarrepagecolumns:name                  | \demarrepagecolumns [...] ... \stoppepagecolumns                             |
| demarrepagefigure                        | \demarrepagefigure [...] [..=..] ... \stoppepagefigure                       |
| demarrepagelayout                        | \demarrepagelayout [...] ... \stoppepagelayout                               |
| demarrepar                               | \demarrepar [...] [..=..] ... \stoppepar                                     |
| demarreparagraphe                        | \demarreparagraphe [...] [..=..] ... \stoppeparagraphe                       |
| demarreparagraphs                        | \demarreparagraphs [...] ... \stoppeparagraphs                               |
| demarreparagraphscell                    | \demarreparagraphscell ... \stoppeparagraphscell                             |
| demarreparagraphs:example                | \demarrePARAGRAPHS ... \stoppePARAGRAPHS                                     |
| demarreparallel:example                  | \demarrePARALLEL ... \stoppePARALLEL   |
| demarreparbuilder                        | \demarreparbuilder [...] ... \stoppeparbuilder                               |
| demarreplaceflottant                     | \demarreplaceflottant [...] [..=..] [..=..] ... \stoppeplaceflottant         |
| demarreplaceflottant:instance            | \demarreplaceFLOAT [..=..] [..=..] ... \stoppeplaceFLOAT                     |
| demarreplaceflottant:instance:chemical   | \demarreplacechemical [..=..] [..=..] ... \stoppeplacechemical               |
| demarreplaceflottant:instance:figure     | \demarreplacefigure [..=..] [..=..] ... \stoppeplacefigure                   |
| demarreplaceflottant:instance:graphic    | \demarreplacegraphic [..=..] [..=..] ... \stoppeplacegraphic                 |
| demarreplaceflottant:instance:intermezzo | \demarreplaceintermezzo [..=..] [..=..] ... \stoppeplaceintermezzo           |
| demarreplaceflottant:instance:table      | \demarreplacetable [..=..] [..=..] ... \stoppeplacetable                     |
| demarreplaceformule                      | \demarreplaceformule [..=..] ... \stoppeplaceformule                         |
| demarreplaceformule:argument             | \demarreplaceformule [...] ... \stoppeplaceformule                           |
| demarreplacepairedbox                    | \demarreplacepairedbox [...] [..=..] ... \stoppeplacepairedbox               |
| demarreplacepairedbox:instance           | \demarreplacePAIREDBOX [..=..] ... \stoppeplacePAIREDBOX                     |
| demarreplacepairedbox:instance:legend    | \demarreplacelegend [..=..] ... \stoppeplacelegend                           |
| demarrepositif                           | \demarrepositif ... \stoppepositif   |
| demarrepositioning                       | \demarrepositioning [...] [..=..] ... \stoppepositioning                     |
| demarrepositionoverlay                   | \demarrepositionoverlay {...} ... \stoppepositionoverlay                     |
| demarrepostponing                        | \demarrepostponing [...] ... \stoppepostponing                               |
| demarrepostponingnotes                   | \demarrepostponingnotes ... \stoppepostponingnotes                           |
| demarreprocessassignmentcommand          | \demarreprocessassignmentcommand [..=..] ... \stoppeprocessassignmentcommand |
| demarreprocessassignmentlist             | \demarreprocessassignmentlist [..=..] ... \stoppeprocessassignmentlist       |
| demarreprocesscommacommand               | \demarreprocesscommacommand [...] ... \stoppeprocesscommacommand             |
| demarreprocesscommalist                  | \demarreprocesscommalist [...] ... \stoppeprocesscommalist                   |
| demarreproduit                           | \demarreproduit [...] ... \stoppeproduit                                     |
| demarreproduit:string                    | \demarreproduit ... ... \stoppeproduit                                       |
| demarreprojet                            | \demarreprojet [...] ... \stoppeprojet                                       |
| demarreprojet:string                     | \demarreprojet ... ... \stoppeprojet   |
| demarreprotectedcolors                   | \demarreprotectedcolors ... \stoppeprotectedcolors                           |
| demarrepublication                       | \demarrepublication [...] [..=..] ... \stoppepublication                     |
| demarrequeueetableau                     | \demarrequeueetableau [...] ... \stoppequeueetableau                         |
| demarrequeueetabule                      | \demarrequeueetabule [...] ... \stoppequeueetabule                           |
| demarrerandomized                        | \demarrerandomized ... \stopperandomized                                     |
| demarrerawsetups                         | \demarrerawsetups [...] [...] ... \stopperawsetups                           |
| demarrerawsetups:string                  | \demarrerawsetups ... ... \stopperawsetups                                   |
| demarrereadingfile                       | \demarrereadingfile ... \stopperereadingfile                                 |
| demarreregime                            | \demarreregime [...] ... \stoppereregime                                     |
| demarrereusableMPgraphic                 | \demarrereusableMPgraphic {...} {...} ... \stoppereusableMPgraphic           |
| demarrerevetement                        | \demarrerevetement ... \stoppererevetement                                   |
| demarreruby                              | \demarreruby [...] ... \stoppereruby   |
| demarrescript                            | \demarrescript [...] ... \stoppescript                                       |
| demarresectionblock                      | \demarresectionblock [...] [..=..] ... \stoppesectionblock                   |
| demarresectionblock:instance             | \demarreSECTIONBLOCK [..=..] ... \stoppeSECTIONBLOCK                         |
| demarresectionblock:instance:appendices  | \demarreappendices [..=..] ... \stoppeappendices                             |
| demarresectionblock:instance:backmatter  | \demarrebackmatter [..=..] ... \stoppebackmatter                             |
| demarresectionblock:instance:bodymatter  | \demarrebodymatter [..=..] ... \stoppebodymatter                             |
| demarresectionblock:instance:frontmatter | \demarrefrontmatter [..=..] ... \stoppefrontmatter                           |
| demarresectionlevel                      | \demarresectionlevel [...] [..=..] [..=..] ... \stoppesectionlevel           |
| demarresection:instance                  | \demarreSECTION [..=..] [..=..] ... \stoppeSECTION                           |
| demarresection:instance:chapter          | \demarrechapter [..=..] [..=..] ... \stoppechapter                           |
| demarresection:instance:part             | \demarrepart [..=..] [..=..] ... \stoppepart                                 |
| demarresection:instance:section          | \demarresection [..=..] [..=..] ... \stoppesection                           |
| demarresection:instance:subject          | \demarresubject [..=..] [..=..] ... \stoppesubject                           |
| demarresection:instance:subsection       | \demarresubsection [..=..] [..=..] ... \stoppesubsection                     |
| demarresection:instance:subsubject       | \demarresubsubject [..=..] [..=..] ... \stoppesubsubject                     |
| demarresection:instance:subsubsection    | \demarresubsubsection [..=..] [..=..] ... \stoppesubsubsection               |

|   |   |
|---|---|
| demarresection:instance:subsubsubject       | <code>\demarresubsubsubject [..=..] [..=..] ... \stoppesubsubsubject</code>             |
| demarresection:instance:subsubsubsection    | <code>\demarresubsubsubsection [..=..] [..=..] ... \stoppesubsubsubsection</code>       |
| demarresection:instance:subsubsubsubject    | <code>\demarresubsubsubsubject [..=..] [..=..] ... \stoppesubsubsubsubject</code>       |
| demarresection:instance:subsubsubsubsection | <code>\demarresubsubsubsubsection [..=..] [..=..] ... \stoppesubsubsubsubsection</code> |
| demarresection:instance:subsubsubsubsubject | <code>\demarresubsubsubsubsubject [..=..] [..=..] ... \stoppesubsubsubsubsubject</code> |
| demarresection:instance:title               | <code>\demarretitle [..=..] [..=..] ... \stoppetitle</code>                             |
| demarresetups                               | <code>\demarresetups [...] [...] ... \stoppesetups</code>                               |
| demarresetups:string                        | <code>\demarresetups ... ... \stoppesetups</code>                                       |
| demarreshift                                | <code>\demarreshift [...] ... \stoppeshift</code>                                       |
| demarresidebar                              | <code>\demarresidebar [...] [..=..] ... \stoppesidebar</code>                           |
| demarresimplecolumns                        | <code>\demarresimplecolumns [..=..] ... \stoppesimplecolumns</code>                     |
| demarrespecialitem:item                     | <code>\demarrespecialitem [...] [...] ... \stoppespecialitem</code>                     |
| demarrespecialitem:none                     | <code>\demarrespecialitem [...] ... \stoppespecialitem</code>                           |
| demarrespecialitem:symbol                   | <code>\demarrespecialitem [...] {...} ... \stoppespecialitem</code>                     |
| demarresplitformula                         | <code>\demarresplitformula ... \stoppesplitformula</code>                               |
| demarresplittext                            | <code>\demarresplittext ... \stoppesplittext</code>                                     |
| demarrespread                               | <code>\demarrespread ... \stoppespread</code>   |
| demarrestartstop:example                    | <code>\demarreSTARTSTOP ... \stoppeSTARTSTOP</code>                                     |
| demarrestaticMPfigure                       | <code>\demarrestaticMPfigure {...} ... \stoppestaticMPfigure</code>                     |
| demarrestaticMPgraphic                      | <code>\demarrestaticMPgraphic {...} {...} ... \stoppestaticMPgraphic</code>             |
| demarrestrictinspectnextcharacter           | <code>\demarrestrictinspectnextcharacter ... \stoppestrictinspectnextcharacter</code>   |
| demarrestyle                                | <code>\demarrestyle [..=..] ... \stoppestyle</code>                                     |
| demarrestyle:argument                       | <code>\demarrestyle [...] ... \stoppestyle</code>                                       |
| demarrestyle:instance                       | <code>\demarreSTYLE ... \stoppeSTYLE</code>   |
| demarresubformulas                          | <code>\demarresubformulas [...] ... \stoppesubformulas</code>                           |
| demarresubjectlevel                         | <code>\demarresubjectlevel [...] [..=..] [..=..] ... \stoppesubjectlevel</code>         |
| demarresubsentence                          | <code>\demarresubsentence ... \stoppesubsentence</code>                                 |
| demarresubstack                             | <code>\demarresubstack ... \stoppesubstack</code>                                       |
| demarresuspend                              | <code>\demarresuspend [..=..] {...} ... \stoppesuspend</code>                           |
| demarresuspend:argument                     | <code>\demarresuspend [...] {...} ... \stoppesuspend</code>                             |
| demarresymbolset                            | <code>\demarresymbolset [...] [..=..] ... \stoppesymbolset</code>                       |
| demarreTABLE                                | <code>\demarreTABLE [..=..] ... \stoppeTABLE</code>                                     |
| demarreTABLEbody                            | <code>\demarreTABLEbody [..=..] ... \stoppeTABLEbody</code>                             |
| demarreTABLEfoot                            | <code>\demarreTABLEfoot [..=..] ... \stoppeTABLEfoot</code>                             |
| demarreTABLEhead                            | <code>\demarreTABLEhead [..=..] ... \stoppeTABLEhead</code>                             |
| demarreTABLEnext                            | <code>\demarreTABLEnext [..=..] ... \stoppeTABLEnext</code>                             |
| demarretableau                              | <code>\demarretableau [ ... ] [..=..] ... \stoppetableau</code>                         |
| demarretableau:name                         | <code>\demarretableau [...] [..=..] ... \stoppetableau</code>                           |
| demarretables                               | <code>\demarretables [ ... ] ... \stoppetables</code>                                   |
| demarretables:name                          | <code>\demarretables [...] ... \stoppetables</code>                                     |
| demarretabulation:example                   | <code>\demarreTABULATION [...] [..=..] ... \stoppeTABULATION</code>                     |
| demarretabule                               | <code>\demarretabule [/.../] [..=..] ... \stoppetabule</code>                           |
| demarretabule:instance                      | <code>\demarreTABULATE <sup>P</sup>T. [..=..] ... \stoppeTABULATE</code>                |
| demarretabule:instance:fact                 | <code>\demarreufact [...] [..=..] ... \stoppeufact</code>                               |
| demarretabule:instance:legend               | <code>\demarrelegend [...] [..=..] ... \stoppelegend</code>                             |
| demarretete                                 | <code>\demarretete [...] {...} ... \stoppetete</code>                                   |
| demarretetetableau                          | <code>\demarretetetetableau [...] ... \stoppetetetetableau</code>                       |
| demarretetetabule                           | <code>\demarretetetetabule [...] ... \stoppetetetabule</code>                           |
| demarretexcode                              | <code>\demarretexcode ... \stoppetexcode</code>   |
| demarretexdefinition                        | <code>\demarretexdefinition ... .. \stoppetexdefinition</code>                          |
| demarretextbackground                       | <code>\demarretextbackground [...] [..=..] ... \stoppetextbackground</code>             |
| demarretextbackgroundmanual                 | <code>\demarretextbackgroundmanual ... \stoppetextbackgroundmanual</code>               |
| demarretextbackground:example               | <code>\demarreTEXTBACKGROUND [..=..] ... \stoppeTEXTBACKGROUND</code>                   |
| demarretextcolor                            | <code>\demarretextcolor [...] ... \stoppetextcolor</code>                               |
| demarretextcolorintent                      | <code>\demarretextcolorintent ... \stoppetextcolorintent</code>                         |
| demarretexte                                | <code>\demarretexte ... \stoppetexte</code>   |
| demarretexteaide                            | <code>\demarretexteaide [...] ... \stoppetexteaide</code>                               |
| demarretexteencadre:instance                | <code>\demarreFRAMEDTEXT [...] [..=..] ... \stoppeFRAMEDTEXT</code>                     |
| demarretexteencadre:instance:framedtext     | <code>\demarreframedtext [...] [..=..] ... \stoppeframedtext</code>                     |
| demarretextflow                             | <code>\demarretextflow [...] ... \stoppetextflow</code>                                 |
| demarretokenlist                            | <code>\demarretokenlist [...] ... \stoppetokenlist</code>                               |
| demarretokens                               | <code>\demarretokens [...] ... \stoppetokens</code>                                     |
| demarretransparent                          | <code>\demarretransparent [...] ... \stoppetransparent</code>                           |
| demarretypescript                           | <code>\demarretypescript [...] [...] ... \stoppetypescript</code>                       |
| demarretypescriptcollection                 | <code>\demarretypescriptcollection [...] ... \stoppetypescriptcollection</code>         |
| demarretyping:instance                      | <code>\demarreTYPING [..=..] ... \stoppeTYPING</code>                                   |
| demarretyping:instance:argument             | <code>\demarreTYPING [...] ... \stoppeTYPING</code>                                     |
| demarretyping:instance:argument:LUA         | <code>\demarreLUA [...] ... \stoppeLUA</code>   |
| demarretyping:instance:argument:MP          | <code>\demarreMP [...] ... \stoppeMP</code>   |
| demarretyping:instance:argument:PARSEDXML   | <code>\demarrePARSEDXML [...] ... \stoppePARSEDXML</code>                               |
| demarretyping:instance:argument:TEX         | <code>\demarreTEX [...] ... \stoppeTEX</code>   |
| demarretyping:instance:argument:typing      | <code>\demarretyping [...] ... \stoppetyping</code>                                     |

|                                     |  |
|-------------------------------------|--|
| demarretyping:instance:argument:XML | \demarreXML [...] ... \stoppeXML   |
| demarretyping:instance:LUA          | \demarreLUA [..=..] ... \stoppeLUA                                       |
| demarretyping:instance:MP           | \demarreMP [..=..] ... \stoppeMP   |
| demarretyping:instance:PARSEDXML    | \demarrePARSEDXML [..=..] ... \stoppePARSEDXML                           |
| demarretyping:instance:TEX          | \demarreTEX [..=..] ... \stoppeTEX                                       |
| demarretyping:instance:typing       | \demarretyping [..=..] ... \stoppetyping                                 |
| demarretyping:instance:XML          | \demarreXML [..=..] ... \stoppeXML                                       |
| demarreuniqueMPgraphic              | \demarreuniqueMPgraphic {...} {...} ... \stoppeuniqueMPgraphic           |
| demarreuniqueMPpagegraphic          | \demarreuniqueMPpagegraphic {...} {...} ... \stoppeuniqueMPpagegraphic   |
| demarreusableMPgraphic              | \demarreusableMPgraphic {...} {...} ... \stoppeusableMPgraphic           |
| demarreuseMPgraphic                 | \demarreuseMPgraphic {...} {...} ... \stoppeuseMPgraphic                 |
| demarreusemathstyleparameter        | \demarreusemathstyleparameter \... ... \stoppeusemathstyleparameter      |
| demarreuserdata                     | \demarreuserdata [...] [..=..] ... \stoppeuserdata                       |
| demarreusingbtxs specification      | \demarreusingbtxs specification [...] ... \stoppeusingbtxs specification |
| demarreva                           | \demarreva [...] ... \stoppeva   |
| demarrevboxregister                 | \demarrevboxregister ... ... \stoppevboxregister                         |
| demarrevboxtohbox                   | \demarrevboxtohbox ... \stoppevboxtohbox                                 |
| demarrevboxtohboxseparator          | \demarrevboxtohboxseparator ... \stoppevboxtohboxseparator               |
| demarreviewerlayer                  | \demarreviewerlayer [...] ... \stoppeviewerlayer                         |
| demarreviewerlayer:example          | \demarreVIEWERLAYER ... \stoppeVIEWERLAYER                               |
| demarrevtopregister                 | \demarrevtopregister ... ... \stoppevtopregister                         |
| demarrexcell                        | \demarrexcell [...] [..=..] ... \stoppexcell                             |
| demarrexcellgroup                   | \demarrexcellgroup [...] [..=..] ... \stoppexcellgroup                   |
| demarrexcolumn                      | \demarrexcolumn [..=..] ... \stoppexcolumn                               |
| demarrexcolumn:name                 | \demarrexcolumn [...] ... \stoppexcolumn                                 |
| demarrexgroup                       | \demarrexgroup [...] [..=..] ... \stoppexgroup                           |
| demarrexmldisplayverbatim           | \demarrexmldisplayverbatim [...] ... \stoppexmldisplayverbatim           |
| demarrexmllineverbatim              | \demarrexmllineverbatim [...] ... \stoppexmllineverbatim                 |
| demarrexmlraw                       | \demarrexmlraw ... \stoppexmlraw   |
| demarrexmlsetups                    | \demarrexmlsetups [...] [...] ... \stoppexmlsetups                       |
| demarrexmlsetups:string             | \demarrexmlsetups ... ... \stoppexmlsetups                               |
| demarrexrow                         | \demarrexrow [...] [..=..] ... \stoppexrow                               |
| demarrexrowgroup                    | \demarrexrowgroup [...] [..=..] ... \stoppexrowgroup                     |
| demarrextable                       | \demarrextable [..=..] ... \stoppextable                                 |
| demarrextablebody                   | \demarrextablebody [..=..] ... \stoppextablebody                         |
| demarrextablebody:name              | \demarrextablebody [...] ... \stoppextablebody                           |
| demarrextablefoot                   | \demarrextablefoot [..=..] ... \stoppextablefoot                         |
| demarrextablefoot:name              | \demarrextablefoot [...] ... \stoppextablefoot                           |
| demarrextablehead                   | \demarrextablehead [..=..] ... \stoppextablehead                         |
| demarrextablehead:name              | \demarrextablehead [...] ... \stoppextablehead                           |
| demarrextablenext                   | \demarrextablenext [..=..] ... \stoppextablenext                         |
| demarrextablenext:name              | \demarrextablenext [...] ... \stoppextablenext                           |
| demarrextable:example               | \demarreXTABLE [..=..] ... \stoppeXTABLE                                 |
| demarrextable:name                  | \demarrextable [...] ... \stoppextable                                   |
| depthofstring                       | \depthofstring {...}   |
| depthonlybox                        | \depthonlybox {...}  |
| depthspanningtext                   | \depthspanningtext {...} {...} {...}                                     |
| depthstrut                          | \depthstrut  |
| dernieresouspage                    | \dernieresouspage  |
| description:example                 | \DESCRIPTION [...] {...} ... \par  |
| determinecaracteristiqueliste       | \determinecaracteristiqueliste [...] [..=..]                             |
| determinecaracteristiquesregistre   | \determinecaracteristiquesregistre [...] [..=..]                         |
| determinenoflines                   | \determinenoflines {...}   |
| determinenumberotete                | \determinenumberotete [...]  |
| devanagarinumerals                  | \devanagarinumerals {...}  |
| digits                              | \digits {...}  |
| digits:string                       | \digits ...  |
| dimensiontocount                    | \dimensiontocount {...} \...   |
| directboxfromcache                  | \directboxfromcache {...} {...}  |
| directcolor                         | \directcolor [...]   |
| directcolored                       | \directcolored [..=..]   |
| directcolored:name                  | \directcolored [...]   |
| directconvertedcounter              | \directconvertedcounter {...} {...}                                      |
| directcopyboxfromcache              | \directcopyboxfromcache {...} {...}                                      |
| directdummyparameter                | \directdummyparameter {...}  |
| directgetboxllx                     | \directgetboxllx ...   |
| directgetboxlly                     | \directgetboxlly ...   |
| directhighlight                     | \directhighlight {...} {...}   |
| directlocalframed                   | \directlocalframed [...] {...}   |
| directluacode                       | \directluacode {...}   |
| directselect                        | \directselect {...} {...} {...} {...} {...}                              |
| directsetbar                        | \directsetbar {...} OPT OPT OPT OPT OPT                                  |



|                               |   |
|-------------------------------|---|
| directsetup                   | \directsetup {...}  |
| directsymbol                  | \directsymbol {...} {...}                                     |
| directvspacing                | \directvspacing {...}   |
| dis                           | \dis {...}  |
| disabledirectives             | \disabledirectives [...]                                      |
| disableexperiments            | \disableexperiments [...]                                     |
| disablemode                   | \disablemode [...]  |
| disableoutputstream           | \disableoutputstream  |
| disableparpositions           | \disableparpositions  |
| disableregime                 | \disableregime  |
| disabletrackers               | \disabletrackers [...]  |
| displaymath                   | \displaymath {...}  |
| displaymathematics            | \displaymathematics {...}                                     |
| displaymessage                | \displaymessage {...}   |
| distributedhsize              | \distributedhsize {...} {...} {...}                           |
| dividedsize                   | \dividedsize {...} {...} {...}                                |
| doadaptleftskip               | \doadaptleftskip {...}  |
| doadaptrightskip              | \doadaptrightskip {...}                                       |
| doaddfeature                  | \doaddfeature {...}   |
| doassign                      | \doassign [...] [..=..]                                       |
| doassignempty                 | \doassignempty [...] [..=..]                                  |
| doboundtext                   | \doboundtext {...} {...} {...}                                |
| docheckassignment             | \docheckassignment {...}                                      |
| docheckedpagestate            | \docheckedpagestate {...} {...} {...} {...} {...} {...} {...} |
| docheckedpair                 | \docheckedpair {...}  |
| documentvariable              | \documentvariable {...}                                       |
| dodoubleargument              | \dodoubleargument \... [...] [...]                            |
| dodoubleargumentwithset       | \dodoubleargumentwithset \... [...] [...]                     |
| dodoubleempty                 | \dodoubleempty \... [...] [...]                               |
| dodoubleemptywithset          | \dodoubleemptywithset \... [...] [...]                        |
| dodoublegroupempty            | \dodoublegroupempty \... {...} {...}                          |
| doeassign                     | \doeassign [...] [..=..]                                      |
| doexpandedrecurse             | \doexpandedrecurse {...} {...}                                |
| dofastloopcs                  | \dofastloopcs {...} \...                                      |
| dogetattribute                | \dogetattribute {...}   |
| dogetattributeid              | \dogetattributeid {...}                                       |
| dogetcommacommandelement      | \dogetcommacommandelement ... \from ... \to \...              |
| dogobbledoubleempty           | \dogobbledoubleempty [...] [...]                              |
| dogobblesingleempty           | \dogobblesingleempty [...]                                    |
| doif                          | \doif {...} {...} {...}                                       |
| doifallcommon                 | \doifallcommon {...} {...} {...}                              |
| doifallcommonelse             | \doifallcommonelse {...} {...} {...} {...}                    |
| doifalldefinedelse            | \doifalldefinedelse {...} {...} {...}                         |
| doifallmodes                  | \doifallmodes {...} {...} {...}                               |
| doifallmodeselse              | \doifallmodeselse {...} {...} {...}                           |
| doifassignmentelse            | \doifassignmentelse {...} {...} {...}                         |
| doifassignmentelsecs          | \doifassignmentelsecs {...} \... \...                         |
| doifblackelse                 | \doifblackelse {...} {...} {...}                              |
| doifbothsides                 | \doifbothsides {...} {...} {...}                              |
| doifbothsidesoverruled        | \doifbothsidesoverruled {...} {...} {...}                     |
| doifboxelse                   | \doifboxelse {...} {...} {...} {...}                          |
| doifbufferelse                | \doifbufferelse {...} {...} {...}                             |
| doifcolor                     | \doifcolor {...} {...}  |
| doifcolorelse                 | \doifcolorelse {...} {...} {...}                              |
| doifcommandhandler            | \doifcommandhandler \... {...} {...}                          |
| doifcommandhandlerelse        | \doifcommandhandlerelse \... {...} {...} {...}                |
| doifcommon                    | \doifcommon {...} {...} {...}                                 |
| doifcommonelse                | \doifcommonelse {...} {...} {...} {...}                       |
| doifcontent                   | \doifcontent {...} {...} {...} \... {...}                     |
| doifconversiondefinedelse     | \doifconversiondefinedelse {...} {...} {...}                  |
| doifconversionnumberelse      | \doifconversionnumberelse {...} {...} {...} {...}             |
| doifcounter                   | \doifcounter {...} {...}                                      |
| doifcounterelse               | \doifcounterelse {...} {...} {...}                            |
| doifcurrentfonthasfeatureelse | \doifcurrentfonthasfeatureelse {...} {...} {...}              |
| doifdefined                   | \doifdefined {...} {...}                                      |
| doifdefinedcounter            | \doifdefinedcounter {...} {...}                               |
| doifdefinedcounterelse        | \doifdefinedcounterelse {...} {...} {...}                     |
| doifdefinedelse               | \doifdefinedelse {...} {...} {...}                            |
| doifdimensionelse             | \doifdimensionelse {...} {...} {...}                          |
| doifdimenstringelse           | \doifdimenstringelse {...} {...} {...}                        |
| doifdocumentargument          | \doifdocumentargument {...} {...}                             |
| doifdocumentargumentelse      | \doifdocumentargumentelse {...} {...} {...}                   |

|                               |   |
|-------------------------------|---|
| doifdocumentfilename          | \doifdocumentfilename {...} {...}                 |
| doifdocumentfilenameelse      | \doifdocumentfilenameelse {...} {...} {...}       |
| doifdocumentvariable          | \doifdocumentvariable {...} {...}                 |
| doifdocumentvariableelse      | \doifdocumentvariableelse {...} {...} {...}       |
| doifdrawingblackelse          | \doifdrawingblackelse {...} {...}                 |
| doifelse                      | \doifelse {...} {...} {...} {...}                 |
| doifelseallcommon             | \doifelseallcommon {...} {...} {...} {...}        |
| doifelsealldefined            | \doifelsealldefined {...} {...} {...}             |
| doifelseallmodes              | \doifelseallmodes {...} {...} {...}               |
| doifelseassignment            | \doifelseassignment {...} {...} {...}             |
| doifelseassignmentcs          | \doifelseassignmentcs {...} \... \...             |
| doifelseblack                 | \doifelseblack {...} {...} {...}                  |
| doifelsebox                   | \doifelsebox {...} {...} {...} {...}              |
| doifelseboxincache            | \doifelseboxincache {...} {...} {...} {...}       |
| doifelsebuffer                | \doifelsebuffer {...} {...} {...}                 |
| doifelsecolor                 | \doifelsecolor {...} {...} {...}                  |
| doifelsecommandhandler        | \doifelsecommandhandler \... {...} {...} {...}    |
| doifelsecommon                | \doifelsecommon {...} {...} {...} {...}           |
| doifelseconversiondefined     | \doifelseconversiondefined {...} {...} {...}      |
| doifelseconversionnumber      | \doifelseconversionnumber {...} {...} {...} {...} |
| doifelsecounter               | \doifelsecounter {...} {...} {...}                |
| doifelsecurrentfonthasfeature | \doifelsecurrentfonthasfeature {...} {...} {...}  |
| doifelsecurrentsortingtonused | \doifelsecurrentsortingtonused {...} {...}        |
| doifelsecurrentsynonymshown   | \doifelsecurrentsynonymshown {...} {...}          |
| doifelsecurrentsynonymused    | \doifelsecurrentsynonymused {...} {...}           |
| doifelsedefined               | \doifelsedefined {...} {...} {...}                |
| doifelsedefinedcounter        | \doifelsedefinedcounter {...} {...} {...}         |
| doifelsedimension             | \doifelsedimension {...} {...} {...}              |
| doifelsedimenstring           | \doifelsedimenstring {...} {...} {...}            |
| doifelsedocumentargument      | \doifelsedocumentargument {...} {...} {...}       |
| doifelsedocumentfilename      | \doifelsedocumentfilename {...} {...} {...}       |
| doifelsedocumentvariable      | \doifelsedocumentvariable {...} {...} {...}       |
| doifelsedrawingblack          | \doifelsedrawingblack {...} {...}                 |
| doifelseempty                 | \doifelseempty {...} {...} {...}                  |
| doifelseemptyvalue            | \doifelseemptyvalue {...} {...} {...}             |
| doifelseemptyvariable         | \doifelseemptyvariable {...} {...} {...} {...}    |
| doifelseenv                   | \doifelseenv {...} {...} {...}                    |
| doifelsefastoptionalcheck     | \doifelsefastoptionalcheck {...} {...}            |
| doifelsefastoptionalcheckcs   | \doifelsefastoptionalcheckcs \... \...            |
| doifelsefieldbody             | \doifelsefieldbody {...} {...} {...}              |
| doifelsefieldcategory         | \doifelsefieldcategory {...} {...} {...}          |
| doifelsefigure                | \doifelsefigure {...} {...} {...}                 |
| doifelsefile                  | \doifelsefile {...} {...} {...}                   |
| doifelsefiledefined           | \doifelsefiledefined {...} {...} {...}            |
| doifelsefileexists            | \doifelsefileexists {...} {...} {...}             |
| doifelsefirstchar             | \doifelsefirstchar {...} {...} {...} {...}        |
| doifelseflagged               | \doifelseflagged {...} {...} {...}                |
| doifelsefontchar              | \doifelsefontchar {...} {...} {...} {...}         |
| doifelsefontfeature           | \doifelsefontfeature {...} {...} {...}            |
| doifelsefontpresent           | \doifelsefontpresent {...} {...} {...}            |
| doifelsefontsynonym           | \doifelsefontsynonym {...} {...} {...}            |
| doifelseframed                | \doifelseframed \... {...} {...}                  |
| doifelsehasspace              | \doifelsehasspace {...} {...} {...}               |
| doifelsehelp                  | \doifelsehelp {...} {...}                         |
| doifelseincsnames             | \doifelseincsnames {...} {...} {...} {...}        |
| doifelseinelement             | \doifelseinelement {...} {...} {...}              |
| doifelseinputfile             | \doifelseinputfile {...} {...} {...}              |
| doifelseinsertion             | \doifelseinsertion {...} {...} {...}              |
| doifelseinset                 | \doifelseinset {...} {...} {...} {...}            |
| doifelseinstring              | \doifelseinstring {...} {...} {...} {...}         |
| doifelseinsymbolset           | \doifelseinsymbolset {...} {...} {...} {...}      |
| doifelseintoks                | \doifelseintoks {...} {...} {...} {...}           |
| doifelseintwopassdata         | \doifelseintwopassdata {...} {...} {...} {...}    |
| doifelseitalic                | \doifelseitalic {...} {...}                       |
| doifelselanguage              | \doifelselanguage {...} {...} {...}               |
| doifelselayerdata             | \doifelselayerdata {...} {...} {...}              |
| doifelselayoutdefined         | \doifelselayoutdefined {...} {...} {...}          |
| doifelselayoutsomeline        | \doifelselayoutsomeline {...} {...} {...}         |
| doifelselayouttextline        | \doifelselayouttextline {...} {...} {...}         |
| doifelseleapyear              | \doifelseleapyear {...} {...} {...}               |
| doifselist                    | \doifselist {...} {...} {...}                     |
| doifselocation                | \doifselocation {...} {...}                       |

|                                |   |
|--------------------------------|---|
| doifelselocfile                | \doifelselocfile {...} {...} {...}                    |
| doifelseMPgraphic              | \doifelseMPgraphic {...} {...} {...}                  |
| doifelsemainfloatbody          | \doifelsemainfloatbody {...} {...}                    |
| doifelsemarkedpage             | \doifelsemarkedpage {...} {...} {...}                 |
| doifelsemarking                | \doifelsemarking {...} {...} {...}                    |
| doifelsemeaning                | \doifelsemeaning \... \... {...} {...}                |
| doifelsemessage                | \doifelsemessage {...} {...} {...} {...}              |
| doifelsemode                   | \doifelsemode {...} {...} {...}                       |
| doifelsenextbgroup             | \doifelsenextbgroup {...} {...}                       |
| doifelsenextbgroupcs           | \doifelsenextbgroupcs \... \...                       |
| doifelsenextchar               | \doifelsenextchar {...} {...} {...}                   |
| doifelsenextoptional           | \doifelsenextoptional {...} {...}                     |
| doifelsenextoptionalcs         | \doifelsenextoptionalcs \... \...                     |
| doifelsenextparenthesis        | \doifelsenextparenthesis {...} {...}                  |
| doifelsenonzeropositive        | \doifelsenonzeropositive {...} {...} {...}            |
| doifelsenoteonsamepage         | \doifelsenoteonsamepage {...} {...} {...}             |
| doifelsenothing                | \doifelsenothing {...} {...} {...}                    |
| doifelsenumber                 | \doifelsenumber {...} {...} {...}                     |
| doifelseobjectfound            | \doifelseobjectfound {...} {...} {...} {...}          |
| doifelseobjectreferencefound   | \doifelseobjectreferencefound {...} {...} {...} {...} |
| doifelseoddpager               | \doifelseoddpager {...} {...}                         |
| doifelseoddpagerfloat          | \doifelseoddpagerfloat {...} {...}                    |
| doifelseoldercontext           | \doifelseoldercontext {...} {...} {...}               |
| doifelseolderversion           | \doifelseolderversion {...} {...} {...} {...}         |
| doifelseoverlapping            | \doifelseoverlapping {...} {...} {...} {...}          |
| doifelseoverlay                | \doifelseoverlay {...} {...} {...}                    |
| doifelseparallel               | \doifelseparallel {...} {...} {...} {...}             |
| doifelseparentfile             | \doifelseparentfile {...} {...} {...}                 |
| doifelsepath                   | \doifelsepath {...} {...} {...}                       |
| doifelsepathexists             | \doifelsepathexists {...} {...} {...}                 |
| doifelsepatterns               | \doifelsepatterns {...} {...} {...}                   |
| doifelseposition               | \doifelseposition {...} {...} {...}                   |
| doifelsepositionaction         | \doifelsepositionaction {...} {...} {...}             |
| doifelsepositiononpage         | \doifelsepositiononpage {...} {...} {...} {...}       |
| doifelsepositiononsamepage     | \doifelsepositiononsamepage {...} {...} {...}         |
| doifelsepositionsonthispage    | \doifelsepositionsonthispage {...} {...} {...}        |
| doifelsepositionsused          | \doifelsepositionsused {...} {...}                    |
| doifelsereferencefound         | \doifelsereferencefound {...} {...} {...}             |
| doifelserightpage              | \doifelserightpage {...} {...}                        |
| doifelserightpagefloat         | \doifelserightpagefloat {...} {...}                   |
| doifelserighttoleftinbox       | \doifelserighttoleftinbox ... {...} {...}             |
| doifelsesamelinereference      | \doifelsesamelinereference {...} {...} {...}          |
| doifelsesamestring             | \doifelsesamestring {...} {...} {...} {...}           |
| doifelsesetups                 | \doifelsesetups {...} {...} {...}                     |
| doifelsesomebackground         | \doifelsesomebackground {...} {...} {...}             |
| doifelsesomespace              | \doifelsesomespace {...} {...} {...}                  |
| doifelsesomething              | \doifelsesomething {...} {...} {...}                  |
| doifelsesometoks               | \doifelsesometoks \... {...} {...}                    |
| doifelsestringinstring         | \doifelsestringinstring {...} {...} {...} {...}       |
| doifelsestructurelisthasnumber | \doifelsestructurelisthasnumber {...} {...}           |
| doifelsestructurelisthaspage   | \doifelsestructurelisthaspage {...} {...}             |
| doifelsesymboldefined          | \doifelsesymboldefined {...} {...} {...}              |
| doifelsesymbolset              | \doifelsesymbolset {...} {...} {...}                  |
| doifelsetext                   | \doifelsetext {...} {...} {...}                       |
| doifelsetextflow               | \doifelsetextflow {...} {...} {...}                   |
| doifelsetextflowcollector      | \doifelsetextflowcollector {...} {...} {...}          |
| doifelsetopofpage              | \doifelsetopofpage {...} {...}                        |
| doifelsetypingfile             | \doifelsetypingfile {...} {...} {...}                 |
| doifelseundefined              | \doifelseundefined {...} {...} {...}                  |
| doifelseurldefined             | \doifelseurldefined {...} {...} {...}                 |
| doifelsevalue                  | \doifelsevalue {...} {...} {...} {...}                |
| doifelsevaluenothing           | \doifelsevaluenothing {...} {...} {...}               |
| doifelsevariable               | \doifelsevariable {...} {...} {...} {...}             |
| doifempty                      | \doifempty {...} {...}                                |
| doifemptyelse                  | \doifemptyelse {...} {...} {...}                      |
| doifemptytoks                  | \doifemptytoks \... {...}                             |
| doifemptyvalue                 | \doifemptyvalue {...} {...}                           |
| doifemptyvalueelse             | \doifemptyvalueelse {...} {...} {...}                 |
| doifemptyvariable              | \doifemptyvariable {...} {...} {...}                  |
| doifemptyvariableelse          | \doifemptyvariableelse {...} {...} {...} {...}        |
| doifenv                        | \doifenv {...} {...}                                  |
| doifenvelse                    | \doifenvelse {...} {...} {...}                        |

|                           |  |
|---------------------------|--|
| doiffastoptionalcheckcse  | \doiffastoptionalcheckcse \... \...            |
| doiffastoptionalcheckelse | \doiffastoptionalcheckelse {...} {...}         |
| doiffielddbbodyelse       | \doiffielddbbodyelse {...} {...} {...}         |
| doiffielddcategoryelse    | \doiffielddcategoryelse {...} {...} {...}      |
| doiffigureelse            | \doiffigureelse {...} {...} {...}              |
| doiffile                  | \doiffile {...} {...}                          |
| doiffiledefinedelse       | \doiffiledefinedelse {...} {...} {...}         |
| doiffileelse              | \doiffileelse {...} {...} {...}                |
| doiffileexistse           | \doiffileexistse {...} {...} {...}             |
| doiffirstcharelse         | \doiffirstcharelse {...} {...} {...} {...}     |
| doiffaggedelse            | \doiffaggedelse {...} {...} {...}              |
| doiffontcharelse          | \doiffontcharelse {...} {...} {...} {...}      |
| doiffontfeatureelse       | \doiffontfeatureelse {...} {...} {...}         |
| doiffontpresentelse       | \doiffontpresentelse {...} {...} {...}         |
| doiffontsynonymelse       | \doiffontsynonymelse {...} {...} {...}         |
| doifhasspaceelse          | \doifhasspaceelse {...} {...} {...}            |
| doifhelpelse              | \doifhelpelse {...} {...}                      |
| doifincsnamelse           | \doifincsnamelse {...} {...} {...} {...}       |
| doifinelementelse         | \doifinelementelse {...} {...} {...}           |
| doifinputfileelse         | \doifinputfileelse {...} {...} {...}           |
| doifinsertionelse         | \doifinsertionelse {...} {...} {...}           |
| doifinset                 | \doifinset {...} {...} {...}                   |
| doifinsetelse             | \doifinsetelse {...} {...} {...} {...}         |
| doifinstring              | \doifinstring {...} {...} {...}                |
| doifinstringelse          | \doifinstringelse {...} {...} {...} {...}      |
| doifinsymbolset           | \doifinsymbolset {...} {...} {...} {...}       |
| doifinsymbolsetelse       | \doifinsymbolsetelse {...} {...} {...} {...}   |
| doifintokse               | \doifintokse {...} {...} {...} {...}           |
| doifintwopassdataelse     | \doifintwopassdataelse {...} {...} {...} {...} |
| doifitalicelse            | \doifitalicelse {...} {...}                    |
| doiflanguageelse          | \doiflanguageelse {...} {...} {...}            |
| doiflayerdataelse         | \doiflayerdataelse {...} {...} {...}           |
| doiflayoutdefinedelse     | \doiflayoutdefinedelse {...} {...} {...}       |
| doiflayoutsomelineelse    | \doiflayoutsomelineelse {...} {...} {...}      |
| doiflayouttextlineelse    | \doiflayouttextlineelse {...} {...} {...}      |
| doifleapyearelse          | \doifleapyearelse {...} {...} {...}            |
| doiflistelse              | \doiflistelse {...} {...} {...}                |
| doiflocationelse          | \doiflocationelse {...} {...}                  |
| doiflocfileelse           | \doiflocfileelse {...} {...} {...}             |
| doifMPgraphicelse         | \doifMPgraphicelse {...} {...} {...}           |
| doifmainfloatbodyelse     | \doifmainfloatbodyelse {...} {...}             |
| doifmarkingelse           | \doifmarkingelse {...} {...} {...}             |
| doifmeaningelse           | \doifmeaningelse \... \... {...} {...}         |
| doifmessageelse           | \doifmessageelse {...} {...} {...} {...}       |
| doifmode                  | \doifmode {...} {...}                          |
| doifmodeelse              | \doifmodeelse {...} {...} {...}                |
| doifnextbgroupcse         | \doifnextbgroupcse \... \...                   |
| doifnextbgroupelse        | \doifnextbgroupelse {...} {...}                |
| doifnextcharelse          | \doifnextcharelse {...} {...} {...}            |
| doifnextoptionalcse       | \doifnextoptionalcse \... \...                 |
| doifnextoptionalelse      | \doifnextoptionalelse {...} {...}              |
| doifnextparenthesiselse   | \doifnextparenthesiselse {...} {...}           |
| doifnonzeropositiveelse   | \doifnonzeropositiveelse {...} {...} {...}     |
| doifnot                   | \doifnot {...} {...} {...}                     |
| doifnotallcommon          | \doifnotallcommon {...} {...} {...}            |
| doifnotallmodes           | \doifnotallmodes {...} {...} {...}             |
| doifnotcommandhandler     | \doifnotcommandhandler \... {...} {...}        |
| doifnotcommon             | \doifnotcommon {...} {...} {...}               |
| doifnotcounter            | \doifnotcounter {...} {...}                    |
| doifnotdocumentargument   | \doifnotdocumentargument {...} {...}           |
| doifnotdocumentfilename   | \doifnotdocumentfilename {...} {...}           |
| doifnotdocumentvariable   | \doifnotdocumentvariable {...} {...}           |
| doifnotempty              | \doifnotempty {...} {...}                      |
| doifnotemptyvalue         | \doifnotemptyvalue {...} {...}                 |
| doifnotemptyvariable      | \doifnotemptyvariable {...} {...} {...}        |
| doifnotenv                | \doifnotenv {...} {...}                        |
| doifnoteonsamepageelse    | \doifnoteonsamepageelse {...} {...} {...}      |
| doifnotescollected        | \doifnotescollected {...} {...}                |
| doifnotfile               | \doifnotfile {...} {...}                       |
| doifnotflagged            | \doifnotflagged {...} {...}                    |
| doifnothing               | \doifnothing {...} {...}                       |
| doifnothingelse           | \doifnothingelse {...} {...} {...}             |

|                                |   |
|--------------------------------|---|
| doifnotinset                   | \doifnotinset {...} {...} {...}                       |
| doifnotinidesplitfloat         | \doifnotinidesplitfloat {...}                         |
| doifnotinstring                | \doifnotinstring {...} {...} {...}                    |
| doifnotmode                    | \doifnotmode {...} {...}                              |
| doifnotnumber                  | \doifnotnumber {...} {...}                            |
| doifnotsamestring              | \doifnotsamestring {...} {...} {...}                  |
| doifnotsetups                  | \doifnotsetups {...} {...}                            |
| doifnotvalue                   | \doifnotvalue {...} {...} {...}                       |
| doifnotvariable                | \doifnotvariable {...} {...} {...}                    |
| doifnumber                     | \doifnumber {...} {...}                               |
| doifnumberelse                 | \doifnumberelse {...} {...} {...}                     |
| doifobjectfoundelse            | \doifobjectfoundelse {...} {...} {...} {...}          |
| doifobjectreferencefoundelse   | \doifobjectreferencefoundelse {...} {...} {...} {...} |
| doifoddpagelse                 | \doifoddpagelse {...} {...}                           |
| doifoddpagefloatelse           | \doifoddpagefloatelse {...} {...}                     |
| doifoldercontextelse           | \doifoldercontextelse {...} {...} {...}               |
| doifolderversionelse           | \doifolderversionelse {...} {...} {...} {...}         |
| doifoverlappingelse            | \doifoverlappingelse {...} {...} {...} {...}          |
| doifoverlayelse                | \doifoverlayelse {...} {...} {...}                    |
| doifparallelelse               | \doifparallelelse {...} {...} {...} {...}             |
| doifparentfileelse             | \doifparentfileelse {...} {...} {...}                 |
| doifpathelse                   | \doifpathelse {...} {...} {...}                       |
| doifpathexistselse             | \doifpathexistselse {...} {...} {...}                 |
| doifpatternelse                | \doifpatternelse {...} {...} {...}                    |
| doifposition                   | \doifposition {...} {...} {...}                       |
| doifpositionaction             | \doifpositionaction {...} {...} {...}                 |
| doifpositionactionelse         | \doifpositionactionelse {...} {...} {...}             |
| doifpositionelse               | \doifpositionelse {...} {...} {...}                   |
| doifpositiononpageelse         | \doifpositiononpageelse {...} {...} {...} {...}       |
| doifpositionsonsamepageelse    | \doifpositionsonsamepageelse {...} {...} {...}        |
| doifpositionsonthispageelse    | \doifpositionsonthispageelse {...} {...} {...}        |
| doifpositionsusedelse          | \doifpositionsusedelse {...} {...}                    |
| doifreferencefoundelse         | \doifreferencefoundelse {...} {...} {...}             |
| doifrightpagefloatelse         | \doifrightpagefloatelse {...} {...}                   |
| doifrighttoleftinboxelse       | \doifrighttoleftinboxelse ... {...} {...}             |
| doifsamelinereferenceelse      | \doifsamelinereferenceelse {...} {...} {...}          |
| doifsamestring                 | \doifsamestring {...} {...} {...}                     |
| doifsamestringelse             | \doifsamestringelse {...} {...} {...} {...}           |
| doifsetups                     | \doifsetups {...} {...}                               |
| doifsetupselse                 | \doifsetupselse {...} {...} {...}                     |
| doifsomebackground             | \doifsomebackground {...} {...} {...}                 |
| doifsomebackgroundelse         | \doifsomebackgroundelse {...} {...} {...}             |
| doifsomespaceelse              | \doifsomespaceelse {...} {...} {...}                  |
| doifsomething                  | \doifsomething {...} {...}                            |
| doifsomethingelse              | \doifsomethingelse {...} {...} {...}                  |
| doifsometoks                   | \doifsometoks \... {...}                              |
| doifsometokselse               | \doifsometokselse \... {...} {...}                    |
| doifstringinstringelse         | \doifstringinstringelse {...} {...} {...} {...}       |
| doifstructurelisthasnumberelse | \doifstructurelisthasnumberelse {...} {...}           |
| doifstructurelisthaspageelse   | \doifstructurelisthaspageelse {...} {...}             |
| doifsymboldefinedelse          | \doifsymboldefinedelse {...} {...} {...}              |
| doifsymbolsetelse              | \doifsymbolsetelse {...} {...} {...}                  |
| doiftext                       | \doiftext {...} {...} {...}                           |
| doiftextelse                   | \doiftextelse {...} {...} {...}                       |
| doiftextflowcollectorelse      | \doiftextflowcollectorelse {...} {...} {...}          |
| doiftextflowelse               | \doiftextflowelse {...} {...} {...}                   |
| doiftopofpageelse              | \doiftopofpageelse {...} {...}                        |
| doiftypingfileelse             | \doiftypingfileelse {...} {...} {...}                 |
| doifundefined                  | \doifundefined {...} {...}                            |
| doifundefinedcounter           | \doifundefinedcounter {...} {...}                     |
| doifundefinedelse              | \doifundefinedelse {...} {...} {...}                  |
| doifunknownfontfeature         | \doifunknownfontfeature {...} {...} {...}             |
| doifurldefinedelse             | \doifurldefinedelse {...} {...} {...}                 |
| doifvalue                      | \doifvalue {...} {...} {...}                          |
| doifvalueelse                  | \doifvalueelse {...} {...} {...} {...}                |
| doifvaluenothing               | \doifvaluenothing {...} {...}                         |
| doifvaluenothingelse           | \doifvaluenothingelse {...} {...} {...}               |
| doifvaluesomething             | \doifvaluesomething {...} {...}                       |
| doifvariable                   | \doifvariable {...} {...} {...}                       |
| doifvariableelse               | \doifvariableelse {...} {...} {...} {...}             |
| doindentation                  | \doindentation  |
| dollar                         | \dollar   |

|                                       |  |
|---------------------------------------|--|
| doloop                                | \doloop {...}  |
| doloopoverlist                        | \doloopoverlist {...} {...}  |
| donothing                             | \donothing   |
| dontconvertfont                       | \dontconvertfont   |
| dontleavehmode                        | \dontleavehmode  |
| dontpermitspacesbetweengroups         | \dontpermitspacesbetweengroups                                       |
| dopositionaction                      | \dopositionaction {...}  |
| doprocesslocalsetups                  | \doprocesslocalsetups {...}  |
| doquadrupleargument                   | \doquadrupleargument \... [...] [...] [...] [...]                    |
| doquadrupleempty                      | \doquadrupleempty \... [...] [...] [...] [...]                       |
| doquadruplegroupempty                 | \doquadruplegroupempty \... {...} {...} {...} {...}                  |
| doquintupleargument                   | \doquintupleargument \... [...] [...] [...] [...] [...]              |
| doquintupleempty                      | \doquintupleempty \... [...] [...] [...] [...] [...]                 |
| doquintuplegroupempty                 | \doquintuplegroupempty \... {...} {...} {...} {...} {...}            |
| dorechecknextindentation              | \dorechecknextindentation  |
| dorecurse                             | \dorecurse {...} {...}   |
| dorepeatwithcommand                   | \dorepeatwithcommand [...] \...                                      |
| doreplacefeature                      | \doreplacefeature {...}  |
| doresetandafffeature                  | \doresetandafffeature {...}  |
| doresetattribute                      | \doresetattribute {...}  |
| dorotatebox                           | \dorotatebox {...} \... {...}  |
| dosetattribute                        | \dosetattribute {...} {...}  |
| dosetleftskipadaption                 | \dosetleftskipadaption {...}   |
| dosetrighskipadaption                 | \dosetrighskipadaption {...}   |
| dosetupcheckedinterlinespace          | \dosetupcheckedinterlinespace {..=..}                                |
| dosetupcheckedinterlinespace:argument | \dosetupcheckedinterlinespace {...}                                  |
| dosetupcheckedinterlinespace:name     | \dosetupcheckedinterlinespace {...}                                  |
| doseventupleargument                  | \doseventupleargument \... [...] [...] [...] [...] [...] [...] [...] |
| doseventupleempty                     | \doseventupleempty \... [...] [...] [...] [...] [...] [...] [...]    |
| dosingleargument                      | \dosingleargument \... [...]   |
| dosingleempty                         | \dosingleempty \... [...]  |
| dosinglegroupempty                    | \dosinglegroupempty \... {...}                                       |
| dosixtupleargument                    | \dosixtupleargument \... [...] [...] [...] [...] [...] [...] [...]   |
| dosixtupleempty                       | \dosixtupleempty \... [...] [...] [...] [...] [...] [...] [...]      |
| dostarttagged                         | \dostarttagged {...} {...} ... \dostoptagged                         |
| dostepwiserecurse                     | \dostepwiserecurse {...} {...} {...} {...}                           |
| dosubtractfeature                     | \dosubtractfeature {...}   |
| dotfskip                              | \dotfskip {...}  |
| dotoks                                | \dotoks \...   |
| dotripleargument                      | \dotripleargument \... [...] [...] [...] [...]                       |
| dotripleargumentwithset               | \dotripleargumentwithset \... [...] [...] [...] [...]                |
| dotripleempty                         | \dotripleempty \... [...] [...] [...] [...]                          |
| dotripleemptywithset                  | \dotripleemptywithset \... [...] [...] [...] [...]                   |
| dotriplegroupempty                    | \dotriplegroupempty \... {...} {...} {...}                           |
| doublebond                            | \doublebond  |
| dowith                                | \dowith {...} {...}  |
| dowithnextbox                         | \dowithnextbox {...} \... {...}                                      |
| dowithnextboxcontent                  | \dowithnextboxcontent {...} {...} \... {...}                         |
| dowithnextboxcontentcs                | \dowithnextboxcontentcs \... \... \... {...}                         |
| dowithnextboxcs                       | \dowithnextboxcs \... \... {...}                                     |
| dowithpargument                       | \dowithpargument \...  |
| dowithrange                           | \dowithrange {...} \...  |
| dowithwargument                       | \dowithwargument \...  |
| dpofstring                            | \dpofstring {...}  |
| droite                                | \droite ...  |
| dummydigit                            | \dummydigit  |
| dummyparameter                        | \dummyparameter {...}  |
| ETEX                                  | \ETEX  |
| EveryLine                             | \EveryLine {...}   |
| EveryPar                              | \EveryPar {...}  |
| echelle                               | \echelle [...] [..=..] {...}   |
| ecran                                 | \ecran [...]   |
| ecritdansliste                        | \ecritdansliste [...] [..=..] {...} {...}                            |
| ecritentreliste                       | \ecritentreliste [...] [..=..] {...}                                 |
| edefconvertedargument                 | \edefconvertedargument \... {...}                                    |
| efcmaxheight                          | \efcmaxheight {...}  |
| efcmaxwidth                           | \efcmaxwidth {...}   |
| efcminheight                          | \efcminheight {...}  |
| efcminwidth                           | \efcminwidth {...}   |
| efcparameter                          | \efcparameter {...} {...}  |
| effect                                | \effect [...] {...}  |
| elapsedseconds                        | \elapsedseconds  |

|                                   |  |
|-----------------------------------|--|
| elapsedtime                       | \elapsedtime                                   |
| element                           | \element [...]                                 |
| elements                          | \elements [..=..] {...}                        |
| em                                | \em  |
| emphasisboldface                  | \emphasisboldface                              |
| emphasistypeface                  | \emphasistypeface                              |
| emptylines                        | \emptylines [...]                              |
| emspace                           | \emspace                                       |
| enabledirectives                  | \enabledirectives [...]                        |
| enableexperiments                 | \enableexperiments [...]                       |
| enablemode                        | \enablemode [...]                              |
| enableoutputstream                | \enableoutputstream [...]                      |
| enableparpositions                | \enableparpositions                            |
| enableregime                      | \enableregime [...]                            |
| enabletrackers                    | \enabletrackers [...]                          |
| enskip                            | \enskip  |
| enspace                           | \enspace                                       |
| enumeration:example               | \ENUMERATION [...] {...} ... \par              |
| env                               | \env {...}                                     |
| environement                      | \environement [...]                            |
| environement:string               | \environement ...                              |
| envvar                            | \envvar {...} {...}                            |
| epos                              | \epos {...}                                    |
| equaldigits                       | \equaldigits {...}                             |
| espace                            | \espace  |
| espacefixe                        | \espacefixe                                    |
| espacesfixes                      | \espacesfixes                                  |
| eTeX                              | \eTeX  |
| etiquette:example                 | \ETIQUETTE [...] {...}                         |
| etire                             | \etire [..=..] {...}                           |
| executeifdefined                  | \executeifdefined {...} {...}                  |
| exitloop                          | \exitloop                                      |
| exitloopnow                       | \exitloopnow                                   |
| expandcheckedcsname               | \expandcheckedcsname \... {...} {...}          |
| expanded                          | \expanded {...}                                |
| expandeddoif                      | \expandeddoif {...} {...} {...}                |
| expandeddoifelse                  | \expandeddoifelse {...} {...} {...} {...}      |
| expandeddoifnot                   | \expandeddoifnot {...} {...} {...}             |
| expandfontsynonym                 | \expandfontsynonym \... {...}                  |
| expdoif                           | \expdoif {...} {...} {...}                     |
| expdoifcommonelse                 | \expdoifcommonelse {...} {...} {...} {...}     |
| expdoifelse                       | \expdoifelse {...} {...} {...} {...}           |
| expdoifelsecommon                 | \expdoifelsecommon {...} {...} {...} {...}     |
| expdoifelseinset                  | \expdoifelseinset {...} {...} {...} {...}      |
| expdoifinsetelse                  | \expdoifinsetelse {...} {...} {...} {...}      |
| expdoifnot                        | \expdoifnot {...} {...} {...}                  |
| externalfigurecollectionmaxheight | \externalfigurecollectionmaxheight {...}       |
| externalfigurecollectionmaxwidth  | \externalfigurecollectionmaxwidth {...}        |
| externalfigurecollectionminheight | \externalfigurecollectionminheight {...}       |
| externalfigurecollectionminwidth  | \externalfigurecollectionminwidth {...}        |
| externalfigurecollectionparameter | \externalfigurecollectionparameter {...} {...} |
| faitreference                     | \faitreference (...,...) (...,...) [...]       |
| fakebox                           | \fakebox ...                                   |
| fastdecrement                     | \fastdecrement \...                            |
| fastincrement                     | \fastincrement \...                            |
| fastlocalframed                   | \fastlocalframed [...] [..=..] {...}           |
| fastloopfinal                     | \fastloopfinal                                 |
| fastloopindex                     | \fastloopindex                                 |
| fastscale                         | \fastscale {...} {...}                         |
| fastsetup                         | \fastsetup {...}                               |
| fastsetupwithargument             | \fastsetupwithargument {...} {...}             |
| fastsetupwithargumentswapped      | \fastsetupwithargumentswapped {...} {...}      |
| fastswitchtobodyfont              | \fastswitchtobodyfont {...}                    |
| fastxsxy                          | \fastxsxy {...} {...} {...}                    |
| feature                           | \feature [...] [...]                           |
| feature:direct                    | \feature {...} {...}                           |
| fence                             | \fence   |
| fenced                            | \fenced [...] {...}                            |
| fence:example                     | \FENCE {...}                                   |
| fetchallmarkings                  | \fetchallmarkings [...] [...]                  |
| fetchallmarks                     | \fetchallmarks [...]                           |
| fetchmark                         | \fetchmark [...] [...]                         |

|                        |  |
|------------------------|--|
| fetchmarking           | \fetchmarking [...] [...] [...]  |
| fetchonemark           | \fetchonemark [...] [...]  |
| fetchonemarking        | \fetchonemarking [...] [...] [...]   |
| fetchruntinecommand    | \fetchruntinecommand \... {...}  |
| fetchtwomarkings       | \fetchtwomarkings [...] [...]  |
| fetchtwomarks          | \fetchtwomarks [...]   |
| fichierdactylo         | \fichierdactylo [...] [..=..] {...}  |
| fieldbody              | \fieldbody [...] [..=..]   |
| fifthoffivearguments   | \fifthoffivearguments {...} {...} {...} {...} {...}  |
| fifthofsixarguments    | \fifthofsixarguments {...} {...} {...} {...} {...} {...}   |
| figureexterne          | \figureexterne [...] [...] [..=..]   |
| figurefilename         | \figurefilename  |
| figurefilepath         | \figurefilepath  |
| figurefiletype         | \figurefiletype  |
| figurefullname         | \figurefullname  |
| figureheight           | \figureheight  |
| figurenaturalheight    | \figurenaturalheight   |
| figurenaturalwidth     | \figurenaturalwidth  |
| figuresymbol           | \figuresymbol [...] [..=..]  |
| figurewidth            | \figurewidth   |
| filename               | \filename {...}  |
| filledhboxb            | \filledhboxb ... {...}   |
| filledhboxc            | \filledhboxc ... {...}   |
| filledhboxg            | \filledhboxg ... {...}   |
| filledhboxk            | \filledhboxk ... {...}   |
| filledhboxm            | \filledhboxm ... {...}   |
| filledhboxr            | \filledhboxr ... {...}   |
| filledhboxy            | \filledhboxy ... {...}   |
| filler                 | \filler [...]  |
| fillupto               | \fillupto [...] {...}  |
| filterfromnext         | \filterfromnext {...} {...} {...} {...} {...} {...} {...}  |
| filterfromvalue        | \filterfromvalue {...} {...} { <sup>OPT</sup> ...} <sup>OPT</sup> <sup>OPT</sup> <sup>OPT</sup> <sup>OPT</sup> |
| filterpages            | \filterpages [...] [...] [..=..]   |
| filterreference        | \filterreference {...}   |
| findtwopassdata        | \findtwopassdata {...} {...}   |
| finishregisterentry    | \finishregisterentry [...] [..=..] [..=..]   |
| firstcharacter         | \firstcharacter  |
| firstcounter           | \firstcounter [...] [...]  |
| firstcountervalue      | \firstcountervalue [...]   |
| firstinlist            | \firstinlist [...]   |
| firstoffivearguments   | \firstoffivearguments {...} {...} {...} {...} {...}  |
| firstoffourarguments   | \firstoffourarguments {...} {...} {...} {...}  |
| firstofoneargument     | \firstofoneargument {...}  |
| firstofoneunexpanded   | \firstofoneunexpanded {...}  |
| firstofsixarguments    | \firstofsixarguments {...} {...} {...} {...} {...} {...}   |
| firstofthreearguments  | \firstofthreearguments {...} {...} {...}   |
| firstofthreeunexpanded | \firstofthreeunexpanded {...} {...} {...}  |
| firstoftwoarguments    | \firstoftwoarguments {...} {...}   |
| firstoftwounexpanded   | \firstoftwounexpanded {...} {...}  |
| firstrealpage          | \firstrealpage   |
| firstrealpagenumber    | \firstrealpagenumber   |
| firstsubcountervalue   | \firstsubcountervalue [...] [...]  |
| firstsubpagenumber     | \firstsubpagenumber  |
| firstuserpage          | \firstuserpage   |
| firstuserpagenumber    | \firstuserpagenumber   |
| fitfieldframed         | \fitfieldframed [..=..] {...}  |
| fittopbaselinegrid     | \fittopbaselinegrid {...}  |
| flag                   | \flag {...}  |
| floatuserdataparameter | \floatuserdataparameter {...}  |
| flushbox               | \flushbox {...} {...}  |
| flushboxregister       | \flushboxregister ...  |
| flushcollector         | \flushcollector [...]  |
| flushedrightlastline   | \flushedrightlastline  |
| flushlayer             | \flushlayer [...]  |
| flushlocalfloats       | \flushlocalfloats  |
| flushnextbox           | \flushnextbox  |
| flushnotes             | \flushnotes  |
| flushoutputstream      | \flushoutputstream [...]   |
| flushshapebox          | \flushshapebox   |
| flushtextflow          | \flushtextflow {...}   |
| flushtokens            | \flushtokens [...]   |
| flushtoks              | \flushtoks \...  |



|                                |   |
|--------------------------------|---|
| fontalternative                | \fontalternative  |
| fontbody                       | \fontbody   |
| fontchar                       | \fontchar {...}   |
| fontcharbyindex                | \fontcharbyindex {...}                                    |
| fontclass                      | \fontclass  |
| fontclassname                  | \fontclassname {...} {...}                                |
| fontface                       | \fontface   |
| fontfeaturelist                | \fontfeaturelist [...] [...]                              |
| fontsize                       | \fontsize   |
| fontstyle                      | \fontstyle  |
| forcecharacterstripping        | \forcecharacterstripping                                  |
| forcelocalfloats               | \forcelocalfloats   |
| forgeteverypar                 | \forgeteverypar   |
| forgetparameters               | \forgetparameters [...] [..=..]                           |
| forgetparskip                  | \forgetparskip  |
| forgetragged                   | \forgetragged   |
| formule                        | \formule [...] {...}                                      |
| foundbox                       | \foundbox {...} {...}                                     |
| fourthoffivearguments          | \fourthoffivearguments {...} {...} {...} {...} {...}      |
| fourthoffourarguments          | \fourthoffourarguments {...} {...} {...} {...}            |
| fourthofsixarguments           | \fourthofsixarguments {...} {...} {...} {...} {...} {...} |
| fraction:instance              | \FRACTION {...} {...}                                     |
| fraction:instance:binom        | \binom {...} {...}  |
| fraction:instance:dbinom       | \dbinom {...} {...}                                       |
| fraction:instance:dfrac        | \dfrac {...} {...}  |
| fraction:instance:frac         | \frac {...} {...}   |
| fraction:instance:sfrac        | \sfrac {...} {...}  |
| fraction:instance:tbinom       | \tbinom {...} {...}                                       |
| fraction:instance:xfrac        | \xfrac {...} {...}  |
| fraction:instance:xxfrac       | \xxfrac {...} {...}                                       |
| framed                         | \framed [..=..] {...}                                     |
| frameddimension                | \frameddimension {...}                                    |
| framedparameter                | \framedparameter {...}                                    |
| framed:instance                | \FRAMED [..=..] {...}                                     |
| framed:instance:fitfieldframed | \fitfieldframed [..=..] {...}                             |
| framed:instance:unframed       | \unframed [..=..] {...}                                   |
| freezedimenmacro               | \freezedimenmacro \... \...                               |
| freezemeasure                  | \freezemeasure [...] [...]                                |
| frenchspacing                  | \frenchspacing  |
| fromlinenote                   | \fromlinenote [...] {...}                                 |
| frozenhbox                     | \frozenhbox {...}   |
| frule                          | \frule ... \relax   |
| GetPar                         | \GetPar   |
| GotoPar                        | \GotoPar  |
| Greeknumerals                  | \Greeknumerals {...}                                      |
| gardeblocs                     | \gardeblocs [...] [...]                                   |
| gauche                         | \gauche ...   |
| gdefconvertedargument          | \gdefconvertedargument \... {...}                         |
| gdefconvertedcommand           | \gdefconvertedcommand \... \...                           |
| getboxfromcache                | \getboxfromcache {...} {...} ...                          |
| getboxllx                      | \getboxllx ...  |
| getboxlly                      | \getboxlly ...  |
| getbufferdata                  | \getbufferdata [...]                                      |
| getcommacommandsize            | \getcommacommandsize [...]                                |
| getcommalistsize               | \getcommalistsize [...]                                   |
| getdayoftheweek                | \getdayoftheweek {...} {...} {...}                        |
| getdayspermonth                | \getdayspermonth {...} {...}                              |
| getdefinedbuffer               | \getdefinedbuffer [...]                                   |
| getdocumentargument            | \getdocumentargument {...}                                |
| getdocumentargumentdefault     | \getdocumentargumentdefault {...} {...}                   |
| getdocumentfilename            | \getdocumentfilename {...}                                |
| getdummyparameters             | \getdummyparameters [..=..]                               |
| getemptyparameters             | \getemptyparameters [...] [..=..]                         |
| geteparameters                 | \geteparameters [...] [..=..]                             |
| getexpandedparameters          | \getexpandedparameters [...] [..=..]                      |
| getfiguredimensions            | \getfiguredimensions [...] [..=..]                        |
| getfirstcharacter              | \getfirstcharacter {...}                                  |
| getfirsttwopassdata            | \getfirsttwopassdata {...}                                |
| getfromcommacommand            | \getfromcommacommand [...] [...]                          |
| getfromcommalist               | \getfromcommalist [...] [...]                             |
| getfromtwopassdata             | \getfromtwopassdata {...} {...}                           |
| getglyphdirect                 | \getglyphdirect {...} {...}                               |

|                           |  |
|---------------------------|--|
| getglyphstyled            | \getglyphstyled {...} {...}  |
| getgparameters            | \getgparameters [...] [..=..]  |
| getinlineuserdata         | \getinlineuserdata   |
| getlasttwopassdata        | \getlasttwopassdata {...}  |
| getlocalfloat             | \getlocalfloat {...}   |
| getlocalfloats            | \getlocalfloats  |
| getMPdrawing              | \getMPdrawing  |
| getMPlayer                | \getMPlayer [...] [..=..] {...}  |
| getmessage                | \getmessage {...} {...}  |
| getnamedglyphdirect       | \getnamedglyphdirect {...} {...}   |
| getnamedglyphstyled       | \getnamedglyphstyled {...} {...}   |
| getnamedtwopassdatalist   | \getnamedtwopassdatalist \... {...}  |
| getnaturaldimensions      | \getnaturaldimensions ...  |
| getnoflines               | \getnoflines {...}   |
| getobject                 | \getobject {...} {...}   |
| getobjectdimensions       | \getobjectdimensions {...} {...}   |
| getpaletsize              | \getpaletsize [...]  |
| getparameters             | \getparameters [...] [..=..]   |
| getprivatechar            | \getprivatechar {...}  |
| getprivateslot            | \getprivateslot {...}  |
| getrandomcount            | \getrandomcount \... {...} {...}   |
| getrandomdimen            | \getrandomdimen \... {...} {...}   |
| getrandomfloat            | \getrandomfloat \... {...} {...}   |
| getrandomnumber           | \getrandomnumber \... {...} {...}  |
| getrandomseed             | \getrandomseed \...  |
| getraweparameters         | \getraweparameters [...] [..=..]   |
| getrawgparameters         | \getrawgparameters [...] [..=..]   |
| getrawnoflines            | \getrawnoflines {...}  |
| getrawparameters          | \getrawparameters [...] [..=..]  |
| getrawxparameters         | \getrawxparameters [...] [..=..]   |
| getreference              | \getreference [...] [...]  |
| getreferenceentry         | \getreferenceentry {...}   |
| getroundednoflines        | \getroundednoflines {...}  |
| getsubstring              | \getsubstring {...} {...} {...}  |
| gettokenlist              | \gettokenlist [...]  |
| gettwopassdata            | \gettwopassdata {...}  |
| gettwopassdatalist        | \gettwopassdatalist {...}  |
| getuserdata               | \getuserdata   |
| getuvalue                 | \getuvalue {...}   |
| getvalue                  | \getvalue {...}  |
| getvariable               | \getvariable {...} {...}   |
| getvariabledefault        | \getvariabledefault {...} {...} {...}                                      |
| getxparameters            | \getxparameters [...] [..=..]  |
| globaldisablemode         | \globaldisablemode [...]   |
| globalenablemode          | \globalenablemode [...]  |
| globalletempty            | \globalletempty \...   |
| globalpopbox              | \globalpopbox ...  |
| globalpopmacro            | \globalpopmacro \...   |
| globalpreventmode         | \globalpreventmode [...]   |
| globalprocesscommalist    | \globalprocesscommalist [...] \...   |
| globalpushbox             | \globalpushbox ...   |
| globalpushmacro           | \globalpushmacro \...  |
| globalpushreferenceprefix | \globalpushreferenceprefix {...} ... \globalpopreferenceprefix             |
| globalswapcounts          | \globalswapcounts \... \...  |
| globalswapdimens          | \globalswapdimens \... \...  |
| globalswapmacros          | \globalswapmacros \... \...  |
| globalundefine            | \globalundefine {...}  |
| glyphfontfile             | \glyphfontfile {...}   |
| gobbledoubleempty         | \gobbledoubleempty [...] [...]   |
| gobbleeightarguments      | \gobbleeightarguments {...} {...} {...} {...} {...} {...} {...} {...}      |
| gobblefivearguments       | \gobblefivearguments {...} {...} {...} {...} {...}                         |
| gobblefiveoptionals       | \gobblefiveoptionals [...] [...] [...] [...] [...]                         |
| gobblefourarguments       | \gobblefourarguments {...} {...} {...} {...}                               |
| gobblefouroptionals       | \gobblefouroptionals [...] [...] [...] [...]                               |
| gobbleninearguments       | \gobbleninearguments {...} {...} {...} {...} {...} {...} {...} {...} {...} |
| gobbleoneargument         | \gobbleoneargument {...}   |
| gobbleoneoptional         | \gobbleoneoptional [...]   |
| gobblesevenarguments      | \gobblesevenarguments {...} {...} {...} {...} {...} {...} {...}            |
| gobblesingleempty         | \gobblesingleempty [...]   |
| gobblesixarguments        | \gobblesixarguments {...} {...} {...} {...} {...} {...}                    |
| gobblespacetokens         | \gobblespacetokens   |
| gobbletenarguments        | \gobbletenarguments {...} {...} {...} {...} {...} {...} {...} {...} {...}  |

|                         |  |
|-------------------------|--|
| gobblethreearguments    | \gobblethreearguments {...} {...} {...}          |
| gobblethreepoptionals   | \gobblethreepoptionals [...] [...] [...]         |
| gobbletwoarguments      | \gobbletwoarguments {...} {...}                  |
| gobbletwooptionals      | \gobbletwooptionals [...] [...]                  |
| gobbleuntil             | \gobbleuntil \...                                |
| gobbleuntilrelax        | \gobbleuntilrelax ... \relax                     |
| grabbufferdata          | \grabbufferdata [...] [...] [...] [...]          |
| grabbufferdatadirect    | \grabbufferdatadirect {...} {...} {...}          |
| grabuntil               | \grabuntil {...} \...                            |
| grand                   | \grand ...                                       |
| grandepolicecorp        | \grandepolicecorp                                |
| gras                    | \gras  |
| grasincline             | \grasincline                                     |
| grasinclinepetit        | \grasinclinepetit                                |
| grasitalique            | \grasitalique                                    |
| grasitaliquepetit       | \grasitaliquepetit                               |
| graspetit               | \graspetit                                       |
| grave                   | \grave {...}                                     |
| grayvalue               | \grayvalue {...}                                 |
| greedysplitstring       | \greedysplitstring ... \at ... \to ... \and \... |
| greeknumerals           | \greeknumerals {...}                             |
| grille                  | \grille [..=..]                                  |
| groupedcommand          | \groupedcommand {...} {...}                      |
| gsetboxllx              | \gsetboxllx ... {...}                            |
| gsetboxlly              | \gsetboxlly ... {...}                            |
| gujaratinumerals        | \gujaratinumerals {...}                          |
| gurmurkhinumerals       | \gurmurkhinumerals {...}                         |
| hairspace               | \hairspace                                       |
| halflinestrut           | \halflinestrut                                   |
| halfstrut               | \halfstrut                                       |
| halfwaybox              | \halfwaybox {...}                                |
| handletokens            | \handletokens ... \with \...                     |
| hash                    | \hash  |
| hat                     | \hat {...}                                       |
| haut                    | \haut {...}                                      |
| haut:instance           | \HIGH {...}                                      |
| haut:instance:unitshigh | \unitshigh {...}                                 |
| hboxofvbox              | \hboxofvbox ...                                  |
| hboxreference           | \hboxreference [...] {...}                       |
| hbox:example            | \hboxBOX {...}                                   |
| hdofstring              | \hdofstring {...}                                |
| headhbox                | \headhbox ... {...}                              |
| headnumbercontent       | \headnumbercontent                               |
| headnumberdistance      | \headnumberdistance                              |
| headnumberwidth         | \headnumberwidth                                 |
| headreferenceattributes | \headreferenceattributes                         |
| headsetupspacing        | \headsetupspacing                                |
| headtextcontent         | \headtextcontent                                 |
| headtextdistance        | \headtextdistance                                |
| headtextwidth           | \headtextwidth                                   |
| headvbox                | \headvbox ... {...}                              |
| headwidth               | \headwidth                                       |
| heightanddepthofstring  | \heightanddepthofstring {...}                    |
| heightofstring          | \heightofstring {...}                            |
| heightspanningtext      | \heightspanningtext {...} {...} {...}            |
| help:instance           | \HELP [...] {...} {...}                          |
| help:instance:helptext  | \helptext [...] {...} {...}                      |
| hglue                   | \hglue ...                                       |
| hiddencitation          | \hiddencitation [...]                            |
| hiddencite              | \hiddencite [...]                                |
| highlight               | \highlight [...] {...}                           |
| highlight:example       | \HIGHLIGHT {...}                                 |
| highordinalstr          | \highordinalstr {...}                            |
| hilo                    | \hilo [...] {...} {...}                          |
| himilo                  | \himilo {...} {...} {...}                        |
| hl                      | \hl [...]  |
| horizontalgrowingbar    | \horizontalgrowingbar [..=..]                    |
| horizontalpositionbar   | \horizontalpositionbar [..=..]                   |
| hpackbox                | \hpackbox  |
| hpackedbox              | \hpackedbox                                      |
| hphantom                | \hphantom {...}                                  |
| hpos                    | \hpos {...} {...}                                |

|                                 |   |
|---------------------------------|---|
| hsizefraction                   | \hsizefraction {...} {...}                  |
| hsmash                          | \hsmash {...}                               |
| hsmashbox                       | \hsmashbox ...                              |
| hsmashed                        | \hsmashed {...}                             |
| hspace                          | \hspace [...] [...]                         |
| htdpofstring                    | \htdpofstring {...}                         |
| htofstring                      | \htofstring {...}                           |
| hyphen                          | \hyphen                                     |
| hyphenatedcoloredword           | \hyphenatedcoloredword {...}                |
| hyphenatedfile                  | \hyphenatedfile {...}                       |
| hyphenatedfilename              | \hyphenatedfilename {...}                   |
| hyphenatedhbox                  | \hyphenatedhbox {...}                       |
| hyphenatedpar                   | \hyphenatedpar {...}                        |
| hyphenatedurl                   | \hyphenatedurl {...}                        |
| hyphenatedword                  | \hyphenatedword {...}                       |
| INRSTEX                         | \INRSTEX                                    |
| ibox                            | \ibox {...}                                 |
| ifassignment                    | \ifassignment ... \else ... \fi             |
| iff                             | \iff  |
| ifinobject                      | \ifinobject ... \else ... \fi               |
| ifinoutputstream                | \ifinoutputstream ... \else ... \fi         |
| ifparameters                    | \ifparameters ... \else ... \fi             |
| iftrialtypesetting              | \iftrialtypesetting ... \else ... \fi       |
| ignoreimplicitspaces            | \ignoreimplicitspaces                       |
| ignoretagsinexport              | \ignoretagsinexport [...]                   |
| ignorevalue                     | \ignorevalue {...}                          |
| immediatesavetwopassdata        | \immediatesavetwopassdata {...} {...} {...} |
| impliedby                       | \impliedby                                  |
| implies                         | \implies                                    |
| incline                         | \incline                                    |
| inclinegras                     | \inclinegras                                |
| inclinegraspetit                | \inclinegraspetit                           |
| inclinepetit                    | \inclinepetit                               |
| includemenu                     | \includemenu [...]                          |
| includeversioninfo              | \includeversioninfo {...}                   |
| inconnu                         | \inconnu                                    |
| incrementcounter                | \incrementcounter [...] [...]               |
| incremente                      | \incremente ...                             |
| incrementedcounter              | \incrementedcounter [...]                   |
| incremente:argument             | \incremente (...)                           |
| incrementpagenumber             | \incrementpagenumber                        |
| incrementsubpagenumber          | \incrementsubpagenumber                     |
| incrementvalue                  | \incrementvalue {...}                       |
| indentation                     | \indentation                                |
| infofont                        | \infofont                                   |
| infofontbold                    | \infofontbold                               |
| inframed                        | \inframed [..=..] {...}                     |
| infull                          | \infull {...}                               |
| inheritparameter                | \inheritparameter [...] [...] [...]         |
| inhibitblank                    | \inhibitblank                               |
| initializeboxstack              | \initializeboxstack {...}                   |
| inlinebuffer                    | \inlinebuffer [...]                         |
| inlinedbox                      | \inlinedbox {...}                           |
| inlinemath                      | \inlinemath {...}                           |
| inlinemathematics               | \inlinemathematics {...}                    |
| inlinemessage                   | \inlinemessage {...}                        |
| inlineordisplaymath             | \inlineordisplaymath {...} {...}            |
| inlineprettyprintbuffer         | \inlineprettyprintbuffer {...} {...}        |
| inlinerange                     | \inlinerange [...]                          |
| innerflushshapebox              | \innerflushshapebox                         |
| input                           | \input {...}                                |
| inputfilebarename               | \inputfilebarename                          |
| inputfilename                   | \inputfilename                              |
| inputfilerealsuffix             | \inputfilerealsuffix                        |
| inputfilesuffix                 | \inputfilesuffix                            |
| inputgivenfile                  | \inputgivenfile {...}                       |
| input:string                    | \input ...                                  |
| insertpages                     | \insertpages [...] [...] [..=..]            |
| installactionhandler            | \installactionhandler {...}                 |
| installactivecharacter          | \installactivecharacter ...                 |
| installanddefineactivecharacter | \installanddefineactivecharacter ... {...}  |
| installattributestack           | \installattributestack ...                  |

|                                   |  |
|-----------------------------------|--|
| installautocommandhandler         | \installautocommandhandler \... {...} \...         |
| installautosetuphandler           | \installautosetuphandler \... {...}                |
| installbasicautosetuphandler      | \installbasicautosetuphandler \... {...} \...      |
| installbasicparameterhandler      | \installbasicparameterhandler \... {...}           |
| installbottomframerenderer        | \installbottomframerenderer {...} {...}            |
| installcommandhandler             | \installcommandhandler \... {...} \...             |
| installcorenamespace              | \installcorenamespace {...}                        |
| installdefinehandler              | \installdefinehandler \... {...} \...              |
| installdefinitionset              | \installdefinitionset \... {...}                   |
| installdefinitionsetmember        | \installdefinitionsetmember \... {...} \... {...}  |
| installdirectcommandhandler       | \installdirectcommandhandler \... {...}            |
| installdirectparameterhandler     | \installdirectparameterhandler \... {...}          |
| installdirectparametersethandler  | \installdirectparametersethandler \... {...}       |
| installdirectsetuphandler         | \installdirectsetuphandler \... {...}              |
| installdirectstyleandcolorhandler | \installdirectstyleandcolorhandler \... {...}      |
| installlanguage                   | \installlanguage [...] [.=..]                      |
| installlanguage:name              | \installlanguage [...] [...]                       |
| installframedautocommandhandler   | \installframedautocommandhandler \... {...} \...   |
| installframedcommandhandler       | \installframedcommandhandler \... {...} \...       |
| installglobalmacrostack           | \installglobalmacrostack \...                      |
| installleftframerenderer          | \installleftframerenderer {...} {...}              |
| installmacrostack                 | \installmacrostack \...                            |
| installnamespace                  | \installnamespace {...}                            |
| installoutputroutine              | \installoutputroutine \... {...}                   |
| installpagearrangement            | \installpagearrangement ... {...}                  |
| installparameterhandler           | \installparameterhandler \... {...}                |
| installparameterhashhandler       | \installparameterhashhandler \... {...}            |
| installparametersethandler        | \installparametersethandler \... {...}             |
| installparentinjector             | \installparentinjector \... {...}                  |
| installrightframerenderer         | \installrightframerenderer {...} {...}             |
| installrootparameterhandler       | \installrootparameterhandler \... {...}            |
| installsetuphandler               | \installsetuphandler \... {...}                    |
| installsetuponlycommandhandler    | \installsetuponlycommandhandler \... {...}         |
| installshipoutmethod              | \installshipoutmethod {...} {...}                  |
| installsimplecommandhandler       | \installsimplecommandhandler \... {...} \...       |
| installsimpleframedcommandhandler | \installsimpleframedcommandhandler \... {...} \... |
| installstyleandcolorhandler       | \installstyleandcolorhandler \... {...}            |
| installswitchcommandhandler       | \installswitchcommandhandler \... {...} \...       |
| installswitchsetuphandler         | \installswitchsetuphandler \... {...}              |
| installtexdirective               | \installtexdirective {...} {...} {...}             |
| installtextracker                 | \installtextracker {...} {...} {...}               |
| installtopframerenderer           | \installtopframerenderer {...} {...}               |
| installunitsseparator             | \installunitsseparator {...} {...}                 |
| installunitsspace                 | \installunitsspace {...} {...}                     |
| installversioninfo                | \installversioninfo {...} {...}                    |
| integerrounding                   | \integerrounding {...}                             |
| intertext                         | \intertext {...}                                   |
| invokepagehandler                 | \invokepagehandler {...} {...}                     |
| italiccorrection                  | \italiccorrection                                  |
| italicface                        | \italicface  |
| italique                          | \italique  |
| italiquegras                      | \italiquegras                                      |
| italiquegraspetit                 | \italiquegraspetit                                 |
| itemtag                           | \itemtag [...]                                     |
| JOURSEMAINE                       | \JOURSEMAINE {...}                                 |
| jobfilename                       | \jobfilename                                       |
| jobfilesuffix                     | \jobfilesuffix                                     |
| joursemaine                       | \joursemaine {...}                                 |
| kap                               | \kap {...}   |
| keeplinestogether                 | \keeplinestogether {...}                           |
| keepunwantedspaces                | \keepunwantedspaces                                |
| kerncharacters                    | \kerncharacters [...] {...}                        |
| koreancirclemn timers             | \koreancirclemn timers {...}                       |
| koreannumerals                    | \koreannumerals {...}                              |
| koreannumeralsc                   | \koreannumeralsc {...}                             |
| koreannumeralsp                   | \koreannumeralsp {...}                             |
| koreanparentnumerals              | \koreanparentnumerals {...}                        |
| LAMSTEX                           | \LAMSTEX   |
| LATEX                             | \LATEX   |
| LamSTeX                           | \LamSTeX   |
| LaTeX                             | \LaTeX   |
| LUAJITTEX                         | \LUAJITTEX   |

|                                  |  |
|----------------------------------|--|
| LUAMETATEX                       | \LUAMETATEX  |
| LUATEX                           | \LUATEX  |
| Lua                              | \Lua   |
| LuajitTeX                        | \LuajitTeX   |
| LuaMetaTeX                       | \LuaMetaTeX  |
| LuaTeX                           | \LuaTeX  |
| labellanguage:instance           | \LABELlanguage                                     |
| labellanguage:instance:btxlabel  | \btxlabellanguage                                  |
| labellanguage:instance:head      | \headlanguage                                      |
| labellanguage:instance:label     | \labellanguage                                     |
| labellanguage:instance:mathlabel | \mathlabellanguage                                 |
| labellanguage:instance:operator  | \operatorlanguage                                  |
| labellanguage:instance:prefix    | \prefixlanguage                                    |
| labellanguage:instance:suffix    | \suffixlanguage                                    |
| labellanguage:instance:taglabel  | \taglabellanguage                                  |
| labellanguage:instance:unit      | \unitlanguage                                      |
| labeltexte:instance              | \LABELtexte {...}                                  |
| labeltexte:instance:btxlabel     | \btxlabeltexte {...}                               |
| labeltexte:instance:head         | \headtexte {...}                                   |
| labeltexte:instance:label        | \labeltexte {...}                                  |
| labeltexte:instance:mathlabel    | \mathlabeltexte {...}                              |
| labeltexte:instance:operator     | \operatorortexte {...}                             |
| labeltexte:instance:prefix       | \prefixtexte {...}                                 |
| labeltexte:instance:suffix       | \suffixtexte {...}                                 |
| labeltexte:instance:taglabel     | \taglabeltexte {...}                               |
| labeltexte:instance:unit         | \unittexte {...}                                   |
| labeltexts:instance              | \LABELtexts {...} {...}                            |
| labeltexts:instance:head         | \headtexts {...} {...}                             |
| labeltexts:instance:label        | \labeltexts {...} {...}                            |
| labeltexts:instance:mathlabel    | \mathlabeltexts {...} {...}                        |
| languageCharacters               | \languageCharacters {...}                          |
| languagecharacters               | \languagecharacters {...}                          |
| languagecharwidth                | \languagecharwidth {...}                           |
| langue                           | \langue [...]                                      |
| langueprincipale                 | \langueprincipale [...]                            |
| langue:example                   | \LANGUAGE  |
| largeurligne                     | \largeurligne                                      |
| lastcounter                      | \lastcounter [...] [...]                           |
| lastcountervalue                 | \lastcountervalue [...]                            |
| lastdigit                        | \lastdigit {...}                                   |
| lastlinewidth                    | \lastlinewidth                                     |
| lastnaturalboxdp                 | \lastnaturalboxdp                                  |
| lastnaturalboxht                 | \lastnaturalboxht                                  |
| lastnaturalboxwd                 | \lastnaturalboxwd                                  |
| lastpredefinedsymbol             | \lastpredefinedsymbol                              |
| lastrealpage                     | \lastrealpage                                      |
| lastrealpagenumber               | \lastrealpagenumber                                |
| lastsubcountervalue              | \lastsubcountervalue [...] [...]                   |
| lastsubpagenumber                | \lastsubpagenumber                                 |
| lasttwodigits                    | \lasttwodigits {...}                               |
| lastuserpage                     | \lastuserpage                                      |
| lastuserpagenumber               | \lastuserpagenumber                                |
| lateluacode                      | \lateluacode {...}                                 |
| layeredtext                      | \layeredtext [..=..] [..=..] {...} {...}           |
| layerheight                      | \layerheight                                       |
| layerwidth                       | \layerwidth  |
| lazysavetaggedtwopassdata        | \lazysavetaggedtwopassdata {...} {...} {...} {...} |
| lazysavetwopassdata              | \lazysavetwopassdata {...} {...} {...}             |
| lbox                             | \lbox ... {...}                                    |
| leftbottombox                    | \leftbottombox {...}                               |
| leftbox                          | \leftbox {...}                                     |
| lefthbox                         | \lefthbox {...}                                    |
| leftlabeltext:instance           | \leftLABELtexte {...}                              |
| leftlabeltext:instance:head      | \leftheadtexte {...}                               |
| leftlabeltext:instance:label     | \leftlabeltexte {...}                              |
| leftlabeltext:instance:mathlabel | \leftmathlabeltexte {...}                          |
| leftline                         | \leftline {...}                                    |
| lefttorrighthbox                 | \lefttorrighthbox ... {...}                        |
| lefttorrightvbox                 | \lefttorrightvbox ... {...}                        |
| lefttorrightvtop                 | \lefttorrightvtop ... {...}                        |
| leftskipadaption                 | \leftskipadaption                                  |
| leftsubguillemot                 | \leftsubguillemot                                  |

|                          |  |
|--------------------------|--|
| lefttopbox               | \lefttopbox {...}  |
| lefttoright              | \lefttoright   |
| lefttorighthbox          | \lefttorighthbox ... {...}                                     |
| lefttorightvbox          | \lefttorightvbox ... {...}                                     |
| lefttorightvtop          | \lefttorightvtop ... {...}                                     |
| letbeundefined           | \letbeundefined {...}  |
| letcatcodecommand        | \letcatcodecommand \... \... \...                              |
| letcscsname              | \letcscsname \... \csname ... \endcsname                       |
| letcsnamecs              | \letcsnamecs \csname ... \endcsname \...                       |
| letcsnamecsname          | \letcsnamecsname \csname ... \endcsname \csname ... \endcsname |
| letdummysparameter       | \letdummysparameter {...} \...                                 |
| letempty                 | \letempty \...   |
| letgvalue                | \letgvalue {...} \...  |
| letgvalueempty           | \letgvalueempty {...}  |
| letgvalurelax            | \letgvalurelax {...}   |
| letterampersand          | \letterampersand   |
| letterat                 | \letterat  |
| letterbackslash          | \letterbackslash   |
| letterbar                | \letterbar   |
| letterbgroup             | \letterbgroup  |
| letterclosebrace         | \letterclosebrace  |
| lettercolon              | \lettercolon   |
| letterdollar             | \letterdollar  |
| letterdoublequote        | \letterdoublequote   |
| letteregroup             | \letteregroup  |
| letterescape             | \letterescape  |
| letterexclamationmark    | \letterexclamationmark   |
| letterhash               | \letterhash  |
| letterhat                | \letterhat   |
| letterleftbrace          | \letterleftbrace   |
| letterleftbracket        | \letterleftbracket   |
| letterleftparenthesis    | \letterleftparenthesis   |
| letterless               | \letterless  |
| lettermore               | \lettermore  |
| letteropenbrace          | \letteropenbrace   |
| letterpercent            | \letterpercent   |
| letterquestionmark       | \letterquestionmark  |
| letterrightbrace         | \letterrightbrace  |
| letterrightbracket       | \letterrightbracket  |
| letterrightparenthesis   | \letterrightparenthesis  |
| lettersinglequote        | \lettersinglequote   |
| letterslash              | \letterslash   |
| letterspacing            | \letterspacing [...] {...}                                     |
| lettertilde              | \lettertilde   |
| letterunderscore         | \letterunderscore  |
| letvalue                 | \letvalue {...} \...   |
| letvalueempty            | \letvalueempty {...}   |
| letvaluerelax            | \letvaluerelax {...}   |
| lfence                   | \lfence {...}  |
| lhbox                    | \lhbox {...}   |
| ligne                    | \ligne {...}   |
| ligneh                   | \ligneh  |
| lignenoire               | \lignenoire [..=..]  |
| ligneregleetexte         | \ligneregleetexte [...] {...}                                  |
| lignesnoires             | \lignesnoires [..=..]  |
| limitatefirstline        | \limitatefirstline [...] [...] {...}                           |
| limitatelines            | \limitatelines [...] [...] {...}                               |
| limitatetext             | \limitatetext [...] [...] {...}                                |
| limitatetext:list        | \limitatetext [...] [...] {...}                                |
| linebox                  | \linebox {...}   |
| linespanningtext         | \linespanningtext [...] [...] {...}                            |
| listcitation             | \listcitation [..=..] [...]                                    |
| listcitation:alternative | \listcitation [...] [...]                                      |
| listcitation:userdata    | \listcitation [..=..] [..=..]                                  |
| listcite                 | \listcite [..=..] [...]  |
| listcite:alternative     | \listcite [...] [...]  |
| listcite:userdata        | \listcite [..=..] [..=..]                                      |
| listnamespaces           | \listnamespaces  |
| llap                     | \llap {...}  |
| llongueurliste           | \llongueurliste  |
| loadanyfile              | \loadanyfile [...]   |
| loadanyfileonce          | \loadanyfileonce [...]   |

|                          |  |
|--------------------------|--|
| loadbtxdefinitionfile    | \loadbtxdefinitionfile [...]                 |
| loadbtxreplacementfile   | \loadbtxreplacementfile [...]                |
| loadcldfile              | \loadcldfile [...]                           |
| loadcldfileonce          | \loadcldfileonce [...]                       |
| loadfontgoodies          | \loadfontgoodies [...]                       |
| loadluafile              | \loadluafile [...]                           |
| loadluafileonce          | \loadluafileonce [...]                       |
| loadspellchecklist       | \loadspellchecklist [...] [...]              |
| loadtexfile              | \loadtexfile [...]                           |
| loadtexfileonce          | \loadtexfileonce [...]                       |
| loadtypescriptfile       | \loadtypescriptfile [...]                    |
| localframed              | \localframed [...] [...=.] {...}             |
| localframedwithsettings  | \localframedwithsettings [...] [...=.] {...} |
| localhsize               | \localhsize                                  |
| localpopbox              | \localpopbox ...                             |
| localpopmacro            | \localpopmacro \...                          |
| localpushbox             | \localpushbox ...                            |
| localpushmacro           | \localpushmacro \...                         |
| localundefine            | \localundefine {...}                         |
| locatedfilepath          | \locatedfilepath                             |
| locatefilepath           | \locatefilepath {...}                        |
| locfilename              | \locfilename {...}                           |
| lomihi                   | \lomihi {...} {...} {...}                    |
| lowerbox                 | \lowerbox {...} \... {...}                   |
| lowercased               | \lowercased {...}                            |
| lowercasestring          | \lowercasestring ... \to \...                |
| lowerlefthdoublinequote  | \lowerlefthdoublinequote                     |
| lowerleftsinglinequote   | \lowerleftsinglinequote                      |
| lowerrighthdoublinequote | \lowerrighthdoublinequote                    |
| lowerrightsinglinequote  | \lowerrightsinglinequote                     |
| lowhigh:instance         | \LOWHIGH [...] {...} {...}                   |
| lowmidhigh:instance      | \LOWMIDHIGH [...] {...} {...} {...}          |
| lrbbox                   | \lrbbox [...] {...} {...} {...} {...} {...}  |
| ltop                     | \ltop ... {...}                              |
| ltrhbox                  | \ltrhbox ... {...}                           |
| ltrvbox                  | \ltrvbox ... {...}                           |
| ltrvtop                  | \ltrvtop ... {...}                           |
| luacode                  | \luacode {...}                               |
| luaconditional           | \luaconditional \...                         |
| luaenvironment           | \luaenvironment ...                          |
| luaexpanded              | \luaexpanded {...}                           |
| luaexpr                  | \luaexpr {...}                               |
| luafunction              | \luafunction {...}                           |
| luajitTeX                | \luajitTeX                                   |
| luamajorversion          | \luamajorversion                             |
| luametaTeX               | \luametaTeX                                  |
| luaminorversion          | \luaminorversion                             |
| luaparameterset          | \luaparameterset {...} {...}                 |
| luasetup                 | \luasetup {...}                              |
| luaTeX                   | \luaTeX                                      |
| luaversion               | \luaversion                                  |
| METAFONT                 | \METAFONT                                    |
| METAFUN                  | \METAFUN                                     |
| METAPOST                 | \METAPOST                                    |
| MetaFont                 | \MetaFont                                    |
| MetaFun                  | \MetaFun                                     |
| MetaPost                 | \MetaPost                                    |
| MKII                     | \MKII  |
| MKIV                     | \MKIV  |
| MKIX                     | \MKIX  |
| MKVI                     | \MKVI  |
| MKXI                     | \MKXI  |
| MOIS                     | \MOIS {...}                                  |
| MONTHLONG                | \MONTHLONG {...}                             |
| MONTHSHORT               | \MONTHSHORT {...}                            |
| MOT                      | \MOT {...}                                   |
| MOTS                     | \MOTS {...}                                  |
| Mot                      | \Mot {...}                                   |
| Mots                     | \Mots {...}                                  |
| MPAnchor                 | \MPAnchor {...}                              |
| MPbetex                  | \MPbetex {...}                               |
| MPc                      | \MPc {...}                                   |



|                                   |                                     |
|-----------------------------------|-------------------------------------|
| MPcode                            | \MPcode {...} {...}                 |
| MPcolor                           | \MPcolor {...}                      |
| MPcoloronly                       | \MPcoloronly {...}                  |
| MPcolumn                          | \MPcolumn {...}                     |
| MPd                               | \MPd {...}                          |
| MPdrawing                         | \MPdrawing {...}                    |
| MPfontsizehskip                   | \MPfontsizehskip {...}              |
| MPgetmultipars                    | \MPgetmultipars {...} {...}         |
| MPgetmultishape                   | \MPgetmultishape {...} {...}        |
| MPgetposboxes                     | \MPgetposboxes {...} {...}          |
| MPh                               | \MPh {...}                          |
| MPII                              | \MPII                               |
| MPIV                              | \MPIV                               |
| MPinclusions                      | \MPinclusions [...] [...] {...}     |
| MPleftskip                        | \MPleftskip {...}                   |
| MPll                              | \MPll {...}                         |
| MPlr                              | \MPlr {...}                         |
| MPls                              | \MPls {...}                         |
| MPmenubuttons                     | \MPmenubuttons {...}                |
| MPn                               | \MPn {...}                          |
| MPOptions                         | \MPOptions {...}                    |
| MPOverlayanchor                   | \MPOverlayanchor {...}              |
| MPp                               | \MPp {...}                          |
| MPpage                            | \MPpage {...}                       |
| MPpardata                         | \MPpardata {...}                    |
| MPplus                            | \MPplus {...} [...] {...}           |
| MPpos                             | \MPpos {...}                        |
| MPpositiongraphic                 | \MPpositiongraphic [...] {...}      |
| MPposset                          | \MPposset {...}                     |
| MPr                               | \MPr {...}                          |
| MPrawvar                          | \MPrawvar [...] {...}               |
| MPregion                          | \MPregion {...}                     |
| MPrest                            | \MPrest [...] {...}                 |
| MPrightskip                       | \MPrightskip {...}                  |
| MPrs                              | \MPrs {...}                         |
| MPstring                          | \MPstring {...}                     |
| MPtext                            | \MPtext {...}                       |
| MPtransparency                    | \MPtransparency {...}               |
| MPul                              | \MPul {...}                         |
| MPur                              | \MPur {...}                         |
| MPVI                              | \MPVI                               |
| MPv                               | \MPv [...] [...] [...]              |
| MPvar                             | \MPvar {...}                        |
| MPvariable                        | \MPvariable {...}                   |
| MPvv                              | \MPvv [...] [...]                   |
| MPw                               | \MPw {...}                          |
| MPwhd                             | \MPwhd {...}                        |
| MPx                               | \MPx [...]                          |
| MPxy                              | \MPxy [...]                         |
| MPxywhd                           | \MPxywhd [...]                      |
| MPy                               | \MPy [...]                          |
| m                                 | \m [...] [...]                      |
| makecharacteractive               | \makecharacteractive ...            |
| makerawcommalist                  | \makerawcommalist [...] \...        |
| makestrutofbox                    | \makestrutofbox ...                 |
| manuscript                        | \manuscript                         |
| mapfontsize                       | \mapfontsize [...] [...]            |
| margindata                        | \margindata [...] [...] [...] [...] |
| margindata:instance               | \MARGINDATA [...] [...] [...]       |
| margindata:instance:atleftmargin  | \atleftmargin [...] [...] [...]     |
| margindata:instance:atrightmargin | \atrightmargin [...] [...] [...]    |
| margindata:instance:ininner       | \ininner [...] [...] [...]          |
| margindata:instance:ininneredge   | \ininneredge [...] [...] [...]      |
| margindata:instance:ininnermargin | \ininnermargin [...] [...] [...]    |
| margindata:instance:inleft        | \inleft [...] [...] [...]           |
| margindata:instance:inleftedge    | \inleftedge [...] [...] [...]       |
| margindata:instance:inleftmargin  | \inleftmargin [...] [...] [...]     |
| margindata:instance:inmargin      | \inmargin [...] [...] [...]         |
| margindata:instance:inoth         | \inoth [...] [...] [...]            |
| margindata:instance:inouter       | \inouter [...] [...] [...]          |
| margindata:instance:inouteredge   | \inouteredge [...] [...] [...]      |
| margindata:instance:inoutermargin | \inoutermargin [...] [...] [...]    |

|   |   |
|---|---|
| margindata:instance:inright                           | <code>\inright [..=..] [..=..] {...}</code>       |
| margindata:instance:inrightedge                       | <code>\inrightedge [..=..] [..=..] {...}</code>   |
| margindata:instance:inrightmargin                     | <code>\inrightmargin [..=..] [..=..] {...}</code> |
| margindata:instance:margintext                        | <code>\margintext [..=..] [..=..] {...}</code>    |
| markcontent   | <code>\markcontent [...] {...}</code>             |
| markedpages   | <code>\markedpages [...]</code>                   |
| markinjector  | <code>\markinjector [...]</code>                  |
| markpage  | <code>\markpage [...] [...]</code>                |
| marquage  | <code>\marquage (...,...) (...,...) [...]</code>  |
| marquepage  | <code>\marquepage [...] {...}</code>              |
| mat   | <code>\mat {...}</code>                           |
| math  | <code>\math [...] {...}</code>                    |
| mathbf  | <code>\mathbf</code>                              |
| mathbi  | <code>\mathbi</code>                              |
| mathblackboard  | <code>\mathblackboard</code>                      |
| mathbs  | <code>\mathbs</code>                              |
| mathcommand:example                                   | <code>\MATHCOMMAND {...} {...}</code>             |
| mathdefault   | <code>\mathdefault</code>                         |
| mathdouble  | <code>\mathdouble [...] {...} {...} {...}</code>  |
| mathdoubleextensible:instance                         | <code>\MATHDOUBLEEXTENSIBLE {...} {...}</code>    |
| mathdoubleextensible:instance:doublebar               | <code>\doublebar {...} {...}</code>               |
| mathdoubleextensible:instance:doublebrace             | <code>\doublebrace {...} {...}</code>             |
| mathdoubleextensible:instance:doublebracket           | <code>\doublebracket {...} {...}</code>           |
| mathdoubleextensible:instance:doubleparent            | <code>\doubleparent {...} {...}</code>            |
| mathdoubleextensible:instance:overbarunderbar         | <code>\overbarunderbar {...} {...}</code>         |
| mathdoubleextensible:instance:overbraceunderbrace     | <code>\overbraceunderbrace {...} {...}</code>     |
| mathdoubleextensible:instance:overbracketunderbracket | <code>\overbracketunderbracket {...} {...}</code> |
| mathdoubleextensible:instance:overparentunderparent   | <code>\overparentunderparent {...} {...}</code>   |
| mathematique  | <code>\mathematique [...] {...}</code>            |
| mathematique:assignment                               | <code>\mathematique [..=..] {...}</code>          |
| mathextensible:instance                               | <code>\MATHEXTENSIBLE {...} {...}</code>          |
| mathextensible:instance:cleftarrow                    | <code>\cleftarrow {...} {...}</code>              |
| mathextensible:instance:crightarrow                   | <code>\crightarrow {...} {...}</code>             |
| mathextensible:instance:crightoverleftarrow           | <code>\crightoverleftarrow {...} {...}</code>     |
| mathextensible:instance:elleftarrowfill               | <code>\elleftarrowfill {...} {...}</code>         |
| mathextensible:instance:elleftharpoondownfill         | <code>\elleftharpoondownfill {...} {...}</code>   |
| mathextensible:instance:elleftharpoonupfill           | <code>\elleftharpoonupfill {...} {...}</code>     |
| mathextensible:instance:elleftrightarrowfill          | <code>\elleftrightarrowfill {...} {...}</code>    |
| mathextensible:instance:eoverbarfill                  | <code>\eoverbarfill {...} {...}</code>            |
| mathextensible:instance:eoverbracefill                | <code>\eoverbracefill {...} {...}</code>          |
| mathextensible:instance:eoverbracketfill              | <code>\eoverbracketfill {...} {...}</code>        |
| mathextensible:instance:eoverparentfill               | <code>\eoverparentfill {...} {...}</code>         |
| mathextensible:instance:erightarrowfill               | <code>\erightarrowfill {...} {...}</code>         |
| mathextensible:instance:erightharpoondownfill         | <code>\erightharpoondownfill {...} {...}</code>   |
| mathextensible:instance:erightharpoonupfill           | <code>\erightharpoonupfill {...} {...}</code>     |
| mathextensible:instance:etwoheadrightarrowfill        | <code>\etwoheadrightarrowfill {...} {...}</code>  |
| mathextensible:instance:eunderbarfill                 | <code>\eunderbarfill {...} {...}</code>           |
| mathextensible:instance:eunderbracefill               | <code>\eunderbracefill {...} {...}</code>         |
| mathextensible:instance:eunderbracketfill             | <code>\eunderbracketfill {...} {...}</code>       |
| mathextensible:instance:eunderparentfill              | <code>\eunderparentfill {...} {...}</code>        |
| mathextensible:instance:mequal                        | <code>\mequal {...} {...}</code>                  |
| mathextensible:instance:mhookleftarrow                | <code>\mhookleftarrow {...} {...}</code>          |
| mathextensible:instance:mhookrightarrow               | <code>\mhookrightarrow {...} {...}</code>         |
| mathextensible:instance:mLeftarrow                    | <code>\mLeftarrow {...} {...}</code>              |
| mathextensible:instance:mLeftrightarrow               | <code>\mLeftrightarrow {...} {...}</code>         |
| mathextensible:instance:mleftarrow                    | <code>\mleftarrow {...} {...}</code>              |
| mathextensible:instance:mleftharpoondown              | <code>\mleftharpoondown {...} {...}</code>        |
| mathextensible:instance:mleftharpoonup                | <code>\mleftharpoonup {...} {...}</code>          |
| mathextensible:instance:mleftrightarrow               | <code>\mleftrightarrow {...} {...}</code>         |
| mathextensible:instance:mleftrightharpoons            | <code>\mleftrightharpoons {...} {...}</code>      |
| mathextensible:instance:mmapsto                       | <code>\mmapsto {...} {...}</code>                 |
| mathextensible:instance:mRightarrow                   | <code>\mRightarrow {...} {...}</code>             |
| mathextensible:instance:mrel                          | <code>\mrel {...} {...}</code>                    |
| mathextensible:instance:mrightarrow                   | <code>\mrightarrow {...} {...}</code>             |
| mathextensible:instance:mrightharpoondown             | <code>\mrightharpoondown {...} {...}</code>       |
| mathextensible:instance:mrightharpoonup               | <code>\mrightharpoonup {...} {...}</code>         |
| mathextensible:instance:mrightleftharpoons            | <code>\mrightleftharpoons {...} {...}</code>      |
| mathextensible:instance:mrightoverleftarrow           | <code>\mrightoverleftarrow {...} {...}</code>     |
| mathextensible:instance:mtriplerele                   | <code>\mtriplerele {...} {...}</code>             |
| mathextensible:instance:mtwoheadleftarrow             | <code>\mtwoheadleftarrow {...} {...}</code>       |
| mathextensible:instance:mtwoheadrightarrow            | <code>\mtwoheadrightarrow {...} {...}</code>      |
| mathextensible:instance:tequal                        | <code>\tequal {...} {...}</code>                  |

|  |                                      |
|--|--------------------------------------|
| mathextensible:instance:thookleftarrow       | \thookleftarrow {...} {...}          |
| mathextensible:instance:thookrightarrow      | \thookrightarrow {...} {...}         |
| mathextensible:instance:tleftarrow           | \tleftarrow {...} {...}              |
| mathextensible:instance:tlefttrightharpoonup | \tlefttrightharpoonup {...} {...}    |
| mathextensible:instance:tleftarrow           | \tleftarrow {...} {...}              |
| mathextensible:instance:tlefttharpoondown    | \tlefttharpoondown {...} {...}       |
| mathextensible:instance:tlefttharpoonup      | \tlefttharpoonup {...} {...}         |
| mathextensible:instance:tlefttrightharpoonup | \tlefttrightharpoonup {...} {...}    |
| mathextensible:instance:tlefttrightharpoons  | \tlefttrightharpoons {...} {...}     |
| mathextensible:instance:tmapsto              | \tmapsto {...} {...}                 |
| mathextensible:instance:trightarrow          | \trightarrow {...} {...}             |
| mathextensible:instance:trel                 | \trel {...} {...}                    |
| mathextensible:instance:trightarrow          | \rightarrow {...} {...}              |
| mathextensible:instance:trightharpoondown    | \trightharpoondown {...} {...}       |
| mathextensible:instance:trightharpoonup      | \trightharpoonup {...} {...}         |
| mathextensible:instance:trightleftharpoons   | \trightleftharpoons {...} {...}      |
| mathextensible:instance:trightoverleftarrow  | \trightoverleftarrow {...} {...}     |
| mathextensible:instance:ttriplerel           | \ttriplerel {...} {...}              |
| mathextensible:instance:twoheadleftarrow     | \twoheadleftarrow {...} {...}        |
| mathextensible:instance:twoheadrightarrow    | \twoheadrightarrow {...} {...}       |
| mathextensible:instance:xequal               | \xequal {...} {...}                  |
| mathextensible:instance:xhookleftarrow       | \xhookleftarrow {...} {...}          |
| mathextensible:instance:xhookrightarrow      | \xhookrightarrow {...} {...}         |
| mathextensible:instance:xleftarrow           | \xleftarrow {...} {...}              |
| mathextensible:instance:xlefttrightharpoonup | \xlefttrightharpoonup {...} {...}    |
| mathextensible:instance:xleftarrow           | \xleftarrow {...} {...}              |
| mathextensible:instance:xlefttharpoondown    | \xlefttharpoondown {...} {...}       |
| mathextensible:instance:xlefttharpoonup      | \xlefttharpoonup {...} {...}         |
| mathextensible:instance:xlefttrightharpoonup | \xlefttrightharpoonup {...} {...}    |
| mathextensible:instance:xlefttrightharpoons  | \xlefttrightharpoons {...} {...}     |
| mathextensible:instance:xmapsto              | \xmapsto {...} {...}                 |
| mathextensible:instance:xrightarrow          | \rightarrow {...} {...}              |
| mathextensible:instance:xrel                 | \xrel {...} {...}                    |
| mathextensible:instance:xrightarrow          | \rightarrow {...} {...}              |
| mathextensible:instance:xrightharpoondown    | \xrightharpoondown {...} {...}       |
| mathextensible:instance:xrightharpoonup      | \xrightharpoonup {...} {...}         |
| mathextensible:instance:xrightleftharpoons   | \xrightleftharpoons {...} {...}      |
| mathextensible:instance:xrightoverleftarrow  | \xrightoverleftarrow {...} {...}     |
| mathextensible:instance:xtriplerel           | \xtriplerel {...} {...}              |
| mathextensible:instance:xtwoheadleftarrow    | \xtwoheadleftarrow {...} {...}       |
| mathextensible:instance:xtwoheadrightarrow   | \xtwoheadrightarrow {...} {...}      |
| mathfraktur                                  | \mathfraktur                         |
| mathframed:instance                          | \MATHFRAMED [...] {...}              |
| mathframed:instance:inmframed                | \inmframed [...] {...}               |
| mathframed:instance:mcframed                 | \mcframed [...] {...}                |
| mathframed:instance:mframed                  | \mframed [...] {...}                 |
| mathfunction                                 | \mathfunction {...}                  |
| mathit                                       | \mathit                              |
| mathitalic                                   | \mathitalic                          |
| mathmatrix                                   | \MATHMATRIX {...}                    |
| mathop                                       | \mathop {...}                        |
| mathornament:example                         | \MATHORNAMENT {...}                  |
| mathover                                     | \mathover [...] {...} {...}          |
| mathoverextensible:example                   | \MATHOVEREXTENSIBLE {...}            |
| mathovertextextensible:instance              | \MATHOVERTEXTTEXTENSIBLE [...] {...} |
| mathradical:example                          | \MATHRADICAL [...] {...}             |
| mathrm                                       | \mathrm                              |
| mathscript                                   | \mathscript                          |
| mathsl                                       | \mathsl                              |
| mathss                                       | \mathss                              |
| mathtext                                     | \mathtext ... {...}                  |
| mathtextbf                                   | \mathtextbf ... {...}                |
| mathtextbi                                   | \mathtextbi ... {...}                |
| mathtextbs                                   | \mathtextbs ... {...}                |
| mathtextit                                   | \mathtextit ... {...}                |
| mathtextsl                                   | \mathtextsl ... {...}                |
| mathtexttf                                   | \mathtexttf ... {...}                |
| mathtf                                       | \mathtf                              |
| mathtriplet                                  | \mathtriplet [...] [...] [...] [...] |
| mathtriplet:example                          | \MATHTRIPLET [...] [...] [...] [...] |
| mathtt                                       | \mathtt                              |
| mathunder                                    | \mathunder [...] [...] [...]         |

|                                  |   |
|----------------------------------|---|
| mathunderextensible:example      | <code>\MATHUNDEREXTENSIBLE {...}</code>                           |
| mathundertextextensible:instance | <code>\MATHUNDERTEXTTEXTENSIBLE {...} {...}</code>                |
| mathunstacked:example            | <code>\MATHUNSTACKED</code>                                       |
| mathupright                      | <code>\mathupright</code>   |
| mathword                         | <code>\mathword ... {...}</code>                                  |
| mathwordbf                       | <code>\mathwordbf ... {...}</code>                                |
| mathwordbi                       | <code>\mathwordbi ... {...}</code>                                |
| mathwordbs                       | <code>\mathwordbs ... {...}</code>                                |
| mathwordit                       | <code>\mathwordit ... {...}</code>                                |
| mathwordsl                       | <code>\mathwordsl ... {...}</code>                                |
| mathwordtf                       | <code>\mathwordtf ... {...}</code>                                |
| math:assignment                  | <code>\math [..=..] {...}</code>                                  |
| maxaligned                       | <code>\maxaligned {...}</code>                                    |
| mbox                             | <code>\mbox {...}</code>  |
| measure                          | <code>\measure {...}</code>                                       |
| measured                         | <code>\measured {...}</code>                                      |
| medskip                          | <code>\medskip</code>   |
| medspace                         | <code>\medspace</code>  |
| menuinteraction                  | <code>\menuinteraction [...] [..=..]</code>                       |
| message                          | <code>\message {...}</code>                                       |
| mfence                           | <code>\mfence {...}</code>  |
| mfunction                        | <code>\mfunction {...}</code>                                     |
| mfunctionlabeltext               | <code>\mfunctionlabeltext {...}</code>                            |
| mhbox                            | <code>\mhbox {...}</code>   |
| middlealigned                    | <code>\middlealigned {...}</code>                                 |
| middlebox                        | <code>\middlebox {...}</code>                                     |
| midhbox                          | <code>\midhbox {...}</code>                                       |
| midsubsentence                   | <code>\midsubsentence</code>                                      |
| milieu                           | <code>\milieu ...</code>  |
| minimalhbox                      | <code>\minimalhbox ... {...}</code>                               |
| mixedcaps                        | <code>\mixedcaps {...}</code>                                     |
| mkvibuffer                       | <code>\mkvibuffer [...]</code>                                    |
| moduleparameter                  | <code>\moduleparameter {...} {...}</code>                         |
| mois                             | <code>\mois {...}</code>  |
| molecule                         | <code>\molecule {...}</code>                                      |
| mono                             | <code>\mono</code>  |
| monogras                         | <code>\monogras</code>  |
| mononormal                       | <code>\mononormal</code>  |
| monthlong                        | <code>\monthlong {...}</code>                                     |
| monthshort                       | <code>\monthshort {...}</code>                                    |
| montrecadre                      | <code>\montrecadre [...] [...]</code>                             |
| montrecoleur                     | <code>\montrecoleur [...]</code>                                  |
| montredisposition                | <code>\montredisposition [...]</code>                             |
| montreedition                    | <code>\montreedition [...] [...] [..=..]</code>                   |
| montreenvironnementpolicecorps   | <code>\montreenvironnementpolicecorps [...]</code>                |
| montregrille                     | <code>\montregrille [...]</code>                                  |
| montregroupecoleur               | <code>\montregroupecoleur [...] [...]</code>                      |
| montrejeusymboles                | <code>\montrejeusymboles [...]</code>                             |
| montremakeup                     | <code>\montremakeup [...]</code>                                  |
| montrepalette                    | <code>\montrepalette [...] [...]</code>                           |
| montrepolicecorps                | <code>\montrepolicecorps [...]</code>                             |
| montrereglages                   | <code>\montrereglages [...]</code>                                |
| montrestruts                     | <code>\montrestruts</code>  |
| mot                              | <code>\mot {...}</code>   |
| motdroit                         | <code>\motdroit [...] {...}</code>                                |
| mprandomnumber                   | <code>\mprandomnumber</code>                                      |
| mtext                            | <code>\mtext {...}</code>   |
| m:assignment                     | <code>\m [..=..] {...}</code>                                     |
| NormalizeFontHeight              | <code>\NormalizeFontHeight \... {...} {...} {...}</code>          |
| NormalizeFontWidth               | <code>\NormalizeFontWidth \... {...} {...} {...}</code>           |
| NormalizeTextHeight              | <code>\NormalizeTextHeight {...} {...} {...}</code>               |
| NormalizeTextWidth               | <code>\NormalizeTextWidth {...} {...} {...}</code>                |
| Numeros                          | <code>\Numeros {...}</code>                                       |
| namedheadnumber                  | <code>\namedheadnumber {...}</code>                               |
| namedstructureheadlocation       | <code>\namedstructureheadlocation {...}</code>                    |
| namedstructureuservariable       | <code>\namedstructureuservariable {...} {...}</code>              |
| namedstructurevariable           | <code>\namedstructurevariable {...} {...}</code>                  |
| namedtaggedlabeltexts            | <code>\namedtaggedlabeltexts {...} {...} {...} {...} {...}</code> |
| naturalhbox                      | <code>\naturalhbox ... {...}</code>                               |
| naturalhpack                     | <code>\naturalhpack ... {...}</code>                              |
| naturaltpack                     | <code>\naturaltpack ... {...}</code>                              |
| naturalvbox                      | <code>\naturalvbox ... {...}</code>                               |

|                                  |   |
|----------------------------------|---|
| naturalvcenter                   | \naturalvcenter ... {...}                   |
| naturalvpack                     | \naturalvpack ... {...}                     |
| naturalvtop                      | \naturalvtop ... {...}                      |
| naturalwd                        | \naturalwd ...                              |
| negatecolorbox                   | \negatecolorbox ...                         |
| negated                          | \negated {...}                              |
| negemspace                       | \negemspace                                 |
| negenspace                       | \negenspace                                 |
| negthinspace                     | \negthinspace                               |
| newattribute                     | \newattribute \...                          |
| newcatcodetable                  | \newcatcodetable \...                       |
| newcounter                       | \newcounter \...                            |
| newevery                         | \newevery \... \...                         |
| newfrenchspacing                 | \newfrenchspacing                           |
| newmode                          | \newmode {...}                              |
| newsignal                        | \newsignal \...                             |
| newsystemmode                    | \newsystemmode {...}                        |
| nextbox                          | \nextbox                                    |
| nextboxdp                        | \nextboxdp                                  |
| nextboxht                        | \nextboxht                                  |
| nextboxhtdp                      | \nextboxhtdp                                |
| nextboxwd                        | \nextboxwd                                  |
| nextcounter                      | \nextcounter [...] [...]                    |
| nextcountervalue                 | \nextcountervalue [...]                     |
| nextdepth                        | \nextdepth                                  |
| nextparagraphs                   | \nextparagraphs                             |
| nextparagraphs:example           | \suivantPARAGRAPHS                          |
| nextrealpage                     | \nextrealpage                               |
| nextrealpagenumber               | \nextrealpagenumber                         |
| nextsubcountervalue              | \nextsubcountervalue [...] [...]            |
| nextsubpagenumber                | \nextsubpagenumber                          |
| nextuserpage                     | \nextuserpage                               |
| nextuserpagenumber               | \nextuserpagenumber                         |
| nocap                            | \nocap {...}                                |
| nocharacteralign                 | \nocharacteralign                           |
| nocitation                       | \nocitation [...]                           |
| nocitation:direct                | \nocitation {...}                           |
| nocite                           | \nocite [...]                               |
| nocite:direct                    | \nocite {...}                               |
| nodetostring                     | \nodetostring \... {...}                    |
| nofffigurepages                  | \nofffigurepages                            |
| noflines                         | \noflines                                   |
| noflocalfloats                   | \noflocalfloats                             |
| noheightstrut                    | \noheightstrut                              |
| noindentation                    | \noindentation                              |
| noitem                           | \noitem                                     |
| nonfrenchspacing                 | \nonfrenchspacing                           |
| nonmathematics                   | \nonmathematics {...}                       |
| normal                           | \normal                                     |
| normalboldface                   | \normalboldface                             |
| normalframedwithsettings         | \normalframedwithsettings [..=..] {...}     |
| normalitalicface                 | \normalitalicface                           |
| normalizebodyfontsize            | \normalizebodyfontsize \... {...}           |
| normalizedfontsize               | \normalizedfontsize                         |
| normalizefontdepth               | \normalizefontdepth \... {...} {...} {...}  |
| normalizefontheight              | \normalizefontheight \... {...} {...} {...} |
| normalizefontline                | \normalizefontline \... {...} {...} {...}   |
| normalizefontwidth               | \normalizefontwidth \... {...} {...} {...}  |
| normalizetextdepth               | \normalizetextdepth {...} {...} {...}       |
| normalizetextheight              | \normalizetextheight {...} {...} {...}      |
| normalizetextline                | \normalizetextline {...} {...} {...}        |
| normalizetextwidth               | \normalizetextwidth {...} {...} {...}       |
| normalpetit                      | \normalpetit                                |
| normalslantedface                | \normalslantedface                          |
| normaltypeface                   | \normaltypeface                             |
| note                             | \note [...] [...]                           |
| noteligne:instance               | \LINENOTE {...}                             |
| noteligne:instance:linenote      | \linenote {...}                             |
| notesymbol                       | \notesymbol [...] [...]                     |
| note:instance                    | \NOTE [...] {...}                           |
| note:instance:assignment         | \NOTE [..=..]                               |
| note:instance:assignment:endnote | \endnote [..=..]                            |

|                                   |   |
|-----------------------------------|---|
| note:instance:assignment:footnote | \footnote [..=..]                         |
| note:instance:endnote             | \endnote [...] {...}                      |
| note:instance:footnote            | \footnote [...] {...}                     |
| notragged                         | \notragged                                |
| ntimes                            | \ntimes {...} {...}                       |
| numberofpoints                    | \numberofpoints {...}                     |
| numeroformule                     | \numeroformule [...]                      |
| numeropage                        | \numeropage                               |
| numeros                           | \numeros {...}                            |
| numerotete                        | \numerotete [...] [...]                   |
| numerotetecourant                 | \numerotetecourant                        |
| obeydepth                         | \obeydepth                                |
| objectdepth                       | \objectdepth                              |
| objectheight                      | \objectheight                             |
| objectmargin                      | \objectmargin                             |
| objectwidth                       | \objectwidth                              |
| obox                              | \obox {...}                               |
| obtientmarquage                   | \obtientmarquage [...] [...] [...]        |
| offset                            | \offset [..=..] {...}                     |
| offsetbox                         | \offsetbox [..=..] \... {...}             |
| onedigitrounding                  | \onedigitrounding {...}                   |
| ordinaldaynumber                  | \ordinaldaynumber {...}                   |
| ordinalstr                        | \ordinalstr {...}                         |
| oriente                           | \oriente [..=..] {...}                    |
| ornamenttext:collector            | \ornamenttext [..=..] [..=..] {...} {...} |
| ornamenttext:direct               | \ornamenttext [...] {...} {...}           |
| ornamenttext:layer                | \ornamenttext [..=..] [..=..] {...} {...} |
| ornament:example                  | \ORNAMENT {...} {...}                     |
| outputfilename                    | \outputfilename                           |
| outputstreambox                   | \outputstreambox [...]                    |
| outputstreamcopy                  | \outputstreamcopy [...]                   |
| outputstreamunvbox                | \outputstreamunvbox [...]                 |
| outputstreamunvcopy               | \outputstreamunvcopy [...]                |
| over                              | \over [...]                               |
| overlaybutton                     | \overlaybutton [...]                      |
| overlaybutton:direct              | \overlaybutton {...}                      |
| overlaycolor                      | \overlaycolor                             |
| overlaydepth                      | \overlaydepth                             |
| overlayfigure                     | \overlayfigure {...}                      |
| overlayheight                     | \overlayheight                            |
| overlayimage                      | \overlayimage {...}                       |
| overlaylinecolor                  | \overlaylinecolor                         |
| overlaylinewidth                  | \overlaylinewidth                         |
| overlayoffset                     | \overlayoffset                            |
| overlayrollbutton                 | \overlayrollbutton [...] [...]            |
| overlaywidth                      | \overlaywidth                             |
| overloadererror                   | \overloadererror                          |
| overset                           | \overset {...} {...}                      |
| PDFcolor                          | \PDFcolor {...}                           |
| PDFETEX                           | \PDFETEX                                  |
| PDFTEX                            | \PDFTEX                                   |
| PICTEX                            | \PCTEX                                    |
| PiCTeX                            | \PiCTeX                                   |
| PointsToBigPoints                 | \PointsToBigPoints {...} \...             |
| PointsToReal                      | \PointsToReal {...} \...                  |
| PointsToWholeBigPoints            | \PointsToWholeBigPoints {...} \...        |
| PPCHTEX                           | \PPCHTEX                                  |
| PPCHTeX                           | \PPCHTeX                                  |
| PRAGMA                            | \PRAGMA                                   |
| PtToCm                            | \PtToCm {...}                             |
| page                              | \page [...]                               |
| pagearea                          | \pagearea [...] [...] [...]               |
| pagebreak                         | \pagebreak [...]                          |
| pagefigure                        | \pagefigure [...] [..=..]                 |
| pageinjection                     | \pageinjection [...] [..=..]              |
| pageinjection:assignment          | \pageinjection [..=..] [..=..]            |
| pagestaterealpage                 | \pagestaterealpage {...} {...}            |
| pagestaterealpageorder            | \pagestaterealpageorder {...} {...}       |
| paletsize                         | \paletsize                                |
| paragraphs:example                | \PARAGRAPHS                               |
| pdfactualtext                     | \pdfactualtext {...} {...}                |
| pdfbackendactualtext              | \pdfbackendactualtext {...} {...}         |

|  |   |
|--|---|
| pdfbackendcurrentresources                 | \pdfbackendcurrentresources                         |
| pdfbackendsetcatalog                       | \pdfbackendsetcatalog {...} {...}                   |
| pdfbackendsetcolorspace                    | \pdfbackendsetcolorspace {...} {...}                |
| pdfbackendsetextgstate                     | \pdfbackendsetextgstate {...} {...}                 |
| pdfbackendsetinfo                          | \pdfbackendsetinfo {...} {...}                      |
| pdfbackendsetname                          | \pdfbackendsetname {...} {...}                      |
| pdfbackendsetpageattribute                 | \pdfbackendsetpageattribute {...} {...}             |
| pdfbackendsetpageresource                  | \pdfbackendsetpageresource {...} {...}              |
| pdfbackendsetpagesattribute                | \pdfbackendsetpagesattribute {...} {...}            |
| pdfbackendsetpattern                       | \pdfbackendsetpattern {...} {...}                   |
| pdfbackendsetshade                         | \pdfbackendsetshade {...} {...}                     |
| pdfcolor                                   | \pdfcolor {...}                                     |
| pdfTeX                                     | \pdfTeX   |
| pdfTeX                                     | \pdfTeX   |
| percent                                    | \percent  |
| percentdimen                               | \percentdimen {...} {...}                           |
| periodes                                   | \periodes [...]                                     |
| periodes:assignment                        | \periodes [..=..]                                   |
| permitcaretescape                          | \permitcaretescape                                  |
| permitcircumflexescape                     | \permitcircumflexescape                             |
| permitspacesbetweengroups                  | \permitspacesbetweengroups                          |
| persiandecimals                            | \persiandecimals {...}                              |
| persiannumerals                            | \persiannumerals {...}                              |
| petit                                      | \petit  |
| petitepolicecorps                          | \petitepolicecorps                                  |
| petitescapitales                           | \petitescapitales {...}                             |
| petittyte                                  | \petittyte  |
| phantom                                    | \phantom {...}                                      |
| phantombox                                 | \phantombox [..=..]                                 |
| pickupgroupedcommand                       | \pickupgroupedcommand {...} {...} {...}             |
| pilechamp                                  | \pilechamp [...] [...] [..=..]                      |
| placeattachments                           | \placeattachments                                   |
| placebtxrendering                          | \placebtxrendering [...] [..=..]                    |
| placecitation                              | \placecitation [...]                                |
| placecomments                              | \placecomments                                      |
| placecoteacote                             | \placecoteacote {...} {...}                         |
| placecurrentformulanumber                  | \placecurrentformulanumber                          |
| placedbox                                  | \placedbox {...}                                    |
| placefloatwithsetups                       | \placefloatwithsetups [...] [...] [...] {...} {...} |
| placeflottant                              | \placeflottant [...] [...] [...] {...} {...}        |
| placeflottant:instance                     | \placeFLOAT [...] [...] {...} {...}                 |
| placeflottant:instance:chemical            | \placechemical [...] [...] {...} {...}              |
| placeflottant:instance:figure              | \placefigure [...] [...] {...} {...}                |
| placeflottant:instance:graphic             | \placegraphic [...] [...] {...} {...}               |
| placeflottant:instance:intermezzo          | \placeintermezzo [...] [...] {...} {...}            |
| placeflottant:instance:table               | \placetable [...] [...] {...} {...}                 |
| placeformule                               | \placeformule [...] {...}                           |
| placeframed                                | \placeframed [...] [..=..] {...}                    |
| placehelp                                  | \placehelp  |
| placeinitial                               | \placeinitial [...]                                 |
| placelayer                                 | \placelayer [...]                                   |
| placelayeredtext                           | \placelayeredtext [...] [..=..] [..=..] {...} {...} |
| placelesunsaudessusdesautres               | \placelesunsaudessusdesautres {...} {...}           |
| placeliste                                 | \placeliste [...] [..=..]                           |
| placelisteimbriquee                        | \placelisteimbriquee [...] [..=..]                  |
| placelisteimbriquee:instance               | \placeCOMBINEDLIST [..=..]                          |
| placelisteimbriquee:instance:content       | \placecontent [..=..]                               |
| placelistoffloats:instance                 | \placelistofFLOATS [..=..]                          |
| placelistoffloats:instance:chemicals       | \placelistofchemicals [..=..]                       |
| placelistoffloats:instance:figures         | \placelistoffigures [..=..]                         |
| placelistoffloats:instance:graphics        | \placelistofgraphics [..=..]                        |
| placelistoffloats:instance:intermezzi      | \placelistofintermezzi [..=..]                      |
| placelistoffloats:instance:tables          | \placelistoftables [..=..]                          |
| placelistofpublications                    | \placelistofpublications [...] [..=..]              |
| placelistofsorts                           | \placelistofsorts [...] [..=..]                     |
| placelistofsorts:instance                  | \placelistofSORTS [..=..]                           |
| placelistofsorts:instance:logos            | \placelistoflogos [..=..]                           |
| placelistofsynonyms                        | \placelistofsynonyms [...] [..=..]                  |
| placelistofsynonyms:instance               | \placelistofSYNONYMS [..=..]                        |
| placelistofsynonyms:instance:abbreviations | \placelistofabbreviations [..=..]                   |
| placelocalnotes                            | \placelocalnotes [...] [..=..]                      |
| placemarquespages                          | \placemarquespages [...] [...] [..=..]              |

|                                    |   |
|------------------------------------|---|
| placement                          | \placement [...] [..=..] {...}            |
| placement:example                  | \PLACEMENT [..=..] {...}                  |
| placenamefloat                     | \placenamefloat [...] [...]               |
| placenameformula                   | \placenameformula [...] {...} {...}       |
| placenames                         | \placenames [...] [..=..]                 |
| placenamespdp                      | \placenamespdp [..=..]                    |
| placenamespdplocales               | \placenamespdplocales [..=..]             |
| placenumeropage                    | \placenumeropage                          |
| placenumerotete                    | \placenumerotete [...]                    |
| placepairedbox                     | \placepairedbox [...] [..=..] {...} {...} |
| placepairedbox:instance            | \placePAIREDBOX [..=..] {...} {...}       |
| placepairedbox:instance:legend     | \placelegend [..=..] {...} {...}          |
| placeparallel                      | \placeparallel [...] [...] [..=..]        |
| placeraheaddata                    | \placeraheaddata [...]                    |
| placeraheadnumber                  | \placeraheadnumber [...]                  |
| placeraheadtext                    | \placeraheadtext [...]                    |
| placeraheadlist                    | \placeraheadlist [...] [..=..]            |
| placeregistre                      | \placeregistre [...] [..=..]              |
| placeregistre:instance             | \placeREGISTER [..=..]                    |
| placeregistre:instance:index       | \placeindex [..=..]                       |
| placereadingwindow                 | \placereadingwindow [...] [...]           |
| placesousformule                   | \placesousformule [...] {...}             |
| placesurgrille                     | \placesurgrille [...] {...}               |
| placesurgrille:list                | \placesurgrille [...] {...}               |
| placetextetete                     | \placetextetete [...]                     |
| point                              | \point {...}                              |
| popattribute                       | \popattribute \...                        |
| popmacro                           | \popmacro \...                            |
| popmode                            | \popmode [...]                            |
| popsystemmode                      | \popsystemmode {...}                      |
| position                           | \position [..=..] (...,...) {...}         |
| positionoverlay                    | \positionoverlay {...}                    |
| positionregionoverlay              | \positionregionoverlay {...} {...}        |
| postponenotes                      | \postponenotes                            |
| predefinedfont                     | \predefinedfont [...]                     |
| predefinefont                      | \predefinefont [...] [...]                |
| predefinesymbol                    | \predefinesymbol [...]                    |
| prefixedpagenumber                 | \prefixedpagenumber                       |
| premieresouspage                   | \premieresouspage                         |
| prendbuffer                        | \prendbuffer [...]                        |
| prendbuffer:instance               | \obtientBUFFER                            |
| prependetoks                       | \prependetoks ... \to \...                |
| prependgvalue                      | \prependgvalue {...} {...}                |
| prependtocommalist                 | \prependtocommalist {...} \...            |
| prependtoks                        | \prependtoks ... \to \...                 |
| prependtoksonce                    | \prependtoksonce ... \to \...             |
| prependvalue                       | \prependvalue {...} {...}                 |
| prerollblank                       | \prerollblank [...]                       |
| presetdocument                     | \presetdocument [..=..]                   |
| presetfieldsymbols                 | \presetfieldsymbols [...]                 |
| presetlabeltext:instance           | \presetLABELtexte [...] [..=..]           |
| presetlabeltext:instance:btxlabel  | \presetbtxlabeltexte [...] [..=..]        |
| presetlabeltext:instance:head      | \presetheadtexte [...] [..=..]            |
| presetlabeltext:instance:label     | \presetlabeltexte [...] [..=..]           |
| presetlabeltext:instance:mathlabel | \presetmathlabeltexte [...] [..=..]       |
| presetlabeltext:instance:operator  | \presetoperatortexte [...] [..=..]        |
| presetlabeltext:instance:prefix    | \presetprefixtexte [...] [..=..]          |
| presetlabeltext:instance:suffix    | \presetsuffixtexte [...] [..=..]          |
| presetlabeltext:instance:taglabel  | \presettaglabeltexte [...] [..=..]        |
| presetlabeltext:instance:unit      | \presetunittexte [...] [..=..]            |
| pretocommalist                     | \pretocommalist {...} \...                |
| prettyprintbuffer                  | \prettyprintbuffer {...} {...}            |
| prevcounter                        | \prevcounter [...] [...]                  |
| prevcountervalue                   | \prevcountervalue [...]                   |
| preventmode                        | \preventmode [...]                        |
| prevrealpage                       | \prevrealpage                             |
| prevrealpagenumber                 | \prevrealpagenumber                       |
| prevsubcountervalue                | \prevsubcountervalue [...] [...]          |
| prevsubpage                        | \prevsubpage                              |
| prevsubpagenumber                  | \prevsubpagenumber                        |
| prevuserpage                       | \prevuserpage                             |
| prevuserpagenumber                 | \prevuserpagenumber                       |



|                                |  |
|--------------------------------|--|
| procent                        | \procent   |
| processaction                  | \processaction [...] [...,=>...,...]               |
| processallactionsinset         | \processallactionsinset [...] [...,=>...,...]      |
| processassignlist              | \processassignlist [...] \...                      |
| processassignmentcommand       | \processassignmentcommand [..=..] \...             |
| processassignmentlist          | \processassignmentlist [..=..] \...                |
| processbetween                 | \processbetween {...} \...                         |
| processbodyfontenvironmentlist | \processbodyfontenvironmentlist \...               |
| processcolorcomponents         | \processcolorcomponents {...}                      |
| processcommacommand            | \processcommacommand [...] \...                    |
| processcommalist               | \processcommalist [...] \...                       |
| processcommalistwithparameters | \processcommalistwithparameters [...] \...         |
| processcontent                 | \processcontent {...} \...                         |
| processfile                    | \processfile {...}                                 |
| processfilemany                | \processfilemany {...}                             |
| processfilenone                | \processfilenone {...}                             |
| processfileonce                | \processfileonce {...}                             |
| processfirstactioninset        | \processfirstactioninset [...] [...,=>...,...]     |
| processisolatedchars           | \processisolatedchars {...} \...                   |
| processisolatedwords           | \processisolatedwords {...} \...                   |
| processlinetablebuffer         | \processlinetablebuffer [...]                      |
| processlinetablefile           | \processlinetablefile {...}                        |
| processlist                    | \processlist {...} {...} {...} \...                |
| processMPbuffer                | \processMPbuffer [...]                             |
| processMPfigurefile            | \processMPfigurefile {...}                         |
| processmonth                   | \processmonth {...} {...} {...}                    |
| processranges                  | \processranges [...] \...                          |
| processseparatedlist           | \processseparatedlist [...] [...] {...}            |
| processtexbuffer               | \processtexbuffer [...]                            |
| processtokens                  | \processtokens {...} {...} {...} {...} {...}       |
| processuntil                   | \processuntil \...                                 |
| processxtablebuffer            | \processxtablebuffer [...]                         |
| processyear                    | \processyear {...} {...} {...} {...}               |
| produit                        | \produit [...]                                     |
| produit:string                 | \produit ...                                       |
| profiledbox                    | \profiledbox [...] [..=..] {...}                   |
| profilegivenbox                | \profilegivenbox {...} ...                         |
| programme                      | \programme [...]                                   |
| projet                         | \projet [...]                                      |
| projet:string                  | \projet ...  |
| pseudoMixedCapped              | \pseudoMixedCapped {...}                           |
| pseudoSmallCapped              | \pseudoSmallCapped {...}                           |
| pseudoSmallcapped              | \pseudoSmallcapped {...}                           |
| pseudosmallcapped              | \pseudosmallcapped {...}                           |
| purenumber                     | \purenumber {...}                                  |
| pusharrangedpages              | \pusharrangedpages ... \poparrangedpages           |
| pushharriereplan               | \pushharriereplan [...] ... \poparriereplan        |
| pushattribute                  | \pushattribute \...                                |
| pushbar                        | \pushbar [...] ... \popbar                         |
| pushbutton                     | \pushbutton [...] [...]                            |
| pushcatcodetable               | \pushcatcodetable ... \popcatcodetable             |
| pushcouleur                    | \pushcouleur [...] ... \popcouleur                 |
| pushendofline                  | \pushendofline ... \popendofline                   |
| pushindentation                | \pushindentation ... \popindentation               |
| pushMPdrawing                  | \pushMPdrawing ... \popMPdrawing                   |
| pushmacro                      | \pushmacro \...                                    |
| pushmathstyle                  | \pushmathstyle ... \popmathstyle                   |
| pushmode                       | \pushmode [...]                                    |
| pushoutputstream               | \pushoutputstream [...]                            |
| pushpath                       | \pushpath [...] ... \poppath                       |
| pushpunctuation                | \pushpunctuation ... \poppunctuation               |
| pushrandomseed                 | \pushrandomseed ... \poprandomseed                 |
| pushreferenceprefix            | \pushreferenceprefix {...} ... \popreferenceprefix |
| pushsystemmode                 | \pushsystemmode {...}                              |
| putboxincache                  | \putboxincache {...} {...} ...                     |
| putnextboxincache              | \putnextboxincache {...} {...} \... {...}          |
| qqpart                         | \qqpart {...} {...} [...]                          |
| qquad                          | \qquad   |
| quad                           | \quad  |
| quads                          | \quads [...]                                       |
| quarterstrut                   | \quarterstrut                                      |
| quitcommalist                  | \quitcommalist                                     |

|                                   |   |
|-----------------------------------|---|
| quitprevcommalist                 | \quitprevcommalist                          |
| quittypescriptscanning            | \quittypescriptscanning                     |
| ReadFile                          | \ReadFile {...}                             |
| raggedbottom                      | \raggedbottom                               |
| raggedcenter                      | \raggedcenter                               |
| raggedleft                        | \raggedleft                                 |
| raggedright                       | \raggedright                                |
| raggedwidecenter                  | \raggedwidecenter                           |
| raisebox                          | \raisebox {...} \... {...}                  |
| randomizetext                     | \randomizetext {...}                        |
| randomnumber                      | \randomnumber {...} {...}                   |
| rawcounter                        | \rawcounter [...] [...]                     |
| rawcountervalue                   | \rawcountervalue [...]                      |
| rawdate                           | \rawdate [...]                              |
| rawdoifelseinset                  | \rawdoifelseinset {...} {...} {...} {...}   |
| rawdoifinset                      | \rawdoifinset {...} {...} {...}             |
| rawdoifinsetelse                  | \rawdoifinsetelse {...} {...} {...} {...}   |
| rawgetparameters                  | \rawgetparameters [...] [..=..]             |
| rawprocessaction                  | \rawprocessaction [...] [...,=>...,...]     |
| rawprocesscommacommand            | \rawprocesscommacommand [...] \...          |
| rawprocesscommalist               | \rawprocesscommalist [...] \...             |
| rawstructurelistuservariable      | \rawstructurelistuservariable {...}         |
| rawsubcountervalue                | \rawsubcountervalue [...] [...]             |
| razmarquage                       | \razmarquage [...]                          |
| rbox                              | \rbox ... {...}                             |
| readfile                          | \readfile {...} {...} {...}                 |
| readfixfile                       | \readfixfile {...} {...} {...} {...}        |
| readjobfile                       | \readjobfile {...} {...} {...}              |
| readlocfile                       | \readlocfile {...} {...} {...}              |
| readsetfile                       | \readsetfile {...} {...} {...} {...}        |
| readsysfile                       | \readsysfile {...} {...} {...}              |
| readtexfile                       | \readtexfile {...} {...} {...}              |
| readxmlfile                       | \readxmlfile {...} {...} {...}              |
| realpagenumber                    | \realpagenumber                             |
| realSmallCapped                   | \realSmallCapped {...}                      |
| realSmallcapped                   | \realSmallcapped {...}                      |
| realsmallcapped                   | \realsmallcapped {...}                      |
| recursedepth                      | \recursedepth                               |
| recurselevel                      | \recurselevel                               |
| recursestring                     | \recursestring                              |
| redoconvertfont                   | \redoconvertfont                            |
| ref                               | \ref [...] [...]                            |
| reference                         | \reference [...] {...}                      |
| referenceformat:example           | \REFERENCEFORMAT {...} {...} [...]          |
| referencepage                     | \referencepage [...]                        |
| referenceprefix                   | \referenceprefix                            |
| referencetexte                    | \referencetexte [...] {...}                 |
| reflete                           | \reflete {...}                              |
| registerattachment                | \registerattachment [...] [..=..]           |
| registercxtluafile                | \registercxtluafile {...} {...}             |
| registerexternalfigure            | \registerexternalfigure [...] [...] [..=..] |
| registerfontclass                 | \registerfontclass {...}                    |
| registerhyphenationexception      | \registerhyphenationexception [...] [...]   |
| registerhyphenationpattern        | \registerhyphenationpattern [...] [...]     |
| registermenubuttons               | \registermenubuttons [...] [...]            |
| registersort                      | \registersort [...] [...]                   |
| registersynonym                   | \registersynonym [...] [...]                |
| registerunit                      | \registerunit [...] [..=..]                 |
| registre:instance                 | \REGISTER [...] {...+...+..}                |
| registre:instance:index           | \index [...] {...+...+..}                   |
| registre:instance:ownnumber       | \REGISTER [...] {...} {...+...+..}          |
| registre:instance:ownnumber:index | \index [...] {...} {...+...+..}             |
| regle                             | \regle [...]                                |
| reglealignement                   | \reglealignement [...]                      |
| reglearrangement                  | \reglearrangement [...]                     |
| reglearriereplan                  | \reglearriereplan [...] [..=..]             |
| reglearriereplans                 | \reglearriereplans [...] [...] [..=..]      |
| reglearriereplans:page            | \reglearriereplans [...] [..=..]            |
| reglebarreinteraction             | \reglebarreinteraction [...] [..=..]        |
| reglebloc                         | \reglebloc [...] [..=..]                    |
| regleblocsection                  | \regleblocsection [...] [..=..]             |
| reglebuffer                       | \reglebuffer [...] [..=..]                  |

|                                      |   |
|--------------------------------------|---|
| reglecapitales                       | \reglecapitales [...] [..=..]                   |
| reglechamp                           | \reglechamp [...] [...] [..=..] [..=..] [..=..] |
| reglechamps                          | \reglechamps [...] [..=..] [..=..] [..=..]      |
| regleclipping                        | \regleclipping [..=..]                          |
| reglecolonnes                        | \reglecolonnes [..=..]                          |
| reglecommentaire                     | \reglecommentaire [...] [..=..]                 |
| reglecommentairepage                 | \reglecommentairepage [..=..]                   |
| reglecompoetroite                    | \reglecompoetroite [...] [..=..]                |
| reglecomposeenalinea                 | \reglecomposeenalinea [...]                     |
| reglecouleur                         | \reglecouleur [...]                             |
| reglecouleurs                        | \reglecouleurs [..=..]                          |
| regledactylo                         | \regledactylo [...] [..=..]                     |
| regledemarrestoppe                   | \regledemarrestoppe [...] [..=..]               |
| regledisposition                     | \regledisposition [...] [..=..]                 |
| regledisposition:name                | \regledisposition [...]                         |
| regleecraninteraction                | \regleecraninteraction [..=..]                  |
| regleelements                        | \regleelements [...] [..=..]                    |
| regleencadre                         | \regleencadre [...] [..=..]                     |
| regleentete                          | \regleentete [...] [..=..]                      |
| regleenumerations                    | \regleenumerations [...] [..=..]                |
| regleepaisseurligne                  | \regleepaisseurligne [...]                      |
| regleespaceblanc                     | \regleespaceblanc [...]                         |
| regleesplacement                     | \regleesplacement [...]                         |
| regleesplacementinterligne           | \regleesplacementinterligne [...] [..=..]       |
| regleesplacementinterligne:argument  | \regleesplacementinterligne [...]               |
| regleesplacementinterligne:name      | \regleesplacementinterligne [...]               |
| regleflottant                        | \regleflottant [...] [..=..]                    |
| regleflottants                       | \regleflottants [...] [..=..]                   |
| regleformulaires                     | \regleformulaires [..=..]                       |
| regleformules                        | \regleformules [...] [..=..]                    |
| reglegroupeselements                 | \reglegroupeselements [...] [..=..]             |
| regleinf                             | \regleinf [...] [..=..]                         |
| regleinteraction                     | \regleinteraction [...] [..=..]                 |
| regleinteraction:name                | \regleinteraction [...]                         |
| regleintitule                        | \regleintitule [...] [..=..]                    |
| regleintitules                       | \regleintitules [...] [..=..]                   |
| reglejeucolonne                      | \reglejeucolonne [...] [..=..]                  |
| reglejeusymboles                     | \reglejeusymboles [...]                         |
| reglelabeltexte:instance             | \regleLABELtexte [...] [..=..]                  |
| reglelabeltexte:instance:btxlabel    | \reglebtxlabeltexte [...] [..=..]               |
| reglelabeltexte:instance:head        | \regleheadtexte [...] [..=..]                   |
| reglelabeltexte:instance:label       | \reglelabeltexte [...] [..=..]                  |
| reglelabeltexte:instance:mathlabel   | \reglemathlabeltexte [...] [..=..]              |
| reglelabeltexte:instance:operator    | \regleoperatortexte [...] [..=..]               |
| reglelabeltexte:instance:prefix      | \regleprefixtexte [...] [..=..]                 |
| reglelabeltexte:instance:suffix      | \reglesuffixtexte [...] [..=..]                 |
| reglelabeltexte:instance:taglabel    | \regletaglabeltexte [...] [..=..]               |
| reglelabeltexte:instance:unit        | \regleunitttexte [...] [..=..]                  |
| reglelangue                          | \reglelangue [...] [..=..]                      |
| reglelignes                          | \reglelignes [...] [..=..]                      |
| reglelignesnoires                    | \reglelignesnoires [..=..]                      |
| reglelignesreglestexte               | \reglelignesreglestexte [..=..]                 |
| regleliste                           | \regleliste [...] [..=..]                       |
| reglelisteimbriquee                  | \reglelisteimbriquee [...] [..=..]              |
| reglelisteimbriquee:instance         | \regleCOMBINEDLIST [..=..]                      |
| reglelisteimbriquee:instance:content | \reglecontent [..=..]                           |
| reglemakeup                          | \reglemakeup [...] [..=..]                      |
| reglemargereglee                     | \reglemargereglee [...] [..=..]                 |
| reglemarquage                        | \reglemarquage [...] [..=..]                    |
| reglemarquagehyphenation             | \reglemarquagehyphenation [..=..]               |
| reglenuinteraction                   | \reglenuinteraction [...] [..=..]               |
| reglenotepdp                         | \reglenotepdp [..=..]                           |
| reglenumeropage                      | \reglenumeropage [..=..]                        |
| reglenumerotationligne               | \reglenumerotationligne [...] [..=..]           |
| reglenumerotationpage                | \reglenumerotationpage [..=..]                  |
| reglenumerotationparagraphe          | \reglenumerotationparagraphe [..=..]            |
| reglenumerotete                      | \reglenumerotete [...] [...]                    |
| regleorientee                        | \regleorientee [..=..]                          |
| reglepalette                         | \reglepalette [...]                             |
| reglepapier                          | \reglepapier [..=..]                            |
| regleparagraphe                      | \regleparagraphe [...] [...] [..=..]            |
| regleparagraphe:assignment           | \regleparagraphe [...] [..=..]                  |

|                              |  |
|------------------------------|--|
| reglepdp                     | \reglepdp [...] [..=..]                          |
| regleplacementopposition     | \regleplacementopposition [..=..]                |
| reglepolicecorps             | \reglepolicecorps [...]                          |
| reglepositionnement          | \reglepositionnement [...] [..=..]               |
| regleprogrammes              | \regleprogrammes [..=..]                         |
| reglereferencage             | \reglereferencage [..=..]                        |
| regleregistre                | \regleregistre [...] [..=..]                     |
| regleregistre:argument       | \regleregistre [...] [...] [..=..]               |
| regleregistre:instance       | \regleREGISTER [...] [..=..]                     |
| regleregistre:instance:index | \regleindex [...] [..=..]                        |
| regleremplitligne            | \regleremplitligne [..=..]                       |
| regleremplitlignesreglees    | \regleremplitlignesreglees [..=..]               |
| regleseparationflottant      | \regleseparationflottant [..=..]                 |
| reglesousnumeropage          | \reglesousnumeropage [..=..]                     |
| reglesup                     | \reglesup [...] [..=..]                          |
| reglesynonymes               | \reglesynonymes [...] [..=..]                    |
| regletableaux                | \regletableaux [..=..]                           |
| regletabulation              | \regletabulation [...] [...] [..=..]             |
| regletaillepapier            | \regletaillepapier [...] [..=..]                 |
| regletaillepapier:name       | \regletaillepapier [...] [...]                   |
| regletete                    | \regletete [...] [..=..]                         |
| regletetes                   | \regletetes [...] [..=..]                        |
| regletexte                   | \regletexte [...] [..=..]                        |
| regletextesentete            | \regletextesentete [...] [...] [...] [...] [...] |
| regletextesinf               | \regletextesinf [...] [...] [...] [...] [...]    |
| regletextesdpdp              | \regletextesdpdp [...] [...] [...] [...] [...]   |
| regletextessup               | \regletextessup [...] [...] [...] [...] [...]    |
| regletextestexte             | \regletextestexte [...] [...] [...] [...] [...]  |
| regletolerance               | \regletolerance [...]                            |
| regletraitsfins              | \regletraitsfins [..=..]                         |
| regletransitionspace         | \regletransitionspace [...]                      |
| regletri                     | \regletri [...] [..=..]                          |
| regletype                    | \regletype [...] [..=..]                         |
| regleurl                     | \regleurl [..=..]                                |
| regle:direct                 | \regle {...}                                     |
| regulier                     | \regulier  |
| relatemarking                | \relatemarking [...] [...]                       |
| relateparameterhandlers      | \relateparameterhandlers {...} {...} {...} {...} |
| relaxvalueifundefined        | \relaxvalueifundefined {...}                     |
| remainingcharacters          | \remainingcharacters                             |
| removebottomthings           | \removebottomthings                              |
| removedepth                  | \removedepth                                     |
| removefromcommalist          | \removefromcommalist {...} \...                  |
| removelastskip               | \removelastskip                                  |
| removelastspace              | \removelastspace                                 |
| removemarkedcontent          | \removemarkedcontent [...]                       |
| removepunctuation            | \removepunctuation                               |
| removesubstring              | \removesubstring ... \from ... \to \...          |
| removetoks                   | \removetoks ... \from \...                       |
| removeunwantedspaces         | \removeunwantedspaces                            |
| remplitligne                 | \remplitligne [..=..]                            |
| remplitlignesreglees         | \remplitlignesreglees [..=..] {...} {...}        |
| remplittexte                 | \remplittexte [..=..] {...} {...}                |
| repeathead                   | \repeathead [...]                                |
| replacefeature               | \replacefeature [...]                            |
| replacefeature:direct        | \replacefeature {...}                            |
| replaceincommalist           | \replaceincommalist \... {...}                   |
| replaceword                  | \replaceword [...] [...] [...]                   |
| rescan                       | \rescan {...}                                    |
| rescanwithsetup              | \rescanwithsetup {...} {...}                     |
| resetallattributes           | \resetallattributes                              |
| resetandaddfeature           | \resetandaddfeature [...]                        |
| resetandaddfeature:direct    | \resetandaddfeature {...}                        |
| resetbar                     | \resetbar  |
| resetboxesincache            | \resetboxesincache {...}                         |
| resetbreakpoints             | \resetbreakpoints                                |
| resetbuffer                  | \resetbuffer [...]                               |
| resetcharacteralign          | \resetcharacteralign                             |
| resetcharacterkerning        | \resetcharacterkerning                           |
| resetcharacterspacing        | \resetcharacterspacing                           |
| resetcharacterstripping      | \resetcharacterstripping                         |
| resetcollector               | \resetcollector [...]                            |

|                                   |                                   |
|-----------------------------------|-----------------------------------|
| resetcounter                      | \resetcounter [...] [...]         |
| resetdigitsmanipulation           | \resetdigitsmanipulation          |
| resetdirection                    | \resetdirection                   |
| resetfeature                      | \resetfeature                     |
| resetflag                         | \resetflag {...}                  |
| resetfontcolorscheme              | \resetfontcolorscheme             |
| resetfontfallback                 | \resetfontfallback [...] [...]    |
| resetfontsolution                 | \resetfontsolution                |
| resethyphenationfeatures          | \resethyphenationfeatures         |
| resetinjector                     | \resetinjector [...]              |
| resetinteractionmenu              | \resetinteractionmenu [...]       |
| resetitaliccorrection             | \resetitaliccorrection            |
| resetlayer                        | \resetlayer [...]                 |
| resetlocalfloats                  | \resetlocalfloats                 |
| resetMPdrawing                    | \resetMPdrawing                   |
| resetMPenvironment                | \resetMPenvironment               |
| resetMPinstance                   | \resetMPinstance [...]            |
| resetmarker                       | \resetmarker [...]                |
| resetmode                         | \resetmode {...}                  |
| resetpagenumber                   | \resetpagenumber                  |
| resetparallel                     | \resetparallel [...] [...]        |
| resetpath                         | \resetpath                        |
| resetpenalties                    | \resetpenalties \...              |
| resetperiodkerning                | \resetperiodkerning               |
| resetprofile                      | \resetprofile                     |
| resetrecurselevel                 | \resetrecurselevel                |
| resetreference                    | \resetreference [...]             |
| resetreplacement                  | \resetreplacement                 |
| resetscript                       | \resetscript                      |
| resetsetups                       | \resetsetups [...]                |
| resetshownsynonyms                | \resetshownsynonyms [...]         |
| resetsubpagenumber                | \resetsubpagenumber               |
| resetsymbolset                    | \resetsymbolset                   |
| resetsystemmode                   | \resetsystemmode {...}            |
| resettimer                        | \resettimer                       |
| resettokenlist                    | \resettokenlist [...]             |
| resettrackers                     | \resettrackers                    |
| resettrialtypesetting             | \resettrialtypesetting            |
| resetusedsortings                 | \resetusedsortings [...]          |
| resetusedsynonyms                 | \resetusedsynonyms [...]          |
| resetuserpagenumber               | \resetuserpagenumber              |
| resetvalue                        | \resetvalue {...}                 |
| resetvisualizers                  | \resetvisualizers                 |
| reshapebox                        | \reshapebox {...}                 |
| resolvedglyphdirect               | \resolvedglyphdirect {...} {...}  |
| resolvedglyphstyled               | \resolvedglyphstyled {...} {...}  |
| restartcounter                    | \restartcounter [...] [...] [...] |
| restorebox                        | \restorebox {...} {...}           |
| restorecatcodes                   | \restorecatcodes                  |
| restorecounter                    | \restorecounter [...]             |
| restorecurrentattributes          | \restorecurrentattributes {...}   |
| restoreendoffline                 | \restoreendoffline                |
| restoreglobalbodyfont             | \restoreglobalbodyfont            |
| reusableMPgraphic                 | \reusableMPgraphic {...} {...=..} |
| reuseMPgraphic                    | \reuseMPgraphic {...} {...=..}    |
| reuserandomseed                   | \reuserandomseed                  |
| reversehbox                       | \reversehbox ... {...}            |
| reversehpack                      | \reversehpack ... {...}           |
| reversetpack                      | \reversetpack ... {...}           |
| reversevbox                       | \reversevbox ... {...}            |
| reversevpack                      | \reversevpack ... {...}           |
| reversevtop                       | \reversevtop ... {...}            |
| revivefeature                     | \revivefeature                    |
| rfence                            | \rfence {...}                     |
| rhbox                             | \rhbox {...}                      |
| rightbottombox                    | \rightbottombox {...}             |
| rightbox                          | \rightbox {...}                   |
| righthbox                         | \righthbox {...}                  |
| rightlabeltext:instance           | \rightLABELtexte {...}            |
| rightlabeltext:instance:head      | \righttheadtexte {...}            |
| rightlabeltext:instance:label     | \rightlabeltexte {...}            |
| rightlabeltext:instance:mathlabel | \rightmathlabeltexte {...}        |

|                              |   |
|------------------------------|---|
| rightline                    | \rightline {...}  |
| rightorleftpageaction        | \rightorleftpageaction {...} {...}                        |
| rightpageorder               | \rightpageorder   |
| rightskipadaption            | \rightskipadaption  |
| rightsubguillemot            | \rightsubguillemot  |
| righttopleft                 | \righttopleft   |
| righttopleftthbox            | \righttopleftthbox ... {...}                              |
| righttopleftvbox             | \righttopleftvbox ... {...}                               |
| righttopleftvtop             | \righttopleftvtop ... {...}                               |
| righttopbox                  | \righttopbox {...}  |
| ring                         | \ring {...}   |
| rlap                         | \rlap {...}   |
| robustaddtocommalist         | \robustaddtocommalist {...} \...                          |
| robustdoifelseinset          | \robustdoifelseinset {...} {...} {...} {...}              |
| robustdoifinsetelse          | \robustdoifinsetelse {...} {...} {...} {...}              |
| robustpretocommalist         | \robustpretocommalist {...} \...                          |
| rollbutton:button            | \rollbutton [..=..] ... [...]                             |
| rollbutton:interactionmenu   | \rollbutton [...] [..=..] ... [...]                       |
| roman                        | \roman  |
| rtlhbox                      | \rtlhbox ... {...}  |
| rtlvbox                      | \rtlvbox ... {...}  |
| rtlvtop                      | \rtlvtop ... {...}  |
| rtop                         | \rtop ... {...}   |
| ruby                         | \ruby [...] {...} {...}                                   |
| ruledhbox                    | \ruledhbox ... {...}                                      |
| ruledhpack                   | \ruledhpack ... {...}                                     |
| ruledmbox                    | \ruledmbox {...}  |
| ruledtopv                    | \ruledtopv ... {...}                                      |
| ruledtpack                   | \ruledtpack ... {...}                                     |
| ruledvbox                    | \ruledvbox ... {...}                                      |
| ruledvpack                   | \ruledvpack ... {...}                                     |
| ruledvtop                    | \ruledvtop ... {...}                                      |
| runMPbuffer                  | \runMPbuffer [...]  |
| runninghbox                  | \runninghbox {...}  |
| ScaledPointsToBigPoints      | \ScaledPointsToBigPoints {...} \...                       |
| ScaledPointsToWholeBigPoints | \ScaledPointsToWholeBigPoints {...} \...                  |
| Smallcapped                  | \Smallcapped {...}  |
| safechar                     | \safechar {...}   |
| samplefile                   | \samplefile {...}   |
| sans                         | \sans   |
| sansespace                   | \sansespace   |
| sansgras                     | \sansgras   |
| sanslignesenteteetpdp        | \sanslignesenteteetpdp                                    |
| sanslignessupetinf           | \sanslignessupetinf                                       |
| sansnormal                   | \sansnormal   |
| sansserif                    | \sansserif  |
| savebox                      | \savebox {...} {...} {...}                                |
| savebtxdataset               | \savebtxdataset [...] [...] [..=..]                       |
| savebuffer                   | \savebuffer [..=..]                                       |
| savebuffer:list              | \savebuffer [...] [...]                                   |
| savecouleur                  | \savecouleur ... \restorecouleur                          |
| savecounter                  | \savecounter [...]  |
| savecurrentattributes        | \savecurrentattributes {...}                              |
| savenormalmeaning            | \savenormalmeaning \...                                   |
| savetaggedtwopassdata        | \savetaggedtwopassdata {...} {...} {...} {...}            |
| savetwopassdata              | \savetwopassdata {...} {...} {...}                        |
| sbox                         | \sbox {...}   |
| script:instance              | \SCRIPT   |
| script:instance:ethiopic     | \ethiopic   |
| script:instance:hangul       | \hangul   |
| script:instance:hanzi        | \hanzi  |
| script:instance:latin        | \latin  |
| script:instance:nihongo      | \nihongo  |
| script:instance:test         | \test   |
| script:instance:thai         | \thai   |
| secondoffivearguments        | \secondoffivearguments {...} {...} {...} {...} {...}      |
| secondoffourarguments        | \secondoffourarguments {...} {...} {...} {...}            |
| secondofsixarguments         | \secondofsixarguments {...} {...} {...} {...} {...} {...} |
| secondofthreearguments       | \secondofthreearguments {...} {...} {...}                 |
| secondofthreeunexpanded      | \secondofthreeunexpanded {...} {...} {...}                |
| secondoftwoarguments         | \secondoftwoarguments {...} {...}                         |
| secondoftwounexpanded        | \secondoftwounexpanded {...} {...}                        |

|   |   |
|---|---|
| section:instance                                | \SECTION [...] {...}  |
| section:instance:assignment                     | \SECTION [..=..]  |
| section:instance:assignment:chapter             | \chapter [..=..]  |
| section:instance:assignment:part                | \part [..=..]   |
| section:instance:assignment:section             | \section [..=..]  |
| section:instance:assignment:subject             | \subject [..=..]  |
| section:instance:assignment:subsection          | \subsection [..=..]   |
| section:instance:assignment:subsubject          | \subsubject [..=..]   |
| section:instance:assignment:subsubsection       | \subsubsection [..=..]  |
| section:instance:assignment:subsubsubject       | \subsubsubject [..=..]  |
| section:instance:assignment:subsubsubsection    | \subsubsubsection [..=..]   |
| section:instance:assignment:subsubsubsubject    | \subsubsubsubject [..=..]   |
| section:instance:assignment:subsubsubsubsection | \subsubsubsubsection [..=..]  |
| section:instance:assignment:subsubsubsubsubject | \subsubsubsubsubject [..=..]  |
| section:instance:assignment:title               | \title [..=..]  |
| section:instance:chapter                        | \chapter [...] {...}  |
| section:instance:ownnumber                      | \SECTION [...] {...} {...}  |
| section:instance:ownnumber:chapter              | \chapter [...] {...} {...}  |
| section:instance:ownnumber:part                 | \part [...] {...} {...}   |
| section:instance:ownnumber:section              | \section [...] {...} {...}  |
| section:instance:ownnumber:subject              | \subject [...] {...} {...}  |
| section:instance:ownnumber:subsection           | \subsection [...] {...} {...}   |
| section:instance:ownnumber:subsubject           | \subsubject [...] {...} {...}   |
| section:instance:ownnumber:subsubsection        | \subsubsection [...] {...} {...}  |
| section:instance:ownnumber:subsubsubject        | \subsubsubject [...] {...} {...}  |
| section:instance:ownnumber:subsubsubsection     | \subsubsubsection [...] {...} {...}   |
| section:instance:ownnumber:subsubsubsubject     | \subsubsubsubject [...] {...} {...}   |
| section:instance:ownnumber:subsubsubsubsection  | \subsubsubsubsection [...] {...} {...}  |
| section:instance:ownnumber:subsubsubsubsubject  | \subsubsubsubsubject [...] {...} {...}  |
| section:instance:ownnumber:title                | \title [...] {...} {...}  |
| section:instance:part                           | \part [...] {...}   |
| section:instance:section                        | \section [...] {...}  |
| section:instance:subject                        | \subject [...] {...}  |
| section:instance:subsection                     | \subsection [...] {...}   |
| section:instance:subsubject                     | \subsubject [...] {...}   |
| section:instance:subsubsection                  | \subsubsection [...] {...}  |
| section:instance:subsubsubject                  | \subsubsubject [...] {...}  |
| section:instance:subsubsubsection               | \subsubsubsection [...] {...}   |
| section:instance:subsubsubsubject               | \subsubsubsubject [...] {...}   |
| section:instance:subsubsubsubsection            | \subsubsubsubsection [...] {...}  |
| section:instance:subsubsubsubsubject            | \subsubsubsubsubject [...] {...}  |
| section:instance:title                          | \title [...] {...}  |
| seeregister:instance                            | \voitREGISTER [...] {...+...+...} {...}   |
| seeregister:instance:index                      | \voitindex [...] {...+...+...} {...}  |
| select  | \select [...] {...} {...} {...} {...} {...}   |
| selectionneblocs                                | \selectionneblocs [...] <sup>OPT</sup> [...] <sup>OPT</sup> [...] <sup>OPT</sup> <sup>OPT</sup> |
| separeflottant                                  | \separeflottant [..=..] {...} {...}   |
| serializecommalist                              | \serializecommalist [...]   |
| serializedcommalist                             | \serializedcommalist  |
| serif   | \serif  |
| serifbold                                       | \serifbold  |
| serifnormal                                     | \serifnormal  |
| setautopagestaterealpageno                      | \setautopagestaterealpageno {...}   |
| setbar  | \setbar [...]   |
| setbigbodyfont                                  | \setbigbodyfont   |
| setboxllx                                       | \setboxllx ... {...}  |
| setboxlly                                       | \setboxlly ... {...}  |
| setbreakpoints                                  | \setbreakpoints [...]   |
| setbuffer                                       | \setbuffer [...] ... \endbuffer   |
| setcapstrut                                     | \setcapstrut  |
| setcatcodetable                                 | \setcatcodetable \...   |
| setcharacteralign                               | \setcharacteralign [...] {...}  |
| setcharacteraligndetail                         | \setcharacteraligndetail [...] {...} {...} {...} {...}  |
| setcharactercasing                              | \setcharactercasing [...]   |
| setcharactercleaning                            | \setcharactercleaning [...]   |
| setcharacterkerning                             | \setcharacterkerning [...]  |
| setcharacterspacing                             | \setcharacterspacing [...]  |
| setcharacterstripping                           | \setcharacterstripping [...]  |
| setcharstrut                                    | \setcharstrut {...}   |
| setcollector                                    | \setcollector [...] [..=..] {...}   |
| setcolormodell                                  | \setcolormodell [...]   |
| setcounter                                      | \setcounter [...] [...] [...]   |

|                            |   |
|----------------------------|---|
| setcounterown              | \setcounterown [...] [...] [...]                      |
| setcurrentfontclass        | \setcurrentfontclass {...}                            |
| setdataset                 | \setdataset [...] [...] [...=..]                      |
| setdefaultpenalties        | \setdefaultpenalties                                  |
| setdigitsmanipulation      | \setdigitsmanipulation [...]                          |
| setdirection               | \setdirection [...]                                   |
| setdocumentargument        | \setdocumentargument {...} {...}                      |
| setdocumentargumentdefault | \setdocumentargumentdefault {...} {...}               |
| setdocumentfilename        | \setdocumentfilename {...} {...}                      |
| setdummyparameter          | \setdummyparameter {...} {...}                        |
| setelementexporttag        | \setelementexporttag [...] [...] [...]                |
| setemeasure                | \setemeasure {...} {...}                              |
| setevalue                  | \setevalue {...} {...}                                |
| setevariable               | \setevariable {...} {...} {...}                       |
| setevariables              | \setevariables [...] [...=..]                         |
| setfirstline               | \setfirstline [...]                                   |
| setfirstpasscharacteralign | \setfirstpasscharacteralign                           |
| setflag                    | \setflag {...}  |
| setfont                    | \setfont ...  |
| setfontcolorscheme         | \setfontcolorscheme [...]                             |
| setfontfeature             | \setfontfeature {...}                                 |
| setfontsolution            | \setfontsolution [...]                                |
| setfontstrut               | \setfontstrut   |
| setglobalscript            | \setglobalscript [...]                                |
| setgmeasure                | \setgmeasure {...} {...}                              |
| setgvalue                  | \setgvalue {...} {...}                                |
| setgvariable               | \setgvariable {...} {...} {...}                       |
| setgvariables              | \setgvariables [...] [...=..]                         |
| sethboxregister            | \sethboxregister ...{...}                             |
| sethyphenatedurlafter      | \sethyphenatedurlafter {...}                          |
| sethyphenatedurlbefore     | \sethyphenatedurlbefore {...}                         |
| sethyphenatedurlnormal     | \sethyphenatedurlnormal {...}                         |
| sethyphenationfeatures     | \sethyphenationfeatures [...]                         |
| setinitial                 | \setinitial [...] [...=..]                            |
| setinjector                | \setinjector [...] [...] [...]                        |
| setinteraction             | \setinteraction [...]                                 |
| setinterfacecommand        | \setinterfacecommand {...} {...}                      |
| setinterfaceconstant       | \setinterfaceconstant {...} {...}                     |
| setinterfaceelement        | \setinterfaceelement {...} {...}                      |
| setinterfacemessage        | \setinterfacemessage {...} {...} {...}                |
| setinterfacevariable       | \setinterfacevariable {...} {...}                     |
| setinternalrendering       | \setinternalrendering [...] [...] {...}               |
| setitaliccorrection        | \setitaliccorrection [...]                            |
| setJSreamble               | \setJSreamble {...} {...}                             |
| setlayer                   | \setlayer [...] [...] [...=..] {...}                  |
| setlayerframed             | \setlayerframed [...] [...=..] [...=..] {...}         |
| setlayerframed:combination | \setlayerframed [...] [...=..] {...}                  |
| setlayertext               | \setlayertext [...] [...=..] [...=..] {...}           |
| setlinefiller              | \setlinefiller [...]                                  |
| setlocalhsize              | \setlocalhsize [...]                                  |
| setlocalscript             | \setlocalscript [...]                                 |
| setMPlayer                 | \setMPlayer [...] [...] [...=..] {...}                |
| setMPpositiongraphic       | \setMPpositiongraphic {...} {...} {...=..}            |
| setMPpositiongraphicrange  | \setMPpositiongraphicrange {...} {...} {...} {...=..} |
| setMPtext                  | \setMPtext {...} {...}                                |
| setMPvariable              | \setMPvariable [...] [...=..]                         |
| setMPvariables             | \setMPvariables [...] [...=..]                        |
| setmainbodyfont            | \setmainbodyfont                                      |
| setmainparbuilder          | \setmainparbuilder [...]                              |
| setmarker                  | \setmarker [...] [...]                                |
| setmarking                 | \setmarking [...] {...}                               |
| setmathstyle               | \setmathstyle {...}                                   |
| setmeasure                 | \setmeasure {...} {...}                               |
| setmessagetext             | \setmessagetext {...} {...}                           |
| setmode                    | \setmode {...}  |
| setnostrut                 | \setnostrut   |
| setnote                    | \setnote [...] [...] {...}                            |
| setnotetext                | \setnotetext [...] [...] {...}                        |
| setnotetext:assignment     | \setnotetext [...] [...=..]                           |
| setnote:assignment         | \setnote [...] [...=..]                               |
| setobject                  | \setobject {...} {...} \... {...}                     |
| setoldstyle                | \setoldstyle  |



|                             |  |
|-----------------------------|--|
| setpagereference            | \setpagereference {...} {...}                      |
| setpagestate                | \setpagestate [...] [...]                          |
| setpagestaterealpageno      | \setpagestaterealpageno {...} {...}                |
| setpenalties                | \setpenalties \... {...} {...}                     |
| setpercentdimen             | \setpercentdimen {...} {...}                       |
| setperiodkerning            | \setperiodkerning [...]                            |
| setposition                 | \setposition {...}                                 |
| setpositionbox              | \setpositionbox {...} \... {...}                   |
| setpositiondata             | \setpositiondata {...} {...} {...} {...}           |
| setpositiondataplus         | \setpositiondataplus {...} {...} {...} {...} {...} |
| setpositiononly             | \setpositiononly {...}                             |
| setpositionplus             | \setpositionplus {...} {...} \... {...}            |
| setpositionstrut            | \setpositionstrut {...}                            |
| setprofile                  | \setprofile [...]                                  |
| setrandomseed               | \setrandomseed {...}                               |
| setreference                | \setreference [...] [..=..]                        |
| setreferencedobject         | \setreferencedobject {...} {...} \... {...}        |
| setregisterentry            | \setregisterentry [...] [..=..] [..=..]            |
| setreplacement              | \setreplacement [...]                              |
| setrigidcolumnbalance       | \setrigidcolumnbalance ...                         |
| setrigidcolumnhsize         | \setrigidcolumnhsize {...} {...} {...}             |
| setscript                   | \setscript [...]                                   |
| setsecondpasscharacteralign | \setsecondpasscharacteralign                       |
| setsectionblock             | \setsectionblock [...] [..=..]                     |
| setsimplecolumnhsize        | \setsimplecolumnhsize [..=..]                      |
| setsmallbodyfont            | \setsmallbodyfont                                  |
| setsmallcaps                | \setsmallcaps                                      |
| setstackbox                 | \setstackbox {...} {...} {...}                     |
| setstructurepageregister    | \setstructurepageregister [...] [..=..] [..=..]    |
| setstrut                    | \setstrut  |
| setsuperiors                | \setsuperiors                                      |
| setsystemmode               | \setsystemmode {...}                               |
| settabular                  | \settabular  |
| settaggedmetadata           | \settaggedmetadata [..=..]                         |
| settestcrlf                 | \settestcrlf                                       |
| settext                     | \settext [...] [...] [...] [...] [...]             |
| settightobject              | \settightobject {...} {...} \... {...}             |
| settightreferencedobject    | \settightreferencedobject {...} {...} \... {...}   |
| settightstrut               | \settightstrut                                     |
| settightunreferencedobject  | \settightunreferencedobject {...} {...} \... {...} |
| settokenlist                | \settokenlist [...] {...}                          |
| settrialtypesetting         | \settrialtypesetting                               |
| setuevalue                  | \setuevalue {...} {...}                            |
| setugvalue                  | \setugvalue {...} {...}                            |
| setunreferencedobject       | \setunreferencedobject {...} {...} \... {...}      |
| setupalternativestyles      | \setupalternativestyles [..=..]                    |
| setupattachment             | \setupattachment [...] [..=..]                     |
| setupattachments            | \setupattachments [...] [..=..]                    |
| setupbackend                | \setupbackend [..=..]                              |
| setupbar                    | \setupbar [...] [..=..]                            |
| setupbars                   | \setupbars [...] [..=..]                           |
| setupbleeding               | \setupbleeding [..=..]                             |
| setupbookmark               | \setupbookmark [..=..]                             |
| setupbtx                    | \setupbtx [...] [..=..]                            |
| setupbtxdataset             | \setupbtxdataset [...] [..=..]                     |
| setupbtxlist                | \setupbtxlist [...] [..=..]                        |
| setupbtxregister            | \setupbtxregister [...] [..=..]                    |
| setupbtxrendering           | \setupbtxrendering [...] [..=..]                   |
| setupbtx:name               | \setupbtx [...]                                    |
| setupbutton                 | \setupbutton [...] [..=..]                         |
| setupcharacteralign         | \setupcharacteralign [..=..]                       |
| setupcharacterkerning       | \setupcharacterkerning [...] [..=..]               |
| setupcharacterspacing       | \setupcharacterspacing [...] [...] [..=..]         |
| setupchemical               | \setupchemical [...] [..=..]                       |
| setupchemicalframed         | \setupchemicalframed [...] [..=..]                 |
| setupcollector              | \setupcollector [...] [..=..]                      |
| setupcolumnsetarea          | \setupcolumnsetarea [...] [..=..]                  |
| setupcolumnsetareatext      | \setupcolumnsetareatext [...] [...]                |
| setupcolumnsetlines         | \setupcolumnsetlines [...] [...] [...] [...]       |
| setupcolumnsetspan          | \setupcolumnsetspan [...] [..=..]                  |
| setupcolumnsetstart         | \setupcolumnsetstart [...] [...] [...] [...]       |
| setupcombination            | \setupcombination [...] [..=..]                    |

|                                   |   |
|-----------------------------------|---|
| setupcounter                      | \setupcounter [...] [..=..]                 |
| setupdataset                      | \setupdataset [...] [..=..]                 |
| setupdelimitedtext                | \setupdelimitedtext [...] [..=..]           |
| setupdescription                  | \setupdescription [...] [..=..]             |
| setupdirections                   | \setupdirections [..=..]                    |
| setupdocument                     | \setupdocument [..=..]                      |
| setupeffect                       | \setupeffect [...] [..=..]                  |
| setupenumeration                  | \setupenumeration [...] [..=..]             |
| setupenv                          | \setupenv [..=..]                           |
| setupexport                       | \setupexport [..=..]                        |
| setupexternalfigure               | \setupexternalfigure [...] [..=..]          |
| setupexternalsoundtracks          | \setupexternalsoundtracks [..=..]           |
| setupfacingfloat                  | \setupfacingfloat [...] [..=..]             |
| setupfieldbody                    | \setupfieldbody [...] [..=..]               |
| setupfieldcategory                | \setupfieldcategory [...] [..=..]           |
| setupfieldcontentframed           | \setupfieldcontentframed [...] [..=..]      |
| setupfieldlabelframed             | \setupfieldlabelframed [...] [..=..]        |
| setupfieldtotalframed             | \setupfieldtotalframed [...] [..=..]        |
| setupfiller                       | \setupfiller [...] [..=..]                  |
| setupfirstline                    | \setupfirstline [...] [..=..]               |
| setupfittingpage                  | \setupfittingpage [...] [..=..]             |
| setupfloatframed                  | \setupfloatframed [...] [..=..]             |
| setupfontexpansion                | \setupfontexpansion [...] [..=..]           |
| setupfontprotrusion               | \setupfontprotrusion [...] [..=..]          |
| setupfonts                        | \setupfonts [..=..]                         |
| setupfontsolution                 | \setupfontsolution [...] [..=..]            |
| setupformula                      | \setupformula [...] [..=..]                 |
| setupformulaframed                | \setupformulaframed [...] [..=..]           |
| setupframedcontent                | \setupframedcontent [...] [..=..]           |
| setupframedtable                  | \setupframedtable [...] [..=..]             |
| setupframedtablecolumn            | \setupframedtablecolumn [...] [...] [..=..] |
| setupframedtablerow               | \setupframedtablerow [...] [...] [..=..]    |
| setupframedtext                   | \setupframedtext [...] [..=..]              |
| setupframedtexts                  | \setupframedtexts [...] [..=..]             |
| setupglobalreferenceprefix        | \setupglobalreferenceprefix [...]           |
| setupheadalternative              | \setupheadalternative [...] [..=..]         |
| setuphelp                         | \setuphelp [...] [..=..]                    |
| setuphigh                         | \setuphigh [...] [..=..]                    |
| setuphighlight                    | \setuphighlight [...] [..=..]               |
| setuphyphenation                  | \setuphyphenation [..=..]                   |
| setupindentedtext                 | \setupindentedtext [...] [..=..]            |
| setupinitial                      | \setupinitial [...] [..=..]                 |
| setupinsertion                    | \setupinsertion [...] [..=..]               |
| setupitaliccorrection             | \setupitaliccorrection [...]                |
| setupitemgroup                    | \setupitemgroup [...] [...] [...] [..=..]   |
| setupitemgroup:assignment         | \setupitemgroup [...] [..=..]               |
| setupitemgroup:instance           | \regleITEMGROUP [...] [...] [..=..]         |
| setupitemgroup:instance:itemize   | \regleitemize [...] [...] [..=..]           |
| setuplabel                        | \setuplabel [...] [..=..]                   |
| setupplayer                       | \setupplayer [...] [..=..]                  |
| setupplayeredtext                 | \setupplayeredtext [...] [..=..]            |
| setuplayouttext                   | \setuplayouttext [...] [...] [..=..]        |
| setuplinefiller                   | \setuplinefiller [...] [..=..]              |
| setuplinefillers                  | \setuplinefillers [...] [..=..]             |
| setuplinenote                     | \setuplinenote [...] [..=..]                |
| setuplinetable                    | \setuplinetable [...] [...] [..=..]         |
| setuplistalternative              | \setuplistalternative [...] [..=..]         |
| setuplistextra                    | \setuplistextra [...] [..=..]               |
| setuplocalfloats                  | \setuplocalfloats [..=..]                   |
| setuplocalinterlinespace          | \setuplocalinterlinespace [...] [..=..]     |
| setuplocalinterlinespace:argument | \setuplocalinterlinespace [...]             |
| setuplocalinterlinespace:name     | \setuplocalinterlinespace [...]             |
| setuplow                          | \setuplow [...] [..=..]                     |
| setuplowhigh                      | \setuplowhigh [...] [..=..]                 |
| setuplowmidhigh                   | \setuplowmidhigh [...] [..=..]              |
| setupMPgraphics                   | \setupMPgraphics [..=..]                    |
| setupMPinstance                   | \setupMPinstance [...] [..=..]              |
| setupMPpage                       | \setupMPpage [..=..]                        |
| setupMPvariables                  | \setupMPvariables [...] [..=..]             |
| setupmarginblock                  | \setupmarginblock [...] [..=..]             |
| setupmargindata                   | \setupmargindata [...] [..=..]              |
| setupmarginframed                 | \setupmarginframed [...] [..=..]            |

|                                |  |
|--------------------------------|--|
| setupmarginrule                | \setupmarginrule [...] [..=..]                     |
| setupmathalignment             | \setupmathalignment [...] [..=..]                  |
| setupmathcases                 | \setupmathcases [...] [..=..]                      |
| setupmathematics               | \setupmathematics [...] [..=..]                    |
| setupmathfence                 | \setupmathfence [...] [..=..]                      |
| setupmathfraction              | \setupmathfraction [...] [..=..]                   |
| setupmathfractions             | \setupmathfractions [...] [..=..]                  |
| setupmathframed                | \setupmathframed [...] [..=..]                     |
| setupmathmatrix                | \setupmathmatrix [...] [..=..]                     |
| setupmathornament              | \setupmathornament [...] [..=..]                   |
| setupmathradical               | \setupmathradical [...] [..=..]                    |
| setupmathstackers              | \setupmathstackers [...] [..=..]                   |
| setupmathstyle                 | \setupmathstyle [...]                              |
| setupmixedcolumns              | \setupmixedcolumns [...] [..=..]                   |
| setupmodule                    | \setupmodule [...] [..=..]                         |
| setupnotation                  | \setupnotation [...] [..=..]                       |
| setupnotations                 | \setupnotations [...] [..=..]                      |
| setupnote                      | \setupnote [...] [..=..]                           |
| setupnotes                     | \setupnotes [...] [..=..]                          |
| setupoffset                    | \setupoffset [..=..]                               |
| setupoffsetbox                 | \setupoffsetbox [..=..]                            |
| setupoutputroutine             | \setupoutputroutine [...] [..=..]                  |
| setupoutputroutine:name        | \setupoutputroutine [...]                          |
| setuppagechecker               | \setuppagechecker [...] [..=..]                    |
| setuppagecolumns               | \setuppagecolumns [...] [..=..]                    |
| setuppageinjection             | \setuppageinjection [...] [..=..]                  |
| setuppageinjectionalternative  | \setuppageinjectionalternative [...] [..=..]       |
| setuppageshift                 | \setuppageshift [...] [...] [...]                  |
| setuppagestate                 | \setuppagestate [...] [..=..]                      |
| setuppairedbox                 | \setuppairedbox [...] [..=..]                      |
| setuppairedbox:instance        | \reglePAIREDBOX [..=..]                            |
| setuppairedbox:instance:legend | \reglelegend [..=..]                               |
| setupparagraph                 | \setupparagraph [...] [..=..]                      |
| setupparagraphintro            | \setupparagraphintro [...] [...]                   |
| setupparallel                  | \setupparallel [...] [...] [..=..]                 |
| setupperiodkerning             | \setupperiodkerning [...] [..=..]                  |
| setupperiods                   | \setupperiods [..=..]                              |
| setupplacement                 | \setupplacement [...] [..=..]                      |
| setuppositionbar               | \setuppositionbar [..=..]                          |
| setupprocessor                 | \setupprocessor [...] [..=..]                      |
| setupprofile                   | \setupprofile [...] [..=..]                        |
| setupquotation                 | \setupquotation [..=..]                            |
| setuprealpagenumber            | \setuprealpagenumber [..=..]                       |
| setupreferenceformat           | \setupreferenceformat [...] [..=..]                |
| setupreferenceprefix           | \setupreferenceprefix [...]                        |
| setupreferencestructureprefix  | \setupreferencestructureprefix [...] [...] [..=..] |
| setupregisters                 | \setupregisters [...] [..=..]                      |
| setupregisters:argument        | \setupregisters [...] [...] [..=..]                |
| setuprenderingwindow           | \setuprenderingwindow [...] [..=..]                |
| setupruby                      | \setupruby [...] [..=..]                           |
| setups                         | \setups [...]                                      |
| setupscale                     | \setupscale [...] [..=..]                          |
| setupscrip                     | \setupscrip [...] [..=..]                          |
| setupscrip                     | \setupscrip [...] [..=..]                          |
| setupselector                  | \setupselector [...] [..=..]                       |
| setupshift                     | \setupshift [...] [..=..]                          |
| setupsidebar                   | \setupsidebar [...] [..=..]                        |
| setupspellchecking             | \setupspellchecking [..=..]                        |
| setupstretched                 | \setupstretched [..=..]                            |
| setupstruts                    | \setupstruts [...]                                 |
| setupstyle                     | \setupstyle [...] [..=..]                          |
| setupsubformula                | \setupsubformula [...] [..=..]                     |
| setupsubformulas               | \setupsubformulas [...] [..=..]                    |
| setupsymbols                   | \setupsymbols [..=..]                              |
| setupsynctex                   | \setupsynctex [..=..]                              |
| setups:direct                  | \setups {...}                                      |
| setupTABLE                     | \setupTABLE [...] [...] [..=..]                    |
| setupTEXpage                   | \setupTEXpage [..=..]                              |
| setuptabulation                | \setuptabulation [...] [..=..]                     |
| setuptagging                   | \setuptagging [..=..]                              |
| setuptextbackground            | \setuptextbackground [...] [..=..]                 |
| setuptextflow                  | \setuptextflow [...] [..=..]                       |

|                                     |   |
|-------------------------------------|---|
| setuptextnote                       | \setuptextnote [...] [..=..]            |
| setuptooltip                        | \setuptooltip [...] [..=..]             |
| setupunit                           | \setupunit [...] [..=..]                |
| setupuserdata                       | \setupuserdata [...] [..=..]            |
| setupuserdataalternative            | \setupuserdataalternative [...] [..=..] |
| setupuserpagenumber                 | \setupuserpagenumber [..=..]            |
| setupversion                        | \setupversion [...]                     |
| setupviewerlayer                    | \setupviewerlayer [..=..]               |
| setupvspacing                       | \setupvspacing [...]                    |
| setupwithargument                   | \setupwithargument {...} {...}          |
| setupwithargumentswapped            | \setupwithargumentswapped {...} {...}   |
| setupxml                            | \setupxml [..=..]                       |
| setupxtable                         | \setupxtable [...] [..=..]              |
| setuvalue                           | \setuvalue {...} {...}                  |
| setuxvalue                          | \setuxvalue {...} {...}                 |
| setvalue                            | \setvalue {...} {...}                   |
| setvariable                         | \setvariable {...} {...} {...}          |
| setvariables                        | \setvariables [...] [..=..]             |
| setvboxregister                     | \setvboxregister ... {...}              |
| setvisualizerfont                   | \setvisualizerfont [...]                |
| setvtopregister                     | \setvtopregister ... {...}              |
| setwidthof                          | \setwidthof ... \to ...                 |
| setxmeasure                         | \setxmeasure {...} {...}                |
| setxvalue                           | \setxvalue {...} {...}                  |
| setxvariable                        | \setxvariable {...} {...} {...}         |
| setxvariables                       | \setxvariables [...] [..=..]            |
| shapedhbox                          | \shapedhbox {...}                       |
| shiftbox                            | \shiftbox {...}                         |
| shift:instance                      | \SHIFT {...}                            |
| shift:instance:shiftdown            | \shiftdown {...}                        |
| shift:instance:shiftup              | \shiftup {...}                          |
| showallmakeup                       | \showallmakeup                          |
| showattributes                      | \showattributes                         |
| showboxes                           | \showboxes                              |
| showbtxdatasetauthors               | \showbtxdatasetauthors [..=..]          |
| showbtxdatasetauthors:argument      | \showbtxdatasetauthors [...]            |
| showbtxdatasetcompleteness          | \showbtxdatasetcompleteness [..=..]     |
| showbtxdatasetcompleteness:argument | \showbtxdatasetcompleteness [...]       |
| showbtxdatasetfields                | \showbtxdatasetfields [..=..]           |
| showbtxdatasetfields:argument       | \showbtxdatasetfields [...]             |
| showbtxfields                       | \showbtxfields [..=..]                  |
| showbtxfields:argument              | \showbtxfields [...]                    |
| showbtxhashedauthors                | \showbtxhashedauthors [...]             |
| showbtxtables                       | \showbtxtables [...]                    |
| showchardata                        | \showchardata {...}                     |
| showcharratio                       | \showcharratio {...}                    |
| showcolorbar                        | \showcolorbar [...]                     |
| showcolorcomponents                 | \showcolorcomponents [...]              |
| showcolorset                        | \showcolorset [...]                     |
| showcolorstruts                     | \showcolorstruts                        |
| showcounter                         | \showcounter [...]                      |
| showdirectives                      | \showdirectives                         |
| showdirsmargin                      | \showdirsmargin                         |
| showdebuginfo                       | \showdebuginfo                          |
| showexperiments                     | \showexperiments                        |
| showfont                            | \showfont [...] [...]                   |
| showfontdata                        | \showfontdata                           |
| showfontexpansion                   | \showfontexpansion                      |
| showfontitalics                     | \showfontitalics                        |
| showfontkerns                       | \showfontkerns                          |
| showfontparameters                  | \showfontparameters                     |
| showfontstrip                       | \showfontstrip [...]                    |
| showfontstyle                       | \showfontstyle [...] [...] [...] [...]  |
| showglyphdata                       | \showglyphdata                          |
| showglyphs                          | \showglyphs                             |
| showgridsnapping                    | \showgridsnapping                       |
| showhelp                            | \showhelp {...} [...]                   |
| showhyphenationtrace                | \showhyphenationtrace [...] [...]       |
| showhyphens                         | \showhyphens {...}                      |
| showinjector                        | \showinjector [...]                     |
| showjustification                   | \showjustification                      |
| showkerning                         | \showkerning {...}                      |

|                             |  |
|-----------------------------|--|
| showlayoutcomponents        | \showlayoutcomponents                                    |
| showligature                | \showligature {...}                                      |
| showligatures               | \showligatures [...]                                     |
| showlogcategories           | \showlogcategories                                       |
| showmargins                 | \showmargins   |
| showmessage                 | \showmessage {...} {...} {...}                           |
| showminimalbaseline         | \showminimalbaseline                                     |
| shownextbox                 | \shownextbox ... {...}                                   |
| showotfcomposition          | \showotfcomposition {...} {...} {...}                    |
| showparentchain             | \showparentchain ... {...}                               |
| showsetupsdefinition        | \showsetupsdefinition [...]                              |
| showtimer                   | \showtimer {...}   |
| showtokens                  | \showtokens [...]  |
| showtrackers                | \showtrackers  |
| showvalue                   | \showvalue {...}   |
| showvariable                | \showvariable {...} {...}                                |
| showwarning                 | \showwarning {...} {...} {...}                           |
| signalrightpage             | \signalrightpage   |
| simplealignedbox            | \simplealignedbox {...} {...} {...}                      |
| simplealignedboxplus        | \simplealignedboxplus {...} {...} {...} {...}            |
| simplealignedspreadbox      | \simplealignedspreadbox {...} {...} {...}                |
| simplegroupedcommand        | \simplegroupedcommand {...} {...}                        |
| simplereversealignedbox     | \simplereversealignedbox {...} {...} {...}               |
| simplereversealignedboxplus | \simplereversealignedboxplus {...} {...} {...} {...}     |
| singalcharacteralign        | \singalcharacteralign {...} {...}                        |
| singlebond                  | \singlebond  |
| sixthofsixarguments         | \sixthofsixarguments {...} {...} {...} {...} {...} {...} |
| slantedface                 | \slantedface   |
| slicepages                  | \slicepages [...] [..=..] [..=..]                        |
| slovenianNumerals           | \slovenianNumerals {...}                                 |
| sloveniannumerals           | \sloveniannumerals {...}                                 |
| smallcappedcharacters       | \smallcappedcharacters {...}                             |
| smallcappedromannumerals    | \smallcappedromannumerals {...}                          |
| smaller                     | \smaller   |
| smallskip                   | \smallskip   |
| smash                       | \smash [...] {...}                                       |
| smashbox                    | \smashbox ...  |
| smashboxed                  | \smashboxed ...  |
| smashedhbox                 | \smashedhbox ... {...}                                   |
| smashedvbox                 | \smashedvbox ... {...}                                   |
| snaptogrid                  | \snaptogrid [...] \... {...}                             |
| snaptogrid:list             | \snaptogrid [...] \... {...}                             |
| someheadnumber              | \someheadnumber [...] [...]                              |
| somekindoftab               | \somekindoftab [..=..]                                   |
| somelocalfloat              | \somelocalfloat  |
| somenamedheadnumber         | \somenamedheadnumber {...} {...}                         |
| someplace                   | \someplace {...} {...} {...} {...} {...} [...]           |
| sorting:instance            | \SORTING [...] {...}                                     |
| sorting:instance:logo       | \logo [...] {...}  |
| sousnumeropage              | \sousnumeropage  |
| souspagesuivante            | \souspagesuivante  |
| spaceddigits                | \spaceddigits {...}                                      |
| spaceddigitsmethod          | \spaceddigitsmethod                                      |
| spaceddigitsseparator       | \spaceddigitsseparator                                   |
| spaceddigitssymbol          | \spaceddigitssymbol                                      |
| spanishNumerals             | \spanishNumerals {...}                                   |
| spanishnumerals             | \spanishnumerals {...}                                   |
| splitatasterisk             | \splitatasterisk ... \... \...                           |
| splitatcolon                | \splitatcolon ... \... \...                              |
| splitatcolons               | \splitatcolons ... \... \...                             |
| splitatcomma                | \splitatcomma ... \... \...                              |
| splitatperiod               | \splitatperiod ... \... \...                             |
| splitddfrac                 | \splitddfrac {...} {...}                                 |
| splitfilename               | \splitfilename {...}                                     |
| splitfrac                   | \splitfrac {...} {...}                                   |
| splitoffbase                | \splitoffbase  |
| splitofffull                | \splitofffull  |
| splitoffkind                | \splitoffkind  |
| splitoffname                | \splitoffname  |
| splitoffpath                | \splitoffpath  |
| splitoffroot                | \splitoffroot  |
| splitofftokens              | \splitofftokens ... \from ... \to \...                   |

|                                      |  |
|--------------------------------------|--|
| splitofftype                         | \splitofftype  |
| splitstring                          | \splitstring ... \at ... \to \... \and \...                                  |
| spreadhbox                           | \spreadhbox ...  |
| sqrtd                                | \sqrt [...] {...}  |
| stackrel                             | \stackrel {...} {...}  |
| stackscripts                         | \stackscripts  |
| startlinenote:instance               | \demarreLINENOTE [...] {...}   |
| startlinenote:instance:linenote      | \demarrelinenote [...] {...}   |
| startregister                        | \startregister [...] [...] [...] [...] {..+...+..} ... \stopregister [..]    |
| startstop:example                    | \STARTSTOP {...}   |
| startstructurepageregister           | \startstructurepageregister [...] [...] [..=..] [..=..] ... \stopstructur... |
| stoplinenote:instance                | \stoppeLINENOTE [...]  |
| stoplinenote:instance:linenote       | \stoppelinenote [...]  |
| stoppeligne                          | \stoppeligne [...]   |
| strictdoifelsenextoptional           | \strictdoifelsenextoptional {...} {...}                                      |
| strictdoifnnextoptionalelse          | \strictdoifnnextoptionalelse {...} {...}                                     |
| stripcharacter                       | \stripcharacter ... \from ... \to \...                                       |
| strippedcsname                       | \strippedcsname \...   |
| strippedcsname:string                | \strippedcsname ...  |
| stripspaces                          | \stripspaces \from ... \to \...  |
| structurelistuservariable            | \structurelistuservariable {...}   |
| structurenumber                      | \structurenumber   |
| structuretitle                       | \structuretitle  |
| structureuservariable                | \structureuservariable {...}   |
| structurevariable                    | \structurevariable {...}   |
| strut                                | \strut   |
| strutdp                              | \strutdp   |
| strutgap                             | \strutgap  |
| strutht                              | \strutht   |
| struthtdp                            | \struthtdp   |
| struttedbox                          | \struttedbox {...}   |
| strutwd                              | \strutwd   |
| style                                | \style [..=..] {...}   |
| styleinstance                        | \styleinstance [...]   |
| style:argument                       | \style [...] {...}   |
| style:instance                       | \STYLE {...}   |
| subsentence                          | \subsentence {...}   |
| substituteincommalist                | \substituteincommalist {...} {...} \...                                      |
| subtractfeature                      | \subtractfeature [...]   |
| subtractfeature:direct               | \subtractfeature {...}   |
| suggestion:instance                  | \TOOLTIP [..=..] {...} {...}   |
| suggestion:instance:argument         | \TOOLTIP [...] {...} {...}   |
| suggestion:instance:argument:tooltip | \tooltip [...] {...} {...}   |
| suggestion:instance:tooltip          | \tooltip [..=..] {...} {...}   |
| swapcounts                           | \swapcounts \... \...  |
| swapdimens                           | \swapdimens \... \...  |
| swapface                             | \swapface  |
| swapmacros                           | \swapmacros \... \...  |
| swapyteface                          | \swapyteface   |
| switchstyleonly                      | \switchstyleonly [...]   |
| switchstyleonly:command              | \switchstyleonly \...  |
| switchtocolor                        | \switchtocolor [...]   |
| switchtointerlinespace               | \switchtointerlinespace [...] [..=..]  |
| switchtointerlinespace:argument      | \switchtointerlinespace [...]  |
| switchtointerlinespace:name          | \switchtointerlinespace [...]  |
| symbole                              | \symbole [...] [...]   |
| symbole:direct                       | \symbole {...}   |
| symbolreference                      | \symbolreference [...]   |
| synchronizeblank                     | \synchronizeblank  |
| synchronizeindenting                 | \synchronizeindenting  |
| synchronizemarking                   | \synchronizemarking [...] [...] [...]  |
| synchronizeoutputstreams             | \synchronizeoutputstreams [...]  |
| synchronizestrut                     | \synchronizestrut {...}  |
| synchronizewhitespace                | \synchronizewhitespace   |
| synctexblockfilename                 | \synctexblockfilename {...}  |
| synctexresetfilename                 | \synctexresetfilename  |
| synctexsetfilename                   | \synctexsetfilename {...}  |
| synonym:instance                     | \SYNONYM [...] {...} {...}   |
| synonym:instance:abbreviation        | \abbreviation [...] {...} {...}  |
| systemlog                            | \systemlog {...} {...} {...}   |
| systemlogfirst                       | \systemlogfirst {...} {...} {...}  |
| systemloglast                        | \systemloglast {...} {...} {...}   |

|                                  |  |
|----------------------------------|--|
| systemsetups                     | \systemsetups {...}                                      |
| TABLE                            | \TABLE   |
| TaBlE                            | \TaBlE   |
| TEX                              | \TEX   |
| TeX                              | \TeX   |
| TheNormalizedFontSize            | \TheNormalizedFontSize                                   |
| TransparencyHack                 | \TransparencyHack  |
| tabulateautoline                 | \tabulateautoline  |
| tabulateautorule                 | \tabulateautorule  |
| tabulateline                     | \tabulateline  |
| tabulaterule                     | \tabulaterule  |
| taggedctxcommand                 | \taggedctxcommand {...}                                  |
| taggedlabeltexts                 | \taggedlabeltexts {...} {...} {...}                      |
| tapebuffer                       | \tapebuffer [...] [..=..]                                |
| tapebuffer:instance              | \dactylographierBUFFER [..=..]                           |
| tbox                             | \tbox {...}  |
| testandsplitstring               | \testandsplitstring ... \at ... \to \... \and \...       |
| testcolumn                       | \testcolumn [...] [...]                                  |
| testfeature                      | \testfeature {...} {...}                                 |
| testfeatureonce                  | \testfeatureonce {...} {...}                             |
| testpage                         | \testpage [...] [...]                                    |
| testpageonly                     | \testpageonly [...] [...]                                |
| testpagesync                     | \testpagesync [...] [...]                                |
| testtokens                       | \testtokens [...]  |
| tex                              | \tex {...}   |
| texdefinition                    | \texdefinition {...}                                     |
| texsetup                         | \texsetup {...}  |
| textbackground:example           | \TEXTBACKGROUND {...}                                    |
| textcitation                     | \textcitation [..=..] [...]                              |
| textcitation:alternative         | \textcitation [...] [...]                                |
| textcitation:userdata            | \textcitation [..=..] [..=..]                            |
| textcite                         | \textcite [..=..] [...]                                  |
| textcite:alternative             | \textcite [...] [...]                                    |
| textcite:userdata                | \textcite [..=..] [..=..]                                |
| textcontrolspace                 | \textcontrolspace  |
| texteaide                        | \texteaide [...] {...} {...}                             |
| texteencadre:instance            | \FRAMEDTEXT [..=..] {...}                                |
| texteencadre:instance:framedtext | \framedtext [..=..] {...}                                |
| textenotepdp                     | \textenotepdp [...] {...}                                |
| textenotepdp:assignment          | \textenotepdp [..=..]                                    |
| textflowcollector                | \textflowcollector {...}                                 |
| textmath                         | \textmath {...}  |
| textminus                        | \textminus   |
| textnote                         | \textnote [..=..] {...}                                  |
| textormathchar                   | \textormathchar {...}                                    |
| textormathchars                  | \textormathchars {...}                                   |
| textplus                         | \textplus  |
| textvisiblespace                 | \textvisiblespace  |
| thainumerals                     | \thainumerals {...}                                      |
| thefirstcharacter                | \thefirstcharacter {...}                                 |
| thenormalizedbodyfontsize        | \thenormalizedbodyfontsize {...}                         |
| theremainingcharacters           | \theremainingcharacters {...}                            |
| thickspace                       | \thickspace  |
| thinspace                        | \thinspace   |
| thirdoffivearguments             | \thirdoffivearguments {...} {...} {...} {...} {...}      |
| thirdoffourarguments             | \thirdoffourarguments {...} {...} {...} {...}            |
| thirdofsixarguments              | \thirdofsixarguments {...} {...} {...} {...} {...} {...} |
| thirdofthreearguments            | \thirdofthreearguments {...} {...} {...}                 |
| thirdofthreeunexpanded           | \thirdofthreeunexpanded {...} {...} {...}                |
| threedigitrounding               | \threedigitrounding {...}                                |
| tibetannumerals                  | \tibetannumerals {...}                                   |
| tightlayer                       | \tightlayer [...]  |
| tilde                            | \tilde {...}   |
| tinyfont                         | \tinyfont  |
| tlap                             | \tlap {...}  |
| tochar                           | \tochar {...}  |
| tolinenote                       | \tolinenote [...]  |
| topbox                           | \topbox {...}  |
| toleftbox                        | \toleftbox {...}   |
| toplinebox                       | \toplinebox {...}  |
| toprightbox                      | \toprightbox {...}                                       |
| topskippedbox                    | \topskippedbox {...}                                     |

|                              |   |
|------------------------------|---|
| tracecatcodetables           | \tracecatcodetables                       |
| tracedfontname               | \tracedfontname {...}                     |
| traceoutputtroutines         | \traceoutputtroutines                     |
| tracepositions               | \tracepositions                           |
| traduire                     | \traduire [..=..]                         |
| traiteblocs                  | \traiteblocs [...] [...] [..=..]          |
| traitfin                     | \traitfin                                 |
| traitsfins                   | \traitsfins [..=..]                       |
| transparencycomponents       | \transparencycomponents {...}             |
| transparent                  | \transparent [...] {...}                  |
| triplebond                   | \triplebond                               |
| truefilename                 | \truefilename {...}                       |
| truefontname                 | \truefontname {...}                       |
| ttraggedright                | \ttraggedright                            |
| twodigitrounding             | \twodigitrounding {...}                   |
| tx                           | \tx                                       |
| txx                          | \txx                                      |
| typ                          | \typ [..=..] {...}                        |
| typedefinedbuffer            | \typedefinedbuffer [...] [..=..]          |
| typeface                     | \typeface                                 |
| typeinlinebuffer             | \typeinlinebuffer [...] [..=..]           |
| typescriptone                | \typescriptone                            |
| typescriptprefix             | \typescriptprefix {...}                   |
| typescriptthree              | \typescriptthree                          |
| typescripttwo                | \typescripttwo                            |
| typesetbuffer                | \typesetbuffer [...] [..=..]              |
| typesetfile                  | \typesetfile [...] [...] [..=..]          |
| typ:angles                   | \typ [..=..] <<...>>                      |
| uconvertnumber               | \uconvertnumber {...} {...}               |
| uedcatcodecommand            | \uedcatcodecommand \... ... {...}         |
| undefinevalue                | \undefinevalue {...}                      |
| undepthed                    | \undepthed {...}                          |
| underset                     | \underset {...} {...}                     |
| undoassign                   | \undoassign [...] [..=..]                 |
| uneligne                     | \uneligne [...]                           |
| unexpandeddocumentvariable   | \unexpandeddocumentvariable {...}         |
| unhhbox                      | \unhhbox ... \with {...}                  |
| unihex                       | \unihex {...}                             |
| uniqueMPgraphic              | \uniqueMPgraphic {...} {..=..}            |
| uniqueMPpagegraphic          | \uniqueMPpagegraphic {...} {..=..}        |
| unite:instance               | \UNIT {...}                               |
| unite:instance:unit          | \unit {...}                               |
| unprotect                    | \unprotect ... \protect                   |
| unprotected                  | \unprotected ... \par                     |
| unregisterhyphenationpattern | \unregisterhyphenationpattern [...] [...] |
| unspaceafter                 | \unspaceafter \... {...}                  |
| unspaceargument              | \unspaceargument ... \to \...             |
| unspaced                     | \unspaced {...}                           |
| unspacestring                | \unspacestring ... \to \...               |
| unstackscripts               | \unstackscripts                           |
| untexargument                | \untexargument {...} \to \...             |
| untexcommand                 | \untexcommand {...} \to \...              |
| uppercased                   | \uppercased {...}                         |
| uppercasestring              | \uppercasestring ... \to \...             |
| upperlefthdoubleninequote    | \upperlefthdoubleninequote                |
| upperlefthdoublesixquote     | \upperlefthdoublesixquote                 |
| upperleftsingleninequote     | \upperleftsingleninequote                 |
| upperleftsinglesixquote      | \upperleftsinglesixquote                  |
| upperrightdoubleninequote    | \upperrightdoubleninequote                |
| upperrightdoublesixquote     | \upperrightdoublesixquote                 |
| upperrightsingleninequote    | \upperrightsingleninequote                |
| upperrightsinglesixquote     | \upperrightsinglesixquote                 |
| url                          | \url [...]                                |
| usealignparameter            | \usealignparameter \...                   |
| useblankparameter            | \useblankparameter \...                   |
| usebodyfont                  | \usebodyfont [...]                        |
| usebodyfontparameter         | \usebodyfontparameter \...                |
| usebtxdataset                | \usebtxdataset [...] [...] [..=..]        |
| usebtxdefinitions            | \usebtxdefinitions [...]                  |
| usecitation                  | \usecitation [...]                        |
| usecitation:direct           | \usecitation {...}                        |
| usecolors                    | \usecolors [...]                          |



|                            |   |
|----------------------------|---|
| usecomponent               | \usecomponent [...]                             |
| usedummycolorparameter     | \usedummycolorparameter {...}                   |
| usedummystyleandcolor      | \usedummystyleandcolor {...} {...}              |
| usedummystyleparameter     | \usedummystyleparameter {...}                   |
| useenvironment             | \useenvironment [...]                           |
| useexternalrendering       | \useexternalrendering [...] [...] [...] [...]   |
| usefigurebase              | \usefigurebase [...]                            |
| usefile                    | \usefile [...] [...] [...]                      |
| usegridparameter           | \usegridparameter \...                          |
| useindentingparameter      | \useindentingparameter \...                     |
| useindentnextparameter     | \useindentnextparameter \...                    |
| useinterlinespaceparameter | \useinterlinespaceparameter \...                |
| uselanguageparameter       | \uselanguageparameter \...                      |
| useluamodule               | \useluamodule [...]                             |
| useMPenvironmentbuffer     | \useMPenvironmentbuffer [...]                   |
| useMPgraphic               | \useMPgraphic {...} {..=..}                     |
| useMPLibrary               | \useMPLibrary [...]                             |
| useMPPrun                  | \useMPPrun {...} {...}                          |
| useMPvariables             | \useMPvariables [...] [...]                     |
| usemathstyleparameter      | \usemathstyleparameter \...                     |
| useproduct                 | \useproduct [...]                               |
| useprofileparameter        | \useprofileparameter \...                       |
| useproject                 | \useproject [...]                               |
| usereferenceparameter      | \usereferenceparameter \...                     |
| userpagenumber             | \userpagenumber                                 |
| usesetupsparameter         | \usesetupsparameter \...                        |
| usestaticMPfigure          | \usestaticMPfigure [..=..] [...]                |
| usesubpath                 | \usesubpath [...]                               |
| usetexmodule               | \usetexmodule [...] [...] [..=..]               |
| usetypescript              | \usetypescript [...] [...] [...]                |
| usetypescriptfile          | \usetypescriptfile [...]                        |
| usezipfile                 | \usezipfile [...] [...]                         |
| utfchar                    | \utfchar {...}                                  |
| utflower                   | \utflower {...}                                 |
| utfupper                   | \utfupper {...}                                 |
| utiliseblobs               | \utiliseblobs [...] [...] [..=..]               |
| utilisechemin              | \utilisechemin [...]                            |
| utilisedocumentexterne     | \utilisedocumentexterne [...] [...] [...]       |
| utilisefigureexterne       | \utilisefigureexterne [...] [...] [...] [..=..] |
| utiliseJSscripts           | \utiliseJSscripts [...] [...]                   |
| utilisemodule              | \utilisemodule [...] [...] [..=..]              |
| utiliseepsiteaudioexterne  | \utiliseepsiteaudioexterne [...] [...]          |
| utilisesymboles            | \utilisesymboles [...]                          |
| utiliseURL                 | \utiliseURL [...] [...] [...] [...]             |
| utiliseurl                 | \utiliseurl [...] [...] [...] [...]             |
| utilityregisterlength      | \utilityregisterlength                          |
| VerboseNumber              | \VerboseNumber {...}                            |
| va                         | \va {...} [...]                                 |
| vaalaboite                 | \vaalaboite {...} [...]                         |
| vaalapage                  | \vaalapage {...} [...]                          |
| vaenbas                    | \vaenbas [...]                                  |
| valeurcouleur              | \valeurcouleur {...}                            |
| vboxreference              | \vboxreference [...] {...}                      |
| vec                        | \vec {...}                                      |
| verbatim                   | \verbatim {...}                                 |
| verbatimstring             | \verbatimstring {...}                           |
| verbosenum                 | \verbosenum {...}                               |
| version                    | \version [...]                                  |
| verticalgrowingbar         | \verticalgrowingbar [..=..]                     |
| verticalpositionbar        | \verticalpositionbar [..=..]                    |
| veryraggedcenter           | \veryraggedcenter                               |
| veryraggedleft             | \veryraggedleft                                 |
| veryraggedright            | \veryraggedright                                |
| vglue                      | \vglue ...                                      |
| vide                       | \vide [...]                                     |
| viewerlayer                | \viewerlayer [...] {...}                        |
| v1                         | \v1 [...]                                       |
| vpackbox                   | \vpackbox                                       |
| vpackedbox                 | \vpackedbox                                     |
| vphantom                   | \vphantom {...}                                 |
| vpos                       | \vpos {...} {...}                               |
| vsmash                     | \vsmash {...}                                   |

|                        |   |
|------------------------|---|
| vsmashbox              | \vsmashbox ...                                |
| vsmashed               | \vsmashed {...}                               |
| vspace                 | \vspace [...] [...]                           |
| vspacing               | \vspacing [...]                               |
| WidthSpanningText      | \WidthSpanningText {...} {...} {...}          |
| wdofstring             | \wdofstring {...}                             |
| widthofstring          | \widthofstring {...}                          |
| widthspanningtext      | \widthspanningtext {...} {...} {...}          |
| withoutpt              | \withoutpt {...}                              |
| words                  | \words {...}                                  |
| wordtonumber           | \wordtonumber {...} {...}                     |
| writedatatolist        | \writedatatolist [...] [...=..] [...=..]      |
| writestatus            | \writestatus {...} {...}                      |
| XETEX                  | \XETEX  |
| XeTeX                  | \XeTeX  |
| xdefconvertedargument  | \xdefconvertedargument \... {...}             |
| xmladdindex            | \xmladdindex {...}                            |
| xmlafterdocumentsetup  | \xmlafterdocumentsetup {...} {...} {...}      |
| xmlafterssetup         | \xmlafterssetup {...} {...}                   |
| xmlall                 | \xmlall {...} {...}                           |
| xmlappenddocumentsetup | \xmlappenddocumentsetup {...} {...}           |
| xmlappendsetup         | \xmlappendsetup {...}                         |
| xmlapplyselectors      | \xmlapplyselectors {...}                      |
| xmlatt                 | \xmlatt {...} {...}                           |
| xmlattdef              | \xmlattdef {...} {...} {...}                  |
| xmlattribute           | \xmlattribute {...} {...} {...}               |
| xmlattributedef        | \xmlattributedef {...} {...} {...} {...}      |
| xmlbadinclusions       | \xmlbadinclusions {...}                       |
| xmlbeforedocumentsetup | \xmlbeforedocumentsetup {...} {...} {...}     |
| xmlbeforesetup         | \xmlbeforesetup {...} {...}                   |
| xmlchainatt            | \xmlchainatt {...} {...}                      |
| xmlchainattdef         | \xmlchainattdef {...} {...} {...}             |
| xmlchecknamespace      | \xmlchecknamespace {...} {...}                |
| xmlcommand             | \xmlcommand {...} {...} {...}                 |
| xmlconcat              | \xmlconcat {...} {...} {...}                  |
| xmlconcatrange         | \xmlconcatrange {...} {...} {...} {...} {...} |
| xmlcontext             | \xmlcontext {...} {...}                       |
| xmlcount               | \xmlcount {...}                               |
| xmldefaulttotext       | \xmldefaulttotext {...}                       |
| xmldirectives          | \xmldirectives {...}                          |
| xmldirectivesafter     | \xmldirectivesafter {...}                     |
| xmldirectivesbefore    | \xmldirectivesbefore {...}                    |
| xmldisplayverbatim     | \xmldisplayverbatim {...}                     |
| xmldoif                | \xmldoif {...} {...} {...}                    |
| xmldoifatt             | \xmldoifatt {...} {...}                       |
| xmldoifelse            | \xmldoifelse {...} {...} {...} {...}          |
| xmldoifelseatt         | \xmldoifelseatt {...} {...} {...}             |
| xmldoifelseempty       | \xmldoifelseempty {...} {...} {...} {...}     |
| xmldoifelseselfempty   | \xmldoifelseselfempty {...} {...} {...}       |
| xmldoifelsetext        | \xmldoifelsetext {...} {...} {...} {...}      |
| xmldoifelsevalue       | \xmldoifelsevalue {...} {...} {...} {...}     |
| xmldoifnot             | \xmldoifnot {...} {...} {...}                 |
| xmldoifnotatt          | \xmldoifnotatt {...} {...}                    |
| xmldoifnotselfempty    | \xmldoifnotselfempty {...} {...}              |
| xmldoifnottext         | \xmldoifnottext {...} {...} {...}             |
| xmldoifselfempty       | \xmldoifselfempty {...} {...}                 |
| xmldoiftext            | \xmldoiftext {...} {...} {...}                |
| xmlelement             | \xmlelement {...} {...}                       |
| xmlfilter              | \xmlfilter {...} {...}                        |
| xmlfirst               | \xmlfirst {...} {...}                         |
| xmlflush               | \xmlflush {...}                               |
| xmlflushcontext        | \xmlflushcontext {...}                        |
| xmlflushdocumentsetups | \xmlflushdocumentsetups {...} {...}           |
| xmlflushlinewise       | \xmlflushlinewise {...}                       |
| xmlflushpure           | \xmlflushpure {...}                           |
| xmlflushspacewise      | \xmlflushspacewise {...}                      |
| xmlflushtext           | \xmlflushtext {...}                           |
| xmlinclude             | \xmlinclude {...} {...} {...}                 |
| xmlinclusion           | \xmlinclusion {...}                           |
| xmlinclusions          | \xmlinclusions {...}                          |
| xmlinfo                | \xmlinfo {...}                                |
| xmlinjector            | \xmlinjector {...}                            |

|                             |  |
|-----------------------------|--|
| xmlinlineprettyprint        | \xmlinlineprettyprint {...} {...}        |
| xmlinlineprettyprinttext    | \xmlinlineprettyprinttext {...} {...}    |
| xmlinlineverbatim           | \xmlinlineverbatim {...}                 |
| xmlinstalldirective         | \xmlinstalldirective {...} {...}         |
| xmllast                     | \xmllast {...} {...}                     |
| xmllastatt                  | \xmllastatt                              |
| xmllastmatch                | \xmllastmatch                            |
| xmllastpar                  | \xmllastpar                              |
| xmlloadbuffer               | \xmlloadbuffer {...} {...} {...}         |
| xmlloaddata                 | \xmlloaddata {...} {...} {...}           |
| xmlloaddirectives           | \xmlloaddirectives {...}                 |
| xmlloadfile                 | \xmlloadfile {...} {...} {...}           |
| xmlloadonly                 | \xmlloadonly {...} {...} {...}           |
| xmlmain                     | \xmlmain {...}                           |
| xmlmapvalue                 | \xmlmapvalue {...} {...} {...}           |
| xmlname                     | \xmlname {...}                           |
| xmlnamespace                | \xmlnamespace {...}                      |
| xmlnonamespace              | \xmlnonamespace {...} {...}              |
| xmlpar                      | \xmlpar {...} {...}                      |
| xmlparam                    | \xmlparam {...} {...} {...}              |
| xmlpath                     | \xmlpath {...}                           |
| xmlpos                      | \xmlpos {...}                            |
| xmlposition                 | \xmlposition {...} {...} {...}           |
| xmlprependdocumentsetup     | \xmlprependdocumentsetup {...} {...}     |
| xmlprependsetup             | \xmlprependsetup {...}                   |
| xmlprettyprint              | \xmlprettyprint {...} {...}              |
| xmlprettyprinttext          | \xmlprettyprinttext {...} {...}          |
| xmlprocessbuffer            | \xmlprocessbuffer {...} {...} {...}      |
| xmlprocessdata              | \xmlprocessdata {...} {...} {...}        |
| xmlprocessfile              | \xmlprocessfile {...} {...} {...}        |
| xmlpure                     | \xmlpure {...} {...}                     |
| xmlraw                      | \xmlraw {...}                            |
| xmlrefatt                   | \xmlrefatt {...} {...}                   |
| xmlregistereddokumentsetups | \xmlregistereddokumentsetups {...} {...} |
| xmlregisteredsetups         | \xmlregisteredsetups                     |
| xmlregisterns               | \xmlregisterns {...} {...}               |
| xmlremapname                | \xmlremapname {...} {...} {...} {...}    |
| xmlremapnamespace           | \xmlremapnamespace {...} {...} {...}     |
| xmlremoveddocumentsetup     | \xmlremoveddocumentsetup {...} {...}     |
| xmlremovesetup              | \xmlremovesetup {...}                    |
| xmlresetdocumentsetups      | \xmlresetdocumentsetups {...}            |
| xmlresetinjectors           | \xmlresetinjectors                       |
| xmlresetsetups              | \xmlresetsetups {...}                    |
| xmlsave                     | \xmlsave {...} {...}                     |
| xmlsetatt                   | \xmlsetatt {...} {...} {...}             |
| xmlsetattribute             | \xmlsetattribute {...} {...} {...} {...} |
| xmlsetentity                | \xmlsetentity {...} {...}                |
| xmlsetfunction              | \xmlsetfunction {...} {...} {...}        |
| xmlsetinjectors             | \xmlsetinjectors [...]                   |
| xmlsetpar                   | \xmlsetpar {...} {...} {...}             |
| xmlsetparam                 | \xmlsetparam {...} {...} {...} {...}     |
| xmlsetsetup                 | \xmlsetsetup {...} {...} {...}           |
| xmlsetup                    | \xmlsetup {...} {...}                    |
| xmlshow                     | \xmlshow {...}                           |
| xmlsnippet                  | \xmlsnippet {...} {...}                  |
| xmlstrip                    | \xmlstrip {...} {...}                    |
| xmlstripnolines             | \xmlstripnolines {...} {...}             |
| xmlstripped                 | \xmlstripped {...} {...}                 |
| xmlstrippednolines          | \xmlstrippednolines {...} {...}          |
| xmltag                      | \xmltag {...}                            |
| xmltextentity               | \xmltextentity {...} {...}               |
| xmltext                     | \xmltext {...} {...}                     |
| xmltobuffer                 | \xmltobuffer {...} {...} {...}           |
| xmltobufferverbose          | \xmltobufferverbose {...} {...} {...}    |
| xmltofile                   | \xmltofile {...} {...} {...}             |
| xmlvalue                    | \xmlvalue {...} {...} {...}              |
| xmlverbatim                 | \xmlverbatim {...}                       |
| xsplittstring               | \xsplittstring \... {...}                |
| xypos                       | \xypos {...}                             |
| zeronumberconversion        | \zeronumberconversion {...}              |





**PRAGMA ADE**  
**Ridderstraat 27**  
**8061GH Hasselt NL**  
**[www.pragma-ade.com](http://www.pragma-ade.com)**