

ConTEXt comandi

it / italiano 19 dicembre 2018

AfterPar	\AfterPar {}
	\Alphabeticnumerals {}
Alphabeticnumerals AMSTEX	\AMSTEX
Amstex	\AmSTeX
And	\And
abjadnaivenumerals	\abjadnaivenumerals {}
abjadnodotnumerals	\abjadnodotnumerals {}
-	-
abjadnumerals	\abjadnumerals {}
activatespacehandler	\activatespacehandler {}
acute	\acute {}
adaptcollector	\adaptcollector [] [=]
adaptfontfeature	\adaptfontfeature [] [=]
adaptpapersize	\adaptpapersize [] []
adattacampo	\adattacampo [] [=]
adattalayout	\adattalayout [] [=]
addfeature	\addfeature []
addfeature:direct	\addfeature {}
addfontpath	\addfontpath []
addtocommalist	\addtocommalist {} \
addtoJSpreamble	\addtoJSpreamble {} {}
addvalue	\addvalue {} {}
aftersplitstring	\aftersplitstring \at \to \
aftertestandsplitstring	\aftertestandsplitstring \at \to \
al	\al {} []
alignbottom	\alignbottom
aligned	\aligned [] {}
alignedbox	\alignedbox [] \ {}
alignedline	\alignedline {} {}
alignhere	\alignhere
alignmentcharacter	\alignmentcharacter
allineacentro	\allineacentro {}
allineadestra	\allineadestra {}
allineasinistra	\allineasinistra {}
allinputpaths	\allinputpaths
alphabeticnumerals	\alphabeticnumerals {}
alwayscitation	\alwayscitation [=.] []
alwayscitation:alternative	\alwayscitation [] []
alwayscitation:userdata	\alwayscitation [=] [=]
alwayscite	\alwayscite [=] []
alwayscite:alternative	\alwayscite [] []
alwayscite:userdata	\alwayscite [=] [=] \ambiente []
ambiente ambiente:string	\ambiente []
5	\ampersand
ampersand	\anchor [] [=] {}
	\anchor [] [] [] \an {}
ap apagina	\apagina []
appendetoks	\appendetoks \to \
appendgvalue	\appenderons \to \\appenderons e} \}
appendtocommalist	\appendtocommalist {} \
appendtoks	\appendtoks \to \
appendtoksonce	\appendtoksonce \to \
appendvalue	\appendvalue {} {}
apply	\apply {} {}
applyalternativestyle	\applyalternativestyle {}
applyprocessor	\applyprocessor {} {}
applytocharacters	\applytocharacters \ \{\}
applytofirstcharacter	\applytofirstcharacter \ \{\}
applytosplitstringchar	\applytosplitstringchar \ {}
applytosplitstringcharspaced	\applytosplitstringcharspaced \ \{\}
applytosplitstringline	\applytosplitstringline \ \{\}
applytosplitstringlinespaced	\applytosplitstringlinespaced \ \{\}
applytosplitstringword	\applytosplitstringword \ \{\}
applytosplitstringwordspaced	\applytosplitstringwordspaced \ \{\}
applytowords	\applytowords \ \{\}
ap:instance	\HIGH {}
ap:instance:unitshigh	\unitshigh {}
arabicdecimals	\arabicdecimals {}
arabicexnumerals	\arabicexnumerals {}
arabicnumerals	\arabicnumerals {}
arg	\arg {}
asciistr	\asciistr {}

assignalfadimension	\assignalfadimension $\{\ldots\}$ \ $\{\ldots\}$ $\{\ldots\}$
assigndimen	\assigndimen \ {}
assigndimension	\assigndimension \{\} \\\ \\\} \\\\}
assignifempty	\assignifempty \ {}
assigntranslation	\assigntranslation [=] \to \
assignvalue	\assignvalue {} \ {} {}
assignwidth assumelongusagecs	\assignwidth {} \ {} {} \assumelongusagecs \ {}
assumerongusagecs astype	\assumerongusagecs \ \; \astype \}
attachment:instance	\ATTACHMENT [] [=]
attachment:instance:attachment	\attachment [] [=]
autocap	\autocap {}
autodirhbox	\autodirhbox {}
autodirvbox	\autodirvbox {}
autodirvtop	\autodirvtop {}
autoinsertnextspace	\autoinsertnextspace
autointegral	\autointegral {} {} {}
automathematics	\automathematics {}
autopagestaterealpage	\autopagestaterealpage {}
autopagestaterealpageorder	\autopagestaterealpageorder {}
autosetups	\autosetups {}
autostarttesto	\autostarttesto \autostoptesto
availablehsize	\availablehsize
averagecharwidth	\averagecharwidth
BeforePar	\BeforePar {}
Big	\Big
Bigg Biggl	\Bigg \Biggl
Biggm	\Biggm
Biggr	\Biggr
Bigl	\Bigl
Bigm	\Bigm
Bigr	\Bigr
backgroundimage	\backgroundimage {} {} {}
backgroundimagefill	\backgroundimagefill {} {} {}
backgroundline	\backgroundline [] {}
bar	\bar {}
barracolori	\barracolori []
barrainterazione	\barrainterazione [] [=]
bar:instance	\BAR {}
bar:instance:hiddenbar	\hiddenbar {}
bar:instance:nobar	\nobar {}
bar:instance:overbar	\overbar {}
bar:instance:overbars bar:instance:overstrike	\overbars {} \overstrike {}
bar:instance:overstrike bar:instance:overstrikes	\overstrike \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
bar:instance:underbar	\underbar {}
bar:instance:underbar	\underbar \(\cdot\tag{\cdot\tag{\cdot}}
bar:instance:underdash	\underbarb {}
bar:instance:underdashes	\underdashes {}
bar:instance:underdot	\underdot {}
bar:instance:underdots	\underdots {}
bar:instance:underrandom	\underrandom {}
bar:instance:underrandoms	\underrandoms {}
bar:instance:understrike	\understrike {}
bar:instance:understrikes	\understrikes {}
basegrid	\basegrid [=]
baselinebottom	\baselinebottom
baselineleftbox	\baselineleftbox {}
baselinemiddlebox	\baselinemiddlebox {}
baselinerightbox	\baselinerightbox {}
bbordermatrix	\bbordermatrix {}
bbox	\bbox {}
beforesplitstring	\beforesplitstring \at \to \
beforetestandsplitstring beginblock:example	\beginstandsplitstring \at \to \
beginblock:example beginbbox	\beginBLOCK [] [=] \endBLOCK \beginhbox \endhbox
beginnbox beginofshapebox	\beginnbox \endnbox \beginofshapebox
beginvbox	\beginvbox \endvbox
beginvtop	\beginvbox \endvbox \beginvbox \endvbox
begstrut	\begstrut \endstrut
higg	\higg

bigger	\bigger
biggl	\biggl
biggm	\biggm
biggr	\biggr
bigl	\bigl
bigm	\bigm
bigr	\bigr
bigskip	\bigskip
bitmapimage	\bitmapimage [=] {}
blap	\blap {}
bleed	\bleed [=] {}
bleedheight	\bleedheight
bleedwidth	\bleedwidth
blockligatures	\blockligatures []
blocksynctexfile	\blocksynctexfile []
blockuservariable	\blockuservariable {}
bodyfontenvironmentlist	\bodyfontenvironmentlist
bodyfontsize	\bodyfontsize
boldface	\boldface
booleanmodevalue	\booleanmodevalue {}
bordermatrix	\bordermatrix {}
bottombox	\bottombox {}
bottomleftbox	\bottomleftbox {}
bottomrightbox	\bottomrightbox {}
boxcursor	\boxcursor
boxmarker	\boxmarker {} {}
boxofsize	\boxofsize \ {}
boxreference	\boxreference [] \ {}
bpar	\bpar \epar
bpos	\bpos {}
breakhere	\breakhere
breve	\breve {}
bTABLE	\bTABLE [=] \eTABLE
bTABLEbody	\bTABLEbody [=] \eTABLEbody
bTABLEfoot	\bTABLEfoot [=] \eTABLEfoot
bTABLEhead	\bTABLEhead [=] \eTABLEhead
bTABLEnext	\bTABLEnext [=] \eTABLEnext
bTC	\bTC [=] \eTC
bTD	\bTD [=] \eTD
bTDs	\bTDs [] \eTDs
bTH	\bTH [=] \eTH
bTN	\bTN [=] \eTN
bTR	\bTR [=] \eTR
bTRs	\bTRs [] \eTRs
bTX	\bTX [=] \eTX
bTY	\bTY [=] \eTY
btxabbreviatedjournal	\btxabbreviatedjournal {}
btxaddjournal	\btxaddjournal [] []
btxalwayscitation	\btxalwayscitation [=] []
btxalwayscitation:alternative	\btxalwayscitation []
btxalwayscitation:userdata	\btxalwayscitation [=] [=]
btxauthorfield	\btxauthorfield {}
btxdetail	\btxdetail {}
btxdirect	\btxdirect {}
btxdoif	\btxdoif \{\}
btxdoifcombiinlistelse	\btxdoifcombiinlistelse {} {} {}
btxdoifelse	\btxdoifelse {} {} {}
btxdoifelsecombiinlist	\btxdoifelsecombiinlist \{\ldots\} \{\ldots\} \{\ldots\} \{\ldots\}
btxdoifelsesameasprevious	\btxdoifelsesameasprevious \{\ldots\} \{\ldots\} \{\ldots\}
btxdoifelsesameaspreviouschecked	\btxdoifelsesameaspreviouschecked \{\ldots\} \{\ldots\} \{\ldots\} \{\ldots\}
btxdoifelseuservariable	\btxdoifelseuservariable \{\ldots\} \{\ldots\}
btxdoifnot	\btxdoifnot {} {}
btxdoifsameaspreviouscheckedelse	\btxdoifsameaspreviouscheckedelse $\{\ldots\}$ $\{\ldots\}$ $\{\ldots\}$
btxdoifsameaspreviouselse	\btxdoifsameaspreviouselse $\{\ldots\}$ $\{\ldots\}$
btxdoifuservariableelse	\btxdoifuservariableelse $\{\}$ $\{\}$
btxexpandedjournal	\btxexpandedjournal {}
btxfield	\btxfield {}
btxfieldname	\btxfieldname {}
btxfieldtype	\btxfieldtype {}
btxfirstofrange	\btxfirstofrange {}
btxflush	\btxflush {}
btxflushauthor	\btxflushauthor [] {}

btxflushauthorinverted	\btxflushauthorinverted {}
btxflushauthorinvertedshort	\btxflushauthorinvertedshort {}
btxflushauthorname	\btxflushauthorname {}
btxflushauthornormal	\btxflushauthornormal {}
btxflushauthornormalshort	\btxflushauthornormalshort {}
btxflushsuffix	\btxflushsuffix
btxfoundname	\btxfoundname {}
btxfoundtype	\btxfoundtype {}
btxhiddencitation	\btxhiddencitation []
btxhybridcite	\btxhybridcite [=] []
btxhybridcite:alternative	\btxhybridcite [] []
btxhybridcite:direct	\btxhybridcite {}
btxhybridcite:userdata	\btxhybridcite [=] [=]
btxlistcitation	\btxlistcitation [=] []
btxlistcitation:alternative	\btxlistcitation [] []
btxlistcitation:userdata	\btxlistcitation [=] [=]
btxloadjournalist	\btxloadjournalist []
btxoneorrange	\btxoneorrange {} {} {}
btxremapauthor	\btxremapauthor [] []
btxsavejournalist	\btxsavejournalist []
btxsetup	\btxsetup {}
btxsingularorplural	\btxsingularorplural \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
btxsingularplural	\btxsingularplural {} {} {}
btxtextcitation	\btxtextcitation [=] []
btxtextcitation:alternative	\btxtextcitation [] []
btxtextcitation:userdata	\btxtextcitation [=] [=]
buildmathaccent	\buildmathaccent {} {}
buildtextaccent	\buildtextaccent {} {}
buildtextbottomcomma	\buildtextbottomcomma {}
buildtextbottomdot buildtextcedilla	\buildtextbottomdot {}
	\buildtextcedilla {}
buildtextgrave buildtextmacron	\buildtextgrave {}
	\buildtextmacron {}
buildtextognek	\buildtextognek {}
Cap	\Cap {}
Caps CONTEXT	\Caps {} \CONTEXT
ConTeXt	\ConTeXt
Context	Context
ConvertConstantAfter	\ConvertConstantAfter \ \{\} \{\}
ConvertToConstant	\ConvertToConstant \ \{\} \{\}
calligrafico	\calligrafico
cambiaafontdeltesto	\cambiaafontdeltesto []
camel	\came1 {}
campi	\campi [] []
cap	\cap {}
capello	\capello
capoverso:instance	\SECTION [] {}
capoverso:instance:assignment	\SECTION [=]
capoverso:instance:assignment:chapter	\chapter [=]
capoverso:instance:assignment:part	\part [=]
capoverso:instance:assignment:section	\section [=]
capoverso:instance:assignment:subject	\subject [=]
capoverso:instance:assignment:subsection	\subsection [=]
capoverso:instance:assignment:subsubject	\subsubject [=]
capoverso:instance:assignment:subsubsection	\subsubsection [=]
capoverso:instance:assignment:subsubsubject	\subsubsubject [=]
capoverso:instance:assignment:subsubsubsection	\subsubsubsection [=]
capoverso:instance:assignment:subsubsubsubject	\subsubsubject [=]
capoverso:instance:assignment:subsubsubsubsection	\subsubsubsection [=]
capoverso:instance:assignment:subsubsubsubsubject	\subsubsubsubject [=]
capoverso:instance:assignment:title	\title [=]
capoverso:instance:chapter	\chapter [] {}
capoverso:instance:ownnumber	\SECTION [] {} {}
capoverso:instance:ownnumber:chapter	\chapter [] {} {}
capoverso:instance:ownnumber:part	\part [] {}
capoverso:instance:ownnumber:section	\section [] {} {}
capoverso:instance:ownnumber:subject	\subject [] {} {}
capoverso:instance:ownnumber:subsection	\subsection [] {} {}
capoverso:instance:ownnumber:subsubject	\subsubject [] {} {}
capoverso:instance:ownnumber:subsubsection	\subsubsection [] $\{\}$
capoverso:instance:ownnumber:subsubsubject	\subsubsubject [] $\{\}$

capoverso:instance:ownnumber:subsubsubsection	\subsubsubsection [] $\{\}$
capoverso:instance:ownnumber:subsubsubsubject	\subsubsubsubject [] {} {}
capoverso:instance:ownnumber:subsubsubsubsection	\subsubsubsection [] {} {}
capoverso:instance:ownnumber:subsubsubsubsubject	\subsubsubsubsubject [] {}
capoverso:instance:ownnumber:title	\title [] {}
capoverso:instance:part	\part [] {}
	\section [] {}
capoverso:instance:section	
capoverso:instance:subject	\subject [] {}
capoverso:instance:subsection	\subsection [] {}
capoverso:instance:subsubject	\subsubject [] {}
capoverso:instance:subsubsection	\subsubsection [] $\{\}$
capoverso:instance:subsubsubject	\subsubsubject [] $\{\}$
capoverso:instance:subsubsubsection	\subsubsubsection [] {}
capoverso:instance:subsubsubsubject	\subsubsubsubject [] {}
capoverso:instance:subsubsubsubsection	\subsubsubsection [] {}
capoverso:instance:subsubsubsubject	\subsubsubsubject [] {}
capoverso:instance:title	\title [] {}
catcodetablename	\catcodetablename
cbox	\cbox {}
centeraligned	\centeraligned {}
centerbox	\centerbox {}
centeredbox	\centeredbox {}
centeredlastline	\centeredlastline
centerednextbox	\centerednextbox {}
centerline	\centerline {}
centro	\centro
cfrac	\cfrac [] {} {}
characterkerning:example	\CHARACTERKERNING [] {}
chardescription	\chardescription {}
charwidthlanguage	\charwidthlanguage
	5 5
check	\check {}
checkcharacteralign	\checkcharacteralign {}
checkedblank	\checkedblank []
checkedchar	\checkedchar {} {}
checkedfiller	\checkedfiller {}
checkedstrippedcsname	\checkedstrippedcsname \
checkedstrippedcsname:string	\checkedstrippedcsname
checkinjector	\checkinjector []
checknextindentation	\checknextindentation []
checknextinjector	\checknextinjector []
checkpage	\checkpage [] [=]
checkparameters	\checkparameters []
checkpreviousinjector	\checkpreviousinjector []
checksoundtrack	\checksoundtrack {}
checktwopassdata	\checktwopassdata {}
checkvariables	\checkvariables [] [=]
chemical	\checkvariables [] [] \chemical [] []
chemicalbottext	\chemicalbottext {}
chemicalmidtext	\chemicalmidtext {}
chemicalsymbol	\chemicalsymbol []
chemicaltext	\chemicaltext {}
chemicaltoptext	\chemicaltoptext {}
chim	\chim {} {} {}
chineseallnumerals	\chineseallnumerals {}
chinesecapnumerals	\chinesecapnumerals {}
chinesenumerals	\chinesenumerals {}
circondato	\circondato [=] {}
citation	\citation [=] []
citation:alternative	\citation [] []
citation:direct	\citation {}
citation:userdata	\citation [=] [=]
cite	\cite [=] []
cite:alternative	\cite [] []
cite:direct	\cite {}
cite:userdata	\cite [=] [=]
clap	\clap {}
classfont	\classfont {} {}
cldcommand	\cldcommand {}
cldcontext	\cldcontext {}
cldloadfile	\cldloadfile {}
cldprocessfile	\cldprocessfile {}
clip	\clip [=] {}
r	/orth [] []

clippedoverlayimage	\clippedoverlayimage {}
clonacampo	\clonacampo [] [] []
collect	\collect {}
collectedtext	\collectedtext [=] [=] {} {}
collectexpanded	\collectexpanded {}
colonna	\colonna []
colorcomponents	\colorcomponents {}
colore	\colore [] {}
colored	\colored [=] {}
colored:name	\colored [] {}
coloregrigio	\coloregrigio [] {}
coloronly	\coloronly [] {}
columnbreak	\columnbreak []
columnsetspanwidth	\columnsetspanwidth {}
combinepages	\combinepages [] [=]
commalistelement	\commalistelement
commalistsentence	\commalistsentence [] []
commalistsize	\commalistsize
commento	\commento (,) (,) [=] {]
commento:instance	\COMMENT [] [=] {}
commento:instance:comment	\comment [] [=] {}
comparedimension	\comparedimension {} {}
comparedimensioneps	\comparedimensioneps \{\ldots\} \{\ldots\}
completebtxrendering	\completebtxrendering [] [=]
completecombinedlist:instance	\completoCOMBINEDLIST [=]
completecombinedlist:instance:content	\completocontent [=]
completelist	\completelist [] [=]
completelistoffloats:instance	\completelistofFLOATS [=]
completelistoffloats:instance:chemicals	\completelistofchemicals [=]
completelistoffloats:instance:figures	\completelistoffigures [=]
completelistoffloats:instance:graphics	\completelistofgraphics [=]
completelistoffloats:instance:intermezzi	\completelistofintermezzi [=]
completelistoffloats:instance:tables	\completelistoftables [=]
completelistofpublications	\completelistoftables [] \completelistofpublications [] [=]
	\completelistofsorts [] [=]
<pre>completelistofsorts completelistofsorts:instance</pre>	\completelistofSORTS [=]
completelistofsorts:instance:logos	\completelistoflogos [=]
completelistofsynonyms	\completelistofiogos [] \completelistofsynonyms [] [=]
completelistofsynonyms:instance	
- • • • • • • • • • • • • • • • • • • •	\completelistofSYNONYMS [=]
completelistofsynonyms:instance:abbreviations	\completelistofabbreviations [=]
completeregister	\completeregister [] [=]
completeregister:instance	\completoREGISTER [=]
completeregister:instance:index	\completoindex [=]
complexorsimple	\complexorsimple \
complexorsimpleempty	\complexorsimpleempty \
complexorsimpleempty:argument	\complexorsimpleempty {}
complexorsimple:argument	\complexorsimple {}
componenet	\component []
componenet:string	\component
composedcollector	\composedcollector {}
composedlayer	\composedlayer {}
compresult	\compresult
confrontagruppocolori	\confrontagruppocolori []
confrontatavolozza	\confrontatavolozza []
constantdimen	\constantdimen \
constantdimenargument	\constantdimenargument \
constantemptyargument	\constantemptyargument \
constantnumber	\constantnumber \
constantnumberargument	\constantnumberargument \
contentreference	\contentreference [] [=] {}
continuednumber	\continuednumber {}
continueifinputfile	\continueifinputfile {}
convertargument	\convertargument \to \
convertcommand	\convertcommand \ \to \
convertedcounter	\convertedcounter [] [=]
converteddimen	\converteddimen {} {}
convertedsubcounter	\convertedsubcounter [] [] [=]
convertinumero	\convertinumero {} {}
convertmenth	\convertmenth {}
convertvalue	\convertvalue \to \
convertvboxtohbox	\convertvboxtohbox
conjacampo	\conjacampo [] []

copyboxfromcache	\copyboxfromcache {} {}
copylabeltext:instance	\copyLABELtesto [] [=]
copylabeltext:instance:btxlabel	\copybtxlabeltesto [] [=]
copylabeltext:instance:head	\copyheadtesto [] [=]
copylabeltext:instance:label	\copylabeltesto [] [=]
copylabeltext:instance:mathlabel	\copymathlabeltesto [] [=]
copylabeltext:instance:operator	\copyoperatortesto [] [=]
copylabeltext:instance:prefix	\copyprefixtesto [] [=]
copylabeltext:instance:suffix	\copysuffixtesto [] [=]
copylabeltext:instance:taglabel	\copytaglabeltesto [] [=]
copylabeltext:instance:unit	\copyunittesto [] [=]
copypages	\copypages [] [=] [=]
copyparameters	\copyparameters [] []
copyposition	\copyposition {} {}
copysetups	\copysetups [] []
correggispaziobianco corsivo	\correggispaziobianco {} \corsivo
corsivograssetto	\corsivograssetto
countersubs	\countersubs [] []
counttoken	\counttelsubs [] [] \counttoken \in \to \
counttokens	\counttokens \to \
cramped	\cramped {}
crampedclap	\crampedclap {}
crampedllap	\crampedllap {}
crampedrlap	\crampedrlap {}
ctop	\ctop {}
ctxcommand	\ctxcommand {}
ctxdirectcommand	\ctxdirectcommand {}
ctxdirectlua	\ctxdirectlua {}
ctxfunction	\ctxfunction {}
ctxfunctiondefinition:example	\CTXFUNCTIONDEFINITION
ctxfunction:example	\CTXFUNCTION
ctxlatecommand	\ctxlatecommand {}
ctxlatelua	\ctxlatelua {}
ctxloadluafile	\ctxloadluafile {}
ctxlua	\ctxlua {}
ctxluabuffer	\ctxluabuffer []
ctxluacode	\ctxluacode {}
ctxreport	\ctxreport {}
ctxsprint	\ctxsprint {}
currentassignmentlistkey	\currentassignmentlistkey
currentassignmentlistvalue	\currentassignmentlistvalue
currentbtxuservariable	\currentbtxuservariable {}
currentcommalistitem	\currentcommalistitem
currentcomponent	\currentcomponent
currentenvironment	\currentenvironment
currentfeaturetest	\currentfeaturetest
currentinterface	\currentinterface
currentlabel:example	\currentETICHETTA [] {}
currentlanguage	\currentlanguage
currentlistentrydestinationattribute	\currentlistentrydestinationattribute
currentlistentrylimitedtext	\currentlistentrylimitedtext {}
currentlistentrynumber	\currentlistentrynumber
currentlistentrypagenumber	\currentlistentrypagenumber
currentlistentryreferenceattribute	\currentlistentryreferenceattribute {}
currentlistentrytitle	\currentlistentrytitle
currentlistentrytitlerendered	\currentlistentrytitlerendered
currentlistsymbol	\currentlistsymbol
currentmainlanguage	\currentmainlanguage
currentmessagetext	\currentmessagetext
currentmoduleparameter	\currentmoduleparameter {}
currentoutputstream	\currentoutputstream
currentproduct	\currentproduct
currentproject	\currentproject
currentregime	\currentregime
currentregisterpageuserdata	\currentregisterpageuserdata {}
currentresponses	\currentresponses
currenttime	\currenttime []
currentvalue	\currentvalue
currentxtablecolumn	\currentxtablecolumn
currentxtablerow	\currentxtablerow
d	\ፈና ጌ

) · F 3
da	\da []
daqualcheparte	\daqualcheparte {} {} []
data	\data [=] []
datadioggi	\datadioggi []
datasetvariable	\datasetvariable \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
dayoftheweek	\dayoftheweek $\{\}$ $\{\}$
dayspermonth	\dayspermonth {} {}
dddot	\dddot {}
ddot	\ddot {}
decrement	\decrement \
decrementcounter	\decrementcounter [] []
decrementedcounter	\decrementedcounter []
decrementpagenumber	\decrementpagenumber
decrementsubpagenumber	\decrementsubpagenumber
decrementvalue	\decrementvalue {}
decrement:argument	\decrement ()
defaultinterface	\defaultinterface
defaultobjectpage	\defaultobjectpage
defaultobjectreference	\defaultobjectreference
defcatcodecommand	\defcatcodecommand \ {}
defconvertedargument	\defconvertedargument \ {}
defconvertedcommand	\defconvertedcommand \ \
defconvertedvalue	\defconvertedvalue \ {}
defineactivecharacter	\defineactivecharacter {}
definealternativestyle	\definealternativestyle [] []
defineanchor	\defineanchor [] [=] [=]
defineattachment	\defineattachment [] [] [=]
defineattribute	\defineattribute [] []
definebackground	\definebackground [] [=]
definebar	\definebar [] [] []
definebodyfontswitch	\definebodyfontswitch [] []
definebreakpoint	\definebreakpoint [] [=]
definebreakpoints	\definebreakpoints []
definebtx	\definebtx [] [=]
definebtxdataset	\definebtxdataset [] [=]
definebtxregister	\definebtxregister [] [=]
definebtxrendering	\definebtxrendering [] [] [=]
definebutton	\definebutton [] [=]
definecapitals	\definecapitals [] [=]
definecharacterkerning	\definecharacterkerning [] [=]
definecharacterspacing	\definecharacterspacing []
definechemical	\definechemical [] {}
definechemicals	\definechemicals [] [=]
definechemicalsymbol	\definechemicalsymbol [] []
definecollector	\definecollector [] [=]
definecolumnbreak	\definecolumnbreak []
definecolumnsetarea	\definecolumnsetarea [] [] [=]
definecolumnsetspan	\definecolumnsetspan [] [=]
definecombination	\definecombination [] [=]
definecomment	\definecomment [] [=]
definecomplexorsimple	\definecomplexorsimple \
definecomplexorsimpleempty	\definecomplexorsimpleempty \
definecomplexorsimpleempty:argument	\definecomplexorsimpleempty {}
definecomplexorsimple:argument	\definecomplexorsimple {}
defineconversionset	\defineconversionset [] []
definecounter	\definecounter [] [=]
definedataset	\definedataset [] [=]
definedelimitedtext	\definedelimitedtext [] [=]
definedfont	\definedfont []
defineeffect	\defineeffect [] [=]
defineexpandable	\defineexpandable [] \ {}
defineexternalfigure	\defineexternalfigure [] [=]
definefacingfloat	\definefacingfloat [] [] [=]
definefallbackfamily	\definefallbackfamily [] [] []
definefallbackfamily:preset	\definefallbackfamily [] [] []
definefieldbody	\definefieldbody [] [=]
definefieldbodyset	\definefieldbodyset [] []
definefieldcategory	\definefieldcategory [] [=]
definefileconstant	\definefileconstant {} {}
definefilefallback	\definefilefallback [] []
definefilesynonym	\definefilesynonym [] []
definefiller	\definefiller [] [=]

definefirstline	\definefirstline [] [=]
definefittingpage	\definefittingpage [] [] [=]
definefontalternative	\definefontalternative []
definefontfallback	\definefontfallback [] [] [] [=]
definefontfamily	\definefontfamily [] [] [=]
definefontfamilypreset	\definefontfamilypreset [] [=]
definefontfamilypreset:name	\definefontfamilypreset [] []
definefontfamily:preset	\definefontfamily [] [] []
definefontfeature	\definefontfeature [] [=]
definefontfile	\definefontfile [] [=]
definefontsize	\definefontsize []
definefontsolution	\definefontsolution [] [] [=]
defineformula	\defineformula [] [=]
defineformulaalternative	\defineformulaalternative [] []
defineformulaframed	\defineformulaframed [] [] [] \defineframedcontent [] [] []
defineframedcontent defineframedtable	\defineframedtable [] []
defineframedtable	\definefrozenfont [] []
defineglobalcolor	\defineslobalcolor [] []
defineglobalcolor:name	\defineglobalcolor [] []
definegraphictypesynonym	\definegrobalcolor [] [] \definegraphictypesynonym [] []
definegridsnapping	\definegridsnapping [] []
defineheadalternative	\definedgradhapping [] [] \defineheadalternative [] [] [=]
definehelp	\definehelp [] [] []
definehigh	\definehelp [] [] \definehigh [] [=]
definehighlight	\definehighlight [] [=]
definehspace	\definehspace [] []
definehypenationfeatures	\definehypenationfeatures [] [=]
defineindentedtext	\defineindentedtext [] [=]
defineindenting	\defineindenting [] []
defineinitial	\defineinitial [] [=]
defineinsertion	\defineinsertion [] [] [=]
defineinteraction	\defineinteraction [] [] [=]
defineinteractionbar	\defineinteractionbar [] [] [=]
defineinterfaceconstant	\defineinterfaceconstant {} {}
defineinterfaceelement	\defineinterfaceelement {} {}
defineinterfacevariable	\defineinterfacevariable {} {}
defineinterlinespace	\defineinterlinespace [] [] [=]
defineintermediatecolor	\defineintermediatecolor [] [] [=]
defineitemgroup	\defineitemgroup [] [=]
defineitems	\defineitems [] [=]
definelabelclass	\definelabelclass [] []
definelayer	\definelayer [] [=]
definelayerpreset	\definelayerpreset [] [=]
definelayerpreset:name	\definelayerpreset [] []
definelinefiller	\definelinefiller [] [=]
definelinenote	\definelinenote [] []
definelinenumbering	\definelinenumbering [] [=]
definelines definelistalternative	\definelines [] [] [] \definelistalternative [] [] []
definelistextra	\definelistatternative [] [] \definelistextra [] []
definelow	\definelow [] [] [] \definelow [] []
definelow	\definelow [] [] \definelowhigh [] []
definelowmidhigh	\definelowmidhigh [] [] [=]
defineMPinstance	\defineMPinstance [] [] [=]
definemarginblock	\definemarginblock [] [] [=]
definemargindata	\definemargindata [] [] [=]
definemarker	\definemarker []
definemathaccent	\definemathaccent
definemathalignment	definemathalignment [] [] [=]
definemathcases	\definemathcases [] [] [=]
definemathcommand	\definemathcommand [] [] {}
definemathdouble	\definemathdouble [] [] []
definemathdoubleextensible	\definemathdoubleextensible [] [] []
definemathematics	\definemathematics [] [=]
definemathextensible	\definemathextensible [] []
definemathfence	\definemathfence [] [=]
definemathfraction	\definemathfraction [] [] [=]
definemathframed	\definemathframed [] [=]
definemathmatrix	\definemathmatrix [] [=]
definemathornament	\definemathornament [] [] [=]
definemathover	\definemathover [] []

definemathoverextensible	\definemathoverextensible [] []
definemathovertextextensible	\definemathovertextextensible [] []
definemathradical	\definemathradical [] [] [=]
definemathstackers	\definemathstackers [] [] [=]
definemathstyle	\definemathstyle [] []
definemathtriplet	\definemathtriplet [] []
definemathunder	\definemathunder [] []
definemathunderextensible	\definemathunderextensible [] []
definemathundertextextensible	\definemathundertextextensible [] []
definemathunstacked	\definemathunstacked [] []
definemeasure	\definemeasure [] []
definemessageconstant	\definemessageconstant {}
definemixedcolumns	\definemixedcolumns [] [] [=]
definemode	\definemode [] []
definemultitonecolor	\definemultitonecolor [] [=] [=]
definenamedcolor	\definenamedcolor [] [=]
definenamedcolor:name	\definenamedcolor [] []
definenamespace	\definenamespace [] [=]
definenarrower	\definenarrower [] [=]
definenote	\definenote [] [=]
defineornament:collector	\defineornament [] [=] [=]
defineornament:layer	\defineornament [] [=]
defineoutputroutine	\defineoutputroutine [] [] [=]
defineoutputroutinecommand	\defineoutputroutinecommand []
definepage	\definepage [] []
definepagebreak	\definepagebreak [] []
definepagechecker	\definepagechecker [] [=]
definepagecolumns	\definepagecolumns [] [] [=]
definepageinjection	\definepageinjection [] [] [=]
definepageinjectionalternative	\definepageinjectionalternative [] [] [=]
definepageshift	\definepageshift [] []
definepagestate	\definepagestate [] [=]
definepairedbox	\definepairedbox [] [=]
defineparagraph	\defineparagraph [] [=]
defineparallel	\defineparallel [] []
defineparbuilder	\defineparbuilder []
defineperiodkerning	\defineperiodkerning [] [=]
defineplacement	\defineplacement [] [=]
definepositioning	\definepositioning [] [=]
defineprefixset	\defineprefixset [] []
defineprocesscolor	\defineprocesscolor [] [=]
defineprocessor	\defineprocessor [] [=]
definepushbutton	\definepushbutton [] [=]
definepushsymbol	\definepushsymbol [] []
definerenderingwindow	\definerenderingwindow [] [] [=]
defineresetset	\defineresetset [] []
defineruby	\defineruby [] [=]
definescale	\definescale [] [=]
definescript	\definescript [] [=]
definesectionlevels	\definesectionlevels []
defineselector	\defineselector [] [=]
defineseparatorset	\defineseparatorset [] []
defineshift	\defineshift [] [=]
definesidebar	\definesidebar [] [=]
definesort	\definesort [] [] {}
definespotcolor	\definespotcolor [] [=]
definestyleinstance	\definestyleinstance [] [] []
definesubformula	\definesubformula [] [] [=]
definesynonym	\definesynonym [] [] {} {}
definesystemattribute	\definesystemattribute [] []
definesystemconstant	\definesystemconstant {}
definesystemvariable	\definesystemvariable {}
defineTABLEsetup	\defineTABLEsetup [] [=]
definetavthackground	\definetabulation [] []
definetextbackground	\definetextbackground [] [] [=]
definetelenlist	\definetextflow [] [=]
definetokenlist	\definetokenlist []
definetrongraphy.1	\definetrongroups [] []
definetransparency:1	\definetransparency [] \definetransparency []
<pre>definetransparency:2 definetransparency:3</pre>	\definetransparency [] [=]
definetwopasslist	\definetransparency [] \. \definetwopasslist \{\}
	/

	\1.C'
definetypeface	\definetypeface [] [] [] [] [] []
definetypescriptprefix	\definetypescriptprefix [] []
definetypescriptsynonym	\definetypescriptsynonym []
definetypesetting	\definetypesetting [] [=]
defineunit	\defineunit [] [=]
defineuserdata	\defineuserdata [] [=]
defineuserdataalternative	\defineuserdataalternative [] [] [=]
defineviewerlayer	\defineviewerlayer [] [=]
definevspace	\definevspace [] []
definevspacing	\definevspacing []
definevspacingamount	\definevspacingamount [] []
definextable	\definextable [] [=]
definisci	\definisci [] \ {}
definisciaccento	\definisciaccento
definisciambientefontdeltesto	\definisciambientefontdeltesto [] [] [=]
definisciblocco	\definisciblocco [] [=]
definiscibloccosezione	\definiscibloccosezione [] []
definiscibuffer	\definiscibuffer [] []
definiscicampo	\definiscicampo [] [] [] []
definiscicapoversi definiscicarattere	\definiscicapoversi [] [=]
	\definiscicarattere
definiscicolore	\definiscicolore [] [=]
definiscicolore:name	\definiscicolore [] []
definiscicomando	\definiscicomando
definisciconversione	\definisciconversione [] []
definisciconversione:list	\definisciconversione [] []
definiscidescrizione	\definiscidescrizione [] [=]
definiscidimensionicarta	\definiscidimensionicarta [] [=]
definiscidimensionicarta:name	\definiscidimensionicarta [] []
definiscielenco	\definiscielenco [] [=]
definiscielencocombinato	\definiscielencocombinato [] [] [=]
definiscienumerazione	\definiscienumerazione [] [] [=]
definiscietichetta	\definiscietichetta [] [=]
definiscifigurasimbolo	\definiscifigurasimbolo [] [] [=]
definiscifont	\definiscifont [] []
definiscifontdeltesto	\definiscifontdeltesto [] [] [] [=]
definiscifontdeltesto:argument	\definiscifontdeltesto [] [] []
definiscifont:argument	\definiscifont [] []
definisciformatoriferimento	\definisciformatoriferimento [] [] [=]
definiscigruppocolonne	\definiscigruppocolonne [] [] [=]
9 11	
definiscigruppocolori definiscihbox	\definiscigruppocolori [] [x:y:z,]
	\definiscihox [] []
definisciincorniciato	\definisciincorniciato [] [] [=]
definisciiniziatermina	\definisciiniziatermina [] [] [=]
definiscilayout	\definiscilayout [] []
definiscimakeup	\definiscimakeup [] [=]
definiscimarcatura	\definiscimarcatura [] [] [=]
definiscimenuinterazione	\definiscimenuinterazione [] [=]
definiscimodellotabella	$\label{localization} $$ \definiscimodellotabella [] [] [] $$ [] $$$
definiscioggettomobile	\definiscioggettomobile [] [=]
definiscioggettomobile:name	\definiscioggettomobile [] []
definisciordinamento	\definisciordinamento [] []
definisciprofilo	\definisciprofilo [] [=]
definisciprogramma	\definisciprogramma [] []
definisciregistro	\definisciregistro [] [=]
definisciriferimento	\definisciriferimento [] []
definiscisezione	\definiscisezione []
definiscisimbolo	\definiscisimbolo [] []
definiscisinonimi	\definiscisinonimi [] [] []
definiscisinonimofont	\definiscisinonimofont [] [=]
definiscisottocampo	\definiscisottocampo [] []
definiscisovrapposizione	\definiscisovrapposizione [] []
definiscistackcampi	\definiscistackcampi [] [] [=]
definiscistile	\definiscistile [] [] [] \definiscistile [] []
definiscistile	\definiscistilefont [] []
definiscitabulato	
	\definiscitabulato [] [] [] \definiscitavolozza [] [=] OPT
definiscitavolozza definiscitavolozza:name	AGE: 10.18C11.8V010228 1 1 1 2 1 1
OPTIMISCILAVOIOXXA:NAMP	
	\definiscitavolozza [] []
definiscitesta	\definiscitavolozza [] [] \definiscitesta [] []
definiscitesta definiscitesto	\definiscitavolozza [] [] \definiscitesta [] [] [] [] [] [] [] []
definiscitesta	\definiscitavolozza [] [] \definiscitesta [] [=]

lefiniscityping	\definiscityping [] [=]
delimited	\delimited [] [] {}
delimitedtext	\delimitedtext [] [] {}
delimitedtext:instance	\DELIMITEDTEXT [] {}
delimitedtext:instance:aside	\aside [] {}
delimitedtext:instance:blockquote	\blockquote [] {}
delimitedtext:instance:quotation	\quotation [] {}
delimitedtext:instance:quote delimitedtext:instance:speech	\quote [] {} \speech [] {}
derimitedtext.instance.speech	\depthofstring {}
depthonlybox	\depthonlybox {}
lepthspanningtext	\depthspanningtext {} {}
depthstrut	\depthstrut
lescrizione:example	\DESCRIZIONE [] {} \par
destra	\destra
leterminacaratteristicheregistro	\determinacaratteristicheregistro [] [=]
determinacarattersticheelenco	\determinacarattersticheelenco [] [=]
determinanumerotesta	\determinanumerotesta []
determinenoflines	\determinenoflines \{\ldots\}
levanagarinumerals	\devanagarinumerals {}
ligits	\digits {}
ligits:string	\digits
limensiontocount lirectboxfromcache	\dimensiontocount {} \ \directboxfromcache {} {}
directcolor	\directooxiiomcache \(\cdots\); \(\cdots\);
directcolored	\directcolored [=]
directcolored:name	\directcolored []
lirectconvertedcounter	\directconvertedcounter {} {}
lirectcopyboxfromcache	\directcopyboxfromcache {} {}
directdummyparameter	\directdummyparameter {}
directgetboxllx	\directgetboxllx
directgetboxlly	\directgetboxlly
lirecthighlight	\directhighlight {} {}
directlocalframed	\directlocalframed [] {}
directluacode	\directluacode {}
directselect	\directselect {} {} {} {} {} \
directsetbar	/directsethar ()
directsetup	\directsetup {}
lirectsymbol lirectvspacing	<pre>\directsymbol {} {} \directvspacing {}</pre>
dis	\dis {}
disabledirectives	\disabledirectives []
disableexperiments	\disableexperiments []
disablemode	\disablemode []
disableoutputstream	\disableoutputstream
disableparpositions	\disableparpositions
disableregime	\disableregime
disabletrackers	\disabletrackers []
displaymath	\displaymath {}
displaymathematics	\displaymathematics {}
displaymessage	\displaymessage {}
distributedhsize	\distributedhsize \{\ldots\}\{\ldots\}\{\ldots\}\
lividedsize	\dividedsize {} {} {}
loadaptleftskip	\doadaptleftskip {}
doadaptrightskip doaddfeature	\doadaptrightskip {} \doaddfeature {}
loassign	\doassign [] [=]
loassignempty	\doassignempty [] [=]
loboundtext	\doboundtext {} {} {}
locheckassignment	\docheckassignment {}
locheckedpagestate	\docheckedpagestate \{\ldots\} \{
locheckedpair	\docheckedpair {}
documentvariable	\documentvariable {}
dodoubleargument	\dodoubleargument \ []
dodoubleargumentwithset	\dodoubleargumentwithset \ [] []
dodoubleempty	\dodoubleempty \ [] []
dodoubleemptywithset	\dodoubleemptywithset \ [] []
dodoublegroupempty	\dodoublegroupempty \ {} {}
doeassign	\doeassign [] [=]
doexpandedrecurse	\doexpandedrecurse {} {}
dofastloopcs	\dofastloopcs {} \
logetattribute	\dogetattribute {}

 ${\tt dogetattribute}$

dogetattributeid	\dogetattributeid {}
dogetcommacommandelement	$\verb \dogetcommacommandelement from to $
dogobbledoubleempty	\dogobbledoubleempty [] []
dogobblesingleempty	\dogobblesingleempty []
doif	\doif {} {} {}
doifallcommon	\doifallcommon \{\} \{\}
doifallcommonelse doifalldefinedelse	\doifallcommonelse \{\} \{\} \{\} \\doifalldefinedelse \{\} \{\} \{\}
doifallmodes	\doifallmodes \{\cdot\) \{\cdot\}
doifallmodeselse	\doifallmodeselse \{\} \{\}
doifassignmentelse	\doifassignmentelse \{\} \{\}
doifassignmentelsecs	\doifassignmentelsecs {} \ \
doifblackelse	\doifblackelse {} {} {}
doifbothsides	\doifbothsides \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifbothsidesoverruled	\doifbothsidesoverruled $\{\ldots\}$ $\{\ldots\}$
doifboxelse	\doifboxelse $\{\}$ $\{\}$ $\{\}$
doifbufferelse	\doifbufferelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifcolor	\doifcolor {} {}
doifcolorelse	\doifcolorelse {} {} {}
doifcommandhandler	\doifcommandhandler \ \{\} \{\}
doifcommandhandlerelse	\doifcommandhandlerelse \ \{\} \{\}
doifcommon	\doifcommon \{\} \{\}
doifcommonelse	\doifcommonelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifcontent doifconversiondefinedelse	\doifconversiondefinedelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifconversionnumberelse	\doifconversionnumberelse \{\ldots\} \\\ \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifcounter	\doifcounter \{\} \{\}
doifcounterelse	\doifcounterelse \{\ldots\} \\\ \\.\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifcurrentfonthasfeatureelse	\doifcurrentfonthasfeatureelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifdefined	\doifdefined {} {}
doifdefinedcounter	\doifdefinedcounter {} {}
doifdefinedcounterelse	\doifdefinedcounterelse \{\ldots\} \{\ldots\}
doifdefinedelse	\doifdefinedelse {} {}
doifdimensionelse	\doifdimensionelse $\{\ldots\}$ $\{\ldots\}$
doifdimenstringelse	\doifdimenstringelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifdocumentargument	\doifdocumentargument \{\ldots\} \\
doifdocumentargumentelse	\doifdocumentargumentelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifdocumentfilename doifdocumentfilenameelse	\doifdocumentfilename \{\doifdocumentfilename \{\doifd
doifdocumentvariable	\doifdocumentfilenameelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifdocumentvariableelse	\doifdocumentvariableelse \{\ldots\} \\\ \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifdrawingblackelse	\doifdrawingblackelse {} {}
doifelse	\doifelse {} {} {}
doifelseallcommon	\doifelseallcommon {} {} {} {}
doifelsealldefined	\doifelsealldefined \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelseallmodes	\doifelseallmodes $\{\ldots\}$ $\{\ldots\}$
doifelseassignment	\doifelseassignment \{\ldots\} \{\ldots\}
doifelseassignmentcs	\doifelseassignmentcs \{\ldots\}\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelseblack	\doifelseblack \{\} \{\}
doifelsebox	\doifelsebox \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelseboxincache doifelsebuffer	\doifelseboxincache \{\} \{\} \{\} \\doifelsebuffer \{\} \{\} \\doifelsebuffer \{\} \{\} \\doifelsebuffer \{\} \doifelsebuffer \{\} \\doifelsebuffer \{\} \\doifelsebu
doifelsecolor	\doifelsecolor \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsecommandhandler	\doifelsecommandhandler \ \{\} \{\}
doifelsecommon	\doifelsecommon {} {} {} {}
doifelseconversiondefined	\doifelseconversiondefined \{\ldots\} \{\ldots\}
doifelseconversionnumber	\doifelseconversionnumber \{\ldots\} \{\ldots\} \{\ldots\} \{\ldots\}
doifelsecounter	\doifelsecounter {} {}
doifelsecurrentfonthasfeature	\doifelsecurrentfonthasfeature $\{\ldots\}$ $\{\ldots\}$
doifelsecurrentsortingused	\doifelsecurrentsortingused {} {}
doifelsecurrentsynonymshown	\doifelsecurrentsynonymshown \{\ldots\} \{\ldots\}
doifelsecurrentsynonymused	\doifelsecurrentsynonymused \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsedefined	\doifelsedefined \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsedefinedcounter	\doifelsedefinedcounter \{\ldots\} \\\.\\\\
doifelsedimension	\doifelsedimension \{\ldots\} \{\ldots\} \\doifelsedimenstring \{\ldots\} \{\ldots\} \\doifelsedimenstring \{\ldots\} \\doifelsedime
doifelsedimenstring doifelsedocumentargument	\doifelsedimenstring \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsedocumentfilename	\doifelsedocumentargument \lambda \forall \lambda \forall \lambda \lam
doifelsedocumentvariable	\doifelsedocumentvariable \{\ldots\} \\\ \ldots\}
doifelsedrawingblack	\doifelsedrawingblack \{\ldots\} \\\
doifelseempty	\doifelseempty {} {}
doifelseemptyvalue	\doifelseemptyvalue {} {}

doifelseemptyvariable	\doifelseemptyvariable \{\} \{\} \{\}
doifelseenv	\doifelseenv {} {}
doifelsefastoptionalcheck	\doifelsefastoptionalcheck \{\ldots\} \{\ldots\}
doifelsefastoptionalcheckcs	\doifelsefastoptionalcheckcs \ \
doifelsefieldbody	\doifelsefieldbody \{\ldots\} \\\ \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsefieldcategory	\doifelsefieldcategory \{\ldots\} \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \
doifelsefigure	\doifelsefigure \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsefile	\doifelsefile \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsefiledefined	\doifelsefiledefined \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsefileexists	\doifelsefileexists {} {}
doifelsefirstchar	\doifelsefirstchar {} {} {}
doifelseflagged	\doifelseflagged \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsefontchar	\doifelsefontchar \{\} \{\} \{\}
doifelsefontfeature	\doifelsefontfeature \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsefontpresent	\doifelsefontpresent \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsefontsynonym	\doifelsefontsynonym \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelseframed	\doifelseframed \ \{\} \{\}
doifelsehasspace	\doifelsehasspace {} {} {}
doifelsehelp	\doifelsehelp \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelseincsname	\doifelseincsname \{\} \{\} \{\}
doifelseinelement	\doifelseinelement \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelseinputfile	\doifelseinputfile \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelseinsertion	\doifelseinsertion \{\ldots\} \\\.\\\
doifelseinset	\doifelseinset \{\} \{\} \{\}
doifelseinstring	\doifelseinstring \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelseinsymbolset doifelseintoks	\doifelseinsymbolset \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
	\doifelseintoks \{\doifelseintwopassdata \{\do
doifelseintwopassdata doifelseitalic	\doifelseitalic \{\ldots\} \\\.\}
doifelselanguage	\doifelselanguage \{\doifelselanguage \{\doifelselanguage \{\dots\} \\doifelselanguage \{\doifelselanguage
doifelselayerdata	\doifelselayerdata \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelselayoutdefined	\doifelselayoutdefined \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelselayoutsomeline	\doifelselayoutsomeline \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelselayouttextline	\doifelselayouttextline \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelseleapyear	\doifelseleapyear \{\ldots\} \\\.\\
doifelselist	\doifelselist {} {}
doifelselocation	\doifelselocation {} {}
doifelselocfile	\doifelselocfile {} {} {}
doifelseMPgraphic	\doifelseMPgraphic {} {} {}
doifelsemainfloatbody	\doifelsemainfloatbody {} {}
doifelsemarkedpage	\doifelsemarkedpage {} {} {}
doifelsemarking	\doifelsemarking \{\ldots\} \\\.\\
doifelsemeaning	\doifelsemeaning \ \ \{} \{}
doifelsemessage	\doifelsemessage $\{\}$ $\{\}$ $\{\}$
doifelsemode	\doifelsemode $\{\}$ $\{\}$
doifelsenextbgroup	\doifelsenextbgroup {} {}
doifelsenextbgroupcs	\doifelsenextbgroupcs \ \
doifelsenextchar	\doifelsenextchar $\{\}$ $\{\}$
doifelsenextoptional	\doifelsenextoptional \{\ldots\}
doifelsenextoptionalcs	\doifelsenextoptionalcs \ \
doifelsenextparenthesis	\doifelsenextparenthesis \{\ldots\} \{\ldots\}
doifelsenonzeropositive	\doifelsenonzeropositive \{\ldots\} \{\ldots\}
doifelsenoteonsamepage	\doifelsenoteonsamepage \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsenothing	\doifelsenothing \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsenumber	\doifelsenumber \{\} \{\}
doifelseobjectfound	\doifelseobjectfound \{\ldots\} \{\ldots\} \{\ldots\}
doifelseobjectreferencefound	\doifelseobjectreferencefound \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelseoddpage	\doifelseoddpage {} {}
doifelseoddpagefloat doifelseoldercontext	\doifelseoddpagefloat {} {} \doifelseoldercontext {} {} {}
doifelseolderversion	\doifelseolderversion \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelseoverlapping	\doifelseoverlapping \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelseoverlay	\doifelseoverlay \{\} \\doifelseoverlay \{\} \\d\}
doifelseparallel	\doifelseparallel \{\} \{\} \{\}
doifelseparentfile	\doifelseparentfile \{\} \{\}
doifelsepath	\doifelsepath \{\} \\.\.\}
doifelsepathexists	\doifelsepathexists \{\} \{\}
doifelsepatterns	\doifelsepatterns \{\} \{\}
doifelseposition	\doifelseposition \{\ldots\} \{\ldots\}
doifelsepositionaction	\doifelsepositionaction \{\ldots\} \{\ldots\}
doifelsepositiononpage	\doifelsepositiononpage {} {} {}
doifelsepositionsonsamepage	\doifelsepositionsonsamepage {} {} {}

doifelsepositionsonthispage	\doifelsepositionsonthispage \{\ldots\} \{\ldots\} \\
doifelsepositionsused	\doifelsepositionsused $\{\ldots\}$ $\{\ldots\}$
doifelsereferencefound	\doifelsereferencefound \{\ldots\} \{\ldots\}
doifelserightpage	\doifelserightpage {} {}
doifelserightpagefloat	\doifelserightpagefloat {} {}
doifelserighttoleftinbox	\doifelserighttoleftinbox {} {}
doifelsesamelinereference	\doifelsesamelinereference \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsesamestring doifelsesetups	\doifelsesamestring \{\} \{\} \{\} \\doifelsesetups \{\} \{\} \\doifelsesetups \{\} \{\} \\doifelsesetups \{\} \{\} \\doifelsesetups \{\} \doifelsesetups \{\} \\doifelsesetups \{\} \\do
doifelsesomebackground	\doifelsesomebackground \{\ldots\} \{\ldots\} \{\ldots\}
doifelsesomespace	\doifelsesomespace \{\ldots\} \\\.\\\
doifelsesomething	\doifelsesomething {} {} {}
doifelsesometoks	\doifelsesometoks \ \{\} \{\}
doifelsestringinstring	\doifelsestringinstring $\{\}$ $\{\}$ $\{\}$
doifelsestructurelisthasnumber	$\doint doifelsest ructure list has number {} {}$
doifelsestructurelisthaspage	\doifelsestructurelisthaspage \{\ldots\} \{\ldots\}
doifelsesymboldefined	\doifelsesymboldefined \{\ldots\} \\\ \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsesymbolset	\doifelsesymbolset \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsetext	\doifelsetext {} {} {}
doifelsetextflow doifelsetextflowcollector	\doifelsetextflow \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsetopofpage	\doifelsetopofpage \{\ldots\} \\\.\}
doifelsetypingfile	\doifelsetypingfile \{\} \{\}
doifelseundefined	\doifelseundefined {} {} {}
doifelseurldefined	\doifelseurldefined \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsevalue	\doifelsevalue {} {} {}
doifelsevaluenothing	\doifelsevaluenothing $\{\}$ $\{\}$
doifelsevariable	\doifelsevariable $\{\}$ $\{\}$ $\{\}$
doifempty	\doifempty {} {}
doifemptyelse	\doifemptyelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifemptytoks	\doifemptytoks \ {}
doifemptyvalue	\doifemptyvalue \{\ldots\} \\\
doifemptyvalueelse	\doifemptyvalueelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifemptyvariable	\doifemptyvariable \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifemptyvariableelse doifenv	\doifemptyvariableelse \{\} \{\} \{\} \\doifemptyvariableelse \{\} \{\} \\doifemptyvariableelse \{\} \\doife
doifenvelse	\doifenvelse {} {} {}
doiffastoptionalcheckcselse	\doiffastoptionalcheckcselse \ \
doiffastoptionalcheckelse	\doiffastoptionalcheckelse {} {}
doiffieldbodyelse	\doiffieldbodyelse $\{\}$ $\{\}$
doiffieldcategoryelse	\doiffieldcategoryelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doiffigureelse	\doiffigureelse {} {} {}
doiffile	\doiffile \{\ldots\}
doiffiledefinedelse doiffileelse	\doiffiledefinedelse \{\} \{\} \doiffileelse \{\} \{\}
doiffileexistselse	\doiffileexistselse \{\} \{\}
doiffirstcharelse	\doiffirstcharelse \{\} \{\} \{\}
doifflaggedelse	
	\doifflaggedelse {} {} {}
doiffontcharelse	
	$\label{local_doifflaggedelse} $$ \doifflaggedelse {} {} {}$
doiffontcharelse doiffontfeatureelse doiffontpresentelse	\doifflaggedelse {} {} {} \doiffontcharelse {} {} {} \doiffontfeatureelse {} {} {} \doiffontpresentelse {} {} {}
doiffontcharelse doiffontfeatureelse doiffontpresentelse doiffontsynonymelse	\doifflaggedelse {} {} {} \doiffontcharelse {} {} {} \doiffontfeatureelse {} {} {} \doiffontpresentelse {} {} {} \doiffontsynonymelse {} {} {}
doiffontcharelse doiffontfeatureelse doiffontpresentelse doiffontsynonymelse doifhasspaceelse	\doifflaggedelse {} {} {} \doiffontcharelse {} {} {} \doiffontfeatureelse {} {} {} \doiffontpresentelse {} {} {} \doiffontsynonymelse {} {} {} \doiffnasspaceelse {} {} {}
doiffontcharelse doiffontfeatureelse doiffontpresentelse doiffontsynonymelse doifhasspaceelse doifhelpelse	\doifflaggedelse {} {} {} \doiffontcharelse {} {} {} \doiffontfeatureelse {} {} {} \doiffontpresentelse {} {} {} \doiffontsynonymelse {} {} {} \doifhasspaceelse {} {} {} \doifhelpelse {} {}
doiffontcharelse doiffontfeatureelse doiffontpresentelse doiffontsynonymelse doifhasspaceelse doifhelpelse doifincsnameelse	\doifflaggedelse {} {} {} \doiffontcharelse {} {} {} \doiffontfeatureelse {} {} {} \doiffontpresentelse {} {} {} \doiffontsynonymelse {} {} {} \doifhasspaceelse {} {} {} \doifhelpelse {} {} {}
doiffontcharelse doiffontfeatureelse doiffontpresentelse doiffontsynonymelse doifhasspaceelse doifhelpelse doifincsnameelse doifinelementelse	\doifflaggedelse {} {} {} \doiffontcharelse {} {} {} \doiffontfeatureelse {} {} {} \doiffontpresentelse {} {} {} \doiffontsynonymelse {} {} {} \doifhasspaceelse {} {} {} \doifincsnameelse {} {} {} \doifincsnameelse {} {} {}
doiffontcharelse doiffontfeatureelse doiffontpresentelse doiffontsynonymelse doifhasspaceelse doifhelpelse doifincsnameelse doifinelementelse doifinputfileelse	\doifflaggedelse {} {} {} \doiffontcharelse {} {} {} \doiffontfeatureelse {} {} {} \doiffontpresentelse {} {} {} \doiffontsynonymelse {} {} {} \doifhasspaceelse {} {} {} \doifincsnameelse {} {} {} \doifinelementelse {} {} {} \doifinputfileelse {} {} {}
doiffontcharelse doiffontfeatureelse doiffontpresentelse doiffontsynonymelse doifhasspaceelse doifhelpelse doifincsnameelse doifinelementelse doifinputfileelse doifinsertionelse	\doifflaggedelse \{\} \\\\\} \\\\\\\\\\\\\\\\\\\\\
doiffontcharelse doiffontfeatureelse doiffontpresentelse doiffontsynonymelse doifhasspaceelse doifhelpelse doifincsnameelse doifinelementelse doifinputfileelse	\doifflaggedelse \{\} \\\\} \\\doiffontcharelse \\\\} \\\\\} \\\\\} \\\\\} \\\\\} \\\\\} \\\\\} \\\\\} \\\\\} \\\\\} \\\\\} \\\\\} \\\\\} \\\\\} \\\\\} \\\\\} \\\\\} \\\\\} \\\\\} \\\\\\} \\\\} \\\\\} \\\\\} \\\\\} \\\\\} \\\\\} \\\\\} \\\\\} \\\\\} \\\\\} \\\\\} \\\\\} \\\\} \\\\} \\\\\} \\\} \\\\} \\\\} \\\} \\\} \\\\} \\\} \\\\} \\\\} \\\} \\\} \\\} \\\} \\\} \\\} \\\} \\\} \\\} \\\
doiffontcharelse doiffontfeatureelse doiffontpresentelse doiffontsynonymelse doifhasspaceelse doifhelpelse doifincsnameelse doifinelementelse doifinputfileelse doifinsertionelse doifinset	\doifflaggedelse \{\} \\\\\} \\\\\\\\\\\\\\\\\\\\\
doiffontcharelse doiffontfeatureelse doiffontpresentelse doiffontsynonymelse doifhasspaceelse doifhelpelse doifincsnameelse doifinelementelse doifinputfileelse doifinsertionelse doifinset doifinsetelse	\doifflaggedelse \{\} \\\\} \\\doiffntcharelse \\\\} \\\\} \\\\} \\\\\} \\\} \\\\} \\\\} \\\\} \\\\} \\\} \\\\} \\\} \\\\} *\\} **
doiffontcharelse doiffontfeatureelse doiffontpresentelse doiffontsynonymelse doifhasspaceelse doifhelpelse doifincsnameelse doifinelementelse doifinputfileelse doifinsertionelse doifinset doifinsetelse doifinsetelse	\doifflaggedelse \{\} \\\\} \\\doiffntcharelse \\\\} \\\\} \\\\\} \\\\\} \\\\\} \\\\} \\\\\} \\\\\} \\\\} \\\\} \\\\\} \\\\} \\\\\} \\\\\} \\\\} \\\\} \\\\} \\\\} \\\\\} \\\} \\\\} \\\\} \\\\} \\\\} \\\\} \\\\} \\\} \\\\} \\\\} \\\\} \\\} \\\\} \\\\} \\\\} \\\} \\\} \\\} \\\} \\\} \\\} \\\} \\\} \\\} \\\} \\\} \\\} \\\
doiffontcharelse doiffontfeatureelse doiffontpresentelse doiffontsynonymelse doifhasspaceelse doifhelpelse doifincsnameelse doifinelementelse doifinputfileelse doifinsertionelse doifinset doifinsetelse doifinstring doifinstringelse	\doifflaggedelse \{\} \\\\} \\\doiffntcharelse \\\\} \\\\} \\\\} \\\\\} \\\} \\\\} \\\\} \\\\} \\\\} \\\} \\\\} \\\} \\\\} *\\} **
doiffontcharelse doiffontfeatureelse doiffontpresentelse doiffontsynonymelse doifhasspaceelse doifhelpelse doifincsnameelse doifinelementelse doifinputfileelse doifinsertionelse doifinset doifinset doifinsetelse doifinstring doifinstringelse doifinsymbolset	\doifflaggedelse \{\} \\\\} \\\.\\\\\\\\\\\\\\\\\\
doiffontcharelse doiffontpresentelse doiffontsynonymelse doiffontsynonymelse doifhasspaceelse doifhelpelse doifincsnameelse doifinelementelse doifinputfileelse doifinsertionelse doifinset doifinset doifinstelse doifinstring doifinstringelse doifinsymbolset doifinsymbolsetelse doifintokselse doifintwopassdataelse	\doifflaggedelse \{\} \\\\} \\\.\\\\\\\\\\\\\\\\\\
doiffontcharelse doiffontpresentelse doiffontsynonymelse doiffontsynonymelse doifhasspaceelse doifhelpelse doifincsnameelse doifinelementelse doifinputfileelse doifinsertionelse doifinset doifinset doifinstelse doifinstring doifinstring doifinstringelse doifinsymbolset doifinsymbolsetelse doifintokselse doifintwopassdataelse doifitalicelse	\doifflaggedelse \{\} \\\\} \\\.\\\\\\\\\\\\\\\\\\
doiffontcharelse doiffontpresentelse doiffontsynonymelse doiffontsynonymelse doifhasspaceelse doifhelpelse doifincsnameelse doifinelementelse doifinputfileelse doifinsertionelse doifinset doifinset doifinstelse doifinstring doifinstringelse doifinsymbolset doifinsymbolsetelse doifintokselse doifintwopassdataelse doiflanguageelse	\doifflaggedelse \{\} \\\\} \\\.\.\\\\\.\.\\\\\\\\\\
doiffontcharelse doiffontpresentelse doiffontsynonymelse doiffontsynonymelse doifhasspaceelse doifhelpelse doifincsnameelse doifinelementelse doifinputfileelse doifinsertionelse doifinset doifinset doifinstelse doifinstring doifinstring doifinstringelse doifinsymbolset doifinsymbolsetelse doifintokselse doifintokselse doifilanguageelse doiflanguageelse doiflayerdataelse	\doifflaggedelse \{\} \\\\} \\doiffontcharelse \\\\} \\\\} \\\\} \\\\} \\\\} \\\\} \\\\} \\\\} \\\\} \\\\} \\\\} \\\\} \\\\} \\\\} \\\\} \\\} \\\} \\\} \\\\} \\\} \\\} \\\\} *\\} \\\} \\\} \\\} \\\} \\\} \\\} **\\
doiffontcharelse doiffontpresentelse doiffontsynonymelse doiffontsynonymelse doifhasspaceelse doifhelpelse doifincsnameelse doifinelementelse doifinputfileelse doifinsertionelse doifinset doifinset doifinstelse doifinstring doifinstringelse doifinsymbolset doifinsymbolsetelse doifintokselse doifintokselse doifilaguageelse doiflayoutdefinedelse	\doifflaggedelse \{\} \\\\} \\doiffontcharelse \\\\} \\\\\} \\\} \\\} \\\\} \\\\} \\\} \\\\} \\\\} \\\\\\\} \\\} \\\\\\\\\\\\\\
doiffontcharelse doiffontpresentelse doiffontsynonymelse doiffontsynonymelse doifhasspaceelse doifhelpelse doifincsnameelse doifinelementelse doifinputfileelse doifinsertionelse doifinset doifinset doifinstelse doifinstring doifinstring doifinstringelse doifinsymbolset doifinsymbolsetelse doifintokselse doifintokselse doifilanguageelse doiflanguageelse doiflayerdataelse	\doifflaggedelse \{\} \\\\} \\doiffontcharelse \\\\} \\\\} \\\\} \\\\} \\\\} \\\\} \\\\} \\\\} \\\\} \\\\} \\\\} \\\\} \\\\} \\\\} \\\\} \\\} \\\} \\\} \\\\} \\\} \\\} \\\\} *\\} \\\} \\\} \\\} \\\} \\\} \\\} **\\

doifleapyearelse	\doifleapyearelse $\{\}$ $\{\}$
doiflistelse	\doiflistelse $\{\}$ $\{\}$
doiflocationelse	\doiflocationelse \{\ldots\} \{\ldots\}
doiflocfileelse	\doiflocfileelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifMPgraphicelse	\doifMPgraphicelse {} {}
doifmainfloatbodyelse	\doifmainfloatbodyelse \{\ldots\} \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \
doifmarkingelse	\doifmarkingelse \{\} \{\}
doifmeaningelse	\doifmeaningelse \ \ \{\} \{\}
doifmessageelse	\doifmessageelse \{\} \{\} \{\}
doifmode	\doifmode {} {}
doifmodeelse	\doifmodeelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifnextbgroupcselse	\doifnextbgroupcselse \ \
doifnextbgroupelse doifnextcharelse	\doifnextbgroupelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifnextcharerse doifnextoptionalcselse	\doifnextcharerse \ \\
doifnextoptionalelse	\doifnextoptionalclselse \ \ \doifnextoptionalclse \{\}
doifnextparenthesiselse	\doifnextoptionareise \(\(\cdot\) \(\cdot\) \\doifnextparenthesiselse \(\(\cdot\)\)
doifnonzeropositiveelse	\doifnonzeropositiveelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifnot	\doifnot \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifnotallcommon	\doifnot \(\(\cdot\) \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifnotallmodes	\doifnotallmodes \{\ldots\} \\\.\\\\
doifnotcommandhandler	\doifnotcommandhandler \ \{\}
doifnotcommon	\doifnotcommon \{\} \{\}
doifnotcounter	\doifnotcounter \{\ldots\} \\\
doifnotdocumentargument	\doifnotdocumentargument \{\ldots\} \\\.\}
doifnotdocumentfilename	\doifnotdocumentfilename {} {}
doifnotdocumentvariable	\doifnotdocumentvariable \{\doifnotdocumentvariable \{\doifnotdocumentvaria
doifnotempty	\doifnotempty \{\ldots\} \\\
doifnotemptyvalue	\doifnotemptyvalue {} {}
doifnotemptyvariable	\doifnotemptyvariable {} {}
doifnotenv	\doifnotenv {} {}
doifnoteonsamepageelse	\doifnoteonsamepageelse {} {} {}
doifnotescollected	\doifnotescollected {} {}
doifnotfile	\doifnotfile {} {}
doifnotflagged	\doifnotflagged {} {}
doifnothing	\doifnothing {} {}
doifnothingelse	\doifnothingelse \{\ldots\} \\\
doifnotinset	\doifnotinset {} {}
doifnotinsidesplitfloat	\doifnotinsidesplitfloat {}
doifnotinstring	\doifnotinstring {} {}
doifnotmode	\doifnotmode {} {}
doifnotnumber	\doifnotnumber \{\ldots\} \\ \\}
doifnotsamestring	\doifnotsamestring $\{\ldots\}$ $\{\ldots\}$
doifnotsetups	\doifnotsetups {} {}
doifnotvalue	\doifnotvalue $\{\}$ $\{\}$
doifnotvariable	\doifnotvariable \{\ldots\} \\\ \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifnumber	\doifnumber \{\ldots\}
doifnumberelse	\doifnumberelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifobjectfoundelse	\doifobjectfoundelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifobjectreferencefoundelse	\doifobjectreferencefoundelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifoddpageelse	\doifoddpageelse {} {}
doifoddpagefloatelse	\doifoddpagefloatelse \{\doifoddpagefloatelse \{\doifo
doifoldercontextelse	\doifoldercontextelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifolderversionelse	\doifolderversionelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifoverlappingelse	\doifoverlappingelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifoverlayelse doifparallelelse	\doifoverlayelse \{\ldots\} \\\.\\
doifparentfileelse	\doifparallelelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifpathelse	\doifparentfileelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifpathexistselse	\doifpatherist \(\ldots \rightarrow \) \\doifpathexistselse \\ \ldots \rightarrow \\ \ldots \rightarrow \ \\
doifpatternselse	\doifpatternselse \{\} \\\\}
doifposition	\doifposition \{\} \\.\.\}
doifpositionaction	\doifpositionaction \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifpositionactionelse	\doifpositionactionelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifpositionelse	\doifpositionelse \{\doifpositionelse \{\doifp
doifpositiononpageelse	\doifpositiononpageelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifpositionsonsamepageelse	\doifpositionsonsamepageelse {} {} {}
doifpositionsonthispageelse	\doifpositionsonthispageelse {} {}
doifpositionsusedelse	\doifpositionsusedelse {} {}
doifreferencefoundelse	\doifreferencefoundelse {} {} {}
doifrightpagefloatelse	\doifrightpagefloatelse {} {}
doifrighttoleftinboxelse	\doifrighttoleftinboxelse {} {}

1-:1:	\4:61:61
doifsamelinereferenceelse	\doifsamelinereferenceelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifsamestring	\doifsamestring \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifsamestringelse	$\dointsame stringelse {} {} {}$
doifsetups	\doifsetups {} {}
doifsetupselse	\doifsetupselse {} {}
doifsomebackground	\doifsomebackground {} {} {}
doifsomebackgroundelse	\doifsomebackgroundelse {} {}
5	
doifsomespaceelse	\doifsomespaceelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifsomething	\doifsomething \{\ldots\}
doifsomethingelse	\doifsomethingelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifsometoks	\doifsometoks \ \{\}
doifsometokselse	\doifsometokselse \ \{} \{}
doifstringinstringelse	\doifstringinstringelse {} {} {}
doifstructurelisthasnumberelse	\doifstructurelisthasnumberelse \{\ldots\} \\ \.\\\}
doifstructurelisthaspageelse	\doifstructurelisthaspageelse {} {}
doifsymboldefinedelse	\doifsymboldefinedelse {} {} {}
doifsymbolsetelse	$\doing \doing $
doiftext	\doiftext {} {}
doiftextelse	\doiftextelse {} {} {}
doiftextflowcollectorelse	\doiftextflowcollectorelse {} {} {}
doiftextflowelse	\doiftextflowelse {} {} {}
doiftopofpageelse	\doiftopofpageelse {} {}
doiftypingfileelse	\doiftypingfileelse {} {}
doifundefined	\doifundefined \{\ldots\} \\\
doifundefinedcounter	\doifundefinedcounter \{\ldots\}
doifundefinedelse	\doifundefinedelse {} {}
doifunknownfontfeature	\doifunknownfontfeature {} {} {}
doifurldefinedelse	\doifurldefinedelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifvalue	\doifvalue {} {} {}
doifvalueelse	\doifvalueelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifvaluenothing	\doifvaluenothing \{\ldots\} \\
doifvaluenothingelse	\doifvaluenothingelse \{\ldots\} \\\\
doifvaluesomething	\doifvaluesomething \{\ldots\}
doifvariable	\doifvariable {} {} {}
doifvariableelse	\doifvariableelse {} {} {}
doindentation	\doindentation
	• • • • • • • • • • • • • • • • • • • •
dollar	\dollar
doloop	\doloop {}
doloopoverlist	\doloopoverlist {} {}
donothing	\donothing
dontconvertfont	\dontconvertfont
dontleavehmode	\dontleavehmode
dontpermitspacesbetweengroups	\dontpermitspacesbetweengroups
dopositionaction	\dopositionaction {}
doprocesslocalsetups	\doprocesslocalsetups {}
doquadrupleargument	\doquadrupleargument \ [] [] []
doquadrupleempty	\doquadrupleempty \ [] [] []
doquadruplegroupempty	\doquadruplegroupempty \ {} {} {} {}
doquintupleargument	\doquintupleargument \ [] [] [] []
	\doquintupleempty \ [] [] [] []
doquintupleempty	
doquintuplegroupempty	\doquintuplegroupempty \ \{\} \{\} \{\} \{\}
dorechecknextindentation	\dorechecknextindentation
dorecurse	\dorecurse {} {}
dorepeatwithcommand	\dorepeatwithcommand [] \
doreplacefeature	\doreplacefeature {}
doresetandafffeature	\doresetandafffeature {}
doresetattribute	\doresetattribute {}
dorotatebox	\dorotatebox {} \ {}
dosetattribute	\dosetattribute {} {}
dosetleftskipadaption	\dosetleftskipadaption {}
dosetrightskipadaption	\dosetrightskipadaption {}
dosetupcheckedinterlinespace	\dosetupcheckedinterlinespace {=}
dosetupcheckedinterlinespace:argument	\dosetupcheckedinterlinespace {}
dosetupcheckedinterlinespace:argument dosetupcheckedinterlinespace:name	\dosetupcheckedinterlinespace \{\dosetupcheckedinterlinespace \}\dosetupcheckedinterlinespace
<u>. </u>	
doseventupleargument	\doseventupleargument \ [] [] [] [] [] []
doseventupleempty	\doseventupleempty \ [] [] [] [] [] []
dosingleargument	\dosingleargument \ []
dosingleempty	\dosingleempty \ []
dosinglegroupempty	\dosinglegroupempty \ {}
dosixtupleargument	\dosixtupleargument \ [] [] [] [] []
dosixtupleempty	\dosixtupleempty \ [] [] [] [] []
dostarttagged	\dostarttagged { } { } \dostantagged

4 - +	/4
dostepwiserecurse	\dostepwiserecurse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
dosubtractfeature	\dosubtractfeature {}
dotfskip	\dotfskip {}
dotoks	\dotoks \
dotripleargument	\dotripleargument \ [] [] []
dotripleargumentwithset	\dotripleargumentwithset \ [] []
dotripleempty	\dotripleempty \ [] []
dotripleemptywithset	\dotripleemptywithset \ [] []
dotriplegroupempty	\dotriplegroupempty \ \{\} \{\}
doublebond	\doublebond
dowith	
	\dowith \{\} \\\
dowithnextbox	\dowithnextbox \{\} \ \{\}
dowithnextboxcontent	\dowithnextboxcontent \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
dowithnextboxcontentcs	\dowithnextboxcontentcs \ \ \ \ \
dowithnextboxcs	\dowithnextboxcs \ \ \}
dowithpargument	\dowithpargument \
dowithrange	\dowithrange {} \
dowithwargument	\dowithwargument \
dpofstring	\dpofstring {}
dummydigit	\dummydigit
dummyparameter	\dummyparameter {}
ETEX	\ETEX
EveryLine	\EveryLine {}
EveryPar	\EveryPar {}
edefconvertedargument	\edefconvertedargument \ \{\}
efcmaxheight	\efcmaxheight {}
efcmaxwidth	\efcmaxwidth {}
efcminheight	\efcminheight {}
efcminwidth	\efcminwidth {}
efcparameter	\efcparameter {} {}
effect	\effect [] {}
elaborablocchi	\elaborablocchi [] [] [=]
elapsedseconds	\elapsedseconds
elapsedtime	\elapsedtime
elementi	\elementi [=] {}
elemento	\elemento []
etemento	
O.M.	
em	\em
emphasisboldface	\emphasisboldface
emphasistypeface	\emphasisboldface \emphasistypeface
emphasistypeface emptylines	\emphasisboldface \emphasistypeface \emptylines []
emphasistypeface	<pre>\emphasisboldface \emphasistypeface \emptylines [] \emspace</pre>
emphasisboldface emphasistypeface emptylines emspace enabledirectives	<pre>\emphasisboldface \emphasistypeface \emptylines [] \emspace \enabledirectives []</pre>
emphasisboldface emphasistypeface emptylines emspace	<pre>\emphasisboldface \emphasistypeface \emptylines [] \emspace</pre>
emphasisboldface emphasistypeface emptylines emspace enabledirectives	<pre>\emphasisboldface \emphasistypeface \emptylines [] \emspace \enabledirectives []</pre>
emphasisboldface emphasistypeface emptylines emspace enabledirectives enableexperiments	<pre>\emphasisboldface \emphasistypeface \emptylines [] \emspace \enabledirectives [] \enableexperiments []</pre>
emphasisboldface emphasistypeface emptylines emspace enabledirectives enableexperiments enablemode	<pre>\emphasisboldface \emphasistypeface \emptylines [] \emspace \enabledirectives [] \enableexperiments [] \enablemode []</pre>
emphasisboldface emphasistypeface emptylines emspace enabledirectives enableexperiments enablemode enableoutputstream	<pre>\emphasisboldface \emphasistypeface \emptylines [] \emspace \enabledirectives [] \enableexperiments [] \enablemode [] \enableoutputstream []</pre>
emphasisboldface emphasistypeface emptylines emspace enabledirectives enableexperiments enablemode enableoutputstream enableparpositions	<pre>\emphasisboldface \emphasistypeface \emptylines [] \emspace \enabledirectives [] \enableexperiments [] \enablemode [] \enableoutputstream [] \enableparpositions</pre>
emphasisboldface emphasistypeface emptylines emspace emspace enabledirectives enableexperiments enablemode enableoutputstream enableparpositions enableregime enabletrackers	<pre>\emphasisboldface \emphasistypeface \emptylines [] \emspace \enabledirectives [] \enableexperiments [] \enablemode [] \enableoutputstream [] \enableparpositions \enableregime [] \enabletrackers []</pre>
emphasisboldface emphasistypeface emptylines emspace emabledirectives enableexperiments enablemode enableoutputstream enableparpositions enableregime enabletrackers enskip	<pre>\emphasisboldface \emphasistypeface \emptylines [] \emspace \enabledirectives [] \enableexperiments [] \enablemode [] \enableoutputstream [] \enableparpositions \enableregime [] \enabletrackers [] \enskip</pre>
emphasisboldface emphasistypeface emptylines emspace emspace enabledirectives enableexperiments enablemode enableoutputstream enableparpositions enableregime enabletrackers enskip enspace	<pre>\emphasisboldface \emphasistypeface \emptylines [] \emspace \enabledirectives [] \enableexperiments [] \enablemode [] \enableoutputstream [] \enableparpositions \enableregime [] \enabletrackers [] \enskip \enspace</pre>
emphasisboldface emphasistypeface emptylines emspace emabledirectives enableexperiments enablemode enableoutputstream enableparpositions enableregime enabletrackers enskip enspace enumerazione:example	<pre>\emphasisboldface \emphasistypeface \emptylines [] \emspace \enabledirectives [] \enableexperiments [] \enablemode [] \enableoutputstream [] \enableparpositions \enableregime [] \enabletrackers [] \enskip \enspace \ENUMERAZIONE [] \\par</pre>
emphasisboldface emphasistypeface emptylines emspace emabledirectives enableexperiments enablemode enableoutputstream enableparpositions enableregime enabletrackers enskip enspace enumerazione:example env	<pre>\emphasisboldface \emphasistypeface \emptylines [] \emspace \enabledirectives [] \enableexperiments [] \enablemode [] \enablemode [] \enableoutputstream [] \enableparpositions \enableregime [] \enabletrackers [] \enskip \enspace \text{ENUMERAZIONE [] {} \par \env {}</pre>
emphasisboldface emphasistypeface emptylines emspace emspace enabledirectives enableexperiments enablemode enableoutputstream enableparpositions enableregime enabletrackers enskip enspace enumerazione:example env envvar	<pre>\emphasisboldface \emphasistypeface \emptylines [] \emspace \enabledirectives [] \enableexperiments [] \enablemode [] \enablemode [] \enableoutputstream [] \enableparpositions \enableregime [] \enabletrackers [] \enspace \text{ENUMERAZIONE [] {} \par \env {} \envvar {} {}</pre>
emphasisboldface emphasistypeface emptylines emspace emspace enabledirectives enableexperiments enablemode enableoutputstream enableparpositions enableregime enabletrackers enskip enspace enumerazione:example env envvar epos	<pre>\emphasisboldface \emphasistypeface \emptylines [] \emspace \enabledirectives [] \enableexperiments [] \enablemode [] \enablemode [] \enableoutputstream [] \enableparpositions \enableregime [] \enabletrackers [] \enskip \enspace \text{ENUMERAZIONE [] {} \par \env {} \envvar {} {} \epos {}</pre>
emphasisboldface emphasistypeface emptylines emspace emabledirectives enableexperiments enablemode enableoutputstream enableparpositions enableregime enabletrackers enskip enspace enumerazione:example env envvar epos equaldigits	<pre>\emphasisboldface \emphasistypeface \emptylines [] \emspace \enabledirectives [] \enableexperiments [] \enablemode [] \enablemode [] \enableoutputstream [] \enableparpositions \enableregime [] \enabletrackers [] \enskip \enspace \text{ENUMERAZIONE [] {} \par \env {} \envvar {} {} \equaldigits {}</pre>
emphasisboldface emphasistypeface emptylines emspace emabledirectives enableexperiments enablemode enableoutputstream enableparpositions enableregime enabletrackers enskip enspace enumerazione:example env envvar epos equaldigits eTeX	<pre>\emphasisboldface \emphasistypeface \emptylines [] \emspace \enabledirectives [] \enableexperiments [] \enablemode [] \enablemode [] \enableoutputstream [] \enableparpositions \enableregime [] \enabletrackers [] \enspace \text{kip} \enspace \text{kip} \enspace \text{kiny} \enspace \text{kiny} \envar {} {} \envar {} {} \envar {} {} \envar {} \equaldigits {} \earliefter</pre>
emphasisboldface emphasistypeface emptylines emspace emabledirectives enableexperiments enablemode enableoutputstream enableparpositions enableregime enabletrackers enskip enspace enumerazione:example env envvar epos equaldigits eTeX etichetta:example	<pre>\emphasisboldface \emphasistypeface \emptylines [] \emspace \enabledirectives [] \enableexperiments [] \enablemode [] \enablemode [] \enableoutputstream [] \enableparpositions \enableregime [] \enabletrackers [] \enskip \enspace \text{ENUMERAZIONE [] {} \par \env {} \envar {} {} \equaldigits {} \eTeX \ETICHETTA [] {}</pre>
emphasisboldface emphasistypeface emptylines emspace emabledirectives enableexperiments enablemode enableoutputstream enableparpositions enableregime enabletrackers enskip enspace enumerazione:example env envvar epos equaldigits eTeX	<pre>\emphasisboldface \emphasistypeface \emptylines [] \emspace \enabledirectives [] \enableexperiments [] \enablemode [] \enablemode [] \enableoutputstream [] \enableparpositions \enableregime [] \enabletrackers [] \enspace \text{kip} \enspace \text{kip} \enspace \text{kiny} \enspace \text{kiny} \envar {} {} \envar {} {} \envar {} {} \envar {} \equaldigits {} \earliefter</pre>
emphasisboldface emphasistypeface emptylines emspace emabledirectives enableexperiments enablemode enableoutputstream enableparpositions enableregime enabletrackers enskip enspace enumerazione:example env envvar epos equaldigits eTeX etichetta:example	<pre>\emphasisboldface \emphasistypeface \emptylines [] \emspace \enabledirectives [] \enableexperiments [] \enablemode [] \enablemode [] \enableoutputstream [] \enableparpositions \enableregime [] \enabletrackers [] \enskip \enspace \text{ENUMERAZIONE [] {} \par \env {} \envar {} {} \equaldigits {} \eTeX \ETICHETTA [] {}</pre>
emphasisboldface emphasistypeface emptylines emspace enabledirectives enableexperiments enablemode enableoutputstream enableparpositions enableregime enabletrackers enskip enspace enumerazione:example env envvar epos equaldigits eTeX etichetta:example executeifdefined	<pre>\emphasisboldface \emphasistypeface \emptylines [] \emspace \enabledirectives [] \enableexperiments [] \enablemode [] \enablemode [] \enableoutputstream [] \enableoutputstream [] \enabletrackers [] \enabletrackers [] \ensbip \enspace \text{ENUMERAZIONE [] {} \par \env {} \envvar {} {} \epos {} \equaldigits {} \eTEX \text{ETICHETTA [] {} \executeifdefined {} {} \executeifdefined {} \end{array}</pre>
emphasisboldface emphasistypeface emptylines emspace enabledirectives enableexperiments enablemode enablemode enableoutputstream enableparpositions enableregime enabletrackers enskip enspace enumerazione:example env envvar epos equaldigits eTeX etichetta:example executeifdefined exitloop	<pre>\emphasisboldface \emphasistypeface \emptylines [] \emspace \enabledirectives [] \enableexperiments [] \enablemode [] \enablemode [] \enableparpositions \enableregime [] \enabletrackers [] \enskip \enspace \text{ENUMERAZIONE [] {} \par \env {} \envvar {} {} \epos {} \equaldigits {} \efex \text{ETICHETTA [] {} \executeifdefined {} {} \exitleop</pre>
emphasisboldface emphasistypeface emptylines emspace enabledirectives enableexperiments enablemode enablemode enableparpositions enableregime enabletrackers enskip enspace enumerazione:example env envvar epos equaldigits eTeX etichetta:example executeifdefined exitloop exitloopnow expandcheckedcsname	<pre>\emphasisboldface \emphasistypeface \emptylines [] \emspace \enabledirectives [] \enableexperiments [] \enablemode [] \enablemode [] \enableparpositions \enableregime [] \enabletrackers [] \enskip \enspace \text{ENUMERAZIONE [] {} \par \env {} \envvar {} {} \epos {} \equaldigits {} \eftex \text{ETICHETTA [] {} \executeifdefined {} {} \exitloop \exitloopnow \expandcheckedcsname \ {} {}</pre>
emphasisboldface emphasistypeface emptylines emspace enabledirectives enableexperiments enablemode enablemode enableoutputstream enableparpositions enableregime enabletrackers enskip enspace enumerazione:example env envvar epos equaldigits eTeX etichetta:example executeifdefined exitloop exitloopnow expandcheckedcsname expanded	<pre>\emphasisboldface \emphasistypeface \emptylines [] \emspace \enabledirectives [] \enableexperiments [] \enablemode [] \enablemode [] \enableparpositions \enableregime [] \enabletrackers [] \enskip \enspace \text{ENUMERAZIONE [] {} \par \env {} \envvar {} {} \epos {} \equaldigits {} \eta ETICHETTA [] {} \ext{executeifdefined {} {} \ext{expanded {}} \expanded {}</pre>
emphasisboldface emphasistypeface emptylines emspace enabledirectives enableexperiments enablemode enableoutputstream enableparpositions enableregime enabletrackers enskip enspace enumerazione:example env envvar epos equaldigits eTeX etichetta:example executeifdefined exitloop exitloopnow expandcheckedcsname expanded expandeddoif	<pre>\emphasisboldface \emphasistypeface \emptylines [] \emspace \enabledirectives [] \enableexperiments [] \enablemode [] \enablemode [] \enableparpositions \enableregime [] \enabletrackers [] \enskip \enspace \text{ENUMERAZIONE [] {} \par \env {} \envvar {} {} \equaldigits {} \etaETCHETTA [] {} \ext{executeifdefined {} {} \ext{expanded {}} \expanded {} \expanded {} {} \expandeddoif {} {} {} {} {} \expande</pre>
emphasisboldface emphasistypeface emptylines emspace enabledirectives enableexperiments enablemode enableoutputstream enableparpositions enableregime enabletrackers enskip enspace enumerazione:example env envvar epos equaldigits eTeX etichetta:example executeifdefined exitloop exitloopnow expandeddeifelse	<pre>\emphasisboldface \emphasistypeface \emptylines [] \emspace \enabledirectives [] \enableexperiments [] \enablemode [] \enablemode [] \enableparpositions \enableregime [] \enabletrackers [] \enskip \enspace \text{ENUMERAZIONE [] {} \par \env {} \envvar {} {} \equaldigits {} \etaETICHETTA [] {} \ext{executeifdefined {} {} \ext{expanded {}} \expandeddoif {} {} {} \expandeddo</pre>
emphasisboldface emphasistypeface emptylines emspace enabledirectives enableexperiments enablemode enablemode enableoutputstream enableparpositions enableregime enabletrackers enskip enspace enumerazione:example env envvar epos equaldigits eTeX etichetta:example executeifdefined exitloop exitloopnow expandcheckedcsname expanded expandeddoifelse expandeddoifnot	<pre>\emphasisboldface \emphasistypeface \emptylines [] \emspace \enabledirectives [] \enableexperiments [] \enablemode [] \enablemode [] \enablemode [] \enableparpositions \enableregime [] \enabletrackers [] \enskip \enspace \text{ENUMERAZIONE [] {} \par \env {} \envvar {} {} \equaldigits {} \eta ETICHETTA [] {} \executeifdefined {} {} \expanded {} \expanded {} \expandeddoif {} {} {} {} \expandeddoifoot {} {} {} \expandeddoifnot {} {} {} \expandedoifnot {} {}</pre>
emphasisboldface emphasistypeface emptylines emspace enabledirectives enableexperiments enablemode enableoutputstream enableparpositions enableregime enabletrackers enskip enspace enumerazione:example env envvar epos equaldigits eTeX etichetta:example executeifdefined exitloop exitloopnow expandcheckedcsname expanded expandeddoif expandeddoifnot expandfontsynonym	<pre>\emphasisboldface \emphasistypeface \emptylines [] \emspace \enabledirectives [] \enableexperiments [] \enablemode [] \enablemode [] \enablemode [] \enableoutputstream [] \enableregime [] \enableregime [] \enabletrackers [] \enskip \enspace \text{ENUMERAZIONE [] {} \par \env {} \envvar {} {} \equaldigits {} \eta ETICHETTA [] {} \executeifdefined {} {} \expanded {} \expanded {} \expanded {} {} {} \expandeddoifelse {} {} {} \expandeddoifnot {} {} {} \expandedontsynonym \ {} \exp</pre>
emphasistypeface emptylines emspace enabledirectives enableexperiments enablemode enableoutputstream enableparpositions enableregime enabletrackers enskip enspace enumerazione:example env envvar epos equaldigits eTeX etichetta:example executeifdefined exitloop exitloopnow expandcheckedcsname expanded expandeddoif expandeddoifot expandeddoifnot expandfontsynonym expdoif	<pre>\emphasisboldface \emphasistypeface \emptylines [] \emspace \enabledirectives [] \enableexperiments [] \enablemode [] \enablemode [] \enableoutputstream [] \enableregime [] \enableregime [] \enableregime [] \enskip \enspace \text{ENUMERAZIONE [] {} \par \env {} \envvar {} {} \equaldigits {} \eta ETICHETTA [] {} \executeifdefined {} {} \expanded {} \expanded {} \expanded {} {} {} \expandeddoifelse {} {} {} \expandeddoif {} {} {} \expandedoif {} {} \expandedoif {} {} {} \expandedoif {} {} {} \expandedoif {} {} {} \expandedoif {} {} \expandedoif {} {} \expandedoif {} {} {} \expandedoif {} {} \expandedoif {} {} {} \expandedoif {} {} {} \expandedoif {} {} \expandedoif {} {} {} \expandedoif {} {} {} \expandedoif {} {}</pre>
emphasisboldface emphasistypeface emptylines emspace enabledirectives enableexperiments enablemode enableoutputstream enableparpositions enableregime enabletrackers enskip enspace enumerazione:example env envvar epos equaldigits eTeX etichetta:example executeifdefined exitloop exitloopnow expandcheckedcsname expanded expandeddoif expandeddoifnot expandedoifot expandfontsynonym expdoif expdoifcommonelse	<pre>\emphasisboldface \emphasistypeface \emptylines [] \emspace \enabledirectives [] \enableexperiments [] \enablemode [] \enablemode [] \enableoutputstream [] \enableparpositions \enableregime [] \enabletrackers [] \enskip \enspace \text{ENUMERAZIONE [] {} \par \env {} \envvar {} {} \epos {} \equaldigits {} \ext{ETICHETTA [] {} \executeifdefined {} {} \exitloop \exitloopnow \expanded {} \expanded {} \expanded {} {} {} \expandeddoif {} {} {} \expandeddoif {} {} {} \expandedoif {} {} {} \expandoif {} {}</pre>
emphasistypeface emptylines emspace enabledirectives enableexperiments enablemode enableoutputstream enableparpositions enableregime enabletrackers enskip enspace enumerazione:example env envvar epos equaldigits eTeX etichetta:example executeifdefined exitloop exitloopnow expandcheckedcsname expanded expandeddoif expandeddoifot expandedoifotse expandifesse expdoif expdoifcommonelse expdoifelse	\emphasisboldface \emphasistypeface \emptylines [] \emspace \enabledirectives [] \enableexperiments [] \enablemode [] \enablemode [] \enableoutputstream [] \enableparpositions \enableregime [] \enabletrackers [] \enskip \enspace \text{ENUMERAZIONE [] {} \par \env {} \envvar {} {} \epos {} \equaldigits {} \ext{ETICHETTA [] {} \executeifdefined {} {} \expanded {} \expanded {} \expanded {} {} {} \expandeddoif {} {} {} \expandeddoif {} {} {} \expandeddoif {} {} {} \expandedfontsynonym \ {} \expandifcommonelse {} {} {} \expdoifcommonelse {} {} {} \expdoifelse {} {} {}
emphasisboldface emphasistypeface emptylines emspace enabledirectives enableexperiments enablemode enableoutputstream enableparpositions enableregime enabletrackers enskip enspace enumerazione:example env envvar epos equaldigits eTeX etichetta:example executeifdefined exitloop exitloopnow expandcheckedcsname expanded expandeddoif expandeddoifnot expandedoifot expandfontsynonym expdoif expdoifcommonelse	<pre>\emphasisboldface \emphasistypeface \emptylines [] \emspace \enabledirectives [] \enableexperiments [] \enablemode [] \enablemode [] \enableoutputstream [] \enableparpositions \enableregime [] \enabletrackers [] \enskip \enspace \text{ENUMERAZIONE [] {} \par \env {} \envvar {} {} \epos {} \equaldigits {} \ext{ETICHETTA [] {} \executeifdefined {} {} \exitloop \exitloopnow \expanded {} \expanded {} \expanded {} {} {} \expandeddoif {} {} {} \expandeddoif {} {} {} \expandedoif {} {} {} \expandoif {} {}</pre>
emphasistypeface emptylines emspace enabledirectives enableexperiments enablemode enableoutputstream enableparpositions enableregime enabletrackers enskip enspace enumerazione:example env envvar epos equaldigits eTeX etichetta:example executeifdefined exitloop exitloopnow expandcheckedcsname expanded expandeddoif expandeddoifot expandedoifotse expandifesse expdoif expdoifcommonelse expdoifelse	\emphasisboldface \emphasistypeface \emptylines [] \emspace \enabledirectives [] \enableexperiments [] \enablemode [] \enablemode [] \enableoutputstream [] \enableparpositions \enableregime [] \enabletrackers [] \enskip \enspace \text{ENUMERAZIONE [] {} \par \env {} \envvar {} {} \epos {} \equaldigits {} \ext{ETICHETTA [] {} \executeifdefined {} {} \expanded {} \expanded {} \expanded {} {} {} \expandeddoif {} {} {} \expandeddoif {} {} {} \expandeddoif {} {} {} \expandedfontsynonym \ {} \expandifcommonelse {} {} {} \expdoifcommonelse {} {} {} \expdoifelse {} {} {}
emphasisboldface emphasistypeface emptylines emspace enabledirectives enableexperiments enablemode enableoutputstream enableparpositions enableregime enabletrackers enskip enspace enumerazione:example env envvar epos equaldigits eTeX etichetta:example executeifdefined exitloop exitloopnow expandeddoif expandeddoif expandeddoifelse expandeddoifnot expandfontsynonym expdoif expdoifcommonelse expdoifelse expdoifelse expdoifelsecommon	\emphasisboldface \emphasistypeface \emptylines [] \emspace \enabledirectives [] \enableexperiments [] \enablemode [] \enablemode [] \enableoutputstream [] \enableparpositions \enableregime [] \enabletrackers [] \enskip \enspace \textifumerazione [] {} \par \env {} \envvar {} {} \epos {} \equaldigits {} \extifuctor \textifueria [] {} \executeifdefined {} {} \expanded {} \expanded {} \expanded {} {} {} \expandeddoif {} {} {} \expandeddoif {} {} {} \expandedfontsynonym \ {} \expandifontsynonym \ {} \expdoif {} {} {} \expdoifelse {} {} {} \expdoifelse {} {} {} \expdoifelse {} {} {} \expdoifelse {} {} {}

expdoifnot	\expdoifnot {} {} {}
externalfigurecollectionmaxheight	\externalfigurecollectionmaxheight {}
externalfigurecollectionmaxwidth	\externalfigurecollectionmaxwidth {}
externalfigurecollectionminheight	\externalfigurecollectionminheight {}
externalfigurecollectionminwidth	\externalfigurecollectionminwidth {}
externalfigurecollectionparameter	\externalfigurecollectionparameter {} {}
fakebox	\fakebox
fastdecrement fastincrement	\fastdecrement \ \fastincrement \
	\fastlocalframed [] [=] {}
fastlocalframed fastloopfinal	\fastloopfinal
fastloopindex	\fastloopindex
fastscale	\fastscale \{\ldots\} \\\
fastsetup	\fastsetup {}
fastsetupwithargument	\fastsetupwithargument {} {}
fastsetupwithargumentswapped	\fastsetupwithargumentswapped {} {}
fastswitchtobodyfont	\fastswitchtobodyfont {}
fastsxsy	\fastsxsy {} {}
feature	\feature [] []
feature:direct	\feature {} {}
fence	\fence
fenced	\fenced [] {}
fence:example	\FENCE \{\ldots\}
fetchallmarkings	\fetchallmarkings [] []
fetchallmarks	\fetchallmarks []
fetchmark	\fetchmark [] []
fetchmarking fetchonemark	\fetchmarking [] [] \fetchonemark [] []
fetchonemarking	\fetchonemark [] [] \fetchonemarking [] []
fetchruntinecommand	\fetchronemarking [] [] \fetchrontinecommand \ {}
fetchtwomarkings	\fetchtwomarkings [] []
fetchtwomarks	\fetchtwomarks []
fieldbody	\fieldbody [] [=]
fifthoffivearguments	\fifthoffivearguments {} {} {} {}
fifthofsixarguments	\fifthofsixarguments {} {} {} {} {} {}
figuraesterna	\figuraesterna [] [=]
figurefilename	\figurefilename
figurefilepath	\figurefilepath
figurefiletype	\figurefiletype
figurefullname	\figurefullname
figureheight	\figureheight
figurenaturalheight	\figurenaturalheight
figurenaturalwidth figuresymbol	\figurenaturalwidth \figuresymbol [] [=]
figurewidth	\figuresymbol [] [] \figurewidth
filename	\filename \{\ldots\}
filledhboxb	\filledhboxb {}
filledhboxc	\filledhboxc {}
filledhboxg	\filledhboxg {}
filledhboxk	\filledhboxk {}
filledhboxm	\filledhboxm {}
filledhboxr	\filledhboxr {}
filledhboxy	\filledhboxy {}
filler	\filler []
fillupto	\fillupto [] {}
filterfromnext	\filterfromnext \{\dots\} \{\dots\} \{\dots\} \{\dots\} \{\dots\} \{\dots\} \{\dots\} \\filterfrom\{\dots\} \\dots\} \dots\} \\dots\} \dots\} \\dots\} \dots\} \\dots\} \dots\} \\dots\} \dots\} \dots\} \dots\} \\dots\} \dots\} \dots\} \dots\} \dots\} \dots\} \dots\
filterpage	(TITCETTIOM VAIGE () ()
filterpages filterreference	\filterpages [] [=] \filterreference {}
	(TITUCTICICIONEC ()
	\findtwopassdata { . } { . }
findtwopassdata	\findtwopassdata {} {} \finishregisterentry [] [=] [=]
	\findtwopassdata {} {} \finishregisterentry [] [=] \firstcharacter
findtwopassdata finishregisterentry	\finishregisterentry [] [=] [=]
findtwopassdata finishregisterentry firstcharacter	\finishregisterentry [] [=] [=] \firstcharacter
findtwopassdata finishregisterentry firstcharacter firstcounter	\finishregisterentry [] [=] [=] \firstcharacter \firstcounter [] []
findtwopassdata finishregisterentry firstcharacter firstcounter firstcounter	\finishregisterentry [] [=] [=] \firstcharacter \firstcounter [] [] \firstcountervalue [] \firstinlist [] \firstoffivearguments {} {} {} {}
findtwopassdata finishregisterentry firstcharacter firstcounter firstcountervalue firstinlist firstoffivearguments firstoffourarguments	\finishregisterentry [] [=] [=] \firstcharacter \firstcounter [] [] \firstcountervalue [] \firstinlist [] \firstoffivearguments {} {} {} {} {} \firstoffourarguments {} {} {} {}
findtwopassdata finishregisterentry firstcharacter firstcounter firstcountervalue firstinlist firstoffivearguments firstoffourarguments firstofoneargument	\finishregisterentry [] [=] [=] \firstcharacter \firstcounter [] [] \firstcountervalue [] \firstinlist [] \firstoffivearguments {} {} {} {} {} \firstofoneargument {}
findtwopassdata finishregisterentry firstcharacter firstcounter firstcountervalue firstinlist firstoffivearguments firstoffourarguments firstofoneargument firstofoneunexpanded	\finishregisterentry [] [=] [=] \firstcharacter \firstcounter [] [] \firstcountervalue [] \firstinlist [] \firstoffivearguments {} {} {} {} {} \firstofoneargument {} \firstofoneargument {}
findtwopassdata finishregisterentry firstcharacter firstcounter firstcountervalue firstinlist firstoffivearguments firstoffourarguments firstofoneargument firstofoneunexpanded firstofsixarguments	<pre>\finishregisterentry [] [=] [=] \firstcharacter \firstcounter [] [] \firstcountervalue [] \firstinlist [] \firstoffivearguments {} {} {} {} {} \firstofoneargument {} \firstofoneargument {} \firstofoneunexpanded {} \firstofsixarguments {} {} {} {} {}</pre>
findtwopassdata finishregisterentry firstcharacter firstcounter firstcountervalue firstinlist firstoffivearguments firstoffourarguments firstofoneargument firstofoneunexpanded	\finishregisterentry [] [=] [=] \firstcharacter \firstcounter [] [] \firstcountervalue [] \firstinlist [] \firstoffivearguments {} {} {} {} {} \firstofoneargument {} \firstofoneargument {}

firstoftwoarguments	\firstoftwoarguments \{\ldots\} \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \
firstoftwounexpanded	\firstoftwounexpanded \{\ldots\} \\\
firstrealpage	\firstrealpage
firstrealpagenumber	\firstrealpagenumber
. •	
firstsubcountervalue	\firstsubcountervalue [] []
firstsubpagenumber	\firstsubpagenumber
firstuserpage	\firstuserpage
firstuserpagenumber	\firstuserpagenumber
. •	
fitfieldframed	\fitfieldframed [=] {}
fittopbaselinegrid	\fittopbaselinegrid {}
flag	\flag {}
floatuserdataparameter	\floatuserdataparameter {}
flushbox	\flushbox {} {}
flushboxregister	\flushboxregister
flushcollector	\flushcollector []
flushedrightlastline	\flushedrightlastline
flushlayer	\flushlayer []
·	•
flushlocalfloats	\flushlocalfloats
flushnextbox	\flushnextbox
flushnotes	\flushnotes
flushoutputstream	\flushoutputstream []
flushshapebox	\flushshapebox
1	
flushtextflow	\flushtextflow {}
flushtokens	\flushtokens []
flushtoks	\flushtoks \
fontalternative	\fontalternative
fontbody	\fontbody
fontchar	\fontchar {}
fontcharbyindex	\fontcharbyindex {}
fontclass	\fontclass
fontclassname	\fontclassname \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
fontface	\fontface
fontfeaturelist	\fontfeaturelist [] []
fontsize	\fontsize
fontstyle	\fontstyle
forcecharacterstripping	\forcecharacterstripping
forcelocalfloats	\forcelocalfloats
forgeteverypar	\forgeteverypar
0 11	\forgetparameters [] [=]
forgetnarameters	
forgetparameters	. •
forgetparskip	\forgetparskip
	. •
forgetparskip	\forgetparskip
forgetparskip forgetragged formula	\forgetparskip \forgetragged \formula [] {}
forgetparskip forgetragged formula foundbox	\forgetparskip \forgetragged \formula [] {} \foundbox {} {}
forgetparskip forgetragged formula foundbox fourthoffivearguments	\forgetparskip \forgetragged \formula [] {} \foundbox {} {} \fourthoffivearguments {} {} {} {}
forgetparskip forgetragged formula foundbox	\forgetparskip \forgetragged \formula [] {} \foundbox {} {} \fourthoffivearguments {} {} {} {} \fourthoffourarguments {} {} {}
forgetparskip forgetragged formula foundbox fourthoffivearguments	\forgetparskip \forgetragged \formula [] {} \foundbox {} {} \fourthoffivearguments {} {} {} {}
forgetparskip forgetragged formula foundbox fourthoffivearguments fourthoffourarguments	\forgetparskip \forgetragged \formula [] {} \foundbox {} {} \fourthoffivearguments {} {} {} {} \fourthoffourarguments {} {} {}
forgetparskip forgetragged formula foundbox fourthoffivearguments fourthofsixarguments fourthofsixarguments frameddimension	\forgetparskip \forgetragged \formula [] {} \foundbox {} {} \fourthoffivearguments {} {} {} {} \fourthoffourarguments {} {} {} {} \fourthofsixarguments {} {} {} {} {} \frameddimension {}
forgetparskip forgetragged formula foundbox fourthoffivearguments fourthofsixarguments fourthofsixarguments frameddimension framedparameter	\forgetparskip \forgetragged \formula [] {} \foundbox {} {} \fourthoffivearguments {} {} {} {} \fourthoffourarguments {} {} {} {} \fourthofsixarguments {} {} {} {} {} \frameddimension {} \framedparameter {}
forgetparskip forgetragged formula foundbox fourthoffivearguments fourthofsixarguments fourthofsixarguments frameddimension framedparameter frazione:instance	\forgetparskip \forgetragged \formula [] {} \foundbox {} {} \fourthoffivearguments {} {} {} {} \fourthoffourarguments {} {} {} {} \fourthofsixarguments {} {} {} {} {} \frameddimension {} \framedparameter {} \FRACTION {} {}
forgetparskip forgetragged formula foundbox fourthoffivearguments fourthofsixarguments fourthofsixarguments frameddimension framedparameter	\forgetparskip \forgetragged \formula [] {} \foundbox {} {} \fourthoffivearguments {} {} {} {} \fourthoffourarguments {} {} {} {} \fourthofsixarguments {} {} {} {} {} \frameddimension {} \framedparameter {}
forgetparskip forgetragged formula foundbox fourthoffivearguments fourthofsixarguments fourthofsixarguments frameddimension framedparameter frazione:instance	\forgetparskip \forgetragged \formula [] {} \foundbox {} {} \fourthoffivearguments {} {} {} {} \fourthoffourarguments {} {} {} {} \fourthofsixarguments {} {} {} {} {} \frameddimension {} \framedparameter {} \FRACTION {} {}
forgetparskip forgetragged formula foundbox fourthoffivearguments fourthofsixarguments fourthofsixarguments frameddimension framedparameter frazione:instance frazione:instance:binom frazione:instance:dbinom	\forgetparskip \forgetragged \formula [] {} \foundbox {} {} \fourthoffivearguments {} {} {} {} \fourthoffourarguments {} {} {} {} \fourthofsixarguments {} {} {} {} {} \frameddimension {} \framedparameter {} \FRACTION {} {} \binom {} {}
forgetparskip forgetragged formula foundbox fourthoffivearguments fourthofsivarguments fourthofsixarguments frameddimension framedparameter frazione:instance frazione:instance:binom frazione:instance:dbinom frazione:instance:dfrac	\forgetparskip \forgetragged \formula [] {} \foundbox {} {} \fourthoffivearguments {} {} {} {} \fourthoffourarguments {} {} {} {} \fourthofsixarguments {} {} {} {} {} \frameddimension {} \framedparameter {} \FRACTION {} {} \dbinom {} {} \dbinom {} {} \ddfrac {} {}
forgetparskip forgetragged formula foundbox fourthoffivearguments fourthofsivarguments fourthofsixarguments frameddimension framedparameter frazione:instance frazione:instance:binom frazione:instance:dbinom frazione:instance:dfrac frazione:instance:frac	\forgetparskip \forgetragged \formula [] {} \foundbox {} {} \fourthoffivearguments {} {} {} {} \fourthoffourarguments {} {} {} {} \fourthofsixarguments {} {} {} {} {} \frameddimension {} \framedparameter {} \FRACTION {} {} \dbinom {} {} \dbinom {} {} \dfrac {} {}
forgetparskip forgetragged formula foundbox fourthoffivearguments fourthofsivarguments fourthofsixarguments frameddimension framedparameter frazione:instance frazione:instance:binom frazione:instance:dbinom frazione:instance:dfrac	\forgetparskip \forgetragged \formula [] {} \foundbox {} {} \fourthoffivearguments {} {} {} {} \fourthoffourarguments {} {} {} {} \fourthofsixarguments {} {} {} {} {} \frameddimension {} \framedparameter {} \FRACTION {} {} \dbinom {} {} \dbinom {} {} \ddfrac {} {}
forgetparskip forgetragged formula foundbox fourthoffivearguments fourthofsivarguments fourthofsixarguments frameddimension framedparameter frazione:instance frazione:instance:binom frazione:instance:dbinom frazione:instance:dfrac frazione:instance:frac	\forgetparskip \forgetragged \formula [] {} \foundbox {} {} \fourthoffivearguments {} {} {} {} \fourthoffourarguments {} {} {} {} \fourthofsixarguments {} {} {} {} {} \frameddimension {} \framedparameter {} \FRACTION {} {} \dbinom {} {} \dbinom {} {} \dfrac {} {}
forgetparskip forgetragged formula foundbox fourthoffivearguments fourthofsivarguments fourthofsixarguments frameddimension framedparameter frazione:instance frazione:instance:binom frazione:instance:dbinom frazione:instance:dfrac frazione:instance:frac frazione:instance:frac frazione:instance:sfrac	\forgetparskip \forgetragged \formula [] {} \foundbox {} {} \fourthoffivearguments {} {} {} {} \fourthoffourarguments {} {} {} {} \fourthofsixarguments {} {} {} {} {} \frameddimension {} \framedparameter {} \FRACTION {} {} \binom {} {} \dbinom {} {} \dfrac {} {} \frac {} {} \frac {} {} \sfrac {} {} \sfrac {} {}
forgetparskip forgetragged formula foundbox fourthoffivearguments fourthoffourarguments fourthofsixarguments frameddimension framedparameter frazione:instance frazione:instance:binom frazione:instance:dbinom frazione:instance:dfrac frazione:instance:frac frazione:instance:sfrac frazione:instance:sfrac frazione:instance:sfrac frazione:instance:tbinom frazione:instance:tbinom frazione:instance:xfrac	\forgetparskip \forgetragged \formula [] {} \foundbox {} {} \fourthoffivearguments {} {} {} {} \fourthoffourarguments {} {} {} {} \fourthofsixarguments {} {} {} {} {} \frameddimension {} \framedparameter {} \FRACTION {} {} \binom {} {} \dbinom {} {} \dfrac {} {} \frac {} {} \kirac {} {}
forgetparskip forgetragged formula foundbox fourthoffivearguments fourthofsivarguments fourthofsixarguments frameddimension framedparameter frazione:instance frazione:instance:binom frazione:instance:dbinom frazione:instance:dfrac frazione:instance:frac frazione:instance:sfrac frazione:instance:sfrac frazione:instance:tbinom frazione:instance:tbinom frazione:instance:xfrac frazione:instance:xfrac frazione:instance:xfrac frazione:instance:xfrac frazione:instance:xfrac	\forgetparskip \forgetragged \formula [] {} \foundbox {} {} \fourthoffivearguments {} {} {} {} \fourthoffourarguments {} {} {} \fourthofsixarguments {} {} {} {} \frameddimension {} \framedparameter {} \FRACTION {} {} \dbinom {} {} \dbinom {} {} \frac {} {} \frac {} {} \xfrac {} {} \xfrac {} {} \xfrac {} {} \xxfrac {} {}
forgetparskip forgetragged formula foundbox fourthoffivearguments fourthofsivarguments fourthofsixarguments frameddimension framedparameter frazione:instance frazione:instance:binom frazione:instance:dbinom frazione:instance:dfrac frazione:instance:frac frazione:instance:sfrac frazione:instance:sfrac frazione:instance:tbinom frazione:instance:xfrac frazione:instance:xfrac frazione:instance:xfrac frazione:instance:xfrac frazione:instance:xxfrac frazione:instance:xxfrac freezedimenmacro	\forgetparskip \forgetragged \formula [] {} \foundbox {} {} \fourthoffivearguments {} {} {} {} \fourthoffourarguments {} {} {} {} \fourthofsixarguments {} {} {} {} {} \frameddimension {} \framedparameter {} \FRACTION {} {} \dbinom {} {} \dbinom {} {} \frac {} {} \frac {} {} \xfrac {} {} \freezedimenmacro \ \
forgetparskip forgetragged formula foundbox fourthoffivearguments fourthofsivarguments fourthofsixarguments frameddimension framedparameter frazione:instance frazione:instance:binom frazione:instance:dbinom frazione:instance:dfrac frazione:instance:frac frazione:instance:sfrac frazione:instance:sfrac frazione:instance:tbinom frazione:instance:tbinom frazione:instance:xfrac frazione:instance:xfrac frazione:instance:xfrac frazione:instance:xfrac frazione:instance:xfrac	\forgetparskip \forgetragged \formula [] {} \foundbox {} {} \fourthoffivearguments {} {} {} {} \fourthoffourarguments {} {} {} \fourthofsixarguments {} {} {} {} \frameddimension {} \framedparameter {} \FRACTION {} {} \dbinom {} {} \dbinom {} {} \frac {} {} \frac {} {} \xfrac {} {} \xfrac {} {} \xfrac {} {} \xxfrac {} {}
forgetparskip forgetragged formula foundbox fourthoffivearguments fourthofsivarguments fourthofsixarguments frameddimension framedparameter frazione:instance frazione:instance:binom frazione:instance:dbinom frazione:instance:dfrac frazione:instance:frac frazione:instance:sfrac frazione:instance:sfrac frazione:instance:xfrac frazione:instance:xfrac frazione:instance:xfrac frazione:instance:xfrac frazione:instance:xfrac frazione:instance:xfrac freezedimenmacro freezemeasure	\forgetparskip \forgetragged \formula [] {} \foundbox {} {} \fourthoffivearguments {} {} {} {} \fourthoffourarguments {} {} {} {} \fourthofsixarguments {} {} {} {} {} \frameddimension {} \framedparameter {} \FRACTION {} {} \dbinom {} {} \dbinom {} {} \frac {} {} \frac {} {} \xfrac {} {} \freezedimenmacro \ \
forgetparskip forgetragged formula foundbox fourthoffivearguments fourthoffourarguments fourthofsixarguments frameddimension framedparameter frazione:instance:binom frazione:instance:dbinom frazione:instance:dfrac frazione:instance:frac frazione:instance:sfrac frazione:instance:sfrac frazione:instance:xfrac frazione:instance:xfrac frazione:instance:xfrac frazione:instance:xfrac frazione:instance:xfrac frazione:instance:xfrac frazione:instance:xfrac freezedimenmacro freezemeasure frenchspacing	\forgetparskip \forgetragged \formula [] {} \foundbox {} {} \fourthoffivearguments {} {} {} {} \fourthoffourarguments {} {} {} {} \fourthofsixarguments {} {} {} {} {} \frameddimension {} \framedparameter {} \FRACTION {} {} \dbinom {} {} \dfrac {} {} \frac {} {}
forgetparskip forgetragged formula foundbox fourthoffivearguments fourthoffourarguments fourthofsixarguments frameddimension framedparameter frazione:instance:binom frazione:instance:dbinom frazione:instance:dfrac frazione:instance:frac frazione:instance:sfrac frazione:instance:sfrac frazione:instance:xfrac frazione:instance:xfrac frazione:instance:xfrac frazione:instance:xfrac frazione:instance:xfrac frazione:instance:xfrac frazione:instance:xfrac frazione:instance:xfrac freezedimenmacro freezemeasure frenchspacing fromlinenote	\forgetparskip \forgetragged \formula [] {} \foundbox {} {} \fourthoffivearguments {} {} {} {} \fourthoffourarguments {} {} {} {} \fourthofsixarguments {} {} {} {} {} \frameddimension {} \framedparameter {} \FRACTION {} {} \dbinom {} {} \dbinom {} {} \frac {} {}
forgetparskip forgetragged formula foundbox fourthoffivearguments fourthoffourarguments fourthofsixarguments fourthofsixarguments frameddimension framedparameter frazione:instance:binom frazione:instance:dbinom frazione:instance:dfrac frazione:instance:frac frazione:instance:sfrac frazione:instance:sfrac frazione:instance:xfrac frazione:instance:xfrac frazione:instance:xfrac frazione:instance:xfrac frazione:instance:xfrac frazione:instance:xfrac freezedimenmacro freezemeasure frenchspacing fromlinenote frozenhbox	\forgetparskip \forgetragged \formula [] {} \foundbox {} {} \fourthoffivearguments {} {} {} {} \fourthoffourarguments {} {} {} {} \fourthofsixarguments {} {} {} {} \frameddimension {} \framedparameter {} \FRACTION {} {} \dbinom {} {} \dbinom {} {} \frac {} {}
forgetparskip forgetragged formula foundbox fourthoffivearguments fourthoffourarguments fourthofsixarguments frameddimension framedparameter frazione:instance:binom frazione:instance:dbinom frazione:instance:dfrac frazione:instance:frac frazione:instance:sfrac frazione:instance:sfrac frazione:instance:xfrac frazione:instance:xfrac frazione:instance:xfrac frazione:instance:xfrac frazione:instance:xfrac frazione:instance:xfrac frazione:instance:xfrac frazione:instance:xfrac freezedimenmacro freezemeasure frenchspacing fromlinenote	\forgetparskip \forgetragged \formula [] {} \foundbox {} {} \fourthoffivearguments {} {} {} {} \fourthoffourarguments {} {} {} {} \fourthofsixarguments {} {} {} {} {} \frameddimension {} \framedparameter {} \FRACTION {} {} \dbinom {} {} \dbinom {} {} \frac {} {}
forgetparskip forgetragged formula foundbox fourthoffivearguments fourthoffourarguments fourthofsixarguments fourthofsixarguments frameddimension framedparameter frazione:instance:binom frazione:instance:dbinom frazione:instance:dfrac frazione:instance:frac frazione:instance:sfrac frazione:instance:sfrac frazione:instance:xfrac frazione:instance:xfrac frazione:instance:xfrac frazione:instance:xfrac frazione:instance:xfrac frazione:instance:xfrac freezedimenmacro freezemeasure frenchspacing fromlinenote frozenhbox	\forgetparskip \forgetragged \formula [] {} \foundbox {} {} \fourthoffivearguments {} {} {} {} \fourthoffourarguments {} {} {} {} \fourthofsixarguments {} {} {} {} \frameddimension {} \framedparameter {} \FRACTION {} {} \dbinom {} {} \dbinom {} {} \frac {} {}
forgetparskip forgetragged formula foundbox fourthoffivearguments fourthoffourarguments fourthofsixarguments fourthofsixarguments frameddimension framedparameter frazione:instance:binom frazione:instance:dbinom frazione:instance:dfrac frazione:instance:frac frazione:instance:sfrac frazione:instance:sfrac frazione:instance:xfrac frazione:instance:xfrac frazione:instance:xfrac frazione:instance:xfrac frazione:instance:xfrac frazione:instance:xfrac freezedimenmacro freezemeasure frenchspacing fromlinenote frozenhbox frule	\forgetparskip \forgetragged \formula [] {} \foundbox {} {} \fourthoffivearguments {} {} {} {} \fourthoffourarguments {} {} {} {} \fourthofsixarguments {} {} {} {} \frameddimension {} \framedparameter {} \FRACTION {} {} \dbinom {} {} \dbinom {} {} \frac {} {}
forgetparskip forgetragged formula foundbox fourthoffivearguments fourthofsivarguments fourthofsixarguments fourthofsixarguments frameddimension framedparameter frazione:instance:binom frazione:instance:dbinom frazione:instance:dfrac frazione:instance:frac frazione:instance:sfrac frazione:instance:sfrac frazione:instance:xfrac frazione:instance:xfrac frazione:instance:xfrac frazioneinstance:xfrac frazioneinstance:xfrac frazioneinstance:xfrac freezedimenmacro freezemeasure frenchspacing fromlinenote frozenhbox frule GetPar GIORNOSETTIMANA	\forgetparskip \forgetragged \formula [] {} \foundbox {} {} \fourthoffivearguments {} {} {} {} \fourthoffourarguments {} {} {} {} \fourthofsixarguments {} {} {} {} \frameddimension {} \framedparameter {} \FRACTION {} {} \dbinom {} {} \dbinom {} {} \frac {} {}
forgetparskip forgetragged formula foundbox fourthoffivearguments fourthofsivarguments fourthofsixarguments fourthofsixarguments frameddimension framedparameter frazione:instance:binom frazione:instance:dbinom frazione:instance:dfrac frazione:instance:frac frazione:instance:sfrac frazione:instance:xfrac frazione:instance:xfrac frazione:instance:xfrac frazione:instance:xfrac frazioneinstance:xfrac frazioneinstance:xfrac frazioneinstance:xfrac frazioneinstance:xfrac freezedimenmacro freezemeasure frenchspacing fromlinenote frozenhbox frule GetPar GIORNOSETTIMANA GotoPar	\forgetparskip \forgetragged \formula [] {} \foundbox {} {} \fourthoffivearguments {} {} {} {} \fourthoffourarguments {} {} {} \fourthofsixarguments {} {} {} {} \frameddimension {} \framedparameter {} \FRACTION {} {} \dbinom {} {} \dbinom {} {} \frac {} {}
forgetparskip forgetragged formula foundbox fourthoffivearguments fourthoffourarguments fourthofsixarguments fourthofsixarguments frameddimension framedparameter frazione:instance:binom frazione:instance:dbinom frazione:instance:dfrac frazione:instance:frac frazione:instance:sfrac frazione:instance:sfrac frazione:instance:xfrac frazione:instance:xfrac frazione:instance:xfrac frazioneinstance:xfrac frazioneinstance:xfrac frazioneinstance:xfrac freezedimenmacro freezemeasure frenchspacing fromlinenote frozenhbox frule GetPar GIORNOSETTIMANA GotoPar Greeknumerals	\forgetparskip \forgetragged \formula [] {} \foundbox {} {} \fourthoffivearguments {} {} {} {} \fourthoffourarguments {} {} {} \fourthofsixarguments {} {} {} {} \frameddimension {} \framedparameter {} \FRACTION {} {} \binom {} {} \dbinom {} {} \kfrac {} {}
forgetparskip forgetragged formula foundbox fourthoffivearguments fourthofsivarguments fourthofsixarguments fourthofsixarguments frameddimension framedparameter frazione:instance:binom frazione:instance:dbinom frazione:instance:dfrac frazione:instance:frac frazione:instance:sfrac frazione:instance:xfrac frazione:instance:xfrac frazione:instance:xfrac frazione:instance:xfrac frazioneinstance:xfrac frazioneinstance:xfrac frazioneinstance:xfrac frazioneinstance:xfrac freezedimenmacro freezemeasure frenchspacing fromlinenote frozenhbox frule GetPar GIORNOSETTIMANA GotoPar	\forgetparskip \forgetragged \formula [] {} \foundbox {} {} \fourthoffivearguments {} {} {} {} \fourthoffourarguments {} {} {} \fourthofsixarguments {} {} {} {} \frameddimension {} \framedparameter {} \FRACTION {} {} \dbinom {} {} \dbinom {} {} \frac {} {}
forgetparskip forgetragged formula foundbox fourthoffivearguments fourthoffourarguments fourthofsixarguments fourthofsixarguments frameddimension framedparameter frazione:instance:binom frazione:instance:dbinom frazione:instance:dfrac frazione:instance:frac frazione:instance:sfrac frazione:instance:sfrac frazione:instance:xfrac frazione:instance:xfrac frazione:instance:xfrac frazioneinstance:xfrac frazioneinstance:xfrac frazioneinstance:xfrac freezedimenmacro freezemeasure frenchspacing fromlinenote frozenhbox frule GetPar GIORNOSETTIMANA GotoPar Greeknumerals	\forgetparskip \forgetragged \formula [] {} \foundbox {} {} \fourthoffivearguments {} {} {} {} \fourthoffourarguments {} {} {} \fourthofsixarguments {} {} {} \frameddimension {} \framedparameter {} \FRACTION {} {} \dbinom {} {} \dbinom {} {} \kirac {} {} \freezedimenmacro \ \ \freezedimenmacro \ \ \freezenhbox {} \frule \relax \GetPar \GIORNOSETTIMANA {} \gdefconvertedargument \ {}
forgetparskip forgetragged formula foundbox fourthoffivearguments fourthofsixarguments fourthofsixarguments frameddimension framedparameter frazione:instance:binom frazione:instance:dbinom frazione:instance:frac frazione:instance:frac frazione:instance:sfrac frazione:instance:sfrac frazione:instance:xfrac frazione:instance:xfrac frazione:instance:xfrac frazione:instance:xfrac frazione:instance:xfrac frezedimenmacro freezemeasure frenchspacing fromlinenote frozenhbox frule GetPar GIORNOSETTIMANA GotoPar Greeknumerals gdefconvertedargument gdefconvertedcommand	\forgetparskip \forgetragged \formula [] {} \foundbox {} {} \fourthoffivearguments {} {} {} {} \fourthoffourarguments {} {} {} {} \fourthofsixarguments {} {} {} {} \frameddimension {} \framedparameter {} \FRACTION {} {} \dbinom {} {} \dbinom {} {} \frac {} {} \freezedimenmacro \ \ \freezedimenmacro \ \ \freezenhbox {} \frozenhbox {} \frozenhbox {} \freeknumerals {} \gdefconvertedargument \ {} \gdefconvertedcommand \ \
forgetparskip forgetragged formula foundbox fourthoffivearguments fourthoffourarguments fourthofsixarguments frameddimension framedparameter frazione:instance frazione:instance:binom frazione:instance:dbinom frazione:instance:dfrac frazione:instance:frac frazione:instance:sfrac frazione:instance:sfrac frazione:instance:xfrac frazione:instance:xxfrac frazione:instance:xxfrac frazione:instance:xxfrac frezedimenmacro freezemeasure frenchspacing fromlinenote frozenhbox frule GetPar GIORNOSETTIMANA GotoPar Greeknumerals gdefconvertedargument gdefconvertedcommand getboxfromcache	\forgetparskip \forgetragged \formula [] {} \foundbox {} {} \fourthoffivearguments {} {} {} {} \fourthoffourarguments {} {} {} {} \fourthofsixarguments {} {} {} {} \frameddimension {} \framedparameter {} \FRACTION {} {} \dbinom {} {} \dbinom {} {} \frac {} {} \freezedimenmacro \\ \freezedimenmacro \\ \freezedimenhox {} \freezenhox {} \freezenhox {} \freezenhox {} \freezenhox {} \getocoper
forgetparskip forgetragged formula foundbox fourthoffivearguments fourthofsixarguments fourthofsixarguments frameddimension framedparameter frazione:instance:binom frazione:instance:dbinom frazione:instance:frac frazione:instance:frac frazione:instance:sfrac frazione:instance:sfrac frazione:instance:xfrac frazione:instance:xfrac frazione:instance:xfrac frazione:instance:xfrac frazione:instance:xfrac frezedimenmacro freezemeasure frenchspacing fromlinenote frozenhbox frule GetPar GIORNOSETTIMANA GotoPar Greeknumerals gdefconvertedargument gdefconvertedcommand	\forgetparskip \forgetragged \formula [] {} \foundbox {} {} \fourthoffivearguments {} {} {} {} \fourthoffourarguments {} {} {} {} \fourthofsixarguments {} {} {} {} \frameddimension {} \framedparameter {} \FRACTION {} {} \dbinom {} {} \dbinom {} {} \frac {} {} \freezedimenmacro \ \ \freezedimenmacro \ \ \freezenhbox {} \frule \relax \GetPar \GIORNOSETTIMANA {} \gdefconvertedargument \ {} \gdefconvertedcommand \ \

getbufferdata	\getbufferdata []
getcommacommandsize	\getcommacommandsize []
getcommalistsize	\getcommalistsize []
getdayoftheweek	$\getdayoftheweek {} {} {}$
getdayspermonth	\getdayspermonth {} {}
getdefinedbuffer	\getdefinedbuffer []
getdocumentargument	\getdocumentargument {}
getdocumentargumentdefault	\getdocumentargumentdefault {} {}
getdocumentfilename	\getdocumentfilename {}
getdummyparameters	\getdummyparameters [=]
getemptyparameters	\getemptyparameters [] [=]
geteparameters	\geteparameters [] [=]
getexpandedparameters	\getexpandedparameters [] [=]
getfiguredimensions	\getfiguredimensions [] [=]
getfirstcharacter	\getfirstcharacter {}
getfirsttwopassdata	\getfirsttwopassdata {}
getfromcommacommand	\getfromcommacommand [] []
getfromcommalist	\getfromcommalist [] []
getfromtwopassdata	\getfromtwopassdata {} {}
•	=
getglyphdirect	\getglyphdirect {} {}
getglyphstyled	\getglyphstyled {} {}
getgparameters	\getgparameters [] [=]
getinlineuserdata	\getinlineuserdata
getlasttwopassdata	\getlasttwopassdata {}
getlocalfloat	\getlocalfloat {}
getlocalfloats	\getlocalfloats
getMPdrawing	\getMPdrawing
getMPlayer	\getMPlayer [] [=] {}
getmessage	\getmessage {} {}
getnamedglyphdirect	\getnamedglyphdirect {} {}
getnamedglyphstyled	\getnamedglyphstyled {} {}
getnamedtwopassdatalist	\getnamedtwopassdatalist \ {}
getnaturaldimensions	\getnaturaldimensions
getnoflines	\getnoflines {}
getobject	\getobject {} {}
getobjectdimensions	\getobjectdimensions {} {}
getpaletsize	\getpaletsize []
getparameters	\getparameters [] [=]
getprivatechar	\getprivatechar {}
getprivateslot	\getprivateslot {}
getrandomcount	\getrandomcount \ {} {}
getrandomdimen	\getrandomdimen \ {} {}
getrandomfloat	\getrandomfloat \ {} {}
getrandomnumber	\getrandomnumber \ \{\} \{\}
getrandomseed	\getrandomseed \
getraweparameters	\getraweparameters [] [=]
getrawgparameters	\getrawgparameters [] [=]
getrawnoflines	\getrawnoflines {}
getrawparameters	\getrawparameters [] [=]
getrawxparameters	\getrawxparameters [] [=]
getreference	\getreference [] []
getreferenceentry	\getreferenceentry {}
getroundednoflines	\getroundednoflines {}
getsubstring	\getsubstring {} {}
gettokenlist	\gettokenlist []
gettwopassdata	\gettwopassdata {}
gettwopassdatalist	\gettwopassdatalist {}
getuserdata	\getuserdata
	\getuserdata \getuvalue {}
getuvalue	•
getvalue	\getvalue {}
getvariable	\getvariable {} {}
getvariabledefault	\getvariabledefault \{\ldots\} \{\ldots\} \{\ldots\}
getxparameters	\getxparameters [] [=]
giornosettimana	\giornosettimana {}
globaldisablemode	\globaldisablemode []
globalenablemode	\globalenablemode []
globalletempty	\globalletempty \
globalpopbox	\globalpopbox
globalpopmacro	\globalpopmacro \
globalpreventmode	\globalpreventmode []
globalprocesscommalist	\globalprocesscommalist [] \
globalpushbox	\globalpushbox

globalpushmacro	\globalpushmacro \
globalpushreferenceprefix	\globalpushreferenceprefix {} \globalpopreferenceprefix
globalswapcounts	\globalswapcounts \ \
globalswapdimens	\globalswapdimens \ \
globalswapmacros	\globalswapmacros \ \
globalundefine	\globalundefine {}
glyphfontfile	\glyphfontfile {}
gobbledoubleempty	\gobbledoubleempty [] []
gobbleeightarguments	\gobbleeightarguments \{\ldots\}
gobblefivearguments	\gobblefivearguments {} {} {} {}
gobblefiveoptionals	\gobblefiveoptionals [] [] [] []
gobblefourarguments	\gobblefourarguments \{\ldots\} \{\ldots\} \{\ldots\}
gobblefouroptionals	\gobblefouroptionals [] [] []
gobbleninearguments	\gobbleninearguments $\{\}$ $\{\}$ $\{\}$ $\{\}$ $\{\}$ $\{\}$ $\{\}$
gobbleoneargument	\gobbleoneargument {}
gobbleoneoptional	\gobbleoneoptional []
gobblesevenarguments	\gobblesevenarguments \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
gobblesingleempty	\gobblesingleempty []
gobblesixarguments	\gobblesixarguments \{\ldots\} \{\ldots\} \{\ldots\} \{\ldots\} \{\ldots\} \\\
gobblespacetokens	\gobblespacetokens
gobbletenarguments	\gobbletenarguments \{\ldots\} \{
gobblethreearguments	\gobblethreearguments \{\ldots\} \{\ldots\}
gobblethreeoptionals	\gobblethreeoptionals [] []
gobbletwoarguments	\gobbletwoarguments {} {}
gobbletwooptionals	\gobbletwooptionals []
gobbleuntil	\gobbleuntil \
gobbleuntilrelax	\gobbleuntilrelax \relax
grabbufferdata	\grabbufferdata [] [] []
grabbufferdatadirect	\grabbufferdatadirect {} {}
grabuntil	\grabuntil {} \
grafiamanuale	\grafiamanuale
grande	\grande
grassetto	\grassetto
grassettocorsivo	\grassettocorsivo
	\grassettoinclinato
grassettoinclinato	
grave	\grave {}
grayvalue	\grayvalue {}
greedysplitstring	\greedysplitstring \at \to \ \and \
greeknumerals	\greeknumerals {}
griglia	\griglia [=]
grossofontdeltesto	\grossofontdeltesto
groupedcommand	\groupedcommand \{\ldots\} \\\
gsetboxllx	\gsetboxllx {}
gsetboxlly	\gsetboxlly {}
gujaratinumerals	\gujaratinumerals {}
gurmurkhinumerals	\gurmurkhinumerals {}
hairspace	\hairspace
halflinestrut	\halflinestrut
halfstrut	\halfstrut
halfwaybox	\halfwaybox {}
handletokens	\handletokens \with \
hash	\hash
hat	\hat {}
hboxofvbox	\hboxofvbox
hboxreference	\hboxreference [] {}
hbox:example	\hboxBOX {}
hdofstring	\hdofstring {}
headhbox	\headhbox {}
headnumbercontent	\headnumbercontent
headnumberdistance	\headnumberdistance
headnumberwidth	\headnumberwidth
headreferenceattributes	\headreferenceattributes
headsetupspacing	\headsetupspacing
headtextcontent	\headtextcontent
headtextdistance	\headtextdistance
headtextwidth	\headtextwidth
headvbox	\headvbox {}
headwidth	\headwidth
heightanddepthofstring	\heightanddepthofstring {}
heightofstring	\heightofstring {}
heightspanningtext	\heightspanningtext {} {} {}
<u> </u>	
help:instance	\HELP [] {} {}

{..

help:instance:helptext	\helptext [] {}
hglue	\hglue
hiddencitation	\hiddencitation []
hiddencite	\hiddencite []
highlight	\highlight [] {}
highlight:example	\HIGHLIGHT {}
highordinalstr	\highordinalstr {}
hilo	\hilo [] {}
himilo	\himilo {} {} {}
hl	\hl []
horizontalgrowingbar	\horizontalgrowingbar [=]
horizontalpositionbar	\horizontalpositionbar [=]
hphantom	\hphantom {}
hpos	\hpos {} {}
hsizefraction	\hsizefraction {} {}
hsmash	\hsmash {}
hsmashbox	\hsmashbox
hsmashed	\hsmashed {}
hspace	\hspace [] []
htdpofstring	\htdpofstring {}
htofstring	\htofstring {}
hyphen	hyphen
hyphenatedcoloredword	\hyphenatedcoloredword {}
hyphenatedfile	\hyphenatedfile {}
hyphenatedfilename	\hyphenatedfilename {}
hyphenatedhbox	\hyphenatedhbox {}
hyphenatedpar	\hyphenatedpar {}
hyphenatedurl	\hyphenatedurl {}
hyphenatedword	\hyphenatedword {}
INRSTEX	\INRSTEX
ibox	\ibox {}
ifassignment	\ifassignment \else \fi
iff	\iff
ifinobject	\ifinobject \else \fi
ifinoutputstream	\ifinoutputstream \else \fi
ifparameters	\ifparameters \else \fi
iftrialtypesetting	\iftrialtypesetting \else \fi
ignoreimplicitspaces	\ignoreimplicitspaces
ignoretagsinexport	\ignoretagsinexport []
ignorevalue	\ignorevalue {}
ignoto	\ignote \(\)
	<u> </u>
immediatesavetwopassdata	\immediatesavetwopassdata {} {} {}
impliedby	\impliedby
implies	\implies
imposta	\imposta []
impostaallineamento	\impostaallineamento []
impostaampiezzariga	\impostaampiezzariga []
impostabarrainterazione	\impostabarrainterazione [] [=]
impostablocco	\impostablocco [] [=]
impostabloccosezione	\impostabloccosezione [] [=]
impostabuffer	\impostabuffer [] [=]
impostacampi	\impostacampi [] [=] [=]
impostacampo	\impostacampo [] [=] [=] [=]
impostacapoversi	\impostacapoversi [] [=]
impostacapoversi:assignment	\impostacapoversi [] [=]
impostacaption	\impostacaption [] [=]
impostacaptions	\impostacaptions [] [=]
impostacima	\impostacima [] [=]
impostaclippling	\impostaclippling [=]
impostacolonne	\impostacolonne [=]
impostacolore	\impostacolore []
impostacolori	\impostacolori [=]
impostacommento	\impostacommento [] [=]
impostacommentopagina	\impostacommentopagina [=]
impostadimensionicarta	\impostadimensionicarta [] [=]
impostadimensionicarta:name	\impostadimensionicarta [] []
impostaelementi	\impostaelementi [] [=]
impostaelencazioni	\impostaelencazioni [] [=]
impostaelenco	\impostaelencazioni [] [] \impostaelenco [] []
impostaelencocombinato	
-	\impostaclencocombinato [] [=]
impostaelencocombinato:instance	\impostaCOMBINEDLIST [=]
<pre>impostaelencocombinato:instance:content</pre>	\impostacontent [=]

impostaenumerazioni	\impostaenumerazioni [] [=]
impostafondo	\impostafondo [] [=]
•	
impostafontdeltesto	\impostafontdeltesto []
impostaforms	\impostaforms [=]
impostaformule	\impostaformule [] [=]
impostagruppocolonne	\impostagruppocolonne [] [=]
impostaincorniciato	\impostaincorniciato [] [=]
impostainiziatermina	\impostainiziatermina [] [=]
impostainstestazione	\impostainstestazione [] [=]
impostainterazione	\impostainterazione [] [=]
impostainterazione:name	\impostainterazione []
-	-
impostainterlinea	\impostainterlinea [] [=]
impostainterlinea:argument	\impostainterlinea []
impostainterlinea:name	\impostainterlinea []
impostalayout	\impostalayout [] [=]
impostalayout:name	\impostalayout []
impostalineemargine	\impostalineemargine [] [=]
impostalineenere	\impostalineenere [=]
impostalineeriempimento	\impostalineeriempimento [=]
impostalineesottili	\impostalineesottili [=]
impostalineetesto	\impostalineetesto [=]
impostalingua	\impostalingua [] [=]
-	\impostarringua [] [] \impostamaiuscole [] []
impostamaiuscole	
impostamakeup	\impostamakeup [] [=]
impostamarcatura	\impostamarcatura [] [=]
impostamenuinterazione	\impostamenuinterazione [] [=]
impostamenzione	\impostamenzione [=]
impostanumerazionecapoversi	\impostanumerazionecapoversi [=]
impostanumerazionepagina	\impostanumerazionepagina [=]
impostanumerazionerighe	\impostanumerazionerighe [] [=]
impostanumeropagina	\impostanumeropagina [=]
impostanumerosottopagina	\impostanumerosottopagina [=]
impostanumerotesta	\impostanumerotesta [] []
-	\impostandmerotesta [] [] \impostanoggettimobili [] [=]
impostaoggettimobili	
impostaoggettomobile	\impostaoggettomobile [] [=]
impostaordinamento	\impostaordinamento [] [=]
impostaparranging	\impostaparranging []
impostapdp	\impostapdp [] [=]
impostapiustretto	\impostapiustretto [] [=]
impostaposizionamento	\impostaposizionamento [] [=]
impostaposizionamentoopposti	\impostaposizionamentoopposti [=]
impostaprogrammi	\impostaprogrammi [=]
impostaregistro	\impostaregistro [] [=]
impostaregistro:argument	\impostaregistro [] [=]
impostaregistro:instance	\impostaREGISTER [] [=]
impostaregistro:instance:index	\impostaindex [] [=]
impostarientro	\impostarientro []
impostariferimento	\impostariferimento [=]
impostarighe	\impostarighe [] [=]
impostarigheriempimento	\impostarigheriempimento [=]
impostarigovuoto	\impostarigovuoto []
impostarotazione	\impostarotazione [=]
impostaschermointerazione	\impostaschermointerazione [=]
impostasegnosillabazione	\impostasegnosillabazione [=]
impostasetsimboli	\impostasetsimboli []
impostasfondi	\impostasfondi [] [=]
impostasfondi:page	\impostasfondi [] [=]
impostasfondo	\impostasfondo [] [=]
impostasinonimi	\impostasinonimi [] [=]
impostaspaziatura	\impostaspaziatura []
impostaspaziobianco	\impostaspaziobianco []
impostaspezzamentooggettomobile	\impostaspezzamentooggettomobile [=]
impostatabelle	\impostatabelle [=]
impostatabulato	\impostatabulato [] [=]
impostatavolozza	\impostatavolozza []
impostatesta	\impostatesta [] [=]
impostateste	\impostatesta [] [=] \impostateste [] [=]
	/
impostatesticima	\impostatesticima [] [] [] [] []
importatortitondo	\impostatesticima [] [] [] [] \impostatestifondo [] [] [] [] []
impostatestifondo	\impostatestifondo [] [] [] []
impostatestiincorniciati	\impostatestifondo [] [] [] [] \impostatestiincorniciati [] [=]
-	\impostatestifondo [] [] [] []

immediated	\:\-\-\-\-\-\-\-\-\-\-\-\-\-\-\-\-\-\-\
<pre>impostatesto impostatestoetichette:instance</pre>	\impostatesto [] [=] \impostaLABELtesto [] [=]
impostatestoetichette:instance:btxlabel	\impostabletesto [] [=] \impostabtxlabeltesto [] [=]
impostatestoetichette:instance:head	\impostaheadtesto [] [=]
impostatestoetichette:instance:label	\impostalabeltesto [] [=]
impostatestoetichette:instance:mathlabel	\impostamathlabeltesto [] [=]
<pre>impostatestoetichette:instance:operator</pre>	\impostaoperatortesto [] [=]
<pre>impostatestoetichette:instance:prefix</pre>	\impostaprefixtesto [] [=]
<pre>impostatestoetichette:instance:suffix</pre>	\impostasuffixtesto [] [=]
impostatestoetichette:instance:taglabel	\impostataglabeltesto [] [=]
impostatestoetichette:instance:unit	\impostaunittesto [] [=]
impostatestotesti	\impostatestotesti [] [] [] []
impostatolleranza	\impostatolleranza []
impostatransizionepagina	\impostatransizionepagina [] \impostatype [] [=]
impostatype impostatyping	\impostatype [] [=] \impostatyping [] [=]
impostaurl	\impostaurl [=]
imposta:direct	\imposta {}
in	\in {} {} []
inclinato	\inclinato
inclinatograssetto	\inclinatograssetto
includemenu	\includemenu []
includeversioninfo	\includeversioninfo {}
incorniciato	\incorniciato [=] {}
incorniciato:instance	\FRAMED [=] {}
incorniciato:instance:fitfieldframed	\fitfieldframed [=] {}
incorniciato:instance:unframed	\unframed [=] {}
incrementa	\incrementa \
incrementa: argument	\incrementa ()
incrementcounter incrementedcounter	\incrementcounter [] [] \incrementedcounter []
	\incrementedcounter [] \incrementpagenumber
incrementpagenumber incrementsubpagenumber	\incrementsubpagenumber
incrementvalue	\incrementvalue {}
indentation	\indentation
infofont	\infofont
infofontbold	\infofontbold
inheritparameter	\inheritparameter [] []
inhibitblank	\inhibitblank
initializeboxstack	\initializeboxstack {}
inizia	\inizia [] \termina
iniziaalignment	\iniziaalignment [] \terminaalignment
iniziaallineacentro	\iniziaallineacentro \terminaallineacentro
iniziaallineadestra iniziaallineasinistra	\iniziaallineadestra \terminaallineadestra \iniziaallineasinistra \terminaallineasinistra
iniziaallmodes	\iniziaallmodes [] \terminaallmodes
iniziaambiente	\iniziaambiente [] \terminaarimodes
iniziaambientebloccosezione	\iniziaambientebloccosezione [] \terminaambientebloccosezione
iniziaambiente:string	\iniziaambiente \terminaambiente
iniziaattachment:instance	\iniziaATTACHMENT [] [=] \terminaATTACHMENT
iniziaattachment:instance:attachment	\iniziaattachment [] [=] \terminaattachment
iniziabar	\iniziabar [] \terminabar
iniziabbordermatrix	\iniziabbordermatrix \terminabbordermatrix
iniziabitmapimage	\iniziabitmapimage [=] \terminabitmapimage
iniziabordermatrix	\iniziabordermatrix \terminabordermatrix
iniziabtxrenderingdefinitions	\iniziabtxrenderingdefinitions [] \terminabtxrenderingdefinitions
iniziabuffer	\iniziabuffer [] \terminabuffer
iniziabuffer:instance	\iniziaBUFFER \terminaBUFFER
iniziabuffer:instance:hiding	\iniziahiding \terminahiding
iniziacapoverso	\iniziacapoverso [] [=] \terminacapoverso \iniziaSECTION [=] [=] \terminaSECTION
<pre>iniziacapoverso:instance iniziacapoverso:instance:chapter</pre>	\iniziachapter [=] [=] \terminachapter
iniziacapoverso:instance:part	\iniziapart [=] [=] \terminapart
iniziacapoverso:instance:section	\iniziasection [=] [=] \terminasection
iniziacapoverso:instance:subject	\iniziasubject [=] [=] \terminasubject
iniziacapoverso:instance:subsection	\iniziasubsection [=] [=] \terminasubsection
iniziacapoverso:instance:subsubject	\iniziasubsubject [=] \terminasubsubject
iniziacapoverso:instance:subsubsection	\iniziasubsubsection [=] [=] \terminasubsubsection
iniziacapoverso:instance:subsubsubject	\iniziasubsubsubject [=] [=] \terminasubsubsubject
$\verb"iniziaca" poverso: \verb"instance: subsubsubsection"$	$\verb \iniziasubsubsubsection [=] [=] \verb \terminasubsubsubsection $
iniziacapoverso:instance:subsubsubsubject	\iniziasubsubsubsubject [=] [=] \terminasubsubsubsubject
iniziacapoverso:instance:subsubsubsubsection	\iniziasubsubsubsection [=] [=] \terminasubsubsubsect

```
iniziacapoverso:instance:subsubsubsubsubject
                                                                                                                    \iniziasubsubsubsubsubject [..=..] [..=..] ... \terminasubsubsubsubsubje
iniziacapoverso:instance:title
                                                                                                                    \iniziatitle [..=..] [..=..] ... \terminatitle
                                                                                                                    \iniziacatcodetable \... \terminacatcodetable
\verb"iniziacatcodetable"
iniziacenteraligned
                                                                                                                    \iniziacharacteralign [..=..] ... \terminacharacteralign
iniziacharacteralign
                                                                                                                    \iniziacharacteralign [...] ... \terminacharacteralign
iniziacharacteralign:argument
                                                                                                                    \iniziacheckedfences ... \terminacheckedfences
iniziacheckedfences
                                                                                                                    \iniziachemical [...] [..=..] ... \terminachemical
iniziachemical
iniziacodatabella
                                                                                                                    \iniziacodatabella [...] ... \terminacodatabella
                                                                                                                    \iniziacodatabulato [...] ... \terminacodatabulato
iniziacodatabulato
                                                                                                                    \iniziacollect ... \terminacollect
iniziacollect
                                                                                                                    \iniziacollecting ... \terminacollecting
iniziacollecting
                                                                                                                    \iniziacolonne [..=..] ... \terminacolonne
iniziacolonne
                                                                                                                    \iniziacolore [...] ... \terminacolore
iniziacolore
                                                                                                                    \iniziacolorintent [...] ... \terminacolorintent
iniziacolorintent
iniziacoloronly
                                                                                                                    \iniziacoloronly [...] ... \terminacoloronly
                                                                                                                    \iniziacolorset [...] ... \terminacolorset
iniziacolorset
                                                                                                                    \iniziacolumnset [...] [..=..] ... \terminacolumnset
iniziacolumnset
iniziacolumnsetspan
                                                                                                                    \iniziacolumnsetspan [...] [..=..] ... \terminacolumnsetspan
iniziacolumnset:example
                                                                                                                    \iniziaCOLUMNSET [..=..] ... \terminaCOLUMNSET
                                                                                                                    \iniziacolumnspan [..=..] ... \terminacolumnspan
iniziacolumnspan
                                                                                                                    \verb|\coloredge | 1... | 1... | 1... | terminacombination | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... |
iniziacombination
                                                                                                                    \iniziacombination [...] [...] ... \terminacombination
iniziacombination:matrix
iniziacommentopagina
                                                                                                                    \iniziacommentopagina ... \terminacommentopagina
iniziacommento:instance
                                                                                                                    \iniziaCOMMENT [...] [..=..] ... \terminaCOMMENT
iniziacommento:instance:comment
                                                                                                                    \iniziacomment [...] [..=..] ... \terminacomment
iniziacomponenet
                                                                                                                    \verb|\iniziacomponent| [\dots] \dots \verb|\terminacomponent|
                                                                                                                    \verb|\line| \verb| iniziacomponenet ... ... \verb| terminacomponenet |
iniziacomponenet:string
                                                                                                                    \iniziacontextcode ... \terminacontextcode
iniziacontextcode
iniziacontextdefinitioncode
                                                                                                                    \iniziacontextdefinitioncode ... \terminacontextdefinitioncode
iniziactxfunction
                                                                                                                    \iniziactxfunction ... \terminactxfunction
                                                                                                                    \iniziactxfunctiondefinition ... \terminactxfunctiondefinition
iniziactxfunctiondefinition
                                                                                                                    \iniziacurrentcolor ... \terminacurrentcolor
iniziacurrentcolor
iniziacurrentlistentrywrapper
                                                                                                                    \verb|\line| iniziade limited [...] [...] [...] | terminade limited |
iniziadelimited
                                                                                                                    \iniziadelimitedtext [...] [...] ... \terminadelimitedtext
iniziadelimitedtext
                                                                                                                    \iniziaDELIMITEDTEXT [...] [... \terminaDELIMITEDTEXT
iniziadelimitedtext:instance
iniziadelimitedtext:instance:aside
                                                                                                                    \iniziaaside [...] [...] ... \terminaaside
iniziadelimitedtext:instance:blockquote
                                                                                                                    \iniziablockquote [...] [...] ... \terminablockquote
iniziadelimitedtext:instance:quotation
                                                                                                                    \iniziaquotation [...] [...] ... \terminaquotation
iniziadelimitedtext:instance:quote
                                                                                                                    \iniziaquote [...] [...] ... \terminaquote
                                                                                                                    \iniziaspeech [...] [...] ... \terminaspeech
iniziadelimitedtext:instance:speech
                                                                                                                    \iniziaDESCRIZIONE [..=..] ... \terminaDESCRIZIONE
iniziadescrizione:example
                                                                                                                    \iniziaDESCRIZIONE [...] {...} ... \terminaDESCRIZIONE
iniziadescrizione:example:title
                                                                                                                    \iniziadisplaymath ... \terminadisplaymath
iniziadisplaymath
iniziadmath
                                                                                                                    \iniziadmath ... \terminadmath
                                                                                                                    \iniziadocument [..=..] ... \terminadocument
iniziadocument
iniziaeffect
                                                                                                                    \iniziaeffect [...] ... \terminaeffect
iniziaeffect:example
                                                                                                                    \iniziaEFFECT ... \terminaEFFECT
                                                                                                                    \iniziaelement {...} [..=..] ... \terminaelement
iniziaelement
                                                                                                                    \iniziaelemento [...] ... \terminaelemento
iniziaelemento
iniziaembeddedxtable
                                                                                                                    \iniziaembeddedxtable [..=..] ... \terminaembeddedxtable
iniziaembeddedxtable:name
                                                                                                                    \iniziaembeddedxtable [...] ... \terminaembeddedxtable
                                                                                                                    \iniziaENUMERAZIONE [..=..] ... \terminaENUMERAZIONE
iniziaenumerazione:example
                                                                                                                    \iniziaENUMERAZIONE [...] {...} ... \terminaENUMERAZIONE
iniziaenumerazione:example:title
                                                                                                                    \iniziaexceptions [...] ... \terminaexceptions
iniziaexceptions
iniziaexpanded
                                                                                                                    \iniziaexpanded ... \terminaexpanded
iniziaexpandedcollect
                                                                                                                    \iniziaexpandedcollect ... \terminaexpandedcollect
iniziaextendedcatcodetable
                                                                                                                    \iniziaextendedcatcodetable \... \terminaextendedcatcodetable
iniziaexternalfigurecollection
                                                                                                                    \iniziaexternalfigurecollection [...] ... \terminaexternalfigurecollect
{\tt iniziafacingfloat}
                                                                                                                    \iniziafacingfloat [...] ... \terminafacingfloat
iniziafigura
                                                                                                                    \iniziafigura [...] [..=..] ... \terminafigura
                                                                                                                    \iniziafisso [...] ... \terminafisso
iniziafisso
iniziafittingpage
                                                                                                                    \iniziafittingpage [...] [..=..] ... \terminafittingpage
                                                                                                                    \iniziaFITTINGPAGE [..=..] ... \terminaFITTINGPAGE
iniziafittingpage:instance
                                                                                                                    \iniziaMPpage [..=..] ... \terminaMPpage
\verb"inizia fitting page: \verb"instance: MP" page"
iniziafittingpage:instance:TEXpage
                                                                                                                    \iniziaTEXpage [..=..] ... \terminaTEXpage
                                                                                                                    \verb|\colored | 1.=.. | 1... | terminafloatcombination | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1.
\verb"iniziafloatcombination"
                                                                                                                    iniziafloatcombination:matrix
                                                                                                                    iniziafloattext:instance
iniziafloattext:instance:chemical
                                                                                                                    \verb|\ \ | iniziachemical testo [...] [...] {...} ... \ \ \\ | terminachemical testo [...] {...} | termi
                                                                                                                    \verb"iniziafloattext:instance:figure"
```

```
iniziafloattext:instance:graphic
                                                       \iniziagraphictesto [...] [...] \terminagraphictesto
iniziafloattext:instance:intermezzo
                                                       \iniziaintermezzotesto [...] [...] {...} ... \terminaintermezzotesto
                                                       \iniziatabletesto [...] [...] {...} ... \terminatabletesto
iniziafloattext:instance:table
iniziafont
                                                       \iniziafont [...] ... \terminafont
iniziafontclass
                                                       \iniziafontclass [...] ... \terminafontclass
                                                       iniziafontsolution
                                                       \iniziaformula [...] ... \terminaformula
iniziaformula
                                                       \iniziaformula [..=..] ... \terminaformula
iniziaformula:assignment
                                                       \verb|\iniziaFORMULA formula| [...] ... \verb|\terminaFORMULA formula|
iniziaformula:instance
                                                       \iniziamdformula [...] ... \terminamdformula
iniziaformula:instance:md
iniziaformula:instance:mp
                                                       \iniziampformula [...] ... \terminampformula
                                                       \iniziasdformula [...] ... \terminasdformula \iniziaspformula [...] ... \terminaspformula
iniziaformula:instance:sd
iniziaformula:instance:sp
                                                       \iniziaformule [...] ... \terminaformule
iniziaformule
                                                       \iniziaframedcell [..=..] ... \terminaframedcell
iniziaframedcell
iniziaframedcontent
                                                       \iniziaframedcontent [...] ... \terminaframedcontent
                                                       \iniziaframedrow [..=..] ... \terminaframedrow
iniziaframedrow
                                                       \iniziaframedtable [...] [..=..] ... \terminaframedtable
iniziaframedtable
                                                       \iniziagridsnapping [...] ... \terminagridsnapping \iniziagridsnapping [...] ... \terminagridsnapping
iniziagridsnapping
iniziagridsnapping:list
\verb"iniziahboxestohbox"
                                                       \iniziahboxestohbox ... \terminahboxestohbox
                                                       \iniziahboxregister ... \terminahboxregister
iniziahboxregister
                                                       \iniziaHELP [...] ... \terminaHELP
iniziahelp:instance
iniziahelp:instance:helptext
                                                       \iniziahelptext [...] ... \terminahelptext
{\tt iniziahighlight}
                                                       \verb|\iniziahighlight[...]... \verb|\terminahighlight||
                                                       iniziahyphenation
iniziaimath
                                                       \iniziaimath ... \terminaimath
                                                       \iniziaimpaccato [...] ... \terminaimpaccato
iniziaimpaccato
                                                       \iniziaincorniciato [...] [..=..] ... \terminaincorniciato
iniziaincorniciato
                                                       \iniziaindentedtext [...] ... \terminaindentedtext
iniziaindentedtext
iniziaindentedtext:example
                                                       \iniziaINDENTEDTEXT ... \terminaINDENTEDTEXT
                                                       \iniziainterazione [...] ... \terminainterazione
iniziainterazione
                                                       \iniziainterface ... \terminainterface
iniziainterface
iniziaintertext
                                                       \iniziaintertext ... \terminaintertext
                                                       \iniziaitemgroup [...] [..=..] ... \terminaitemgroup
iniziaitemgroup
                                                       \iniziaITEMGROUP [...] [..=..] ... \terminaITEMGROUP
iniziaitemgroup:instance
                                                       \iniziaitemize [...] [..=..] ... \terminaitemize
iniziaitemgroup:instance:itemize
iniziaJScode
                                                       \iniziaJScode ... ... \terminaJScode
iniziaJSpreamble
                                                       \iniziaJSpreamble ... ... \terminaJSpreamble
                                                       \iniziaknockout ... \terminaknockout
iniziaknockout
inizialayout
                                                       \verb|\inizialayout| [...] ... \verb|\terminalayout|
                                                       \inizialinealignment [...] ... \terminalinealignment
inizialinealignment
                                                       \inizialineamargine [...] ... \terminalineamargine
inizialineamargine
                                                       \inizialineamargine [..=..] ... \terminalineamargine
inizialineamargine:assignment
                                                       \inizialineatesto {...} ... \terminalineatesto
inizialineatesto
inizialinecorrection
                                                       \inizialinecorrection [...] ... \terminalinecorrection
inizialinefiller
                                                       \verb|\inizialinefiller| [...] [..=..] ... \verb|\terminalinefiller|
inizialinenumbering
                                                       \inizialinenumbering [...] [...] ... \terminalinenumbering
inizialinenumbering:argument
                                                       \inizialinetable ... \terminalinetable
inizialinetable
                                                       \inizialinetablebody ... \terminalinetablebody
inizialinetablebody
                                                       \inizialinetablecell [..=..] ... \terminalinetablecell
inizialinetablecell
inizialinetablehead
                                                       \inizialinetablehead ... \terminalinetablehead
inizialingua
                                                       \inizialingua [...] ... \terminalingua
inizialocalfootnotes
                                                       \verb|\inizial ocal footnotes| ... \verb|\terminal ocal footnotes|
                                                       \inizialocalheadsetup ... \terminalocalheadsetup
inizialocalheadsetup
                                                       \inizialocallinecorrection [...] ... \terminalocallinecorrection
inizialocallinecorrection
inizialocalnotes
                                                       \inizialocalnotes [...] ... \terminalocalnotes
                                                       \inizialocalsetups [...] [...] \terminalocalsetups
inizialocalsetups
inizialocalsetups:string
                                                       \inizialocalsetups ... \terminalocalsetups
                                                       \inizialua ... \terminalua
inizialua
inizialuacode
                                                       \inizialuacode ... \terminaluacode
inizialuaparameterset
                                                       \verb|\line| \verb|\line| inizialuaparameterset [...] ... \verb|\line| terminaluaparameterset|
inizialuasetups
                                                       \inizialuasetups [...] [...] ... \terminaluasetups
                                                       \inizialuasetups ... \terminaluasetups
inizialuasetups:string
                                                       \iniziaMPclip {...} ... \terminaMPclip
iniziaMPclip
iniziaMPcode
                                                       \iniziaMPcode {...} ... \terminaMPcode
\verb"iniziaMP" definitions"
                                                       iniziaMPdrawing
                                                       \iniziaMPdrawing [...] ... \terminaMPdrawing
iniziaMPenvironment
                                                       \verb|\iniziaMPenvironment| [\dots] \dots \verb|\terminaMPenvironment|
                                                       \iniziaMPextensions {...} ... \terminaMPextensions
iniziaMPextensions
                                                       \iniziaMPinclusions [...] {...} ... \terminaMPinclusions
iniziaMPinclusions
```

```
\verb"iniziaMP" initializations"
                                                                                                        \iniziaMPinitializations ... \terminaMPinitializations
\verb"iniziaMP" position graphic"
                                                                                                        \mbox{\colored} \iniziaMPpositiongraphic \{...\} \{...\} ... \mbox{\colored} \text{\colored}
                                                                                                        \verb|\displaysum| \displaysum| \d
\verb"inizia MP" position method"
                                                                                                         \iniziaMPrun {...} ... \terminaMPrun
iniziaMPrun
iniziamakeup
                                                                                                         \iniziamakeup [...] [..=..] ... \terminamakeup
                                                                                                         \iniziaMAKEUPmakeup [..=..] ... \terminaMAKEUPmakeup \iniziamiddlemakeup [..=..] ... \terminamiddlemakeup
iniziamakeup:instance
iniziamakeup:instance:middle
iniziamakeup:instance:page
                                                                                                         \iniziapagemakeup [..=..] ... \terminapagemakeup
iniziamakeup:instance:standard
                                                                                                         \iniziastandardmakeup [..=..] ... \terminastandardmakeup
                                                                                                         \iniziatextmakeup [..=..] ... \terminatextmakeup
iniziamakeup:instance:text
iniziamarginblock
                                                                                                        \verb|\line| \verb|\line| iniziamarginblock| [...] ... \verb|\line| terminamarginblock|
                                                                                                         \iniziamarkedcontent [...] ... \terminamarkedcontent
iniziamarkedcontent
iniziamarkpages
                                                                                                         \iniziamarkpages [...] ... \terminamarkpages
                                                                                                         \iniziaMATHALIGNMENT [..=..] ... \terminaMATHALIGNMENT
\verb"iniziamathalignment:" \verb"instance"
                                                                                                         \iniziaalign [..=..] ... \terminaalign
iniziamathalignment:instance:align
iniziamathalignment:instance:mathalignment
                                                                                                         \iniziamathalignment [..=..] ... \terminamathalignment
                                                                                                         \iniziaMATHCASES [..=..] ... \terminaMATHCASES
iniziamathcases:instance
iniziamathcases:instance:cases
                                                                                                         \iniziacases [..=..] ... \terminacases
iniziamathcases:instance:mathcases
                                                                                                         \iniziamathcases [..=..] ... \terminamathcases
                                                                                                         \iniziaMATHMATRIX [..=..] ... \terminaMATHMATRIX
iniziamathmatrix:instance
                                                                                                         \iniziamathmatrix [..=..] ... \terminamathmatrix
iniziamathmatrix:instance:mathmatrix
                                                                                                         \iniziamatrix [..=..] ... \terminamatrix
iniziamathmatrix:instance:matrix
                                                                                                        \iniziamathmode ... \terminamathmode
iniziamathmode
iniziamathstyle
                                                                                                        \iniziamathstyle [...] ... \terminamathstyle
iniziamatrices
                                                                                                        \iniziamatrices [..=..] ... \terminamatrices
iniziamaxaligned
                                                                                                        \iniziamaxaligned ... \terminamaxaligned
iniziamenuinterattivo
                                                                                                         \iniziamenuinterattivo [...] ... \terminamenuinterattivo
                                                                                                        \iniziamettiformula [..=..] ... \terminamettiformula
{\tt iniziamettiformula}
                                                                                                        \iniziamettiformula [...] ... \terminamettiformula
iniziamettiformula:argument
                                                                                                        \iniziamiddlealigned ... \terminamiddlealigned
iniziamiddlealigned
iniziamixedcolumns
                                                                                                        \iniziamixedcolumns [...] [..=..] ... \terminamixedcolumns
                                                                                                         \iniziaMIXEDCOLUMNS [..=..] ... \terminaMIXEDCOLUMNS
iniziamixedcolumns:instance
iniziamixedcolumns:instance:boxedcolumns
                                                                                                         \iniziaboxedcolumns [..=..] ... \terminaboxedcolumns
iniziamixedcolumns:instance:itemgroupcolumns
                                                                                                         \iniziaitemgroupcolumns [..=..] ... \terminaitemgroupcolumns
iniziamode
                                                                                                        \iniziamode [...] ... \terminamode
                                                                                                        \iniziamodeset [...] {...} ... \terminamodeset
iniziamodeset.
                                                                                                        \iniziamodule [...] ... \terminamodule
iniziamodule
iniziamoduletestsection
                                                                                                        \iniziamoduletestsection ... \terminamoduletestsection
                                                                                                        \iniziamodule ... \terminamodule
iniziamodule:string
                                                                                                        \inizianamedsection [...] [..=..] [..=..] ... \terminanamedsection
inizianamedsection
                                                                                                        \inizianamedsubformulas [...] {...} ... \terminanamedsubformulas
inizianamedsubformulas
inizianarrower
                                                                                                        \inizianarrower [...] ... \terminanarrower
                                                                                                         \iniziaNARROWER [...] ... \terminaNARROWER
inizianarrower:example
                                                                                                        \inizianegativo ... \terminanegativo
inizianegativo
                                                                                                        \inizianicelyfilledbox [..=..] ... \terminanicelyfilledbox
inizianicelyfilledbox
inizianointerference
                                                                                                        \inizianointerference ... \terminanointerference
                                                                                                        \inizianotallmodes [...] ... \terminanotallmodes
inizianotallmodes
inizianota:instance
                                                                                                         \iniziaNOTE [...] ... \terminaNOTE
inizianota:instance:assignment
                                                                                                         \iniziaNOTE [..=..] ... \terminaNOTE
                                                                                                         \iniziaendnote [..=..] ... \terminaendnote
inizianota:instance:assignment:endnote
                                                                                                         \iniziafootnote [..=..] ... \terminafootnote
inizianota:instance:assignment:footnote
inizianota:instance:endnote
                                                                                                         \iniziaendnote [...] ... \terminaendnote
inizianota:instance:footnote
                                                                                                         \iniziafootnote [...] ... \terminafootnote
                                                                                                        \inizianotext ... \terminanotext
inizianotext
inizianotmode
                                                                                                        \inizianotmode [...] ... \terminanotmode
iniziaopposto
                                                                                                         \iniziaopposto ... \terminaopposto
                                                                                                        \iniziaoutputstream [...] ... \terminaoutputstream
iniziaoutputstream
iniziaoverprint
                                                                                                        \iniziaoverprint ... \terminaoverprint
iniziapagecolumns
                                                                                                        \iniziapagecolumns [..=..] ... \terminapagecolumns
iniziapagecolumns:instance
                                                                                                         \iniziaPAGECOLUMNS ... \terminaPAGECOLUMNS
                                                                                                        \iniziapagecolumns [...] ... \terminapagecolumns
iniziapagecolumns:name
                                                                                                        \iniziapagefigure [...] [..=..] ... \terminapagefigure
iniziapagefigure
                                                                                                        \verb|\line| \verb|\line| iniziapagelayout [...] ... \verb|\line| terminapagelayout |
iniziapagelayout
                                                                                                        \iniziapar [...] [..=..] ... \terminapar \iniziaparagraphs [...] ... \terminaparagraphs
iniziapar
iniziaparagraphs
                                                                                                        \iniziaparagraphscell ... \terminaparagraphscell
iniziaparagraphscell
iniziaparagraphs:example
                                                                                                         \iniziaPARAGRAPHS ... \terminaPARAGRAPHS
                                                                                                         \iniziaPARALLEL ... \terminaPARALLEL
iniziaparallel:example
iniziaparbuilder
                                                                                                        \iniziaparbuilder [...] ... \terminaparbuilder
iniziaplacefloat
                                                                                                         iniziaplacefloat:instance
                                                                                                         \label{linear_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_contin
                                                                                                         \iniziamettichemical [..=..] [..=..] ... \terminamettichemical
iniziaplacefloat:instance:chemical
```

iniziaplacefloat:instance:figure	\iniziamettifigure [=] [=] \terminamettifigure
iniziaplacefloat:instance:graphic	\iniziamettigraphic [=] [=] \terminamettigraphic
iniziaplacefloat:instance:intermezzo	\iniziamettiintermezzo [=] [=] \terminamettiintermezzo
iniziaplacefloat:instance:table	\iniziamettitable [=] [=] \terminamettitable
iniziaplacepairedbox	\iniziaplacepairedbox [] [=] \terminaplacepairedbox
iniziaplacepairedbox:instance	\iniziamettiPAIREDBOX [=] \terminamettiPAIREDBOX
iniziaplacepairedbox:instance:legend	\iniziamettilegend [=] \terminamettilegend
iniziapositioning	\iniziapositioning [] [=] \terminapositioning
iniziapositionoverlay	\iniziapositionoverlay {} \terminapositionoverlay
iniziapositivo	\iniziapositivo \terminapositivo
iniziaposporre	\iniziaposporre [] \terminaposporre
iniziapostponingnotes	\iniziapostponingnotes \terminapostponingnotes
iniziaprocessassignmentcommand	\iniziaprocessassignmentcommand [=] \terminaprocessassignmentcom
iniziaprocessassignmentlist	\iniziaprocessassignmentlist [=] \terminaprocessassignmentlist
iniziaprocesscommacommand	\iniziaprocesscommacommand [] \terminaprocesscommacommand
iniziaprocesscommalist	\iniziaprocesscommalist [] \terminaprocesscommalist
iniziaprodotto	\iniziaprodotto [] \terminaprodotto
iniziaprodotto:string	\iniziaprodotto \terminaprodotto
iniziaprogetto	\iniziaprogetto [] \terminaprogetto
iniziaprogetto:string	\iniziaprogetto \terminaprogetto
iniziaprotectedcolors	\iniziaprotectedcolors \terminaprotectedcolors
iniziapubblicazione	\iniziapubblicazione [] [=] \terminapubblicazione
iniziarandomized	\iniziarandomized \terminarandomized
iniziarawsetups	\iniziarawsetups [] [] \terminarawsetups
iniziarawsetups:string	\iniziarawsetups \terminarawsetups
iniziareadingfile	\iniziareadingfile \terminareadingfile
iniziaregime	\iniziaregime [] \terminaregime
iniziareusableMPgraphic	\iniziareusableMPgraphic {} {} \terminareusableMPgraphic
iniziariga	\iniziariga []
iniziarighe:instance	\iniziaLINES [=] \terminaLINES
iniziarighe:instance:lines	\inizialines [=] \terminalines
iniziaruby	\iniziaruby [] \terminaruby
iniziascript	\iniziascript [] \terminascript
iniziasectionblock	\iniziasectionblock [] [=] \terminasectionblock
iniziasectionblock:instance	\iniziaSECTIONBLOCK [=] \terminaSECTIONBLOCK
iniziasectionblock:instance:appendices	\iniziaappendices [=] \terminaappendices
iniziasectionblock:instance:backmatter	\iniziabackmatter [=] \terminabackmatter
iniziasectionblock:instance:bodymatter	\iniziabodymatter [=] \terminabodymatter
iniziasectionblock:instance:frontmatter	\iniziafrontmatter [=] \terminafrontmatter
iniziasectionlevel	\iniziasectionlevel [] [=] \terminasectionlevel
iniziasetups	\iniziasetups [] [] \terminasetups
iniziasetups:string	\iniziasetups\terminasetups
iniziasfondo	\iniziasfondo [=] \terminasfondo
iniziasfondo:example	\iniziaSFONDO [=] \terminaSFONDO
iniziashift	\iniziashift [] \terminashift
iniziasidebar	\iniziasidebar [] [=] \terminasidebar
iniziasimplecolumns	\iniziasimplecolumns [=] \terminasimplecolumns
iniziasospeso	\iniziasospeso [=] {} \terminasospeso
iniziasospeso:argument	\iniziasospeso [] {} \terminasospeso
iniziasovrapponi	\iniziasovrapponi \terminasovrapponi
iniziaspecialitem:item	\iniziaspecialitem [] [] \terminaspecialitem
iniziaspecialitem:none	\iniziaspecialitem [] \terminaspecialitem
iniziaspecialitem:symbol	\iniziaspecialitem [] {} \terminaspecialitem
iniziasplitformula	\iniziasplitformula \terminasplitformula
iniziasplittext	\iniziasplittext \terminasplittext
iniziaspread	\iniziaspread \terminaspread
iniziastartstop:example	\iniziaSTARTSTOP \terminaSTARTSTOP
iniziastaticMPfigure	\iniziastaticMPfigure {} \terminastaticMPfigure
iniziastaticMPgraphic	\iniziastaticMPgraphic {} {} \terminastaticMPgraphic
iniziastretto	\iniziastretto [] [=] \terminastretto
iniziastretto:assignment	\iniziastretto [=] [] \terminastretto
iniziastretto:name	\iniziastretto [] [] \terminastretto
iniziastrictinspectnextcharacter	\iniziastrictinspectnextcharacter \terminastrictinspectnextcharacte
iniziastyle	\iniziastyle [=] \terminastyle
iniziastyle:argument	\iniziastyle [] \terminastyle
iniziastyle:instance	\iniziaSTYLE \terminaSTYLE
iniziasubformulas	\iniziasubformulas [] \terminasubformulas
iniziasubjectlevel	\iniziasubjectlevel [] [=] \terminasubjectlevel
iniziasubsentence	\iniziasubsentence \terminasubsentence
iniziasubstack	\iniziasubstack \terminasubstack
iniziasymbolset	\iniziasymbolset [] [=] \terminasymbolset
iniziaTABLE	\iniziaTABLE [=] \terminaTABLE

```
iniziaTABLEbody
                                                                                                      \iniziaTABLEbody [..=..] ... \terminaTABLEbody
\verb"iniziaTABLE foot"
                                                                                                      \iniziaTABLEfoot [..=..] ... \terminaTABLEfoot
iniziaTABLEhead
                                                                                                      \iniziaTABLEhead [..=..] ... \terminaTABLEhead
iniziaTABLEnext
                                                                                                      \iniziaTABLEnext [..=..] ... \terminaTABLEnext
iniziatabella
                                                                                                      \iniziatabella [|...|] [..=..] ... \terminatabella
                                                                                                      \iniziatabella [...] [..=..] ... \terminatabella
iniziatabella:name
                                                                                                      \iniziatabelle [|...|] ... \terminatabelle
iniziatabelle
                                                                                                      \iniziatabelle [...] ... \terminatabelle
iniziatabelle:name
iniziatabulation:example
                                                                                                      \iniziaTABULATION [...] [..=..] ... \terminaTABULATION
                                                                                                      \verb|\iniziatabulato|| [...]| [..=..]| ... \verb|\terminatabulato||
iniziatabulato
iniziatabulato:instance
                                                                                                       \iniziafact [...] [..=..] ... \terminafact
iniziatabulato:instance:fact
                                                                                                      \inizialegend [...] [..=..] ... \terminalegend
iniziatabulato:instance:legend
                                                                                                      \iniziatesta [...] {...} ... \terminatesta
iniziatesta
                                                                                                      \iniziatestatabella [...] ... \terminatestatabella
iniziatestatabella
iniziatestatabulato
                                                                                                      \iniziatestatabulato [...] ... \terminatestatabulato
                                                                                                      \iniziatesto ... \terminatesto
iniziatesto
                                                                                                      \iniziatestoaiuto [...] ... \terminatestoaiuto
iniziatestoaiuto
                                                                                                      \iniziaLABELtesto [...] [...] ... \terminaLABELtesto \iniziabtxlabeltesto [...] [...] ... \terminabtxlabeltesto
iniziatestoetichetta:instance
iniziatestoetichetta:instance:btxlabel
                                                                                                      \iniziaheadtesto [...] [...] ... \terminaheadtesto
iniziatestoetichetta:instance:head
                                                                                                      \inizialabeltesto [...] [...] ... \terminalabeltesto
iniziatestoetichetta:instance:label
                                                                                                      \iniziamathlabeltesto [...] [...] ... \terminamathlabeltesto
iniziatestoetichetta:instance:mathlabel
iniziatestoetichetta:instance:operator
                                                                                                      \iniziaoperatortesto [...] [...] ... \terminaoperatortesto
                                                                                                       \iniziaprefixtesto [...] [...] ... \terminaprefixtesto
\verb|iniz| iates to etichetta: \verb|instance|: prefix|
iniziatestoetichetta:instance:suffix
                                                                                                       \mbox{\colored} \mbox{\color
iniziatestoetichetta:instance:taglabel
                                                                                                       \iniziataglabeltesto [...] [...] ... \terminataglabeltesto
                                                                                                       \iniziaunittesto [...] [...] ... \terminaunittesto
iniziatestoetichetta:instance:unit
                                                                                                       \iniziaFRAMEDTEXT [...] [..=..] ... \terminaFRAMEDTEXT
iniziatestoincorniciato:instance
                                                                                                       \iniziaframedtext [...] [..=..] ... \terminaframedtext
iniziatestoincorniciato:instance:framedtext
iniziatexcode
                                                                                                      \iniziatexcode ... \terminatexcode
                                                                                                      \iniziatexdefinition ... ... ... ... \terminatexdefiniti
iniziatexdefinition
{\tt iniziatextbackground}
                                                                                                      \verb|\colored| iniziatextbackground| [...] [..=..] ... \verb|\colored| terminatextbackground|
iniziatextbackgroundmanual
                                                                                                      \iniziaTEXTBACKGROUND [..=..] ... \terminaTEXTBACKGROUND
iniziatextbackground:example
                                                                                                      \iniziatextcolor [...] ... \terminatextcolor
iniziatextcolor
                                                                                                      \iniziatextcolorintent ... \terminatextcolorintent
iniziatextcolorintent
iniziatextflow
                                                                                                      \iniziatextflow [...] ... \terminatextflow
iniziatokenlist
                                                                                                      \iniziatokenlist [...] ... \terminatokenlist
iniziatokens
                                                                                                      \iniziatokens [...] ... \terminatokens
iniziatransparent
                                                                                                      \iniziatransparent [...] ... \terminatransparent
iniziatypescript
                                                                                                      \iniziatypescript [...] [...] ... \terminatypescript
                                                                                                      \iniziatypescriptcollection [...] ... \terminatypescriptcollection
{\tt iniziatypescript} collection
                                                                                                       \iniziaTYPING [..=..] ... \terminaTYPING
iniziatyping:instance
                                                                                                      \iniziaTYPING [...] ... \terminaTYPING
iniziatyping:instance:argument
iniziatyping:instance:argument:LUA
                                                                                                      \iniziaLUA [...] ... \terminaLUA
                                                                                                       \iniziaMP [...] ... \terminaMP
\verb"iniziatyping:instance:argument:MP"
iniziatyping:instance:argument:PARSEDXML
                                                                                                       \iniziaPARSEDXML [...] ... \terminaPARSEDXML
iniziatyping:instance:argument:TEX
                                                                                                       \iniziaTEX [...] ... \terminaTEX
                                                                                                       \iniziatyping [...] ... \terminatyping
iniziatyping:instance:argument:typing
                                                                                                       \iniziaXML [...] ... \terminaXML
\verb"iniziatyping:instance:argument:XML"
iniziatyping:instance:LUA
                                                                                                       \iniziaLUA [..=..] ... \terminaLUA
iniziatyping:instance:MP
                                                                                                       \iniziaMP [..=..] ... \terminaMP
\verb"iniziatyping:instance:PARSEDXML"
                                                                                                       \iniziaPARSEDXML [..=..] ... \terminaPARSEDXML
iniziatyping:instance:TEX
                                                                                                       \iniziaTEX [..=..] ... \terminaTEX
                                                                                                      \label{limiting} $$ \ \lim_{n\to\infty} [\ldots = \ldots] \ \ldots \ \text{terminatyping} $$ \ \lim_{n\to\infty} [\ldots = \ldots] \ \ldots \ \text{terminaXML} $$
iniziatyping:instance:typing
iniziatyping:instance:XML
\verb"iniziauniqueMPgraphic"
                                                                                                      \verb|\iniziauniqueMPgraphic {...} {...} ... \verb|\terminauniqueMPgraphic | ...} |
\verb"inizia unique MP" page graphic
                                                                                                      iniziaunpacked
                                                                                                      \iniziaunpacked ... \terminaunpacked
                                                                                                      \verb|\iniziausableMPgraphic {...} {...} ... \verb|\terminausableMPgraphic||
iniziausableMPgraphic
iniziauseMPgraphic
                                                                                                      \iniziauseMPgraphic {...} {...} ... \terminauseMPgraphic
                                                                                                     \iniziausemathstyleparameter \.....\terminausemathstyleparameter \iniziauserdata [...] [..=..] ...\terminauserdata \iniziausingbtxspecification [...] ...\terminausingbtxspecification
iniziausemathstyleparameter
iniziauserdata
{\tt iniziausingbtxspecification}
                                                                                                      \iniziavaia [...] ... \terminavaia
iniziavaia
iniziavboxregister
                                                                                                      \iniziavboxregister ... \terminavboxregister
\verb"inizia v boxtoh box"
                                                                                                      \iniziavboxtohbox ... \terminavboxtohbox
\verb"inizia v box to h box separator"
                                                                                                      \verb|\line| \verb|\line| inizia v box to h box separator ... \verb|\line| termina v box to h box separator | line| termina v box to h box separator | line| termina v box to h box separator | line| termina v box to h box separator | line| termina v box to h box separator | line| termina v box to h box separator | line| termina v box to h box separator | line| termina v box to h box separator | line| termina v box to h box separator | line| termina v box to h box separator | line| termina v box to h box separator | line| termina v box to h box separator | line| termina v box to h box separator | line| termina v box to h box separator | line| termina v box to h box separator | line| termina v box to h box separator | line| termina v box to h box separator | line| termina v box to h box separator | line| termina v box to h box separator | line| termina v box to h box separator | line| termina v box to h box separator | line| termina v box to h box separator | line| termina v box to h box separator | line| termina v box to h box separator | line| termina v box separator | line| termi
iniziaviewerlayer
                                                                                                      \iniziaviewerlayer [...] ... \terminaviewerlayer
iniziaviewerlayer:example
                                                                                                       \iniziaVIEWERLAYER ... \terminaVIEWERLAYER
iniziavtopregister
                                                                                                      \iniziavtopregister ... \terminavtopregister
```

iniziaxcell	\iniziaxcell [] [=] \terminaxcell
	\iniziaxcellgroup [] [=] \terminaxcellgroup
iniziaxcolumn	\iniziaxcolumn [=] \terminaxcolumn
iniziaxcolumn:name	\iniziaxcolumn [] \terminaxcolumn
iniziaxgroup	\iniziaxgroup [] [=] \terminaxgroup
	\iniziaxmldisplayverbatim [] \terminaxmldisplayverbatim
- -	
iniziaxmlinlineverbatim	\iniziaxmlinlineverbatim [] \terminaxmlinlineverbatim
iniziaxmlraw	\iniziaxmlraw \terminaxmlraw
iniziaxmlsetups	\iniziaxmlsetups [] [] \terminaxmlsetups
	\iniziaxmlsetups \terminaxmlsetups
iniziaxrow	\iniziaxrow [] [=] \terminaxrow
iniziaxrowgroup	\iniziaxrowgroup [] [=] \terminaxrowgroup
	\iniziaxtable [=] \terminaxtable
	\iniziaxtablebody [=] \terminaxtablebody
iniziaxtablebody:name	\iniziaxtablebody [] \terminaxtablebody
	\iniziaxtablefoot [=] \terminaxtablefoot
	\iniziaxtablefoot [] \terminaxtablefoot
iniziaxtablehead	\iniziaxtablehead [=] \terminaxtablehead
iniziaxtablehead:name	\iniziaxtablehead [] \terminaxtablehead
	\iniziaxtablenext [=] \terminaxtablenext
	\iniziaxtablenext [] \terminaxtablenext
iniziaxtable:example	\iniziaXTABLE [=] \terminaXTABLE
iniziaxtable:name	\iniziaxtable [] \terminaxtable
	\inlinebuffer []
inlinedbox	\inlinedbox {}
inlinemath	\inlinemath {}
inlinemathematics	\inlinemathematics {}
inlinemessage	\inlinemessage {}
inlineordisplaymath	\inlineordisplaymath {} {}
inlineprettyprintbuffer	\inlineprettyprintbuffer {} {}
- v-	
<u> </u>	\inlinerange []
innerflushshapebox	\innerflushshapebox
input	\input {}
-	\inputfilebarename
-	-
•	\inputfilename
inputfilerealsuffix	\inputfilerealsuffix
inputfilesuffix	\inputfilesuffix
•	\inputgivenfile {}
1 0	
input:string	\input
inriga	\inriga {} []
	\insertpages [] []
. •	
	\installactionhandler {}
installactivecharacter	\installactivecharacter
installalingua	\installalingua [] [=]
	\installalingua [] []
	\installanddefineactivecharacter {}
installattributestack	\installattributestack \
installautocommandhandler	\installautocommandhandler \ {} \
	\installautosetuphandler \ {}
	\installbasicautosetuphandler \ \
installbasicparameterhandler	\installbasicparameterhandler \ {}
	\installbottomframerenderer {} {}
	\installcommandhandler \ \\
installcorenamespace	\installcorenamespace {}
installdefinehandler	\installdefinehandler \ \\
	\installdefinitionset \ \{\}
installdefinitionsetmember	\installdefinitionsetmember \ \ \ \
installdirectcommandhandler	\installdirectcommandhandler \ \{\}
installdirectparameterhandler	\installdirectparameterhandler \ {}
	_
	\installdirectparametersethandler \ \{\}
installdirectsetuphandler	\installdirectsetuphandler \ {}
	\installdirectstyleandcolorhandler \ {}
•	\installframedautocommandhandler \ \ \
	\installframedcommandhandler \ \ \
installglobalmacrostack	\installglobalmacrostack \
-	\installleftframerenderer {} {}
	\installmacrostack \
installnamespace	\installnamespace {}
installoutputroutine	\installoutputroutine \ {}
	\installpagearrangement {}
	\installparameterhandler \ \{\}
installparameterhashhandler	\installparameterhashhandler \ {}

installparametersethandler	\installparametersethandler \ {}
installparentinjector	\installparentinjector \ {}
installrightframerenderer	\installrightframerenderer {} {}
installrootparameterhandler	\installrootparameterhandler \ {}
installsetuphandler	\installsetuphandler \ {}
installsetuponlycommandhandler	$\$ \installsetuponlycommandhandler $\$ \ $\{\dots\}$
installshipoutmethod	\installshipoutmethod $\{\ldots\}$ $\{\ldots\}$
installsimplecommandhandler	\installsimplecommandhandler \ $\{\}$ \
installsimpleframedcommandhandler	\installsimpleframedcommandhandler \ $\{\}$ \
installstyleandcolorhandler	\installstyleandcolorhandler \ \{\}
installswitchcommandhandler	\installswitchcommandhandler \ \ \
installswitchsetuphandler	\installswitchsetuphandler \ \{\}
installtexdirective	\installtexdirective \{\ldots\} \{\ldots\}
installtextracker	\installtextracker \{\ldots\} \{\ldots\} \{\ldots\}
installtopframerenderer	\installtopframerenderer {} {}
installunitsseparator	\installunitsseparator \{\ldots\} \{\ldots\}
installunitsspace	\installunitsspace \{\ldots\} \{\ldots\}
installversioninfo	\installversioninfo \{\ldots\}
integerrounding	\integerrounding {}
intertext	\intertext {}
intorno	\intorno []
invokepageheandler	\invokepageheandler {} {}
istltdir	\istltdir
istrtdir	\istrtdir
italiccorrection	\italiccorrection
italicface	\italicface
itemtag	\itemtag []
jobfilename	\jobfilename
jobfilesuffix	\jobfilesuffix
kap	\kap {} \keeplinestogether {}
keeplinestogether	
keepunwantedspaces kerncharacters	\keepunwantedspaces \kerncharacters [] {}
koreancirclenumerals	
koreannumerals	\koreancirclenumerals {} \koreannumerals {}
koreannumeralsc	\koreannumeralsc \{\dots\}
koreannumeralsp	\koreannumeralsp {}
koreanparentnumerals	\koreanparentnumerals {}
LAMSTEX	\LAMSTEX
LATEX	\LATEX
LamSTeX	\LamSTeX
LaTeX	\LaTeX
Lettera	\Lettera {}
Lettere	\Lettere {}
LUAJITTEX	\LUAJITTEX
LUATEX	\LUATEX
Lua	Lua
LuajitTeX	\LuajitTeX
LuaTeX	\LuaTeX
labellanguage:instance	\LABELlingua
labellanguage:instance:btxlabel	\btxlabellingua
labellanguage:instance:head	\headlingua
labellanguage:instance:label	\labellingua
labellanguage:instance:mathlabel	\mathlabellingua
labellanguage:instance:operator	\operatorlingua
labellanguage:instance:prefix	\prefixlingua
labellanguage:instance:suffix	\suffixlingua
labellanguage:instance:taglabel	\taglabellingua
labellanguage:instance:unit	\unitlingua
labeltexts:instance	\LABELtexts {} {}
labeltexts:instance:head	\headtexts {} {}
labeltexts:instance:label	\labeltexts {} {}
labeltexts:instance:mathlabel	\mathlabeltexts {} {}
languageCharacters	\languageCharacters {}
languagecharacters	\languagecharacters {}
languagecharwidth	\languagecharwidth {}
lastcounter	\lastcounter [] []
lastcountervalue	\lastcountervalue []
lastdigit	\lastdigit {}
lastlinewidth	\lastlinewidth
lastnaturalboxdp	\lastnaturalboxdp
lastnaturalboxht	\lastnaturalboxht

	No. 1. In the second se
lastnaturalboxwd	\lastnaturalboxwd
lastpredefinedsymbol	\lastpredefinedsymbol
lastrealpage lastrealpagenumber	\lastrealpage \lastrealpagenumber
lastsubcountervalue	\lastsubcountervalue [] []
lastsubpagenumber	\lastsubpagenumber
lasttwodigits	\lasttwodigits {}
lastuserpage	\lastuserpage
lastuserpagenumber	\lastuserpagenumber
lateluacode	\lateluacode {}
layeredtext	\layeredtext [=] [=] {}
layerheight	\layerheight
layerwidth	\layerwidth
lazysavetaggedtwopassdata	\lazysavetaggedtwopassdata {} {} {} {}
lazysavetwopassdata lbox	\lazysavetwopassdata {} {} {} \lbox {}
leftbottombox	\leftbottombox {}
leftbox	\leftbox {}
lefthbox	\lefthbox {}
leftlabeltext:instance	\leftLABELtesto {}
leftlabeltext:instance:head	\leftheadtesto {}
leftlabeltext:instance:label	\leftlabeltesto {}
leftlabeltext:instance:mathlabel	\leftmathlabeltesto {}
leftline	\leftline {}
leftorrighthbox	\leftorrighthbox {}
leftorrightvbox	\leftorrightvbox {}
leftorrightvtop	\leftorrightvtop {}
leftskipadaption	\leftskipadaption
leftsubguillemot	\leftsubguillemot
lefttopbox	\lefttopbox {}
lefttoright	\lefttoright \lefttorighthbox {}
lefttorighthbox lefttorightvbox	\lefttorightvbox {}
lefttorightvtop	\lefttorightvtop {}
letbeundefined	\letbeundefined {}
letcatcodecommand	\letcatcodecommand \ \
letcscsname	\letcscsname \ \csname \endcsname
letcsnamecs	\letcsnamecs \csname \endcsname \
letcsnamecs letcsnamecsname	\letcsnamecs \csname \endcsname \ \letcsname csname \csname \endcsname \csname \endcsname
letcsnamecsname	\letcsnamecsname \csname \endcsname \csname \endcsname
letcsnamecsname letdummyparameter	lem:lem:lem:lem:lem:lem:lem:lem:lem:lem:
letcsnamecsname letdummyparameter letempty	<pre>\letcsnamecsname \csname \endcsname \letdummyparameter {} \ \letempty \ \letgvalue {} \ \letgvalueempty {}</pre>
letcsnamecsname letdummyparameter letempty letgvalue letgvalueempty letgvalurelax	<pre>\letcsnamecsname \csname \endcsname \letdummyparameter {} \ \letempty \ \letgvalue {} \ \letgvalueempty {} \letgvalurelax {}</pre>
letcsnamecsname letdummyparameter letempty letgvalue letgvalueempty letgvalurelax lettera	<pre>\letcsname \csname \ \endcsname \ \endcsname \letdummyparameter {} \ \letempty \ \letgvalue {} \ \letgvalueempty {} \letgvalurelax {} \lettera {}</pre>
letcsnamecsname letdummyparameter letempty letgvalue letgvalueempty letgvalurelax lettera letterampersand	<pre>\letcsname \csname \\endcsname \\endcsname \letdummyparameter {} \ \letempty \ \letgvalue {} \ \letgvalueempty {} \letgvalurelax {} \lettera {} \letterampersand</pre>
letcsnamecsname letdummyparameter letempty letgvalue letgvalueempty letgvalurelax lettera letterampersand letterat	<pre>\letcsnamecsname \csname \endcsname \letdummyparameter {} \ \letempty \ \letgvalue {} \ \letgvalueempty {} \letgvalurelax {} \lettera {} \letterampersand \letterat</pre>
letcsnamecsname letdummyparameter letempty letgvalue letgvalueempty letgvalurelax lettera letterampersand letterat letterbackslash	<pre>\letcsnamecsname \csname \endcsname \letdummyparameter {} \ \letempty \ \letgvalue {} \ \letgvalueempty {} \letgvalurelax {} \lettera {} \letterampersand \letterat \letterbackslash</pre>
letcsnamecsname letdummyparameter letempty letgvalue letgvalueempty letgvalurelax lettera letterampersand letterat letterbackslash letterbar	<pre>\letcsnamecsname \csname \endcsname \letdummyparameter {} \ \letempty \ \letgvalue {} \ \letgvalueempty {} \letgvalurelax {} \lettera {} \lettera {} \letterat \letterat \letterbackslash \letterbar</pre>
letcsnamecsname letdummyparameter letempty letgvalue letgvalueempty letgvalurelax lettera letterampersand letterat letterbackslash letterbar letterbgroup	<pre>\letcsnamecsname \csname \endcsname \letdummyparameter {} \ \letempty \ \letgvalue {} \ \letgvalueempty {} \letgvalurelax {} \lettera {} \lettera {} \letterat \letterbackslash \letterbar \letterbgroup</pre>
letcsnamecsname letdummyparameter letempty letgvalue letgvalueempty letgvalurelax lettera letterampersand letterat letterbackslash letterbar	<pre>\letcsnamecsname \csname \endcsname \letdummyparameter {} \ \letempty \ \letgvalue {} \ \letgvalueempty {} \letgvalurelax {} \lettera {} \lettera {} \letterat \letterat \letterbackslash \letterbar</pre>
letcsnamecsname letdummyparameter letempty letgvalue letgvalueempty letgvalurelax lettera letterampersand letterat letterbackslash letterbar letterbgroup letterclosebrace lettercolon	<pre>\letcsnamecsname \csname \endcsname \ \endcsname \letdummyparameter {} \ \letempty \ \letgvalue {} \ \letgvalueempty {} \letgvalurelax {} \lettera {} \lettera f} \letterampersand \letterat \letterbackslash \letterbar \letterbgroup \letterclosebrace \lettercolon</pre>
letcsnamecsname letdummyparameter letempty letgvalue letgvalueempty letgvalurelax lettera letterampersand letterat letterbackslash letterbar letterbgroup letterclosebrace lettercolon letterdollar	<pre>\letcsnamecsname \csname \endcsname \ \endcsname \letdummyparameter {} \ \letempty \ \letgvalue {} \ \letgvalueempty {} \letgvalurelax {} \lettera {} \letterampersand \letterat \letterbackslash \letterbar \letterbar \letterbgroup \letterclosebrace \lettercolon \letterdollar</pre>
letcsnamecsname letdummyparameter letempty letgvalue letgvalueempty letgvalurelax lettera letterampersand letterat letterbackslash letterbar letterbgroup letterclosebrace lettercolon	<pre>\letcsnamecsname \csname \endcsname \ \endcsname \letdummyparameter {} \ \letempty \ \letgvalue {} \ \letgvalueempty {} \letgvalurelax {} \lettera {} \lettera f} \letterampersand \letterat \letterbackslash \letterbar \letterbgroup \letterclosebrace \lettercolon</pre>
letcsnamecsname letdummyparameter letempty letgvalue letgvalueempty letgvalurelax lettera letterampersand letterat letterbackslash letterbar letterbgroup letterclosebrace lettercolon letterdollar letterdoublequote	<pre>\letcsnamecsname \csname \endcsname \ \endcsname \ \endcsname \ \endcsname \endcsname \ \endcsname \endcsname \ \endcsname \endcsname \ \endcsname \</pre>
letcsnamecsname letdummyparameter letempty letgvalue letgvalueempty letgvalurelax lettera letterampersand letterat letterbackslash letterbar letterbgroup letterclosebrace lettercolon letterdoublequote lettere	<pre>\letcsnamecsname \csname \endcsname \ \endcsname \ \endcsname \ \endcsname \endcsname \ \endcsname \endcsname \ \endcsname \endcsname \ \endcsname \</pre>
letcsnamecsname letdummyparameter letempty letgvalue letgvalueempty letgvalurelax lettera letterampersand letterat letterbackslash letterbar letterbar letterclosebrace lettercolon letterdollar letterdoublequote lettere letteregroup	<pre>\letcsnamecsname \csname \endcsname \ \endcsname \ \endcsname \ \endcsname \endcsname \ \endcsname \endcsname \ \endcsname \endcsname \ \endcsname \</pre>
letcsnamecsname letdummyparameter letempty letgvalue letgvalueempty letgvalurelax lettera letterampersand letterat letterbackslash letterbar letterbar letterclosebrace lettercolon letterdollar letterdoublequote lettere letteregroup letterescape	<pre>\letcsnamecsname \csname \endcsname \ \endcsname \letdummyparameter {} \ \letempty \ \letgvalue {} \ \letgvalueempty {} \lettera {} \letterampersand \letterat \letterbackslash \letterbar \letterbar \letterboroup \letterclosebrace \letterclon \letterdollar \letterdoublequote \lettere {} \letteregroup \letteregroup \letteregroup \letterescape</pre>
letcsnamecsname letdummyparameter letempty letgvalue letgvalueempty letgvalurelax lettera letterampersand letterat letterbackslash letterbar letterbgroup letterclosebrace lettercolon letterdollar letterdoublequote lettere letterescape letterescape letterexclamationmark	<pre>\letcsnamecsname \csname \endcsname \ \endcsname \letdummyparameter {} \ \letempty \ \letgvalue {} \ \letgvalueempty {} \lettera {} \letterampersand \letterat \letterbackslash \letterbar \letterbar \letterboroup \letterclosebrace \lettercolon \letterdoublequote \lettere {} \letteregroup \letterescape \letterescape \letterexclamationmark</pre>
letcsnamecsname letdummyparameter letempty letgvalue letgvalueempty letgvalurelax lettera letterampersand letterat letterbackslash letterbar letterbgroup letterclosebrace lettercolon letterdollar letterdoublequote lettere letterescape letterescape letterexclamationmark letterhat letterleftbrace	<pre>\letcsnamecsname \csname \endcsname \ \endcsname \letdummyparameter {} \ \letempty \ \letgvalue {} \ \letgvaluempty {} \letgvalurelax {} \letterampersand \letterat \letterbackslash \letterbar \letterboroup \letterclosebrace \lettercolon \letterdollar \letterdoublequote \lettere {} \letteregroup \letterescape \letterescape \letterexclamationmark \letterhash \letterhat \letterhat \letterleftbrace</pre>
letcsnamecsname letdummyparameter letempty letgvalue letgvalueempty letgvalurelax lettera letterampersand letterat letterbackslash letterbar letterbgroup letterclosebrace lettercolon letterdollar letterdoublequote lettere letterescape letterescape letterexclamationmark letterhat letterleftbrace letterleftbracket	<pre>\letcsnamecsname \csname \endcsname \ \endcsname \letdummyparameter {} \ \letempty \ \letgvalue {} \ \letgvaluempty {} \letgvalurelax {} \lettera {} \letterampersand \letterat \letterbackslash \letterbar \letterborcolon \letterclosebrace \lettercolon \letterdollar \letterdoublequote \lettere {} \letteregroup \letterescape \letterescape \letterexclamationmark \letterhash \letterhat \letterhat \letterleftbrace \letterleftbrace \letterleftbracket</pre>
letcsnamecsname letdummyparameter letempty letgvalue letgvalueempty letgvalurelax lettera letterampersand letterat letterbackslash letterbar letterbgroup letterclosebrace lettercolon letterdollar letterdoublequote lettere letterescape letterescape letterexclamationmark letterhat letterleftbrace letterleftbracket letterleftparenthesis	<pre>\letcsnamecsname \csname \endcsname \ \endcsname \letdummyparameter {} \ \letempty \ \letgvalue {} \ \letgvalueempty {} \lettera {} \letterampersand \letterat \letterbackslash \letterbar \letterbgroup \letterclosebrace \lettercolon \letterdollar \letterdoublequote \lettere {} \letteregroup \letterescape \letterescape \letterexclamationmark \letterhat \letterhat \letterleftbrace \letterleftbracket \letterleftbracket \letterleftparenthesis</pre>
letcsnamecsname letdummyparameter letempty letgvalue letgvalueempty letgvalurelax lettera letterampersand letterat letterbackslash letterbar letterbgroup letterclosebrace lettercolon letterdollar letterdoublequote lettere letterescape letterescape letterexclamationmark letterhat letterleftbrace letterleftparenthesis letterless	<pre>\letcsnamecsname \csname \endcsname \csname \endcsname \letdummyparameter {} \ \letempty \ \letgvalue {} \ \letgvalueempty {} \lettera {} \lettera {} \letterat \letterbackslash \letterbar \letterbgroup \letterclosebrace \lettercolon \letterdollar \letterdoublequote \lettere {} \letteregroup \letterescape \letterescape \letterexclamationmark \letterhat \letterhat \letterleftbrace \letterleftbracket \letterleftparenthesis \letterless</pre>
letcsnamecsname letdummyparameter letempty letgvalue letgvalueempty letgvalurelax lettera letterampersand letterat letterbackslash letterbar letterbgroup letterclosebrace lettercolon letterdollar letterdoublequote lettere letterescape letterescape letterescape letterthash letterhat letterleftbrace letterleftbracket letterleftparenthesis letterless lettermore	<pre>\letcsnamecsname \csname \endcsname \ \endcsname \letdummyparameter {} \ \letempty \ \letgvalue {} \ \letgvalueempty {} \letgvalurelax {} \lettera {} \letterampersand \letterbackslash \letterbar \letterbar \letterborcolon \lettercolon \letterdollar \letterdoublequote \lettere {} \letteregroup \letterescape \letterescape \letterexclamationmark \letterhat \letterhat \letterhat \letterleftbrace \letterleftbracket \letterleftparenthesis \letterless \letterless \lettermore</pre>
letcsnamecsname letdummyparameter letempty letgvalue letgvalueempty letgvalurelax lettera letterampersand letterat letterbackslash letterbar letterbgroup letterclosebrace lettercolon letterdollar letterdoublequote lettere letterescape letterescape letterescape letterthash letterhat letterleftbrace letterleftbracket letterleftparenthesis letterless lettermore lettermore	<pre>\letcsname \csname \csname \csname \csname \csname \letdummyparameter {} \ \letempty \ \letgvalue {} \ \letgvalueempty {} \letgvalurelax {} \lettera {} \letterat \letterbackslash \letterbar \letterbar \letterborcolon \letterclosebrace \letterdollar \letterdoublequote \lettere {} \letterescape \letterescape \letterescape \letterexclamationmark \letterhat \letterhat \letterleftbrace \letterleftbrace \letterleftbracket \letterleftparenthesis \letterless \lettermore \letterpoenbrace</pre>
letcsnamecsname letdummyparameter letempty letgvalue letgvalueempty letgvalurelax lettera letterat letterat letterbackslash letterbar letterboroup letterclosebrace letterdollar letterdoublequote lettere letteregroup letterescape letterexclamationmark letterhat letterlftbrace letterleftbracket letterleftparenthesis letterless lettermore letteropenbrace letteropenbrace letterpercent	<pre>\letcsname \csname \. \endcsname \. \endcsname \letdummyparameter {} \ \letempty \ \letgvalue {} \ \letgvalueempty {} \letgvalueempty {} \lettera {} \letterat \letterat \letterbackslash \letterbar \letterbgroup \letterclosebrace \lettercolon \letterdoublequote \lettere {} \letterescape \letterescape \letterexclamationmark \letterhat \letterhat \letterleftbrace \letterleftbracket \letterleftparenthesis \letterless \letternore \letterpercent</pre>
letcsnamecsname letdummyparameter letempty letgvalue letgvalueempty letgvalurelax lettera letterampersand letterat letterbar letterbar letterboroup letterclosebrace letterdoublequote lettere letteregroup letterescape letterexclamationmark letterhat letterhat letterleftbrace letterleftbracket letterlefss letterless lettermore letteropenbrace letterpercent letterquestionmark	<pre>\letcsnamecsname \csname \endcsname \letdummyparameter {} \ \letempty \ \letgvalue {} \ \letgvalueempty {} \letgvalurelax {} \lettera {} \letterampersand \letterat \letterbackslash \letterbar \letterbgroup \letterclosebrace \letterdoublequote \letterdoublequote \letteregroup \letteregroup \letterescape \letterescape \letterescape \letterescape \letterescape \letterhat \letterlatheterhat \letterleftbrace \letterleftbrace \letterleftbracket \letterleftparenthesis \letterless \lettermore \letterpercent \letterpercent \letterquestionmark</pre>
letcsnamecsname letdummyparameter letempty letgvalue letgvalueempty letgvalurelax lettera letterampersand letterat letterbackslash letterbar letterboroup letterclosebrace letterdoublequote lettere letteregroup letterescape letterescape letterescape letterhath letterhat letterleftbrace letterleftbrace letterleftbrace letterleftparenthesis letterpercent letteropenbrace letterpercent letterquestionmark letterrightbrace	<pre>\letcsnamecsname \csname \endcsname \letdummyparameter {} \ \letempty \ \letgvalue {} \ \letgvalueempty {} \letgvalurelax {} \lettera {} \letterampersand \letterat \letterbackslash \letterbar \letterbgroup \letterclosebrace \letterdollar \letterdoublequote \lettere {} \lettere {} \letterescape \letterescape \letterescape \letterbacklash \letterletbrack \letterboublequote \letterletbrack \letterleftbrack \letterleftbrack \letterleftbracket \letterleftbracket \letterleftbracket \letterleftbracket \letterleftpropenbrace \letterpercent \letterpercent \letterquestionmark \letterrightbrace</pre>
letcsnamecsname letdummyparameter letempty letgvalue letgvalueempty letgvalurelax lettera letterampersand letterat letterbackslash letterbar letterboroup lettercolon letterdollar letterdoublequote lettere letterescape letterescape letterekclamationmark letterhat letterleftbrace letterleftbracket letterleftparenthesis letterless letterpercent letterquestionmark letterquestionmark letterrightbrace letterrightbrace letterrightbrace letterrightbracket	<pre>\letcsnamecsname \csname \endcsname \letdummyparameter {} \ \letempty \ \letgvalue {} \ \letgvalueempty {} \letgvalurelax {} \letterampersand \letterat \letterbackslash \letterbar \letterbgroup \letterclosebrace \lettercolon \letterdoublequote \lettere {} \letterescape \letterescape \letterescape \letterescape \letterhat \letterhat \letterhat \letterhat \letterlatbrace \letterleftbrace \letterleftbracket \letterleftparenthesis \letterless \letterpercent \letterpercent \letterquestionmark \letterrightbrace \letterr</pre>
letcsnamecsname letdummyparameter letempty letgvalue letgvalueempty letgvalurelax lettera letterampersand letterat letterbackslash letterbar letterboroup letterclosebrace letterdoublequote lettere letteregroup letterescape letterescape letterescape letterhath letterhat letterleftbrace letterleftbrace letterleftbrace letterleftparenthesis letterpercent letteropenbrace letterpercent letterquestionmark letterrightbrace	<pre>\letcsnamecsname \csname \endcsname \letdummyparameter {} \ \letempty \ \letgvalue {} \ \letgvalueempty {} \letgvalurelax {} \lettera {} \letterampersand \letterat \letterbackslash \letterbar \letterbgroup \letterclosebrace \letterdollar \letterdoublequote \lettere {} \lettere {} \letterescape \letterescape \letterescape \letterbacklash \letterletbrack \letterboublequote \letterletbrack \letterleftbrack \letterleftbrack \letterleftbracket \letterleftbracket \letterleftbracket \letterleftbracket \letterleftpropenbrace \letterpercent \letterpercent \letterquestionmark \letterrightbrace</pre>

Letterslash	\letterslash
Letterspacing	\letterspacing [] {}
Lettertilde	\lettertilde
Letterunderscore Letvalue	\letterunderscore \letvalue {} \
Letvalue Letvalueempty	\letvalue \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
Letvaluerelax	\letvaluerelax {}
lfence	\lfence {}
Lhbox	\lhbox {}
limitatefirstline	\limitatefirstline \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
Limitatelines	\limitatelines {} {} {}
Limitatetext Limitatetext:list	\limitatetext \{\dots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
lineanera	\limitateeekt [] [] \lineanera [=]
lineasottile	\lineasottile
Lineatesto	\lineatesto [] {}
Linebox	\linebox {}
Lineenere	\lineenere [=]
Lineeriempimento Lineesottili	<pre>\lineeriempimento [=] {} {} \lineesottili [=]</pre>
lineesottiii Linenote:instance	\LINENOTE {}
Linenote:instance:linenote	\linenote {}
linespanningtext	\linespanningtext $\{\}$ $\{\}$
Lingua	\lingua []
linguaprincipale	\linguaprincipale []
Lingua:example	\LANGUAGE \listcitation [=] []
Listcitation Listcitation:alternative	\listcitation [] [] \listcitation [] []
listcitation:userdata	\listcitation [=] [=]
Listcite	\listcite [=] []
listcite:alternative	\listcite [] []
listcite:userdata	\listcite [=] [=]
Listnamespaces	\listnamespaces
llap Loadanyfile	<pre>\llap {} \loadanyfile []</pre>
Loadanyfile	\loadanyfile [] \loadanyfileonce []
Loadbtxdefinitionfile	\loadbtxdefinitionfile []
loadbtxreplacementfile	\loadbtxreplacementfile []
Loadcldfile	\loadcldfile []
Loadcldfileonce	\loadcldfileonce []
Loadfontgoodies Loadluafile	\loadfontgoodies [] \loadluafile []
Loadluafileonce	\loadluafileonce []
Loadspellchecklist	\loadspellchecklist [] []
Loadtexfile	\loadtexfile []
Loadtexfileonce	\loadtexfileonce []
Loadtypescriptfile	\landtypescriptfile []
Localframed Localframedwithsettings	\localframed [] [=] {} \localframedwithsettings [] [=] {}
Localliamedwithsettings	\localifamedwithsettings [] [] \localhsize
Localpopbox	\localpopbox
Localpopmacro	\localpopmacro \
Localpushbox	\localpushbox
localpushmacro	\localpushmacro \
localundefine	\localundefine {}
Locatedfilepath Locatefilepath	\locatedfilepath \locatefilepath {}
Locfilename	\locfilename {}
Lomihi	\lomihi {} {}
Lowerbox	\lowerbox {} \ {}
Lowercased	\lowercased {}
Lowercasestring	\lowercasestring \to \
Lowerleftdoubleninequote	\lowerleftdoubleninequote \lowerleftsingleninequote
Lowerleftsingleninequote Lowerrightdoubleninequote	\lowerrestsingleninequote \lowerrightdoubleninequote
Lowerrightsingleninequote	\lowerrightsingleninequote
Lowhigh:instance	\LOWHIGH [] {} {}
Lowmidhigh:instance	\LOWMIDHIGH {} {}
Lrtbbox	\lrtbbox {} {} {} {} {}
Ltop	\ltop {}
Luacode Luaconditional	\luacode {} \luaconditional \
Luaconar cronar	_uaconutcionai \

luaenvironment	\luaenvironment
luaexpanded	\luaexpanded {}
luaexpr	\luaexpr {}
luafunction	\luafunction {}
	_
luajitTeX	\luajitTeX
luamajorversion	\luamajorversion
luaminorversion	\luaminorversion
luaparameterset	\luaparameterset {} {}
luasetup	\luasetup {}
luaTeX	\luaTeX
luaversion	\luaversion
lunghezzaelenco	\lunghezzaelenco
S .	_
MESE	\MESE {}
METAFONT	METAFONT
METAFUN	\METAFUN
METAPOST	\METAPOST
MetaFont	\MetaFont
MetaFun	\MetaFun
MetaPost	\MetaPost
MKII	\MKII
	_
MKIV	MKIV
MKIX	\MKIX
MKVI	\MKVI
MKXI	\MKXI
MONTHLONG	\MONTHLONG {}
MONTHSHORT	\MONTHSHORT {}
MPanchor	\MPanchor {}
MPbetex	\MPbetex {}
MPc	\MPc {}
MPcode	\MPcode {} {}
MPcolor	\MPcolor {}
MPcoloronly	\MPcoloronly {}
MPcolumn	\MPcolumn {}
MPd	\MPd {}
	\MPdrawing {}
MPdrawing	
MPfontsizehskip	\MPfontsizehskip \{\dots\}
MPgetmultipars	\MPgetmultipars \{\ldots\} \{\ldots\}
MPgetmultishape	\MPgetmultishape {} {}
MPgetposboxes	\MPgetposboxes {} {}
MPh	\MPh {}
MPII	\MPII
MPIV	\MPIV
MPinclusions	\MPinclusions [] {} {}
MPleftskip	\MPleftskip {}
MP11	\MP11 {}
MPlr	\MPlr {}
MPls	\MPls {}
MPmenubuttons	\MPmenubuttons {}
MPn	
	\MPn {}
	\MPn {}
MPoptions	\MPn {} \MPoptions {}
MPoptions MPoverlayanchor	<pre>\MPn {} \MPoptions {} \MPoverlayanchor {}</pre>
MPoptions MPoverlayanchor MPp	<pre>\MPn {} \MPoptions {} \MPoverlayanchor {} \MPp {}</pre>
MPoptions MPoverlayanchor MPp MPpage	<pre>\MPn {} \MPoptions {} \MPoverlayanchor {} \MPp {} \MPpage {}</pre>
MPoptions MPoverlayanchor MPp	<pre>\MPn {} \MPoptions {} \MPoverlayanchor {} \MPp {} \MPpage {} \MPpardata {}</pre>
MPoptions MPoverlayanchor MPp MPpage	<pre>\MPn {} \MPoptions {} \MPoverlayanchor {} \MPp {} \MPpage {}</pre>
MPoptions MPoverlayanchor MPp MPpage MPpardata	<pre>\MPn {} \MPoptions {} \MPoverlayanchor {} \MPp {} \MPpage {} \MPpardata {}</pre>
MPoptions MPoverlayanchor MPp MPpage MPpardata MPplus MPpos	\MPn {} \MPoptions {} \MPoverlayanchor {} \MPp {} \MPpage {} \MPpardata {} \MPplus {} {}
MPoptions MPoverlayanchor MPp MPpage MPpardata MPplus MPpos MPpositiongraphic	<pre>\MPn {} \MPoptions {} \MPoverlayanchor {} \MPp {} \MPpage {} \MPpardata {} \MPplus {} {} \MPpos {} \MPpositiongraphic {} {=}</pre>
MPoptions MPoverlayanchor MPp MPpage MPpardata MPplus MPpos MPpositiongraphic MPposset	<pre>\MPn {} \MPoptions {} \MPoverlayanchor {} \MPp {} \MPpage {} \MPpardata {} \MPplus {} {} \MPpos {} \MPpositiongraphic {} {=}</pre>
MPoptions MPoverlayanchor MPp MPpage MPpardata MPplus MPpos MPpositiongraphic MPposset MPr	<pre>\MPn {} \MPoptions {} \MPoverlayanchor {} \MPp {} \MPpage {} \MPpardata {} \MPplus {} {} \MPpos {} \MPpositiongraphic {} {=} \MPposset {}</pre>
MPoptions MPoverlayanchor MPp MPpage MPpardata MPplus MPpos MPpositiongraphic MPposset MPr MPrawvar	<pre>\MPn {} \MPoptions {} \MPoverlayanchor {} \MPp {} \MPpage {} \MPpardata {} \MPplus {} {} \MPpos {} \MPpositiongraphic {} {=} \MP f {} \MPrawvar {} </pre>
MPoptions MPoverlayanchor MPp MPpage MPpardata MPplus MPpos MPpositiongraphic MPposset MPr MPrawvar MPregion	\MPn {} \MPoptions {} \MPoverlayanchor {} \MPp {} \MPpage {} \MPpardata {} \MPplus {} {} \MPpos {} \MPpositiongraphic {} {=} \MPr {} \MPrawvar {} {}
MPoptions MPoverlayanchor MPp MPpage MPpardata MPplus MPpos MPpositiongraphic MPposset MPr MPrawvar MPregion MPrest	\MPn {} \MPoptions {} \MPoverlayanchor {} \MPp {} \MPpage {} \MPpardata {} \MPplus {} {} \MPpos {} \MPpositiongraphic {} {=} \MPr {} \MPrawvar {} {} \MPregion {}
MPoptions MPoverlayanchor MPp MPpage MPpardata MPplus MPpos MPpositiongraphic MPposset MPr MPrawvar MPregion	\MPn {} \MPoptions {} \MPoverlayanchor {} \MPp {} \MPpage {} \MPpardata {} \MPplus {} {} \MPpos {} \MPpositiongraphic {} {=} \MPr {} \MPrawvar {} {}
MPoptions MPoverlayanchor MPp MPpage MPpardata MPplus MPpos MPpositiongraphic MPposset MPr MPrawvar MPregion MPrest	\MPn {} \MPoptions {} \MPoverlayanchor {} \MPp {} \MPpage {} \MPpardata {} \MPplus {} {} \MPpos {} \MPpositiongraphic {} {=} \MPr {} \MPrawvar {} {} \MPregion {}
MPoptions MPoverlayanchor MPp MPpage MPpardata MPplus MPpos MPpositiongraphic MPposset MPr MPrawvar MPregion MPrest MPrightskip MPrs	\MPn {} \MPoptions {} \MPoverlayanchor {} \MPp {} \MPpage {} \MPpardata {} \MPplus {} {} \MPpositiongraphic {} {=} \MPrawvar {} \MPregion {} \MPrest {} \MPrest {}
MPoptions MPoverlayanchor MPp MPpage MPpardata MPplus MPpos MPpositiongraphic MPposset MPr MPrawvar MPregion MPrest MPrightskip MPrs MPrs MPstring	\MPn {} \MPoptions {} \MPoverlayanchor {} \MPp {} \MPpage {} \MPpardata {} \MPplus {} {} \MPpositiongraphic {} {=} \MPrawvar {} \MPregion {} \MPrest {}
MPoptions MPoverlayanchor MPp MPpage MPpardata MPplus MPpos MPpositiongraphic MPposset MPr MPrawvar MPregion MPrest MPrightskip MPrs MPstring MPtext	\MPn {} \MPoptions {} \MPoverlayanchor {} \MPp {} \MPpage {} \MPpardata {} \MPpostions {} \MPpositions {} \MPpositions {} \MPrawar {} \MPrawar {} \MPregion {} \MPrest {}
MPoptions MPoverlayanchor MPp MPpage MPpardata MPplus MPpos MPpositiongraphic MPposset MPr MPrawvar MPregion MPrest MPrightskip MPrs MPstring MPtext MPtransparency	\MPn {} \MPoptions {} \MPoverlayanchor {} \MPp {} \MPpage {} \MPpardata {} \MPpos {} \MPpositiongraphic {} {=} \MPresitiongraphic {} \MPtext {} \MPtext {} \MPtext {}
MPoptions MPoverlayanchor MPp MPpage MPpardata MPplus MPpos MPpositiongraphic MPposset MPr MPr MPrawvar MPregion MPrest MPrightskip MPrs MPstring MPtext MPtransparency MPul	\MPn {} \MPoptions {} \MPoverlayanchor {} \MPp {} \MPpage {} \MPpardata {} \MPpos {} \MPpositiongraphic {} {=} \MPrest {} \MPtext {} \MPtext {} \MPtext {}
MPoptions MPoverlayanchor MPp MPpage MPpardata MPplus MPpos MPpositiongraphic MPposset MPr MPr MPrawvar MPregion MPrest MPrightskip MPrs MPstring MPtext MPtransparency MPul MPur	\MPn {} \MPoptions {} \MPoverlayanchor {} \MPp {} \MPpage {} \MPpardata {} \MPpos {} \MPpositiongraphic {} {=} \MPrawar {} \MPregion {} \MPregion {} \MPrest {} \MPrest {} \MPrest {} \MPrating {} \MPtransparency {} \MPul {}
MPoptions MPoverlayanchor MPp MPpage MPpardata MPplus MPpos MPpositiongraphic MPposset MPr MPr MPrawvar MPregion MPrest MPrightskip MPrs MPstring MPtext MPtransparency MPul	\MPn {} \MPoptions {} \MPoverlayanchor {} \MPp {} \MPpage {} \MPpardata {} \MPpos {} \MPpositiongraphic {} {=} \MPrawvar {} \MPregion {} \MPregion {} \MPrest {} \MPrest {} \MPrest {} \MPrawransparency {} \MPtransparency {} \MPul {}
MPoptions MPoverlayanchor MPp MPpage MPpardata MPplus MPpos MPpositiongraphic MPposset MPr MPr MPrawvar MPregion MPrest MPrightskip MPrs MPstring MPtext MPtransparency MPul MPur	\MPn {} \MPoptions {} \MPoverlayanchor {} \MPp {} \MPpage {} \MPpardata {} \MPpos {} \MPpositiongraphic {} {=} \MPrawar {} \MPregion {} \MPregion {} \MPrest {} \MPrest {} \MPrest {} \MPrating {} \MPtransparency {} \MPul {}
MPoptions MPoverlayanchor MPp MPpage MPpage MPpardata MPplus MPpos MPpositiongraphic MPposset MPr MPr MPrawvar MPregion MPrest MPrightskip MPrs MPstring MPtext MPtransparency MPul MPur MPVI	\MPn {} \MPoptions {} \MPoverlayanchor {} \MPp {} \MPpage {} \MPpardata {} \MPpos {} \MPpositiongraphic {} {=} \MPrawvar {} \MPregion {} \MPregion {} \MPrest {} \MPrest {} \MPrest {} \MPrawransparency {} \MPtransparency {} \MPul {}

MPvariable	\MPvariable {}
MPvv	\MPvv {} {}
MPw	\MPw {}
MPwhd	\MPwhd {}
MPx	\MPx {}
MPxy	\MPxy {}
MPxywhd	\MPxywhd {}
МРу	\MPy {}
m	\m [] {}
makecharacteractive	\makecharacteractive
makerawcommalist	\makerawcommalist [] \
makestrutofbox	\makestrutofbox
mapfontsize	\mapfontsize [] []
marcatura	\marcatura (,) (,) []
margindata	\margindata [] [=] [=] {}
margindata:instance	\MARGINDATA [=] [=] {}
margindata:instance:atleftmargin	\atleftmargin [=] [=] {}
margindata:instance:atrightmargin	\atrightmargin [=] [=] {}
margindata:instance:ininner	\ininner [=] [=] {}
margindata:instance:ininneredge	\ininneredge [=] [=] {}
margindata:instance:ininnermargin	\ininnermargin [=] [=] {}
margindata:instance:inleft	\inleft [=] [=] {}
margindata:instance:inleftedge	\inleftedge [=] [=] {}
margindata:instance:inleftmargin	\inleftmargin [=] [=] {}
margindata:instance:inmargin	\inmargin [=] [=] {}
margindata:instance:inother	\inother [=] [=] {}
margindata:instance:inouter	\inouter [=] [=] {}
margindata:instance:inouteredge	\inouteredge [=] [=] {}
margindata:instance:inoutermargin	\inoutermargin [=] [=] {}
margindata:instance:inright	\inright [=] [=] {}
margindata:instance:inrightedge	\inrightedge [=] [=] {}
margindata:instance:inrightmargin	\inrightmargin [=] [=] {}
margindata:instance:margintext	\margintext [=] [=] {}
markcontent	\markcontent [] {}
markedpages markinjector	\markedpages [] \markinjector []
markinjector	(markinjector []
marknage	\marknage [] []
markpage	\markpage [] [] \mat. {}
mat	\mat {}
	\mat {} \matematica [] {}
mat matematica	\mat {}
mat matematica math	\mat {} \matematica [] {} \math [] {}
mat matematica math mathbf	<pre>\mat {} \matematica [] {} \math [] {}</pre>
mat matematica math mathbf mathbi	<pre>\mat {} \matematica [] {} \math [] {} \mathbf \mathbi</pre>
mat matematica math mathbf mathbi mathblackboard	<pre>\mat {} \matematica [] {} \math [] {} \mathbf \mathbi \mathbiackboard</pre>
mat matematica math mathbf mathbi mathblackboard mathbs	<pre>\mat {} \matematica [] {} \math [] {} \mathbi \mathbi \mathblackboard \mathbs \MATHCOMMAND {} {} \mathdefault</pre>
mat matematica math mathbf mathbi mathblackboard mathbs mathcommand:example	<pre>\mat {} \matematica [] {} \math [] {} \mathbi \mathbi \mathblackboard \mathbs \MATHCOMMAND {} {}</pre>
mat matematica math mathbf mathbi mathblackboard mathbs mathcommand:example mathdefault	<pre>\mat {} \matematica [] {} \math [] {} \mathbi \mathbi \mathblackboard \mathbs \MATHCOMMAND {} {} \mathdefault \mathdouble [] {} {}</pre>
<pre>mat matematica math mathbf mathbi mathblackboard mathbs mathcommand:example mathdefault mathdouble mathdoublesxtensible:instance mathdoubleextensible:instance:doublebar</pre>	<pre>\mat {} \matematica [] {} \math [] {} \mathbi \mathbi \mathblackboard \mathbs \MATHCOMMAND {} {} \mathdefault \mathdouble [] {} {} \MATHDOUBLEEXTENSIBLE {} {} \doublebar {} {}</pre>
<pre>mat matematica math mathbf mathbi mathblackboard mathbs mathcommand:example mathdefault mathdouble mathdoubleextensible:instance mathdoubleextensible:instance:doublebar mathdoubleextensible:instance:doublebrace</pre>	<pre>\mat {} \matematica [] {} \math [] {} \mathbf \mathbi \mathblackboard \mathbs \MATHCOMMAND {} {} \mathdefault \mathdouble [] {} {} \doublebar {} {} \doublebrace {} {}</pre>
<pre>mat matematica math mathbf mathbi mathblackboard mathbs mathcommand:example mathdefault mathdouble mathdoublesxtensible:instance mathdoubleextensible:instance:doublebar mathdoubleextensible:instance:doublebrace mathdoubleextensible:instance:doublebrace mathdoubleextensible:instance:doublebrace</pre>	<pre>\mat {} \matematica [] {} \math [] {} \mathbf \mathbi \mathblackboard \mathbs \MATHCOMMAND {} {} \mathdefault \mathdouble [] {} {} \doublebar {} {} \doublebrace {} {} \doublebracket {} {}</pre>
mat matematica math mathbf mathbi mathblackboard mathbs mathcommand:example mathdefault mathdouble mathdoubleextensible:instance mathdoubleextensible:instance:doublebar mathdoubleextensible:instance:doublebrace mathdoubleextensible:instance:doublebrace mathdoubleextensible:instance:doublebrace mathdoubleextensible:instance:doublebracket mathdoubleextensible:instance:doublebracket mathdoubleextensible:instance:doubleparent	<pre>\mat {} \matematica [] {} \math [] {} \mathbf \mathbi \mathbiackboard \mathbs \MATHCOMMAND {} {} \mathdefault \mathdouble [] {} {} \doublebar {} {} \doublebrace {} {} \doublebracket {} {} \doublebracket {} {} \doublebrace {} {}</pre>
mat matematica math mathbf mathbi mathblackboard mathbs mathcommand:example mathdefault mathdouble mathdoubleextensible:instance mathdoubleextensible:instance:doublebar mathdoubleextensible:instance:doublebarce mathdoubleextensible:instance:doublebrace mathdoubleextensible:instance:doublebrace mathdoubleextensible:instance:doublebrace mathdoubleextensible:instance:doublebracket mathdoubleextensible:instance:doubleparent mathdoubleextensible:instance:overbarunderbar	<pre>\mat {} \matematica [] {} \math [] {} \mathbf \mathbi \mathblackboard \mathbs \MATHCOMMAND {} {} \mathdefault \mathdouble [] {} {} \doublebar {} {} \doublebrace {} {} \doublebracket {} {} \doubleparent {} {}</pre>
mat matematica math mathbf mathbi mathblackboard mathbs mathcommand:example mathdefault mathdouble mathdoubleextensible:instance mathdoubleextensible:instance:doublebar mathdoubleextensible:instance:doublebare mathdoubleextensible:instance:doublebrace mathdoubleextensible:instance:doublebrace mathdoubleextensible:instance:ouerbarace mathdoubleextensible:instance:overbarunderbar mathdoubleextensible:instance:overbarunderbar mathdoubleextensible:instance:overbarunderbar	<pre>\mat {} \matematica [] {} \math [] {} \mathbf \mathbi \mathbiackboard \mathbs \MATHCOMMAND {} {} \mathdefault \mathdouble [] {} {} \doublebar {} {} \doublebrace {} {} \doublebracket {} {} \doubleparent {} {} \overbarunderbar {} {} \overbarunderbar {} {} \overbraceunderbrace {} {} \overbraceunderbraceunderbrace {} {} \overbraceunderbrac</pre>
mat matematica math mathbf mathbi mathblackboard mathbs mathcommand:example mathdefault mathdouble mathdoubleextensible:instance mathdoubleextensible:instance:doublebar mathdoubleextensible:instance:doublebare mathdoubleextensible:instance:doublebrace mathdoubleextensible:instance:doublebrace mathdoubleextensible:instance:ouerbarace mathdoubleextensible:instance:overbarunderbar mathdoubleextensible:instance:overbraceunderbrace mathdoubleextensible:instance:overbraceunderbrace mathdoubleextensible:instance:overbraceunderbrace	<pre>\mat {} \matematica [] {} \math [] {} \mathbf \mathbi \mathbi \mathblackboard \mathbs \MATHCOMMAND {} {} \mathdefault \mathdouble [] {} {} \doublebar {} {} \doublebar {} {} \doublebracket {.</pre>
mat matematica math mathbf mathbi mathblackboard mathbs mathcommand:example mathdefault mathdouble mathdoubleextensible:instance mathdoubleextensible:instance:doublebar mathdoubleextensible:instance:doublebare mathdoubleextensible:instance:doublebare mathdoubleextensible:instance:doublebrace mathdoubleextensible:instance:doublebrace mathdoubleextensible:instance:ouerbarent mathdoubleextensible:instance:overbarunderbar mathdoubleextensible:instance:overbraceunderbrace mathdoubleextensible:instance:overbraceunderbrace mathdoubleextensible:instance:overbracketunderbracket mathdoubleextensible:instance:overparentunderparent	<pre>\mat {} \matematica [] {} \math [] {} \mathbf \mathbi \mathbi \mathblackboard \mathbs \MATHCOMMAND {} {} \mathdefault \mathdouble [] {} {} \doublebar {} {} \doublebar {} {} \doublebracket {.</pre>
mat matematica math mathbf mathbi mathblackboard mathbs mathcommand:example mathdefault mathdouble mathdoubleextensible:instance mathdoubleextensible:instance:doublebar mathdoubleextensible:instance:doublebare mathdoubleextensible:instance:doublebrace mathdoubleextensible:instance:doublebrace mathdoubleextensible:instance:doublebrace mathdoubleextensible:instance:ouerbarent mathdoubleextensible:instance:overbarent mathdoubleextensible:instance:overbraceunderbrace mathdoubleextensible:instance:overbracketunderbracket mathdoubleextensible:instance:overparentunderparent mathextensible:instance	\mat {} \matematica [] {} \math [] {} \mathbf \mathbi \mathbi \mathblackboard \mathbs \MATHCOMMAND {} {} \mathdefault \mathdouble [] {} {} \doublebar {} {} \doublebar {} {} \doublebracket {} {} \doublebracket {} {} \doubleparent {} {} \doubleparent {} {} \overbarunderbar {} {} \overbarunderbracket {} {} \overbracketunderbracket {} {} \overbracketunderbracket {} {} \overbracketunderparent {} {} \overparentunderparent {} {}
mat matematica math mathbf mathbi mathblackboard mathbs mathcommand:example mathdefault mathdouble mathdoubleextensible:instance mathdoubleextensible:instance:doublebar mathdoubleextensible:instance:doublebrace mathdoubleextensible:instance:doublebrace mathdoubleextensible:instance:doublebrace mathdoubleextensible:instance:doublebracket mathdoubleextensible:instance:ouerbarunderbar mathdoubleextensible:instance:overbarunderbar mathdoubleextensible:instance:overbracketunderbracket mathdoubleextensible:instance:overparentunderparent mathextensible:instance mathextensible:instance mathextensible:instance mathextensible:instance mathextensible:instance	<pre>\mat {} \matematica [] {} \math [] {} \mathbf \mathbi \mathbi \mathblackboard \mathbs \MATHCOMMAND {} {} \mathdefault \mathdouble [] {} {} \doublebar {} {} \doublebar {} {} \doublebracket {} {} \doublebracket {} {} \doubleparent {} {} \overbarunderbar {} {} \overbarunderbracket {} {} \overbracketunderbracket {} {} \overbracketunderbracket {} {} \overparentunderparent {} {} \overparentunderpa</pre>
mat matematica math mathbf mathbi mathblackboard mathbs mathcommand:example mathdefault mathdouble mathdoubleextensible:instance mathdoubleextensible:instance:doublebar mathdoubleextensible:instance:doublebrace mathdoubleextensible:instance:doublebrace mathdoubleextensible:instance:doublebracket mathdoubleextensible:instance:doublebracket mathdoubleextensible:instance:ouerbarunderbar mathdoubleextensible:instance:overbarunderbar mathdoubleextensible:instance:overbracketunderbracket mathdoubleextensible:instance:overparentunderparent mathextensible:instance mathextensible:instance mathextensible:instance:cleftarrow mathextensible:instance:crightarrow	<pre>\mat {} \matematica [] {} \math [] {} \mathbf \mathbf \mathbi \mathblackboard \mathbs \MATHCOMMAND {} {} \mathdefault \mathdouble [] {} {} \doublebar {} {} \doublebar {} {} \doublebracket {} {} \doublebracket {} {} \doubleparent {} {} \overbarunderbar {} {} \overbarunderbracket {} {} \coverbracketunderbracket {} {} \coverbracketunderbracketunderbracketunderbracketunderbracketunderbracketunderbracketunderbracketunderbracketunderbracketunderbracketunderbracketunderbracketunderbr</pre>
mat matematica math mathbf mathbi mathbi mathblackboard mathbs mathcommand:example mathdefault mathdouble mathdoubleextensible:instance mathdoubleextensible:instance:doublebar mathdoubleextensible:instance:doublebrace mathdoubleextensible:instance:doublebrace mathdoubleextensible:instance:doublebracket mathdoubleextensible:instance:doublebracket mathdoubleextensible:instance:overbarunderbar mathdoubleextensible:instance:overbraceunderbrace mathdoubleextensible:instance:overbracketunderbracket mathdoubleextensible:instance:overparentunderparent mathextensible:instance mathextensible:instance mathextensible:instance:cleftarrow mathextensible:instance:crightarrow mathextensible:instance:crightoverleftarrow	<pre>\mat {} \matematica [] {} \math [] {} \mathbf \mathbf \mathbi \mathblackboard \mathbs \MATHCOMMAND {} {} \mathdefault \mathdouble [] {} {} \MATHDOUBLEEXTENSIBLE {} {} \doublebar {} {} \doublebracket {} {} \doublebracket {} {} \overbarunderbar {} {} \overbarunderbracket {} {} \cverbracketunderbracket {} {} \cverbracketunderbracketunderbracket {} {} \cverbracketunderbracketunderbracketunderbracketunderbracketunderbracketunderbracketunderbracketunderbracketunderbracketunderbracketu</pre>
mat matematica math mathbf mathbi mathbi mathblackboard mathbs mathcommand:example mathdefault mathdouble mathdoubleextensible:instance mathdoubleextensible:instance:doublebar mathdoubleextensible:instance:doublebrace mathdoubleextensible:instance:doublebracket mathdoubleextensible:instance:doublebracket mathdoubleextensible:instance:doublebracket mathdoubleextensible:instance:overbarunderbar mathdoubleextensible:instance:overbraceunderbrace mathdoubleextensible:instance:overbracketunderbracket mathdoubleextensible:instance:overparentunderparent mathextensible:instance mathextensible:instance:cleftarrow mathextensible:instance:crightarrow mathextensible:instance:crightoverleftarrow mathextensible:instance:eleftarrowfill	<pre>\mat {} \matematica [] {} \math [] {} \mathbf \mathbf \mathbi \mathblackboard \mathbs \MATHCOMMAND {} {} \mathdefault \mathdouble [] {} {} \doublebar {} {} \doublebar {} {} \doublebrack {} {} \doublebracket {} {} \doubleprace {} {} \doubleprace {} {} \coverbarunderbar {} {} \coverbarunderbracket {} {} \coverbracketunderbracket {} {} \coverbracketunderbracket</pre>
mat matematica math mathbf mathbi mathbi mathblackboard mathbs mathcommand:example mathdefault mathdouble mathdoubleextensible:instance mathdoubleextensible:instance:doublebar mathdoubleextensible:instance:doublebrace mathdoubleextensible:instance:doublebracket mathdoubleextensible:instance:doublebracket mathdoubleextensible:instance:oublebracket mathdoubleextensible:instance:overbarunderbar mathdoubleextensible:instance:overbraceunderbrace mathdoubleextensible:instance:overbracketunderbracket mathdoubleextensible:instance:overparentunderparent mathextensible:instance mathextensible:instance:cleftarrow mathextensible:instance:crightarrow mathextensible:instance:crightoverleftarrow mathextensible:instance:eleftarrowfill mathextensible:instance:eleftarrowfill	<pre>\mat {} \matematica [] {} \math [] {} \mathbf \mathbf \mathbi \mathblackboard \mathbs \MATHCOMMAND {} {} \mathdefault \mathdouble [] {} {} \doublebar {} {} \doublebar {} {} \doublebrack {} {} \doublebracket {} {} \doubleparent {} {} \overbarunderbar {} {} \overbarunderbracket {} {} \cverbracketunderbracket {} {} \crightarrow {} {} \crightarrow {} {} \crightarrow {} {} \eleftarrowfill {} {} \eleftarrowfill {} {} \eleftarrowfill {} {} \eleftharpoondownfill {} {} \eleftharpoondownfill {} {} \eleftarrowfill {} {} \eleft</pre>
mat matematica math mathbf mathbi mathbi mathblackboard mathbs mathcommand:example mathdefault mathdouble mathdoubleextensible:instance mathdoubleextensible:instance:doublebar mathdoubleextensible:instance:doublebrace mathdoubleextensible:instance:doublebracket mathdoubleextensible:instance:doublebracket mathdoubleextensible:instance:doubleparent mathdoubleextensible:instance:overbarunderbar mathdoubleextensible:instance:overbraceunderbrace mathdoubleextensible:instance:overbracketunderbracket mathdoubleextensible:instance:overparentunderparent mathextensible:instance mathextensible:instance:cleftarrow mathextensible:instance:crightarrow mathextensible:instance:crightoverleftarrow mathextensible:instance:eleftharpoondownfill mathextensible:instance:eleftharpoondownfill mathextensible:instance:eleftharpoondownfill	<pre>\mat {} \matematica [] {} \math [] {} \mathbf \mathbf \mathbi \mathblackboard \mathbs \MATHCOMMAND {} {} \mathdefault \mathdouble [] {} {} \doublebar {} {} \doublebar {} {} \doublebrace {} {} \doublebracket {} {} \doubleparent {} {} \overbarunderbar {} {} \overbarunderbrace {} {} \cverbracketunderbracket {} {} \cverbracketunderbracke</pre>
mat matematica math mathbf mathbi mathbi mathblackboard mathbs mathcommand:example mathdefault mathdouble mathdoubleextensible:instance mathdoubleextensible:instance:doublebar mathdoubleextensible:instance:doublebrace mathdoubleextensible:instance:doublebracket mathdoubleextensible:instance:doublebracket mathdoubleextensible:instance:oublebracket mathdoubleextensible:instance:overbarunderbar mathdoubleextensible:instance:overbraceunderbrace mathdoubleextensible:instance:overbracketunderbracket mathdoubleextensible:instance:overparentunderparent mathextensible:instance mathextensible:instance:cleftarrow mathextensible:instance:crightarrow mathextensible:instance:crightoverleftarrow mathextensible:instance:eleftarrowfill mathextensible:instance:eleftarrowfill	<pre>\mat {} \matematica [] {} \math [] {} \mathbf \mathbf \mathbi \mathblackboard \mathbs \MATHCOMMAND {} {} \mathdefault \mathdouble [] {} {} \doublebar {} {} \doublebar {} {} \doublebrack {} {} \doublebracket {} {} \doubleparent {} {} \overbarunderbar {} {} \overbarunderbracket {} {} \cverbracketunderbracket {} {} \crightarrow {} {} \crightarrow {} {} \crightarrow {} {} \eleftarrowfill {} {} \eleftarrowfill {} {} \eleftarrowfill {} {} \eleftharpoondownfill {} {} \eleftharpoondownfill {} {} \eleftarrowfill {} {} \eleft</pre>
mat matematica math mathbf mathbi mathbi mathblackboard mathbs mathcommand:example mathdefault mathdouble mathdoubleextensible:instance mathdoubleextensible:instance:doublebar mathdoubleextensible:instance:doublebrace mathdoubleextensible:instance:doublebracket mathdoubleextensible:instance:doublebracket mathdoubleextensible:instance:ouerbarunderbar mathdoubleextensible:instance:overbarunderbar mathdoubleextensible:instance:overbraceunderbrace mathdoubleextensible:instance:overbraceunderbrace mathdoubleextensible:instance:overparentunderparent mathextensible:instance mathextensible:instance mathextensible:instance:cleftarrow mathextensible:instance:crightoverleftarrow mathextensible:instance:eleftharpoondownfill mathextensible:instance:eleftharpoonupfill mathextensible:instance:eleftrightarrowfill	<pre>\mat {} \matematica [] {} \math [] {} \mathbf \mathbi \mathbi \mathblackboard \mathbs \MATHCOMMAND {} {} \mathdefault \mathdouble [] {} {} \doublebar {} {} \doublebar {} {} \doublebracket {} {} \doublebracket {} {} \verbarunderbar {} {} \verbarunderbar {} {} \verbarunderbracket {} {} \verbarunderbracket</pre>
mat matematica math mathbf mathbi mathblackboard mathbs mathcommand:example mathdefault mathdouble mathdoubleextensible:instance mathdoubleextensible:instance:doublebar mathdoubleextensible:instance:doublebrace mathdoubleextensible:instance:doublebracket mathdoubleextensible:instance:doublebracket mathdoubleextensible:instance:ouerbarunderbar mathdoubleextensible:instance:overbarunderbar mathdoubleextensible:instance:overbraceunderbrace mathdoubleextensible:instance:overbracketunderbracket mathdoubleextensible:instance:overparentunderparent mathextensible:instance mathextensible:instance mathextensible:instance:cleftarrow mathextensible:instance:crightoverleftarrow mathextensible:instance:eleftharpoondownfill mathextensible:instance:eleftharpoonupfill mathextensible:instance:eleftrightarrowfill mathextensible:instance:eleftrightarrowfill mathextensible:instance:eleftrightarrowfill mathextensible:instance:eleftrightarrowfill mathextensible:instance:eleftrightarrowfill	<pre>\mat {} \matematica [] {} \math [] {} \mathbi \mathbi \mathbi \mathbi \mathblackboard \mathbs \MATHCOMMAND {} {} \mathdefault \mathdouble [] {} {} \doublebar {} {} \doublebar {} {} \doublebracket {} {} \doublebracket {} {} \verbarunderbar {} {} \verbarunderbar {} {} \verbarunderbracket {} {} \verbaretarrow {} {} \cightarrow {} {} \cightarrow {} {} \verbaretarrow {} {} \eleftarrowfill {} {} \eleftharpoondownfill {} {} \eleftrightarrowfill {} {}</pre>
mat matematica math mathbf mathbi mathblackboard mathbs mathcommand:example mathdefault mathdouble mathdoubleextensible:instance mathdoubleextensible:instance:doublebar mathdoubleextensible:instance:doublebrace mathdoubleextensible:instance:doublebrace mathdoubleextensible:instance:doublebrace mathdoubleextensible:instance:doublebracket mathdoubleextensible:instance:overbarunderbar mathdoubleextensible:instance:overbarunderbar mathdoubleextensible:instance:overbraceunderbrace mathdoubleextensible:instance:overbracketunderbracket mathdoubleextensible:instance:overparentunderparent mathextensible:instance mathextensible:instance:cleftarrow mathextensible:instance:crightarrow mathextensible:instance:eleftarrowfill mathextensible:instance:eleftharpoondownfill mathextensible:instance:eleftrightarrowfill mathextensible:instance:eleftrightarrowfill mathextensible:instance:eleftrightarrowfill mathextensible:instance:eleftrightarrowfill mathextensible:instance:eoverbarfill mathextensible:instance:eoverbarfill mathextensible:instance:eoverbarefill	<pre>\mat {} \matematica [] {} \math [] {} \mathbf \mathbf \mathbi \mathblackboard \mathbs \MATHCOMMAND {} {} \mathdefault \mathdouble [] {} {} \doublebar {} {} \doublebar {} {} \doublebracket {} {} \doublebracket {} {} \verbarunderbar {} {} \verbarunderbar {} {} \verbarunderbracket {} {} \verbarentunderparent {} {} \verbarentunderparent {} {} \verbarentunderbracket {} {} \verbarentunderbracket {} {} \verbarentunderparent {} {} \verbarentunderparent {} {} \verbarentunderbracket {} {} \verbarentunderbracket</pre>
matematica math mathbf mathbi mathbi mathblackboard mathbs mathcommand:example mathdefault mathdouble mathdoubleextensible:instance:doublebar mathdoubleextensible:instance:doublebrace mathdoubleextensible:instance:doublebrace mathdoubleextensible:instance:doublebracket mathdoubleextensible:instance:doublebracket mathdoubleextensible:instance:overbarunderbar mathdoubleextensible:instance:overbarunderbar mathdoubleextensible:instance:overbraceunderbrace mathdoubleextensible:instance:overbraceunderbrace mathdoubleextensible:instance:overparentunderparent mathextensible:instance mathextensible:instance:cleftarrow mathextensible:instance:crightarrow mathextensible:instance:eleftarrowfill mathextensible:instance:eleftharpoondownfill mathextensible:instance:eleftharpoonupfill mathextensible:instance:eleftrightarrowfill mathextensible:instance:eleftrightarrowfill mathextensible:instance:eleftrightarrowfill mathextensible:instance:eoverbarfill mathextensible:instance:eoverbracefill mathextensible:instance:eoverbracefill mathextensible:instance:eoverbracefill	<pre>\mat {} \matematica [] {} \math [] {} \mathbf \mathbf \mathbi \mathblackboard \mathbs \MATHCOMMAND {} {} \mathdefault \mathdouble [] {} {} \doublebar {} {} \doublebar {} {} \doublebracket {} {} \doublebracket {} {} \verbarunderbar {} {} \verbarunderbar {} {} \verbarunderbracket {} {} \verbarunderbracket</pre>
math mathbf mathbi mathbli mathblackboard mathbs mathcommand:example mathdefault mathdouble mathdoubleextensible:instance mathdoubleextensible:instance:doublebar mathdoubleextensible:instance:doublebrace mathdoubleextensible:instance:doublebrace mathdoubleextensible:instance:doublebrace mathdoubleextensible:instance:doublebracket mathdoubleextensible:instance:doubleparent mathdoubleextensible:instance:overbarunderbar mathdoubleextensible:instance:overbraceunderbrace mathdoubleextensible:instance:overbracketunderbracket mathdoubleextensible:instance:overparentunderparent mathextensible:instance mathextensible:instance:cleftarrow mathextensible:instance:crightoverleftarrow mathextensible:instance:eleftarrowfill mathextensible:instance:eleftharpoondownfill mathextensible:instance:eleftharpoonupfill mathextensible:instance:eleftrightarrowfill mathextensible:instance:eleftrightarrowfill mathextensible:instance:eleftrightarrowfill mathextensible:instance:eleftrightarrowfill mathextensible:instance:eoverbarcfill mathextensible:instance:eoverbracketfill mathextensible:instance:eoverbracketfill mathextensible:instance:eoverbracketfill mathextensible:instance:eoverparentfill	<pre>\mat {} \matematica [] {} \math [] {} \mathbf \mathbf \mathbi \mathblackboard \mathbs \MATHCOMMAND {} {} \mathdefault \mathdouble [] {} {} \doublebar {} {} \doublebar {} {} \doublebracket {} {} \doublebracket {} {} \vertarunderbar {} {} \vertarunderbar {} {} \vertarunderbracket {} {} \coverbracketunderbracket {} {} \vertarenderbracket {} {} \vertarenderbr</pre>
math mathbf mathbf mathbi mathblackboard maths mathcommand:example mathdefault mathdouble mathdoubleextensible:instance mathdoubleextensible:instance:doublebar mathdoubleextensible:instance:doublebrace mathdoubleextensible:instance:doublebrackt mathdoubleextensible:instance:doublebrackt mathdoubleextensible:instance:doubleprackt mathdoubleextensible:instance:overbarunderbar mathdoubleextensible:instance:overbarunderbar mathdoubleextensible:instance:overbracketunderbracket mathdoubleextensible:instance:overbracketunderbracket mathdoubleextensible:instance:overparentunderparent mathextensible:instance:cleftarrow mathextensible:instance:cleftarrow mathextensible:instance:crightoverleftarrow mathextensible:instance:eleftarrowfill mathextensible:instance:eleftharpoonupfill mathextensible:instance:eleftrightarrowfill mathextensible:instance:eoverbarcfill mathextensible:instance:eoverbracketfill mathextensible:instance:eoverbracketfill mathextensible:instance:eoverbracketfill mathextensible:instance:eoverparentfill	<pre>\mat {} \matematica [] {} \math [] {} \mathbf \mathbi \mathbi \mathblackboard \mathbs \MATHCOMMAND {} {} \mathdefault \mathdouble [] {} {} \doublebar {} {} \doublebar {} {} \doublebracket {} {} \doublebracket {} {} \verbarunderbar {} {} \verbarunderbar {} {} \verbarunderbracket {} {} \verbarererererererererererererererererere</pre>
math mathbf mathbf mathbi mathblackboard mathbs mathcommand:example mathdefault mathdouble mathdoubleextensible:instance mathdoubleextensible:instance:doublebar mathdoubleextensible:instance:doublebar mathdoubleextensible:instance:doublebrace mathdoubleextensible:instance:doublebrace mathdoubleextensible:instance:doubleparent mathdoubleextensible:instance:overbarunderbar mathdoubleextensible:instance:overbraceunderbrace mathdoubleextensible:instance:overbraceunderbrace mathdoubleextensible:instance:overparentunderparent mathextensible:instance:cleftarrow mathextensible:instance:cleftarrow mathextensible:instance:crightarrow mathextensible:instance:eleftarrowfill mathextensible:instance:eleftharpoondownfill mathextensible:instance:eleftrightarrowfill mathextensible:instance:eleftrightarrowfill mathextensible:instance:eleftrightarrowfill mathextensible:instance:eoverbracefill mathextensible:instance:eoverbracefill mathextensible:instance:eoverbracefill mathextensible:instance:eoverbracefill mathextensible:instance:eoverbracefill mathextensible:instance:eoverbracefill mathextensible:instance:eoverbracefill mathextensible:instance:eoverbracefill mathextensible:instance:eoverbracefill mathextensible:instance:eoverparentfill	<pre>\mat {} \matematica [] {} \math [] {} \mathbf \mathbf \mathbi \mathblackboard \mathbs \MATHCOMMAND {} {} \mathdefault \mathdouble [] {} {} \doublebar {} {} \doublebar {} {} \doublebracket {} {} \doublebracket {} {} \verbarunderbar {} {} \verbarunderbar {} {} \verbarunderbracket {} {} \verbarunderbracket</pre>

mathextensible:instance:eunderbarfill	\eunderbarfill {} {}
mathextensible:instance:eunderbracefill	\eunderbracefill {} {}
mathextensible:instance:eunderbracketfill	\eunderbracketfill {} {}
mathextensible:instance:eunderparentfill	\eunderparentfill {} {}
mathextensible:instance:mequal	\mequal \{\dots\}
mathextensible:instance:mhookleftarrow	\mhookleftarrow {} {}
mathextensible:instance:mhookrightarrow	\mhookrightarrow {} {}
mathextensible:instance:mLeftarrow	\mLeftarrow {} {}
mathextensible:instance:mLeftrightarrow	\mLeftrightarrow {} {}
mathextensible:instance:mleftarrow	\mleftarrow {} {}
mathextensible:instance:mleftharpoondown	\mleftharpoondown {} {}
mathextensible:instance:mleftharpoonup	\mleftharpoonup {} {}
mathextensible:instance:mleftrightarrow	$\mbox{$\$
mathextensible:instance:mleftrightharpoons	\mleftrightharpoons {} {}
mathextensible:instance:mmapsto	$\mbox{mmapsto } \{\ldots\} \ \{\ldots\}$
mathextensible:instance:mRightarrow	\mRightarrow {} {}
mathextensible:instance:mrel	\mrel {} {}
mathextensible:instance:mrightarrow	\mrightarrow {} {}
mathextensible:instance:mrightharpoondown	$\mbox{\sc mrightharpoondown } \{\ldots\} \ \{\ldots\}$
mathextensible:instance:mrightharpoonup	$\mbox{\em mright} harpoonup {} {}$
mathextensible:instance:mrightleftharpoons	\mrightleftharpoons {} {}
mathextensible:instance:mrightoverleftarrow	\mrightoverleftarrow \{\ldots\} \{\ldots\}
mathextensible:instance:mtriplerel	\mtriplerel {} {}
mathextensible:instance:mtwoheadleftarrow	\mtwoheadleftarrow {} {}
mathextensible:instance:mtwoheadrightarrow	\mtwoheadrightarrow {} {}
mathextensible:instance:tequal	\tequal {} {}
mathextensible:instance:thookleftarrow	\thookleftarrow {} {}
mathextensible:instance:thookrightarrow	\thookrightarrow {} {}
mathextensible:instance:tLeftarrow	\tLeftarrow {} {}
mathextensible:instance:tLeftrightarrow	\tLeftrightarrow {} {}
mathextensible:instance:tleftarrow	\tleftarrow {} {}
mathextensible:instance:tleftharpoondown	\tleftharpoondown {} {}
mathextensible:instance:tleftharpoonup	\tleftharpoonup {} {}
mathextensible:instance:tleftrightarrow	\tleftrightarrow {} {}
mathextensible:instance:tleftrightharpoons	\tleftrightharpoons {} {}
mathextensible:instance:tmapsto	\tmapsto {} {}
mathextensible:instance:tRightarrow	\tRightarrow {} {}
mathextensible:instance:trel	\trel {} {}
mathextensible:instance:trightarrow	\trightarrow {} {}
mathextensible:instance:trightharpoondown	\trightharpoondown \\\\} \\\}
mathextensible:instance:trightharpoonup	\trightharpoonup \{\ldots\} \\.\}
mathextensible:instance:trightleftharpoons	\trightleftharpoons \{\ldots\} \\.\}
mathextensible:instance:trightoverleftarrow	\trightoverleftarrow {} {}
mathextensible:instance:ttriplerel	\ttriplerel {} {} \ttwoheadleftarrow {} {}
mathextensible:instance:ttwoheadleftarrow	
mathextensible:instance:ttwoheadrightarrow	\ttwoheadrightarrow {} {}
mathextensible:instance:xequal	\xequal {} {}
mathextensible:instance:xhookleftarrow	\xhookleftarrow {} {}
mathextensible:instance:xhookrightarrow	\xhookrightarrow {} {}
mathextensible:instance:xLeftarrow	\xLeftarrow {} {}
mathextensible:instance:xLeftrightarrow	\xLeftrightarrow {} {} \xleftarrow {} {}
mathextensible:instance:xleftarrow	
mathextensible:instance:xleftharpoondown	\xleftharpoondown {} {}
mathextensible:instance:xleftharpoonup	\xleftharpoonup {} {}
mathextensible:instance:xleftrightarrow	\xleftrightarrow {} {}
mathextensible:instance:xleftrightharpoons	\xleftrightharpoons {} {}
mathextensible:instance:xmapsto	\xmapsto {} {}
mathextensible:instance:xRightarrow	\xRightarrow {} {}
mathextensible:instance:xrel	\xrel {} {}
mathextensible:instance:xrightarrow	\xrightarrow {} {}
mathextensible:instance:xrightharpoondown	\xrightharpoondown {} {}
mathextensible:instance:xrightharpoonup	\xrightharpoonup {} {}
mathextensible:instance:xrightleftharpoons	\xrightleftharpoons {} {}
mathextensible:instance:xrightoverleftarrow	\xrightoverleftarrow {} {}
mathextensible:instance:xtriplerel	\xtriplerel {} {}
mathextensible:instance:xtwoheadleftarrow	\xtwoheadleftarrow {} {}
mathextensible:instance:xtwoheadrightarrow	
mathfraktur	\xtwoheadrightarrow {} {}
	\xtwoheadrightarrow {} {} \mathfraktur
mathframed:instance	\xtwoheadrightarrow {} {} \mathfraktur \MATHFRAMED [=] {}
<pre>mathframed:instance mathframed:instance:inmframed</pre>	<pre>\xtwoheadrightarrow {} {} \mathfraktur \MATHFRAMED [=] {} \inmframed [=] {}</pre>
mathframed:instance	<pre>\xtwoheadrightarrow {} {} \mathfraktur \MATHFRAMED [=] {} \inmframed [=] {} \mcframed [=] {}</pre>
<pre>mathframed:instance mathframed:instance:inmframed</pre>	<pre>\xtwoheadrightarrow {} {} \mathfraktur \MATHFRAMED [=] {} \inmframed [=] {}</pre>

mathfunction	\mathfunction {}
mathit	\mathit
mathitalic	\mathitalic
mathmatrix	\MATHMATRIX {}
mathop	\mathop {}
mathornament:example	\MATHORNAMENT {}
mathover	\mathover [] {} {}
mathoverextensible:example	\MATHOVEREXTENSIBLE {}
mathovertextextensible:instance	\MATHOVERTEXTEXTENSIBLE \{\ldots\} \{\ldots\}
mathradical:example	\MATHRADICAL [] {}
mathrm	\mathrm
mathscript	\mathscript
mathsl	\mathsl
mathss	\mathss
mathtext	\mathtext {}
mathtextbf	\mathtextbf {}
mathtextbi	\mathtextbi {}
mathtextbs	\mathtextbs {}
mathtextit	\mathtextit {}
mathtextsl	\mathtextsl {}
mathtexttf	\mathtexttf {}
mathtf	\mathtf
mathtriplet	\mathtriplet [] {} {} {}
mathtriplet:example	\MATHTRIPLET [] {} {} {}
mathtt	\mathtt
mathunder	\mathunder [] {} {}
mathunderextensible:example	\MATHUNDEREXTENSIBLE {}
mathundertextextensible:instance	\MATHUNDERTEXTEXTENSIBLE \{\ldots\}\ \{\ldots\}
mathunstacked:example	\MATHUNSTACKED
mathupright	\mathupright
mathword	\mathword {}
mathwordbf	\mathwordbf {}
mathwordbi	\mathwordbi {}
mathwordbs	\mathwordbs {}
mathwordit	\mathwordit {}
mathwordsl	\mathwordsl {}
mathwordtf	\mathwordtf {}
maxaligned	\maxaligned {}
mbox	\mbox {}
measure _	\measure {}
measured	\measured {}
medskip	\medskip
medspace	\medspace
menuinterattivo	\menuinterattivo [] [=]
mese	\mese {}
message	\message {}
metaTeX	\metaTeX
mettielenco	\mettielenco [] [=]
mettielencocombinato	\mettielencocombinato [] [=]
mettielencocombinato:instance	\mettiCOMBINEDLIST [=]
mettielencocombinato:instance:content	\metticontent [=]
mettifiancoafianco	\mettifiancoafianco {} {}
mettiformula	\mettiformula [] {}
mettiingriglia	\mettiingriglia [] {}
mettiingriglia:list	\mettiingriglia [] {}
mettinotepdp	\mettinotepdp [=]
mettinotepdplocali	\mettinotepdplocali [=]
mettinumeropagina	\mettinumeropagina
mettiregistro	\mettiregistro [] [=] \mettiREGISTER [=]
mettiregistro:instance	\mettiindex [=]
mettiregistro:instance:index	
mettisegnalibro mettisottoformula	\mettisegnalibro [] [] []
	\mettisottoformula [] {}
mettiunosullaltro	\mettiunosullaltro {} {}
mfence	\mfence {}
mfunction	\mfunction {}
mfunctionlabeltext	\mfunctionlabeltext {} \mhbox {}
mhbox	
middlealigned middlebox	<pre>\middlealigned {} \middlebox {}</pre>
midhbox	\midhbox {}
midsubsentence	\midsubsentence
WIAPPONDCIIOC	/mrdpdppencence

	\minimalhbox {}
-	\mixedcaps {}
	\mkvibuffer []
moduleparameter	\moduleparameter {} {}
molecule	\molecule {}
mono	\mono
monograssetto	\monograssetto
mononormal	\mononormal
monthlong	\monthlong {}
monthshort	\monthshort {}
mostraambientefontdeltesto	\mostraambientefontdeltesto []
mostracolore	\mostracolore []
mostracornice	\mostracornice [] []
mostrafontdeltesto	\mostrafontdeltesto []
mostragriglia	\mostragriglia []
mostragruppocolori	\mostragruppocolori [] []
mostraimpostazioni	\mostraimpostazioni []
mostralyout	\mostralyout []
	\mostramakeup []
mostrasetsimboli	\mostrasetsimboli []
mostrastampa	\mostrastampa [] [=]
	\mostrastruts
mostratavolozza	\mostratavolozza [] []
mprandomnumber	\mprandomnumber
•	\mtext {}
	\NormalizeFontHeight \ {} {} {}
	\NormalizeFontWidth \ {} {} {}
	\NormalizeTextHeight {} {}
	\NormalizeTextWidth {} {}
	\Numeri {}
Numeriromani	\Numeriromani {}
namedheadnumber	\namedheadnumber {}
namedstructureheadlocation	\namedstructureheadlocation {}
	\namedstructureuservariable {} {}
	\namedstructurevariable {} {}
	\namedtaggedlabeltexts {} {} {} {} {}
	\nascondiblocchi [] []
	\naturalhbox {}
naturalhpack	\naturalhpack {}
	\naturalvbox {}
	\naturalvcenter {}
	\naturalvpack {}
	\naturalvtop {}
-	\naturalwd
	\negatecolorbox
8	\negated {}
	\negemspace
- -	\negenspace
	\negthinspace
	\newattribute \
	\newcatcodetable \
	\newcounter \
	\newevery \ \
	\newfrenchspacing
1 0	\newmode {}
	\newsignal \
	\newsystemmode {}
•	\nextbox
	\nextboxdp
•	\nextboxht
	\nextboxhtdp
•	\nextboxwd
	\nextcounter [] []
	\nextcountervalue []
	\nextdepth
-	\nextparagraphs
	\successivoPARAGRAPHS
1 0 1	\nextrealpage
	\nextrealpagenumber
	\nextsubcountervalue [] []
	\nextsubpagenumber
	/non-pagement

nextuserpagenumber	\nextuserpagenumber
nientelineecimafondo	\nientelineecimafondo
nientelineintestazionepdp	\nientelineintestazionepdp
nientespazio	\nientespazio
nocap	\nocap {}
nocharacteralign	\nocharacteralign
nocitation	\nocitation []
nocitation:direct	\nocitation {}
nocite	\nocite []
nocite:direct	\nocite {}
nodetostring	\nodetostring \ {}
noffigurepages	\noffigurepages
noflines	\noflines
noflocalfloats	\noflocalfloats
noheightstrut	\noheightstrut
noindentation	\noindentation
noitem	\noitem
nonfrenchspacing	\nonfrenchspacing
nonmathematics	\nonmathematics {}
normalboldface	\normalboldface
normale	\normale
normalframedwithsettings	\normalframedwithsettings [=] $\{\}$
normalitalicface	\normalitalicface
normalizebodyfontsize	\normalizebodyfontsize \ \{\}
normalizedfontsize	\normalizedfontsize
normalizefontdepth	\normalizefontdepth \ \{\} \{\}
normalizefontheight	\normalizefontheight \ \{\} \{\}
normalizefontline	\normalizefontline \ \{\} \{\}
normalizefontwidth	\normalizefontwidth \ \{\} \{\}
normalizetextdepth	\normalizetextdepth \{\ldots\} \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \
normalizetextheight	\normalizetextheight \{\dots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
normalizetextline	\normalizetextline {} {}
normalizetextwidth	\normalizetextwidth \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
normalslantedface	\normalslantedface
normaltypeface nota	<pre>\normaltypeface \nota [] []</pre>
nota:instance	\NOTE [] {}
	\NOTE [] \\\ \NOTE []
nota:instance:assignment nota:instance:assignment:endnote	\endnote [=]
nota:instance:assignment:footnote	\footnote [=]
nota:instance:endnote	\endnote [] \endnote []
nota:instance:footnote	\footnote [] {}
notesymbol	\notesymbol [] []
notragged	\notragged
ntimes	\ntimes {} {}
numberofpoints	\numberofpoints {}
numeri	\numeri {}
numeriromani	\numeriromani {}
numeroformula	\numeroformula []
numeropagina	\numeropagina
numeropaginacompleto	\numeropaginacompleto
numerotesta	\numerotesta [] []
numerotestacorrente	\numerotestacorrente
obeydepth	\obeydepth
objectdepth	\objectdepth
objectheight	\objectheight
objectmargin	\objectmargin
objectwidth	\objectwidth
obox	\obox {}
offset	\offset [=] {}
offsetbox	\offsetbox [=] \ {}
onedigitrounding	\onedigitrounding {}
ordinaldaynumber	\ordinaldaynumber {}
ordinalstr	\ordinalstr {}
ornamenttext:collector	\ornamenttext [=] [=] {} {}
ornamenttext:direct	
ornamenttext:layer	\ornamenttext [] {} {}
1	\ornamenttext [=] [=] {} {}
ornament:example	\ornamenttext [=] [=] {} {} \ORNAMENT {} {}
outputfilename	\ornamenttext [=] [=] {} \ORNAMENT {} {} \outputfilename
outputfilename outputstreambox	\ornamenttext [=] [=] {} \ORNAMENT {} {} \outputfilename \outputstreambox []
outputfilename	\ornamenttext [=] [=] {} \ORNAMENT {} {} \outputfilename

outputstreamunvcopy	\outputstreamunvcopy []
over	\over []
overlaybutton	\overlaybutton []
overlaybutton:direct	\overlaybutton {}
overlaycolor	\overlaycolor
·	•
overlaydepth	\overlaydepth
overlayfigure	\overlayfigure {}
overlayheight	\overlayheight
overlayimage	\overlayimage {}
overlaylinecolor	\overlaylinecolor
overlaylinewidth	\overlaylinewidth
overlayoffset	\overlayoffset
overlayrollbutton	\overlayorises \overlayrollbutton [] []
•	•
overlaywidth	\overlaywidth
overloaderror	\overloaderror
overset	\overset {} {}
PAROLA	\PAROLA {}
PAROLE	\PAROLE {}
Parola	\Parola {}
Parole	\Parole {}
PDFcolor	\PDFcolor {}
PDFETEX	\PDFETEX
PDFTEX	\PDFTEX
PICTEX	\PICTEX
PiCTeX	\PiCTeX
PointsToBigPoints	\PointsToBigPoints {} \
PointsToReal	\PointsToReal {} \
PointsToWholeBigPoints	\PointsToWholeBigPoints {} \
PPCHTEX	\PPCHTEX
PPCHTeX	\PPCHTeX
PRAGMA	\PRAGMA
PtToCm	\PtToCm {}
pagearea	\pagearea [] []
pagebreak	\pagebreak []
pagefigure	\pagefigure [] [=]
pageinjection	\pageinjection [] [=]
pageinjection:assignment	\pageinjection [=] [=]
pagestaterealpage	\pagestaterealpage {} {}
pagestaterealpageorder	\pagestaterealpageorder {} {}
pagina	\pagina []
paletsize	\paletsize
paragraphs:example	\PARAGRAPHS
parola	\parola {}
paroladestra	\paroladestra [] {}
pdfactualtext	\pdfactualtext {} {}
pdfbackendactualtext	\pdfbackendactualtext \{\ldots\} \{\ldots\}
pdfbackendcurrentresources	\pdfbackendcurrentresources
-	-
pdfbackendsetcatalog	\pdfbackendsetcatalog \{\dots\}
pdfbackendsetcolorspace	\pdfbackendsetcolorspace \{\ldots\}\{\ldots\}
pdfbackendsetextgstate	\pdfbackendsetextgstate \{\ldots\}\ \{\ldots\}
pdfbackendsetinfo	\pdfbackendsetinfo {} {}
pdfbackendsetname	\pdfbackendsetname {} {}
pdfbackendsetpageattribute	\pdfbackendsetpageattribute {} {}
pdfbackendsetpageresource	\pdfbackendsetpageresource {} {}
	\pdfbackendsetpagesattribute \{\dots\} \{\dots\}
pdfbackendsetpagesattribute	
pdfbackendsetpattern	\pdfbackendsetpattern {} {}
pdfbackendsetshade	\pdfbackendsetshade {} {}
pdfcolor	\pdfcolor {}
pdfeTeX	\pdfeTeX
pdfTeX	\pdfTeX
ped	\ped {}
•	
pedap	\pedap [] {}
ped:instance	\LOW {}
ped:instance:unitslow	\unitslow {}
percent	\percent
percentdimen	\percentdimen \{\ldots\} \\
perlungo	\perlungo {}
permitcaretescape	\permitcaretescape
-	
permitcircumflexescape	\nermitcircumflevescane
	\permitcircumflexescape
permitspacesbetweengroups	\permitspacesbetweengroups
permitspacesbetweengroups persiandecimals	-

phantom	\phantom {}
phantombox	\phantombox [=]
piccolo	\piccolo
piccolocorsivograssetto	\piccolocorsivograssetto
•	\piccolofontdelcorpo
1 6	\piccolograssetto
piccolograssettocorsivo	\piccolograssettocorsivo
piccolograssettoinclinato	\piccolograssettoinclinato
	\piccoloinclinato
	\piccoloinclinatograssetto
•	\piccolonormale
	\piccolotype
	\pickupgroupedcommand {} {} {}
	\placeattachments
	\placebtxrendering [] [=]
•	\placecitation [] \placecomments
•	\placecomments \placecurrentformulanumber
•	\placedbox {}
-	\placedbox [] [] [] {} {}
	\placefloat [] [] [] [] \placefloatwithsetups [] [] [] {} {}
placefloat:instance	\mettiFLOAT [] [] {}
placefloat:instance:chemical	\mettichemical [] {} {}
placefloat:instance:figure	\mettifigure [] [] {} {}
placefloat:instance:graphic	\mettigraphic [] [] {} {}
placefloat:instance:intermezzo	\mettiintermezzo [] [] {}
placefloat:instance:table	\mettitable [] [] {}
<u>-</u>	\placeframed [] [=] {}
placehelp	\placehelp
	\placeinitial []
	\placelayer []
placelayeredtext	\placelayeredtext [] [=] [=] {} {}
placelistoffloats:instance	\placelistofFLOATS [=]
placelistoffloats:instance:chemicals	\placelistofchemicals [=]
placelistoffloats:instance:figures	\placelistoffigures [=]
placelistoffloats:instance:graphics	\placelistofgraphics [=]
placelistoffloats:instance:intermezzi	\placelistofintermezzi [=]
placelistoffloats:instance:tables	\placelistoftables [=]
placelistofpublications	\placelistofpublications [] [=]
placelistofsorts	\placelistofsorts [] [=]
placelistofsorts:instance	\placelistofSORTS [=]
placelistofsorts:instance:logos	\placelistoflogos [=]
-	\placelistofsynonyms [] [=]
placelistofsynonyms:instance	\placelistofSYNONYMS [=]
placelistofsynonyms:instance:abbreviations	\placelistofabbreviations [=]
	\placelocalnotes [] [=]
placement	\placement [] [=] {}
placement:example	\PLACEMENT [=] {}
	\placenamedfloat [] []
	\placenamedformula [] {}
placenotes	\placenotes [] [=]
placepairedbox	\placepairedbox [] [=] {} {}
placepairedbox:instance	\mettiPAIREDBOX [=] {} {}
<pre>placepairedbox:instance:legend placeparallel</pre>	\mettilegend [=] {} {}
placerawlist	\placeparallel [] [=] \placerawlist [] [=]
•	\placerenderingwindow [] []
popattribute	\popattribute \
	\popmacro \
	\popmode []
	\popsystemmode {}
	\positionoverlay {}
	\positionregionoverlay \{\ldots\} \{\ldots\}
-	\posizionanumerotesta []
posizionatestotesta	\posizionatestotesta []
•	\posizione [=] (,) {}
postponenotes	\postponenotes
predefinedfont	\predefinedfont []
predefinefont	\predefinefont [] []
	\predefinesymbol []
	\prefixedpagenumber
prendibuffer	\prendibuffer []

<pre>prendibuffer:instance</pre>	\prendiBUFFER
prendimarcatura	\prendimarcatura [] []
prependetoks	\prependetoks \to \
prependgvalue	\prependgvalue \{\dots\} \\
prependtocommalist	\prependtocommalist {} \
prependtoks prependtoksonce	\prependtoks \to \ \prependtoksonce \to \
prependvalue	\prependvalue {} {}
prerollblank	\prerollblank []
presetdocument	\presetdocument [=]
presetfieldsymbols	\presetfieldsymbols []
<pre>presetlabeltext:instance</pre>	\presetLABELtesto [] [=]
presetlabeltext:instance:btxlabel	\presetbtxlabeltesto [] [=]
presetlabeltext:instance:head	\presetheadtesto [] [=]
<pre>presetlabeltext:instance:label presetlabeltext:instance:mathlabel</pre>	\presetlabeltesto [] [=] \presetmathlabeltesto [] [=]
presetlabeltext:instance:mathraber presetlabeltext:instance:operator	\presetoperatortesto [] [=]
presetlabeltext:instance:prefix	\presetprefixtesto [] [=]
presetlabeltext:instance:suffix	\presetsuffixtesto [] [=]
<pre>presetlabeltext:instance:taglabel</pre>	\presettaglabeltesto [] [=]
<pre>presetlabeltext:instance:unit</pre>	\presetunittesto [] [=]
pretocommalist	\pretocommalist \\\
prettyprintbuffer	\prettyprintbuffer {} {}
prevcounter prevcountervalue	\prevcounter [] [] \prevcountervalue []
preventmode	\preventmode []
prevrealpage	\prevrealpage
prevrealpagenumber	\prevrealpagenumber
prevsubcountervalue	\prevsubcountervalue [] []
prevsubpage	\prevsubpage
prevsubpagenumber	\prevsubpagenumber
prevuserpage	\prevuserpage
prevuserpagenumber	\prevuserpagenumber
primasottopagina	\primasottopagina \procent
procent processaction	\processaction [] [,=>,]
processallactionsinset	\processallactionsinset [] [,=>,]
processassignlist	\processassignlist [] \
processassignmentcommand	\processassignmentcommand [=] \
processassignmentlist	\processassignmentlist [=] \
processbetween	\processbetween {} \
processbodyfontenvironmentlist processcolorcomponents	\processbodyfontenvironmentlist \ \processcolorcomponents {}
processcommacommand	\processcommacommand [] \
processcommalist	\processcommalist [] \
processcommalistwithparameters	\processcommalistwithparameters [] \
processcontent	\processcontent {} \
processfile	\processfile {}
processfilemany	\processfilemany {}
processfilenone	\processfilenone {}
processfileonce	\processfileonce \{\dots\}
processfirstactioninset processisolatedchars	\processfirstactioninset [] [,=>,] \processisolatedchars {} \
processisolatedwords	\processisolatedwords {} \
processlinetablebuffer	\processlinetablebuffer []
processlinetablefile	\processlinetablefile {}
processlist	\processlist {} {} \
processMPbuffer	\processMPbuffer []
processMPfigurefile	\processMPfigurefile {}
processmenth processranges	\processmonth {} {} {} \processranges [] \
processeparatedlist	\processranges [] \\processseparatedlist [] [] \{\}
processtexbuffer	\processTEXbuffer []
processtokens	\processtokens {} {} {} {} {}
processuntil	\processuntil \
processxtablebuffer	\processxtablebuffer []
processyear	\processyear {} {} {}
prodotto	\prodotto []
<pre>prodotto:string profiledbox</pre>	\prodotto \profiledbox [] [=] {}
profilegivenbox	\profilegivenbox {}
progetto	\progetto []
	-

progetto:string	\progetto
	\programma []
programma	
pseudoMixedCapped	\pseudoMixedCapped {}
pseudoSmallCapped	\pseudoSmallCapped {}
pseudoSmallcapped	\pseudoSmallcapped {}
pseudosmallcapped	\pseudosmallcapped {}
pulsante	\pulsante [=] {} []
pulsantemenu:button	\pulsantemenu [=] {} {}
pulsantemenu:interactionmenu	\pulsantemenu [] [=] {} {}
pulsante:example	\BUTTON [=] {} []
pulsantinterazione	\pulsantinterazione [=] []
punti	\punti []
punti:assignment	\punti [=]
punto	\punto {}
purenumber	\purenumber {}
pusharrangedpages	\pusharrangedpages \poparrangedpages
pushattribute	\pushattribute \
pushbar	\pushbar [] \popbar
pushbutton	\pushbutton [] []
pushcatcodetable	\pushcatcodetable \popcatcodetable
pushcolore	\pushcolore [] \popcolore
pushendofline	\pushendofline \popendofline
pushindentation	\pushindentation \popindentation
•	\pushMPdrawing \popMPdrawing
pushMPdrawing	\pushmacro \
pushmacro	-
pushmathstyle	\pushmathstyle \popmathstyle
pushmode	\pushmode []
pushoutputstream	\pushoutputstream []
pushpath	\pushpath [] \poppath
pushpunctuation	\pushpunctuation \poppunctuation
pushrandomseed	\pushrandomseed \poprandomseed
pushreferenceprefix	\pushreferenceprefix $\{\ldots\}$ \popreferenceprefix
pushsfondo	\pushsfondo [] \popsfondo
pushsystemmode	\pushsystemmode {}
putboxincache	\putboxincache {} {}
putnextboxincache	\putnextboxincache {} {} \ {}
paononoponimoaono	
·	
qquad	\qquad
qquad quad	
qquad quad quads	\qquad s []
qquad quad quads qualcheriga	 s [] \qualcheriga []
qquad quads qualcheriga quarterstrut	s [] \qualcheriga [] \quarterstrut
qquad quad quads qualcheriga quarterstrut quitcommalist	<pre>\qquad s [] \qualcheriga [] \quarterstrut \quitcommalist</pre>
qquad quad quads qualcheriga quarterstrut quitcommalist quitprevcommalist	<pre>\qquad s [] \qualcheriga [] \quarterstrut \quitcommalist \quitprevcommalist</pre>
qquad quad quads qualcheriga quarterstrut quitcommalist quitprevcommalist quittypescriptscanning	<pre>\qquad s [] \qualcheriga [] \quarterstrut \quitcommalist \quitprevcommalist \quittypescriptscanning</pre>
qquad quad quads qualcheriga quarterstrut quitcommalist quitprevcommalist quittypescriptscanning ReadFile	<pre>\qquad s [] \qualcheriga [] \quarterstrut \quitcommalist \quitprevcommalist \quittypescriptscanning \ReadFile {}</pre>
qquad quad quads qualcheriga quarterstrut quitcommalist quitprevcommalist quittypescriptscanning ReadFile raggedbottom	<pre>\qquad s [] \qualcheriga [] \quarterstrut \quitcommalist \quitprevcommalist \quittypescriptscanning \ReadFile {} \raggedbottom</pre>
qquad quad quads qualcheriga quarterstrut quitcommalist quitprevcommalist quittypescriptscanning ReadFile raggedbottom raggedcenter	<pre>\qquad s [] \quatheriga [] \quarterstrut \quitcommalist \quitprevcommalist \quittypescriptscanning \ReadFile {} \raggedbottom \raggedcenter</pre>
qquad quad quads qualcheriga quarterstrut quitcommalist quitprevcommalist quittypescriptscanning ReadFile raggedbottom raggedcenter raggedleft	<pre>\qquad s [] \qualcheriga [] \quarterstrut \quitcommalist \quitprevcommalist \quittypescriptscanning \ReadFile {} \raggedbottom \raggedcenter \raggedleft</pre>
qquad quad quads qualcheriga quarterstrut quitcommalist quitprevcommalist quittypescriptscanning ReadFile raggedbottom raggedcenter raggedleft raggedright	<pre>\qquad s [] \qualcheriga [] \quarterstrut \quitcommalist \quitprevcommalist \quittypescriptscanning \ReadFile {} \raggedbottom \raggedcenter \raggedleft \raggedright</pre>
qquad quad quads qualcheriga quarterstrut quitcommalist quitprevcommalist quittypescriptscanning ReadFile raggedbottom raggedcenter raggedleft raggedright raggedwidecenter	<pre>\qquad s [] \qualcheriga [] \quarterstrut \quitcommalist \quitprevcommalist \quittypescriptscanning \ReadFile {} \raggedbottom \raggedcenter \raggedleft \raggedright \raggedwidecenter</pre>
qquad quad quads qualcheriga quarterstrut quitcommalist quitprevcommalist quittypescriptscanning ReadFile raggedbottom raggedcenter raggedleft raggedright raggedwidecenter raisebox	<pre>\qquad s [] \qualcheriga [] \quarterstrut \quitcommalist \quitprevcommalist \quittypescriptscanning \ReadFile {} \raggedbottom \raggedcenter \raggedleft \raggedright \raggedwidecenter \raggedwidecenter \raisebox {} \ {}</pre>
qquad quad quads qualcheriga quarterstrut quitcommalist quitprevcommalist quittypescriptscanning ReadFile raggedbottom raggedcenter raggedleft raggedright raggedwidecenter raisebox randomizetext	<pre>\qquad s [] \qualcheriga [] \quarterstrut \quitcommalist \quitprevcommalist \quittypescriptscanning \ReadFile {} \raggedbottom \raggedcenter \raggedleft \raggedright \raggedvidecenter \raisebox {} \ {} \randomizetext {}</pre>
qquad quad quads qualcheriga quarterstrut quitcommalist quitprevcommalist quittypescriptscanning ReadFile raggedbottom raggedcenter raggedleft raggedright raggedwidecenter raisebox	<pre>\qquad s [] \qualcheriga [] \quarterstrut \quitcommalist \quitprevcommalist \quittypescriptscanning \ReadFile {} \raggedbottom \raggedcenter \raggedleft \raggedright \raggedwidecenter \raggedwidecenter \raisebox {} \ {}</pre>
qquad quad quads qualcheriga quarterstrut quitcommalist quitprevcommalist quittypescriptscanning ReadFile raggedbottom raggedcenter raggedleft raggedright raggedwidecenter raisebox randomizetext	<pre>\qquad s [] \qualcheriga [] \quarterstrut \quitcommalist \quitprevcommalist \quittypescriptscanning \ReadFile {} \raggedbottom \raggedcenter \raggedleft \raggedright \raggedvidecenter \raisebox {} \ {} \randomizetext {}</pre>
qquad quad quads qualcheriga quarterstrut quitcommalist quitprevcommalist quittypescriptscanning ReadFile raggedbottom raggedcenter raggedleft raggedright raggedwidecenter raisebox randomizetext randomnumber	<pre>\qquad s [] \qualcheriga [] \quarterstrut \quitcommalist \quitprevcommalist \quittypescriptscanning \ReadFile {} \raggedbottom \raggedcenter \raggedleft \raggedright \raggedwidecenter \raisebox {} \ {} \randomizetext {} \randomnumber {} {}</pre>
qquad quad quads qualcheriga quarterstrut quitcommalist quitprevcommalist quittypescriptscanning ReadFile raggedbottom raggedcenter raggedleft raggedright raggedwidecenter raisebox randomizetext randomnumber rawcounter	<pre>\qquad s [] \qualcheriga [] \quarterstrut \quitcommalist \quitprevcommalist \quittypescriptscanning \ReadFile {} \raggedbottom \raggedcenter \raggedleft \raggedright \raggedwidecenter \raisebox {} \ {} \randomnumber {} {} \rawcounter []</pre>
qquad quad quads qualcheriga quarterstrut quitcommalist quitprevcommalist quittypescriptscanning ReadFile raggedbottom raggedcenter raggedleft raggedright raggedwidecenter raisebox randomizetext randomnumber rawcountervalue	<pre>\qquad s [] \qualcheriga [] \quarterstrut \quitcommalist \quitprevcommalist \quittypescriptscanning \ReadFile {} \raggedbottom \raggedcenter \raggedleft \raggedright \raggedwidecenter \raisebox {} \ {} \randomizetext {} \randomnumber {} {} \rawcounter [] [] \rawcountervalue []</pre>
qquad quad quads qualcheriga quarterstrut quitcommalist quitprevcommalist quittypescriptscanning ReadFile raggedbottom raggedcenter raggedleft raggedright raggedwidecenter raisebox randomizetext randomnumber rawcounter rawcountervalue rawdate	<pre>\qquad s [] \qualcheriga [] \quarterstrut \quitcommalist \quitprevcommalist \quittypescriptscanning \ReadFile {} \raggedbottom \raggedcenter \raggedleft \raggedright \raggedwidecenter \raisebox {} \ {} \randomizetext {} \randomnumber {} {} \rawcounter [] [] \rawcountervalue []</pre>
qquad quad quads qualcheriga quarterstrut quitcommalist quitprevcommalist quittypescriptscanning ReadFile raggedbottom raggedcenter raggedleft raggedright raggedwidecenter raisebox randomizetext randomnumber rawcounter rawcountervalue rawdate rawdoifelseinset	<pre>\qquad s [] \qualcheriga [] \quarterstrut \quitcommalist \quitprevcommalist \quittypescriptscanning \ReadFile {} \raggedbottom \raggedcenter \raggedleft \raggedright \raggedwidecenter \raisebox {} \ {} \randomizetext {} \randomnumber {} {} \rawcounter [] [] \rawdoifelseinset {} {} {} \rawdoifinset {} {} {}</pre>
qquad quad quads qualcheriga quarterstrut quitcommalist quitprevcommalist quittypescriptscanning ReadFile raggedbottom raggedcenter raggedleft raggedright raggedwidecenter raisebox randomizetext randomnumber rawcounter rawcountervalue rawdate rawdoifelseinset rawdoifinset	<pre>\qquad s [] \qualcheriga [] \quarterstrut \quitcommalist \quitprevcommalist \quittypescriptscanning \ReadFile {} \raggedbottom \raggedcenter \raggedleft \raggedright \raggedwidecenter \raisebox {} \ {} \randomizetext {} \randomnumber {} {} \rawcounter [] [] \rawdoifelseinset {} {} {} \rawdoifinsetelse {} {} {} {} \rawd</pre>
qquad quad quads qualcheriga quarterstrut quitcommalist quitprevcommalist quittypescriptscanning ReadFile raggedbottom raggedcenter raggedleft raggedright raggedwidecenter raisebox randomizetext randomnumber rawcounter rawcounter rawcountervalue rawdate rawdoifelseinset rawdoifinset rawdoifinsetelse rawgetparameters	<pre>\qquad s [] \qualcheriga [] \quarterstrut \quitcommalist \quitprevcommalist \quittypescriptscanning \ReadFile {} \raggedbottom \raggedcenter \raggedright \raggedvidecenter \raisebox {} \ {} \randomizetext {} \randomnumber {} {} \rawcounter [] [] \rawdoifelseinset {} {} {} \rawdoifinsetelse {} {} {} \rawdoifinsetelse {} {} {} \rawdoifinsetelse {} {} {} \rawgetparameters [] []</pre>
qquad quad quads qualcheriga quarterstrut quitcommalist quitprevcommalist quittypescriptscanning ReadFile raggedbottom raggedcenter raggedleft raggedright raggedwidecenter raisebox randomizetext randomnumber rawcounter rawcounter rawcountervalue rawdate rawdoifelseinset rawdoifinset rawdoifinsetelse	<pre>\qquad s [] \qualcheriga [] \quarterstrut \quitcommalist \quitprevcommalist \quittypescriptscanning \ReadFile {} \raggedbottom \raggedcenter \raggedright \raggedvidecenter \raisebox {} \ {} \randomizetext {} \randomnumber {} {} \rawcounter [] [] \rawdoifelseinset {} {} {} \rawdoifinsetelse {} {} {} \rawdoifinsetelse {} {} {} \rawdorawdoifinsetelse {} {} {} \rawdorawdorawdorawerele] \rawdorawdoifinsetelse {} {} {} \rawdoifinsetelse {} {} {} \rawdorawdorawdorawerele] \rawdorawdorawdorawerele] \rawdoifinsetelse {} {} {} \rawdorawdorawdorawerele] \rawdorawdorawerele] \rawdorawdorawerele] \rawdorawdorawerele] \rawdorawerele] \rawdorawerele]</pre>
qquad quad quads qualcheriga quarterstrut quitcommalist quitprevcommalist quittypescriptscanning ReadFile raggedbottom raggedcenter raggedleft raggedright raggedwidecenter raisebox randomizetext randomnumber rawcounter rawcounter rawcountervalue rawdate rawdoifelseinset rawdoifinset rawdoifinsetelse rawgetparameters rawprocessaction rawprocesscommacommand	<pre>\qquad s [] \qualcheriga [] \quarterstrut \quitcommalist \quittypescriptscanning \ReadFile {} \raggedbottom \raggedcenter \raggedleft \raggedright \raggedwidecenter \raisebox {} \ {} \randomizetext {} \randomnumber {} {} \rawcounter [] [] \rawdoifelseinset {} {} {} \rawdoifinsetelse {} {} {} \rawdoifinsetelse {} {} {} \rawprocesscommacommand [] \</pre>
qquad quad quads qualcheriga quarterstrut quitcommalist quitprevcommalist quittypescriptscanning ReadFile raggedbottom raggedcenter raggedleft raggedright raggedwidecenter raisebox randomizetext randomnumber rawcounter rawcounter rawcounter rawdate rawdoifelseinset rawdoifinset rawdoifinsetelse rawgetparameters rawprocesscommacommand rawprocesscommalist	<pre>\qquad s [] \qualcheriga [] \quarterstrut \quitcommalist \quittypescriptscanning \ReadFile {} \raggedbottom \raggedcenter \raggedright \raggedright \raggedwidecenter \raisebox {} \ {} \randomizetext {} \randomnumber {} {} \rawcounter [] [] \rawdoifelseinset {} {} {} \rawdoifinset {} {} {} \rawdoifinsetelse {} {} {} \rawprocesscommacommand [] \ \rawprocesscommalist [] \</pre>
qquad quad quads qualcheriga quarterstrut quitcommalist quitprevcommalist quittypescriptscanning ReadFile raggedbottom raggedcenter raggedleft raggedright raggedwidecenter raisebox randomizetext randomnumber rawcounter rawcounter rawcountervalue rawdate rawdoifelseinset rawdoifinset rawdoifinsetelse rawgetparameters rawprocesscommacommand rawprocesscommalist rawstructurelistuservariable	<pre>\qquad s [] \qualcheriga [] \quarterstrut \quitcommalist \quittypescriptscanning \ReadFile {} \raggedbottom \raggedcenter \raggedright \raggedright \raggedvidecenter \raisebox {} \ {} \randomizetext {} \randomnumber {} {} \rawcounter [] [] \rawdoifelseinset {} {} {} \rawdoifinset {} {} {} \rawdoifinsetelse {} {} {} \rawprocesscommacommand [] \ \rawprocesscommalist [] \ \rawprocesscommalist [] \ \rawprocesscommacommale {}</pre>
qquad quad quads qualcheriga quarterstrut quitcommalist quitprevcommalist quittypescriptscanning ReadFile raggedbottom raggedcenter raggedleft raggedright raggedwidecenter raisebox randomizetext randomnumber rawcounter rawcounter rawdate rawdoifelseinset rawdoifinset rawdoifinsetelse rawgetparameters rawprocesscommacommand rawprocesscommalist rawstructurelistuservariable rawsubcountervalue	<pre>\qquad s [] \qualcheriga [] \quarterstrut \quitcommalist \quittypescriptscanning \ReadFile {} \raggedbottom \raggedcenter \raggedright \raggedright \raggedwidecenter \raisebox {} \ {} \randomizetext {} \randomnumber {} {} \rawcounter [] [] \rawdoifelseinset {} {} {} \rawdoifinset {} {} {} \rawdoifinsetelse {} {} {} \rawprocesscommacommand [] \ \rawprocesscommacommand [] \ \rawstructurelistuservariable {} \rawsubcountervalue [] []</pre>
qquad quad quads qualcheriga quarterstrut quitcommalist quittypescriptscanning ReadFile raggedbottom raggedcenter raggedleft raggedright raggedwidecenter raisebox randomizetext randomnumber rawcounter rawcounter rawcountervalue rawdate rawdoifinset rawdoifinsetelse rawgetparameters rawprocesscommalist rawstructurelistuservariable rawsubcountervalue rawsubcountervalue rawsubcountervalue rawsubcountervalue rawsubcountervalue rawsubcountervalue	<pre>\qquad s [] \qualcheriga [] \quarterstrut \quitcommalist \quittypescriptscanning \ReadFile {} \raggedbottom \raggedcenter \raggedright \raggedvidecenter \raisebox {} \ {} \randomizetext {} \randomnumber {} {} \rawcounter [] [] \rawdoifinset {} {} {} \rawdoifinsetelse {} {} {} \rawdoifinsetelse {} {} {} \rawprocesscommacommand [] \ \rawprocesscommacommand [] \ \rawstructurelistuservariable {} \rawsubcountervalue []</pre>
qquad quad quads qualcheriga quarterstrut quitcommalist quitprevcommalist quittypescriptscanning ReadFile raggedbottom raggedcenter raggedleft raggedright raggedwidecenter raisebox randomizetext randomnumber rawcounter rawcounter rawdoifelseinset rawdoifinset rawdoifinsetelse rawgetparameters rawprocesscommalist rawstructurelistuservariable rawsubcountervalue rbox readfile	<pre>\qquad s [] \qualcheriga [] \quarterstrut \quitcommalist \quittypescriptscanning \ReadFile {} \raggedbottom \raggedcenter \raggedleft \raggedvidecenter \raisebox {} \ {} \randomizetext {} \randomizetext {} \randomizetext {} \rawcounter [] [] \rawdoifinset {} {} {} \rawdoifinset {} {} {} \rawprocesscommacommand [] \ \rawprocesscommacommand [] \ \rawsubcountervalue [] [] \rawprocesscommacommand [] \ \rawprocesscommacomm</pre>
qquad quad quads qualcheriga quarterstrut quitcommalist quitprevcommalist quittypescriptscanning ReadFile raggedbottom raggedcenter raggedleft raggedright raggedwidecenter raisebox randomizetext randomnumber rawcounter rawcounter rawdoifelseinset rawdoifinset rawdoifinsetelse rawgetparameters rawprocessaction rawprocesscommalist rawstructurelistuservariable rawsubcountervalue rbox readfile readfixfile	<pre>\qquad s [] \quarterstrut \quitcommalist \quittypescriptscanning \ReadFile {} \raggedbottom \raggedcenter \raggedleft \raggedvidecenter \raisebox {} \ {} \randomizetext {} \randomizetext {} \randomizetext {} \rawcounter [] [] \rawdoifinset {} {} {} \rawdoifinsetelse {} {} {} \rawprocesscommacommand [] \ \rawprocesscommacommand [] \ \rawsubcountervalue [] \rawsubcountervalue [] [] \rawprocesscommacommand [] \ \ra</pre>
qquad quad quads qualcheriga quarterstrut quitcommalist quitprevcommalist quittypescriptscanning ReadFile raggedbottom raggedcenter raggedleft raggedright raggedwidecenter raisebox randomizetext randomnumber rawcounter rawcounter rawdate rawdoifelseinset rawdoifinset rawdoifinsetelse rawgetparameters rawprocesscommacommand rawprocesscommalist rawstructurelistuservariable readfixfile readjobfile	<pre> s [] \qualcheriga [] \quarterstrut \quitcommalist \quittypescriptscanning \ReadFile {} \raggedbottom \raggedcenter \raggedleft \raggedvidecenter \raisebox {} \ {} \randomizetext {} \randomizetext {} \randomizetext {] \rawcounter [] [] \rawdoifelseinset {} {} {} \rawdoifinset {} {} {} \rawdoifinsetelse {} {} {} \rawprocesscommacommand [] \ \rawstructurelistuservariable {} \rawsubcountervalue [] \rawsubcountervalue [] [] \rawsubcountervalue [] [] \rawsubcountervalue [] {} \rawsubcountervalue [] [] \rawsubcountervalue [] {} \rawsubcountervalue [] {} \rawsubcountervalue [] {} \readfile {} {} {} \readfile {} {}</pre>
qquad quad quads qualcheriga quarterstrut quitcommalist quitprevcommalist quittypescriptscanning ReadFile raggedbottom raggedcenter raggedleft raggedright raggedwidecenter raisebox randomizetext randomnumber rawcounter rawcounter rawcountersulue rawdate rawdoifelseinset rawdoifinset else rawgetparameters rawprocessaction rawprocesscommalist rawstructurelistuservariable readfixfile readfixfile readjobfile readlocfile	<pre> s [] \qualcheriga [] \quarterstrut \quitcommalist \quittypescriptscanning \ReadFile {} \raggedbottom \raggedcenter \raggedleft \raggedvidecenter \raisebox {} \ {} \randomizetext {} \randomizetext {} \randomizetext {} \randomizetext {} \randomited {} {} \rawdoifinset {} {} {} \rawdoifinset {} {} {} \rawprocessaction [] [] \rawprocesscommacommand [] \ \rawstructurelistuservariable {} \rawsubcountervalue [] \rawstructurelistuservariable {} \rawsubcountervalue [] [] \rawsubcountervalue [] [] \rawsubcountervalue [] {} \rawsubcountervalue [] {} \rawsubcountervalue [] {} \readfile {} {} {} \readfixfile {} {} {} \readjobfile {} {} {} \readjobfile {} {} {} \readlocfile {} {</pre>
qquad quad quads qualcheriga quarterstrut quitcommalist quitprevcommalist quittypescriptscanning ReadFile raggedbottom raggedcenter raggedleft raggedright raggedwidecenter raisebox randomizetext randomnumber rawcounter rawcounter rawdate rawdoifelseinset rawdoifinset rawdoifinsetelse rawgetparameters rawprocesscommacommand rawprocesscommalist rawstructurelistuservariable readfixfile readjobfile	<pre> s [] \qualcheriga [] \quarterstrut \quitcommalist \quittypescriptscanning \ReadFile {} \raggedbottom \raggedcenter \raggedleft \raggedvidecenter \raisebox {} \ {} \randomizetext {} \randomizetext {} \randomizetext {] \rawcounter [] [] \rawdoifelseinset {} {} {} \rawdoifinset {} {} {} \rawdoifinsetelse {} {} {} \rawprocesscommacommand [] \ \rawstructurelistuservariable {} \rawsubcountervalue [] \rawsubcountervalue [] [] \rawsubcountervalue [] [] \rawsubcountervalue [] {} \rawsubcountervalue [] [] \rawsubcountervalue [] {} \rawsubcountervalue [] {} \rawsubcountervalue [] {} \readfile {} {} {} \readfile {} {}</pre>

readtexfile	\readtexfile {} {}
readxmlfile	\readxmlfile {} {} {}
realpagenumber	\realpagenumber
realSmallCapped	\realSmallCapped {}
realSmallcapped	\realSmallcapped {}
realsmallcapped	\realsmallcapped {}
recursedepth	\recursedepth
•	-
recurselevel	\recurselevel
recursestring	\recursestring
redoconvertfont	\redoconvertfont
referenceformat:example	\REFERENCEFORMAT {\ldots\} [\ldots\]
referenceprefix	\referenceprefix
referring	\referring (,) (,) []
registerattachment	\registerattachment [] [=]
registerctxluafile	\registerctxluafile {} {}
registerexternalfigure	\registerexternalfigure [] [=]
registerfontclass	\registerfontclass {}
registerhyphenationexception	\registerhyphenationexception [] []
registerhyphenationpattern	\registerhyphenationpattern [] []
registermenubuttons	\registermenubuttons [] []
registersort	\registersort [] []
registersynonym	\registersynonym [] []
registerunit	\registerunit [] [=]
registro:instance	\REGISTER [] {++}
registro:instance:index	\index [] {++}
registro:instance:ownnumber	\REGISTER [] {++}
registro:instance:ownnumber:index	\index [] {++}
regolare	\regolare
reimpostamarcatura	\reimpostamarcatura []
relatemarking	\relatemarking [] []
relateparameterhandlers	\relateparameterhandlers $\{\ldots\}$ $\{\ldots\}$ $\{\ldots\}$
relaxvalueifundefined	\relaxvalueifundefined {}
remainingcharacters	\remainingcharacters
removebottomthings	\removebottomthings
removedepth	
<u>-</u>	\removedepth
removefromcommalist	\removefromcommalist \{\dots\}\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
removelastskip	\removelastskip
removelastspace	\removelastspace
removemarkedcontent	\removemarkedcontent []
removepunctuation	\removepunctuation
removesubstring	\removesubstring \from \to \
removetoks	\removetoks \from \
removeunwantedspaces	\removeunwantedspaces
replacefeature	\replacefeature []
replacefeature:direct	\replacefeature {}
replaceincommalist	\replaceincommalist \ {}
replaceword	\replaceword [] []
rescan	\rescan {}
rescanwithsetup	\rescanwithsetup \{\ldots\}
1	\resetallattributes
resetallattributes	
resetandaddfeature	\resetandaddfeature []
resetandaddfeature:direct	\resetandaddfeature {}
resetbar	\resetbar
resetboxesincache	\resetboxesincache {}
resetbreakpoints	\resetbreakpoints
resetbuffer	\resetbuffer []
resetcharacteralign	\resetcharacteralign
resetcharacterkerning	\resetcharacterkerning
resetcharacterspacing	\resetcharacterspacing
resetcharacterstripping	\resetcharacterstripping
resetcollector	\resetcollector []
resetcounter	\resetcounter []
resettounter	\resetcounter [] \resetdigitsmanipulation
-	
resetdirection	\resetdirection
resetfeature	\resetfeature
resetflag	\resetflag {}
resetfontcolorsheme	\resetfontcolorsheme
resetfontfallback	\resetfontfallback [] []
resetfontsolution	\resetfontsolution
resethyphenationfeatures	\r esethyphenationfeatures
resetinjector	\resetinjector []
resetinteractionmenu	\resetinteractionmenu []

resetitaliccorrection	\resetitaliccorrection
resetlayer	\resetlayer []
resetlocalfloats	\resetlocalfloats
resetMPdrawing	\resetMPdrawing
resetMPenvironment	\resetMPenvironment
resetMPinstance	\resetMPinstance []
resetmarker	\resetmarker []
resetmode	\resetmode {}
resetpagenumber	\resetpagenumber
resetparallel	\resetparallel [] []
	\resetpath
resetpath	.
resetpenalties	\resetpenalties \
resetperiodkerning	\resetperiodkerning
resetprofile	\resetprofile
resetrecurselevel	\resetrecurselevel
resetreference	\resetreference []
	\resetreplacement
resetreplacement	
resetscript	\resetscript
resetsetups	\resetsetups []
resetshownsynonyms	\resetshownsynonyms []
resetsubpagenumber	\resetsubpagenumber
resetsymbolset	\resetsymbolset
	-
resetsystemmode	\resetsystemmode {}
resettimer	\resettimer
resettokenlist	\resettokenlist []
resettrackers	\resettrackers
resettrialtypesetting	\resettrialtypesetting
resetusedsortings	\resetusedsortings []
resetusedsynonyms	\resetusedsynonyms []
resetuserpagenumber	\resetuserpagenumber
resetvalue	\resetvalue {}
resetvisualizers	\resetvisualizers
reshapebox	\reshapebox {}
resolvedglyphdirect	\resolvedglyphdirect {} {}
resolvedglyphstyled	\resolvedglyphstyled {} {}
restartcounter	\restartcounter [] [] []
1 es car ccounter	
restorebox	\restorebox {} {}
restorebox restorecatcodes	\restorebox {} {} \restorecatcodes
restorebox restorecatcodes restorecounter	<pre>\restorebox {} {} \restorecatcodes \restorecounter []</pre>
restorebox restorecatcodes	\restorebox {} {} \restorecatcodes
restorebox restorecatcodes restorecounter	<pre>\restorebox {} {} \restorecatcodes \restorecounter []</pre>
restorebox restorecatcodes restorecounter restorecurrentattributes restoreendofline	<pre>\restorebox {} {} \restorecatcodes \restorecounter [] \restorecurrentattributes {} \restoreendofline</pre>
restorebox restorecatcodes restorecounter restorecurrentattributes restoreendofline restoreglobalbodyfont	<pre>\restorebox {} {} \restorecatcodes \restorecounter [] \restorecurrentattributes {} \restoreendofline \restoreglobalbodyfont</pre>
restorebox restorecatcodes restorecounter restorecurrentattributes restoreendofline restoreglobalbodyfont reusableMPgraphic	<pre>\restorebox {} {} \restorecatcodes \restorecounter [] \restorecurrentattributes {} \restoreendofline \restoreglobalbodyfont \reusableMPgraphic {} {=}</pre>
restorebox restorecatcodes restorecounter restorecurrentattributes restoreendofline restoreglobalbodyfont reusableMPgraphic reuseMPgraphic	<pre>\restorebox {} {} \restorecatcodes \restorecounter [] \restorecurrentattributes {} \restoreendofline \restoreglobalbodyfont \reusableMPgraphic {} {=} \reuseMPgraphic {} {=}</pre>
restorebox restorecatcodes restorecounter restorecurrentattributes restoreendofline restoreglobalbodyfont reusableMPgraphic reuseMPgraphic reuserandomseed	<pre>\restorebox {} {} \restorecatcodes \restorecounter [] \restorecurrentattributes {} \restoreendofline \restoreglobalbodyfont \reusableMPgraphic {} {=} \reuseMPgraphic {} {=} \reuserandomseed</pre>
restorebox restorecatcodes restorecounter restorecurrentattributes restoreendofline restoreglobalbodyfont reusableMPgraphic reuseMPgraphic	<pre>\restorebox {} {} \restorecatcodes \restorecounter [] \restorecurrentattributes {} \restoreendofline \restoreglobalbodyfont \reusableMPgraphic {} {=} \reuseMPgraphic {} {=}</pre>
restorebox restorecatcodes restorecounter restorecurrentattributes restoreendofline restoreglobalbodyfont reusableMPgraphic reuseMPgraphic reuserandomseed	<pre>\restorebox {} {} \restorecatcodes \restorecounter [] \restorecurrentattributes {} \restoreendofline \restoreglobalbodyfont \reusableMPgraphic {} {=} \reuseMPgraphic {} {=} \reuserandomseed</pre>
restorebox restorecatcodes restorecounter restorecurrentattributes restoreendofline restoreglobalbodyfont reusableMPgraphic reuseMPgraphic reuserandomseed revivefeature	<pre>\restorebox {} {} \restorecatcodes \restorecounter [] \restorecurrentattributes {} \restoreendofline \restoreglobalbodyfont \reusableMPgraphic {} {=} \reuseMPgraphic {} {=} \reuserandomseed \revivefeature</pre>
restorebox restorecatcodes restorecounter restorecurrentattributes restoreendofline restoreglobalbodyfont reusableMPgraphic reuseMPgraphic reuserandomseed revivefeature rfence rhbox	<pre>\restorebox {} {} \restorecatcodes \restorecounter [] \restorecurrentattributes {} \restoreendofline \restoreglobalbodyfont \reusableMPgraphic {} {=} \reuseMPgraphic {} {=} \reuserandomseed \revivefeature \rfence {} \rhbox {}</pre>
restorebox restorecatcodes restorecounter restorecurrentattributes restoreendofline restoreglobalbodyfont reusableMPgraphic reuseMPgraphic reuserandomseed revivefeature rfence rhbox rif	<pre>\restorebox {} {} \restorecatcodes \restorecounter [] \restorecurrentattributes {} \restoreendofline \restoreglobalbodyfont \reusableMPgraphic {} {=} \reuseMPgraphic {} {=} \reuserandomseed \revivefeature \rfence {} \rhbox {} \rif [] []</pre>
restorebox restorecatcodes restorecounter restorecurrentattributes restoreendofline restoreglobalbodyfont reusableMPgraphic reuseMPgraphic reuserandomseed revivefeature rfence rhbox rif riferimento	<pre>\restorebox {} {} \restorecatcodes \restorecounter [] \restorecurrentattributes {} \restoreendofline \restoreglobalbodyfont \reusableMPgraphic {} {=} \reuseMPgraphic {} {=} \reuserandomseed \revivefeature \rfence {} \rif [] [] \riferimento [] {}</pre>
restorebox restorecatcodes restorecounter restorecurrentattributes restoreendofline restoreglobalbodyfont reusableMPgraphic reuseMPgraphic reuserandomseed revivefeature rfence rhbox rif riferimento riferimentopagina	<pre>\restorebox {} {} \restorecatcodes \restorecounter [] \restorecurrentattributes {} \restoreendofline \restoreglobalbodyfont \reusableMPgraphic {} {=} \reuseMPgraphic {} {=} \reuserandomseed \revivefeature \rfence {} \rifectimento [] {} \riferimento [] {} \riferimentopagina []</pre>
restorebox restorecatcodes restorecounter restorecurrentattributes restoreendofline restoreglobalbodyfont reusableMPgraphic reuseMPgraphic reuserandomseed revivefeature rfence rhbox rif riferimento	<pre>\restorebox {} {} \restorecatcodes \restorecounter [] \restorecurrentattributes {} \restoreendofline \restoreglobalbodyfont \reusableMPgraphic {} {=} \reuseMPgraphic {} {=} \reuserandomseed \revivefeature \rfence {} \rif [] [] \riferimento [] {}</pre>
restorebox restorecatcodes restorecounter restorecurrentattributes restoreendofline restoreglobalbodyfont reusableMPgraphic reuseMPgraphic reuserandomseed revivefeature rfence rhbox rif riferimento riferimentopagina	<pre>\restorebox {} {} \restorecatcodes \restorecounter [] \restorecurrentattributes {} \restoreendofline \restoreglobalbodyfont \reusableMPgraphic {} {=} \reuseMPgraphic {} {=} \reuserandomseed \revivefeature \rfence {} \rifectimento [] {} \riferimento [] {} \riferimentopagina []</pre>
restorebox restorecatcodes restorecounter restorecurrentattributes restoreendofline restoreglobalbodyfont reusableMPgraphic reuseMPgraphic reuserandomseed revivefeature rfence rhbox rif riferimento riferimentopagina riferimentotesto riflessione	<pre>\restorebox {} {} \restorecatcodes \restorecounter [] \restorecurrentattributes {} \restoreendofline \restoreglobalbodyfont \reusableMPgraphic {} {=} \reuseMPgraphic {} {=} \reuserandomseed \revivefeature \rfence {} \rhbox {} \rif [] [] \riferimento [] {} \riferimentopagina [] \riflessione {}</pre>
restorebox restorecatcodes restorecounter restorecurrentattributes restoreendofline restoreglobalbodyfont reusableMPgraphic reuseMPgraphic reuserandomseed revivefeature rfence rhbox rif riferimento riferimentopagina riferimentotesto riflessione riga	<pre>\restorebox {} {} \restorecatcodes \restorecounter [] \restorecurrentattributes {} \restoreendofline \restoreglobalbodyfont \reusableMPgraphic {} {=} \reuseMPgraphic {} {=} \reuserandomseed \revivefeature \rfence {} \riferimento [] {} \riferimento [] {} \riferimentopagina [] \riferimentotesto [] {} \riflessione {} \riga {}</pre>
restorebox restorecatcodes restorecounter restorecurrentattributes restoreendofline restoreglobalbodyfont reusableMPgraphic reuseMPgraphic reuserandomseed revivefeature rfence rhbox rif riferimento riferimentopagina riferimentotesto riflessione riga rigariempimento	<pre>\restorebox {} {} \restorecatcodes \restorecounter [] \restorecurrentattributes {} \restoreendofline \restoreglobalbodyfont \reusableMPgraphic {} {=} \reuseMPgraphic {} {=} \reuserandomseed \revivefeature \rfence {} \riferimento [] {} \riferimentopagina [] \riferimentotesto [] {} \riga {} \rigariempimento [=]</pre>
restorebox restorecatcodes restorecounter restorecurrentattributes restoreendofline restoreglobalbodyfont reusableMPgraphic reuseMPgraphic reuserandomseed revivefeature rfence rhbox rif riferimento riferimentopagina riferimentotesto riflessione riga rigariempimento rightbottombox	<pre>\restorebox {} {} \restorecatcodes \restorecounter [] \restorecurrentattributes {} \restoreendofline \restoreglobalbodyfont \reusableMPgraphic {} {=} \reuseMPgraphic {} {=} \reuserandomseed \revivefeature \rfence {} \rhbox {} \rif [] [] \riferimento [] {} \riferimentotesto [] {} \riflessione {} \riga {} \rigariempimento [=] \rightbottombox {}</pre>
restorebox restorecatcodes restorecounter restorecurrentattributes restoreendofline restoreglobalbodyfont reusableMPgraphic reuseMPgraphic reuserandomseed revivefeature rfence rhbox rif riferimento riferimentopagina riferimentotesto riflessione riga rigariempimento	<pre>\restorebox {} {} \restorecatcodes \restorecounter [] \restorecurrentattributes {} \restoreendofline \restoreglobalbodyfont \reusableMPgraphic {} {=} \reuseMPgraphic {} {=} \reuserandomseed \revivefeature \rfence {} \rhbox {} \riferimento [] {} \riferimentopagina [] \riferimentotesto [] {} \riga {} \rigariempimento [=] \rightbottombox {} \rightbox {.</pre>
restorebox restorecatcodes restorecounter restorecurrentattributes restoreendofline restoreglobalbodyfont reusableMPgraphic reuseMPgraphic reuserandomseed revivefeature rfence rhbox rif riferimento riferimentopagina riferimentotesto riflessione riga rigariempimento rightbottombox	<pre>\restorebox {} {} \restorecatcodes \restorecounter [] \restorecurrentattributes {} \restoreendofline \restoreglobalbodyfont \reusableMPgraphic {} {=} \reuseMPgraphic {} {=} \reuserandomseed \revivefeature \rfence {} \rhbox {} \rif [] [] \riferimento [] {} \riferimentotesto [] {} \riflessione {} \riga {} \rigariempimento [=] \rightbottombox {}</pre>
restorebox restorecatcodes restorecounter restorecurrentattributes restoreendofline restoreglobalbodyfont reusableMPgraphic reuseMPgraphic reuserandomseed revivefeature rfence rhbox rif riferimento riferimentopagina riferimentotesto riflessione riga rigariempimento rightbottombox rightbox rightbox	<pre>\restorebox {} {} \restorecatcodes \restorecounter [] \restorecurrentattributes {} \restorecurrentattributes {} \restoreendofline \restoreglobalbodyfont \reusableMPgraphic {} {=} \reuseMPgraphic {} {=} \reuserandomseed \revivefeature \rfence {} \rhbox {} \riferimento [] {} \riferimentopagina [] \riferimentotesto [] {} \riga {} \rigariempimento [=] \rightbottombox {} \rightbox {} \rightbox {} \righthbox {}</pre>
restorebox restorecatcodes restorecounter restorecurrentattributes restoreendofline restoreglobalbodyfont reusableMPgraphic reuseMPgraphic reuserandomseed revivefeature rfence rhbox rif riferimento riferimentopagina riferimentotesto riflessione riga rigariempimento rightbottombox rightbox rightbox rightlabeltext:instance	<pre>\restorebox {} {} \restorecatcodes \restorecounter [] \restorecurrentattributes {} \restorecurrentattributes {} \restoreendofline \restoreglobalbodyfont \reusableMPgraphic {} {=} \reuseMPgraphic {} {=} \reuserandomseed \revivefeature \rfence {} \rhbox {} \riferimento [] {} \riferimentopagina [] \riferimentotesto [] {} \riga {} \riga {} \rigariempimento [=] \rightbottombox {} \righthbox {} \righthbox {} \rightLABELLesto {} \</pre>
restorebox restorecatcodes restorecounter restorecurrentattributes restoreendofline restoreglobalbodyfont reusableMPgraphic reuseMPgraphic reuserandomseed revivefeature rfence rhbox rif riferimento riferimentopagina riferimentotesto riflessione riga rigariempimento rightbottombox rightbox rightlabeltext:instance rightlabeltext:instance:head	<pre>\restorebox {} {} \restorecatcodes \restorecounter [] \restorecurrentattributes {} \restorecounter [] \restorecounter [] \restorecounter [] \restorecounter [] {=} \restorecounter [] {=} \restorecounter [] \restorecounter [] \rightleft{figure} \restorecounter [] \rightleft{figure} \rig</pre>
restorebox restorecatcodes restorecounter restorecurrentattributes restoreendofline restoreglobalbodyfont reusableMPgraphic reuseMPgraphic reuserandomseed revivefeature rfence rhbox rif riferimento riferimentopagina riferimentotesto riflessione riga rigariempimento rightbottombox rightbox rightlabeltext:instance rightlabeltext:instance:head rightlabeltext:instance:label	<pre>\restorebox {} {} \restorecatcodes \restorecounter [] \restorecurrentattributes {} \restorecurrentattributes {} \restoreendofline \restoreglobalbodyfont \reusableMPgraphic {} {=} \reuseMPgraphic {} {=} \reuserandomseed \revivefeature \rfence {} \rhbox {} \riferimento [] {} \riferimentopagina [] \riferimentotesto [] {} \riga {} \riga {} \rigatiempimento [=] \rightbox {} \rightbox {} \rightLABELtesto {} \ri</pre>
restorebox restorecatcodes restorecounter restorecurrentattributes restoreendofline restoreglobalbodyfont reusableMPgraphic reuseMPgraphic reuserandomseed revivefeature rfence rhbox rif riferimento riferimentopagina riferimentotesto riflessione riga rigariempimento rightbottombox rightbox rightlabeltext:instance rightlabeltext:instance:head rightlabeltext:instance:mathlabel	<pre>\restorebox {} {} \restorecatcodes \restorecounter [] \restorecurrentattributes {} \rightlabeltesto {} \rightlabeltesto</pre>
restorebox restorecatcodes restorecounter restorecurrentattributes restoreendofline restoreglobalbodyfont reusableMPgraphic reuseMPgraphic reuserandomseed revivefeature rfence rhbox rif riferimento riferimentopagina riferimentotesto riflessione riga rigariempimento rightbottombox rightbox rightlabeltext:instance rightlabeltext:instance:head rightlabeltext:instance:label	<pre>\restorebox {} {} \restorecatcodes \restorecounter [] \restorecurrentattributes {} \restorecurrentattributes {} \restoreendofline \restoreglobalbodyfont \reusableMPgraphic {} {=} \reuseMPgraphic {} {=} \reuserandomseed \revivefeature \rfence {} \rhbox {} \riferimento [] {} \riferimentopagina [] \riferimentotesto [] {} \riga {} \riga {} \rigatiempimento [=] \rightbox {} \rightbox {} \rightLABELtesto {} \ri</pre>
restorebox restorecatcodes restorecounter restorecurrentattributes restoreendofline restoreglobalbodyfont reusableMPgraphic reuseMPgraphic reuserandomseed revivefeature rfence rhbox rif riferimento riferimentopagina riferimentotesto riflessione riga rigariempimento rightbottombox rightbox rightlabeltext:instance rightlabeltext:instance:head rightlabeltext:instance:mathlabel	<pre>\restorebox {} {} \restorecatcodes \restorecounter [] \restorecurrentattributes {} \rightlabeltesto {} \rightlabeltesto</pre>
restorebox restorecatcodes restorecounter restorecurrentattributes restoreendofline restoreglobalbodyfont reusableMPgraphic reuseMPgraphic reuserandomseed revivefeature rfence rhbox rif riferimento riferimentopagina riferimentotesto riflessione riga rigariempimento rightbottombox rightbox rightbox rightlabeltext:instance rightlabeltext:instance:head rightlabeltext:instance:mathlabel rightline rightorleftpageaction	<pre>\restorebox {} {} \restorecatcodes \restorecounter [] \restorecurrentattributes {} \rightlabeltesto {} \rightlabeltesto</pre>
restorebox restorecatcodes restorecounter restorecurrentattributes restoreglobalbodyfont reusableMPgraphic reuseMPgraphic reuserandomseed revivefeature rfence rhbox rif riferimento riferimentopagina riferimentotesto riflessione riga rigariempimento rightbottombox rightbox rightlabeltext:instance rightlabeltext:instance:head rightlabeltext:instance:mathlabel rightline rightorleftpageaction rightpageorder	<pre>\restorebox {} {} \restorecatcodes \restorecounter [] \restorecurrentattributes {} \rightlabeltesto {} \rightlabeltesto</pre>
restorebox restorecatcodes restorecounter restorecurrentattributes restoreglobalbodyfont reusableMPgraphic reuseMPgraphic reuserandomseed revivefeature rfence rhbox rif riferimento riferimentopagina riferimentotesto riflessione riga rigariempimento rightbottombox rightbox rightlabeltext:instance rightlabeltext:instance:label rightline rightorleftpageaction rightpageorder rightskipadaption	<pre>\restorebox {} {} \restorecatcodes \restorecounter [] \restorecurrentattributes {} \restorecurrentattributes {} \restoreendofline \restoreglobalbodyfont \reusableMPgraphic {} {=} \reuseMPgraphic {} {=} \reuserandomseed \revivefeature \rfence {} \riffence {} \rifferimento [] {} \riferimentopagina [] \riferimentotesto [] {} \riga {} \rigariempimento [=] \rightbottombox {} \righthbox {} \righthbox {} \rightheadtesto {} \righthabeltesto {} \righthabeltesto {} \righthabeltesto {} \righthapeorder \rightskipadaption</pre>
restorebox restorecatcodes restorecounter restorecurrentattributes restoreendofline restoreglobalbodyfont reusableMPgraphic reuseMPgraphic reuserandomseed revivefeature rfence rhbox rif riferimento riferimentopagina riferimentotesto riflessione riga rigariempimento rightbottombox rightbotx rightlabeltext:instance rightlabeltext:instance:label rightline rightopleftpageaction rightpageorder rightswbguillemot	<pre>\restorebox {} {} \restorecatcodes \restorecounter [] \restorecurrentattributes {} \restorecurrentattributes {} \restoreendofline \restoreglobalbodyfont \reusableMPgraphic {} {=} \reuseMPgraphic {} {=} \reuserandomseed \revivefeature \rfence {} \rifence {} \riferimento [] {} \riferimentopagina [] \riferimentotesto [] {} \riga {} \rigariempimento [=] \rightbottombox {} \righthbox {} \righthbox {} \rightheadtesto {} \righthabeltesto {} \righthabeltesto {} \righthabeltesto {} \righthapeorder \rightshipageorder \rightskipadaption \rightsubguillemot</pre>
restorebox restorecatcodes restorecounter restorecurrentattributes restoreendofline restoreglobalbodyfont reusableMPgraphic reuseMPgraphic reuserandomseed revivefeature rfence rhbox rif riferimento riferimentopagina riferimentotesto riflessione riga rigariempimento rightbottombox rightbox rightlabeltext:instance rightlabeltext:instance:head rightlabeltext:instance:mathlabel rightpageorder rightsubguillemot rightsubguillemot rightsubguillemot rightsuberes restorecurrentattributes restorecurre	<pre>\restorebox {} {} \restorecatcodes \restorecounter [] \restorecurrentattributes {} \rightlession {} \rightlession {} \rightlession {} \rightlession {} \rightlestot {} \rightl</pre>
restorebox restorecatcodes restorecounter restorecurrentattributes restoreendofline restoreglobalbodyfont reusableMPgraphic reuseMPgraphic reuserandomseed revivefeature rfence rhbox rif riferimento riferimentopagina riferimentotesto riflessione riga rigariempimento rightbottombox rightbotx rightlabeltext:instance rightlabeltext:instance:label rightline rightopleftpageaction rightpageorder rightswbguillemot	<pre>\restorebox {} {} \restorecatcodes \restorecounter [] \restorecurrentattributes {} \rightlession {} \rightlessione {} \rightlessione {} \rightlessione {} \rightlestottombox {} \rightlestottombox</pre>
restorebox restorecatcodes restorecounter restorecurrentattributes restoreendofline restoreglobalbodyfont reusableMPgraphic reuseMPgraphic reuserandomseed revivefeature rfence rhbox rif riferimento riferimentopagina riferimentotesto riflessione riga rigariempimento rightbottombox rightbox rightlabeltext:instance rightlabeltext:instance:head rightlabeltext:instance:mathlabel rightpageorder rightsubguillemot rightsubguillemot rightsubguillemot rightsuberes restorecurrentattributes restorecurre	<pre>\restorebox {} {} \restorecatcodes \restorecounter [] \restorecurrentattributes {} \rightlession {} \rightlessione {} \rightlessione {} \rightlessione {} \rightlestottombox {} \rightlestottombox</pre>
restorecatcodes restorecurrentattributes restorecurrentattributes restoredofline restoreglobalbodyfont reusableMPgraphic reuserandomseed revivefeature rfence rhbox rif riferimento riferimentopagina riferimentotesto riflessione riga rigariempimento rightbottombox rightlabeltext:instance rightlabeltext:instance:label rightline rightline rightpageorder rightsubguillemot rightsubguillemot rightsubeltett righttoleft righttoleftbox righttoleftbox righttoleftbox	<pre>\restorebox {} {} \restorecatcodes \restorecounter [] \restorecurrentattributes {} \restorecounter [] \restorecurrentattributes {} \rifersementommento [] \riferimentommento [] \righthous {} \righthous {} \righthous {} \righthous {} \righthadtesto {} \righthadtesto {} \righthadtesto {} \righthine {} \rightpinghtapageorder \rightspageorder \rightspageorder \rightsubguillemot \righttoleft \righttoleftbox {} \rightbox {} \rightbox {} \rightbox {} \rightbox {} \rig</pre>
restorebox restorecatcodes restorecounter restorecurrentattributes restoreendofline restoreglobalbodyfont reusableMPgraphic reuseMPgraphic reuserandomseed revivefeature rfence rhbox rif riferimento riferimentopagina riferimentotesto riflessione riga rigariempimento rightbottombox rightbox rightlabeltext:instance rightlabeltext:instance:label rightlabeltext:instance:mathlabel rightline rightopleftpageaction rightsubguillemot rightsubguillemot righttoleft righttolefthbox	<pre>\restorebox {} {} \restorecatcodes \restorecounter [] \restorecurrentattributes {} \restorecounter [] \restorecurrentattributes {} \rightlession {} \rightlession {} \rightlession {} \rightlession {} \rightlestottombox {} \right</pre>

rigovuoto	\rigovuoto []
ring	\ring {}
rlap	\rlap {}
robustaddtocommalist	\robustaddtocommalist {} \
robustdoifelseinset	\robustdoifelseinset \{\ldots\} \{\ldots\} \{\ldots\}
robustdoifinsetelse	\robustdoifinsetelse $\{\}$ $\{\}$ $\{\}$
robustpretocommalist	\robustpretocommalist {} \
rollbutton:button	\rollbutton [=] []
rollbutton:interactionmenu	\rollbutton [] [=] []
roman	\roman
rtop	\rtop {}
ruby	\ruby [] {}
ruledhbox	\ruledhbox {}
ruledhpack	\ruledhpack {}
ruledmbox	\ruledmbox {}
ruledtopv	\ruledtopv {}
ruledtpack	\ruledtpack {}
ruledvbox	\ruledvbox {}
ruledvpack	\ruledvpack {}
ruledvtop	\ruledvtop {}
runMPbuffer	\runMPbuffer []
runninghbox	\runninghbox {}
ruota	\ruota [=] {}
ScaledPointsToBigPoints	\ScaledPointsToBigPoints {} \
ScaledPointsToWholeBigPoints	\ScaledPointsToWholeBigPoints {} \
Smallcapped	\Smallcapped {}
safechar	\safechar {}
samplefile	\samplefile {}
sans	\sans
sansgrassetto	\sansgrassetto
sansnormal	\sansnormal
sansserif	\sansserif
savebox	\savebox {} {} {}
savebtxdataset	\savebtxdataset [] [] [=]
savebuffer	\savebuffer [=]
savebuffer:list	\savebuffer [] []
savecolore	\savecolore \restorecolore
savecounter	\savecounter []
savecurrentattributes	\savecurrentattributes {}
savenormalmeaning	\savenormalmeaning \
savetaggedtwopassdata	\savetaggedtwopassdata {} {} {}
savetwopassdata	\savetwopassdata {} {} {}
sbox	\sbox {}
scala	\scala [] [=] {}
schermo	\schermo []
script:instance	\SCRIPT
script:instance:ethiopic	\ethiopic
script:instance:hangul	\hangul
script:instance:hanzi	\hanzi
script:instance:latin	\latin
script:instance:nihongo	\nihongo
script:instance:test	\test
script:instance:thai	\thai
scrividentroelenco	\scrividentroelenco [] [=] {}
scriviinelenco	\scriviinelenco [] [=] {} {}
secondoffivearguments	\secondoffivearguments {} {} {} {}
secondoffourarguments	\secondoffourarguments {} {} {}
secondofsixarguments	\secondofsixarguments \{\dots\} \{\d
secondofthreearguments	\secondofthreearguments {} {} {}
secondofthreeunexpanded	\secondofthreeunexpanded \{\ldots\} \{\ldots\} \{\ldots\}
secondoftwoarguments	\secondoftwoarguments {} {}
secondoftwounexpanded	\secondoftwounexpanded \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
seeregister:instance	\vediREGISTER [] {+} {}
seeregister:instance:index	\vediindex [] {++} {}
segnalibro	\segnalibro [] {}
select	\select {} {} {} {} {} {}
selezionablocchi	\selezionablocchPT [OTT [OTT [OPT]] OPT
serializecommalist	\serializecommalist []
serializedcommalist	\serializedcommalist
serif serifbold	\serif \serifbold
DOT II DOTA	/pct tt notr

\serifnormal

 ${\tt serifnormal}$

setautopagestaterealpageno	\setautopagestaterealpageno {}
setbar	\setbar []
setbigbodyfont	\setbigbodyfont
<u> </u>	\setboxllx {}
	\setboxlly {}
	\setbreakpoints []
	\setbuffer [] \endbuffer
setcapstrut	\setcapstrut
•	-
setcatcodetable	\setcatcodetable \
•	\setcharacteralign {} {}
	\setcharacteraligndetail {\ldots\} {\ldots\} {\ldots\}
•	\setcharactercasing []
<u> </u>	\setcharactercleaning []
setcharacterkerning	\setcharacterkerning []
setcharacterspacing	\setcharacterspacing []
setcharacterstripping	\setcharacterstripping []
setcharstrut	\setcharstrut {}
setcollector	\setcollector [] [=] {}
	\setcolormodell []
	\setcounter [] []
	\setcounterown [] []
setcurrentfontclass	\setcurrentfontclass {}
setdataset	\setdataset [] [=]
<u>.</u>	\setdefaultpenalties
<u> </u>	\setdigitsmanipulation []
	\setdirection []
setdocumentargument	\setdocumentargument {} {}
setdocumentargumentdefault	\setdocumentargumentdefault {} {}
setdocumentfilename	\setdocumentfilename {} {}
setdummyparameter	\setdummyparameter {} {}
	\setelementexporttag [] []
	\setemeasure {} {}
	\setevalue {} {}
	\setevariable {} {} {}
	\setevariables [] [=]
setfirstline	\setfirstline []
	\setfirstpasscharacteralign
	\setflag {}
setfont	\setfont
setfontcolorsheme	\setfontcolorsheme []
setfontfeature	\setfontfeature {}
setfontsolution	\setfontsolution []
setfontstrut	\setfontstrut
setglobalscript	\setglobalscript []
setgmeasure	\setgmeasure {} {}
	\setgvalue {} {}
	\setgvariable {} {} {}
	\setgvariables [] [=]
	\sethboxregister {}
	\sethpoxregister {}
V 2	¥ =
V 1	\sethyphenatedurlbefore {}
	\sethyphenatedurlnormal {}
01	\sethyphenationfeatures []
	\setinitial [] [=]
setinjector	\setinjector [] []
setinteraction	\setinteraction []
	\setinterfacecommand {} {}
setinterfaceconstant	\setinterfaceconstant {} {}
setinterfaceelement	\setinterfaceelement {} {}
setinterfacemessage	\setinterfacemessage {} {} {}
	\setinterfacevariable {} {}
	\setinternalrendering [] [] {}
setitaliccorrection	\setitaliccorrection []
	\setJSpreamble {} {}
	\setlayer [] [=.] {}
	\setlayerframed [] [=] [] {}
	\setlayerframed [] [=] {}
	\setlayertext [] [=] [=] {}
setlinefiller	\setlinefiller []
setlocalhsize	\setlocalhsize []
setlocalscript	\setlocalscript []
setMPlayer	\setMPlayer [] [] [=] { }

setMPpositiongraphic	lem:lem:lem:lem:lem:lem:lem:lem:lem:lem:
setMPpositiongraphicrange	$\verb \setMPpositiongraphic fange {} {} {} {} $
setMPtext	\setMPtext {} {}
setMPvariable	\setMPvariable [] [=]
setMPvariables	\setMPvariables [] [=]
setmainbodyfont	\setmainbodyfont
setmainparbuilder	\setmainparbuilder []
setmarker	\setmarker [] []
setmarking	\setmarking [] {}
setmathstyle	\setmathstyle {}
setmessagetest	\setmeasure {} {} \setmessagetext {} {}
setmessagetext setmode	\setmode {}
setnote	\setmode ()
setnote	\setnote [] [] {}
setnotetext	\setnotetext [] [] {}
setnotetext:assignment	\setnotetext [] [=]
setnote:assignment	\setnote [] [=]
setobject	\setobject {} \ {}
setoldstyle	\setoldstyle
setpagereference	\setpagereference {} {}
setpagestate	\setpagestate [] []
setpagestaterealpageno	\setpagestaterealpageno {} {}
setpenalties	\setpenalties \ \{\} \{\}
setpercentdimen	\setpercentdimen {} {}
setperiodkerning	\setperiodkerning []
setposition	\setposition {}
setpositionbox	\setpositionbox {} \ {}
setpositiondata	\setpositiondata {} {} {} {}
setpositiondataplus	\setpositiondataplus $\{\}$ $\{\}$ $\{\}$ $\{\}$
setpositiononly	\setpositiononly {}
setpositionplus	\setpositionplus $\{\}$ $\{\}$ $\{\}$
setpositionstrut	\setpositionstrut {}
setprofile	\setprofile []
setrandomseed	\setrandomseed {}
setreference	\setreference [] [=]
setreferencedobject	\setreferencedobject {} \ \ \
setregisterentry	\setregisterentry [] [=]
setreplacement	\setreplacement []
setrigidcolumnbalance	\setrigidcolumnbalance
setrigidcolumnhsize	\setrigidcolumnhsize \{\ldots\} \{\ldots\} \{\ldots\}
setscript	\setscript []
setsecondpasscharacteralign	\setsecondpasscharacteralign
setsectionblock	\setsectionblock [] [=]
setsimplecolumnhsize	\setsimplecolumnhsize [=]
setsmallbodyfont	\setsmallbodyfont
setsmallcaps	\setsmallcaps
setstackbox	\setstackbox {} {}
setstructurepageregister	\setstructurepageregister [] [=] [=]
setstrut	\setstrut
setsuperiors	\setsuperiors \setsystemmode {}
setsystemmode settabular	\settabular
	\settabular \settaggedmetadata [=]
settaggedmetadata settext	\settaggedmetadata [] \settext [] [] [] []
settightobject	\settightobject {} {} \ {}
settightreferencedobject	\settightreferencedobject {} \ {}
settightstrut	\settightstrut
settightunreferencedobject	\settightunreferencedobject {} \ \ \
settokenlist	\settokenlist [] {}
settrialtypesetting	\settrialtypesetting
setuevalue	\setuevalue {} {}
setugvalue	\setugvalue {} {}
setunreferencedobject	\setunreferencedobject {} \ \ \
setupalternativestyles	\setupalternativestyles [=]
setupattachment	\setupattachment [] [=]
setupattachments	\setupattachments [] [=]
setupbackend	\setupbackend [=]
setupbar	\setupbar [] [=]
setupbars	\setupbars [] [=]
setupbleeding	\setupbleeding [=]
setupbookmark	\setupbookmark [=]

setupbtx	\setupbtx [] [=]
setupbtxdataset	\setupbtxdataset [] [=]
setupbtxlist	\setupbtxlist [] [=]
setupbtxregister	\setupbtxregister [] [=]
setupbtxrendering	\setupbtxrendering [] [=]
setupbtx:name	\setupbtx []
setupbutton	\setupbutton [] [=]
setupcharacteralign	\setupcharacteralign [=]
setupcharacterkerning	\setupcharacterkerning [] [=]
setupcharacterspacing	\setupcharacterspacing [] [] [=]
setupchemical	\setupchemical [] [=]
setupchemicalframed	\setupchemicalframed [] [=]
setupcollector	\setupcollector [] [=]
setupcolumnsetarea	\setupcolumnsetarea [] [=]
setupcolumnsetareatext	\setupcolumnsetareatext [] []
setupcolumnsetlines	\setupcolumnsetlines [] [] []
setupcolumnsetspan	\setupcolumnsetspan [] [=]
setupcolumnsetstart	\setupcolumnsetstart [] [] []
setupcolumnspan	\setupcolumnspan [=]
setupcombination	\setupcombination [] [=]
setupcounter	\setupcounter [] [=]
setupdataset	\setupdataset [] [=]
setupdelimitedtext	\setupdelimitedtext [] [=]
setupdescription	\setupdescription [] [=]
setupdirections	\setupdirections [=]
setupdocument	\setupdocument [=]
setupeffect	\setupeffect [] [=]
setupenumeration	\setupenumeration [] [=]
setupenv	\setupenv [=]
setupexport	\setupexport [=]
setupexternalfigure	\setupexternalfigure [] [=]
setupexternalsoundtracks	\setupexternalsoundtracks [=]
setupfacingfloat	\setupfacingfloat [] [=]
setupfieldbody	\setupfieldbody [] [=]
setupfieldcategory	\setupfieldcategory [] [=]
setupfieldcontentframed	\setupfieldcontentframed [] [=]
setupfieldlabelframed	\setupfieldlabelframed [] [=]
setupfieldtotalframed	\setupfieldtotalframed [] [=]
setupfiller	\setupfiller [] [=]
setupfirstline	\setupfirstline [] [=]
setupfittingpage	\setupfittingpage [] [=]
setupfloatframed	\setupfloatframed [] [=]
setupfontexpansion	\setupfontexpansion [] [=]
setupfontprotrusion	\setupfontprotrusion [] [=]
setupfonts	\setupfonts [=]
setupfontsolution	\setupfontsolution [] [=]
setupformula	\setupformula [] [=]
setupformulaframed	\setupformulaframed [] [=]
setupframedcontent	\setupframedcontent [] [=]
setupframedtable	\setupframedtable [] [=]
setupframedtablecolumn	\setupframedtablecolumn [] [] [=]
setupframedtablerow	\setupframedtablerow [] [] [=]
setupframedtext	\setupframedtext [] [=]
setupglobalreferenceprefix	\setupglobalreferenceprefix []
setupheadalternative	\setupheadalternative [] [=]
setuphelp	\setuphelp [] [=]
setuphigh	\setuphigh [] [=]
setuphighlight	\setuphighlight [] [=]
setuphyphenation	\setuphyphenation [=]
setupindentedtext	\setupindentedtext [] [=]
setupinitial	\setupinitial [] [=]
setupinsertion	\setupinsertion [] [=]
setupitaliccorrection	\setupitaliccorrection []
setupitemgroup	\setupitemgroup [] [] [] [=]
setupitemgroup:assignment	\setupitemgroup [] [=]
setupitemgroup:instance	\impostaITEMGROUP [] [] [=]
setupitemgroup:instance:itemize	\impostaitemize [] [] [] \impostaitemize [] []
setuplabel	\setuplabel [] [=]
setuplayer	\setuplayer [] [=]
setuplayeredtext	\setuplayeredtext [] [=]
setuplayouttext	\setuplayouttext [] [=]
setuplinefiller	\setuplinefiller [] [=]
	· · · · · · · · · · · · · · · · · · ·

setuplinefillers	\setuplinefillers [] [=]
setuplinenote	\setuplinenote [] [=]
setuplinetable	\setuplinetable [] [=]
setuplistalternative	\setuplistalternative [] [=]
setuplistextra	\setuplistextra [] [=]
setuplocalfloats	\setuplocalfloats [=]
setuplocalinterlinespace	\setuplocalinterlinespace [] [=]
setuplocalinterlinespace:argument	\setuplocalinterlinespace []
setuplocalinterlinespace:name	\setuplocalinterlinespace [] \setuplow [] [=]
setuplow setuplowhigh	\setuplowhigh [] [=]
setuplowmidhigh	\setuplowmidhigh [] [=]
setupMPgraphics	\setupMPgraphics [=]
setupMPinstance	\setupMPinstance [] [=]
setupMPpage	\setupMPpage [=]
setupMPvariables	\setupMPvariables [] [=]
setupmarginblock	\setupmarginblock [] [=]
setupmargindata	\setupmargindata [] [=]
setupmarginframed	\setupmarginframed [] [=]
setupmarginrule	\setupmarginrule [] [=]
setupmathalignment	\setupmathalignment [] [=]
setupmathcases	\setupmathcases [] [=]
setupmathematics	\setupmathematics [] [=]
setupmathfence	\setupmathfence [] [=]
setupmathfraction	\setupmathfraction [] [=]
setupmathfractions	\setupmathfractions [] [=]
setupmathframed	\setupmathframed [] [=]
setupmathmatrix	\setupmathmatrix [] [=]
setupmathornament	\setupmathornament [] [=]
setupmathradical	\setupmathradical [] [=]
setupmathstackers	\setupmathstackers [] [=]
setupmathstyle	\setupmathstyle []
setupmixedcolumns	\setupmixedcolumns [] [=]
setupmodule	\setupmodule [] [=]
setupnotation	\setupnotation [] [=]
setupnotations	\setupnotations [] [=]
setupnote	\setupnote [] [=]
setupnotes	\setupnotes [] [=]
setupoffset	\setupoffset [=] \setupoffsetbox [=]
setupoffsetbox setupoutputroutine	\setupolisetbox [] \setupoutputroutine [] [=]
setupoutputroutine:name	\setupoutputroutine []
setuppagechecker	\setuppagechecker [] [=]
setuppagecolumns	\setuppagecolumns [] [=]
setuppageinjection	\setuppageinjection [] [=]
setuppageinjectionalternative	\setuppageinjectionalternative [] [=]
setuppageshift	\setuppageshift [] []
setuppagestate	\setuppagestate [] [=]
setuppairedbox	\setuppairedbox [] [=]
setuppairedbox:instance	\impostaPAIREDBOX [=]
setuppairedbox:instance:legend	\impostalegend [=]
setuppaper	\setuppaper [=]
setupparagraph	\setupparagraph [] [=]
setupparagraphintro	\setupparagraphintro []
setupparallel	\setupparallel [] [=]
setupperiodkerning	\setupperiodkerning [] [=]
setupperiods	\setupperiods [=]
setupplacement	\setupplacement [] [=]
setuppositionbar	\setuppositionbar [=]
setupprocessor	\setupprocessor [] [=]
setupprofile	\setupprofile [] [=]
setupquotation	\setupquotation [=]
setuprealpagenumber	\setuprealpagenumber [=]
setupreferenceformat	\setupreferenceformat [] [=]
setupreferenceprefix	\setupreferenceprefix []
setupreferencestructureprefix	\setupreferencestructureprefix [] [] \setuprefisters [] [=]
setupregisters	\setupregisters [] [=] \setupregisters [] [] [=]
setupregisters:argument setuprenderingwindow	\setupregisters [] [] [] \setuprenderingwindow [] [=]
setuprenderingwindow	\setuprehueringwindow [] [] \setupruby [] [=]
setups	\setupritory []
setupscale	\setupscale [] [=]
•	· · · · · · · · · · · · · · · · · · ·

setupscript	
	\setupscript [] [=]
setupscripts	\setupscripts [] [=]
setupselector	\setupselector [] [=]
setupshift	\setupshift [] [=]
setupsidebar	\setupsidebar [] [=]
setupspellchecking	\setupspellchecking [=]
setupstretched	\setupstretched [=]
setupstruts	\setupstruts []
setupstyle	\setupstyle [] [=]
setupsubformula	\setupsubformula [] [=]
setupsubformulas	\setupsubformulas [] [=]
setupsynctex	\setupsynctex [=]
setups:direct	\setups {}
setupTABLE	\setupTABLE [] [] [=]
setupTEXpage	\setupTEXpage [=]
setuptabulation	\setuptabulation [] [=]
setuptagging	\setuptagging [=]
setuptextbackground	\setuptextbackground [] [=]
setuptextflow	\setuptextflow [] [=]
setuptooltip	\setuptooltip [] [=]
setupunit	\setupunit [] [=]
setupuserdata	\setupuserdata [] [=]
setupuserdataalternative	\setupuserdataalternative [] [=]
setupuserpagenumber	\setupuserpagenumber [=]
setupversion	\setupversion []
setupviewerlayer	\setupviewerlayer [=]
setupvspacing	\setupvsearing []
setupvishargument	\setupvspacing [] \setupwithargument {} {}
setupwithargumentswapped	\setupwithargument \(\(\cdot\) \(\cdot\) \(\cdot\) \(\cdot\)
setupxml	\setupxml [=]
setupxtable	\setupxtable [] [=]
setuvalue	\setuvalue {} {}
setuxvalue	\setuxvalue {} {}
setvalue	\setvalue {} {}
setvariable	\setvariable {} {}
setvariables	\setvariables [] [=]
setvboxregister	\setvboxregister {}
setvisualizerfont	\setvisualizerfont []
setvtopregister	\setvtopregister {}
setwidthof	\setwidthof \to \
setxmeasure	\setxmeasure {} {}
setxvalue	\setxvalue {} {}
setxvariable	\setxvariable $\{\ldots\}$ $\{\ldots\}$
setxvariables	\setxvariables [] [=]
sfondo	\sfondo {}
sfondo:example	\SFONDO {}
shapedhbox	\shapedhbox {}
shiftbox	\shiftbox {}
shift:instance	\SHIFT {}
shift:instance:shiftdown	\shiftdown {}
biii tiib taice.biii taowi	
shift:instance:shiftup	\shiftup {}
shift:instance:shiftup	\shiftup {}
shift:instance:shiftup showallmakeup	\shiftup {} \showallmakeup
<pre>shift:instance:shiftup showallmakeup showattributes</pre>	\shiftup {} \showallmakeup \showattributes
shift:instance:shiftup showallmakeup showattributes showboxes showbtxdatasetauthors	\shiftup {} \showallmakeup \showattributes \showboxes
shift:instance:shiftup showallmakeup showattributes showboxes showbtxdatasetauthors showbtxdatasetauthors:argument	\shiftup {} \showallmakeup \showattributes \showboxes \showbtxdatasetauthors [=] \showbtxdatasetauthors []
shift:instance:shiftup showallmakeup showattributes showboxes showbtxdatasetauthors showbtxdatasetauthors:argument showbtxdatasetcompleteness	\shiftup {} \showallmakeup \showattributes \showboxes \showbtxdatasetauthors [=] \showbtxdatasetauthors []
shift:instance:shiftup showallmakeup showattributes showboxes showbtxdatasetauthors showbtxdatasetauthors:argument showbtxdatasetcompleteness showbtxdatasetcompleteness:argument	\shiftup {} \showallmakeup \showattributes \showboxes \showbtxdatasetauthors [=] \showbtxdatasetauthors [] \showbtxdatasetcompleteness [=] \showbtxdatasetcompleteness []
shift:instance:shiftup showallmakeup showattributes showboxes showbtxdatasetauthors showbtxdatasetauthors:argument showbtxdatasetcompleteness showbtxdatasetcompleteness:showbtxdatasetfields	\shiftup {} \showallmakeup \showattributes \showboxes \showbtxdatasetauthors [=] \showbtxdatasetauthors [] \showbtxdatasetcompleteness [=] \showbtxdatasetcompleteness [] \showbtxdatasetfields [=]
shift:instance:shiftup showallmakeup showattributes showboxes showbtxdatasetauthors showbtxdatasetauthors:argument showbtxdatasetcompleteness showbtxdatasetcompleteness:argument	\shiftup {} \showallmakeup \showattributes \showboxes \showbtxdatasetauthors [=] \showbtxdatasetauthors [] \showbtxdatasetcompleteness [=] \showbtxdatasetcompleteness [] \showbtxdatasetfields [=] \showbtxdatasetfields []
shift:instance:shiftup showallmakeup showattributes showboxes showbtxdatasetauthors showbtxdatasetauthors:argument showbtxdatasetcompleteness showbtxdatasetcompleteness:argument showbtxdatasetfields showbtxdatasetfields:argument showbtxfields	\shiftup {} \showallmakeup \showattributes \showboxes \showbtxdatasetauthors [=] \showbtxdatasetauthors [] \showbtxdatasetcompleteness [=] \showbtxdatasetcompleteness [] \showbtxdatasetfields [=] \showbtxdatasetfields [] \showbtxfields []
shift:instance:shiftup showallmakeup showattributes showboxes showbtxdatasetauthors showbtxdatasetauthors:argument showbtxdatasetcompleteness showbtxdatasetcompleteness:argument showbtxdatasetfields showbtxdatasetfields:argument showbtxfields showbtxfields:argument	\shiftup {} \showallmakeup \showattributes \showboxes \showbtxdatasetauthors [] \showbtxdatasetauthors [] \showbtxdatasetcompleteness [] \showbtxdatasetcompleteness [] \showbtxdatasetfields [] \showbtxdatasetfields [] \showbtxfields []
shift:instance:shiftup showallmakeup showattributes showboxes showbtxdatasetauthors showbtxdatasetauthors:argument showbtxdatasetcompleteness showbtxdatasetcompleteness:argument showbtxdatasetfields showbtxdatasetfields:argument showbtxfields:argument showbtxfields:argument showbtxhashedauthors	\shiftup {} \showallmakeup \showattributes \showboxes \showbtxdatasetauthors [] \showbtxdatasetauthors [] \showbtxdatasetcompleteness [] \showbtxdatasetcompleteness [] \showbtxdatasetfields [] \showbtxdatasetfields [] \showbtxfields [] \showbtxfields [] \showbtxfields []
shift:instance:shiftup showallmakeup showattributes showboxes showbtxdatasetauthors showbtxdatasetauthors:argument showbtxdatasetcompleteness showbtxdatasetcompleteness:argument showbtxdatasetfields showbtxdatasetfields:argument showbtxfields:argument showbtxfields:argument showbtxhashedauthors showbtxtables	\shiftup {} \showallmakeup \showattributes \showboxes \showbtxdatasetauthors [] \showbtxdatasetauthors [] \showbtxdatasetcompleteness [] \showbtxdatasetcompleteness [] \showbtxdatasetfields [] \showbtxdatasetfields [] \showbtxfields [] \showbtxfields [] \showbtxtables []
shift:instance:shiftup showallmakeup showattributes showboxes showbtxdatasetauthors showbtxdatasetauthors:argument showbtxdatasetcompleteness showbtxdatasetcompleteness:argument showbtxdatasetfields showbtxdatasetfields:argument showbtxfields showbtxfields:argument showbtxhashedauthors showbtxtables showchardata	\shiftup {} \showallmakeup \showattributes \showboxes \showbtxdatasetauthors [] \showbtxdatasetcompleteness [] \showbtxdatasetcompleteness [] \showbtxdatasetfields [] \showbtxdatasetfields [] \showbtxfields [] \showbtxfields [] \showbtxtables [] \showbtxtables [] \showbtxtables []
shift:instance:shiftup showallmakeup showattributes showboxes showbtxdatasetauthors showbtxdatasetauthors:argument showbtxdatasetcompleteness showbtxdatasetcompleteness:argument showbtxdatasetfields showbtxdatasetfields:argument showbtxfields showbtxfields:argument showbtxhashedauthors showbtxtables showchardata showcharratio	\shiftup {} \showallmakeup \showattributes \showboxes \showbtxdatasetauthors [] \showbtxdatasetcompleteness [] \showbtxdatasetcompleteness [] \showbtxdatasetfields [] \showbtxdatasetfields [] \showbtxfields [] \showbtxfields [] \showbtxfields [] \showbtxtables [] \showbtxtables [] \showbtxtables [] \showchardata {} \showcharratio {}
shift:instance:shiftup showallmakeup showattributes showboxes showbtxdatasetauthors showbtxdatasetauthors:argument showbtxdatasetcompleteness showbtxdatasetcompleteness:argument showbtxdatasetfields showbtxdatasetfields:argument showbtxfields showbtxfields:argument showbtxhashedauthors showbtxtables showchardata showcharratio showcolorbar	\shiftup {} \showallmakeup \showattributes \showboxes \showbtxdatasetauthors [] \showbtxdatasetcompleteness [] \showbtxdatasetcompleteness [] \showbtxdatasetfields [] \showbtxdatasetfields [] \showbtxfields [] \showbtxfields [] \showbtxfields [] \showbtxtables [] \showbtxtables [] \showbtxtables [] \showchardata {} \showcharratio {} \showcolorbar []
shift:instance:shiftup showallmakeup showattributes showboxes showbtxdatasetauthors showbtxdatasetauthors:argument showbtxdatasetcompleteness showbtxdatasetcompleteness:argument showbtxdatasetfields showbtxdatasetfields:argument showbtxfields:argument showbtxfields:argument showbtxhashedauthors showbtxtables showchardata showcharratio showcolorcomponents	\shiftup {} \showallmakeup \showattributes \showboxes \showbtxdatasetauthors [] \showbtxdatasetcompleteness [] \showbtxdatasetcompleteness [] \showbtxdatasetfields [] \showbtxdatasetfields [] \showbtxfields [] \showbtxfields [] \showbtxfields [] \showbtxtables [] \showbtxtables [] \showbtxtables [] \showcharratio {} \showcolorbar [] \showcolorcomponents []
shift:instance:shiftup showallmakeup showattributes showboxes showbtxdatasetauthors showbtxdatasetauthors:argument showbtxdatasetcompleteness showbtxdatasetcompleteness:argument showbtxdatasetfields showbtxdatasetfields:argument showbtxfields:argument showbtxfields:argument showbtxhashedauthors showbtxtables showchardata showcharratio showcoloromponents showcolorset	\shiftup {} \showallmakeup \showattributes \showboxes \showbtxdatasetauthors [] \showbtxdatasetcompleteness [] \showbtxdatasetcompleteness [] \showbtxdatasetfields [] \showbtxdatasetfields [] \showbtxfields [] \showbtxfields [] \showbtxfields [] \showbtxtables [] \showbtxtables [] \showbtxtables [] \showchardata {} \showcharratio {} \showcolorbar [] \showcolorcomponents [] \showcolorset []
shift:instance:shiftup showallmakeup showattributes showboxes showbtxdatasetauthors showbtxdatasetauthors:argument showbtxdatasetcompleteness showbtxdatasetcompleteness:argument showbtxdatasetfields showbtxdatasetfields:argument showbtxfields:argument showbtxfields:argument showbtxtables showbtxtables showchardata showcharratio showcolorset showcolorset showcolorstruts	\shiftup {} \showallmakeup \showattributes \showboxes \showbtxdatasetauthors [] \showbtxdatasetcompleteness [] \showbtxdatasetcompleteness [] \showbtxdatasetfields [] \showbtxdatasetfields [] \showbtxfields [] \showbtxfields [] \showbtxfields [] \showbtxtables [] \showbtxtables [] \showchardata {} \showchardata {} \showchorcomponents [] \showcolorset [] \showcolorset []
shift:instance:shiftup showallmakeup showattributes showboxes showbtxdatasetauthors showbtxdatasetauthors:argument showbtxdatasetcompleteness showbtxdatasetcompleteness:argument showbtxdatasetfields showbtxdatasetfields:argument showbtxfields:argument showbtxfields:argument showbtxhashedauthors showbtxtables showchardata showcharratio showcoloromponents showcolorset	\shiftup {} \showallmakeup \showattributes \showboxes \showbtxdatasetauthors [] \showbtxdatasetcompleteness [] \showbtxdatasetcompleteness [] \showbtxdatasetfields [] \showbtxdatasetfields [] \showbtxfields [] \showbtxfields [] \showbtxfields [] \showbtxtables [] \showbtxtables [] \showbtxtables [] \showchardata {} \showcharratio {} \showcolorbar [] \showcolorcomponents [] \showcolorset []

showdirsinmargin	\showdirsinmargin
showedebuginfo	\showedebuginfo
showexperiments	\showexperiments
showfont	\showfont [] []
showfontdata	\showfontdata
showfontexpansion	\showfontexpansion
showfontitalics	\showfontitalics
showfontkerns	\showfontkerns
showfontparameters	\showfontparameters
showfontstrip	\showfontstrip []
showfontstyle	\showfontstyle [] [] []
showglyphdata	\showglyphdata
showglyphs	\showglyphs
showgridsnapping	\showgridsnapping
showhelp	\showhelp {} []
showhyphenationtrace	\showhyphenationtrace [] []
showhyphens	\showhyphens {}
showinjector	\showinjector []
showjustification	\showjustification
showkerning	\showkerning {}
showlayoutcomponents	\showlayoutcomponents
showligature	\showligature {}
showligatures	\showligatures []
showlogcategories	\showlogcategories
showmargins	\showmargins
showmessage	\showmessage {} {} {}
showminimalbaseline	\showminimalbaseline
shownextbox	\shownextbox \ {}
showotfcomposition	\showotfcomposition $\{\ldots\}$ $\{\ldots\}$
showparentchain	\showparentchain \ {}
showsetupsdefinition	\showsetupsdefinition []
showtimer	\showtimer {}
showtokens	\showtokens []
showtrackers	\showtrackers
showvalue	\showvalue {}
showvariable	\showvariable {} {}
showwarning	\showwarning {} {}
signalrightpage	\signalrightpage
simbolo	\simbolo [] []
simbolo:direct	\simbolo {}
simplealignedbox	\simplealignedbox {} {} {}
simplealignedboxplus	\simplealignedboxplus {} {} {}
simplealignedspreadbox	\simplealignedspreadbox {} {} {}
simplegroupedcommand	\simplegroupedcommand {} {}
simplereversealignedbox	\simplereversealignedbox {} {} {}
simplereversealignedboxplus	\simplereversealignedboxplus {} {} {} {}
singalcharacteralign	\singalcharacteralign {} {}
singlebond	\singlebond
sinistra	\sinistra
sixthofsixarguments	\sixthofsixarguments \{\ldots\} \
slantedface	\slantedface
slicepages	\slicepages [] [=]
slovenianNumerals	\slovenianNumerals {}
sloveniannumerals	\sloveniannumerals {}
smallcappedcharacters	\smallcappedcharacters {}
smallcappedromannumerals	\smallcappedromannumerals {}
smaller	\smaller
smallskip	\smallskip
smash	\smash [] {}
smashbox	\smashbox
smashboxed	\smashboxed
smashedhbox	\smashedhbox {}
smashedvbox	\smashedvbox {}
snaptogrid	\snaptogrid [] \ {}
snaptogrid:list	\snaptogrid [] \ {}
snaptogrid: iist someheadnumber	\someheadnumber [] []
somehindoftab	\someneadnumber [] [] \somekindoftab [=]
somelocalfloat	\somelocalfloat
somenamedheadnumber	
	\somenlace { } { } { } { } { } { } { } { } { } {
someplace	\someplace \{\\} \{\\} \{\\} \[\\] \SORTING \[\\]
<pre>sorting:instance sorting:instance:logo</pre>	\logo [] \logo []
SOT OTHE THE DUMOCTORO	72080 [] []

sottopaginasuccessiva	\sottopaginasuccessiva
spaceddigits	\spaceddigits {}
spaceddigitsmethod	\spaceddigitsmethod
spaceddigitsseparator	\spaceddigitsseparator
spaceddigitssymbol	\spaceddigitssymbol
spanishNumerals	\spanishNumerals {}
spanishnumerals	\spanishnumerals {}
spazifissi	\spazifissi
spazio	\spazio
spaziofisso	\spaziofisso
spessoreriga	\spessoreriga
spezzaoggettomobile	\spezzaoggettomobile [=] {} {}
	\splitatasterisk \ \
	\splitatcolon \
	\splitatcolons \ \
	\splitatcomma \ \
	\splitatperiod \
	\splitdfrac {} {}
	\splitfilename {}
•	\splitfrac {} {}
-	\splitoffbase
-	\splitofffull
-	
-	\splitoffkind
•	\splitoffname
	\splitoffpath
	\splitoffroot
	\splitofftokens \from \to \
1 01	\splitofftype
splitstring	\splitstring \at \to \ \and \
•	\spreadhbox
sqrt	\sqrt [] {}
stackcampi	\stackcampi [] [=]
stackrel	\stackrel {} {}
startlinenote:instance	\iniziaLINENOTE [] {}
startlinenote:instance:linenote	\inizialinenote [] {}
	\startregister [] [] [] {++}
startstop:example	\STARTSTOP {}
	\startstructurepageregister [] [] [=] [=]
	\stirato [=] {}
stoplinenote:instance	\terminaLINENOTE []
stoplinenote:instance:linenote	\terminalinenote []
-	
	\stopregister [] []
	\stopstructurepageregister [] []
_	\strictdoifelsenextoptional {} {}
	\strictdoifnextoptionalelse {} {}
-	\stripcharacter \from \to \
••	\strippedcsname \
	\strippedcsname
stripspaces	\stripspaces \from \to \
structurelistuservariable	\structurelistuservariable {}
structurenumber	\structurenumber
structuretitle	\structuretitle
structureuservariable	\structureuservariable {}
structurevariable	\structurevariable {}
strut	\strut
strutdp	\strutdp
-	\strutgap
0.	\strutht
	\struthtdp
•	\struttedbox {}
	\strutwd
	\style [=] {}
•	\styleinstance []
·	·
	\style [] {}
style:instance	\STYLE {}
	\subpagenumber
	\subsentence {}
	\substituteincommalist {} \
	\subtractfeature []
	\subtractfeature {}
	\swapcounts \ \
swandimens	\swandimens \ \

swapface	\swapface
-	\swapmacros \ \
•	\swaptypeface
switchstyleonly	\switchstyleonly []
switchstyleonly:command	\switchstyleonly \
switchtocolor	\switchtocolor []
switchtointerlinespace	\switchtointerlinespace [] [=]
	\switchtointerlinespace []
-	\switchtointerlinespace []
	\symbolreference []
·	\synchronizeblank
•	\synchronizeindenting
	\synchronizemarking [] [] \synchronizeoutputstreams []
· ·	\synchronizestrut {}
	\synchronizewhitespace
	\synctexblockfilename {}
synctexresetfilename	\synctexresetfilename
•	\synctexsetfilename {}
synonym:instance	\SYNONYM [] {}
synonym:instance:abbreviation	\abbreviation [] {} {}
systemlog	\systemlog {} {}
systemlogfirst	\systemlogfirst {} {}
systemloglast	\systemloglast {} {}
· ·	\systemsetups {}
	\TABLE
	\TaBlE
	\TEX
	\TeX
The Normalized Font Size	\TheNormalizedFontSize
- •	\TransparencyHack \tabulateautoline
	\tabulateautorule
	\tabulateline
tabulaterule	\tabulaterule
taggedctxcommand	\taggedctxcommand {}
taggedlabeltexts	\taggedlabeltexts {} {} {}
tbox	\tbox {}
<u> </u>	\terminariga []
	\testandsplitstring \at \to \ \and \
	\testcolumn [] [] \testfeature {} {}
	\testfeatureonce \{\ldots\} \\\
	\testoaiuto [] {}
testoetichetta:instance	\LABELtesto {}
testoetichetta:instance:btxlabel	\btxlabeltesto {}
testoetichetta:instance:head	\headtesto {}
testoetichetta:instance:label	\labeltesto {}
testoetichetta:instance:mathlabel	\mathlabeltesto {}
testoetichetta:instance:operator	\operatortesto {}
testoetichetta:instance:prefix	\prefixtesto {}
testoetichetta:instance:suffix	\suffixtesto {}
testoetichetta:instance:taglabel	\taglabeltesto {}
testoetichetta:instance:unit testoincorniciato:instance	\unittesto {} \FRAMEDTEXT [=] {}
	\framedtext [=] {}
	\testonotapdp [] {}
	\testonotapdp [=]
	\testoriempimento [=] {} {}
	\testpage [] []
	\testpageonly []
	\testpagesync [] []
	\testtokens []
	\tex {}
	\text{text} \ \text{text} \ \text{text} \ \text{text} \ \ \text{text} \ \ \text{text} \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
textbackground:example	\texsetup {} \TEXTBACKGROUND {}
	\textcitation [=] []
textcitation:alternative	\textcitation [] []
	\textcitation [=] [=]
textcite	\textcite [=] []
textcite:alternative	\textcite [] []

textcite:userdata	\textcite [=] [=]
textcontrolspace	\textcontrolspace
textflowcollector	\textflowcollector {}
cextmath	\textmath {}
textminus	textminus
cextormathchar	\textormathchar {}
cextormathchars	\textormathchars {}
cextplus cextvisiblespace	\textplus \textvisiblespace
chainumerals	\thainumerals {}
thefirstcharacter	\thefirstcharacter {}
Chenormalizedbodyfontsize	\thenormalizedbodyfontsize {}
theremaining characters	\theremainingcharacters {}
chickspace	\thickspace
chinspace	\thinspace
chirdoffivearguments	\thirdoffivearguments $\{\ldots\}$ $\{\ldots\}$ $\{\ldots\}$ $\{\ldots\}$
chirdoffourarguments	\thirdoffourarguments $\{\ldots\}$ $\{\ldots\}$ $\{\ldots\}$
thirdofsixarguments	\thirdofsixarguments \{\ldots\} \{\ldots\} \{\ldots\} \{\ldots\} \{\ldots\} \{\ldots\} \{\ldots\}
thirdofthreearguments	\thirdofthreearguments \{\ldots\} \{\ldots\} \{\ldots\}
thirdofthreeunexpanded	\thirdofthreeunexpanded \{\ldots\} \{\ldots\} \{\ldots\}
threedigitrounding	\threedigitrounding {}
cibetannumerals cieniblocchi	\tibetannumerals {}
cightlayer	\tieniblocchi [] [] \tightlayer []
cilde	\tilde {}
cinyfont	\tinyfont
Clap	\tlap {}
cochar	\tochar {}
colinenote	\tolinenote []
cooltip:instance	\TOOLTIP [=] {} {}
cooltip:instance:argument	\TOOLTIP [] {}
cooltip:instance:argument:tooltip	\tooltip [] {}
cooltip:instance:tooltip	\tooltip [=] {} {}
copbox	\topbox {}
copleftbox	\topleftbox {}
coplinebox	\toplinebox {}
coprightbox	\toprightbox {}
copskippedbox	\topskippedbox {}
cracecatcodetables	\tracecatcodetables
cracedfontname	\tracedfontname {} \traceoutputroutines
craceoutputroutines cracepositions	\tracepositions
craduci	\traduci [=]
transparencycomponents	\transparencycomponents {}
cransparent	\transparent [] {}
criplebond	\triplebond
cruefilename	\truefilename {}
truefontname	\truefontname {}
traggedright	\ttraggedright
twodigitrounding	\twodigitrounding {}
EX.	\tx
ZXX	\txx
сур	\typ [=] {}
суре	\type [=] {}
cypebuffer	\typebuffer [] [=]
cypebuffer:instance	\typeBUFFER [=]
cypedefinedbuffer	\typedefinedbuffer [] [=]
cypeface cypefile	\typeface \typefile [] [=] {}
cypeinlinebuffer	\typeinlinebuffer [] [=]
cypescriptone	\typescriptone
zypescriptprefix	\typescriptprefix {}
typescriptthree	\typescriptthree
typescripttwo	\typescripttwo
typesetbuffer	\typesetbuffer [] [=]
cypesetfile	\typesetfile [] [=]
type:angles	\type [=] <<>>
cype:example	\TYPE [=] {}
type:example:angles	\TYPE [=] <<>>
typ:angles	\typ [=] <<>>
convertnumber	\uconvertnumber {} {}
ledcat.code.command	\uedcatcodecommand \ \}

ultimasottopagina	\ultimasottopagina	
undefinevalue	\undefinevalue {}	
undepthed	\underlinevalue \(\text{\cdots}\)	
underset	\underset {} {}	
undoassign	\undoassign [] [=]	
unexpandeddocumentvariable	\unexpandeddocumentvariable {}	
unhhbox	\unhhbox \with {}	
unihex	\unihex {}	
uniqueMPgraphic	\uniqueMPgraphic {} {=}	
uniqueMPpagegraphic	\uniqueMPpagegraphic {} {=}	
unita:instance	\UNIT {}	
unita:instance:unit	\unit {}	
unprotect	\unprotect \protect	
unprotected	\unprotected \par	
unregisterhyphenationpattern	\unregisterhyphenationpattern [] []	
unspaceafter	\unspaceafter \ {}	
unspaceargument	\unspaceargument \to \	
unspaced	\unspaced {}	
unspacestring	\unspacestring \to \	
untexargument	\untexargument {} \to \	
untexcommand	\untexcommand {} \to \	
uppercased	\uppercased {}	
uppercasestring	\uppercasestring \to \	
upperleftdoubleninequote	\upperleftdoubleninequote	
upperleftdoublesixquote	\upperleftdoublesixquote	
upperleftsingleninequote	\upperleftsingleninequote	
upperleftsinglesixquote	\upperleftsinglesixquote	
upperrightdoubleninequote	\upperrightdoubleninequote	
upperrightdoublesixquote	\upperrightdoublesixquote	
upperrightsingleninequote	\upperrightsingleninequote	
upperrightsinglesixquote	\upperrightsinglesixquote	
url	\url []	
usablocco	\usablocco [] [=]	
usacartella	\usacartella []	
usacolonnasonoraesterna	\usacolonnasonoraesterna [] []	
usadocumentoesterno	\usadocumentoesterno [] []	
usafiguraesterna	\usafiguraesterna [] [] [] []	
usaJSscripts	\usaJSscripts [] []	
usamodulo	\usamodulo [] [=]	
usasimboli	\usasimboli [] \usaURL [] [] []	
usaURL usaurl	\usaurl [] [] [] \usaurl []	
	\usealignparameter \	
usealignparameter useblankparameter	\useblankparameter \	
usebodyfont	\usebodyfont []	
usebodyfontparameter	\usebodyfontparameter \	
usebtxdataset	\usebtxdataset [] [=]	
usebtxdefinitions	\usebtxdefinitions []	
usecitation	\usecitation []	
usecitation:direct	\usecitation {}	
usecolors	\usecolors []	
usecomponent	\usecomponent []	
usedummycolorparameter	\usedummycolorparameter {}	
usedummystyleandcolor	\usedummystyleandcolor {} {}	
usedummystyleparameter	\usedummystyleparameter {}	
useenvironment	\useenvironment []	
useexternalrendering	\useexternalrendering [] [] []	
usefigurebase	\usefigurebase []	
usefile	\usefile [] []	
usegridparameter	\usegridparameter \	
useindentingparameter	\useindentingparameter \	
useindentnextparameter	\useindentnextparameter \	
useinterlinespaceparameter	\useinterlinespaceparameter \	
uselanguageparameter	\uselanguageparameter \	
useluamodule	\useluamodule []	
useMPenvironmentbuffer	\useMPenvironmentbuffer []	
useMPgraphic	\useMPgraphic {} {=}	
useMPlibrary	\useMPlibrary []	
useMPrun	\useMPrun {} {}	
useMPvariables	\useMPvariables [] []	
usemathstyleparameter	\usemathstyleparameter \	
useproduct	\useproduct []	

usonrofilonaramotor	\useprofileparameter \		
useprofileparameter			
useproject	\useproject []		
usereferenceparameter	\usereferenceparameter \		
userpagenumber	\userpagenumber		
usesetupsparameter	\usesetupsparameter \		
usestaticMPfigure	\usestaticMPfigure [=] []		
usesubpath	\usesubpath []		
-			
usetexmodule	\usetexmodule [] [=]		
usetypescript	\usetypescript [] []		
usetypescriptfile	\usetypescriptfile []		
usezipfile	\usezipfile [] []		
utfchar	\utfchar {}		
utflower	\utflower {}		
utfupper	\utfupper {}		
utilityregisterlength	\utilityregisterlength		
VerboseNumber	\VerboseNumber {}		
vaia	\vaia {} []		
vaiabox	\vaiabox {} []		
vaiapagina	\vaiapagina {} []		
vaigiu	\vaigiu []		
valorecolore	\valorecolore {}		
vboxreference	\vboxreference [] {}		
vec	\vec {}		
verbatim	\verbatim {}		
verbatimstring	\verbatimstring {}		
verbosenumber	\verbosenumber {}		
versione	\versione []		
verticalgrowingbar	\verticalgrowingbar [=]		
verticalpositionbar	\verticalpositionbar [=]		
veryraggedcenter	\veryraggedcenter		
veryraggedleft	\veryraggedleft		
veryraggedright	\veryraggedright		
vglue	\vglue		
viewerlayer	\viewerlayer [] {}		
vl	\v1 []		
vphantom	\vphantom {}		
vpos	\vpos {} {}		
vsmash	\vsmash {}		
vsmashbox	\vsmashbox		
vsmashed	\vsmashed {}		
vspace	\vspace [] []		
vspacing	\vspacing []		
WidthSpanningText	\WidthSpanningText {} {} {}		
	\wdofstring {}		
wdofstring	3		
widthofstring	\widthofstring {}		
widthspanningtext	\widthspanningtext {} {} {}		
withoutpt	\withoutpt {}		
words	\words {}		
wordtonumber	\wordtonumber {} {}		
writedatatolist	\writedatatolist [] [=] [=]		
writestatus	\writestatus {} {}		
XETEX	\XETEX		
XeTeX	\XeTeX		
xdefconvertedargument	\xdefconvertedargument \ {}		
xmladdindex	\xmladdindex {}		
xmlafterdocumentsetup	\xmlafterdocumentsetup {} {} {}		
xmlaftersetup	\xmlaftersetup {} {}		
xmlall	\xmlall {} {}		
xmlappenddocumentsetup	\xmlappenddocumentsetup {} {}		
xmlappendsetup	\xmlappendsetup {}		
xmlapplyselectors	\xmlapplyselectors {}		
xmlatt	\xmlatt {} {}		
xmlattdef	\xmlattdef {} {} {}		
xmlattribute	\xmlattribute {} {} {}		
xmlattributedef	\xmlattributedef {} {} {} {}		
xmlbadinclusions	\xmlbadinclusions {}		
xmlbeforedocumentsetup	\xmlbeforedocumentsetup {} {}		
xmlbeforesetup	\xmlbeforesetup {} {}		
xmlchainatt	\xmlchainatt {} {}		
xmlchainattdef	$\mbox{xmlchainattdef } \{\} \ \{\}$		
xmlchecknamespace	\xmlchecknamespace {} {}		
-			
xmlcommand	\xmlcommand \{\} \{\}		

xmlconcat	\xmlconcat {} {} {}
xmlconcatrange	\xmlconcatrange \{\ldots\} \{\ldots\} \{\ldots\} \{\ldots\} \{\ldots\} \{\ldots\}
xmlcontext	\xmlcontext {} {}
xmlcount	\xmlcount {}
xmldefaulttotext	\xmldefaulttotext {}
xmldirectives	\xmldirectives {}
xmldirectivesafter	\xmldirectivesafter {}
xmldirectivesbefore	\xmldirectivesbefore {}
xmldisplayverbatim	\xmldisplayverbatim {}
xmldoif	\xmldoif {} {}
xmldoifatt	\xmldoifatt {} {}
xmldoifelse	\xmldoifelse {} {} {}
xmldoifelseatt	$\mbox{xmldoifelseatt } \{\} \{\}$
xmldoifelseempty	$\mbox{xmldoifelseempty} \{\} \{\} \{\}$
xmldoifelseselfempty	$\xr \$
xmldoifelsetext	$\mbox{xmldoifelsetext } \{\} \{\} \{\}$
xmldoifelsevalue	$\mbox{xmldoifelsevalue } \{\} \{\} \{\}$
xmldoifnot	\xmldoifnot {} {}
xmldoifnotatt	\xmldoifnotatt {} {}
xmldoifnotselfempty	\xmldoifnotselfempty {} {}
xmldoifnottext	$\mbox{xmldoifnottext} \{\} \{\}$
xmldoifselfempty	\xmldoifselfempty {} {}
xmldoiftext	\xmldoiftext {} {}
xmlelement	\xmlelement {} {}
xmlfilter	\xmlfilter {} {}
xmlfirst	\xmlfirst {} {}
xmlflush	\xmlflush {}
xmlflushcontext	\xmlflushcontext {}
xmlflushdocumentsetups	\xmlflushdocumentsetups {} {}
xmlflushlinewise	\xmlflushlinewise {}
xmlflushpure	\xmlflushpure {}
xmlflushspacewise	\xmlflushspacewise {}
xmlflushtext	\xmlflushtext {}
xmlinclude	\xmlinclude {} {}
xmlinclusion	\xmlinclusion {}
xmlinclusions	\xmlinclusions {}
xmlinfo	\xmlinfo {}
xmlinjector	\xmlinjector {}
xmlinlineprettyprint	\xmlinlineprettyprint {} {}
xmlinlineprettyprinttext	\xmlinlineprettyprinttext {} {}
xmlinlineverbatim	\xmlinlineverbatim {}
xmlinstalldirective	\xmlinstalldirective {} {}
xmllast	\xmllast {} {}
xmllastatt	\xmllastatt
xmllastmatch	\xmllastmatch
xmllastpar	\xmllastpar
xmlloadbuffer	\xmlloadbuffer {} {}
xmlloaddata	\xmlloaddata {} {} {}
xmlloaddirectives	\xmlloaddirectives {}
xmlloadfile	\xmlloadfile {} {}
xmlloadonly	\xmlloadonly {} {}
xmlmain	\xmlmain {}
xmlmapvalue	\xmlmapvalue {} {}
xmlname	\xmlname {}
xmlnamespace	\xmlnamespace {}
xmlnonspace	\xmlnonspace {} {}
xmlpar	\xmlpar {} {}
xmlparam	\xmlparam {} {} {}
xmlpath	\xmlpath {}
xmlpos	\xmlpos {}
xmlposition	\xmlposition $\{\}$ $\{\}$
xmlprependdocumentsetup	\xmlprependdocumentsetup {} {}
xmlprependsetup	\xmlprependsetup {}
xmlprettyprint	\xmlprettyprint {} {}
xmlprettyprinttext	\xmlprettyprinttext {} {}
xmlprocessbuffer	\xmlprocessbuffer {} {} {}
xmlprocessdata	\xmlprocessdata {} {} {}
xmlprocessfile	\xmlprocessfile {} {}
xmlpure	\xmlpure {} {}
xmlraw	\xmlraw {}
xmlrefatt	\xmlrefatt {} {}
xmlregistereddocumentsetups	\xmlregistereddocumentsetups {} {}

xmlregisteredsetups	\xmlregisteredsetups		
xmlregisterns	\xmlregisterns {} {}		
xmlremapname	\xmlremapname {} {} {} {}		
xmlremapnamespace	\xmlremapnamespace {} {} {}		
xmlremovedocumentsetup	\xmlremovedocumentsetup {} {}		
xmlremovesetup	\xmlremovesetup {}		
xmlresetdocumentsetups	\xmlresetdocumentsetups {}		
xmlresetinjectors	\xmlresetinjectors		
xmlresetsetups	\xmlresetsetups {}		
xmlsave	\xmlsave {} {}		
xmlsetatt	\xmlsetatt {} {} {}		
xmlsetattribute	\xmlsetattribute {} {} {} {}		
xmlsetentity	\xmlsetentity {} {}		
xmlsetfunction	$\xr = \xr $		
xmlsetinjectors	\xmlsetinjectors []		
xmlsetpar	\xmlsetpar {} {}		
xmlsetparam	\xmlsetparam {} {} {} {}		
xmlsetsetup	\xmlsetsetup {} {}		
xmlsetup	\xmlsetup {} {}		
xmlshow	\xmlshow {}		
xmlsnippet	\xmlsnippet {} {}		
xmlstrip	\xmlstrip {} {}		
xmlstripnolines	\xmlstripnolines {} {}		
xmlstripped	\xmlstripped {} {}		
xmlstrippednolines	\xmlstrippednolines {} {}		
xmltag	\xmltag {}		
xmltexentity	\xmltexentity {} {}		
xmltext	\xmltext {} {}		
xmltobuffer	\xmltobuffer {} {} {}		
xmltobufferverbose	$\mbox{xmltobufferverbose } \{\} \{\} \{\}$		
xmltofile	\xmltofile {} {} {}		
xmlvalue	\xmlvalue {} {}		
xmlverbatim	\xmlverbatim {}		
xsplitstring	\xsplitstring \ {}		
xypos	\xypos {}		

