


October	12, 2016 - Th	e number of file	es used in ConTe O mkii	Xt (base modules and 330 mkiv	styles). 72 mkvi	476 lua
ii iv	anch			5	1	2
iv	attr			6		6
iv	back			5		3
ii iv	bibl			2		2
iv	blob			1		1
ii iv	buff			10	1	11
11 1V	bxml			1	± -	11
ii iv	catc			6		1 ■
iv	char			4		9
iv	chem			2		2
iv	cldf			5		8
ii iv	colo			12		3
ii iv	cont			15		1
ii iv	core			9		7
11 1V	data			3		25
ii iv	enco			1 🛮		20
iv	file			1 ■	6	6
ii iv	font			6	15	63
11 1V				0	13	4
44 4	good			7		
ii iv	grph			1		11
ii iv	hand					4. 1
ii iv	java			6		1
ii iv	lang			11		14
iv	layo			1		1
	lpdf					19
iv	luat			5		17
iv	lxml			4		13
	m			1	. —	10
ii iv	math			14	3 💻	13
ii iv	meta			21		6
iv	mlib			3 -	. <u>-</u>	6
ii iv	mult			6	1	9
iv	node			6		25
ii iv	norm			1		. =
ii iv	pack			10	2 -	2
ii iv	page			29	8	9
iv	phys			1 _		1 ■
ii iv	prop			1		
iv	publ			4	9	14
ii iv	regi			1 🛮		28
ii iv	scrn				8	7
iv	scrp			1 _		4
ii iv	sort			1		2
ii iv	spac			11	1	6
ii iv	strc			17	11	19
ii iv	supp			5		2
ii iv	symb			10		1 ■
ii iv	syst			7		3
ii iv	tabl			9	2	2
iv	task			1		1
iv	toks			3		4
ii iv	trac			5		15
ii iv	type			8	1	1 ■
ii iv	typo			28	3	30
ii iv	unic			1		1 ■
	util					35







util

unic