ConTeXt

přikazy

CS

ConTEXt přikazy

cs / český 15. března 2018

| AfterPar | \AfterPar {} |
|--------------------------------|---|
| Alphabeticnumerals | \Alphabeticnumerals {} |
| AMSTEX | \AMSTEX |
| AmSTeX | \AmSTeX |
| And | \And |
| abjadnaivenumerals | \abjadnaivenumerals {} |
| abjadnodotnumerals | \abjadnodotnumerals {} |
| abjadnumerals | \abjadnumerals {} |
| activatespacehandler | \activatespacehandler {} |
| acute | \acute {} |
| | \adaptcollector [] [=] |
| adaptcollector | |
| adaptfontfeature | \adaptfontfeature [] [=] |
| adaptpapersize | \adaptpapersize [] [] |
| addfeature | \addfeature [] |
| addfeature:direct | \addfeature {} |
| addfontpath | \addfontpath [] |
| addtocommalist | \addtocommalist {} \ |
| addtoJSpreamble | \addtoJSpreamble {} {} |
| addvalue | \addvalue {} {} |
| aftersplitstring | \aftersplitstring \at \to \ |
| aftertestandsplitstring | \aftertestandsplitstring \at \to \ |
| aktualnicislonadpisu | \aktualnicislonadpisu |
| aktualnidatum | \aktualnidatum [] |
| alignbottom | \alignbottom |
| aligned | \aligned [] {} |
| alignedbox | \alignedbox [] \ {} |
| alignedline | \alignedline {} {} |
| <u> </u> | |
| alignhere | \alignhere |
| alignmentcharacter | \alignmentcharacter |
| allinputpaths | \allinputpaths |
| alphabeticnumerals | \alphabeticnumerals {} |
| alwayscitation | \alwayscitation [=] [] |
| alwayscitation:alternative | \alwayscitation [] [] |
| alwayscitation:userdata | \alwayscitation [=] [=] |
| alwayscite | \alwayscite [=] [] |
| alwayscite:alternative | \alwayscite [] [] |
| alwayscite:userdata | \alwayscite [=] |
| ampersand | \ampersand |
| anchor | \anchor [] [=] {} |
| | \antikva |
| antikva | •• |
| appendetoks | \appendetoks \to \ |
| appendgvalue | \appendgvalue {} {} |
| appendtocommalist | \appendtocommalist {} \ |
| appendtoks | \appendtoks \to \ |
| appendtoksonce | \appendtoksonce \to \ |
| appendvalue | \appendvalue {} {} |
| apply | \apply {} {} |
| applyalternativestyle | \applyalternativestyle {} |
| applyprocessor | \applyprocessor {} {} |
| applytofirstcharacter | \applytofirstcharacter \ \{\} |
| applytocharacters | \applytocharacters \ \{\} |
| 11 0 | · |
| applytosplitstringchar | \applytosplitstringchar \ {} |
| applytosplitstringcharspaced | \applytosplitstringcharspaced \ {} |
| applytosplitstringline | \applytosplitstringline \ {} |
| applytosplitstringlinespaced | \applytosplitstringlinespaced \ \{\} |
| applytosplitstringword | \applytosplitstringword \ {} |
| applytosplitstringwordspaced | \applytosplitstringwordspaced \ {} |
| applytowords | \applytowords \ {} |
| arabicdecimals | \arabicdecimals {} |
| arabicexnumerals | \arabicexnumerals {} |
| arabicnumerals | \arabicnumerals {} |
| arg | \arg {} |
| asciistr | \asciistr {} |
| assignalfadimension | \assignalfadimension \{\ldots\} \ldots\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \ |
| | _ |
| assigndimen | \assigndimen \ \{\} |
| assigndimension | \assigndimension \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| assignifempty | \assignifempty \ {} |
| assigntranslation | \assigntranslation [=] \to \ |
| assignvalue | \assignvalue $\{\}$ \ $\{\}$ $\{\}$ |
| assignwidth | \assignwidth {} \ {} {} |
| assumelongusagecs | \assumelongusagecs \ {} |
| astype | \astype {} |
| attachment:instance | \ATTACHMENT [] [=] |
| attachment:instance:attachment | \attachment [] [=] |
| autocap | \autocap {} |
| ααυσσαρ | γααυσσαρ [] |

| autodirhbox | \autodirhbox {} |
|---|---|
| autodirvbox | \autodirvbox {} |
| autodirvtop | \autodirvtop {} |
| autoinsertnextspace | \autoinsertnextspace |
| autointegral | \autointegral {} {} {} |
| automathematics | \automathematics {} |
| autosetups | \autosetups {} |
| autostarttext | \autostarttext \autostoptext |
| availablehsize | \availablehsize |
| | |
| averagecharwidth | \averagecharwidth |
| BeforePar | \BeforePar {} |
| Big | \Big |
| Bigg | \Bigg |
| Biggl | \Biggl |
| Biggm | \Biggm |
| Biggr | \Biggr |
| Bigl | \Bigl |
| Bigm | \Bigm |
| Bigr | \Bigr |
| backgroundimage | \backgroundimage \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| backgroundimagefill | \backgroundimagefill {} {} {} |
| | |
| backgroundline | \backgroundline [] {} |
| bar | \bar {} |
| barevnalista | \barevnalista [] |
| barva | \barva [] {} |
| bar:instance | \BAR {} |
| bar:instance:hiddenbar | \hiddenbar {} |
| bar:instance:nobar | \nobar {} |
| bar:instance:overbar | \overbar {} |
| bar:instance:overbars | \overbars {} |
| bar:instance:overstrike | \overstrike {} |
| | \overstrikes \{\dots\} |
| bar:instance:overstrikes | |
| bar:instance:underbar | \underbar {} |
| bar:instance:underbars | \underbars {} |
| bar:instance:underdash | \underdash {} |
| bar:instance:underdashes | \underdashes {} |
| bar:instance:underdot | \underdot {} |
| bar:instance:underdots | \underdots {} |
| bar:instance:underrandom | \underrandom {} |
| bar:instance:underrandoms | \underrandoms {} |
| bar:instance:understrike | \understrike {} |
| bar:instance:understrikes | \understrikes {} |
| | |
| basegrid | \basegrid [=] |
| baselinebottom | \baselinebottom |
| baselineleftbox | \baselineleftbox {} |
| baselinemiddlebox | \baselinemiddlebox {} |
| baselinerightbox | \baselinerightbox {} |
| bbordermatrix | \bbordermatrix {} |
| bbox | \bbox {} |
| beforesplitstring | \beforesplitstring \at \to \ |
| beforetestandsplitstring | \beforetestandsplitstring \at \to \ |
| beginblock:example | \beginBLOCK [] \endBLOCK |
| beginhbox | \beginhbox \endbbox |
| <u> </u> | |
| beginofshapebox | \beginofshapebox \endofshapebox |
| beginvbox | \beginvbox \endvbox |
| beginvtop | \beginvtop \endvtop |
| begstrut | \begstrut \endstrut |
| bezserifu | \bezserifu |
| bigbodyfont | \bigbodyfont |
| bigg | \bigg |
| bigger | \bigger |
| biggl | \biggl |
| biggm | \biggm |
| biggr | \biggr |
| bigl | \bigl |
| <u> </u> | |
| bigm | \bigm |
| bigr | \bigr |
| bigskip | \bigskip |
| bitmapimage | \bitmapimage [=] {} |
| blap | \blap {} |
| bleed | \bleed [=] {} |
| bleedheight | \bleedheight |
| bleedwidth | \bleedwidth |
| blockligatures | \blockligatures [] |
| blocksynctexfile | \blocksynctexfile [] |
| ~ _ · · · · · · · · · · · · · · · · · · | / |

| bodyfontenvironmentlist | \bodyfontenvironmentlist |
|----------------------------------|---|
| bodyfontsize | \bodyfontsize |
| boldface | \boldface |
| booleanmodevalue | \booleanmodevalue {} |
| bordermatrix | \bordermatrix {} |
| bottombox | \bottombox {} |
| bottomleftbox | \bottomleftbox {} |
| bottomrightbox | \bottomrightbox {} |
| boxcursor | \boxcursor |
| boxmarker | \boxmarker {} {} |
| boxofsize | \boxofsize \ \ \{\} |
| boxreference | \boxreference [] \ {} |
| bpar | \bpar \epar |
| bpos | \bpos {} |
| breakhere | \breakhere |
| breve | \breve {} |
| bTABLE | \bTABLE [=] \eTABLE |
| bTABLEbody | \bTABLEbody [=] \eTABLEbody |
| bTABLEfoot | \bTABLEfoot [=] \eTABLEfoot |
| bTABLEhead | \bTABLEhead [=] \eTABLEhead |
| bTABLEnext | \bTABLEnext [=] \eTABLEnext |
| bTC | \bTC [=] \eTC |
| bTD | \bTD [=] \eTD |
| bTDs | \bTDs [] \eTDs |
| bTH | \bTH [=] \eTH |
| bTN | \bTN [=] \eTN |
| bTR | \bTR [=] \eTR |
| bTRs | \bTRs [] \eTRs |
| bTX | \bTX [=] \eTX |
| bTY | \bTY [=] \eTY |
| btxabbreviatedjournal | \btxabbreviatedjournal {} |
| btxaddjournal | \btxaddjournal [] |
| btxalwayscitation | \btxalwayscitation [=] [] |
| btxalwayscitation:alternative | \btxalwayscitation [] |
| btxalwayscitation:userdata | \btxalwayscitation [=] [=] |
| btxauthorfield | \btxauthorfield {} |
| btxdetail | \btxdetail {} |
| btxdirect | \btxdirect {} |
| btxdoif | \btxdoif {} {} |
| btxdoifcombiinlistelse | \btxdoifcombiinlistelse {} {} {} |
| btxdoifelse | \btxdoifelse {} {} |
| btxdoifelsecombiinlist | \btxdoifelsecombiinlist \{\ldots\} \{\ldots\} \{\ldots\} \{\ldots\} |
| btxdoifelsesameasprevious | \btxdoifelsesameasprevious {} {} {} |
| btxdoifelsesameaspreviouschecked | \btxdoifelsesameaspreviouschecked {} {} {} {} |
| btxdoifelseuservariable | \btxdoifelseuservariable {} {} {} |
| btxdoifnot | \btxdoifnot {} {} |
| btxdoifsameaspreviouselse | \btxdoifsameaspreviouselse {} {} {} |
| btxdoifsameaspreviouscheckedelse | \btxdoifsameaspreviouscheckedelse {} {} {} |
| btxdoifuservariableelse | \btxdoifuservariableelse {} {} {} |
| btxexpandedjournal | \btxexpandedjournal {} |
| btxfield | \btxfield {} |
| btxfieldname | \btxfieldname {} |
| btxfieldtype | \btxfieldtype {} |
| btxfirstofrange | \btxfirstofrange {} |
| btxflush | \btxflush {} |
| btxflushauthor | \btxflushauthor [] {} |
| btxflushauthorinverted | \btxflushauthorinverted {} |
| btxflushauthorinvertedshort | \btxflushauthorinvertedshort {} |
| btxflushauthorname | \btxflushauthorname {} |
| btxflushauthornormal | \btxflushauthornormal {} |
| btxflushauthornormalshort | \btxflushauthornormalshort {} |
| btxflushsuffix | \btxflushsuffix |
| btxfoundname | \btxfoundname {} |
| btxfoundtype | \btxfoundtype {} |
| btxhiddencitation | \btxhiddencitation [] |
| btxhybridcite | \btxhybridcite [=] [] |
| btxhybridcite:alternative | \btxhybridcite [] [] |
| btxhybridcite:direct | \btxhybridcite {} |
| btxhybridcite:userdata | \btxhybridcite [=] [=] |
| btxlistcitation | \btxlistcitation [=] [] |
| btxlistcitation:alternative | \btxlistcitation [] [] |
| btxlistcitation:userdata | \btxlistcitation [=] [=] |
| btxloadjournalist | \btxloadjournalist [] |
| btxoneorrange | \btxoneorrange {} {} {} |
| btxremapauthor | \btxremapauthor [] |
| ▲ | • |

| btxsavejournalist | \btxsavejournalist [] |
|---|---|
| btxsetup | \btxsetup {} |
| btxsingularorplural | \btxsingularorplural \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| btxsingularplural | \btxsingularplural {} {} {} |
| btxtextcitation btxtextcitation:alternative | \btxtextcitation [=] [] |
| btxtextcitation:asternative btxtextcitation:userdata | \btxtextcitation [] [] \btxtextcitation [=] [=] |
| bublinkovanapoveda:instance | \TOOLTIP [=] {} {} |
| bublinkovanapoveda:instance:argument | \TOOLTIP [] {} |
| bublinkovanapoveda:instance:argument:tooltip | \tooltip [] {} |
| bublinkovanapoveda:instance:tooltip | \tooltip [=] {} {} |
| buildmathaccent | \buildmathaccent {} {} |
| buildtextaccent | \buildtextaccent {} {} |
| buildtextbottomcomma buildtextbottomdot | \buildtextbottomcomma {} \buildtextbottomdot {} |
| buildtextcedilla | \buildtextcedilla {} |
| buildtextgrave | \buildtextgrave {} |
| buildtextmacron | \buildtextmacron {} |
| buildtextognek | \buildtextognek {} |
| Caps | \Caps {} |
| Cisla | \Cisla {} |
| CONTEXT | \CONTEXT |
| ConTeXt Context | \ConTeXt \Context |
| ConvertConstantAfter | \ConvertConstantAfter \ \{\} \{\} |
| ConvertToConstant | \ConvertToConstant \ {} {} |
| camel | \camel {} |
| catcodetablename | \catcodetablename |
| cbox | \cbox {} |
| centeraligned | \centeraligned {} |
| centerbox centeredbox | \centerbox {} \centeredbox {} |
| centeredlastline | \centeredDox \(\) |
| centerednextbox | \centerednextbox {} |
| centerline | \centerline {} |
| cernalinka | \cernalinka [=] |
| cernelinky | \cernelinky [=] |
| cfrac | \cfrac [] {} {} |
| cisla | \cisla {} \cislonadpisu [] [] |
| cislonadpisu cislorovnice | \cislonaupisu [] \cislorovnice [] |
| cislostrany | \cislostrany |
| citation | \citation [=] [] |
| citation:alternative | \citation [] |
| citation:direct | \citation {} |
| citation:userdata | \citation [=] [=] |
| cite: | \cite [=] [] \cite [] [] |
| cite:direct | \cite {} |
| cite:userdata | \cite [=] [=] |
| clap | \clap {} |
| classfont | \classfont {} {} |
| cldcommand | \cldcommand {} |
| cldcontext cldloadfile | <pre>\cldcontext {} \cldloadfile {}</pre> |
| cldprocessfile | \cldprocessfile {} |
| collect | \collect {} |
| collectedtext | \collectedtext [=] [=] {} {} |
| collectexpanded | \collectexpanded {} |
| colorcomponents | \colorcomponents {} |
| colored | \colored [=] {} |
| <pre>colored:name coloronly</pre> | \colored [] {} \coloronly [] {} |
| columnbreak | \columnbreak [] |
| combinepages | \combinepages [] [=] |
| commalistelement | \commalistelement |
| commalistsentence | \commalistsentence [] [] |
| commalistsize | \commalistsize |
| comparedimension | \comparedimension \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| comparedimensioneps completebtxrendering | \comparedimensioneps \{\ldots\} \\completebtxrendering \[\ldots\] \[\ldots=\ldots\] |
| completeotxrendering completecombinedlist:instance | \uplayCOMBINEDLIST [=] |
| completecombinedlist:instance:content | \uplnycontent [=] |
| completelist | \completelist [] [=] |
| completelistoffloats:instance | \completelistofFLOATS [=] |
| | |

| completelistoffloats:instance:figures | \completelistoffigures [=] |
|--|---|
| completelistoffloats:instance:graphics | \completelistofgraphics [=] |
| completelistoffloats:instance:chemicals | \completelistofchemicals [=] |
| completelistoffloats:instance:intermezzi | \completelistofintermezzi [=] |
| completelistoffloats:instance:tables | \completelistoftables [=] |
| completelistofpublications | \completelistofpublications [] [=] |
| completelistofsorts | \completelistofsorts [] [=] |
| completelistofsorts:instance | \completelistofSORTS [=] |
| completelistofsorts:instance:logos | \completelistoflogos [=] |
| completelistofsynonyms | \completelistofsynonyms [] [=] |
| completelistofsynonyms:instance | \completelistofSYNONYMS [=] |
| completelistofsynonyms:instance:abbreviations | \completelistofabbreviations [=] |
| completepagenumber | \completepagenumber |
| completeregister | \completeregister [] [=] |
| completeregister:instance | \uplnyREGISTER [=] |
| completeregister:instance:index | \uplnyindex [=] |
| complexorsimple | \complexorsimple \ |
| complexorsimpleempty | \complexorsimpleempty \ |
| complexorsimpleempty:argument | \complexorsimpleempty {} |
| complexorsimple:argument | \complexorsimple {} |
| composedcollector | \composedcollector {} |
| composedlayer | \composedlayer {} |
| compresult | \compresult |
| constantdimen | \constantdimen \ |
| constantdimenargument | \constantdimenargument \ |
| constantemptyargument | \constantemptyargument \ |
| constantnumber | \constantnumber \ |
| constantnumberargument | \constantnumberargument \ |
| contentreference | \contentreference [] [=] {} |
| continuednumber | \continuednumber {} |
| continueifinputfile | \continueifinputfile {} |
| convertargument | \convertargument \to \ |
| convertcommand | \convertcommand \ \to \ |
| convertedcounter | \convertedcounter [] [=] |
| converteddimen | \converteddimen \{\ldots\} |
| convertedsubcounter | \convertedsubcounter [] [] [] |
| convertualue | \convertmonth {} \convertvalue \to \ |
| convertvalue convertvboxtohbox | \convertvatue \to \ |
| | • |
| <pre>copyboxfromcache copylabeltext:instance</pre> | \copyLABELtext [] [=] |
| copylabeltext:instance:btxlabel | \copybtxlabeltext [] [=] |
| copylabeltext:instance:head | \copyheadtext [] [=] |
| copylabeltext:instance:head copylabeltext:instance:label | \copylabeltext [] [=] |
| copylabeltext:instance:mathlabel | \copynathlabeltext [] [=] |
| copylabeltext:instance:operator | \copyoperatortext [] [=] |
| copylabeltext:instance:prefix | \copyprefixtext [] [=] |
| copylabeltext:instance:suffix | \copysuffixtext [] [=] |
| copylabeltext:instance:taglabel | \copytaglabeltext [] [=] |
| copylabeltext:instance:unit | \copyunittext [] [=] |
| copypages | \copypages [] [=] [=] |
| copyparameters | \copyparameters [] [] |
| copyposition | \copyposition {} {} |
| countersubs | \countersubs [] [] |
| counttoken | \counttoken \in \to \ |
| counttokens | \counttokens \to \ |
| cramped | \cramped {} |
| crampedclap | \crampedclap {} |
| crampedllap | \crampedllap {} |
| crampedrlap | \crampedrlap {} |
| ctop | \ctop {} |
| ctxcommand | \ctxcommand {} |
| ctxdirectcommand | \ctxdirectcommand {} |
| ctxdirectlua | \ctxdirectlua {} |
| ctxfunction | \ctxfunction {} |
| ctxfunctiondefinition:example | \CTXFUNCTIONDEFINITION |
| ctxfunction:example | \CTXFUNCTION |
| ctxlatecommand | \ctxlatecommand {} |
| ctxlatelua | \ctxlatelua {} |
| ctxloadluafile | \ctxloadluafile {} |
| ctxlua | \ctxlua {} |
| ctxluabuffer | \ctxluabuffer [] |
| ctxluacode | \ctxluacode {} |
| ctxreport | \ctxreport {} |
| ctxsprint | \ctxsprint {} |
| | |

| currentassignmentlistkey | \currentassignmentlistkey |
|---|--|
| currentassignmentlistvalue | $\c \c \$ |
| currentbtxuservariable | \currentbtxuservariable {} |
| currentcommalistitem | \currentcommalistitem |
| currentcomponent | \currentcomponent |
| currentenvironment | \currentenvironment |
| currentfeaturetest | \currentfeaturetest |
| currentinterface | \currentinterface |
| currentlabel:example | \currentPOPISEK [] {} |
| currentlanguage | \currentlanguage |
| currentlistentrydestinationattribute | \currentlistentrydestinationattribute |
| currentlistentrylimitedtext | \currentlistentrylimitedtext {} |
| currentlistentrynumber | \currentlistentrynumber |
| currentlistentrypagenumber | \currentlistentrypagenumber |
| currentlistentryreferenceattribute | \currentlistentryreferenceattribute {} |
| currentlistentrytitle | \currentlistentrytitle |
| currentlistentrytitlerendered | \currentlistentrytitlerendered |
| currentlistsymbol | \currentlistsymbol \currentmainlanguage |
| currentmainlanguage currentmessagetext | \currentmessagetext |
| currentmoduleparameter | \currentmoduleparameter {} |
| currentoutputstream | \currentoutputstream |
| currentproduct | \currentproduct |
| currentproject | \currentproject |
| currentregime | \currentregime |
| currentregisterpageuserdata | \currentregisterpageuserdata {} |
| currentresponses | \currentresponses |
| currenttime | \currenttime [] |
| currentvalue | \currentvalue |
| currentxtablecolumn | \currentxtablecolumn |
| currentxtablerow | \currentxtablerow |
| d | \d {} |
| dalsipodstranka | \dalsipodstranka |
| datasetvariable | \datasetvariable $\{\ldots\}$ $\{\ldots\}$ |
| datum | \datum [=] [] |
| dayoftheweek | $\displaystyle \texttt{\day} \$ |
| dayspermonth | \dayspermonth {} {} |
| dddot | \dddot {} |
| ddot | \ddot {} |
| decrement | \decrement \ |
| decrementcounter | \decrementcounter [] [] |
| | |
| decrementedcounter | \decrementedcounter [] |
| decrementpagenumber | \decrementedcounter [] \decrementpagenumber |
| decrementpagenumber decrementsubpagenumber | \decrementedcounter [] \decrementpagenumber \decrementsubpagenumber |
| decrementpagenumber decrementsubpagenumber decrementvalue | \decrementedcounter [] \decrementpagenumber \decrementsubpagenumber \decrementvalue {} |
| decrementpagenumber decrementsubpagenumber decrementvalue decrement:argument | \decrementedcounter [] \decrementpagenumber \decrementsubpagenumber \decrementvalue {} \decrement cd:parentheses-s |
| decrementpagenumber decrementsubpagenumber decrementvalue decrement:argument defaultinterface | \decrementedcounter [] \decrementpagenumber \decrementsubpagenumber \decrementvalue {} \decrement cd:parentheses-s \defaultinterface |
| decrementpagenumber decrementsubpagenumber decrementvalue decrement:argument defaultinterface defaultobjectpage | \decrementedcounter [] \decrementpagenumber \decrementsubpagenumber \decrementvalue {} \decrement cd:parentheses-s \defaultinterface \defaultobjectpage |
| decrementpagenumber decrementsubpagenumber decrementvalue decrement:argument defaultinterface defaultobjectpage defaultobjectreference | \decrementedcounter [] \decrementpagenumber \decrementsubpagenumber \decrementvalue {} \decrement cd:parentheses-s \defaultinterface \defaultobjectpage \defaultobjectreference |
| decrementpagenumber decrementsubpagenumber decrementvalue decrement:argument defaultinterface defaultobjectpage defaultobjectreference defcatcodecommand | \decrementedcounter [] \decrementpagenumber \decrementsubpagenumber \decrementvalue {} \decrement cd:parentheses-s \defaultinterface \defaultobjectpage \defaultobjectreference \defcatcodecommand \ {} |
| decrementpagenumber decrementsubpagenumber decrementvalue decrement:argument defaultinterface defaultobjectpage defaultobjectreference | \decrementedcounter [] \decrementpagenumber \decrementsubpagenumber \decrementvalue {} \decrement cd:parentheses-s \defaultinterface \defaultobjectpage \defaultobjectreference |
| decrementpagenumber decrementsubpagenumber decrementvalue decrement:argument defaultinterface defaultobjectpage defaultobjectreference defcatcodecommand defconvertedargument | <pre>\decrementedcounter [] \decrementpagenumber \decrementsubpagenumber \decrementvalue {} \decrement cd:parentheses-s \defaultinterface \defaultobjectpage \defaultobjectreference \defcatcodecommand \</pre> |
| decrementpagenumber decrementsubpagenumber decrementvalue decrement:argument defaultinterface defaultobjectpage defaultobjectreference defcatcodecommand defconvertedargument defconvertedcommand | <pre>\decrementedcounter [] \decrementpagenumber \decrementsubpagenumber \decrement cd:parentheses-s \defaultinterface \defaultobjectpage \defaultobjectreference \defcatcodecommand \</pre> |
| decrementpagenumber decrementsubpagenumber decrementvalue decrement:argument defaultinterface defaultobjectpage defaultobjectreference defcatcodecommand defconvertedargument defconvertedcommand defconvertedvalue | <pre>\decrementedcounter [] \decrementpagenumber \decrementsubpagenumber \decrement cd:parentheses-s \defaultinterface \defaultobjectpage \defaultobjectreference \defcatcodecommand \ \{} \defconvertedargument \ \{} \defconvertedvalue \ \{}</pre> |
| decrementpagenumber decrementsubpagenumber decrementvalue decrement:argument defaultinterface defaultobjectpage defaultobjectreference defcatcodecommand defconvertedargument defconvertedcommand defconvertedvalue defineactivecharacter | <pre>\decrementedcounter [] \decrementpagenumber \decrementsubpagenumber \decrement cd:parentheses-s \defaultinterface \defaultobjectpage \defaultobjectreference \defcatcodecommand \ \{} \defconvertedargument \ \{} \defconvertedvalue \ \{} \defineactivecharacter \{}</pre> |
| decrementpagenumber decrementsubpagenumber decrementvalue decrement:argument defaultinterface defaultobjectpage defaultobjectreference defcatcodecommand defconvertedargument defconvertedcommand defconvertedvalue defineactivecharacter definealternativestyle | <pre>\decrementedcounter [] \decrementpagenumber \decrementsubpagenumber \decrement cd:parentheses-s \defaultinterface \defaultobjectpage \defaultobjectreference \defcatcodecommand \ \{} \defconvertedargument \ \{} \defconvertedcommand \ \ \defconvertedvalue \ \{} \defineactivecharacter \{} \definealternativestyle [] [] [] \defineattachment [] [] []</pre> |
| decrementpagenumber decrementsubpagenumber decrementvalue decrement:argument defaultinterface defaultobjectpage defaultobjectreference defcatcodecommand defconvertedargument defconvertedvalue defineactivecharacter definealternativestyle defineanchor | <pre>\decrementedcounter [] \decrementpagenumber \decrementsubpagenumber \decrement cd:parentheses-s \defaultinterface \defaultobjectpage \defaultobjectreference \defcatcodecommand \ \{} \defconvertedargument \ \{} \defconvertedcommand \ \(\) \defineactivecharacter \(\) \definealternativestyle [] [] \defineattachment [] [] [] \defineattribute [] []</pre> |
| decrementpagenumber decrementsubpagenumber decrementvalue decrement:argument defaultinterface defaultobjectpage defaultobjectreference defcatcodecommand defconvertedargument defconvertedvalue defineactivecharacter definealternativestyle defineattachment defineattribute definebackground | <pre>\decrementedcounter [] \decrementpagenumber \decrementsubpagenumber \decrement cd:parentheses-s \defaultinterface \defaultobjectpage \defaultobjectreference \defcatcodecommand \ \ \defconvertedargument \ \{} \defconvertedcommand \ \ \defconvertedvalue \ \{} \defineactivecharacter \{} \definealternativestyle [] [] [] \defineattachment [] [] [] \defineattribute [] [] \defineatckground [] [] []</pre> |
| decrementpagenumber decrementsubpagenumber decrementvalue decrement:argument defaultinterface defaultobjectpage defaultobjectreference defcatcodecommand defconvertedargument defconvertedcommand defconvertedvalue defineactivecharacter definealternativestyle defineanchor defineattribute definebackground definebar | <pre>\decrementedcounter [] \decrementpagenumber \decrementsubpagenumber \decrement cd:parentheses-s \defaultinterface \defaultobjectpage \defaultobjectreference \defcatcodecommand \ \ \defconvertedargument \ \{} \defconvertedcommand \ \ \deficineactivecharacter \{} \definealternativestyle [] [] [] \defineattribute [] [] [] \defineattribute [] [] \definebackground [] [] []</pre> |
| decrementpagenumber decrementsubpagenumber decrementvalue decrement:argument defaultinterface defaultobjectpage defaultobjectreference defcatcodecommand defconvertedargument defconvertedvalue defineactivecharacter definealternativestyle defineanchor defineattribute definebackground definebar definebodyfontswitch | <pre>\decrementedcounter [] \decrementpagenumber \decrementsubpagenumber \decrement cd:parentheses-s \defaultinterface \defaultobjectpage \defaultobjectreference \defconvertedargument \ \{\} \defconvertedcommand \ \ \defconvertedvalue \ \{\} \defineactivecharacter \{\} \definealternativestyle [] [] [] \defineattribute [] [] [=] \definebackground [] [] [=] \definebackground [] [] [=]</pre> |
| decrementpagenumber decrementsubpagenumber decrementvalue decrement:argument defaultinterface defaultobjectpage defaultobjectreference defcatcodecommand defconvertedargument defconvertedvalue defineactivecharacter definealternativestyle defineanchor defineattribute definebackground definebar definebodyfontswitch definebreakpoint | <pre>\decrementedcounter [] \decrementpagenumber \decrementsubpagenumber \decrement cd:parentheses-s \defaultinterface \defaultobjectpage \defaultobjectreference \defconvertedargument \ \{\} \defconvertedcommand \ \ \defconvertedcommand \ \\ \deficineactivecharacter \{\} \definealternativestyle [] [] [] \defineattribute [] [] [] \defineattribute [] [] [] \definebackground [] [] [] \definebodyfontswitch [] [] \definebreakpoint [] [] []</pre> |
| decrementpagenumber decrementsubpagenumber decrementvalue decrement:argument defaultinterface defaultobjectpage defaultobjectreference defcatcodecommand defconvertedargument defconvertedvalue defineactivecharacter definealternativestyle defineanchor defineattribute definebackground definebar definebreakpoint definebreakpoints | <pre>\decrementedcounter [] \decrementpagenumber \decrementsubpagenumber \decrement cd:parentheses-s \defaultinterface \defaultobjectpage \defaultobjectreference \defconvertedargument \ \{\} \defconvertedcommand \ \ \defconvertedvalue \ \{\} \defineactivecharacter \{\} \definealternativestyle [] [] [] \defineattribute [] [] [=] \defineattribute [] [] [=] \definebackground [] [] [=] \definebodyfontswitch [] [] \definebreakpoint [] [] [=]</pre> |
| decrementpagenumber decrementsubpagenumber decrementvalue decrement:argument defaultinterface defaultobjectpage defaultobjectreference defcatcodecommand defconvertedargument defconvertedvalue defineactivecharacter definealternativestyle defineanchor defineattribute definebackground definebar definebreakpoint definebreakpoints definebtx | <pre>\decrementedcounter [] \decrementpagenumber \decrementsubpagenumber \decrement cd:parentheses-s \defaultinterface \defaultobjectpage \defaultobjectreference \defconvertedargument \ \{\} \defconvertedcommand \ \ \defconvertedcommand \ \\ \defineactivecharacter \{\} \definealternativestyle [] [] [] \defineattribute [] [] [] \defineattribute [] [] [] \definebackground [] [] [] \definebodyfontswitch [] [] \definebreakpoint [] [] [] \definebreakpoints [] \definebtx [] [] []</pre> |
| decrementpagenumber decrementsubpagenumber decrementvalue decrement:argument defaultinterface defaultobjectpage defaultobjectreference defcatcodecommand defconvertedargument defconvertedvalue defineactivecharacter definealternativestyle defineanchor defineattribute definebackground definebar definebreakpoint definebtx definebtxdataset | <pre>\decrementedcounter [] \decrementpagenumber \decrementsubpagenumber \decrement cd:parentheses-s \defaultinterface \defaultobjectpage \defaultobjectreference \defconvertedargument \ \{\} \defconvertedcommand \ \ \defconvertedvalue \ \{\} \defineattivecharacter \{\} \defineatternativestyle [] [] [] \defineattribute [] [] [] \defineattribute [] [] [] \definebackground [] [] [] \definebodyfontswitch [] [] \definebreakpoint [] [] [] \definebtx [] [] [] \definebtxdataset [] [] [] \definebtxdataset [] [] [] \definebtxdataset [] [] [] \definebtx [] [] [] \definebtxdataset [] [] [] \definedtyperiods \definedtyper</pre> |
| decrementpagenumber decrementsubpagenumber decrementvalue decrement:argument defaultinterface defaultobjectpage defaultobjectreference defcatcodecommand defconvertedargument defconvertedvalue defineactivecharacter definealternativestyle defineanchor defineattribute definebackground definebar definebreakpoint definebtx definebtxdataset definebtxregister | <pre>\decrementedcounter [] \decrementpagenumber \decrementsubpagenumber \decrement cd:parentheses-s \defaultinterface \defaultobjectpage \defaultobjectreference \defconvertedargument \ \{\} \defconvertedcommand \ \ \defconvertedvalue \ \{\} \defineattivecharacter \{\} \defineattivecharacter \{\} \defineattachment [] [] [] [] \defineattribute [] [] [] \definebackground [] [] [] \definebodyfontswitch [] [] \definebreakpoints [] \definebtx [] [] [] \definebtxdataset [] [] [] \definebtxregister [] [] []</pre> |
| decrementsubpagenumber decrementsubpagenumber decrement:argument defaultinterface defaultobjectpage defaultobjectreference defcatcodecommand defconvertedargument defconvertedvalue defineactivecharacter definealternativestyle defineanchor defineattribute definebackground definebar definebreakpoint definebtx definebtxregister definebtxrendering | <pre>\decrementedcounter [] \decrementpagenumber \decrementsubpagenumber \decrement cd:parentheses-s \defaultinterface \defaultobjectpage \defaultobjectreference \defconvertedargument \ \{\} \defconvertedcommand \ \\ \defconvertedcommand \ \\ \defineattivecharacter \{\} \defineattivecharacter \{\} \defineattachment [] [] [] \defineattribute [] [] [] \definebackground [] [] [] \definebreakpoints [] \definebtxcatacter \{\} \definebtxregister [] [] [] \definebtxregister [] [] \definebtxrendering [] [] \definebtxrendering [] [] \definebtxcatacter] [] \definebtxrendering [] [] [] \definedetxrendering [] [] []</pre> |
| decrementsubpagenumber decrementsubpagenumber decrement:argument defaultinterface defaultobjectpage defaultobjectreference defcatcodecommand defconvertedargument defconvertedvalue defineactivecharacter definealternativestyle defineanchor defineattribute definebackground definebar definebreakpoint definebtx definebtxregister definebtxrendering definebutton | <pre>\decrementedcounter [] \decrementpagenumber \decrementsubpagenumber \decrement cd:parentheses-s \defaultinterface \defaultobjectpage \defaultobjectreference \defconvertedargument \ \{\} \defconvertedcommand \ \ \defconvertedcommand \ \{\} \defineattivecharacter \{\} \defineattivecharacter \{\} \defineattachment [] [] [] \defineattribute [] [] [] \definebackground [] [] [] \definebackground [] [] [] \definebreakpoints [] \definebtx [] [] [] \definebtxregister [] [] [] \definebtxregister [] [] [] \definebtxrendering [] [] \definebutton [] [] []</pre> |
| decrementsubpagenumber decrementsubpagenumber decrement:argument defaultinterface defaultobjectpage defaultobjectreference defcatcodecommand defconvertedargument defconvertedvalue defineactivecharacter definealternativestyle defineanchor defineattribute definebackground definebar definebreakpoint definebtxadataset definebtxrendering definebutton definebutton definecapitals | <pre>\decrementedcounter [] \decrementpagenumber \decrementsubpagenumber \decrement cd:parentheses-s \defaultinterface \defaultobjectpage \defaultobjectreference \defconvertedargument \ \ \defconvertedcommand \ \ \defconvertedvalue \ \ \defineactivecharacter \ \definealternativestyle [] [] [] \defineattribute [] [] [] \definebackground [] [] [] \definebodyfontswitch [] [] \definebreakpoints [] \definebtx [] [] [] \definebtx [] [] \definebtxregister [] [] \definebtxregister [] [] [] \definebutton [] [] [] \definedefinecapitals [] [] [] \definede</pre> |
| decrementsubpagenumber decrementsubpagenumber decrement:argument defaultinterface defaultobjectpage defaultobjectreference defcatcodecommand defconvertedargument defconvertedvalue defineactivecharacter definealternativestyle defineanchor defineattribute definebackground definebar definebreakpoint definebreakpoints definebtxxedinebutton definebutton definecapitals definecollector | <pre>\decrementedcounter [] \decrementpagenumber \decrementsubpagenumber \decrement cd:parentheses-s \defaultinterface \defaultobjectpage \defaultobjectreference \defcatcodecommand \ \ \defconvertedargument \ \ \defconvertedcommand \ \ \defineactivecharacter \ \defineattribute [] [] [] \defineattribute [] [] \definebackground [] [] [] \definebodyfontswitch [] [] \definebreakpoints [] \definebtxadtaset [] [] \definebtxregister [] [] \definebtxregister [] [] \definebutton [] [] [] \definebutton [] [] [] \definebutton [] [] [] \definecollector [] [] [] \definetatactor [] [] [] \definecollector [] [] [] \definetatactor [] [] [] \definetatactor [] [] [] \definetatact</pre> |
| decrementsubpagenumber decrementsubpagenumber decrement:argument defaultinterface defaultobjectpage defaultobjectreference defcatcodecommand defconvertedargument defconvertedvalue defineactivecharacter definealternativestyle defineanchor defineattribute definebackground definebar definebreakpoint definebreakpoint definebtxxedinebtxredinebtxredinebtxredined definebtxredined definebtxredined definebtxredined definebtxredined definebtxredined definebutton definecolumnbreak | <pre>\decrementedcounter [] \decrementpagenumber \decrementsubpagenumber \decrement cd:parentheses-s \defaultinterface \defaultobjectpage \defaultobjectreference \defcatcodecommand \ \ \defconvertedargument \ \ \defconvertedcommand \ \ \defineactivecharacter \ \defineattribute [] [] [] \defineattribute [] [] \definebackground [] [] [] \definebodyfontswitch [] [] \definebreakpoints [] \definebtx [] [] [] \definebtxregister [] [] \definebtxregister [] [] \definebutton [] [] [] \definebutton [] [] [] \definecollector [] [] [] \definetype \text{\t</pre> |
| decrementsubpagenumber decrementsubpagenumber decrement:argument defaultinterface defaultobjectpage defaultobjectreference defcatcodecommand defconvertedargument defconvertedvalue defineactivecharacter definealternativestyle defineanchor defineattribute definebackground definebar definebreakpoint definebreakpoints definebtxxedinebutton definebutton definecapitals definecollector | \decrementedcounter [] \decrementpagenumber \decrementsubpagenumber \decrement cd:parentheses-s \defaultinterface \defaultobjectpage \defaultobjectpage \defaultobjectreference \defconvertedargument \ \ |
| decrementsubpagenumber decrementvalue decrement:argument defaultinterface defaultobjectpage defaultobjectreference defcatcodecommand defconvertedargument defconvertedvalue defineactivecharacter definealternativestyle defineattribute defineattribute definebarkground definebar definebreakpoints definebtxvataset definebtxvester definebtxvester definebtxvester definebtxvester definebtxont definebtxont definebreakpoints definebtxont definebtxregister definebutton definecapitals definecollector definecomment | \decrementedcounter [] \decrementpagenumber \decrementsubpagenumber \decrement cd:parentheses-s \defaultinterface \defaultobjectpage \defaultobjectpage \defaultobjectreference \defconvertedargument \ \ |
| decrementsubpagenumber decrementsubpagenumber decrement:argument defaultinterface defaultobjectpage defaultobjectreference defcatcodecommand defconvertedargument defconvertedvalue defineactivecharacter definealternativestyle defineanchor defineattribute definebackground definebar definebreakpoint definebreakpoints definebtxregister definebutton definecollector definecollector definecollector definecollector definecollector | <pre>\decrementedcounter [] \decrementpagenumber \decrementsubpagenumber \decrement cd:parentheses-s \defaultinterface \defaultobjectpage \defaultobjectreference \defconvertedargument \ \ \defconverteddraument \\ \defconvertedvalue \ \ \defineattribute [] [] [] \defineattribute [] [] \definebackground [] [] \definebackground [] [] \definebreakpoints [] \definebtxregister [] [] \definebtxregister [] [] \definebtxrendering [] [] \definebutton [] [] \definecolumnbreak [] [] [] [] \definecolumnbreak [] [] [</pre> |

| definecomplexorsimpleempty:argument | \definecomplexorsimpleempty \{\ldots\} |
|-------------------------------------|--|
| definecomplexorsimple:argument | \definecomplexorsimple \{\ldots\} |
| defineconversionset | \defineconversionset [] [] |
| definecounter | \definecounter [] [=] |
| definedataset | \definedataset [] [] [=] |
| definedelimitedtext | \definedelimitedtext [] [] [=] |
| definedfont | \definedfont [] |
| defineeffect | \defineeffect [] [] [=] |
| defineexpandable | \defineexpandable [] \ {} |
| defineexternalfigure | \defineexternalfigure [] [] [=] |
| definefallbackfamily | \definefallbackfamily [] [] [] [=] |
| definefallbackfamily:preset | \definefallbackfamily [] [] [] |
| definefieldbody | \definefieldbody [] [] [] |
| definefieldbodyset | \definefieldbodyset [] [] |
| definefieldcategory | \definefieldcategory [] [=] |
| definefileconstant | \definefileconstant \{\ldots\} \\.\} |
| definefilefallback | \definefilefallback [] [] |
| definefilesynonym | \definefilesynonym [] [] |
| definefiller | \definefiller [] [] |
| definefirstline | \definefirstline [] [=] |
| definefittingpage | \definefittingpage [] [=] |
| definefontalternative | \definefontalternative [] |
| definefontfallback | \definefontfallback [] [] [] [=] |
| definefontfamily | \definefontfamily [] [] [=] |
| definefontfamilypreset | \definefontfamilypreset [] [=] |
| definefontfamilypreset:name | \definefontfamilypreset [] [] |
| definefontfamily:preset | \definefontfamily [] [] [] |
| definefontfeature | \definefontfeature [] [] [=] |
| definefontfile | \definefontfile [] [=] |
| definefontsize | \definefontsize [] |
| definefontsolution | \definefontsolution [] [] [=] |
| defineformula | \defineformula [] [=] |
| defineformulaalternative | \defineformulaalternative [] [] |
| defineformulaframed | \defineformulaframed [] [=] |
| defineframedcontent | \defineframedcontent [] [] [=] |
| defineframedtable | \defineframedtable [] [] |
| definefrozenfont | \definefrozenfont [] [] |
| defineglobalcolor | \defineglobalcolor [] [=] |
| defineglobalcolor:name | \defineglobalcolor [] [] |
| definegraphictypesynonym | \definegraphictypesynonym [] [] |
| definegridsnapping | \definegridsnapping [] [] |
| defineheadalternative | \defineheadalternative [] [] [=] |
| definehelp | \definehelp [] [=] |
| definehigh | \definehigh [] [=] |
| definehighlight | \definehighlight [] [] [=] |
| definehspace | \definehspace [] [] |
| definehypenationfeatures | \definehypenationfeatures [] [=] |
| definecharacterkerning | \definecharacterkerning [] [] [=] |
| definecharacterspacing | \definecharacterspacing [] |
| definechemical | \definechemical [] {} |
| definechemicals | \definechemicals [] [] [=] |
| definechemicalsymbol | \definechemicalsymbol [] [] |
| defineindentedtext | \defineindentedtext [] [] [=] |
| defineindenting | \defineindenting [] [] |
| defineinitial | \defineinitial [] [=] |
| defineinsertion | \defineinsertion [] [] |
| defineinteraction | \defineinteraction [] [=] |
| defineinteractionbar | \defineinteractionbar [] [] [=] |
| defineinterfaceconstant | \defineinterfaceconstant {} {} |
| defineinterfaceelement | \defineinterfaceelement \{\ldots\} \{\ldots\} |
| defineinterfacevariable | \defineinterfacevariable \{\ldots\} \{\ldots\} |
| defineinterlinespace | \defineinterlinespace [] [] [=] |
| defineintermediatecolor | \defineintermediatecolor [] [] [=] |
| defineitemgroup | \defineitemgroup [] [=] |
| defineitems | \defineitems [] [=] |
| definelabelclass | \definelabelclass [] [] |
| definelayer | \definelayer [] [=] |
| definelayerpreset | \definelayerpreset [] [=] |
| definelayerpreset:name | \definelayerpreset [] [] |
| definelayout | \definelayout [] [] |
| definelinefiller | \definelinefiller [] [=] |
| definelinenote | \definelinenote [] [] [=] |
| definelinenumbering | \definelinenumbering [] [=] |
| definelines | \definelines [] [=] |
| definelistalternative | \definelistalternative [] [] [=] |

| definelistextra | \definelistextra [] [=] |
|---|--|
| definelow | \definelow [] [=] |
| definelowhigh | \definelowhigh [] [=] |
| definelowmidhigh | \definelowmidhigh [] [=] |
| defineMPinstance | \defineMPinstance [] [=] |
| definemarginblock | \definemarginblock [] [=] |
| definemargindata | \definemargindata [] [=] |
| definemarker | \definemarker [] |
| definemathaccent | \definemathaccent |
| definemathalignment | \definemathalignment [] [=] |
| definemathcases | \definemathcases [] [=] |
| definemathcommand | \definemathcommand [] [] {} |
| definemathdouble | \definemathdouble [] [] [] |
| definemathdoubleextensible | \definemathdoubleextensible [] [] [] |
| definemathematics | \definemathematics [] [=] |
| definemathextensible | \definemathextensible [] [] |
| definemathfence | \definemathfence [] [=] |
| definemathfraction | \definemathfraction [] [=] |
| definemathframed | \definemathframed [] [=] |
| definemathmatrix | \definemathmatrix [] [=] |
| definemathornament | \definemathornament [] [=] |
| definemathover | \definemathover [] [] |
| definemathoverextensible | \definemathoverextensible [] [] |
| definemathovertextextensible | \definemathovertextextensible [] [] |
| definemathradical | \definemathradical [] [] [=] |
| definemathstackers | \definemathstackers [] [] [] |
| definemathstyle | \definemathstyle [] [] |
| definemathtriplet | \definemathtriplet [] [] |
| definemathunder | \definemathunder [] [] |
| definemathunderextensible | \definemathunder [] [] \definemathunderextensible [] [] [] |
| definemathundertextensible | \definemathundertextextensible [] [] \. |
| definemathunstacked | \definemathunstacked [] [] [] |
| definemeasure | \definemathunstacked [] [] \definemeasure [] [] |
| | |
| definemessageconstant | \definemessageconstant {} |
| definemixedcolumns | \definemixedcolumns [] [] [=] \definemode [] [] |
| definemode | |
| definemultitonecolor | \definemultitonecolor [] [=] [=] |
| definenamedcolor | \definenamedcolor [] [=] |
| definenamedcolor:name | \definenamedcolor [] |
| definenamespace | \definenamespace [] [=] |
| definenarrower | \definenarrower [] [=] |
| definenote | \definenote [] [=] |
| defineornament:collector | \defineornament [] [=] |
| defineornament:layer | \defineornament [] [=] |
| defineoutputroutine | \defineoutputroutine [] [=] |
| defineoutputroutinecommand | \defineoutputroutinecommand [] |
| definepage | \definepage [] [] |
| definepagebreak | \definepagebreak [] [] |
| definepagegrid | \definepagegrid [] [=] |
| definepagegridarea | \definepagegridarea [] [=] |
| definepagegridspan | \definepagegridspan [] [=] |
| definepagechecker | \definepagechecker [] [] [=] |
| definepageinjection | \definepageinjection [] [=] |
| definepageinjectionalternative | \definepageinjectionalternative [] [] [=] |
| definepageshift | \definepageshift [] [] |
| definepagestate | \definepagestate [] [=] |
| definepairedbox | \definepairedbox [] [=] |
| defineparagraph | \defineparagraph [] [=] |
| defineparallel | \defineparallel [] |
| defineparbuilder | \defineparbuilder [] |
| defineplacement | \defineplacement [] [=] |
| definepositioning | \definepositioning [] [=] |
| defineprefixset | \defineprefixset [] [] |
| defineprocesscolor | \defineprocesscolor [] [=] |
| defineprocessor | \defineprocessor [] [] [=] |
| definepushbutton | \definepushbutton [] [=] |
| definepushsymbol | \definepushsymbol [] |
| definerenderingwindow | \definerenderingwindow [] [] [=] |
| defineresetset | \defineresetset [] [] |
| definescale | \definescale [] [=] |
| definescript | \definescript [] [=] |
| definesectionlevels | \definesectionlevels [] |
| defineselector | \defineselector [] [=] |
| defineseparatorset | \defineseparatorset [] [] [] |
| 4 ** * * * * * * * * * * * * * * * * * | \defineshift [] [=] |

| definesidebar | \definesidebar [] [=] |
|--|--|
| definesort | \definesort [] [] {} |
| definespotcolor | \definespotcolor [] [] [] |
| definestyleinstance definesubformula | \definestyleinstance [] [] [] \definesubformula [] [=] |
| definesynonym | \definesynonym [] [] {} {} |
| definesystemattribute | \definesystemattribute [] [] |
| definesystemconstant | \definesystemconstant {} |
| definesystemvariable | \definesystemvariable {} |
| defineTABLEsetup | \defineTABLEsetup [] [=] |
| definetabulation | \definetabulation [] [] [] |
| definetextbackground definetextflow | \definetextbackground [] [] [=] \definetextflow [] [] [=] |
| definetooltip | \definetooltip [] [=] |
| definetransparency:1 | \definetransparency [] [] |
| definetransparency:2 | \definetransparency [] [=] |
| definetransparency:3 | \definetransparency [] |
| definetwopasslist | \definetwopasslist {} |
| definetype | \definetype [] [=.] |
| definetypeface definetypescriptprefix | \definetypeface [] [] [] [] [] \definetypescriptprefix [] [] |
| definetypescriptsynonym | \definetypescriptsynonym [] [] |
| definetypesetting | \definetypesetting [] [=] |
| defineunit | \defineunit [] [=] |
| defineviewerlayer | \defineviewerlayer [] [=] |
| definevspace | \definevspace [] [] |
| definevspacing | \definevspacing [] [] |
| definevspacingamount definextable | \definevspacingamount [] [] \definextable [] [=] |
| definuj | \definuj [] \ {} |
| definujakcent | \definujakcent |
| definujbarvu | \definujbarvu [] [=] |
| definujbarvu:name | \definujbarvu [] |
| definujblok | \definujblok [] [=] |
| definujbloksekce | \definujbloksekce [] [] [] |
| definujbuffer definujfont | \definujbuffer [] [] [=] \definujfont [] [] [=] |
| definujfont: definujfont:argument | \definujfont [] [] \definujfont [] [] |
| definujformatodkazu | \definujformatodkazu [] [=] |
| definujhbox | \definujhbox [] [] |
| definujinterakcnimenu | \definujinterakcnimenu [] [] [=] |
| definujkombinovanyseznam | \definujkombinovanyseznam [] [] [=] |
| definujkonverzi | \definujkonverzi [] [] |
| definujkonverzi:list definujnadpis | \definujkonverzi [] [] \definujnadpis [] [] [=] |
| definujobrazeksymbol | \definujobrazeksymbol [] [=] |
| definujodkaz | \definujodkaz [] |
| definujodstavce | \definujodstavce [] [=] |
| definujopis | \definujopis [] [=] |
| definujoramovani | \definujoramovani [] [=] |
| definujoramovanytext | \definujoramovanytext [] [] [=] |
| definujpaletu definujpaletu:name | \definujpaletu [] [=] \definujpaletu [] [] |
| definujplvouciobjekt | \definujplvouciobjekt [] [] [=] |
| definujplvouciobjekt:name | \definujplvouciobjekt [] [] |
| definujpodpole | \definujpodpole [] [] |
| definujpole | \definujpole [] [] [] [] |
| definujpopis | \definujpopis [] [=] |
| definujpopisek | \definujpopisek [] [=] |
| definujprekryv definujprikaz | \definujprekryv [] [] \definujprikaz |
| definujprofil | \definujprofil [] [=] |
| definujprogram | \definujprogram [] [] |
| definujprostredizakladnihofontu | \definujprostredizakladnihofontu [] [] [=] |
| definujrejstrik | \definujrejstrik [] [=] |
| definujsablonutabulky | \definujsablonutabulky [] [] [] |
| definujsekci | \definujsekci [] |
| definujseznam definujskupinubarev | \definujseznam [] [] [] [x:y:z,] |
| definujstartstop | \definujstartstop [] [] [] |
| definujstyl | \definujstyl [] [=] |
| definujstylfontu | \definujstylfontu [] |
| definujsymbol | \definujsymbol [] [] |
| definujsynonumumfontu | \definujsynonumumfontu [] [=] |
| definujsynonyma | \definujsynonyma [] [] [] |

| definujtabelaci | \definujtabelaci [] [] |
|-----------------------------------|--|
| definujtext | \definujtext [] [] [] [] [] [] |
| | |
| definujtrideni | \definujtrideni [] [] |
| definujupravu | \definujupravu [] [=] |
| definujvelikostpapiru | \definujvelikostpapiru [] [=] |
| definujvelikostpapiru:name | \definujvelikostpapiru [] [] |
| | |
| definujvycet | \definujvycet [] [=] |
| definujzakladnifont | \definujzakladnifont [] [] [] |
| definujzakladnifont:argument | \definujzakladnifont [] [] [] |
| definujzasobnikpoli | \definujzasobnikpoli [] [] [=] |
| | \definujznaceni [] [] [] |
| definujznaceni | |
| definujznak | \definujznak |
| delimited | \delimited [] [] {} |
| delimitedtext | \delimitedtext [] [] {} |
| delimitedtext:instance | \DELIMITEDTEXT [] {} |
| | |
| delimitedtext:instance:aside | \aside [] {} |
| delimitedtext:instance:blockquote | \blockquote [] {} |
| delimitedtext:instance:quotation | \quotation [] {} |
| - | = |
| delimitedtext:instance:quote | \quote [] {} |
| delimitedtext:instance:speech | \speech [] {} |
| delkaseznamu | \delkaseznamu |
| depthofstring | \depthofstring {} |
| 1 0 | \depthonlybox {} |
| depthonlybox | - · · |
| depthspanningtext | \depthspanningtext \{\ldots\} \{\ldots\} |
| depthstrut | \depthstrut |
| determinenoflines | \determinenoflines {} |
| | |
| devanagarinumerals | \devanagarinumerals {} |
| digits | \digits {} |
| digits:string | \digits |
| dimensiontocount | \dimensiontocount {} \ |
| | |
| directboxfromcache | \directboxfromcache \{\ldots\} \{\ldots\} |
| directcolor | \directcolor [] |
| directcolored | \directcolored [=] |
| directcolored:name | \directcolored [] |
| | |
| directconvertedcounter | \directconvertedcounter {} {} |
| directcopyboxfromcache | \directcopyboxfromcache {} {} |
| directdummyparameter | \directdummyparameter {} |
| directgetboxllx | \directgetboxllx |
| - | \directgetboxlly |
| directgetboxlly | |
| directhighlight | \directhighlight {} {} |
| directlocalframed | \directlocalframed [] {} |
| directluacode | \directluacode {} |
| directselect | \directselect \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| directsetbar | \directsetbar {} OPT OPT OPT OPT OPT |
| 1 | (dirocoboubar () |
| directsetup | \directsetup {} |
| directsymbol | \directsymbol \{\ldots\} |
| directvspacing | \directvspacing \{\} |
| dis | \dis {} |
| disabledirectives | \disabledirectives [] |
| disableexperiments | \disableexperiments [] |
| - | |
| disablemode | \disablemode [] |
| disableoutputstream | \disableoutputstream |
| disableparpositions | \disableparpositions |
| disableregime | \disableregime |
| disabletrackers | \disabletrackers [] |
| displaymath | \displaymath {} |
| - · | |
| displaymathematics | \displaymathematics {} |
| displaymessage | \displaymessage {} |
| distributedhsize | \distributedhsize \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| dividedsize | \dividedsize \{\} \\ \{\} |
| doadaptleftskip | \doadaptleftskip {} |
| doadaptrightskip | \doadaptrightskip {} |
| . • . | |
| doaddfeature | \doaddfeature {} |
| doassign | \doassign [] [=] |
| doassignempty | \doassignempty [] [=] |
| doboundtext | \doboundtext {} {} {} |
| documentvariable | \documentvariable {} |
| | |
| dodoubleargument | \dodoubleargument \ [] |
| dodoubleargumentwithset | \dodoubleargumentwithset \ [] [] |
| dodoubleempty | \dodoubleempty \ [] |
| dodoubleemptywithset | \dodoubleemptywithset \ [] [] |
| dodoublegroupempty | \dodoublegroupempty \ \{\} \{\} |
| 0 1 1 1 | |
| doeassign | \doeassign [] [=] |
| doexpandedrecurse | \doexpandedrecurse \{\ldots\} |
| dofastloopcs | \dofastloopcs {} \ |

| dogetattribute | \dogetattribute {} |
|-------------------------------|--|
| dogetattributeid | \dogetattributeid {} |
| dogetcommacommandelement | \dogetcommacommandelement \from \to \ |
| dogobbledoubleempty | \dogobbledoubleempty [] [] |
| dogobblesingleempty | \dogobblesingleempty [] |
| docheckassignment | \docheckassignment {} |
| docheckedpagestate | \docheckedpagestate {} {} {} {} {} {} |
| docheckedpair | \docheckedpair {} |
| doif | \doif {} {} {} |
| doifallcommon | \doifallcommon {} {} {} |
| doifallcommonelse | \doifallcommonelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| doifalldefinedelse | \doifalldefinedelse {} {} |
| doifallmodes | \doifallmodes {} {} |
| doifallmodeselse | \doifallmodeselse {} {} |
| doifassignmentelse | \doifassignmentelse {} {} |
| doifblackelse | \doifblackelse {} {} |
| doifbothsides | \doifbothsides {} {} {} |
| doifbothsidesoverruled | \doifbothsidesoverruled {} {} {} |
| doifboxelse | \doifboxelse {} {} {} |
| doifbufferelse | \doifbufferelse \{\ldots\} \\\.\\ |
| doifcolor | \doifcolor {} {} |
| doifcolorelse | \doifcolorelse {} {} |
| doifcommandhandler | \doifcommandhandler \ \{\} |
| doifcommandhandlerelse | \doifcommandhandlerelse \ \{\} \{\} |
| doifcommon | \doifcommon {} {} {} |
| doifcommonelse | \doifcommonelse {} {} {} |
| doifcontent | \doifcontent {} {} \ {} |
| doifconversiondefinedelse | \doifconversiondefinedelse \{\ldots\} \\ \\.\\\ |
| doifconversionnumberelse | \doifconversionnumberelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| doifcounter | \doifcounter {} {} |
| doifcounterelse | \doifcounterelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| doifcurrentfonthasfeatureelse | \doifcurrentfonthasfeatureelse \{\ldots\} \\\ |
| doifdefined | \doifdefined \{\ldots\} \\ \\.\\ |
| doifdefinedcounter | \doifdefinedcounter \{\ldots\\} |
| doifdefinedcounterelse | \doifdefinedcounterelse {} {} {} |
| doifdefinedelse | \doifdefinedelse {} {} |
| doifdimensionelse | \doifdimensionelse \{\doifdimensionelse \{\doifdime |
| doifdimenstringelse | \doifdimenstringelse {} {} {} |
| doifdocumentargument | \doifdocumentargument {} {} |
| doifdocumentargumentelse | \doifdocumentargumentelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| doifdocumentfilename | \doifdocumentfilename {} {} |
| doifdocumentfilenameelse | \doifdocumentfilenameelse {} {} {} |
| doifdrawingblackelse | \doifdrawingblackelse {} {} |
| doifelse | \doifelse {} {} {} |
| doifelseallcommon | \doifelseallcommon {} {} {} |
| doifelsealldefined | \doifelsealldefined \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| doifelseallmodes | \doifelseallmodes {} {} {} |
| doifelseassignment | \doifelseassignment \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| doifelseblack | \doifelseblack {} {} |
| doifelsebox | \doifelsebox {} {} {} |
| doifelseboxincache | \doifelseboxincache {} {} {} {} |
| doifelsebuffer | \doifelsebuffer {} {} {} |
| doifelsecolor | \doifelsecolor {} {} {} |
| doifelsecommandhandler | \doifelsecommandhandler \ \{\} \{\} |
| doifelsecommon | \doifelsecommon {} {} {} {} |
| doifelseconversiondefined | \doifelseconversiondefined \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| doifelseconversionnumber | \doifelseconversionnumber \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| doifelsecounter | \doifelsecounter {} {} {} |
| doifelsecurrentfonthasfeature | \doifelsecurrentfonthasfeature \{\ldots\} \\\.\} |
| doifelsecurrentsortingused | \doifelsecurrentsortingused \{\ldots\} \\\ |
| doifelsecurrentsynonymshown | \doifelsecurrentsynonymshown \{\ldots\} \\\.\} |
| doifelsecurrentsynonymused | \doifelsecurrentsynonymused {} {} |
| doifelsedefined | \doifelsedefined \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| doifelsedefinedcounter | \doifelsedefinedcounter \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| doifelsedimension | \doifelsedimension \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| doifelsedimenstring | \doifelsedimenstring \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| doifelsedocumentargument | \doifelsedocumentargument \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| doifelsedocumentfilename | \doifelsedocumentfilename \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| doifelsedrawingblack | \doifelsedrawingblack \{\ldots\} \\\ |
| doifelseempty | \doifelseempty {} {} |
| doifelseemptyvalue | \doifelseemptyvalue {} {} {} |
| doifelseemptyvariable | \doifelseemptyvariable \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| doifelseenv | \doifelseenv \{\} \\doifelseenv \{\} \ |
| doifelsefastoptionalcheck | \doifelsefastoptionalcheck \{\ldots\} \\\ |
| doifelsefastoptionalcheckcs | \doifelsefastoptionalchecks \ \ |
| doll close to a confidence | /goliciserasoobolougicuecycs / / |

| doifelsefieldbody | \doifelsefieldbody {} {} |
|------------------------------|--|
| doifelsefieldcategory | \doifelsefieldcategory \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| doifelsefigure | \doifelsefigure {} {} |
| doifelsefile | \doifelsefile {} {} |
| doifelsefiledefined | \doifelsefiledefined \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| doifelsefileexists | \doifelsefileexists \{\ldots\} \\\ \ldots\} |
| doifelsefirstchar | \doifelsefirstchar \{\} \\\.\} \\\.\} |
| | |
| doifelseflagged | \doifelseflagged \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| doifelsefontchar | \doifelsefontchar \{\} \{\} \{\} |
| doifelsefontpresent | \doifelsefontpresent \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| doifelsefontsynonym | $\doifelsefontsynonym {} {}$ |
| doifelsehasspace | \doifelsehasspace {} {} {} |
| doifelsehelp | \doifelsehelp {} {} |
| doifelseincsname | \doifelseincsname {} {} {} |
| doifelseinelement | \doifelseinelement \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| doifelseinputfile | \doifelseinputfile \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| doifelseinsertion | \doifelseinsertion \{\ldots\} \{\ldots\} \{\ldots\} |
| doifelseinset | \doifelseinset \{\} \\\.\.\\\\.\.\\\\.\.\\\\\\\\\\\ |
| | |
| doifelseinstring | \doifelseinstring \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| doifelseinsymbolset | \doifelseinsymbolset \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| doifelseintoks | \doifelseintoks \{\} \{\} \{\} |
| doifelseintwopassdata | \doifelseintwopassdata $\{\}$ $\{\}$ $\{\}$ |
| doifelseitalic | \doifelseitalic {} {} |
| doifelselanguage | \doifelselanguage {} {} |
| doifelselayerdata | \doifelselayerdata {} {} {} |
| doifelselayoutdefined | \doifelselayoutdefined \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| doifelselayoutsomeline | \doifelselayoutsomeline \{\ldots\} \\\ \\ \\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| · · | |
| doifelselayouttextline | \doifelselayouttextline \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| doifelseleapyear | \doifelseleapyear \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| doifelselist | \doifelselist \{\ldots\} \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \ |
| doifelselocation | \doifelselocation \{\} |
| doifelselocfile | \doifelselocfile {} {} |
| doifelseMPgraphic | \doifelseMPgraphic {} {} |
| doifelsemainfloatbody | \doifelsemainfloatbody \{\ldots\} \\ |
| doifelsemarkedpage | \doifelsemarkedpage {} {} {} |
| doifelsemarking | \doifelsemarking \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| doifelsemeaning | \doifelsemeaning \ \ \{} \{} |
| doifelsemessage | \doifelsemessage \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| <u> </u> | |
| doifelsemode | \doifelsemode {} {} {} |
| doifelsenextbgroup | \doifelsenextbgroup {} {} |
| doifelsenextbgroupcs | \doifelsenextbgroupcs \ \ |
| doifelsenextchar | \doifelsenextchar \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| doifelsenextoptional | \doifelsenextoptional $\{\ldots\}$ $\{\ldots\}$ |
| doifelsenextoptionalcs | \doifelsenextoptionalcs \ \ |
| doifelsenextparenthesis | \doifelsenextparenthesis {} {} |
| doifelsenonzeropositive | \doifelsenonzeropositive {} {} {} |
| doifelsenoteonsamepage | \doifelsenoteonsamepage \{\ldots\} \{\ldots\} \{\ldots\} |
| doifelsenothing | \doifelsenothing \{\ldots\} \\\.\\\ |
| <u> </u> | \doifelsenumber \{\} \{\} |
| doifelsenumber | |
| doifelseobjectfound | \doifelseobjectfound \{\ldots\} \{\ldots\} \{\ldots\} \{\ldots\} |
| doifelseobjectreferencefound | \doifelseobjectreferencefound \{\ldots\} \{\ldots\} \{\ldots\} \\ |
| doifelseoddpage | \doifelseoddpage {} {} |
| doifelseoddpagefloat | \doifelseoddpagefloat {} {} |
| doifelseoldercontext | \doifelseoldercontext \{\ldots\} \{\ldots\} |
| doifelseolderversion | \doifelseolderversion $\{\ldots\}$ $\{\ldots\}$ $\{\ldots\}$ |
| doifelseoverlapping | \doifelseoverlapping {} {} {} |
| doifelseoverlay | \doifelseoverlay \{\ldots\} \\\.\} |
| doifelseparallel | \doifelseparallel {} {} {} |
| doifelseparentfile | \doifelseparentfile \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| | |
| doifelsepath | \doifelsepath \{\} \{\} |
| doifelsepathexists | \doifelsepathexists \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| doifelsepatterns | \doifelsepatterns \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| doifelseposition | \doifelseposition $\{\ldots\}$ $\{\ldots\}$ |
| doifelsepositionaction | \doifelsepositionaction $\{\ldots\}$ $\{\ldots\}$ |
| doifelsepositiononpage | \doifelsepositiononpage $\{\}$ $\{\}$ $\{\}$ |
| doifelsepositionsonsamepage | \doifelsepositionsonsamepage {} {} {} |
| doifelsepositionsonthispage | \doifelsepositionsonthispage \{\ldots\} \{\ldots\} \{\ldots\} |
| doifelsepositionsused | \doifelsepositionsused \{\ldots\} \{\ldots\} |
| doifelsereferencefound | \doifelsereferencefound \{\ldots\} \{\ldots\} \{\ldots\} |
| | |
| doifelserightpagefloat | \doifelserightpagefloat {} {} |
| doifelserighttoleftinbox | \doifelserighttoleftinbox \{\} |
| doifelsesamelinereference | \doifelsesamelinereference \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| doifelsesamestring | \doifelsesamestring \{\} \{\} \{\} |
| doifelsesetups | \doifelsesetups {} {} |
| doifelsesomebackground | $\doing 1 = \doing 2 $ |
| | |

| doifelsesomespace | \doifelsesomespace {} {} {} |
|--|--|
| doifelsesomething | \doifelsesomething \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| doifelsesometoks | \doifelsesometoks \ \{} \{} |
| doifelsestringinstring | \doifelsestringinstring $\{\}$ $\{\}$ $\{\}$ |
| doifelsestructurelisthasnumber | $\doing 1 = \doing 2 $ |
| doifelsestructurelisthaspage | \doifelsestructurelisthaspage \{\ldots\} \{\ldots\} |
| doifelsesymboldefined | \doifelsesymboldefined \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| doifelsesymbolset | \doifelsesymbolset \{\ldots\} \{\ldots\} \{\ldots\} |
| doifelsetext | \doifelsetext {} {} {} |
| doifelsetextflow | \doifelsetextflow \{\ldots\} \{\ldots\} \\ |
| doifelsetextflowcollector | \doifelsetextflowcollector {} {} {} |
| doifelsetopofpage | \doifelsetopofpage \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| doifelsetypingfile | \doifelsetypingfile \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| doifelseundefined | \doifelseundefined \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| doifelseurldefined | \doifelseurldefined \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| doifelsevalue | \doifelsevalue \{\ldots\} \\\doifelsevalue \{\ldots\} \\doifelsevalue \{\ldots\} \doifelsevalue \{\ldots\} \\doifelsevalue \{\ldots\} |
| doifelsevaluenothing doifelsevariable | \doifelsevaluenothing \{\} \{\} \\doifelsevariable \{\} \{\} \{\} |
| | \doifenpty \{\ldots \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| doifempty doifemptyelse | \doifemptyelse {} {} |
| doifemptytoks | \doifemptytoks \ \{\} |
| doifemptyvalue | \doifemptyvalue \\\\.\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| doifemptyvalueelse | \doifemptyvalueelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| doifemptyvariable | \doifemptyvariable \{\doifemptyvariable \{\doifempt |
| doifemptyvariableelse | \doifemptyvariableelse \{\} \{\} \{\} |
| doifenv | \doifenv {} {} |
| doifenvelse | \doifenvelse \{\} \{\} |
| doiffastoptionalcheckcselse | \doiffastoptionalcheckcselse \ \ |
| doiffastoptionalcheckelse | \doiffastoptionalcheckelse {} {} |
| doiffieldbodyelse | \doiffieldbodyelse {} {} |
| doiffieldcategoryelse | \doiffieldcategoryelse {} {} |
| doiffigureelse | \doiffigureelse {} {} {} |
| doiffile | \doiffile {} {} |
| doiffiledefinedelse | \doiffiledefinedelse {} {} {} |
| doiffileelse | \doiffileelse {} {} {} |
| doiffileexistselse | \doiffileexistselse $\{\}$ $\{\}$ |
| doiffirstcharelse | \doiffirstcharelse $\{\}$ $\{\}$ $\{\}$ |
| doifflaggedelse | \doifflaggedelse {} {} |
| doiffontcharelse | \doiffontcharelse $\{\}$ $\{\}$ $\{\}$ |
| doiffontpresentelse | \doiffontpresentelse \{\ldots\} \{\ldots\} \\ |
| doiffontsynonymelse | \doiffontsynonymelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| doifhasspaceelse | \doifhasspaceelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| doifhelpelse | \doifhelpelse \{\ldots\} \\\ |
| doifincsnameelse | \doifincsnameelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| doifinelementelse | \doifinelementelse \{\ldots\} \\\.\\ |
| doifinputfileelse | \doifinputfileelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| doifinsertionelse doifinset | \doifinset {} {} {} |
| doifinsetelse | \doifinset \(\lambda \cdots \cdot \c |
| doifinstring | \doifinstring \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| doifinstringelse | \doifinstring \(\(\cdot\) \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| doifinsymbolset | \doifinsymbolset \{\doifinsymbolset \{\doifinsymbol |
| doifinsymbolsetelse | \doifinsymbolsetelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| doifintokselse | \doifintokselse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| doifintwopassdataelse | \doifintwopassdataelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| doifitalicelse | \doifitalicelse {} {} |
| doiflanguageelse | \doiflanguageelse {} {} |
| doiflayerdataelse | \doiflayerdataelse {} {} {} |
| doiflayoutdefinedelse | \doiflayoutdefinedelse $\{\}$ $\{\}$ |
| doiflayoutsomelineelse | \doiflayoutsomelineelse $\{\}$ $\{\}$ |
| doiflayouttextlineelse | \doiflayouttextlineelse $\{\}$ $\{\}$ |
| doifleapyearelse | \doifleapyearelse $\{\}$ $\{\}$ |
| doiflistelse | \doiflistelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| doiflocationelse | \doiflocationelse \{\ldots\} \\\ |
| doiflocfileelse | \doiflocfileelse {} {} {} |
| doifMPgraphicelse | \doifMPgraphicelse {} {} |
| doifmainfloatbodyelse | \doifmainfloatbodyelse \{\ldots\} \\.\\ |
| doifmarkingelse | \doifmarkingelse \{\ldot\lambda\} \\doifmarkingelse \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| doifmeaningelse | \doifmossageolse \ \ \ \ \ \ \ \ \ \ \ \ \ |
| doifmessageelse doifmode | \doifmessageelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| doifmodeelse | \doifmodeelse \{\ldots\} \\\.\} |
| doifnextbgroupcselse | \doifnextbgroupcselse \ \ |
| doifnextbgroupelse | \doifnextbgroupelse \\ |
| doifnextcharelse | \doifnextcharelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| | |

| doifnextoptionalcselse | \doifnextoptionalcselse \ \ |
|--|--|
| doifnextoptionalelse | \doifnextoptionalelse \{\ldots\} |
| doifnextparenthesiselse | \doifnextparenthesiselse $\{\ldots\}$ $\{\ldots\}$ |
| doifnonzeropositiveelse | \doifnonzeropositiveelse $\{\ldots\}$ $\{\ldots\}$ |
| doifnot | \doifnot {} {} |
| doifnotallcommon | \doifnotallcommon $\{\}$ $\{\}$ |
| doifnotallmodes | \doifnotallmodes $\{\}$ $\{\}$ |
| doifnotcommandhandler | \doifnotcommandhandler \ \{\} \{\} |
| doifnotcommon | \doifnotcommon $\{\}$ $\{\}$ |
| doifnotcounter | \doifnotcounter {} {} |
| doifnotdocumentargument | \doifnotdocumentargument \{\ldots\} \{\ldots\} |
| doifnotdocumentfilename | \doifnotdocumentfilename {} {} |
| doifnotempty | \doifnotempty \{\ldots\} |
| doifnotemptyvalue | \doifnotemptyvalue {} {} |
| doifnotemptyvariable | \doifnotemptyvariable $\{\ldots\}$ $\{\ldots\}$ |
| doifnotenv | \doifnotenv \{\ldots\} |
| doifnoteonsamepageelse | \doifnoteonsamepageelse \{\ldots\} \{\ldots\} \{\ldots\} |
| doifnotescollected | \doifnotescollected {} {} |
| doifnotfile | \doifnotfile {} {} |
| doifnotflagged | \doifnotflagged \{\ldots\} |
| doifnothing | \doifnothing \{\ldots\} |
| doifnothingelse | \doifnothingelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| doifnotinset | \doifnotinset {} {} |
| doifnotinsidesplitfloat | \doifnotinsidesplitfloat {} |
| doifnotinstring | \doifnotinstring \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| doifnotmode | \doifnotmode \{\ldots\} \\\ |
| doifnotnumber | \doifnotnumber \{\ldots\} |
| doifnotsamestring | \doifnotsamestring \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| doifnotsetups | \doifnotsetups \{\ldots\} \\\.\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| doifnotvalue | \doifnotvalue \{\} \{\} |
| doifnotvariable | \doifnotvariable \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| doifnumber | \doifnumber \{\ldots\} |
| doifnumberelse | \doifnumberelse \{\ldots\} \\\doifn\ \doifn\ \ |
| doifobjectfoundelse | \doifobjectfoundelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| doifobjectreferencefoundelse | \doifoddproceles \\ \\} \\ \\!\\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\!\\ \\} \\ \\!\\ \\} \\ \\!\\ \\!\\ \\} \\ \\} \\ \\!\\ \\} \ |
| doifoddpageelse | \doifoddpageelse {} {} \doifoddpagefloatelse {} {} |
| doifoddpagefloatelse doifoldercontextelse | \doifoldercontextelse \\\\} \\\\} |
| doifolderversionelse | \doifolderversionelse \\\\} \\\\} \\\\} |
| doifoverlappingelse | \doifoverlappingelse \\\\} \\\.\\\\.\\\\.\\\\\\\\\\\\\\\ |
| doifoverlayelse | \doifoverlayelse \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| doifparallelelse | \doifparallelelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| doifparentfileelse | \doifparentfileelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| doifpathelse | \doifpathelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| doifpathexistselse | \doifpathexistselse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| doifpatternselse | \doifpatternselse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| doifposition | \doifposition {} {} {} |
| doifpositionaction | \doifpositionaction \{\ldots\} \{\ldots\} |
| doifpositionactionelse | \doifpositionactionelse {} {} {} |
| doifpositionelse | \doifpositionelse {} {} |
| doifpositiononpageelse | \doifpositiononpageelse {} {} {} {} |
| doifpositionsonsamepageelse | \doifpositionsonsamepageelse {} {} {} |
| doifpositionsonthispageelse | \doifpositionsonthispageelse {} {} {} |
| doifpositionsusedelse | \doifpositionsusedelse {} {} |
| doifreferencefoundelse | \doifreferencefoundelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| doifrightpagefloatelse | \doifrightpagefloatelse {} {} |
| doifrighttoleftinboxelse | \doifrighttoleftinboxelse {} {} |
| doifsamelinereferenceelse | \doifsamelinereferenceelse $\{\ldots\}$ $\{\ldots\}$ |
| doifsamestring | \doifsamestring $\{\}$ $\{\}$ |
| doifsamestringelse | \doifsamestringelse $\{\}$ $\{\}$ $\{\}$ |
| doifsetups | \doifsetups {} {} |
| doifsetupselse | \doifsetupselse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| doifsomebackground | \doifsomebackground \{\ldots\} \{\ldots\} |
| doifsomebackgroundelse | \doifsomebackgroundelse \{\ldots\} \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \ |
| doifsomespaceelse | \doifsomespaceelse {} {} {} |
| doifsomething | \doifsomething \{\ldots\} |
| doifsomethingelse | \doifsomethingelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| doifsometoks | \doifsometoks \ \{\} |
| doifsometokselse | \doifsometokselse \ \{\} \{\} |
| doifstringinstringelse | \doifstringinstringelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| doifstructurelisthasnumberelse | \doifstructurelisthasnumberelse \{\ldots\} \\doifstructurelisthasnumberelse \{\ldots\} \\doifstructurelisthasn |
| doifstructurelisthaspageelse | \doifstructurelisthaspageelse \{\ldots\} \\doifgrapholdefinedelse |
| doifsymboldefinedelse | \doifsymbolsetelse \{\doifsymbolsetelse \{\doifsymb |
| doifsymbolsetelse doiftext | \doifsymbolsetelse {} {} {} \doiftext {} {} |
| 4011 0040 | \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |

| 1 (0) 1 7 | |
|---------------------------------------|---|
| doiftextelse | \doiftextelse {} {} |
| doiftextflowcollectorelse | \doiftextflowcollectorelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| doiftextflowelse | \doiftextflowelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| doiftopofpageelse | \doiftopofpageelse {} {} |
| doiftypingfileelse | \doiftypingfileelse {} {} |
| doifundefined | \doifundefined \{\ldots\} \\\ |
| doifundefinedcounter | \doifundefinedcounter \{\ldots\}\\\ |
| doifundefinedelse | \doifundefinedcounter \(\(\cdot\) \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| | |
| doifurldefinedelse | \doifurldefinedelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| doifvalue | \doifvalue \{\} \{\} |
| doifvalueelse | \doifvalueelse \{\} \{\} \{\} |
| doifvaluenothing | \doifvaluenothing \{\ldots\} \\\ |
| doifvaluenothingelse | \doifvaluenothingelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| doifvaluesomething | \doifvaluesomething \{\ldots\} |
| doifvariable | \doifvariable \{\} \{\} |
| doifvariableelse | \doifvariableelse {} {} {} |
| doindentation | \doindentation |
| dollar | \dollar |
| | |
| doloop | \doloop {} |
| doloopoverlist | \doloopoverlist \{\ldots\} \\ |
| donothing | \donothing |
| dontconvertfont | \dontconvertfont |
| dontleavehmode | \dontleavehmode |
| dontpermitspacesbetweengroups | \dontpermitspacesbetweengroups |
| dopositionaction | \dopositionaction {} |
| doprocesslocalsetups | \doprocesslocalsetups {} |
| doquadrupleargument | \doquadrupleargument \ [] [] [] |
| | |
| doquadrupleempty | \doquadrupleempty \ [] [] [] |
| doquadruplegroupempty | \doquadruplegroupempty \ \{\} \{\} \{\} |
| doquintupleargument | \doquintupleargument \ [] [] [] [] |
| doquintupleempty | \doquintupleempty \ [] [] [] [] |
| doquintuplegroupempty | \doquintuplegroupempty \ \{\} \{\} \{\} \{\} |
| dorecurse | \dorecurse {} {} |
| dorechecknextindentation | \dorechecknextindentation |
| dorepeatwithcommand | \dorepeatwithcommand [] \ |
| doreplacefeature | \doreplacefeature {} |
| doresetandafffeature | \doresetandafffeature {} |
| doresetattribute | \doresetattribute {} |
| | |
| dorotatebox | \dorotatebox {} \ {} |
| dosetattribute | \dosetattribute \{\ldots\} \\\ |
| dosetleftskipadaption | \dosetleftskipadaption {} |
| dosetrightskipadaption | \dosetrightskipadaption {} |
| dosetupcheckedinterlinespace | \dosetupcheckedinterlinespace {=} |
| dosetupcheckedinterlinespace:argument | \dosetupcheckedinterlinespace {} |
| dosetupcheckedinterlinespace:name | \dosetupcheckedinterlinespace {} |
| doseventupleargument | \doseventupleargument \ [] [] [] [] [] [] |
| doseventupleempty | \doseventupleempty \ [] [] [] [] [] [] |
| <u> </u> | \dosingleargument \ [] |
| dosingleargument | |
| dosingleempty | \dosingleempty \ [] |
| dosinglegroupempty | \dosinglegroupempty \ {} |
| dosixtupleargument | \dosixtupleargument \ [] [] [] [] [] |
| dosixtupleempty | \dosixtupleempty \ [] [] [] [] [] |
| dostarttagged | \dostarttagged {} {} \dostoptagged |
| dostepwiserecurse | \dostepwiserecurse {} {} {} |
| dosubtractfeature | \dosubtractfeature {} |
| dotfskip | \dotfskip {} |
| dotoks | \dotoks \ |
| dotripleargument | \dotripleargument \ [] [] |
| | |
| dotripleargumentwithset | \dotripleargumentwithset \ [] [] |
| dotripleempty | \dotripleempty \ [] [] |
| dotripleemptywithset | \dotripleemptywithset \ [] [] |
| dotriplegroupempty | \dotriplegroupempty \ \{\} \{\} |
| doublebond | \doublebond |
| dowith | \dowith {} {} |
| dowithnextbox | \dowithnextbox {} \ {} |
| dowithnextboxcontent | \dowithnextboxcontent \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| dowithnextboxcontentcs | \dowithnextboxcontentcs \ \ \ \ \ |
| dowithnextboxcs | \dowithnextboxcs \ \ \ \ \ |
| | \dowithpargument \ |
| dowithpargument | |
| dowithrange | \dowithrange {} \ |
| dowithwargument | \dowithwargument \ |
| dpofstring | \dpofstring {} |
| dummydigit | \dummydigit |
| dummyparameter | \dummyparameter {} |
| ETEX | \ETEX |

| EveryLine | \EveryLine {} |
|---|--|
| EveryPar | \EveryPar {} |
| edefconvertedargument | \edefconvertedargument \ {} |
| efcmaxheight | \efcmaxheight {} |
| efcmaxwidth | \efcmaxwidth {} |
| efcminheight | \efcminheight {} |
| efcminwidth | \efcminwidth {} |
| <u>-</u> | \efcparameter {} {} |
| | \effect [] {} |
| - | \elapsedseconds |
| • | \elapsedtime |
| | \em |
| - | \emphasisboldface |
| - · · · · · · · · · · · · · · · · · · · | \emphasistypeface |
| - · | \emptylines [] |
| - | \emspace |
| | \enabledirectives [] |
| - | \enableexperiments [] |
| | \enablemode [] \enableoutputstream [] |
| <u>.</u> | - |
| | \enableparpositions \enableregime [] |
| <u> </u> | \enabletrackers [] |
| | \enskip |
| • | \enspace |
| • | \env {} |
| | \envvar {} {} |
| | \epos {} |
| | \equaldigits {} |
| | \eTeX |
| | \executeifdefined {} {} |
| | \exitloop |
| - | \exitloopnow |
| • | \expanded {} |
| - | \expandfontsynonym \ {} |
| | \expandcheckedcsname \ \{\} \{\} |
| - | \expdoif {} {} {} |
| | \expdoifcommonelse {} {} {} {} |
| | \expdoifelse {} {} {} |
| | \expdoifelsecommon {} {} {} {} |
| | \expdoifelseinset {} {} {} {} |
| | \expdoifinsetelse {} {} {} |
| expdoifnot | \expdoifnot {} {} |
| externalfigurecollectionmaxheight | \externalfigurecollectionmaxheight {} |
| externalfigurecollectionmaxwidth | \externalfigurecollectionmaxwidth {} |
| externalfigurecollectionminheight | \externalfigurecollectionminheight {} |
| | \externalfigurecollectionminwidth {} |
| externalfigurecollectionparameter | $\verb \externalfigurecollection parameter {} {}$ |
| externiobraz | \externiobraz [] [=] |
| fakebox | \fakebox |
| | \fastdecrement \ |
| | \fastincrement \ |
| | \fastlocalframed [] [=] {} |
| • | \fastloopfinal |
| • | \fastloopindex |
| | \fastscale {} {} |
| • | \fastsetup {} |
| | \fastsetupwithargument {} {} |
| | \fastsetupwithargumentswapped {} {} |
| · | \fastswitchtobodyfont {} |
| | \fastsxsy {} {} |
| | \feature [] [] |
| | \feature {} {} |
| | \fence |
| | \fenced [] {} |
| • | \FENCE \{\dagger_{\text{ings}}\\\ fotchallmarkings \[\] \[\] |
| | \fetchallmarkings [] [] |
| | \fetchallmarks [] |
| | \fetchmark [] [] |
| | \fetchmarking [] [] \fetchonemark [] [] |
| | \fetchonemark [] [] \fetchonemarking [] [] |
| | \fetchonemarking [] [] [] \fetchruntinecommand \ {} |
| | \fetchruntinecommand \ \ \ \fetchtwomarkings [] [] |
| | \fetchtwomarks [] \fetchtwomarks [] |
| | |

| fieldbody | \fieldbody [] [=] |
|--------------------------|---|
| fifthoffivearguments | \fifthoffivearguments \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| fifthofsixarguments | \fifthofsixarguments {} {} {} {} {} |
| figurefilename | \figurefilename |
| figurefilepath | \figurefilepath |
| figurefiletype | \figurefiletype |
| figurefullname | \figurefullname |
| figureheight | \figureheight |
| figurenaturalheight | \figurenaturalheight |
| figurenaturalwidth | \figurenaturalwidth |
| • | <u> </u> |
| figuresymbol figurewidth | \figuresymbol [] [=] |
| filename | \figurewidth \filename \{\ldots\} |
| | |
| filledhboxb | \filledhboxb {} |
| filledhboxc | \filledhboxc {} |
| filledhboxg | \filledhboxg \{\} |
| filledhboxk | \filledhboxk {} |
| filledhboxm | \filledhboxm {} |
| filledhboxr | \filledhboxr {} |
| filledhboxy | \filledhboxy {} |
| filler | \filler [] |
| filterfromnext | \filterfromnext \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| filterfromvalue | \filterfromvalue $\{\ldots\}$ $\{\ldots\}$ $\{PT \ OPT \$ |
| filterpages | \filterpages [] [=] |
| filterreference | \filterreference {} |
| findtwopassdata | \findtwopassdata {} {} |
| finishregisterentry | \finishregisterentry [] [=] |
| firstcounter | \firstcounter [] [] |
| firstcountervalue | \firstcountervalue [] |
| firstcharacter | \firstcharacter |
| firstoffivearguments | \firstoffivearguments {} {} {} {} |
| firstoffourarguments | \firstoffourarguments {} {} {} |
| firstofoneargument | \firstofoneargument {} |
| firstofoneunexpanded | \firstofoneunexpanded {} |
| firstofsixarguments | \firstofsixarguments {} {} {} {} {} {} |
| firstofthreearguments | \firstofthreearguments \{\ldots\} \{\ldots\} \{\ldots\} |
| firstofthreeunexpanded | \firstofthreeunexpanded \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| firstoftwoarguments | \firstoftwoarguments \{\ldots\} \\\ |
| | \firstoftwounexpanded \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| firstoftwounexpanded | |
| firstrealpage | \firstrealpage |
| firstrealpagenumber | \firstrealpagenumber |
| firstsubcountervalue | \firstsubcountervalue [] [] |
| firstsubpagenumber | \firstsubpagenumber |
| firstuserpage | \firstuserpage |
| firstuserpagenumber | \firstuserpagenumber |
| fitfieldframed | \fitfieldframed [=] {} |
| fittopbaselinegrid | \fittopbaselinegrid {} |
| flag | \flag {} |
| floatuserdataparameter | \floatuserdataparameter {} |
| flushbox | \flushbox {} {} |
| flushboxregister | \flushboxregister |
| flushcollector | \flushcollector [] |
| flushedrightlastline | \flushedrightlastline |
| flushlayer | \flushlayer [] |
| flushlocalfloats | \flushlocalfloats |
| flushnextbox | \flushnextbox |
| flushnotes | \flushnotes |
| flushoutputstream | \flushoutputstream [] |
| flushshapebox | \flushshapebox |
| flushtextflow | \flushtextflow {} |
| flushtokens | \flushtokens [] |
| flushtoks | \flushtoks \ |
| fontalternative | \fontalternative |
| fontbody | \fontbody |
| fontclass | \fontclass |
| fontclassname | \fontclassname \{\ldots\} \\\ |
| fontface | \fontface |
| | · |
| fontfeaturelist | \fontfeaturelist [] [] |
| fontchar | \fontchar \{\ldots\} |
| fontcharbyindex | \fontcharbyindex {} |
| fontsize | \fontsize |
| fontstyle | \fontstyle |
| footnotetext | \footnotetext [] {} |
| footnotetext:assignment | \footnotetext [=] |
| forcecharacterstripping | \forcecharacterstripping |

| forcelocalfloats | \forcelocalfloats |
|----------------------------|--|
| forgeteverypar | \forgeteverypar |
| forgetparameters | \forgetparameters [] [=] |
| forgetragged | \forgetragged |
| foundbox | \foundbox {} {} |
| fourthoffivearguments | \fourthoffivearguments $\{\}$ $\{\}$ $\{\}$ $\{\}$ |
| fourthoffourarguments | \fourthoffourarguments $\{\}$ $\{\}$ $\{\}$ |
| fourthofsixarguments | \fourthofsixarguments $\{\}$ $\{\}$ $\{\}$ $\{\}$ $\{\}$ |
| frameddimension | \frameddimension {} |
| framedparameter | \framedparameter {} |
| freezedimenmacro | \freezedimenmacro \ \ |
| freezemeasure | \freezemeasure [] [] |
| frenchspacing | \frenchspacing |
| fromlinenote | \fromlinenote [] {} |
| frozenbox | \frozenhbox {} |
| frule | \frule \relax |
| GetPar | \GetPar |
| GotoPar | \GotoPar |
| | |
| Greeknumerals | \Greeknumerals {} |
| gdefconvertedargument | \gdefconvertedargument \ \{\} |
| gdefconvertedcommand | \gdefconvertedcommand \ \ |
| getboxfromcache | \getboxfromcache \{\dots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| getboxllx | \getboxllx |
| getboxlly | \getboxlly |
| getbufferdata | \getbufferdata [] |
| getcommacommandsize | \getcommacommandsize [] |
| getcommalistsize | \getcommalistsize [] |
| getdayoftheweek | \getdayoftheweek {} {} |
| getdayspermonth | \getdayspermonth {} {} |
| getdefinedbuffer | \getdefinedbuffer [] |
| getdocumentargument | \getdocumentargument {} |
| getdocumentargumentdefault | \getdocumentargumentdefault {} {} |
| getdocumentfilename | \getdocumentfilename {} |
| getdummyparameters | \getdummyparameters [=] |
| getemptyparameters | \getemptyparameters [] [=] |
| geteparameters | \geteparameters [] [=] |
| getexpandedparameters | \getexpandedparameters [] [=] |
| getfiguredimensions | \getfiguredimensions [] [=] |
| getfirstcharacter | \getfirstcharacter {} |
| getfirsttwopassdata | \getfirsttwopassdata {} |
| getfromcommacommand | \getfromcommacommand [] [] |
| | <u> </u> |
| getfromcommalist | \getfromcommalist [] [] |
| getfromtwopassdata | \getfromtwopassdata {} {} |
| getglyphdirect | \getglyphdirect {} {} |
| getglyphstyled | \getglyphstyled {} {} |
| getgparameters | \getgparameters [] [=] |
| getlasttwopassdata | \getlasttwopassdata {} |
| getlocalfloat | \getlocalfloat {} |
| getlocalfloats | \getlocalfloats |
| getMPdrawing | \getMPdrawing |
| getMPlayer | \getMPlayer [] [=] {} |
| getmessage | \getmessage \{\ldots\} \{\ldots\} |
| getnamedglyphdirect | \getnamedglyphdirect {} {} |
| getnamedglyphstyled | \getnamedglyphstyled {} {} |
| getnamedtwopassdatalist | \getnamedtwopassdatalist \ {} |
| getnaturaldimensions | \getnaturaldimensions |
| getnoflines | \getnoflines {} |
| getobject | \getobject {} {} |
| getobjectdimensions | \getobjectdimensions {} {} |
| getpaletsize | \getpaletsize [] |
| getparameters | \getparameters [] [=] |
| getprivatechar | \getprivatechar {} |
| getprivateslot | \getprivateslot {} |
| | \getrandomcount \ \{\} |
| getrandomcount | |
| getrandomdimen | \getrandomdimen \ \{\} \\\ |
| getrandomfloat | \getrandomfloat \ \{\} \\ |
| getrandomnumber | \getrandomnumber \ \{\} \{\} |
| getrandomseed | \getrandomseed \ |
| getraweparameters | \getraweparameters [] [=] |
| getrawgparameters | \getrawgparameters [] [=] |
| getrawnoflines | \getrawnoflines {} |
| getrawparameters | \getrawparameters [] [=] |
| getrawxparameters | \getrawxparameters [] [=] |
| getreference | \getreference [] [] |
| getreferenceentry | \getreferenceentry {} |

| getroundednoflines | \getroundednoflines {} |
|---------------------------|--|
| getsubstring | \getsubstring {} {} {} |
| gettwopassdata | \gettwopassdata {} |
| gettwopassdatalist | \gettwopassdatalist {} |
| getuvalue | \getuvalue {} |
| getvalue | \getvalue {} |
| 9 | \getvariable \{\ldots\} |
| getvariable | <u> </u> |
| getvariabledefault | \getvariabledefault {} {} {} |
| getxparameters | \getxparameters [] [=] |
| globaldisablemode | \globaldisablemode [] |
| globalenablemode | \globalenablemode [] |
| globalletempty | \globalletempty \ |
| globalpopbox | \globalpopbox |
| globalpopmacro | \globalpopmacro \ |
| globalpreventmode | \globalpreventmode [] |
| globalprocesscommalist | \globalprocesscommalist [] \ |
| globalpushbox | \globalpushbox |
| globalpushmacro | \globalpushmacro \ |
| globalpushreferenceprefix | \globalpushreferenceprefix {} \globalpopreferenceprefix |
| globalswapcounts | \globalswapcounts \ \ |
| globalswapdimens | \globalswapdimens \ \ |
| globalswapmacros | \globalswapmacros \ \ |
| globalundefine | \globalundefine {} |
| glyphfontfile | \glyphfontfile {} |
| 0 11 | ¥ ••• |
| gobbledoubleempty | \gobbledoubleempty [] [] |
| gobbleeightarguments | \gobbleeightarguments {} {} {} {} {} {} {} |
| gobblefivearguments | \gobblefivearguments {} {} {} {} |
| gobblefiveoptionals | \gobblefiveoptionals [] [] [] [] |
| gobblefourarguments | \gobblefourarguments $\{\ldots\}$ $\{\ldots\}$ $\{\ldots\}$ |
| gobblefouroptionals | \gobblefouroptionals [] [] [] |
| gobbleninearguments | $\label{thm:conditional} $$ \gobblenine arguments $\{\ldots\} $\{\ldots\} $\{\ldots\} $\{\ldots\} $\{\ldots\} $\{\ldots\} $\{\ldots\} $\{\ldots\}$ |
| gobbleoneargument | \gobbleoneargument {} |
| gobbleoneoptional | \gobbleoneoptional [] |
| gobblesevenarguments | \gobblesevenarguments {} {} {} {} {} {} |
| gobblesingleempty | \gobblesingleempty [] |
| gobblesixarguments | \gobblesixarguments {} {} {} {} {} |
| gobblespacetokens | \gobblespacetokens |
| gobbletenarguments | \gobbletenarguments \{\ldots\} \{ |
| gobblethreearguments | \gobblethreearguments {} {} |
| gobblethreeoptionals | \gobblethreeoptionals [] [] |
| • | |
| gobbletwoarguments | \gobbletwoarguments {} {} |
| gobbletwooptionals | \gobbletwooptionals [] [] |
| gobbleuntil | \gobbleuntil \ |
| gobbleuntilrelax | \gobbleuntilrelax \relax |
| grabbufferdata | \grabbufferdata [] [] [] |
| grabbufferdatadirect | \grabbufferdatadirect {} {} |
| grabuntil | \grabuntil {} \ |
| grave | \grave {} |
| grayvalue | \grayvalue {} |
| greedysplitstring | \greedysplitstring \at \to \ \and \ |
| greeknumerals | \greeknumerals {} |
| groupedcommand | \groupedcommand {} {} |
| gsetboxllx | \gsetboxllx {} |
| gsetboxlly | \gsetboxlly {} |
| gujaratinumerals | \gujaratinumerals {} |
| gurmurkhinumerals | \gurmurkhinumerals {} |
| hairspace | \hairspace |
| • | |
| halflinestrut | \halflinestrut |
| halfstrut | \halfstrut |
| halfwaybox | \halfwaybox {} |
| handletokens | \handletokens \with \ |
| hash | \hash |
| hat | \hat {} |
| hboxofvbox | \hboxofvbox |
| hboxreference | \hboxreference [] {} |
| hbox:example | \hboxBOX {} |
| hdofstring | \hdofstring {} |
| headhbox | \headhbox {} |
| headnumbercontent | \headnumbercontent |
| headnumberdistance | \headnumberdistance |
| headnumberwidth | \headnumberwidth |
| headreferenceattributes | \headreferenceattributes |
| headsetupspacing | \headsetupspacing |
| headtextcontent | \headtextcontent |
| headtextdistance | \headtextcontent |
| | ITOUROUTOUTOU |

| headtextwidth | \headtextwidth |
|--------------------------------------|---|
| headvbox | \headvbox {} |
| headwidth | \headwidth |
| heightanddepthofstring | \heightanddepthofstring {} |
| heightofstring | \heightofstring {} |
| heightspanningtext | \heightspanningtext {} {} {} |
| help:instance | \HELP [] {} {} |
| help:instance:helptext | \helptext [] {} {} |
| hglue | \hglue |
| hiddencitation | \hiddencitation [] |
| hiddencite | \hiddencite [] |
| highlight | \highlight [] {} |
| highlight:example | \HIGHLIGHT {} |
| highordinalstr | \highordinalstr {} |
| hilo | \hilo [] {} |
| himilo | \himilo {} {} {} |
| hl | \hl [] |
| hlavnijazyk | \hlavnijazyk [] |
| hodnotabarvy horizontalgrowingbar | \hodnotabarvy {} \horizontalgrowingbar [=] |
| horizontalpositionbar | \horizontalgiowingbar [=] |
| hphantom | \hphantom {} |
| hpos | \hpos {} {} |
| hsizefraction | \hsizefraction \{\ldots\} |
| hsmash | \hsmash {} |
| hsmashbox | \hsmashbox |
| hsmashed | \hsmashed {} |
| hspace | \hspace [] [] |
| htdpofstring | \htdpofstring {} |
| htofstring | \htofstring {} |
| hyphen | \hyphen |
| hyphenatedcoloredword | \hyphenatedcoloredword {} |
| hyphenatedfile | \hyphenatedfile {} |
| hyphenatedfilename | \hyphenatedfilename {} |
| hyphenatedhbox | \hyphenatedhbox {} |
| hyphenatedpar | \hyphenatedpar {} |
| hyphenatedurl | \hyphenatedurl {} |
| hyphenatedword | \hyphenatedword {} |
| characterkerning:example | \CHARACTERKERNING [] {} |
| chardescription | \chardescription {} |
| charwidthlanguage | \charwidthlanguage |
| check checkedfiller | \check {} \checkedfiller {} |
| checkedchar | \checkedfilef \(\lambda \checkedfilef \\\ \lambda \checkedchar \{\ldots\} |
| checkedstrippedcsname | \checkedstrippedcsname \ |
| checkedstrippedcsname:string | \checkedstrippedcsname |
| checkcharacteralign | \checkcharacteralign {} |
| checkinjector | \checkinjector [] |
| checknextindentation | \checknextindentation [] |
| checknextinjector | \checknextinjector [] |
| checkpage | \checkpage [] [=] |
| checkparameters | \checkparameters [] |
| checkpreviousinjector | \checkpreviousinjector [] |
| checksoundtrack | \checksoundtrack {} |
| checktwopassdata | \checktwopassdata {} |
| checkvariables | \checkvariables [] [=] |
| chem | \chem {} {} |
| chemical | \chemical [] [] |
| chemicalbottext | \chemicalbottext {} |
| chemicalmidtext | \chemicalmidtext {} |
| chemicalsymbol chemicaltext | \chemicalsymbol [] \chemicaltext {} |
| | \chemicaltext \{\cdots\} |
| chemicaltoptext chineseallnumerals | \chineseallnumerals {} |
| chinesecapnumerals | \chinesecapnumerals {} |
| chinesecaphumerals | \chinesecaphamerals \(\chinesenumerals \) |
| INRSTEX | \INRSTEX |
| ibox | \ibox {} |
| ifassignment | \ifassignment \else \fi |
| iff | \iff |
| ifinobject | \ifinobject \else \fi |
| ifinoutputstream | \ifinoutputstream \else \fi |
| ifparameters | \ifparameters \else \fi |
| iftrialtypesetting | \iftrialtypesetting \dots \else \dots \fi |
| ignoreimplicitspaces | \ignoreimplicitspaces |
| | |

| 4 | \ |
|-----------------------------------|--|
| ignorevalue | \ignorevalue {} |
| immediatesavetwopassdata | \immediatesavetwopassdata {} {} {} |
| impliedby | \impliedby |
| implies | \implies |
| includemenu | \includemenu [] |
| includeversioninfo | \includeversioninfo {} |
| incrementcounter | \incrementcounter [] [] |
| incrementedcounter | \incrementedcounter [] |
| incrementpagenumber | \incrementpagenumber |
| incrementsubpagenumber | \incrementsubpagenumber |
| incrementvalue | \incrementvalue {} |
| indentation | \indentation |
| infofont | \infofont |
| infofontbold | \infofontbold |
| | • |
| inheritparameter | \inheritparameter [] [] |
| inhibitblank | \inhibitblank |
| initializeboxstack | \initializeboxstack {} |
| inlinebuffer | \inlinebuffer [] |
| inlinedbox | \inlinedbox {} |
| inlinemath | \inlinemath {} |
| inlinemathematics | \inlinemathematics {} |
| inlinemessage | \inlinemessage {} |
| inlineordisplaymath | \inlineordisplaymath \{\ldots\} \{\ldots\} |
| inlineprettyprintbuffer | \inlineprettyprintbuffer {} {} |
| inlinerange | \inlinerange [] |
| innerflushshapebox | \innerflushshapebox |
| input | \input {} |
| inputfilebarename | \inputfilebarename |
| inputfilename | \inputfilename |
| inputfilerealsuffix | \inputfilerealsuffix |
| inputfilesuffix | \inputfilesuffix |
| • | |
| inputgivenfile | \inputgivenfile {} |
| input:string | \input |
| insertpages | \insertpages [] [=] |
| instalacejazyka | \instalacejazyka [] [=] |
| instalacejazyka:name | \instalacejazyka [] [] |
| installactionhandler | \installactionhandler {} |
| installactivecharacter | \installactivecharacter |
| installanddefineactivecharacter | \installanddefineactivecharacter {} |
| installattributestack | \installattributestack \ |
| installautocommandhandler | \installautocommandhandler \ \ |
| installautosetuphandler | \installautosetuphandler \ {} |
| installbasicautosetuphandler | \installbasicautosetuphandler \ \} \ |
| installbasicparameterhandler | \installbasicparameterhandler \ {} |
| installbottomframerenderer | \installbottomframerenderer {} {} |
| installcommandhandler | \installcommandhandler \ \ \ |
| installcorenamespace | \installcorenamespace {} |
| installdefinehandler | \installdefinehandler \ \{\} \ |
| installdefinitionset | \installdefinitionset \ {} |
| installdefinitionsetmember | \installdefinitionsetmember \ {} \ {} |
| installdirectcommandhandler | \installdirectcommandhandler \ {} |
| installdirectparameterhandler | \installdirectparameterhandler \ {} |
| installdirectparametersethandler | \installdirectparametersethandler \ \{\} |
| installdirectsetuphandler | \installdirectsetuphandler \ \{\} |
| installdirectstyleandcolorhandler | \installdirectstyleandcolorhandler \ \{\} |
| installframedautocommandhandler | \installframedautocommandhandler \ \\ \\ |
| | |
| installframedcommandhandler | \installframedcommandhandler \ \\ |
| installleftframerenderer | \installleftframerenderer {} {} |
| installnamespace | \installnamespace {} |
| installoutputroutine | \installoutputroutine \ \{\} |
| installpagearrangement | \installpagearrangement {} |
| installparameterhandler | \installparameterhandler \ {} |
| installparameterhashhandler | \installparameterhashhandler \ {} |
| installparametersethandler | \installparametersethandler \ {} |
| installparentinjector | \installparentinjector \ {} |
| installrightframerenderer | \installrightframerenderer {} {} |
| installrootparameterhandler | \installrootparameterhandler \ {} |
| installsetuphandler | \installsetuphandler \ {} |
| installsetuponlycommandhandler | \installsetuponlycommandhandler \ {} |
| installshipoutmethod | \installshipoutmethod {} {} |
| installsimplecommandhandler | \installsimplecommandhandler \ \\ |
| installsimpleframedcommandhandler | \installsimpleframedcommandhandler \ \\ \\ |
| installstyleandcolorhandler | \installstyleandcolorhandler \ \\ |
| installswitchcommandhandler | \installswitchcommandhandler \ \\ \\ |
| | |
| installswitchsetuphandler | \installswitchsetuphandler \ \{\} |

| installtexdirective | \installtexdirective {} {} { |
|----------------------------------|--|
| installtextracker | \installtextracker {} {} {} |
| installtopframerenderer | \installtopframerenderer {} {} |
| installunitsseparator | \installunitsseparator \{\ldots\} \{\ldots\} |
| installunitsspace | \installunitsspace \{\ldots\} \{\ldots\} |
| installversioninfo | \installversioninfo \{\dots\} \{\dots\} |
| | |
| integerrounding | \integerrounding \{\daggerrounding \} |
| interakcnilista | \interakcnilista [] [=] |
| interakcnitlacitka | \interakcnitlacitka [=] [] |
| interaktivnimenu | \interaktivnimenu [] [=] |
| intertext | \intertext {} |
| invokepageheandler | \invokepageheandler {} {} |
| istltdir | \istltdir |
| istrtdir | \istrtdir |
| italiccorrection | \italiccorrection |
| italicface | \italicface |
| itemtag | \itemtag [] |
| jazyk | \jazyk [] |
| · · · | \LANGUAGE |
| jazyk:example | |
| jdidolu | \jdidolu [] |
| jdina | \jdina {} [] |
| jdinabox | \jdinabox {} [] |
| jdinastranu | \jdinastranu {} [] |
| jednotka:instance | \UNIT {} |
| jednotka:instance:unit | \unit {} |
| jobfilename | \jobfilename |
| jobfilesuffix | \jobfilesuffix |
| Kap | \Kap {} |
| kaligraficke | \kaligraficke |
| | \kap {} |
| kap | - |
| keeplinestogether | \keeplinestogether {} |
| keepunwantedspaces | \keepunwantedspaces |
| kerncharacters | \kerncharacters [] {} |
| klonujpole | \klonujpole [] [] [] |
| komentar:instance | \COMMENT [] [=] {} |
| komentar:instance:comment | \comment [] [=] {} |
| komponenta | \komponenta [] |
| komponenta:string | \komponenta |
| konvertujcislo | \konvertujcislo {} {} |
| kopirujpole | \kopirujpole [] [] |
| koreancirclenumerals | \koreancirclenumerals {} |
| koreannumerals | \koreannumerals {} |
| | |
| koreannumeralsc | \koreannumeralsc {} |
| koreannumeralsp | \koreannumeralsp {} |
| koreanparentnumerals | \koreanparentnumerals {} |
| korekcebilehomista | \korekcebilehomista {} |
| kurziva | \kurziva |
| kurzivnitucne | \kurzivnitucne |
| LAMSTEX | \LAMSTEX |
| LATEX | \LATEX |
| LamSTeX | \LamSTeX |
| LaTeX | \LaTeX |
| LUAJITTEX | \LUAJITTEX |
| LUATEX | \LUATEX |
| Lua | \Lua |
| | |
| LuajitTeX | \LuajitTeX |
| LuaTeX | LuaTeX |
| labellanguage:instance | \LABELjazyk |
| labellanguage:instance:btxlabel | \btxlabeljazyk |
| labellanguage:instance:head | \headjazyk |
| labellanguage:instance:label | \labeljazyk |
| labellanguage:instance:mathlabel | \mathlabeljazyk |
| labellanguage:instance:operator | \operatorjazyk |
| labellanguage:instance:prefix | \prefixjazyk |
| labellanguage:instance:suffix | \suffixjazyk |
| labellanguage:instance:taglabel | \taglabeljazyk |
| | |
| labellanguage:instance:unit | \unitjazyk |
| labeltexts:instance | \LABELtexts {} {} |
| labeltexts:instance:head | \headtexts {} {} |
| labeltexts:instance:label | \labeltexts \{\ldots\} |
| labeltexts:instance:mathlabel | \mathlabeltexts {} {} |
| languageCharacters | \languageCharacters {} |
| languagecharacters | \languagecharacters {} |
| languagecharwidth | \languagecharwidth {} |
| lastcounter | \lastcounter [] [] |
| | |

| lastcountervalue | \lastcountervalue [] |
|--|---|
| lastdigit | \lastdigit {} |
| Lastlinewidth | \lastlinewidth |
| Lastnaturalboxdp | \lastnaturalboxdp |
| Lastnaturalboxht | \lastnaturalboxht |
| lastnaturalboxwd | \lastnaturalboxwd |
| Lastpredefinedsymbol | \lastpredefinedsymbol |
| Lastrealpage | \lastrealpage |
| | |
| Lastrealpagenumber | \lastrealpagenumber |
| lastsubcountervalue | \lastsubcountervalue [] [] |
| Lastsubpagenumber | \lastsubpagenumber |
| Lasttwodigits | \lasttwodigits {} |
| Lastuserpage | \lastuserpage |
| Lastuserpagenumber | \lastuserpagenumber |
| Lateluacode | \lateluacode {} |
| Layeredtext | \layeredtext [=] [=] {} |
| · | |
| Layerheight | layerheight |
| Layerwidth | \layerwidth |
| Lazysavetaggedtwopassdata | \lazysavetaggedtwopassdata {} {} {} {} |
| Lazysavetwopassdata | \lazysavetwopassdata {} {} |
| Lbox | \lbox {} |
| Leftbottombox | \leftbottombox {} |
| Leftbox | \leftbox {} |
| Lefthbox | \lefthbox {} |
| Leftlabeltext:instance | \leftLABELtext {} |
| | |
| Leftlabeltext:instance:head | \leftheadtext {} |
| leftlabeltext:instance:label | \leftlabeltext {} |
| Leftlabeltext:instance:mathlabel | \leftmathlabeltext {} |
| Leftline | \leftline {} |
| Leftorrighthbox | \leftorrighthbox {} |
| Leftorrightvbox | \leftorrightvbox {} |
| Leftorrightvtop | \leftorrightvtop {} |
| • • | · · · · · · · · · · · · · · · · · · · |
| Leftskipadaption | \leftskipadaption |
| Leftsubguillemot | \leftsubguillemot |
| Lefttopbox | \lefttopbox {} |
| Lefttoright | \lefttoright |
| Lefttorighthbox | \lefttorighthbox {} |
| Lefttorightvbox | \lefttorightvbox {} |
| Lefttorightvtop | \lefttorightvtop {} |
| Letbeundefined | \letbeundefined {} |
| | |
| Letcatcodecommand | \letcatcodecommand \ \ |
| Letcscsname | \letcscsname \ \csname \endcsname |
| Letcsnamecs | \letcsnamecs \csname \endcsname \ |
| Letcsnamecsname | \letcsnamecsname \csname \endcsname \csname \endcsname |
| Letdummyparameter | \letdummyparameter {} \ |
| Letempty | \letempty\ |
| Letgvalue | \letgvalue {} \ |
| togvarac | <u> </u> |
| lot gual ucomptu | \laterialisemetr |
| Letgvalueempty | \letgvalueempty {} |
| Letgvalurelax | \letgvalurelax {} |
| | |
| Letgvalurelax | \letgvalurelax {} |
| Letgvalurelax Letterampersand | \letgvalurelax {} \letterampersand |
| Letgvalurelax Letterampersand Letterat | \letgvalurelax {} \letterampersand \letterat |
| Letgvalurelax Letterampersand Letterat Letterbackslash Letterbar | \letterampersand \letterat \letterbackslash \letterbar |
| Letgvalurelax Letterampersand Letterat Letterbackslash Letterbar Letterbgroup | \letgvalurelax {} \letterampersand \letterat \letterbackslash \letterbar \letterbgroup |
| Letgvalurelax Letterampersand Letterat Letterbackslash Letterbar Letterbgroup Letterclosebrace | <pre>\lettyvalurelax {} \letterampersand \letterat \letterbackslash \letterbar \letterbgroup \letterclosebrace</pre> |
| Letgvalurelax Letterampersand Letterat Letterbackslash Letterbar Letterbgroup Letterclosebrace Lettercolon | <pre>\letgvalurelax {} \letterampersand \letterat \letterbackslash \letterbar \letterbgroup \letterclosebrace \lettercolon</pre> |
| Letgvalurelax Letterampersand Letterat Letterbackslash Letterbar Letterbgroup Letterclosebrace Lettercolon Letterdollar | <pre>\letgvalurelax {} \letterampersand \letterat \letterbackslash \letterbar \letterbgroup \letterclosebrace \lettercolon \letterdollar</pre> |
| Letgvalurelax Letterampersand Letterat Letterbackslash Letterbar Letterbgroup Letterclosebrace Lettercolon | <pre>\letgvalurelax {} \letterampersand \letterat \letterbackslash \letterbar \letterbgroup \letterclosebrace \lettercolon</pre> |
| Letgvalurelax Letterampersand Letterat Letterbackslash Letterbar Letterbgroup Letterclosebrace Lettercolon Letterdollar | <pre>\letgvalurelax {} \letterampersand \letterat \letterbackslash \letterbar \letterbgroup \letterclosebrace \lettercolon \letterdollar</pre> |
| Letgvalurelax Letterampersand Letterat Letterbackslash Letterbar Letterbgroup Letterclosebrace Lettercolon Letterdollar Letterdoublequote | <pre>\letgvalurelax {} \letterampersand \letterat \letterbackslash \letterbar \letterbgroup \letterclosebrace \lettercolon \letterdollar \letterdoublequote</pre> |
| Letgvalurelax Letterampersand Letterat Letterbackslash Letterbgroup Letterclosebrace Lettercolon Letterdoublequote Letteregroup Letteregroup | <pre>\lettyvalurelax {} \letterampersand \letterat \letterbackslash \letterbar \letterbgroup \letterclosebrace \lettercolon \letterdollar \letterdoublequote \letteregroup \letteregroup \letteregroup \letterescape</pre> |
| Letgvalurelax Letterampersand Letterat Letterbackslash Letterbgroup Letterclosebrace Lettercolon Letterdoublequote Letteregroup Letteregroup Letteredoubleduote Letterescape Letterescape Letterescape | <pre>\letgvalurelax {} \letterampersand \letterat \letterbackslash \letterbar \letterbgroup \letterclosebrace \lettercolon \letterdollar \letterdoublequote \letteregroup \letteregroup \letterescape \letterexclamationmark</pre> |
| Letgvalurelax Letterampersand Letterat Letterbackslash Letterbgroup Letterclosebrace Lettercolon Letterdollar Letterdoublequote Letteregroup Letteregroup Letterescape Letterescape Letterexclamationmark Letterhash | <pre>\lettyvalurelax {} \letterampersand \letterat \letterbackslash \letterbar \letterbgroup \letterclosebrace \lettercolon \letterdollar \letterdoublequote \letteregroup \letteregroup \letterescape \letterexclamationmark \letterhash</pre> |
| Letgvalurelax Letterampersand Letterat Letterbackslash Letterbgroup Letterclosebrace Lettercolon Letterdollar Letterdoublequote Letteregroup Letterescape Letterescape Letterexclamationmark Letterhash Letterhat | <pre>\letgvalurelax {} \letterampersand \letterat \letterbackslash \letterbar \letterbgroup \letterclosebrace \lettercolon \letterdollar \letterdoublequote \letteregroup \letterescape \letterescape \letterexclamationmark \letterhash \letterhat</pre> |
| Letgvalurelax Letterampersand Letterat Letterbackslash Letterbgroup Letterclosebrace Lettercolon Letterdollar Letterdoublequote Letteregroup Letterescape Letterescape Letterexclamationmark Letterhash Letterhat Letterleftbrace | <pre>\lettyvalurelax {} \letterampersand \letterat \letterbackslash \letterbar \letterbgroup \letterclosebrace \lettercolon \letterdollar \letterdoublequote \letteregroup \letterescape \letterescape \letterexclamationmark \letterhash \letterhat \letterleftbrace</pre> |
| Letgvalurelax Letterampersand Letterat Letterbar Letterbgroup Letterclosebrace Lettercolon Letterdoullar Letterdoublequote Letteregroup Letterescape Letterescape Letterexclamationmark Letterhat Letterhat Letterleftbrace Letterleftbrace | <pre>\lettyalurelax {} \letterampersand \letterat \letterbackslash \letterbar \letterbgroup \letterclosebrace \lettercolon \letterdollar \letterdoublequote \letteregroup \letterescape \letterexclamationmark \letterhash \letterhat \letterleftbrace \letterleftbracket</pre> |
| Letgvalurelax Letterampersand Letterat Letterbackslash Letterbgroup Letterclosebrace Lettercolon Letterdoullar Letterdoublequote Letteregroup Letterescape Letterescape Letterexclamationmark Letterhash Letterhat Letterleftbrace Letterleftparenthesis | <pre>\lettyvalurelax {} \letterampersand \letterat \letterbackslash \letterbar \letterbgroup \letterclosebrace \lettercolon \letterdollar \letterdoublequote \letteregroup \letterescape \letterescape \letterexclamationmark \letterhash \letterhat \letterleftbrace</pre> |
| Letgvalurelax Letterampersand Letterat Letterbackslash Letterbgroup Letterclosebrace Lettercolon Letterdoullar Letterdoublequote Letteregroup Letterescape Letterescape Letterexclamationmark Letterhash Letterhat Letterleftbrace Letterleftparenthesis | <pre>\lettyalurelax {} \letterampersand \letterat \letterbackslash \letterbar \letterbgroup \letterclosebrace \lettercolon \letterdollar \letterdoublequote \letteregroup \letterescape \letterexclamationmark \letterhash \letterhat \letterleftbrace \letterleftbracket</pre> |
| Letgvalurelax Letterampersand Letterat Letterbar Letterbgroup Letterclosebrace Lettercolon Letterdollar Letterdoublequote Letteregroup Letterescape Letterescape Letterexclamationmark Letterhash Letterhat Letterleftbrace Letterleftparenthesis Letterless | <pre>\lettyalurelax {} \letterampersand \letterat \letterbackslash \letterbar \letterbgroup \letterclosebrace \lettercolon \letterdollar \letterdoublequote \letteregroup \letterescape \letterexclamationmark \letterhash \letterhat \letterleftbrace \letterleftbracket \letterleftparenthesis</pre> |
| Letgvalurelax Letterampersand Letterat Letterbackslash Letterbgroup Letterclosebrace Lettercolon Letterdollar Letterdoublequote Letteregroup Letterescape Letterescape Letterexclamationmark Letterhash Letterhat Letterleftbrace Letterleftbracket Letterleftparenthesis Letterless Letternore | <pre>\letgvalurelax {} \letterampersand \letterat \letterbackslash \letterbar \letterbgroup \letterclosebrace \lettercolon \letterdollar \letterdoublequote \letteregroup \letterescape \letterexclamationmark \letterhash \letterhat \letterleftbrace \letterleftbracket \letterleftparenthesis \letterless \lettermore</pre> |
| Letgvalurelax Letterampersand Letterat Letterbar Letterbgroup Letterclosebrace Lettercolon Letterdoublequote Letteregroup Letterescape Letterescape Letterexclamationmark Letterhash Letterhat Letterleftbrace Letterleftbrace Letterleftparenthesis Letterless Lettermore Letteropenbrace | <pre>\lettyalurelax {} \letterampersand \letterat \letterbackslash \letterbar \letterclosebrace \lettercolon \letterdollar \letterdoublequote \letteregroup \letterescape \letterexclamationmark \letterhash \letterhat \letterleftbrace \letterleftbracket \letterleftparenthesis \letterless \lettermore \letteropenbrace</pre> |
| Letgvalurelax Letterampersand Letterat Letterbackslash Letterbgroup Letterclosebrace Letterdollar Letterdoublequote Letteregroup Letterescape Letterescape Letterexclamationmark Letterhash Letterhat Letterleftbrace Letterleftbracket Letterleftparenthesis Letterless Lettermore Letteropenbrace Letterpercent | <pre>\letgvalurelax {} \letterampersand \letterat \letterbackslash \letterbar \letterbgroup \letterclosebrace \lettercolon \letterdollar \letterdoublequote \letteregroup \letterescape \letterexclamationmark \letterhash \letterhat \letterleftbrace \letterleftbracket \letterleftparenthesis \letterless \lettermore \letterpercent</pre> |
| Letgvalurelax Letterampersand Letterat Letterbackslash Letterbgroup Letterclosebrace Letterdollar Letterdoublequote Letteregroup Letterescape Letterescape Letterexclamationmark Letterhash Letterhat Letterleftbrace Letterleftbracket Letterleftparenthesis Letterless Lettermore Letteropenbrace Letterpercent Letterquestionmark | <pre>\letgvalurelax {} \letterampersand \letterat \letterbackslash \letterbar \letterbgroup \letterclosebrace \lettercolon \letterdollar \letterdoublequote \letteregroup \letterescape \letterexclamationmark \letterhash \letterhat \letterleftbrace \letterleftbracket \letterleftparenthesis \letterless \letterpercent \letterpercent \letterpercent \letterquestionmark</pre> |
| Letgvalurelax Letterampersand Letterat Letterbackslash Letterbgroup Letterclosebrace Letterdollar Letterdoublequote Letteregroup Letterescape Letterescape Letterexclamationmark Letterhash Letterhat Letterleftbrace Letterleftbracket Letterleftparenthesis Letterless Letterpercent Letterpercent Letterquestionmark Letterquestionmark | <pre>\letgvalurelax {} \letterampersand \letterat \letterbackslash \letterbar \letterbgroup \letterclosebrace \lettercolon \letterdollar \letterdoublequote \letteregroup \letterescape \letterexclamationmark \letterhash \letterhat \letterleftbrace \letterleftbracket \letterleftparenthesis \letterless \letterpercent \letterpercent \letterquestionmark \letterquestionmark \letterrightbrace</pre> |
| Letgvalurelax Letterampersand Letterat Letterbackslash Letterbgroup Letterclosebrace Letterdoular Letterdoublequote Letteregroup Letterescape Letterexclamationmark Letterhash Letterhat Letterleftbrace Letterleftbrace Letterleftbracket Letterless Letterless Letterpercent Letterquestionmark Letterquestionmark Letterightbrace | <pre>\letgvalurelax {} \letterampersand \letterat \letterbackslash \letterbar \letterbgroup \letterclosebrace \lettercolon \letterdollar \letterdoublequote \letteregroup \letterescape \letterexclamationmark \letterhat \letterhat \letterleftbrace \letterleftbracket \letterleftparenthesis \letterless \letternore \letterpercent \letterpercent \letterquestionmark \letterrightbrace \letterrightbracket</pre> |
| Letgvalurelax Letterampersand Letterat Letterbackslash Letterbgroup Letterclosebrace Letterdollar Letterdoublequote Letteregroup Letterescape Letterescape Letterexclamationmark Letterhash Letterhat Letterleftbrace Letterleftbracket Letterleftparenthesis Letterless Lettermore Letteropenbrace Letterpercent Letterquestionmark | <pre>\letgvalurelax {} \letterampersand \letterat \letterbackslash \letterbar \letterbgroup \letterclosebrace \lettercolon \letterdoublequote \letteregroup \letterescape \letterexclamationmark \letterhat \letterhat \letterleftbrace \letterleftbracket \letterleftparenthesis \letterless \lettermore \letterponbrace \letterponbrace \letterpercent \letterquestionmark \letterrightbrace \letterrightbrace \letterrightbrace \letterrightbracket \letterrightbracket \letterrightbracket \letterrightbracket \letterrightbracket \letterrightbracket \letterrightbracket \letterrightbracket \letterrightparenthesis</pre> |
| Letgvalurelax Letterampersand Letterat Letterbackslash Letterbgroup Letterclosebrace Letterdoular Letterdoublequote Letteregroup Letterescape Letterexclamationmark Letterhash Letterhat Letterleftbrace Letterleftbrace Letterleftbracket Letterless Letterless Letterpercent Letterquestionmark Letterquestionmark Letterightbrace | <pre>\letgvalurelax {} \letterampersand \letterat \letterbackslash \letterbar \letterbgroup \letterclosebrace \lettercolon \letterdollar \letterdoublequote \letteregroup \letterescape \letterexclamationmark \letterhat \letterhat \letterleftbrace \letterleftbracket \letterleftparenthesis \letterless \letternore \letterpercent \letterpercent \letterquestionmark \letterrightbrace \letterrightbracket</pre> |

| letterslash | \letterslash |
|----------------------------|---|
| | |
| letterspacing | \letterspacing [] {} |
| lettertilde | \lettertilde |
| letterunderscore | \letterunderscore |
| letvalue | \letvalue {} \ |
| letvalueempty | \letvalueempty {} |
| letvaluerelax | \letvaluerelax {} |
| lfence | \lfence {} |
| lhbox | \lhbox {} |
| limitatefirstline | \limitatefirstline \{\ldots\} \{\ldots\} |
| | |
| limitatelines | \limitatelines {} {} {} |
| limitatetext | \limitatetext {} {} {} |
| limitatetext:list | \limitatetext \{\} \{\} |
| linenote:instance | \LINENOTE {} |
| linenote:instance:linenote | \linenote \{\} |
| linespanningtext | \linespanningtext {} {} {} |
| listcitation | \listcitation [=] [] |
| listcitation:alternative | \listcitation [] |
| | \listcitation [, [] \listcitation [=] |
| listcitation:userdata | |
| listcite | \listcite [=] [] |
| listcite:alternative | \listcite [] [] |
| listcite:userdata | \listcite [=] [=] |
| listnamespaces | \listnamespaces |
| llap | \lap {} |
| loadanyfile | \loadanyfile [] |
| loadanyfileonce | \loadanyfileonce [] |
| • | |
| loadbtxdefinitionfile | \loadbtxdefinitionfile [] |
| loadbtxreplacementfile | \loadbtxreplacementfile [] |
| loadcldfile | \loadcldfile [] |
| loadcldfileonce | \loadcldfileonce [] |
| loadfontgoodies | \loadfontgoodies [] |
| loadluafile | \loadluafile [] |
| loadluafileonce | \loadluafileonce [] |
| loadspellchecklist | \loadspellchecklist [] [] |
| - | \loadtexfile [] |
| loadtexfile | |
| loadtexfileonce | \loadtexfileonce [] |
| loadtypescriptfile | \loadtypescriptfile [] |
| localframed | \localframed [] [=] {} |
| localframedwithsettings | \localframedwithsettings [] [=] {} |
| localhsize | \localhsize |
| localpopbox | \localpopbox |
| localpopmacro | \localpopmacro \ |
| • • | |
| localpushbox | \localpushbox |
| localpushmacro | \localpushmacro \ |
| localundefine | \localundefine {} |
| locatedfilepath | \locatedfilepath |
| locatefilepath | \locatefilepath {} |
| locfilename | \locfilename {} |
| lomihi | \lomihi {} {} {} |
| lowerbox | \lowerbox {} \ {} |
| lowercased | \lowercased {} |
| | |
| lowercasestring | \lowercasestring \to \ |
| lowerleftdoubleninequote | \lowerleftdoubleninequote |
| lowerleftsingleninequote | \lowerleftsingleninequote |
| lowerrightdoubleninequote | \lowerrightdoubleninequote |
| lowerrightsingleninequote | \lowerrightsingleninequote |
| lowhigh:instance | \LOWHIGH [] {} {} |
| lowmidhigh:instance | \LOWMIDHIGH {} {} |
| lrtbbox | \lrtbbox \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| | |
| ltop | \ltop {} |
| luacode | \luacode {} |
| luaconditional | \luaconditional \ |
| luaenvironment | \luaenvironment |
| luaexpanded | \luaexpanded {} |
| luaexpr | \luaexpr {} |
| luafunction | \luafunction {} |
| luajitTeX | \luajitTeX |
| | . • |
| luamajorversion | \luamajorversion |
| luaminorversion | \luaminorversion |
| luaparameterset | \luaparameterset {} {} |
| luasetup | \luasetup {} |
| luaTeX | \luaTeX |
| luaversion | \luaversion |
| MESIC | \MESIC {} |
| METAFONT | \METAFONT |
| | VALUE AND VALUE |

| METAFUN | \METAFUN |
|--|---|
| METAPOST | \METAPOST |
| MetaFont | \MetaFont |
| | |
| MetaFun | MetaFun |
| MetaPost | \MetaPost |
| MKII | /MKII |
| MKIV | \MKIV |
| MKIX | \MKIX |
| MKVI | \MKVI |
| MKXI | \MKXI |
| | \MONTHLONG {} |
| MONTHLONG | |
| MONTHSHORT | \MONTHSHORT {} |
| MPanchor | \MPanchor {} |
| MPbetex | \MPbetex {} |
| MPc | \MPc {} |
| MPcode | \MPcode {} {} |
| MPcolor | \MPcolor {} |
| MPcoloronly | \MPcoloronly {} |
| MPcolumn | \MPcolumn {} |
| | |
| MPd | \MPd {} |
| MPdrawing | \MPdrawing {} |
| MPfontsizehskip | \MPfontsizehskip {} |
| MPgetmultipars | \MPgetmultipars {} {} |
| MPgetmultishape | \MPgetmultishape {} {} |
| MPgetposboxes | \MPgetposboxes {} {} |
| MPh | \MPh {} |
| MPII | \MPII |
| | |
| MPIV | MPIV |
| MPinclusions | \MPinclusions [] {} {} |
| MPleftskip | \MPleftskip {} |
| MP11 | \MP11 {} |
| MPlr | \MP1r {} |
| MPls | \MPls {} |
| MPmenubuttons | \MPmenubuttons {} |
| MPn | \MPn {} |
| | |
| MPoptions | \MPoptions {} |
| MPoverlayanchor | \MPoverlayanchor {} |
| MPp | \MPp {} |
| MPpage | \MPpage {} |
| MPpardata | \MPpardata {} |
| MPplus | \MPplus {} {} |
| MPpos | \MPpos {} |
| MPpositiongraphic | \MPpositiongraphic {} {=} |
| MPposset | \MPposset {} |
| MPr | \MPr {} |
| MPrawvar | \MPrawvar {} {} |
| MPregion | \MPregion {} |
| <u> </u> | |
| MPrest | \MPrest {} {} |
| MPrightskip | \MPrightskip {} |
| MPrs | \MPrs {} |
| MPstring | \MPstring {} |
| MPtext | \MPtext {} |
| MPtransparency | \MPtransparency {} |
| MPul | \MPul {} |
| MPur | \MPur {} |
| MPVI | \MPVI |
| MPv | \MPv {} {} |
| | |
| MPvar | \MPvar {} |
| MPvariable | \MPvariable {} |
| MPvv | \MPvv {} {} |
| MPw | / MD () |
| MPwhd | \MPw {} |
| MPx | \MPwhd {} |
| rir X | |
| MPxy | \MPwhd {} \MPx {} |
| MPxy | \MPwhd {} \MPx {} \MPxy {} |
| MPxy MPxywhd | \MPwhd {} \MPx {} \MPxy {} \MPxywhd {} |
| MPxy MPxywhd MPy | \MPwhd {} \MPx {} \MPxy {} \MPxywhd {} \MPy {} |
| MPxy MPxywhd MPy m | \MPwhd {} \MPx {} \MPxy {} \MPxywhd {} \MPy {} \m [] {} |
| MPxy MPxywhd MPy m makecharacteractive | \MPwhd {} \MPx {} \MPxy {} \MPxywhd {} \MPy {} \m [] {} \makecharacteractive |
| MPxy MPxywhd MPy m makecharacteractive makerawcommalist | \MPwhd {} \MPx {} \MPxy {} \MPxywhd {} \MPy {} \m [] {} \makecharacteractive \makerawcommalist [] \ |
| MPxy MPxywhd MPy m makecharacteractive | \MPwhd {} \MPx {} \MPxy {} \MPxywhd {} \MPy {} \m [] {} \makecharacteractive |
| MPxy MPxywhd MPy m makecharacteractive makerawcommalist | \MPwhd {} \MPx {} \MPxy {} \MPxywhd {} \MPy {} \m [] {} \makecharacteractive \makerawcommalist [] \ |
| MPxy MPxywhd MPy m makecharacteractive makerawcommalist makestrutofbox | \MPwhd {} \MPx {} \MPxy {} \MPxywhd {} \MPy {} \m [] {} \makecharacteractive \makerawcommalist [] \ \makestrutofbox |
| MPxy MPxywhd MPy m makecharacteractive makerawcommalist makestrutofbox male | <pre>\MPwhd {} \MPxy {} \MPxywhd {} \MPy {} \m [] {} \makecharacteractive \makerawcommalist [] \ \makestrutofbox \male</pre> |
| MPxy MPxywhd MPy m makecharacteractive makerawcommalist makestrutofbox male malekurzivnitucne malenormalni | <pre>\MPwhd {} \MPxy {} \MPxywhd {} \MPy {} \m [] {} \makecharacteractive \makerawcommalist [] \ \makestrutofbox \male \malekurzivnitucne \malenormalni</pre> |
| MPxy MPxywhd MPy m makecharacteractive makerawcommalist makestrutofbox male malekurzivnitucne | <pre>\MPwhd {} \MPxy {} \MPxywhd {} \MPy {} \m [] {} \makecharacteractive \makerawcommalist [] \ \makestrutofbox \male \malekurzivnitucne</pre> |

| maletucne | \maletucne |
|---|---|
| maletucnekurzivni | \maletucnekurzivni |
| maletucnesklonene | \maletucnesklonene |
| maletype | \maletype |
| mapfontsize | \mapfontsize [] |
| margindata | \margindata [] [=] [=] {} |
| margindata:instance | \MARGINDATA [=] [=] {} |
| margindata:instance:atleftmargin | \atleftmargin [=] [=] {} |
| margindata:instance:atrightmargin | \atrightmargin [=] [=] {} |
| margindata:instance:ininner | \ininner [=] [=] {} |
| margindata:instance:ininneredge | \ininneredge [=] [=] {} |
| margindata:instance:ininnermargin | \ininnermargin [=] [=] {} |
| margindata:instance:inleft | \inleft [=] [=] {} |
| margindata:instance:inleftedge | \inleftedge [=] [=] {} |
| margindata:instance:inleftmargin | \inleftmargin [=] [=] {} |
| margindata:instance:inmargin | \inmargin [=] [=] {} |
| margindata:instance:inother | \inother [=] [=] {} |
| margindata:instance:inouter | \inouter [=] [=] {} |
| margindata:instance:inouteredge | \inouteredge [=] [=] {} |
| margindata:instance:inoutermargin | \inoutermargin [=] [=] {} |
| margindata:instance:inright | \inright [=] [=] {} |
| margindata:instance:inrightedge | \inrightedge [=] [=] {} |
| margindata:instance:inrightmargin | \inrightmargin [=] [=] {} \margintext [=] [=] {} |
| margindata:instance:margintext markcontent | <u> </u> |
| | \markcontent [] {} |
| markinjector | \markinjector [] |
| markpage mat | \markpage [] [] \mat {} |
| matematika | |
| math | \matematika [] {} \math [] {} |
| mathbf | \mathbf |
| mathbi | \mathbi |
| mathblackboard | \mathblackboard |
| mathbs | \mathba |
| | \MATHCOMMAND {} {} |
| mathcommand:example mathdefault | \mathdefault |
| mathdouble | \mathdelault \mathdouble [] {} {} |
| mathdoubleextensible:instance | \MATHDOUBLEEXTENSIBLE \{\ldots\} |
| mathdoubleextensible:instance:doublebar | \doublebar \{\} \doublebar \langle \(\). |
| mathdoubleextensible:instance:doublebrace | \doublebrace \{\} \{\} |
| mathdoubleextensible:instance:doublebracket | \doublebracket \{\ldots\} \\\ |
| mathdoubleextensible:instance:doubleparent | \doubleparent \{\ldots\} \\ |
| mathdoubleextensible:instance:overbarunderbar | \overbarunderbar \{\ldots\} |
| mathdoubleextensible:instance:overbaranderbrace | \overbraceunderbrace \{\ldots\} \\\ |
| mathdoubleextensible:instance:overbracketunderbracket | \overbracketunderbracket \{\ldots\} \\\ |
| mathdoubleextensible:instance:overparentunderparent | \overparentunderparent \{\ldots\} \\ |
| mathextensible:instance | \MATHEXTENSIBLE \{\ldots\} |
| mathextensible:instance:cleftarrow | \cleftarrow {} {} |
| mathextensible:instance:crightarrow | \crightarrow {} {} |
| mathextensible:instance:crightoverleftarrow | \crightoverleftarrow {} {} |
| mathextensible:instance:eleftarrowfill | \eleftarrowfill {} {} |
| mathextensible:instance:eleftharpoondownfill | \eleftharpoondownfill {} {} |
| mathextensible:instance:eleftharpoonupfill | \eleftharpoonupfill {} {} |
| mathextensible:instance:eleftrightarrowfill | \eleftrightarrowfill {} {} |
| mathextensible:instance:eoverbarfill | \eoverbarfill {} {} |
| mathextensible:instance:eoverbracefill | \eoverbracefill {} {} |
| mathextensible:instance:eoverbracketfill | \eoverbracketfill {} {} |
| mathextensible:instance:eoverparentfill | \eoverparentfill {} {} |
| mathextensible:instance:erightarrowfill | \erightarrowfill {} {} |
| mathextensible:instance:erightharpoondownfill | \erightharpoondownfill {} {} |
| mathextensible:instance:erightharpoonupfill | \erightharpoonupfill {} {} |
| mathextensible:instance:etwoheadrightarrowfill | \etwoheadrightarrowfill {} {} |
| mathextensible:instance:eunderbarfill | \eunderbarfill {} {} |
| mathextensible:instance:eunderbracefill | \eunderbracefill {} {} |
| mathextensible:instance:eunderbracketfill | \eunderbracketfill {} {} |
| mathextensible:instance:eunderparentfill | \eunderparentfill {} {} |
| mathextensible:instance:mequal | \mequal {} {} |
| mathextensible:instance:mhookleftarrow | \mhookleftarrow {} {} |
| mathextensible:instance:mhookrightarrow | \mhookrightarrow {} {} |
| mathextensible:instance:mLeftarrow | \mLeftarrow {} {} |
| mathextensible:instance:mLeftrightarrow | \mLeftrightarrow {} {} |
| mathextensible:instance:mleftarrow | \mleftarrow {} {} |
| mathextensible:instance:mleftharpoondown | \mleftharpoondown {} {} |
| mathextensible:instance:mleftharpoonup | \mleftharpoonup {} {} |
| mathextensible:instance:mleftrightarrow | \mleftrightarrow {} {} |
| | |

| mathextensible:instance:mleftrightharpoons | \mleftrightharpoons {} {} |
|--|--|
| mathextensible:instance:mmapsto | \mmapsto {} {} |
| mathextensible:instance:mRightarrow | \mRightarrow {} {} |
| 5 | |
| mathextensible:instance:mrel | \mrel {} {} |
| mathextensible:instance:mrightarrow | $\mbox{mrightarrow } \{\ldots\} \ \{\ldots\}$ |
| mathextensible:instance:mrightharpoondown | \mrightharpoondown {} {} |
| mathextensible:instance:mrightharpoonup | \mrightharpoonup {} {} |
| 9 | |
| mathextensible:instance:mrightleftharpoons | \mrightleftharpoons {} {} |
| mathextensible:instance:mrightoverleftarrow | $\mbox{\mbox{$\mbox{mrightoverleftarrow}}} \ \ldots \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ $ |
| mathextensible:instance:mtriplerel | \mtriplerel {} {} |
| mathextensible:instance:mtwoheadleftarrow | \mtwoheadleftarrow {} {} |
| | |
| mathextensible:instance:mtwoheadrightarrow | \mtwoheadrightarrow \{\ldots\} \{\ldots\} |
| mathextensible:instance:tequal | \tequal {} {} |
| mathextensible:instance:thookleftarrow | \thookleftarrow {} {} |
| mathextensible:instance:thookrightarrow | \thookrightarrow {} {} |
| mathextensible:instance:tLeftarrow | \tLeftarrow {} {} |
| | |
| mathextensible:instance:tLeftrightarrow | \tLeftrightarrow {} {} |
| mathextensible:instance:tleftarrow | $\time \{\ldots\}\ \{\ldots\}$ |
| mathextensible:instance:tleftharpoondown | \tleftharpoondown {} {} |
| mathextensible:instance:tleftharpoonup | \tleftharpoonup {} {} |
| | |
| mathextensible:instance:tleftrightarrow | \tleftrightarrow {} {} |
| mathextensible:instance:tleftrightharpoons | \t leftrightharpoons $\{\}$ $\{\}$ |
| mathextensible:instance:tmapsto | \tmapsto {} {} |
| mathextensible:instance:tRightarrow | \tRightarrow {} {} |
| mathextensible:instance:trel | \trel {} {} |
| | |
| mathextensible:instance:trightarrow | \trightarrow {} {} |
| mathextensible:instance:trightharpoondown | \trightharpoondown {} {} |
| mathextensible:instance:trightharpoonup | \trightharpoonup {} {} |
| mathextensible:instance:trightleftharpoons | \trightleftharpoons {} {} |
| <u> </u> | |
| mathextensible:instance:trightoverleftarrow | \trightoverleftarrow {} {} |
| mathextensible:instance:ttriplerel | \ttriplerel {} {} |
| mathextensible:instance:ttwoheadleftarrow | \ttwoheadleftarrow {} {} |
| mathextensible:instance:ttwoheadrightarrow | \ttwoheadrightarrow {} {} |
| - | |
| mathextensible:instance:xequal | \xequal {} {} |
| mathextensible:instance:xhookleftarrow | $\xhookleftarrow {} {}$ |
| mathextensible:instance:xhookrightarrow | \xhookrightarrow {} {} |
| mathextensible:instance:xLeftarrow | \xLeftarrow {} {} |
| mathextensible:instance:xLeftrightarrow | \xLeftrightarrow {} {} |
| <u> </u> | |
| mathextensible:instance:xleftarrow | \xleftarrow {} {} |
| mathextensible:instance:xleftharpoondown | \xleft that poon down $\{\ldots\}$ |
| mathextensible:instance:xleftharpoonup | \xleft that poon up $\{\ldots\}$ |
| mathextensible:instance:xleftrightarrow | \xleftrightarrow {} {} |
| mathextensible:instance:xleftrightharpoons | \xleftrightharpoons {} {} |
| mathextensible:instance:xmapsto | \xmapsto {} {} |
| - · | |
| mathextensible:instance:xRightarrow | \xRightarrow {} {} |
| mathextensible:instance:xrel | \xrel {} {} |
| mathextensible:instance:xrightarrow | \xrightarrow {} {} |
| mathextensible:instance:xrightharpoondown | \xrightharpoondown {} {} |
| mathextensible:instance:xrightharpoonup | \xrightharpoonup {} {} |
| 9 | |
| mathextensible:instance:xrightleftharpoons | \xrightleftharpoons {} {} |
| mathextensible:instance:xrightoverleftarrow | \xrightoverleftarrow {} {} |
| mathextensible:instance:xtriplerel | $\xtriplerel {} {}$ |
| mathextensible:instance:xtwoheadleftarrow | \xtwoheadleftarrow {} {} |
| mathextensible:instance:xtwoheadrightarrow | \xtwoheadrightarrow {} {} |
| | |
| mathfraktur | \mathfraktur |
| mathframed:instance | \MATHFRAMED [=] {} |
| mathframed:instance:inmframed | \inmframed [=] {} |
| | \IIIIIIII amea [] [] |
| mathframed.instance.mcframed | |
| mathframed:instance:mcframed | \mcframed [=] {} |
| mathframed:instance:mframed | \mcframed [=] {} \mframed [=] {} |
| | \mcframed [=] {} |
| mathframed:instance:mframed | \mcframed [=] {} \mframed [=] {} |
| <pre>mathframed:instance:mframed mathfunction mathit</pre> | <pre>\mcframed [=] {} \mframed [=] {} \mathfunction {} \mathit</pre> |
| <pre>mathframed:instance:mframed mathfunction mathit mathitalic</pre> | <pre>\mcframed [=] {} \mframed [=] {} \mathfunction {} \mathit \mathitalic</pre> |
| <pre>mathframed:instance:mframed mathfunction mathit mathitalic mathop</pre> | <pre>\mcframed [=] {} \mframed [=] {} \mathfunction {} \mathit \mathitalic \mathop {}</pre> |
| <pre>mathframed:instance:mframed mathfunction mathit mathitalic mathop mathornament:example</pre> | <pre>\mcframed [=] {} \mframed [=] {} \mathfunction {} \mathit \mathitalic \mathop {} \MATHORNAMENT {}</pre> |
| <pre>mathframed:instance:mframed mathfunction mathit mathitalic mathop</pre> | <pre>\mcframed [=] {} \mframed [=] {} \mathfunction {} \mathit \mathitalic \mathop {}</pre> |
| <pre>mathframed:instance:mframed mathfunction mathit mathitalic mathop mathornament:example</pre> | <pre>\mcframed [=] {} \mframed [=] {} \mathfunction {} \mathit \mathitalic \mathop {} \MATHORNAMENT {}</pre> |
| <pre>mathframed:instance:mframed mathfunction mathit mathitalic mathop mathornament:example mathover mathoverextensible:example</pre> | <pre>\mcframed [=] {} \mframed [=] {} \mathfunction {} \mathit \mathitalic \mathop {} \MATHORNAMENT {} \mathover [] {} {}</pre> |
| <pre>mathframed:instance:mframed mathfunction mathit mathitalic mathop mathornament:example mathover mathover mathoverextensible:example mathovertextextensible:instance</pre> | <pre>\mcframed [=] {} \mframed [=] {} \mathfunction {} \mathit \mathitalic \mathop {} \MATHORNAMENT {} \mathover [] {} {} \MATHOVEREXTENSIBLE {} \MATHOVEREXTENSIBLE {} {}</pre> |
| <pre>mathframed:instance:mframed mathfunction mathit mathitalic mathop mathornament:example mathover mathover mathoverextensible:example mathovertextextensible:instance mathradical:example</pre> | <pre>\mcframed [=] {} \mframed [=] {} \mathfunction {} \mathit \mathitalic \mathop {} \MATHORNAMENT {} \mathover [] {} {} \MATHOVEREXTENSIBLE {} \MATHOVEREXTENSIBLE {} {}</pre> |
| <pre>mathframed:instance:mframed mathfunction mathit mathitalic mathop mathornament:example mathover mathover mathoverextensible:example mathovertextextensible:instance</pre> | <pre>\mcframed [=] {} \mframed [=] {} \mathfunction {} \mathit \mathitalic \mathop {} \MATHORNAMENT {} \mathover [] {} {} \MATHOVEREXTENSIBLE {} \MATHOVEREXTENSIBLE {} {}</pre> |
| <pre>mathframed:instance:mframed mathfunction mathit mathitalic mathop mathornament:example mathover mathover mathoverextensible:example mathovertextextensible:instance mathradical:example</pre> | <pre>\mcframed [=] {} \mframed [=] {} \mathfunction {} \mathit \mathitalic \mathop {} \MATHORNAMENT {} \mathover [] {} {} \MATHOVEREXTENSIBLE {} \MATHOVEREXTENSIBLE {} {}</pre> |
| <pre>mathframed:instance:mframed mathfunction mathit mathitalic mathop mathornament:example mathover mathover mathoverextensible:example mathovertextextensible:instance mathradical:example mathrm mathscript</pre> | <pre>\mcframed [=] {} \mframed [=] {} \mathfunction {} \mathit \mathitalic \mathop {} \mathover [] {} \mathrm \mathscript</pre> |
| <pre>mathframed:instance:mframed mathfunction mathit mathitalic mathop mathornament:example mathover mathover mathoverextensible:example mathovertextextensible:instance mathradical:example mathrm mathscript mathsl</pre> | <pre>\mcframed [=] {} \mframed [=] {} \mathfunction {} \mathit \mathitalic \mathop {} \MATHORNAMENT {} \mathover [] {} {} \MATHOVEREXTENSIBLE {} \MATHOVEREXTEXTENSIBLE {} {} \mathrm \mathscript \mathsl</pre> |
| <pre>mathframed:instance:mframed mathfunction mathit mathitalic mathop mathornament:example mathover mathover mathoverextensible:example mathovertextextensible:instance mathradical:example mathrm mathscript mathsl mathss</pre> | <pre>\mcframed [=] {} \mframed [=] {} \mathfunction {} \mathit \mathitalic \mathop {} \mathover [] {} \mathradical [</pre> |
| <pre>mathframed:instance:mframed mathfunction mathit mathitalic mathop mathornament:example mathover mathover mathoverextensible:example mathovertextextensible:instance mathradical:example mathrm mathscript mathsl</pre> | <pre>\mcframed [=] {} \mframed [=] {} \mathfunction {} \mathit \mathitalic \mathop {} \mathover [] {} \mathradical [</pre> |
| <pre>mathframed:instance:mframed mathfunction mathit mathitalic mathop mathornament:example mathover mathover mathoverextensible:example mathovertextextensible:instance mathradical:example mathrm mathscript mathsl mathss</pre> | <pre>\mcframed [=] {} \mframed [=] {} \mathfunction {} \mathit \mathitalic \mathop {} \mathover [] {} \mathradical [</pre> |
| <pre>mathframed:instance:mframed mathfunction mathit mathitalic mathop mathornament:example mathover mathoverextensible:example mathovertextextensible:instance mathradical:example mathrm mathscript mathsl mathss mathtext</pre> | <pre>\mcframed [=] {} \mframed [=] {} \mathfunction {} \mathit \mathitalic \mathop {} \mathover [] {} \mathradical [</pre> |

| mathtextbs | \mathtextbs {} |
|----------------------------------|---|
| mathtextit | \mathtextit {} |
| mathtextsl | \mathtextsl {} |
| mathtexttf | \mathtexttf {} |
| mathtf | \mathtf |
| mathtriplet | $\mathbf{mathtriplet} [] {} {}$ |
| mathtriplet:example | \MATHTRIPLET [] {} {} |
| mathtt | \mathtt |
| mathunder | \mathunder [] {} {} |
| mathunderextensible:example | \MATHUNDEREXTENSIBLE {} |
| mathundertextextensible:instance | \MATHUNDERTEXTEXTENSIBLE {} {} |
| mathunstacked:example | \MATHUNSTACKED |
| mathupright | \mathupright |
| mathword | \mathword {} |
| mathwordbf | \mathwordbf {} |
| mathwordbi | \mathwordbi {} |
| mathwordbs | \mathwordbs {} |
| mathwordit | \mathwordit {} |
| mathwordsl | \mathwordsl {} |
| mathwordtf | \mathwordtf {} |
| maxaligned | \maxaligned {} |
| mbox | \mbox {} |
| measure | \measure {} |
| measured | \measured \{\ldots\} |
| | |
| medskip | \medskip |
| medspace | \medspace |
| meritko | \meritko [] [=] {} |
| mesic | \mesic {} |
| message | \message {} |
| metaTeX | \metaTeX |
| mezera | \mezera |
| mfence | \mfence {} |
| mfunction | \mfunction {} |
| mfunctionlabeltext | \mfunctionlabeltext {} |
| mhbox | \mhbox {} |
| middlealigned | \middlealigned {} |
| middlebox | \middlebox {} |
| midhbox | \midhbox {} |
| midsubsentence | \midsubsentence |
| minimalhbox | \minimalhbox {} |
| mixedcaps | \mixedcaps {} |
| mkvibuffer | \mkvibuffer [] |
| moduleparameter | \moduleparameter {} {} |
| molecule | \molecule {} |
| mono | \mono |
| mononormal | \mononormal |
| monotucne | \monotucne |
| monthlong | \monthlong {} |
| monthshort | \monthshort {} |
| mprandomnumber | \mprandomnumber |
| mrizka | \mrizka [=] |
| mtext | \mtext {} |
| NormalizeFontHeight | $\label{localize} $$\operatorname{NormalizeFontHeight} \ \ldots \ \{\ldots\} \ \{\ldots\} $$$ |
| NormalizeFontWidth | $\NormalizeFontWidth \ {} {} {}$ |
| NormalizeTextHeight | \NormalizeTextHeight {} {} |
| NormalizeTextWidth | \NormalizeTextWidth {} {} |
| namedheadnumber | \namedheadnumber {} |
| namedstructureheadlocation | \namedstructureheadlocation {} |
| namedstructureuservariable | \namedstructureuservariable {} {} |
| namedstructurevariable | \namedstructurevariable {} {} |
| namedtaggedlabeltexts | lem:lem:lem:lem:lem:lem:lem:lem:lem:lem: |
| nastavbarvu | \nastavbarvu [] |
| nastavbarvy | \nastavbarvy [=] |
| nastavbilamista | \nastavbilamista [] |
| nastavblok | \nastavblok [] [=] |
| nastavbloksekce | \nastavbloksekce [] [=] |
| nastavbuffer | \nastavbuffer [] [=] |
| nastavcernelinky | \nastavcernelinky [=] |
| nastavcislonadpisu | \nastavcislonadpisu [] [] |
| nastavcislostrany | \nastavcislostrany [=] |
| nastavcislovaniodstavcu | \nastavcislovaniodstavcu [=] |
| nastavcislovaniradku | \nastavcislovaniradku [] [=] |
| nastavcislovanistran | \nastavcislovanistran [=] |
| nastavcitaci | \nastavcitaci [=] |
| nastavdeleniplvoucichobjektu | \nastavdeleniplvoucichobjektu [=] |
| | |

| nastavdelitko | \nastavdelitko [=] |
|--|----------------------------------|
| | |
| nastavdolnitexty | \nastavdolnitexty [] [] [] [] |
| nastaveni | \nastaveni [] |
| nastaveni:direct | \nastaveni {} |
| nastavhorejsek | \nastavhorejsek [] [=] |
| nastavhornitexty | \nastavhornitexty [] [] [] [] |
| nastavinterakci | \nastavinterakci [] [=] |
| nastavinterakci:name | \nastavinterakci [] |
| nastavinterakcnilistu | \nastavinterakcrilistu [] [=] |
| | |
| nastavinterakcnimenu | \nastavinterakcnimenu [] [=] |
| nastavinterakcniobrazovku | \nastavinterakcniobrazovku [=] |
| nastavjazyk | \nastavjazyk [] [=] |
| nastavkapitalky | \nastavkapitalky [] [=] |
| nastavkombinovanyseznam | \nastavkombinovanyseznam [] [=] |
| nastavkombinovanyseznam:instance | \nastaveniCOMBINEDLIST [=] |
| nastavkombinovanyseznam:instance:content | \nastavenicontent [=] |
| • | |
| nastavkomentar | \nastavkomentar [] [=] |
| nastavkomentarstrany | \nastavkomentarstrany [=] |
| nastavmarginalnilinky | \nastavmarginalnilinky [] [=] |
| nastavmeziradkovoumezeru | \nastavmeziradkovoumezeru [] [=] |
| nastavmeziradkovoumezeru:argument | \nastavmeziradkovoumezeru [] |
| nastavmeziradkovoumezeru:name | \nastavmeziradkovoumezeru [] |
| nastavnadpis | \nastavnadpis [] [=] |
| • | |
| nastavnadpisy | \nastavnadpisy [] [=] |
| nastavodkazovani | \nastavodkazovani [=] |
| nastavodsazovani | \nastavodsazovani [] |
| nastavodstavce | \nastavodstavce [] [] [=] |
| nastavodstavce:assignment | \nastavodstavce [] [=] |
| nastavopis | \nastavopis [] [=] |
| nastavoramovanetexty | \nastavoramovanetexty [] [=] |
| · | \nastavoramovani [] [=] |
| nastavoramovani | |
| nastavorez | \nastavorez [=] |
| nastavotoceni | \nastavotoceni [=] |
| nastavpaletu | \nastavpaletu [] |
| nastavplvouciobjekt | \nastavplvouciobjekt [] [=] |
| nastavplvouciobjekty | \nastavplvouciobjekty [] [=] |
| nastavpodcislostrany | \nastavpodcislostrany [=] |
| nastavpole | \nastavpole [] [=] [=] [=] |
| • | |
| nastavpolozky | \nastavpolozky [] [=] |
| nastavpopisek | \nastavpopisek [] [=] |
| nastavpopisky | \nastavpopisky [] [=] |
| nastavpozadi | \nastavpozadi [] [=] |
| nastavpozadi:page | \nastavpozadi [] [=] |
| nastavprechodstrany | \nastavprechodstrany [] |
| - | i v |
| nastavpreskok | \nastavpreskok [] |
| nastavprogramy | \nastavprogramy [=] |
| nastavradkovani | \nastavradkovani [] |
| nastavradky | \nastavradky [] [=] |
| nastavrejstrik | \nastavrejstrik [] [=] |
| nastavrejstrik:argument | \nastavrejstrik [] [] [=] |
| nastavrejstrik:instance | \nastaveniREGISTER [] [=] |
| nastavrejstrik:instance:index | \nastaveniindex [] [=] |
| nastavrovnice | |
| | \nastavrovnice [] [=] |
| nastavsadusymbolu | \nastavsadusymbolu [] |
| nastavseznam | \nastavseznam [] [=] |
| nastavsirkucary | \nastavsirkucary [] |
| nastavsloupce | \nastavsloupce [=] |
| nastavspodek | \nastavspodek [] [=] |
| nastavsynonyma | \nastavsynonyma [] [=] |
| nastavtabelaci | \nastavtabelaci [] [=] |
| | |
| nastavtabulky | \nastavtabulky [=] |
| nastavtenkelinky | \nastavtenkelinky [=] |
| nastavtext | \nastavtext [] [=] |
| nastavtextovelinky | \nastavtextovelinky [=] |
| nastavtextpopisku:instance | \nastaveniLABELtext [] [=] |
| nastavtextpopisku:instance:btxlabel | \nastavenibtxlabeltext [] [=] |
| | \nastaveniheadtext [] [=] |
| nastavtextpopisku:instance:head | |
| nastavtextpopisku:instance:label | \nastavenilabeltext [] [=] |
| nastavtextpopisku:instance:mathlabel | \nastavenimathlabeltext [] [=] |
| nastavtextpopisku:instance:operator | \nastavenioperatortext [] [=] |
| nastavtextpopisku:instance:prefix | \nastaveniprefixtext [] [=] |
| nastavtextpopisku:instance:suffix | \nastavenisuffixtext [] [=] |
| nastavtextpopisku:instance:taglabel | \nastavenitaglabeltext [] [=] |
| | \nastaveniunittext [] [=] |
| nastavtextpopisku:instance:unit | |
| nastavtexttexty | \nastavtexttexty [] [] [] [] |

| nastavtextyupati | \nastavtextyupati [] [] [] [] |
|---------------------------|---------------------------------|
| nastavtextyzahlavi | \nastavtextyzahlavi [] [] [] [] |
| nastavtoleranci | \nastavtoleranci [] |
| nastavtrideni | \nastavtrideni [] [=] |
| nastavtype | \nastavtype [] [=] |
| nastavumisteniprotejsku | \nastavumisteniprotejsku [=] |
| nastavumistovani | \nastavumistovani [] [=] |
| nastavupati | \nastavupati [] [=] |
| nastavupravu | \nastavupravu [] [=] |
| nastavurl | \nastavurl [=] |
| nastavusporadani | \nastavusporadani [] |
| nastavvelikostpapiru | \nastavvelikostpapiru [] [=] |
| nastavvelikostpapiru:name | \nastavvelikostpapiru [] [] |
| nastavvsechnapole | \nastavvsechnapole [] [=] [=] |
| nastavvycty | \nastavvycty [] [=] |
| nastavvyplnovelinky | \nastavvyplnovelinky [=] |
| nastavvyplnoveradky | \nastavvyplnoveradky [=] |
| nastavyzhled | \nastavvzhled [] [=] |
| nastavvzhled:name | \nastavvzhled [] |
| nastavzahlavi | \nastavzahlavi [] [=] |
| nastavzakladnifont | \nastavzakladnifont [] |
| nastavzarovnani | \nastavzarovnani [] |
| nastavznaceni | \nastavznaceni [] [=] |
| nastavzuzeni | \nastavzuzeni [] [=] |
| | |
| nastrane | \nastrane [] |
| nastred | \nastred |
| naturalhbox | \naturalhbox {} |
| naturalhpack | \naturalhpack {} |
| naturalybox | \naturalvbox {} |
| naturalvcenter | \naturalvcenter {} |
| naturalvpack | \naturalvpack {} |
| naturalvtop | \naturalvtop {} |
| naturalwd | \naturalwd |
| negatecolorbox | \negatecolorbox |
| negated | \negated {} |
| negthinspace | \negthinspace |
| nejakyradek | \nejakyradek [] |
| nekde | \nekde {} {} [] |
| newattribute | \newattribute \ |
| newcatcodetable | \newcatcodetable \ |
| newcounter | \newcounter \ |
| newevery | \newevery \ \ |
| newfrenchspacing | \newfrenchspacing |
| newmode | \newmode {} |
| newsignal | \newsignal \ |
| newsystemmode | \newsystemmode {} |
| nextbox | \nextbox |
| nextboxdp | \nextbox |
| nextboxht | \nextboxdp |
| | |
| nextboxhtdp | \nextboxhtdp |
| nextboxwd | \nextboxwd |
| nextcounter | \nextcounter [] |
| nextcountervalue | \nextcountervalue [] |
| nextdepth | \nextdepth |
| nextparagraphs | \nextparagraphs |
| nextparagraphs:example | \dalsiPARAGRAPHS |
| nextrealpage | \nextrealpage |
| nextrealpagenumber | \nextrealpagenumber |
| nextsubcountervalue | \nextsubcountervalue [] [] |
| nextsubpagenumber | \nextsubpagenumber |
| nextuserpage | \nextuserpage |
| nextuserpagenumber | \nextuserpagenumber |
| neznamo | \neznamo |
| nivy | \nivy [] {} |
| nizky | \nizky {} |
| nizky:instance | \LOW {} |
| nizky:instance:unitslow | \unitslow {} |
| nocitation | \nocitation [] |
| nocitation:direct | \nocitation {} |
| nocite | \nocite [] |
| nocite:direct | \nocite {} |
| nodetostring | \nodetostring \ {} |
| noffigurepages | \noffigurepages |
| noflines | \noflines |
| noflocalfloats | \noflocalfloats |
| 11011100011110000 | /mor rocart roads |

| noheightstrut | \noheightstrut |
|--|--|
| noindentation | \noindentation |
| noitem | \noitem |
| nokap | \nokap {} |
| nonfrenchspacing | honfrenchspacing |
| nonmathematics | \nonmathematics {} |
| normalboldface | \normalboldface |
| normalframedwithsettings | \normalframedwithsettings [=] {} |
| normalitalicface | \normalitalicface |
| normalizebodyfontsize | \normalizebodyfontsize \ \{\} |
| normalizedfontsize | \normalizedfontsize |
| normalizefontdepth | \normalizefontdepth \ $\{\}$ $\{\}$ \normalizefontheight \ $\{\}$ $\{\}$ |
| normalizefontheight normalizefontline | \normalizefontline \ \{\} \{\} |
| normalizefontwidth | \normalizefontwidth \ \\ \ \\ \\ \ \\ \\ \ \\ \\ |
| normalizetextdepth | \normalizetextdepth \\\\} \\\\} |
| normalizetextheight | \normalizetextheight \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| normalizetextline | \normalizetextline \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| normalizetextuidth | \normalizetextuidth \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| normalni | \normalni |
| normalslantedface | \normalslantedface |
| normaltypeface | \normaltypeface |
| notesymbol | \notesymbol [] [] |
| notragged | \notragged |
| ntimes | \ntimes {} {} |
| numberofpoints | \numberofpoints {} |
| obeydepth | \obeydepth |
| objectdepth | \objectdepth |
| objectheight | \objectheight |
| objectmargin | \objectmargin |
| objectwidth | \objectwidth |
| obox | \obox {} |
| obrazovka | \obrazovka [] |
| odkaz | \odkaz [] {} |
| odkaznastranu | \odkaznastranu [] |
| odkaznatext | \odkaznatext [] {} |
| odkazujici | \odkazujici (,) (,) [] |
| offset | \offset [=] {} |
| offsetbox | \offsetbox [=] \ {} |
| onedigitrounding | \onedigitrounding {} |
| opis | \opis [=] {} |
| opissoubor | \opissoubor [] [=] {} |
| opis:angles | \opis [=] <<>> |
| opis:example | \OPIS [=] {} |
| opis:example:angles | \OPIS [=] <<>> |
| oramovani | \oramovani [=] {} |
| oramovani:instance | \FRAMED [=] {} |
| oramovani:instance:fitfieldframed | \fitfieldframed [=] \{\} \unframed [=] \{\} |
| oramovani:instance:unframed | Initialized [=] \\\ |
| oramovanytext:instance | \frameDiexi [=] \\\framediext [=] \\\\. |
| oramovanytext:instance:framedtext ordinaldaynumber | \ordinaldaynumber \{\ldots\} |
| ordinalstr | \ordinalstr {} |
| oref | \oref [] |
| orez | \orez [=] {} |
| ornamenttext:collector | \ornamenttext [=] [=] {} {} |
| ornamenttext:direct | \ornamenttext [] {} {} |
| ornamenttext:layer | \ornamenttext [=] [=] {} {} |
| ornament:example | \ORNAMENT {} {} |
| otocit | \otocit [=] {} |
| outputfilename | \outputfilename |
| outputstreambox | \outputstreambox [] |
| outputstreamcopy | \outputstreamcopy [] |
| outputstreamunvbox | \outputstreamunvbox [] |
| outputstreamunvcopy | \outputstreamunvcopy [] |
| over | \over [] |
| overlaybutton | \overlaybutton [] |
| overlaybutton:direct | \overlaybutton {} |
| overlaycolor | \overlaycolor |
| overlaydepth | \overlaydepth |
| overlayfigure | \overlayfigure {} |
| overlayheight | \overlayheight |
| overlaylinecolor | \overlaylinecolor |
| overlaylinewidth | \overlaylinewidth |
| overlayoffset | \overlayoffset |

| overlayrollbutton | \overlayrollbutton [] [] |
|--------------------------------|--|
| overlaywidth | \overlaywidth |
| overloaderror | \overloaderror |
| | • |
| overset | \overset {} {} |
| oznaceni | \oznaceni (,) (,) [=] {} |
| PDFcolor | \PDFcolor {} |
| PDFETEX | \PDFETEX |
| PDFTEX | \PDFTEX |
| PICTEX | \PICTEX |
| PiCTeX | \PiCTeX |
| | \PointsToBigPoints {} \ |
| PointsToBigPoints | <u> </u> |
| PointsToReal | \PointsToReal {} \ |
| PointsToWholeBigPoints | \PointsToWholeBigPoints {} \ |
| PPCHTEX | \PPCHTEX |
| PPCHTeX | \PPCHTeX |
| PRAGMA | \PRAGMA |
| PtToCm | \PtToCm {} |
| pagearea | \pagearea [] [] |
| | |
| pagebreak | \pagebreak [] |
| pagefigure | \pagefigure [] [=] |
| pagegridspanwidth | \pagegridspanwidth {} |
| pageinjection | \pageinjection [] [=] |
| pageinjection:assignment | \pageinjection [=] [=] |
| pagestaterealpage | \pagestaterealpage {} {} |
| paletsize | \paletsize |
| - | \PARAGRAPHS |
| paragraphs:example | · |
| pdfactualtext | \pdfactualtext {} {} |
| pdfbackendactualtext | \pdfbackendactualtext {} {} |
| pdfbackendcurrentresources | \pdfbackendcurrentresources |
| pdfbackendsetcatalog | \pdfbackendsetcatalog {} {} |
| pdfbackendsetcolorspace | \pdfbackendsetcolorspace {} {} |
| pdfbackendsetextgstate | \pdfbackendsetextgstate {} {} |
| pdfbackendsetinfo | \pdfbackendsetinfo {} {} |
| ± | <u>-</u> |
| pdfbackendsetname | \pdfbackendsetname {} {} |
| pdfbackendsetpageattribute | \pdfbackendsetpageattribute \{\ldots\} |
| pdfbackendsetpageresource | \pdfbackendsetpageresource {} {} |
| pdfbackendsetpagesattribute | \pdfbackendsetpagesattribute {} {} |
| pdfbackendsetpattern | \pdfbackendsetpattern {} {} |
| pdfbackendsetshade | \pdfbackendsetshade {} {} |
| pdfcolor | \pdfcolor {} |
| - | . = |
| pdfeTeX | \pdfeTeX |
| pdfTeX | \pdfTeX |
| percent | \percent |
| percentdimen | \percentdimen {} {} |
| permitcaretescape | \permitcaretescape |
| permitcircumflexescape | \permitcircumflexescape |
| permitspacesbetweengroups | \permitspacesbetweengroups |
| | \persiandecimals {} |
| persiandecimals | <u>-</u> |
| persiannumerals | \persiannumerals {} |
| phantom | \phantom {} |
| phantombox | \phantombox [=] |
| pickupgroupedcommand | \pickupgroupedcommand {} {} {} |
| pis | \pis [=] {} |
| pis:angles | \pis [=] <<>> |
| placeattachments | \placeattachments |
| placebtxrendering | \placebtxrendering [] [=] |
| - | |
| placecitation | \placecitation [] |
| placecomments | \placecomments |
| placecurrentformulanumber | \placecurrentformulanumber |
| placedbox | \placedbox {} |
| placefloat | \placefloat [] [] {} {} |
| placefloatwithsetups | \placefloatwithsetups [] [] {} {} |
| placefloat:instance | \umistiFLOAT [] [] {} |
| placefloat:instance:figure | \umistifigure [] [] {} {} |
| | |
| placefloat:instance:graphic | \umistigraphic [] [] {} |
| placefloat:instance:chemical | \umistichemical [] [] {} |
| placefloat:instance:intermezzo | \umistiintermezzo [] [] {} |
| placefloat:instance:table | \umistitable [] [] {} |
| placeframed | \placeframed [] [=] {} |
| placeheadnumber | \placeheadnumber [] |
| placeheadtext | \placeheadtext [] |
| - | _ - |
| placehelp | \placehelp |
| placeinitial | \placeinitial [] |
| placelayer | \placelayer [] |
| placelayeredtext | \placelayeredtext [] [=] [=] {} {} |
| 1 | |

| placelistoffloats:instance | \placelistofFLOATS [=] |
|---|--|
| placelistoffloats:instance:figures | \placelistoffigures [=] |
| placelistoffloats:instance:graphics | \placelistofgraphics [=] |
| placelistoffloats:instance:chemicals | \placelistofchemicals [=] |
| placelistoffloats:instance:intermezzi | \placelistofintermezzi [=] |
| placelistoffloats:instance:tables | \placelistoftables [=] |
| placelistofpublications | \placelistofpublications [] [=] |
| placelistofsorts | \placelistofsorts [] [=] |
| placelistofsorts:instance | \placelistofSORTS [=] |
| | - |
| placelistofsorts:instance:logos | \placelistoflogos [=] |
| placelistofsynonyms | \placelistofsynonyms [] [=] |
| placelistofsynonyms:instance | \placelistofSYNONYMS [=] |
| placelistofsynonyms:instance:abbreviations | \placelistofabbreviations [=] |
| placelocalnotes | \placelocalnotes [] [=] |
| placement | \placement [] [=] {} |
| placement:example | \PLACEMENT [=] {} |
| placenamedfloat | \placenamedfloat [] [] |
| placenamedformula | \placenamedformula [] {} |
| placenotes | \placenotes [] [=] |
| placepagenumber | \placepagenumber |
| placepairedbox | \placepairedbox [] [=] {} {} |
| placepairedbox:instance | $\uberrule \uberrule \ube$ |
| placepairedbox:instance:legend | \umistilegend [=] {} {} |
| placeparallel | \placeparallel [] [] [=] |
| placerawlist | \placerawlist [] [=] |
| placerenderingwindow | \placerenderingwindow [] [] |
| plnezneni | \plnezneni {} |
| pole | \pole [] [] |
| polozka | \polozka [] |
| polozky | \polozky [=] {} |
| popattribute | \popattribute \ |
| | \POPIS [] {} \par |
| popis:example | |
| popmacro | \popmacro \ |
| popmode | \popmode [] |
| poppisek:example | \POPISEK [] {} |
| popsystemmode | \popsystemmode {} |
| porovnejpaletu | \porovnejpaletu [] |
| porovnejskupinubarev | \porovnejskupinubarev [] |
| positionoverlay | \positionoverlay {} |
| positionregionoverlay | \positionregionoverlay \{\ldots\} |
| poslaednipodstranka | \poslaednipodstranka |
| postponenotes | \postponenotes |
| pozadi | \pozadi {} |
| pozadi:example | \POZADI {} |
| pozice | \pozice [=] (,) {} |
| poznamka | \poznamka [] [] |
| poznamka:instance | \NOTE [] {} |
| poznamka:instance:assignment | \NOTE [=] |
| poznamka:instance:assignment:endnote | \endnote [=] |
| poznamka:instance:assignment:footnote | \footnote [=] |
| poznamka:instance:endnote | \endnote [] {} |
| poznamka:instance:footnote | \footnote [] {} |
| pravidelne | \pravidelne |
| - | |
| prederinediont | <u>-</u> |
| predefinedfont predefinefont | \predefinedfont [] |
| predefinefont | \predefinedfont [] \predefinefont [] |
| predefinefont predefinesymbol | \predefinedfont [] \predefinefont [] [] \predefinesymbol [] |
| predefinefont predefinesymbol pref | \predefinedfont [] \predefinefont [] \predefinesymbol [] \pref {} {} [] |
| predefinefont predefinesymbol pref prefixedpagenumber | \predefinedfont [] \predefinefont [] [] \predefinesymbol [] \pref {} {} [] \prefixedpagenumber |
| predefinefont predefinesymbol pref prefixedpagenumber prelozit | \predefinedfont [] \predefinefont [] [] \predefinesymbol [] \pref {} {} [] \prefixedpagenumber \prelozit [=] |
| predefinefont predefinesymbol pref prefixedpagenumber prelozit prependetoks | <pre>\predefinedfont [] \predefinefont [] [] \predefinesymbol [] \pref {} {} [] \prefixedpagenumber \prelozit [=] \prependetoks \to \</pre> |
| predefinefont predefinesymbol pref prefixedpagenumber prelozit prependetoks prependgvalue | \predefinedfont [] \predefinefont [] [] \predefinesymbol [] \pref {} {} [] \prefixedpagenumber \prelozit [=] \prependetoks \to \ \prependgvalue {} {} |
| predefinefont predefinesymbol pref prefixedpagenumber prelozit prependetoks prependgvalue prependtocommalist | <pre>\predefinedfont [] \predefinefont [] [] \predefinesymbol [] \pref {} {} [] \prefixedpagenumber \prelozit [=] \prependetoks \to \ \prependgvalue {} {} \prependtocommalist {} \</pre> |
| predefinefont predefinesymbol pref prefixedpagenumber prelozit prependetoks prependgvalue prependtocommalist prependtoks | <pre>\predefinedfont [] \predefinefont [] [] \predefinesymbol [] \pref {} {} [] \prefixedpagenumber \prelozit [=] \prependetoks \to \ \prependgvalue {} {} \prependtocommalist {} \ \prependtoks \to \</pre> |
| predefinefont predefinesymbol pref prefixedpagenumber prelozit prependetoks prependgvalue prependtocommalist prependtoks prependtoks prependtoks | <pre>\predefinedfont [] \predefinefont [] [] \predefinesymbol [] \pref {} {} [] \prefixedpagenumber \prelozit [=] \prependetoks \to \ \prependtocommalist {} \ \prependtoks \to \ \prependtoksonce \to \</pre> |
| predefinefont predefinesymbol pref prefixedpagenumber prelozit prependetoks prependdocommalist prependtoks prependtoks prependtoks prependtoksonce prependvalue | <pre>\predefinedfont [] \predefinefont [] [] \predefinesymbol [] \pref {} {} [] \prefixedpagenumber \prelozit [=] \prependetoks \to \ \prependtocommalist {} \ \prependtoks \to \ \prependtoksonce \to \ \prependvalue {} {}</pre> |
| predefinefont predefinesymbol pref prefixedpagenumber prelozit prependetoks prependdocommalist prependtoks prependtoks prependtoks prependtoksonce prependvalue prepninazakladnifont | <pre>\predefinedfont [] \predefinefont [] [] \predefinesymbol [] \pref {} {} [] \prefixedpagenumber \prelozit [=] \prependetoks \to \ \prependgvalue {} {} \prependtocommalist {} \ \prependtoks \to \ \prependtoks \to \ \prependtoks \to \ \prependvalue {} {} \prependvalue {} {} \prependvalue {} {} \prependvalue {} {} \prepeninazakladnifont []</pre> |
| predefinefont predefinesymbol pref prefixedpagenumber prelozit prependetoks prependgvalue prependtocommalist prependtoks prependtoks prependtoksonce prependvalue prepninazakladnifont presetdocument | <pre>\predefinedfont [] \predefinefont [] [] \predefinesymbol [] \pref {} {} [] \prefixedpagenumber \prelozit [=] \prependetoks \to \ \prependgvalue {} {} \prependtocommalist {} \ \prependtoks \to \ \prependtoks \to \ \prependtoks \to \ \prependtoks \to \ \prependvalue {} {} \prependvalue {} {}</pre> |
| predefinefont predefinesymbol pref prefixedpagenumber prelozit prependetoks prependgvalue prependtocommalist prependtoks prependtoks prependtoks prependtoksonce prependvalue prepninazakladnifont presetdocument presetfieldsymbols | <pre>\predefinedfont [] \predefinefont [] [] \predefinesymbol [] \pref {} {} [] \prefixedpagenumber \prelozit [=] \prependetoks \to \ \prependtocommalist {} \ \prependtoks \to \ \pr</pre> |
| predefinefont predefinesymbol pref prefixedpagenumber prelozit prependetoks prependgvalue prependtocommalist prependtoks prependtoks prependtoks prependtoksonce prependvalue prepninazakladnifont presetdocument presetfieldsymbols presetlabeltext:instance | <pre>\predefinedfont [] \predefinefont [] [] \predefinesymbol [] \pref {} {} [] \prefixedpagenumber \prelozit [=] \prependetoks \to \ \prependtocommalist {} \ \prependtoks \to \ \pr</pre> |
| predefinefont predefinesymbol pref prefixedpagenumber prelozit prependetoks prependgvalue prependtocommalist prependtoks prependtoks prependtoks prependtoks prependtoksonce prependtoksonce prependvalue prepninazakladnifont presetdocument presetfieldsymbols presetlabeltext:instance presetlabeltext:instance:btxlabel | <pre>\predefinedfont [] \predefinefont [] [] \predefinesymbol [] \pref {} {} [] \prefixedpagenumber \prelozit [=] \prependetoks \to \ \prependtocommalist {} \ \prependtoks \to \ \pr</pre> |
| predefinefont predefinesymbol pref prefixedpagenumber prelozit prependetoks prependgvalue prependtocommalist prependtoks prependtoks prependtoks prependtoks prependtoksonce prependvalue prepninazakladnifont presetdocument presetfieldsymbols presetlabeltext:instance presetlabeltext:instance:btxlabel presetlabeltext:instance:head | <pre>\predefinedfont [] \predefinefont [] [] \predefinesymbol [] \pref {} {} [] \prefixedpagenumber \prelozit [=] \prependetoks \to \ \prependtocommalist {} \ \prependtoks \to \ \prependtoksonce \to \ \prependtoksonce \to \ \prependvalue {} {} \prepeninazakladnifont [] \presetdocument [=] \presetLABELtext [] [=] \presetbxlabeltext [] [=] \presetbeadtext [] [=]</pre> |
| predefinefont predefinesymbol pref prefixedpagenumber prelozit prependetoks prependgvalue prependtocommalist prependtoks prependtoks prependtoks prependtoksonce prependvalue prepninazakladnifont presetdocument presetfieldsymbols presetlabeltext:instance presetlabeltext:instance:btxlabel presetlabeltext:instance:head presetlabeltext:instance:label | <pre>\predefinedfont [] \predefinefont [] [] \predefinesymbol [] \pref {} {} [] \prefixedpagenumber \prelozit [=] \prependetoks \to \ \prependtocommalist {} \ \prependtoks \to \ \pr</pre> |
| predefinefont predefinesymbol pref prefixedpagenumber prelozit prependetoks prependgvalue prependtocommalist prependtoks prependtoks prependtoks prependtoksonce prependtoksonce prependvalue prepninazakladnifont presetdocument presetfieldsymbols presetlabeltext:instance presetlabeltext:instance:btxlabel presetlabeltext:instance:head presetlabeltext:instance:label presetlabeltext:instance:mathlabel | <pre>\predefinedfont [] \predefinefont [] [] \predefinesymbol [] \pref {} {} [] \prefixedpagenumber \prelozit [=] \prependetoks \to \ \prependtocommalist {} \ \prependtoks \to \ \pr</pre> |
| predefinefont predefinesymbol pref prefixedpagenumber prelozit prependetoks prependgvalue prependtocommalist prependtoks prependtoks prependtoks prependtoksonce prependvalue prepninazakladnifont presetdocument presetfieldsymbols presetlabeltext:instance presetlabeltext:instance:btxlabel presetlabeltext:instance:head presetlabeltext:instance:label | <pre>\predefinedfont [] \predefinefont [] [] \predefinesymbol [] \pref {} {} [] \prefixedpagenumber \prelozit [=] \prependetoks \to \ \prependtocommalist {} \ \prependtoks \to \ \pr</pre> |

| <pre>presetlabeltext:instance:suffix</pre> | \presetsuffixtext [] [=] |
|--|--|
| <pre>presetlabeltext:instance:taglabel</pre> | \presettaglabeltext [] [=] |
| <pre>presetlabeltext:instance:unit</pre> | \presetunittext [] [=] |
| preskoc | \preskoc [] |
| pretocommalist | \pretocommalist {} \ |
| prettyprintbuffer | \prettyprintbuffer {} {} |
| prevcounter | \prevcounter [] [] |
| prevcountervalue | \prevcountervalue [] |
| preventmode | \preventmode [] |
| prevrealpage | \prevrealpage |
| prevrealpagenumber | \prevrealpagenumber |
| prevsubcountervalue | \prevsubcountervalue [] [] |
| prevsubpage | \prevsubpage |
| prevsubpagenumber | \prevsubpagenumber |
| prevuserpage | \prevuserpage |
| prevuserpagenumber | \prevuserpagenumber |
| prizpusobivepole | \prizpusobivepole [] [=] |
| prizpusobvzhled | \prizpusobvzhled [] [=] |
| procent | \procent |
| processaction | \processaction [] [,=>,] |
| processallactionsinset | \processallactionsinset [] [,=>,] |
| | |
| processassignlist | \processassignlist [] \ |
| processassignmentcommand | \processassignmentcommand [=] \ |
| processassignmentlist | \processassignmentlist [=] \ |
| processbetween | \processbetween {} \ |
| processbodyfontenvironmentlist | \processbodyfontenvironmentlist \ |
| processcolorcomponents | \processcolorcomponents {} |
| processcommacommand | \processcommacommand [] \ |
| processcommalist | \processcommalist [] \ |
| processcommalistwithparameters | $\processcommalist with parameters [] \n.$ |
| processcontent | \processcontent {} \ |
| processfile | \processfile {} |
| processfilemany | \processfilemany {} |
| processfilenone | \processfilenone {} |
| processfileonce | \processfileonce {} |
| processfirstactioninset | \processfirstactioninset [] [,=>,] |
| processisolatedchars | \processisolatedchars {} \ |
| processisolatedwords | \processisolatedwords {} \ |
| processlinetablebuffer | \processlinetablebuffer [] |
| processlinetablefile | \processlinetablefuller [] \processlinetablefile {} |
| • | - |
| processlist | \processlist \{\} \{\} \\ |
| processMPbuffer | \processMPbuffer [] |
| processMPfigurefile | \processMPfigurefile {} |
| processmonth | \processmonth \{\} \{\} |
| processranges | \processranges [] \ |
| processseparatedlist | \processseparatedlist [] [] {} |
| processtexbuffer | \processTEXbuffer [] |
| processtokens | \processtokens \{\ldots\} \{\ldots\} \{\ldots\} \{\ldots\} \{\ldots\} |
| processuntil | \processuntil \ |
| processxtablebuffer | \processxtablebuffer [] |
| processyear | \processyear {} {} {} |
| produkt | \produkt [] |
| produkt:string | \produkt |
| profiledbox | \profiledbox [] [=] {} |
| profilegivenbox | \profilegivenbox {} |
| program | \program [] |
| projekt | \projekt [] |
| projekt:string | \projekt |
| prostredi | \prostredi [] |
| prostredi:string | \prostredi |
| prvnipodstranka | \prvnipodstranka |
| pseudoMixedCapped | \pseudoMixedCapped {} |
| | |
| | |
| pseudoSmallCapped | \pseudoSmallCapped {} |
| pseudoSmallCapped pseudoSmallcapped | \pseudoSmallCapped {} \pseudoSmallcapped {} |
| pseudoSmallCapped pseudoSmallcapped pseudosmallcapped | \pseudoSmallCapped {} \pseudoSmallcapped {} \pseudosmallcapped {} |
| pseudoSmallCapped pseudoSmallcapped pseudosmallcapped purenumber | <pre>\pseudoSmallCapped {} \pseudoSmallcapped {} \pseudosmallcapped {} \purenumber {}</pre> |
| pseudoSmallCapped pseudoSmallcapped pseudosmallcapped purenumber pusharrangedpages | <pre>\pseudoSmallCapped {} \pseudoSmallcapped {} \pseudosmallcapped {} \purenumber {} \pusharrangedpages \poparrangedpages</pre> |
| pseudoSmallCapped pseudoSmallcapped pseudosmallcapped purenumber pusharrangedpages pushattribute | <pre>\pseudoSmallCapped {} \pseudoSmallcapped {} \pseudosmallcapped {} \purenumber {} \pusharrangedpages \poparrangedpages \pushattribute \</pre> |
| pseudoSmallCapped pseudoSmallcapped pseudosmallcapped purenumber pusharrangedpages pushattribute pushbar | <pre>\pseudoSmallCapped {} \pseudoSmallcapped {} \pseudosmallcapped {} \purenumber {} \pusharrangedpages \poparrangedpages \pushattribute \ \pushbar [] \popbar</pre> |
| pseudoSmallCapped pseudoSmallcapped pseudosmallcapped purenumber pusharrangedpages pushattribute pushbar pushbar | <pre>\pseudoSmallCapped {} \pseudoSmallcapped {} \pseudosmallcapped {} \purenumber {} \pusharrangedpages \poparrangedpages \pushattribute \ \pushbar [] \popbar \pushbarva [] \popbarva</pre> |
| pseudoSmallCapped pseudoSmallcapped pseudosmallcapped purenumber pusharrangedpages pushattribute pushbar | <pre>\pseudoSmallCapped {} \pseudoSmallcapped {} \pseudosmallcapped {} \purenumber {} \pusharrangedpages \poparrangedpages \pushattribute \ \pushbar [] \popbar \pushbarva [] \popbarva \pushbutton [] []</pre> |
| pseudoSmallCapped pseudoSmallcapped pseudosmallcapped purenumber pusharrangedpages pushattribute pushbar pushbarva pushbutton pushcatcodetable | <pre>\pseudoSmallCapped {} \pseudoSmallcapped {} \pseudosmallcapped {} \purenumber {} \pusharrangedpages \poparrangedpages \pushattribute \ \pushbar [] \popbar \pushbarva [] \popbarva \pushbutton [] [] \pushcatcodetable \popcatcodetable</pre> |
| pseudoSmallCapped pseudoSmallcapped pseudosmallcapped purenumber pusharrangedpages pushattribute pushbar pushbarva pushbutton | <pre>\pseudoSmallCapped {} \pseudoSmallcapped {} \pseudosmallcapped {} \purenumber {} \pusharrangedpages \poparrangedpages \pushattribute \ \pushbar [] \popbar \pushbarva [] \popbarva \pushbutton [] []</pre> |
| pseudoSmallCapped pseudoSmallcapped pseudosmallcapped purenumber pusharrangedpages pushattribute pushbar pushbarva pushbutton pushcatcodetable | <pre>\pseudoSmallCapped {} \pseudoSmallcapped {} \pseudosmallcapped {} \purenumber {} \pusharrangedpages \poparrangedpages \pushattribute \ \pushbar [] \popbar \pushbarva [] \popbarva \pushbutton [] [] \pushcatcodetable \popcatcodetable \pushendofline \popendofline \pushindentation \popindentation</pre> |
| pseudoSmallCapped pseudoSmallcapped pseudosmallcapped purenumber pusharrangedpages pushattribute pushbar pushbarva pushbutton pushcatcodetable pushendofline | <pre>\pseudoSmallCapped {} \pseudoSmallcapped {} \pseudosmallcapped {} \purenumber {} \pusharrangedpages \poparrangedpages \pushattribute \ \pushbar [] \popbar \pushbarva [] \popbarva \pushbutton [] [] \pushcatcodetable \popcatcodetable \pushendofline \popendofline</pre> |

| pushmacro | \pushmacro \ |
|------------------------------|--|
| - | • |
| pushmathstyle | \pushmathstyle \popmathstyle |
| pushmode | \pushmode [] |
| pushoutputstream | \pushoutputstream [] |
| pushpath | \pushpath [] \poppath |
| pushpozadi | \pushpozadi [] \poppozadi |
| pushpunctuation | \pushpunctuation \poppunctuation |
| pushrandomseed | \pushrandomseed \poprandomseed |
| - | \pushreferenceprefix \{\daggering \daggering \text{popreferenceprefix} |
| pushreferenceprefix | |
| pushsystemmode | \pushsystemmode {} |
| putboxincache | \putboxincache {} {} |
| putnextboxincache | \putnextboxincache \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| qquad | \qquad |
| quad | |
| quads | s [] |
| - | \quarterstrut |
| quarterstrut | _ - |
| quitcommalist | \quitcommalist |
| quitprevcommalist | \quitprevcommalist |
| quittypescriptscanning | \quittypescriptscanning |
| ReadFile | \ReadFile {} |
| Rimskecislice | \Rimskecislice {} |
| radek | \radek {} |
| raggedbottom | \raggedbottom |
| | |
| raggedcenter | \raggedcenter |
| raggedleft | \raggedleft |
| raggedright | \raggedright |
| raggedwidecenter | \raggedwidecenter |
| raisebox | \raisebox {} \ {} |
| randomizetext | \randomizetext {} |
| randomnumber | \randomnumber {} {} |
| rawcounter | \rawcounter [] [] |
| | |
| rawcountervalue | \rawcountervalue [] |
| rawdate | \rawdate [] |
| rawdoifelseinset | \rawdoifelseinset $\{\}$ $\{\}$ $\{\}$ |
| rawdoifinset | \rangle $\{\ldots\}$ $\{\ldots\}$ |
| rawdoifinsetelse | \rawdoifinsetelse $\{\}$ $\{\}$ $\{\}$ |
| rawgetparameters | \rawgetparameters [] [=] |
| rawprocessaction | \rawprocessaction [] [,=>,] |
| rawprocesscommacommand | \rawprocesscommacommand [] \ |
| rawprocesscommalist | - |
| 1 | \rawprocesscommalist [] \ |
| rawstructurelistuservariable | \rawstructurelistuservariable {} |
| rawsubcountervalue | \rawsubcountervalue [] [] |
| rbox | \rbox {} |
| readfile | \readfile {} {} |
| readfixfile | \readfixfile {} {} {} |
| readjobfile | \readjobfile {} {} {} |
| readlocfile | \readlocfile {} {} |
| readsetfile | \readsetfile \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| | |
| readsysfile | \readsysfile {} {} |
| readtexfile | \readtexfile \{\} \{\} |
| readxmlfile | \readxmlfile {} {} |
| realpagenumber | \realpagenumber |
| realSmallCapped | \realSmallCapped {} |
| realSmallcapped | \realSmallcapped {} |
| realsmallcapped | \realsmallcapped {} |
| recursedepth | \recursedepth |
| | \recurselevel |
| recurselevel | • |
| recursestring | \recursestring |
| redoconvertfont | \redoconvertfont |
| ref | \ref [] [] |
| referenceformat:example | \REFERENCEFORMAT {} {} [] |
| referenceprefix | \referenceprefix |
| registerattachment | \registerattachment [] [=] |
| registerctxluafile | \registerctxluafile {} {} |
| | |
| registerexternalfigure | \registerexternalfigure [] [] [] |
| registerfontclass | \registerfontclass {} |
| registerhyphenationexception | \registerhyphenationexception [] [] |
| registerhyphenationpattern | \registerhyphenationpattern [] [] |
| registermenubuttons | \registermenubuttons [] [] |
| registersort | \registersort [] [] |
| registersynonym | \registersynonym [] |
| registerunit | \registerunit [] [=] |
| | \REGISTER [] [++] |
| rejstrik:instance | |
| rejstrik:instance:index | \index [] [++] |
| rejstrik:instance:ownnumber | \REGISTER [] {} [++] |

| rejstrik:instance:ownnumber:index | \index [] {} [++] |
|---|--|
| relatemarking | \relatemarking [] [] |
| relateparameterhandlers | \relateparameterhandlers {} {} {} {} |
| relaxvalueifundefined | \relaxvalueifundefined {} |
| remainingcharacters | \remainingcharacters |
| <u> </u> | |
| removebottomthings | \removebottomthings |
| removedepth | \removedepth |
| removefromcommalist | \removefromcommalist \{\ldots\}\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| removelastskip | \removelastskip |
| removelastspace | \removelastspace |
| - | |
| removemarkedcontent | \removemarkedcontent [] |
| removepunctuation | \removepunctuation |
| removesubstring | \removesubstring \from \to \ |
| removetoks | \removetoks \from \ |
| removeunwantedspaces | \removeunwantedspaces |
| | • |
| replacefeature | \replacefeature [] |
| replacefeature:direct | \replacefeature {} |
| replaceincommalist | \replaceincommalist \ \{\} |
| replaceword | \replaceword [] [] |
| rescan | \rescan {} |
| | \rescanwithsetup \{\ldots\} \{\ldots\} |
| rescanwithsetup | • |
| resetallattributes | \resetallattributes |
| resetandaddfeature | \resetandaddfeature [] |
| resetandaddfeature:direct | \resetandaddfeature {} |
| resetbar | \resetbar |
| resetboxesincache | |
| | \resetboxesincache {} |
| resetbreakpoints | \resetbreakpoints |
| resetbuffer | \resetbuffer [] |
| resetcollector | \resetcollector [] |
| resetcounter | \resetcounter [] [] |
| | _ |
| resetdigitsmanipulation | \resetdigitsmanipulation |
| resetdirection | resetdirection |
| resetfeature | \resetfeature |
| resetflag | \resetflag {} |
| resetfontcolorsheme | \resetfontcolorsheme |
| resetfontfallback | \resetfontfallback [] [] |
| | |
| resetfontsolution | \resetfontsolution |
| resethyphenationfeatures | \resethyphenationfeatures |
| resetcharacteralign | \resetcharacteralign |
| resetcharacterkerning | \resetcharacterkerning |
| resetcharacterspacing | \resetcharacterspacing |
| | \resetcharacterstripping |
| resetcharacterstripping | |
| resetinjector | \resetinjector [] |
| resetinteractionmenu | \resetinteractionmenu [] |
| resetitaliccorrection | \resetitaliccorrection |
| resetlayer | \resetlayer [] |
| resetlocalfloats | \resetlocalfloats |
| resetMPdrawing | \resetMPdrawing |
| 9 | |
| resetMPenvironment | \resetMPenvironment |
| resetMPinstance | \resetMPinstance [] |
| resetmarker | \resetmarker [] |
| resetmode | \resetmode {} |
| resetpagenumber | \resetpagenumber |
| | |
| resetparallel | \resetparallel [] |
| resetpath | \resetpath |
| resetpenalties | \resetpenalties \ |
| resetprofile | \resetprofile |
| resetrecurselevel | \resetrecurselevel |
| resetreference | \resetreference [] |
| | _ |
| resetreplacement | \resetreplacement |
| resetscript | \resetscript |
| resetsetups | \resetsetups [] |
| resetshownsynonyms | \resetshownsynonyms [] |
| resetsubpagenumber | \resetsubpagenumber |
| | |
| resetsymbolset | \resetsymbolset |
| resetsystemmode | \resetsystemmode {} |
| resettimer | \resettimer |
| resettrackers | \resettrackers |
| resettrialtypesetting | \resettrialtypesetting |
| resetusedsortings | \resetusedsortings [] |
| - | |
| resetusedsynonyms | \resetusedsynonyms [] |
| resetuserpagenumber | \resetuserpagenumber |
| resetvalue | \resetvalue {} |
| resetvisualizers | \resetvisualizers |
| resetznaceni | \resetznaceni [] |
| 100000000000000000000000000000000000000 | _ 000 02H400H_ [] |

| reshapebox | \reshapebox {} |
|-----------------------------------|---|
| resolvedglyphdirect | \resolvedglyphdirect {} {} |
| resolvedglyphstyled | \resolvedglyphstyled {} {} |
| restartcounter | \restartcounter [] [] |
| | \restorebox {} {} |
| restorebox | |
| restorecatcodes | \restorecatcodes |
| restorecounter | \restorecounter [] |
| restorecurrentattributes | \restorecurrentattributes {} |
| restoreendofline | \restoreendofline |
| restoreglobalbodyfont | \restoreglobalbodyfont |
| reusableMPgraphic | \reusableMPgraphic {} {=} |
| | \reuseMPgraphic \{\dots\} \\\.=\dots\} |
| reuseMPgraphic | · · |
| reuserandomseed | \reuserandomseed |
| revivefeature | \revivefeature |
| rfence | \rfence {} |
| rhbox | \rhbox {} |
| rightbottombox | \rightbottombox {} |
| rightbox | \rightbox {} |
| _ | |
| righthbox | \righthbox {} |
| rightlabeltext:instance | \rightLABELtext {} |
| rightlabeltext:instance:head | \rightheadtext {} |
| rightlabeltext:instance:label | \rightlabeltext {} |
| rightlabeltext:instance:mathlabel | \rightmathlabeltext {} |
| rightline | \rightline {} |
| rightorleftpageaction | \rightorleftpageaction {} {} |
| rightskipadaption | \rightshipadaption |
| S 1 1 | 9 1 1 |
| rightsubguillemot | \rightsubguillemot |
| righttoleft | \righttoleft |
| righttolefthbox | \righttolefthbox {} |
| righttoleftvbox | \righttoleftvbox {} |
| righttoleftvtop | \righttoleftvtop {} |
| righttopbox | \righttopbox {} |
| rimskecislice | \rimskecislice {} |
| | |
| ring | \ring {} |
| rlap | \rlap {} |
| robustaddtocommalist | \robustaddtocommalist {} \ |
| robustdoifelseinset | \robustdoifelseinset \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| robustdoifinsetelse | \robustdoifinsetelse \{\ldots\} \{\ldots\} \{\ldots\} \\ |
| robustpretocommalist | \robustpretocommalist {} \ |
| rollbutton:button | \rollbutton [=] [] |
| | |
| rollbutton:interactionmenu | \rollbutton [] [=] [] |
| rovnice | \rovnice [] {} |
| rozdelplvouciobjekt | \rozdelplvouciobjekt [=] {} {} |
| roztazene | \roztazene [=] {} |
| rtop | \rtop {} |
| rukopisne | \rukopisne |
| ruledhbox | \ruledhbox {} |
| | |
| ruledhpack | \ruledhpack {} |
| ruledmbox | \ruledmbox {} |
| ruledtopv | \ruledtopv {} |
| ruledtpack | \ruledtpack {} |
| ruledvbox | \ruledvbox {} |
| ruledvpack | \ruledvpack {} |
| ruledvtop | \ruledvtop {} |
| runMPbuffer | \runMPbuffer [] |
| | |
| runninghbox | \runninghbox {} |
| ScaledPointsToBigPoints | \ScaledPointsToBigPoints {} \ |
| ScaledPointsToWholeBigPoints | \ScaledPointsToWholeBigPoints {} \ |
| SLOVA | \SLOVA {} |
| SLOVO | \SLOVO {} |
| Slova | \Slova {} |
| Slovo | \Slovo {} |
| Smallcapped | \Smallcapped {} |
| | |
| safechar | \safechar {} |
| samplefile | \samplefile {} |
| sans | \sans |
| sansnormal | \sansnormal |
| sanstucne | \sanstucne |
| savebarva | \savebarva \restorebarva |
| savebox | \savebox {} {} |
| savebtxdataset | \savebox () () () \savebox () [=] |
| | |
| savebuffer | \savebuffer [=] |
| savebuffer:list | \savebuffer [] [] |
| savecounter | \savecounter [] |
| savecurrentattributes | \savecurrentattributes {} |
| | |

| savenormalmeaning | \savenormalmeaning \ |
|---|--|
| savetaggedtwopassdata | \savetaggedtwopassdata $\{\}$ $\{\}$ $\{\}$ |
| savetwopassdata | \savetwopassdata {} {} {} |
| sbox | \sbox {} |
| script:instance | \SCRIPT |
| script:instance:ethiopic | \ethiopic |
| script:instance:hangul | \hangul |
| script:instance:hanzi | \hanzi |
| script:instance:latin | \latin |
| script:instance:nihongo | \nihongo |
| script:instance:test | \test |
| script:instance:thai | \thai |
| secondoffivearguments | \secondoffivearguments $\{\ldots\}$ $\{\ldots\}$ $\{\ldots\}$ $\{\ldots\}$ |
| secondoffourarguments | \secondoffourarguments {} {} {} |
| secondofsixarguments | \secondofsixarguments {} {} {} {} {} {} |
| secondofthreearguments | \secondofthreearguments {} {} {} |
| secondofthreeunexpanded | \secondofthreeunexpanded {} {} {} |
| secondoftwoarguments | \secondoftwoarguments {} {} |
| secondoftwounexpanded | \secondoftwounexpanded {} {} |
| sedabarva | \sedabarva [] {} |
| seeregister:instance | \vizREGISTER [] [++] {} |
| seeregister:instance:index | \vizindex [] [++] {} |
| sekce:instance | \SECTION [] {} |
| sekce:instance:assignment | \SECTION [=] |
| sekce:instance:assignment:chapter | \chapter [=] |
| sekce:instance:assignment:part | \part [=] |
| sekce:instance:assignment:section | \section [=] |
| | \subject [=] |
| sekce:instance:assignment:subject | \subsection [=] |
| sekce:instance:assignment:subsection | |
| sekce:instance:assignment:subsubject | \subsubject [=] |
| sekce:instance:assignment:subsubsection | \subsubsection [=] |
| sekce:instance:assignment:subsubsubject | \subsubsubject [=] |
| sekce:instance:assignment:subsubsubsection | \subsubsubsection [=] |
| sekce:instance:assignment:subsubsubsubject | \subsubsubsubject [=] |
| sekce:instance:assignment:subsubsubsection | \subsubsubsubsection [=] |
| sekce:instance:assignment:subsubsubsubsubject | \subsubsubsubsubject [=] |
| sekce:instance:assignment:title | \title [=] |
| sekce:instance:chapter | \chapter [] {} |
| sekce:instance:ownnumber | \SECTION [] {} |
| sekce:instance:ownnumber:chapter | \chapter [] {} |
| sekce:instance:ownnumber:part | \part [] {} |
| sekce:instance:ownnumber:section | \section [] {} |
| sekce:instance:ownnumber:subject | \subject [] {} |
| sekce:instance:ownnumber:subsection | \subsection [] $\{\}$ |
| sekce:instance:ownnumber:subsubject | \subsubject [] {} |
| sekce:instance:ownnumber:subsubsection | \subsubsection [] $\{\}$ |
| sekce:instance:ownnumber:subsubsubject | \subsubsubject [] {} |
| sekce:instance:ownnumber:subsubsubsection | \subsubsection [] $\{\}$ |
| sekce:instance:ownnumber:subsubsubsubject | \subsubsubject [] {} {} |
| sekce:instance:ownnumber:subsubsubsubsection | \subsubsubsection [] {} |
| sekce:instance:ownnumber:subsubsubsubject | \subsubsubsubject [] {} {} |
| sekce:instance:ownnumber:title | \title [] {} {} |
| sekce:instance:part | \part [] {} |
| sekce:instance:section | \section [] {} |
| sekce:instance:subject | \subject [] {} |
| sekce:instance:subsection | \subsection [] {} |
| sekce:instance:subsubject | \subsubject [] {} |
| sekce:instance:subsubsection | \subsubsection [] {} |
| sekce:instance:subsubsubject | \subsubsubject [] {} |
| sekce:instance:subsubsubsection | \subsubsubsection [] {} |
| sekce:instance:subsubsubsubject | \subsubsubsubject [] {} |
| sekce:instance:subsubsubsection | \subsubsubsection [] {} |
| sekce:instance:subsubsubsubject | \subsubsubsubsubject [] {} |
| sekce:instance:title | \title [] {} |
| select | \select {} {} {} {} {} {} |
| serializecommalist | \serializecommaPTst [.OPT OPT OPT OPT |
| serializecommalist | \serializedcommalist [] |
| serif | \serif |
| serifbold | \serif |
| serifnormal | \serifnormal |
| setbar | \setbar [] |
| | |
| setbigbodyfont setboxllx | \setbigbodyfont |
| | \setboxllv {} |
| setboxlly | \setboxlly {} |
| setbreakpoints | \setbreakpoints [] |

| setbuffer | \setbuffer [] \endbuffer |
|---|---|
| setcapstrut | \setcapstrut |
| setcatcodetable | \setcatcodetable \ |
| setcollector | \setcollector [] [=] {} |
| setcolormodell | \setcolormodell [] |
| setcounter | \setcounter [] [] |
| setcounterown | \setcounterown [] [] |
| setcurrentfontclass setdataset | \setcurrentfontclass {} \setdataset [] [=] |
| setdefaultpenalties | \setdefaultpenalties |
| setdigitsmanipulation | \setdigitsmanipulation [] |
| setdirection | \setdirection [] |
| setdocumentargument | \setdocumentargument {} {} |
| setdocumentargumentdefault | \setdocumentargumentdefault {} {} |
| setdocumentfilename | \setdocumentfilename {} {} |
| setdummyparameter | \setdummyparameter {} {} |
| setelementexporttag | \setelementexporttag [] [] |
| setemeasure | \setemeasure {} {} |
| setevalue | \setevalue {} {} |
| setevariable | \setevariable \{\dots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| setevariables setfirstline | \setevariables [] [=] |
| setflag | <pre>\setfirstline [] \setflag {}</pre> |
| setfont | \setfing () |
| setfontcolorsheme | \setfontcolorsheme [] |
| setfontfeature | \setfontfeature {} |
| setfontsolution | \setfontsolution [] |
| setfontstrut | \setfontstrut |
| setgmeasure | \setgmeasure {} {} |
| setgvalue | \setgvalue {} {} |
| setgvariable | \setgvariable {} {} |
| setgvariables | \setgvariables [] [=] |
| sethboxregister | \sethboxregister {} |
| sethyphenatedurlafter | \sethyphenatedurlafter {} |
| sethyphenatedurlbefore | \sethyphenatedurlbefore {} |
| sethyphenatedurlnormal sethyphenationfeatures | \sethyphenatedurlnormal {} \sethyphenationfeatures [] |
| setcharacteralign | \setcharacteralign {} {} |
| setcharactercasing | \setcharactercasing [] |
| setcharactercleaning | \setcharactercleaning [] |
| setcharacterkerning | \setcharacterkerning [] |
| setcharacterspacing | \setcharacterspacing [] |
| setcharacterstripping | \setcharacterstripping [] |
| setcharstrut | \setcharstrut {} |
| setinitial | \setinitial [] [=] |
| setinjector | \setinjector [] [] |
| setinteraction | \setinteraction [] |
| setinterfacecommand setinterfaceconstant | \setinterfacecommand {} {} |
| setinterfaceelement | \setinterfaceconstant {} {} \setinterfaceelement {} {} |
| setinterfacemessage | \setinterfacement \(\(\cdot\) \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| setinterfacevariable | \setinterfacevariable \{\ldots\} \\\ |
| setinternalrendering | \setinternalrendering [] {} |
| setitaliccorrection | \setitaliccorrection [] |
| setJSpreamble | \setJSpreamble {} {} |
| setlayer | \setlayer [] [=] {} |
| setlayerframed | \setlayerframed [] [=] [=] {} |
| setlayerframed:combination | \setlayerframed [] [=] {} |
| setlayertext | \setlayertext [] [=] [=] {} |
| setlinefiller | \setlinefiller [] |
| setlocalhsize setMPlayer | \setlocalhsize [] \setMPlayer [] [=] {} |
| setMPpositiongraphic | \setMPpositiongraphic {} {} {=} |
| setMPpositiongraphicrange | \setMPpositiongraphicrange {} {} {} {=} |
| setMPtext | \setMPtext {} {} |
| setMPvariable | \setMPvariable [] [=] |
| setMPvariables | \setMPvariables [] [=] |
| setmainbodyfont | \setmainbodyfont |
| setmainparbuilder | \setmainparbuilder [] |
| setmarker | \setmarker [] [] |
| setmarking | \setmarking [] {} |
| setmathstyle | \setmathstyle {} |
| setmessagetext | \setmeasure \{\dots\} \\\ |
| setmessagetext setmode | \setmessagetext {} {} \setmode {} |
| DO OMO GO | (DOUMORO () |

| setnostrut | \setnostrut |
|------------------------|---|
| setnote | \setnote [] [] {} |
| | \setnotetext [] [] {} |
| setnotetext:assignment | \setnotetext [] [=] |
| <u> </u> | \setnote [] [=] |
| | \setobject {} {} \ {} |
| setoldstyle | \setoldstyle |
| • | \setpagegrid [=] {} |
| | \setpagereference {} {} |
| | \setpagestate [] [] |
| | \setpagestaterealpageno {} {} |
| | \setpagestatelearpageno () () \setpenalties \ {} |
| | \setpendities \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| - | \setposition {} |
| - | - |
| | \setpositionbox \{\dots\}\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| | \setpositiondata {} {} {} {} |
| | \setpositiondataplus {} {} {} {} |
| | \setpositiononly {} |
| | \setpositionplus {} \ \ \ |
| - | \setpositionstrut {} |
| - | \setprofile [] |
| setrandomseed | \setrandomseed {} |
| | \setreference [] [=] |
| | \setreferencedobject \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| setregisterentry | \setregisterentry [] [=] [=] |
| setreplacement | \setreplacement [] |
| setrigidcolumnbalance | \setrigidcolumnbalance |
| setrigidcolumnhsize | \setrigidcolumnhsize {} {} |
| setscript | \setscript [] |
| setsectionblock | \setsectionblock [] [=] |
| setsimplecolumnhsize | \setsimplecolumnhsize [=] |
| setsmallbodyfont | \setsmallbodyfont |
| setsmallcaps | \setsmallcaps |
| setstackbox | \setstackbox {} {} {} |
| | \setstructurepageregister [] [=] [=] |
| setstrut | \setstrut |
| setsuperiors | \setsuperiors |
| setsystemmode | \setsystemmode {} |
| settabular | \settabular |
| settaggedmetadata | \settaggedmetadata [=] |
| | \settaggedmetadata [] \settextcontent [] [] [] [] |
| | |
| | \settightobject \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| | \settightreferencedobject {} \ {} |
| | \settightunreferencedobject {} \ {} |
| | \settrialtypesetting |
| | \setuevalue {} {} |
| | \setugvalue {} {} |
| | \setunreferencedobject \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| = | \setupalternativestyles [=] |
| | \setupattachment [] [=] |
| | \setupattachments [] [=] |
| setupbackend | \setupbackend [=] |
| setupbar | \setupbar [] [=] |
| setupbars | \setupbars [] [=] |
| setupbleeding | \setupbleeding [=] |
| setupbookmark | \setupbookmark [=] |
| setupbtx | \setupbtx [] [=] |
| | \setupbtxdataset [] [=] |
| | \setupbtxlist [] [=] |
| - | \setupbtxregister [] [=] |
| | \setupbtxrendering [] [=] |
| | \setupbtx [] |
| - | \setupbutton [] [=] |
| | \setupcollector [] [=] |
| | \setupcolumnspan [=] |
| | \setupcolumnspan [] [=] |
| | \setupcombination [] [] \setupcounter [] [] |
| | |
| | \setupdataset [] [=] |
| | \setupdelimitedtext [] [=] |
| | \setupdescription [] [=] |
| - | \setupdirections [=] |
| setupdocument | \setupdocument [=] |
| | \setupeffect [] [=] |
| | \setupenumeration [] [=] |
| setupeny | \setupenv [=] |

| setupexport | \setupexport [=] |
|-----------------------------------|---|
| setupexternalfigure | \setupexternalfigure [] [=] |
| setupexternalsoundtracks | \setupexternalsoundtracks [=] |
| setupfieldbody | \setupfieldbody [] [=] |
| setupfieldcategory | \setupfieldcategory [] [=] |
| setupfieldcontentframed | \setupfieldcontentframed [] [=] |
| setupfieldlabelframed | \setupfieldlabelframed [] [=] |
| setupfieldtotalframed | \setupfieldtotalframed [] [=] |
| setupfiller | \setupfiller [] [=] |
| setupfirstline | \setupfirstline [] [=] |
| setupfittingpage | \setupfittingpage [] [=] |
| setupfloatcaption | \setupfloatcaption [] [=] |
| setupfontexpansion | \setupfontexpansion [] [=] |
| setupfontprotrusion | \setupfontprotrusion [] [=] |
| setupfonts | \setupfonts [=] |
| setupfontsolution | \setupfontsolution [] [=] |
| setupforms | \setupforms [=] |
| setupformula | \setupformula [] [=] |
| setupformulaframed | \setupformulaframed [] [=] |
| setupframedcontent | \setupframedcontent [] [=] |
| setupframedtable | \setupframedtable [] [=] |
| setupframedtablecolumn | \setupframedtablecolumn [] [] [=] |
| setupframedtablerow | \setupframedtablerow [] [] [] |
| setupframedtext | \setupframedtablelow [] [] [] \setupframedtext [] [=] |
| • | |
| setupglobalreferenceprefix | \setupglobalreferenceprefix [] \setupheadalternative [] [=] |
| setupheadalternative | |
| setuphelp | \setuphelp [] [=] |
| setuphigh | \setuphigh [] [=] |
| setuphighlight | \setuphighlight [] [=] |
| setuphyphenation | \setuphyphenation [=] |
| setupcharacterkerning | \setupcharacterkerning [] [=] |
| setupcharacterspacing | \setupcharacterspacing [] [] [=] |
| setupchemical | \setupchemical [] [=] |
| setupchemicalframed | \setupchemicalframed [] [=] |
| setupindentedtext | \setupindentedtext [] [=] |
| setupinitial | \setupinitial [] [=] |
| setupinsertion | \setupinsertion [] [=] |
| setupitaliccorrection | \setupitaliccorrection [] |
| setupitemgroup | \setupitemgroup [] [] [=] |
| setupitemgroup:assignment | \setupitemgroup [] [=] |
| setupitemgroup:instance | \nastaveniITEMGROUP [] [] [=] |
| setupitemgroup:instance:itemize | \nastaveniitemize [] [] [=] |
| setuplabel | \setuplabel [] [=] |
| setuplayer | \setuplayer [] [=] |
| setuplayeredtext | \setuplayeredtext [] [=] |
| setuplayouttext | \setuplayouttext [] [] [=] |
| setuplinefiller | \setuplinefiller [] [=] |
| setuplinefillers | \setuplinefillers [] [=] |
| setuplinenote | \setuplinenote [] [=] |
| setuplinetable | \setuplinetable [] [=] |
| setuplistalternative | \setuplistalternative [] [=] |
| setuplistextra | \setuplistextra [] [=] |
| setuplocalfloats | \setuplocalfloats [=] |
| setuplocalinterlinespace | \setuplocalinterlinespace [] [=] |
| setuplocalinterlinespace:argument | \setuplocalinterlinespace [] |
| setuplocalinterlinespace:name | \setuplocalinterlinespace [] |
| setuplow | \setuplow [] [=] |
| setuplowhigh | \setuplowhigh [] [=] |
| setuplowmidhigh | \setuplowmigh [] [=] |
| setupMPgraphics | \setupMPgraphics [=] |
| | \setupMPinstance [] [=] |
| setupMPinstance | |
| setupMPpage | \setupMPpage [=] |
| setupMPvariables | \setupMPvariables [] [=] |
| setupmarginblock | \setupmarginblock [] [=] |
| setupmargindata | \setupmargindata [] [=] |
| setupmarginframed | \setupmarginframed [] [=] |
| setupmarginrule | \setupmarginrule [] [=] |
| setupmathalignment | \setupmathalignment [] [=] |
| setupmathcases | \setupmathcases [] [=] |
| setupmathematics | \setupmathematics [] [=] |
| setupmathfence | \setupmathfence [] [=] |
| setupmathfraction | \setupmathfraction [] [=] |
| setupmathfractions | \setupmathfractions [] [=] |
| setupmathframed | \setupmathframed [] [=] |
| setupmathmatrix | \setupmathmatrix [] [=] |
| | |

| | \setupmathornament [] [=] |
|--------------------------------|--|
| setupmathradical | \setupmathradical [] [=] |
| setupmathstackers | \setupmathstackers [] [=] |
| | \setupmathstyle [] |
| setupmixedcolumns | \setupmixedcolumns [] [=] |
| setupmodule | \setupmodule [] [=] |
| | \setupnotation [] [=] |
| | \setupnotations [] [=] |
| | \setupnote [] [=] |
| | \setupnotes [] [=] |
| | |
| <u>-</u> | \setupoffset [=] |
| <u>-</u> | \setupoffsetbox [=] |
| | \setupoutputroutine [] [=] |
| | \setupoutputroutine [] |
| setuppagegrid | \setuppagegrid [] [=] |
| setuppagegridarea | \setuppagegridarea [] [=] |
| setuppagegridareatext | \setuppagegridareatext [] [] |
| setuppagegridlines | \setuppagegridlines [] [] [] |
| | \setuppagegridspan [] [=] |
| | \setuppagegridstart [] [] [] |
| | \setuppagechecker [] [=] |
| | \setuppageinjection [] [=] |
| | \setuppageinjection [] [] \setuppageinjectionalternative [] [] |
| 11 0 0 | |
| | \setuppageshift [] [] |
| | \setuppagestate [] [=] |
| setuppairedbox | \setuppairedbox [] [=] |
| setuppairedbox:instance | \nastaveniPAIREDBOX [=] |
| setuppairedbox:instance:legend | \nastavenilegend [=] |
| setuppaper | \setuppaper [=] |
| | \setupparagraph [] [=] |
| | \setupparagraphintro [] [] |
| | \setupparallel [] [=] |
| | \setupperiods [=] |
| | \setupplacement [] [=] |
| | |
| • • | \setuppositionbar [=] |
| | \setupprocessor [] [=] |
| | \setupprofile [] [=] |
| | \setupquotation [=] |
| setuprealpagenumber | \setuprealpagenumber [=] |
| setupreferenceformat | \setupreferenceformat [] [=] |
| setupreferenceprefix | \setupreferenceprefix [] |
| setupreferencestructureprefix | \setupreferencestructureprefix [] [] [=] |
| setupregisters | \setupregisters [] [=] |
| | \setupregisters [] [=] |
| | \setuprenderingwindow [] [=] |
| | \setups [] |
| | \setupscale [] [=] |
| | |
| | \setupscript [] [=] |
| | \setupscripts [] [=] |
| | \setupselector [] [=] |
| | \setupshift [] [=] |
| setupsidebar | \setupsidebar [] [=] |
| setupspellchecking | \setupspellchecking [=] |
| setupstartstop | \setupstartstop [] [=] |
| setupstretched | \setupstretched [=] |
| setupstruts | \setupstruts [] |
| setupstyle | \setupstyle [] [=] |
| | \setupsubformula [] [=] |
| | \setupsubformulas [] [=] |
| - | \setupsynctex [=] |
| | |
| • | \setups {} |
| | \setupTABLE [] [=] |
| | \setupTEXpage [=] |
| <u>-</u> | \setuptabulation [] [=] |
| 1 00 0 | \setuptagging [=] |
| setuptextbackground | \setuptextbackground [] [=] |
| setuptextflow | \setuptextflow [] [=] |
| setuptooltip | \setuptooltip [] [=] |
| <u> </u> | \setupunit [] [=] |
| | \setupuserpagenumber [=] |
| | \setupversion [] |
| - | \setupviewerlayer [=] |
| <u>-</u> | \setupviewerlayer [] |
| | \setupvspacing [] \setupwithargument {} {} |
| | \setupwitnargument {; {;} \setupwithargumentswapped { } { } |
| | |

| setupxml | \setupxml [=] |
|-------------------------------------|--|
| setupxtable | \setupxtable [] [=] |
| setuvalue | \setuvalue {} {} |
| setuxvalue | \setuxvalue {} {} |
| setvalue | \setvalue {} {} |
| setvariable | \setvariable {} {} {} |
| setvariables | \setvariables [] [=] |
| setvboxregister | \setvboxregister {} |
| setvisualizerfont | \setvisualizerfont [] |
| setvtopregister | \setvtopregister {} |
| setwidthof | \setwidthof \to \ |
| setxmeasure | \setxmeasure {} {} |
| setxvalue | \setxvalue {} {} |
| setxvariable | \setxvariable {} {} {} |
| setxvariables | \setxvariables [] [=] |
| shapedhbox | \shapedhbox {} |
| shift:instance | \SHIFT {} |
| shift:instance:shiftdown | \shiftdown {} |
| shift:instance:shiftup | \shiftup {} |
| showallmakeup | \showallmakeup |
| showattributes | \showattributes |
| showboxes | \showboxes |
| showbtxdatasetauthors | \showbtxdatasetauthors [=] |
| showbtxdatasetauthors:argument | \showbtxdatasetauthors [] |
| showbtxdatasetcompleteness | \showbtxdatasetcompleteness [=] |
| showbtxdatasetcompleteness:argument | \showbtxdatasetcompleteness [] |
| showbtxdatasetfields | \showbtxdatasetfields [=] |
| showbtxdatasetfields:argument | \showbtxdatasetfields [] |
| showbtxfields | \showbtxfields [=] |
| showbtxfields:argument | \showbtxfields [] |
| showbtxhashedauthors | \showbtxhashedauthors [] |
| showbtxtables | \showbtxtables [] |
| showcolorbar | \showcolorbar [] |
| showcolorcomponents | \showcolorcomponents [] |
| showcolorset | \showcolorset [] |
| showcolorstruts | \showcolorstruts |
| showcounter | \showcounter [] |
| showdirectives | \showdirectives |
| showdirsinmargin | \showdirsinmargin |
| showedebuginfo | \showedebuginfo |
| showexperiments | \showexperiments |
| showfont | \showfont [] [] |
| showfontdata | \showfontdata |
| showfontitalics | \showfontitalics |
| showfontkerns | \showfontkerns |
| showfontparameters | \showfontparameters |
| showfontstrip | \showfontstrip [] |
| showfontstyle | \showfontstyle [] [] [] |
| showglyphs | \showglyphs |
| showgridsnapping | \showgridsnapping |
| showhelp | \showhelp {} [] |
| showhyphenationtrace | \showhyphenationtrace [] [] |
| showhyphens | \showhyphens {} |
| showchardata | \showchardata {} |
| showcharratio | \showcharratio {} |
| showinjector | \showinjector [] |
| showjustification | \showjustification |
| showkerning | \showkerning {} |
| showlayoutcomponents | \showlayoutcomponents |
| showligature | \showligature {} |
| showligatures | \showligatures [] |
| showlogcategories | \showlogcategories |
| showmargins | \showmargins |
| showmessage | $\showmessage {} {} {}$ |
| showminimalbaseline | \showminimalbaseline |
| shownextbox | \shownextbox \ {} |
| showotfcomposition | \showotfcomposition \{\ldots\} \{\ldots\} \{\ldots\} |
| showparentchain | \showparentchain \ {} |
| showsetupsdefinition | \showsetupsdefinition [] |
| showtimer | \showtimer {} |
| showtokens | \showtokens [] |
| showtrackers | \showtrackers |
| showvalue | \showvalue {} |
| showvariable | \showvariable {} {} |
| showwarning | \showwarning {} {} {} |

| schovejbloky | \schovejbloky [] [] |
|-------------------------------------|---|
| simplealignedbox | \simplealignedbox {} {} |
| simplealignedboxplus | \simplealignedboxplus {} {} {} |
| simplealignedspreadbox | \simplealignedspreadbox {} {} {} |
| simplegroupedcommand | \simplegroupedcommand {} {} |
| simplereversealignedbox | \simplereversealignedbox {} {} {} |
| simplereversealignedboxplus | \simplereversealignedboxplus {} {} {} |
| singalcharacteralign | \singalcharacteralign {} {} |
| singlebond | \singlebond |
| sixthofsixarguments | \sixthofsixarguments {} {} {} {} {} |
| sklonene | \sklonene |
| sklonenetucne | \sklonenetucne |
| slantedface | \slantedface |
| slicepages | \slicepages [] [=] |
| sloupec | \sloupec [] |
| slovenianNumerals | \slovenianNumerals {} |
| sloveniannumerals | \sloveniannumerals {} |
| slovo | \slove {} |
| slovovpravo | \slovo\[]\slovo\[]\{} |
| • | \smallbodyfont |
| smallconpodehorostora | \smallcappedcharacters {} |
| smallcappedcharacters | |
| smallcappedromannumerals | \smallcappedromannumerals {} |
| smaller | \smaller |
| smallskip | \smallskip |
| smash | \smash [] {} |
| smashbox | \smashbox |
| smashboxed | \smashboxed |
| smashedhbox | \smashedhbox {} |
| smashedvbox | \smashedvbox {} |
| snaptogrid | \snaptogrid [] \ {} |
| snaptogrid:list | \snaptogrid [] \ {} |
| someheadnumber | \someheadnumber [] [] |
| somekindoftab | \somekindoftab [=] |
| somelocalfloat | \somelocalfloat |
| somenamedheadnumber | \somenamedheadnumber {} {} |
| someplace | \someplace \{\ldots\} \{\ldots\} \{\ldots\} \{\ldots\} \[\ldots\] |
| sorting:instance | \SORTING [] {} |
| sorting:instance:logo | \logo [] {} |
| spanishNumerals | \spanishNumerals {} |
| spanishnumerals | \spanishnumerals {} |
| splitatasterisk | \splitatasterisk \ \ |
| splitatcolon | \splitatcolon \ |
| splitatcolons | \splitatcolons \ |
| splitatcomma | \splitatcomma \ \ |
| splitatperiod | \splitatperiod \ \ |
| splitdfrac | \splitdfrac {} {} |
| splitfilename | \splitfilename {} |
| splitfrac | \splitfrac {} {} |
| splitoffbase | \splitoffbase |
| - | |
| splitofffull | \splitofffull \splitoffkind |
| splitoffkind | . · |
| splitoffname | \splitoffname |
| splitoffpath | \splitoffpath |
| splitoffroot | \splitoffroot |
| splitofftokens | \splitofftokens \from \to \ |
| splitofftype | \splitofftype |
| splitstring | \splitstring \at \to \ \and \ |
| spreadhbox | \spreadhbox |
| sqrt | \sqrt [] {} |
| stackrel | \stackrel {} {} |
| stanovcislonadpisu | \stanovcislonadpisu [] |
| stanovcharakteristickuseznamu | \stanovcharakteristickuseznamu [] [=] |
| startalignment | \startalignment [] \stopalignment |
| startallmodes | \startallmodes [] \stopallmodes |
| startattachment:instance | \startATTACHMENT [] [=] \stopATTACHMENT |
| startattachment:instance:attachment | \startattachment [] [=] \stopattachment |
| startbar | \startbar [] \stopbar |
| startbarva | \startbarva [] \stopbarva |
| startbbordermatrix | \startbbordermatrix \stopbbordermatrix |
| startbitmapimage | \startbitmapimage [=] \stopbitmapimage |
| startbordermatrix | \startbordermatrix \stopbordermatrix |
| startbtxrenderingdefinitions | \startbtxrenderingdefinitions [] \stopbtxrenderingdefinitions |
| startbuffer | \startbuffer [] \stopbuffer |
| startbuffer:instance | \startBUFFER \stopBUFFER |
| startbuffer:instance:hiding | \starthiding \stophiding |
| | · · · · · · · · · · · · · · · · · · · |

| startcatcodetable | \startcatcodetable \ \stopcatcodetable |
|---|---|
| startcenteraligned | \startcenteraligned \stopcenteraligned |
| startcollect | \startcollect \stopcollect |
| startcollecting | \startcollecting \stopcollecting |
| | \startcolorintent [] \stopcolorintent |
| startcoloronly | \startcoloronly [] \stopcoloronly |
| startcolorset | \startcolorset [] \stopcolorset |
| startcolumnspan | \startcolumnspan [=] \stopcolumnspan |
| startcombination | \startcombination [] [=] \stopcombination |
| startcombination:matrix | \startcombination [] [\stopcombination |
| startcontextcode | \startcontextcode \stopcontextcode |
| startcontextdefinitioncode | \startcontextcode \stopcontextcode \startcontextdefinitioncode \stopcontextdefinitioncode |
| startctxfunction | \startctxfunction \stopctxfunction |
| startctxfunctiondefinition | \startctxfunctiondefinition \stopctxfunctiondefinition |
| | |
| startcurrentcolor | \startcurrentcolor \stopcurrentcolor |
| startcurrentlistentrywrapper | \startcurrentlistentrywrapper \stopcurrentlistentrywrapper |
| startdelimited | \startdelimited [] [] \stopdelimited |
| startdelimitedtext | \startdelimitedtext [] [] \stopdelimitedtext |
| startdelimitedtext:instance | \startDELIMITEDTEXT [] [\stopDELIMITEDTEXT |
| startdelimitedtext:instance:aside | \startaside [] [] \stopaside |
| startdelimitedtext:instance:blockquote | \startblockquote [] [] \stopblockquote |
| startdelimitedtext:instance:quotation | \startquotation [] [] \stopquotation |
| startdelimitedtext:instance:quote | \startquote [] [\stopquote |
| startdelimitedtext:instance:speech | \startspeech [] [\stopspeech |
| startdisplaymath | \startdisplaymath \stopdisplaymath |
| startdmath | \startdmath \stopdmath |
| startdocument | \startdocument [=] \stopdocument |
| starteffect | \starteffect [] \stopeffect |
| starteffect:example | \startEFFECT \stopEFFECT |
| startelement | \startelement {} [=] \stopelement |
| startembeddedxtable | \startembeddedxtable [=] \stopembeddedxtable |
| startembeddedxtable:name | \startembeddedxtable [] \stopembeddedxtable |
| startexceptions | \startexceptions [] \stopexceptions |
| startexpanded | \startexpanded \stopexpanded |
| startexpandedcollect | \startexpandedcollect \stopexpandedcollect |
| startextendedcatcodetable | \startextendedcatcodetable \ \stopextendedcatcodetable |
| startexternalfigurecollection | \startexternalfigurecollection [] \stopexternalfigurecollection |
| | \startfittingpage [] [=] \stopfittingpage |
| | |
| startfittingpage:instance | \startFITTINGPAGE = \stopFITTINGPAGE |
| startfittingpage:instance startfittingpage:instance:MPpage | \startFITTINGPAGE [=] \stopFITTINGPAGE \startMPpage [=] \stopMPpage |
| startfittingpage:instance:MPpage | \startMPpage [=] \stopMPpage |
| startfittingpage:instance:MPpage startfittingpage:instance:TEXpage | \startMPpage [=] \stopMPpage \startTEXpage [=] \stopTEXpage |
| <pre>startfittingpage:instance:MPpage startfittingpage:instance:TEXpage startfixne</pre> | \startMPpage [=] \stopMPpage \startTEXpage [=] \stopTEXpage \startfixne [] \stopfixne |
| <pre>startfittingpage:instance:MPpage startfittingpage:instance:TEXpage startfixne startfloatcombination</pre> | \startMPpage [=] \stopMPpage \startTEXpage [=] \stopTEXpage \startfixne [] \stopfixne \startfloatcombination [=] \stopfloatcombination |
| <pre>startfittingpage:instance:MPpage startfittingpage:instance:TEXpage startfixne startfloatcombination startfloatcombination:matrix</pre> | \startMPpage [=] \stopMPpage \startTEXpage [=] \stopTEXpage \startfixne [] \stopfixne \startfloatcombination [=] \stopfloatcombination \startfloatcombination [] \stopfloatcombination |
| <pre>startfittingpage:instance:MPpage startfittingpage:instance:TEXpage startfixne startfloatcombination startfloatcombination:matrix startfloattext:instance</pre> | \startMPpage [=] \stopMPpage \startTEXpage [=] \stopTEXpage \startfixne [] \stopfixne \startfloatcombination [=] \stopfloatcombination \startfloatcombination [] \stopFLOATtext |
| <pre>startfittingpage:instance:MPpage startfittingpage:instance:TEXpage startfixne startfloatcombination startfloatcombination:matrix startfloattext:instance startfloattext:instance:figure</pre> | \startMPpage [=] \stopMPpage \startTEXpage [=] \stopTEXpage \startfixne [] \stopfixne \startfloatcombination [=] \stopfloatcombination \startfloatcombination [] \stopFloatcombination \startFLOATtext [] [] {} \stopFiguretext \startfiguretext [] [] {} \stopfiguretext |
| <pre>startfittingpage:instance:MPpage startfittingpage:instance:TEXpage startfixne startfloatcombination startfloatcombination:matrix startfloattext:instance startfloattext:instance:figure startfloattext:instance:graphic</pre> | \startMPpage [=] \stopMPpage \startTEXpage [=] \stopTEXpage \startfixne [] \stopfixne \startfloatcombination [=] \stopfloatcombination \startfloatcombination [] \stopfloatcombination \startFLOATtext [] [] {} \stopfiguretext \startfiguretext [] [] {} \stopfiguretext \startgraphictext [] [] {} \stopgraphictext |
| <pre>startfittingpage:instance:MPpage startfittingpage:instance:TEXpage startfixne startfloatcombination startfloatcombination:matrix startfloattext:instance startfloattext:instance:figure startfloattext:instance:graphic startfloattext:instance:chemical</pre> | \startMPpage [=] \stopMPpage \startTEXpage [=] \stopTEXpage \startfixne [] \stopfixne \startfloatcombination [=] \stopfloatcombination \startfloatcombination [] \stopfloatcombination \startFLOATtext [] [] {} \stopFLOATtext \startfiguretext [] [] {} \stopfiguretext \startgraphictext [] [] {} \stopgraphictext \startchemicaltext [] [] {} \stopchemicaltext |
| <pre>startfittingpage:instance:MPpage startfittingpage:instance:TEXpage startfixne startfloatcombination startfloatcombination:matrix startfloattext:instance startfloattext:instance:figure startfloattext:instance:graphic startfloattext:instance:chemical startfloattext:instance:intermezzo</pre> | \startMPpage [=] \stopMPpage \startTEXpage [=] \stopTEXpage \startfixne [] \stopfixne \startfloatcombination [=] \stopfloatcombination \startfloatcombination [] \stopfloatcombination \startFLOATtext [] [] {} \stopFLOATtext \startfiguretext [] [] {} \stopfiguretext \startgraphictext [] [] {} \stopgraphictext \startchemicaltext [] [] {} \stopchemicaltext \startintermezzotext [] [] {} \stopintermezzotext |
| <pre>startfittingpage:instance:MPpage startfittingpage:instance:TEXpage startfixne startfloatcombination startfloatcombination:matrix startfloattext:instance startfloattext:instance:figure startfloattext:instance:graphic startfloattext:instance:chemical startfloattext:instance:intermezzo startfloattext:instance:table</pre> | \startMPpage [=] \stopMPpage \startTEXpage [=] \stopTEXpage \startfixne [] \stopfixne \startfloatcombination [=] \stopfloatcombination \startfloatcombination [] \stopfloatcombination \startFLOATtext [] [] {} \stopFLOATtext \startfiguretext [] [] {} \stopfiguretext \startgraphictext [] [] {} \stopgraphictext \startchemicaltext [] [] {} \stopchemicaltext \startintermezzotext [] [] {} \stopintermezzotext \starttabletext [] [] {} \stoptabletext |
| <pre>startfittingpage:instance:MPpage startfittingpage:instance:TEXpage startfixne startfloatcombination startfloatcombination:matrix startfloattext:instance startfloattext:instance:figure startfloattext:instance:graphic startfloattext:instance:chemical startfloattext:instance:intermezzo startfloattext:instance:table startfloattext:instance:table startfloat</pre> | \startMPpage [=] \stopMPpage \startTEXpage [=] \stopTEXpage \startfixne [] \stopfixne \startfloatcombination [=] \stopfloatcombination \startfloatcombination [] \stopfloatcombination \startFLOATtext [] [] {} \stopFLOATtext \startfiguretext [] [] {} \stopfiguretext \startgraphictext [] [] {} \stopgraphictext \startchemicaltext [] [] {} \stopchemicaltext \startintermezzotext [] [] {} \stopintermezzotext \starttabletext [] [] {} \stoptabletext \startfont [] \stopfont |
| <pre>startfittingpage:instance:MPpage startfittingpage:instance:TEXpage startfixne startfloatcombination startfloatcombination:matrix startfloattext:instance startfloattext:instance:figure startfloattext:instance:graphic startfloattext:instance:chemical startfloattext:instance:intermezzo startfloattext:instance:table startfont startfont</pre> | \startMPpage [=] \stopMPpage \startTEXpage [=] \stopTEXpage \startfixne [] \stopfixne \startfloatcombination [=] \stopfloatcombination \startfloatcombination [] \stopfloatcombination \startFLOATtext [] [] {} \stopFLOATtext \startfiguretext [] [] {} \stopfiguretext \startgraphictext [] [] {} \stopgraphictext \startchemicaltext [] [] {} \stopchemicaltext \startintermezzotext [] [] {} \stopintermezzotext \starttabletext [] [] {} \stoptabletext \startfont [] \stopfont \startfontclass [] \stopfontclass |
| <pre>startfittingpage:instance:MPpage startfittingpage:instance:TEXpage startfixne startfloatcombination startfloatcombination:matrix startfloattext:instance startfloattext:instance:figure startfloattext:instance:graphic startfloattext:instance:chemical startfloattext:instance:intermezzo startfloattext:instance:table startfont startfont startfontclass startfontsolution</pre> | \startMPpage [=] \stopMPpage \startTEXpage [=] \stopTEXpage \startfixne [] \stopfixne \startfloatcombination [=] \stopfloatcombination \startfloatcombination [] \stopfloatcombination \startFLOATtext [] [] {} \stopFLOATtext \startfiguretext [] [] {} \stopfiguretext \startgraphictext [] [] {} \stopgraphictext \startchemicaltext [] [] {} \stopchemicaltext \startintermezzotext [] [] {} \stopintermezzotext \starttabletext [] [] {} \stoptabletext \startfont [] \stopfont \startfontclass [] \stopfontclass \startfontsolution [] \stopfontsolution |
| <pre>startfittingpage:instance:MPpage startfittingpage:instance:TEXpage startfixne startfloatcombination startfloatcombination:matrix startfloattext:instance startfloattext:instance:figure startfloattext:instance:graphic startfloattext:instance:chemical startfloattext:instance:intermezzo startfloattext:instance:table startfont startfont startfontclass startfontsolution startframedcell</pre> | \startMPpage [=] \stopMPpage \startTEXpage [=] \stopTEXpage \startfixne [] \stopfixne \startfloatcombination [=] \stopfloatcombination \startfloatcombination [] \stopFloatcombination \startFLOATtext [] [] {} \stopFLOATtext \startfiguretext [] [] {} \stopfiguretext \startgraphictext [] [] {} \stopgraphictext \startchemicaltext [] [] {} \stopchemicaltext \startintermezzotext [] [] {} \stopintermezzotext \starttabletext [] [] {} \stoptabletext \startfont [] \stopfont \startfontclass [] \stopfontclass \startfontsolution [] \stopfontsolution \startframedcell [=] \stopfamedcell |
| <pre>startfittingpage:instance:MPpage startfittingpage:instance:TEXpage startfixne startfloatcombination startfloatcombination:matrix startfloattext:instance startfloattext:instance:figure startfloattext:instance:graphic startfloattext:instance:chemical startfloattext:instance:intermezzo startfloattext:instance:table startfont startfont startfontclass startfontsolution startframedcell startframedcontent</pre> | \startMPpage [=] \stopMPpage \startTEXpage [=] \stopTEXpage \startfixne [] \stopfixne \startfloatcombination [=] \stopfloatcombination \startfloatcombination [] \stopfloatcombination \startFLOATtext [] [] {} \stopFLOATtext \startfiguretext [] [] {} \stopfiguretext \startgraphictext [] [] {} \stopgraphictext \startchemicaltext [] [] {} \stopchemicaltext \startintermezzotext [] [] {} \stopintermezzotext \starttabletext [] [] {} \stoptabletext \startfont [] \stopfont \startfontclass [] \stopfontclass \startfontsolution [] \stopfontsolution \startframedcell [=] \stopframedcell \startframedcontent [] \stopframedcontent |
| <pre>startfittingpage:instance:MPpage startfittingpage:instance:TEXpage startfixne startfloatcombination startfloatcombination:matrix startfloattext:instance startfloattext:instance:figure startfloattext:instance:graphic startfloattext:instance:chemical startfloattext:instance:intermezzo startfloattext:instance:table startfont startfont startfontclass startfontsolution startframedcell startframedcontent startframedrow</pre> | \startMPpage [=] \stopMPpage \startTEXpage [=] \stopTEXpage \startfixne [] \stopfixne \startfloatcombination [=] \stopfloatcombination \startfloatcombination [] \stopFloatcombination \startFLOATtext [] [] {} \stopFLOATtext \startfiguretext [] [] {} \stopfiguretext \startgraphictext [] [] {} \stopgraphictext \startchemicaltext [] [] {} \stopchemicaltext \startintermezzotext [] [] {} \stopintermezzotext \starttabletext [] [] {} \stoptabletext \startfont [] \stopfont \startfontclass [] \stopfontclass \startfontclass [] \stopfontsolution \startframedcell [=.] \stopframedcell \startframedcontent [] \stopframedcontent \startframedcontent [] \stopframedrow |
| <pre>startfittingpage:instance:MPpage startfittingpage:instance:TEXpage startfixne startfloatcombination startfloatcombination:matrix startfloattext:instance startfloattext:instance:figure startfloattext:instance:graphic startfloattext:instance:chemical startfloattext:instance:intermezzo startfloattext:instance:table startfont startfont startfontclass startfontsolution startframedcell startframedcontent startframedrow startframedtable</pre> | \startMPpage [=] \stopMPpage \startTEXpage [=] \stopTEXpage \startfixne [] \stopfixne \startfloatcombination [=] \stopfloatcombination \startfloatcombination [] \stopFloatcombination \startFLOATtext [] [] {} \stopFLOATtext \startfiguretext [] [] {} \stopfiguretext \startgraphictext [] [] {} \stopgraphictext \startchemicaltext [] [] {} \stopchemicaltext \startintermezzotext [] [] {} \stopintermezzotext \starttabletext [] [] {} \stoptabletext \startfont [] \stopfont \startfontclass [] \stopfontclass \startfontclass [] \stopfontsolution \startframedcell [=.] \stopframedcell \startframedcontent [] \stopframedcontent \startframedrow [=] \stopframedrow \startframedrow [=] \stopframedtable [] [=] \stopframedtable |
| <pre>startfittingpage:instance:MPpage startfittingpage:instance:TEXpage startfixne startfloatcombination startfloatcombination:matrix startfloattext:instance startfloattext:instance:figure startfloattext:instance:graphic startfloattext:instance:chemical startfloattext:instance:intermezzo startfloattext:instance:table startfont startfont startfontclass startfontsolution startframedcell startframedcontent startframedrow startframedtable startgridsnapping</pre> | \startMPpage [=] \stopMPpage \startTEXpage [=] \stopfixne \startfloatcombination [=] \stopfloatcombination \startfloatcombination [] \stopfloatcombination \startFLOATtext [] [] {} \stopFLOATtext \startfiguretext [] [] {} \stopfiguretext \startgraphictext [] [] {} \stopgraphictext \startchemicaltext [] [] {} \stopchemicaltext \startintermezzotext [] [] {} \stopintermezzotext \starttabletext [] [] {} \stopintermezzotext \startfont [] \stopfont \startfontclass [] \stopfontclass \startfontsolution [] \stopfontsolution \startframedcell [=] \stopframedcell \startframedcontent [] \stopframedcontent \startframedrow [=] \stopframedrow \startframedtable [] [=] \stopframedtable \startgridsnapping [] \stopgridsnapping |
| <pre>startfittingpage:instance:MPpage startfittingpage:instance:TEXpage startfixne startfloatcombination startfloatcombination:matrix startfloattext:instance startfloattext:instance:figure startfloattext:instance:graphic startfloattext:instance:chemical startfloattext:instance:intermezzo startfloattext:instance:table startfont startfontclass startfontclass startfontsolution startframedcell startframedcontent startframedrow startframedtable startgridsnapping startgridsnapping:list</pre> | \startMPpage [=] \stopMPpage \startTEXpage [=] \stopfixne \startfixne [] \stopfixne \startfloatcombination [=] \stopfloatcombination \startfloatcombination [] \stopfloatcombination \startFLOATtext [] [] {} \stopFLOATtext \startfiguretext [] [] {} \stopfiguretext \startgraphictext [] [] {} \stopgraphictext \startchemicaltext [] [] {} \stopchemicaltext \startintermezzotext [] [] {} \stopintermezzotext \starttabletext [] [] {} \stopintermezzotext \startfont [] \stopfont \startfontclass [] \stopfontclass \startfontclass [] \stopfontsolution \startframedcell [=] \stopframedcell \startframedcontent [] \stopframedcontent \startframedcontent [] \stopframedrow \startframedrow [=] \stopframedrow \startframedtable [] [=] \stopframedtable \startgridsnapping [] \stopgridsnapping |
| <pre>startfittingpage:instance:MPpage startfittingpage:instance:TEXpage startfixne startfloatcombination startfloatcombination:matrix startfloattext:instance startfloattext:instance:figure startfloattext:instance:graphic startfloattext:instance:chemical startfloattext:instance:intermezzo startfloattext:instance:table startfont startfontclass startfontclass startfontsolution startframedcell startframedcontent startframedrow startframedtable startgridsnapping startgridsnapping:list starthboxestohbox</pre> | \startMPpage [=] \stopMPpage \startTEXpage [=] \stopfixne \startfixne [] \stopfixne \startfloatcombination [=] \stopfloatcombination \startfloatcombination [] \stopfloatcombination \startFLOATtext [] [] {} \stopFLOATtext \startfiguretext [] [] {} \stopfiguretext \startgraphictext [] [] {} \stopgraphictext \startchemicaltext [] [] {} \stopchemicaltext \startintermezzotext [] [] {} \stopintermezzotext \starttabletext [] [] {} \stopintermezzotext \startfont [] \stopfont \startfontclass [] \stopfontclass \startfontsolution [] \stopfontsolution \startframedcell [=.] \stopframedcell \startframedcontent [] \stopframedcontent \startframedrow [=.] \stopframedrow \startframedtable [] [=.] \stopframedtable \startgridsnapping [] \stopgridsnapping \startgridsnapping [] \stoppridsnapping \startgridsnapping [] \stoppridsnapping \startgridsnapping [] \stoppridsnapping \startframedtablox \stoppridsnapping |
| <pre>startfittingpage:instance:MPpage startfittingpage:instance:TEXpage startfixne startfloatcombination startfloatcombination:matrix startfloattext:instance startfloattext:instance:figure startfloattext:instance:graphic startfloattext:instance:chemical startfloattext:instance:intermezzo startfloattext:instance:table startfont startfontclass startfontclass startfontsolution startframedcell startframedcontent startframeddontent startframedtable startgridsnapping startgridsnapping:list starthboxestohbox starthboxregister</pre> | \startMPpage [=] \stopMPpage \startTEXpage [=] \stopfixne \startfixne [] \stopfixne \startfloatcombination [=] \stopfloatcombination \startfloatcombination [] \stopfloatcombination \startFLOATtext [] [] {} \stopFLOATtext \startfiguretext [] [] {} \stopfiguretext \startgraphictext [] [] {} \stopgraphictext \startchemicaltext [] [] {} \stopchemicaltext \startintermezzotext [] [] {} \stopintermezzotext \starttabletext [] [] {} \stopintermezzotext \startfont [] \stopfont \startfontclass [] \stopfontclass \startfontsolution [] \stopfontsolution \startframedcell [=] \stopframedcell \startframedcontent [] \stopframedcontent \startframedrow [=] \stopframedrow \startframedtable [] [=] \stopframedtable \startgridsnapping [] \stopgridsnapping \startgridsnapping [] \stoppridsnapping \starttboxestohbox \stophboxestohbox \starthboxregister \stophboxregister |
| startfittingpage:instance:MPpage startfittingpage:instance:TEXpage startfixne startfloatcombination startfloatcombination:matrix startfloattext:instance startfloattext:instance:figure startfloattext:instance:graphic startfloattext:instance:chemical startfloattext:instance:intermezzo startfloattext:instance:table startfont startfontclass startfontclass startfontsolution startframedcell startframedcontent startframedrow startframedtable startgridsnapping startgridsnapping:list starthboxestohbox starthboxregister starthelp:instance | \startMPpage [=] \stopMPpage \startTEXpage [=] \stopTEXpage \startfixne [] \stopfixne \startfloatcombination [=] \stopfloatcombination \startfloatcombination [] \stopFLOATtext \startfiguretext [] [] {} \stopFLOATtext \startfiguretext [] [] {} \stopfiguretext \startgraphictext [] [] {} \stopgraphictext \startchemicaltext [] [] {} \stopchemicaltext \startintermezzotext [] [] {} \stopintermezzotext \starttabletext [] [] {} \stopintermezzotext \startfont [] \stopfont \startfontclass [] \stopfontclass \startfontclass [] \stopfontclass \startframedcell [=] \stopframedcell \startframedcontent [] \stopframedcontent \startframedcontent [] \stopframedrow \startframedrow [=] \stopframedrow \startframedtable [] [=] \stopframedtable \startgridsnapping [] \stopgridsnapping \startgridsnapping [] \stophboxestohbox \starthboxestohbox \stophboxestohbox \starthboxestohbox \stophboxestohbox \starthboxestohbox \starthboxestohbox \starthboxestohbox \stophboxestohbox \starthboxestohbox \starthboxestohbox \stophboxestohbox \starthboxestohbox \start |
| <pre>startfittingpage:instance:MPpage startfittingpage:instance:TEXpage startfixne startfloatcombination startfloatcombination:matrix startfloattext:instance startfloattext:instance:figure startfloattext:instance:graphic startfloattext:instance:chemical startfloattext:instance:intermezzo startfloattext:instance:table startfont startfontclass startfontclass startfontsolution startframedcell startframedcontent startframeddable startgridsnapping startgridsnapping:list starthboxestohbox starthboxregister starthelp:instance:helptext</pre> | \startMPpage [=] \stopMPpage \startTEXpage [=] \stopTEXpage \startfixne [] \stopfixne \startfloatcombination [=] \stopfloatcombination \startfloatcombination [] \stopfloatcombination \startFLOATtext [] [] {} \stopFLOATtext \startfiguretext [] [] {} \stopfiguretext \startfiguretext [] [] {} \stopgraphictext \startchemicaltext [] [] {} \stopchemicaltext \startchemicaltext [] [] {} \stopintermezzotext \starttabletext [] [] {} \stopintermezzotext \startfont [] \stopfont \startfontclass [] \stopfontclass \startfontclass [] \stopfontsolution \startframedcell [=.] \stopframedcell \startframedcontent [] \stopframedcontent \startframedrow [=.] \stopframedrow \startframedrow [=.] \stopframedrow \startframedrow [=.] \stopframedtable \startgridsnapping [] \stopgridsnapping \startgridsnapping [] \stophboxestohbox \starthboxestohbox \sto |
| <pre>startfittingpage:instance:MPpage startfittingpage:instance:TEXpage startfixne startfloatcombination startfloatcombination:matrix startfloattext:instance startfloattext:instance:figure startfloattext:instance:graphic startfloattext:instance:chemical startfloattext:instance:intermezzo startfloattext:instance:table startfont startfontclass startfontsolution startframedcell startframedcontent startframeddontent startframedtable startgridsnapping startgridsnapping:list starthboxestohbox starthboxregister starthelp:instance starthelp:instance:helptext starthighlight</pre> | \startMPpage [=] \stopMPpage \startTEXpage [=] \stopTEXpage \startfixne [] \stopfixne \startfloatcombination [=] \stopfloatcombination \startfloatcombination [] \stopfloatcombination \startFLOATtext [] [] {} \stopFLOATtext \startfiguretext [] [] {} \stopfiguretext \startfiguretext [] [] {} \stopfiguretext \startgraphictext [] [] {} \stophicemicaltext \startchemicaltext [] [] {} \stophicemicaltext \startintermezzotext [] [] {} \stopintermezzotext \startfont [] \stopfont \startfontclass [] \stopfontclass \startfontclass [] \stopfontclass \startfontclass [] \stopfontsolution \startframedcell [] \stopframedcell \startframedcontent [] \stopframedcontent \startframedrow [] \stopframedrow \startframedrow [] \stopframedrow \startframedtable [] [] \stopframedrom \startframedtable [] \stopframedrom \startframedtable [] \stopframedrom \startframedrom [] \stopframedrom \startframedtable \startframedrom [] \stopframedrom \startframedrom \startframedrom [] \stopframedrom \startframedrom \startframedrom \startframedrom \stopframedtable \startframedrom \startframedrom \stopframedtable \startframedrom \startframedro |
| <pre>startfittingpage:instance:MPpage startfittingpage:instance:TEXpage startfixne startfloatcombination startfloatcombination:matrix startfloattext:instance startfloattext:instance:figure startfloattext:instance:graphic startfloattext:instance:chemical startfloattext:instance:intermezzo startfloattext:instance:table startfont startfontclass startfontclass startfontsolution startframedcell startframedcontent startframeddable startgridsnapping startgridsnapping:list starthboxestohbox starthboxregister starthelp:instance starthighlight starthyphenation</pre> | \startMPpage [] \stopMPpage \startTEXpage [] \stopfixne \startfixne [] \stopfixne \startfloatcombination [] \stopfloatcombination \startfloatcombination [] \stopfloatcombination \startFLOATtext [] [] {} \stopFLOATtext \startfiguretext [] [] {} \stopfiguretext \startgraphictext [] [] {} \stoppraphictext \startgraphictext [] [] {} \stopchemicaltext \startchemicaltext [] [] {} \stopchemicaltext \startintermezzotext [] [] {} \stoptabletext \startfont [] \stopfont \startfontclass [] \stopfont \startfontclass [] \stopfontclass \startfontsolution [] \stopfontsolution \startframedcell [] \stopframedcell \startframedcontent [] \stopframedcontent \startframedcontent [] \stopframedrow \startframedcontent [] \stopframedrow \startframedtable [] [] \stopframedromicaltext \startframedtable [] [] \stopframedianpping \startframedtable \startframedtable [] \stoppridsnapping \starthboxestohbox \stophboxestohbox \stophboxestohbox \stophboxestohbox \stophboxestohbox \stophboxestohbox \stophboxestohbox |
| startfittingpage:instance:MPpage startfittingpage:instance:TEXpage startfixne startfloatcombination startfloatcombination:matrix startfloattext:instance startfloattext:instance:figure startfloattext:instance:graphic startfloattext:instance:chemical startfloattext:instance:intermezzo startfloattext:instance:table startfont startfontclass startfontsolution startframedcell startframedcontent startframeddable startgridsnapping startgridsnapping:list starthboxestohbox starthboxregister starthelp:instance starthlighlight starthyphenation startcharacteralign | \startMPpage [=] \stopMPpage \startTEXpage [=] \stopfixne \startfixne [] \stopfixne \startfloatcombination [] \stopfloatcombination \startfloatcombination [] \stopfloatcombination \startfloatcombination [] \stopfloatcombination \startFLOATtext [] [] {} \stopfloatcombination \startFLOATtext [] [] {} \stopfiguretext \startfiguretext [] [] {} \stopfiguretext \startfiguretext [] [] {} \stopfiguretext \startchemicaltext [] [] {} \stopchemicaltext \startchemicaltext [] [] {} \stopchemicaltext \startfintermezzotext [] [] {} \stopfintermezzotext \startfont [] \stopfont \startfontclass [] \stopfontclass \startfontclass [] \stopfontclass \startfontclass [] \stopfontclass \startframedcell [] \stopframedcell \startframedcontent [] \stopframedcontent \startframedcontent [] \stopframedcontent \startframedrow [] \stopframedrow \startframedtable [] [] \stopframedtable \startgridsnapping [] \stopframedtable \startgridsnapping [] \stophboxestohbox \starthboxestohbox \stophboxestohbox \starthboxestohbox \stophboxestohbox \starthboxeregister \stophboxestohbox \starthboxeregister \stophboxestohbox \starthboxeregister \stophboxestohbox \starthboxeregister [] \stophboxestohbox \starthboxeregister [] \stophboxestohbox \starthboxeregister [] \stophboxestohbox \starthboxeregister [] \stophboxeregister \starthelptext [] \stophboxeregister \starthelptext [] \stophiphiphiphiphiphiphiphiphiphiphiphiphip |
| startfittingpage:instance:MPpage startfittingpage:instance:TEXpage startfixne startfloatcombination startfloatcombination:matrix startfloattext:instance startfloattext:instance:figure startfloattext:instance:graphic startfloattext:instance:chemical startfloattext:instance:intermezzo startfloattext:instance:table startfont startfont startfontclass startfontsolution startframedcell startframedcontent startframedrow startframedtable startgridsnapping startgridsnapping:list starthboxestohbox starthboxesister starthelp:instance starthelp:instance starthyphenation startcharacteralign startcheckedfences | \startMPpage [=] \stopMPpage \startTEXpage [=] \stopTEXpage \startfixne [] \stopfixne \startfloatcombination [] \stopfloatcombination \startfloatcombination [] \stopfloatcombination \startfloatcombination [] \stopFLOATtext \startfiguretext [] [] {} \stopFLOATtext \startfiguretext [] [] {} \stopfiguretext \startgraphictext [] [] {} \stopgraphictext \startchemicaltext [] [] {} \stopchemicaltext \startchemicaltext [] [] {} \stopintermezzotext \startfontclast [] \stopfont \startfontclast [] \stopfont \startfontclass [] \stopfontclass \startfontcolution [] \stopfontsolution \startframedcoll [] \stopframedcontent \startframedcontent [] \stopframedcontent \startframedcontent [] \stopframedcontent \startframedcontent [] \stopframedcontent \startframedtable [] [] \stopframedtable \startgridsnapping [] \stopgridsnapping \startgridsnapping [] \stophboxestohbox \starthboxestohbox \stophboxestohbox \starthboxestohbox \stophboxestohbox \starthboxestohbox \stophbolightext \starthboxestohlophent [] \stophelptext \starthleptext [] \stophelptext \starthleptext [] \stophighlight \starthleptext [] \stophyphenation \startcharacteralign [] \stopcharacteralign \startcharacteralign [] \stopcharacteralign \startcharacteralign \startcharacteralign [] \stopcharacteralign \startcharacteralign \start |
| startfittingpage:instance:MPpage startfittingpage:instance:TEXpage startfixne startfloatcombination startfloatcombination:matrix startfloattext:instance startfloattext:instance:figure startfloattext:instance:graphic startfloattext:instance:chemical startfloattext:instance:intermezzo startfloattext:instance:table startfont startfont startfontclass startfontsolution startframedcell startframedcontent startframedrow startframedtable startgridsnapping startgridsnapping:list starthboxestohbox starthboxesister starthelp:instance starthelp:instance starthyphenation startcharacteralign startcheckedfences | \startMPpage [=] \stopMPpage \startTEXpage [=] \stopTEXpage \startfixne [] \stopfixne \startfloatcombination [] \stopfloatcombination \startfloatcombination [] \stopfloatcombination \startfloatText [] [] {} \stopFLOATtext \startfiguretext [] [] {} \stopfiguretext \startfiguretext [] [] {} \stopfiguretext \startgraphictext [] [] {} \stopchemicaltext \starttchemicaltext [] [] {} \stopchemicaltext \starttatletext [] [] {} \stophintermezzotext \startfont [] \stopfont \startfontclass [] \stopfont \startfontclass [] \stopfontclass \startfontsolution [] \stopfontsolution \startframedcell [] \stopframedcell \startframedcontent [] \stopframedcontent \startframedrow [] \stopframedrow \startframedrow [] \stopframedrow \startframedrapping [] \stopframedrom \startframedrapping [] \stopgridsnapping \startgridsnapping [] \stopgridsnapping \starthboxestohbox \stophboxestohbox \starthboxregister \stophboxregister \starthelptext [] \stophiphlight \starthpletext [] \stophiphlight \starthpletext [] \stophiphlight \starthpletext [] \stophiphlight \starthpletext [] \stophiphenation \startcharacteralign [] \stopchemical |
| startfittingpage:instance:MPpage startfittingpage:instance:TEXpage startfixne startfloatcombination startfloatcombination:matrix startfloattext:instance startfloattext:instance:figure startfloattext:instance:graphic startfloattext:instance:chemical startfloattext:instance:intermezzo startfloattext:instance:table startfont startfont startfontclass startfontsolution startframedcell startframedcontent startframedrow startframedtable startgridsnapping startgridsnapping:list starthboxestohbox starthboxesister starthelp:instance starthelp:instance starthyphenation startcharacteralign startcheckedfences | \startMPpage [=] \stopMPpage \startTEXpage [=] \stopTEXpage \startfixne [] \stopfixne \startfloatcombination [] \stopfloatcombination \startfloatcombination [] \stopfloatcombination \startfloatcombination [] \stopFLOATtext \startfiguretext [] [] {} \stopFLOATtext \startfiguretext [] [] {} \stopfiguretext \startgraphictext [] [] {} \stopgraphictext \startchemicaltext [] [] {} \stopchemicaltext \startchemicaltext [] [] {} \stopintermezzotext \startfontclast [] \stopfont \startfontclast [] \stopfont \startfontclass [] \stopfontclass \startfontcolution [] \stopfontsolution \startframedcoll [] \stopframedcontent \startframedcontent [] \stopframedcontent \startframedcontent [] \stopframedcontent \startframedcontent [] \stopframedcontent \startframedtable [] [] \stopframedtable \startgridsnapping [] \stopgridsnapping \startgridsnapping [] \stophboxestohbox \starthboxestohbox \stophboxestohbox \starthboxestohbox \stophboxestohbox \starthboxestohbox \stophbolightext \starthboxestohlophent [] \stophelptext \starthleptext [] \stophelptext \starthleptext [] \stophighlight \starthleptext [] \stophyphenation \startcharacteralign [] \stopcharacteralign \startcharacteralign [] \stopcharacteralign \startcharacteralign \startcharacteralign [] \stopcharacteralign \startcharacteralign \start |
| startfittingpage:instance:MPpage startfittingpage:instance:TEXpage startfixne startfloatcombination startfloatcombination:matrix startfloattext:instance startfloattext:instance:figure startfloattext:instance:graphic startfloattext:instance:chemical startfloattext:instance:intermezzo startfloattext:instance:table startfont startfontclass startfontsolution startframedcell startframedcontent startframedrow startframedtable startgridsnapping startgridsnapping:list starthboxestohbox starthboxestohbox starthelp:instance starthelp:instance starthlelp:instance starthyphenation startcharacteralign startcheckedfences startchemical | \startMPpage [=] \stopMPpage \startTEXpage [=] \stopTEXpage \startfixne [] \stopfixne \startfloatcombination [] \stopfloatcombination \startfloatcombination [] \stopfloatcombination \startfloatText [] [] {} \stopFLOATtext \startfiguretext [] [] {} \stopfiguretext \startfiguretext [] [] {} \stopfiguretext \startgraphictext [] [] {} \stopchemicaltext \starttchemicaltext [] [] {} \stopchemicaltext \starttatletext [] [] {} \stophintermezzotext \startfont [] \stopfont \startfontclass [] \stopfont \startfontclass [] \stopfontclass \startfontsolution [] \stopfontsolution \startframedcell [] \stopframedcell \startframedcontent [] \stopframedcontent \startframedrow [] \stopframedrow \startframedrow [] \stopframedrow \startframedrapping [] \stopframedrom \startframedrapping [] \stopgridsnapping \startgridsnapping [] \stopgridsnapping \starthboxestohbox \stophboxestohbox \starthboxregister \stophboxregister \starthelptext [] \stophiphlight \starthpletext [] \stophiphlight \starthpletext [] \stophiphlight \starthpletext [] \stophiphlight \starthpletext [] \stophiphenation \startcharacteralign [] \stopchemical |
| startfittingpage:instance:MPpage startfittingpage:instance:TEXpage startfixne startfloatcombination startfloatcombination:matrix startfloattext:instance startfloattext:instance:figure startfloattext:instance:graphic startfloattext:instance:chemical startfloattext:instance:intermezzo startfloattext:instance:table startfont startfontclass startfontcolution startframedcell startframedcontent startframedrow startframedtable startgridsnapping startgridsnapping:list starthboxestohbox starthboxregister starthelp:instance starthelp:instance starthplight starthyphenation startcharacteralign startcheckedfences startchemical startimath | \startMPpage [=] \stopMPpage \startTEXpage [=] \stopTEXpage \startfixne [] \stopfixne \startfloatcombination [=.] \stopfloatcombination \startfloatcombination [] \stopfloatcombination \startfloatText [] [] {} \stopFLOATtext \startfiguretext [] [] {} \stopfiguretext \startfiguretext [] [] {} \stopfiguretext \startchemicaltext [] [] {} \stopchemicaltext \startintermezzotext [] [] {} \stopintermezzotext \startfant [] \stopfont \startfont [] \stopfont \startfontclass [] \stopfontclass \startfontclass [] \stopfontclass \startfontsolution [] \stopfontsolution \startframedcell [=.] \stopframedcell \startframedcontent [] \stopframedcontent \startframedrow [=.] \stopframedrow \startframedrow [=.] \stopframedrow \startframedrapping [] \stoppridsnapping \startgridsnapping [] \stoppridsnapping \startframedrow \start |
| startfittingpage:instance:MPpage startfittingpage:instance:TEXpage startfixne startfloatcombination startfloatcombination:matrix startfloattext:instance startfloattext:instance:figure startfloattext:instance:graphic startfloattext:instance:chemical startfloattext:instance:intermezzo startfloattext:instance:table startfont startfontclass startfontclass startfontsolution startframedcell startframedcontent startframedrow startframedtable startgridsnapping startgridsnapping:list starthboxestohbox starthboxesibhox starthlop:instance starthelp:instance starthlighlight starthyphenation startcharacteralign startcheckedfences startchemical startimath startindentedtext | \startMPpage [=] \stopMPpage \startTEXpage [=] \stopTEXpage \startfixne [] \stopfixne \startfiloatcombination [] \stopfloatcombination \startfloatcombination [] \stopFLOATtext \startfiguretext [] [] {} \stopFLOATtext \startfiguretext [] [] {} \stopfiguretext \startgraphictext [] [] {} \stopgraphictext \startchemicaltext [] [] {} \stopchemicaltext \startintermezzotext [] [] {} \stopintermezzotext \startfont [] \stopfont \startfont [] \stopfont \startfont [] \stopfont \startfont class [] \stopfont \startframedcell [] \stopfontsolution \startframedcell [] \stopframedcell \startframedcontent [] \stopframedrow \startframedcontent [] \stopframedrow \startframedcontent [] \stopframedrow \startframedrow [] \stophboxregister \starthboxestohbox \stophboxregister \starthboxestohbox \stophboxregister \starthboxestohbox \starthboxregister \stophboxregister \starthboxregister \starthboxestohbox \stophelptext \starthboxestohbox \stophelptext \starthboxestohbox \stophelptext \starthpoxestohbox \starthboxestohbox \stophelptext \starthpoxestohbox \st |
| startfittingpage:instance:MPpage startfittingpage:instance:TEXpage startfixne startfloatcombination startfloatcombination:matrix startfloattext:instance startfloattext:instance:figure startfloattext:instance:graphic startfloattext:instance:chemical startfloattext:instance:intermezzo startfloattext:instance:table startfont startfont startfont startfontclass startfontsolution startframedcell startframedcontent startframedtable startgridsnapping startgridsnapping:list starthboxestohbox starthboxregister starthelp:instance starthelp:instance:helptext starthylenation startcharacteralign startcheckedfences startchemical startimath startindentedtext:example | \startMPpage [] \stopMPpage \startTEXpage [] \stopfixpage \startTEXpage [] \stopfixpage \startfixne [] \stopfixne \startfloatcombination [] \stopfloatcombination \startfloatcombination [] \stopfloatcombination \startfloattext [] [] {} \stopfloattext \startfiguretext [] [] {} \stopfiguretext \startfiguretext [] [] {} \stopfiguretext \startgraphictext [] [] {} \stopchemicaltext \startchemicaltext [] [] {} \stopintermezzotext \starttatchemicaltext [] [] {} \stopintermezzotext \startfintermezzotext [] [] {} \stopintermezzotext \startfont [] \stopfont \startfontclass [] \stopfontclass \startfontclass [] \stopfontsolution \startframedcell [] \stopfontsolution \startframedcontent [] \stopframedcontent \startframedcontent [] \stopframedcontent \startframedcontent [] \stopframedrow \startframedtable [] [] \stopframedrow \startframedtable [] [] \stopgridsnapping \startfiboxstartgridsnapping [] \stoppridsnapping \startfiboxstartfiboxestohbox \stophboxregister \startfiboxstartfibox \stophboxregister \startfiboxstartfibox [] \stophelptext \starthiphenation [] \stophiphenation \startcharacteralign [] \stophenation \startcharacteralign [] \stophenation \startcheckedfences \stophocheckedfences \startchemical [] [] \stophochemical \startcheckedfences \startchemical [] [] \stophochemical \startfiboxtartindentedtext [] \stopindentedtext \startIndentedtext [] \stopindentedtext \st |
| startfittingpage:instance:MPpage startfittingpage:instance:TEXpage startfixne startfloatcombination startfloatcombination:matrix startfloattext:instance startfloattext:instance:graphic startfloattext:instance:chemical startfloattext:instance:intermezzo startfloattext:instance:table startfont startfontclass startfontclass startfontsolution startframedcell startframedcontent startframedrow startframedtable startgridsnapping startgridsnapping:list starthboxestohbox startholp:instance starthelp:instance:helptext starthighlight startcheckedfences startchemical startimath startindentedtext startindentedtext startindentedtext startinterakce | \startMPpage [] \stopMPpage \startTEXpage [] \stopfixpage \startfixne [] \stopfixne \startfloatcombination [] \stopfloatcombination \startfloatcombination [] \stopfloatcombination \startfloatcombination [] \stopFLOATtext \startfiguretext [] [] {} \stopfiguretext \startfiguretext [] [] {} \stopfiguretext \startgraphictext [] [] {} \stopchemicaltext \startchemicaltext [] [] {} \stopchemicaltext \starttntermezzotext [] [] {} \stopintermezzotext \startfantclass [] \stopfont \startfontclass [] \stopfontclass \startfontclass [] \stopfontsolution \startframedcell [] \stopframedcell \startframedcontent [] \stopframedcontent \startframedcontent [] \stopframedrow \startframedrow [] \stopframedrow \startframedrow [] \stopframedrow \startframedtable [] [] \stopframedtable \startgridsnapping [] \stoppridsnapping \starthboxestohbox \stophboxestohbox \starthboxregister \stophboxestohbox \starthboxregister \stophboxregister \starthelptext [] \stophboxregister \starthelptext [] \stophboxregister \starthelptext [] \stophboxregister \starthpyphenation \startcharacteralign [] \stophboxregister \startcharacteralign [] \stophboxregister \startcharacteralign [] \stophophenation \startcharacteralign [] \stophophenation \startcharacteralign [] \stophophenation \startcharacteralign [] \stophophenical \startcharacter |

| atartitamaroun | \startitamgroup [] [] [-] \staritamgroup |
|---|--|
| startitemgroup | \startitemgroup [] [] \stopitemgroup |
| startitemgroup:instance | \startITEMGROUP [] [=] \stopITEMGROUP |
| startitemgroup:instance:itemize | \startitemize [] [=] \stopitemize |
| startJScode | \startJScode \stopJScode |
| startJSpreamble | \startJSpreamble \stopJSpreamble |
| startjdina | \startjdina [] \stopjdina |
| startknockout | \startknockout \stopknockout |
| startkomentarstranky | \startkomentarstranky \stopkomentarstranky |
| startkomentar:instance | \startCOMMENT [] [=] \stopCOMMENT |
| | |
| startkomentar:instance:comment | \startcomment [] [=] \stopcomment |
| startkomponenta | \startkomponenta [] \stopkomponenta |
| startkomponenta:string | \startkomponenta \stopkomponenta |
| startkonectabulky | \startkonectabulky [] \stopkonectabulky |
| startlayout | \startlayout [] \stoplayout |
| startlinealignment | \startlinealignment [] \stoplinealignment |
| <u> </u> | |
| startlinecorrection | \startlinecorrection [] \stoplinecorrection |
| startlinefiller | \startlinefiller [] [=] \stoplinefiller |
| startlinenote:instance | \startLINENOTE [] {} |
| startlinenote:instance:linenote | \startlinenote [] {} |
| startlinenumbering | \startlinenumbering [] [=] \stoplinenumbering |
| startlinenumbering:argument | \startlinenumbering [] [\stoplinenumbering |
| startlinetable | \startlinetable \stoplinetable |
| | |
| startlinetablebody | \startlinetablebody \stoplinetablebody |
| startlinetablecell | \startlinetablecell [=] \stoplinetablecell |
| startlinetablehead | \startlinetablehead \stoplinetablehead |
| startlocalfootnotes | \startlocalfootnotes \stoplocalfootnotes |
| startlocalheadsetup | \startlocalheadsetup \stoplocalheadsetup |
| startlocallinecorrection | \startlocallinecorrection [] \stoplocallinecorrection |
| | |
| startlocalnotes | \startlocalnotes [] \stoplocalnotes |
| startlocalsetups | \startlocalsetups [] [] \stoplocalsetups |
| startlocalsetups:string | \startlocalsetups \stoplocalsetups |
| startlua | \startlua \stoplua |
| startluacode | \startluacode \stopluacode |
| startluaparameterset | \startluaparameterset [] \stopluaparameterset |
| - | |
| startluasetups | \startluasetups [] [] \stopluasetups |
| startluasetups:string | \startluasetups \stopluasetups |
| startMPclip | \startMPclip {} \stopMPclip |
| startMPcode | \startMPcode {} \stopMPcode |
| startMPdefinitions | \startMPdefinitions {} \stopMPdefinitions |
| startMPdrawing | \startMPdrawing [] \stopMPdrawing |
| startMPenvironment | \startMPenvironment [] \stopMPenvironment |
| | |
| startMPextensions | \startMPextensions {} \stopMPextensions |
| startMPinclusions | \startMPinclusions [] {} \stopMPinclusions |
| startMPinitializations | \startMPinitializations \stopMPinitializations |
| startMPpositiongraphic | \startMPpositiongraphic \{\ldots\} \ldots\\ \stopMPpositiongraphic |
| startMPpositionmethod | \startMPpositionmethod {} \stopMPpositionmethod |
| startMPrun | \startMPrun {} \stopMPrun |
| startmarginalnilinka | \startmarginalnilinka [] \stopmarginalnilinka |
| • | |
| startmarginalnilinka:assignment | \startmarginalnilinka [=] \stopmarginalnilinka |
| startmarginblock | \startmarginblock [] \stopmarginblock |
| startmarkedcontent | \startmarkedcontent [] \stopmarkedcontent |
| startmathalignment:instance | \startMATHALIGNMENT [=] \stopMATHALIGNMENT |
| startmathalignment:instance:align | \startalign [=] \stopalign |
| startmathalignment:instance:mathalignment | \startmathalignment [=] \stopmathalignment |
| startmathcases:instance | \startMATHCASES [=] \stopMATHCASES |
| startmathcases:instance:cases | \startcases [=] \stopcases |
| | |
| startmathcases:instance:mathcases | \startmathcases [=] \stopmathcases |
| startmathmatrix:instance | \startMATHMATRIX [=] \stopMATHMATRIX |
| startmathmatrix:instance:mathmatrix | \startmathmatrix [=] \stopmathmatrix |
| startmathmatrix:instance:matrix | \startmatrix [=] \stopmatrix |
| startmathmode | \startmathmode \stopmathmode |
| startmathstyle | \startmathstyle [] \stopmathstyle |
| • | |
| startmatrices | \startmatrices [=] \stopmatrices |
| startmaxaligned | \startmaxaligned \stopmaxaligned |
| startmiddlealigned | \startmiddlealigned \stopmiddlealigned |
| startmixedcolumns | \startmixedcolumns [] [=] \stopmixedcolumns |
| startmixedcolumns:instance | \startMIXEDCOLUMNS [=] \stopMIXEDCOLUMNS |
| startmixedcolumns:instance:boxedcolumns | \startboxedcolumns [=] \stopboxedcolumns |
| startmixedcolumns:instance:itemgroupcolumns | \startitemgroupcolumns [=] \stopitemgroupcolumns |
| | |
| startmode | \startmode [] \stopmode |
| startmodeset | |
| startmodule | \startmodeset [] {} \stopmodeset |
| | \startmodule [] \stopmodule |
| startmoduletestsection | |
| | \startmodule [] \stopmodule \startmoduletestsection \stopmoduletestsection |
| startmoduletestsection | \startmodule [] \stopmodule |

| atantnamadaaatian | \atamamadaaatian [] [-] [-] \atamamadaaatian |
|--|--|
| startnamedsection | \startnamedsection [] [=] \stopnamedsection |
| startnamedsubformulas | \startnamedsubformulas [] {} \stopnamedsubformulas |
| startnaproti | \startnaproti \stopnaproti |
| startnarrower | \startnarrower [] \stopnarrower |
| startnarrower:example | \startNARROWER [] \stopNARROWER |
| startnegativ | \startnegativ \stopnegativ |
| startnicelyfilledbox | \startnicelyfilledbox [=] \stopnicelyfilledbox |
| startnointerference | \startnointerference \stopnointerference |
| | |
| startnotallmodes | \startnotallmodes [] \stopnotallmodes |
| startnotext | \startnotext \stopnotext |
| startnotmode | \startnotmode [] \stopnotmode |
| startobrazek | \startobrazek [] [=] \stopobrazek |
| startodlozit | \startodlozit [] \stopodlozit |
| startodstavec | \startodstavec [] [=] \stopodstavec |
| | _ |
| startoramovani | \startoramovani [] [=] \stoporamovani |
| startoramovanytext:instance | \startFRAMEDTEXT [] [=] \stopFRAMEDTEXT |
| startoramovanytext:instance:framedtext | \startframedtext [] [=] \stopframedtext |
| startoutputstream | \startoutputstream [] \stopoutputstream |
| startoverprint | \startoverprint \stopoverprint |
| startpagefigure | \startpagefigure [] [=] \stoppagefigure |
| startpagegrid | \startpagegrid [] [=] \stoppagegrid |
| | |
| startpagegridspan | \startpagegridspan [] [=] \stoppagegridspan |
| startpagegrid:example | \startPAGEGRID [=] \stopPAGEGRID |
| startpagelayout | \startpagelayout [] \stoppagelayout |
| startpar | \startpar [] [=] \stoppar |
| startparagraphs | \startparagraphs [] \stopparagraphs |
| startparagraphscell | \startparagraphscell \stopparagraphscell |
| . • . | |
| startparagraphs:example | \startPARAGRAPHS \stopPARAGRAPHS |
| startparallel:example | \startPARALLEL \stopPARALLEL |
| startparbuilder | \startparbuilder [] \stopparbuilder |
| startplacefloat | \startplacefloat [] [=] [=] \stopplacefloat |
| startplacefloat:instance | \startumistiFLOAT [=] [=] \stopumistiFLOAT |
| startplacefloat:instance:figure | \startumistifigure [=] [=] \stopumistifigure |
| startplacefloat:instance:graphic | \startumistigraphic [=] [=] \stopumistigraphic |
| | |
| startplacefloat:instance:chemical | \startumistichemical [=] [=] \stopumistichemical |
| startplacefloat:instance:intermezzo | \startumistiintermezzo [=] [=] \stopumistiintermezzo |
| startplacefloat:instance:table | \startumistitable [=] [=] \stopumistitable |
| startplacepairedbox | \startplacepairedbox [] [=] \stopplacepairedbox |
| startplacepairedbox:instance | \startumistiPAIREDBOX [=] \stopumistiPAIREDBOX |
| startplacepairedbox:instance:legend | \startumistilegend [=] \stopumistilegend |
| | |
| startpolozka | \startpolozka [] \stoppolozka |
| startpopis:example | \startPOPIS [=] \stopPOPIS |
| startpopis:example:title | \startPOPIS [] {} \stopPOPIS |
| startpositioning | \startpositioning [] [=] \stoppositioning |
| startpositionoverlay | \startpositionoverlay {} \stoppositionoverlay |
| startpositiv | \startpositiv \stoppositiv |
| - | |
| startpozadi | \startpozadi [=] \stoppozadi |
| startpozadi:example | \startPOZADI [=] \stopPOZADI |
| startpoznamka:instance | \startNOTE [] \stopNOTE |
| startpoznamka:instance:assignment | \startNOTE [=] \stopNOTE |
| startpoznamka:instance:assignment:endnote | \startendnote [=] \stopendnote |
| startpoznamka:instance:assignment:footnote | \startfootnote [=] \stopfootnote |
| startpoznamka:instance:endnote | \startendnote [] \stopendnote |
| - | |
| startpoznamka:instance:footnote | \startfootnote [] \stopfootnote |
| startprekryv | \startprekryv \stopprekryv |
| startprocessassignmentcommand | $\startprocessassignment command [=] \dots \stopprocessassignment command [=] \dots$ |
| startprocessassignmentlist | \startprocessassignmentlist [=] \stopprocessassignmentlist |
| startprocesscommacommand | \startprocesscommacommand [] \stopprocesscommacommand |
| startprocesscommalist | \startprocesscommalist [] \stopprocesscommalist |
| - | \startprodukt [] \stopprodukt |
| startprodukt | |
| startprodukt:string | \startprodukt\stopprodukt |
| startprojekt | \startprojekt [] \stopprojekt |
| startprojekt:string | \startprojekt \stopprojekt |
| startprostredi | \startprostredi [] \stopprostredi |
| startprostredi:string | \startprostredi \stopprostredi |
| startprotectedcolors | \startprotectedcolors \stopprotectedcolors |
| - | |
| startpublikace | \startpublikace [] [=] \stoppublikace |
| startradek | \startradek [] |
| startradky:instance | \startLINES [=] \stopLINES |
| startradky:instance:lines | \startlines [=] \stoplines |
| startrandomized | \startrandomized \stoprandomized |
| startrawsetups | \startrawsetups [] [] \stoprawsetups |
| startrawsetups:string | \startrawsetups \stoprawsetups |
| | |
| startreadingfile | \startreadingfile \stopreadingfile |
| startregime | \startregime [] \stopregime |

| | \ |
|---|--|
| | \startregister [] [] [] [++] |
| | \startreusableMPgraphic \\\stopreusableMPgraphic |
| | \startrovnice [] \stoprovnice |
| | \startrovnice [=] \stoprovnice |
| startrovnice:instance | \startFORMULAformula [] \stopFORMULAformula |
| startrovnice:instance:md | \startmdformula [] \stopmdformula |
| startrovnice:instance:mp | \startmpformula [] \stopmpformula |
| startrovnice:instance:sd | \startsdformula [] \stopsdformula |
| startrovnice:instance:sp | \startspformula [] \stopspformula |
| | \startrozbalene \stoprozbalene |
| | \startscript [] \stopscript |
| startsectionblock | \startsectionblock [] [=] \stopsectionblock |
| | \startsectionblockenvironment [] \stopsectionblockenvironment |
| startsectionblock:instance | \startSECTIONBLOCK [=] \stopSECTIONBLOCK |
| startsectionblock:instance:appendices | \startappendices [=] \stopappendices |
| startsectionblock:instance:backmatter | \startbackmatter [=] \stopbackmatter |
| startsectionblock:instance:bodymatter | \startbodymatter [=] \stopbodymatter |
| startsectionblock:instance:frontmatter | \startfrontmatter [=] \stopfrontmatter |
| startsectionlevel | \startsectionlevel [] [=] [=] \stopsectionlevel |
| startsekce:instance | \startSECTION [=] [=] \stopSECTION |
| startsekce:instance:chapter | \startchapter [=] [=] \stopchapter |
| startsekce:instance:part | \startpart [=] [=] \stoppart |
| startsekce:instance:section | \startsection [=] [=] \stopsection |
| startsekce:instance:subject | \startsubject [=] [=] \stopsubject |
| startsekce:instance:subsection | \startsubsection [=] [=] \stopsubsection |
| startsekce:instance:subsubject | \startsubsubject [=] [=] \stopsubsubject |
| startsekce:instance:subsubsection | \startsubsubsection [=] [=] \stopsubsubsection |
| startsekce:instance:subsubsubject | \startsubsubsubject [=] [=] \stopsubsubsubject |
| startsekce:instance:subsubsubsection | \startsubsubsubsection [=] [=] \stopsubsubsubsection |
| startsekce:instance:subsubsubject | \startsubsubsubsubject [=] [=] \stopsubsubsubsubject |
| startsekce:instance:subsubsubsubsection | $\startsubsubsubsubsection$ [=] [=] $\stopsubsubsubsubsubsubsubsubsubsubsubsubsubs$ |
| startsekce:instance:subsubsubsubject | \startsubsubsubsubsubsubject [=] [=] \stopsubsubsubsubsubject |
| startsekce:instance:title | \starttitle [=] [=] \stoptitle |
| startsetups | \startsetups [] [] \stopsetups |
| | \startsetups \stopsetups |
| | \startshift [] \stopshift |
| | \startsidebar [] [=] \stopsidebar |
| | \startsimplecolumns [=] \stopsimplecolumns |
| | \startsloupce [=] \stopsloupce |
| | \startspecialitem [] [] \stopspecialitem |
| | \startspecialitem [] \stopspecialitem |
| | \startspecialitem [] {} \stopspecialitem |
| | \startsplitformula \stopsplitformula |
| | |
| | \ctartcnroad \ctoncnroad |
| • | \startspread \stopspread |
| startstartstop | \start [] \stop |
| startstartstop startstartstop:example | \start [] \stop \startSTARTSTOP \stopSTARTSTOP |
| startstartstop startstartstop:example startstaticMPfigure | \start [] \stop \startSTARTSTOP \stopSTARTSTOP \startstaticMPfigure {} \stopstaticMPfigure |
| startstartstop startstartstop:example startstaticMPfigure startstaticMPgraphic | \start [] \stop \startSTARTSTOP \stopSTARTSTOP \startstaticMPfigure {} \stopstaticMPfigure \startstaticMPgraphic {} { \stopstaticMPgraphic |
| startstartstop startstartstop:example startstaticMPfigure startstaticMPgraphic startstop:example | \start [] \stop \startSTARTSTOP \stopSTARTSTOP \startstaticMPfigure {} \stopstaticMPfigure \startstaticMPgraphic {} {} \stopstaticMPgraphic \STARTSTOP {} |
| startstartstop startstartstop:example startstaticMPfigure startstaticMPgraphic startstop:example startstrictinspectnextcharacter | \start [] \stop \startSTARTSTOP \stopSTARTSTOP \startstaticMPfigure {} \stopstaticMPfigure \startstaticMPgraphic {} { \stopstaticMPgraphic \STARTSTOP {} \startstrictinspectnextcharacter \stopstrictinspectnextcharacter |
| startstartstop startstartstop:example startstaticMPfigure startstaticMPgraphic startstop:example startstrictinspectnextcharacter startstructurepageregister | \start [] \stop \startSTARTSTOP \stopSTARTSTOP \startstaticMPfigure {} \stopstaticMPfigure \startstaticMPgraphic {} {} \stopstaticMPgraphic \STARTSTOP {} \startstrictinspectnextcharacter \stopstrictinspectnextcharacter \startstructurepageregister [] [=] [=] |
| startstartstop startstartstop:example startstaticMPfigure startstaticMPgraphic startstop:example startstrictinspectnextcharacter startstructurepageregister startstyle | \start [] \stop \startSTARTSTOP \stopSTARTSTOP \startstaticMPfigure {} \stopstaticMPfigure \startstaticMPgraphic {} {} \stopstaticMPgraphic \STARTSTOP {} \startstrictinspectnextcharacter \stopstrictinspectnextcharacter \startstructurepageregister [] [] [=] \startstyle [=] \stopstyle |
| startstartstop startstartstop:example startstaticMPfigure startstaticMPgraphic startstop:example startstrictinspectnextcharacter startstructurepageregister startstyle startstyle:argument | \start [] \stop \startSTARTSTOP \stopSTARTSTOP \startstaticMPfigure {} \stopstaticMPfigure \startstaticMPgraphic {} \stopstaticMPgraphic \STARTSTOP {} \startstrictinspectnextcharacter \stopstrictinspectnextcharacter \startstructurepageregister [] [] [=] [=] \startstyle [=] \stopstyle \startstyle [] \stopstyle |
| startstartstop startstartstop:example startstaticMPfigure startstaticMPgraphic startstop:example startstrictinspectnextcharacter startstructurepageregister startstyle startstyle:argument startstyle:instance | \start [] \stop \startSTARTSTOP \stopSTARTSTOP \startstaticMPfigure {} \stopstaticMPfigure \startstaticMPgraphic {} {} \stopstaticMPgraphic \STARTSTOP {} \startstrictinspectnextcharacter \stopstrictinspectnextcharacter \startstructurepageregister [] [] [=] [=] \startstyle [=] \stopstyle \startSTYLE \stopSTYLE |
| startstartstop startstartstop:example startstaticMPfigure startstaticMPgraphic startstop:example startstrictinspectnextcharacter startstructurepageregister startstyle startstyle:argument startstyle:instance startsubformulas | \start [] \stop \startSTARTSTOP \stopSTARTSTOP \startstaticMPfigure {} \stopstaticMPfigure \startstaticMPgraphic {} \stopstaticMPgraphic \STARTSTOP {} \startstrictinspectnextcharacter \stopstrictinspectnextcharacter \startstructurepageregister [] [] [=] [=] \startstyle [=] \stopstyle \startstyle [] \stopSTYLE \startsubformulas [] \stopsubformulas |
| startstartstop startstartstop:example startstaticMPfigure startstaticMPgraphic startstop:example startstrictinspectnextcharacter startstructurepageregister startstyle startstyle:argument startstyle:instance startsubformulas startsubjectlevel | \start [] \stop \startSTARTSTOP \stopSTARTSTOP \startstaticMPfigure {} \stopstaticMPfigure \startstaticMPgraphic {} \stopstaticMPgraphic \STARTSTOP {} \startstrictinspectnextcharacter \stopstrictinspectnextcharacter \startstructurepageregister [] [] [=] [=] \startstyle [] \stopstyle \startstyle [] \stopstyle \startSTYLE \stopSTYLE \startsubformulas [] \stopsubformulas \startsubjectlevel [] [=] \stopsubjectlevel |
| startstartstop startstartstop:example startstaticMPfigure startstaticMPgraphic startstop:example startstrictinspectnextcharacter startstructurepageregister startstyle startstyle:argument startstyle:instance startsubformulas startsubjectlevel startsubsentence | \start [] \stop \startSTARTSTOP \stopSTARTSTOP \startstaticMPfigure {} \stopstaticMPfigure \startstaticMPgraphic {} {} \stopstaticMPgraphic \STARTSTOP {} \startstrictinspectnextcharacter \stopstrictinspectnextcharacter \startstructurepageregister [] [] [=] [=] \startstyle [] \stopstyle \startstyle [] \stopstyle \startSTYLE \stopSTYLE \startsubformulas [] \stopsubformulas \startsubjectlevel [] [=] \stopsubjectlevel \startsubsentence \stopsubsentence |
| startstartstop startstartstop:example startstaticMPfigure startstaticMPgraphic startstop:example startstrictinspectnextcharacter startstructurepageregister startstyle startstyle:argument startstyle:instance startsubformulas startsubjectlevel startsubsentence startsubstack | \start [] \stop \startSTARTSTOP \stopSTARTSTOP \startstaticMPfigure {} \stopstaticMPfigure \startstaticMPgraphic {} {} \stopstaticMPgraphic \STARTSTOP {} \startstrictinspectnextcharacter \stopstrictinspectnextcharacter \startstructurepageregister [] [] [=] [=] \startstyle [] \stopstyle \startstyle [] \stopstyle \startSTYLE \stopSTYLE \startsubformulas [] \stopsubformulas \startsubjectlevel [] [=] \stopsubjectlevel \startsubsentence \stopsubsentence \startsubstack \stopsubstack |
| startstartstop startstartstop:example startstaticMPfigure startstaticMPgraphic startstop:example startstrictinspectnextcharacter startstructurepageregister startstyle startstyle:argument startstyle:instance startsubformulas startsubjectlevel startsubsentence startsubstack startsymbolset | \start [] \stop \startSTARTSTOP \stopSTARTSTOP \startstaticMPfigure {} \stopstaticMPfigure \startstaticMPgraphic {} \stopstaticMPgraphic \STARTSTOP {} \startstrictinspectnextcharacter \stopstrictinspectnextcharacter \startstructurepageregister [] [] [=] [=] \startstyle [] \stopstyle \startstyle [] \stopstyle \startSTYLE \stopSTYLE \startsubformulas [] \stopsubformulas \startsubjectlevel [] [=] [=] \stopsubjectlevel \startsubsentence \stopsubsentence \startsubstack \stopsubstack \startsymbolset [] \stopsymbolset |
| startstartstop startstartstop:example startstaticMPfigure startstaticMPgraphic startstop:example startstrictinspectnextcharacter startstructurepageregister startstyle startstyle:argument startstyle:instance startsubformulas startsubjectlevel startsubsentence startsubstack startsymbolset startTABLE | \start [] \stop \startSTARTSTOP \stopSTARTSTOP \startstaticMPfigure {} \stopstaticMPfigure \startstaticMPgraphic {} \stopstaticMPgraphic \STARTSTOP {} \startstrictinspectnextcharacter \stopstrictinspectnextcharacter \startstructurepageregister [] [] [=] [=] \startstyle [] \stopstyle \startstyle [] \stopstyle \startSTYLE \stopSTYLE \startsubformulas [] \stopsubformulas \startsubjectlevel [] [=] [=] \stopsubjectlevel \startsubsentence \stopsubsentence \startsubstack \stopsubstack \startsymbolset [] \stopsymbolset \startTABLE [=] \stopTABLE |
| startstartstop startstartstop:example startstaticMPfigure startstaticMPgraphic startstop:example startstrictinspectnextcharacter startstructurepageregister startstyle startstyle:argument startstyle:instance startsubformulas startsubjectlevel startsubsentence startsubstack startsymbolset startTABLE startTABLE | \start [] \stop \startSTARTSTOP \stopSTARTSTOP \startstaticMPfigure {} \stopstaticMPfigure \startstaticMPgraphic {} {} \stopstaticMPgraphic \STARTSTOP {} \startstrictinspectnextcharacter \stopstrictinspectnextcharacter \startstructurepageregister [] [] [=] [=] \startstyle [=] \stopstyle \startstyle [] \stopstyle \startstyle [] \stopSTYLE \startsubformulas [] \stopsubformulas \startsubjectlevel [] [=] [=] \stopsubjectlevel \startsubsentence \stopsubsentence \startsubstack \stopsubstack \startstymbolset [] \stopTABLE \startTABLE [=] \stopTABLE \startTABLEBody [=] \stopTABLE |
| startstartstop startstartstop:example startstaticMPfigure startstaticMPgraphic startstop:example startstrictinspectnextcharacter startstructurepageregister startstyle startstyle:argument startstyle:instance startsubformulas startsubjectlevel startsubsentence startsubstack startsymbolset startTABLE startTABLE startTABLEfoot | \start [] \stop \startSTARTSTOP \stopSTARTSTOP \startstaticMPfigure {} \stopstaticMPfigure \startstaticMPgraphic {} {} \stopstaticMPgraphic \STARTSTOP {} \startstrictinspectnextcharacter \stopstrictinspectnextcharacter \startstructurepageregister [] [] [=] [=] \startstyle [=] \stopstyle \startstyle [] \stopstyle \startstyle [] \stopSTYLE \startsubformulas [] \stopsubformulas \startsubjectlevel [] [=] [=] \stopsubjectlevel \startsubsentence \stopsubsentence \startsubstack \stopsubstack \startstymbolset [] \stopTABLE \startTABLE [=] \stopTABLE \startTABLEfoot [=] \stopTABLEfoot |
| startstartstop startstartstop:example startstaticMPfigure startstaticMPgraphic startstop:example startstrictinspectnextcharacter startstructurepageregister startstyle startstyle:argument startstyle:instance startsubformulas startsubjectlevel startsubsentence startsubstack startsymbolset startTABLE startTABLE startTABLEfoot startTABLEhead | \start [] \stop \startSTARTSTOP \stopSTARTSTOP \startstaticMPfigure {} \stopstaticMPfigure \startstaticMPgraphic {} {} \stopstaticMPgraphic \STARTSTOP {} \startstrictinspectnextcharacter \stopstrictinspectnextcharacter \startstructurepageregister [] [] [=] [=] \startstyle [=] \stopstyle \startstyle [] \stopstyle \startstyle [] \stopsubformulas \startsubformulas [] \stopsubformulas \startsubjectlevel [] [=] [=] \stopsubjectlevel \startsubstack \stopsubsentence \startsubstack \startsymbolset [] \stopsymbolset \startTABLE [=] \stopTABLE \startTABLEbody [=] \stopTABLEbody \startTABLEfoot [=] \stopTABLEfoot \startTABLEhead [=] \stopTABLEhead |
| startstartstop startstartstop:example startstaticMPfigure startstaticMPgraphic startstop:example startstrictinspectnextcharacter startstructurepageregister startstyle startstyle:argument startstyle:instance startsubformulas startsubjectlevel startsubsentence startsubstack startsymbolset startTABLE startTABLE startTABLEfoot startTABLEhead startTABLEnext | \start [] \stop \startSTARTSTOP \stopSTARTSTOP \startstaticMPfigure {} \stopstaticMPfigure \startstaticMPgraphic {} {} \stopstaticMPgraphic \STARTSTOP {} \startstrictinspectnextcharacter \stopstrictinspectnextcharacter \startstructurepageregister [] [] [=] [=] \startstyle [=] \stopstyle \startstyle [] \stopstyle \startstyle [] \stopSTYLE \startsubformulas [] \stopsubformulas \startsubjectlevel [] [=] [=] \stopsubjectlevel \startsubsentence \stopsubsentence \startsubstack \stopsubstack \startstymbolset [] \stopTABLE \startTABLE [=] \stopTABLE \startTABLEfoot [=] \stopTABLEfoot \startTABLEfoot [=] \stopTABLEhead \startTABLEnext [=] \stopTABLEnext |
| startstartstop startstartstop:example startstaticMPfigure startstaticMPgraphic startstop:example startstrictinspectnextcharacter startstructurepageregister startstyle startstyle:argument startstyle:instance startsubformulas startsubjectlevel startsubsentence startsubstack startsymbolset startTABLE startTABLE startTABLEfoot startTABLEhead startTABLEnext starttabelator | \start [] \stop \startSTARTSTOP \stopSTARTSTOP \startstaticMPfigure {} \stopstaticMPfigure \startstaticMPgraphic {} \stopstaticMPgraphic \STARTSTOP {} \startstrictinspectnextcharacter \stopstrictinspectnextcharacter \startstructurepageregister [] [] [=] [=] \startstyle [=] \stopstyle \startstyle [] \stopstyle \startstyle [] \stopSTYLE \startsubformulas [] \stopsubformulas \startsubjectlevel [] [=] [=] \stopsubjectlevel \startsubstack \stopsubstack \startstymbolset [] \stopsymbolset \startTABLE [=] \stopTABLE \startTABLEbody [=] \stopTABLEbody \startTABLEfoot [=] \stopTABLEfoot \startTABLEhead [=] \stopTABLEhead \startTABLEnext [=] \stopTABLEnext \startTABLEnext [=] \stopTABLEnext \startTablelator [//] [=] \stoptabelator |
| startstartstop startstartstop:example startstaticMPfigure startstaticMPgraphic startstop:example startstrictinspectnextcharacter startstructurepageregister startstyle startstyle:argument startstyle:instance startsubformulas startsubjectlevel startsubsentence startsubstack startsymbolset startTABLE startTABLE startTABLEfoot startTABLEhead startTABLEnext | \start [] \stop \startSTARTSTOP \stopSTARTSTOP \startstaticMPfigure {} \stopstaticMPfigure \startstaticMPgraphic {} {} \stopstaticMPgraphic \STARTSTOP {} \startstrictinspectnextcharacter \stopstrictinspectnextcharacter \startstructurepageregister [] [] [=] [=] \startstyle [=] \stopstyle \startstyle [] \stopstyle \startstyle [] \stopsubformulas \startsubformulas [] \stopsubformulas \startsubjectlevel [] [=] [=] \stopsubjectlevel \startsubsentence \stopsubsentence \startsubstack \stopsubstack \startstymbolset [] \stopsymbolset \startTABLE [=] \stopTABLE \startTABLEfoot [=] \stopTABLEfoot \startTABLEfoot [=] \stopTABLEfoot \startTABLEhead [=] \stopTABLEhead \startTABLEnext [=] \stopTABLEnext \startTABLEnext [=] \stopTABLEnext \startTABULATE [] [=] \stopTABULATE |
| startstartstop startstartstop:example startstaticMPfigure startstaticMPgraphic startstop:example startstrictinspectnextcharacter startstructurepageregister startstyle startstyle:argument startstyle:instance startsubformulas startsubjectlevel startsubsentence startsubstack startsymbolset startTABLE startTABLE startTABLEfoot startTABLEhead startTABLEnext starttabelator | \start [] \stop \startSTARTSTOP \stopSTARTSTOP \startstaticMPfigure {} \stopstaticMPfigure \startstaticMPgraphic {} {} \stopstaticMPgraphic \STARTSTOP {} \startstrictinspectnextcharacter \stopstrictinspectnextcharacter \startstructurepageregister [] [] [=] [=] \startstyle [=] \stopstyle \startstyle [] \stopstyle \startstyle [] \stopsubformulas \startsubformulas [] \stopsubformulas \startsubjectlevel [] [=] [=] \stopsubjectlevel \startsubsentence \stopsubsentence \startsubstack \stopsubstack \startstymbolset [] \stopTABLE \startTABLE [=] \stopTABLE \startTABLEfoot [=] \stopTABLEfoot \startTABLEfoot [=] \stopTABLEhead \startTABLEnext [=] \stopTABLEnext \startTABLEnext [=] \stopTABLEnext \startTABULATE [] [=] \stopTABULATE \startfact [] [=] \stopTABULATE \startfact [] [=] \stopTABULATE |
| <pre>startstartstop startstartstop:example startstaticMPfigure startstaticMPgraphic startstop:example startstrictinspectnextcharacter startstructurepageregister startstyle startstyle:argument startstyle:instance startsubformulas startsubjectlevel startsubsentence startsubstack startsymbolset startTABLE startTABLE startTABLEbody startTABLEfoot startTABLEhead startTABLEnext starttabelator:instance starttabelator:instance:fact starttabelator:instance:legend</pre> | \start [] \stop \startSTARTSTOP \stopSTARTSTOP \startstaticMPfigure {} \stopstaticMPfigure \startstaticMPgraphic {} {} \stopstaticMPgraphic \STARTSTOP {} \startstrictinspectnextcharacter \stopstrictinspectnextcharacter \startstructurepageregister [] [] [=] [=] \startstyle [=] \stopstyle \startstyle [] \stopstyle \startSTYLE \stopSTYLE \startsubformulas [] \stopsubformulas \startsubjectlevel [] [=] [=] \stopsubjectlevel \startsubsentence \stopsubstack \startsubsentence \stopsubstack \startsubstatstylbelterel [] \stopsubjectlevel \startTABLE [] \stopTABLE \startTABLE [] \stopTABLE \startTABLEFoot [] \stopTABLE \startTABLEFoot [] \stopTABLEFoot \startTABLEEnext [] \stopTABLEEnext \startTABLEEnext [] \stopTABLEEnext \startTABULATE [] [] \stopTABULATE \startTABULATE [] [] \stopTabuLATE \startfact [] [] \stopfact \startLegend [] [] \stoplegend |
| <pre>startstartstop startstartstop:example startstaticMPfigure startstaticMPgraphic startstop:example startstrictinspectnextcharacter startstructurepageregister startstyle startstyle:argument startstyle:instance startsubformulas startsubjectlevel startsubsentence startsubstack startsymbolset startTABLE startTABLE startTABLEbody startTABLEfoot startTABLEhead startTABLEnext starttabelator:instance starttabelator:instance:fact starttabelator:instance:legend</pre> | \start [] \stop \startSTARTSTOP \stopSTARTSTOP \startstaticMPfigure {} \stopstaticMPfigure \startstaticMPgraphic {} {} \stopstaticMPgraphic \STARTSTOP {} \startstrictinspectnextcharacter \stopstrictinspectnextcharacter \startstructurepageregister [] [] [=] [=] \startstyle [=] \stopstyle \startstyle [] \stopstyle \startstyle [] \stopsubformulas \startsubformulas [] \stopsubformulas \startsubjectlevel [] [=] [=] \stopsubjectlevel \startsubsentence \stopsubsentence \startsubstack \stopsubstack \startstymbolset [] \stopTABLE \startTABLE [=] \stopTABLE \startTABLEfoot [=] \stopTABLEfoot \startTABLEfoot [=] \stopTABLEhead \startTABLEnext [=] \stopTABLEnext \startTABLEnext [=] \stopTABLEnext \startTABULATE [] [=] \stopTABULATE \startfact [] [=] \stopTABULATE \startfact [] [=] \stopTABULATE |
| <pre>startstartstop startstaticMPfigure startstaticMPgraphic startstop:example startstrictinspectnextcharacter startstructurepageregister startstyle startstyle:argument startstyle:instance startsubformulas startsubjectlevel startsubsentence startsubstack startsymbolset startTABLE startTABLE startTABLEfoot startTABLEhead startTABLEnext starttabelator:instance starttabelator:instance:fact starttabelator:instance:legend starttabulatehead</pre> | \start [] \stop \startSTARTSTOP \stopSTARTSTOP \startstaticMPfigure {} \stopstaticMPfigure \startstaticMPgraphic {} {} \stopstaticMPgraphic \STARTSTOP {} \startstrictinspectnextcharacter \stopstrictinspectnextcharacter \startstructurepageregister [] [] [=] [=] \startstyle [=] \stopstyle \startstyle [] \stopstyle \startSTYLE \stopSTYLE \startsubformulas [] \stopsubformulas \startsubjectlevel [] [=] [=] \stopsubjectlevel \startsubsentence \stopsubstack \startsubsentence \stopsubstack \startsubstatstylbelterel [] \stopsubjectlevel \startTABLE [] \stopTABLE \startTABLE [] \stopTABLE \startTABLEFoot [] \stopTABLE \startTABLEFoot [] \stopTABLEFoot \startTABLEEnext [] \stopTABLEEnext \startTABLEEnext [] \stopTABLEEnext \startTABULATE [] [] \stopTABULATE \startTABULATE [] [] \stopTabuLATE \startfact [] [] \stopfact \startLegend [] [] \stoplegend |
| <pre>startstartstop startstaticMPfigure startstaticMPgraphic startstop:example startstrictinspectnextcharacter startstructurepageregister startstyle startstyle:argument startstyle:instance startsubformulas startsubjectlevel startsubsentence startsubstack startsymbolset startTABLE startTABLE startTABLEfoot startTABLEhead startTABLEnext starttabelator:instance starttabelator:instance:fact starttabelator:instance:legend starttabulatehead</pre> | \start [] \stop \startSTARTSTOP \stopSTARTSTOP \startstaticMPfigure {} \stopstaticMPfigure \startstaticMPgraphic {} \stopstaticMPgraphic \STARTSTOP {} \startstrictinspectnextcharacter \stopstrictinspectnextcharacter \startstructurepageregister [] [] [=] [=] \startstyle [=] \stopstyle \startstyle [] \stopstyle \startSTYLE \stopSTYLE \startsubformulas [] \stopsubformulas \startsubjectlevel [] [=] [=] \stopsubjectlevel \startsubsentence \stopsubstack \startsubstack \stopsubstack \startsubstack \stopsubstack \startTABLE [=.] \stopTABLE \startTABLE [=.] \stopTABLE \startTABLEfoot [] \stopTABLEfoot \startTABLEhead [] \stopTABLEhead \startTABLEnext [] \stopTABLEhead \startTABLENExt [] \stopTABLEnext \starttablator [//] [=.] \stopTABULATE \startfact [] [=.] \stopTABULATE \startfact [] [=.] \stopTabulate \startlegend [] [=.] \stoplegend \starttabulatehead [] \stoptabulatehead |
| startstartstop:example startstaticMPfigure startstaticMPgraphic startstop:example startstrictinspectnextcharacter startstructurepageregister startstyle startstyle:argument startstyle:instance startsubformulas startsubjectlevel startsubsentence startsubstack startsymbolset startTABLE startTABLE startTABLEfoot startTABLEhead startTABLEnext starttabelator:instance starttabelator:instance:legend starttabulatetail starttabulation:example | \start [] \stop \startSTARTSTOP \stopSTARTSTOP \startstaticMPfigure {} \stopstaticMPfigure \startstaticMPgraphic {} \stopstaticMPgraphic \STARTSTOP {} \startstrictinspectnextcharacter \stopstrictinspectnextcharacter \startstructurepageregister [] [] [] \startstyle [] \stopstyle \startstyle [] \stopstyle \startstyle [] \stopstyle \startsubformulas [] \stopsubformulas \startsubjectlevel [] [] [] \stopsubjectlevel \startsubsentence \stopsubsentence \startsubstack \stopsubstack \startsubstack \stopsubstack \startTABLE [] \stopTABLE \startTABLEfoot [] \stopTABLE \startTABLEfoot [] \stopTABLEfoot \startTABLEhead [] \stopTABLEhead \startTABLEheat [] \stopTABLEheat \startTABULATE [] \stopTABLEheat \startTABULATE [] \stopTABULATE \startfact [] [] \stopfact \startLabulate [] \stopfact \startLabulatehead [] \stoptabulatehead \starttabulatehead [] \stoptabulatehead \starttabulatehead [] \stoptabulatehead \starttabulatehead [] \stoptabulatehead \starttabulatehead [] \stoptabulatehead |
| startstartstop startstaticMPfigure startstaticMPgraphic startstop:example startstrictinspectnextcharacter startstructurepageregister startstyle startstyle:argument startstyle:instance startsubformulas startsubjectlevel startsubsentence startsubstack startsymbolset startTABLE startTABLE startTABLEfoot startTABLEhead startTABLEhead startTABLEnext starttabelator starttabelator:instance starttabelator:instance:legend starttabulatetail starttabulation:example starttabulka | \start [] \stop \startSTARTSTOP \stopSTARTSTOP \startstaticMPfigure {} \stopstaticMPfigure \startstaticMPgraphic {} {} \stopstaticMPgraphic \STARTSTOP {} \startstrictinspectnextcharacter \stopstrictinspectnextcharacter \startstructurepageregister [] [] [] [] \startstyle [] \stopstyle \startstyle [] \stopstyle \startstyle [] \stopSTYLE \startsubformulas [] \stopsubformulas \startsubjectlevel [] [] [] \stopsubjectlevel \startsubsentence \stopsubsentence \startsubstack \stopsubstack \startsubstack \stopsubstack \startstymbolset [] \stopTABLE \startTABLE [] \stopTABLE \startTABLE [] \stopTABLE \startTABLEfoot [] \stopTABLEfoot \startTABLEfoot [] \stopTABLEhead \startTABLEnext [] \stopTABLEnext \startTABULATE [] \stopTABULATE \startfact [] [] \stopTABULATE \startfact [] [] \stopTabulate \starttabulatehead [] \stoptabulatehead \starttabulatehead [] \stoptabulatehead \starttabulatetail [] \stopTabulation |
| startstartstop:example startstaticMPfigure startstaticMPgraphic startstop:example startstrictinspectnextcharacter startstructurepageregister startstyle startstyle:argument startstyle:instance startsubformulas startsubjectlevel startsubsentence startsubstack startsymbolset startTABLE startTABLE startTABLEfoot startTABLEhead startTABLEnext starttabelator starttabelator:instance starttabelator:instance:legend starttabulatetail starttabulka:name | \start [] \stop \startSTARTSTOP \stopSTARTSTOP \startstaticMPfigure {} \stopstaticMPfigure \startstaticMPgraphic {} {} \stopstaticMPgraphic \STARTSTOP {} \startstrictinspectnextcharacter \stopstrictinspectnextcharacter \startstructurepageregister [] [] [] [] \startstyle [] \stopstyle \startstyle [] \stopstyle \startstyle [] \stopstyle \startSTYLE \stopSTYLE \startsubformulas [] \stopsubformulas \startsubjectlevel [] [] [] \stopsubjectlevel \startsubsentence \stopsubsentence \startsubsentence \stopsubsentence \startstymbolset [] \stopTABLE \startTABLE [] \stopTABLE \startTABLEbody [] \stopTABLE \startTABLEfoot [] \stopTABLEfoot \startTABLEhead [] \stopTABLEhead \startTABLEnext [] \stopTABLEnext \startTABULATE [] \stopTABULATE \startTABULATE [] \stopTABULATE \startlegend [] [] \stopTaBULATE \startlegend [] [] \stoptabulatehead \starttabulatehead [] \stoptabulatehead |

| | \starttexcode \stoptexcode |
|--|---|
| starttexcode | <u>-</u> |
| starttexdefinition | \starttexdefinition\stoptexdefinition |
| starttext | \starttext \stoptext |
| starttextbackground | \starttextbackground [] [=] \stoptextbackground |
| starttextbackgroundmanual | \starttextbackgroundmanual \stoptextbackgroundmanual |
| starttextbackground:example | \startTEXTBACKGROUND [=] \stopTEXTBACKGROUND |
| starttextcolor | \starttextcolor [] \stoptextcolor |
| starttextcolorintent | \starttextcolorintent \stoptextcolorintent |
| starttextflow | \starttextflow [] \stoptextflow |
| | |
| starttextnapovedy | \starttextnapovedy [] \stoptextnapovedy |
| starttextovalinka | \starttextovalinka {} \stoptextovalinka |
| starttextpopisku:instance | \startLABELtext [] [] \stopLABELtext |
| starttextpopisku:instance:btxlabel | \startbtxlabeltext [] [] \stopbtxlabeltext |
| starttextpopisku:instance:head | \startheadtext [] [] \stopheadtext |
| | |
| starttextpopisku:instance:label | \startlabeltext [] [] \stoplabeltext |
| starttextpopisku:instance:mathlabel | \startmathlabeltext [] [] \stopmathlabeltext |
| starttextpopisku:instance:operator | \startoperatortext [] [] \stopoperatortext |
| starttextpopisku:instance:prefix | \startprefixtext [] [] \stopprefixtext |
| starttextpopisku:instance:suffix | \startsuffixtext [] [] \stopsuffixtext |
| starttextpopisku:instance:taglabel | \starttaglabeltext [] [] \stoptaglabeltext |
| starttextpopisku:instance:unit | \startunittext [] [] \stopunittext |
| 1 1 | |
| starttokens | \starttokens [] \stoptokens |
| starttransparent | \starttransparent [] \stoptransparent |
| starttypescript | \starttypescript [] [] \stoptypescript |
| starttypescriptcollection | \starttypescriptcollection [] \stoptypescriptcollection |
| starttyping:instance | \startTYPING [=] \stopTYPING |
| *1 G | \startTYPING [] \stopTYPING |
| starttyping:instance:argument | - |
| starttyping:instance:argument:LUA | \startLUA [] \stopLUA |
| starttyping:instance:argument:MP | \startMP [] \stopMP |
| starttyping:instance:argument:PARSEDXML | \startPARSEDXML [] \stopPARSEDXML |
| starttyping:instance:argument:TEX | \startTEX [] \stopTEX |
| starttyping:instance:argument:typing | \starttyping [] \stoptyping |
| starttyping:instance:argument:XML | |
| V. 0 | \startXML [] \stopXML |
| starttyping:instance:LUA | \startLUA [=] \stopLUA |
| starttyping:instance:MP | \startMP [=] \stopMP |
| starttyping:instance:PARSEDXML | \startPARSEDXML [=] \stopPARSEDXML |
| starttyping:instance:TEX | \startTEX [=] \stopTEX |
| starttyping:instance:typing | \starttyping [=] \stoptyping |
| | |
| starttyping:instance:XML | \startXML [=] \stopXML |
| startumistirovnici | \startumistirovnici [=] \stopumistirovnici |
| | \atamtumiatimarmiai \atamumiatimarmiai |
| startumistirovnici:argument | \startumistirovnici [] \stopumistirovnici |
| startumistirovnici:argument startuniqueMPgraphic | \startumistirovnici [] \stopumistirovnici \startuniqueMPgraphic {} \stopuniqueMPgraphic |
| startuniqueMPgraphic | \startuniqueMPgraphic {} {} \stopuniqueMPgraphic |
| startuniqueMPgraphic startuniqueMPpagegraphic | \startuniqueMPgraphic {} {} \stopuniqueMPgraphic \startuniqueMPpagegraphic {} {} \stopuniqueMPpagegraphic |
| startuniqueMPgraphic startuniqueMPpagegraphic startusableMPgraphic | \startuniqueMPgraphic {} {} \stopuniqueMPgraphic \startuniqueMPpagegraphic {} {} \stopuniqueMPpagegraphic \startusableMPgraphic {} {} \stopusableMPgraphic |
| startuniqueMPgraphic startusableMPgraphic startuseMPgraphic | \startuniqueMPgraphic {} {} \stopuniqueMPgraphic \startuniqueMPpagegraphic {} {} \stopuniqueMPpagegraphic \startusableMPgraphic {} {} \stopusableMPgraphic \startuseMPgraphic {} {} \stopuseMPgraphic |
| startuniqueMPgraphic startuniqueMPpagegraphic startusableMPgraphic startuseMPgraphic startusemathstyleparameter | \startuniqueMPgraphic {} {} \stopuniqueMPgraphic \startuniqueMPpagegraphic {} {} \stopuniqueMPpagegraphic \startusableMPgraphic {} {} \stopusableMPgraphic \startuseMPgraphic {} {} \stopuseMPgraphic \startusemathstyleparameter \ \stopusemathstyleparameter |
| startuniqueMPgraphic startuniqueMPpagegraphic startusableMPgraphic startuseMPgraphic startusemathstyleparameter startusingbtxspecification | \startuniqueMPgraphic {} {} \stopuniqueMPgraphic \startuniqueMPpagegraphic {} {} \stopuniqueMPpagegraphic \startusableMPgraphic {} {} \stopusableMPgraphic \startuseMPgraphic {} {} \stopuseMPgraphic \startusemathstyleparameter \ \stopusemathstyleparameter \startusingbtxspecification [] \stopusingbtxspecification |
| startuniqueMPgraphic startuniqueMPpagegraphic startusableMPgraphic startuseMPgraphic startusemathstyleparameter | \startuniqueMPgraphic {} {} \stopuniqueMPgraphic \startuniqueMPpagegraphic {} {} \stopuniqueMPpagegraphic \startusableMPgraphic {} {} \stopusableMPgraphic \startuseMPgraphic {} {} \stopuseMPgraphic \startusemathstyleparameter \ \stopusemathstyleparameter \startusingbtxspecification [] \stopusingbtxspecification \startuzky [] [=] \stopuzky |
| startuniqueMPgraphic startuniqueMPpagegraphic startusableMPgraphic startuseMPgraphic startusemathstyleparameter startusingbtxspecification | \startuniqueMPgraphic {} {} \stopuniqueMPgraphic \startuniqueMPpagegraphic {} {} \stopuniqueMPpagegraphic \startusableMPgraphic {} {} \stopusableMPgraphic \startuseMPgraphic {} {} \stopuseMPgraphic \startusemathstyleparameter \ \stopusemathstyleparameter \startusingbtxspecification [] \stopusingbtxspecification |
| startuniqueMPgraphic startuniqueMPpagegraphic startusableMPgraphic startuseMPgraphic startusemathstyleparameter startusingbtxspecification startuzky startuzky:assignment | \startuniqueMPgraphic {} {} \stopuniqueMPgraphic \startuniqueMPpagegraphic {} {} \stopuniqueMPpagegraphic \startusableMPgraphic {} {} \stopusableMPgraphic \startuseMPgraphic {} {} \stopuseMPgraphic \startusemathstyleparameter \ \stopusemathstyleparameter \startusingbtxspecification [] \stopusingbtxspecification \startuzky [] [=.] \stopuzky \startuzky [] [] \stopuzky |
| startuniqueMPgraphic startuniqueMPpagegraphic startusableMPgraphic startuseMPgraphic startusemathstyleparameter startusingbtxspecification startuzky startuzky:assignment startuzky:name | \startuniqueMPgraphic {} {} \stopuniqueMPgraphic \startuniqueMPpagegraphic {} {} \stopuniqueMPpagegraphic \startusableMPgraphic {} {} \stopusableMPgraphic \startuseMPgraphic {} {} \stopuseMPgraphic \startusemathstyleparameter \ \stopusemathstyleparameter \startusingbtxspecification [] \stopusingbtxspecification \startuzky [] [=.] \stopuzky \startuzky [] [] \stopuzky \startuzky [] [] \stopuzky |
| startuniqueMPgraphic startuniqueMPpagegraphic startusableMPgraphic startuseMPgraphic startusemathstyleparameter startusingbtxspecification startuzky startuzky:assignment startuzky:name startvboxregister | \startuniqueMPgraphic {} {} \stopuniqueMPgraphic \startuniqueMPpagegraphic {} {} \stopuniqueMPpagegraphic \startusableMPgraphic {} {} \stopusableMPgraphic \startuseMPgraphic {} {} \stopuseMPgraphic \startusemathstyleparameter \ \stopusemathstyleparameter \startusingbtxspecification [] \stopusingbtxspecification \startuzky [] [=.] \stopuzky \startuzky [] [] \stopuzky |
| startuniqueMPgraphic startuniqueMPpagegraphic startusableMPgraphic startuseMPgraphic startusemathstyleparameter startusingbtxspecification startuzky startuzky:assignment startuzky:name startvboxregister startvboxtohbox | \startuniqueMPgraphic {} {} \stopuniqueMPgraphic \startuniqueMPpagegraphic {} {} \stopuniqueMPpagegraphic \startusableMPgraphic {} {} \stopusableMPgraphic \startuseMPgraphic {} {} \stopuseMPgraphic \startusemathstyleparameter \ \stopusemathstyleparameter \startusingbtxspecification [] \stopusingbtxspecification \startuzky [] [=.] \stopuzky \startuzky [] [] \stopuzky \startuzky [] (] \stopuzky |
| startuniqueMPgraphic startusableMPgraphic startuseMPgraphic startusemathstyleparameter startusingbtxspecification startuzky startuzky:assignment startuzky:name startvboxregister startvboxtohbox startvboxtohboxseparator | \startuniqueMPgraphic {} {} \stopuniqueMPgraphic \startuniqueMPpagegraphic {} {} \stopuniqueMPpagegraphic \startusableMPgraphic {} {} \stopusableMPgraphic \startuseMPgraphic {} {} \stopuseMPgraphic \startusemathstyleparameter \ \stopusemathstyleparameter \startusingbtxspecification [] \stopusingbtxspecification \startuzky [] [=.] \stopuzky \startuzky [] [] \stopuzky \startuzky [] [] \stopuzky \startuzky [] [] \stopuzky \startuzky [] [] \stopuzky \startvboxregister \stopvboxregister \startvboxtohbox \stopvboxtohbox \startvboxtohboxseparator \stopvboxtohboxseparator |
| startuniqueMPgraphic startusableMPgraphic startuseMPgraphic startusemathstyleparameter startusingbtxspecification startuzky startuzky:assignment startuzky:name startvboxregister startvboxtohbox startvboxtohboxseparator startviewerlayer | \startuniqueMPgraphic {} {} \stopuniqueMPgraphic \startuniqueMPpagegraphic {} {} \stopuniqueMPpagegraphic \startusableMPgraphic {} {} \stopusableMPgraphic \startuseMPgraphic {} {} \stopuseMPgraphic \startusemathstyleparameter \ \stopusemathstyleparameter \startusingbtxspecification [] \stopusingbtxspecification \startuzky [] [=] \stopuzky \startuzky [] [] \stopuzky \startuzky [] [] \stopuzky \startuzky [] [] \stopuzky \startvboxregister \stopvboxregister \startvboxtohbox \stopvboxtohbox \startvboxtohboxseparator \startviewerlayer [] \stopviewerlayer |
| startuniqueMPgraphic startusableMPgraphic startuseMPgraphic startusemathstyleparameter startusingbtxspecification startuzky startuzky:assignment startuzky:name startvboxregister startvboxtohbox startvboxtohboxseparator | \startuniqueMPgraphic {} {} \stopuniqueMPgraphic \startuniqueMPpagegraphic {} {} \stopuniqueMPpagegraphic \startusableMPgraphic {} {} \stopusableMPgraphic \startuseMPgraphic {} {} \stopuseMPgraphic \startusemathstyleparameter \ \stopusemathstyleparameter \startusingbtxspecification [] \stopusingbtxspecification \startuzky [] [=.] \stopuzky \startuzky [] [] \stopuzky \startuzky [] [] \stopuzky \startuzky [] [] \stopuzky \startuzky [] [] \stopuzky \startvboxregister \stopvboxregister \startvboxtohbox \stopvboxtohbox \startvboxtohboxseparator \stopvboxtohboxseparator |
| startuniqueMPgraphic startusableMPgraphic startuseMPgraphic startusemathstyleparameter startusingbtxspecification startuzky startuzky:assignment startuzky:name startvboxregister startvboxtohbox startvboxtohboxseparator startviewerlayer | \startuniqueMPgraphic {} {} \stopuniqueMPgraphic \startuniqueMPpagegraphic {} {} \stopuniqueMPpagegraphic \startusableMPgraphic {} {} \stopusableMPgraphic \startuseMPgraphic {} {} \stopuseMPgraphic \startusemathstyleparameter \ \stopusemathstyleparameter \startusingbtxspecification [] \stopusingbtxspecification \startuzky [] [=.] \stopuzky \startuzky [] [] \stopuzky \startuzky [] [] \stopuzky \startuzky [] [] \stopuzky \startvboxregister \stopvboxregister \startvboxtohbox \stopvboxtohbox \startvboxtohboxseparator \startviewerlayer [] \stopviewerlayer \startviewerlayer [] \stopviewerlayer \startviewerlayer [] \stopviewerlayer \startviewerlayer [] \stopviewerlayer |
| startuniqueMPgraphic startusableMPgraphic startuseMPgraphic startusemathstyleparameter startusingbtxspecification startuzky startuzky:assignment startuzky:name startvboxregister startvboxtohbox startvboxtohboxseparator startviewerlayer startviewerlayer:example startvisici | \startuniqueMPgraphic {} {} \stopuniqueMPgraphic \startuniqueMPpagegraphic {} {} \stopuniqueMPpagegraphic \startusableMPgraphic {} {} \stopusableMPgraphic \startuseMPgraphic {} {} \stopuseMPgraphic \startusemathstyleparameter \ \stopusemathstyleparameter \startusingbtxspecification [] \stopusingbtxspecification \startuzky [] [=.] \stopuzky \startuzky [] [] \stopuzky \startuzky [] [] \stopuzky \startuzky [] [] \stopuzky \startvboxregister \stopvboxregister \startvboxtohbox \stopvboxtohbox \startvboxtohbox separator \startviewerlayer [] \stopviewerlayer \startviewerlayer [] \stopviewerlayer \startviewerlayer [] \stopviewerlayer \startvisici [=.] {} \stopvisici |
| startuniqueMPgraphic startusableMPgraphic startuseMPgraphic startusemathstyleparameter startusingbtxspecification startuzky startuzky:assignment startuzky:name startvboxregister startvboxtohbox startvboxtohboxseparator startviewerlayer startviewerlayer:example startvisici startvisici:argument | \startuniqueMPgraphic {} {} \stopuniqueMPgraphic \startuniqueMPpagegraphic {} {} \stopuniqueMPpagegraphic \startusableMPgraphic {} {} \stopusableMPgraphic \startuseMPgraphic {} {} \stopuseMPgraphic \startuseMPgraphic \startusemathstyleparameter \ \stopusemathstyleparameter \startusingbtxspecification [] \stopusingbtxspecification \startuzky [] [=.] \stopuzky \startuzky [] [] \stopuzky \startuzky [] [] \stopuzky \startuzky [] [] \stopvboxregister \startvboxregister \stopvboxregister \startvboxtohbox \stopvboxtohbox \startvboxtohboxseparator \startviewerlayer [] \stopviewerlayer \startvIEWERLAYER \stopvIEWERLAYER \startvisici [] {} \stopvisici \startvisici [] {} \stopvisici |
| startuniqueMPgraphic startusableMPgraphic startuseMPgraphic startusemathstyleparameter startusingbtxspecification startuzky startuzky:assignment startuzky:name startvboxregister startvboxtohbox startvboxtohboxseparator startviewerlayer startviewerlayer startvisici startvisici:argument startvtopregister | \startuniqueMPgraphic {} {} \stopuniqueMPgraphic \startuniqueMPpagegraphic {} {} \stopuniqueMPpagegraphic \startusableMPgraphic {} {} \stopusableMPgraphic \startuseMPgraphic {} {} \stopuseMPgraphic \startuseMPgraphic {} {} \stopuseMPgraphic \startusemathstyleparameter \ \stopusemathstyleparameter \startusingbtxspecification [] \stopusingbtxspecification \startuzky [] [=.] \stopuzky \startuzky [] [] \stopuzky \startuzky [] [] \stopuzky \startuzky [] [] \stopvboxregister \startvboxregister \startvboxregister \ \stopvboxtohbox \startvboxtohbox \stopvboxtohbox \startvboxtohboxseparator \startviewerlayer [] \stopviewerlayer \startvIEWERLAYER \stopvIEWERLAYER \startvisici [] {} \stopvisici \startvisici [] {} \stopvisici \startvtopregister \stopvtopregister |
| startuniqueMPgraphic startusableMPgraphic startuseMPgraphic startusemathstyleparameter startusingbtxspecification startuzky startuzky:assignment startuzky:name startvboxregister startvboxtohbox startvboxtohboxseparator startviewerlayer startviewerlayer startvisici startvisici:argument startvtopregister startvtopregister startvtopregister startvtopregister | \startuniqueMPgraphic {} {} \stopuniqueMPgraphic \startuniqueMPpagegraphic {} {} \stopuniqueMPpagegraphic \startusableMPgraphic {} {} \stopusableMPgraphic \startuseMPgraphic {} {} \stopuseMPgraphic \startuseMPgraphic \startusemathstyleparameter \startusemathstyleparameter \startusingbtxspecification [] \stopusemathstyleparameter \startuzky [] [=.] \stopuzky \startuzky [] [] \stopuzky \startuzky [] [] \stopuzky \startuzky [] [] \stopuzky \startuzky [] [] \stopvboxregister \startvboxregister \startvboxregister \startvboxtohbox \startvboxtohbox \stopvboxtohbox \startvboxtohboxseparator \startviewerlayer [] \stopviewerlayer \startviewerlayer [] \stopviewerlayer \startvisici [] {} \stopvisici \startvisici [] {} \stopvisici \startvtopregister \stopviopregister \startvipregister \stopviopregister \stopviopregister \startvipregister \stopviopregister \stopviopre |
| startuniqueMPgraphic startusableMPgraphic startuseMPgraphic startusemathstyleparameter startusingbtxspecification startuzky startuzky:assignment startuzky:name startvboxregister startvboxtohbox startvboxtohboxseparator startviewerlayer startviewerlayer:example startvisici startvtopregister startvtopregister startvtopregister startvisci:argument startvtopregister startvycet:example startvycet:example | \startuniqueMPgraphic {} {} \stopuniqueMPgraphic \startuniqueMPpagegraphic {} {} \stopuniqueMPpagegraphic \startusableMPgraphic {} {} \stopusableMPgraphic \startuseMPgraphic {} {} \stopuseMPgraphic \startuseMPgraphic {} {} \stopuseMPgraphic \startusemathstyleparameter \ \stopusemathstyleparameter \startusingbtxspecification [] \stopusingbtxspecification \startuzky [] [=.] \stopuzky \startuzky [] [] \stopuzky \startuzky [] [] \stopuzky \startuzky [] [] \stopvboxregister \startvboxregister \startvboxtohbox \startvboxtohbox \stopvboxtohbox \startvboxtohbox \startvboxtohbox \startviewerlayer [] \stopviewerlayer \startvIEWERLAYER \stopvIEWERLAYER \startvisici [] {} \stopvisici \startvtopregister \stopviopregister \startvtopregister \stopviopregister \startvtyCET [] {} \stopviceT \startvYCET [] {} \stopVYCET |
| startuniqueMPgraphic startusableMPgraphic startuseMPgraphic startusemathstyleparameter startusingbtxspecification startuzky startuzky:assignment startuzky:name startvboxregister startvboxtohbox startvboxtohboxseparator startviewerlayer startviewerlayer startvisici startvisici:argument startvtopregister startvtopregister startvtopregister startvtopregister | \startuniqueMPgraphic {} {} \stopuniqueMPgraphic \startuniqueMPpagegraphic {} {} \stopuniqueMPpagegraphic \startusableMPgraphic {} {} \stopusableMPgraphic \startuseMPgraphic {} {} \stopuseMPgraphic \startuseMPgraphic {} {} \stopuseMPgraphic \startusemathstyleparameter \ \stopusemathstyleparameter \startusingbtxspecification [] \stopusingbtxspecification \startuzky [] [=.] \stopuzky \startuzky [] [] \stopuzky \startuzky [] [] \stopuzky \startuzky [] [] \stopvboxregister \startvboxregister \startvboxregister \startvboxtohbox \startvboxtohbox \startvboxtohbox \startvboxtohbox \startvboxtohbox \startviewerlayer [] \stopviewerlayer \startvIEWERLAYER \startvIEWERLAYER \startvisici [] {} \stopvisici \startvtopregister \startvtopregister \startvtopregister \startvtopregister \startvtopregister \startvtyCET [] {} \stopvyCET \startvyCET [] {} \stopvyCET \startvyCET [] {} \stopvyCET \startvcell [] [] \stopvyCET |
| startuniqueMPgraphic startusableMPgraphic startuseMPgraphic startusemathstyleparameter startusingbtxspecification startuzky startuzky:assignment startuzky:name startvboxregister startvboxtohbox startvboxtohboxseparator startviewerlayer startviewerlayer:example startvisici startvtopregister startvtopregister startvtopregister startvisci:argument startvtopregister startvycet:example startvycet:example | \startuniqueMPgraphic {} {} \stopuniqueMPgraphic \startuniqueMPpagegraphic {} {} \stopuniqueMPpagegraphic \startusableMPgraphic {} {} \stopusableMPgraphic \startuseMPgraphic {} {} \stopuseMPgraphic \startuseMPgraphic {} {} \stopuseMPgraphic \startusemathstyleparameter \ \stopusemathstyleparameter \startusingbtxspecification [] \stopusingbtxspecification \startuzky [] [=.] \stopuzky \startuzky [] [] \stopuzky \startuzky [] [] \stopuzky \startuzky [] [] \stopvboxregister \startvboxregister \startvboxtohbox \startvboxtohbox \stopvboxtohbox \startvboxtohbox \startvboxtohbox \startviewerlayer [] \stopviewerlayer \startvIEWERLAYER \stopvIEWERLAYER \startvisici [] {} \stopvisici \startvtopregister \stopviopregister \startvtopregister \stopviopregister \startvtyCET [] {} \stopviceT \startvYCET [] {} \stopVYCET |
| startuniqueMPgraphic startusableMPgraphic startuseMPgraphic startusemathstyleparameter startusingbtxspecification startuzky startuzky:assignment startuzky:name startvboxregister startvboxtohbox startvboxtohboxseparator startviewerlayer startviewerlayer startvisici startvisici startvtopregister startvtopregister startvtopregister startvtopregister startvtopregister startvtopregister startvtopregister startvycet:example startvycet:example startvycet:example startxcell startxcellgroup | \startuniqueMPgraphic {} {} \stopuniqueMPgraphic \startuniqueMPpagegraphic {} {} \stopuniqueMPpagegraphic \startusableMPgraphic {} {} \stopusableMPgraphic \startuseMPgraphic {} {} \stopuseMPgraphic \startuseMPgraphic {} {} \stopuseMPgraphic \startusemathstyleparameter \ \stopusemathstyleparameter \startusingbtxspecification [] \stopusingbtxspecification \startuzky [] [=.] \stopuzky \startuzky [] [] \stopuzky \startuzky [] [] \stopuzky \startvboxregister \stopvboxregister \startvboxtohbox \stopvboxtohbox \startvboxtohbox \stopvboxtohbox \startvboxtohbox separator \startviewerlayer [] \stopviewerlayer \startvIEWERLAYER \stopvIEWERLAYER \startvisici [] {} \stopvisici \startvtopregister \stopvisici \startvtopregister \stopvYCET \startvYCET [] {} \stopVYCET \startvYCET [] {} \stopVYCET \startxcell [] [] \stopvicell \startxcellgroup [] [] \stopxcellgroup |
| startuniqueMPgraphic startusableMPgraphic startuseMPgraphic startusemathstyleparameter startusingbtxspecification startuzky startuzky:assignment startuzky:name startvboxregister startvboxtohbox startvboxtohboxseparator startviewerlayer startviewerlayer:example startvisici startvisici:argument startvtopregister startvycet:example startvycet:example startxcell startxcellgroup startxgroup | \startuniqueMPgraphic {} {} \stopuniqueMPgraphic \startuniqueMPpagegraphic {} {} \stopuniqueMPpagegraphic \startusableMPgraphic {} {} \stopusableMPgraphic \startuseMPgraphic {} {} \stopuseMPgraphic \startuseMPgraphic {} {} \stopuseMPgraphic \startusemathstyleparameter \ \stopusemathstyleparameter \startusingbtxspecification [] \stopusingbtxspecification \startuzky [] [] \stopuzky \startuzky [] [] \stopuzky \startuzky [] [] \stopuzky \startvboxregister \stopvboxregister \startvboxtohbox \stopvboxtohbox \startvboxtohbox \stopvboxtohbox \startvboxtohboxseparator \startviewerlayer [] \stopviewerlayer \startvIEWERLAYER \stopvIEWERLAYER \startvisici [] {} \stopvisici \startvtopregister \stopvisici \startvtopregister \stopvYCET \startvYCET [] {} \stopvYCET \startvYCET [] {} \stopvYCET \startxcell [] [] \stopvEcll \startxcellgroup [] [] \stopxgroup |
| startuniqueMPgraphic startusableMPgraphic startuseMPgraphic startusemathstyleparameter startusingbtxspecification startuzky startuzky:assignment startuzky:name startvboxregister startvboxtohbox startvboxtohboxseparator startviewerlayer startviewerlayer:example startvisici startvisici:argument startvtopregister startvycet:example startvycet:example startvycet:example startxcell startxcellgroup startxgroup startxmldisplayverbatim | \startuniqueMPgraphic {} {} \stopuniqueMPgraphic \startuniqueMPpagegraphic {} {} \stopuniqueMPpagegraphic \startusableMPgraphic {} {} \stopusableMPgraphic \startuseMPgraphic {} {} \stopuseMPgraphic \startuseMPgraphic {} {} \stopuseMPgraphic \startusemathstyleparameter \ \stopusemathstyleparameter \startusingbtxspecification [] \stopusingbtxspecification \startuzky [] [] \stopuzky \startuzky [] [] \stopuzky \startuzky [] [] \stopuzky \startvboxregister \stopvboxregister \startvboxtohbox \stopvboxtohbox \startvboxtohbox \startvboxtohbox \stopvboxtohbox \startviewerlayer [] \stopviewerlayer \startvIEWERLAYER \stopvIEWERLAYER \startvisici [] {} \stopvisici \startvisici [] {} \stopvisici \startvtopregister \stopvYCET \startvYCET [] {} \stopvYCET \startvYCET [] {} \stopvYCET \startxcell [] [] \stopvECET \startxcell [] [] \stopvECET \startxcell [] [] \stopxGell \startxcell [] [] \stopxgroup \startxmldisplayverbatim [] \stopxmldisplayverbatim |
| startuniqueMPgraphic startusableMPgraphic startuseMPgraphic startusemathstyleparameter startusingbtxspecification startuzky startuzky:assignment startuzky:name startvboxregister startvboxtohbox startvboxtohboxseparator startviewerlayer startviewerlayer:example startvisici startvisici:argument startvtopregister startvycet:example startvycet:example startvycet:example startxcell startxcell startxgroup startxmldisplayverbatim startxmlinlineverbatim | \startuniqueMPgraphic {} {} \stopuniqueMPgraphic \startuniqueMPpagegraphic {} {} \stopuniqueMPpagegraphic \startusableMPgraphic {} {} \stopusableMPgraphic \startuseMPgraphic {} {} \stopuseMPgraphic \startuseMPgraphic {} {} \stopuseMPgraphic \startusemathstyleparameter \ \stopusemathstyleparameter \startusingbtxspecification [] \stopusingbtxspecification \startuzky [] [] \stopuzky \startuzky [] [] \stopuzky \startuzky [] [] \stopuzky \startuzky [] [] \stopuboxtohbox register \startvboxtohbox \stopvboxtohbox \startvboxtohbox \stopvboxtohbox \startvboxtohbox \stopvboxtohbox \startvboxtohbox \startviewerlayer [] \stopviewerlayer \startvIEWERLAYER \stopvIEWERLAYER \startvisici [] {} \stopvisici \startvtopregister \stopvisici \startvtopregister \stopvisici \startvtopregister \stopvYCET \startvYCET [] {} \stopvYCET \startvYCET [] {} \stopvYCET \startxcell [] [=.] \stopvYCET \startxcell [] [=.] \stopxcell \startxmldisplayverbatim [] \stopxmldisplayverbatim \startxmlinlineverbatim [] \stopxmlinlineverbatim |
| startuniqueMPgraphic startusableMPgraphic startuseMPgraphic startusemathstyleparameter startusingbtxspecification startuzky startuzky:assignment startuzky:name startvboxregister startvboxtohbox startvboxtohboxseparator startviewerlayer startviewerlayer:example startvisici startvisici:argument startvtopregister startvycet:example startvycet:example startvycet:example startxcell startxcell startxgroup startxmldisplayverbatim startxmlraw | \startuniqueMPgraphic {} {} \stopuniqueMPgraphic \startuniqueMPpagegraphic {} {} \stopuniqueMPpagegraphic \startusableMPgraphic {} {} \stopusableMPgraphic \startuseMPgraphic {} {} \stopuseMPgraphic \startuseMPgraphic {} {} \stopuseMPgraphic \startuseMPgraphic {} {} \stopuseMPgraphic \startusemathstyleparameter \ \stopusemathstyleparameter \startusemathstyleparameter \startvisemathstyleparameter \startvisemathstyleparameter \startvisemathstyleparameter \startyleparameter \s |
| startuniqueMPgraphic startusableMPgraphic startuseMPgraphic startusemathstyleparameter startusingbtxspecification startuzky startuzky:assignment startuzky:name startvboxregister startvboxtohbox startvboxtohboxseparator startviewerlayer startviewerlayer:example startvisici startvisici:argument startvtopregister startvycet:example startvycet:example startvycet:example startxcell startxcell startxcellgroup startxmlinlineverbatim startxmlraw startxmlsetups | \startuniqueMPgraphic {} {} \stopuniqueMPgraphic \startuniqueMPpagegraphic {} {} \stopuniqueMPpagegraphic \startusableMPgraphic {} {} \stopusableMPgraphic \startuseMPgraphic {} {} \stopuseMPgraphic \startuseMPgraphic {} {} \stopuseMPgraphic \startuseMPgraphic {} {} \stopuseMPgraphic \startusemathstyleparameter \ \stopusemathstyleparameter \startusingbtxspecification [] \stopusingbtxspecification \startuzky [] [] \stopuzky \startuzky [] [] \stopuzky \startuzky [] [] \stopvboxregister \startvboxregister \stopvboxregister \startvboxregister \ \stopvboxtohbox \startvboxtohbox \startvboxtohbox \startvboxtohbox \startvisewerlayer [] \stopviewerlayer \startvIEWERLAYER \startvIEWERLAYER \stopVIEWERLAYER \startvisici [] {} \stopvisici \startvtopregister \stopvisici \startvtopregister \stopviceT \startvYCET [] \stopVYCET \startvYCET [] \stopVYCET \startxcell [] [] \stopvyCET \startxcell [] [] \stopvyCET \startxcell [] [] \stopxopcell \startxcell [] [] \stopxopcell \startxcell [] [] \stopxopcell \startxmldisplayverbatim [] \stopxopcell \startxmldisplayverbatim [] \stopxopcell \startxmldisplayverbatim [] \stopxopcell \startxmldisplayverbatim [] \stopxopcell \startxmlinlineverbatim [] \stopxopcell \startxmlineverbatim [] \stopxopcell \startxmlineverbatim [] \stopxopcell \startxmlineverbatim [] \stopxopcell \ |
| startuniqueMPgraphic startusableMPgraphic startuseMPgraphic startusemathstyleparameter startusingbtxspecification startuzky startuzky:assignment startuzky:name startvboxregister startvboxtohbox startvboxtohboxseparator startviewerlayer startviewerlayer:example startvisici startvisici:argument startvtopregister startvycet:example startvycet:example startvycet:example startxcell startxcell startxgroup startxmldisplayverbatim startxmlraw | \startuniqueMPgraphic {} {} \stopuniqueMPgraphic \startuniqueMPpagegraphic {} {} \stopuniqueMPpagegraphic \startusableMPgraphic {} {} \stopusableMPgraphic \startuseMPgraphic {} {} \stopuseMPgraphic {} \ |
| startuniqueMPgraphic startusableMPgraphic startuseMPgraphic startusemathstyleparameter startusingbtxspecification startuzky startuzky:assignment startuzky:name startvboxregister startvboxtohbox startvboxtohboxseparator startviewerlayer startviewerlayer:example startvisici startvisici:argument startvtopregister startvycet:example startvycet:example startvycet:example startxcell startxcell startxcellgroup startxmlinlineverbatim startxmlraw startxmlsetups | \startuniqueMPgraphic {} {} \stopuniqueMPgraphic \startuniqueMPpagegraphic {} {} \stopuniqueMPpagegraphic \startusableMPgraphic {} {} \stopusableMPgraphic \startuseMPgraphic {} {} \stopuseMPgraphic \startuseMPgraphic {} {} \stopuseMPgraphic \startuseMPgraphic {} {} \stopuseMPgraphic \startusemathstyleparameter \ \stopusemathstyleparameter \startusingbtxspecification [] \stopusingbtxspecification \startuzky [] [] \stopuzky \startuzky [] [] \stopuzky \startuzky [] [] \stopvboxregister \startvboxregister \stopvboxregister \startvboxregister \ \stopvboxtohbox \startvboxtohbox \startvboxtohbox \startvboxtohbox \startvisewerlayer [] \stopviewerlayer \startvIEWERLAYER \startvIEWERLAYER \stopVIEWERLAYER \startvisici [] {} \stopvisici \startvtopregister \stopvisici \startvtopregister \stopviceT \startvYCET [] \stopVYCET \startvYCET [] \stopVYCET \startxcell [] [] \stopvyCET \startxcell [] [] \stopvyCET \startxcell [] [] \stopxopcell \startxcell [] [] \stopxopcell \startxcell [] [] \stopxopcell \startxmldisplayverbatim [] \stopxopcell \startxmldisplayverbatim [] \stopxopcell \startxmldisplayverbatim [] \stopxopcell \startxmldisplayverbatim [] \stopxopcell \startxmlinlineverbatim [] \stopxopcell \startxmlineverbatim [] \stopxopcell \startxmlineverbatim [] \stopxopcell \startxmlineverbatim [] \stopxopcell \ |
| startuniqueMPgraphic startusableMPgraphic startuseMPgraphic startusemathstyleparameter startusingbtxspecification startuzky startuzky:assignment startuzky:name startvboxregister startvboxtohbox startvboxtohboxseparator startviewerlayer startviewerlayer:example startvisici startvisici:argument startvtopregister startvycet:example startvycet:example startvycet:example startxcell startxcell startxcellgroup startxmldisplayverbatim startxmlraw startxmlraw startxmlsetups startxmlsetups startxmlsetups:string | \startuniqueMPgraphic {} {} \stopuniqueMPgraphic \startuniqueMPpagegraphic {} {} \stopuniqueMPpagegraphic \startusableMPgraphic {} {} \stopusableMPgraphic \startuseMPgraphic {} {} \stopuseMPgraphic {} \stopuseMpuseMpuseMpuseMpuseMpuseMpuseMpuseM |
| startuniqueMPgraphic startusableMPgraphic startuseMPgraphic startusemathstyleparameter startusingbtxspecification startuzky startuzky:assignment startuzky:name startvboxregister startvboxtohbox startvboxtohboxseparator startviewerlayer startviewerlayer:example startvisici startvisici:argument startvtopregister startvycet:example startvycet:example startvycet:example startxcell startxcell startxcellgroup startxmldisplayverbatim startxmlraw startxmlraw startxmlsetups startxmlsetups startxrow | \startuniqueMPgraphic {} {} \stopuniqueMPgraphic \startuniqueMPpagegraphic {} {} \stopuniqueMPpagegraphic \startusableMPgraphic {} {} \stopusableMPgraphic \startusableMPgraphic {} {} \stopusableMPgraphic \startuseMPgraphic {} {} \stopuseMPgraphic \startuseMPgraphic {} {} \stopuseMPgraphic \startusemathstyleparameter \ \stopusemathstyleparameter \startusingbtxspecification [] \stopusky \startuzky [] [] \stopuzky \startuzky [] [] \stopuzky \startuzky [] [] \stopuzky \startuzky [] [] \stopvboxregister \startvboxregister \ \stopvboxregister \startvboxtohbox \stopvboxtohbox \startvboxregister \startvboxtohbox \startviseverlayer [] \stopviseverlayer \startviewerlayer [] \stopviewerlayer \startviewerlayer [] \stopviewerlayer \startviewerlayer [] {} \stopviewerlayer \startviscici [] {} \stopviewerlayer \startviscici [] {} \stopviewerlayer \startviyeer \startvyeer [] {} \stopviewerlayer \startviyeer \startviyeer \startviyeer [] {} \stopviewerlayer \startviyeer \startviyeer \startviyeer \startviyeer [] {} \stopviewerlayer \startviyeer \startviyee |
| startuniqueMPgraphic startusableMPgraphic startuseMPgraphic startusemathstyleparameter startusingbtxspecification startuzky startuzky:assignment startuzky:name startvboxregister startvboxtohbox startvboxtohboxseparator startviewerlayer startviewerlayer:example startvisici startvisici:argument startvycet:example startvycet:example startxcell startxcellgroup startxmldisplayverbatim startxmlraw startxmlsetups startxmlsetups startxrow startxrowgroup startxxrow startxxougroup startxxrow startxxougroup startxxrow startxxougroup startxxrow startxxrow startxxrow startxxrow startxxtable | \startuniqueMPgraphic {} {} \stopuniqueMPgraphic \startuniqueMPpagegraphic {} {} \stopuniqueMPpagegraphic \startusableMPgraphic {} {} \stopusableMPgraphic \startusableMPgraphic {} {} \stopuseMPgraphic \startuseMPgraphic {} {} \stopuseMPgraphic \startuseMPgraphic {} {} \stopuseMPgraphic \startusemathstyleparameter \ \stopusemathstyleparameter \startusemathstyleparameter \ \stopusemathstyleparameter \startusingbtxspecification [] \stopusky \startuzky [] [] \stopuzky \startuzky [] [] \stopuzky \startuzky [] [] \stopuzky \startuzky [] [] \stopvboxtohbox \startvboxregister \startvboxtohbox \stopvboxtohbox \startvboxtohbox \startvboxtohbox \startvboxtohbox \startvisemalayer [] \stopviewerlayer \startviewerlayer [] \stopviewerlayer \startviewerlayer [] {} \stopviewerlayer \startviewerlayer [] {} \stopviewerlayer \startviewerlayer [] {} \stopviewerlayer \startviewerlayer [] {} \stopviewerlayer \startxiewerlayer [] {} \stopviewerlayer \startxiewerlayer [] {} \stopxiewerlayer \startxiewerlayer [] {} \stopxiewerlayer \startxiewerlayer [] {} \stopxiewerlayer \startxiewerlayerlayer \startxiewerlayer [] {} \stopxiewerlayer \startxiewerlayerlayerlayerlayerlayerlayerlayerlay |
| startuniqueMPgraphic startusableMPgraphic startuseMPgraphic startusemApgraphic startusemathstyleparameter startusingbtxspecification startuzky startuzky:assignment startuzky:name startvboxregister startvboxtohbox startvboxtohboxseparator startviewerlayer startviewerlayer:example startvisici startvisici startvisici:argument startvopregister startvycet:example startvycet:example startxcell startxcell startxcell startxcell startxmlinlineverbatim startxmlraw startxmlsetups startxrow startxrow startxrow startxrow startxxable startxtable startxtable startxtable | \startuniqueMPgraphic {} {} \stopuniqueMPgraphic \startuniqueMPpagegraphic {} {} \stopuniqueMPpagegraphic \startusableMPgraphic {} {} \stopusableMPgraphic \startuseMPgraphic {} {} \stopusableMPgraphic \startuseMPgraphic {} {} \stopuseMPgraphic \startusemathstyleparameter \ \stopusemathstyleparameter \startusingbtxspecification [] \stopuzky \startuzky [] [] \stopuzky \startuzky [] [] \stopuzky \startuzky [] [] \stopuzky \startuzky [] [] \stopuzky \startvboxregister \stopvboxregister \startvboxtohbox \stopvboxregister \startvboxtohbox \startvboxtohbox \stopvboxtohbox \startvboxtohbox \startvboxtohbox \startvisici [] \stopviewerlayer \startvisici [] {} \stopvisici \startvisici [] {} \stopvisici \startvisici [] {} \stopvisici \startvioregister \stopviceT \startvyCET [] \stopvYCET \startvYCET [] {} \stopvYCET \startxcell [] [] \stopxgroup \startxxgroup [] [] \stopxgroup \startxxgroup [] [] \stopxmldisplayverbatim \startxmlinlineverbatim [] \stopxmlinlineverbatim \startxmlinlineverbatim [] \stopxmlinlineverbatim \startxmlsetups [] [] \stopxrow \startxmlsetups [] [] \stopxrow \startxmlsetups [] [] \stopxrow \startxxmlsetups [] [] \stopxrow \startxxowgroup [] [] \stopxrow \startxxowgroup \startxtable [] \stopxtable \startxtable [] \stopxt |
| startuniqueMPgraphic startusableMPgraphic startuseMPgraphic startusemathstyleparameter startusingbtxspecification startuzky startuzky:assignment startuzky:name startvboxregister startvboxtohbox startvboxtohboxseparator startviewerlayer startviewerlayer:example startvisici startvisici:argument startvtopregister startvycet:example startvycet:example startxcell startxcell startxcellgroup startxgroup startxmlinlineverbatim startxmlraw startxmlsetups startxxmlsetups startxxow startxxow startxxable startxtable startxtablebody:name | \startuniqueMPgraphic {} {} \stopuniqueMPgraphic \startuniqueMPpagegraphic {} {} \stopuniqueMPpagegraphic \startusableMPgraphic {} {} \stopusableMPgraphic \startuseMPgraphic {} {} \stopusableMPgraphic \startuseMPgraphic {} {} \stopuseMPgraphic \startuseMPgraphic {} {} \stopuseMPgraphic \startusemathstyleparameter \startusemathstyleparameter \startusingbtxspecification [] \stopusky \startuzky [] [] \stopuzky \startuzky [] [] \stopuzky \startuzky [] [] \stopuzky \startuzky [] [] \stopuboxxegister \startvboxxegister \stopvboxtohbox \startvboxxegister \stopvboxtohbox \startvboxtohbox \startvboxtohbox \startvboxtohbox \startvboxtohbox \startviewerlayer [] \stopviewerlayer \startviewerlayer \start |
| startuniqueMPgraphic startusableMPgraphic startuseMPgraphic startusemApgraphic startusemathstyleparameter startusingbtxspecification startuzky startuzky:assignment startuzky:name startvboxregister startvboxtohbox startvboxtohboxseparator startviewerlayer startviewerlayer:example startvisici startvisici startvisici:argument startvopregister startvycet:example startvycet:example startxcell startxcell startxcell startxcell startxmlinlineverbatim startxmlraw startxmlsetups startxrow startxrow startxrow startxrow startxxable startxtable startxtable startxtable | \startuniqueMPgraphic {} {} \stopuniqueMPgraphic \startuniqueMPpagegraphic {} {} \stopuniqueMPpagegraphic \startusableMPgraphic {} {} \stopusableMPgraphic \startuseMPgraphic {} {} \stopusableMPgraphic \startuseMPgraphic {} {} \stopuseMPgraphic \startusemathstyleparameter \ \stopusemathstyleparameter \startusingbtxspecification [] \stopuzky \startuzky [] [] \stopuzky \startuzky [] [] \stopuzky \startuzky [] [] \stopuzky \startuzky [] [] \stopuzky \startvboxregister \stopvboxregister \startvboxtohbox \stopvboxregister \startvboxtohbox \startvboxtohbox \stopvboxtohbox \startvboxtohbox \startvboxtohbox \startvisici [] \stopviewerlayer \startvisici [] {} \stopvisici \startvisici [] {} \stopvisici \startvisici [] {} \stopvisici \startvioregister \stopviceT \startvyCET [] \stopvYCET \startvYCET [] {} \stopvYCET \startxcell [] [] \stopxgroup \startxxgroup [] [] \stopxgroup \startxxgroup [] [] \stopxmldisplayverbatim \startxmlinlineverbatim [] \stopxmlinlineverbatim \startxmlinlineverbatim [] \stopxmlinlineverbatim \startxmlsetups [] [] \stopxrow \startxmlsetups [] [] \stopxrow \startxmlsetups [] [] \stopxrow \startxxmlsetups [] [] \stopxrow \startxxowgroup [] [] \stopxrow \startxxowgroup \startxtable [] \stopxtable \startxtable [] \stopxt |

| startxtablehead | \startxtablehead [=] \stopxtablehead |
|---------------------------------|---|
| startxtablehead:name | \startxtablehead [] \stopxtablehead |
| startxtablenext | \startxtablenext [=] \stopxtablenext |
| startxtablenext:name | \startxtablenext [] \stopxtablenext |
| startxtable:example | \startXTABLE [=] \stopXTABLE |
| startxtable:name | \startxtable [] \stopxtable |
| startzahlavitabulky | \startzahlavitabulky [] \stopzahlavitabulky |
| startzarovnanonastred | \startzarovnanonastred \stopzarovnanonastred |
| startzarovnanovlevo | \startzarovnanovlevo \stopzarovnanovlevo |
| startzarovnanovpravo | \startzarovnanovpravo \stopzarovnanovpravo |
| startzhustene | \startzhustene [] \stopzhustene |
| startzlom | \startzlom [] [=] \stopzlom |
| startzlom:instance | \startMAKEUPzlom [=] \stopMAKEUPzlom |
| startzlom:instance:middle | \startmiddlezlom [=] \stopmiddlezlom |
| startzlom:instance:page | \startpagezlom [=] \stoppagezlom |
| startzlom:instance:standard | \startstandardzlom [=] \stopstandardzlom |
| startzlom:instance:text | \starttextzlom [=] \stoptextzlom |
| stoplinenote:instance | \stopLINENOTE [] |
| stoplinenote:instance:linenote | \stoplinenote [] |
| stopradek | \stopradek [] |
| stopregister | \stopregister [] [] |
| stopstructurepageregister | \stopstructurepageregister [] [] |
| strana | \strana [] |
| strictdoifelsenextoptional | \strictdoifelsenextoptional {} {} |
| strictdoifnextoptionalelse | \strictdoifnextoptionalelse {} {} |
| stripcharacter | \stripcharacter \from \to \ |
| strippedcsname | \strippedcsname \ |
| strippedcsname:string | \strippedcsname |
| stripspaces | \stripspaces \from \to \ |
| structurelistuservariable | \structurelistuservariable {} |
| structurenumber | \structurenumber |
| structuretitle | \structuretitle |
| structureuservariable | \structureuservariable {} |
| structurevariable | \structurevariable {} |
| strut | \strut |
| | |
| strutdp | \strutdp |
| strutgap strutht | \strutgap \strutht |
| | |
| struthtdp | \struthtdp |
| struttedbox | \struttedbox {} |
| strutwd | \strutwd |
| style | \style [=] {} |
| styleinstance | \styleinstance [] |
| style:argument | \style [] {} |
| style:instance | \STYLE {} |
| subpagenumber | \subpagenumber |
| subsentence | \subsentence {} |
| substituteincommalist | \substituteincommalist \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| subtractfeature | \subtractfeature [] |
| subtractfeature:direct | \subtractfeature {} |
| swapcounts | \swapcounts \ \ |
| swapdimens | \swapdimens \ \ |
| swapface | \swapface |
| swapmacros | \swapmacros \ \ |
| swaptypeface | \swaptypeface |
| switchstyleonly | \switchstyleonly [] |
| switchstyleonly:command | \switchstyleonly \ |
| switchtocolor | \switchtocolor [] |
| switchtointerlinespace | \switchtointerlinespace [] [=] |
| switchtointerlinespace:argument | \switchtointerlinespace [] |
| switchtointerlinespace:name | \switchtointerlinespace [] |
| symbol | \symbol [] [] |
| symbolreference | \symbolreference [] |
| symbol:direct | \symbol {} |
| synctexblockfilename | \synctexblockfilename {} |
| synctexresetfilename | \synctexresetfilename |
| synctexsetfilename | \synctexsetfilename {} |
| synchronizeblank | \synchronizeblank |
| synchronizeindenting | \synchronizeindenting |
| synchronizemarking | \synchronizemarking [] [] |
| synchronizeoutputstreams | \synchronizeoutputstreams [] |
| synchronizestrut | \synchronizestrut {} |
| synchronizewhitespace | \synchronizewhitespace |
| synonym:instance | \SYNONYM [] {} |
| synonym:instance:abbreviation | \abbreviation [] {} {} |

| systemlog | \systemlog {} {} |
|--|--|
| systemlogfirst | \systemlogfirst {} {} {} |
| systemloglast | \systemloglast {} {} |
| systemsetups | \systemsetups {} |
| TABLE | \TABLE |
| TaBlE | \TaBlE |
| TEX | \TEX |
| TeX | \TeX |
| TheNormalizedFontSize | \TheNormalizedFontSize |
| TransparencyHack | \TransparencyHack |
| tabulateautoline | \tabulateautoline |
| tabulateautorule | \tabulateautorule |
| tabulateline | \tabulateline |
| tabulaterule | \tabulaterule |
| taggedctxcommand | \taggedctxcommand {} |
| taggedlabeltexts | \taggedlabeltexts {} {} {} |
| tbox | \tbox {} |
| tecka | \tecka {} |
| tecky | \tecky [] |
| tecky:assignment | \tecky [=] |
| tenkalinka | \tenkalinka |
| tenkelinky | \tenkelinky [=] |
| testandsplitstring | \testandsplitstring \at \to \ \and \ |
| testcolumn | \testcolumn [] [] |
| testfeature | \testfeature \{\ldots\} \\\ |
| testfeatureonce | \testfeatureonce {} {} |
| testpage | \testpage [] [] |
| testpageonly | \testpageonly [] [] |
| testpagesync | \testpagesync [] [] |
| testtokens | \testtokens [] |
| tex | \tex {} |
| texdefinition | \texdefinition {} |
| texsetup | \texsetup {} |
| textbackground:example | \TEXTBACKGROUND {} |
| textcitation | \textcitation [=] [] |
| textcitation:alternative | \textcitation [] [] |
| textcitation:userdata | \textcitation [=] [=] |
| textcite | \textcite [=] [] |
| textcite:alternative | \textcite [] [] |
| textcite:userdata | \textcite [=] [=] |
| textcontrolspace | \textcontrolspace |
| textflowcollector | \textflowcollector {} |
| textmath | \textmath {} |
| textminus | \textminus |
| textnapovedy | \textnapovedy [] {} {} |
| textormathchar | \textormathchar {} |
| textovalinka | \textovalinka [] {} |
| textplus | \textplus |
| textpopisku:instance | \LABELtext {} |
| textpopisku:instance:btxlabel | \btxlabeltext {} |
| textpopisku:instance:head | \headtext {} |
| textpopisku:instance:label | \labeltext {} |
| textpopisku:instance:mathlabel | \mathlabeltext {} |
| textpopisku:instance:operator | \operatortext {} |
| textpopisku:instance:prefix | \prefixtext {} \suffixtext {} |
| textpopisku:instance:suffix | \taglabeltext \{\dots\} |
| textpopisku:instance:taglabel | \unittext {} |
| textpopisku:instance:unit textvisiblespace | \textvisiblespace |
| thainumerals | \thainumerals {} |
| thefirstcharacter | \thefirstcharacter {} |
| thenormalizedbodyfontsize | \thenormalizedbodyfontsize {} |
| theremainingcharacters | \theremainingcharacters {} |
| thickspace | \thickspace |
| thinspace | \thinspace |
| thirdoffivearguments | \thirdoffivearguments {} {} {} {} {} |
| thirdoffourarguments | \thirdoffourarguments {} {} {} {} |
| thirdofsixarguments | \thirdofsixarguments {} {} {} {} {} {} {} |
| thirdofthreearguments | \thirdofthreearguments \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| thirdofthreeunexpanded | \thirdofthreeunexpanded \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| threedigitrounding | \threedigitrounding {} |
| tibetannumerals | \tibetannumerals {} |
| tightlayer | \tightlayer [] |
| tilde | \tilde {} |
| tinyfont | \tinyfont |
| | |

| | A.2 5 . 2 . 2 . 2 . 2 |
|--|------------------------------------|
| tlacitko | \tlacitko [=] {} [] |
| tlacitkomenu:button | \tlacitkomenu [=] {} {} |
| tlacitkomenu:interactionmenu | \tlacitkomenu [] [=] {} {} |
| tlacitko:example | \BUTTON [=] {} [] |
| tlap | \tlap {} |
| tloustkacary | tloustkacary |
| tochar | \tochar {} |
| tolinenote | \tolinenote [] |
| topbox | \topbox {} |
| topleftbox | \topleftbox {} |
| toplinebox | \toplinebox {} |
| toprightbox | \toprightbox {} |
| topskippedbox | \topskippedbox {} |
| tracecatcodetables | \tracecatcodetables |
| tracedfontname | \tracedfontname {} |
| traceoutputroutines | \traceoutputroutines |
| tracepositions | \tracepositions |
| transparencycomponents | \transparencycomponents {} |
| transparent tref | \transparent [] {} |
| | \tref {} {} [] |
| truefilename | \triplebond \truefilename {} |
| truefontname | \truefontname {} |
| | |
| ttraggedright | \ttraggedright \tucne |
| tucnekurzivni | \tucne\tucne\tucnekurzivni |
| tucnesklonene | \tucnesklonene |
| tvrdamezera | \tvrdamezera |
| tvrdemezery | \tvrdemezery |
| twodigitrounding | \twodigitrounding {} |
| tx | \tx |
| txx | \txx |
| typebuffer | \typebuffer [] [=] |
| typebuffer:instance | \opisBUFFER [=] |
| typedefinedbuffer | \typedefinedbuffer [] [=] |
| typeface | \typeface |
| typeinlinebuffer | \typeinlinebuffer [] [=] |
| typescriptone | \typescriptone |
| typescriptprefix | \typescriptprefix {} |
| typescriptthree | \typescriptthree |
| typescripttwo | \typescripttwo |
| typesetbuffer | \typesetbuffer [] [=] |
| typesetfile | \typesetfile [] [=] |
| uconvertnumber | \uconvertnumber {} {} |
| uedcatcodecommand | \uedcatcodecommand \ \ \{} |
| ukazbarvu | \ukazbarvu [] |
| ukazmrizku | \ukazmrizku [] |
| ukaznastaveni | \ukaznastaveni [] |
| ukazpaletu | \ukazpaletu [] [] |
| ukazpodpery | \ukazpodpery |
| ukazpostredizakladnihofontu | \ukazpostredizakladnihofontu [] |
| ukazramecek | \ukazramecek [] [] |
| ukazsadusymbolu | \ukazsadusymbolu [] |
| ukazskupinubarev | \ukazskupinubarev [] [] |
| ukazupravu | \ukazupravu [] |
| ukazvytisk | \ukazvytisk [] [] [=] |
| ukazvzhled | \ukazvzhled [] |
| ukazzakladnifont | \ukazzakladnifont [] |
| umistikombinovanyseznam | \umistikombinovanyseznam [] [=] |
| umistikombinovanyseznam:instance | \umistiCOMBINEDLIST [=] |
| umistikombinovanyseznam:instance:content | \umisticontent [=] |
| umistilokalnipoznamkypodcarou | \umistilokalnipoznamkypodcarou [=] |
| umistinadsebe | \umistinadsebe {} {} |
| umistinamrizku | \umistinamrizku [] {} |
| umistinamrizku:list | \umistinamrizku [] {} |
| umistipodrovnici | \umistipodrovnici [] |
| umistipoznamkypodcarou | \umistipoznamkypodcarou [=] |
| umistirejstrik | \umistirejstrik [] [=] |
| umistirejstrik:instance | \umistiREGISTER [=] |
| umistirejstrik:instance:index | \umistiindex [=] |
| umistirovnici | \umistirovnici [] |
| umistiseznam | \umistiseznam [] [=] |
| umistivedlesebe | \umistivedlesebe {} {} |
| umistizalozky | \umistizalozky [] [] [=] |
| undefinevalue | \undefinevalue {} |

| undepthed | \undepthed {} |
|------------------------------|--------------------------------------|
| underset | \underset {} {} |
| undoassign | \undoassign [] [=] |
| unexpandeddocumentvariable | \unexpandeddocumentvariable {} |
| - | \unhhbox \with {} |
| unhhbox | |
| unihex | \unihex {} |
| uniqueMPgraphic | \uniqueMPgraphic {} {=} |
| uniqueMPpagegraphic | \uniqueMPpagegraphic {} {=} |
| unprotect | \unprotect \protect |
| unprotected | \unprotected \par |
| • | |
| unregisterhyphenationpattern | \unregisterhyphenationpattern [] [] |
| unspaceafter | \unspaceafter \ {} |
| unspaceargument | \unspaceargument \to \ |
| unspaced | \unspaced {} |
| unspacestring | \unspacestring \to \ |
| untexargument | \untexargument {} \to \ |
| | |
| untexcommand | \untexcommand {} \to \ |
| uppercased | \uppercased {} |
| uppercasestring | \uppercasestring \to \ |
| upperleftdoubleninequote | \upperleftdoubleninequote |
| upperleftdoublesixquote | \upperleftdoublesixquote |
| | |
| upperleftsingleninequote | \upperleftsingleninequote |
| upperleftsinglesixquote | \upperleftsinglesixquote |
| upperrightdoubleninequote | \upperrightdoubleninequote |
| upperrightdoublesixquote | \upperrightdoublesixquote |
| upperrightsingleninequote | \upperrightsingleninequote |
| upperrightsinglesixquote | \upperrightsinglesixquote |
| | |
| urcicharakteristikurejstriku | \urcicharakteristikurejstriku [] [=] |
| url | \url [] |
| usealignparameter | \usealignparameter \ |
| useblankparameter | \useblankparameter \ |
| usebodyfont | \usebodyfont [] |
| usebodyfontparameter | \usebodyfontparameter \ |
| usebtxdataset | \usebtxdataset [] [] [=] |
| | |
| usebtxdefinitions | \usebtxdefinitions [] |
| usecitation | \usecitation [] |
| usecitation:direct | \usecitation {} |
| usecolors | \usecolors [] |
| usecomponent | \usecomponent [] |
| usedummycolorparameter | \usedummycolorparameter {} |
| v i | • • |
| usedummystyleandcolor | \usedummystyleandcolor {} {} |
| usedummystyleparameter | \usedummystyleparameter {} |
| useenvironment | \useenvironment [] |
| useexternalrendering | \useexternalrendering [] [] [] |
| usefigurebase | \usefigurebase [] |
| usefile | \usefile [] [] |
| | |
| usegridparameter | \usegridparameter \ |
| useindentingparameter | \useindentingparameter \ |
| useindentnextparameter | \useindentnextparameter \ |
| useinterlinespaceparameter | \useinterlinespaceparameter \ |
| uselanguageparameter | \uselanguageparameter \ |
| useluamodule | \useluamodule [] |
| useMPenvironmentbuffer | \useMPenvironmentbuffer [] |
| | |
| useMPgraphic | \useMPgraphic \{\} \{=\} |
| useMPlibrary | \useMPlibrary [] |
| useMPrun | \useMPrun {} {} |
| useMPvariables | \useMPvariables [] [] |
| usemathstyleparameter | \usemathstyleparameter \ |
| useproduct | \useproduct [] |
| - | - |
| useprofileparameter | \useprofileparameter \ |
| useproject | \useproject [] |
| usereferenceparameter | \usereferenceparameter \ |
| userpagenumber | \userpagenumber |
| usesetupsparameter | \usesetupsparameter \ |
| usestaticMPfigure | \usestaticMPfigure [=] [] |
| • | |
| usesubpath | \usesubpath [] |
| usetexmodule | \usetexmodule [] [=] |
| usetypescript | \usetypescript [] [] |
| usetypescriptfile | \usetypescriptfile [] |
| usezipfile | \usezipfile [] [] |
| utfchar | \utfchar {} |
| utflower | \utflower {} |
| | |
| utfupper | \utfupper {} |
| utilityregisterlength | \utilityregisterlength |
| uzi iadresar | \uziiadresar [] |

| uzijbloky | \uzijbloky [] [=] |
|---------------------------|--|
| uzijexternidokument | \uzijexternidokument [] [] |
| uzijexterniobraz | \uzijexterniobraz [] [] [] [=] |
| uzijexternizvuk | \uzijexternizvuk [] [] |
| uzijJSscripts | \uzijJSscripts [] [] |
| uzijmodul | \uzijmodul [] [=] |
| uzijsymbol | \uzijsymbol [] |
| uzijURL | \uzijURL [] [] [] |
| uzijurl | \uzijurl [] [] [] |
| VerboseNumber | \VerboseNumber {} |
| VSEDNIDEN | \VSEDNIDEN {} |
| vboxreference | \vboxreference [] {} |
| | |
| vec | \vec {} |
| velke | \velke |
| verbatim | \verbatim {} |
| verbatimstring | \verbatimstring {} |
| verbosenumber | \verbosenumber {} |
| verticalgrowingbar | \verticalgrowingbar [=] |
| verticalpositionbar | \verticalpositionbar [=] |
| veryraggedcenter | \veryraggedcenter |
| veryraggedleft | \veryraggedleft |
| veryraggedright | \veryraggedright |
| verze | \verze [] |
| vglue | \vglue |
| viewerlayer | \viewerlayer [] {} |
| vl | \v1 [] |
| vlasovalinka | \vlasovalinka |
| vlevo | \vlevo |
| | |
| vphantom | \vphantom {} |
| vpos | \vpos {} {} |
| vpravo | \vpravo |
| vradku | \vradku {} [] |
| vsedniden | \vsedniden {} |
| vsmash | \vsmash {} |
| vsmashbox | \vsmashbox |
| vsmashed | \vsmashed {} |
| vspace | \vspace [] [] |
| vspacing | \vspacing [] |
| vyberbloky | \vyberbloky [] [=] |
| vycet:example | \VYCET [] {} \par |
| vyplnenytext | \vyplnenytext [=] {} {} |
| vyplnovelinky | \vyplnovelinky [=] {} |
| vyplnovyradek | \vyplnovyradek [=] |
| vysoky | \vysoky {} |
| ÿ ÿ | \vysoky \\\rangle \HIGH \{\\rangle} |
| vysoky:instance | |
| vysoky:instance:unitshigh | \unitshigh {} |
| WidthSpanningText | \WidthSpanningText {} {} |
| wdofstring | \wdofstring {} |
| widthofstring | \widthofstring {} |
| widthspanningtext | \widthspanningtext {} {} |
| withoutpt | \withoutpt {} |
| words | \words {} |
| wordtonumber | \wordtonumber {} {} |
| writedatatolist | \writedatatolist [] [=] [=] |
| writestatus | \writestatus {} {} |
| XETEX | \XETEX |
| XeTeX | \XeTeX |
| xdefconvertedargument | \xdefconvertedargument \ {} |
| xmladdindex | \xmladdindex {} |
| xmlafterdocumentsetup | \xmlafterdocumentsetup {} {} {} |
| xmlaftersetup | \xmlaftersetup {} {} |
| xmlall | \xmlall \{\} \{\} |
| xmlappenddocumentsetup | \xmlappenddocumentsetup {} {} |
| • • | == |
| xmlappendsetup | \xmlappendsetup {} |
| xmlapplyselectors | \xmlapplyselectors {} |
| xmlatt | \xmlatt {} {} |
| xmlattdef | \xmlattdef {} {} |
| xmlattribute | \xmlattribute {} {} {} |
| xmlattributedef | \xmlattributedef \{\ldots\} \{\ldots\} \{\ldots\} \\ |
| xmlbadinclusions | \xmlbadinclusions {} |
| xmlbeforedocumentsetup | $\mbox{xmlbeforedocumentsetup } \{\} \{\}$ |
| xmlbeforesetup | \xmlbeforesetup {} {} |
| xmlcommand | \xmlcommand {} {} {} |
| xmlconcat | \xmlconcat {} {} {} |
| xmlconcatrange | \xmlconcatrange {} {} {} {} |
| - | - · · · · · · · · · · · · · · · · · · · |

| xmlcontext | \xmlcontext {} {} |
|-----------------------------|--|
| xmlcount | \xmlcount {} |
| xmldefaulttotext | \xmldefaulttotext {} |
| xmldirectives | \xmldirectives {} |
| xmldirectivesafter | \xmldirectivesafter {} |
| xmldirectivesbefore | \xmldirectivesbefore {} |
| xmldisplayverbatim | \xmldisplayverbatim {} |
| xmldoif | \xmldoif {} {} |
| xmldoifelse | \xmldoifelse {} {} {} {} |
| xmldoifelseempty | \xmldoifelseempty {} {} {} {} |
| - • | \xmldoifelseselfempty \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| xmldoifelseselfempty | \xmldoifelsetext {} {} {} {} |
| xmldoifelsetext | \xmldoifelsevalue \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| xmldoifelsevalue | |
| xmldoifnot | \xmldoifnot {} {} {} |
| xmldoifnotselfempty | \xmldoifnotselfempty {} {} |
| xmldoifnottext | \xmldoifnottext {} {} {} |
| xmldoifselfempty | \xmldoifselfempty {} {} |
| xmldoiftext | $\mathbf{xmldoiftext} \{\} \{\}$ |
| xmlelement | \xmlelement {} {} |
| xmlfilter | $\mathbf{xmlfilter} \{\}$ |
| xmlfirst | \xmlfirst {} {} |
| xmlflush | \xmlflush {} |
| xmlflushcontext | \xmlflushcontext {} |
| xmlflushdocumentsetups | \xmlflushdocumentsetups {} {} |
| xmlflushlinewise | \xmlflushlinewise {} |
| xmlflushpure | \xmlflushpure {} |
| xmlflushspacewise | \xmlflushspacewise {} |
| xmlflushtext | \xmlflushtext {} |
| xmlchainatt | \xmlchainatt {} {} |
| xmlchainattdef | \xmlchainattdef \{\dots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| | |
| xmlchecknamespace | \xmlchecknamespace {} {} |
| xmlinclude | \xmlinclude {} {} {} |
| xmlinclusion | \xmlinclusion {} |
| xmlinclusions | \xmlinclusions {} |
| xmlinfo | \xmlinfo {} |
| xmlinjector | \xmlinjector {} |
| xmlinlineprettyprint | $\xr = \xr $ |
| xmlinlineprettyprinttext | $\xspace \xspace \xsp$ |
| xmlinlineverbatim | \xmlinlineverbatim {} |
| xmlinstalldirective | \xmlinstalldirective \{\ldots\} \{\ldots\} |
| xmllast | \xmllast {} {} |
| xmllastatt | \xmllastatt |
| xmllastmatch | \xmllastmatch |
| xmllastpar | \xmllastpar |
| xmlloadbuffer | \xmlloadbuffer {} {} {} |
| xmlloaddata | \xmlloaddata {} {} {} |
| xmlloaddirectives | \xmlloaddirectives {} |
| xmlloadfile | \xmlloadfile {} {} {} |
| xmlloadonly | \xmlloadonly {} {} {} |
| xmlmain | \xmlmain {} |
| | |
| xmlmapvalue | \xmlmapvalue {} {} {} |
| xmlname | \xmlname {} |
| xmlnamespace | \xmlnamespace {} |
| xmlnonspace | \xmlnonspace {} {} |
| xmlpar | \xmlpar {} {} |
| xmlparam | \xmlparam {} {} {} |
| xmlpath | \xmlpath {} |
| xmlpos | \xmlpos {} |
| xmlposition | $\mbox{xmlposition } \{\} \{\}$ |
| xmlprependdocumentsetup | \xmlprependdocumentsetup {} {} |
| xmlprependsetup | \xmlprependsetup {} |
| xmlprettyprint | \xmlprettyprint {} {} |
| xmlprettyprinttext | \xmlprettyprinttext {} {} |
| xmlprocessbuffer | \xmlprocessbuffer {} {} {} |
| xmlprocessdata | \xmlprocessdata {} {} {} |
| xmlprocessfile | \xmlprocessfile {} {} {} |
| xmlpure | \xmlpure {} {} |
| xmlraw | \xmlraw {} |
| xmlrefatt | \xmlrefatt {} {} |
| xmlregistereddocumentsetups | \xmlregistereddocumentsetups {} {} |
| xmlregisteredsetups | \xmlregisteredsetups \(\text{\congression}\) |
| | |
| xmlregisterns | \xmlregisterns {} {} |
| xmlremapname | \xmlremapname \{\} \{\} \{\} |
| xmlremapnamespace | \xmlremapnamespace \{\dots\} \{\dots\} |
| xmlremovedocumentsetup | \xmlremovedocumentsetup {} {} |
| | |

| xmlremovesetup | \xmlremovesetup {} |
|---|--|
| xmlresetdocumentsetups | \xmlresetdocumentsetups {} |
| xmlresetinjectors | \xmlresetinjectors |
| xmlresetsetups | \xmlresetsetups {} |
| xmlsave | \xmlsave {} {} |
| xmlsetatt | \xmlsetatt {} {} {} |
| xmlsetattribute | \xmlsetattribute \{\ldots\} \{\ldots\} \{\ldots\} \{\ldots\} |
| xmlsetentity | \xmlsetentity {} {} |
| xmlsetfunction | \xmlsetfunction {} {} {} |
| xmlsetinjectors | \xmlsetinjectors [] |
| xmlsetpar xmlsetparam | \xmlsetpar {} {} {} \xmlsetparam {} {} {} {} |
| xmlsetsetup | \xmlsetsetup \{\ldots\} \\\\\\ |
| xmlsetup | \xmlsetup {} {} |
| xmlshow | \xmlshow {} |
| xmlsnippet | \xmlsnippet {} {} |
| xmlstrip | \xmlstrip {} {} |
| xmlstripnolines | \xmlstripnolines {} {} |
| xmlstripped | \xmlstripped {} {} |
| xmlstrippednolines | \xmlstrippednolines {} {} |
| xmltag | \xmltag {} |
| xmltexentity | \xmltexentity {} {} |
| xmltext | \xmltext {} {} |
| xmltobuffer | \xmltobuffer {} {} {} |
| xmltobufferverbose | $\xmltobufferverbose {} {} {}$ |
| xmltofile | \xmltofile {} {} {} |
| xmlvalue | \xmlvalue {} {} |
| xmlverbatim | \xmlverbatim {} |
| xsplitstring | \xsplitstring \ {} |
| xypos | \xypos {} |
| Znak | \Znak {} |
| Znaky | \Znaky {} |
| zadnamezera | \zadnamezera |
| zadnehorniadolniradky zadnezahlaviaupati | \zadnehorniadolniradky \zadnezahlaviaupati |
| zachovejbloky | \zachovejbloky [] [] |
| zalozka | \zalozka [] {} |
| zapisdoseznamu | \zapisdoseznamu [] [=] {} {} |
| zapismeziseznam | \zapismeziseznam [] [=] {} |
| zaramovani | \zaramovani [=] {} |
| zarovnanonastred | \zarovnanonastred {} |
| zarovnanovlevo | \zarovnanovlevo {} |
| zarovnanovpravo | \zarovnanovpravo {} |
| zasobnikpoli | \zasobnikpoli [] [] [=] |
| ziskejbuffer | \ziskejbuffer [] |
| ziskejbuffer:instance | $\exists skatBUFFER$ |
| ziskejznaceni | \ziskejznaceni [] [] |
| zlomek:instance | \FRACTION {} {} |
| zlomek:instance:binom | \binom {} {} |
| zlomek:instance:dbinom | \dbinom {} {} |
| zlomek:instance:dfrac | \dfrac {} {} |
| zlomek:instance:frac | \frac {} {} |
| zlomek:instance:sfrac | \sfrac {} {} |
| zlomek:instance:tbinom | \tbinom {} {} |
| zlomek:instance:xfrac | \xfrac {} {} |
| zlomek:instance:xxfrac | \xxfrac {} {} |
| znaceni | \znaceni (,) (,) [] |
| znak | \znak {} |
| znaky | \znaky {} |
| zpracujbloky | \zpracujbloky [] [] [=] |
| zrcadlit | \zrcadlit {} |
| zref | \zref [] |
| zvysit | \zvysit \ |
| zvysit:argument | \zvysit cd:parentheses-s |
| | |

