## ConText

přikazy

65

## ConTEXt přikazy

language : cs / český

version : 24. srpna 2019

maintainer: Wolfgang Schuster

comments : ntg-context@ntg.nl

AfterPar	\AfterPar {}
Alphabeticnumerals	\Alphabeticnumerals {}
AMSTEX	AMSTEX
AmSTeX	\AmSTeX
And	\And
abjadnaivenumerals	\abjadnaivenumerals {}
abjadnodotnumerals	\abjadnodotnumerals {}
abjadnumerals	\abjadnumerals {}
activatespacehandler	\activatespacehandler {}
actualday	\actualday
actualmonth	\actualmonth
actualyear	\actualyear
acute	\acute {}
adaptcollector	\adaptcollector [] [=]
adaptfontfeature	\adaptfontfeature [] [=]
adaptpapersize	\adaptonorsize [] []
addfeature	\addfeature []
addfeature:direct	\addfeature {}
addfontpath	\addfontpath [] \addtocommalist {} \
addtocommalist	
addtoJSpreamble	\addtoJSpreamble {} {}
addvalue	\addvalue {} {}
aftersplitstring	\aftersplitstring \at \to \
aftertestandsplitstring	\aftertestandsplitstring \at \to \
aktualnicislonadpisu	\aktualnicislonadpisu
aktualnidatum	\aktualnidatum []
alignbottom	\alignbottom
aligned	\aligned [] {}
alignedbox	\alignedbox [] \ {}
alignedline	\alignedline {} {}
alignhere	\alignhere
alignmentcharacter	\alignmentcharacter
allinputpaths	\allinputpaths
alphabeticnumerals	\alphabeticnumerals {}
alwayscitation	\alwayscitation [=] []
alwayscitation:alternative	\alwayscitation []
alwayscitation:userdata	\alwayscitation [=] [=]
alwayscite	\alwayscite [=] []
alwayscite:alternative	\alwayscite [] []
alwayscite:userdata	\alwayscite [=] [=]
ampersand	\ampersand
anchor	\anchor [] [=] {}
antikva	\antikva
appendetoks	\appendetoks \to \
appendgvalue	\appendevous \to \\
appendtocommalist	\appendtocommalist {} \
appendtoks	\appendtoks \to \
appendtoksonce	\appendtoksonce \to \
appendvalue	\appendvalue {} {}
apply	\apply {} {}
applyalternativestyle	\applyalternativestyle {}
applyprocessor	\applyprocessor {} {}
applytofirstcharacter	\applytofirstcharacter \ {}
applytocharacters	\applytocharacters \ \{\}
applytosplitstringchar	\applytosplitstringchar \ {}
applytosplitstringcharspaced	\applytosplitstringcharspaced \ \{}
applytosplitstringline	\applytosplitstringline \ {}
applytosplitstringlinespaced	\applytosplitstringlinespaced \ \{}
applytosplitstringword	\applytosplitstringword \ {}
applytosplitstringwordspaced	\applytosplitstringwordspaced \ {}
applytowords	\applytowords \ {}
arabicdecimals	\arabicdecimals {}
arabicexnumerals	\arabicexnumerals {}
arabicnumerals	\arabicnumerals {}
arg	\arg {}
asciistr	\asciistr {}
assignalfadimension	\assignalfadimension {} \ {} {} {}
assigndimen	\assigndimen \ {}
assigndimension	\assigndimension \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
assignifempty	\assignifempty \ \{\}
assigntranslation	\assigntranslation [=] \to \
assignvalue	\assignvalue \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
	,O () / () () ()

assignwidth	\assignwidth {} \ {} {}
assumelongusagecs	\assumelongusagecs \ {} \astype {}
<pre>astype attachment:instance</pre>	\astype \(\cdot\) \(ATTACHMENT \([]\) \([=]\)
attachment:instance:attachment	\attachment [] [=]
autocap	\autocap {}
autodirhbox	\autodirhbox {}
autodirybox	\autodirnbox {}
autodirvtop	\autodirvtop {}
autoinsertnextspace	\autoinsertnextspace
autointegral	\autointegral \{\ldots\} \\\
automitegraf	\automathematics {}
autopagestaterealpage	\autopagestaterealpage {}
autopagestaterealpageorder	\autopagestaterealpageorder {}
autosetups	\autosetups {}
autostarttext	\autostarttext \autostoptext
availablehsize	\availablehsize
averagecharwidth	\averagecharwidth
BeforePar	\BeforePar {}
Big	\Big
Bigg	\Bigg
Biggl	\Biggl
Biggm	\Biggm
Biggr	\Biggr
Bigl	\Bigl
Bigm	\Bigm
Bigr	\Bigr
backgroundimage	\backgroundimage {} {} {}
backgroundimagefill	\backgroundimagefill {} {} {}
backgroundline	\backgroundline [] {}
bar	\bar {}
barevnalista	\barevnalista []
barva	\barva [] {}
bar:instance	\BAR {}
bar:instance:hiddenbar	\hiddenbar {}
bar:instance:nobar	\nobar {}
bar:instance:overbar	\overbar {}
bar:instance:overbars	\overbars {}
bar:instance:overstrike	\overstrike {}
bar:instance:overstrikes	\overstrikes {}
bar:instance:underbar	\underbar {}
bar:instance:underbars	\underbars {}
bar:instance:underdash	\underdash {}
bar:instance:underdashes	\underdashes {}
bar:instance:underdot	\underdot {}
bar:instance:underdots	\underdots {}
bar:instance:underrandom	\underrandom {}
bar:instance:underrandoms	\underrandoms {}
bar:instance:understrike	\understrike {}
bar:instance:understrikes	\understrikes {}
basegrid	\basegrid [=]
baselinebottom	\baselinebottom
baselineleftbox	\baselinebettom \}
baselinemiddlebox	\baselinemiddlebox {}
baselinerightbox	\baselinerightbox {}
bbordermatrix	\bbordermatrix {}
bbox	\bbox {}
beforesplitstring	\beforesplitstring \at \to \
beforetestandsplitstring	\beforetestandsplitstring \at \to \
beginblock:example	\beginBLOCK [] [=] \endBLOCK
beginhbox	\beginhbox \endbbox
beginofshapebox	\beginnfshapebox \endofshapebox
beginvbox	\beginvbox \endvbox
beginvtop	\beginvbox \endvtop
begstrut	\begstrut \endstrut
bezserifu	\begstrut \endstrut \bezserifu
	\bigbodyfont
bigbodyfont	\bigg
bigg	\bigger
bigger	/p122-
higgl	\higgl
biggl	\biggl
biggl biggm biggr	\biggl \biggm \biggr

bigl	\bigl
bigm	\bigm
bigr	\bigr
bigskip	\bigskip
bitmapimage	\bitmapimage [=] {}
blap	\blap {}
bleed	\bleed [=] {}
bleedheight	\bleedheight
•	
bleedwidth	\bleedwidth
blockligatures	\blockligatures []
blocksynctexfile	\blocksynctexfile []
blockuservariable	\blockuservariable {}
bodyfontenvironmentlist	\bodyfontenvironmentlist
bodyfontsize	\bodyfontsize
boldface	\boldface
booleanmodevalue	\booleanmodevalue {}
bordermatrix	\bordermatrix {}
bottombox	\bottombox {}
bottomleftbox	\bottomleftbox {}
bottomrightbox	\bottomrightbox {}
boxcursor	boxcursor
boxmarker	\boxmarker {} {}
boxofsize	\boxofsize \ \ \{\}
boxreference	\boxreference [] \ {}
bpar	\bpar \epar
bpos	\bpos {}
breakhere	\breakhere
breve	\breve {}
bTABLE	\bTABLE [=] \eTABLE
	\bTABLEbody [=] \eTABLEbody
bTABLEbody	· · · · · · · · · · · · · · · · · · ·
bTABLEfoot	\bTABLEfoot [=] \eTABLEfoot
bTABLEhead	\bTABLEhead [=] \eTABLEhead
bTABLEnext	\bTABLEnext [=] \eTABLEnext
bTC	\bTC [=] \eTC
bTD	\bTD [=] \eTD
bTDs	\bTDs [] \eTDs
bTH	\bTH [=] \eTH
bTN	\bTN [=] \eTN
bTR	\bTR [=] \eTR
bTRs	bTRs [] \eTRs
bTX	\bTX [=] \eTX
bTY	\bTY [=] \eTY
btxabbreviatedjournal	\btxabbreviatedjournal {}
btxaddjournal	\btxaddjournal []
btxalwayscitation	\btxalwayscitation [=] []
btxalwayscitation:alternative	\btxalwayscitation [] []
btxalwayscitation:userdata	\btxalwayscitation [=] [=]
btxauthorfield	\btxauthorfield {}
btxdetail	\btxdetail {}
btxdirect	\btxdirect {}
btxdoif	\btxdoif {} {}
btxdoifcombiinlistelse	\btxdoifcombiinlistelse \{\} \{\} \{\}
btxdoifelse	\btxdoifelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
btxdoifelsecombiinlist	\btxdoifelsecombiinlist \{\ldots\} \{\ldots\} \{\ldots\}
btxdoifelsesameasprevious	\btxdoifelsesameasprevious $\{\ldots\}$ $\{\ldots\}$
btxdoifelsesameaspreviouschecked	\btxdoifelsesameaspreviouschecked $\{\}$ $\{\}$ $\{\}$
btxdoifelseuservariable	\btxdoifelseuservariable {} {}
btxdoifnot	\btxdoifnot {} {}
btxdoifsameaspreviouselse	\btxdoifsameaspreviouselse {} {} {}
btxdoifsameaspreviouscheckedelse	\btxdoifsameaspreviouscheckedelse {} {} {}
btxdoifuservariableelse	\btxdoifuservariableelse {} {} {}
btxexpandedjournal	\btxexpandedjournal {}
btxfield	\btxfield {}
btxfieldname	\btxfieldname {}
btxfieldtype	\btxfieldtype {}
btxfirstofrange	\btxfirstofrange {}
btxflush	\btxflush {}
btxflushauthor	\btxflushauthor [] {}
btxflushauthorinverted	\btxflushauthorinverted {}
btxflushauthorinvertedshort	\btxflushauthorinvertedshort {}
btxflushauthorname	\btxflushauthorname {}
btxflushauthornormal	\btxflushauthornormal {}

btxflushauthornormalshort	\btxflushauthornormalshort {}
btxflushsuffix	\btxflushsuffix
btxfoundname	\btxfoundname {}
btxfoundtype	\btxfoundtype {}
btxhiddencitation	\btxhiddencitation []
btxhybridcite	\btxhybridcite [=] []
btxhybridcite:alternative	\btxhybridcite [] []
btxhybridcite:direct	\btxhybridcite {}
btxhybridcite:userdata	\btxhybridcite [=] [=]
btxlistcitation	\btxlistcitation [=] []
btxlistcitation:alternative	\btxlistcitation [] []
btxlistcitation:userdata	\btxlistcitation [] [] \btxlistcitation [=]
btxloadjournalist	\btxloadjournalist []
btxoneorrange	\btxoneorrange {} {} {}
btxremapauthor	\btxremapauthor [] []
btxsavejournalist	\btxsavejournalist []
btxsetup	\btxsetup {}
btxsingularorplural	\btxsingularorplural {} {}
btxsingularplural	\btxsingularplural {} {} {}
btxtextcitation	\btxtextcitation [=] []
btxtextcitation:alternative	\btxtextcitation [] []
btxtextcitation:userdata	\btxtextcitation [=] [=]
bublinkovanapoveda:instance	\TOOLTIP [=] {} {}
bublinkovanapoveda:instance:argument	\TOOLTIP [] {} {}
bublinkovanapoveda:instance:argument:tooltip	\tooltip [] {} {}
bublinkovanapoveda:instance:tooltip	\tooltip [=] {} {}
buildmathaccent	\buildmathaccent {} {}
buildtextaccent	\buildtextaccent {} {}
buildtextbottomcomma	\buildtextbottomcomma {}
buildtextbottomdot	\buildtextbottomdot {}
buildtextcedilla	\buildtextcedilla {}
buildtextgrave	\buildtextgrave {}
buildtextmacron	\buildtextmacron {}
buildtextognek	\buildtextognek {}
Caps	\Caps {}
caps Cisla	\Caps \\}
CONTEXT	
	\CONTEXT
ConTeXt	\ConTeXt
Context	\Context
ConvertConstantAfter	\ConvertConstantAfter \ \{\} \{\}
ConvertToConstant	\ConvertToConstant \ \{\} \{\}
camel	\camel {}
catcodetablename	\catcodetablename
cbox	\cbox {}
centeraligned	\centeraligned {}
centerbox	\centerbox {}
centeredbox	\centeredbox {}
centeredlastline	\centeredlastline
centerednextbox	\centerednextbox {}
centerline	\centerline {}
cernalinka	\cernalinka [=]
cernelinky	\cernelinky [=]
cfrac	\cfrac [] {}
cisla	\cisla {}
cislonadpisu	\cislonadpisu [] []
cislorovnice	\cislorovnice []
cislostrany	\cislostrany
citation	\citation [=] []
citation:alternative	\citation [] []
citation:direct	\citation {}
citation:userdata	\citation [=] [=]
cite	\cite [=] []
	\cite [] []
cite:alternative	\cite [] [] \cite {}
cite:direct	
cite:userdata	\cite [=] [=]
clap	\clap {}
classfont	\classfont {} {}
cldcommand	\cldcommand {}
cldcontext	\cldcontext {}
cldloadfile	\cldloadfile {}
cldprocessfile	\cldprocessfile {}
clippedoverlavimage	\clippedoverlavimage {}

collect	\collect {}
collectedtext	\collectedtext [=] [=] {} {}
collectexpanded	\collectexpanded {}
colorcomponents	\colorcomponents {}
colored	\colored [=] {}
colored:name	\colored [] {}
coloronly	\coloronly [] {}
columnbreak	\columnbreak []
columnsetspanwidth	\columnsetspanwidth {}
combinepages	\combinepages [] [=]
commalistelement	\commalistelement
commalistsentence	\commalistsentence [] []
commalistsize	\commalistsize
comparedimension	\comparedimension $\{\ldots\}$ $\{\ldots\}$
comparedimensioneps	\comparedimensioneps {} {}
completebtxrendering	\completebtxrendering [] [=]
completecombinedlist:instance	\uplnyCOMBINEDLIST [=]
completecombinedlist:instance:content	\uplnycontent [=]
completelist	\completelist [] [=]
completelistoffloats:instance	\completelistofFLOATS [=]
completelistoffloats:instance:figures	\completelistoffigures [=]
completelistoffloats:instance:graphics	\completelistofgraphics [=]
completelistoffloats:instance:chemicals	\completelistofchemicals [=]
completelistoffloats:instance:intermezzi	\completelistofintermezzi [=]
completelistoffloats:instance:tables	\completelistoftables [=]
completelistofpublications	\completelistofpublications [] [=]
completelistofsorts	\completelistofsorts [] [=]
completelistofsorts:instance	\completelistofSORTS [=]
completelistofsorts:instance:logos	\completelistoflogos [=]
completelistofsynonyms	\completelistofsynonyms [] [=]
completelistofsynonyms:instance	\completelistofSYNONYMS [=]
completelistofsynonyms:instance:abbreviations	\completelistofabbreviations [=]
completepagenumber	\completepagenumber
completeregister	\completeregister [] [=]
completeregister:instance	\uplnyREGISTER [=]
completeregister:instance:index	\uplnyindex [=]
1	
complexorsimple	\complexorsimple \
complexorsimple complexorsimpleempty	\complexorsimple \ \complexorsimpleempty \
complexorsimpleempty	\complexorsimpleempty \
complexorsimpleempty complexorsimpleempty:argument	<pre>\complexorsimpleempty \ \complexorsimpleempty {}</pre>
<pre>complexorsimpleempty complexorsimpleempty:argument complexorsimple:argument</pre>	<pre>\complexorsimpleempty \ \complexorsimpleempty {} \complexorsimple {}</pre>
<pre>complexorsimpleempty complexorsimpleempty:argument complexorsimple:argument composedcollector</pre>	<pre>\complexorsimpleempty \ \complexorsimpleempty {} \complexorsimple {} \composedcollector {}</pre>
complexorsimpleempty complexorsimpleempty:argument complexorsimple:argument composedcollector composedlayer	<pre>\complexorsimpleempty \ \complexorsimpleempty {} \complexorsimple {} \composedcollector {} \composedlayer {}</pre>
complexorsimpleempty complexorsimpleempty:argument complexorsimple:argument composedcollector composedlayer compresult	<pre>\complexorsimpleempty \ \complexorsimpleempty {} \complexorsimple {} \composedcollector {} \composedlayer {} \compresult</pre>
complexorsimpleempty complexorsimpleempty:argument complexorsimple:argument composedcollector composedlayer compresult constantdimen	<pre>\complexorsimpleempty \ \complexorsimpleempty {} \complexorsimple {} \composedcollector {} \composedlayer {} \compresult \constantdimen \</pre>
complexorsimpleempty complexorsimpleempty:argument complexorsimple:argument composedcollector composedlayer compresult constantdimen constantdimenargument	<pre>\complexorsimpleempty \ \complexorsimpleempty {} \complexorsimple {} \composedcollector {} \composedlayer {} \compresult \constantdimen \ \constantdimenargument \</pre>
complexorsimpleempty complexorsimpleempty:argument complexorsimple:argument composedcollector composedlayer compresult constantdimen constantdimenargument constantemptyargument	<pre>\complexorsimpleempty \ \complexorsimpleempty {} \complexorsimple {} \composedcollector {} \composedlayer {} \compresult \constantdimen \ \constantdimenargument \ \constantemptyargument \ \constantnumber \ \constantnumberargument \</pre>
complexorsimpleempty complexorsimpleempty:argument complexorsimple:argument composedcollector composedlayer compresult constantdimen constantdimenargument constantemptyargument constantnumber	<pre>\complexorsimpleempty \ \complexorsimpleempty {} \complexorsimple {} \composedcollector {} \composedlayer {} \compresult \constantdimen \ \constantdimenargument \ \constantemptyargument \ \constantnumber \</pre>
complexorsimpleempty complexorsimpleempty:argument complexorsimple:argument composedcollector composedlayer compresult constantdimen constantdimenargument constanttemptyargument constantnumber constantnumber	<pre>\complexorsimpleempty \ \complexorsimpleempty {} \complexorsimple {} \composedcollector {} \composedlayer {} \compresult \constantdimen \ \constantdimenargument \ \constantemptyargument \ \constantnumber \ \constantnumberargument \</pre>
complexorsimpleempty complexorsimpleempty:argument complexorsimple:argument composedcollector composedlayer compresult constantdimen constantdimenargument constanttemptyargument constantnumber constantnumberargument contentreference	<pre>\complexorsimpleempty \ \complexorsimpleempty {} \complexorsimple {} \composedcollector {} \composedlayer {} \compresult \constantdimen \ \constantdimenargument \ \constantemptyargument \ \constantnumber \ \constantnumberargument \ \continuednumber {} \continuednumber {} \continuedinputfile {}</pre>
complexorsimpleempty complexorsimpleempty:argument complexorsimple:argument composedcollector composedlayer compresult constantdimen constantdimenargument constantnumber constantnumber constantnumberargument contentreference continuednumber	<pre>\complexorsimpleempty \ \complexorsimpleempty {} \complexorsimple {} \composedcollector {} \composedlayer {} \compresult \constantdimen \ \constantdimenargument \ \constantemptyargument \ \constantnumber \ \constantnumberargument \ \continuednumber {} \continuednumber {} \continuedinputfile {} \convertargument \to \</pre>
complexorsimpleempty complexorsimpleempty:argument complexorsimple:argument composedcollector composedlayer compresult constantdimen constantdimenargument constantemptyargument constantnumber constantnumberargument contentreference continuednumber continueifinputfile	<pre>\complexorsimpleempty \ \complexorsimpleempty {} \complexorsimple {} \composedcollector {} \composedlayer {} \compresult \constantdimen \ \constantdimenargument \ \constantemptyargument \ \constantnumber \ \constantnumberargument \ \continuednumber {} \continuednumber {} \continuedinputfile {}</pre>
complexorsimpleempty complexorsimpleempty:argument complexorsimple:argument composedcollector composedlayer compresult constantdimen constantdimenargument constantemptyargument constantnumber constantnumberargument contentreference continuednumber continueifinputfile convertargument	<pre>\complexorsimpleempty \ \complexorsimpleempty {} \complexorsimple {} \composedcollector {} \composedlayer {} \compresult \constantdimen \ \constantdimenargument \ \constantemptyargument \ \constantnumber \ \constantnumberargument \ \continuednumber {} \continuednumber {} \continuedinputfile {} \convertargument \to \</pre>
complexorsimpleempty complexorsimpleempty:argument complexorsimple:argument composedcollector composedlayer compresult constantdimen constantdimenargument constantemptyargument constantnumber constantnumberargument contentreference continuednumber continueifinputfile convertargument convertcommand	<pre>\complexorsimpleempty \ \complexorsimpleempty {} \composedcollector {} \composedcollector {} \composedlayer {} \compresult \constantdimen \ \constantdimenargument \ \constantemptyargument \ \constantnumber \ \constantnumberargument \ \continuednumber {} \continuednumber {} \continuedfinputfile {} \convertargument \ \convertcommand \ \to \ \convertcommand \ \to \</pre>
complexorsimpleempty complexorsimpleempty:argument complexorsimple:argument composedcollector composedlayer compresult constantdimen constantdimenargument constantnumber constantnumber constantnumberargument contentreference continuednumber continueifinputfile convertargument convertcommand convertedcounter	<pre>\complexorsimpleempty \ \complexorsimpleempty {} \composedcollector {} \composedcollector {} \composedlayer {} \compresult \constantdimen \ \constantdimenargument \ \constantemptyargument \ \constantnumber \ \constantnumberargument \ \continuednumber {} \continuedinputfile {} \convertargument \ \convertargument \ \convertedcounter [] [=]</pre>
complexorsimpleempty complexorsimpleempty:argument complexorsimple:argument composedcollector composedlayer compresult constantdimen constantdimenargument constantnumber constantnumber constantnumberargument contentreference continuednumber continueifinputfile convertargument convertedcounter converteddimen	<pre>\complexorsimpleempty \ \complexorsimpleempty {} \composedcollector {} \composedcollector {} \composedlayer {} \compresult \constantdimen \ \constantdimenargument \ \constantemptyargument \ \constantnumber \ \constantnumberargument \ \continuednumber {} \continuednumber {} \continuedfinputfile {} \convertedcounter [] [=] \convertedcounter [] [=] \converteddimen {} {}</pre>
complexorsimpleempty complexorsimpleempty:argument complexorsimple:argument composedcollector composedlayer compresult constantdimen constantdimenargument constantnumber constantnumber constantnumberargument contentreference continuednumber continueifinputfile convertargument convertedcounter converteddimen convertedsubcounter	<pre>\complexorsimpleempty \ \complexorsimpleempty {} \composedcollector {} \composedcollector {} \composedlayer {} \compresult \constantdimen \ \constantdimenargument \ \constantemptyargument \ \constantnumber \ \constantnumber \ \continuednumber {} \continuedimpuffile {} \convertargument \ \convertedcounter [] [=] \convertedcounter [] [=] \converteddimen {} {} \converteddimen {} {} \convertedsubcounter [] [] [=]</pre>
complexorsimpleempty complexorsimpleempty:argument complexorsimple:argument composedcollector composedlayer compresult constantdimen constantdimenargument constantnumber constantnumber constantnumberr constantnumberr contentreference continuednumber continueifinputfile convertargument convertedcounter converteddimen convertedsubcounter convertedsubcounter convertmonth	<pre>\complexorsimpleempty \ \complexorsimpleempty {} \composedcollector {} \composedcollector {} \composedlayer {} \compresult \constantdimen \ \constantdimenargument \ \constantemptyargument \ \constantnumber \ \constantnumber \ \continuednumber {} \continuedimpuffile {} \convertargument \ \convertedcounter [] [=] \convertedcounter [] [=] \convertedsubcounter [] [=] \convertedsubcounter [] [] \convertedsubcounter []</pre>
complexorsimpleempty complexorsimpleempty:argument complexorsimple:argument composedcollector composedlayer compresult constantdimen constantdimenargument constantnumber constantnumber constantnumberr constantnumberr contentreference continuednumber continueifinputfile convertargument convertedcounter converteddimen convertedsubcounter convertwalue	<pre>\complexorsimpleempty \ \complexorsimpleempty {} \composedcollector {} \composedcollector {} \composedlayer {} \compresult \constantdimen \ \constantdimenargument \ \constantnumber \ \constantnumber \ \constantnumber ergument \ \continuednumber {} \continuedimpuffile {} \convertargument \to \ \convertedcounter [] [=] \convertedcounter [] [=] \convertedsubcounter [] [] \convertedsubcounter [] [] \convertedcounter [] []</pre>
complexorsimpleempty complexorsimpleempty:argument complexorsimple:argument composedcollector composedlayer compresult constantdimen constantdimen constantemptyargument constantnumber constantnumber constantnumberr continuednumber continuedifinputfile convertargument convertedcounter converteddimen converteddimen convertedsubcounter convertvalue convertvboxtohbox	<pre>\complexorsimpleempty \ \complexorsimpleempty {} \composedcollector {} \composedcollector {} \composedlayer {} \compresult \constantdimen \ \constantdimenargument \ \constantemptyargument \ \constantnumber \ \constantnumber \ \continuednumber {} \continuedimpuffile {} \convertargument \ \convertedcounter [] [=] \convertedcounter [] [=] \convertedsubcounter [] [=] \convertedsubcounter [] [] \convertedsubcounter []</pre>
complexorsimpleempty complexorsimpleempty:argument composedcollector composedlayer compresult constantdimen constantdimenargument constantnumber constantnumber constantnumberr constantnumber continuednumber continuedifinputfile convertargument convertedounter converteddimen converteddimen converteddimen convertvalue convertvoxtohbox copyboxfromcache copylabeltext:instance:btxlabel	<pre>\complexorsimpleempty \ \complexorsimpleempty {} \composedcollector {} \composedcollector {} \composedlayer {} \compresult \constantdimen \ \constantdimenargument \ \constantnumber \ \constantnumber \ \constantnumber {} \continuednumber {} \continuedfinputfile {} \convertargument \ \convertedcounter [] [=] \converteddimen {} {} \converteddimen {} {} \convertedsubcounter [] [=] \convertedsubcounter [] [] \convertedsubcounter []</pre>
complexorsimpleempty complexorsimpleempty:argument complexorsimple:argument composedcollector composedlayer compresult constantdimen constantdimen constantemptyargument constantnumber constantnumber constantnumberargument contentreference continuednumber continueifinputfile convertargument convertargument convertedounter converteddimen converteddimen convertedsubcounter convertvalue convertvboxtohbox copyboxfromcache copylabeltext:instance	<pre>\complexorsimpleempty \ \complexorsimpleempty {} \composedcollector {} \composedcollector {} \composedlayer {} \composedlayer {} \composedlayer {} \constantdimen \ \constantdimenargument \ \constantnumber \ \constantnumber \ \constantnumber \ \continuednumber {} \continuednumber {} \continuedfinputfile {} \convertedcounter [] [=] \converteddimen {} {} \converteddimen {} {} \convertedsubcounter [] [=] \convertedsubcounter [] [] \convertedsubcounter [] \convertedsubcounter [] []</pre>
complexorsimpleempty complexorsimpleempty:argument composedcollector composedlayer compresult constantdimen constantdimenargument constantnumber constantnumber constantnumberr constantnumber continuednumber continuedifinputfile convertargument convertedounter converteddimen converteddimen converteddimen convertvalue convertvoxtohbox copyboxfromcache copylabeltext:instance:btxlabel	<pre>\complexorsimpleempty \ \complexorsimpleempty {} \composedcollector {} \composedcollector {} \composedlayer {} \compresult \constantdimen \ \constantdimenargument \ \constantnumber \ \constantnumber \ \constantnumber {} \continuednumber {} \continuednumber {} \convertargument \ \convertargument \ \convertedcounter [] [=] {} \convertedcounter [] [=] \converteddimen {} {} \convertedsubcounter [] [] \convertedsubcounter [] [] \convertvboxtohbox \copybcafformcache {} {} \copybtalabeltext [] [=] \copybtxlabeltext [] [=]</pre>
complexorsimpleempty complexorsimpleempty:argument composedcollector composedlayer compresult constantdimen constantdimen constantemptyargument constantnumber constantnumber constantnumberr constantnumber continuednumber continueifinputfile convertargument convertedounter converteddimen converteddimen convertedsubcounter convertvalue convertvalue convertvboxtohbox copybastert:instance copylabeltext:instance:btxlabel copylabeltext:instance:head	<pre>\complexorsimpleempty \ \complexorsimpleempty {} \composedcollector {} \composedcollector {} \composedlayer {} \compresult \constantdimen \ \constantdimenargument \ \constantnumber \ \constantnumber \ \constantnumberargument \ \continuednumber {} \continuednumber {} \continuedfinputfile {} \convertargument \ \convertedcounter [] [=] \converteddimen {} {} \converteddimen {} {} \convertedsubcounter [] [=] \convertedsubcounter [] [] \convertvboxtohbox \copybcxfromcache {} {} \copybtxlabeltext [] [=] \copyheadtext [] [=] \copyheadtext [] [=] \copyheadtext [] [=]</pre>
complexorsimpleempty complexorsimpleempty:argument composedcollector composedlayer compresult constantdimen constantdimen constantemptyargument constantnumber constantnumber constantnumberr constantnumber continuednumber continuedifinputfile convertargument convertedounter converteddimen converteddimen convertedsubcounter convertvalue convertvalue convertvboxtohbox copyboxfromcache copylabeltext:instance:btxlabel copylabeltext:instance:label	<pre>\complexorsimpleempty \ \complexorsimpleempty {} \composedcollector {} \composedcollector {} \composedlayer {} \compresult \constantdimen \ \constantdimenargument \ \constantnumber \ \constantnumber argument \ \continuednumber {} \continuednumber {} \continuedimpuffile {} \convertargument \ \convertargument \ \convertedcounter [] [=] \convertedcounter [] [=] \converteddimen {} {} \convertedsubcounter [] [] [=] \convertvalue \to \ \convertvboxtohbox \copybaxfromcache {} {} \copybaxflabeltext [] [=] \copylabeltext [] [=] \copylabeltext [] [=] \copylabeltext [] [=] \copylabeltext [] [=]</pre>
<pre>complexorsimpleempty complexorsimpleempty:argument composedcollector composedlayer compresult constantdimen constantdimenargument constantnumber constantnumber constantnumberargument contentreference continuednumber continueifinputfile convertargument convertedcounter converteddimen converteddimen convertedsubcounter convertwoxtohbox copyboxfromcache copylabeltext:instance:btxlabel copylabeltext:instance:mathlabel copylabeltext:instance:mathlabel copylabeltext:instance:operator copylabeltext:instance:prefix</pre>	<pre>\complexorsimpleempty \ \complexorsimpleempty {} \composedcollector {} \composedcollector {} \composedlayer {} \compresult \constantdimen \ \constantdimenargument \ \constantnumber \ \constantnumber argument \ \continuednumber {} \continuednumber {} \convertargument \to \ \convertedcounter [] [=] \converteddimen {} {} \converteddimen {} {} \convertedsubcounter [] [] \convertedsubcounter [] [] \convertvboxtohbox \copybcxfromcache {} {} \copybtxlabeltext [] [=] \copyhabeltext [] [=] \copypathlabeltext [] [=] \copyperfixtext [] [=] \copyperfixtext [] [=] \copyprefixtext [] [] \</pre>
<pre>complexorsimpleempty complexorsimpleempty:argument complexorsimple:argument composedcollector composedlayer compresult constantdimen constantdimenargument constantnumber constantnumber constantnumberargument contentreference continuednumber continueifinputfile convertargument convertcommand convertedcounter converteddimen converteddimen convertedsubcounter convertwonth convertvalue convertvboxtohbox copylabeltext:instance copylabeltext:instance:head copylabeltext:instance:mathlabel copylabeltext:instance:operator copylabeltext:instance:prefix copylabeltext:instance:prefix</pre>	<pre>\complexorsimpleempty \ \complexorsimpleempty {} \composedcollector {} \composedcollector {} \composedlayer {} \compresult \constantdimen \ \constantdimenargument \ \constantnumber \ \constantnumber \ \constantnumberargument \ \continuednumber {} \continuednumber {} \continuednumber {} \convertargument \to \ \converteddument [] [] \converteddument [] [] \converteddimen {} {} \converteddimen {} {} \converteddimen {} {} \convertedsubcounter [] [] [] \convertvboxtohbox \copybcxfromcache {} {} \copybtxlabeltext [] [] \copyheadtext [] [] \copyheadtext [] [] \copypathlabeltext [] [] \copyprefixtext [] [</pre>
<pre>complexorsimpleempty complexorsimpleempty:argument composedcollector composedlayer compresult constantdimen constantdimenargument constantnumber constantnumber constantnumberargument contentreference continuednumber continueifinputfile convertargument convertedounter converteddimen converteddimen convertedsubcounter convertedsubcounter convertvommand convertvomth convertvalue convertvboxtohbox copyboxfromcache copylabeltext:instance:btxlabel copylabeltext:instance:head copylabeltext:instance:mathlabel copylabeltext:instance:prefix copylabeltext:instance:prefix copylabeltext:instance:suffix</pre>	<pre>\complexorsimpleempty \ \complexorsimpleempty {} \composedcollector {} \composedcollector {} \composedlayer {} \compresult \constantdimen \ \constantdimenargument \ \constantnumber \ \constantnumber \ \constantnumberargument \ \continuednumber {} \continuednumber {} \continuednumber {} \convertargument \convertargument \ \convertargument \to \ \convertedounter [] [=] \convertedounter [] [=] \converteddimen {} {} \convertedsubcounter [] [] [=] \convertvboxtohbox \copybastIndext [] [=] \copybastIndext [] [=] \copyheadtext [] [=] \copyheadtext [] [=] \copypartixtext [] [=] \copypartixtext [] [=] \copysuffixtext [] [=] \copysuffixtext [] [=] \copysuffixtext [] [=] \copytaglabeltext [] [] \copytaglabeltext [] [] \copytag</pre>
<pre>complexorsimpleempty complexorsimpleempty:argument complexorsimple:argument composedcollector composedlayer compresult constantdimen constantdimenargument constantnumber constantnumber constantnumberargument contentreference continuednumber continueifinputfile convertargument convertcommand convertedcounter converteddimen converteddimen convertedsubcounter convertwonth convertvalue convertvboxtohbox copylabeltext:instance copylabeltext:instance:head copylabeltext:instance:mathlabel copylabeltext:instance:operator copylabeltext:instance:prefix copylabeltext:instance:prefix</pre>	<pre>\complexorsimpleempty \ \complexorsimpleempty {} \composedcollector {} \composedcollector {} \composedlayer {} \compresult \constantdimen \ \constantdimenargument \ \constantnumber \ \constantnumber \ \constantnumberargument \ \continuednumber {} \continuednumber {} \continuednumber {} \convertargument \convertargument \ \convertargument \to \ \convertedounter [] [=] \converteddimen {} {} \converteddimen {} {} \convertedsubcounter [] [] [=] \convertvboxtohbox \copybastItext [] [=] \copyheadtext [] [=] \copyheadtext [] [=] \copyheadtext [] [=] \copyheadtext [] [=] \copyheatistext [] [=] \copyyaglabeltext [] [=] \copysuffixtext [] [=] \copytaglabeltext [] [=] \copytaglabeltext [] [=] \copyunittext [] [=] \copyunityext [] [] \copyunityext [.</pre>
<pre>complexorsimpleempty complexorsimpleempty:argument composedcollector composedlayer compresult constantdimen constantdimenargument constantnumber constantnumber constantnumberargument contentreference continuednumber continueifinputfile convertargument convertedounter converteddimen converteddimen convertedsubcounter convertedsubcounter convertvommand convertvomth convertvalue convertvboxtohbox copyboxfromcache copylabeltext:instance:btxlabel copylabeltext:instance:head copylabeltext:instance:mathlabel copylabeltext:instance:prefix copylabeltext:instance:prefix copylabeltext:instance:suffix</pre>	<pre>\complexorsimpleempty \ \complexorsimpleempty {} \composedcollector {} \composedcollector {} \composedlayer {} \compresult \constantdimen \ \constantdimenargument \ \constantnumber \ \constantnumber \ \constantnumberargument \ \continuednumber {} \continuednumber {} \continuednumber {} \convertargument \convertargument \ \convertargument \to \ \convertedounter [] [=] \convertedounter [] [=] \converteddimen {} {} \convertedsubcounter [] [] [=] \convertvboxtohbox \copybastIndext [] [=] \copybastIndext [] [=] \copyheadtext [] [=] \copyheadtext [] [=] \copypartixtext [] [=] \copypartixtext [] [=] \copysuffixtext [] [=] \copysuffixtext [] [=] \copysuffixtext [] [=] \copytaglabeltext [] [] \copytaglabeltext [] [] \copytag</pre>

copyposition	\copyposition {} {}
copysetups	\copysetups [] []
countersubs	\countersubs [] []
counttoken	\counttoken \in \to \
counttokens	\counttokens \to \
cramped	\cramped {}
crampedclap	\crampedclap {}
crampedllap	\crampedlap {}
crampedrlap crlf	\crampedrlap {}
crlfplaceholder	\crlfplaceholder
ctop	\ctop {}
ctxcommand	\ctxcommand {}
ctxdirectcommand	\ctxdirectcommand {}
ctxdirectlua	\ctxdirectlua {}
ctxfunction	\ctxfunction {}
ctxfunctiondefinition:example	\CTXFUNCTIONDEFINITION
ctxfunction:example	\CTXFUNCTION
ctxlatecommand	\ctxlatecommand {}
ctxlatelua	\ctxlatelua {}
ctxloadluafile	\ctxloadluafile {}
ctxlua	\ctxlua {}
ctxluabuffer	\ctxluabuffer []
ctxluacode	\ctxluacode {}
ctxreport	\ctxreport {}
ctxsprint	\ctxsprint {}
currentassignmentlistkey	\currentassignmentlistkey
currentassignmentlistvalue	\currentassignmentlistvalue
currentbtxuservariable	\currentbtxuservariable {}
currentcommalistitem	\currentcommalistitem
currentcomponent	\currentcomponent
currentenvironment	\currentenvironment
currentfeaturetest	\currentfeaturetest
currentinterface	\currentinterface
currentlabel:example	\currentPOPISEK [] {}
currentlanguage	\currentlanguage
currentlistentrydestinationattribute	$\verb \currentlistentrydestinationattribute $
currentlistentrylimitedtext	\currentlistentrylimitedtext {}
currentlistentrynumber	\currentlistentrynumber
currentlistentrypagenumber	\currentlistentrypagenumber
currentlistentryreferenceattribute	\currentlistentryreferenceattribute {}
currentlistentrytitle	\currentlistentrytitle
currentlistentrytitlerendered	\currentlistentrytitlerendered
currentlistsymbol	\currentlistsymbol
currentmainlanguage	\currentmainlanguage
currentmessagetext	\currentmessagetext
currentmoduleparameter	\currentmoduleparameter {}
currentoutputstream	\currentoutputstream
currentproduct	\currentproduct
currentproject	\currentproject
currentregime	\currentregime
currentregisterpageuserdata	\currentregisterpageuserdata {}
currentresponses	\currentresponses \currenttime []
currenttime	\currenttime []
currentvalue currentxtablecolumn	\currentvalue \currentxtablecolumn
currentxtablerow	\currentxtablecolumn
d	\d {}
dalsipodstranka	\dalsipodstranka
datasetvariable	\datasetvariable \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
datum	\datum [=] []
dayoftheweek	\dayoftheweek {} {} {}
dayspermonth	\dayspermonth {} {}
dddot	\dddot {}
ddot	\ddot {}
decrement	\decrement \
decrementcounter	\decrementcounter [] []
decrementedcounter	\decrementedcounter []
decrementpagenumber	\decrementpagenumber
decrementsubpagenumber	\decrementsubpagenumber
decrementvalue	\decrementvalue {}
decrement: argument	\decrement ()
<u> </u>	

defaultinterface	\defaultinterface
defaultobjectpage	\defaultobjectpage
defaultobjectreference	\defaultobjectreference
defcatcodecommand	\defcatcodecommand \ \ \{\}
defconvertedargument	\defconvertedargument \ \{\}
defconvertedcommand	\defconvertedcommand \ \
defconvertedvalue	\defconvertedvalue \ {}
defineactivecharacter	\defineactivecharacter {}
definealternativestyle defineanchor	\definealternativestyle [] []
defineattachment	\defineanchor [] [] [=] \defineattachment [] [] []
defineattribute	\defineattribute [] []
definebackground	\definebackground [] [=]
definebar	\definebar [] [] \definebar []
definebodyfontswitch	\definebodyfontswitch []
definebreakpoint	\definebreakpoint [] [=]
definebreakpoints	\definebreakpoints []
definebtx	\definebtx [] [=]
definebtxdataset	\definebtxdataset [] [] [=]
definebtxregister	\definebtxregister [] []
definebtxrendering	\definebtxrendering [] [=]
definebutton	\definebutton [] [=]
definecapitals	\definecapitals [] [=]
definecollector	\definecollector [] [=]
definecolumnbreak	\definecolumnbreak [] []
definecolumnset	\definecolumnset [] [=]
definecolumnsetarea	\definecolumnsetarea [] [] [=]
definecolumnsetspan	\definecolumnsetspan [] [] [=]
definecombination	\definecombination [] [] [=]
definecomment	\definecomment [] [=]
definecomplexorsimple	\definecomplexorsimple \
definecomplexorsimpleempty definecomplexorsimpleempty:argument	\definecomplexorsimpleempty \ \definecomplexorsimpleempty \{\\}
definecomplexorsimple:argument	\definecomplexorsimple \{\ldots\}
defineconversionset	\definecomplexorsimple \( \ldots \rightarrow \) \defineconversionset \[ \ldots \rightarrow \] \[ \ldots \rightarrow \]
definecounter	\definecounter [] [] [=]
definedataset	\definedataset [] [] [=]
definedelimitedtext	\definedelimitedtext [] [=]
definedfont	\definedfont []
defineeffect	\defineeffect [] [=]
defineexpandable	\defineexpandable [] \ {}
defineexternalfigure	\defineexternalfigure [] [] [=]
definefacingfloat	\definefacingfloat [] [=]
definefallbackfamily	\definefallbackfamily [] [] []
definefallbackfamily:preset	\definefallbackfamily [] [] []
definefieldbody	\definefieldbody [] [=]
definefieldbodyset	\definefieldbodyset [] []
definefieldcategory	\definefieldcategory [] [] [=]
definefileconstant	\definefileconstant {} {}
definefilefallback	\definefilefallback [] []
definefilesynonym definefiller	\definefilesynonym []
definefirstline	\definefiller [] [] [=] \definefirstline [] [] [=]
definefittingpage	\definefittingpage [] [] []
definefontalternative	\definefintalternative []
definefontfallback	\definefontfallback [] [] [] []
definefontfamily	\definefontfamily [] [] [] []
definefontfamilypreset	\definefontfamilypreset [] [=]
definefontfamilypreset:name	\definefontfamilypreset []
definefontfamily:preset	\definefontfamily [] [] []
definefontfeature	\definefontfeature [] [=]
definefontfile	\definefontfile [] [=]
definefontsize	\definefontsize []
definefontsolution	\definefontsolution [] [=]
defineformula	\defineformula [] [=]
defineformulaalternative	\defineformulaalternative [] []
defineformulaframed	\defineformulaframed [] [] [=]
defineframedcontent	\defineframedcontent [] [] [=]
defineframedtable	\defineframedtable [] []
definefrozenfont	\definefrozenfont [] []
defineglobalcolor defineglobalcolor:name	\defineglobalcolor [] [=] \defineglobalcolor [] []
detineRionarcolor umme	/merimeRionarcoioi []

definegraphictypesynonym	\definegraphictypesynonym [] []
definegridsnapping	\definegridsnapping [] []
defineheadalternative	\defineheadalternative [] [=]
definehelp	\definehelp [] [=]
definehigh	\definehigh [] [=]
definehighlight	\definehighlight [] [=]
definehspace	\definehspace [] []
definehypenationfeatures	\definehypenationfeatures [] [=]
definecharacterkerning	\definecharacterkerning [] [=]
definecharacterspacing	\definecharacterspacing []
definechemical	\definechemical [] {}
definechemicals	\definechemicals [] [=]
definechemicalsymbol	\definechemicalsymbol []
defineindentedtext	\defineindentedtext [] [] [=]
defineindenting	\defineindenting []
defineinitial	\defineinitial [] [=]
defineinsertion	\defineinsertion [] [=]
defineinteraction	\defineinteraction [] [] [=]
defineinteractionbar	\defineinteractionbar [] [] [=]
defineinterfaceconstant	\defineinterfaceconstant {} {}
defineinterfaceelement	\defineinterfaceelement \{\delta\} \\
defineinterfacevariable	\defineinterfacevariable \{\ldots\} \{\ldots\}
defineinterlinespace	\defineinterlinespace [] [] [=]
defineintermediatecolor	\defineintermediatecolor [] [] [=]
defineitemgroup	\defineitemgroup [] [=]
defineitems	\defineitems [] [=]
definelabelclass	\definelabelclass [] []
definelayer	\definelayer [] [] [=]
·	
definelayerpreset	\definelayerpreset [] [=]
definelayerpreset:name	\definelayerpreset [] []
definelayout	\definelayout [] [=]
definelinefiller	\definelinefiller [] [=]
definelinenote	\definelinenote [] [=]
definelinenumbering	\definelinenumbering [] [] [=]
definelines	\definelines [] [=]
definelistalternative	\definelistalternative [] [] [=]
definelistextra	
	\definelistextra [] [] [=]
definelow	\definelow [] [=]
definelowhigh	\definelowhigh [] [=]
definelowmidhigh	\definelowmidhigh [] [=]
defineMPinstance	\defineMPinstance [] [] [=]
definemarginblock	\definemarginblock [] [=]
definemargindata	\definemargindata [] [] [=]
definemarker	\definemarker []
definemathaccent	
	\definemathaccent
definemathalignment	\definemathalignment [] [] [=]
definemathcases	\definemathcases [] [] [=]
definemathcommand	\definemathcommand [] [] {}
definemathdouble	\definemathdouble [] [] []
definemathdoubleextensible	\definemathdoubleextensible [] [] []
definemathematics	\definemathematics [] [=]
definemathextensible	\definemathextensible [] []
definemathfence	\definemathfence [] [] [=]
	\definemathfraction [] [] []
definemathfraction	
definemathframed	\definemathframed [] [=]
definemathmatrix	\definemathmatrix [] [=]
definemathornament	\definemathornament [] [] [=]
definemathover	\definemathover [] []
definemathoverextensible	\definemathoverextensible [] []
definemathovertextextensible	\definemathovertextextensible [] []
definemathradical	\definemathradical [] [] [=]
definemathstackers	\definemathstackers [] [] [=]
definemathstyle	\definemathstyle []
definemathtriplet	\definemathtriplet [] []
definemathunder	\definemathunder [] []
definemathunderextensible	\definemathunderextensible [] []
definemathundertextextensible	\definemathundertextextensible [] []
definemathunstacked	\definemathunstacked [] []
definemeasure	\definemeasure [] []
definemessageconstant	\definemessageconstant {}
9	
definemixedcolumns	\definemixedcolumns [] [=]
definemode	\definemode [] []

definemultitonecolor	\definemultitonecolor [] [=] [=]
definenamedcolor	\definenamedcolor [] [=]
definenamedcolor:name	\definenamedcolor []
definenamespace	\definenamespace [] [=]
definenarrower	\definenarrower [] [=]
definenote	\definenote [] [=]
defineornament:collector	\defineornament [] [=] [=]
defineornament:layer	\defineornament [] [=]
•	
defineoutputroutine	\defineoutputroutine [] [=]
defineoutputroutinecommand	\defineoutputroutinecommand []
definepage	\definepage [] []
definepagebreak	\definepagebreak [] []
definepagecolumns	\definepagecolumns [] [=]
definepagechecker	\definepagechecker [] [=]
definepageinjection	\definepageinjection [] [=]
definepageinjectionalternative	\definepageinjectionalternative [] [] [=]
definepageshift	\definepageshift [] []
definepagestate	\definepagestate [] [=]
definepairedbox	\definepairedbox [] [=]
defineparagraph	\defineparagraph [] [=]
defineparallel	\defineparallel []
-	
defineparbuilder	\defineparbuilder []
defineperiodkerning	\defineperiodkerning [] [=]
defineplacement	\defineplacement [] [=]
definepositioning	\definepositioning [] [=]
-	\defineprefixset [] []
defineprefixset	
defineprocesscolor	\defineprocesscolor [] [=]
defineprocessor	\defineprocessor [] []
definepushbutton	\definepushbutton [] [=]
definepushsymbol	\definepushsymbol []
- ·	
definerenderingwindow	\definerenderingwindow [] [] []
defineresetset	\defineresetset [] []
defineruby	\defineruby [] [=]
definescale	\definescale [] [=]
	\definescript [] [=]
definescript	
definesectionlevels	\definesectionlevels [] []
defineselector	\defineselector [] [=]
defineseparatorset	\defineseparatorset [] []
defineshift	\defineshift [] [=]
definesidebar	\definesidebar [] [=]
definesort	\definesort [] [] {}
definespotcolor	\definespotcolor [] [=]
definestyleinstance	\definestyleinstance [] [] []
definesubformula	\definesubformula [] [=]
definesynonym	\definesynonym [] [] {} {}
definesystemattribute	\definesystemattribute [] []
definesystemconstant	\definesystemconstant {}
definesystemvariable	\definesystemvariable {}
·	
defineTABLEsetup	\defineTABLEsetup [] [=]
definetabulation	\definetabulation [] [=]
definetextbackground	\definetextbackground [] [] [=]
definetextflow	\definetextflow [] [=]
definetextnote	\definetextnote [] []
definetokenlist	\definetokenlist []
definetooltip	\definetooltip [] [=]
definetransparency:1	\definetransparency []
definetransparency:2	\definetransparency [] [=]
definetransparency:3	\definetransparency [] []
- •	
definetwopasslist	\definetwopasslist {}
definetype	\definetype [] [=]
definetypeface	\definetypeface [] [] [] [] []
definetypescriptprefix	\definetypescriptprefix [] []
definetypescriptsynonym	\definetypescriptsynonym [] []
definetypesetting	\definetypesetting [] [=]
defineunit	\defineunit [] [=]
defineuserdata	\defineuserdata [] [=]
defineuserdataalternative	\defineuserdataalternative [] [] []
defineviewerlayer	\defineviewerlayer [] [=]
definevspace	\definevspace [] []
definevspacing	\definevspacing []
definevspacingamount	\definevspacingamount [] []
definextable	
det they pante	\definextable [] [=]

definuj	\definuj [] \ {}
definujakcent	\definujakcent
· ·	\definujbarvu [] [=]
definujbarvu	<u> </u>
definujbarvu:name	\definujbarvu [] []
definujblok	\definujblok [] [] [=]
definujbloksekce	\definujbloksekce [] [=]
definujbuffer	\definujbuffer [] [=]
definujfont	\definujfont [] [=]
definujfont:argument	\definujfont [] []
definujformatodkazu	\definujformatodkazu [] [=]
definujhbox	\definujhbox [] []
definujinterakcnimenu	\definujinterakcnimenu [] [] [=]
definujkombinovanyseznam	\definujkombinovanyseznam [] [] [=]
definujkonverzi	\definujkonverzi [] []
definujkonverzi:list	\definujkonverzi [] []
definujnadpis	\definujnadpis [] [=]
definujobrazeksymbol	\definujobrazeksymbol [] [=]
· · · · · · · · · · · · · · · · · · ·	\definujodkaz [] []
definujodkaz	
definujodstavce	\definujodstavce [] [=]
definujopis	\definujopis [] [=]
definujoramovani	\definujoramovani [] [=]
definujoramovanytext	\definujoramovanytext [] [] [=]
definujpaletu	\definujpaletu [] [=]
definujpaletu:name	\definujpaletu [] []
definujplvouciobjekt	\definujplvouciobjekt [] [] [=]
definujplvouciobjekt:name	\definujplvouciobjekt [] []
definujpodpole	\definujpodpole [] []
definujpole	\definujpole [] [] [] []
definujpopis	\definujpopis [] [] []
definujpopisek	\definujpopisek [] [=]
definujprekryv	\definujprekryv [] []
definujprikaz	\definujprikaz
definujprofil	\definujprofil [] [=]
definujprogram	\definujprogram [] []
definujprostredizakladnihofontu	\definujprostredizakladnihofontu [] [] [=]
definujrejstrik	\definujrejstrik [] [=]
definujsablonutabulky	\definujsablonutabulky [] [  ] []
definujsekci	\definujsekci []
definujseznam	\definujseznam [] [=]
definujskupinubarev	\definujskupinubarev [] [x:y:z,]
definujstartstop	\definujstartstop [] [=]
definujstyl	
5 0	\definujstyl [] [] \definujstyl []
definujstylfontu	\definujstylfontu []
definujsymbol	\definujsymbol [] []
definujsynonumumfontu	\definujsynonumumfontu [] [=]
definujsynonyma	\definujsynonyma [] [] []
definujtabelaci	$\definujtabelaci [] []$
definujtext	\definujtext [] [] [] [] [] []
definujtrideni	\definujtrideni [] []
definujupravu	\definujupravu [] [=]
definujvelikostpapiru	\definujvelikostpapiru [] [=]
definujvelikostpapiru:name	\definujvelikostpapiru [] []
definujvycet definujvycet	\definujvycet [] [] []
definujzakladnifont	\definujzakladnifont [] [] [] []
definujzakladnifont:argument	\definujzakladnifont [] [] []
definujzasobnikpoli	\definujzasobnikpoli [] [=]
definujznaceni	\definujznaceni [] [=]
definujznak	\definujznak
delimited	\delimited [] [}
delimitedtext	\delimitedtext [] [] {}
delimitedtext:instance	\DELIMITEDTEXT [] {}
delimitedtext:instance:aside	\aside [] {}
delimitedtext:instance:blockquote	\blockquote [] {}
delimitedtext:instance:quotation	\quotation [] {}
delimitedtext:instance:quote	\quote [] {}
delimitedtext:instance:quote delimitedtext:instance:speech	
-	\spech [] {}
delkaseznamu	\delkaseznamu
depthofstring	\depthofstring {}
depthonlybox	\depthonlybox \{\ldots\}
depthspanningtext	lem:lem:lem:lem:lem:lem:lem:lem:lem:lem:
depthstrut	\depthstrut
determinenoflines	\determinenoflines {}

1	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
devanagarinumerals	\devanagarinumerals {}
digits	\digits {}
digits:string	\digits
dimensiontocount	\dimensiontocount {} \
directboxfromcache	\directboxfromcache {} {}
directcolor	\directcolor []
directcolored	\directcolored [=]
directcolored:name	\directcolored []
directconvertedcounter	\directconvertedcounter {} {}
directcopyboxfromcache	\directcopyboxfromcache {} {}
directdummyparameter	\directdummyparameter {}
directgetboxllx	\directgetboxllx
directgetboxlly	\directgetboxlly
directhighlight	\directhighlight {} {}
directlocalframed	\directlocalframed [] {}
directluacode	\directluacode {}
directselect	\directselect {} {} {} {} {} {}
directsetbar	$ackslash  ext{directsetbar}  ext{ }  ext{ }$
directsetup	\directsetup {}
directsymbol	\directsymbol {} {}
directvspacing	\directvspacing {}
1 0	
dis	\dis {}
disabledirectives	\disabledirectives []
disableexperiments	\disableexperiments []
disablemode	\disablemode []
disableoutputstream	\disableoutputstream
disableparpositions	\disableparpositions
disableregime	\disableregime
disabletrackers	\disabletrackers []
displaymath	\displaymath {}
displaymathematics	\displaymathematics {}
displaymessage	\displaymessage {}
distributedhsize	\distributedhsize {} {} {}
dividedsize	\dividedsize {} {}
doadaptleftskip	\doadaptleftskip {}
doadaptrightskip	\doadaptrightskip {}
doaddfeature	\doaddfeature {}
doassign	\doassign [] [=]
doassignempty	\doassignempty [] [=]
doboundtext	\doboundtext {} {}
documentvariable	\documentvariable {}
dodoubleargument	\dodoubleargument \ []
dodoubleargumentwithset	\dodoubleargumentwithset \ [] []
dodoubleempty	\dodoubleempty \ []
dodoubleemptywithset	\dodoubleemptywithset \ [] []
dodoublegroupempty	\dodoublegroupempty \ {} {}
0 1 1 0	
doeassign	\doeassign [] [=]
doexpandedrecurse	\doexpandedrecurse {} {}
dofastloopcs	\dofastloopcs {} \
dogetattribute	\dogetattribute {}
dogetattributeid	\dogetattributeid {}
dogetcommacommandelement	\dogetcommacommandelement \from \to \
dogobbledoubleempty	\dogobbledoubleempty [] []
- · ·	
dogobblesingleempty	\dogobblesingleempty []
docheckassignment	\docheckassignment {}
docheckedpagestate	\docheckedpagestate $\{\ldots\}$ $\{\ldots\}$ $\{\ldots\}$ $\{\ldots\}$ $\{\ldots\}$
docheckedpair	\docheckedpair {}
doif	\doif {} {}
doifallcommon	\doifallcommon {} {} {}
doifallcommonelse	\doifallcommonelse {} {} {}
doifalldefinedelse	\doifalldefinedelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifallmodes	\doifallmodes \{\ldots\} \{\ldots\}
doifallmodeselse	\doifallmodeselse \{\ldots\} \{\ldots\}
doifassignmentelse	\doifassignmentelse {} {} {}
doifassignmentelsecs	\doifassignmentelsecs {} \ \
doifblackelse	\doifblackelse {} {} {}
doifbothsides	
	\doifbothsides \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifbothsidesoverruled	\doifbothsidesoverruled \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifboxelse	\doifboxelse {} {} {}
doifbufferelse	\doifbufferelse {} {}
doifcolor	\doifcolor {} {}
doifcolorelse	\doifcolorelse {} {} {}

doifcommandhandler	\doifcommandhandler \ \{\} \{\}
doifcommandhandlerelse	\doifcommandhandlerelse \ \{\} \{\}
doifcommon	\doifcommon {} {} {}
doifcommonelse	\doifcommonelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifcontent	\doifcontent \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifconversiondefinedelse	\doifconversiondefinedelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifconversionnumberelse	\doifconversionnumberelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifcounter	\doifcounter \{\ldots\}
doifcounterelse	\doifcounterelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifcurrentfonthasfeatureelse	\doifcurrentfonthasfeatureelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifdefined	\doifdefined \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifdefinedcounter	\doifdefinedcounter {} {}
doifdefinedcounterelse doifdefinedelse	\doifdefinedcounterelse \{\ldots\} \{\ldots\} \\doifdefinedelse \{\ldots\} \{\ldots\} \\doifdefinedelse \{\ldots\} \\doifdelse \{\ldots\} \doifdelse \{\ldots\} \\doifdelse \d
doifdimensionelse	\doifdimensionelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifdimenstringelse doifdocumentargument	\doifdimenstringelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifdocumentargumentelse	\doifdocumentargument \(\lambda \doifdocumentargumentelse \{\lambda \doifdocumentargumentelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifdocumentfilename	\doifdocumentfilename \{\ldots\} \\ \tag{\ldots}
doifdocumentfilenameelse	\doifdocumentfilenameelse \{\ldots\} \\\ \ldots\}
doifdocumentvariable	\doifdocumentvariable \{\ldots\} \\\.\}
doifdocumentvariableelse	\doifdocumentvariableelse {} {} {}
doifdrawingblackelse	\doifdrawingblackelse {} {}
doifelse	\doifelse {} {} {}
doifelseallcommon	\doifelseallcommon {} {} {} {}
doifelsealldefined	\doifelsealldefined \{\ldots\} \\\ \\\
doifelseallmodes	\doifelseallmodes {} {} {}
doifelseassignment	\doifelseassignment {} {} {}
doifelseassignmentcs	\doifelseassignmentcs {} \ \
doifelseblack	\doifelseblack {} {} {}
doifelsebox	\doifelsebox {} {} {}
doifelseboxincache	\doifelseboxincache {} {} {} {}
doifelsebuffer	\doifelsebuffer \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsecolor	\doifelsecolor {} {} {}
doifelsecommandhandler	\doifelsecommandhandler \ \{\} \{\}
doifelsecommon	\doifelsecommon {} {} {} {}
doifelseconversiondefined	\doifelseconversiondefined \{\ldots\} \{\ldots\} \{\ldots\}
doifelseconversiondefined doifelseconversionnumber	\doifelseconversiondefined \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
	$\label{local-conversionnumber} $$ \doifelse counter $\{\ldots\} $\{\ldots\} $\{\ldots\} $$$
doifelseconversionnumber	$\verb \doifelseconversionnumber {} {} {} {}$
doifelseconversionnumber doifelsecounter	$\label{local-conversionnumber} $$ \doifelse counter $\{\ldots\} $\{\ldots\} $\{\ldots\} $$$
doifelseconversionnumber doifelsecounter doifelsecurrentfonthasfeature	\doifelseconversionnumber \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelseconversionnumber doifelsecounter doifelsecurrentfonthasfeature doifelsecurrentsortingused	\doifelseconversionnumber \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelseconversionnumber doifelsecounter doifelsecurrentfonthasfeature doifelsecurrentsortingused doifelsecurrentsynonymshown doifelsecurrentsynonymused doifelsedefined	\doifelseconversionnumber {} {} {} \doifelsecounter {} {} {} \doifelsecurrentfonthasfeature {} {} {} \doifelsecurrentsortingused {} {} \doifelsecurrentsynonymshown {} {} \doifelsecurrentsynonymused {} {} \doifelsedefined {} {} {}
doifelseconversionnumber doifelsecounter doifelsecurrentfonthasfeature doifelsecurrentsortingused doifelsecurrentsynonymshown doifelsecurrentsynonymused	\doifelseconversionnumber {} {} {} {} \doifelsecounter {} {} {} \doifelsecurrentfonthasfeature {} {} {} \doifelsecurrentsortingused {} {} \doifelsecurrentsynonymshown {} {} \doifelsecurrentsynonymused {} {} \doifelsedefined {} {} {} \doifelsedefined {} {} {}
doifelseconversionnumber doifelsecounter doifelsecurrentfonthasfeature doifelsecurrentsortingused doifelsecurrentsynonymshown doifelsecurrentsynonymused doifelsedefined doifelsedefinedcounter doifelsedimension	\doifelseconversionnumber {} {} {} {} \doifelsecounter {} {} {} \doifelsecurrentfonthasfeature {} {} {} \doifelsecurrentsortingused {} {} \doifelsecurrentsynonymshown {} {} \doifelsecurrentsynonymused {} {} \doifelsedefined {} {} {} \doifelsedefinedcounter {} {} {} \doifelsedefinedcounter {} {} {}
doifelseconversionnumber doifelsecounter doifelsecurrentfonthasfeature doifelsecurrentsortingused doifelsecurrentsynonymshown doifelsecurrentsynonymused doifelsedefined doifelsedefinedcounter doifelsedimension doifelsedimenstring	\doifelseconversionnumber {} {} {} {} \doifelsecounter {} {} {} \doifelsecurrentfonthasfeature {} {} {} \doifelsecurrentsortingused {} {} \doifelsecurrentsynonymshown {} {} \doifelsecurrentsynonymused {} {} \doifelsedefined {} {} {} \doifelsedefinedcounter {} {} {} \doifelsedimension {} {} {} \doifelsedimension {} {} {}
doifelseconversionnumber doifelsecounter doifelsecurrentfonthasfeature doifelsecurrentsortingused doifelsecurrentsynonymshown doifelsecurrentsynonymused doifelsedefined doifelsedefinedcounter doifelsedimension doifelsedimenstring doifelsedocumentargument	\doifelseconversionnumber {} {} {} {} \doifelsecounter {} {} {} \doifelsecurrentfonthasfeature {} {} {} \doifelsecurrentsortingused {} {} \doifelsecurrentsynonymshown {} {} \doifelsecurrentsynonymused {} {} \doifelsedefined {} {} {} \doifelsedefined {} {} {} \doifelsedefinedcounter {} {} {} \doifelsedimension {} {} {} \doifelsedimenstring {} {} {} \doifelsedocumentargument {} {} {}
doifelseconversionnumber doifelsecounter doifelsecurrentfonthasfeature doifelsecurrentsortingused doifelsecurrentsynonymshown doifelsecurrentsynonymused doifelsedefined doifelsedefined doifelsedimension doifelsedimenstring doifelsedocumentargument doifelsedocumentfilename	\doifelseconversionnumber {} {} {} \doifelsecounter {} {} {} \doifelsecurrentfonthasfeature {} {} {} \doifelsecurrentsortingused {} {} \doifelsecurrentsynonymshown {} {} \doifelsecurrentsynonymsed {} {} \doifelsedefined {} {} {} \doifelsedefined {} {} {} \doifelsedefinedcounter {} {} {} \doifelsedimension {} {} {} \doifelsedimenstring {} {} {} \doifelsedocumentargument {} {} {} \doifelsedocumentfilename {} {} {}
doifelseconversionnumber doifelsecounter doifelsecurrentfonthasfeature doifelsecurrentsortingused doifelsecurrentsynonymshown doifelsecurrentsynonymused doifelsedefined doifelsedefinedcounter doifelsedimension doifelsedimenstring doifelsedocumentargument doifelsedocumentfilename doifelsedocumentvariable	\doifelseconversionnumber {} {} {} \doifelsecounter {} {} \doifelsecurrentfonthasfeature {} {} \doifelsecurrentsortingused {} {} \doifelsecurrentsynonymshown {} {} \doifelsecurrentsynonymsed {} {} \doifelsedefined {} {} \doifelsedefined counter {} {} \doifelsedimension {} {} {} \doifelsedimenstring {} {} {} \doifelsedocumentargument {} {} {} \doifelsedocumentfilename {} {} {} \doifelsedocumentvariable {} {} {}
doifelseconversionnumber doifelsecounter doifelsecurrentfonthasfeature doifelsecurrentsortingused doifelsecurrentsynonymshown doifelsecurrentsynonymused doifelsedefined doifelsedefinedcounter doifelsedimension doifelsedimenstring doifelsedocumentargument doifelsedocumentfilename doifelsedocumentvariable doifelsedrawingblack	\doifelseconversionnumber {} {} {} \doifelsecounter {} {} {} \doifelsecurrentfonthasfeature {} {} {} \doifelsecurrentsortingused {} {} \doifelsecurrentsynonymshown {} {} \doifelsecurrentsynonymsed {} {} \doifelsedefined {} {} {} \doifelsedefined {} {} {} \doifelsedefinedcounter {} {} {} \doifelsedimension {} {} {} \doifelsedimenstring {} {} {} \doifelsedocumentargument {} {} {} \doifelsedocumentfilename {} {} {} \doifelsedocumentvariable {} {} {} \doifelsedrawingblack {} {}
doifelseconversionnumber doifelsecounter doifelsecurrentfonthasfeature doifelsecurrentsortingused doifelsecurrentsynonymshown doifelsecurrentsynonymused doifelsedefined doifelsedefinedcounter doifelsedimension doifelsedimenstring doifelsedocumentargument doifelsedocumentfilename doifelsedocumentvariable doifelsedrawingblack doifelseempty	\doifelseconversionnumber {} {} {} \doifelsecounter {} {} \doifelsecurrentfonthasfeature {} {} \doifelsecurrentsortingused {} {} \doifelsecurrentsynonymshown {} {} \doifelsecurrentsynonymsed {} {} \doifelsedefined {} {} \doifelsedefined {} {} \doifelsedefinedcounter {} {} \doifelsedimension {} {} {} \doifelsedocumentargument {} {} \doifelsedocumentfilename {} {} {} \doifelsedocumentvariable {} {} \doifelsedrawingblack {} {} \doifelseempty {} {}
doifelseconversionnumber doifelsecounter doifelsecurrentfonthasfeature doifelsecurrentsortingused doifelsecurrentsynonymshown doifelsecurrentsynonymused doifelsedefined doifelsedefinedcounter doifelsedimension doifelsedimenstring doifelsedocumentargument doifelsedocumentfilename doifelsedocumentvariable doifelsedrawingblack doifelseempty doifelseemptyvalue	\doifelseconversionnumber {} {} {} \doifelsecounter {} {} \doifelsecurrentfonthasfeature {} {} \doifelsecurrentsortingused {} {} \doifelsecurrentsynonymshown {} {} \doifelsecurrentsynonymsed {} {} \doifelsedefined {} {} \doifelsedefined counter {} {} \doifelsedefinension {} {} \doifelsedimenstring {} {} \doifelsedocumentargument {} {} \doifelsedocumentfilename {} {} \doifelsedocumentvariable {} {} \doifelsedrawingblack {} {} \doifelseempty {} {} \doifelseemptyvalue {} {}
doifelseconversionnumber doifelsecounter doifelsecurrentfonthasfeature doifelsecurrentsortingused doifelsecurrentsynonymshown doifelsecurrentsynonymused doifelsedefined doifelsedefinedcounter doifelsedimension doifelsedimenstring doifelsedocumentargument doifelsedocumentfilename doifelsedocumentvariable doifelsedrawingblack doifelseempty doifelseemptyvalue doifelseemptyvariable	\doifelseconversionnumber {} {} {} \doifelsecounter {} {} \doifelsecurrentfonthasfeature {} {} \doifelsecurrentsortingused {} {} \doifelsecurrentsynonymshown {} {} \doifelsecurrentsynonymused {} {} \doifelsedefined {} {} \doifelsedefined counter {} {} \doifelsedefinedsounter {} {} \doifelsedimension {} {} {} \doifelsedocumentargument {} {} \doifelsedocumentfilename {} {} \doifelsedocumentvariable {} {} \doifelsederawingblack {} {} \doifelseemptyvalue {} {} \doifelseemptyvariable {} {}
doifelseconversionnumber doifelsecounter doifelsecurrentfonthasfeature doifelsecurrentsortingused doifelsecurrentsynonymshown doifelsecurrentsynonymused doifelsedefined doifelsedefinedcounter doifelsedimension doifelsedimenstring doifelsedocumentargument doifelsedocumentfilename doifelsedocumentvariable doifelsedrawingblack doifelseempty doifelseemptyvalue doifelseemptyvariable doifelseemptyvariable doifelseenv	\doifelseconversionnumber {} {} {} \doifelsecounter {} {} \doifelsecurrentfonthasfeature {} {} \doifelsecurrentsortingused {} {} \doifelsecurrentsynonymshown {} {} \doifelsecurrentsynonymsed {} {} \doifelsedfined {} {} \doifelsedfined {} {} \doifelsedfinedcounter {} {} \doifelsedfinension {} {} \doifelsedimenstring {} {} \doifelsedocumentargument {} {} \doifelsedocumentfilename {} {} \doifelsedrawingblack {} {} \doifelseempty {} {} \doifelseemptyvariable {} {} \doifelseemptyvariable {} {} \doifelseemptyvariable {} {} {} \doifelseenv {} {}
doifelseconversionnumber doifelsecounter doifelsecurrentfonthasfeature doifelsecurrentsortingused doifelsecurrentsynonymshown doifelsecurrentsynonymused doifelsedefined doifelsedefinedcounter doifelsedimension doifelsedimenstring doifelsedocumentargument doifelsedocumentfilename doifelsedocumentvariable doifelsedrawingblack doifelseempty doifelseemptyvalue doifelseemptyvariable doifelseenv doifelsefastoptionalcheck	\doifelseconversionnumber {} {} {} \doifelsecounter {} {} \doifelsecurrentfonthasfeature {} {} \doifelsecurrentsortingused {} {} \doifelsecurrentsynonymshown {} {} \doifelsecurrentsynonymsed {} {} \doifelsedfined {} {} {} \doifelsedfinedcounter {} {} \doifelsedfinedsounter {} {} \doifelsedimension {} {} {} \doifelsedocumentargument {} {} \doifelsedocumentfilename {} {} {} \doifelsedocumentvariable {} {} {} \doifelsedermpty {} {} \doifelseemptyvariable {} {} \doifelseemptyvariable {} {} {} \doifelseenv {} {} {} \doifelsefastoptionalcheck {} {}
doifelseconversionnumber doifelsecounter doifelsecurrentfonthasfeature doifelsecurrentsortingused doifelsecurrentsynonymshown doifelsecurrentsynonymused doifelsedefined doifelsedefinedcounter doifelsedimension doifelsedimenstring doifelsedocumentargument doifelsedocumentfilename doifelsedocumentvariable doifelsedrawingblack doifelseempty doifelseemptyvalue doifelseemptyvariable doifelseenv doifelsefastoptionalcheck doifelsefastoptionalcheck	\doifelseconversionnumber {} {} {} \doifelsecounter {} {} \doifelsecurrentfonthasfeature {} {} \doifelsecurrentsortingused {} {} \doifelsecurrentsynonymshown {} {} \doifelsecurrentsynonymsed {} {} \doifelsedfined {} {} {} \doifelsedfinedcounter {} {} \doifelsedfinedsounter {} {} \doifelsedimension {} {} {} \doifelsedocumentargument {} {} \doifelsedocumentfilename {} {} {} \doifelsedrawingblack {} {} \doifelseempty {} {} \doifelseemptyvariable {} {} \doifelseemptyvariable {} {} {} \doifelseenv {} {} {} \doifelsefastoptionalcheck {} {}
doifelseconversionnumber doifelsecounter doifelsecurrentfonthasfeature doifelsecurrentsortingused doifelsecurrentsynonymshown doifelsecurrentsynonymused doifelsedefined doifelsedefinedcounter doifelsedimension doifelsedimenstring doifelsedocumentargument doifelsedocumentfilename doifelsedocumentvariable doifelsedrawingblack doifelseempty doifelseemptyvalue doifelseemptyvariable doifelseenv doifelsefastoptionalcheck doifelsefastoptionalcheck doifelsefisefieldbody	\doifelseconversionnumber {} {} {} \doifelsecounter {} {} \doifelsecurrentfonthasfeature {} {} \doifelsecurrentsortingused {} {} \doifelsecurrentsynonymshown {} {} \doifelsecurrentsynonymsed {} {} \doifelsedfined {} {} {} \doifelsedfinedcounter {} {} \doifelsedfinedsounter {} {} \doifelsedimension {} {} {} \doifelsedocumentargument {} {} \doifelsedocumentfilename {} {} \doifelsedocumentvariable {} {} \doifelsederawingblack {} {} \doifelseempty {} {} \doifelseemptyvariable {} {} \doifelseenv {} {} \doifelsefastoptionalcheck {} {} \doifelsefastoptionalcheck {} {} \doifelsefieldbody {} {} {}
doifelseconversionnumber doifelsecounter doifelsecurrentfonthasfeature doifelsecurrentsortingused doifelsecurrentsynonymshown doifelsecurrentsynonymused doifelsedefined doifelsedefinedcounter doifelsedimension doifelsedocumentargument doifelsedocumentfilename doifelsedocumentvariable doifelsedrawingblack doifelseempty doifelseemptyvalue doifelseemptyvariable doifelseenv doifelsefastoptionalcheck doifelsefieldbody doifelsefieldcategory	\doifelseconversionnumber \{\} \\\} \\.\.\.\\ \doifelsecounter \{\} \\\} \\.\.\.\\\\.\.\.\\\\.\.\\\\\.\.\\\\\\\\
doifelseconversionnumber doifelsecounter doifelsecurrentfonthasfeature doifelsecurrentsortingused doifelsecurrentsynonymshown doifelsecurrentsynonymused doifelsedefined doifelsedefinedcounter doifelsedimension doifelsedocumentargument doifelsedocumentfilename doifelsedocumentvariable doifelsedrawingblack doifelseempty doifelseemptyvalue doifelseemptyvalue doifelsefastoptionalcheck doifelsefastoptionalcheck doifelsefieldbody doifelsefieldcategory doifelsefigure	\doifelseconversionnumber \{\} \\\} \\.\.\.\.\.\.\.\.\.\.\.\.\
doifelseconversionnumber doifelsecurrentfonthasfeature doifelsecurrentsortingused doifelsecurrentsynonymshown doifelsecurrentsynonymused doifelsedefined doifelsedefinedcounter doifelsedimension doifelsedimenstring doifelsedocumentargument doifelsedocumentfilename doifelsedrawingblack doifelseempty doifelseemptyvalue doifelseemptyvariable doifelseenv doifelsefastoptionalcheck doifelsefisefieldcategory doifelsefigure doifelsefigure doifelsefile	\doifelseconversionnumber \{\} \\\} \\.\.\.\.\.\.\.\.\.\.\.\.\
doifelseconversionnumber doifelsecounter doifelsecurrentfonthasfeature doifelsecurrentsortingused doifelsecurrentsynonymshown doifelsecurrentsynonymused doifelsedefined doifelsedefinedcounter doifelsedimension doifelsedocumentargument doifelsedocumentfilename doifelsedocumentvariable doifelsedrawingblack doifelseempty doifelseemptyvalue doifelseemptyvalue doifelsefastoptionalcheck doifelsefastoptionalcheck doifelsefieldbody doifelsefieldcategory doifelsefigure	\doifelseconversionnumber {} {} {} \doifelsecounter {} {} {} \doifelsecurrentfonthasfeature {} {} \doifelsecurrentsortingused {} {} \doifelsecurrentsynonymshown {} {} \doifelsecurrentsynonymsed {} {} \doifelsedefined {} {} {} \doifelsedefinedcounter {} {} \doifelsedimension {} {} {} \doifelsedimenstring {} {} {} \doifelsedocumentargument {} {} \doifelsedocumentilename {} {} {} \doifelsedocumentvariable {} {} \doifelsempty {} {} \doifelsempty {} {} \doifelsemptyvariable {} {} {} \doifelseenv {} {} {} \doifelsefieldody {} {} {} \doifelsefieldcategory {} {} \doifelsefieldcategory {} {} \doifelsefieldcategory {} {} \doifelsefieldefined {} {} {} \doifelsefieldefined {} {}
doifelsecounter doifelsecurrentfonthasfeature doifelsecurrentsortingused doifelsecurrentsynonymshown doifelsecurrentsynonymused doifelsedefined doifelsedefinedcounter doifelsedimension doifelsedocumentargument doifelsedocumentfilename doifelsedocumentvariable doifelsedrawingblack doifelseempty doifelseemptyvalue doifelseemptyvariable doifelsefastoptionalcheck doifelsefisetody doifelsefieldcategory doifelsefigure doifelsefiledefined doifelsefileexists	\doifelseconversionnumber \{\} \\\} \\.\.\.\.\.\.\.\.\.\.\.\.\
doifelsecounter doifelsecurrentfonthasfeature doifelsecurrentsortingused doifelsecurrentsynonymshown doifelsecurrentsynonymused doifelsedefined doifelsedefinedcounter doifelsedimension doifelsedocumentargument doifelsedocumentfilename doifelsedocumentvariable doifelsedrawingblack doifelseempty doifelseemptyvalue doifelseentvariable doifelseentvariable doifelseentofilenekck doifelseenty doifelseentyvalue doifelseentyvalue doifelsefistoptionalcheck doifelsefistoptionalcheck doifelsefieldcategory doifelsefigure doifelsefileefined doifelsefileexists doifelsefirstchar	\doifelseconversionnumber {} {} {} \doifelsecounter {} {} {} \doifelsecurrentfonthasfeature {} {} \doifelsecurrentsortingused {} {} \doifelsecurrentsynonymshown {} {} \doifelsecurrentsynonymsed {} {} \doifelsedfined {} {} {} \doifelsedfinedcounter {} {} \doifelsedimension {} {} {} \doifelsedimenstring {} {} {} \doifelsedocumentargument {} {} \doifelsedocumentilename {} {} {} \doifelsedocumentvariable {} {} \doifelsempty {} {} \doifelsempty {} {} \doifelsemptyvalue {} {} {} \doifelseilsenty {} {} \doifelsefisestoptionalcheck {} {} \doifelsefisestoptionalcheck {} {} \doifelsefieldcategory {} {} \doifelsefieldcategory {} {} \doifelsefile {} {} {}
doifelsecounter doifelsecurrentfonthasfeature doifelsecurrentsortingused doifelsecurrentsynonymshown doifelsecurrentsynonymused doifelsedefined doifelsedefinedcounter doifelsedimension doifelsedocumentargument doifelsedocumentfilename doifelsedocumentvariable doifelsedrawingblack doifelseempty doifelseemptyvalue doifelseemptyvariable doifelsefastoptionalcheck doifelsefisetody doifelsefieldcategory doifelsefigure doifelsefiledefined doifelsefileexists	\doifelsecounter {} {} {} {} \doifelsecounter {} {} {} \doifelsecurrentfonthasfeature {} {} {} \doifelsecurrentsortingused {} {} \doifelsecurrentsynonymshown {} {} \doifelsecurrentsynonymshown {} {} \doifelsedfined {} {} {} \doifelsedfined {} {} {} \doifelsedfinedcounter {} {} {} \doifelsedimension {} {} {} \doifelsedimenstring {} {} {} \doifelsedocumentargument {} {} {} \doifelsedocumentfilename {} {} {} \doifelsedocumentvariable {} {} {} \doifelsedesempty {} {} {} \doifelsempty {} {} {} \doifelsempty {} {} {} \doifelsempty {} {} {} {} \doifelsefisestoptionalcheck {} {} {} \doifelsefisestoptionalcheck {} {} {} \doifelsefisefieldcategory {} {} {} \doifelsefisefieldcategory {} {} {} \doifelsefiledefined {} {} {} \doifelsefiled
doifelsecounter doifelsecurrentfonthasfeature doifelsecurrentsortingused doifelsecurrentsynonymshown doifelsecurrentsynonymused doifelsedefined doifelsedefinedcounter doifelsedimension doifelsedocumentargument doifelsedocumentfilename doifelsedawingblack doifelseempty doifelseemptyvalue doifelseemptyvariable doifelsefastoptionalcheck doifelsefisetody doifelsefieldcategory doifelsefileedfined doifelsefileexists doifelsefirstchar doifelseflagged	\doifelsecounter {} {} {} {} \doifelsecounter {} {} {} \doifelsecurrentfonthasfeature {} {} {} \doifelsecurrentsortingused {} {} \doifelsecurrentsynonymshown {} {} \doifelsecurrentsynonymshown {} {} \doifelsedfined {} {} {} \doifelsedfined {} {} {} \doifelsedfinedcounter {} {} {} \doifelsedimension {} {} {} \doifelsedimenstring {} {} {} \doifelsedocumentargument {} {} {} \doifelsedocumentrilename {} {} {} \doifelsedocumentvariable {} {} {} \doifelsedesempty {} {} {} \doifelsempty {} {} {} \doifelsempty {} {} {} \doifelsempty {} {} {} \doifelsempty {} {} {} \doifelsefisestoptionalcheck {} {} {} \doifelsefisestoptionalcheck {} {} {} \doifelsefieldcategory {} {} {} \doifelsefisefieldcategory {} {} {} \doifelsefile {} {} {} {} \doifelsefile {} {} {} {} \doifelsefile {} {} {} \doifelsefile {} {} {} {} \doifelsefile {} {} {} {} \doifelsefile {} {} {} \doifelsefile {} {} {} {} \doifelsefile {}
doifelsecounter doifelsecurrentfonthasfeature doifelsecurrentsortingused doifelsecurrentsynonymshown doifelsecurrentsynonymused doifelsedefined doifelsedefined doifelsedimension doifelsedimenstring doifelsedocumentargument doifelsedocumentfilename doifelsedrawingblack doifelseempty doifelseemptyvalue doifelseemptyvariable doifelsefastoptionalcheck doifelsefastoptionalcheck doifelsefieldbody doifelsefigure doifelsefile doifelsefile doifelsefilesefiledefined doifelsefilesefirstchar doifelseflagged doifelseflagged doifelseflagged	\doifelsecounter {} {} {} {} \ \doifelsecounter {} {} {} {} \ \doifelsecurrentfonthasfeature {} {} {} \ \doifelsecurrentsortingused {} {} \ \doifelsecurrentsynonymshown {} {} \ \doifelsecurrentsynonymused {} {} \ \doifelsedefined {} {} {} \ \doifelsedefinedcounter {} {} {} \ \doifelsedimension {} {} {} \ \doifelsedocumentargument {} {} {} \ \doifelsedocumentfilename {} {} {} \ \doifelsedocumentvariable {} {} \ \doifelsempty {} {} {} \ \doifelseemptyvariable {} {} {} \ \doifelseemptyvariable {} {} {} \ \doifelsefisetastoptionalcheck {} {} {} \ \doifelsefisetieldbody {} {} {} \ \doifelsefisetieldcategory {} {} {} \ \doifelsefiledielsefiled {} {} {} \ \doifelsefiledielsefiled {} {} {} \ \doifelsefiledielsefiled {} {} {} \ \doifelsefiledielsefiledefined {} {} {} \ \doifelsefilesefiledefined {} {} {} \ \doifelsefilesefiled
doifelsecounter doifelsecurrentfonthasfeature doifelsecurrentsortingused doifelsecurrentsynonymshown doifelsecurrentsynonymused doifelsedefined doifelsedefined doifelsedimension doifelsedimenstring doifelsedocumentargument doifelsedocumentfilename doifelsedocumentvariable doifelsedrawingblack doifelseempty doifelseemptyvalue doifelseentevariable doifelsefastoptionalcheck doifelsefistoptionalcheck doifelsefieldcategory doifelsefiledcined doifelsefiledefined doifelsefilesefilesefilesefilesefilesefilesefilesefilesefontfeature doifelsefontfeature doifelsefontchar	\doifelseconversionnumber {} {} {} \ \doifelsecounter {} {} {} {} \ \doifelsecurrentfonthasfeature {} {} {} \ \doifelsecurrentsortingused {} {} \ \doifelsecurrentsynonymshown {} {} \ \doifelsedefined {} {} {} \ \doifelsedimension {} {} {} \ \doifelsedimenstring {} {} {} \ \doifelsedocumentargument {} {} {} \ \doifelsedocumentfilename {} {} {} \ \doifelsedocumentvariable {} {} {} \ \doifelsedefinedsenty {} {} {} \ \doifelsemptyvalue {} {} {} \ \doifelsemptyvariable {} {} {} \ \doifelsefieldinelseck {} {} {} \ \doifelsecfieldinelseck {} {} {} {} \ \doifelsecfieldinelseck {} {} {} {} \ \doifelsecfieldinelseck {} {} {} {} \ \doifelsecfieldinelsech {} {} {} {} \ \doifelsecfieldinelsech {} {} {} {} \ \doifelsech {} {} {} {} \ \doifelsech {} {} {} {} {} \ \doifelsech {} {} {} {} \ \doifelsech {} {} {} {} \ \doifelsech {} {} {} {} {} \ \doifelsech {} {} {} {} \ \doifelsech {} {} {} {} \ \doifelsech {} {} {} {} \ \doifelse
doifelsecounter doifelsecurrentfonthasfeature doifelsecurrentsortingused doifelsecurrentsynonymshown doifelsecurrentsynonymused doifelsedefined doifelsedefined doifelsedefinedsounter doifelsedimenstring doifelsedocumentargument doifelsedocumentfilename doifelsedocumentvariable doifelsedrawingblack doifelseemptyvalue doifelseemptyvalue doifelsefastoptionalcheck doifelsefastoptionalcheck doifelsefieldcategory doifelsefile doifelsefile doifelsefile doifelsefilesefile doifelsefilesefile doifelsefilesefile doifelsefilesefilesefilesefilesefontfeature doifelsefontpresent	\doifelsecounter {} {} {} {} \ \doifelsecounter {} {} {} {} \ \doifelsecurrentfonthasfeature {} {} {} \ \doifelsecurrentsortingused {} {} \ \doifelsecurrentsynonymshown {} {} \ \doifelsecurrentsynonymused {} {} \ \doifelsedefined {} {} {} \ \doifelsedefinedcounter {} {} {} \ \doifelsedimension {} {} {} \ \doifelsedocumentargument {} {} {} \ \doifelsedocumentfilename {} {} {} \ \doifelsedocumentvariable {} {} \ \doifelsempty {} {} {} \ \doifelseemptyvariable {} {} {} \ \doifelseemptyvariable {} {} {} \ \doifelsefisetastoptionalcheck {} {} {} \ \doifelsefisetieldbody {} {} {} \ \doifelsefisetieldcategory {} {} {} \ \doifelsefiledielsefiled {} {} {} \ \doifelsefiledielsefiled {} {} {} \ \doifelsefiledielsefiled {} {} {} \ \doifelsefiledielsefiledefined {} {} {} \ \doifelsefilesefiledefined {} {} {} \ \doifelsefilesefiled
doifelsecounter doifelsecurrentfonthasfeature doifelsecurrentsortingused doifelsecurrentsynonymshown doifelsecurrentsynonymused doifelsedefined doifelsedefined doifelsedefinedcounter doifelsedimension doifelsedocumentargument doifelsedocumentfilename doifelsedocumentvariable doifelsedrawingblack doifelsemptyvalue doifelseemptyvariable doifelseemptyvariable doifelsefastoptionalcheck doifelsefieldbody doifelsefieldcategory doifelsefile doifelsefile doifelsefile doifelsefile doifelsefile doifelsefile doifelsefile doifelsefile doifelsefilesensts doifelsefilesexists doifelsefilesged doifelseflagged doifelsefontchar doifelsefontpresent doifelsefontsynonym	\doifelseconversionnumber {} {} {} \ \doifelsecounter {} {} {} {} \ \doifelsecurrentfonthasfeature {} {} {} \ \doifelsecurrentsortingused {} {} \ \doifelsecurrentsynonymshown {} {} \ \doifelsecurrentsynonymused {} {} \ \doifelsedefined {} {} {} \ \doifelsedefinedcounter {} {} {} \ \doifelsedimension {} {} {} \ \doifelsedocumentargument {} {} {} \ \doifelsedocumentfilename {} {} {} \ \doifelsedocumentvariable {} {} {} \ \doifelsedefinedech {} {} {} \ \doifelseempty {} {} {} {} \ \doifelseemptyvalue {} {} {} {} \ \doifelseenv {} {} {} {} \ \doifelsefistoptionalcheck {} {} {} \ \doifelsefieldbody {} {} {} {} \ \doifelsefile {} {} {} {} \ \doifelsefontpresent {} {
doifelsecounter doifelsecurrentfonthasfeature doifelsecurrentsortingused doifelsecurrentsynonymshown doifelsecurrentsynonymused doifelsedefined doifelsedefined doifelsedimenston doifelsedimenstring doifelsedocumentfilename doifelsedocumentfilename doifelsedrawingblack doifelseempty doifelseemptyvariable doifelseenv doifelsefastoptionalcheck doifelsefieldbody doifelsefiledetaue doifelsefile doifelsefirstchar doifelsefontfeature doifelsefontpresent doifelsefontsynonym doifelseframed	\doifelseconversionnumber {} {} {} \ \doifelsecounter {} {} {} {} {} \ \doifelsecurrentfonthasfeature {} {} {} {} \ \doifelsecurrentsortingused {} {} \ \doifelsecurrentsynonymshown {} {} \ \doifelsecurrentsynonymused {} {} \ \doifelsedefined {} {} {} \ \doifelsedefinedcounter {} {} {} \ \doifelsedimension {} {} {} \ \doifelsedocumentargument {} {} {} \ \doifelsedocumentfilename {} {} {} \ \doifelsedocumentfilename {} {} {} \ \doifelsedrawingblack {} {} {} \ \doifelseemptyvalue {} {} {} \ \doifelseemptyvariable {} {} {} \ \doifelsefestoptionalcheck {} {} {} \ \doifelsefieldody {} {} {} \ \doifelsefieldody {} {} {} \ \doifelsefieldeseile {} {} {} \ \doifelsefile {} {} {} {} \ \doifelsefontfeature {} {} {} {} {} \ \doifelsefontfeature {} {} {} {} {} \ \doifelsefontfeature {} {} {} {} \ \doife

1.67	
doifelseincsname doifelseinelement	\doifelseincsname \{\} \{\} \{\} \\doifelseinelement \{\} \{\} \{\}
doifelseinputfile	\doifelseinputfile \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelseinsertion	\doifelseinsertion \{\ldots\} \\\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\
doifelseinset	\doifelseinset \{\} \{\} \{\}
doifelseinstring	\doifelseinstring \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelseinsymbolset	\doifelseinsymbolset \{\ldots\} \{\ldots\} \{\ldots\} \{\ldots\}
doifelseintoks	\doifelseintoks {} {} {}
doifelseintwopassdata	\doifelseintwopassdata $\{\ldots\}$ $\{\ldots\}$ $\{\ldots\}$
doifelseitalic	\doifelseitalic {} {}
doifelselanguage	\doifelselanguage {} {}
doifelselayerdata	\doifelselayerdata \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelselayoutdefined	\doifelselayoutdefined \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelselayoutsomeline	\doifelselayoutsomeline \{\ldots\} \\doifelselayoutsomeline \{\ldo
doifelselayouttextline	\doifelselselselselselselselselselselselselse
doifelseleapyear doifelselist	\doifelseleapyear {} {} {} \doifelselist {} {}
doifelselocation	\doifelselocation \{\ldots\} \\
doifelselocfile	\doifelselocfile {} {}
doifelseMPgraphic	\doifelseMPgraphic \{\ldots\} \{\ldots\}
doifelsemainfloatbody	\doifelsemainfloatbody {} {}
doifelsemarkedpage	\doifelsemarkedpage {} {} {}
doifelsemarking	\doifelsemarking {} {}
doifelsemeaning	\doifelsemeaning \ \ \ \}
doifelsemessage	\doifelsemessage $\{\}$ $\{\}$ $\{\}$
doifelsemode	\doifelsemode $\{\}$ $\{\}$
doifelsenextbgroup	\doifelsenextbgroup {} {}
doifelsenextbgroupcs	\doifelsenextbgroupcs \ \
doifelsenextchar	\doifelsenextchar \{\} \{\}
doifelsenextoptional	\doifelsenextoptional \{\doifelsenextoptional \{\doife
doifelsenextoptionalcs	\doifelsenextoptionalcs \ \
doifelsenextparenthesis doifelsenonzeropositive	\doifelsenextparenthesis \{\ldots\} \\doifelsenonzeropositive \{\ldots\} \\\doifelsenonzeropositive \{\ldots\} \\doifelsenonzeropositive \{\ldots\} \\doifels
doifelsenoteonsamepage	\doifelsenonzeropositive \(\ldots\) \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsenothing	\doifelsenoteonsamepage \(\therefore\) \(\therefore
doifelsenumber	\doifelsenumber \{\} \{\}
doifelseobjectfound	\doifelseobjectfound \{\ldots\} \{\ldots\} \{\ldots\} \{\ldots\}
doifelseobjectreferencefound	\doifelseobjectreferencefound {\ldots\} \{\ldots\} \{\ldots\} \
doifelseoddpage	\doifelseoddpage {} {}
doifelseoddpagefloat	\doifelseoddpagefloat {} {}
doifelseoldercontext	\doifelseoldercontext \{\ldots\} \{\ldots\}
doifelseolderversion	\doifelseolderversion \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelseoverlapping	\doifelseoverlapping \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelseoverlay	\doifelseoverlay \{\ldots\} \\doifelseoverlay \{\ldots\} \doifelseoverlay \{\ldots\} \\doifelseoverlay
<pre>doifelseparallel doifelseparentfile</pre>	\doifelseparallel $\{\}$ $\{\}$ $\{\}$
<u>.</u>	\doifelsenarentfile { } { } { } { }
doifelsepath	\doifelseparentfile {} {} {} \doifelsepath {} {} {}
doifelsepath doifelsepathexists	$\label{local_doifelsepath} $$ \cline{1} {} {}$
doifelsepath doifelsepathexists doifelsepatterns	\doifelsepath \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsepathexists	$\label{local_doifelsepath} $$ \cline{1} {} {}$
doifelsepathexists doifelsepatterns	\doifelsepath \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsepathexists doifelsepatterns doifelseposition	\doifelsepath {} {} {} \doifelsepathexists {} {} {} \doifelsepatterns {} {} \doifelseposition {} {}
doifelsepathexists doifelsepatterns doifelseposition doifelsepositionaction doifelsepositiononpage doifelsepositionsonsamepage	\doifelsepath \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsepathexists doifelsepatterns doifelseposition doifelsepositionaction doifelsepositiononpage doifelsepositionsonsamepage doifelsepositionsonthispage	<pre>\doifelsepath {} {} {} \doifelsepathexists {} {} {} \doifelsepatterns {} {} {} \doifelseposition {} {} {} \doifelsepositionaction {} {} {} \doifelsepositiononpage {} {} {} \doifelsepositionsonsamepage {} {} {} \doifelsepositionsonthispage {} {} {}</pre>
doifelsepathexists doifelsepatterns doifelseposition doifelsepositionaction doifelsepositiononpage doifelsepositionsonsamepage doifelsepositionsonthispage doifelsepositionsused	<pre>\doifelsepath {} {} {} \doifelsepathexists {} {} {} \doifelsepatterns {} {} {} \doifelseposition {} {} {} \doifelsepositionaction {} {} {} \doifelsepositiononpage {} {} {} \doifelsepositionsonsamepage {} {} {} \doifelsepositionsonthispage {} {} {} \doifelsepositionsused {} {}</pre>
doifelsepathexists doifelsepatterns doifelseposition doifelsepositionaction doifelsepositiononpage doifelsepositionsonsamepage doifelsepositionsonthispage doifelsepositionsused doifelsereferencefound	<pre>\doifelsepath {} {} {} \doifelsepathexists {} {} {} \doifelsepatterns {} {} {} \doifelseposition {} {} {} \doifelsepositionaction {} {} {} \doifelsepositiononpage {} {} {} \doifelsepositionsonsamepage {} {} {} \doifelsepositionsonthispage {} {} {} \doifelsepositionsused {} {} \doifelsereferencefound {} {}</pre>
doifelsepathexists doifelsepatterns doifelseposition doifelsepositionaction doifelsepositiononpage doifelsepositionsonsamepage doifelsepositionsonthispage doifelsepositionsused doifelsereferencefound doifelserightpage	<pre>\doifelsepath {} {} {} \doifelsepathexists {} {} {} \doifelsepatterns {} {} {} \doifelseposition {} {} {} \doifelsepositionaction {} {} {} \doifelsepositiononpage {} {} {} \doifelsepositionsonsamepage {} {} {} \doifelsepositionsonthispage {} {} {} \doifelsepositionsused {} {} \doifelsereferencefound {} {} \doifelserightpage {} {}</pre>
doifelsepathexists doifelsepatterns doifelseposition doifelsepositionaction doifelsepositiononpage doifelsepositionsonsamepage doifelsepositionsonthispage doifelsepositionsused doifelsereferencefound doifelserightpage doifelserightpagefloat	<pre>\doifelsepath {} {} {} \doifelsepathexists {} {} {} \doifelsepatterns {} {} {} \doifelseposition {} {} {} \doifelsepositionaction {} {} {} \doifelsepositiononpage {} {} {} \doifelsepositionsonsamepage {} {} {} \doifelsepositionsonthispage {} {} {} \doifelsepositionsused {} {} \doifelsereferencefound {} {} \doifelserightpage {} {} \doifelserightpagefloat {} {}</pre>
doifelsepathexists doifelsepatterns doifelseposition doifelsepositionaction doifelsepositiononpage doifelsepositionsonsamepage doifelsepositionsonthispage doifelsepositionsused doifelsereferencefound doifelserightpage doifelserightpagefloat doifelserighttoleftinbox	<pre>\doifelsepath {} {} {} \doifelsepathexists {} {} {} \doifelsepatterns {} {} {} \doifelseposition {} {} {} \doifelsepositionaction {} {} {} \doifelsepositiononpage {} {} {} \doifelsepositionsonsamepage {} {} {} \doifelsepositionsonthispage {} {} {} \doifelsepositionsused {} {} \doifelsereferencefound {} {} {} \doifelserightpage {} {} \doifelserightpagefloat {} {} \doifelserighttoleftinbox {} {}</pre>
doifelsepathexists doifelsepatterns doifelseposition doifelsepositionaction doifelsepositiononpage doifelsepositionsonsamepage doifelsepositionsonthispage doifelsepositionsused doifelsereferencefound doifelserightpage doifelserightpagefloat doifelserighttoleftinbox doifelsesamelinereference	<pre>\doifelsepath {} {} {} \doifelsepathexists {} {} {} \doifelsepatterns {} {} {} \doifelseposition {} {} {} \doifelsepositionaction {} {} {} \doifelsepositiononpage {} {} {} \doifelsepositionsonsamepage {} {} {} \doifelsepositionsonthispage {} {} {} \doifelsepositionsused {} {} \doifelsereferencefound {} {} \doifelserightpage {} {} \doifelserightpagefloat {} {} \doifelserighttoleftinbox {} {} \doifelsesamelinereference {} {}</pre>
doifelsepathexists doifelsepatterns doifelseposition doifelsepositionaction doifelsepositiononpage doifelsepositionsonsamepage doifelsepositionsonthispage doifelsepositionsused doifelsereferencefound doifelserightpage doifelserightpagefloat doifelserighttoleftinbox doifelsesamelinereference doifelsesamestring	<pre>\doifelsepath {} {} {} \doifelsepathexists {} {} {} \doifelsepatterns {} {} {} \doifelseposition {} {} {} \doifelsepositionaction {} {} {} \doifelsepositiononpage {} {} {} \doifelsepositionsonsamepage {} {} {} \doifelsepositionsonthispage {} {} {} \doifelsepositionsused {} {} \doifelsereferencefound {} {} {} \doifelserightpage {} {} \doifelserightpagefloat {} {} \doifelserighttoleftinbox {} {} \doifelsesamelinereference {} {} {} \doifelsesamestring {} {} {}</pre>
doifelsepathexists doifelsepatterns doifelseposition doifelsepositionaction doifelsepositiononpage doifelsepositionsonsamepage doifelsepositionsonthispage doifelsepositionsused doifelsereferencefound doifelserightpage doifelserightpagefloat doifelserighttoleftinbox doifelsesamelinereference doifelsesamestring doifelsesetups	<pre>\doifelsepath {} {} {} \doifelsepathexists {} {} {} \doifelsepatterns {} {} {} \doifelseposition {} {} {} \doifelsepositionaction {} {} {} \doifelsepositiononpage {} {} {} \doifelsepositionsonsamepage {} {} {} \doifelsepositionsonthispage {} {} {} \doifelsepositionsused {} {} \doifelsereferencefound {} {} {} \doifelserightpage {} {} \doifelserightpagefloat {} {} \doifelserighttoleftinbox {} {} \doifelsesamelinereference {} {} {} \doifelsesamestring {} {} {} \doifelsesetups {} {.</pre>
doifelsepathexists doifelsepatterns doifelseposition doifelsepositionaction doifelsepositiononpage doifelsepositionsonsamepage doifelsepositionsonthispage doifelsepositionsused doifelsereferencefound doifelserightpage doifelserightpagefloat doifelserighttoleftinbox doifelsesamelinereference doifelsesamestring doifelsesetups doifelsesomebackground	\doifelsepath {} {} {} \doifelsepathexists {} {} {} \doifelsepatterns {} {} {} \doifelseposition {} {} {} \doifelsepositionaction {} {} {} \doifelsepositiononpage {} {} {} \doifelsepositionsonsamepage {} {} {} \doifelsepositionsonthispage {} {} {} \doifelsepositionsused {} {} \doifelsereferencefound {} {} \doifelserightpage {} {} \doifelserightpage float {} {} \doifelserightpagefloat {} {} \doifelsesamelinereference {} {} \doifelsesamestring {} {} {} \doifelsesetups {} {} {} \doifelsesomebackground {} {}
doifelsepathexists doifelsepatterns doifelseposition doifelsepositionaction doifelsepositiononpage doifelsepositionsonsamepage doifelsepositionsonthispage doifelsepositionsused doifelsereferencefound doifelserightpage doifelserightpagefloat doifelserighttoleftinbox doifelsesamelinereference doifelsesamestring doifelsesetups	<pre>\doifelsepath {} {} {} \doifelsepathexists {} {} {} \doifelsepatterns {} {} {} \doifelseposition {} {} {} \doifelsepositionaction {} {} {} \doifelsepositiononpage {} {} {} \doifelsepositionsonsamepage {} {} {} \doifelsepositionsonthispage {} {} {} \doifelsepositionsused {} {} \doifelsereferencefound {} {} {} \doifelserightpage {} {} \doifelserightpagefloat {} {} \doifelserighttoleftinbox {} {} \doifelsesamelinereference {} {} {} \doifelsesamestring {} {} {} \doifelsesetups {} {.</pre>
doifelsepathexists doifelsepatterns doifelseposition doifelsepositionaction doifelsepositiononpage doifelsepositionsonsamepage doifelsepositionsonthispage doifelsepositionsused doifelsereferencefound doifelserightpage doifelserightpagefloat doifelserighttoleftinbox doifelsesamelinereference doifelsesamestring doifelsesetups doifelsesomebackground doifelsesomespace	\doifelsepath {} {} {} \doifelsepathexists {} {} {} \doifelsepatterns {} {} {} \doifelseposition {} {} {} \doifelsepositionaction {} {} {} \doifelsepositiononpage {} {} {} \doifelsepositionsonsamepage {} {} {} \doifelsepositionsonthispage {} {} {} \doifelsepositionsused {} {} \doifelsereferencefound {} {} {} \doifelserightpage {} {} \doifelserightpagefloat {} {} \doifelserightpagefloat {} {} \doifelsesamelinereference {} {} {} \doifelsesamestring {} {} {} \doifelsesetups {} {} {} \doifelsesomebackground {} {} {} \doifelsesomebackground {} {} {}
doifelsepathexists doifelsepatterns doifelseposition doifelsepositionaction doifelsepositiononpage doifelsepositionsonsamepage doifelsepositionsonthispage doifelsepositionsused doifelseriencefound doifelserightpage doifelserightpagefloat doifelserighttoleftinbox doifelsesamelinereference doifelsesamestring doifelsesetups doifelsesomebackground doifelsesomespace doifelsesomething	\doifelsepath \{\} \{\} \\doifelsepathexists \{\} \{\} \\doifelsepatterns \{\} \{\} \\doifelseposition \{\} \{\} \\doifelsepositionaction \{\} \{\} \\doifelsepositionaction \{\} \{\} \\doifelsepositionsonsamepage \{\} \{\} \\doifelsepositionsonthispage \{\} \{\} \\doifelsepositionsused \{\} \{\} \\doifelsereferencefound \{\} \{\} \\doifelserightpage \{\} \{\} \\doifelserightpagefloat \{\} \{\} \\doifelsesamestring \{\} \{\} \\doifelsesamestring \{\} \{\} \\doifelsesomebackground \{\} \{\} \\doifelsesomebackground \{\} \{\} \\doifelsesomebackground \{\} \{\} \\doifelsesomething \{\} \\doifel
doifelsepathexists doifelsepatterns doifelseposition doifelsepositionaction doifelsepositiononpage doifelsepositionsonsamepage doifelsepositionsonthispage doifelsepositionsused doifelsereferencefound doifelserightpage doifelserightpagefloat doifelserighttoleftinbox doifelsesamelinereference doifelsesamestring doifelsesetups doifelsesomebackground doifelsesomespace doifelsesomething doifelsesometoks	\doifelsepath \{\} \{\} \\ \doifelsepathexists \{\} \{\} \\ \doifelsepatterns \{\} \{\} \\ \doifelseposition \{\} \{\} \\ \doifelsepositionaction \{\} \{\} \\ \doifelsepositiononpage \{\} \{\} \\ \doifelsepositionsonsamepage \{\} \{\} \\ \doifelsepositionsonthispage \{\} \{\} \\ \doifelsepositionsused \{\} \{\} \\ \doifelsereferencefound \{\} \{\} \\ \doifelserightpage \{\} \{\} \\ \doifelserightpagefloat \{\} \{\} \\ \doifelsesamelinereference \{\} \{\} \\ \doifelsesamestring \{\} \{\} \\ \doifelsesomebackground \{\} \{\} \\ \doifelsesomebackground \{\} \{\} \\ \doifelsesometoks \{\} \{\} \\ \doifelsesometoks \{\} \{\} \\ \doifelsesometoks \{\} \{\} \\
doifelsepathexists doifelsepatterns doifelseposition doifelsepositionaction doifelsepositiononpage doifelsepositionsonsamepage doifelsepositionsonthispage doifelsepositionsused doifelsereferencefound doifelserightpage doifelserightpagefloat doifelserighttoleftinbox doifelsesamelinereference doifelsesamestring doifelsesetups doifelsesomebackground doifelsesomespace doifelsesometoks doifelsestringinstring	\doifelsepath \{\} \{\} \\ \doifelsepathexists \{\} \{\} \\ \doifelsepatterns \{\} \{\} \\ \doifelseposition \{\} \{\} \\ \doifelsepositionaction \{\} \{\} \\ \doifelsepositiononpage \{\} \{\} \\ \doifelsepositionsonsamepage \{\} \{\} \\ \doifelsepositionsonthispage \{\} \{\} \\ \doifelsepositionsused \{\} \{\} \\ \doifelserightpage \{\} \{\} \\ \doifelserightpage \{\} \{\} \\ \doifelserightpage \{\} \{\} \\ \doifelsesamelinereference \{\} \{\} \\ \doifelsesamestring \{\} \{\} \\ \doifelsesomebackground \{\} \{\} \\ \doifelsesomebackground \{\} \{\} \\ \doifelsesometoks \{\} \{\} \\ \doifelsesometoks \{\} \{\} \\ \doifelsestringinstring \{\} \\\ \doifelsestringinstr
doifelsepathexists doifelsepatterns doifelseposition doifelsepositionaction doifelsepositiononpage doifelsepositionsonsamepage doifelsepositionsonthispage doifelsepositionsused doifelsereferencefound doifelserightpage doifelserightpagefloat doifelserighttoleftinbox doifelsesamelinereference doifelsesamestring doifelsesetups doifelsesomebackground doifelsesomespace doifelsesomething doifelsestringinstring doifelsestructurelisthasnumber doifelsestructurelisthaspage doifelsesymboldefined	\doifelsepath \{\} \{\} \\ \doifelsepathexists \{\} \{\} \\ \doifelsepatterns \{\} \{\} \\ \doifelseposition \{\} \{\} \\ \doifelsepositionaction \{\} \{\} \\ \doifelsepositiononpage \{\} \{\} \\ \doifelsepositionsonsamepage \{\} \{\} \\ \doifelsepositionsonthispage \{\} \{\} \\ \doifelsepositionsused \{\} \{\} \\ \doifelserightpage \{\} \{\} \\ \doifelserightpagefloat \{\} \{\} \\ \doifelserightpagefloat \{\} \{\} \\ \doifelsesamelinereference \{\} \{\} \\ \doifelsesamestring \{\} \{\} \\ \doifelsesomebackground \{\} \{\} \\ \doifelsesomebackground \{\} \{\} \\ \doifelsesometoks \{\} \{\} \\ \doifelsestringinstring \{\} \{\} \\ \doifelsestructurelisthasnumber \{\} \{\} \\ \doifelsestructurelisthaspage \{\} \{\} \\ \doifelsesymboldefined \{\} \{\} \\
doifelsepathexists doifelsepatterns doifelseposition doifelsepositionaction doifelsepositiononpage doifelsepositionsonsamepage doifelsepositionsonthispage doifelsepositionsused doifelsereferencefound doifelserightpage doifelserightpagefloat doifelserighttoleftinbox doifelsesamelinereference doifelsesamestring doifelsesetups doifelsesomebackground doifelsesomespace doifelsesomething doifelsestringinstring doifelsestricturelisthasnumber doifelsestructurelisthaspage	\doifelsepath \{\} \{\} \\ \doifelsepathexists \{\} \{\} \\ \doifelsepatterns \{\} \{\} \\ \doifelseposition \{\} \{\} \\ \doifelsepositionaction \{\} \{\} \\ \doifelsepositiononpage \{\} \{\} \\ \doifelsepositionsonsamepage \{\} \{\} \\ \doifelsepositionsonthispage \{\} \{\} \\ \doifelsepositionsused \{\} \{\} \\ \doifelserightpage \{\} \{\} \\ \doifelserightpage \{\} \{\} \\ \doifelserightpage \{\} \{\} \\ \doifelsesamelinereference \{\} \{\} \\ \doifelsesamelinereference \{\} \{\} \\ \doifelsesomebackground \{\} \{\} \\ \doifelsesomebackground \{\} \{\} \\ \doifelsesomething \{\} \{\} \\ \doifelsestructurelisthasnumber \{\} \{\} \\ \doifelsestructurelisthaspage \{\} \{\} \\ \doifelsesymbolset \{\} \{\} \{\} \\ \doifelsesymbolset \{\} \{\} \{\} \\ \doifelsesymbolset \{\} \{\} \{\} \\
doifelsepathexists doifelsepatterns doifelseposition doifelsepositionaction doifelsepositiononpage doifelsepositionsonsamepage doifelsepositionsonthispage doifelsepositionsused doifelsereferencefound doifelserightpage doifelserightpagefloat doifelserighttoleftinbox doifelsesamelinereference doifelsesamestring doifelsesetups doifelsesomebackground doifelsesomespace doifelsesomething doifelsestringinstring doifelsestructurelisthasnumber doifelsestructurelisthaspage doifelsesymboldefined	\doifelsepath \{\} \{\} \\ \doifelsepathexists \{\} \{\} \\ \doifelsepatterns \{\} \{\} \\ \doifelseposition \{\} \{\} \\ \doifelsepositionaction \{\} \{\} \\ \doifelsepositiononpage \{\} \{\} \\ \doifelsepositionsonsamepage \{\} \{\} \\ \doifelsepositionsonthispage \{\} \{\} \\ \doifelsepositionsused \{\} \{\} \\ \doifelserightpage \{\} \{\} \\ \doifelserightpagefloat \{\} \{\} \\ \doifelserightpagefloat \{\} \{\} \\ \doifelsesamelinereference \{\} \{\} \\ \doifelsesamestring \{\} \{\} \\ \doifelsesomebackground \{\} \{\} \\ \doifelsesomebackground \{\} \{\} \\ \doifelsesometoks \{\} \{\} \\ \doifelsestringinstring \{\} \{\} \\ \doifelsestructurelisthasnumber \{\} \{\} \\ \doifelsestructurelisthaspage \{\} \{\} \\ \doifelsesymboldefined \{\} \{\} \\

doifelsetextflow	\doifelsetextflow {} {} {}
doifelsetextflowcollector	\doifelsetextflowcollector {} {} {}
doifelsetopofpage	\doifelsetopofpage {} {}
doifelsetypingfile	\doifelsetypingfile {} {} {}
doifelseundefined	\doifelseundefined $\{\}$ $\{\}$
doifelseurldefined	\doifelseurldefined {} {} {}
doifelsevalue	\doifelsevalue $\{\}$ $\{\}$ $\{\}$
doifelsevaluenothing	\doifelsevaluenothing $\{\ldots\}$ $\{\ldots\}$
doifelsevariable	\doifelsevariable $\{\}$ $\{\}$ $\{\}$
doifempty	\doifempty {} {}
doifemptyelse	\doifemptyelse $\{\}$ $\{\}$
doifemptytoks	\doifemptytoks \ {}
doifemptyvalue	\doifemptyvalue {} {}
doifemptyvalueelse	\doifemptyvalueelse $\{\}$ $\{\}$
doifemptyvariable	\doifemptyvariable {} {}
doifemptyvariableelse	$\verb \doifemptyvariableelse {} {} {} {}$
doifenv	\doifenv {} {}
doifenvelse	\doifenvelse {} {}
doiffastoptionalcheckcselse	\doiffastoptionalcheckcselse \ \
doiffastoptionalcheckelse	\doiffastoptionalcheckelse {} {}
doiffieldbodyelse	\doiffieldbodyelse {} {}
doiffieldcategoryelse	\doiffieldcategoryelse {} {} {}
doiffigureelse	\doiffigureelse {} {}
doiffile	\doiffile {} {}
doiffiledefinedelse	\doiffiledefinedelse {} {} {}
doiffileelse	\doiffileelse {} {}
doiffileexistselse	\doiffileexistselse {} {} {}
doiffirstcharelse	\doiffirstcharelse {} {} {} {}
doifflaggedelse	\doifflaggedelse {} {}
doiffontfeatureelse	\doiffontfeatureelse {} {} {}
doiffontcharelse	\doiffontcharelse {} {} {}
doiffontpresentelse	\doiffontpresentelse {} {}
doiffontsynonymelse	\doiffontsynonymelse {} {}
doifhasspaceelse	\doifhasspaceelse {} {} {}
doifhelpelse	\doifhelpelse {} {}
doifincsnameelse	\doifincsnameelse \{\} \{\} \{\}
doifinelementelse	\doifinelementelse {} {} {}
doifinputfileelse	\doifinputfileelse {} {}
doifinsertionelse	\doifinsertionelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifinset	\doifinset {} {} {}
doifinsetelse	\doifinsetelse \{\} \\\.\} \\\.\}
doifinstring	\doifinstring \{\} \\\\}
doifinstringelse	\doifinstringelse \{\ldots\} \\\ \\\ \\\\\\\\\\\\\\\\\\\\\\\\\\\
doifinsymbolset	\doifinsymbolset \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifinsymbolsetelse	\doifinsymbolsetelse {} {} {} {}
doifintokselse	\doifintokselse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifintwopassdataelse	\doifintookselse \(\(\cdot\) \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifitalicelse	\doifitalicelse {} {}
doiflanguageelse	\doiflanguageelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doiflayerdataelse	\doiflayerdataelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doiflayoutdefinedelse	\doiflayoutdefinedelse {} {} {}
doiflayoutsomelineelse	\doiflayoutsomelineelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doiflayouttextlineelse	\doiflayouttextlineelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifleapyearelse	\doifleapyearelse {} {} {}
doiflistelse	\doiflistelse \{\} \\\\}
doiflocationelse	\doiflocationelse \{\ldots\} \\\.\}
doiflocfileelse	\doiflocfileelse {} {} {}
doifMPgraphicelse	\doifMPgraphicelse {} {} {}
doifmainfloatbodyelse	\doifmainfloatbodyelse {} {}
doifmarkingelse	\doifmarkingelse {} {} {}
doifmeaningelse	\doifmeaningelse \ \ \{\}
5	
doifmessageelse doifmode	\doifmessageelse {} {} {} \doifmode {} {}
doifmodeelse	\doifmode \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifnextbgroupcles	\doifnextbgroupcles \ \
doifnextbgroupelse doifnextcharelse	\doifnextbgroupelse {} {}
	\doifnextcharelse \{\doifnextcharelse \{\doifnextcharelse \{\doifnextcharelse \}\}
doifnextoptionalcselse	\doifnextoptionalcselse \ \
doifnextparenthosiselse	\doifnextoptionalelse {} {}
doifnextparenthesiselse	\doifnextparenthesiselse {} {}
doifnonzeropositiveelse	\doifnonzeropositiveelse {} {}
doifnot	\doifnot {} {}

doifnotallcommon	\doifnotallcommon $\{\}$ $\{\}$
doifnotallmodes	\doifnotallmodes $\{\}$ $\{\}$
doifnotcommandhandler	\doifnotcommandhandler \ \{\} \{\}
doifnotcommon	\doifnotcommon $\{\ldots\}$ $\{\ldots\}$
doifnotcounter	\doifnotcounter \{\ldots\}
doifnotdocumentargument	$ {}$
doifnotdocumentfilename	$ {}$
doifnotdocumentvariable	$ {}$
doifnotempty	\doifnotempty {} {}
doifnotemptyvalue	\doifnotemptyvalue {} {}
doifnotemptyvariable	\doifnotemptyvariable \{\ldots\} \\\
doifnotenv	\doifnotenv {} {}
doifnoteonsamepageelse	\doifnoteonsamepageelse {} {} {}
doifnotescollected	\doifnotescollected {} {}
doifnotfile	\doifnotfile {} {}
doifnotflagged	\doifnotflagged {} {}
doifnothing	\doifnothing {} {}
doifnothingelse	\doifnothingelse {} {} {}
doifnotinset	\doifnotinset {} {} {}
doifnotinsidesplitfloat	\doifnotinsidesplitfloat {}
doifnotinstring	\doifnotinstring {} {} {}
doifnotmode	\doifnotmode {} {}
doifnotnumber	\doifnotnumber \{\ldots\} \\.\
doifnotsamestring	\doifnotsamestring \{\} \{\}
doifnotsetups	\doifnotsetups \{\ldots\} \\\
doifnotvalue	\doifnotsetups \(\therefore\) \(\the
doifnotvariable	\doifnotvariable \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifnumber	\doifnumber \{\} \\\}
doifnumberelse	\doifnumberelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifobjectfoundelse	\doifobjectfoundelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifobjectreferencefoundelse	\doifobjectreferencefoundelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifoddpageelse	\doifoddpageelse {} {}
doifoddpagefloatelse	\doifoddpagefloatelse \{\dots\}
doifoldercontextelse	\doifoldercontextelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifolderversionelse	\doifolderversionelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifoverlappingelse	\doifoverlappingelse \{\ldots\} \\\ \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifoverlayelse	\doifoverlayelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifparallelelse	\doifparallelelse $\{\}$ $\{\}$ $\{\}$
doifparentfileelse	\doifparentfileelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifpathelse	\doifpathelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifpathexistselse	\doifpathexistselse $\{\}$ $\{\}$
doifpatternselse	\doifpatternselse \{\ldots\} \{\ldots\}
doifposition	\doifposition $\{\ldots\}$ $\{\ldots\}$
doifpositionaction	\doifpositionaction $\{\}$ $\{\}$
doifpositionactionelse	\doifpositionactionelse $\{\ldots\}$ $\{\ldots\}$
doifpositionelse	\doifpositionelse $\{\}$ $\{\}$
doifpositiononpageelse	\doifpositiononpageelse $\{\}$ $\{\}$ $\{\}$
doifpositionsonsamepageelse	$\doint formula for the following the state of the following constant for $
doifpositionsonthispageelse	\doifpositionsonthispageelse $\{\}$ $\{\}$
doifpositionsusedelse	\doifpositionsusedelse $\{\ldots\}$ $\{\ldots\}$
doifreferencefoundelse	\doifreferencefoundelse {} {} {}
doifrightpagefloatelse	\doifrightpagefloatelse {} {}
doifrighttoleftinboxelse	\doifrighttoleftinboxelse {} {}
doifsamelinereferenceelse	\doifsamelinereferenceelse $\{\ldots\}$ $\{\ldots\}$
doifsamestring	\doifsamestring {} {}
doifsamestringelse	\doifsamestringelse {} {} {}
doifsetups	\doifsetups {} {}
doifsetupselse	\doifsetupselse {} {}
doifsomebackground	\doifsomebackground {} {} {}
doifsomebackgroundelse	\doifsomebackgroundelse {} {} {}
doifsomespaceelse	\doifsomespaceelse {} {} {}
doifsomething	\doifsomething {} {}
doifsomethingelse	\doifsomethingelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifsometoks	\doifsometoks \ {}
doifsometokselse	\doifsometokselse \ \{\}
doifstringinstringelse	\doifstringinstringelse \{\} \{\} \{\}
doifstructurelisthasnumberelse	\doifstructurelisthasnumberelse \{\ldots\} \\\.\\
doifstructurelisthaspageelse	\doifstructurelisthaspageelse \{\doifstructurelisthaspageelse \}\doifstructurelisthaspageelse
doifsymboldefinedelse	\doifsymboldefinedelse \{\ldots\} \\\.\}
doifsymbolsetelse	\doifsymbolsetelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doiftext	\doiftext {} {}
doiftextelse	\doiftextelse \{\} \\\}

doiftextflowcollectorelse	\4-:64433343 [
	\doiftextflowcollectorelse {} {} {}
doiftextflowelse	\doiftextflowelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
	\doiftopofpageelse \{\ldots\}
	\doiftypingfileelse {} {}
	\doifundefined \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifundefinedcounter	\doifundefinedcounter \{\ldots\}
doifundefinedelse	\doifundefinedelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
	\doifunknownfontfeature \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
	\doifurldefinedelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
	\doifvalue {} {}
	\doifvalueelse \{\} \{\} \{\}
	\doifvaluenothing \{\ldots\}
	\doifvaluenothingelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifvaluesomething	\doifvaluesomething \{\ldots\} \\
doifvariable	\doifvariable {} {}
doifvariableelse	\doifvariableelse $\{\}$ $\{\}$ $\{\}$
doindentation	\doindentation
dollar	\dollar
doloop	\doloop {}
doloopoverlist	\doloopoverlist {} {}
donothing	\donothing
dontconvertfont	\dontconvertfont
dontleavehmode	\dontleavehmode
dontpermitspacesbetweengroups	\dontpermitspacesbetweengroups
	\dopositionaction {}
	\doprocesslocalsetups {}
	\doquadrupleargument \ [] [] []
	\doquadrupleempty \ [] [] []
	\doquadruplegroupempty \ \{\} \{\} \{\}
	\doquintupleargument \ [] [] [] []
	\doquintupleempty \ [] [] [] []
	\doquintuplegroupempty \ \{\} \{\} \{\} \{\} \{\}
dorecurse	\dorecurse \{\ldots\} \\\
	\dorectise \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
dorechecknextindentation	
dorepeatwithcommand	\dorepeatwithcommand [] \
-	\doreplacefeature {}
doresetandafffeature	\doresetandafffeature {}
	\doresetattribute {}
	\dorotatebox {} \ {}
	\dosetattribute \{\ldots\}
	\dosetleftskipadaption {}
dosetrightskipadaption	\dosetrightskipadaption {}
	\dosetupcheckedinterlinespace {=}
	\dosetupcheckedinterlinespace {}
<u>.</u>	\dosetupcheckedinterlinespace {}
	\doseventupleargument \ [] [] [] [] [] []
	\doseventupleempty \ [] [] [] [] [] []
dosingleargument	\dosingleargument \ []
dosingleempty	\dosingleempty \ []
dosinglegroupempty	\dosinglegroupempty \ \{\}
dosixtupleargument	\dosixtupleargument \ [] [] [] [] []
dosixtupleempty	\dosixtupleempty \ [] [] [] [] []
dostarttagged	\dostarttagged {} {} \dostoptagged
dostepwiserecurse	\dostepwiserecurse $\{\ldots\}$ $\{\ldots\}$ $\{\ldots\}$
dosubtractfeature	\dosubtractfeature {}
dotfskip	\dotfskip {}
dotoks	\dotoks \
dotripleargument	\dotripleargument \ [] []
	\dotripleargumentwithset \ [] []
	\dotripleempty \ [] []
	\dotripleemptywithset \ [] []
	\dotriplegroupempty \ {} {}
	\doublebond
	\dowith {} {}
	\dowithnextbox {} \ {}
	\dowithmentboxcontent \{\ldots\} \\\\.\\\\.\\\\\\\\\\\\\\\\\\\\\\\\\\
	\dowithnextboxcontentcs \ \ \ \ \ \
	\dowithnextboxcs \ \ \ \
	\downthmersboxes \ \ \ \
	\downthrange \{\ldownthrange \{\ldownthrange \}\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
	\dowithmange () \
•	\dpofstring {}
~P. ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~	/~L

.]

dummydigit	\dummydigit
dummyparameter	\dummyparameter {}
ETEX	\ETEX
EveryLine	\EveryLine {}
EveryPar	\EveryPar {}
edefconvertedargument	\edefconvertedargument \ {}
efcmaxheight	\efcmaxheight {}
efcmaxwidth	\efcmaxwidth {}
efcminheight	\efcminheight {}
efcminwidth	\efcminwidth {}
efcparameter	\efcparameter {} {}
effect	\effect [] {}
elapsedseconds	\elapsedseconds
elapsedtime	\elapsedtime
em	\em
emphasisboldface	\emphasisboldface
emphasistypeface	\emphasistypeface
emptylines	\emptylines []
emspace	\emspace
enabledirectives	\enabledirectives []
enableexperiments	\enableexperiments []
enablemode	\enablemode []
enableoutputstream	\enableoutputstream []
enableparpositions	\enableparpositions
enableregime	\enableregime []
enabletrackers	\enabletrackers []
enskip	\enskip
enspace	\enspace
env	\env {}
envvar	\envvar {} {}
epos	\epos {}
equaldigits	\equaldigits {}
eTeX	\eTeX
executeifdefined	\executeifdefined {} {}
exitloop	\exitloop
exitloopnow	\exitloopnow \expanded {}
expanded	\expanded \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
expandeddoif	=
expandeddoifelse	\expandeddoifelse {} {} {} {} \expandeddoifnot {} {} {}
expandeddoifnot	<del>-</del>
expandfontsynonym	\expandfontsynonym \ {}
expandcheckedcsname	\expandcheckedcsname \ \{\} \{\}
expdoif	\expdoif \{\} \{\}
expdoifcommonelse	\expdoifcommonelse \{\ldots\} \{\ldots\} \{\ldots\} \{\ldots\}
expdoifelse	\expdoifelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
expdoifelsecommon	\expdoifelsecommon \{\ldots\} \{\ldots\} \{\ldots\} \\
expdoifelseinset	\expdoifelseinset \{\dots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
expdoifinet	\expdoifinsetelse {} {} {}
expdoifnot	\expdoifnot {} {}
externalfigurecollectionmaxheight	\externalfigurecollectionmaxheight {}
externalfigurecollectionmaxwidth	\externalfigurecollectionmaxwidth {} \externalfigurecollectionminheight {}
externalfigurecollectionminheight externalfigurecollectionminwidth	
externalfigurecollectionminwlath externalfigurecollectionparameter	\externalfigurecollectionminwidth {} \externalfigurecollectionparameter {} {}
externiobraz	\externalligurecollectionparameter \(\tau.\); \(\tau.\); \(\text{externiobraz} \[ [] \] \[ [=.] \]
fakebox	\fakebox
fastdecrement	\fastdecrement \
fastincrement	\fastincrement \
fastlocalframed	\fastlocalframed [] [=] {}
fastloopfinal	\fastloopfinal
fastloopindex	\fastloopindex
fastscale	\fastscale \{\ldots\} \\\\
fastsetup	\fastsetup {}
fastsetupwithargument	\fastsetupwithargument {} {}
fastsetupwithargumentswapped	\fastsetupwithargumentswapped \{\ldots\}\{\ldots\}
fastswitchtobodyfont	\fastswitchtobodyfont {}
fasturo	\fastsxsy {} {}
feature feature:direct	\feature [] []
fence	\feature \{\ldots\} \\
fenced	\fence \fenced [] {}
fence:example	\renced []
101100.0xump10	(1.00 ()

fetchallmarkings	\fetchallmarkings [] []
fetchallmarks	\fetchallmarks []
fetchmark	\fetchmark [] []
fetchmarking	\fetchmarking [] []
fetchonemark	\fetchonemark [] []
fetchonemarking	\fetchonemarking [] []
3	\fetchroniantinecommand \ \{\}
fetchruntinecommand	
fetchtwomarkings	\fetchtwomarkings [] []
fetchtwomarks	\fetchtwomarks []
fieldbody	\fieldbody [] [=]
fifthoffivearguments	\fifthoffivearguments $\{\}$ $\{\}$ $\{\}$ $\{\}$
fifthofsixarguments	\fifthofsixarguments \{\ldots\} \{\ldots\} \{\ldots\} \{\ldots\} \{\ldots\} \{\ldots\} \\
figurefilename	\figurefilename
figurefilepath	\figurefilepath
figurefiletype	\figurefiletype
figurefullname	\figurefullname
figureheight	\figureheight
figurenaturalheight	\figurenaturalheight
figurenaturalwidth	\figurenaturalwidth
3	\figuresymbol [] [=]
figuresymbol	
figurewidth	\figurewidth
filename	\filename \{\}
filledhboxb	\filledhboxb {}
filledhboxc	\filledhboxc {}
filledhboxg	\filledhboxg {}
filledhboxk	\filledhboxk {}
filledhboxm	\filledhboxm {}
filledhboxr	\filledhboxr {}
filledhboxy	\filledhboxy {}
filler	\filler []
fillupto	\fillupto [] {}
filterfromnext	\filterfromnext \{\ldots\} \{\ldo
filterfromvalue	\filterfromvalue \{\ldots\} \{\ldots\} \{\text{OPT}  \text{OPT}
filterpages	\filterpages [] [] []
filterreference	\filterreference {}
	\findtwopassdata \{\ldots\} \\\\
findtwopassdata finishregisterentry	\finishregisterentry [] [=] [=]
· ·	\firstcounter [] []
firstcounter	
firstcountervalue	\firstcountervalue []
firstcharacter	\firstcharacter
firstinlist	\firstinlist []
firstoffivearguments	\firstoffivearguments \{\ldots\}
firstoffourarguments	\firstoffourarguments \{\ldots\} \{\ldots\} \{\ldots\} \{\ldots\}
firstofoneargument	\firstofoneargument {}
firstofoneunexpanded	\firstofoneunexpanded {}
firstofsixarguments	\firstofsixarguments \{\ldots\} \
firstofthreearguments	\firstofthreearguments {} {} {}
firstofthreeunexpanded	\firstofthreeunexpanded $\{\}$ $\{\}$
firstoftwoarguments	\firstoftwoarguments {} {}
firstoftwounexpanded	\firstoftwounexpanded {} {}
firstrealpage	\firstrealpage
firstrealpagenumber	\firstrealpagenumber
firstsubcountervalue	\firstsubcountervalue [] []
firstsubpagenumber	\firstsubpagenumber
firstuserpage	\firstuserpage
firstuserpagenumber	\firstuserpagenumber
fitfieldframed	\fitfieldframed [=] {}
	\fittopbaselinegrid {}
fittopbaselinegrid	
flag	\flag {}
floatuserdataparameter	\floatuserdataparameter {}
flushbox	\flushbox \{\} \{\}
flushboxregister	
5	\flushboxregister
flushcollector	\flushboxregister \flushcollector []
5	
flushcollector	\flushcollector []
flushcollector flushedrightlastline	\flushcollector [] \flushedrightlastline
flushcollector flushedrightlastline flushlayer	\flushcollector [] \flushedrightlastline \flushlayer []
flushcollector flushedrightlastline flushlayer flushlocalfloats	\flushcollector [] \flushedrightlastline \flushlayer [] \flushlocalfloats
flushcollector flushedrightlastline flushlayer flushlocalfloats flushnextbox	\flushcollector [] \flushedrightlastline \flushlayer [] \flushlocalfloats \flushnextbox
flushcollector flushedrightlastline flushlayer flushlocalfloats flushnextbox flushnotes	\flushcollector [] \flushedrightlastline \flushlayer [] \flushlocalfloats \flushnextbox \flushnotes
flushcollector flushedrightlastline flushlayer flushlocalfloats flushnextbox flushnotes flushoutputstream	\flushcollector [] \flushedrightlastline \flushlayer [] \flushlocalfloats \flushnextbox \flushnotes \flushoutputstream []
flushcollector flushedrightlastline flushlayer flushlocalfloats flushnextbox flushnotes flushoutputstream flushshapebox	\flushcollector [] \flushedrightlastline \flushlayer [] \flushlocalfloats \flushnextbox \flushnotes \flushoutputstream [] \flushshapebox

flushtoks	\flushtoks \
fontalternative	\fontalternative
fontbody	\fontbody
fontclass	\fontclass
fontclassname	\fontclassname {} {}
fontface	\fontface
fontfeaturelist	\fontfeaturelist [] []
fontchar	\fontchar {}
fontcharbyindex	\fontcharbyindex {}
fontsize	\fontsize
fontstyle	\fontstyle
footnotetext	\footnotetext [] {}
footnotetext:assignment	\footnotetext [=]
forcecharacterstripping	\forcecharacterstripping
forcelocalfloats	\forcelocalfloats
forgeteverypar	\forgeteverypar
forgetparameters	\forgetparameters [] [=]
forgetparskip	\forgetparskip
forgetragged	\forgetragged
foundbox	\foundbox \{\} \{\}
fourthoffivearguments	\fourthoffivearguments $\{\}$ $\{\}$ $\{\}$ $\{\}$
fourthoffourarguments	\fourthoffourarguments \{\ldots\} \{\ldots\} \{\ldots\}
fourthofsixarguments	\fourthofsixarguments \{\ldots\} \{\ldots\} \{\ldots\} \{\ldots\} \{\ldots\} \{\ldots\}
frameddimension	\frameddimension {}
framedparameter	\framedparameter {}
freezedimenmacro	\freezedimenmacro \ \
freezemeasure	\freezemeasure [] []
frenchspacing	\frenchspacing
fromlinenote	\fromlinenote [] {}
frozenhbox	\frozenhbox {}
frule	\frule \relax
GetPar	\GetPar
GotoPar	\GotoPar
Greeknumerals	\Greeknumerals {}
gdefconvertedargument	\gdefconvertedargument \ {}
gdefconvertedcommand	\gdefconvertedcommand \ \
getboxfromcache	\getboxfromcache \{\ldots\} \\\.\\
getboxllx	\getboxllx
getboxlly	\getboxlly
getbufferdata	\getbufferdata []
getcommacommandsize	\getcommacommandsize []
getcommalistsize	\getcommalistsize []
getdayoftheweek	\getdayoftheweek {} {} {}
getdayspermonth	\getdayspermonth {} {}
getdefinedbuffer	\getdefinedbuffer []
getdocumentargument	\getdocumentargument {}
getdocumentargumentdefault	\getdocumentargumentdefault {} {}
getdocumentfilename	\getdocumentfilename {}
getdummyparameters	\getdummyparameters [=]
getemptyparameters	\getemptyparameters [] [=]
geteparameters	\geteparameters [] [=]
getexpandedparameters	\getexpandedparameters [] [=]
getfiguredimensions	\getfiguredimensions [] [=]
getfirstcharacter	\getfirstcharacter {}
getfirsttwopassdata	\getfirsttwopassdata {}
getfromcommacommand	\getfromcommacommand []
getfromcommalist	\getfromcommalist [] []
getfromtwopassdata	\getfromtwopassdata \{\ldots\} \\\
getglyphdirect	\getglyphdirect \{\ldots\} \\.\}
getglyphstyled	\getglyphstyled \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
getgparameters	\getgparameters [] [=]
getinlineuserdata	\getinlineuserdata
getlasttwopassdata	\getlasttwopassdata {}
getlocalfloat	\getlocalfloat {}
getlocalfloats	\getlocalfloats
getMPdrawing	\getMPdrawing
getMPlayer	\getMPlayer [] [=] {}
getmessage	\getmessage \{\dots\} \\ \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
getnamedglyphdirect	\getnamedglyphdirect {} {}
getnamedglyphstyled	\getnamedglyphstyled {} {}
getnamedtwopassdatalist	\getnamedtwopassdatalist \ \{\}
getnaturaldimensions	\getnaturaldimensions

getnoflines	\getnoflines {}
getobject	\getobject {} {}
getobjectdimensions	\getobjectdimensions {} {}
getpaletsize	\getpaletsize []
getparameters	\getparameters [] [=]
getprivatechar	\getprivatechar {}
getprivateslot	\getprivateslot {}
getrandomcount	\getrandomcount \ \{\}
getrandomdimen	\getrandomdimen \ \{} \{}
getrandomfloat	\getrandomfloat \ \{} \{}
getrandomnumber	\getrandomnumber \ \{}
getrandomseed	\getrandomseed \
getraweparameters	\getraweparameters [] [=]
getrawgparameters	\getrawgparameters [] [=]
getrawnoflines	\getrawnoflines {}
getrawparameters	\getrawparameters [] [=]
getrawxparameters	\getrawxparameters [] [=]
getreference	\getreference [] []
getreferenceentry	\getreferenceentry {}
getroundednoflines	\getroundednoflines {}
getsubstring	\getsubstring {} {}
gettokenlist	\gettokenlist []
gettwopassdata	\gettwopassdata {}
gettwopassdatalist	\gettwopassdatalist {}
getuserdata	\getuserdata
getuvalue	\getuvalue {}
getvalue	\getvalue {}
getvariable	\getvariable {} {}
getvariabledefault	\getvariabledefault {} {}
getxparameters	\getxparameters [] [=]
globaldisablemode	\globaldisablemode []
globalenablemode	\globalenablemode []
globalletempty	\globalletempty \
globalpopbox	\globalpopbox
globalpopmacro	\globalpopmacro \
globalpreventmode	\globalpreventmode []
globalprocesscommalist	\globalprocesscommalist [] \
globalpushbox	\globalpushbox
globalpushmacro	\globalpushmacro \
globalpushreferenceprefix	\globalpushreferenceprefix {} \globalpopreferenceprefix
globalswapcounts	\globalswapcounts \ \
globalswapdimens	\globalswapdimens \ \
globalswapmacros	\globalswapmacros \ \
globalundefine	\globalundefine {}
glyphfontfile	\glyphfontfile {}
gobbledoubleempty	\gobbledoubleempty [] []
gobbleeightarguments	\gobbleeightarguments \{\ldots\}
gobblefivearguments	\gobblefivearguments $\{\}$ $\{\}$ $\{\}$ $\{\}$
gobblefiveoptionals	
•	\gobblefiveoptionals [] [] [] []
gobblefourarguments	\gobblefourarguments {} {} {}
gobblefourarguments gobblefouroptionals	\gobblefourarguments {} {} {} \gobblefouroptionals [] [] []
gobblefourarguments gobbleninearguments	\gobblefourarguments {} {} {} \gobblefouroptionals [] [] [] \gobbleninearguments {} {} {} {} {} {} {} {} {} {} {}
gobblefourarguments gobbleninearguments gobbleoneargument	\gobblefourarguments {} {} {} {} \gobblefouroptionals [] [] [] \gobbleninearguments {} {} {} {} {} {} {} {} {} {} {} {}
gobblefourarguments gobbleninearguments gobbleoneargument gobbleoneoptional	\gobblefourarguments {} {} {} {} \gobblefouroptionals [] [] [] \gobbleninearguments {} {} {} {} {} {} {} {} {} {} {} \gobbleoneoptional []
gobblefourarguments gobblefouroptionals gobbleninearguments gobbleoneargument gobbleoneoptional gobblesevenarguments	\gobblefourarguments {} {} {} {} \gobblefouroptionals [] [] [] [] \gobbleninearguments {} {} {} {} {} {} {} {} {} {} \gobbleoneargument [] \gobbleoneoptional [] \gobblesevenarguments {} {} {} {} {} {} {}
gobblefourarguments gobblefouroptionals gobbleninearguments gobbleoneargument gobbleoneoptional gobblesevenarguments gobblesingleempty	\gobblefourarguments {} {} {} {} \gobblefouroptionals [] [] [] [] \gobbleninearguments {} {} {} {} {} {} {} {} {} {} {} \gobbleoneoptional [] \gobblesevenarguments {} {} {} {} {} {} {} {} \gobblesingleempty []
gobblefourarguments gobbleninearguments gobbleoneargument gobbleoneoptional gobblesevenarguments gobblesingleempty gobblesixarguments	\gobblefourarguments {} {} {} {} \gobblefouroptionals [] [] [] \gobbleninearguments {} {} {} {} {} {} {} {} {} \gobbleoneargument {} \gobbleoneoptional [] \gobblesevenarguments {} {} {} {} {} {} {} \gobblesingleempty [] \gobblesixarguments {} {} {} {} {} {}
gobblefourarguments gobbleninearguments gobbleoneargument gobbleoneoptional gobblesevenarguments gobblesingleempty gobblesixarguments gobblespacetokens	\gobblefourarguments {} {} {} {} \gobblefouroptionals [] [] [] [] {}
gobblefourarguments gobbleninearguments gobbleoneargument gobbleoneoptional gobblesevenarguments gobblesingleempty gobblesixarguments gobblespacetokens gobbletenarguments	\gobblefourarguments {} {} {} {} \gobblefouroptionals [] [] [] \gobbleninearguments {} {} {} {} {} {} {} {} {} \gobbleoneargument {} \gobbleoneoptional [] \gobblesevenarguments {} {} {} {} {} {} {} \gobblesingleempty [] \gobblesixarguments {} {} {} {} {} {} \gobblespacetokens \gobbletenarguments {} {} {} {} {} {} {} {} {}
gobblefourarguments gobbleninearguments gobbleoneargument gobbleoneoptional gobblesevenarguments gobblesingleempty gobblesixarguments gobblespacetokens gobbletenarguments	\gobblefourarguments {} {} {} {} \gobblefouroptionals [] [] [] \gobbleninearguments {} {} {} {} {} {} {} {} {} \gobbleoneargument {} \gobbleoneoptional [] \gobblesevenarguments {} {} {} {} {} {} {} \gobblesingleempty [] \gobblesixarguments {} {} {} {} {} {} \gobblespacetokens \gobbletenarguments {} {} {} {} {} {} {} {} {} \gobblethreearguments {} {} {} {} {}
gobblefourarguments gobbleninearguments gobbleoneargument gobbleoneoptional gobblesevenarguments gobblesingleempty gobblesixarguments gobblespacetokens gobbletenarguments gobbletenarguments	\gobblefourarguments {} {} {} {} \gobblefouroptionals [] [] [] \gobbleninearguments {} {} {} {} {} {} {} {} {} \gobbleoneargument {} \gobbleoneoptional [] \gobblesevenarguments {} {} {} {} {} {} {} \gobblesingleempty [] \gobblesixarguments {} {} {} {} {} {} \gobbletenarguments {} {} {} {} {} {} {} {} \gobbletenarguments {} {} {} {} {} {} {} \gobblethreearguments {} {} {}
gobblefourarguments gobbleninearguments gobbleoneargument gobbleoneoptional gobblesevenarguments gobblesingleempty gobblesixarguments gobblespacetokens gobbletenarguments gobbletenarguments gobblethreearguments gobblethreeoptionals gobbletwoarguments	\gobblefourarguments {} {} {} {} \gobblefouroptionals [] [] [] \gobbleninearguments {} {} {} {} {} {} {} {} \gobbleoneargument {} \gobbleoneoptional [] \gobblesevenarguments {} {} {} {} {} {} \gobblesingleempty [] \gobblesixarguments {} {} {} {} {} {} \gobblespacetokens \gobbletenarguments {} {} {} {} {} {} {} {} \gobblethreeoptionals [] [] \gobbletwoarguments {} {}
gobblefourarguments gobbleonearguments gobbleoneargument gobbleoneoptional gobblesevenarguments gobblesingleempty gobblesixarguments gobblespacetokens gobbletenarguments gobblethreearguments gobblethreeoptionals gobbletwoarguments	\gobblefourarguments {} {} {} {} \gobblefouroptionals [] [] [] \gobbleninearguments {} {} {} {} {} {} {} {} \gobbleoneargument {} \gobbleoneoptional [] \gobblesevenarguments {} {} {} {} {} {} \gobblesingleempty [] \gobblesixarguments {} {} {} {} {} {} \gobblespacetokens \gobbletenarguments {} {} {} {} {} {} {} \gobblethreearguments {} {} {} \gobblethreeoptionals [] [] \gobbletwoarguments {} {} \gobbletwooptionals [] []
gobblefourarguments gobbleonearguments gobbleoneargument gobbleoneoptional gobblesevenarguments gobblesingleempty gobblesixarguments gobblespacetokens gobbletenarguments gobblethreearguments gobblethreeoptionals gobbletwoarguments gobbletwooptionals gobbletwooptionals gobbleuntil	\gobblefourarguments {} {} {} {} \gobblefouroptionals [] [] [] \gobbleninearguments {} {} {} {} {} {} {} {} \gobbleoneargument {} \gobbleoneoptional [] \gobblesevenarguments {} {} {} {} {} {} \gobblesingleempty [] \gobblesixarguments {} {} {} {} {} \gobblespacetokens \gobbletenarguments {} {} {} {} {} {} {} \gobblethreearguments {} {} {} \gobblethreeoptionals [] [] \gobbletwoarguments {} {} \gobbletwooptionals [] [] \gobbletwooptionals [] []
gobblefourarguments gobbleonearguments gobbleoneargument gobbleoneoptional gobblesevenarguments gobblesingleempty gobblesixarguments gobblespacetokens gobbletenarguments gobblethreearguments gobblethreeoptionals gobbletwoarguments gobbletwooptionals gobbleuntil gobbleuntilrelax	\gobblefourarguments {} {} {} {} \gobblefouroptionals [] [] [] \gobbleninearguments {} {} {} {} {} {} {} {} \gobbleoneargument {} \gobbleoneoptional [] \gobblesevenarguments {} {} {} {} {} {} \gobblesingleempty [] \gobblesixarguments {} {} {} {} {} {} \gobblespacetokens \gobbletenarguments {} {} {} {} {} {} {} \gobblethreearguments {} {} {} \gobblethreeoptionals [] [] \gobbletwoarguments {} {} \gobbletwooptionals [] [] \gobbletwooptionals [] [] \gobbletwooptionals [] [] \gobbleuntil \ \gobbleuntilrelax \relax
gobblefourarguments gobbleonearguments gobbleoneargument gobbleoneoptional gobblesevenarguments gobblesingleempty gobblesixarguments gobblespacetokens gobbletenarguments gobblethreearguments gobblethreeoptionals gobblethvoarguments gobbletwoarguments gobbletwooptionals gobbleuntil gobbleuntilrelax grabbufferdata	\gobblefourarguments {} {} {} {} \gobblefouroptionals [] [] [] \gobbleninearguments {} {} {} {} {} {} {} {} \gobbleoneargument {} \gobbleoneoptional [] \gobblesevenarguments {} {} {} {} {} {} \gobblesingleempty [] \gobblesixarguments {} {} {} {} {} {} \gobblespacetokens \gobbletenarguments {} {} {} {} {} {} {} \gobblethreearguments {} {} {} \gobblethreeoptionals [] [] \gobbletwoarguments {} {} \gobbletwooptionals [] [] \gobbletwill \ \gobbleuntil \ \gobbleuntilrelax \relax \grabbufferdata [] [] []
gobblefourarguments gobbleonearguments gobbleoneargument gobbleoneoptional gobblesevenarguments gobblesingleempty gobblesixarguments gobblespacetokens gobbletenarguments gobblethreearguments gobblethreeoptionals gobblethvoarguments gobbletwoarguments gobbletwooptionals gobbleuntil gobbleuntilrelax grabbufferdata grabbufferdatadirect	\gobblefourarguments {} {} {} {} \gobblefouroptionals [] [] [] \gobbleninearguments {} {} {} {} {} {} {} {} \gobbleoneargument {} \gobbleoneoptional [] \gobblesevenarguments {} {} {} {} {} {} \gobblesingleempty [] \gobblesixarguments {} {} {} {} {} {} \gobblespacetokens \gobbletenarguments {} {} {} {} {} {} {} \gobblethreearguments {} {} {} \gobblethreeoptionals [] [] \gobbletwoarguments {} {} \gobbletwooptionals [] [] \gobbleuntil \ \gobbleuntilrelax \relax \grabbufferdata [] [] [] \grabbufferdatadirect {} {}
gobblefourarguments gobbleonearguments gobbleoneargument gobbleoneoptional gobblesevenarguments gobblesingleempty gobblesixarguments gobblespacetokens gobbletenarguments gobblethreearguments gobblethreeoptionals gobblethreoptionals gobbletwoarguments gobbletwooptionals gobbleuntil gobbleuntilrelax grabbufferdata grabbufferdatadirect grabuntil	\gobblefourarguments {} {} {} {} \gobblefouroptionals [] [] [] \gobbleninearguments {} {} {} {} {} {} {} {} \gobbleoneargument {} \gobbleoneoptional [] \gobblesevenarguments {} {} {} {} {} {} \gobblesingleempty [] \gobblesixarguments {} {} {} {} {} {} \gobblespacetokens \gobbletenarguments {} {} {} {} {} {} {} \gobblethreearguments {} {} {} \gobblethreeoptionals [] [] \gobbletwoarguments {} {} \gobbletwooptionals [] [] \gobbleuntil \ \gobbleuntilrelax \relax \grabbufferdatadirect {} {} \grabbufferdatadirect {} {} \grabbufferdatadirect {} {} \grabbufferdatadirect {} {}
gobblefourarguments gobbleonearguments gobbleoneargument gobbleoneoptional gobblesevenarguments gobblesingleempty gobblesixarguments gobblespacetokens gobbletenarguments gobblethreearguments gobblethreeoptionals gobblethreoptionals gobbletwoarguments gobbletwooptionals gobbleuntil gobbleuntilrelax grabbufferdata grabbufferdatadirect grabuntil grave	<pre>\gobblefourarguments {} {} {} {} \gobblefouroptionals [] [] [] \gobbleninearguments {} {} {} {} {} {} {} {} \gobbleoneargument {} \gobbleoneoptional [] \gobblesevenarguments {} {} {} {} {} {} {} \gobblesingleempty [] \gobblesixarguments {} {} {} {} {} {} \gobblespacetokens \gobbletenarguments {} {} {} {} {} {} {} {} \gobblethreearguments {} {} {} \gobblethreeoptionals [] [] \gobbletwoarguments {} {} \gobbletwooptionals [] [] \gobbleuntil \ \gobbleuntilrelax \relax \grabbufferdata [] [] [] \grabbufferdatadirect {} {} \grabbufferdatadirect {} {} \grabuntil {} \ \grave {}</pre>
gobblefourarguments gobbleonearguments gobbleoneargument gobbleoneoptional gobblesevenarguments gobblesingleempty gobblesixarguments gobblespacetokens gobbletenarguments gobblethreearguments gobblethreeoptionals gobblethreoptionals gobbletwoarguments gobbletwooptionals gobbleuntil gobbleuntilrelax grabbufferdata grabbufferdatadirect grabuntil grave grayvalue	<pre>\gobblefourarguments {} {} {} {} \gobblefouroptionals [] [] [] \gobbleninearguments {} {} {} {} {} {} {} {} \gobbleoneargument {} \gobbleoneoptional [] \gobblesevenarguments {} {} {} {} {} {} {} \gobblesingleempty [] \gobblesixarguments {} {} {} {} {} {} \gobblespacetokens \gobbletenarguments {} {} {} {} {} {} {} {} \gobblethreearguments {} {} {} \gobblethreeoptionals [] [] \gobbletwoarguments {} {} \gobbletwooptionals [] [] \gobbletwooptionals [] [] \gobbleuntil \ \gobbleuntilrelax \relax \grabbufferdata [] [] [] \grabbufferdatadirect {} {} \grabbufferdet {} {} \grabuntil {} \ \grave {} \grayvalue {} \</pre>
gobblefourarguments gobbleonearguments gobbleoneargument gobbleoneoptional gobblesevenarguments gobblesingleempty gobblesixarguments gobblespacetokens gobbletenarguments gobblethreearguments gobblethreeoptionals gobblethreoptionals gobbletwoarguments gobbletwooptionals gobbleuntil gobbleuntilrelax grabbufferdata grabbufferdatadirect grabuntil grave	<pre>\gobblefourarguments {} {} {} {} \gobblefouroptionals [] [] [] \gobbleninearguments {} {} {} {} {} {} {} {} \gobbleoneargument {} \gobbleoneoptional [] \gobblesevenarguments {} {} {} {} {} {} {} \gobblesingleempty [] \gobblesixarguments {} {} {} {} {} {} \gobblespacetokens \gobbletenarguments {} {} {} {} {} {} {} {} \gobblethreearguments {} {} {} \gobblethreeoptionals [] [] \gobbletwoarguments {} {} \gobbletwooptionals [] [] \gobbleuntil \ \gobbleuntilrelax \relax \grabbufferdata [] [] [] \grabbufferdatadirect {} {} \grabbufferdatadirect {} {} \grabuntil {} \ \grave {}</pre>

groupedcommand	\groupedcommand {} {}
gsetboxllx	\gsetboxllx {}
gsetboxlly	\gsetboxlly {}
gujaratinumerals	\gujaratinumerals {}
gurmurkhinumerals	\gurmurkhinumerals {}
hairspace	\hairspace
halflinestrut	\halflinestrut
halfstrut	\halfstrut
halfwaybox	\halfwaybox {}
handletokens	\handletokens \with \
hash	\hash
hat	\hat {}
hboxofybox	\hboxofvbox
hboxreference	\hboxreference [] {}
hbox:example	\hboxBOX {}
hdofstring	\hdofstring {}
headhbox	\headhbox {}
headnumbercontent	\headnumbercontent
headnumberdistance	\headnumberdistance
headnumberwidth	\headnumberwidth
headreferenceattributes	\headreferenceattributes
headsetupspacing	\headsetupspacing
headtextcontent	\headtextcontent
headtextdistance	
	\headtextdistance
headtextwidth	\headtextwidth
headvbox	\headvbox {}
headwidth	\headwidth
heightanddepthofstring	\heightanddepthofstring {}
heightofstring	\heightofstring {}
heightspanningtext	\heightspanningtext {} {} {}
help:instance	\HELP [] {} {}
help:instance:helptext	\helptext [] {}
hglue	\hglue
hiddencitation	\hiddencitation []
hiddencite	\hiddencite []
highlight	\highlight [] {}
highlight:example	\HIGHLIGHT {}
highordinalstr	\highordinalstr {}
hilo	\hilo [] {}
himilo	\himilo {} {} {}
hl	\hl []
hlavnijazyk	\hlavnijazyk []
hodnotabarvy	\hodnotabarvy {}
horizontalgrowingbar	\horizontalgrowingbar [=]
horizontalpositionbar	\horizontalpositionbar [=]
hpackbox	\hpackbox
hpackedbox	\hpackedbox
hphantom	\hphantom {}
hpos	\hpos {} {}
hsizefraction	\hsizefraction {} {}
hsmash	\hsmash {}
hsmashbox	\hsmashbox
hsmashed	\hsmashed {}
hspace	\hspace [] []
htdpofstring	\htdpofstring {}
htofstring	\htofstring {}
hyphen	\hyphen
hyphenatedcoloredword	\hyphenatedcoloredword {}
hyphenatedfile	\hyphenatedfile {}
hyphenatedfilename	\hyphenatedfilename {}
••	
hyphenatedhbox	\hyphenatedhbox {}
hyphenatedpar	\hyphenatedpar {}
hyphenatedurl	\hyphenatedurl {}
hyphenatedword	\hyphenatedword {}
characterkerning:example	\CHARACTERKERNING [] {}
chardescription	\chardescription {}
charwidthlanguage	\charwidthlanguage
check	\check {}
checkedblank	\checkedblank []
checkedfiller	\checkedfiller {}
checkedchar	\checkedchar {} {}
checkedstrippedcsname	\checkedstrippedcsname \

checkedstrippedcsname:string	\checkedstrippedcsname
checkcharacteralign	\checkcharacteralign {}
<u> </u>	9
checkinjector	\checkinjector []
checknextindentation	\checknextindentation []
checknextinjector	\checknextinjector []
checkpage	\checkpage [] [=]
checkparameters	\checkparameters []
checkpreviousinjector	\checkpreviousinjector []
checksoundtrack	\checksoundtrack {}
checktwopassdata	\checktwopassdata {}
checkvariables	\checkvariables [] [=]
chem	\chem {} {}
chemical	\chemical [] []
chemicalbottext	\chemicalbottext {}
chemicalmidtext	\chemicalmidtext {}
chemicalsymbol	\chemicalsymbol []
chemicaltext	\chemicaltext {}
chemicaltoptext	\chemicaltoptext {}
chineseallnumerals	\chineseallnumerals {}
chinesecapnumerals	\chinesecapnumerals {}
chinesenumerals	\chinesenumerals {}
INRSTEX	\INRSTEX
ibox	\ibox {}
ifassignment	\ifassignment \else \fi
iff	\iff
ifinobject	\ifinobject \else \fi
ifinoutputstream	\ifinoutputstream \else \fi
<u>-</u>	
ifparameters	\ifparameters \else \fi
iftrialtypesetting	\iftrialtypesetting \else \fi
ignoreimplicitspaces	\ignoreimplicitspaces
ignoretagsinexport	\ignoretagsinexport []
ignorevalue	\ignorevalue {}
immediatesavetwopassdata	\immediatesavetwopassdata {} {} {}
-	
impliedby	\impliedby
implies	\implies
includemenu	\includemenu []
includeversioninfo	\includeversioninfo {}
incrementcounter	\incrementcounter [] []
incrementedcounter	\incrementedcounter []
incrementpagenumber	\incrementpagenumber
incrementsubpagenumber	$\$ incrementsubpagenumber
incrementvalue	\incrementvalue {}
indentation	\indentation
infofont	\infofont
infofontbold	\infofontbold
inheritparameter	\inheritparameter [] []
inhibitblank	\inhibitblank
initializeboxstack	\initializeboxstack {}
inlinebuffer	\inlinebuffer []
inlinedbox	\inlinedbox {}
inlinemath	\inlinemath {}
inlinemathematics	\inlinemathematics {}
inlinemessage	\inlinemessage {}
inlineordisplaymath	\inlineordisplaymath {} {}
inlineprettyprintbuffer	\inlineprettyprintbuffer {} {}
inlinerange	\inlinerange []
innerflushshapebox	\innerflushshapebox
input	\input {}
inputfilebarename	\inputfilebarename
inputfilename	\inputfilename
inputfilerealsuffix	\inputfilerealsuffix
inputfilesuffix	\inputfilesuffix
•	
inputgivenfile	\inputgivenfile {}
input:string	\input
insertpages	\insertpages [] [] [=]
instalacejazyka	\instalacejazyka [] [=]
instalacejazyka:name	\instalacejazyka [] []
installactionhandler	\installactionhandler {}
installactivecharacter	\installactivecharacter
installanddefineactivecharacter	\installanddefineactivecharacter {}
installattributestack	\installattributestack \
installautocommandhandler	\installautocommandhandler \ {} \

installautosetuphandler	$\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ $
installbasicautosetuphandler	$\verb \label{loss}  install basic autosetup handler   {}  $
installbasicparameterhandler	\installbasicparameterhandler \ \{\}
installbottomframerenderer	\installbottomframerenderer $\{\ldots\}$ $\{\ldots\}$
installcommandhandler	$\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ $
installcorenamespace	\installcorenamespace {}
installdefinehandler	\installdefinehandler \ $\{\}$ \
installdefinitionset	\installdefinitionset \ \{\}
installdefinitionsetmember	$\verb \colored   \colore$
installdirectcommandhandler	\installdirectcommandhandler \ {}
installdirectparameterhandler	\installdirectparameterhandler \ {}
installdirectparametersethandler	\installdirectparametersethandler \ {}
installdirectsetuphandler	\installdirectsetuphandler \ {}
installdirectstyleandcolorhandler	\installdirectstyleandcolorhandler \ {}
installframedautocommandhandler	\installframedautocommandhandler \ {} \
installframedcommandhandler	\installframedcommandhandler \ \{} \
installglobalmacrostack	\installglobalmacrostack \
installleftframerenderer	\installleftframerenderer {} {}
installmacrostack	\installmacrostack \
installnamespace	\installnamespace {}
installoutputroutine	\installoutputroutine \ \{\}
installpagearrangement	\installpagearrangement {}
installparameterhandler	\installparameterhandler \ \{\}
installparameterhashhandler	\installparameterhashhandler \ \{\}
•	
installparametersethandler	\installparametersethandler \ \{\}
installparentinjector	\installparentinjector \ \{\}
installrightframerenderer	\installrightframerenderer {} {}
installrootparameterhandler	\installrootparameterhandler \ \{\}
installsetuphandler	\installsetuphandler \ \{\}
installsetuponlycommandhandler	\installsetuponlycommandhandler \ \{\}
installshipoutmethod	\installshipoutmethod {} {}
installsimplecommandhandler	\installsimplecommandhandler \ \{} \
installsimpleframedcommandhandler	\installsimpleframedcommandhandler \ $\{\}$ \
installstyleandcolorhandler	\installstyleandcolorhandler \ \{\}
installswitchcommandhandler	\installswitchcommandhandler \ \{} \
installswitchsetuphandler	\installswitchsetuphandler \ \{\}
installtexdirective	\installtexdirective $\{\}$ $\{\}$
installtextracker	\installtextracker {} {} {}
installtopframerenderer	\installtopframerenderer {} {}
installunitsseparator	\installunitsseparator {} {}
installunitsspace	\installunitsspace {} {}
installversioninfo	\installversioninfo {} {}
integerrounding	\integerrounding {}
interakcnilista	\interakcnilista [] [=]
interakcnitlacitka	\interakcnitlacitka [=] []
interaktivnimenu	\interaktivnimenu [] [=]
intertext	\intertext {}
invokepageheandler	\invokepageheandler {} {}
italiccorrection	\italiccorrection
italicface	\italicface
itemtag	\itemtag []
jazyk	\jazyk []
jazyk:example	\LANGUAGE
jdidolu	\jdidolu []
jdina	\jdina {} []
3	
jdinabox	\jdinabox {} []
jdinastranu	\jdinastranu {} []
jednotka:instance	\UNIT {}
jednotka:instance:unit	\unit {}
jobfilename	\jobfilename
jobfilesuffix	\jobfilesuffix
Кар	\Kap {}
kaligraficke	\kaligraficke
kap	\kap {}
kapitalky	\kapitalky {}
keeplinestogether	\keeplinestogether {}
keepunwantedspaces	\keepunwantedspaces
kerncharacters	\kerncharacters [] {}
klonujpole	\klonujpole [] [] []
komentar:instance	\COMMENT [] [=] {}
komentar:instance:comment	\comment [] [=] {}
Komental. Instance. Comment	(comment [] [] ()

komponenta:string	\komponenta
konvertujcislo	\konvertujcislo {} {}
kopirujpole	\kopirujpole [] []
koreancirclenumerals	\koreancirclenumerals {}
koreannumerals	\koreannumerals {}
koreannumeralsc	\koreannumeralsc {}
koreannumeralsp	\koreannumeralsp {}
koreanparentnumerals	\koreanparentnumerals {}
korekcebilehomista	\korekcebilehomista {}
kurziva	\kurziva
kurzivnitucne	\kurzivnitucne
LAMSTEX LATEX	\LAMSTEX \LATEX
LamSTeX	\LamSTeX
LaTeX	\LaTeX
LUAJITTEX	\LUAJITTEX
LUAMETATEX	\LUAMETATEX
LUATEX	\LUATEX
Lua	\Lua
LuajitTeX	\LuajitTeX
LuaMetaTeX	\LuaMetaTeX
LuaTeX	\LuaTeX
labellanguage:instance	\LABELjazyk
labellanguage:instance:btxlabel	\btxlabeljazyk
labellanguage:instance:head labellanguage:instance:label	\headjazyk \labeljazyk
labellanguage:instance:mathlabel	\mathlabeljazyk
labellanguage:instance:operator	\operatorjazyk
labellanguage:instance:prefix	\prefixjazyk
labellanguage:instance:suffix	\suffixjazyk
labellanguage:instance:taglabel	\taglabeljazyk
labellanguage:instance:unit	$\unitjazyk$
labeltexts:instance	\LABELtexts {} {}
labeltexts:instance:head	\headtexts {} {}
labeltexts:instance:label	\labeltexts \{\dots\}
labeltexts:instance:mathlabel	\mathlabeltexts {} {}
languageCharacters	\languagecharacters {} \languageCharacters {}
languageCharacters languagecharwidth	\languagecharacters \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
lastcounter	\lastcounter []
lastcountervalue	\lastcountervalue []
lastdigit	\lastdigit {}
lastlinewidth	\lastlinewidth
lastnaturalboxdp	\lastnaturalboxdp
lastnaturalboxht	\lastnaturalboxht
lastnaturalboxwd	\lastnaturalboxwd
lastpredefinedsymbol	\lastpredefinedsymbol
lastrealpage	\lastrealpage
lastrealpagenumber lastsubcountervalue	\lastrealpagenumber \lastsubcountervalue [] []
lastsubpagenumber	\lastsubpagenumber
lasttwodigits	\lasttwodigits {}
lastuserpage	\lastuserpage
lastuserpagenumber	\lastuserpagenumber
lateluacode	\lateluacode {}
layeredtext	\layeredtext [=] [=] {} {}
layerheight	\layerheight
layerwidth	\layerwidth
lazysavetaggedtwopassdata	\lazysavetaggedtwopassdata {} {} {}
lazysavetwopassdata	\lazysavetwopassdata {} {} {}
lbox leftbottombox	\lbox {} \leftbottombox {}
leftbox	\leftbox {}
lefthbox	\leftbox \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
leftlabeltext:instance	\leftLABELtext {}
leftlabeltext:instance:head	\leftheadtext {}
leftlabeltext:instance:label	\leftlabeltext {}
leftlabeltext:instance:mathlabel	\leftmathlabeltext {}
leftline	\leftline {}
leftorrighthbox	\leftorrighthbox {}
leftorrightvbox	\leftorrightvbox {}
leftorrightvtop	\leftorrightvtop {}

leftskipadaption	\leftskipadaption
leftsubguillemot	\leftsubguillemot
lefttopbox	\lefttopbox {}
lefttoright	\lefttoright
lefttorighthbox	\lefttorighthbox {}
lefttorightvbox	\lefttorightvbox {}
lefttorightvtop	\lefttorightvtop {}
letbeundefined	\letbeundefined {}
letcatcodecommand	\letcatcodecommand \ \
letcscsname	\letcscsname \ \csname \endcsname
letcsnamecs	\letcsnamecs \csname \endcsname \
letcsnamecsname	\letcsnamecsname \csname \ \endcsname \ \endcsname
letdummyparameter	\letdummyparameter {} \
letempty	\letempty \
letgvalue	\letgvalue {} \
letgvalueempty	\letgvalueempty {}
letgvalurelax	\letgvalurelax {}
letterampersand	\letterampersand
letterat	\letterat
letterbackslash	\letterbackslash
letterbar	\letterbar
letterbgroup	\letterbgroup
letterclosebrace	\letterclosebrace
lettercolon	\lettercolon
letterdollar	\letterdollar
letterdoublequote	\letterdoublequote
letteregroup	\letteregroup
letterescape	\letterescape
letterexclamationmark	\letterexclamationmark
letterhash	\letterhash
letterhat	\letterhat
letterleftbrace	\letterleftbrace
letterleftbracket	\letterleftbracket
letterleftparenthesis	\letterleftparenthesis
letterless	\letterless
lettermore	\lettermore
letteropenbrace	\letteropenbrace
letterpercent	\letterpercent
letterquestionmark	\letterquestionmark
letterrightbrace	\letterrightbrace
letterrightbracket	\letterrightbracket
letterrightparenthesis	\letterrightparenthesis
lettersinglequote	\lettersinglequote
letterslash	\letterslash
letterspacing	\letterspacing [] {}
lettertilde	\lettertilde
letterunderscore	\letterunderscore
letvalue	\letvalue {} \
	\letvalue \(\text{\cdots}\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
letvalueempty	• •
letvaluerelax	\letvaluerelax {}
lfence	\lfence {}
lhbox	\lhbox {}
limitatefirstline	\limitatefirstline \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
limitatelines	\limitatelines \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
limitatetext	\limitatetext {} {}
limitatetext:list	\limitatetext {} {}
linebox	\linebox {}
linenote:instance	\LINENOTE {}
linenote:instance:linenote	\linenote {}
linespanningtext	\linespanningtext {} {} {}
listcitation	\listcitation [=] []
listcitation:alternative	\listcitation [] []
listcitation:userdata	
	\listcitation [=] [=]
listcite	\listcite [=] []
listcite:alternative	\listcite [] []
listcite:userdata	\listcite [=] [=]
listnamespaces	\listnamespaces
llap	\llap {}
loadanyfile	\loadanyfile []
loadanyfileonce	\loadanyfileonce []
loadbtxdefinitionfile	\loadbtxdefinitionfile []
loadbtxreplacementfile	\loadbtxreplacementfile []
· <u>r</u> · · · · · · · ==	The state of the s

loadcldfile	\loadcldfile []
loadcldfileonce	\loadcldfileonce []
loadfontgoodies	\loadfontgoodies []
loadluafile	\loadluafile []
loadluafileonce	\loadluafileonce []
loadspellchecklist	\loadspellchecklist [] []
<del>-</del>	
loadtexfile	\loadtexfile []
loadtexfileonce	\loadtexfileonce []
loadtypescriptfile	\loadtypescriptfile []
localframed	\localframed [] [=] {}
localframedwithsettings	\localframedwithsettings [] [=] {}
localhsize	\localhsize
localpopbox	\localpopbox
localpopmacro	\localpopmacro \
localpushbox	\localpushbox
localpushmacro	\localpushmacro \
localundefine	\localundefine {}
locatedfilepath	\locatedfilepath
<del>-</del>	<u>-</u>
locatefilepath	\locatefilepath {}
locfilename	\locfilename {}
lomihi	\lomihi {} {}
lowerbox	\lowerbox {} \ {}
lowercased	\lowercased {}
lowercasestring	\lowercasestring \to \
lowerleftdoubleninequote	\lowerleftdoubleninequote
lowerleftsingleninequote	\lowerleftsingleninequote
lowerrightdoubleninequote	\lowerrightdoubleninequote
lowerrightsingleninequote	\lowerrightsingleninequote
	· · ·
lowhigh:instance	\LOWHIGH [] {} {}
lowmidhigh:instance	\LOWMIDHIGH \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
lrtbbox	\lrtbbox \{\} \\\\} \\\\}
ltop	\ltop {}
ltrhbox	\ltrhbox {}
ltrvbox	\ltrvbox {}
ltrvtop	\ltrvtop {}
luacode	\luacode {}
luaconditional	\luaconditional \
luaenvironment	\luaenvironment
luaexpanded	\langle \langl
luaexpr	\luaexpr {}
luafunction	\luafunction {}
luajitTeX	\luajitTeX
luamajorversion	\luamajorversion
luametaTeX	\luametaTeX
luaminorversion	\luaminorversion
luaparameterset	\luaparameterset $\{\ldots\}$ $\{\ldots\}$
luasetup	\luasetup {}
luaTeX	\luaTeX
luaversion	\luaversion
MESIC	\MESIC {}
METAFONT	\METAFONT
METAFUN	\METAFUN
METAPOST	\METAPOST
MetaFont	\MetaFont
MetaFun	MetaFun
MetaPost	\MetaPost
MKII	MKII
MKIV	MKIV
MKIX	\MKIX
MKVI	\MKVI
MKXI	\MKXI
MONTHLONG	\MONTHLONG {}
MONTHSHORT	\MONTHSHORT {}
MPanchor	\MPanchor {}
MPbetex	\MPbetex {}
MPc	\MPc {}
MPcode	
MPcolor	\MPcolor { } \MPcolor { }
MPcolor	\MPcolor {}
MPcoloronly	\MPcolor {} \MPcoloronly {}
MPcoloronly MPcolumn	\MPcolor {} \MPcolumn {}
MPcoloronly MPcolumn MPd	\MPcolor {} \MPcolumn {} \MPd {}
MPcoloronly MPcolumn	\MPcolor {} \MPcolumn {}

MPfontsizehskip	\MPfontsizehskip {}
MPgetmultipars	\MPgetmultipars {} {}
MPgetmultishape	\MPgetmultishape {} {}
MPgetposboxes	\MPgetposboxes {} {}
MPh	\MPh {}
MPII	\MPII
MPIV	\MPIV
MPinclusions	\MPinclusions [] {} {}
MPleftskip	\MPleftskip {}
MP11	\MP11 {}
MPlr	\MPlr {}
MPls	\MPls {}
MPmenubuttons	\MPmenubuttons {}
MPn	\MPn {}
MPoptions	\MPoptions {}
MPoverlayanchor	\MPoverlayanchor {}
MPp	\MPp {}
MPpage	\MPpage {}
MPpardata	\MPpardata {}
MPplus	\MPplus {} {}
MPpos	\MPpos {}
MPpositiongraphic	\MPpositiongraphic {} {=}
MPposset	\MPposset {}
MPr	\MPr {}
MPrawvar	\MPrawvar {} {}
MPregion	\MPregion {}
MPrest	\MPrest {} {}
MPrightskip	\MPrightskip {}
MPrs	\MPrs {}
MPstring	\MPstring {}
MPtext	\MPtext {}
MPtransparency	\MPtransparency \{\ldots\\}
MPul	\MPul {}
MPur	\MPur {}
MPVI	\MPVI
MPv	\MPv {} {}
MPvar	\MPvar {}
MPvariable	\MPvariable {}
MPvv	\MPvv {} {}
MPw	\MPw {}
MPwhd	\MPwhd {}
MPx	\MPx {}
MPxy	\MPxy {}
MPxywhd	\MPxywhd {}
MPy	\MPy {}
m	\m [] {}
makecharacteractive	\makecharacteractive
makerawcommalist	\makerawcommalist [] \
makestrutofbox	\makestrutofbox
male	male
malekurzivnitucne	\malekurzivnitucne
malenormalni	\malenormalni
malesklonene	\malesklonene
malesklonenetucne	\malesklonenetucne
maletucne	\maletucne
maletucnekurzivni	\maletucnekurzivni
maletucnesklonene	\maletucnesklonene
maletype	maletype
mapfontsize	\mapfontsize [] []
margindata	\margindata [] [=] [=] {}
margindata:instance	\MARGINDATA [=] [=] {}
margindata:instance:atleftmargin	\atleftmargin [=] [=] {}
margindata:instance:atrightmargin	\atrightmargin [=] [=] {}
margindata:instance:ininner	\ininner [=] [=] {}
margindata:instance:ininneredge	\ininneredge [=] [=] {}
margindata:instance:ininnermargin	\ininnermargin [=] [=] {}
margindata:instance:inleft	\inleft [=] [=] {}
margindata:instance:inleftedge	\inleftedge [=] [=] {}
margindata:instance:inleftmargin	\inleftmargin [=] [=] {}
margindata:instance:inmargin	\inmargin [=] [=] {}
margindata:instance:inother	\inother [=] [=] {}
margindata:instance:inouter	\inouter [=] [=] {}

margindata:instance:inouteredge	\inouteredge [=] [=] {}
margindata:instance:inoutermargin	\inoutermargin [=] [=] {}
margindata:instance:inright	\inright [=] [=] {}
margindata:instance:inrightedge	\inrightedge [=] [=] {}
margindata:instance:inrightmargin	\inrightmargin [=] [=] {}
margindata:instance:margintext	\margintext [=] [=] {}
markcontent	\markcontent [] {}
markedpages	\markedpages []
markinjector	\markinjector []
markpage	\markpage [] []
mat	\mat {}
matematika	\matematika [] {}
matematika:assignment	\matematika [=] {}
math	\math [] {}
mathbf	\mathbf
mathbi	\mathbi
mathblackboard	\mathblackboard
mathbs	\mathbs
mathcommand:example	\MATHCOMMAND \{\ldots\} \{\ldots\}
mathdefault	\mathdefault
mathdouble	\mathdouble [] {} {}
mathdoubleextensible:instance	\MATHDOUBLEEXTENSIBLE {} {}
mathdoubleextensible:instance:doublebar	\doublebar {} {}
mathdoubleextensible:instance:doublebrace	\doublebrace {} {}
mathdoubleextensible:instance:doublebracket	\doublebracket \{\doublebracket \}\}\} \}}\}
mathdoubleextensible:instance:doubleparent	\doubleparent \{\ldots\} \\
mathdoubleextensible:instance:overbarunderbar	\overbarunderbar \{\ldots\}
mathdoubleextensible:instance:overbraceunderbrace	\overbraceunderbrace \{\ldots\} \{\ldots\}
mathdoubleextensible:instance:overbracketunderbracket	\overbracketunderbracket \{\ldots\} \{\ldots\}
mathdoubleextensible:instance:overparentunderparent	\overparentunderparent {} {}
mathextensible:instance	\MATHEXTENSIBLE {} {}
mathextensible:instance:cleftarrow	\cleftarrow {} {}
mathextensible:instance:crightarrow	\crightarrow {} {}
<del>-</del>	
mathextensible:instance:crightoverleftarrow	\crightoverleftarrow \{\ldots\} \{\ldots\}
mathextensible:instance:eleftarrowfill	\eleftarrowfill {} {}
mathextensible:instance:eleftharpoondownfill	\eleftharpoondownfill {} {}
mathextensible:instance:eleftharpoonupfill	$\left\{ \begin{array}{ll} \left\{ \ldots \right\} \end{array} \right\}$
mathextensible:instance:eleftrightarrowfill	\eleftrightarrowfill {} {}
mathextensible:instance:eoverbarfill	\eoverbarfill {} {}
mathextensible:instance:eoverbracefill	\eoverbracefill {} {}
mathextensible:instance:eoverbracketfill	\eoverbracketfill {} {}
mathextensible:instance:eoverparentfill	\eoverparentfill {} {}
mathextensible:instance:erightarrowfill	
<del>-</del>	\erightarrowfill {} {}
mathextensible:instance:erightharpoondownfill	\erightharpoondownfill {} {}
mathextensible:instance:erightharpoonupfill	$\ensuremath{\mbox{\ensuremath{\mbox{\sc erighthampoonupfill }\{\ldots\}~\{\ldots\}}}$
mathextensible:instance:etwoheadrightarrowfill	\etwoheadrightarrowfill {} {}
mathextensible:instance:eunderbarfill	\eunderbarfill {} {}
mathextensible:instance:eunderbracefill	\eunderbracefill {} {}
mathextensible:instance:eunderbracketfill	\eunderbracketfill {} {}
mathextensible:instance:eunderparentfill	\eunderparentfill {} {}
mathextensible:instance:mequal	\mequal {} {}
mathextensible:instance:mhookleftarrow	\mhookleftarrow {} {}
mathextensible:instance:mhookrightarrow	\mhookrightarrow {} {}
mathextensible:instance:mLeftarrow	\mLeftarrow \{\ldots\} \{\ldots\}
mathextensible:instance:mLeftrightarrow	\mLeftrightarrow {} {}
mathextensible:instance:mleftarrow	\mleftarrow {} {}
mathextensible:instance:mleftharpoondown	\mleftharpoondown {} {}
mathextensible:instance:mleftharpoonup	\mleftharpoonup {} {}
mathextensible:instance:mleftrightarrow	\mleftrightarrow {} {}
mathextensible:instance:mleftrightharpoons	\mleftrightharpoons {} {}
mathextensible:instance:mmapsto	\mmapsto {} {}
mathextensible:instance:mRightarrow	\mRightarrow {} {}
mathextensible:instance:mrel	\mrel {} {}
mathextensible:instance:mrightarrow	\mrightarrow \{\ldots\} \{\ldots\}
mathextensible:instance:mrightharpoondown	\mrightharpoondown {} {}
mathextensible:instance:mrightharpoonup	\mrightharpoonup {} {}
mathextensible:instance:mrightleftharpoons	\mrightleftharpoons {} {}
mathextensible:instance:mrightoverleftarrow	\mrightoverleftarrow {} {}
mathextensible:instance:mtriplerel	\mtriplerel \{\ldots\}
mathextensible:instance:mtvoheadleftarrow	\mtwoheadleftarrow \{\ldots\} \{\ldots\}
mathextensible:instance:mtwoheadrightarrow	\mtwoheadrightarrow \{\ldots\} \\
mathextensible:instance:tequal	\tequal {} {}

mathextensible:instance:thookleftarrow	\thookleftarrow {} {}
mathextensible:instance:thookrightarrow	\thookrightarrow \{\ldots\} \\\
mathextensible:instance:tLeftarrow	\tLeftarrow {} {}
mathextensible:instance:tLeftrightarrow	\tLeftrightarrow {} {}
mathextensible:instance:tleftarrow	\tleftarrow {} {}
mathextensible:instance:tleftharpoondown	\tleftharpoondown {} {}
mathextensible:instance:tleftharpoonup	\tleftharpoonup {} {}
mathextensible:instance:tleftrightarrow	\tleftrightarrow {} {}
mathextensible:instance:tleftrightharpoons	\tleftrightharpoons {} {}
mathextensible:instance:tmapsto	\tmapsto {} {}
mathextensible:instance:tRightarrow	\tRightarrow {} {}
mathextensible:instance:trel	\trel {} {}
mathextensible:instance:trightarrow	\trightarrow {} {}
mathextensible:instance:trightharpoondown	\trightharpoondown {} {}
mathextensible:instance:trightharpoonup	\trightharpoonup {} {}
mathextensible:instance:trightleftharpoons	\trightleftharpoons {} {}
mathextensible:instance:trightoverleftarrow	\trightoverleftarrow {} {}
mathextensible:instance:ttriplerel	\ttriplerel {} {}
mathextensible:instance:ttwoheadleftarrow	\ttwoheadleftarrow {} {}
mathextensible:instance:ttwoheadrightarrow	\ttwoheadrightarrow {} {}
mathextensible:instance:xequal	\xequal {} {}
mathextensible:instance:xhookleftarrow	\xhookleftarrow {} {}
mathextensible:instance:xhookrightarrow	\xhookrightarrow {} {}
mathextensible:instance:xLeftarrow	\xLeftarrow {} {}
mathextensible:instance:xLeftrightarrow	\xLeftrightarrow {} {}
mathextensible:instance:xleftarrow	\xleftarrow {} {}
mathextensible:instance:xleftharpoondown	\xleftharpoondown {} {}
mathextensible:instance:xleftharpoonup	\xleftharpoonup {} {}
mathextensible:instance:xleftrightarrow	\xleftrightarrow {} {}
mathextensible:instance:xleftrightharpoons	\xleftrightharpoons {} {}
mathextensible:instance:xmapsto	\xmapsto {} {}
mathextensible:instance:xRightarrow	\xRightarrow {} {}
mathextensible:instance:xrel	\xrel {} {}
mathextensible:instance:xrightarrow	\xrightarrow {} {}
mathextensible:instance:xrightharpoondown	\xrightharpoondown {} {}
mathextensible:instance:xrightharpoonup	\xrightharpoonup {} {}
mathextensible:instance:xrightleftharpoons	$\xrightleftharpoons {} {}$
mathextensible:instance:xrightoverleftarrow	$\xrightoverleftarrow {} {}$
mathextensible:instance:xtriplerel	\xtriplerel {} {}
mathextensible:instance:xtwoheadleftarrow	$\xtwo headleftarrow {} {}$
mathextensible:instance:xtwoheadrightarrow	$\xtwo head right arrow {} {}$
mathfraktur	\mathfraktur
mathframed:instance	\MATHFRAMED [=] {}
mathframed:instance:inmframed	\inmframed [=] {}
mathframed:instance:mcframed	\mcframed [=] {}
mathframed:instance:mframed	\mframed [=] {}
mathfunction	\mathfunction {}
mathit	\mathit
mathitalic	\mathitalic
mathmatrix	\MATHMATRIX {}
mathop	\mathop {}
mathornament:example	\MATHORNAMENT {}
mathover	\mathover [] {} {}
mathoverextensible:example	\MATHOVEREXTENSIBLE {}
mathovertextextensible:instance	\MATHOVERTEXTEXTENSIBLE \{\ldots\}\\\
mathradical:example	\MATHRADICAL [] {}
mathrm	\mathrm
mathscript	\mathscript
mathsl	\maths1
mathss	\mathss
mathtext	\mathtext {}
mathtextbf	\mathtextbf {}
mathtextbi	\mathtextbi {}
mathtextbs	\mathtextbs {}
mathtextit	\mathtextit {}
mathtextsl	\mathtextsl {}
mathtexttf	\mathtexttf {}
mathtf	\mathtf
mathtriplet	\mathtriplet [] \{\} \{\}
mathtriplet:example	\MATHTRIPLET [] {} {} {}
mathtt	\mathtt
mathunder	\mathunder [] {} {}

mathunderextensible:example	\MATHUNDEREXTENSIBLE {}
mathundertextextensible:instance	\MATHUNDERTEXTEXTENSIBLE {} {}
mathunstacked:example	\MATHUNSTACKED
mathupright	\mathupright
mathword	\mathword {}
mathwordbf	\mathwordbf {}
mathwordbi	\mathwordbi {}
mathwordbs	\mathwordbs {}
mathwordit	\mathwordit {}
mathwordsl	\mathwords1 {}
mathwordtf	\mathwordtf {}
math:assignment	\math [=] {}
maxaligned	\maxaligned {}
mbox	\mbox {}
measure	\measure {}
measured	\measured {}
medskip	\medskip
medspace	\medspace
meritko	\meritko [] [=] {}
mesic	\mesic {}
message	\message {}
mezera	\mezera
mfence	\mfence {}
mfunction	\mfunction {}
mfunctionlabeltext	\mfunctionlabeltext {}
mhbox	\mhbox {}
middlealigned	\middlealigned {}
middlebox	\middlebox {}
midhbox	\midhbox {}
midsubsentence	\midsubsentence
minimalhbox	\minimalhbox {}
mixedcaps	\mixedcaps {}
mkvibuffer	\mkvibuffer []
moduleparameter	\moduleparameter {} {}
molecule	\molecule {}
mono	\mono
mononormal	\mononormal
mononormal monotucne	
monotucne	\monotucne
monotucne monthlong	\monotucne \monthlong {}
monotucne monthlong monthshort	<pre>\monotucne \monthlong {} \monthshort {}</pre>
monotucne monthlong monthshort mprandomnumber	<pre>\monotucne \monthlong {} \monthshort {} \mprandomnumber</pre>
monotucne monthlong monthshort	<pre>\monotucne \monthlong {} \monthshort {} \mprandomnumber \mrizka [=]</pre>
monotucne monthlong monthshort mprandomnumber	<pre>\monotucne \monthlong {} \monthshort {} \mprandomnumber</pre>
monotucne monthlong monthshort mprandomnumber mrizka	<pre>\monotucne \monthlong {} \monthshort {} \mprandomnumber \mrizka [=]</pre>
monotucne monthlong monthshort mprandomnumber mrizka mtext	<pre>\monotucne \monthlong {} \monthshort {} \mprandomnumber \mrizka [=] \mtext {}</pre>
monotucne monthlong monthshort mprandomnumber mrizka mtext m:assignment	<pre>\monotucne \monthlong {} \monthshort {} \mprandomnumber \mrizka [=] \mtext {} \m [=] {}</pre>
monotucne monthlong monthshort mprandomnumber mrizka mtext m:assignment NormalizeFontHeight NormalizeFontWidth	<pre>\monotucne \monthlong {} \monthshort {} \mprandomnumber \mrizka [=] \mtext {} \m [=] {} \NormalizeFontHeight \ {} {} {} \NormalizeFontWidth \ {} {} {}</pre>
monotucne monthlong monthshort mprandomnumber mrizka mtext m:assignment NormalizeFontHeight NormalizeFontWidth NormalizeTextHeight	<pre>\monotucne \monthlong {} \monthshort {} \mprandomnumber \mrizka [=] \mtext {} \m [=] {} \NormalizeFontHeight \ {} {} \NormalizeFontWidth \ {} {} \NormalizeTextHeight {} {} {}</pre>
monotucne monthlong monthshort mprandomnumber mrizka mtext m:assignment NormalizeFontHeight NormalizeFontWidth NormalizeTextHeight NormalizeTextWidth	<pre>\monotucne \monthlong {} \monthshort {} \mprandomnumber \mrizka [=] \mtext {} \m [=] {} \NormalizeFontHeight \ {} {} \NormalizeFontWidth \ {} {} \NormalizeTextHeight {} {} {} \NormalizeTextWidth {} {} {}</pre>
monotucne monthlong monthshort mprandomnumber mrizka mtext m:assignment NormalizeFontHeight NormalizeTextHeight NormalizeTextWidth namedheadnumber	<pre>\monotucne \monthlong {} \monthshort {} \mprandomnumber \mrizka [=] \mtext {} \m [=] {} \NormalizeFontHeight \ {} {} {} \NormalizeFontWidth \ {} {} {} \NormalizeTextHeight {} {} {} \NormalizeTextWidth {} {} {} \normalizeTextWidth {} {} {} \normalizeTextWidth {} {} {} \namedheadnumber {}</pre>
monotucne monthlong monthshort mprandomnumber mrizka mtext m:assignment NormalizeFontHeight NormalizeFortWidth NormalizeTextHeight NormalizeTextWidth namedheadnumber namedstructureheadlocation	<pre>\monotucne \monthlong {} \monthshort {} \mprandomnumber \mrizka [=] \mtext {} \m [=] {} \NormalizeFontHeight \ {} {} {} \NormalizeFontWidth \ {} {} {} \NormalizeTextHeight {} {} {} \NormalizeTextWidth {} {} {} \namedheadnumber {} \namedstructureheadlocation {}</pre>
monotucne monthlong monthshort mprandomnumber mrizka mtext m:assignment NormalizeFontHeight NormalizeFontWidth NormalizeTextHeight NormalizeTextWidth namedheadnumber namedstructureheadlocation namedstructureuservariable	<pre>\monotucne \monthlong {} \monthshort {} \mprandomnumber \mrizka [=] \mtext {} \m [=] {} \NormalizeFontHeight \ {} {} {} \NormalizeFontWidth \ {} {} {} \NormalizeTextHeight {} {} {} \normalizeTextWidth {} {} {} \namedheadnumber {} \namedstructureheadlocation {} \namedstructureuservariable {} {}</pre>
monotucne monthlong monthshort mprandomnumber mrizka mtext m:assignment NormalizeFontHeight NormalizeFortWidth NormalizeTextHeight NormalizeTextWidth namedheadnumber namedstructureheadlocation	<pre>\monotucne \monthlong {} \monthshort {} \mprandomnumber \mrizka [=] \mtext {} \m [=] {} \NormalizeFontHeight \ {} {} {} \NormalizeFontWidth \ {} {} {} \NormalizeTextHeight {} {} {} \NormalizeTextWidth {} {} {} \namedheadnumber {} \namedstructureheadlocation {} \namedstructureuservariable {} {} \namedstructurevariable {} {}</pre>
monotucne monthlong monthshort mprandomnumber mrizka mtext m:assignment NormalizeFontHeight NormalizeFontWidth NormalizeTextHeight NormalizeTextWidth namedheadnumber namedstructureheadlocation namedstructureuservariable	<pre>\monotucne \monthlong {} \monthshort {} \mprandomnumber \mrizka [=] \mtext {} \m [=] {} \NormalizeFontHeight \ {} {} {} \NormalizeFontWidth \ {} {} {} \NormalizeTextHeight {} {} {} \normalizeTextWidth {} {} {} \namedheadnumber {} \namedstructureheadlocation {} \namedstructureuservariable {} {}</pre>
monotucne monthlong monthshort mprandomnumber mrizka mtext m:assignment NormalizeFontHeight NormalizeFontWidth NormalizeTextHeight NormalizeTextWidth namedheadnumber namedstructureheadlocation namedstructurevariable namedstructurevariable	<pre>\monotucne \monthlong {} \monthshort {} \mprandomnumber \mrizka [=] \mtext {} \m [=] {} \NormalizeFontHeight \ {} {} {} \NormalizeFontWidth \ {} {} {} \NormalizeTextHeight {} {} {} \NormalizeTextWidth {} {} {} \namedheadnumber {} \namedstructureheadlocation {} \namedstructureuservariable {} {} \namedstructurevariable {} {}</pre>
monotucne monthlong monthshort mprandomnumber mrizka mtext m:assignment NormalizeFontHeight NormalizeFontWidth NormalizeTextHeight NormalizeTextWidth namedheadnumber namedstructureheadlocation namedstructurevariable namedstructurevariable namedtaggedlabeltexts	<pre>\monotucne \monthlong {} \monthshort {} \mprandomnumber \mrizka [=] \mtext {} \m [=] {} \NormalizeFontHeight \ {} {} \NormalizeFontWidth \ {} {} \NormalizeTextHeight {} {} {} \NormalizeTextWidth {} {} {} \namedheadnumber {} \namedstructureheadlocation {} \namedstructureuservariable {} {} \namedstructurevariable {} {} \namedtaggedlabeltexts {} {} {} {} </pre>
monotucne monthlong monthshort mprandomnumber mrizka mtext m:assignment NormalizeFontHeight NormalizeFontWidth NormalizeTextHeight NormalizeTextWidth namedheadnumber namedstructureheadlocation namedstructureuservariable namedstructurevariable namedtaggedlabeltexts nastavbarvu	<pre>\monotucne \monthlong {} \monthshort {} \mprandomnumber \mrizka [=] \mtext {} \m [=] {} \NormalizeFontHeight \ {} {} \NormalizeFontWidth \ {} {} \NormalizeTextHeight {} {} {} \NormalizeTextWidth {} {} {} \namedheadnumber {} \namedstructureheadlocation {} \namedstructurevariable {} {} \namedstructurevariable {} {} \namedtaggedlabeltexts {} {} {} {} \nastavbarvu []</pre>
monotucne monthlong monthshort mprandomnumber mrizka mtext m:assignment NormalizeFontHeight NormalizeFontWidth NormalizeTextHeight NormalizeTextWidth namedheadnumber namedstructureheadlocation namedstructurevariable namedstructurevariable namedtaggedlabeltexts nastavbarvu nastavbarvy	<pre>\monotucne \monthlong {} \monthshort {} \mprandomnumber \mrizka [=] \mtext {} \m [=] {} \NormalizeFontHeight \ {} {} {} \NormalizeFontWidth \ {} {} \NormalizeTextHeight {} {} {} \NormalizeTextWidth {} {} {} \namedheadnumber {} \namedstructureheadlocation {} \namedstructurevariable {} {} \namedstructurevariable {} {} \namedtaggedlabeltexts {} {} {} {} \nastavbarvu [] \nastavbarvy [=] \nastavbilamista []</pre>
monotucne monthlong monthshort mprandomnumber mrizka mtext m:assignment NormalizeFontHeight NormalizeFontWidth NormalizeTextHeight NormalizeTextWidth namedheadnumber namedstructureheadlocation namedstructureuservariable namedstructurevariable namedtaggedlabeltexts nastavbarvu nastavbarvy nastavbilamista nastavblok	<pre>\monotucne \monthlong {} \monthshort {} \mprandomnumber \mrizka [=] \mtext {} \m [=] {} \NormalizeFontHeight \ {} {} {} \NormalizeFontWidth \ {} {} \NormalizeTextHeight {} {} {} \NormalizeTextWidth {} {} {} \namedheadnumber {} \namedstructureheadlocation {} \namedstructurevariable {} {} \namedstructurevariable {} {} \namedstructurevariable {} {} \nastavbarvu [] \nastavbarvu [] \nastavbarvu [] \nastavbilamista [] \nastavblok [] [=]</pre>
monotucne monthlong monthshort mprandomnumber mrizka mtext m:assignment NormalizeFontHeight NormalizeFontWidth NormalizeTextHeight NormalizeTextWidth namedheadnumber namedstructureheadlocation namedstructureuservariable namedstructurevariable namedtaggedlabeltexts nastavbarvu nastavbarvy nastavbilamista nastavblok nastavbloksekce	<pre>\monotucne \monthlong {} \monthshort {} \mprandomnumber \mrizka [=] \mtext {} \m [=] {} \NormalizeFontHeight \ {} {} \NormalizeFontWidth \ {} {} \NormalizeTextHeight {} {} {} \normalizeTextWidth {} {} {} \namedheadnumber {} \namedstructureheadlocation {} \namedstructurevariable {} {} \namedstructurevariable {} {} \namedstaggedlabeltexts {} {} {} {} \nastavbarvu [] \nastavbarvy [=] \nastavbilamista [] \nastavbloksekce [] [=]</pre>
monotucne monthlong monthshort mprandomnumber mrizka mtext m:assignment NormalizeFontHeight NormalizeFontWidth NormalizeTextHeight NormalizeTextWidth namedheadnumber namedstructureheadlocation namedstructureuservariable namedstructurevariable namedtaggedlabeltexts nastavbarvu nastavbarvy nastavbilamista nastavblok nastavbloksekce nastavbuffer	<pre>\monotucne \monthlong {} \monthshort {} \mprandomnumber \mrizka [=] \mtext {} \m [=] {} \NormalizeFontHeight \ {} {} \NormalizeFontWidth \ {} {} \NormalizeTextHeight {} {} \NormalizeTextWidth {} {} {} \namedheadnumber {} \namedstructureheadlocation {} \namedstructurevariable {} {} \namedstructurevariable {} {} \namedtaggedlabeltexts {} {} {} {} \nastavbarvu [] \nastavbarvy [=] \nastavbilamista [] \nastavbloksekce [] [=] \nastavbuffer [] [=]</pre>
monotucne monthlong monthshort mprandomnumber mrizka mtext m:assignment NormalizeFontHeight NormalizeFontWidth NormalizeTextHeight NormalizeTextWidth namedheadnumber namedstructureheadlocation namedstructureuservariable namedstructurevariable namedtaggedlabeltexts nastavbarvu nastavbarvy nastavbilamista nastavblok nastavbloksekce nastavbuffer nastavcernelinky	<pre>\monotucne \monthlong {} \monthshort {} \mprandomnumber \mrizka [=] \mtext {} \m [=] {} \NormalizeFontHeight \ {} {} \NormalizeFontWidth \ {} {} \NormalizeTextHeight {} {} \NormalizeTextWidth {} {} {} \namedheadnumber {} \namedstructureheadlocation {} \namedstructurevariable {} {} \namedstructurevariable {} {} \namedstructurevariable {} {} \nastavbarvu [] \nastavbarvy [=] \nastavbilamista [] \nastavbloksekce [] [=] \nastavbuffer [] [] \nastavbuffer [] []</pre>
monotucne monthlong monthshort mprandomnumber mrizka mtext m:assignment NormalizeFontHeight NormalizeFontWidth NormalizeTextHeight NormalizeTextWidth namedheadnumber namedstructureheadlocation namedstructureuservariable namedstructurevariable namedtaggedlabeltexts nastavbarvu nastavbarvy nastavbilamista nastavblok nastavbloksekce nastavbuffer nastavcernelinky nastavcislonadpisu	<pre>\monotucne \monthlong {} \monthshort {} \mprandomnumber \mrizka [=] \mtext {} \m [=] {} \NormalizeFontHeight \ {} {} \NormalizeFontWidth \ {} {} \NormalizeTextHeight {} {} {} \normalizeTextWidth {} {} {} \namedheadnumber {} \namedstructureheadlocation {} \namedstructureuservariable {} {} \namedstructurevariable {} {} \namedstructurevariable {} {} \nastavbarvu [] \nastavbarvu [] \nastavbilamista [] \nastavbilamista [] \nastavbloksekce [] [=] \nastavbuffer [] [=] \nastavbuffer [] [=] \nastavcernelinky [=] \nastavcernelinky [=] \nastavcislonadpisu [] []</pre>
monotucne monthlong monthshort mprandomnumber mrizka mtext m:assignment NormalizeFontHeight NormalizeFontWidth NormalizeTextHeight NormalizeTextWidth namedheadnumber namedstructureheadlocation namedstructureuservariable namedstructurevariable namedtaggedlabeltexts nastavbarvu nastavbarvy nastavbilamista nastavblok nastavbloksekce nastavbuffer nastavcernelinky nastavcislostrany	<pre>\monotucne \monthlong {} \monthshort {} \mprandomnumber \mrizka [=] \mtext {} \m [=] {} \NormalizeFontHeight \ {} {} \NormalizeFontWidth \ {} {} \NormalizeTextHeight {} {} {} \normalizeTextWidth {} {} {} \namedheadnumber {} \namedstructureheadlocation {} \namedstructureuservariable {} {} \namedstructurevariable {} {} \namedtaggedlabeltexts {} {} {} {} \nastavbarvu [] \nastavbarvu [] \nastavbilamista [] \nastavbloksekce [] [=] \nastavbuffer [] [=] \nastavbuffer [] [=] \nastavcernelinky [=] \nastavcislonadpisu [] [] \nastavcislostrany [=]</pre>
monotucne monthlong monthshort mprandomnumber mrizka mtext m:assignment NormalizeFontHeight NormalizeFontWidth NormalizeTextHeight NormalizeTextWidth namedheadnumber namedstructureheadlocation namedstructureuservariable namedstructurevariable namedtaggedlabeltexts nastavbarvu nastavbarvy nastavbilamista nastavblok nastavbloksekce nastavbuffer nastavcernelinky nastavcislonadpisu	<pre>\monotucne \monthlong {} \monthshort {} \mprandomnumber \mrizka [=] \mtext {} \m [=] {} \NormalizeFontHeight \ {} {} \NormalizeFontWidth \ {} {} \NormalizeTextHeight {} {} \NormalizeTextWidth {} {} {} \namedheadnumber {} \namedstructureheadlocation {} \namedstructurevariable {} {} \namedstructurevariable {} {} \namedstructurevariable {} {} \nastavbarvu [] \nastavbarvy [=] \nastavbilamista [] \nastavbilamista [] \nastavbloksekce [] [=] \nastavbuffer [] [=] \nastavcernelinky [=] \nastavcislonadpisu [] [] \nastavcislostrany [=] \nastavcislovaniodstavcu [=]</pre>
monotucne monthlong monthshort mprandomnumber mrizka mtext m:assignment NormalizeFontHeight NormalizeFontWidth NormalizeTextHeight NormalizeTextWidth namedheadnumber namedstructureheadlocation namedstructureuservariable namedstructurevariable namedtaggedlabeltexts nastavbarvu nastavbarvy nastavbilamista nastavblok nastavbloksekce nastavbuffer nastavcernelinky nastavcislostrany	<pre>\monotucne \monthlong {} \monthshort {} \mprandomnumber \mrizka [=] \mtext {} \m [=] {} \NormalizeFontHeight \ {} {} \NormalizeFontWidth \ {} {} \NormalizeTextHeight {} {} {} \normalizeTextWidth {} {} {} \namedheadnumber {} \namedstructureheadlocation {} \namedstructureuservariable {} {} \namedstructurevariable {} {} \namedtaggedlabeltexts {} {} {} {} \nastavbarvu [] \nastavbarvu [] \nastavbilamista [] \nastavbloksekce [] [=] \nastavbuffer [] [=] \nastavbuffer [] [=] \nastavcernelinky [=] \nastavcislonadpisu [] [] \nastavcislostrany [=]</pre>
monotucne monthlong monthshort mprandomnumber mrizka mtext m:assignment NormalizeFontHeight NormalizeFontWidth NormalizeTextHeight NormalizeTextWidth namedheadnumber namedstructureheadlocation namedstructurevariable namedstructurevariable namedtaggedlabeltexts nastavbarvu nastavbarvy nastavbilamista nastavblok nastavbloksekce nastavbuffer nastavcernelinky nastavcislostrany nastavcislovaniodstavcu	<pre>\monotucne \monthlong {} \monthshort {} \mprandomnumber \mrizka [=] \mtext {} \m [=] {} \NormalizeFontHeight \ {} {} \NormalizeFontWidth \ {} {} \NormalizeTextHeight {} {} \NormalizeTextWidth {} {} {} \namedheadnumber {} \namedstructureheadlocation {} \namedstructurevariable {} {} \namedstructurevariable {} {} \namedstructurevariable {} {} \nastavbarvu [] \nastavbarvy [=] \nastavbilamista [] \nastavbilamista [] \nastavbloksekce [] [=] \nastavbuffer [] [=] \nastavcernelinky [=] \nastavcislonadpisu [] [] \nastavcislostrany [=] \nastavcislovaniodstavcu [=]</pre>
montucne monthlong monthshort mprandomnumber mrizka mtext m:assignment NormalizeFontHeight NormalizeFontWidth NormalizeTextHeight NormalizeTextWidth namedheadnumber namedstructureheadlocation namedstructurevariable namedstructurevariable namedtaggedlabeltexts nastavbarvu nastavbarvy nastavbilamista nastavblok nastavbloksekce nastavbuffer nastavcernelinky nastavcislostrany nastavcislovaniodstavcu nastavcislovaniradku	<pre>\monotucne \monthlong {} \monthshort {} \mprandomnumber \mrizka [=] \mtext {} \m [=] {} \NormalizeFontHeight \ {} {} \NormalizeFontWidth \ {} {} \NormalizeTextHeight {} {} \NormalizeTextWidth {} {} {} \namedheadnumber {} \namedstructureheadlocation {} \namedstructureuservariable {} {} \namedstructurevariable {} {} \namedtaggedlabeltexts {} {} {} {} \nastavbarvu [] \nastavbilamista [] \nastavbloksekce [] [=] \nastavbloksekce [] [=] \nastavcislonadpisu [] [] \nastavcislovaniodstavcu [=] \nastavcislovaniodstavcu [=] \nastavcislovaniradku [] [=] \nastavcislovaniradku [] [=]</pre>
monotucne monthlong monthshort mprandomnumber mrizka mtext m:assignment NormalizeFontHeight NormalizeFontWidth NormalizeTextHeight NormalizeTextWidth namedheadnumber namedstructureheadlocation namedstructurevariable namedstructurevariable namedtaggedlabeltexts nastavbarvu nastavbarvy nastavbilamista nastavblok nastavbloksekce nastavbuffer nastavcernelinky nastavcislovaniodstavcu nastavcislovaniradku nastavcislovanistran nastavcitaci	<pre>\monotucne \monthlong {} \monthshort {} \mprandomnumber \mrizka [=] \mtext {} \m [=] {} \NormalizeFontHeight \ {} {} \NormalizeFontWidth \ {} {} \NormalizeTextHeight {} {} \NormalizeTextWidth {} {} {} \namedheadnumber {} \namedstructureheadlocation {} \namedstructureuservariable {} {} \namedstructurevariable {} {} \namedstructurevariable {} {} \nastavbarvu [] \nastavbarvu [] \nastavbloksekce [] [=] \nastavbloksekce [] [=] \nastavbloksekce [] [=] \nastavcislonadpisu [] [] \nastavcislovaniodstavcu [=] \nastavcislovaniadku [] [=] \nastavcislovaniadku [] [=] \nastavcislovanistran [=]</pre>
monotucne monthlong monthshort mprandomnumber mrizka mtext m:assignment NormalizeFontHeight NormalizeTextHeight NormalizeTextHeight NormalizeTextWidth namedheadnumber namedstructureheadlocation namedstructurevariable namedstructurevariable namedtaggedlabeltexts nastavbarvu nastavbarvy nastavbilamista nastavblok nastavbloksekce nastavbloker nastavcernelinky nastavcislovaniodstavcu nastavcislovaniradku nastavcislovanistran nastavcitaci nastavdeleniplvoucichobjektu	<pre>\monotucne \monthlong {} \monthshort {} \mprandomnumber \mrizka [=] \mtext {} \m [=] {} \NormalizeFontHeight \ {} {} {} \NormalizeFontWidth \ {} {} \NormalizeTextHeight {} {} \NormalizeTextWidth {} {} \namedheadnumber {} \namedstructureheadlocation {} \namedstructurevariable {} {} \namedstructurevariable {} {} {} \natavbarvu [] \nastavbarvu [] \nastavbarvi [] \nastavbloksekce [] [=] \nastavbloksekce [] [=] \nastavbilamista [] \nastavcislonadpisu [] [] \nastavcislostrany [=] \nastavcislovaniodstavcu [=] \nastavcislovaniadku [] [=] \nastavcislovanistran [=] \nastavcislovanistran [=] \nastavcislovanistran [=] \nastavcislovaniplyoucichobjektu [=]</pre>
monotucne monthlong monthshort mprandomnumber mrizka mtext m:assignment NormalizeFontHeight NormalizeFontWidth NormalizeTextHeight NormalizeTextWidth namedheadnumber namedstructureheadlocation namedstructurevariable namedstructurevariable namedtaggedlabeltexts nastavbarvu nastavbarvy nastavbilamista nastavblok nastavbloksekce nastavbuffer nastavcernelinky nastavcislovaniodstavcu nastavcislovaniradku nastavcislovanistran nastavcitaci nastavdeleniplvoucichobjektu nastavdelitko	<pre>\monotucne \monthlong {} \monthshort {} \mprandomnumber \mrizka [=] \mtext {} \m [=] {} \NormalizeFontHeight \ {} {} {} \NormalizeFontWidth \ {} {} \NormalizeTextHeight {} {} \namedheadnumber {} \namedheadnumber {} \namedstructureheadlocation {} \namedstructurevariable {} {} \namedstructurevariable {} {} \nastavbarvu [] \nastavbarvu [] \nastavbilamista [] \nastavbloksekce [] [=] \nastavbifer [] [=] \nastavcislonadpisu [] [] \nastavcislostrany [=] \nastavcislovaniodstavcu [=] \nastavcislovaniodstavcu [=] \nastavcislovanistran [=] \nastavcislovanistran [=] \nastavcislovanistran [=] \nastavcislovaniodlobjektu [=] \nastavcilatoci [] \nastavcilatoci [] \nastavcilatoci [] \nastavcila</pre>
monotucne monthlong monthshort mprandomnumber mrizka mtext m:assignment NormalizeFontHeight NormalizeFontWidth NormalizeTextHeight NormalizeTextWidth namedheadnumber namedstructureheadlocation namedstructurevariable namedstructurevariable namedtaggedlabeltexts nastavbarvu nastavbarvy nastavbilamista nastavblok nastavbloksekce nastavblofer nastavcernelinky nastavcislovaniodstavcu nastavcislovaniodstavcu nastavcislovanistran nastavcitaci nastavdeleniplvoucichobjektu nastavdelitko nastavdolnitexty	<pre>\monotucne \monthlong {} \monthshort {} \mprandomnumber \mrizka [=] \mtext {} \m [=] {} \NormalizeFontHeight \ {} {} {} \NormalizeFontWidth \ {} {} \NormalizeTextHeight {} {} \NormalizeTextWidth {} {} {} \namedheadnumber {} \namedstructureheadlocation {} \namedstructureuservariable {} {} \namedstructurevariable {} {} \namedstructurevariable {} {} \nastavbarvu [] \nastavbarvu [] \nastavblamista [] \nastavblokekce [] [=] \nastavblokekce [] [=] \nastavbuffer [] [=] \nastavcislonadpisu [] [] \nastavcislovaniodstavcu [=] \nastavcislovaniradku [] [] \nastavcislovanistran [=] \nastavcitaci [=] \nastavdeleniplvoucichobjektu [=] \nastavdelitko [=] \nastavdelitko [=] \nastavdolnitexty [] [] [] [] []</pre>
monotucne monthlong monthshort mprandomnumber mrizka mtext m:assignment NormalizeFontHeight NormalizeTextHeight NormalizeTextHeight NormalizeTextWidth namedheadnumber namedstructureheadlocation namedstructurevariable namedstructurevariable namedstructurevariable nastavbarvu nastavbarvu nastavbarvy nastavbilamista nastavblok nastavblokekce nastavbuffer nastavcernelinky nastavcislonadpisu nastavcislostrany nastavcislovaniodstavcu nastavcislovanistran nastavcitaci nastavdeleniplvoucichobjektu nastavdelitko nastavdolnitexty nastaveni	<pre>\monotucne \monthlong {} \monthshort {} \mprandomnumber \mrizka [=] \mtext {} \m [=] {} \NormalizeFontHeight \ {} {} \NormalizeFontWidth \ {} {} \NormalizeTextWidth {} {} {} \namedheadnumber {} \namedheadnumber {} \namedstructureheadlocation {} \namedstructurevariable {} {} \namedstructurevariable {} {} \namedstructurevariable {} {} \nastavbarvu [] \nastavbarvu [] \nastavbloksekce [] [=] \nastavbloksekce [] [=] \nastavcislonadpisu [] [] \nastavcislostrany [=] \nastavcislovaniodstavcu [] \nastavcislovaniotstan [] \nastavcislovanistran [] \nastavcislovanistran [] \nastavcislovanistran [] \nastavcitaci [] \nastavdeleniplvoucichobjektu [] \nastavdelitko [] \nastavdolnitexty [] [] [] [] [] \nastavonstaveni [] \nastavonstaveni []</pre>
monotucne monthlong monthshort mprandomnumber mrizka mtext m:assignment NormalizeFontHeight NormalizeFontWidth NormalizeTextHeight NormalizeTextWidth namedheadnumber namedstructureheadlocation namedstructurevariable namedstructurevariable namedtaggedlabeltexts nastavbarvu nastavbarvy nastavbilamista nastavblok nastavbloksekce nastavblofer nastavcernelinky nastavcislovaniodstavcu nastavcislovaniodstavcu nastavcislovanistran nastavcitaci nastavdeleniplvoucichobjektu nastavdelitko nastavdolnitexty	<pre>\monotucne \monthlong {} \monthshort {} \mprandomnumber \mrizka [=] \mtext {} \m [=] {} \NormalizeFontHeight \ {} {} {} \NormalizeFontWidth \ {} {} \NormalizeTextHeight {} {} \NormalizeTextWidth {} {} {} \namedheadnumber {} \namedstructureheadlocation {} \namedstructureuservariable {} {} \namedstructurevariable {} {} \namedstructurevariable {} {} \nastavbarvu [] \nastavbarvu [] \nastavblamista [] \nastavblokekce [] [=] \nastavblokekce [] [=] \nastavbuffer [] [=] \nastavcislonadpisu [] [] \nastavcislovaniodstavcu [=] \nastavcislovaniradku [] [] \nastavcislovanistran [=] \nastavcitaci [=] \nastavdeleniplvoucichobjektu [=] \nastavdelitko [=] \nastavdelitko [=] \nastavdolnitexty [] [] [] [] []</pre>

nastavhornitexty	\nastavhornitexty [] [] [] []
nastavinterakci	\nastavinterakci [] [=]
nastavinterakci:name	\nastavinterakci []
nastavinterakcnilistu	\nastavinterakcnilistu [] [=]
nastavinterakcnimenu	\nastavinterakcnimenu [] [=]
nastavinterakcniobrazovku	\nastavinterakcniobrazovku [=]
nastavjazyk	\nastavjazyk [] [=]
nastavkapitalky nastavkombinovanyseznam	\nastavkapitalky [] [=] \nastavkombinovanyseznam [] [=]
nastavkombinovanyseznam:instance	\nastaveniCOMBINEDLIST [=]
nastavkombinovanyseznam:instance:content	\nastavenicontent [=]
nastavkomentar	\nastavkomentar [] [=]
nastavkomentarstrany	\nastavkomentarstrany [=]
nastavmarginalnilinky	\nastavmarginalnilinky [] [=]
nastavmeziradkovoumezeru	\nastavmeziradkovoumezeru [] [=]
nastavmeziradkovoumezeru:argument nastavmeziradkovoumezeru:name	\nastavmeziradkovoumezeru [] \nastavmeziradkovoumezeru []
nastavnadpis	\nastavnadpis [] [=]
nastavnadpisy	\nastavnadpisy [] [=]
nastavodkazovani	\nastavodkazovani [=]
nastavodsazovani	\nastavodsazovani []
nastavodstavce	\nastavodstavce [] [=]
nastavodstavce:assignment	\nastavodstavce [] [=]
nastavopis	\nastavopis [] [=]
nastavoramovanetexty	\nastavoramovanetexty [] [=] \nastavoramovani [] [=]
nastavorez	\nastavorez [=]
nastavotoceni	\nastavotoceni [=]
nastavpaletu	\nastavpaletu []
nastavplvouciobjekt	\nastavplvouciobjekt [] [=]
nastavplvouciobjekty	\nastavplvouciobjekty [] [=]
nastavpodcislostrany	\nastavpodcislostrany [=]
nastavpole	\nastavpole [] [=] [=] [=]
nastavpolozky	\nastavpolozky [] [=]
nastavpopisek	\nastavpopisek [] [=] \nastavpopisky [] [=]
nastavpopisky nastavpozadi	\nastavpopisky [] [=]
nastavpozadi:page	\nastavpozadi [] [=]
nastavpoznamkypodcarou	\nastavpoznamkypodcarou [=]
nastavprechodstrany	\nastavprechodstrany []
nastavpreskok	\nastavpreskok []
nastavprogramy	\nastavprogramy [=]
nastavradkovani	\nastavradkovani []
nastavradky nastavrejstrik	\nastavradky [] [=] \nastavrejstrik [] [=]
nastavrejstrik:argument	\nastavrejstrik [] [=]
nastavrejstrik:instance	\nastaveniREGISTER [] [=]
nastavrejstrik:instance:index	\nastaveniindex [] [=]
nastavrovnice	\nastavrovnice [] [=]
nastavsadusymbolu	\nastavsadusymbolu []
nastavseznam	\nastavseznam [] [=]
nastavsirkucary	<pre>\nastavsirkucary [] \nastavsloupce [=]</pre>
nastavsloupce nastavspodek	\nastavspodek [] [=]
nastavsynonyma	\nastavsynonyma [] [=]
nastavtabelaci	\nastavtabelaci [] [=]
nastavtabulky	\nastavtabulky [=]
nastavtenkelinky	\nastavtenkelinky [=]
nastavtext	\nastavtext [] [=]
nastavtextovelinky	\nastavtextovelinky [=]
nastavtextpopisku:instance nastavtextpopisku:instance:btxlabel	\nastaveniLABELtext [] [=] \nastavenibtxlabeltext [] [=]
nastavtextpopisku:instance:head	\nastavenibetxiabeitext [] [=]
nastavtextpopisku:instance:label	\nastavenilabeltext [] [=]
nastavtextpopisku:instance:mathlabel	\nastavenimathlabeltext [] [=]
nastavtextpopisku:instance:operator	\nastavenioperatortext [] [=]
nastavtextpopisku:instance:prefix	\nastaveniprefixtext [] [=]
nastavtextpopisku:instance:suffix	\nastavenisuffixtext [] [=]
nastavtextpopisku:instance:taglabel nastavtextpopisku:instance:unit	\nastavenitaglabeltext [] [=] \nastaveniunittext [] [=]
nastavtextty	\nastavenimittext [] [] \nastavtexttexty [] [] [] [] []
nastavtextyupati	\nastavtextyupati [] [] [] []
· •	• •

nastavtextyzahlavi	\nastavtextyzahlavi [] [] [] []
nastavtoleranci	\nastavtoleranci []
nastavtrideni	\nastavtrideni [] [=]
	\nastavtype [] [=]
nastavtype	
nastavumisteniprotejsku	\nastavumisteniprotejsku [=]
nastavumistovani	\nastavumistovani [] [=]
nastavupati	\nastavupati [] [=]
nastavupravu	\nastavupravu [] [=]
nastavurl	\nastavurl [=]
nastavusporadani	\nastavusporadani []
nastavvelikostpapiru	\nastavvelikostpapiru [] [=]
nastavvelikostpapiru:name	\nastavvelikostpapiru [] []
nastavvsechnapole	\nastavvsechnapole [] [=] [=]
nastavvycty	\nastavvycty [] [=]
· ·	
nastavvyplnovelinky	\nastavvyplnovelinky [=]
nastavvyplnoveradky	\nastavvyplnoveradky [=]
nastavvzhled	\nastavvzhled [] [=]
nastavvzhled:name	\nastavvzhled []
nastavzahlavi	\nastavzahlavi [] [=]
nastavzakladnifont	\nastavzakladnifont []
nastavzarovnani	\nastavzarovnani []
nastavznaceni	\nastavznaceni [] [=]
nastavzuzeni	\nastavzuzeni [] [=]
nastrane	\nastrane []
nastred	\nastred
naturalhbox	• • • • • • • • • • • • • • • • • • • •
	\naturalhbox {}
naturalhpack	\naturalhpack {}
naturaltpack	\naturaltpack {}
naturalvbox	\naturalvbox {}
naturalvcenter	\naturalvcenter {}
naturalvpack	\naturalvpack {}
naturalvtop	\naturalvtop {}
naturalwd	\naturalwd
negatecolorbox	\negatecolorbox
negated	\negated {}
negemspace	\negemspace
negenspace	\negenspace
negthinspace	\negthinspace
nejakyradek	\nejakyradek []
nekde	\nekde {} {} []
newattribute	\newattribute \
newcatcodetable	\newcatcodetable \
newcounter	\newcounter \
newevery	\newevery \ \
newfrenchspacing	\newfrenchspacing
newmode	\newmode {}
newsignal	\newsignal \
newsystemmode	\newsystemmode {}
nextbox	\nextbox
nextboxdp	\nextboxdp
nextboxht	\nextboxht
nextboxhtdp	\nextboxhtdp
nextboxwd	\nextboxwd
nextcounter	\nextcounter [] []
nextcountervalue	\nextcountervalue []
nextdepth	\nextdepth
nextparagraphs	\nextparagraphs
nextparagraphs:example	\dalsiPARAGRAPHS
nextrealpage	\nextrealpage
nextrealpagenumber	\nextrealpagenumber
nextsubcountervalue	\nextsubcountervalue [] []
nextsubpagenumber	\nextsubpagenumber
nextuserpage	\nextuserpage
nextuserpagenumber	\nextuserpagenumber
neznamo	\neznamo
nivy	\nivy [] {}
·	
nizky	\nizky {}
nizky:instance	\LOW {}
nizky:instance:unitslow	\unitslow {}
nocitation	\nocitation []
nocitation:direct	\nocitation {}
nocite	\nocite []

nocite:direct	\nocite {}
nodetostring	\nodetostring \ {}
noffigurepages	\noffigurepages
noflines	\noflines
noflocalfloats	\noflocalfloats
noheightstrut	\noheightstrut
nocharacteralign	\nocharacteralign
noindentation	\noindentation
noitem	\noitem
	*
nokap	\nokap {}
nonfrenchspacing	\nonfrenchspacing
nonmathematics	\nonmathematics {}
normalboldface	\normalboldface
normalframedwithsettings	\normalframedwithsettings [=] {}
normalitalicface	\normalitalicface
normalizebodyfontsize	\normalizebodyfontsize \ {}
normalizedfontsize	\normalizedfontsize
normalizefontdepth	\normalizefontdepth \ \{} \{}
normalizefontheight	\normalizefontheight \ \{\} \{\} \{
normalizefontline	\normalizefontline \ \{\} \{\}
normalizefontwidth	
	\normalizefontwidth \ \{\} \{\}
normalizetextdepth	\normalizetextdepth \{\ldots\} \{\ldots\}
normalizetextheight	\normalizetextheight \{\ldots\} \{\ldots\}
normalizetextline	\normalizetextline \{\ldots\} \{\ldots\}
normalizetextwidth	<pre>\normalizetextwidth {} {} {}</pre>
normalni	\normalni
normalslantedface	\normalslantedface
normaltypeface	\normaltypeface
V-1	* <del>*</del> -
notesymbol	\notesymbol [] []
notragged	\notragged
ntimes	\ntimes {} {}
numberofpoints	\numberofpoints {}
obeydepth	\obeydepth
objectdepth	\objectdepth
objectheight	\objectheight
objectmargin	\objectmargin
-	
objectwidth	\objectwidth
obox	\obox {}
obrazovka	\obrazovka []
odkaz	\odkaz [] {}
odkaznastranu	\odkaznastranu []
odkaznatext	\odkaznatext [] {}
odkazujici	\odkazujici (,) (,) []
offset	\offset [=] {}
offsetbox	\offsetbox [=] \ {}
onedigitrounding	\onedigitrounding {}
opis	\opis [=] {}
opissoubor	\opissoubor [] [=] {}
opis:angles	\opis [=] <<>>
opis:example	\OPIS [=] {}
opis:example:angles	\OPIS [=] <<>>
oramovani	\oramovani [=] {}
oramovani:instance	\FRAMED [=] {}
oramovani:instance:fitfieldframed	\fitfieldframed [=] {}
oramovani:instance:unframed	\unframed [=] {}
oramovanytext:instance	$\FRAMEDTEXT [=] {}$
oramovanytext:instance:framedtext	\framedtext [=] {}
ordinaldaynumber	\ordinaldaynumber {}
ordinalstr	\ordinalstr {}
oref	\oref []
orez	\orez [=.] {}
ornamenttext:collector	\ornamenttext [=] [=] {} {}
ornamenttext:direct	\ornamenttext [] {} {}
ornamenttext:layer	\ornamenttext [=] [=] {} {}
ornament:example	\ORNAMENT {} {}
otocit	\otocit [=] {}
outputfilename	\outputfilename
outputstreambox	\outputstreambox []
<del>-</del>	
outputstreamcopy	\outputstreamcopy []
outputstreamunvbox	\outputstreamunvbox []
outputstreamunvcopy	\outputstreamunvcopy []
over	\over []

overlaybutton	\overlaybutton []
overlaybutton:direct	\overlaybutton {}
overlaycolor	\overlaycolor
overlaydepth	\overlaydepth
overlayfigure	\overlayfigure {}
overlayheight	\overlayheight
overlayimage	\overlayimage {}
overlaylinecolor	\overlaylinecolor
overlaylinewidth	\overlaylinewidth
overlayoffset	\overlayoffset
overlayrollbutton	\overlayrollbutton [] [] \overlaywidth
overlaywidth overloaderror	\overlagwidth \overloaderror
overset	\overset {} {}
oznaceni	\oznaceni (,) (,) [=] {}
PDFcolor	\PDFcolor {}
PDFETEX	\PDFETEX
PDFTEX	\PDFTEX
PICTEX	\PICTEX
PiCTeX	\PiCTeX
PointsToBigPoints	\PointsToBigPoints {} \
PointsToReal	\PointsToReal {} \
PointsToWholeBigPoints	\PointsToWholeBigPoints {} \
PPCHTEX	\PPCHTEX
PPCHTeX	\PPCHTeX
PRAGMA	\PRAGMA
PtToCm	\PtToCm {}
pagearea	\pagearea [] []
pagebreak	\pagebreak []
pagefigure	\pagefigure [] [=]
pageinjection	\pageinjection [] [=]
pageinjection:assignment	\pageinjection [=]
pagestaterealpage	\pagestaterealpage {} {}
pagestaterealpageorder	\pagestaterealpageorder {} {}
paletsize	\paletsize
paragraphs: example	\PARAGRAPHS
pdfactualtext	\pdfactualtext {} {}
pdfbackendactualtext	\pdfbackendactualtext {} {}
pdfbackendcurrentresources	\pdfbackendcurrentresources
pdfbackendsetcatalog	\pdfbackendsetcatalog {} {}
pdfbackendsetcolorspace	\pdfbackendsetcolorspace {} {}
pdfbackendsetextgstate	\pdfbackendsetextgstate {} {}
pdfbackendsetinfo	\pdfbackendsetinfo {} {}
pdfbackendsetname	\pdfbackendsetname {} {}
pdfbackendsetpageattribute	\pdfbackendsetpageattribute \{\ldots\} \{\ldots\} \pdfbackendsetpageresource \{\ldots\} \{\ldots\}
pdfbackendsetpageresource pdfbackendsetpagesattribute	\pdfbackendsetpageresource \(\ldots\); \(\ldots\)
pdfbackendsetpattern	\pdfbackendsetpagesattifbute \(\therefore\) \(\therefore\) \(\therefore\) \(\therefore\)
pdfbackendsetshade	\pdfbackendsetshade {} {}
pdfcolor	\pdfcolor {}
pdfeTeX	\pdfeTeX
pdfTeX	\pdfTeX
percent	\percent
percentdimen	\percentdimen {} {}
permitcaretescape	\permitcaretescape
permitcircumflexescape	\permitcircumflexescape
permitspacesbetweengroups	\permitspacesbetweengroups
persiandecimals	\persiandecimals {}
persiannumerals	\persiannumerals {}
phantom	\phantom {}
phantombox	\phantombox [=]
pickupgroupedcommand	\pickupgroupedcommand {} {} {}
pis	\pis [=] {}
pis:angles	\pis [=] <<>>
placeattachments	\placeattachments
placebtxrendering	\placebtxrendering [] [=]
placecitation	\placecitation []
placecomments	\placecomments
placecurrentformulanumber	\placecurrentformulanumber
placedbox	\placedbox {}
placefloat	\placefloat [] [] {} {}
placefloatwithsetups	$\label{localization} $$ \placefloatwithsetups [] [] {} {}$

placefloat:instance	\umistiFLOAT [] [] {} {}
-	
placefloat:instance:figure	\umistifigure [] [] {}
placefloat:instance:graphic	\umistigraphic [] [] {}
placefloat:instance:chemical	\umistichemical [] {} {}
placefloat:instance:intermezzo	\umistiintermezzo [] [] {} {}
placefloat:instance:table	\umistitable [] [] {}
placeframed	\placeframed [] [=] {}
placeheadnumber	\placeheadnumber []
placeheadtext	\placeheadtext []
placehelp	\placehelp
placeinitial	\placeinitial []
placelayer	\placelayer []
placelayeredtext	\placelayeredtext [] [=] [=] {} {}
placelistoffloats:instance	\placelistofFLOATS [=]
placelistoffloats:instance:figures	\placelistoffigures [=]
placelistoffloats:instance:graphics	\placelistofgraphics [=]
placelistoffloats:instance:chemicals	\placelistofchemicals [=]
-	•
placelistoffloats:instance:intermezzi	\placelistofintermezzi [=]
placelistoffloats:instance:tables	\placelistoftables [=]
placelistofpublications	\placelistofpublications [] [=]
placelistofsorts	\placelistofsorts [] [=]
placelistofsorts:instance	\placelistofSORTS [=]
placelistofsorts:instance:logos	\placelistoflogos [=]
placelistofsynonyms	\placelistofsynonyms [] [=]
placelistofsynonyms:instance	\placelistofSYNONYMS [=]
placelistofsynonyms:instance:abbreviations	\placelistofabbreviations [=]
placelocalnotes	\placelocalnotes [] [=]
placement	\placement [] [=] {}
placement:example	\PLACEMENT [=] {}
placenamedfloat	\placenamedfloat [] []
placenamedformula	\placenamedformula [] {}
placenotes	\placenotes [] [=]
placepagenumber	\placehous [] [] \placehous []
placepairedbox	\placepairedbox [] [=] {} {}
placepairedbox:instance	\umistiPAIREDBOX [=] {} {}
placepairedbox:instance:legend	\umistilegend [=] {}
placeparallel	\placeparallel [] [=]
placerawheaddata	\placerawheaddata []
<del>-</del>	\placerawheadnumber []
placerawheadtext	\placerawheadtext []
placerawlist	\placerawlist [] [=]
placerenderingwindow	\placerenderingwindow [] []
plnezneni	\plnezneni {}
pole	\pole [] []
polozka	\polozka []
polozky	\polozky [=] {}
	\popattribute \
popis:example	\POPIS [] {} \par
popmacro	\popmacro \
popmode	\popmode []
poppisek:example	\POPISEK [] {}
popsystemmode	\popsystemmode \{\ldots\}
porovnejpaletu	\porovnejpaletu []
porovnejskupinubarev	\porovnejskupinubarev []
i v	\positionoverlay {}
positionregionoverlay	\positionregionoverlay {} {}
poslaednipodstranka	\poslaednipodstranka
postponenotes	\postponenotes
pozadi	\pozadi {}
pozadi:example	\POZADI {}
pozice	\pozice [=] (,) {}
poznamka	\poznamka [] []
poznamka:instance	\NOTE [] {}
poznamka:instance:assignment	\NOTE [=]
poznamka:instance:assignment:endnote	\endnote [=]
poznamka:instance:assignment:footnote	\footnote [=]
poznamka:instance:endnote	\endnote [] {}
poznamka:instance:footnote	\footnote [] \{\}
pravidelne	\pravidelne
predefinedfont	\predefinedfont []
predefinediont	\predefinedfont [] \predefinefont []
-	
predefinesymbol	\predefinesymbol []

pref	\pref {} {} []
prefixedpagenumber	\prefixedpagenumber
prelozit	\prelozit [=]
prependetoks	\prependetoks \to \
prependgvalue	\prependgvalue {} {}
prependtocommalist	\prependtocommalist {} \
prependtoks	\prependtoks \to \
prependtoksonce	\prependtoksonce \to \
prependvalue	\prependvalue {} {}
prepninazakladnifont	\prepninazakladnifont []
prerollblank	\prerollblank []
presetdocument	\presetdocument [=]
presetfieldsymbols	\presetfieldsymbols []
presetlabeltext:instance	\presetLABELtext [] [=]
<pre>presetlabeltext:instance:btxlabel</pre>	\presetbtxlabeltext [] [=]
<pre>presetlabeltext:instance:head</pre>	\presetheadtext [] [=]
<pre>presetlabeltext:instance:label</pre>	\presetlabeltext [] [=]
<pre>presetlabeltext:instance:mathlabel</pre>	\presetmathlabeltext [] [=]
<pre>presetlabeltext:instance:operator</pre>	\presetoperatortext [] [=]
<pre>presetlabeltext:instance:prefix</pre>	\presetprefixtext [] [=]
<pre>presetlabeltext:instance:suffix</pre>	\presetsuffixtext [] [=]
<pre>presetlabeltext:instance:taglabel</pre>	\presettaglabeltext [] [=]
presetlabeltext:instance:unit	\presetunittext [] [=]
preskoc	\preskoc []
pretocommalist	\pretocommalist {} \
prettyprintbuffer	\prettyprintbuffer \{\ldots\}
prevcounter	\prevcounter [] []
prevcountervalue	\prevcountervalue []
preventmode	\preventmode []
prevrealpage	\prevrealpage
prevrealpagenumber	\prevrealpagenumber
prevsubcountervalue	\prevsubcountervalue [] []
prevsubpage	\prevsubpage
prevsubpagenumber	\prevsubpagenumber
prevuserpage	\prevuserpage
prevuserpagenumber	\prevuserpagenumber
prizpusobivepole	\prizpusobivepole [] [=]
prizpusobvzhled	\prizpusobvzhled [] [=]
procent	\procent
processaction	\processaction [] [,.=>,]
processallactionsinset	\processallactionsinset [] [,=>,]
processassignlist	\processassignlist [] \
processassignmentcommand	\processassignmentcommand [=] \
processassignmentlist	\processassignmentlist [=] \
processbetween	\processbetween {} \
processbodyfontenvironmentlist	\processbodyfontenvironmentlist \
processcolorcomponents	\processcolorcomponents {}
processcommacommand	\processcommacommand [] \
processcommalist	\processcommalist [] \
processcommalistwithparameters	\processcommalistwithparameters [] \
processcontent	\processcontent {} \
processfile	\processfile {}
processfilemany	\processfilemany {}
processfilenone	\processfilenone {}
processfileonce	\processfileonce {}
processfirstactioninset	\processfirstactioninset [] [,=>,]
processisolatedchars	\processisolatedchars {} \
processisolatedwords	\processisolatedwords {} \
processlinetablebuffer processlinetablefile	\processlinetablebuffer []
processlinetablefile	\processlinetablefile {}
processlist	\processlist {} {} \ \processMPbuffer []
processMPbuffer processMPfigurefile	
processmonth	<pre>\processMPfigurefile {} \processmonth {} {}</pre>
processmenth	\processmonth \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
processranges processseparatedlist	\processranges [] \ \processseparatedlist [] [] \\
processtexbuffer	\processTEXbuffer [] \processTEXbuffer []
processtokens	\processtckbuller \( \cdots \)
processuntil	\processuntil \
processxtablebuffer	\processxtablebuffer []
processyear	\processyear {} {} {} {}
produkt.	\produkt [ ]

produkt:string	\produkt
profiledbox	\profiledbox [] [=] {}
profilegivenbox	\profilegivenbox {}
program	\program []
projekt	\projekt []
projekt:string	\projekt
prostredi	\prostredi []
prostredi:string	\prostredi
prvnipodstranka	\prvnipodstranka
pseudoMixedCapped	\pseudoMixedCapped {}
pseudoSmallCapped	\pseudoSmallCapped {}
pseudoSmallcapped	\pseudoSmallcapped {} \pseudosmallcapped {}
pseudosmallcapped purenumber	\purenumber \{\dots\}
pusharrangedpages	\pusharrangedpages \poparrangedpages
pushattribute	\pushattribute \
pushbar	\pushbar [] \popbar
pushbarva	\pushbarva [] \popbarva
pushbutton	\pushbutton []
pushcatcodetable	\pushcatcodetable \popcatcodetable
pushendofline	\pushendofline \popendofline
pushindentation	\pushindentation \popindentation
pushMPdrawing	\pushMPdrawing \popMPdrawing
pushmacro	\pushmacro \
pushmathstyle	\pushmathstyle \popmathstyle
pushmode	\pushmode []
pushoutputstream	\pushoutputstream []
pushpath	\pushpath [] \poppath
pushpozadi	\pushpozadi [] \poppozadi
pushpunctuation	\pushpunctuation \poppunctuation
pushrandomseed	\pushrandomseed \poprandomseed
pushreferenceprefix	\pushreferenceprefix {} \popreferenceprefix
pushsystemmode	\pushsystemmode {}
putboxincache	\putboxincache {} {}
putnextboxincache	\putnextboxincache \{\} \\ \{\}
a anno d	\qquad
qquad	<del></del>
quad	
quad quads	s []
quads quarterstrut	 s [] \quarterstrut
quad quads quarterstrut quitcommalist	s [] \quarterstrut \quitcommalist
quad quads quarterstrut quitcommalist quitprevcommalist	s [] \quaterstrut \quitcommalist \quitprevcommalist
quad quads quarterstrut quitcommalist quitprevcommalist quittypescriptscanning	s [] \quarterstrut \quitcommalist \quitprevcommalist \quittypescriptscanning
quad quads quarterstrut quitcommalist quitprevcommalist quittypescriptscanning ReadFile	s [] \quarterstrut \quitcommalist \quitprevcommalist \quittypescriptscanning \ReadFile {}
quad quads quarterstrut quitcommalist quitprevcommalist quittypescriptscanning ReadFile Rimskecislice	<pre> s [] \quarterstrut \quitcommalist \quitprevcommalist \quittypescriptscanning \ReadFile {} \Rimskecislice {}</pre>
quad quads quarterstrut quitcommalist quitprevcommalist quittypescriptscanning ReadFile Rimskecislice radek	<pre> s [] \quarterstrut \quitcommalist \quitprevcommalist \quittypescriptscanning \ReadFile {} \Rimskecislice {} \radek {}</pre>
quad quads quarterstrut quitcommalist quitprevcommalist quittypescriptscanning ReadFile Rimskecislice radek raggedbottom	<pre> s [] \quarterstrut \quitcommalist \quitprevcommalist \quittypescriptscanning \ReadFile {} \Rimskecislice {} \radek {} \raggedbottom</pre>
quad quads quarterstrut quitcommalist quitprevcommalist quittypescriptscanning ReadFile Rimskecislice radek raggedbottom raggedcenter	<pre> s [] \quarterstrut \quitcommalist \quitprevcommalist \quittypescriptscanning \ReadFile {} \Rimskecislice {} \radek {} \raggedbottom \raggedcenter</pre>
quad quads quarterstrut quitcommalist quitprevcommalist quittypescriptscanning ReadFile Rimskecislice radek raggedbottom raggedcenter raggedleft	<pre> s [] \quarterstrut \quitcommalist \quitprevcommalist \quittypescriptscanning \ReadFile {} \Rimskecislice {} \radek {} \raggedbottom \raggedcenter \raggedleft</pre>
quad quads quarterstrut quitcommalist quitprevcommalist quittypescriptscanning ReadFile Rimskecislice radek raggedbottom raggedcenter raggedleft raggedright	<pre> s [] \quarterstrut \quitcommalist \quitprevcommalist \quittypescriptscanning \ReadFile {} \Rimskecislice {} \radek {} \raggedbottom \raggedcenter \raggedleft \raggedright</pre>
quad quads quarterstrut quitcommalist quitprevcommalist quittypescriptscanning ReadFile Rimskecislice radek raggedbottom raggedcenter raggedleft raggedright raggedwidecenter	<pre> s [] \quarterstrut \quitcommalist \quitprevcommalist \quittypescriptscanning \ReadFile {} \Rimskecislice {} \radek {} \raggedbottom \raggedcenter \raggedleft \raggedright \raggedwidecenter</pre>
quad quads quarterstrut quitcommalist quitprevcommalist quittypescriptscanning ReadFile Rimskecislice radek raggedbottom raggedcenter raggedleft raggedright	<pre> s [] \quarterstrut \quitcommalist \quitprevcommalist \quittypescriptscanning \ReadFile {} \Rimskecislice {} \radek {} \raggedbottom \raggedcenter \raggedleft \raggedright</pre>
quad quads quarterstrut quitcommalist quitprevcommalist quittypescriptscanning ReadFile Rimskecislice radek raggedbottom raggedcenter raggedleft raggedright raggedwidecenter raisebox	<pre> s [] \quarterstrut \quitcommalist \quitprevcommalist \quittypescriptscanning \ReadFile {} \Rimskecislice {} \radek {} \raggedbottom \raggedcenter \raggedleft \raggedright \raggedwidecenter \raisebox {} \ {} \randomizetext {}</pre>
quad quads quarterstrut quitcommalist quitprevcommalist quittypescriptscanning ReadFile Rimskecislice radek raggedbottom raggedcenter raggedleft raggedright raggedwidecenter raisebox randomizetext	<pre> s [] \quarterstrut \quitcommalist \quitprevcommalist \quittypescriptscanning \ReadFile {} \Rimskecislice {} \radek {} \raggedbottom \raggedcenter \raggedleft \raggedright \raggedwidecenter \raisebox {} \ {}</pre>
quad quads quarterstrut quitcommalist quitprevcommalist quittypescriptscanning ReadFile Rimskecislice radek raggedbottom raggedcenter raggedleft raggedright raggedwidecenter raisebox randomizetext randomnumber	<pre> s [] \quarterstrut \quitcommalist \quittypescriptscanning \ReadFile {} \Rimskecislice {} \radek {} \raggedbottom \raggedcenter \raggedleft \raggedright \raggedwidecenter \raisebox {} \ {} \randomizetext {} \randomnumber {} {}</pre>
quad quads quarterstrut quitcommalist quitprevcommalist quittypescriptscanning ReadFile Rimskecislice radek raggedbottom raggedcenter raggedleft raggedright raggedwidecenter raisebox randomizetext randomnumber rawcounter	<pre> s [] \quarterstrut \quitcommalist \quittypescriptscanning \ReadFile {} \Rimskecislice {} \radek {} \raggedbottom \raggedcenter \raggedleft \raggedright \raggedwidecenter \raisebox {} \ {} \randomnumber {} {} \randomnumber {} {} \rawcounter []</pre>
quad quads quarterstrut quitcommalist quitprevcommalist quittypescriptscanning ReadFile Rimskecislice radek raggedbottom raggedcenter raggedleft raggedright raggedvidecenter raisebox randomizetext randomnumber rawcountervalue	<pre> s [] \quarterstrut \quitcommalist \quitprevcommalist \quittypescriptscanning \ReadFile {} \Rimskecislice {} \radek {} \raggedbottom \raggedcenter \raggedleft \raggedright \raggedwidecenter \raisebox {} \ {} \randomizetext {} \randomnumber {} {} \rawcounter [] [] \rawdoifelseinset {} {} {}</pre>
quad quads quarterstrut quitcommalist quitprevcommalist quittypescriptscanning ReadFile Rimskecislice radek raggedbottom raggedcenter raggedleft raggedright raggedvidecenter raisebox randomizetext randomnumber rawcounter rawcountervalue rawdate	<pre> s [] \quarterstrut \quitcommalist \quittypescriptscanning \ReadFile {} \Rimskecislice {} \radek {} \raggedbottom \raggedcenter \raggedleft \raggedright \raggedwidecenter \raisebox {} \ {} \randomnumber {} {} \randomnumber {} {} \rawcountervalue [] \rawdate []</pre>
quads quads quarterstrut quitcommalist quitprevcommalist quittypescriptscanning ReadFile Rimskecislice radek raggedbottom raggedcenter raggedleft raggedright raggedvidecenter raisebox randomizetext randomnumber rawcounter rawcountervalue rawdate rawdoifelseinset	<pre> s [] \quarterstrut \quitcommalist \quitprevcommalist \quittypescriptscanning \ReadFile {} \Rimskecislice {} \radek {} \raggedbottom \raggedcenter \raggedleft \raggedright \raggedwidecenter \raisebox {} \ {} \randomizetext {} \randomnumber {} {} \rawcounter [] [] \rawdoifelseinset {} {} {}</pre>
quads quads quarterstrut quitcommalist quitprevcommalist quittypescriptscanning ReadFile Rimskecislice radek raggedbottom raggedcenter raggedleft raggedright raggedvidecenter raisebox randomizetext randomnumber rawcounter rawcountervalue rawdate rawdoifelseinset rawdoifinset	s [] \quarterstrut \quitcommalist \quittypescriptscanning \ReadFile {} \Rimskecislice {} \radek {} \raggedbottom \raggedcenter \raggedleft \raggedright \raggedright \raggedvidecenter \raisebox {} \ {} \randomnumber {} {} \rawcounter [] [] \rawcountervalue [] \rawdoifinset {} {} {} \rawdoifinsetelse {} {} {} \rawdoifinsetelse {} {} {} \rawgetparameters [] []
quad quads quarterstrut quitcommalist quitprevcommalist quittypescriptscanning ReadFile Rimskecislice radek raggedbottom raggedcenter raggedleft raggedright raggedwidecenter raisebox randomizetext randomnumber rawcounter rawcounter rawcountervalue rawdate rawdoifelseinset rawdoifinset rawdoifinsetelse	<pre> s [] \quarterstrut \quitcommalist \quittypescriptscanning \ReadFile {} \Rimskecislice {} \rangedbottom \rangedcenter \rangedleft \rangedright \rangedwidecenter \raisebox {} \ {} \randomnumber {} {} \randomnumber {} {} \ravecounter [] \rawdoifelseinset {} {} {} \rawdoifinsetelse {} {} {} \rawprocessaction [] []</pre>
quads quarterstrut quitcommalist quittypescriptscanning ReadFile Rimskecislice radek raggedbottom raggedcenter raggedleft raggedright raggedwidecenter raisebox randomizetext randomnumber rawcounter rawcounter rawcountervalue rawdate rawdoifelseinset rawdoifinset rawdoifinsetelse rawgetparameters	<pre> s [] \quarterstrut \quitcommalist \quittypescriptscanning \ReadFile {} \Rimskecislice {} \radek {} \raggedbottom \raggedcenter \raggedleft \raggedright \raggedright \raggedwidecenter \raisebox {} \ {} \randomnumber {} {} \rawcounter [] \rawcounter [] \rawdoifelseinset {} {} {} \rawdoifinsetelse {} {} {} \rawprocesscommacommand [] \</pre>
quads quarterstrut quitcommalist quitprevcommalist quittypescriptscanning ReadFile Rimskecislice radek raggedbottom raggedcenter raggedleft raggedright raggedwidecenter raisebox randomizetext randomnumber rawcounter rawcounter rawcountervalue rawdate rawdoifelseinset rawdoifinset rawdoifinsetelse rawgetparameters rawprocesscommacommand rawprocesscommalist	<pre>   s []   \quarterstrut   \quitcommalist   \quittypescriptscanning   \ReadFile {}   \Rimskecislice {}   \rangedbottom   \rangedcenter   \rangedleft   \rangedright   \rangedwidecenter   \randomizetext {}   \randomnumber {} {}   \randomnumber {} {}   \randomitescunter {}   \randomitescunter {}   \randomitescunter {}   \randomitescunter {}   \randomitescunter {}   \randomitescunter {} {</pre>
quads quarterstrut quitcommalist quittypescriptscanning ReadFile Rimskecislice radek raggedbottom raggedcenter raggedleft raggedright raggedwidecenter raisebox randomizetext randomnumber rawcounter rawcounter rawdoifelseinset rawdoifinset rawdoifinsetelse rawgetparameters rawprocesscommalist rawstructurelistuservariable	<pre>   s []   \quarterstrut   \quitcommalist   \quittypescriptscanning   \ReadFile {}   \Rimskecislice {}   \rangedbottom   \rangedcenter   \rangedleft   \rangedright   \rangedwidecenter   \randomizetext {}   \randomnumber {} {}   \randomnumber {} {}   \rawcounter []   \rawdoifelseinset {} {} {}   \rawdoifinsetelse {} {} {}   \rawprocesscommacommand [] \   \rawprocesscommalist [] \   \rawstructurelistuservariable {} }</pre>
quads quarterstrut quitcommalist quittypescriptscanning ReadFile Rimskecislice radek raggedbottom raggedcenter raggedleft raggedright raggedwidecenter raisebox randomizetext randomnumber rawcounter rawcounter rawcounterset rawdoifelseinset rawdoifinset rawdoifinsetelse rawgetparameters rawprocesscommacommand rawprocesscommalist rawstructurelistuservariable rawsubcountervalue	<pre>   s []   \quarterstrut   \quitcommalist   \quittypescriptscanning   \ReadFile {}   \rangedFile {}   \rangedbottom   \rangedcenter   \rangedleft   \rangedright   \rangedwidecenter   \randomizetext {}   \randomnumber {} {}   \randomnumber {} {}   \randomitescinter {}   \randomitescinter {}   \randomizetext {}   \randomizetext {}   \randomizetext {}   \randomizetext {}   \randomitescinter {}   \randomitescinter {} {}   \randomitescinter {}</pre>
quad quads quarterstrut quitcommalist quittypescriptscanning ReadFile Rimskecislice radek raggedbottom raggedcenter raggedleft raggedright raggedwidecenter raisebox randomizetext randomnumber rawcounter rawcounter rawcountersulue rawdate rawdoifinset rawdoifinset rawdoifinsetselse rawgetparameters rawprocesscommacommand rawprocesscommalist rawstructurelistuservariable rawsubcountervalue rawsubcountervalue rawsubcountervalue	s [] \quarterstrut \quitcommalist \quittypescriptscanning \ReadFile {} \rangedfile {} \rangedbottom \rangedcenter \rangedleft \rangedright \rangedwidecenter \randomizetext {} \randomnumber {} {} \rawcounter [] \rawdoifelseinset {} {} {} \rawdoifinsetelse {} {} {} \rawprocesscommalist [] \rawprocesscommalist [] \ \rawprocesscommalist [] \ \rawprocesscommalist [] \ \rawsubcountervalue []
quad quads quarterstrut quitcommalist quitprevcommalist quittypescriptscanning ReadFile Rimskecislice radek raggedbottom raggedcenter raggedleft raggedright raggedwidecenter raisebox randomizetext randomnumber rawcounter rawcounter rawdoifelseinset rawdoifinset rawdoifinsetelse rawgetparameters rawprocesscommalist rawstructurelistuservariable rawsubcountervalue rbox readfile	<pre>   s []   \quarterstrut   \quitcommalist   \quittypescriptscanning   \ReadFile {}   \Rimskecislice {}   \raggedbottom   \raggedcenter   \raggedright   \raggedwidecenter   \raisebox {} \ {}   \randomnumber {} {}   \randomnumber {} {}   \rawcounter []   \rawdoifelseinset {} {} {}   \rawdoifinsetelse {} {} {}   \rawprocesscommacommand [] \   \rawprocesscommacommand [] \   \rawsubcountervalue []   \rawsubcountervalue []   \rawprocesscommacommand [] \   \rawprocesscommacommand [] \   \rawsubcountervalue [] []   \rawsubcountervalue []   \rawsubcount</pre>
quad quads quarterstrut quitcommalist quittypescriptscanning ReadFile Rimskecislice radek raggedbottom raggedcenter raggedleft raggedright raggedwidecenter raisebox randomizetext randomnumber rawcounter rawcounter rawdoifelseinset rawdoifinset rawdoifinsetelse rawgetparameters rawprocesscommalist rawstructurelistuservariable rawsubcountervalue rbox readfile readfixfile	<pre>   s []   \quarterstrut   \quitcommalist   \quittypescriptscanning   \ReadFile {}   \Rimskecislice {}   \raggedbottom   \raggedcenter   \raggedright   \raggedwidecenter   \raisebox {} \ {}   \randomnumber {} {}   \rawcounter [] []   \rawcountervalue []   \rawdoifinset {} {} {}   \rawdoifinsetelse {} {} {}   \rawprocesscommacommand [] \   \rawprocesscommacommand [] \   \rawsubcountervalue []   \rawsubcountervalue []   \rawprocesscommacommand [] \   \rawprocesscommacommand [] \   \rawsubcountervalue [] []   \rawsubcountervalue [] {}   \raws</pre>
quad quads quarterstrut quitcommalist quittypescriptscanning ReadFile Rimskecislice radek raggedbottom raggedcenter raggedleft raggedright raggedwidecenter raisebox randomizetext randomnumber rawcounter rawcounter rawdoifelseinset rawdoifinset rawdoifinset rawdoifinsetelse rawgetparameters rawprocesscommacommand rawprocesscommalist rawstructurelistuservariable readfixfile readfixfile readjobfile	<pre>   s []   \quarterstrut   \quitcommalist   \quittypescriptscanning   \ReadFile {}   \Rimskecislice {}   \raggedbottom   \raggedcenter   \raggedright   \raggedwidecenter   \raisebox {} \ {}   \randomizetext {}   \randomnumber {} {}   \rawcounter [] []   \rawdoifelseinset {} {} {}   \rawdoifinsetlse {} {} {}   \rawprocesscommacommand [] \   \rawprocesscommalist []   \rawsubcountervalue []   \rawprocesscommalist [] \   \rawprocessc</pre>
quad quads quarterstrut quitcommalist quittypescriptscanning ReadFile Rimskecislice radek raggedbottom raggedcenter raggedleft raggedright raggedwidecenter raisebox randomizetext randomnumber rawcounter rawcounter rawcountersalue rawdoifelseinset rawdoifinset rawdoifinsetelse rawgetparameters rawprocesscommalist rawstructurelistuservariable readfixfile readfixfile readlocfile	<pre>   s []   \quarterstrut   \quitcommalist   \quittypescriptscanning   \ReadFile {}   \Rimskecislice {}   \raggedbottom   \raggedcenter   \raggedright   \raggedwidecenter   \raisebox {} \ {}   \randomizetext {}   \randomizetext {}   \rawcounter [] []   \rawdoifileseinset {} {} {}   \rawdoifinsetlse {} {} {}   \rawprocessaction [] []   \rawprocesscommacommand [] \   \rawsubcountervalue []   \rawprocesscommacommand [] \   \rawprocesscommacommand [] \   \rawprocesscommacommand [] \   \rawsubcountervalue [] []   \rawprocesscommacommand [] \   \rawprocesscommacommand [.</pre>
quad quads quarterstrut quitcommalist quittypescriptscanning ReadFile Rimskecislice radek raggedbottom raggedcenter raggedleft raggedright raggedwidecenter raisebox randomizetext randomnumber rawcounter rawcounter rawdoifelseinset rawdoifinset rawdoifinset rawdoifinsetelse rawgetparameters rawprocesscommacommand rawprocesscommalist rawstructurelistuservariable readfixfile readfixfile readjobfile	<pre>   s []   \quarterstrut   \quitcommalist   \quittypescriptscanning   \ReadFile {}   \Rimskecislice {}   \raggedbottom   \raggedcenter   \raggedright   \raggedwidecenter   \raisebox {} \ {}   \randomizetext {}   \randomnumber {} {}   \rawcounter [] []   \rawdoifelseinset {} {} {}   \rawdoifinsetlse {} {} {}   \rawprocesscommacommand [] \   \rawprocesscommalist []   \rawsubcountervalue []   \rawprocesscommalist [] \   \rawprocessc</pre>

readtexfile	\readtexfile {} {}
readxmlfile	\readxmlfile {} {}
realpagenumber	\realpagenumber
realSmallCapped	\realSmallCapped {}
realSmallcapped	\realSmallcapped {}
realsmallcapped	\realsmallcapped {}
recursedepth	\recursedepth
recurselevel	\recurselevel
recursestring	\recursestring
redoconvertfont	\redoconvertfont
ref	\ref [] []
referenceformat:example	\REFERENCEFORMAT {} {} []
referenceprefix	\referenceprefix
registerattachment	\registerattachment [] [=]
registerctxluafile	\registerctxluafile {} {}
registerexternalfigure	\registerexternalfigure [] [] [=]
registerfontclass	\registerfontclass {}
registerhyphenationexception	\registerhyphenationexception [] []
registerhyphenationpattern	\registerhyphenationpattern [] []
registermenubuttons	\registermenubuttons [] []
registersort	\registersort [] []
registersynonym	\registersynonym [] []
registerunit	\registerunit [] [=]
rejstrik:instance	\REGISTER [] {++}
rejstrik:instance:index	\index [] {++}
rejstrik:instance:ownnumber	\REGISTER [] {++}
rejstrik:instance:ownnumber:index	\index [] {} {+}
relatemarking	\relatemarking [] []
relateparameterhandlers	\relateparameterhandlers {} {} {}
relaxvalueifundefined	\relaxvalueifundefined {}
remainingcharacters	\remainingcharacters
removebottomthings	\removebottomthings
removedepth	\removedepth
removefromcommalist	\removefromcommalist {} \
removelastskip	\removelastskip
removelastspace	\removelastspace
removemarkedcontent	\removemarkedcontent []
removepunctuation	\removepunctuation
removesubstring	\removesubstring \from \to \
removetoks	\removetoks \from \
	, , , , , , , , , , , , , , , , , , , ,
removeunwantedspaces	\removeunwantedspaces
removeunwantedspaces repeathead	\removeunwantedspaces \repeathead []
repeathead	\repeathead []
repeathead replacefeature	\repeathead [] \replacefeature []
repeathead replacefeature replacefeature:direct	\repeathead [] \replacefeature [] \replacefeature {}
repeathead replacefeature replacefeature:direct replaceincommalist	<pre>\repeathead [] \replacefeature [] \replacefeature {} \replaceincommalist \ {}</pre>
repeathead replacefeature replacefeature:direct replaceincommalist replaceword	\replacefeature [] \replacefeature {} \replaceincommalist \ {} \replaceword [] []
repeathead replacefeature replacefeature:direct replaceincommalist replaceword rescan	<pre>\repeathead [] \replacefeature [] \replacefeature {} \replaceincommalist \ {} \replaceword [] [] \rescan {}</pre>
repeathead replacefeature replacefeature:direct replaceincommalist replaceword rescan rescanwithsetup	<pre>\repeathead [] \replacefeature [] \replacefeature {} \replaceincommalist \ {} \replaceword [] [] \rescan {} \rescanwithsetup {} {}</pre>
repeathead replacefeature replacefeature:direct replaceincommalist replaceword rescan rescanwithsetup resetallattributes	<pre>\repeathead [] \replacefeature [] \replacefeature {} \replaceincommalist \ {} \replaceword [] [] \rescan {} \rescanwithsetup {} {} \resetallattributes</pre>
repeathead replacefeature replacefeature:direct replaceincommalist replaceword rescan rescanwithsetup resetallattributes resetandaddfeature	<pre>\repeathead [] \replacefeature [] \replacefeature {} \replaceincommalist \ {} \replaceword [] [] \rescan {} \rescanwithsetup {} {} \resetallattributes \resetandaddfeature []</pre>
repeathead replacefeature replacefeature:direct replaceincommalist replaceword rescan rescanwithsetup resetallattributes resetandaddfeature resetandaddfeature:direct	<pre>\repeathead [] \replacefeature [] \replacefeature {} \replaceincommalist \ {} \replaceword [] [] [] \rescan {} \rescanwithsetup {} {} \resetallattributes \resetandaddfeature [] \resetandaddfeature {}</pre>
repeathead replacefeature replacefeature:direct replaceincommalist replaceword rescan rescanwithsetup resetallattributes resetandaddfeature resetandaddfeature:direct resetbar	<pre>\repeathead [] \replacefeature [] \replacefeature {} \replaceincommalist \ {} \replaceword [] [] [] \rescan {} \rescanwithsetup {} {} \resetallattributes \resetandaddfeature [] \resetandaddfeature {} \resetbar</pre>
repeathead replacefeature replacefeature:direct replaceincommalist replaceword rescan rescanwithsetup resetallattributes resetandaddfeature resetandaddfeature:direct resetbar resetboxesincache	<pre>\repeathead [] \replacefeature [] \replacefeature {} \replaceincommalist \ {} \replaceword [] [] [] \rescan {} \rescanwithsetup {} {} \resetallattributes \resetandaddfeature [] \resetbar \resetboxesincache {}</pre>
repeathead replacefeature replacefeature:direct replaceincommalist replaceword rescan rescanwithsetup resetallattributes resetandaddfeature resetandadfeature resetbar resetboxesincache resetbreakpoints	<pre>\repeathead [] \replacefeature [] \replacefeature {} \replaceincommalist \ {} \replaceword [] [] [] \rescan {} \rescanwithsetup {} {} \resetallattributes \resetandaddfeature [] \resetbar \resetboxesincache {} \resetbreakpoints</pre>
repeathead replacefeature replacefeature:direct replaceincommalist replaceword rescan rescanwithsetup resetallattributes resetandaddfeature resetandadfeature:direct resetbar resetboxesincache resetbreakpoints resetbuffer	<pre>\repeathead [] \replacefeature [] \replacefeature {} \replaceincommalist \ {} \replaceword [] [] [] \rescan {} \rescanwithsetup {} {} \resetallattributes \resetandaddfeature [] \resetbar \resetboxesincache {} \resetbreakpoints \resetbuffer []</pre>
repeathead replacefeature replacefeature:direct replaceincommalist replaceword rescan rescanwithsetup resetallattributes resetandaddfeature resetandaddfeature:direct resetbar resetboxesincache resetbreakpoints resetbuffer resetcollector	<pre>\repeathead [] \replacefeature [] \replacefeature {} \replaceincommalist \ {} \replaceword [] [] [] \rescan {} \rescanwithsetup {} {} \resetallattributes \resetandaddfeature [] \resetbar \resetboxesincache {} \resetbreakpoints \resetbuffer [] \resetcollector []</pre>
repeathead replacefeature replacefeature:direct replaceincommalist replaceword rescan rescanwithsetup resetallattributes resetandaddfeature resetandadfeature:direct resetbar resetboxesincache resetbreakpoints resetbuffer resetcollector resetcounter	<pre>\repeathead [] \replacefeature [] \replacefeature {} \replaceincommalist \ {} \replaceword [] [] [] \rescan {} \rescanwithsetup {} {} \resetallattributes \resetandaddfeature [] \resetbar \resetboxesincache {} \resetbreakpoints \resetbuffer [] \resetcollector [] \resetcounter [] []</pre>
repeathead replacefeature replacefeature:direct replaceincommalist replaceword rescan rescanwithsetup resetallattributes resetandaddfeature resetandaddfeature:direct resetbar resetboxesincache resetbreakpoints resetbuffer resetcollector resetcounter resetdigitsmanipulation	<pre>\repeathead [] \replacefeature [] \replacefeature {} \replaceincommalist \ {} \replaceword [] [] [] \rescan {} \rescanwithsetup {} {} \resetallattributes \resetandaddfeature [] \resetbar \resetbar \resetboxesincache {} \resetbreakpoints \resetcollector [] \resetcounter [] \resetcounter [] \resetcounter []</pre>
repeathead replacefeature replacefeature:direct replaceincommalist replaceword rescan rescanwithsetup resetallattributes resetandaddfeature resetandadfeature:direct resetbar resetboxesincache resetbreakpoints resetbuffer resetcollector resetcounter resetdigitsmanipulation resetdirection	<pre>\repeathead [] \replacefeature [] \replacefeature {} \replaceincommalist \ {} \replaceword [] [] [] \rescan {} \rescanwithsetup {} {} \resetallattributes \resetandaddfeature [] \resetbar \resetboxesincache {} \resetbreakpoints \resetbuffer [] \resetcollector [] \resetcounter [] [] \resetdigitsmanipulation \resetdirection</pre>
repeathead replacefeature replacefeature:direct replaceincommalist replaceword rescan rescanwithsetup resetallattributes resetandaddfeature resetandaddfeature:direct resetbar resetboxesincache resetbreakpoints resetbuffer resetcollector resetcounter resetdigitsmanipulation resetfeature	<pre>\repeathead [] \replacefeature [] \replacefeature {} \replaceincommalist \ {} \replaceword [] [] [] \rescan {} \rescanwithsetup {} {} \resetallattributes \resetandaddfeature [] \resetbar \resetbar \resetboxesincache {} \resetbreakpoints \resetbotlector [] \resetcounter [] \resetdigitsmanipulation \resetfeature</pre>
repeathead replacefeature replacefeature:direct replaceincommalist replaceword rescan rescanwithsetup resetallattributes resetandaddfeature resetandadfeature:direct resetbar resetboxesincache resetbreakpoints resetbuffer resetcollector resetcounter resetdigitsmanipulation resetfeature resetflag	<pre>\repeathead [] \replacefeature [] \replacefeature {} \replaceincommalist \ {} \replaceword [] [] [] \rescan {} \rescanwithsetup {} {} \resetallattributes \resetandaddfeature [] \resetbar \resetbar \resetboxesincache {} \resetbreakpoints \resetboffer [] \resetcounter [] \resetdigitsmanipulation \resetfeature \resetflag {}</pre>
repeathead replacefeature replacefeature:direct replaceincommalist replaceword rescan rescanwithsetup resetallattributes resetandaddfeature resetandaddfeature:direct resetbar resetboxesincache resetbreakpoints resetbuffer resetcollector resetcounter resetdigitsmanipulation resetfeature resetflag resetfontcolorsheme	<pre>\repeathead [] \replacefeature [] \replacefeature {} \replaceincommalist \ {} \replaceword [] [] [] \rescan {} \rescanwithsetup {} {} \resetallattributes \resetandaddfeature [] \resetandaddfeature {} \resetbar \resetboxesincache {} \resetbreakpoints \resetbreakpoints \resetcollector [] \resetcounter [] [] \resetdigitsmanipulation \resetfiag {} \resetfontcolorsheme</pre>
repeathead replacefeature replacefeature:direct replaceincommalist replaceword rescan rescanwithsetup resetallattributes resetandaddfeature resetandaddfeature:direct resetbar resetboxesincache resetbreakpoints resetollector resetcounter resetdigitsmanipulation resetfeature resetflag resetfontcolorsheme resetfontfallback	<pre>\repeathead [] \replacefeature [] \replacefeature {} \replaceincommalist \ {} \replaceword [] [] [] \rescan {} \rescanwithsetup {} {} \resetallattributes \resetandaddfeature [] \resetandaddfeature {} \resetbar \resetboxesincache {} \resetbreakpoints \resetbuffer [] \resetcounter [] \resetcounter [] \resetdigitsmanipulation \resetfiag {} \resetfontcolorsheme \resetfontfallback [] []</pre>
repeathead replacefeature replacefeature:direct replaceincommalist replaceword rescan rescanwithsetup resetallattributes resetandaddfeature resetandaddfeature:direct resetbar resetboxesincache resetbreakpoints resetcollector resetcounter resetdigitsmanipulation resetfeature resetflag resetfontcolorsheme resetfontsolution	<pre>\repeathead [] \replacefeature [] \replacefeature {} \replaceincommalist \ {} \replaceword [] [] [] \rescan {} \rescanwithsetup {} {} \resetallattributes \resetandaddfeature [] \resetbar \resetboxesincache {} \resetbreakpoints \resetbreakpoints \resetcollector [] \resetcounter [] [] \resetdigitsmanipulation \resetfiature \resetflag {} \resetfontcolorsheme \resetfontsolution</pre>
repeathead replacefeature replacefeature:direct replaceincommalist replaceword rescan rescanwithsetup resetallattributes resetandaddfeature resetandaddfeature:direct resetbar resetboxesincache resetbreakpoints resetcollector resetcounter resetdigitsmanipulation resetfeature resetflag resetfontcolorsheme resetfontsolution resetfyphenationfeatures	<pre>\repeathead [] \replacefeature [] \replacefeature {} \replaceincommalist \ {} \replaceword [] [] [] \rescan {} \rescanwithsetup {} {} \resetallattributes \resetandaddfeature [] \resetbar \resetboxesincache {} \resetbreakpoints \resetbreakpoints \resetcollector [] \resetcounter [] [] \resetdigitsmanipulation \resetfiature \resetflag {} \resetfontcolorsheme \resetfontsolution \resethyphenationfeatures</pre>
repeathead replacefeature replacefeature:direct replaceincommalist replaceword rescan rescanwithsetup resetallattributes resetandaddfeature resetandaddfeature:direct resetbar resetboxesincache resetbreakpoints resetollector resetcoulter resetdigitsmanipulation resetfeature resetflag resetfontcolorsheme resetfontsolution resethyphenationfeatures resethyphenationfeatures resetcharacteralign	<pre>\repeathead [] \replacefeature [] \replacefeature {} \replaceincommalist \ {} \replaceword [] [] [] \rescan {} \rescanwithsetup {} {} \resetallattributes \resetandaddfeature [] \resetandaddfeature {} \resetbar \resetboxesincache {} \resetbreakpoints \resetbreakpoints \resetcollector [] \resetcounter [] [] \resetdigitsmanipulation \resetdirection \resetfeature \resetfontcolorsheme \resetfontsolution \resethyphenationfeatures \resetcharacteralign</pre>
repeathead replacefeature replacefeature:direct replaceincommalist replaceword rescan rescanwithsetup resetallattributes resetandaddfeature resetandaddfeature:direct resetbar resetboxesincache resetbreakpoints resetcollector resetcounter resetdigitsmanipulation resetfeature resetflag resetfontcolorsheme resetfontsolution resethyphenationfeatures resetcharacteralign resetcharacterkerning	<pre>\repeathead [] \replacefeature [] \replacefeature {} \replaceincommalist \ {} \replaceword [] [] [] \rescan {} \rescanwithsetup {} {} \resetallattributes \resetandaddfeature [] \resetandaddfeature {} \resetbar \resetboxesincache {} \resetbreakpoints \resetbreakpoints \resetcollector [] \resetcounter [] [] \resetdigitsmanipulation \resetfiature \resetflag {} \resetfontcolorsheme \resetfontsolution \resethyphenationfeatures \resetcharacteralign \resetcharacterkerning</pre>
repeathead replacefeature replacefeature:direct replaceincommalist replaceword rescan rescanwithsetup resetallattributes resetandaddfeature resetandaddfeature:direct resetbar resetboxesincache resetbreakpoints resetcollector resetcounter resetdigitsmanipulation resetfeature resetflag resetfontcolorsheme resetfontsolution resethyphenationfeatures resetcharacterkerning resetcharacterspacing	<pre>\repeathead [] \replacefeature [] \replacefeature {} \replaceincommalist \ {} \replaceword [] [] [] \rescan {} \rescanwithsetup {} {} \resetallattributes \resetandaddfeature [] \resetbar \resetboxesincache {} \resetbreakpoints \resetbuffer [] \resetcollector [] \resetcounter [] [] \resetdigitsmanipulation \resetfeature \resetflag {} \resetfontcolorsheme \resetfontsolution \resetcharacteralign \resetcharacterspacing</pre>
repeathead replacefeature replacefeature:direct replaceincommalist replaceword rescan rescanwithsetup resetallattributes resetandaddfeature resetandaddfeature:direct resetbar resetboxesincache resetbreakpoints resetcoulector resetcounter resetdigitsmanipulation resetfeature resetflag resetfontcolorsheme resetfontsolution resetfontsolution resethyphenationfeatures resetcharacterspacing resetcharacterstripping	<pre>\repeathead [] \replacefeature [] \replacefeature {} \replaceincommalist \ {} \replaceword [] [] [] \rescan {} \rescanwithsetup {} {} \resetallattributes \resetandaddfeature [] \resetbar \resetboxesincache {} \resetbreakpoints \resetbuffer [] \resetcollector [] \resetdigitsmanipulation \resetdigitsetfiag {} \resetfontcolorsheme \resetfontsolution \resetcharacteralign \resetcharacterspacing \resetcharacterstripping</pre>
repeathead replacefeature replacefeature:direct replaceincommalist replaceword rescan rescanwithsetup resetallattributes resetandaddfeature resetandaddfeature:direct resetbar resetboxesincache resetbreakpoints resetollector resetcounter resetdigitsmanipulation resetfeature resetflag resetfontcolorsheme resetfontsolution resethyphenationfeatures resetcharacterspacing resetcharacterstripping resetinjector	<pre>\repeathead [] \replacefeature [] \replacefeature {} \replaceincommalist \ {} \replaceword [] [] [] \rescan {} \rescanwithsetup {} {} \resetallattributes \resetandaddfeature [] \resetbar \resetbar \resetboxesincache {} \resetbreakpoints \resetbuffer [] \resetcollector [] \resetdigitsmanipulation \resetdigitsetion \resetflag {} \resetfontcolorsheme \resetfontfollback [] [] \resetcharacteralign \resetcharacterspacing \resetcharacterspring \resetcharacterstripping \resetinjector []</pre>
repeathead replacefeature replacefeature:direct replaceincommalist replaceword rescan rescanwithsetup resetallattributes resetandaddfeature resetandaddfeature:direct resetbar resetboxesincache resetbreakpoints resetcoulector resetcounter resetdigitsmanipulation resetfeature resetflag resetfontcolorsheme resetfontsolution resetfontsolution resethyphenationfeatures resetcharacterspacing resetcharacterstripping	<pre>\repeathead [] \replacefeature [] \replacefeature {} \replaceincommalist \ {} \replaceword [] [] [] \rescan {} \rescanwithsetup {} {} \resetallattributes \resetandaddfeature [] \resetbar \resetboxesincache {} \resetbreakpoints \resetbuffer [] \resetcollector [] \resetdigitsmanipulation \resetdigitsetfiag {} \resetfontcolorsheme \resetfontsolution \resetcharacteralign \resetcharacterspacing \resetcharacterstripping</pre>

resetlayer	\resetlayer []
resetlocalfloats	\resetlocalfloats
resetMPdrawing	$\r$
resetMPenvironment	\resetMPenvironment
resetMPinstance	\resetMPinstance []
resetmarker	\resetmarker []
resetmode	\resetmode {}
resetpagenumber	\resetpagenumber
resetparallel	\resetparallel [] []
resetpath	\resetpath
resetpenalties	\resetpenalties \
resetperiodkerning	\resetperiodkerning
resetprofile	\resetprofile
resetrecurselevel	\resetrecurselevel
resetreference	\resetreference []
resetreplacement	\resetreplacement
resetscript	\resetscript
resetsetups	\resetsetups []
resetshownsynonyms	\resetshownsynonyms []
resetsubpagenumber	\resetsubpagenumber
resetsymbolset	\resetsymbolset
resetsystemmode	\resetsystemmode {}
resettimer	\resettimer
resettokenlist	\resettokenlist []
resettrackers	\resettrackers
resettrialtypesetting	\resettrialtypesetting
resetusedsortings	\resetusedsortings []
<u> </u>	\resetusedsynonyms []
resetusedsynonyms	
resetuserpagenumber	\resetuserpagenumber
resetvalue resetvisualizers	\resetvalue {} \resetvisualizers
	• • • • • • • • • • • • • • • • • • • •
resetznaceni	\resetznaceni []
reshapebox	\reshapebox {}
resolvedglyphdirect	\resolvedglyphdirect {} {}
resolvedglyphstyled	\resolvedglyphstyled {} {}
restartcounter	\restartcounter [] []
restorebox	\restorebox {} {}
resterestedes	\rag+araca+cadag
restorecatcodes	\restorecatcodes
restorecounter	\restorecounter []
	\restorecounter [] \restorecurrentattributes {}
restorecounter	\restorecounter []
restorecounter restorecurrentattributes restoreendofline restoreglobalbodyfont	\restorecounter [] \restorecurrentattributes {} \restoreendofline \restoreglobalbodyfont
restorecounter restorecurrentattributes restoreendofline restoreglobalbodyfont reusableMPgraphic	<pre>\restorecounter [] \restorecurrentattributes {} \restoreendofline \restoreglobalbodyfont \reusableMPgraphic {} {=}</pre>
restorecounter restorecurrentattributes restoreendofline restoreglobalbodyfont	\restorecounter [] \restorecurrentattributes {} \restoreendofline \restoreglobalbodyfont
restorecounter restorecurrentattributes restoreendofline restoreglobalbodyfont reusableMPgraphic reuseMPgraphic reuserandomseed	<pre>\restorecounter [] \restorecurrentattributes {} \restoreendofline \restoreglobalbodyfont \reusableMPgraphic {} {=} \reuseMPgraphic {} {=}</pre>
restorecounter restorecurrentattributes restoreendofline restoreglobalbodyfont reusableMPgraphic reuseMPgraphic	<pre>\restorecounter [] \restorecurrentattributes {} \restoreendofline \restoreglobalbodyfont \reusableMPgraphic {} {=} \reuseMPgraphic {} {=} \reuserandomseed \reversehbox {}</pre>
restorecounter restorecurrentattributes restoreendofline restoreglobalbodyfont reusableMPgraphic reuseMPgraphic reuserandomseed	<pre>\restorecounter [] \restorecurrentattributes {} \restoreendofline \restoreglobalbodyfont \reusableMPgraphic {} {=} \reuseMPgraphic {} {=} \reuserandomseed \reversehbox {} \reversehpack {}</pre>
restorecounter restorecurrentattributes restoreendofline restoreglobalbodyfont reusableMPgraphic reuseMPgraphic reuserandomseed reversehbox	<pre>\restorecounter [] \restorecurrentattributes {} \restoreendofline \restoreglobalbodyfont \reusableMPgraphic {} {=} \reuseMPgraphic {} {=} \reuserandomseed \reversehbox {} \reversehpack {} \reversetpack {}</pre>
restorecounter restorecurrentattributes restoreendofline restoreglobalbodyfont reusableMPgraphic reuseMPgraphic reuserandomseed reversehbox reversehpack	<pre>\restorecounter [] \restorecurrentattributes {} \restoreendofline \restoreglobalbodyfont \reusableMPgraphic {} {=} \reuseMPgraphic {} {=} \reuserandomseed \reversehbox {} \reversehpack {}</pre>
restorecounter restorecurrentattributes restoreendofline restoreglobalbodyfont reusableMPgraphic reuseMPgraphic reuserandomseed reversehbox reversehpack reversetpack	<pre>\restorecounter [] \restorecurrentattributes {} \restoreendofline \restoreglobalbodyfont \reusableMPgraphic {} {=} \reuseMPgraphic {} {=} \reuserandomseed \reversehbox {} \reversehpack {} \reversetpack {}</pre>
restorecounter restorecurrentattributes restoreendofline restoreglobalbodyfont reusableMPgraphic reuseMPgraphic reuserandomseed reversehbox reversehpack reversetpack reversevbox	<pre>\restorecounter [] \restorecurrentattributes {} \restoreendofline \restoreglobalbodyfont \reusableMPgraphic {} {=} \reuseMPgraphic {} {=} \reuserandomseed \reversehbox {} \reversetpack {} \reversetpack {} \reversevbox {}</pre>
restorecounter restorecurrentattributes restoreendofline restoreglobalbodyfont reusableMPgraphic reuseMPgraphic reuserandomseed reversehbox reversehpack reversetpack reversevbox reversevbox reversevpack	<pre>\restorecounter [] \restorecurrentattributes {} \restoreendofline \restoreglobalbodyfont \reusableMPgraphic {} {=} \reuseMPgraphic {} {=} \reuserandomseed \reversehbox {} \reversetpack {} \reversetpack {} \reversevbox {} \reversevpack {}</pre>
restorecounter restorecurrentattributes restoreendofline restoreglobalbodyfont reusableMPgraphic reuseMPgraphic reuserandomseed reversehbox reversehpack reversetpack reversevbox reversevbox reversevpack reversevtop	<pre>\restorecounter [] \restorecurrentattributes {} \restoreendofline \restoreglobalbodyfont \reusableMPgraphic {} {=} \reuseMPgraphic {} {=} \reuserandomseed \reversehbox {} \reversetpack {} \reversetpack {} \reversevbox {} \reversevpack {} \reversevpack {} \reversevpack {} \reversevpack {} \reversevtop {}</pre>
restorecounter restorecurrentattributes restoreendofline restoreglobalbodyfont reusableMPgraphic reuseMPgraphic reuserandomseed reversehbox reversehpack reversetpack reversevbox reversevbox reversevtop revivefeature	<pre>\restorecounter [] \restorecurrentattributes {} \restoreendofline \restoreglobalbodyfont \reusableMPgraphic {} {=} \reuseMPgraphic {} {=} \reuserandomseed \reversehbox {} \reversetpack {} \reversetpack {} \reversevbox {} \</pre>
restorecounter restorecurrentattributes restoreendofline restoreglobalbodyfont reusableMPgraphic reuseMPgraphic reuserandomseed reversehbox reversehpack reversetpack reversevbox reversevbox reversevtop revivefeature rfence	<pre>\restorecounter [] \restorecurrentattributes {} \restoreendofline \restoreglobalbodyfont \reusableMPgraphic {} {=} \reuseMPgraphic {} {=} \reuserandomseed \reversehbox {} \reversetpack {} \reversetpack {} \reversevbox {} \reversevbox {} \reversevbox {} \reversevtop {} \reversevtop {} \revivefeature \rfence {}</pre>
restorecounter restorecurrentattributes restoreendofline restoreglobalbodyfont reusableMPgraphic reuseMPgraphic reuserandomseed reversehbox reversehpack reversetpack reversevbox reversevbox reversevtop revivefeature rfence rhbox	<pre>\restorecounter [] \restorecurrentattributes {} \restoreendofline \restoreglobalbodyfont \reusableMPgraphic {} {=} \reuseMPgraphic {} {=} \reuserandomseed \reversehbox {} \reversetpack {} \reversetpack {} \reversevbox {} \reve</pre>
restorecounter restorecurrentattributes restoreendofline restoreglobalbodyfont reusableMPgraphic reuseMPgraphic reuserandomseed reversehbox reversehpack reversetpack reversevbox reversevbox reversevtop revivefeature rfence rhbox rightbottombox	<pre>\restorecounter [] \restorecurrentattributes {} \restoreendofline \restoreglobalbodyfont \reusableMPgraphic {} {=} \reuseMPgraphic {} {=} \reuserandomseed \reversehbox {} \reversetpack {} \reversetpack {} \reversevbox {} \reversevbox {} \reversevtop {} \reversevtop {} \revivefeature \rfence {} \rhox {} \rightbottombox {}</pre>
restorecounter restorecurrentattributes restoreendofline restoreglobalbodyfont reusableMPgraphic reuseMPgraphic reuserandomseed reversehbox reversehpack reversetpack reversevbox reversevbox reversevtop revivefeature rfence rhbox rightbottombox rightbotx	<pre>\restorecounter [] \restorecurrentattributes {} \restoreendofline \restoreglobalbodyfont \reusableMPgraphic {} {=} \reuseMPgraphic {} {=} \reuserandomseed \reversehbox {} \reversetpack {} \reversetpack {} \reversevbox {} \reversevbox {} \reversevbox {} \reversevtop {} \revivefeature \rfence {} \rhbox {} \rightbottombox {} \rightbot {}</pre>
restorecounter restorecurrentattributes restoreendofline restoreglobalbodyfont reusableMPgraphic reuseMPgraphic reuserandomseed reversehbox reversehpack reversetpack reversevbox reversevbox reversevtop revivefeature rfence rhbox rightbottombox rightbox righthbox	<pre>\restorecounter [] \restorecurrentattributes {} \restoreendofline \restoreglobalbodyfont \reusableMPgraphic {} {=} \reuseMPgraphic {} {=} \reuserandomseed \reversehbox {} \reversehpack {} \reversetpack {} \reversevbox {} \reversevbox {} \reverseversevbox {} \reverseversevbox {} \reversevfor {} \revivefeature \rfence {} \rhbox {} \rightbottombox {} \rightbox {} \righthox {} \righthbox {}</pre>
restorecounter restorecurrentattributes restoreendofline restoreglobalbodyfont reusableMPgraphic reuseMPgraphic reuserandomseed reversehbox reversehpack reversetpack reversevbox reversevbox reversevtop revivefeature rfence rhbox rightbottombox rightbox rightlabeltext:instance	<pre>\restorecounter [] \restorecurrentattributes {} \restoreendofline \restoreglobalbodyfont \reusableMPgraphic {} {=} \reuseMPgraphic {} {=} \reuserandomseed \reversehbox {} \reversehpack {} \reversetpack {} \reversevbox {} \reversevbox {} \reverseversevbox {} \reverseversevbox {} \reversevbox {} \reversevbox {} \reversevbox {} \rightbox {.</pre>
restorecounter restorecurrentattributes restoreendofline restoreglobalbodyfont reusableMPgraphic reuseMPgraphic reuserandomseed reversehbox reversehpack reversetpack reversevbox reversevopack reversevtop revivefeature rfence rhbox rightbottombox rightbox rightlabeltext:instance rightlabeltext:instance:head	<pre>\restorecounter [] \restorecurrentattributes {} \restoreendofline \restoreglobalbodyfont \reusableMPgraphic {} {=} \reuseMPgraphic {} {=} \reuserandomseed \reversehbox {} \reversehpack {} \reversetpack {} \reversevbox {} \reversevbox {} \reverseversevbox {} \reverseversevbox {} \reversevbox {} \reversevbox {} \revivefeature \rfence {} \rhbox {} \rightbot {} \righthox {} \righthox {} \righthabeLtext {} \rightheadtext {} \r</pre>
restorecounter restorecurrentattributes restoreendofline restoreglobalbodyfont reusableMPgraphic reuseMPgraphic reuserandomseed reversehbox reversehpack reversetpack reversevbox reversevtop revivefeature rfence rhbox rightbottombox rightbox rightlabeltext:instance rightlabeltext:instance:label	<pre>\restorecounter [] \restorecurrentattributes {} \restoreendofline \restoreglobalbodyfont \reusableMPgraphic {} {=} \reuseMPgraphic {} {=} \reuserandomseed \reversehbox {} \reversetpack {} \reversetpack {} \reversevbox {} \reversevbox {} \reversevtop {} \revivefeature \rfence {} \rhbox {} \rightbottombox {} \rightLABELtext {} \rightlabelt</pre>
restorecounter restorecurrentattributes restoreendofline restoreglobalbodyfont reusableMPgraphic reuseMPgraphic reuserandomseed reversehbox reversehpack reversetpack reversevbox reversevtop revivefeature rfence rhbox rightbottombox rightbox rightlabeltext:instance rightlabeltext:instance:label rightlabeltext:instance:mathlabel	<pre>\restorecounter [] \restorecurrentattributes {} \restoreendofline \restoreglobalbodyfont \reusableMPgraphic {} {=} \reuseMPgraphic {} {=} \reuserandomseed \reversehbox {} \reversehpack {} \reversetpack {} \reversevbox {} \reversevbox {} \reversevtop {} \revivefeature \rfence {} \rhbox {} \rightbottombox {} \rightLABELtext {} \rightlabeltext {} \rightlabeltext {} \rightmathlabeltext {} \rightmath</pre>
restorecounter restorecurrentattributes restoreendofline restoreglobalbodyfont reusableMPgraphic reuseMPgraphic reuserandomseed reversehbox reversehpack reversetpack reversevbox reversevtop revivefeature rfence rhbox rightbottombox rightbox rightlabeltext:instance rightlabeltext:instance:label rightline	<pre>\restorecounter [] \restorecurrentattributes {} \restoreendofline \restoreglobalbodyfont \reusableMPgraphic {} {=} \reuseMPgraphic {} {=} \reuserandomseed \reversehbox {} \reversehpack {} \reversetpack {} \reversevbox {} \reversevtop {} \reversevtop {} \revivefeature \rfence {} \rhbox {} \rightbottombox {} \righthox {} \righthabeLtext {} \righthabeltext {} \rightmathlabeltext {} \rightline {</pre>
restorecounter restorecurrentattributes restoreglobalbodyfont reusableMPgraphic reuseMPgraphic reuserandomseed reversehbox reversehpack reversetpack reversevbox reversevtop revivefeature rfence rhbox rightbottombox rightbox rightlabeltext:instance rightlabeltext:instance:label rightline rightorleftpageaction rightpageorder	<pre>\restorecounter [] \restorecurrentattributes {} \restoreendofline \restoreglobalbodyfont \reusableMPgraphic {} {=} \reuseMPgraphic {} {=} \reuserandomseed \reversehbox {} \reversetpack {} \reversetpack {} \reversevbox {} \reversevtop {} \revivefeature \rfence {} \rightbot {} \rightbot {} \rightbot {} \rightlabeltext {} \rightlabeltext {} \rightlabeltext {} \rightline {} \rightlapageorder</pre>
restorecounter restorecurrentattributes restoreendofline restoreglobalbodyfont reusableMPgraphic reuseMPgraphic reuserandomseed reversehbox reversehpack reversetpack reversevbox reversevtop revivefeature rfence rhbox rightbottombox rightbox rightlabeltext:instance rightlabeltext:instance:label rightline rightorleftpageaction	<pre>\restorecounter [] \restorecurrentattributes {} \restoreendofline \restoreglobalbodyfont \reusableMPgraphic {} {=} \reuseMPgraphic {} {=} \reuserandomseed \reversehbox {} \reversetpack {} \reversetpack {} \reversevbox {} \reversevtop {} \revivefeature \rfence {} \rhbox {} \rightbottombox {} \rightbot {} \rightLABELtext {} \rightlabeltext {} \rightmathlabeltext {} \rightline {} \rightorleftpageaction {} {} </pre>
restorecounter restorecurrentattributes restoreglobalbodyfont reusableMPgraphic reuseMPgraphic reuserandomseed reversehbox reversehpack reversetpack reversevbox reversevtop revivefeature rfence rhbox rightbottombox rightbox rightlabeltext:instance rightlabeltext:instance:label rightline rightorleftpageaction rightpageorder rightskipadaption	<pre>\restorecounter [] \restorecurrentattributes {} \restoreendofline \restoreglobalbodyfont \reusableMPgraphic {} {=} \reuseMPgraphic {} {=} \reuserandomseed \reversehbox {} \reversetpack {} \reversetpack {} \reversevbox {} \reversevtop {} \revivefeature \rfence {} \rhbox {} \rightbottombox {} \rightbot {} \rightLABELtext {} \rightlabeltext {} \rightlabeltext {} \rightline {} \rightpageorder \rightskipadaption</pre>
restorecounter restorecurrentattributes restoreglobalbodyfont reusableMPgraphic reuseMPgraphic reuserandomseed reversehbox reversehpack reversetpack reversevbox reversevtop revivefeature rfence rhbox rightbottombox rightbox rightlabeltext:instance rightlabeltext:instance:label rightline rightorleftpageaction rightsubguillemot	<pre>\restorecounter [] \restorecurrentattributes {} \restoreendofline \restoreglobalbodyfont \reusableMPgraphic {} {=} \reuseMPgraphic {} {=} \reuserandomseed \reversehbox {} \reversetpack {} \reversetpack {} \reversevbox {} \reversevopack {} \reversetpack {} \revivefeature \rfence {} \rhbox {} \rightbottombox {} \rightbot {} \rightLABELtext {} \rightlabeltext {} \rightlabeltext {} \rightline {} \rightpageorder \rightskipadaption \rightsubguillemot \righttoleft</pre>
restorecounter restorecurrentattributes restoreendofline restoreglobalbodyfont reusableMPgraphic reuseMPgraphic reuserandomseed reversehbox reversehpack reversetpack reversevbox reversevtop revivefeature rfence rhbox rightbottombox rightbotx rightlabeltext:instance rightlabeltext:instance:head rightlabeltext:instance:mathlabel rightline rightorleftpageaction rightsubguillemot rightsubguillemot rightsubguillemot righttoleft	<pre>\restorecounter [] \restorecurrentattributes {} \restoreendofline \restoreglobalbodyfont \reusableMPgraphic {} {=} \reuseMPgraphic {} {=} \reuserandomseed \reversehbox {} \reversetpack {} \reversetpack {} \reversevbox {} \reversevopack {} \reversetpack {} \reversetpack {} \rightbot {} \rightbot {} \rightbot {} \righthot {} \righthabeltext {} \righthabeltext {} \rightline {} \rightline {} \rightsubguillemot \rightsubguillemot \righttoleft \righttolefthbox {} \righttolefthbox</pre>
restorecounter restorecurrentattributes restoreendofline restoreglobalbodyfont reusableMPgraphic reuseMPgraphic reuserandomseed reversehbox reversehpack reversetpack reversevox reversevop revivefeature rfence rhbox rightbottombox rightbox rightlabeltext:instance rightlabeltext:instance:head rightlabeltext:instance:mathlabel rightline rightorleftpageaction rightsubguillemot righttoleft righttoleft righttolefthbox	<pre>\restorecounter [] \restorecurrentattributes {} \restoreendofline \restoreglobalbodyfont \reusableMPgraphic {} {=} \reuseMPgraphic {} {=} \reuserandomseed \reversehbox {} \reversetpack {} \reversetpack {} \reversevbox {} \reversevtop {} \reversetpack {} \rightbot {} \rightbot {} \rightbot {} \rightbot {} \rightlabeltext {} \rightlabel</pre>
restorecounter restorecurrentattributes restoreendofline restoreglobalbodyfont reusableMPgraphic reuseMPgraphic reuserandomseed reversehbox reversehpack reversetpack reversevox reversevop revivefeature rfence rhbox rightbottombox rightbox rightlabeltext:instance rightlabeltext:instance:head rightlabeltext:instance:mathlabel rightline rightorleftpageaction rightsubguillemot righttoleft righttoleftbox righttoleftbox righttoleftvbox	<pre>\restorecounter [] \restorecurrentattributes {} \restoreendofline \restoreglobalbodyfont \reusableMPgraphic {} {=} \reuseMPgraphic {} {=} \reuserandomseed \reversehbox {} \reversetpack {} \reversetpack {} \reversevbox {} \reversevopack {} \reversetpack {} \reversetpack {} \rightbot {} \rightbot {} \rightbot {} \righthot {} \righthabeltext {} \righthabeltext {} \rightline {} \rightline {} \rightsubguillemot \rightsubguillemot \righttoleft \righttolefthbox {} \righttolefthbox</pre>
restorecounter restorecurrentattributes restoreglobalbodyfont reusableMPgraphic reuseMPgraphic reuserandomseed reversehbox reversehpack reversetpack reversevbox reversevtop revivefeature rfence rhbox rightbottombox rightlabeltext:instance rightlabeltext:instance:head rightlabeltext:instance:mathlabel rightline rightspageorder rightsubguillemot righttoleftt righttolefttbox righttolefttvbox righttoleftvtop	<pre>\restorecounter [] \restorecurrentattributes {} \restoreendofline \restoreglobalbodyfont \reusableMPgraphic {} {=} \reuseMPgraphic {} {=} \reuserandomseed \reversehbox {} \reversetpack {} \reversetpack {} \reversevbox {} \reversevbox {} \reversevtop {} \revivefeature \rfence {} \rightbot {} \rightbot {} \righthbox {} \righthabeltext {} \rightlabeltext {} \rightlabeltext {} \rightline {} \rightline {} \rightsylogaporder \rightsylogaporder \rightsylogaporder \rightsylogapordefthox {} \righttolefthox {} \righttolefttoleft \righttolefttolefttox {} \righttolefttolefttor} \righttolefttolefttor} \righttolefttolefttor {} \righttolefttolefttor} \righttolefttolefttor {} \righttolefttolefttor {} \righttolefttolefttor {} \righttolefttolefttor {} \righttolefttolefttor {} \righttolefttolefttor {} \righttolefttolefttor} \righttolefttolefttor {} \righttolefttolefttoleft} \righttolefttolefttoleft} \righttoleftrightsylogaporder} \righttoleftrightsylogaporder</pre>

ring	\ring {}
rlap	\rlap {}
robustaddtocommalist	\robustaddtocommalist {} \
robustdoifelseinset	\robustdoifelseinset \{\ldots\} \{\ldots\} \{\ldots\}
robustdoifinsetelse	\robustdoifinsetelse \{\ldots\} \{\ldots\} \{\ldots\}
robustpretocommalist	\robustpretocommalist {} \
rollbutton:button	\rollbutton [=] []
rollbutton:interactionmenu	\rollbutton [] [=] []
rovnice	\rovnice [] {}
rozdelplvouciobjekt	\rozdelplvouciobjekt [=] {} {}
roztazene	\roztazene [=] {}
rtlhbox	\rtlhbox {}
rtlvbox	\rtlvbox {}
rtlvtop	\rtlvtop {}
rtop	\rtop {}
ruby	\ruby [] {}
rukopisne	\rukopisne
ruledhbox	\ruledhbox {}
ruledhpack	\ruledhpack {}
ruledmbox	\ruledmbox {}
ruledtopv	\ruledtopv {}
ruledtpack	\ruledtpack {}
ruledvbox	\ruledvbox {}
ruledvpack	\ruledvpack {}
ruledvtop	\ruledvtop {}
runMPbuffer	\runMPbuffer []
runninghbox	\runninghbox {}
ScaledPointsToBigPoints	\ScaledPointsToBigPoints {} \
ScaledPointsToWholeBigPoints	\ScaledPointsToWholeBigPoints {} \
SLOVA	\SLOVA {}
SLOVO	\SLOVO {}
Slova	\Slova {}
Slovo	\Slove {}
Smallcapped	\Smallcapped {}
safechar	\safechar {}
samplefile	\samplefile {}
sans	\samplelle ()
sansnormal	\sansnormal
sanstucne	\sanstucne
savebarva	\savebarva \restorebarva
savebox	\savebarva \restorebarva \savebox \{\} \{\}
savebtxdataset	\savebox \( \cdots \) \( \cdots
savebuffer	\savebundataset [] [] \savebundataset []
savebuffer:list	\savebuffer [] []
savecounter	\savebuller [] \savecounter []
savecurrentattributes	\savecumter [] \savecurrentattributes {}
savecurrentations	\savecurrentattributes ()
savetaggedtwopassdata	\savetaggedtwopassdata {} {} {} {}
savetuopassdata	\savetwopassdata \{\ldots\} \{\ldots\} \\\
sbox	\sbox {}
	\SCRIPT
<pre>script:instance script:instance:ethiopic</pre>	\ethiopic
script:instance:hangul	\hangul
script:instance:hanzi	\hanzi
script:instance:latin	\latin
script:instance:nihongo	\nihongo
script:instance:test	\test
script:instance:thai	\thai
secondoffivearguments	\secondoffivearguments {} {} {} {} {}
secondoffourarguments	\secondoffourarguments \{\ldots\} \{\ldots\} \{\ldots\} \{\ldots\}
secondoficarguments	\secondofsixarguments \{\dots\} \{\d
secondofthreearguments secondofthreeunexpanded	\secondofthreearguments \{\ldots\} \{\ldots\} \\secondofthreeunexpanded \{\ldots\} \{\ldots\} \\\\
secondofthreeunexpanded secondoftwoarguments	\secondofthreeunexpanded \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
secondoftwounexpanded	\secondoftwounexpanded {} {}
sedabarva	\sedabarva [] {}
seeregister:instance	\vizREGISTER [] {++} {} \vizindex [] {++} {}
<pre>seeregister:instance:index sekce:instance</pre>	
	\SECTION [] {} \SECTION [=]
sekce:instance:assignment	
<pre>sekce:instance:assignment:chapter sekce:instance:assignment:part</pre>	\chapter [=] \part [=]
source. Tup agree, app TRimient. bar o	(borro []

```
sekce:instance:assignment:section
                                                                                       \section [..=..]
sekce:instance:assignment:subject
                                                                                       \subject [..=..]
sekce:instance:assignment:subsection
                                                                                       \subsection [..=..]
sekce:instance:assignment:subsubject
                                                                                       \subsubject [..=..]
sekce:instance:assignment:subsubsection
                                                                                       \subsubsection [..=..]
                                                                                       \subsubsubject [..=..]
sekce:instance:assignment:subsubsubject
                                                                                       \subsubsubsection [..=..]
sekce:instance:assignment:subsubsubsection
sekce:instance:assignment:subsubsubject
                                                                                       \subsubsubsubject [..=..]
sekce:instance:assignment:subsubsubsubsection
                                                                                       \subsubsubsubsection [..=..]
                                                                                       \subsubsubsubject [..=..]
sekce:instance:assignment:subsubsubsubsubject
sekce:instance:assignment:title
                                                                                       \title [..=..]
                                                                                       \chapter [...] {...}
sekce:instance:chapter
                                                                                       \SECTION [...] {...} {...}
sekce:instance:ownnumber
                                                                                       \chapter [...] {...} {...}
sekce:instance:ownnumber:chapter
sekce:instance:ownnumber:part
                                                                                       \part [...] {...} {...}
                                                                                       \section [...] {...} {...}
sekce:instance:ownnumber:section
                                                                                       \subject [...] {...} {...}
sekce:instance:ownnumber:subject
                                                                                       \subsection [...] {...} {...}
sekce:instance:ownnumber:subsection
sekce:instance:ownnumber:subsubject
                                                                                       \subsubject [...] {...} {...}
sekce:instance:ownnumber:subsubsection
                                                                                       \subsubsection [...] \{...\}
                                                                                       \subsubsubject [...] {...} {...}
sekce:instance:ownnumber:subsubsubject
                                                                                       \subsubsubsection [...] \{...\}
sekce:instance:ownnumber:subsubsubsection
sekce:instance:ownnumber:subsubsubject
                                                                                       \subsubsubsubject [...] {...} {...}
sekce:instance:ownnumber:subsubsubsection
                                                                                       \subsubsubsubsection [...] {...} {...}
sekce:instance:ownnumber:subsubsubsubject
                                                                                       \subsubsubsubsubject [...] {...} {...}
sekce:instance:ownnumber:title
                                                                                       \title [...] {...} {...}
                                                                                       \part [...] {...}
sekce:instance:part
sekce:instance:section
                                                                                       \section [...] \{...\}
                                                                                       \subject [...] {...}
sekce:instance:subject
sekce:instance:subsection
                                                                                       \subsection [...] {...}
                                                                                       \subsubject [...] {...}
sekce:instance:subsubject
sekce:instance:subsubsection
                                                                                       \subsubsection [...] \{...\}
                                                                                       \subsubsubject [...] {...}
sekce:instance:subsubsubject
sekce:instance:subsubsubsection
                                                                                       \subsubsubsection [...] {...}
sekce:instance:subsubsubsubject
                                                                                       \subsubsubsubject [...] {...}
                                                                                       \subsubsubsubsection [...] {...}
sekce:instance:subsubsubsection
sekce:instance:subsubsubsubsubject
                                                                                       \subsubsubsubsubject [...] {...}
                                                                                       \title [...] {...}
sekce:instance:title
select
                                                                                       \select {...} {...} {...} {...} {...} {...}
                                                                                       \serializecommafffst [...] OPT
serializecommalist
serializedcommalist
                                                                                       \serializedcommalist
serif
                                                                                       \serif
                                                                                       \serifbold
serifbold
serifnormal
                                                                                       \serifnormal
setautopagestaterealpageno
                                                                                       \setautopagestaterealpageno {...}
                                                                                       \setbar [...]
setbar
{\tt setbigbodyfont}
                                                                                       \setbigbodyfont
                                                                                       \setboxllx ... {...}
setboxllx
setboxlly
                                                                                       \setboxlly ... {...}
setbreakpoints
                                                                                       \setbreakpoints [...]
                                                                                       \ in the latest value of the latest value o
setbuffer
setcapstrut
                                                                                       \setcapstrut
                                                                                       \setcatcodetable \...
setcatcodetable
setcollector
                                                                                       \setcollector [...] [..=..] {...}
                                                                                       \setcolormodell [...]
set.colormodell
setcounter
                                                                                       \setcounter [...] [...]
                                                                                       \setcounterown [...] [...]
setcounterown
                                                                                       \setcurrentfontclass {...}
setcurrentfontclass
                                                                                       \setdataset [...] [...] [..=..]
setdataset
                                                                                       \setdefaultpenalties
setdefaultpenalties
setdigitsmanipulation
                                                                                       \setdigitsmanipulation [...]
setdirection
                                                                                       \setdirection [...]
setdocumentargument
                                                                                       \setdocumentargument {...} {...}
                                                                                       \setdocumentargumentdefault {...} {...}
setdocumentargumentdefault
                                                                                       \setdocumentfilename {...} {...}
setdocumentfilename
                                                                                       \setdummyparameter {...} {...}
setdummyparameter
setelementexporttag
                                                                                       \setelementexporttag [...] [...]
setemeasure
                                                                                       \setemeasure \{\ldots\} \{\ldots\}
                                                                                       \setevalue \{\ldots\} \{\ldots\}
setevalue
                                                                                       \setevariable \{\ldots\} \{\ldots\}
setevariable
setevariables
                                                                                       \setevariables [...] [..=..]
setfirstline
                                                                                       \setfirstline [...]
```

setfirstpasscharacteralign	\setfirstpasscharacteralign
setflag	\setflag {}
setfont	\setfont
setfontcolorsheme	\setfontcolorsheme []
setfontfeature	\setfontfeature {}
setfontsolution	\setfontsolution []
setfontstrut	\setfontstrut
setglobalscript	\setglobalscript []
setgmeasure	\setgmeasure {} {}
setgvalue	\setgvalue {} {}
setgvariable	\setgvariable {} {}
setgvariables	\setgvariables [] [=]
sethboxregister	\sethboxregister {}
sethyphenatedurlafter	\sethyphenatedurlafter {}
sethyphenatedurlbefore	\sethyphenatedurlbefore {}
sethyphenatedurlnormal	\sethyphenatedurlnormal {}
sethyphenationfeatures	\sethyphenationfeatures []
setcharacteralign	\setcharacteralign {} {}
setcharacteraligndetail	\setcharacteraligndetail {} {} {} {}
setcharactercasing	\setcharactercasing []
setcharactercleaning	\setcharactercleaning []
setcharacterkerning	\setcharacterkerning []
3	
setcharacterspacing	\setcharacterspacing []
setcharacterstripping	\setcharacterstripping []
setcharstrut	\setcharstrut {}
setinitial	\setinitial [] [=]
setinjector	\setinjector [] []
setinteraction	\setinteraction []
setinterfacecommand	\setinterfacecommand {} {}
setinterfaceconstant	\setinterfaceconstant {} {}
setinterfaceelement	\setinterfaceelement {} {}
setinterfacemessage	\setinterfacemessage {} {} {}
setinterfacevariable	\setinterfacevariable {} {}
setinternalrendering	\setinternalrendering [] [] {}
setitaliccorrection	\setitaliccorrection []
setJSpreamble	\setJSpreamble {} {}
setlayer	\setlayer [] [=] {}
setlayerframed	\setlayerframed [] [=] [] {}
setlayerframed:combination	\setlayerframed [] [=] {}
setlayertext	\setlayertext [] [=] {}
setlayertext setlinefiller	\setlayertext [] [=] [=] {} \setlinefiller []
setlinefiller	\setlinefiller []
setlinefiller setlocalhsize	\setlinefiller [] \setlocalhsize []
setlinefiller setlocalhsize setlocalscript setMPlayer	\setlinefiller [] \setlocalhsize [] \setlocalscript [] \setMPlayer [] [=] {}
setlinefiller setlocalhsize setlocalscript setMPlayer setMPpositiongraphic	<pre>\setlinefiller [] \setlocalhsize [] \setlocalscript [] \setMPlayer [] [=] {} \setMPpositiongraphic {} {} {=}</pre>
setlinefiller setlocalhsize setlocalscript setMPlayer setMPpositiongraphic setMPpositiongraphicrange	<pre>\setlinefiller [] \setlocalhsize [] \setlocalscript [] \setMPlayer [] [=] {} \setMPpositiongraphic {} {} {} \setMPpositiongraphicrange {} {} {} {}</pre>
setlinefiller setlocalhsize setlocalscript setMPlayer setMPpositiongraphic setMPpositiongraphicrange setMPtext	<pre>\setlinefiller [] \setlocalhsize [] \setlocalscript [] \setMPlayer [] [=] {} \setMPpositiongraphic {} {} {} \setMPpositiongraphicrange {} {} {} \setMPtext {} {}</pre>
setlinefiller setlocalhsize setlocalscript setMPlayer setMPpositiongraphic setMPpositiongraphicrange setMPtext setMPvariable	<pre>\setlinefiller [] \setlocalhsize [] \setlocalscript [] \setMPlayer [] [=] {} \setMPpositiongraphic {} {} {} \setMPpositiongraphicrange {} {} {} \setMPtext {} {} \setMPvariable [] [=]</pre>
setlinefiller setlocalhsize setlocalscript setMPlayer setMPpositiongraphic setMPpositiongraphicrange setMPtext setMPvariable setMPvariables	<pre>\setlinefiller [] \setlocalhsize [] \setlocalscript [] \setMPlayer [] [=] {} \setMPpositiongraphic {} {} {} \setMPpositiongraphicrange {} {} {} \setMPtext {} {} \setMPvariable [] [=] \setMPvariables [] [=]</pre>
setlinefiller setlocalhsize setlocalscript setMPlayer setMPpositiongraphic setMPpositiongraphicrange setMPtext setMPvariable setMPvariables setmainbodyfont	<pre>\setlinefiller [] \setlocalhsize [] \setlocalscript [] \setMPlayer [] [=] {} \setMPpositiongraphic {} {} {} \setMPpositiongraphicrange {} {} {} \setMPtext {} {} \setMPvariable [] [=] \setMPvariables [] [=] \setmainbodyfont</pre>
setlinefiller setlocalhsize setlocalscript setMPlayer setMPpositiongraphic setMPpositiongraphicrange setMPvariable setMPvariable setMPvariables setmainbodyfont setmainparbuilder	<pre>\setlinefiller [] \setlocalhsize [] \setlocalscript [] \setMPlayer [] [=] {} \setMPpositiongraphic {} {} {} \setMPpositiongraphicrange {} {} {} \setMPtext {} {} \setMPvariable [] [=] \setMPvariables [] [=] \setmainbodyfont \setmainparbuilder []</pre>
setlinefiller setlocalhsize setlocalscript setMPlayer setMPpositiongraphic setMPpositiongraphicrange setMPtext setMPvariable setMPvariables setmainbodyfont setmainparbuilder setmarker	<pre>\setlinefiller [] \setlocalhsize [] \setlocalscript [] \setMPlayer [] [=] {} \setMPpositiongraphic {} {} {} \setMPpositiongraphicrange {} {} {} {} \setMPtext {} {} \setMPvariable [] [=] \setMPvariables [] [=] \setmainbodyfont \setmainparbuilder [] \setmarker [] []</pre>
setlinefiller setlocalhsize setlocalscript setMPlayer setMPpositiongraphic setMPpositiongraphicrange setMPtext setMPvariable setMPvariables setmainbodyfont setmainparbuilder setmarker setmarking	<pre>\setlinefiller [] \setlocalhsize [] \setlocalscript [] \setMPlayer [] [=] {} \setMPpositiongraphic {} {} {} \setMPpositiongraphicrange {} {} {} \setMPtext {} {} \setMPvariable [] [=] \setMPvariables [] [=] \setmainbodyfont \setmainparbuilder [] \setmarker [] [] \setmarking [] {}</pre>
setlinefiller setlocalhsize setlocalscript setMPlayer setMPpositiongraphic setMPpositiongraphicrange setMPtext setMPvariable setMPvariables setmainbodyfont setmainparbuilder setmarker	<pre>\setlinefiller [] \setlocalhsize [] \setlocalscript [] \setMPlayer [] [=] {} \setMPpositiongraphic {} {} {} \setMPpositiongraphicrange {} {} {} {} \setMPtext {} {} \setMPvariable [] [=] \setMPvariables [] [=] \setmainbodyfont \setmainparbuilder [] \setmarker [] []</pre>
setlinefiller setlocalhsize setlocalscript setMPlayer setMPpositiongraphic setMPpositiongraphicrange setMPtext setMPvariable setMPvariables setmainbodyfont setmainparbuilder setmarker setmarking	<pre>\setlinefiller [] \setlocalhsize [] \setlocalscript [] \setMPlayer [] [=] {} \setMPpositiongraphic {} {} {} \setMPpositiongraphicrange {} {} {} \setMPtext {} {} \setMPvariable [] [=] \setMPvariables [] [=] \setmainbodyfont \setmainparbuilder [] \setmarker [] [] \setmarking [] {}</pre>
setlinefiller setlocalhsize setlocalscript setMPlayer setMPpositiongraphic setMPpositiongraphicrange setMPtext setMPvariable setMPvariables setmainbodyfont setmainparbuilder setmarker setmarking setmathstyle	<pre>\setlinefiller [] \setlocalhsize [] \setlocalscript [] \setMPlayer [] [=] {} \setMPpositiongraphic {} {} {} \setMPpositiongraphicrange {} {} {} \setMPtext {} {} \setMPvariable [] [=] \setMPvariables [] [=] \setmainbodyfont \setmainparbuilder [] \setmarker [] [] \setmarking [] {} \setmathstyle {}</pre>
setlinefiller setlocalhsize setlocalscript setMPlayer setMPpositiongraphic setMPpositiongraphicrange setMPvariable setMPvariable setMpvariables setmainbodyfont setmainparbuilder setmarker setmarking setmathstyle setmeasure	<pre>\setlinefiller [] \setlocalhsize [] \setlocalscript [] \setMPlayer [] [=] {} \setMPpositiongraphic {} {} {} \setMPpositiongraphicrange {} {} {} \setMPtext {} {} \setMPvariable [] [=] \setMPvariables [] [=] \setmainbodyfont \setmainparbuilder [] \setmarker [] [] \setmarking [] {} \setmathstyle {} \setmeasure {} {}</pre>
setlinefiller setlocalhsize setlocalscript setMPlayer setMPpositiongraphic setMPpositiongraphicrange setMPvariable setMPvariable setMpvariables setmainbodyfont setmainparbuilder setmarker setmarking setmathstyle setmeasure setmessagetext	<pre>\setlinefiller [] \setlocalhsize [] \setlocalscript [] \setMPlayer [] [=] {} \setMPpositiongraphic {} {} {} {} \setMPpositiongraphicrange {} {} {} \setMPtext {} {} \setMPvariable [] [=] \setMPvariables [] [=] \setmainbodyfont \setmainparbuilder [] \setmarker [] [] \setmarking [] {} \setmathstyle {} \setmeasure {} {} \setmessagetext {}</pre>
setlinefiller setlocalhsize setlocalscript setMPlayer setMPpositiongraphic setMPpositiongraphicrange setMPvariable setMPvariable setMpvariables setmainbodyfont setmainparbuilder setmarker setmarking setmathstyle setmeasure setmessagetext setmode	<pre>\setlinefiller [] \setlocalhsize [] \setlocalscript [] \setMPlayer [] [] {} \setMPpositiongraphic {} {} {} \setMPpositiongraphicrange {} {} {} \setMPtext {} {} \setMPvariable [] [] \setMPvariables [] [] \setmainbodyfont \setmainparbuilder [] \setmarker [] {} \setmarking [] {} \setmathstyle {} \setmeasure {} {} \setmode {} \setmostrut</pre>
setlinefiller setlocalhsize setlocalscript setMPlayer setMPpositiongraphic setMPpositiongraphicrange setMPvariable setMPvariable setMpvariables setmainbodyfont setmainparbuilder setmarker setmarker setmarking setmathstyle setmeasure setmessagetext setmode setnostrut setnote	<pre>\setlinefiller [] \setlocalhsize [] \setlocalscript [] \setMPlayer [] [] [] {} \setMPpositiongraphic {} {} {} \setMPpositiongraphicrange {} {} {} \setMPtext {} {} \setMPvariable [] [] \setMPvariables [] [] \setmainbodyfont \setmainparbuilder [] \setmarker [] {} \setmarking [] {} \setmathstyle {} \setmeasure {} {} \setmode {} \setmostrut \setnote [] []</pre>
setlinefiller setlocalhsize setlocalscript setMPlayer setMPpositiongraphic setMPpositiongraphicrange setMPvariable setMPvariable setMpvariables setmainbodyfont setmainparbuilder setmarker setmarking setmathstyle setmeasure setmessagetext setmode setnotetext	\setlinefiller [] \setlocalhsize [] \setlocalscript [] \setMPlayer [] [] [] {} \setMPpositiongraphic {} {} {} \setMPpositiongraphicrange {} {} {} \setMPtext {} {} \setMPvariable [] [] \setMPvariables [] [] \setmainbodyfont \setmainparbuilder [] \setmarker [] [] \setmarking [] {} \setmathstyle {} \setmeasure {} {} \setmode {} \setmostrut \setnotetext [] [] {}
setlinefiller setlocalhsize setlocalscript setMPlayer setMPpositiongraphic setMPpositiongraphicrange setMPvariable setMPvariables setmainbodyfont setmainparbuilder setmarker setmarking setmathstyle setmeasure setmessagetext setmode setnotetext setnotetext:assignment	\setlinefiller [] \setlocalhsize [] \setlocalscript [] \setMPlayer [] [] [] {} \setMPpositiongraphic {} {} {} \setMPpositiongraphicrange {} {} {} \setMPtext {} {} \setMPvariable [] [] \setMPvariables [] [] \setmainbodyfont \setmainparbuilder [] \setmarker [] [] \setmarking [] {} \setmathstyle {} \setmeasure {} {} \setmode {} \setnotetext [] {} \setnotetext [] {} \setnotetext [] {}
setlinefiller setlocalhsize setlocalscript setMPlayer setMPpositiongraphic setMPpositiongraphicrange setMPvariable setMPvariables setmainbodyfont setmainparbuilder setmarker setmarking setmathstyle setmeasure setmessagetext setmode setnotetext setnotetext:assignment	\setlinefiller [] \setlocalhsize [] \setlocalscript [] \setMPlayer [] [] [] {} \setMPpositiongraphic {} {} {} \setMPpositiongraphicrange {} {} {} \setMPtext {} {} \setMPvariable [] [] \setMPvariables [] [] \setmainbodyfont \setmainparbuilder [] \setmarker [] [] \setmarking [] {} \setmathstyle {} \setmeasure {} {} \setmode {} \setmostrut \setnotetext [] [] \setnotetext [] {} \setnotetext [] [] \setnotetext [] [] \setnotetote [] [] \setnote [] []
setlinefiller setlocalhsize setlocalscript setMPlayer setMPpositiongraphic setMPpositiongraphicrange setMPvariable setMPvariables setmainbodyfont setmainparbuilder setmarker setmarking setmathstyle setmeasure setmessagetext setmode setnoterut setnote setnotetext setnotetext:assignment setobject	\setlinefiller [] \setlocalhsize [] \setlocalscript [] \setMPlayer [] [] [] {} \setMPpositiongraphic {} {} {} \setMPpositiongraphicrange {} {} {} \setMPvariable [] [] \setMPvariables [] [] \setmainbodyfont \setmainparbuilder [] \setmarker [] [] \setmarking [] {} \setmathstyle {} \setmeasure {} {} \setmode {} \setnotetext [] {} \setnotetext [] {} \setnotetext [] {} \setnotetotetext [] {} \setnote [] []
setlinefiller setlocalhsize setlocalscript setMPlayer setMPpositiongraphic setMPpositiongraphicrange setMPvariable setMPvariables setmainbodyfont setmainparbuilder setmarker setmarking setmathstyle setmeasure setmessagetext setmode setnoterut setnote setnoteext:assignment setoject setoldstyle	\setlinefiller [] \setlocalhsize [] \setlocalscript [] \setMPlayer [] [] [] {} \setMPpositiongraphic {} {} {} \setMPpositiongraphicrange {} {} {} \setMPvariable [] [] \setMPvariables [] [] \setmainbodyfont \setmainparbuilder [] \setmarker [] [] \setmarking [] {} \setmathstyle {} \setmeasure {} {} \setmode {} \setnotetut \setnotetionterion {} {} \setnotetext [] {} \setnotetext [] {} \setnotetotetext [] {} \setnotetotetext [] {} \setnotetotetotetext [] {} \setnotetotetotetext [] {} \setnotetotetotetext [] {} \setnotetotetotetext [] {} \setnotetotetotetotetotetext [] {} \setnotetotetotetotetotetext [] {} \setnotetototetotetotetotetext [] {} \setnotetotetotetotetotetotetext [] {} \setnotetotetotetotetotetext [] {} \setnotetotetotetotetotetotetotetotetoteto
setlinefiller setlocalhsize setlocalscript setMPlayer setMPpositiongraphic setMPpositiongraphicrange setMPtext setMPvariable setMPvariables setmainbodyfont setmainparbuilder setmarker setmarking setmathstyle setmeasure setmessagetext setmode setnoterut setnote setnotetext setnotetext:assignment setoject setoldstyle setpagereference	\setlinefiller [] \setlocalhsize [] \setlocalscript [] \setMPlayer [] [] [] {} \setMPpositiongraphic {} {} {} \setMPpositiongraphicrange {} {} {} \setMPvariable [] [] \setMPvariables [] [] \setmainbodyfont \setmainparbuilder [] \setmarker [] {} \setmarking [] {} \setmathstyle {} \setmeasure {} {} \setmode {} \setmode {} \setnotetext [] [] \setnotetext [] {} \setnotetext [] {} \setnotetotetext [] [] \setnotetotetext [] {} \setnotetotetotetext [] [] \setnotetotetotetext [] {} \setnotetotetotetext [] {} \setnotetotetotetext [] {} \setnotetotetotetotetotetex [] {} \setnotetotetotetotetotetotetex [] {} \setnotetotetotetotetotetotetotetotetoteto
setlinefiller setlocalhsize setlocalscript setMPlayer setMPpositiongraphic setMPpositiongraphicrange setMPvariable setMPvariable setmPvariables setmainbodyfont setmainparbuilder setmarker setmarking setmathstyle setmeasure setmessagetext setmode setnoterut setnote setnotetext setnotetext setnotetext:assignment setoject setoldstyle setpagereference setpagestate	\setlinefiller [] \setlocalhsize [] \setlocalscript [] \setMPlayer [] [] [] {} \setMPpositiongraphic {} {} {} \setMPpositiongraphicrange {} {} {} \setMPvariable [] [] \setMPvariables [] [] \setmainbodyfont \setmainparbuilder [] \setmarker [] [] \setmarking [] {} \setmathstyle {} \setmeasure {} {} \setmeode {} \setnotetext [] [] \setnotetext [] {} \setnotetext [] [] \setnotetext [] [] \setnotetotetext [] [] \setnotetotety [] {} \setnotetotety [] {} \setnotetotety [] []
setlinefiller setlocalhsize setlocalscript setMPlayer setMPpositiongraphic setMPpositiongraphicrange setMPvariable setMPvariables setmainbodyfont setmainparbuilder setmarker setmarking setmathstyle setmeasure setmessagetext setmode setnotetut setnote setnotetext setnotetext:assignment setoject setoldstyle setpagestate setpagestaterealpageno	\setlinefiller [] \setlocalhsize [] \setlocalscript [] \setMPlayer [] [] [] {} \setMPpositiongraphic {} {} {} \setMPpositiongraphicrange {} {} {} \setMPvariable [] [] \setMPvariables [] [] \setmainbodyfont \setmainparbuilder [] \setmarker [] [] \setmarking [] {} \setmathstyle {} \setmeasure {} {} \setmode {} \setnotetext [] [] \setnotetext [] [] \setnotetext [] {} \setnotetext [] [] \setnotetotetext [] [] \setnotetotetext [] [] \setnotetotetyle \setpagereference {} {} \setpagestaterealpageno {} {} \setpagestaterealpageno {} {}
setlinefiller setlocalhsize setlocalscript setMPlayer setMPpositiongraphic setMPpositiongraphicrange setMPvariable setMPvariable setmPvariables setmainbodyfont setmainparbuilder setmarker setmarking setmathstyle setmeasure setmessagetext setmode setnoterut setnote setnotetext setnotetext setnotetext:assignment setoject setoldstyle setpagereference setpagestate	\setlinefiller [] \setlocalhsize [] \setlocalscript [] \setMPlayer [] [] [] {} \setMPpositiongraphic {} {} {} \setMPpositiongraphicrange {} {} {} \setMPvariable [] [] \setMPvariables [] [] \setmainbodyfont \setmainparbuilder [] \setmarker [] [] \setmarking [] {} \setmathstyle {} \setmeasure {} {} \setmode {} \setnotetext [] [] \setnotetext [] [] \setnotetext [] {} \setnotetext [] [] \setnotetotetext [] [] \setnotetotetext [] [] \setnotetotetyle \setpagereference {} {} \setpagestaterealpageno {} {}
setlinefiller setlocalhsize setlocalscript setMPlayer setMPpositiongraphic setMPpositiongraphicrange setMPvariable setMPvariables setmainbodyfont setmainparbuilder setmarker setmarking setmathstyle setmeasure setmessagetext setmode setnotetut setnote setnotetext setnotetext:assignment setoject setoldstyle setpagestate setpagestaterealpageno	\setlinefiller [] \setlocalhsize [] \setlocalscript [] \setMPlayer [] [] [] {} \setMPpositiongraphic {} {} {} \setMPpositiongraphicrange {} {} {} \setMPvariable [] [] \setMPvariables [] [] \setmainbodyfont \setmainparbuilder [] \setmarker [] [] \setmarking [] {} \setmathstyle {} \setmeasure {} {} \setmode {} \setnotetext [] [] \setnotetext [] [] \setnotetext [] {} \setnotetext [] [] \setnotetotetext [] [] \setnotetotetext [] [] \setnotetotetyle \setpagereference {} {} \setpagestaterealpageno {} {} \setpagestaterealpageno {} {}
setlinefiller setlocalhsize setlocalscript setMPlayer setMPpositiongraphic setMPpositiongraphicrange setMPvariable setMPvariable setmPvariables setmainbodyfont setmainparbuilder setmarker setmarking setmathstyle setmeasure setmessagetext setmode setnotetut setnote setnotetext setnotetext setnoteext:assignment setoject setoldstyle setpagereference setpagestaterealpageno setpenalties	\setlinefiller [] \setlocalhsize [] \setlocalscript [] \setMPlayer [] [] [] {} \setMPpositiongraphic {} {} {} \setMPpositiongraphicrange {} {} {} \setMPvariable [] [] \setMPvariables [] [] \setmainbodyfont \setmainparbuilder [] \setmarker [] [] \setmarking [] {} \setmathstyle {} \setmeasure {} {} \setmode {} \setnotetext [] [] \setnotetext [] [] \setnotetext [] {} \setnotetext [] [] \setnotetotetext [] [] \setnotetotetext [] [] \setnotetotetyle \setpagereference {} {} \setpagestaterealpageno {} {}
setlinefiller setlocalhsize setlocalscript setMPlayer setMPpositiongraphic setMPpositiongraphicrange setMPtext setMPvariable setMPvariables setmainbodyfont setmainparbuilder setmarker setmarking setmathstyle setmeasure setmessagetext setmode setnostrut setnote setnotetext setnoteext:assignment setobject setoldstyle setpagereference setpagestate setpercentdimen	\setlinefiller [] \setlocalhsize [] \setlocalscript [] \setMPlayer [] [] [] {} \setMPpositiongraphic {} {} {} \setMPpositiongraphicrange {} {} {} \setMPvariable [] [] \setMPvariables [] [] \setmainbodyfont \setmainparbuilder [] \setmarker [] [] \setmarking [] {} \setmarking [] {} \setmeasure {} {} \setmeasure {} {} \setmode {} \setnotetut \setnote [] [] {} \setnotetext [] [] {} \setnotetext [] [] {} \setnotetotety [] {} \setnotetotety [] [] \setpagestaterealpageno {} {} \setpagestaterealpageno {} {} \setpenalties \ {} {} \setpercentdimen {} {}

setpositiondata	\setpositiondata {} {} {}
setpositiondataplus	\setpositiondataplus $\{\ldots\}$ $\{\ldots\}$ $\{\ldots\}$ $\{\ldots\}$
setpositiononly	\setpositiononly {}
- •	- · ·
setpositionplus	\setpositionplus {} \ {}
setpositionstrut	\setpositionstrut {}
setprofile	\setprofile []
setrandomseed	\setrandomseed {}
setreference	\setreference [] [=]
setreferencedobject	\setreferencedobject {} \ \ \
setregisterentry	\setregisterentry [] [=] [=]
setreplacement	\setreplacement []
setrigidcolumnbalance	\setrigidcolumnbalance
setrigidcolumnhsize	\setrigidcolumnhsize {} {}
setscript	\setscript []
setsecondpasscharacteralign	\setsecondpasscharacteralign
setsectionblock	\setsectionblock [] [=]
setsimplecolumnshsize	\setsimplecolumnshsize [=]
setsmallbodyfont	\setsmallbodyfont
setsmallcaps	\setsmallcaps
setstackbox	\setstackbox {} {} {}
setstructurepageregister	\setstructurepageregister [] [=] [=]
	\setstrut
setstrut	•
setsuperiors	\setsuperiors
setsystemmode	\setsystemmode {}
settabular	\settabular
settaggedmetadata	\settaggedmetadata [=]
settestcrlf	\settestcrlf
	•
settextcontent	\settextcontent [] [] [] []
settightobject	\settightobject \{\ldots\} \\\\ \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
settightreferencedobject	\settightreferencedobject {} \ {}
settightstrut	\settightstrut
settightunreferencedobject	\settightunreferencedobject {} \ {}
settokenlist	\settokenlist [] {}
settrialtypesetting	\settrialtypesetting
setuevalue	\setuevalue {} {}
4 1	\setugvalue {} {}
setugvalue	(50008/0100 ()
- · · · · · · · · · · · · · · · · · · ·	<del>-</del>
setunreferencedobject	\setunreferencedobject $\{\}$ $\{\}$ $\{\}$
setunreferencedobject setupalternativestyles	\setunreferencedobject {} {} \ {} \setupalternativestyles [=]
setuneferencedobject setupalternativestyles setupattachment	\setunreferencedobject {} {} \ {} \setupalternativestyles [=] \setupattachment [] [=]
setunreferencedobject setupalternativestyles setupattachment setupattachments	\setunreferencedobject {} {} \ {} \setupalternativestyles [=] \setupattachment [] [=] \setupattachments [] [=]
setuneferencedobject setupalternativestyles setupattachment	\setunreferencedobject {} {} \ {} \setupalternativestyles [=] \setupattachment [] [=] \setupattachments [] [=] \setupbackend [=]
setunreferencedobject setupalternativestyles setupattachment setupattachments	\setunreferencedobject {} {} \ {} \setupalternativestyles [=] \setupattachment [] [=] \setupattachments [] [=]
setunreferencedobject setupalternativestyles setupattachment setupattachments setupbackend setupbar	<pre>\setunreferencedobject {} {} \ {} \setupalternativestyles [=] \setupattachment [] [=] \setupattachments [] [=] \setupbackend [=] \setupbar [] [=]</pre>
setunreferencedobject setupalternativestyles setupattachment setupattachments setupbackend setupbar setupbars	<pre>\setunreferencedobject {} {} \ {} \setupalternativestyles [=] \setupattachment [] [=] \setupattachments [] [=] \setupbackend [=] \setupbar [] [=] \setupbars [] [=]</pre>
setunreferencedobject setupalternativestyles setupattachment setupattachments setupbackend setupbar setupbars setupbleeding	<pre>\setunreferencedobject {} {} \ {} \setupalternativestyles [=] \setupattachment [] [=] \setupattachment [] [=] \setupbackend [=] \setupbar [] [=] \setupbars [] [=] \setupbleeding [=]</pre>
setunreferencedobject setupalternativestyles setupattachment setupattachments setupbackend setupbar setupbars setupbleeding setupbookmark	<pre>\setunreferencedobject {} {} \ {} \setupalternativestyles [=] \setupattachment [] [=] \setupattachments [] [=] \setupbackend [=] \setupbar [] [=] \setupbars [] [=] \setupbleeding [=] \setupbookmark [=]</pre>
setunreferencedobject setupalternativestyles setupattachment setupattachments setupbackend setupbar setupbars setupbleeding setupbookmark setupbtx	<pre>\setunreferencedobject {} {} \ {} \setupalternativestyles [=] \setupattachment [] [=] \setupattachments [] [=] \setupbackend [=] \setupbar [] [=] \setupbars [] [=] \setupbleeding [=] \setupbookmark [=] \setupbtx [] [=]</pre>
setunreferencedobject setupalternativestyles setupattachment setupattachments setupbackend setupbar setupbars setupbleeding setupbookmark setupbtx setupbtx	<pre>\setunreferencedobject {} {} \ {} \setupalternativestyles [=] \setupattachment [] [=] \setupattachments [] [=] \setupbackend [=] \setupbar [] [=] \setupbars [] [=] \setupbleeding [=] \setupbookmark [=] \setupbtx [] [=] \setupbtxdataset [] [=]</pre>
setunreferencedobject setupalternativestyles setupattachment setupattachments setupbackend setupbar setupbars setupbleeding setupbookmark setupbtx	<pre>\setunreferencedobject {} {} \ {} \setupalternativestyles [=] \setupattachment [] [=] \setupattachments [] [=] \setupbackend [=] \setupbar [] [=] \setupbars [] [=] \setupbleeding [=] \setupbookmark [=] \setupbtx [] [=] \setupbtxdataset [] [=] \setupbtxlist [] [=]</pre>
setunreferencedobject setupalternativestyles setupattachment setupattachments setupbackend setupbar setupbars setupbleeding setupbookmark setupbtx setupbtx	<pre>\setunreferencedobject {} {} \ {} \setupalternativestyles [=] \setupattachment [] [=] \setupattachments [] [=] \setupbackend [=] \setupbar [] [=] \setupbars [] [=] \setupbleeding [=] \setupbookmark [=] \setupbtx [] [=] \setupbtxdataset [] [=] \setupbtxlist [] [=]</pre>
setunreferencedobject setupalternativestyles setupattachment setupattachments setupbackend setupbar setupbars setupbleeding setupbookmark setupbtx setupbtx setupbtxatataset setupbtxlist setupbtxregister	<pre>\setunreferencedobject {} {} \ {} \setupalternativestyles [=] \setupattachment [] [=] \setupattachments [] [=] \setupbackend [=] \setupbar [] [=] \setupbars [] [=] \setupbars [] [=] \setupbleeding [=] \setupbookmark [] \setupbtx [] [=] \setupbtxdataset [] [=] \setupbtxregister [] [=]</pre>
setunreferencedobject setupalternativestyles setupattachment setupattachments setupbackend setupbar setupbars setupbleeding setupbookmark setupbtx setupbtx setupbtxdataset setupbtxregister setupbtxrendering	<pre>\setunreferencedobject {} {} \ {} \setupalternativestyles [=] \setupattachment [] [=] \setupattachments [] [=] \setupbackend [=] \setupbar [] [=] \setupbars [] [=] \setupbars [] [=] \setupbleeding [=] \setupbookmark [=] \setupbtx [] [=] \setupbtxdataset [] [=] \setupbtxregister [] [=] \setupbtxregister [] [=]</pre>
setunreferencedobject setupalternativestyles setupattachment setupattachments setupbackend setupbar setupbars setupbleeding setupbookmark setupbtx setupbtx setupbtxdataset setupbtxregister setupbtx:name	<pre>\setunreferencedobject {} {} \ {} \setupalternativestyles [=] \setupattachment [] [=] \setupattachments [] [=] \setupbackend [=] \setupbar [] [=] \setupbars [] [=] \setupbars [] [=] \setupbleeding [=] \setupbookmark [=] \setupbtx [] [=] \setupbtxdataset [] [=] \setupbtxregister [] [=] \setupbtxrendering [] [=] \setupbtx []</pre>
setunreferencedobject setupalternativestyles setupattachment setupattachments setupbackend setupbar setupbars setupbleeding setupbookmark setupbtx setupbtx setupbtx setupbtxaltaset setupbtxregister setupbtx:name setupbtx:name	<pre>\setunreferencedobject {} {} \ {} \setupalternativestyles [=] \setupattachment [] [=] \setupattachments [] [=] \setupbackend [=] \setupbar [] [=] \setupbars [] [=] \setupbars [] [=] \setupbleeding [=] \setupbookmark [=] \setupbtx [] [=] \setupbtxdataset [] [=] \setupbtxregister [] [=] \setupbtxredering [] [=] \setupbtx [] \setupbtx [] \setupbtx [] \setupbtx []</pre>
setunreferencedobject setupalternativestyles setupattachment setupattachments setupbackend setupbar setupbars setupbleeding setupbookmark setupbtx setupbtx setupbtx setupbtxlist setupbtxregister setupbtx:name setupbtton setupcollector	<pre>\setunreferencedobject {} {} \ {} \setupalternativestyles [=] \setupattachment [] [=] \setupattachments [] [=] \setupbackend [=] \setupbar [] [=] \setupbars [] [=] \setupbleeding [] \setupbleeding [] \setupbookmark [] \setupbtx [] [=] \setupbtxdataset [] [=] \setupbtxregister [] [=] \setupbtxrendering [] [=] \setupbtx [] \setupbtx [] \setupbttton [] [=] \setupcollector [] [=]</pre>
setunreferencedobject setupalternativestyles setupattachment setupattachments setupbackend setupbar setupbars setupbleeding setupbookmark setupbtx setupbtx setupbtx setupbtxaltaset setupbtxregister setupbtx:name setupbtx:name	<pre>\setunreferencedobject {} {} \ {} \setupalternativestyles [=] \setupattachment [] [=] \setupattachments [] [=] \setupbackend [=] \setupbar [] [=] \setupbars [] [=] \setupbars [] [=] \setupbleeding [=] \setupbookmark [=] \setupbtx [] [=] \setupbtxdataset [] [=] \setupbtxregister [] [=] \setupbtxredering [] [=] \setupbtx [] \setupbtx [] \setupbtx [] \setupbtx []</pre>
setunreferencedobject setupalternativestyles setupattachment setupattachments setupbackend setupbar setupbars setupbleeding setupbookmark setupbtx setupbtx setupbtx setupbtxredering setupbtxrendering setupbtx:name setupbtton setupcolumnset	<pre>\setunreferencedobject {} {} \ {} \setupalternativestyles [=] \setupattachment [] [=] \setupattachments [] [=] \setupbackend [=] \setupbar [] [=] \setupbars [] [=] \setupbleeding [] \setupbleeding [] \setupbookmark [] \setupbtx [] [=] \setupbtxdataset [] [=] \setupbtxregister [] [=] \setupbtxrendering [] [=] \setupbtx [] \setupbtt [] \setupbtton [] [=] \setupcollector [] [=] \setupcollector [] [=]</pre>
setunreferencedobject setupalternativestyles setupattachment setupattachments setupbackend setupbar setupbleeding setupbleeding setupbookmark setupbtx setupbtxdataset setupbtxlist setupbtxregister setupbtx:name setupbtx:name setupbtton setupcolumnset setupcolumnsetarea	<pre>\setunreferencedobject {} {} \ {} \setupalternativestyles [=] \setupattachment [] [=] \setupattachments [] [=] \setupbackend [=] \setupbar [] [=] \setupbars [] [=] \setupbars [] [=] \setupbookmark [] \setupbookmark [] \setupbtx [] [=] \setupbtxdataset [] [=] \setupbtxregister [] [=] \setupbtxrendering [] [=] \setupbtx [] \setupbtx [] \setupbtx [] \setupbtx [] \setupcollector [] [=] \setupcollector [] [=]</pre>
setunreferencedobject setupalternativestyles setupattachment setupattachments setupbackend setupbar setupbars setupbleeding setupbookmark setupbtx setupbtxdataset setupbtxlist setupbtxregister setupbtx:name setupbtx:name setupbtton setupcolumnset setupcolumnsetarea setupcolumnsetarea	<pre>\setunreferencedobject {} {} \ {} \setupalternativestyles [=] \setupattachment [] [=] \setupattachments [] [=] \setupbackend [=] \setupbar [] [=] \setupbars [] [=] \setupbeding [] \setupbleeding [] \setupbleeding [] \setupbookmark [] \setupbtx [] [=] \setupbtx [] [=] \setupbtxdataset [] [=] \setupbtxregister [] [=] \setupbtxrendering [] [=] \setupbtx [] \setupbtx [] \setupbtton [] [=] \setupcolumnset [] [=] \setupcolumnsetarea [] [=] \setupcolumnsetareatext [] []</pre>
setunreferencedobject setupalternativestyles setupattachment setupattachments setupbackend setupbar setupbleeding setupbleeding setupbtx setupbtx setupbtx setupbtxlist setupbtxregister setupbtxrendering setupbtx:name setupbtton setupcolumnset setupcolumnsetarea setupcolumnsetlines	<pre>\setunreferencedobject {} {} \ {} \setupalternativestyles [=] \setupattachment [] [=] \setupattachments [] [=] \setupbackend [=] \setupbar [] [=] \setupbars [] [=] \setupbars [] [=] \setupbookmark [=] \setupbookmark [] [=] \setupbtx [] [=] \setupbtxdataset [] [=] \setupbtxregister [] [=] \setupbtxrendering [] [=] \setupbtx [] \setupbtx [] \setupbtx [] \setupcolumnset [] [=] \setupcolumnset [] [=] \setupcolumnsetareatext [] [] \setupcolumnsetareatext [] [] \setupcolumnsetareatext [] [] \setupcolumnsetareatext [] [] \setupcolumnsetareatext [] []</pre>
setunreferencedobject setupalternativestyles setupattachment setupattachments setupbackend setupbar setupbleeding setupbleeding setupbtwataset setupbtx setupbtxalist setupbtxregister setupbtxrendering setupbtx:name setupbtton setupcolumnset setupcolumnsetarea setupcolumnsetlines setupcolumnsetspan	\setunreferencedobject {} {} \ {} \setupalternativestyles [] \setupattachment [] [] \setupattachments [] [] \setupbackend [] \setupbackend [] \setupbar [] [] \setupbars [] [] \setupbackeding [] \setupbleeding [] \setupbookmark [] \setupbtx [] \setupbtx [] \setupbtx [] \setupbtx [] \setupbtx [] \setupcolumnset [] [] [] \setupcolumnset [] [] [] \setupcolumnset [] [] []
setunreferencedobject setupalternativestyles setupattachment setupattachments setupbackend setupbar setupbleeding setupbleeding setupbtx setupbtx setupbtx setupbtxlist setupbtxregister setupbtxrendering setupbtx:name setupbtton setupcolumnset setupcolumnsetarea setupcolumnsetlines	<pre>\setunreferencedobject {} {} \ {} \setupalternativestyles [=] \setupattachment [] [=] \setupattachments [] [=] \setupbackend [=] \setupbar [] [=] \setupbars [] [=] \setupbars [] [=] \setupbookmark [=] \setupbookmark [] [=] \setupbtx [] [=] \setupbtxdataset [] [=] \setupbtxregister [] [=] \setupbtxrendering [] [=] \setupbtx [] \setupbtx [] \setupbtx [] \setupcolumnset [] [=] \setupcolumnset [] [=] \setupcolumnsetareatext [] [] \setupcolumnsetareatext [] [] \setupcolumnsetareatext [] [] \setupcolumnsetareatext [] [] \setupcolumnsetareatext [] []</pre>
setunreferencedobject setupalternativestyles setupattachment setupattachments setupbackend setupbar setupbleeding setupbleeding setupbtwataset setupbtx setupbtxalist setupbtxregister setupbtxrendering setupbtx:name setupbtton setupcolumnset setupcolumnsetarea setupcolumnsetlines setupcolumnsetspan	\setunreferencedobject {} {} \ {} \setupalternativestyles [] \setupattachment [] [] \setupattachments [] [] \setupbackend [] \setupbackend [] \setupbar [] [] \setupbars [] [] \setupbackeding [] \setupbleeding [] \setupbookmark [] \setupbtx [] \setupbtx [] \setupbtx [] \setupbtx [] \setupbtx [] \setupcolumnset [] [] [] \setupcolumnset [] [] [] \setupcolumnset [] [] []
setunreferencedobject setupalternativestyles setupattachment setupattachments setupbackend setupbar setupbars setupbleeding setupbookmark setupbtx setupbtxdataset setupbtxregister setupbtxrendering setupbtx:name setupbtton setupcolumnset setupcolumnsetarea setupcolumnsetlines setupcolumnsetspan setupcolumnsetstart	\setunreferencedobject {} {} \ {} \setupalternativestyles [=] \setupattachment [] [=] \setupattachments [] [=] \setupbackend [=] \setupbar [] [=] \setupbars [] [=] \setupbars [] [=] \setupbookmark [=] \setupbookmark [] [=] \setupbtx [] [=] \setupbtx [] [=] \setupbtxlist [] [=] \setupbtxregister [] [=] \setupbtxrendering [] [=] \setupbtx [] \setupbtx [] \setupbtx [] [=] \setupcolumnset [] [=] \setupcolumnset [] [] \setupcolumnsetareatext [] [] \setupcolumnsetareatext [] [] \setupcolumnsetareatext [] [] [] \setupcolumnsetareatext [] [] [] \setupcolumnsetareatext [] [] [] \setupcolumnsetareatext [] [] []
setunreferencedobject setupalternativestyles setupattachment setupattachments setupbackend setupbar setupbars setupbleeding setupbookmark setupbtx setupbtxdataset setupbtxlist setupbtxregister setupbtxrendering setupbtx:name setupbtton setupcollector setupcolumnset setupcolumnsetarea setupcolumnsetlines setupcolumnsetspan setupcounter	\setunreferencedobject {} {} \ {} \setupalternativestyles [] \setupattachment [] [] \setupattachments [] [] \setupbackend [] \setupbackend [] \setupbar [] [] \setupbars [] [] \setupbars [] [] \setupbookmark [] \setupbookmark [] \setupbtx [] [] \setupbtx [] [] \setupbtx [] [] \setupbtxregister [] [] \setupbtxrendering [] [] \setupbtx [] \setupbtx [] \setupbt ton [] [] \setupcollector [] [] \setupcolumnset [] [] \setupcolumnsetarea [] [] \setupcolumnsetarea [] [] \setupcolumnsetspan [] [] [] \setupcolumnsetupcolumnsetstart [] [] [] \setupcombination [] [] \setupcombination [] []
setunreferencedobject setupalternativestyles setupattachment setupattachments setupbackend setupbar setupbars setupbleeding setupbookmark setupbtx setupbtxdataset setupbtxregister setupbtxrendering setupbtx:name setupbtton setupcollector setupcolumnset setupcolumnsetarea setupcolumnsetlines setupcolumnsetspan setupcounter setupcounter setupcounter	\setunreferencedobject {} {} \ {} \setupalternativestyles [] \setupattachment [] [] \setupattachments [] [] \setupbackend [] \setupbar [] [] \setupbars [] [] \setupbars [] [] \setupbookmark [] \setupbtx [] [] \setupbtx [] [] \setupbtxlist [] [] \setupbtxregister [] [] \setupbtxrendering [] [] \setupbtx [] \setupbtx [] \setupbtx [] [] \setupcollector [] [] \setupcollector [] [] \setupcolumnset [] [] \setupcolumnset [] [] \setupcolumnset [] [] \setupcolumnset [] [] [] \setupcolumnset [] [] [] \setupcolumnset [] [] [] \setupcolumnset [] [] \setupcolumnset [] [] \setupcolumnset [] [] \setupcounter [] [] \setupdataset [] []
setunreferencedobject setupalternativestyles setupattachment setupattachments setupbackend setupbar setupbars setupbleeding setupbookmark setupbtx setupbtxdataset setupbtxregister setupbtxregister setupbtx:name setupbtton setupcollector setupcolumnset setupcolumnsetarea setupcolumnsetarea setupcolumnsetspan setupcolumnsetstart setupcounter setupcounter setupdataset setupdataset setupcounter setupdataset setupdataset setupdataset setupdataset	\setunreferencedobject {} {} \ {} \setupalternativestyles [] \setupattachment [] [] \setupattachments [] [] \setupbackend [] \setupbar [] [] \setupbars [] [] \setupbars [] [] \setupbleeding [] \setupbookmark [] \setupbtx [] [] \setupbtx [] [] \setupbtxlist [] [] \setupbtxregister [] [] \setupbtxrendering [] [] \setupbtx [] \setupbtx [] \setupbtx [] [] \setupcollector [] [] \setupcollector [] [] \setupcolumnsetarea [] [] \setupcolumnsetareatext [] [] \setupcolumnsetareatext [] [] [] \setupcolumnsetstart [] [] [] [] \setupcolumnsetstart [] [] [] \setupcounter [] [] \setupdataset [] [] \setupdataset [] [] \setupdatimitedtext [] []
setunreferencedobject setupalternativestyles setupattachment setupattachments setupbar setupbar setupbleding setupbookmark setupbtx setupbtxdataset setupbtxlist setupbtxregister setupbtx:name setupbtx:name setupcollector setupcolumnset setupcolumnsetarea setupcolumnsetarea setupcolumnsetspan setupcolumnsetstart setupcombination setupcounter setupdataset setupdelimitedtext setupdescription	\setunreferencedobject {} {} \ {} \setupalternativestyles [] \setupattachment [] [] \setupattachments [] [] \setupbackend [] \setupbar [] [] \setupbars [] [] \setupbars [] [] \setupbleeding [] \setupbookmark [] \setupbtx [] [] \setupbtx [] [] \setupbtxlist [] [] \setupbtxregister [] [] \setupbtxrendering [] [] \setupbtx [] \setupbtx [] \setupbtx [] \setupcolumnset [] [] \setupcolumnset [] [] \setupcolumnsetarea [] [] \setupcolumnsetareatext [] [] \setupcolumnsetareatext [] [] \setupcolumnsetareatext [] [] [] \setupcolumnsetareatext [] [] [] \setupcolumnsetareatext [] [] [] \setupcolumnsetareatext [] []
setunreferencedobject setupalternativestyles setupattachment setupattachments setupbackend setupbar setupbars setupbleeding setupbookmark setupbtx setupbtxdataset setupbtxregister setupbtxregister setupbtx:name setupbtton setupcollector setupcolumnset setupcolumnsetarea setupcolumnsetarea setupcolumnsetspan setupcolumnsetstart setupcounter setupcounter setupdataset setupdataset setupcounter setupdataset setupdataset setupdataset setupdataset	\setunreferencedobject {} {} \ {} \setupalternativestyles [] \setupattachment [] [] \setupattachments [] [] \setupbackend [] \setupbar [] [] \setupbars [] [] \setupbars [] [] \setupbleeding [] \setupbookmark [] \setupbtx [] [] \setupbtx [] [] \setupbtxlist [] [] \setupbtxregister [] [] \setupbtxrendering [] [] \setupbtx [] \setupbtx [] \setupbtx [] [] \setupcollector [] [] \setupcollector [] [] \setupcolumnsetarea [] [] \setupcolumnsetareatext [] [] \setupcolumnsetareatext [] [] [] \setupcolumnsetstart [] [] [] [] \setupcolumnsetstart [] [] [] \setupcounter [] [] \setupdataset [] [] \setupdataset [] [] \setupdatimitedtext [] []
setunreferencedobject setupalternativestyles setupattachment setupattachments setupbar setupbar setupbleding setupbookmark setupbtx setupbtxdataset setupbtxlist setupbtxregister setupbtx:name setupbtx:name setupcollector setupcolumnset setupcolumnsetarea setupcolumnsetarea setupcolumnsetspan setupcolumnsetstart setupcombination setupcounter setupdataset setupdelimitedtext setupdescription	\setunreferencedobject {} {} \ {} \setupalternativestyles [] \setupattachment [] [] \setupattachments [] [] \setupbackend [] \setupbar [] [] \setupbars [] [] \setupbars [] [] \setupbleeding [] \setupbookmark [] \setupbtx [] [] \setupbtx [] [] \setupbtxlist [] [] \setupbtxregister [] [] \setupbtxrendering [] [] \setupbtx [] \setupbtx [] \setupbtx [] \setupcolumnset [] [] \setupcolumnset [] [] \setupcolumnsetarea [] [] \setupcolumnsetareatext [] [] \setupcolumnsetareatext [] [] \setupcolumnsetareatext [] [] [] \setupcolumnsetareatext [] [] [] \setupcolumnsetareatext [] [] [] \setupcolumnsetareatext [] []
setupattachment setupattachments setupbackend setupbar setupbars setupbleeding setupbookmark setupbtx setupbtxlist setupbtxregister setupbtx:name setupbutcon setupcolumnset setupcolumnsetarea setupcolumnsetspan setupcolumnsetstart setupcounter setupdataset setupdataset setupcolumnsetspan setupcolumnsetset setupcolumnsetset setupcolumnsetset setupcolumnsetset setupcolumnsetspan setupcolumnsetspan setupcolumnsetspan setupcounter setupdataset setupdelimitedtext setupdescription setupdirections setupdocument	\setunreferencedobject {} {} \ {} \setupalternativestyles [] \setupattachment [] [] \setupattachments [] [] \setupbackend [] \setupbar [] [] \setupbars [] [] \setupbars [] [] \setupbleeding [] \setupbookmark [] \setupbtx [] [] \setupbtxdataset [] [] \setupbtxlist [] [] \setupbtxregister [] [] \setupbtxrendering [] [] \setupbtx [] \setupbtx [] \setupbtx [] \setupcolumnset [] [] \setupcolumnset [] [] \setupcolumnsetarea [] [] \setupcolumnsetarea [] [] [] \setupcolumnsetspan [] [] [] \setupcolumnsetines [] [] [] \setupcounter [] [] \setupdataset [] [] \setupdelimitedtext [] [] \setupdelimitedtext [] [] \setupdirections [] \setupdocument []
setupaternativestyles setupattachment setupattachments setupbar setupbar setupbars setupbleeding setupbookmark setupbtx setupbtxlist setupbtxlist setupbtxregister setupbtx:name setupbtx:name setupbutcolumnset setupcolumnset setupcolumnset setupcolumnsetspan setupcolumnsetspan setupcounter setupdataset setupdataset setupdataset setupcounter setupdataset setupcolumnsetspan setupcolumnsetspan setupcolumnsetspan setupcolumnsetspan setupcolumnsetspan setupcolumnsetspan setupcolumnsetspan setupcolumnsetspan setupcolumnsetspan setupcounter setupdataset setupdelimitedtext setupdescription setupdocument setupdeffect	\setunreferencedobject {} {} \ {} \setupalternativestyles [] \setupattachment [] [] \setupattachments [] [] \setupbackend [] \setupbar [] [] \setupbars [] [] \setupbars [] [] \setupbleeding [] \setupbookmark [] \setupbtx [] [] \setupbtxdataset [] [] \setupbtxlist [] [] \setupbtxregister [] [] \setupbtxrendering [] [] \setupbtx [] \setupbtx [] \setupbtx [] [] \setupcolumnset [] [] \setupcolumnset [] [] \setupcolumnsetarea [] [] \setupcolumnsetareatext [] [] [] \setupcolumnsetspan [] [] [] \setupcolumnsetspan [] [] \setupcounter [] [] \setupdataset [] [] \setupdocument [] \setupdocument [] \setupdocument [] \setupdocument [] \setupdocument []
setupaternativestyles setupattachment setupattachments setupbar setupbar setupbars setupbleeding setupbookmark setupbtx setuptx setuptxlist setuptxregister setupbtxredering setupbtx:name setupbtton setupcolumnset setupcolumnset setupcolumnsetarea setupcolumnsetspan setupcolumnsetstart setupcolumnsetstart setupcounter setupdataset setupdataset setupcolumnsetspan setupcolumnsetspan setupcolumnsetset setupcolumnsetset setupcolumnsetsset setupdataset setupdelimitedtext setupdescription setupdirections setupdocument setupeffect setupenumeration	\setunreferencedobject {} {} \ {} \setupalternativestyles [] \setupattachment [] [] \setupattachments [] [] \setupbackend [] \setupbar [] [] \setupbars [] [] \setupbars [] [] \setupbleeding [] \setupbookmark [] \setupbtx [] [] \setupbtx [] [] \setupbtxlist [] [] \setupbtxregister [] [] \setupbtxredering [] [] \setupbtx [] \setupbtx [] \setupbutton [] [] \setupcolumnset [] [] \setupcolumnset [] [] \setupcolumnsetareatext [] [] [] \setupcolumnsetsines [] [] [] \setupcolumnsetstart [] [] [] \setupcounter [] [] \setupdataset [] [] \setupdelimitedtext [] [] \setupdelimitedtext [] [] \setupdocument [] \setupdocument [] \setupdocument [] \setupeffect [] [] \setupenumeration [] []
seturalternativestyles setupattachment setupattachments setupbackend setupbar setupbars setupbleading setupbookmark setupbtx setupbtxataset setupbtxlist setupbtxregister setupbtx:name setupbutcon setupcollector setupcolumnset setupcolumnsetarea setupcolumnsetspan setupcolumnsetstart setupcounder setupcounter setupdataset setupdelinitedtext setupdescription setupdefect setupenumeration setupenv	\setureferencedobject {} {} \ {} \setupalternativestyles [=] \setupattachment [] [=] \setupattachments [] [=] \setupbackend [=] \setupbar [] [=] \setupbars [] [=] \setupbars [] [=] \setupbleeding [=] \setupbookmark [=] \setupbtx [] [=] \setupbtxdataset [] [=] \setupbtxregister [] [=] \setupbtxregister [] [=] \setupbtxrendering [] [=] \setupbtx [] \setupbutton [] [=] \setupcollector [] [=] \setupcolumnset [] [] \setupcolumnsetarea [] [] [] \setupcolumnsetines [] [] [] \setupcolumnsetspan [] [] [] \setupcolumnsetspan [] [] [] \setupcounter [] [] \setupcounter [] [] \setupdataset [] [] \setupdedimitedtext [] [] \setupdedimitedtext [] [] \setupdedimitedtext [] [] \setupdeffect [] [] \setupenumeration [] [] \setupenumeration [] [] \setupenumeration [] []
seturalternativestyles setupattachment setupattachments setupbackend setupbar setupbars setupbleeding setupbokmark setupbtx setupbtxx setupbtxlist setupbtxregister setupbtxrendering setupbtx:name setupbutton setupcollector setupcolumnset setupcolumnsetarea setupcolumnsetareatext setupcolumnsetspan setupcolumnsetstart setupcombination setupcombination setupdataset setupdescription setupdefect setuppenumeration setupenv setupenv setupenv setupenv setupenv setupenv	\setupattachment [] [] \setupattachment [] [] \setupattachments [] [] \setupbackend [] \setupbackend [] \setupbars [] [] \setupbars [] [] \setupbars [] [] \setupbookmark [] \setupbookmark [] \setupbtx [] [] \setupbtx [] [] \setupbtx [] [] \setupbtx [] [] \setupbtxrendering [] [] \setupbtxrendering [] [] \setupbtx [] \setupcolumnset [] [] \setupcolumnset [] [] \setupcolumnset [] [] \setupcolumnsetarea [] [] \setupcolumnsetareatext [] [] \setupcolumnsetspan [] [] [] \setupcolumnsetspan [] [] \setupcolumnsetstart [] [] [] \setupcolumnsetsiare [] [] \setupcounter [] [] \setupdedimitedtext [] [] \setupdedimitedtext [] [] \setupdedimitedtext [] [] \setupdedimitedtext [] [] \setupdeffect [] [] \setupenumeration [] []
seturalternativestyles setupattachment setupattachments setupbackend setupbar setupbars setupbleading setupbookmark setupbtx setupbtxataset setupbtxlist setupbtxregister setupbtx:name setupbutcon setupcollector setupcolumnset setupcolumnsetarea setupcolumnsetspan setupcolumnsetstart setupcounder setupcounter setupdataset setupdelinitedtext setupdescription setupdefect setupenumeration setupenv	\setureferencedobject {} {} \ {} \setupalternativestyles [=] \setupattachment [] [=] \setupattachments [] [=] \setupbackend [=] \setupbar [] [=] \setupbars [] [=] \setupbars [] [=] \setupbleeding [=] \setupbookmark [=] \setupbtx [] [=] \setupbtxdataset [] [=] \setupbtxregister [] [=] \setupbtxregister [] [=] \setupbtxrendering [] [=] \setupbtx [] \setupbutton [] [=] \setupcollector [] [=] \setupcolumnset [] [] \setupcolumnsetarea [] [] [] \setupcolumnsetines [] [] [] \setupcolumnsetspan [] [] [] \setupcolumnsetspan [] [] [] \setupcounter [] [] \setupcounter [] [] \setupdataset [] [] \setupdedimitedtext [] [] \setupdedimitedtext [] [] \setupdedimitedtext [] [] \setupdeffect [] [] \setupenumeration [] [] \setupenumeration [] [] \setupenumeration [] []

setupfacingfloat	\setupfacingfloat [] [=]
setupfieldbody	\setupfieldbody [] [=]
setupfieldcategory setupfieldcontentframed	\setupfieldcategory [] [=] \setupfieldcontentframed [] [=]
setupfieldlabelframed	\setupfieldlabelframed [] [=]
setupfieldtotalframed	\setupfieldtotalframed [] [=]
setupfiller	\setupfiller [] [=]
setupfirstline	\setupfirstline [] [=]
setupfittingpage	\setupfittingpage [] [=]
setupfloatframed	\setupfloatframed [] [=]
setupfontexpansion	\setupfontexpansion [] [=]
setupfontprotrusion	\setupfontprotrusion [] [=]
setupfonts	\setupfonts [=]
setupfontsolution	\setupfontsolution [] [=]
setupforms	\setupforms [=]
setupformula	\setupformula [] [=]
setupformulaframed	\setupformulaframed [] [=]
setupframedcontent	\setupframedcontent [] [=]
setupframedtable setupframedtablecolumn	\setupframedtable [] [=] \setupframedtablecolumn [] [] [=]
setupframedtablerow	\setupframedtablerow [] [] [] \setupframedtablerow [] []
setupframedtext	\setupframedtext [] [=]
setupglobalreferenceprefix	\setupglobalreferenceprefix []
setupheadalternative	\setupheadalternative [] [=]
setuphelp	\setuphelp [] [=]
setuphigh	\setuphigh [] [=]
setuphighlight	\setuphighlight [] [=]
setuphyphenation	\setuphyphenation [=]
setupcharacteralign	\setupcharacteralign [=]
setupcharacterkerning	\setupcharacterkerning [] [=]
setupcharacterspacing	\setupcharacterspacing [] [] [=]
setupchemical	\setupchemical [] [=]
setupchemicalframed	\setupchemicalframed [] [=]
setupindentedtext	\setupindentedtext [] [=]
setupinitial setupinsertion	\setupinitial [] [=] \setupinsertion [] [=]
setupitaliccorrection	\setupitaliccorrection []
-	
setupitemgroup setupitemgroup:assignment	\setupitemgroup [] [] [=] \setupitemgroup [] [=]
setupitemgroup	\setupitemgroup [] [] [] \setupitemgroup [] [=] \nastaveniITEMGROUP [] [] [=]
setupitemgroup setupitemgroup:assignment setupitemgroup:instance setupitemgroup:instance:itemize	\setupitemgroup [] [] [] \setupitemgroup [] [] \nastaveniITEMGROUP [] [] [] \nastaveniitemize [] [] []
setupitemgroup setupitemgroup:assignment setupitemgroup:instance setupitemgroup:instance:itemize setuplabel	\setupitemgroup [] [] [] \setupitemgroup [] [] \nastaveniITEMGROUP [] [] [] \nastaveniitemize [] [] [] \setuplabel [] []
setupitemgroup setupitemgroup:assignment setupitemgroup:instance setupitemgroup:instance:itemize setuplabel setuplayer	\setupitemgroup [] [] [] [] \setupitemgroup [] [] \nastaveniITEMGROUP [] [] [] \nastaveniitemize [] [] \setuplabel [] [] \setuplayer [] []
setupitemgroup setupitemgroup:assignment setupitemgroup:instance setupitemgroup:instance:itemize setuplabel setuplayer setuplayeredtext	\setupitemgroup [] [] [] [] \setupitemgroup [] [] \nastaveniITEMGROUP [] [] [] \setuplabel [] [] \setuplayer [] [] \setuplayer [] [] \setuplayeredtext [] []
setupitemgroup setupitemgroup:assignment setupitemgroup:instance setupitemgroup:instance:itemize setuplabel setuplayer setuplayer setuplayeredtext setuplayouttext	\setupitemgroup [] [] [] [] \setupitemgroup [] [] \nastaveniITEMGROUP [] [] [] \setuplabel [] [] \setuplayer [] [] \setuplayeredtext [] [] \setuplayouttext [] []
setupitemgroup setupitemgroup:assignment setupitemgroup:instance setupitemgroup:instance:itemize setuplabel setuplayer setuplayer setuplayeredtext setuplayouttext setuplinefiller	\setupitemgroup [] [] [] [] \setupitemgroup [] [] \nastaveniITEMGROUP [] [] [] \setuplabel [] [] \setuplayer [] [] \setuplayeredtext [] [] \setuplayouttext [] [] \setuplayouttext [] [] \setuplinefiller [] []
setupitemgroup setupitemgroup:assignment setupitemgroup:instance setupitemgroup:instance:itemize setuplabel setuplayer setuplayer setuplayeredtext setuplayouttext setuplinefiller setuplinefillers	\setupitemgroup [] [] [] [] \setupitemgroup [] [] \nastaveniITEMGROUP [] [] \setuplabel [] [] \setuplabel [] [] \setuplayer [] [] \setuplayeredtext [] [] \setuplayouttext [] [] \setuplinefiller [] [] \setuplinefillers [] []
setupitemgroup setupitemgroup:assignment setupitemgroup:instance setupitemgroup:instance:itemize setuplabel setuplayer setuplayer setuplayeredtext setuplayouttext setuplinefiller	\setupitemgroup [] [] [] [] \setupitemgroup [] [] \nastaveniITEMGROUP [] [] \setuplabel [] [] \setuplabel [] [] \setuplayer [] [] \setuplayeredtext [] [] \setuplayouttext [] [] \setuplinefiller [] [] \setuplinefillers [] [] \setuplinefillers [] [] \setuplinenote [] []
setupitemgroup:assignment setupitemgroup:instance setupitemgroup:instance:itemize setuplabel setuplayer setuplayerdtext setuplayouttext setuplinefiller setuplinefillers setuplinenote	\setupitemgroup [] [] [] [] \setupitemgroup [] [] \nastaveniITEMGROUP [] [] \setuplabel [] [] \setuplabel [] [] \setuplayer [] [] \setuplayeredtext [] [] \setuplayouttext [] [] \setuplinefiller [] [] \setuplinefillers [] []
setupitemgroup:assignment setupitemgroup:instance setupitemgroup:instance:itemize setuplabel setuplayer setuplayerdtext setuplayouttext setuplinefiller setuplinefillers setuplinenote setuplinetable	\setupitemgroup [] [] [] [] \setupitemgroup [] [] [] \nastaveniITEMGROUP [] [] [] \setuplabel [] [] \setuplabel [] [] \setuplayer [] [] \setuplayeredtext [] [] \setuplayouttext [] [] \setuplinefiller [] [] \setuplinefillers [] [] \setuplinefillers [] [] \setuplinenote [] [] \setuplinetable [] []
setupitemgroup setupitemgroup:assignment setupitemgroup:instance setupitemgroup:instance:itemize setuplabel setuplayer setuplayeredtext setuplayouttext setuplinefiller setuplinefillers setuplinenote setuplinetable setuplistalternative	\setupitemgroup [] [] [] [] \setupitemgroup [] [] \nastaveniITEMGROUP [] [] \nastaveniitemize [] [] \setuplabel [] [] \setuplayer [] [] \setuplayeredtext [] [] \setuplayouttext [] [] \setuplinefiller [] [] \setuplinefillers [] [] \setuplinefillers [] [] \setuplinetable [] [] \setuplinetable [] [] \setuplinetable [] [] \setuplistalternative [] []
setupitemgroup setupitemgroup:assignment setupitemgroup:instance setupitemgroup:instance:itemize setuplabel setuplayer setuplayeredtext setuplayouttext setuplinefiller setuplinefillers setuplinenote setuplinetable setuplistalternative setuplocalfloats setuplocalinterlinespace	\setupitemgroup [] [] [] [] \setupitemgroup [] [] \nastaveniITEMGROUP [] [] [] \nastaveniitemize [] [] \setuplabel [] [] \setuplayer [] [] \setuplayeredtext [] [] \setuplayouttext [] [] \setuplinefiller [] [] \setuplinefillers [] [] \setuplinefillers [] [] \setuplinetable [] [] \setuplinetable [] [] \setuplistalternative [] [] \setuplistalternative [] [] \setuplocalfloats [] \setuplocalfloats [] \setuplocalfloats []
setupitemgroup setupitemgroup:assignment setupitemgroup:instance setupitemgroup:instance:itemize setuplabel setuplayer setuplayeredtext setuplayouttext setuplinefiller setuplinefillers setuplinenote setuplinetable setuplistalternative setuplistextra setuplocalinterlinespace setuplocalinterlinespace:argument	<pre>\setupitemgroup [] [] [] [] \setupitemgroup [] [] \nastaveniITEMGROUP [] [] [] \nastaveniitemize [] [] \setuplabel [] [] \setuplayer [] [] \setuplayeredtext [] [] \setuplayouttext [] [] \setuplinefiller [] [] \setuplinefillers [] [] \setuplinenote [] [] \setuplinetable [] [] \setuplistalternative [] [] \setuplistalternative [] [] \setuplocalfloats [] \setuplocalinterlinespace []</pre>
setupitemgroup setupitemgroup:assignment setupitemgroup:instance setupitemgroup:instance:itemize setuplabel setuplayer setuplayeredtext setuplayouttext setuplinefiller setuplinefillers setuplinenote setuplinetable setuplistalternative setuplistextra setuplocalfloats setuplocalinterlinespace:argument setuplocalinterlinespace:name	<pre>\setupitemgroup [] [] [] [] \setupitemgroup [] [] \nastaveniITEMGROUP [] [] [] \nastaveniitemize [] [] \setuplabel [] [] \setuplayer [] [] \setuplayeredtext [] [] \setuplayouttext [] [] \setuplinefiller [] [] \setuplinefillers [] [] \setuplinenote [] [] \setuplinetable [] [] \setuplistalternative [] [] \setuplistextra [] [] \setuplocalinterlinespace [] \setuplocalinterlinespace []</pre>
setupitemgroup:assignment setupitemgroup:instance setupitemgroup:instance:itemize setuplabel setuplayer setuplayeredtext setuplayouttext setuplinefiller setuplinefillers setuplinefillers setuplinetable setuplistalternative setuplistats setuplocalfloats setuplocalinterlinespace:argument setuplocalinterlinespace:name setuplow	<pre>\setupitemgroup [] [] [] [] \setupitemgroup [] [] \nastaveniITEMGROUP [] [] [] \nastaveniitemize [] [] \setuplabel [] [] \setuplayer [] [] \setuplayeredtext [] [] \setuplayouttext [] [] \setuplinefiller [] [] \setuplinefiller [] [] \setuplinefiller [] [] \setuplinetable [] [] \setuplinetable [] [] \setuplistalternative [] [] \setuplistalternative [] [] \setuplocalinterlinespace []</pre>
setupitemgroup setupitemgroup:assignment setupitemgroup:instance setupitemgroup:instance:itemize setuplabel setuplayer setuplayeredtext setuplayouttext setuplinefiller setuplinefillers setuplinenote setuplinetable setuplistalternative setuplistats setuplocalfloats setuplocalinterlinespace:argument setuplow setuplow	<pre>\setupitemgroup [] [] [] [] \setupitemgroup [] [] \nastaveniITEMGROUP [] [] [] \nastaveniitemize [] [] \setuplabel [] [] \setuplayer [] [] \setuplayeredtext [] [] \setuplayouttext [] [] \setuplinefiller [] [] \setuplinefillers [] [] \setuplinenote [] [] \setuplinetable [] [] \setuplistalternative [] [] \setuplistextra [] [] \setuplocalinterlinespace [] \setuplocalinterlinespace [] \setuplocalinterlinespace [] \setuplow [] [] \setuplow [] [] \setuplowhigh [] []</pre>
setupitemgroup:assignment setupitemgroup:instance setupitemgroup:instance:itemize setuplabel setuplayer setuplayeredtext setuplayouttext setuplinefiller setuplinefillers setuplinenote setuplinetable setuplistalternative setuplistatsextra setuplocalfloats setuplocalinterlinespace:argument setuplow setuplow setuplowmidhigh	<pre>\setupitemgroup [] [] [] [] \setupitemgroup [] [] \nastaveniITEMGROUP [] [] [] \nastaveniitemize [] [] \setuplabel [] [] \setuplayer [] [] \setuplayeredtext [] [] \setuplayouttext [] [] \setuplinefiller [] [] \setuplinefillers [] [] \setuplinenote [] [] \setuplinetable [] [] \setuplistalternative [] [] \setuplistatlernative [] [] \setuplocalinterlinespace [] \setuplocalinterlinespace [] \setuplocalinterlinespace [] \setuplowmidhigh [] [] \setuplowmidhigh [] []</pre>
setupitemgroup:assignment setupitemgroup:instance setupitemgroup:instance:itemize setuplabel setuplayer setuplayeredtext setuplayouttext setuplinefiller setuplinefillers setuplinenote setuplinetable setuplistalternative setuplistalternative setuplocalfloats setuplocalinterlinespace:argument setuplocalinterlinespace:name setuplow setuplowhigh setuplowmidhigh setupMPgraphics	\setupitemgroup [] [] [] [] \setupitemgroup [] [] [] \nastaveniITEMGROUP [] [] [] \setuplabel [] [] \setuplabel [] [] \setuplayer [] [] \setuplayeredtext [] [] \setuplayouttext [] [] \setuplinefiller [] [] \setuplinefillers [] [] \setuplinefillers [] [] \setuplinetable [] [] \setuplinetable [] [] \setuplistalternative [] [] \setuplistalternative [] [] \setuplocalinterlinespace [] \setuplocalinterlinespace [] \setuplocalinterlinespace [] \setuplowlinetable [] [] \setuplowlinetable [] [] \setuplocalinterlinespace [] \setuplocalinterlinespace [] \setuplowlinetable [] []
setupitemgroup setupitemgroup:assignment setupitemgroup:instance setupitemgroup:instance:itemize setuplabel setuplayer setuplayeredtext setuplayouttext setuplinefiller setuplinefillers setuplinenote setuplinenote setuplistalternative setuplistalternative setuplocalfloats setuplocalinterlinespace:argument setuplocalinterlinespace:name setuplow setuplowhigh setuplowmidhigh setupMPgraphics setupMPinstance	\setupitemgroup [] [] [] [] \setupitemgroup [] [] [] \nastaveniITEMGROUP [] [] [] \setuplabel [] [] [] \setuplabel [] [] \setuplayer [] [] \setuplayeredtext [] [] \setuplayouttext [] [] [] \setuplinefiller [] [] \setuplinefillers [] [] \setuplinefillers [] [] \setuplinenote [] [] \setuplinenote [] [] \setuplistalternative [] [] \setuplistalternative [] [] \setuplocalinterlinespace [] \setuplocalinterlinespace [] \setuplocalinterlinespace [] \setuplocalinterlinespace [] \setuplowhigh [] []
setupitemgroup:assignment setupitemgroup:instance setupitemgroup:instance:itemize setuplabel setuplayer setuplayeredtext setuplayouttext setuplinefiller setuplinefillers setuplinenote setuplinetable setuplistalternative setuplistaternative setuplocalfloats setuplocalinterlinespace:argument setuplow setuplow setuplowmidhigh setupMPgraphics setupMPpage	\setupitemgroup [] [] [] [] \setupitemgroup [] [] [] \nastaveniITEMGROUP [] [] [] \setuplabel [] [] \setuplabel [] [] \setuplayer [] [] \setuplayeredtext [] [] \setuplayeredtext [] [] \setuplayouttext [] [] \setuplinefiller [] [] \setuplinefillers [] [] \setuplinefillers [] [] \setuplinetable [] [] \setuplinetable [] [] \setuplistalternative [] [] \setuplocalinterlinespace [] \setuplocalinterlinespace [] \setuplocalinterlinespace [] \setuplowhigh [] [] \setuplowhighpinstance [] \setupMPpage []
setupitemgroup setupitemgroup:assignment setupitemgroup:instance setupitemgroup:instance:itemize setuplabel setuplayer setuplayeredtext setuplayouttext setuplinefiller setuplinefillers setuplinenote setuplinenote setuplistalternative setuplistalternative setuplocalfloats setuplocalinterlinespace:argument setuplocalinterlinespace:name setuplow setuplowhigh setuplowmidhigh setupMPgraphics setupMPinstance	\setupitemgroup [] [] [] [] \setupitemgroup [] [] [] \nastaveniITEMGROUP [] [] [] \setuplabel [] [] [] \setuplabel [] [] \setuplayer [] [] \setuplayeredtext [] [] \setuplayouttext [] [] [] \setuplinefiller [] [] \setuplinefillers [] [] \setuplinefillers [] [] \setuplinenote [] [] \setuplinenote [] [] \setuplistalternative [] [] \setuplistalternative [] [] \setuplocalinterlinespace [] \setuplocalinterlinespace [] \setuplocalinterlinespace [] \setuplocalinterlinespace [] \setuplowhigh [] []
setupitemgroup:assignment setupitemgroup:instance setupitemgroup:instance:itemize setuplabel setuplayer setuplayeredtext setuplayouttext setuplinefiller setuplinefillers setuplinenote setuplinenote setuplistalternative setuplistalternative setuplocalfloats setuplocalinterlinespace:argument setuplocalinterlinespace:name setuplow setuplowhigh setuplowmidhigh setupMPgraphics setupMPpage setupMPpage setupMPvariables	\setupitemgroup [] [] [] [] \setupitemgroup [] [] [] \nastaveniITEMGROUP [] [] [] \setuplabel [] [] [] \setuplabel [] [] \setuplayer [] [] \setuplayeredtext [] [] \setuplayouttext [] [] \setuplinefiller [] [] \setuplinefillers [] [] \setuplinefillers [] [] \setuplinenote [] [] \setuplinetable [] [] \setuplistalternative [] [] \setuplistatlernative [] [] \setuplocalinterlinespace [] \setuplocalinterlinespace [] \setuplocalinterlinespace [] \setuplowhigh [] [] \setuplowhigh [] [] \setuplowhigh [] [] \setuplowhigh [] [] \setupMPgraphics [] \setupMPpage [] \setupMPpage [] \setupMPpage [] \setupMPpage [] \setupMPpage [] \setupMPpage []
setupitemgroup:assignment setupitemgroup:instance setupitemgroup:instance:itemize setuplabel setuplayer setuplayeredtext setuplayouttext setuplinefiller setuplinefillers setuplinenote setuplinetable setuplistalternative setuplistalternative setuplocalfloats setuplocalinterlinespace:argument setuplocalinterlinespace:name setuplow setuplowhigh setuplowmidhigh setupMPgraphics setupMPpage setupMPvariables setupMPvariables setupmarginblock	<pre>\setupitemgroup [] [] [] [] \nastaveniITEMGROUP [] [] []. \nastaveniitemize [] [] []. \setuplabel [] [] \setuplayer [] [] \setuplayeredtext [] [] \setuplayouttext [] [] \setuplinefiller [] [] \setuplinefillers [] [] \setuplinenote [] [] \setuplinetable [] [] \setuplistalternative [] [] \setuplistextra [] [] \setuplocalinterlinespace [] \setuplocalinterlinespace [] \setuplocalinterlinespace [] \setuplowhigh [] [] \setuplowmidhigh [] [] \setupMPgraphics [] \setupMPpage [] \setupMPpage [] \setupMPpage [] \setupMPvariables [] [] \setupMPvariables [] [] \setupMpvariables [] [] \setupmarginblock [] []</pre>
setupitemgroup:assignment setupitemgroup:instance setupitemgroup:instance:itemize setuplabel setuplayer setuplayeredtext setuplayouttext setuplinefiller setuplinefillers setuplinenote setuplinetable setuplistalternative setuplistalternative setuplocalfloats setuplocalinterlinespace:argument setuplocalinterlinespace:name setuplow setuplowhigh setuplowhigh setupMPgraphics setupMPpage setupMPpage setupMPvariables setupmarginblock setupmargindata	\setupitemgroup [] [] [] [] \setupitemgroup [] [] [] \nastaveniITEMGROUP [] [] [] \setuplabel [] [] \setuplabel [] [] \setuplayer [] [] \setuplayer [] [] \setuplayeredtext [] [] \setuplayouttext [] [] [] \setuplinefiller [] [] \setuplinefillers [] [] \setuplinefillers [] [] \setuplinenote [] [] \setuplinetable [] [] \setuplistalternative [] [] \setuplistalternative [] [] \setuplocalinterlinespace [] \setuplocalinterlinespace [] \setuplocalinterlinespace [] \setuplowhigh [] [] \setuplowhigh [] [] \setuplowhigh [] [] \setuplowhigh [] [] \setupMPgraphics [] \setupMPpage [] \setupMPpage [] \setupMPpage [] \setupMPpage [] \setupmarginblock [] [] \setupmarginblock [] [] \setupmarginblock [] []
setupitemgroup:assignment setupitemgroup:instance setupitemgroup:instance:itemize setuplabel setuplayer setuplayeredtext setuplayouttext setuplinefiller setuplinefillers setuplinenote setuplinetable setuplistalternative setuplistalternative setuplocalfloats setuplocalinterlinespace:argument setuplocalinterlinespace:name setuplow setuplowhigh setuplowhigh setupMPgraphics setupMPpage setupMPvariables setupmarginblock setupmarginframed	\setupitemgroup [] [] [] [].\ \nastaveniITEMGROUP [] [] [].\ \nastaveniitemize [] [] [].\ \setuplabel [] [].\ \setuplayer [] [].\ \setuplayeredtext [] [].\ \setuplayouttext [] [].\ \setuplinefiller [] [].\ \setuplinefillers [] [].\ \setuplinetable [] [].\ \setuplistalternative [] [].\ \setuplistalternative [] [].\ \setuplocalinterlinespace [].\ \setuplocalinterlinespace [].\ \setuplocalinterlinespace [].\ \setuplowhigh [] [].\ \setuplowhigh [] [].\ \setupMPgraphics [].\ \setupMPPage [].\ \setupMPPage [].\ \setupmarginblock [] [].\ \setupmargindata [] [].\ \setupmarginframed [] [].\
setupitemgroup:assignment setupitemgroup:instance setupitemgroup:instance:itemize setuplabel setuplayer setuplayerdtext setuplayouttext setuplinefiller setuplinefillers setuplinefillers setuplinetable setuplistalternative setuplistalternative setuplocalfloats setuplocalinterlinespace:argument setuplocalinterlinespace:name setuplow setuplowhigh setuplowmidhigh setupMPgraphics setupMPpage setupMPvariables setupmargindata setupmarginrule setupmathalignment setupmathalignment setupmathalignment setupmathalignment	\setupitemgroup [] [] [] [] \setupitemgroup [] [] [] \nastaveniITEMGROUP [] [] [] \nastaveniitemize [] [] [] \setuplabel [] [] \setuplayer [] [] \setuplayeredtext [] [] \setuplayeredtext [] [] \setuplayouttext [] [] \setuplinefiller [] [] \setuplinefillers [] [] \setuplinenote [] [] \setuplinenote [] [] \setuplistalternative [] [] \setuplistalternative [] [] \setuplocalinterlinespace [] \setuplocalinterlinespace [] \setuplocalinterlinespace [] \setuplowhigh [] [] \setuplowmidhigh [] [] \setupMPgraphics [] \setupMPgraphics [] \setupMPpage [] \setupMPpage [] \setupMPpage [] \setupmarginblock [] [] \setupmargindata [] [] \setupmarginframed [] [.
setupitemgroup setupitemgroup:assignment setupitemgroup:instance setupitemgroup:instance:itemize setuplabel setuplayer setuplayeredtext setuplayouttext setuplinefiller setuplinefillers setuplinenote setuplinetable setuplistalternative setuplocalinterlinespace setuplocalinterlinespace:argument setuplow setupMPgraphics setupMPjraphics setupMPjraphics setupMPjraphics setupMPjraphics setupmypinstance s	\setupitemgroup [] [] [] [] \setupitemgroup [] [] [] \nastaveniITEMGROUP [] [] [] \nastaveniitemize [] [] [] \setuplabel [] [] \setuplayer [] [] \setuplayeredtext [] [] \setuplayeredtext [] [] \setuplayouttext [] [] \setuplinefiller [] [] \setuplinefillers [] [] \setuplinenote [] [] \setuplinenote [] [] \setuplistalternative [] [] \setuplistalternative [] [] \setuplocalinterlinespace [] [] \setuplocalinterlinespace [] [] \setuplocalinterlinespace [] \setuplowhigh [] [] \setuplowhigh [] [] \setuplowhigh [] [] \setupMPgraphics [] \setupMPpage [] \setupMPpage [] \setupMPpage [] \setupmarginblock [] [] \setupmargindata [] [] \setupmarginframed [] [] \setupmathalignment [] [] \setupmathalignment [] [] \setupmathalignment [] [] \setupmathematics [] []
setupitemgroup: assignment setupitemgroup: instance setupitemgroup: instance: itemize setuplabel setuplayer setuplayer setuplayerdtext setuplayouttext setuplinefiller setuplinefillers setuplinenote setuplinetable setuplistalternative setuplistalternative setuplocalfloats setuplocalinterlinespace: argument setuplocalinterlinespace: name setuplow setuplowhigh setupMPyraphics setupMPprage setupMPyrariables setupmarginblock setupmarginframed setupmarginrule setupmathematics setupmathematics setupmathematics setupmathematics setupmathematics setupmathematics setupmathematics	\setupitemgroup [] [] [] [] \setupitemgroup [] [] [] \nastaveniITEMGROUP [] [] [] \nastaveniitemize [] [] [] \setuplabel [] [] [] \setuplayer [] [] \setuplayer [] [] \setuplayeredtext [] [] [] \setuplayouttext [] [] [] \setuplinefillers [] [] \setuplinefillers [] [] \setuplinenote [] [] \setuplinetable [] [] [] \setuplistalternative [] [] \setuplistalternative [] [] \setuplocalinterlinespace [] [] \setuplocalinterlinespace [] [] \setuplocalinterlinespace [] \setuplowhigh [] [] \setuplowhigh [] [] \setuplowhigh [] [] \setupMPgraphics [] \setupMPpage [] \setupMPpage [] \setupMPpage [] \setupmarginblock [] [] \setupmarginframed [] [] \setupmarginframed [] [] \setupmarginframed [] [] \setupmarginframed [] [] \setupmathalignment [] [] \setupmathalignment [] [] \setupmathematics [] []
setupitemgroup setupitemgroup:assignment setupitemgroup:instance setupitemgroup:instance:itemize setuplabel setuplayer setuplayeredtext setuplayouttext setuplinefiller setuplinefillers setuplinenote setuplinetable setuplistalternative setuplocalinterlinespace setuplocalinterlinespace:argument setuplow setupMPgraphics setupMPjraphics setupMPjraphics setupMPjraphics setupMPjraphics setupmypinstance s	\setupitemgroup [] [] [] [] \setupitemgroup [] [] [] \nastaveniITEMGROUP [] [] [] \nastaveniitemize [] [] [] \setuplabel [] [] \setuplayer [] [] \setuplayeredtext [] [] \setuplayeredtext [] [] \setuplayouttext [] [] \setuplinefiller [] [] \setuplinefillers [] [] \setuplinenote [] [] \setuplinenote [] [] \setuplistalternative [] [] \setuplistalternative [] [] \setuplocalinterlinespace [] [] \setuplocalinterlinespace [] [] \setuplocalinterlinespace [] \setuplowhigh [] [] \setuplowhigh [] [] \setuplowhigh [] [] \setupMPgraphics [] \setupMPpage [] \setupMPpage [] \setupMPpage [] \setupmarginblock [] [] \setupmargindata [] [] \setupmarginframed [] [] \setupmathalignment [] [] \setupmathalignment [] [] \setupmathalignment [] [] \setupmathematics [] []

4	\+
setupmathframed setupmathmatrix	\setupmathframed [] [=] \setupmathmatrix [] [=]
setupmathornament	\setupmathornament [] [=]
setupmathradical	\setupmathradical [] [=]
setupmathstackers	\setupmathstackers [] [=]
setupmathstyle	\setupmathstyle []
setupmixedcolumns	\setupmixedcolumns [] [=]
setupmodule	\setupmodule [] [=]
setupnotation	\setupnotation [] [=]
setupnotations	\setupnotations [] [=]
setupnote setupnotes	\setupnote [] [=] \setupnotes [] [=]
setupoffset	\setupnotes [] [] \setupoffset []
setupoffsetbox	\setupoffsetbox [=]
setupoutputroutine	\setupoutputroutine [] [=]
setupoutputroutine:name	\setupoutputroutine []
setuppagecolumns	\setuppagecolumns [] [=]
setuppagechecker	\setuppagechecker [] [=]
setuppageinjection	\setuppageinjection [] [=]
setuppageinjectionalternative	\setuppageinjectionalternative [] [=]
setuppageshift	\setuppageshift [] []
setuppagestate	\setuppagestate [] [=]
setuppairedbox setuppairedbox:instance	\setuppairedbox [] [=] \nastaveniPAIREDBOX [=]
setuppairedbox:instance:legend	\nastavenilegend [=]
setuppaper	\setuppaper [=]
setupparagraph	\setupparagraph [] [=]
setupparagraphintro	\setupparagraphintro []
setupparallel	\setupparallel [] [=]
setupperiodkerning	\setupperiodkerning [] [=]
setupperiods	\setupperiods [=]
setupplacement	\setupplacement [] [=]
setuppositionbar	\setuppositionbar [=]
setupprocessor setupprofile	\setupprocessor [] [=] \setupprofile [] [=]
setupquotation	\setupquotation [=]
setuprealpagenumber	\setuprealpagenumber [=]
	\setuprealpagenumber [=] \setupreferenceformat [] [=]
setuprealpagenumber	
setuprealpagenumber setupreferenceformat setupreferenceprefix setupreferencestructureprefix	\setupreferenceformat [] [=] \setupreferenceprefix [] \setupreferencestructureprefix [] [] [=]
setuprealpagenumber setupreferenceformat setupreferenceprefix setupreferencestructureprefix setupregisters	\setupreferenceformat [] [=] \setupreferenceprefix [] \setupreferencestructureprefix [] [] \setupregisters [] [=]
setuprealpagenumber setupreferenceformat setupreferenceprefix setupreferencestructureprefix setupregisters setupregisters:	<pre>\setupreferenceformat [] [=] \setupreferenceprefix [] \setupreferencestructureprefix [] [=] \setupregisters [] [=] \setupregisters [] []</pre>
setuprealpagenumber setupreferenceformat setupreferenceprefix setupreferencestructureprefix setupregisters setupregisters:argument setuprenderingwindow	\setupreferenceformat [] [=] \setupreferenceprefix [] \setupreferencestructureprefix [] [] [=] \setupregisters [] [=] \setupregisters [] [] [=] \setuprenderingwindow [] [=]
setuprealpagenumber setupreferenceformat setupreferenceprefix setupreferencestructureprefix setupregisters setupregisters:argument setuprenderingwindow setupruby	<pre>\setupreferenceformat [] [=] \setupreferenceprefix [] \setupreferencestructureprefix [] [] [=] \setupregisters [] [=] \setupregisters [] [] [=] \setuprenderingwindow [] [=] \setupruby [] [=]</pre>
setuprealpagenumber setupreferenceformat setupreferenceprefix setupreferencestructureprefix setupregisters setupregisters:argument setuprenderingwindow	<pre>\setupreferenceformat [] [=] \setupreferenceprefix [] [] [=] \setupregisters [] [=] \setupregisters [] [=] \setuprenderingwindow [] [=] \setupruby [] [=] \setupruby [] [=]</pre>
setuprealpagenumber setupreferenceformat setupreferenceprefix setupreferencestructureprefix setupregisters setupregisters:argument setuprenderingwindow setupruby setups	<pre>\setupreferenceformat [] [=] \setupreferenceprefix [] [] [=] \setupregisters [] [=] \setupregisters [] [=] \setuprederingwindow [] [=] \setupruby [] [=] \setups [] \setupscale [] [=] \setupscript [] [=]</pre>
setuprealpagenumber setupreferenceformat setupreferenceprefix setupreferencestructureprefix setupregisters setupregisters:argument setuprenderingwindow setupruby setups setups	<pre>\setupreferenceformat [] [=] \setupreferenceprefix [] \setupreferencestructureprefix [] [] [=] \setupregisters [] [] [=] \setupregisters [] [] \setuprenderingwindow [] [=] \setupruby [] [=] \setups [] \setupscale [] [=]</pre>
setuprealpagenumber setupreferenceformat setupreferenceprefix setupreferencestructureprefix setupregisters setupregisters:argument setuprenderingwindow setupruby setups setups setupscale setupscript	<pre>\setupreferenceformat [] [=] \setupreferenceprefix [] \setupreferencestructureprefix [] [] [=] \setupregisters [] [] [=] \setuprederingwindow [] [=] \setuprenderingwindow [] [=] \setupruby [] [=] \setups [] \setupscale [] [=] \setupscript [] [=] \setupscripts [] [=] \setupscripts [] [=]</pre>
setuprealpagenumber setupreferenceformat setupreferenceprefix setupregisters setupregisters:argument setuprenderingwindow setupruby setups setups setupscale setupscript setupscripts setupselector setupshift	<pre>\setupreferenceformat [] [=] \setupreferenceprefix [] \setupreferencestructureprefix [] [] [=] \setupregisters [] [=] \setupregisters [] [=] \setuprederingwindow [] [=] \setupruby [] [=] \setupruby [] [=] \setupscale [] [=] \setupscript [] [=] \setupscripts [] [=] \setupscripts [] [=] \setupselector [] [=] \setupshift [] [=]</pre>
setuprealpagenumber setupreferenceformat setupreferenceprefix setupregisters setupregisters:argument setuprenderingwindow setupruby setups setupscale setupscript setupscripts setupselector setupshift setupsidebar	<pre>\setupreferenceformat [] [=] \setupreferenceprefix [] \setupreferencestructureprefix [] [] [=] \setupregisters [] [=] \setupregisters [] [=] \setuprederingwindow [] [=] \setupruby [] [=] \setupruby [] [=] \setups [] \setupscale [] [=] \setupscript [] [=] \setupscripts [] [=] \setupsclector [] [=] \setupshift [] [=] \setupsidebar [] [=]</pre>
setuprealpagenumber setupreferenceformat setupreferenceprefix setupregisters setupregisters:argument setuprenderingwindow setupruby setups setupscale setupscript setupscripts setupselector setupshift setupspellchecking	<pre>\setupreferenceformat [] [=] \setupreferenceprefix [] \setupreferencestructureprefix [] [] [] \setupregisters [] [=] \setupregisters [] [=] \setuprederingwindow [] [=] \setupruby [] [=] \setupruby [] [=] \setups [] \setupscale [] [=] \setupscript [] [=] \setupscripts [] [=] \setupsclector [] [=] \setupsdebar [] [=] \setupsidebar [] [=] \setupspellchecking [=]</pre>
setuprealpagenumber setupreferenceformat setupreferenceprefix setupregisters setupregisters:argument setuprenderingwindow setupruby setups setupscale setupscript setupscripts setupselector setupshift setupspellchecking setupstartstop	<pre>\setupreferenceformat [] [=] \setupreferenceprefix [] \setupreferencestructureprefix [] [=] \setupregisters [] [=] \setupregisters [] [=] \setuprederingwindow [] [=] \setupruby [] [=] \setupruby [] [=] \setups [] \setupscale [] [=] \setupscript [] [=] \setupscripts [] [=] \setupscripts [] [=] \setupsdebar [] [=] \setupsdebar [] [=] \setupspellchecking [=] \setupstartstop [] [=]</pre>
setuprealpagenumber setupreferenceformat setupreferenceprefix setupregisters setupregisters:argument setuprenderingwindow setupruby setups setupscale setupscript setupscripts setupselector setupshift setupspellchecking setupstartstop setupstretched	<pre>\setupreferenceformat [] [=] \setupreferenceprefix [] \setupreferencestructureprefix [] [] [] \setupregisters [] [] \setupregisters [] [] \setuprederingwindow [] [] \setuprederingwindow [] [] \setupruby [] [] \setupruby [] [] \setups [] \setupscale [] [] \setupscript [] [] \setupscripts [] [] \setupscripts [] [] \setupsdebar [] [] \setupsidebar [] [] \setupspellchecking [] \setupstartstop [] []</pre>
setuprealpagenumber setupreferenceformat setupreferenceprefix setupregisters setupregisters:argument setuprenderingwindow setupruby setups setupscale setupscript setupscripts setupselector setupshift setupspellchecking setupstartstop	<pre>\setupreferenceformat [] [=] \setupreferenceprefix [] \setupreferencestructureprefix [] [=] \setupregisters [] [=] \setupregisters [] [=] \setuprederingwindow [] [=] \setupruby [] [=] \setupruby [] [=] \setups [] \setupscale [] [=] \setupscript [] [=] \setupscripts [] [=] \setupscripts [] [=] \setupsdebar [] [=] \setupsdebar [] [=] \setupspellchecking [=] \setupstartstop [] [=]</pre>
setuprealpagenumber setupreferenceformat setupreferenceprefix setupregisters setupregisters:argument setuprenderingwindow setupruby setups setupscale setupscript setupscript setupscripts setupslector setupshift setupspellchecking setupstartstop setupstruts	<pre>\setupreferenceformat [] [=] \setupreferenceprefix [] \setupreferencestructureprefix [] [] [] \setupregisters [] [=] \setupregisters [] [] \setuprederingwindow [] [] \setuprederingwindow [] [] \setupruby [] [] \setupruby [] [] \setups [] \setupscale [] [] \setupscript [] [] \setupscripts [] [] \setupscripts [] [] \setupsdebar [] [] \setupsidebar [] [] \setupstetupsdebar [] [] \setupstetupstartstop [] [] \setupstartstop [] [] \setupstruts [] \setupstruts []</pre>
setuprealpagenumber setupreferenceformat setupreferenceprefix setupregisters setupregisters:argument setuprenderingwindow setupruby setups setupscale setupscript setupscripts setupslector setupshift setupsidebar setupspellchecking setupstruts setupstruts setupstyle	<pre>\setupreferenceformat [] [=] \setupreferenceprefix [] \setupreferencestructureprefix [] [] [=] \setupregisters [] [=] \setupregisters [] [=] \setuprenderingwindow [] [=] \setupruby [] [=] \setupruby [] [=] \setupscale [] [=] \setupscripts [] [=] \setupscripts [] [=] \setupscripts [] [=] \setupshift [] [=] \setupsidebar [] [=] \setupspellchecking [=] \setupstartstop [] [=] \setupstruts [] \setupstruts [] \setupstyle [] [=] \setupsubformula [] [=] \setupsubformulas [] [=]</pre>
setuprealpagenumber setupreferenceformat setupreferenceprefix setupregisters setupregisters:argument setuprenderingwindow setupruby setups setupscale setupscript setupscript setupslector setupshift setupsidebar setupspellchecking setupstartstop setupstruts setupstyle setupsubformula setupsubformulas setupsymbols	<pre>\setupreferenceformat [] [=] \setupreferenceprefix [] \setupreferencestructureprefix [] [] [=] \setupregisters [] [=] \setupregisters [] [=] \setuprenderingwindow [] [=] \setuprenderingwindow [] [=] \setuprenderingwindow [] [=] \setuprestup [] [=] \setupscale [] [=] \setupscale [] [=] \setupscripts [] [=] \setupscripts [] [=] \setupshift [] [=] \setupshift [] [=] \setupsidebar [] [=] \setupstartstop [] [=] \setupstrutts [] \setupstrutts [] \setupstrutts [] \setupstrutts [] \setupsubformula [] [=] \setupsubformulas [] [=] \setupsubformulas [] [=] \setupsymbols [=]</pre>
setuprealpagenumber setupreferenceformat setupreferenceprefix setupregisters setupregisters:argument setuprenderingwindow setupruby setups setupscale setupscript setupscript setupslector setupshift setupsidebar setupspellchecking setupstartstop setupstruts setupstryle setupsubformula setupsubformulas setupsymbols setupsymbols setupsynctex	<pre>\setupreferenceformat [] [=] \setupreferenceprefix [] \setupreferencestructureprefix [] [] [=] \setupregisters [] [=] \setupregisters [] [=] \setuprenderingwindow [] [=] \setupruby [] [=] \setupruby [] [=] \setupscale [] [=] \setupscripts [] [=] \setupscripts [] [=] \setupselector [] [=] \setupshift [] [=] \setupsidebar [] [=] \setupspellchecking [=] \setupstartstop [] [=] \setupstruts [] \setupstruts [] \setupstruts [] \setupstruts [] \setupsubformula [] [=] \setupsubformulas [] [=] \setupsymbols [=] \setupsymbols [=] \setupsynctex [=]</pre>
setuprealpagenumber setupreferenceformat setupreferenceprefix setupregisters setupregisters:argument setuprenderingwindow setupruby setups setupscale setupscript setupscripts setupslector setupshift setupsidebar setupspellchecking setupstartstop setupstruts setupstruts setupstyle setupsubformula setupsymbols setupsynctex setupsynctex setups;direct	<pre>\setupreferenceformat [] [=] \setupreferenceprefix [] \setupreferencestructureprefix [] [] [] \setupregisters [] [] \setupregisters [] [] \setuprederingwindow [] [] \setuprenderingwindow [] [] \setupruby [] [] \setupsetups [] \setupscale [] [] \setupscripts [] [] \setupscripts [] [] \setupselector [] [] \setupshift [] [] \setupsidebar [] [] \setupsidebar [] [] \setupstartstop [] [] \setupstrutts [] \setupstrutts [] \setupstrutts [] \setupstrutts [] \setupsubformula [] [] \setupsubformulas [] [] \setupsymbols [] \setupsymbols [] \setupsynctex [] \setups {}</pre>
setuprealpagenumber setupreferenceformat setupreferenceprefix setupregisters setupregisters:argument setuprenderingwindow setupruby setups setupscale setupscript setupscript setupslector setupshift setupsidebar setupspellchecking setupstartstop setupstruts setupstruts setupstyle setupsubformula setupsymbols setupsynctex setups:direct setupTABLE	\setupreferenceformat [] [=] \setupreferenceprefix [] \setupreferencestructureprefix [] [] [] \setupregisters [] [] \setupregisters [] [] \setuprederingwindow [] [] \setupruby [] [] \setupruby [] [] \setupscale [] [] \setupscripts [] [] \setupscripts [] [] \setupscripts [] [] \setupshift [] [] \setupshift [] [] \setupsdebar [] [] \setupspellchecking [] \setupstartstop [] [] \setupstruts [] \setupstruts [] \setupstyle [] [] \setupsubformula [] [] \setupsubformulas [] [] \setupsymbols [] \setupsymbols [] \setupsymbols [] \setups {} \setup Setup TABLE [] []
setuprealpagenumber setupreferenceformat setupreferenceprefix setupregisters setupregisters:argument setuprenderingwindow setupruby setups setupscale setupscript setupscript setupslector setupshift setupsidebar setupspellchecking setupstratstop setupstruts setupstruts setupstyle setupsubformula setupsubformulas setupsymbols setupsynctex setupTABLE setupTEXpage	\setupreferenceformat [] [=] \setupreferenceprefix [] \setupreferencestructureprefix [] [] [] \setupregisters [] [] \setupregisters [] [] \setuprederingwindow [] [] \setupruby [] [] \setupruby [] [] \setupscale [] [] \setupscale [] [] \setupscripts [] [] \setupscripts [] [] \setupsclector [] [] \setupshift [] [] \setupshift [] [] \setupspellchecking [] \setupstartstop [] [] \setupstruts [] \setupstruts [] \setupstyle [] [] \setupsubformula [] [] \setupsubformulas [] [] \setupsymbols [] \setupsymbols [] \setupstyle [] \setupstyle [] \setupsymbols [] \setupstyle [] \setupsupstruts [] \setupsupstruts [] \setupsupsupsupsupsupsupsupsupsupsupsupsupsu
setuprealpagenumber setupreferenceformat setupreferenceprefix setupregisters setupregisters:argument setuprenderingwindow setupruby setups setupscale setupscript setupscript setupslector setupshift setupsidebar setupspellchecking setupstartstop setupstruts setupstruts setupstyle setupsubformula setupsymbols setupsynctex setups:direct setupTABLE	\setupreferenceformat [] [=] \setupreferenceprefix [] \setupreferencestructureprefix [] [] [] \setupregisters [] [] \setupregisters [] [] \setuprederingwindow [] [] \setupruby [] [] \setupruby [] [] \setupscale [] [] \setupscripts [] [] \setupscripts [] [] \setupscripts [] [] \setupshift [] [] \setupshift [] [] \setupsdebar [] [] \setupspellchecking [] \setupstartstop [] [] \setupstruts [] \setupstruts [] \setupstyle [] [] \setupsubformula [] [] \setupsubformulas [] [] \setupsymbols [] \setupsymbols [] \setupsymbols [] \setups {} \setup Setup TABLE [] []
setuprealpagenumber setupreferenceformat setupreferenceprefix setupregisters setupregisters:argument setuprenderingwindow setupruby setups setupscale setupscript setupscript setupslector setupshift setupsidebar setupspellchecking setupstratstop setupstruts setupstruts setupstyle setupsubformula setupsubformulas setupsymbols setupsynctex setupTABLE setupTEXpage setuptabulation	\setupreferenceformat [] [=] \setupreferenceprefix [] \setupreferencestructureprefix [] [] [] \setupregisters [] [] \setupregisters [] [] \setuprederingwindow [] [] \setupruby [] [] \setupruby [] [] \setupscale [] [] \setupscripts [] [] \setupscripts [] [] \setupscripts [] [] \setupselector [] [] \setupshift [] [] \setupsidebar [] [] \setupspellchecking [] \setupstartstop [] [] \setupstruts [] \setupstruts [] \setupstyle [] [] \setupsubformula [] [] \setupsubformulas [] [] \setupsymbols [] \setupsymbols [] \setupsymbols [] \setupstatbalation [] [] \setuptatbulation [] [] \setuptatbulation [] [] \setuptatbulation [] [] \setuptatptatbulation [] [] \setuptatptatptatptatptatptatptatptatptatpt
setuprealpagenumber setupreferenceformat setupreferenceprefix setupregisters setupregisters:argument setuprenderingwindow setupruby setups setupscale setupscript setupscripts setupselector setupshift setupsidebar setupspellchecking setupstartstop setupstruts setupstruts setupstruts setupstyle setupsubformula setupsubformulas setupsymbols setupsymctex setupTABLE setupTEXpage setuptagging	\setupreferenceformat [] [=] \setupreferenceprefix [] \setupreferencestructureprefix [] [] [] \setupregisters [] [] \setupregisters [] [] \setuprenderingwindow [] [] \setupruby [] [] \setupruby [] [] \setupscale [] [] \setupscripts [] [] \setupscripts [] [] \setupscripts [] [] \setupsclector [] [] \setupshift [] [] \setupshift [] [] \setupspellchecking [] \setupstartstop [] [] \setupstruts [] \setupstruts [] \setupstyle [] [] \setupsubformula [] [] \setupsubformulas [] [] \setupsupsupportex [] \setupsupsupsupportex [] \setupsupsupsupportex [] \setupTABLE [] [] [] \setuptabulation [] [] \setuptabulation [] [] \setuptabulation [] []
setuprealpagenumber setupreferenceformat setupreferenceprefix setupregisters setupregisters:argument setuprenderingwindow setupruby setups setupscale setupscript setupscripts setupselector setupshift setupsidebar setupspellchecking setupstartstop setupstruts setupstruts setupstruts setupsupformula setupsubformulas setupsupformulas setupsymbols setupsymctex setupTABLE setupTEXpage setuptabulation setuptagging setuptexthote	\setupreferenceformat [] [=] \setupreferenceprefix [] \setupreferencestructureprefix [] [] [=] \setupregisters [] [] [] \setupregisters [] [] [] \setuprederingwindow [] [] \setupruby [] [] \setuprosetups [] [] \setupscale [] [] \setupscripts [] [] \setupscripts [] [] \setupselector [] [] \setupsidebar [] [] \setupsidebar [] [] \setupspellchecking [] \setupstruts [] \setupstruts [] \setupstruts [] \setupstruts [] \setupstyle [] [] \setupsubformula [] [] \setupsubformula [] [] \setupsymbols [] \setupsymbols [] \setupstatps [] \setuptabulation [] [] \setuptatptatputation [] [] \setuptatptatptatputation [] [] \setuptextbackground [] [] \setuptextptextflow [] [] \setuptextptextptextnote [] []
setuprealpagenumber setupreferenceformat setupreferenceprefix setupregisters setupregisters:argument setuprederingwindow setupruby setups setupscript setupscript setupsclector setupshift setupselector setupspellchecking setupstretched setupstruts setupstruts setupstyle setupsubformula setupsubformulas setupsymbols setupsymbols setupymbet setupTABLE setupTEXpage setuptabulation setuptagging setuptexthode setuptexthode setuptextflow setuptextnote setuptooltip	\setupreferenceformat [] [=] \setupreferenceprefix [] \setupreferencestructureprefix [] [] [=] \setupregisters [] [] [] \setupregisters [] [] [] \setuprederingwindow [] [] \setuprederingwindow [] [] \setuprestups [] [] \setupscale [] [] \setupscript [] [] \setupscripts [] [] \setupscripts [] [] \setupsetupscript [] [] \setupsetupselector [] [] \setupsetupsidebar [] [] \setupsidebar [] [] \setupstretched [] \setupstretched [] \setupstretched [] \setupstruts [] \setupstruts [] \setupsupformula [] [] \setupsupformulas [] [] \setupsymbols [] \setupsymbols [] \setupstabulation [] [] \setuptabulation [] [] \setuptabulation [] [] \setuptextbackground [] [] \setuptextbackground [] [] \setuptextflow [] [] \setuptextflow [] [] \setuptextptextlootip [] []
setuprealpagenumber setupreferenceformat setupreferenceprefix setupregisters setupregisters:argument setuprederingwindow setupruby setups setupscale setupscript setupscript setupselector setupshift setupsellchecking setupstratstop setupstrattsop setupstruts setupstyle setupsubformula setupsubformulas setupsymbols setupsTABLE setupTABLE setuptabulation setuptagging setuptexthod setuptextflow setuptextnote setuptooltip setupunit	\setupreferenceformat [] [=] \setupreferenceprefix [] \setupreferencestructureprefix [] [] [=] \setupregisters [] [] [] \setupregisters [] [] [] \setuprederingwindow [] [] \setupscale [] [] \setupscale [] [] \setupscript [] [] \setupscripts [] [] \setupscripts [] [] \setupselector [] [] \setupselector [] [] \setupsidebar [] [] \setupsidebar [] [] \setupsidebar [] [] \setupspellchecking [] \setupstretched [] \setupstretched [] [] \setupstretched [] [] \setupstruts [] \setupstruts [] \setupsupformula [] [] \setupsupformula [] [] \setupsynctex [] \setupsynctex [] \setupstruts [] \setuptabulation [] [] \setuptabulation [] [] \setuptatptabulation [] [] \setuptexthackground [] [] \setuptexthackground [] [] \setuptexthootip [] [] \setuptooltip [] [] \setuptooltip [] [] \setuptooltip [] []
setuprealpagenumber setupreferenceformat setupreferenceprefix setupregisters setupregisters:argument setuprederingwindow setupruby setups setupscript setupscript setupsclector setupshift setupselector setupspellchecking setupstretched setupstruts setupstruts setupstyle setupsubformula setupsubformulas setupsymbols setupsymbols setupymbet setupTABLE setupTEXpage setuptabulation setuptagging setuptexthode setuptexthode setuptextflow setuptextnote setuptooltip	\setupreferenceformat [] [=] \setupreferenceprefix [] \setupreferencestructureprefix [] [] [=] \setupregisters [] [] [] \setupregisters [] [] [] \setuprederingwindow [] [] \setuprederingwindow [] [] \setuprederingwindow [] [] \setuprederingwindow [] [] \setupscale [] [] \setupscale [] [] \setupscript [] [] \setupscripts [] [] \setupscripts [] [] \setupselector [] [] \setupsidebar [] [] \setupsidebar [] [] \setupstretched [] \setupstretched [] \setupstretched [] \setupstruts [] \setupstruts [] \setupsubformula [] [] \setupsubformula [] [] \setupsymbols [] \setupsymbols [] \setupTABLE [] [] [] \setupTABLE [] [] \setuptabulation [] [] \setuptabulation [] [] \setuptabutation [] [] \setuptexthackground [] [] \setuptexthackground [] [] \setuptexthootetip [] []

setupuserpagenumber	\setupuserpagenumber [=]
setupversion	\setupversion []
setupviewerlayer	\setupviewerlayer [=]
setupvspacing	\setupvspacing []
setupwithargument	\setupwithargument {} {}
setupwithargumentswapped	\setupwithargumentswapped {} {}
setupxml	\setupxml [=]
setupxtable	\setupxtable [] [=] \setuvalue {} {}
setuvalue	
setuxvalue	\setuxvalue {} {}
setvalue	\setvalue {} {}
setvariable	\setvariable {} {}
setvariables	\setvariables [] [=]
setvboxregister	\setvboxregister {}
setvisualizerfont	\setvisualizerfont []
setvtopregister	\setvtopregister {}
setwidthof	\setwidthof \to \
setxmeasure	\setxmeasure {} {}
setxvalue	\setxvalue {} {}
setxvariable	\setxvariable {} {} {}
setxvariables	\setxvariables [] [=]
shapedhbox	\shapedhbox {}
shiftbox	\shiftbox {}
shift:instance	\SHIFT {}
shift:instance:shiftdown	\shiftdown {}
shift:instance:shiftup	\shiftup {}
showallmakeup	\showallmakeup
showattributes	\showattributes
showboxes	\showboxes
showbtxdatasetauthors	\showbtxdatasetauthors [=]
	\showbtxdatasetauthors []
showbtxdatasetauthors:argument	
showbtxdatasetcompleteness	\showbtxdatasetcompleteness [=]
showbtxdatasetcompleteness:argument	\showbtxdatasetcompleteness []
showbtxdatasetfields	\showbtxdatasetfields [=]
showbtxdatasetfields:argument	\showbtxdatasetfields []
1 1 2 6 7 1 1	\showbtxfields [=]
showbtxfields	\SHOWDUXITEIQS []
showbtxfields:argument	\showbtxfields []
showbtxfields:argument showbtxhashedauthors	\showbtxfields [] \showbtxhashedauthors []
showbtxfields:argument showbtxhashedauthors showbtxtables	\showbtxfields [] \showbtxhashedauthors [] \showbtxtables []
showbtxfields:argument showbtxhashedauthors showbtxtables showcolorbar	\showbtxfields [] \showbtxhashedauthors [] \showbtxtables [] \showcolorbar []
showbtxfields:argument showbtxhashedauthors showbtxtables showcolorbar showcolorcomponents	\showbtxfields [] \showbtxhashedauthors [] \showbtxtables [] \showcolorbar [] \showcolorcomponents []
showbtxfields:argument showbtxhashedauthors showbtxtables showcolorbar showcolorcomponents showcolorset	\showbtxfields [] \showbtxhashedauthors [] \showbtxtables [] \showcolorbar [] \showcolorcomponents [] \showcolorset []
showbtxfields:argument showbtxhashedauthors showbtxtables showcolorbar showcolorcomponents	\showbtxfields [] \showbtxhashedauthors [] \showbtxtables [] \showcolorbar [] \showcolorcomponents [] \showcolorset [] \showcolorstruts
showbtxfields:argument showbtxhashedauthors showbtxtables showcolorbar showcolorcomponents showcolorset	\showbtxfields [] \showbtxhashedauthors [] \showbtxtables [] \showcolorbar [] \showcolorcomponents [] \showcolorset []
showbtxfields:argument showbtxhashedauthors showbtxtables showcolorbar showcolorcomponents showcolorset showcolorstruts	\showbtxfields [] \showbtxhashedauthors [] \showbtxtables [] \showcolorbar [] \showcolorcomponents [] \showcolorset [] \showcolorstruts
showbtxfields:argument showbtxhashedauthors showbtxtables showcolorbar showcolorcomponents showcolorset showcolorstruts showcounter	\showbtxfields [] \showbtxhashedauthors [] \showbtxtables [] \showcolorbar [] \showcolorcomponents [] \showcolorset [] \showcolorstruts \showcounter []
showbtxfields:argument showbtxhashedauthors showbtxtables showcolorbar showcolorcomponents showcolorset showcolorstruts showcounter showdirectives showdirsinmargin	\showbtxfields [] \showbtxhashedauthors [] \showbtxtables [] \showcolorbar [] \showcolorcomponents [] \showcolorset [] \showcolorstruts \showcounter [] \showdirectives \showdirsinmargin
showbtxfields:argument showbtxhashedauthors showbtxtables showcolorbar showcolorcomponents showcolorset showcolorstruts showcounter showdirectives showdiresinmargin showedebuginfo	\showbtxfields [] \showbtxhashedauthors [] \showbtxtables [] \showcolorbar [] \showcolorcomponents [] \showcolorset [] \showcolorstruts \showcounter [] \showdirectives \showdirsinmargin \showedebuginfo
showbtxfields:argument showbtxhashedauthors showbtxtables showcolorbar showcolorcomponents showcolorset showcolorstruts showcounter showdirectives showdirectives showdirsinmargin showedebuginfo showexperiments	\showbtxfields [] \showbtxhashedauthors [] \showbtxtables [] \showcolorbar [] \showcolorcomponents [] \showcolorset [] \showcolorset [] \showcolorstruts \showcounter [] \showdirectives \showdiresinmargin \showedebuginfo \showexperiments
showbtxfields:argument showbtxhashedauthors showbtxtables showcolorbar showcolorcomponents showcolorset showcolorstruts showcounter showdirectives showdirectives showdirsinmargin showedebuginfo showexperiments showfont	\showbtxfields [] \showbtxhashedauthors [] \showbtxtables [] \showcolorbar [] \showcolorcomponents [] \showcolorset [] \showcolorstruts \showcounter [] \showdirectives \showdirectives \showdirsinmargin \showedebuginfo \showexperiments \showfont [] []
showbtxfields:argument showbtxhashedauthors showbtxtables showcolorbar showcolorcomponents showcolorset showcolorstruts showcounter showdirectives showdirectives showdirsinmargin showedebuginfo showexperiments showfont showfontdata	\showbtxfields [] \showbtxhashedauthors [] \showbtxtables [] \showcolorbar [] \showcolorcomponents [] \showcolorset [] \showcolorstruts \showcolorstruts \showcounter [] \showdirectives \showdirectives \showdirsinmargin \showedebuginfo \showexperiments \showfont [] [] \showfontdata
showbtxfields:argument showbtxhashedauthors showbtxtables showcolorbar showcolorcomponents showcolorset showcolorstruts showcounter showdirectives showdirectives showdirsinmargin showedebuginfo showexperiments showfont showfontdata showfontexpansion	\showbtxfields [] \showbtxhashedauthors [] \showbtxtables [] \showcolorbar [] \showcolorcomponents [] \showcolorset [] \showcolorstruts \showcolorstruts \showcounter [] \showdirectives \showdirectives \showdirsinmargin \showedebuginfo \showexperiments \showfont [] [] \showfontdata \showfontexpansion
showbtxfields:argument showbtxhashedauthors showcolorbar showcolorcomponents showcolorset showcolorstruts showcounter showdirectives showdirectives showdirsinmargin showedebuginfo showexperiments showfont showfontdata showfontexpansion showfontitalics	\showbtxfields [] \showbtxhashedauthors [] \showbtxtables [] \showcolorbar [] \showcolorcomponents [] \showcolorset [] \showcolorstruts \showcounter [] \showdirectives \showdirectives \showdirsinmargin \showedebuginfo \showexperiments \showfont [] [] \showfontdata \showfontexpansion \showfontitalics
showbtxfields:argument showbtxhashedauthors showcolorbar showcolorcomponents showcolorset showcolorstruts showcounter showdirectives showdirectives showdirsinmargin showedebuginfo showexperiments showfont showfontdata showfontexpansion showfontitalics showfontkerns	\showbtxfields [] \showbtxhashedauthors [] \showbtxtables [] \showcolorbar [] \showcolorcomponents [] \showcolorset [] \showcolorstruts \showcolorstruts \showcounter [] \showdirectives \showdirectives \showdirsinmargin \showedebuginfo \showexperiments \showfont [] [] \showfontdata \showfontexpansion \showfontitalics \showfontkerns
showbtxfields:argument showbtxhashedauthors showcolorbar showcolorcomponents showcolorset showcolorstruts showcounter showdirectives showdirectives showdirsinmargin showedebuginfo showexperiments showfont showfontdata showfontexpansion showfontitalics	\showbtxfields [] \showbtxhashedauthors [] \showbtxtables [] \showcolorbar [] \showcolorcomponents [] \showcolorset [] \showcolorstruts \showcounter [] \showdirectives \showdirectives \showdirsinmargin \showedebuginfo \showexperiments \showfont [] [] \showfontdata \showfontexpansion \showfontitalics
showbtxfields:argument showbtxhashedauthors showcolorbar showcolorcomponents showcolorset showcolorstruts showcounter showdirectives showdirectives showdirsinmargin showedebuginfo showexperiments showfont showfontdata showfontexpansion showfontitalics showfontkerns	\showbtxfields [] \showbtxhashedauthors [] \showbtxtables [] \showcolorbar [] \showcolorcomponents [] \showcolorset [] \showcolorstruts \showcolorstruts \showcounter [] \showdirectives \showdirectives \showdirsinmargin \showedebuginfo \showexperiments \showfont [] [] \showfontdata \showfontexpansion \showfontitalics \showfontkerns
showbtxfields:argument showbtxhashedauthors showcolorbar showcolorcomponents showcolorset showcolorstruts showcounter showdirectives showdireinmargin showedebuginfo showexperiments showfont showfont showfontdata showfontexpansion showfonttalics showfontparameters	\showbtxfields [] \showbtxhashedauthors [] \showbtxtables [] \showcolorbar [] \showcolorcomponents [] \showcolorset [] \showcolorstruts \showcolorstruts \showcounter [] \showdirectives \showdirectives \showdirsinmargin \showedebuginfo \showexperiments \showfont [] [] \showfontdata \showfontexpansion \showfonttalics \showfontherrs \showfontparameters
showbtxfields:argument showbtxhashedauthors showcolorbar showcolorcomponents showcolorset showcolorstruts showcounter showdirectives showdireinmargin showedebuginfo showexperiments showfont showfontdata showfontexpansion showfonttalics showfontparameters showfontstrip	\showbtxfields [] \showbtxhashedauthors [] \showbtxtables [] \showcolorbar [] \showcolorcomponents [] \showcolorset [] \showcolorstruts \showcounter [] \showdirectives \showdirectives \showdirsinmargin \showedebuginfo \showexperiments \showfont [] [] \showfontdata \showfontexpansion \showfonttalics \showfontparameters \showfontparameters \showfontstrip []
showbtxfields:argument showbtxtables showcolorbar showcolorcomponents showcolorset showcolorstruts showcounter showdirectives showdirsinmargin showedebuginfo showexperiments showfont showfontdata showfontexpansion showfonttalics showfontkerns showfontstrip showfontstyle showglyphdata	\showbtxfields [] \showbtxhashedauthors [] \showbtxtables [] \showcolorbar [] \showcolorcomponents [] \showcolorset [] \showcolorstruts \showcolorstruts \showcounter [] \showdirectives \showdirectives \showdirsinmargin \showedebuginfo \showexperiments \showfont [] [] \showfontdata \showfontexpansion \showfonttalics \showfontkerns \showfontparameters \showfontstrip [] \showfontstyle [] [] [] []
showbtxfields:argument showbtxhashedauthors showcolorbar showcolorcomponents showcolorset showcolorstruts showcounter showdirectives showdireinmargin showedebuginfo showexperiments showfont showfontdata showfontexpansion showfontitalics showfontkerns showfontstrip showfontstyle showglyphdata showglyphs	\showbtxfields [] \showbtxhashedauthors [] \showbtxtables [] \showcolorbar [] \showcolorcomponents [] \showcolorset [] \showcolorstruts \showcolorstruts \showcounter [] \showdirectives \showdirsinmargin \showdebuginfo \showexperiments \showfont [] [] \showfontdata \showfontexpansion \showfonttalics \showfontkerns \showfontparameters \showfontstrip [] \showfontstyle [] [] [] [] \showglyphdata \showglyphs
showbtxfields:argument showbtxhashedauthors showcolorbar showcolorcomponents showcolorset showcolorstruts showcounter showdirectives showdirsinmargin showedebuginfo showexperiments showfont showfontdata showfontexpansion showfonttalics showfontkerns showfontstrip showfontstyle showglyphdata showglyphs showgridsnapping	\showbtxfields [] \showbtxhashedauthors [] \showbtxtables [] \showcolorbar [] \showcolorcomponents [] \showcolorset [] \showcolorstruts \showcolorstruts \showcounter [] \showdirectives \showdirectives \showdirsinmargin \showedebuginfo \showexperiments \showfont [] [] \showfontdata \showfontexpansion \showfonttalics \showfontherns \showfontparameters \showfontstrip [] \showfontstyle [] [] [] [] \showglyphdata \showglyphs \showgridsnapping
showbtxfields:argument showbtxhashedauthors showbtxtables showcolorbar showcolorset showcolorstruts showcounter showdirectives showdirsinmargin showedebuginfo showexperiments showfont showfontdata showfontexpansion showfonttalics showfontkerns showfontstrip showfontstyle showglyphdata showglyphs showgridsnapping showhelp	\showbtxfields [] \showbtxhashedauthors [] \showbtxtables [] \showcolorbar [] \showcolorcomponents [] \showcolorset [] \showcolorstruts \showcounter [] \showdirectives \showdirectives \showdirsinmargin \showedebuginfo \showexperiments \showfont [] [] \showfontdata \showfontexpansion \showfonttalics \showfontparameters \showfontstrip [] \showfontstyle [] [] [] \showglyphdata \showglyphs \showgridsnapping \showhelp {} []
showbtxfields:argument showbtxhashedauthors showcolorbar showcolorcomponents showcolorset showcolorstruts showcounter showdirectives showdirsinmargin showedebuginfo showexperiments showfont showfontdata showfontexpansion showfonttalics showfontkerns showfontstrip showfontstyle showglyphdata showglyphs showgridsnapping showhelp showhyphenationtrace	\showbtxfields [] \showbtxhashedauthors [] \showbtxtables [] \showcolorbar [] \showcolorcomponents [] \showcolorset [] \showcolorstruts \showcolorstruts \showcounter [] \showdirectives \showdirectives \showdirsinmargin \showedebuginfo \showexperiments \showfont [] [] \showfontdata \showfontexpansion \showfonttalics \showfontkerns \showfontparameters \showfontstrip [] \showfontstyle [] [] [] [] \showglyphdata \showglyphs \showgridsnapping \showhelp {} [] \showhyphenationtrace [] []
showbtxfields:argument showbtxhashedauthors showcolorbar showcolorcomponents showcolorset showcolorstruts showcounter showdirectives showdirsinmargin showedebuginfo showexperiments showfont showfontdata showfontexpansion showfonttalics showfontkerns showfontstrip showfontstrip showlontstyle showglyphdata showglyphs showgridsnapping showhelp showhyphenationtrace showhyphens	\showbtxfields [] \showbtxhashedauthors [] \showcolorbar [] \showcolorcomponents [] \showcolorset [] \showcolorstruts \showcolorstruts \showdirectives \showdirectives \showdirsinmargin \showdebuginfo \showexperiments \showfont [] [] \showfontdata \showfontexpansion \showfonttalics \showfontparameters \showfontstrip [] \showfontstyle [] [] [] [] \showglyphdata \showglyphs \showgridsnapping \showhelp {} [] \showhyphenationtrace [] []
showbtxfields:argument showbtxhashedauthors showcolorbar showcolorcomponents showcolorset showcolorstruts showcounter showdirectives showdirsinmargin showedebuginfo showexperiments showfont showfontdata showfontexpansion showfonttalics showfontkerns showfontstrip showfontstrip showlontstyle showglyphdata showglyphs showgridsnapping showhelp showhyphens showchardata	\showbtxfields [] \showbtxhashedauthors [] \showbtxtables [] \showcolorbar [] \showcolorcomponents [] \showcolorset [] \showcolorstruts \showcolorstruts \showcolorstruts \showdirectives \showdirectives \showdirectives \showdirsinmargin \showedebuginfo \showexperiments \showfont [] [] \showfontdata \showfontexpansion \showfontexpansion \showfonttatlics \showfontparameters \showfontstrip [] \showfontstyle [] [] [] [] \showglyphdata \showglyphs \showgridsnapping \showhelp {} [] \showhyphenationtrace [] [] \showhyphens {} \showchardata {}
showbtxfields:argument showbtxhashedauthors showcolorbar showcolorcomponents showcolorset showcolorstruts showcounter showdirectives showdirsinmargin showedebuginfo showexperiments showfont showfontdata showfontexpansion showfonttalics showfontkerns showfontstrip showfontstyle showglyphdata showglyphs showgridsnapping showhelp showhyphens showchardata showcharratio	\showbtxfields [] \showbtxhashedauthors [] \showbtxtables [] \showcolorbar [] \showcolorcomponents [] \showcolorset [] \showcolorstruts \showcounter [] \showdirectives \showdirectives \showdirsinmargin \showedebuginfo \showexperiments \showfont [] [] \showfontdata \showfontexpansion \showfontitalics \showfontkerns \showfontstrip [] \showfontstyle [] [] [] [] \showglyphdata \showglyphs \showgridsnapping \showhelp {} [] \showhyphenationtrace [] [] \showhyphens {} \showchardata {} \showcharratio {}
showbtxfields:argument showbtxhashedauthors showcolorbar showcolorcomponents showcolorset showcolorstruts showcounter showdirectives showdirsinmargin showedebuginfo showexperiments showfont showfontdata showfontexpansion showfonttalics showfontkerns showfontstrip showfontstrip showlontstyle showglyphdata showglyphs showgridsnapping showhelp showhyphens showchardata	\showbtxfields [] \showbtxhashedauthors [] \showbtxtables [] \showcolorbar [] \showcolorcomponents [] \showcolorset [] \showcolorstruts \showcolorstruts \showcolorstruts \showdirectives \showdirectives \showdirectives \showdirsinmargin \showedebuginfo \showexperiments \showfont [] [] \showfontdata \showfontexpansion \showfontexpansion \showfonttatlics \showfontparameters \showfontstrip [] \showfontstyle [] [] [] [] \showglyphdata \showglyphs \showgridsnapping \showhelp {} [] \showhyphenationtrace [] [] \showhyphens {} \showchardata {}
showbtxfields:argument showbtxhashedauthors showcolorbar showcolorcomponents showcolorset showcolorstruts showcounter showdirectives showdirsinmargin showedebuginfo showexperiments showfont showfontdata showfontexpansion showfonttalics showfontkerns showfontstrip showfontstyle showglyphdata showglyphs showgridsnapping showhelp showhyphens showchardata showcharratio	\showbtxfields [] \showbtxhashedauthors [] \showbtxtables [] \showcolorbar [] \showcolorcomponents [] \showcolorset [] \showcolorstruts \showcounter [] \showdirectives \showdirectives \showdirsinmargin \showedebuginfo \showexperiments \showfont [] [] \showfontdata \showfontexpansion \showfontitalics \showfontkerns \showfontstrip [] \showfontstyle [] [] [] [] \showglyphdata \showglyphs \showgridsnapping \showhelp {} [] \showhyphenationtrace [] [] \showhyphens {} \showchardata {} \showcharratio {}
showbtxfields:argument showbtxhashedauthors showbtxtables showcolorbar showcolorset showcolorset showcounter showdirectives showdirsinmargin showedebuginfo showexperiments showfont showfontdata showfontexpansion showfonttalics showfontkerns showfontstrip showfontstrip showfontstyle showglyphdata showglyphs showgridsnapping showhelp showhyphens showchardata showcharratio showinjector	\showbtxfields [] \showbtxhashedauthors [] \showbtxtables [] \showcolorbar [] \showcolorcomponents [] \showcolorset [] \showcolorstruts \showcounter [] \showdirectives \showdirectives \showdirsinmargin \showedebuginfo \showexperiments \showfont [] [] \showfontdata \showfontexpansion \showfontitalics \showfontkerns \showfontstrip [] \showfontstyle [] [] [] [] \showglyphdata \showglyphs \showgridsnapping \showhelp {} [] \showhyphenationtrace [] [] \showhyphens {} \showcharratio {} \showcharratio {} \showinjector []
showbtxfields:argument showbtxhashedauthors showbtxtables showcolorbar showcolorset showcolorset showcolorstruts showcounter showdirectives showdirsinmargin showedebuginfo showexperiments showfont showfontdata showfontexpansion showfontitalics showfontkerns showfontparameters showfontstrip showfontstyle showglyphdata showglyphs showglyphs showgridsnapping showhelp showhyphenationtrace showhyphens showchardata showcharratio showinjector showjustification showkerning	\showbtxfields [] \showbtxhashedauthors [] \showbtxtables [] \showcolorbar [] \showcolorcomponents [] \showcolorset [] \showcolorstruts \showcolorstruts \showcounter [] \showdirectives \showdirectives \showdirsinmargin \showedebuginfo \showexperiments \showfont [] [] \showfontdata \showfontexpansion \showfontitalics \showfontkerns \showfontstrip [] \showfontstyle [] [] [] [] \showglyphdata \showglyphata \showglyphs \showgridsnapping \showhelp {} [] \showhyphenationtrace [] [] \showhyphens {} \showchardata {} \showcharratio {} \showinjector [] \showjustification \showkerning {}
showbtxfields:argument showbtxhashedauthors showcolorbar showcolorset showcolorset showcounter showdirectives showdirsinmargin showedebuginfo showexperiments showfont showfontdata showfonttalics showfontkerns showfontstrip showfontstyle showglyphdata showglyphs showgridsnapping showhelp showhyphenationtrace showhyphens showchartata showchartata showchartata showchartata showlep showhyphens showgridsnapping showhelp showhyphens showchartata showchartata showchartato showinjector showjustification showkerning showlayoutcomponents	\showbtxfields [] \showbtxhashedauthors [] \showcolorbar [] \showcolorcomponents [] \showcolorset [] \showcolorstruts \showcolorstruts \showdirectives \showdirectives \showdirsinmargin \showdebuginfo \showexperiments \showfont [] [] \showfontdata \showfontexpansion \showfontitalics \showfontkerns \showfontstrip [] \showfontstyle [] [] [] [] \showglyphata \showglyphs \showgridsnapping \showhelp {} [] \showhyphenationtrace [] [] \showhyphens {} \showcharratio {} \showinjector [] \showjustification \showkerning {} \showlayoutcomponents
showbtxfields:argument showbtxhashedauthors showcolorbar showcolorcomponents showcolorset showcolorstruts showcounter showdirectives showdirinmargin showedebuginfo showexperiments showfont showfontdata showfontexpansion showfonttalics showfontparameters showfontstrip showfontstrip showglyphdata showglyphs showgridsnapping showhelp showhyphenationtrace showhyphens showchartatio showinjector showjustification showligature	\showbtxfields [] \showbtxhashedauthors [] \showcolorbar [] \showcolorcomponents [] \showcolorset [] \showcolorstruts \showcolorstruts \showdirectives \showdirectives \showdirsinmargin \showdebuginfo \showexperiments \showfont [] [] \showfontdata \showfontexpansion \showfonttatlics \showfontparameters \showfontstrip [] \showfontstyle [] [] [] [] \showglyphdata \showglyphs \showgridsnapping \showhelp {} [] \showhyphenationtrace [] [] \showhyphens {} \showchardata {} \showcharratio {} \showlayoutcomponents \showligature {}
showbtxfields:argument showbtxhashedauthors showcolorbar showcolorcomponents showcolorset showcolorstruts showcounter showdirectives showdirectives showdirentives showdirents showfont showfont showfontdata showfontexpansion showfonttalics showfonterns showfontparameters showfontstrip showfontstyle showglyphdata showglyphs showgridsnapping showhelp showhyphenationtrace showhyphens showchartatio showinjector showjustification showligature showligatures	\showbtxfields [] \showbtxhashedauthors [] \showcolorbar [] \showcolorcomponents [] \showcolorset [] \showcolorset [] \showcolorstruts \showcounter [] \showdirectives \showdirsinmargin \showdebuginfo \showexperiments \showfont [] [] \showfontdata \showfontexpansion \showfontitalics \showfontstrip [] \showfontstyle [] [] [] [] \showglyphdata \showglyphs \showgridsnapping \showhelp {} [] \showhyphenationtrace [] [] \showhyphens {} \showcharratio {} \showinjector [] \showlayoutcomponents \showligature {} \showligatures []
showbtxfields:argument showbtxhashedauthors showcolorbar showcolorcomponents showcolorset showcolorstruts showcounter showdirectives showdirinmargin showedebuginfo showexperiments showfont showfontdata showfontexpansion showfonttalics showfontparameters showfontstrip showfontstrip showglyphdata showglyphs showgridsnapping showhelp showhyphenationtrace showhyphens showchartatio showinjector showjustification showligature	\showbtxfields [] \showbtxhashedauthors [] \showcolorbar [] \showcolorcomponents [] \showcolorset [] \showcolorset [] \showcolorstruts \showcolorstruts \showdirectives \showdirectives \showdirsinmargin \showdebuginfo \showexperiments \showfont [] [] \showfontdata \showfontexpansion \showfontitalics \showfontkerns \showfontstrip [] \showfontstyle [] [] [] [] \showglyphdata \showglyphs \showgridsnapping \showhelp {} [] \showhyphenationtrace [] [] \showhyphens {} \showchardata {} \showcharratio {} \showlayoutcomponents \showligature {}

shownessage	\showmessage {} {} {}
showminimalbaseline	\showminimalbaseline
shownextbox	\shownextbox \ {}
showotfcomposition	\showotfcomposition {} {} {}
showparentchain	\showparentchain \ {}
showsetupsdefinition	\showsetupsdefinition []
showtimer	\showtimer {}
showtokens	\showtokens []
showtrackers	\showtrackers
showvalue	\showvalue {}
showvariable	\showvariable {} {}
showwarning	\showwarning {} {}
schovejbloky	\schovejbloky [] []
signalrightpage	\signalrightpage
simplealignedbox	\simplealignedbox \{\dots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
simplealignedboxplus simplealignedspreadbox	\simplealignedboxplus \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
simplegroupedcommand	\simplegroupedcommand {} {}
simplereversealignedbox	\simplereversealignedbox \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
simplereversealignedboxplus	\simplereversealignedboxplus \{\ldots\} \{\ldots\} \{\ldots\} \{\ldots\}
singalcharacteralign	\singalcharacteralign {} {}
singlebond	\singlebond
sixthofsixarguments	\sixthofsixarguments {} {} {} {} {}
sklonene	\sklonene
sklonenetucne	\sklonenetucne
slantedface	\slantedface
slicepages	\slicepages [] [=]
sloupec	\sloupec []
slovenianNumerals	\slovenianNumerals {}
sloveniannumerals	\sloveniannumerals {}
slovo	\slovo {}
slovovpravo	\slovovpravo [] {}
smallbodyfont	\smallbodyfont
smallcappedcharacters	\smallcappedcharacters {}
smallcappedromannumerals smaller	\smallcappedromannumerals {}
smallskip	\smallskip
smash	\smash [] {}
smashbox	\smashbox
smashboxed	\smashboxed
smashedhbox	\smashedhbox {}
smashedvbox	\smashedvbox {}
snaptogrid	\snaptogrid [] \ {}
snaptogrid:list	\snaptogrid [] \ {}
someheadnumber	\someheadnumber []
somekindoftab	\somekindoftab [=]
somelocalfloat	\somelocalfloat
somenamedheadnumber	\somenamedheadnumber \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
someplace	\someplace \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
sorting:instance	\SORTING [] {}
sorting:instance:logo	\logo [] {}
spaceddigits spaceddigitsmethod	\spaceddigits {} \spaceddigitsmethod
spaceddigitsseparator	\spaceddigitsseparator
spaceddigitssymbol	\spaceddigitssymbol
spanishNumerals	\spanishNumerals {}
spanishnumerals	\spanishnumerals {}
splitatasterisk	\splitatasterisk \ \
splitatcolon	\splitatcolon \
splitatcolons	\splitatcolons \
splitatcomma	\splitatcomma \ \
splitatperiod	\splitatperiod \
splitdfrac	\splitdfrac {} {}
splitfilename	\splitfilename {}
splitfrac	\splitfrac {} {}
splitoffbase	\splitoffbase
splitofffull	\splitofffull
splitoffkind	\splitoffkind
splitoffname	\splitoffname
splitoffpath splitoffroot	\splitoffpath \splitoffroot
PATTOTITION	\DPTT00111000
splitofftokens	\splitofftokens \from \to \

	\1:+-\$\$+
- v-	\splitofftype
	\splitstring \at \to \ \and \
•	\spreadhbox
<u>-</u>	\sqrt [] {}
	\stackrel {} {}
•	\stackscripts
-	\stanovcislonadpisu []
	\stanovcharakteristickuseznamu [] [=]
	\start [] \stop
	\startalignment [] \stopalignment
	\startallmodes [] \stopallmodes
	\startATTACHMENT [] [=] \stopATTACHMENT
	\startattachment [] [=] \stopattachment
	\startbar [] \stopbar
	\startbarva [] \stopbarva
	\startbbordermatrix \stopbbordermatrix
	\startbitmapimage [=] \stopbitmapimage
	\startbordermatrix \stopbordermatrix
	\startbtxrenderingdefinitions [] \stopbtxrenderingdefinitions
	\startbuffer [] \stopbuffer
	\startBUFFER \stopBUFFER
	\starthiding \stophiding
	\startcatcodetable \ \stopcatcodetable
	\startcenteraligned \stopcenteraligned
	\startcollect \stopcollect
	\startcollecting \stopcollecting
	\startcolorintent [] \stopcolorintent
	\startcoloronly [] \stopcoloronly
	\startcolorset [] \stopcolorset
	\startcolumnset [] [=] \stopcolumnset
	\startcolumnsetspan [] [=] \stopcolumnsetspan
	\startCOLUMNSET [=] \stopCOLUMNSET
	\startcombination [] [=] \stopcombination
	\startcombination [] [] \stopcombination
	\startcontextcode \stopcontextcode
	\startcontextdefinitioncode \stopcontextdefinitioncode
	\startctxfunction \stopctxfunction
	\startctxfunctiondefinition \stopctxfunctiondefinition
	\startcurrentcolor \stopcurrentcolor
	\startcurrentlistentrywrapper \stopcurrentlistentrywrapper
	\startdelimited [] [] \stopdelimited
	\startdelimitedtext [] [] \stopdelimitedtext
	\startDELIMITEDTEXT [] [ \stopDELIMITEDTEXT
	\startaside [] [] \stopaside
<del>_</del>	\startblockquote [] [] \stopblockquote
	\startquotation [] [] \stopquotation
	\startquote [] [] \stopquote
startdelimitedtext:instance:speech	\startspeech [] [] \stopspeech
	\startdisplaymath \stopdisplaymath
	\startdmath \stopdmath
	\startdocument [=] \stopdocument
	\starteffect [] \stopeffect
starteffect:example	\startEFFECT \stopEFFECT
startelement	\startelement {} [=] \stopelement
startembeddedxtable	\startembeddedxtable [=] \stopembeddedxtable
startembeddedxtable:name	\startembeddedxtable [] \stopembeddedxtable
startexceptions	\startexceptions [] \stopexceptions
startexpanded	\startexpanded \stopexpanded
	\startexpandedcollect \stopexpandedcollect
startextendedcatcodetable	\startextendedcatcodetable \ \stopextendedcatcodetable
startexternalfigurecollection	$\verb \startexternalfigurecollection  [\dots] \dots \verb \stopexternalfigurecollection $
startfacingfloat	\startfacingfloat [] \stopfacingfloat
startfittingpage	\startfittingpage [] [=] \stopfittingpage
startfittingpage:instance	\startFITTINGPAGE [=] \stopFITTINGPAGE
startfittingpage:instance:MPpage	\startMPpage [=] \stopMPpage
startfittingpage:instance:TEXpage	\startTEXpage [=] \stopTEXpage
	\startfixne [] \stopfixne
	\startfloatcombination [=] \stopfloatcombination
startfloatcombination:matrix	\startfloatcombination [] \stopfloatcombination
	\startFLOATtext [] [] {} \stopFLOATtext
startfloattext:instance:figure	\startfiguretext [] [] \stopfiguretext
startfloattext:instance:graphic	\startgraphictext [] [] {} \stopgraphictext

startfloattext:instance:chemical	\startchemicaltext [] [] {} \stopchemicaltext
startfloattext:instance:intermezzo	$\verb \startintermezzotext[][]{} \ \verb \stopintermezzotext $
startfloattext:instance:table	\starttabletext [] [] {} \stoptabletext
startfont	\startfont [] \stopfont
startfontclass	\startfontclass [] \stopfontclass
startfontsolution	\startfontsolution [] \stopfontsolution
startframedcell	\startframedcell [=] \stopframedcell
startframedcontent	\startframedcontent [] \stopframedcontent
startframedrow	\startframedrow [=] \stopframedrow
startframedtable	\startframedtable [] [=] \stopframedtable
startgridsnapping	\startgridsnapping [] \stopgridsnapping
startgridsnapping:list	\startgridsnapping [] \stopgridsnapping
starthboxestohbox	\starthboxestohbox \stophboxestohbox
starthboxregister	\starthboxregister \stophboxregister
starthelp:instance	\startHELP [] \stopHELP
starthelp:instance:helptext	\starthelptext [] \stophelptext
starthighlight	\starthighlight [] \stophighlight
starthyphenation	\starthyphenation [] \stophyphenation
startcharacteralign	\startcharacteralign [=] \stopcharacteralign
startcharacteralign:argument	\startcharacteralign [] \stopcharacteralign
startcheckedfences	\startcheckedfences \stopcheckedfences
startchemical	\startcheckediences \stopcheckediences \startchemical [] \stopchemical
startimath	\startimath \stopimath
startindentedtext	\startindentedtext [] \stopindentedtext
startindentedtext:example	\startINDENTEDTEXT \stopINDENTEDTEXT
startinterakce	\startinterakce [] \stopinterakce
startinteraktivnimenu	\startinteraktivnimenu [] \stopinteraktivnimenu
startinterface	\startinterface \stopinterface
startintertext	\startintertext \stopintertext
startitemgroup	\startitemgroup [] [=] \stopitemgroup
startitemgroup:instance	\startITEMGROUP [] [=] \stopITEMGROUP
startitemgroup:instance:itemize	\startitemize [] [=] \stopitemize
startJScode	\startJScode \stopJScode
startJSpreamble	\startJSpreamble \stopJSpreamble
startjazyk	\startjazyk [] \stopjazyk
startjdina	\startjdina [] \stopjdina
startknockout	\startknockout \stopknockout
startkomentarstranky	\startkomentarstranky \stopkomentarstranky
startkomentar:instance	\startCOMMENT [] [=] \stopCOMMENT
startkomentar:instance:comment	\startcomment [] [=] \stopcomment
startkomponenta	\startkomponenta [] \stopkomponenta
startkomponenta:string	\startkomponenta\stopkomponenta
startkonectabulky	\startkonectabulky [] \stopkonectabulky
startlayout	\startlayout [] \stoplayout
startlinealignment	\startlinealignment [] \stoplinealignment
startlinecorrection	\startlinearignment [] \stoplinearignment \startlinecorrection
startlinecorrection	
	\startlinefiller [] [=.] \stoplinefiller
startlinenote:instance	\startLINENOTE [] {}
startlinenote:instance:linenote	\startlinenote [] {}
startlinenumbering	\startlinenumbering [] [=] \stoplinenumbering
startlinenumbering:argument	\startlinenumbering [] [] \stoplinenumbering
startlinetable	\startlinetable \stoplinetable
startlinetablebody	\startlinetablebody \stoplinetablebody
startlinetablecell	\startlinetablecell [=] \stoplinetablecell
startlinetablehead	\startlinetablehead \stoplinetablehead
startlocalfootnotes	\startlocalfootnotes \stoplocalfootnotes
startlocalheadsetup	\startlocalheadsetup \stoplocalheadsetup
startlocallinecorrection	\startlocallinecorrection [] \stoplocallinecorrection
startlocalnotes	\startlocalnotes [] \stoplocalnotes
startlocalsetups	\startlocalsetups [] [] \stoplocalsetups
startlocalsetups:string	\startlocalsetups \stoplocalsetups
startlua	\startlua \stoplua
startluacode	\startluacode \stopluacode
startluaparameterset	\startluaparameterset [] \stopluaparameterset
startluasetups	\startluasetups [] [ \stopluasetups
startluasetups:string	\startluasetups \stopluasetups
startMPclip	\startMPclip {} \stopMPclip
startMPcode	\startMPcode {} \stopMPcode
startMPdefinitions	\startMPdefinitions {} \stopMPdefinitions
startMPdrawing	\startMPdrawing [] \stopMPdrawing
startMPenvironment	\startMPenvironment [] \stopMPenvironment
startMPextensions	\startMPextensions {} \stopMPextensions
DUAL UNIFEXUEIISTUIIS	\pualthrextensions \\ \Stopmrextensions

startMPinclusions	\startMPinclusions [] {} \stopMPinclusions
startMPinitializations	\startMPinitializations \stopMPinitializations
startMPpositiongraphic	\startMPpositiongraphic {} {} \stopMPpositiongraphic
startMPpositionmethod	\startMPpositionmethod {} \stopMPpositionmethod
startMPrun	\startMPrun {} \stopMPrun
startmarginalnilinka	\startmarginalnilinka [] \stopmarginalnilinka
startmarginalnilinka:assignment	\startmarginalnilinka [=] \stopmarginalnilinka
startmarginblock	\startmarginblock [] \stopmarginblock
startmarkedcontent	\startmarkedcontent [] \stopmarkedcontent
startmarkpages	\startmarkpages [] \stopmarkpages
startmathalignment:instance	\startMATHALIGNMENT [=] \stopMATHALIGNMENT
startmathalignment:instance:align	\startalign [=] \stopalign \startmathalignment [=] \stopmathalignment
startmathalignment:instance:mathalignment startmathcases:instance	\startmathalignment [=] \stopmathalignment \startMATHCASES [=] \stopMATHCASES
startmathcases:instance:cases	\startcases [=] \stopcases
startmathcases:instance:mathcases	\startmathcases [=] \stopmathcases
startmathmatrix:instance	\startMATHMATRIX [=] \stopMATHMATRIX
startmathmatrix:instance:mathmatrix	\startmathmatrix [=] \stopmathmatrix
startmathmatrix:instance:matrix	\startmatrix [=] \stopmatrix
startmathmode	\startmathmode \stopmathmode
startmathstyle	\startmathstyle [] \stopmathstyle
startmatrices	\startmatrices [=] \stopmatrices
startmaxaligned	\startmaxaligned \stopmaxaligned
startmiddlealigned	\startmiddlealigned \stopmiddlealigned
startmixedcolumns	\startmixedcolumns [] [=] \stopmixedcolumns
startmixedcolumns:instance	\startMIXEDCOLUMNS [=] \stopMIXEDCOLUMNS
startmixedcolumns:instance:boxedcolumns	\startboxedcolumns [=] \stopboxedcolumns
startmixedcolumns:instance:columns	\startcolumns [=] \stopcolumns
startmixedcolumns:instance:itemgroupcolumns	\startitemgroupcolumns [=] \stopitemgroupcolumns
startmode	\startmode [] \stopmode
startmodeset	\startmodeset [] {} \stopmodeset
startmodule	\startmodule [] \stopmodule
startmoduletestsection	\startmoduletestsection \stopmoduletestsection
startmodule:string	\startmodule \stopmodule
startnadpis	\startnadpis [] {} \stopnadpis
startnamedsection	\startnamedsection [] [=] [=] \stopnamedsection
startnamedsubformulas	\startnamedsubformulas [] {} \stopnamedsubformulas
startnaproti	\startnaproti \stopnaproti
startnarrower	\startnarrower [] \stopnarrower
startnarrower:example startnegativ	\startNARROWER [] \stopNARROWER \startnegativ \stopnegativ
startnicelyfilledbox	\startnicelyfilledbox [=] \stopnicelyfilledbox
startnointerference	\startnointerference \stopnointerference
startnotallmodes	\startnotallmodes [] \stopnotallmodes
startnotext	\startnotext \stopnotext
startnotmode	\startnotmode [] \stopnotmode
startobrazek	\startobrazek [] [] \stopobrazek
startodlozit	\startodlozit [] \stopodlozit
startodstavec	\startodstavec [] [=] \stopodstavec
startoramovani	\startoramovani [] [=] \stoporamovani
startoramovanytext:instance	\startFRAMEDTEXT [] [=] \stopFRAMEDTEXT
startoramovanytext:instance:framedtext	\startframedtext [] [=] \stopframedtext
startoutputstream	\startoutputstream [] \stopoutputstream
startoverprint	\startoverprint \stopoverprint
startpagecolumns	\startpagecolumns [=] \stoppagecolumns
startpagecolumns:instance	\startPAGECOLUMNS \stopPAGECOLUMNS
startpagecolumns:name	\startpagecolumns [] \stoppagecolumns
startpagefigure	\startpagefigure [] [=] \stoppagefigure
startpagelayout	\startpagelayout [] \stoppagelayout
startpar	\startpar [] [=] \stoppar
startparagraphs	\startparagraphs [] \stopparagraphs
startparagraphscell	\startparagraphscell \stopparagraphscell
startparagraphs:example	\startPARAGRAPHS \stopPARAGRAPHS
startparallel:example	\startPARALLEL \stopPARALLEL
startparbuilder	\startparbuilder [] \stopparbuilder
startplacefloat	\startplacefloat [] [=] \stopplacefloat
startplacefloat:instance	\startumistiFLOAT [=] [=] \stopumistiFLOAT
startplacefloat:instance:figure	\startumistifigure [=] [=] \stopumistifigure
startplacefloat:instance:graphic	\startumistigraphic [=] [=] \stopumistigraphic
startplacefloat:instance:chemical	\startumistichemical [=] [=] \stopumistichemical
startplacefloat:instance:intermezzo startplacefloat:instance:table	\startumistiintermezzo [=] [=] \stopumistiintermezzo \startumistitable [=] [=] \stopumistitable
Sour obtacetteno . The cance . cante	Post composition [] [   Scohamizericante

startplacepairedbox	\startplacepairedbox [] [=] \stopplacepairedbox
startplacepairedbox:instance	\startumistiPAIREDBOX [=] \stopumistiPAIREDBOX
startplacepairedbox:instance:legend	\startumistilegend [=] \stopumistilegend
startpolozka	\startpolozka [] \stoppolozka
startpopis:example	\startPOPIS [=] \stopPOPIS
startpopis:example:title	\startPOPIS [] {} \stopPOPIS
startpositioning	\startpositioning [] [=] \stoppositioning
startpositionoverlay	\startpositionoverlay {} \stoppositionoverlay
startpositiv	\startpositiv \stoppositiv
startpostponingnotes	\startpostponingnotes \stoppostponingnotes
startpozadi	\startpozadi [=] \stoppozadi
startpozadi:example	\startPOZADI [=] \stopPOZADI
startpoznamka:instance	\startNOTE [] \stopNOTE
startpoznamka:instance:assignment	\startNOTE [=] \stopNOTE
startpoznamka:instance:assignment:endnote	\startendnote [=] \stopendnote
startpoznamka:instance:assignment:footnote	\startfootnote [=] \stopfootnote
startpoznamka:instance:endnote	\startendnote [] \stopendnote
startpoznamka:instance:footnote	\startfootnote [] \stopfootnote
startprekryv	\startprekryv \stopprekryv
startprocessassignmentcommand	\startprocessassignmentcommand [=] \stopprocessassignmentcommand
startprocessassignmentlist	\startprocessassignmentlist [=] \stopprocessassignmentlist
startprocesscommacommand	\startprocesscommacommand [] \stopprocesscommacommand
startprocesscommalist	\startprocesscommalist [] \stopprocesscommalist
startprodukt	\startprodukt [] \stopprodukt
startprodukt:string	\startprodukt \stopprodukt
startprojekt	\startprojekt [] \stopprojekt
startprojekt:string	\startprojekt \stopprojekt
startprostredi	\startprostredi [] \stopprostredi
startprostredi:string	\startprostredi \stopprostredi
-	\startprotectedcolors \stopprotectedcolors
startpublikace	
startpublikace	\startpublikace [] [=] \stoppublikace \startradek []
startradek	
startradky:instance	\startLINES [=] \stopLINES
startradky:instance:lines	\startlines [=] \stoplines
startrandomized	\startrandomized \stoprandomized
startrawsetups	\startrawsetups [] [] \stoprawsetups
startrawsetups:string	\startrawsetups \stoprawsetups
startreadingfile	\startreadingfile \stopreadingfile
startregime	\startregime [] \stopregime
startregister	\startregister [] [] [] {++} \stopregister [.
startreusableMPgraphic	\startreusableMPgraphic {} {} \stopreusableMPgraphic
startrovnice	\startrovnice [] \stoprovnice
startrovnice:assignment	\startrovnice [=] \stoprovnice
startrovnice:instance	\startFORMULAformula [] \stopFORMULAformula
startrovnice:instance:md	\startmdformula [] \stopmdformula
startrovnice:instance:mp	\startmpformula [] \stopmpformula
startrovnice:instance:sd	\startsdformula [] \stopsdformula
startrovnice:instance:sp	\startspformula [] \stopspformula
startrozbalene	\startrozbalene \stoprozbalene
startruby	\startruby [] \stopruby
startscript	\startscript [] \stopscript
startsectionblock	\startsectionblock [] [=] \stopsectionblock
startsectionblockenvironment	$\$ \startsectionblockenvironment [] \stopsectionblockenvironment
startsectionblock:instance	\startSECTIONBLOCK [=] \stopSECTIONBLOCK
startsectionblock:instance:appendices	\startappendices [=] \stopappendices
startsectionblock:instance:backmatter	\startbackmatter [=] \stopbackmatter
startsectionblock:instance:bodymatter	\startbodymatter [=] \stopbodymatter
startsectionblock:instance:frontmatter	\startfrontmatter [=] \stopfrontmatter
startsectionlevel	\startsectionlevel [] [=] \stopsectionlevel
startsekce:instance	\startSECTION [=] [=] \stopSECTION
startsekce:instance:chapter	\startchapter [=] [=] \stopchapter
startsekce:instance:part	\startpart [=] [=] \stoppart
startsekce:instance:section	\startsection [=] [=] \stopsection
startsekce:instance:subject	\startsubject [=] [=] \stopsubject
startsekce:instance:subsection	\startsubsection [=] [=] \stopsubsection
startsekce:instance:subsubject	\startsubsubject [=] [=] \stopsubsubject
startsekce:instance:subsubsection	\startsubsubsection [=] [=] \stopsubsubsection
startsekce:instance:subsubsubject	\startsubsubsubject [=] [\stopsubsubsubject
startsekce:instance:subsubsubsection	\startsubsubsubsection [=] [=] \stopsubsubsubsection
startsekce:instance:subsubsubsubject	\startsubsubsubject [=] [=] \stopsubsubsubject
startsekce:instance:subsubsubsubsection	\startsubsubsubsection [=] [=] \stopsubsubsubsubsection
startsekce:instance:subsubsubsubsubject	\startsubsubsubsubsubject [=] [=] \stopsubsubsubsubsubject
Part aporto . Tub attos . panpanpanpanpanpanle co	/2 cer apaparaparaparapleca [] [] codesingingingingingingingingingingingingingi

```
startsekce:instance:title
                                                           \starttitle [..=..] [..=..] ... \stoptitle
                                                           \startsetups [...] [...] ... \stopsetups
startsetups
startsetups:string
                                                           \startsetups ... \stopsetups
                                                           \startshift [...] ... \stopshift
startshift
startsidebar
                                                           \verb|\startsidebar|[...]|[..=..]|... \verb|\stopsidebar|
                                                           \startsimplecolumns [..=..] ... \stopsimplecolumns
startsimplecolumns
                                                           \startspecialitem [...] [...] ... \stopspecialitem
startspecialitem:item
                                                           \startspecialitem [...] ... \stopspecialitem
startspecialitem:none
startspecialitem:symbol
                                                           \startspecialitem [...] {...} ... \stopspecialitem
                                                           \startsplitformula ... \stopsplitformula
startsplitformula
startsplittext
                                                           \startsplittext ... \stopsplittext
                                                           \startspread ... \stopspread \startSTARTSTOP ... \stopSTARTSTOP
startspread
startstartstop:example
startstaticMPfigure
                                                           \verb|\startstaticMPfigure {...}| ... \verb|\stopstaticMPfigure||
                                                           \startstaticMPgraphic {...} {...} ... \stopstaticMPgraphic
startstaticMPgraphic
startstop:example
                                                           \STARTSTOP {...}
startstrictinspectnextcharacter
                                                           \verb|\startstrictinspectnextcharacter| \dots \verb|\stopstrictinspectnextcharacter|
                                                           \startstructurepageregister [...] [...=..] [...=..] ... \stopstructure
startstructurepageregister
startstyle
                                                           \startstyle [..=..] ... \stopstyle
                                                           \startstyle [...] ... \stopstyle
startstyle:argument
                                                           \startSTYLE ... \stopSTYLE
startstyle:instance
startsubformulas
                                                           \startsubformulas [...] ... \stopsubformulas
                                                           \startsubjectlevel [...] [..=..] ... \stopsubjectlevel
startsubjectlevel
startsubsentence
                                                           \startsubsentence ... \stopsubsentence
startsubstack
                                                           \startsubstack ... \stopsubstack
startsymbolset
                                                           \verb|\startsymbolset| [...] [..=..] ... \verb|\stopsymbolset|
startTABLE
                                                           \startTABLE [..=..] ... \stopTABLE
                                                          \startTABLEbody [..=..] ... \stopTABLEbody \startTABLEfoot [..=..] ... \stopTABLEfoot
startTABLEbody
startTABLEfoot
                                                           \startTABLEhead [..=..] ... \stopTABLEhead
startTABLEhead
startTABLEnext
                                                           \startTABLEnext [..=..] ... \stopTABLEnext
                                                           \verb|\starttabelator| [|...|] [..=..] ... \verb|\stoptabelator|
starttabelator
starttabelator:instance
                                                           \startTABULATE [...]^T [..=..] ... \stopTABULATE
starttabelator:instance:fact
                                                           \startfact [...] [..=..] ... \stopfact
                                                           \startlegend [...] [..=..] ... \stoplegend
starttabelator:instance:legend
                                                           \starttabulatehead [...] ... \stoptabulatehead
starttabulatehead
                                                           \starttabulatetail [...] ... \stoptabulatetail
starttabulatetail
starttabulation:example
                                                           \startTABULATION [...] [..=..] ... \stopTABULATION
starttabulka
                                                           \starttabulka [|...|] [..=..] ... \stoptabulka
starttabulka:name
                                                           \starttabulka [...] [..=..] ... \stoptabulka
                                                           \mathsf{starttabulky} \ [|\ldots|] \ \ldots \ \mathsf{stoptabulky}
starttabulky
                                                           \starttabulky [...] ... \stoptabulky
starttabulky:name
                                                           \starttexcode ... \stoptexcode
starttexcode
starttexdefinition
                                                           \starttexdefinition ... \stoptexdefinition
starttext
                                                           \starttext ... \stoptext
{\tt starttextbackground}
                                                           \starttextbackground [...] [..=..] ... \stoptextbackground
{\tt starttextbackgroundmanual}
                                                           \verb|\starttextbackgroundmanual| ... \verb|\stoptextbackgroundmanual|
                                                           \startTEXTBACKGROUND [..=..] ... \stopTEXTBACKGROUND
starttextbackground:example
                                                          \starttextcolor [...] ... \stoptextcolor \starttextcolorintent ... \stoptextcolorintent
starttextcolor
starttextcolorintent
                                                           \starttextflow [...] ... \stoptextflow
starttextflow
starttextnapovedy
                                                           \starttextnapovedy [...] ... \stoptextnapovedy
starttextovalinka
                                                           \operatorname{toptextovalinka} \{\ldots\} \ldots \operatorname{toptextovalinka}
starttextpopisku:instance
                                                           \startLABELtext [...] [...] ... \stopLABELtext
                                                           \startbtxlabeltext [...] [...] ... \stopbtxlabeltext
starttextpopisku:instance:btxlabel
                                                           \startheadtext [...] [...] ... \stopheadtext
starttextpopisku:instance:head
                                                           \startlabeltext [...] [...] ... \stoplabeltext
starttextpopisku:instance:label
                                                           \startmathlabeltext [...] [...] \stopmathlabeltext
starttextpopisku:instance:mathlabel
starttextpopisku:instance:operator
                                                           \startoperatortext [...] [...] ... \stopoperatortext
starttextpopisku:instance:prefix
                                                           \startprefixtext [...] [...] ... \stopprefixtext
                                                           \startsuffixtext [...] [...] ... \stopsuffixtext
starttextpopisku:instance:suffix
starttextpopisku:instance:taglabel
                                                           \starttaglabeltext [...] [...] ... \stoptaglabeltext
                                                           \startunittext [...] [...] ... \stopunittext
starttextpopisku:instance:unit
                                                          \starttokenlist [...] ... \stoptokenlist \starttokens [...] ... \stoptokens
starttokenlist
starttokens
                                                           \starttransparent [...] ... \stoptransparent
starttransparent
                                                           \starttypescript [...] [...] ... \stoptypescript
starttypescript
{\tt starttypescript}{\tt collection}
                                                           \verb|\starttypescriptcollection| [\dots] \dots \verb|\stoptypescriptcollection|
                                                           \t
starttyping:instance
starttyping:instance:argument
                                                           \t
                                                           \startLUA [...] ... \stopLUA \startMP [...] ... \stopMP
starttyping:instance:argument:LUA
starttyping:instance:argument:MP
```

```
starttyping:instance:argument:PARSEDXML
                                                          \startPARSEDXML [...] ... \stopPARSEDXML
starttyping:instance:argument:TEX
                                                          \startTEX [...] ... \stopTEX
                                                          \starttyping [...] ... \stoptyping
starttyping:instance:argument:typing
                                                          \startXML [...] ... \stopXML
starttyping:instance:argument:XML
starttyping:instance:LUA
                                                          \startLUA [..=..] ... \stopLUA
                                                          \startMP [..=..] ... \stopMP
starttyping:instance:MP
starttyping:instance:PARSEDXML
                                                          \startPARSEDXML [..=..] ... \stopPARSEDXML
                                                          \startTEX [..=..] ... \stopTEX
starttyping:instance:TEX
starttyping:instance:typing
                                                          \starttyping [..=..] ... \stoptyping
                                                          \startXML [..=..] ... \stopXML
starttyping:instance:XML
startumistirovnici
                                                          \startumistirovnici [..=..] ... \stopumistirovnici
                                                          \startumistirovnici [...] ... \stopumistirovnici
startumistirovnici:argument
                                                          \verb|\startuniqueMPgraphic {...} {...} {...} \verb|\stopuniqueMPgraphic | } \\
startuniqueMPgraphic
                                                          \startuniqueMPpagegraphic {...} {...} \stopuniqueMPpagegraphic
{\tt startuniqueMPpagegraphic}
                                                          \startusableMPgraphic {...} {...} ... \stopusableMPgraphic
startusableMPgraphic
startuseMPgraphic
                                                          \startuseMPgraphic {...} {...} \stopuseMPgraphic
                                                          \startusemathstyleparameter \... \stopusemathstyleparameter
startusemathstyleparameter
                                                          \startuserdata [...] [..=..] ... \stopuserdata
startuserdata
                                                          \startusingbtxspecification [...] ... \stopusingbtxspecification
startusingbtxspecification
startuzky
                                                          \startuzky [...] [..=..] ... \stopuzky
                                                          \startuzky [..=..] [...] ... \stopuzky
startuzky:assignment
                                                          \startuzky [...] [...] ... \stopuzky
startuzky:name
                                                          \startvboxregister ... \stopvboxregister
startvboxregister
startvboxtohbox
                                                          \startvboxtohbox ... \stopvboxtohbox
{\tt startvboxtohboxseparator}
                                                          \verb|\startvboxtohboxseparator| \dots \verb|\stopvboxtohboxseparator|
startviewerlayer
                                                          \startviewerlayer [...] ... \stopviewerlayer
startviewerlayer:example
                                                          \startVIEWERLAYER ... \stopVIEWERLAYER
                                                          \startvisici [..=..] {...} ... \stopvisici
startvisici
startvisici:argument
                                                          \startvisici [...] {...} ... \stopvisici
                                                          \startvtopregister ... \stopvtopregister
startvtopregister
startvycet:example
                                                          \startVYCET [..=..] ... \stopVYCET
startvycet:example:title
                                                          \startVYCET [...] {...} ... \stopVYCET
                                                          \startxcell [...] [..=..] ... \stopxcell
startxcell
startxcellgroup
                                                          \verb|\startxcellgroup [...] [..=..] ... \verb|\stopxcellgroup||
startxcolumn
                                                          \startxcolumn [..=..] ... \stopxcolumn
                                                          \startxcolumn [...] ... \stopxcolumn
startxcolumn:name
                                                          \startxgroup [...] [..=..] ... \stopxgroup
startxgroup
startxmldisplayverbatim
                                                          \startxmldisplayverbatim [...] ... \stopxmldisplayverbatim
                                                          \verb|\startxmlinlineverbatim| [\dots] \dots \verb|\stopxmlinlineverbatim|
startxmlinlineverbatim
                                                          \startxmlraw ... \stopxmlraw
startxmlraw
                                                          \startxmlsetups [...] [...] \stopxmlsetups
startxmlsetups
startxmlsetups:string
                                                          \startxmlsetups ... \stopxmlsetups
                                                          \startxrow [...] [..=..] ... \stopxrow
startxrow
                                                          \startxrowgroup [...] [..=..] ... \stopxrowgroup
startxrowgroup
startxtable
                                                          \startxtable [..=..] ... \stopxtable
startxtablebody
                                                          \startxtablebody [..=..] ... \stopxtablebody
                                                          \ \startxtablebody [...] ... \stopxtablebody
startxtablebody:name
startxtablefoot
                                                          \startxtablefoot [..=..] ... \stopxtablefoot
startxtablefoot:name
                                                          \startxtablefoot [...] ... \stopxtablefoot
                                                          \t startxtablehead [..=..] ... \t stopxtablehead
startxtablehead
                                                          \startxtablehead [...] ... \stopxtablehead
startxtablehead:name
startxtablenext
                                                          \startxtablenext [..=..] ... \stopxtablenext
startxtablenext:name
                                                          \startxtablenext [...] ... \stopxtablenext
startxtable:example
                                                          \startXTABLE [..=..] ... \stopXTABLE
                                                          \startxtable [...] ... \stopxtable
startxtable:name
                                                          \startzahlavitabulky [...] ... \stopzahlavitabulky \startzarovnanonastred ... \stopzarovnanonastred
startzahlavitabulky
{\tt startzarovnanonastred}
startzarovnanovlevo
                                                          \startzarovnanovlevo ... \stopzarovnanovlevo
startzarovnanovpravo
                                                          \startzarovnanovpravo ... \stopzarovnanovpravo
startzhustene
                                                          \startzhustene [...] ... \stopzhustene
                                                          \startzlom [...] [..=..] ... \stopzlom
startzlom
                                                          \startMAKEUPzlom [..=..] ... \stopMAKEUPzlom
startzlom:instance
startzlom:instance:middle
                                                          \verb|\startmiddlezlom| [..=..] ... \verb|\stopmiddlezlom|
                                                          \startpagezlom [..=..] ... \stoppagezlom \startstandardzlom [..=..] ... \stopstandardzlom
startzlom:instance:page
startzlom:instance:standard
                                                          \starttextzlom [..=..] ... \stoptextzlom
startzlom:instance:text
stoplinenote:instance
                                                          \stopLINENOTE [...]
stoplinenote:instance:linenote
                                                          \stoplinenote [...]
                                                          \stopradek [...]
stopradek
strana
                                                          \strana [...]
strictdoifelsenextoptional
                                                          \strictdoifelsenextoptional {...} {...}
strictdoifnextoptionalelse
                                                          \strictdoifnextoptionalelse {...} {...}
```

stripcharacter	\stripcharacter \from \to \
-	
strippedcsname	\strippedcsname \
strippedcsname:string	\strippedcsname
stripspaces	\stripspaces \from \to \
structurelistuservariable	\structurelistuservariable {}
structurenumber	\structurenumber
structuretitle	\structuretitle
structureuservariable	\structureuservariable {}
structurevariable	\structurevariable {}
strut	\strut
strutdp	\strutdp
strutgap	\strutgap
strutht	\strutht
struthtdp	\struthtdp
struttedbox	\struttedbox {}
strutwd	\strutwd
style	\style [=] {}
styleinstance	\styleinstance []
style: argument	\style [] {}
style:instance	\STYLE {}
subpagenumber	
1 0	\subpagenumber
subsentence	\subsentence {}
substituteincommalist	\substituteincommalist \{\ldots\} \\\\.
subtractfeature	\subtractfeature []
subtractfeature:direct	\subtractfeature {}
swapcounts	\swapcounts \ \
swapdimens	\swapdimens \ \
swapface	\swapface
swapmacros	\swapmacros \ \
swaptypeface	\swaptypeface
switchstyleonly	\switchstyleonly []
switchstyleonly:command	\switchstyleonly \
switchtocolor	\switchtocolor []
switchtointerlinespace	\switchtointerlinespace [] [=]
switchtointerlinespace:argument	\switchtointerlinespace []
switchtointerlinespace: name	\switchtointerlinespace []
	<del>-</del>
symbol symbol mediananaa	\symbol [] []
symbolreference	\symbolreference []
symbol:direct	\symbol {}
synctexblockfilename	\synctexblockfilename {}
synctexresetfilename	\synctexresetfilename
synctexsetfilename	\synctexsetfilename {}
synchronizeblank	\synchronizeblank
synchronizeindenting	\synchronizeindenting
synchronizemarking	\synchronizemarking [] []
synchronizeoutputstreams	\synchronizeoutputstreams []
synchronizestrut	\synchronizestrut {}
synchronizewhitespace	\synchronizewhitespace
synonym:instance	\SYNONYM [] {} {}
synonym:instance:abbreviation	\abbreviation [] {} {}
systemlog	\systemlog {} {}
systemlogfirst	\systemlogfirst {} {} {}
systemloglast	\systemloglast {} {} {}
systemsetups	\systemsetups {}
TABLE	\TABLE
Table	\TaBlE
TEX	\TEX
TeX	\TeX
TheNormalizedFontSize	\TheNormalizedFontSize
TransparencyHack	\TransparencyHack
tabulateautoline	\tabulateautoline
tabulateautorule	\tabulateautorule
tabulateline	\tabulateline
tabulaterule	\tabulaterule
taggedctxcommand	\taggedctxcommand {}
taggedlabeltexts	\taggedlabeltexts {} {} {}
tbox	\tbox {}
tecka	\tecka {}
tecky	\tecky []
tecky:assignment	\tecky [=]
tenkalinka	\tenkalinka
tenkelinky	\tenkelinky [=]
Centerinty	/cenverinvà []

testandsplitstring	\testandsplitstring \at \to \ \and \
testcolumn	\testcolumn [] []
testfeature	\testfeature {} {}
testfeatureonce	\testfeatureonce {} {}
testpage	\testpage [] []
testpageonly	\testpageonly [] []
testpagesync	\testpagesync [] []
testtokens	\testtokens []
tex	\tex {}
texdefinition	\texdefinition {}
texsetup	\texsetup {}
textbackground:example	\TEXTBACKGROUND {}
textcitation	\textcitation [=] []
textcitation:alternative	\textcitation [] []
textcitation:userdata	\textcitation [=] [=]
textcite	\textcite [=] []
textcite:alternative	\textcite [] []
textcite:userdata	\textcite [=] [=]
textcontrolspace	\textcontrolspace
textflowcollector	\textflowcollector {}
textmath	\textmath {}
textminus	\textminus
textnapovedy	\textnapovedy [] {}
textnote	\textnote [=] {}
textormathchar	\textormathchar {}
textormathchars	\textormathchars {}
textovalinka	\textovalinka [] {}
textplus	\textplus
textpopisku:instance	\LABELtext {}
textpopisku:instance:btxlabel	\btxlabeltext {}
textpopisku:instance:head	\headtext {}
textpopisku:instance:label	\labeltext {}
textpopisku:instance:mathlabel	\mathlabeltext \{\dots\}
textpopisku:instance:operator	\operatortext \{\dots\}
textpopisku:instance:prefix	\prefixtext \{\dots\}
textpopisku:instance:suffix	\suffixtext {}
textpopisku:instance:taglabel	\taglabeltext {}
textpopisku:instance:unit	\unittext {}
textvisiblespace	\textvisiblespace
thainumerals	\thainumerals {}
thefirstcharacter	\thefirstcharacter {}
thenormalizedbodyfontsize	\thenormalizedbodyfontsize {}
theremainingcharacters	\theremainingcharacters {}
thickspace	\thickspace
thinspace	\thinspace
•	
thirdoffivearguments	\thirdoffivearguments {} {} {} {}
thirdoffourarguments	\thirdoffourarguments $\{\ldots\}$ $\{\ldots\}$ $\{\ldots\}$
thirdofsixarguments	\thirdofsixarguments $\{\ldots\}$ $\{\ldots\}$ $\{\ldots\}$ $\{\ldots\}$
thirdofthreearguments	\thirdofthreearguments $\{\ldots\}$ $\{\ldots\}$
thirdofthreeunexpanded	\thirdofthreeunexpanded $\{\ldots\}$ $\{\ldots\}$
threedigitrounding	\threedigitrounding {}
tibetannumerals	\tibetannumerals {}
tightlayer	\tightlayer []
tilde	\tilde {}
tinyfont	\tinyfont
tlacitko	\tlacitko [=] {} []
tlacitkomenu:button	\tlacitkomenu [=] {} {}
tlacitkomenu:interactionmenu	\tlacitkomenu [] [=] {} {}
tlacitko:example	\BUTTON [=] {} []
tlap	\tlap {}
tloustkacary	\tloustkacary
tochar	\tochar {}
tolinenote	\tolinenote []
topbox	\topbox {}
topleftbox	\topleftbox {}
-	
toplinebox	\toplinebox {}
toprightbox	\toprightbox {}
topskippedbox	\topskippedbox {}
tracecatcodetables	\tracecatcodetables
tracedfontname	\tracedfontname {}
traceoutputroutines	\traceoutputroutines
tracepositions	\tracepositions
•	•

transparencycomponents	\transparencycomponents {}
transparent	\transparent [] {}
tref	\tref {} {} []
triplebond	\triplebond
truefilename	\truefilename {}
truefontname	\truefontname {}
ttraggedright	\ttraggedright
tucne	\tucne
tucnekurzivni	\tucnekurzivni
tucnesklonene	\tucnesklonene
tvrdamezera	\tvrdamezera
tvrdemezery	\tvrdemezery
twodigitrounding	\twodigitrounding {}
tx	\tx
txx	\txx
typebuffer	\typebuffer [] [=]
typebuffer:instance	\opisBUFFER [=]
typedefinedbuffer	\typedefinedbuffer [] [=]
typeface	\typeface
typeinlinebuffer	\typeinlinebuffer [] [=]
typescriptone	\typescriptone
typescriptprefix	<pre>\typescriptprefix {}</pre>
typescriptthree	\typescriptthree
typescripttwo	\typescripttwo
typesetbuffer	\typesetbuffer [] [=]
typesetfile	\typesetfile [] [=]
uconvertnumber	\uconvertnumber {} {}
uedcatcodecommand	\uedcatcodecommand \ {}
ukazbarvu	\ukazbarvu []
ukazmrizku	\ukazmrizku []
ukaznastaveni	\ukaznastaveni []
ukazpaletu	\ukazpaletu [] []
ukazpodpery	\ukazpodpery
ukazpostredizakladnihofontu	\ukazpostredizakladnihofontu []
ukazramecek	\ukazramecek [] []
ukazsadusymbolu	\ukazsadusymbolu []
ukazskupinubarev	\ukazskupinubarev [] []
ukazupravu	\ukazupravu []
ukazvytisk	\ukazvytisk [] [=]
ukazvzhled	\ukazvzhled []
ukazzakladnifont	\ukazzakladnifont []
umistikombinovanyseznam	\umistikombinovanyseznam [] [=]
umistikombinovanyseznam:instance	\umistiCOMBINEDLIST [=]
umistikombinovanyseznam:instance:content	\umisticontent [=]
umistilokalnipoznamkypodcarou	\umistilokalnipoznamkypodcarou [=]
umistinadsebe	\umistinadsebe {} {}
umistinamrizku	\umistinamrizku [] {}
umistinamrizku:list	\umistinamrizku [] {}
umistipodrovnici	\umistipodrovnici [] {}
umistipoznamkypodcarou	\umistipoznamkypodcarou [=]
umistirejstrik	\umistirejstrik [] [=]
umistirejstrik:instance	\umistiREGISTER [=]
umistirejstrik:instance:index	\umistiindex [=]
umistirovnici	\umistirovnici [] {}
umistiseznam	\umistiseznam [] [=]
umistivedlesebe	\umistivedlesebe {} {}
umistizalozky	\umistizalozky [] [] [=]
undefinevalue	\undefinevalue {}
undepthed	\undepthed {}
underset	\underset {} {}
undoassign	\undoassign [] [=]
unexpandeddocumentvariable	\unexpandeddocumentvariable {}
unhhbox	\unhhbox \with {}
unihex	\unihex {}
uniqueMPgraphic	<pre>\uniqueMPgraphic {} {=}</pre>
uniqueMPpagegraphic	\uniqueMPpagegraphic {} {=}
unprotect	\unprotect \protect
unprotected	\unprotected \par
unregisterhyphenationpattern	$\verb \unregisterhyphenationpattern [] [] $
unspaceafter	\unspaceafter \ {}
unspaceargument	\unspaceargument \to \
unspaced	\unspaced {}

unspacestring	\unspacestring \to \
unstackscripts	\unstackscripts
untexargument	\unterland \uniterland \uniter
untexcommand	\untexcommand {} \to \
uppercased uppercasestring	<pre>\uppercased {} \uppercasestring \to \</pre>
uppercasestring upperleftdoubleninequote	\upperleftdoubleninequote
upperleftdoublesixquote	\upperleftdoublesixquote
upperleftsingleninequote	\upperleftsingleninequote
upperleftsinglesixquote	\upperleftsinglesixquote
upperrightdoubleninequote	\upperrightdoubleninequote
upperrightdoublesixquote	\upperrightdoublesixquote
upperrightsingleninequote	\upperrightsingleninequote
upperrightsinglesixquote	\upperrightsinglesixquote
urcicharakteristikurejstriku	\urcicharakteristikurejstriku [] [=]
url	\url []
usealignparameter	\usealignparameter \
useblankparameter	\useblankparameter \
usebodyfont	\usebodyfont []
usebodyfontparameter	\usebodyfontparameter \
usebtxdataset	\usebtxdataset [] [] [=]
usebtxdefinitions	\usebtxdefinitions [] \usecitation []
usecitation usecitation:direct	\usecitation [] \usecitation {}
usecolors	\usecltation \(\ldots\)
usecomponent	\useconjois []
usedummycolorparameter	\usedummycolorparameter {}
usedummystyleandcolor	\usedummystyleandcolor {} {}
usedummystyleparameter	\usedummystyleparameter {}
useenvironment	\useenvironment []
useexternalrendering	\useexternalrendering [] [] []
usefigurebase	\usefigurebase []
usefile	\usefile [] []
usegridparameter	\usegridparameter \
useindentingparameter	\useindentingparameter \
useindentnextparameter	\useindentnextparameter \
useinterlinespaceparameter	\useinterlinespaceparameter \
uselanguageparameter	\uselanguageparameter \
useluamodule	\useluamodule []
useMPenvironmentbuffer useMPgraphic	\useMPenvironmentbuffer []
usemPlibrary	<pre>\useMPgraphic {} {=} \useMPlibrary []</pre>
useMPrun	\useMPrun {} {}
useMPvariables	\useMPvariables [] []
usemathstyleparameter	\usemathstyleparameter \
useproduct	\useproduct []
useprofileparameter	\useprofileparameter \
useproject	\useproject []
usereferenceparameter	\usereferenceparameter \
userpagenumber	\userpagenumber
usesetupsparameter	\usesetupsparameter \
usestaticMPfigure	\usestaticMPfigure [=] []
usesubpath	\usesubpath []
usetexmodule	\usetexmodule [] [=]
usetypescript	\usetypescript [] []
usetypescriptfile	\usetypescriptfile []
usezipfile	\usezipfile [] []
utfchar	\utfchar {}
utflower	\utflower {}
utfupper	\utfupper {}
utilityregisterlength	<pre>\utilityregisterlength \uzijadresar []</pre>
uzijadresar uzijbloky	\uzijadresar [] \uzijbloky [] [=]
uzijexternidokument	\uzijexternidokument [] [] []
uzijexternidokument uzijexterniobraz	\uzijexternidokument [] [] [] \uzijexterniobraz [] [] [] []
uzijekternizvuk	\uzijexternizvuk [] [] \uzijexternizvuk []
uzijJSscripts	\uzijJSscripts [] []
uzijmodul	\uzijmodul [] []
uzijsymbol	\uzijsymbol []
uzijURL	\uzijURL [] [] []
uzijurl	\uzijurl [] [] []
VorhosoNumbor	\VerbegeNumber { }

VSEDNIDEN	\VSEDNIDEN {}
vboxreference	\vboxreference [] {}
Vec	\vec {}
velke	\velke
verbatim	\verbatim {}
verbatimstring	\verbatimstring {}
verbosenumber	\verbosenumber {}
verticalgrowingbar	\verticalgrowingbar [=]
verticalpositionbar	\verticalpositionbar [=]
	•
veryraggedcenter	\veryraggedcenter
veryraggedleft	\veryraggedleft
veryraggedright	\veryraggedright
verze	\verze []
vglue	\vglue
viewerlayer	\viewerlayer [] {}
vl	\v1 []
vlasovalinka	\vlasovalinka
vlevo	\vlevo
vpackbox	\vpackbox
vpackedbox	\vpackedbox
vphantom	\vphantom {}
vpos	\vpos {} {}
vpravo	\vpravo
•	-
vradku	\vradku {} []
vsedniden	\vsedniden {}
vsmash	\vsmash {}
vsmashbox	\vsmashbox
vsmashed	\vsmashed {}
vspace	\vspace [] []
-	
vspacing	\vspacing []
vyberbloky	\vyberbloky [] [=]
vycet:example	\ <i>VYCET</i> [] {} \par
vyplnenytext	\vyplnenytext [=] {} {}
vyplnovelinky	\vyplnovelinky [=] {} {}
vyplnovyradek	\vyplnovyradek [=]
vysoky	\vysoky {}
vysoky:instance	\HIGH {}
vysoky:instance:unitshigh	\unitshigh {}
WidthSpanningText	$\WidthSpanningText {} {}$
wdofstring	\wdofstring {}
widthofstring	\widthofstring {}
widthspanningtext	\widthspanningtext {} {} {}
withoutpt	\withoutpt {}
-	<u>-</u>
words	\words {}
wordtonumber	\wordtonumber {} {}
writedatatolist	\writedatatolist [] [=] [=]
writestatus	\writestatus {} {}
XETEX	\XETEX
XeTeX	\XeTeX
xdefconvertedargument	\xdefconvertedargument \ {}
xmladdindex	\xmladdindex {}
xmlafterdocumentsetup	\xmlafterdocumentsetup {} {} {}
xmlaftersetup	\xmlaftersetup {} {}
xmlall	\xmlall {} {}
xmlappenddocumentsetup	\xmlappenddocumentsetup {} {}
xmlappendsetup	\xmlappendsetup {}
xmlapplyselectors	\xmlapplyselectors {}
xmlatt	\xmlatt {} {}
xmlattdef	\xmlattdef {} {}
xmlattribute	\xmlattribute {} {}
xmlattributedef	\xmlattributedef {} {} {}
xmlbadinclusions	\xmlbadinclusions {}
xmlbeforedocumentsetup	\xmlbeforedocumentsetup {} {} {}
-	
xmlbeforesetup	\xmlbeforesetup {} {}
xmlcommand	\xmlcommand {} {} {}
xmlconcat	\xmlconcat {} {} {}
xmlconcatrange	\xmlconcatrange \{\ldots\} \{\ldots\} \{\ldots\} \{\ldots\} \{\ldots\} \\
xmlcontext	\xmlcontext {} {}
xmlcount	\xmlcount {}
xmldefaulttotext	\xmldefaulttotext {}
xmldirectives	\xmldirectives {}
xmldirectivesafter	\xmldirectivesafter {}

xmldirectivesbefore	\xmldirectivesbefore {}
xmldisplayverbatim	\xmldisplayverbatim {}
xmldoif	\xmldoif {} {} {}
xmldoifatt	\xmldoifatt {} {}
xmldoifelse	\xmldoifelse {} {} {} {}
xmldoifelseatt	\xmldoifelseatt {} {} {}
xmldoifelseempty	\xmldoifelseempty {} {} {} {}
xmldoifelseselfempty	\xmldoifelseselfempty {} {} {}
xmldoifelsetext	\xmldoifelsetext {} {} {} {}
xmldoifelsevalue	\xmldoifelsevalue {} {} {} {}
xmldoifnot	\xmldoifnot {} {} {}
xmldoifnotatt	\xmldoifnotatt {} {}
xmldoifnotselfempty	\xmldoifnotselfempty \{\ldots\}
- *	
xmldoifnottext	\xmldoifnottext {} {} {}
xmldoifselfempty	\xmldoifselfempty {} {}
xmldoiftext	\xmldoiftext {} {} {}
xmlelement	\xmlelement {} {}
xmlfilter	\xmlfilter {} {}
xmlfirst	\xmlfirst {} {}
xmlflush	\xmlflush {}
xmlflushcontext	\xmlflushcontext {}
xmlflushdocumentsetups	\xmlflushdocumentsetups {} {}
xmlflushlinewise	\xmlflushlinewise {}
xmlflushpure	\xmlflushpure {}
xmlflushspacewise	$\mbox{xmlflushspacewise } \{\ldots\}$
xmlflushtext	\xmlflushtext {}
xmlchainatt	\xmlchainatt {} {}
xmlchainattdef	$\mbox{xmlchainattdef } \{\} \{\}$
xmlchecknamespace	\xmlchecknamespace {} {}
xmlinclude	\xmlinclude {} {} {}
xmlinclusion	\xmlinclusion {}
xmlinclusions	\xmlinclusions {}
xmlinfo	\xmlinfo {}
xmlinjector	\xmlinjector {}
xmlinlineprettyprint	\xmlinlineprettyprint {} {}
xmlinlineprettyprinttext	\xmlinlineprettyprinttext {} {}
	- · · · · · · · · · · · · · · · · · · ·
xminlineverpatim	
xmlinlineverbatim xmlinstalldirective	\xmlinlineverbatim {}
xmlinstalldirective	\xmlinstalldirective {} {}
xmlinstalldirective xmllast	\xmlinstalldirective {} {} \xmllast {} {}
xmlinstalldirective xmllast xmllastatt	<pre>\xmlinstalldirective {} {} \xmllast {} {} \xmllastatt</pre>
<pre>xmlinstalldirective xmllast xmllastatt xmllastmatch</pre>	<pre>\xmlinstalldirective {} {} \xmllast {} {} \xmllastatt \xmllastmatch</pre>
xmlinstalldirective xmllast xmllastatt xmllastmatch xmllastpar	<pre>\xmlinstalldirective {} {} \xmllast {} {} \xmllastatt \xmllastmatch \xmllastpar</pre>
xmlinstalldirective xmllast xmllastatt xmllastmatch xmllastpar xmlloadbuffer	<pre>\xmlinstalldirective {} {} \xmllast {} {} \xmllastatt \xmllastmatch \xmllastpar \xmlloadbuffer {} {} {}</pre>
xmlinstalldirective xmllast xmllastatt xmllastmatch xmllastpar xmlloadbuffer xmlloaddata	<pre>\xmlinstalldirective {} {} \xmllast {} {} \xmllastatt \xmllastmatch \xmllastpar \xmlloadbuffer {} {} {} \xmlloaddata {} {} {}</pre>
<pre>xmlinstalldirective xmllast xmllastatt xmllastmatch xmllastpar xmlloadbuffer xmlloaddata xmlloaddirectives</pre>	<pre>\xmlinstalldirective {} {} \xmllast {} {} \xmllastatt \xmllastmatch \xmllastpar \xmlloadbuffer {} {} {} \xmlloaddata {} {} {}</pre>
<pre>xmlinstalldirective xmllast xmllastatt xmllastmatch xmllastpar xmlloadbuffer xmlloaddata xmlloaddirectives xmlloadfile</pre>	<pre>\xmlinstalldirective {} {} \xmllast {} {} \xmllastatt \xmllastmatch \xmllastpar \xmlloadbuffer {} {} {} \xmlloaddata {} {} {} \xmlloaddirectives {} \xmlloadfile {} {} {}</pre>
<pre>xmlinstalldirective xmllast xmllastatt xmllastmatch xmllastpar xmlloadbuffer xmlloaddata xmlloaddirectives xmlloadfile xmlloadonly</pre>	<pre>\xmlinstalldirective {} {} \xmllast {} {} \xmllastatt \xmllastmatch \xmllastpar \xmlloadbuffer {} {} {} \xmlloaddata {} {} {} \xmlloaddirectives {} \xmlloadfile {} {} {} \xmlloadonly {} {}</pre>
<pre>xmlinstalldirective xmllast xmllastatt xmllastmatch xmllastpar xmlloadbuffer xmlloaddata xmlloaddirectives xmlloadfile xmlloadonly xmlmain</pre>	<pre>\xmlinstalldirective {} {} \xmllast {} {} \xmllastatt \xmllastmatch \xmllastpar \xmlloadbuffer {} {} {} \xmlloaddata {} {} {} \xmlloaddirectives {} \xmlloadfile {} {} {} \xmlloadonly {} {} {} \xmlmain {}</pre>
xmlinstalldirective xmllast xmllastatt xmllastmatch xmllastpar xmlloadbuffer xmlloaddata xmlloaddirectives xmlloadfile xmlloadonly xmlmain xmlmapvalue	<pre>\xmlinstalldirective {} {} \xmllast {} {} \xmllastatt \xmllastpar \xmlloadbuffer {} {} {} \xmlloaddata {} {} {} \xmlloaddirectives {} \xmlloadfile {} {} {} \xmlloadonly {} {} {} \xmlmain {} \xmlmapvalue {} {}</pre>
<pre>xmlinstalldirective xmllast xmllastatt xmllastmatch xmllastpar xmlloadbuffer xmlloaddata xmlloaddirectives xmlloadfile xmlloadonly xmlmain xmlmapvalue xmlname</pre>	<pre>\xmlinstalldirective {} {} \xmllast {} {} \xmllastatt \xmllastmatch \xmllastpar \xmlloadbuffer {} {} {} \xmlloaddata {} {} {} \xmlloaddirectives {} \xmlloadfile {} {} {} \xmlloadonly {} {} {} \xmlmain {} \xmlmapvalue {} {} {}</pre>
<pre>xmlinstalldirective xmllast xmllastatt xmllastmatch xmllastpar xmlloadbuffer xmlloaddata xmlloaddirectives xmlloadfile xmlloadonly xmlmain xmlmapvalue xmlname xmlnamespace</pre>	<pre>\xmlinstalldirective {} {} \xmllast {} {} \xmllastatt \xmllastpar \xmlloadbuffer {} {} {} \xmlloaddata {} {} {} \xmlloaddirectives {} \xmlloadfile {} {} {} \xmlloadonly {} {} {} \xmlmain {} \xmlmapvalue {} {} {} \xmlname {} \xmlnamespace {}</pre>
<pre>xmlinstalldirective xmllast xmllastatt xmllastmatch xmllastpar xmlloadbuffer xmlloaddata xmlloaddirectives xmlloadfile xmlloadonly xmlmain xmlmapvalue xmlname</pre>	<pre>\xmlinstalldirective {} {} \xmllast {} {} \xmllastatt \xmllastmatch \xmllastpar \xmlloadbuffer {} {} {} \xmlloaddata {} {} {} \xmlloaddirectives {} \xmlloadfile {} {} {} \xmlloadonly {} {} {} \xmlmain {} \xmlmapvalue {} {} {} \xmlname {} \xmlnamespace {} \xmlnonspace {}</pre>
<pre>xmlinstalldirective xmllast xmllastatt xmllastmatch xmllastpar xmlloadbuffer xmlloaddata xmlloaddirectives xmlloadfile xmlloadonly xmlmain xmlmapvalue xmlname xmlnamespace</pre>	<pre>\xmlinstalldirective {} {} \xmllast {} {} \xmllastatt \xmllastmatch \xmllastpar \xmlloadbuffer {} {} {} \xmlloaddata {} {} {} \xmlloaddirectives {} \xmlloadfile {} {} {} \xmlloadonly {} {} {} \xmlmain {} \xmlmapvalue {} {} {} \xmlname {} \xmlnamespace {} \xmlnonspace {} {} \xmlpar {} {}</pre>
<pre>xmlinstalldirective xmllast xmllastatt xmllastmatch xmllastpar xmlloadbuffer xmlloaddata xmlloaddirectives xmlloadfile xmlloadonly xmlmain xmlmapvalue xmlname xmlname xmlnamespace xmlnospace</pre>	<pre>\xmlinstalldirective {} {} \xmllast {} {} \xmllastatt \xmllastmatch \xmllastpar \xmlloadbuffer {} {} {} \xmlloaddata {} {} {} \xmlloaddirectives {} \xmlloadfile {} {} {} \xmlloadonly {} {} {} \xmlmain {} \xmlmapvalue {} {} {} \xmlname {} \xmlnamespace {} \xmlnonspace {}</pre>
<pre>xmlinstalldirective xmllast xmllastatt xmllastmatch xmllastpar xmlloadbuffer xmlloaddata xmlloaddirectives xmlloadfile xmlloadonly xmlmain xmlmapvalue xmlname xmlname xmlnamespace xmlnospace xmlpar</pre>	<pre>\xmlinstalldirective {} {} \xmllast {} {} \xmllastatt \xmllastmatch \xmllastpar \xmlloadduffer {} {} {} \xmlloaddirectives {} \xmlloaddirectives {} \xmlloadfile {} {} {} \xmlloadonly {} {} {} \xmlmain {} \xmlmapvalue {} {} {} \xmlname {} \xmlnamespace {} {} \xmlparam {} {} \xmlparam {} {} \xmlpath {}</pre>
<pre>xmlinstalldirective xmllast xmllastatt xmllastmatch xmllastpar xmlloadbuffer xmlloaddata xmlloaddirectives xmlloadfile xmlloadonly xmlmain xmlmapvalue xmlname xmlname xmlnamespace xmlnospace xmlpar xmlparam</pre>	<pre>\xmlinstalldirective {} {} \xmllast {} {} \xmllastatt \xmllastmatch \xmllastpar \xmlloadduffer {} {} {} \xmlloaddirectives {} \xmlloaddirectives {} \xmlloadfile {} {} {} \xmlloadonly {} {} {} \xmlmain {} \xmlname {} \xmlnamespace {} \xmlnonspace {} \xmlparam {} {} \xmlparam {} {}</pre>
<pre>xmlinstalldirective xmllast xmllastatt xmllastmatch xmllastpar xmlloadbuffer xmlloaddata xmlloaddirectives xmlloadfile xmlloadonly xmlmain xmlmapvalue xmlname xmlname xmlnamespace xmlnospace xmlpar xmlparam xmlpath</pre>	<pre>\xmlinstalldirective {} {} \xmllast {} {} \xmllastatt \xmllastmatch \xmllastpar \xmlloadduffer {} {} {} \xmlloaddirectives {} \xmlloaddirectives {} \xmlloadfile {} {} {} \xmlloadonly {} {} {} \xmlmain {} \xmlmapvalue {} {} {} \xmlname {} \xmlnamespace {} {} \xmlparam {} {} \xmlparam {} {} \xmlpath {}</pre>
<pre>xmlinstalldirective xmllast xmllastatt xmllastmatch xmllastpar xmlloadbuffer xmlloaddata xmlloaddirectives xmlloadfile xmlloadonly xmlmain xmlmapvalue xmlname xmlname xmlnamespace xmlnamespace xmlpar xmlparam xmlpath xmlpos</pre>	<pre>\xmlinstalldirective {} {} \xmllast {} {} \xmllastatt \xmllastmatch \xmllastpar \xmlloadduffer {} {} {} \xmlloaddirectives {} \xmlloaddirectives {} \xmlloadfile {} {} {} \xmlloadonly {} {} {} \xmlmain {} \xmlname {} \xmlname {} \xmlname {} \xmlname {} \xmlnamparam {} {} \xmlparam {} {} \xmlpath {} \xmlpos {}</pre>
<pre>xmlinstalldirective xmllast xmllastatt xmllastmatch xmllastpar xmlloadbuffer xmlloaddata xmlloaddirectives xmlloadfile xmlloadonly xmlmain xmlmapvalue xmlname xmlname xmlnamespace xmlnonspace xmlpar xmlparam xmlpath xmlpos xmlposition</pre>	<pre>\xmlinstalldirective {} {} \xmllast {} {} \xmllastatt \xmllastmatch \xmllastpar \xmlloadbuffer {} {} {} \xmlloaddirectives {} \xmlloaddirectives {} \xmlloadfile {} {} {} \xmlloadonly {} {} {} \xmlmain {} \xmlname {} \xmlname {} \xmlname {} \xmlname {} \xmlname {} \xmlparam {} {} \xmlparam {} {} \xmlpath {} \xmlpos {} \xmlposition {} {}</pre>
<pre>xmlinstalldirective xmllast xmllastatt xmllastmatch xmllastpar xmlloadbuffer xmlloaddata xmlloaddirectives xmlloadfile xmlloadonly xmlmain xmlmapvalue xmlname xmlname xmlname xmlnamespace xmlpar xmlparam xmlpath xmlpos xmlposition xmlprependdocumentsetup</pre>	<pre>\xmlinstalldirective {} {} \xmllast {} {} \xmllastatt \xmllastmatch \xmllastpar \xmlloadbuffer {} {} {} \xmlloaddirectives {} \xmlloaddirectives {} \xmlloadonly {} {} {} \xmlnain {} \xmlmain {} \xmlname {} \xmlnonspace {} {} \xmlpar {} {} \xmlpar {} {} \xmlpar {} {} \xmlpar {} {} \xmlpos {} \xmlposition {} {} \xmlprependdocumentsetup {} {} \xmlprependdocumentsetup</pre>
<pre>xmlinstalldirective xmllast xmllastatt xmllastmatch xmllastpar xmlloadbuffer xmlloaddata xmlloaddirectives xmlloadfile xmlloadonly xmlmain xmlmapvalue xmlname xmlname xmlnamespace xmlnonspace xmlpar xmlparam xmlpath xmlpos xmlposition xmlprependdocumentsetup xmlprependsetup</pre>	<pre>\xmlinstalldirective {} {} \xmllast {} {} \xmllastatt \xmllastmatch \xmllastpar \xmlloadbuffer {} {} {} \xmlloaddata {} {} {} \xmlloaddirectives {} \xmlloadfile {} {} {} \xmlloadonly {} {} {} \xmlmain {} \xmlname {} \xmlname {} \xmlname {} \xmlname {} \xmlname {} \xmlname {} \xmlpar {} {} \xmlpos {} \xmlposition {} {} \xmlprependdocumentsetup {} {} \xmlprependsetup {} \x</pre>
<pre>xmlinstalldirective xmllast xmllastatt xmllastmatch xmllastpar xmlloadbuffer xmlloaddata xmlloaddirectives xmlloadfile xmlloadonly xmlmain xmlmapvalue xmlname xmlnamespace xmlnonspace xmlpar xmlparam xmlpath xmlpos xmlposition xmlprependdocumentsetup xmlprettyprint</pre>	<pre>\xmlinstalldirective {} {} \xmllast {} {} \xmllastatt \xmllastmatch \xmllastpar \xmlloadbuffer {} {} {} \xmlloaddata {} {} {} \xmlloaddirectives {} \xmlloadonly {} {} {} \xmlnain {} \xmlmain {} \xmlname {} \xmlname {} \xmlname {} \xmlname {} \xmlname {} \xmlname {} \xmlpar {} {} \xmlparam {} {} \xmlparam {} {} \xmlpath {} \xmlposition {} {} \xmlprependdocumentsetup {} \xmlprependsetup {} \xmlprettyprint {} {} \xmlprettyprint {}</pre>
<pre>xmlinstalldirective xmllast xmllastatt xmllastmatch xmllastpar xmlloadbuffer xmlloaddata xmlloaddirectives xmlloadfile xmlloadonly xmlmain xmlmapvalue xmlname xmlnamespace xmlnonspace xmlpar xmlparam xmlpath xmlpos xmlposition xmlprependdocumentsetup xmlprettyprint xmlprettyprint</pre>	<pre>\xmlinstalldirective {} {} \xmllast {} {} \xmllastatt \xmllastmatch \xmllastpar \xmlloadbuffer {} {} {} \xmlloaddata {} {} {} \xmlloaddirectives {} \xmlloadonly {} {} {} \xmlnain {} \xmlmain {} \xmlname {} \xmlname {} \xmlname {} \xmlname {} \xmlname {} \xmlname {} \xmlpar {} {} \xmlparam {} {} \xmlparam {} {} \xmlpath {} \xmlposition {} {} \xmlprependdocumentsetup {} {} \xmlprettyprint {} {}</pre>
<pre>xmlinstalldirective xmllast xmllastatt xmllastmatch xmllastpar xmlloadbuffer xmlloaddata xmlloaddirectives xmlloadfile xmlloadonly xmlmain xmlmapvalue xmlname xmlnamespace xmlnonspace xmlpar xmlparam xmlpath xmlpos xmlposition xmlprependdocumentsetup xmlprettyprint xmlprettyprinttext xmlprocessbuffer</pre>	\xmlinstalldirective {} {} \xmllast {} {} \xmllastatt \xmllastmatch \xmllastpar \xmlloadbuffer {} {} {} \xmlloaddata {} {} {} \xmlloaddirectives {} \xmlloadfile {} {} {} \xmlloadonly {} {} {} \xmlmain {} \xmlmapvalue {} {} {} \xmlname space {} \xmlnamespace {} \xmlpar {} {} \xmlparam {} {} \xmlparb {} \xmlpestion {} {} \xmlprependdocumentsetup {} {} \xmlprettyprint {} {} \xmlprecessbuffer {} {} \xmlprocessbuffer {} {} \xmlprocessdata {} {} {}
<pre>xmlinstalldirective xmllast xmllastatt xmllastmatch xmllastpar xmlloadbuffer xmlloaddata xmlloaddirectives xmlloadfile xmlloadonly xmlmain xmlmapvalue xmlname xmlnamespace xmlnonspace xmlpar xmlparam xmlpath xmlpos xmlposition xmlprependdocumentsetup xmlprettyprint xmlprettyprint xmlprocessbuffer xmlprocessdata</pre>	\xmlinstalldirective {} {} \xmllast {} {} \xmllastatt \xmllastmatch \xmllastpar \xmlloadbuffer {} {} {} \xmlloaddata {} {} {} \xmlloaddirectives {} \xmlloadfile {} {} {} \xmlloadonly {} {} {} \xmlmain {} \xmlmapvalue {} {} {} \xmlname space {} \xmlnamespace {} \xmlpar {} {} \xmlparam {} {} \xmlparam {} {} \xmlpath {} \xmlposition {} {} \xmlprependocumentsetup {} {} \xmlprettyprint {} {} \xmlprettyprinttext {} {} \xmlprocessbuffer {} {}
<pre>xmlinstalldirective xmllast xmllastatt xmllastmatch xmllastpar xmlloadbuffer xmlloaddata xmlloaddirectives xmlloadfile xmlloadonly xmlmain xmlmapvalue xmlname xmlnamespace xmlnonspace xmlpar xmlparam xmlpath xmlpos xmlposition xmlprependdocumentsetup xmlprettyprint xmlprettyprint xmlprocessbuffer xmlprocessfile</pre>	\xmlinstalldirective {} {} \xmllast {} {} \xmllastatt \xmllastmatch \xmllastpar \xmlloadbuffer {} {} {} \xmlloaddata {} {} {} \xmlloaddirectives {} \xmlloadfile {} {} {} \xmlloadonly {} {} {} \xmlmain {} \xmlmapvalue {} {} \xmlname {} \xmlnamespace {} \xmlnamespace {} \xmlpar {} {} \xmlparam {} {} \xmlparlostion {} {} \xmlprependdocumentsetup {} {} \xmlprettyprint {} {} \xmlprocessbuffer {} {} \xmlprocessdata {} {} {} \xmlprocessfile {} {} {}
<pre>xmlinstalldirective xmllast xmllastatt xmllastmatch xmllastpar xmlloadbuffer xmlloaddata xmlloaddirectives xmlloadfile xmlloadonly xmlmain xmlmapvalue xmlname xmlnamespace xmlnonspace xmlpar xmlparam xmlpath xmlpos xmlposition xmlprependdocumentsetup xmlprettyprint xmlprettyprint xmlprocessbuffer xmlprocessfile xmlpure</pre>	\xmlinstalldirective {} {} \xmllast {} {} \xmllastatt \xmllastmatch \xmllastpar \xmlloadbuffer {} {} {} \xmlloaddata {} {} {} \xmlloaddirectives {} \xmlloadfile {} {} {} \xmlloadonly {} {} {} \xmlmain {} \xmlmapvalue {} {} \xmlname {} \xmlnamespace {} \xmlnamespace {} \xmlpar {} {} \xmlparam {} {} \xmlparlossition {} {} \xmlprependdocumentsetup {} {} \xmlprettyprint {} {} \xmlprocessbuffer {} {} \xmlprocessdata {} {} {} \xmlprocessfile {} {} \xmlpure {} {}
<pre>xmlinstalldirective xmllast xmllastatt xmllastmatch xmllastpar xmlloadbuffer xmlloaddata xmlloaddirectives xmlloadfile xmlloadonly xmlmain xmlmapvalue xmlname xmlnamespace xmlnonspace xmlpar xmlparam xmlpath xmlpos xmlposition xmlprependdocumentsetup xmlprettyprint xmlprettyprint xmlprettyprint xmlprocessbuffer xmlprocessfile xmlpure xmlraw xmlrefatt</pre>	\xmlinstalldirective {} {} \xmllast {} {} \xmllastatt \xmllastmatch \xmllastpar \xmlloadbuffer {} {} {} \xmlloaddata {} {} {} \xmlloaddirectives {} \xmlloaddirectives {} \xmlloadonly {} {} {} \xmlmain {} \xmlmapvalue {} {} \xmlname {} \xmlnamespace {} \xmlnamespace {} \xmlpar {} {} \xmlpar {} {} \xmlpar {} {} \xmlparth {} \xmlpos {} \xmlpostion {} {} {} \xmlprependdocumentsetup {} {} \xmlprettyprint {} {} \xmlprocessbuffer {} {} \xmlprocessdata {} {} {} \xmlprocessfile {} {} \xmlpure {} {} \xmlpure {} {} \xmlraw {} \xmlraw {} \xmlraw {} \xmlraw {} \xmlrafatt {} {}
<pre>xmlinstalldirective xmllast xmllastatt xmllastmatch xmllastpar xmlloadbuffer xmlloaddata xmlloaddirectives xmlloadfile xmlloadonly xmlmain xmlmapvalue xmlname xmlnamespace xmlnonspace xmlpar xmlparam xmlpath xmlpos xmlposition xmlprependdocumentsetup xmlprettyprint xmlprettyprint xmlprocessbuffer xmlprocessfile xmlpure xmlraw xmlrefatt xmlregistereddocumentsetups</pre>	\xmlinstalldirective {} {} \xmllast {} {} \xmllastatt \xmllastatt \xmllastpar \xmlloadbuffer {} {} {} \xmlloaddata {} {} {} \xmlloaddirectives {} \xmlloaddirectives {} \xmlloadonly {} {} {} \xmlnamin {} \xmlmain {} \xmlmapvalue {} {} \xmlname {} \xmlnamespace {} \xmlnamespace {} \xmlpar {} {} \xmlpar {} {} \xmlpar {} {} \xmlpos {} \xmlpos {} \xmlprependocumentsetup {} {} \xmlprettyprint {} {} \xmlprecessbuffer {} {} \xmlprocessdata {} {} {} \xmlprocessfile {} {} {} \xmlpure {} {} \xmlraw {} \xmlraw {} \xmlrefatt {} {} \xmlregistereddocumentsetups {} {}
<pre>xmlinstalldirective xmllast xmllastatt xmllastpar xmlloadbuffer xmlloaddata xmlloaddirectives xmlloadfile xmlloadonly xmlmain xmlmapvalue xmlname xmlnamespace xmlnonspace xmlpar xmlparam xmlpath xmlpos xmlposition xmlprependdocumentsetup xmlprettyprint xmlprettyprint xmlprocessbuffer xmlprocessfile xmlpure xmlraw xmlrefatt xmlregistereddocumentsetups xmlregisteredsetups</pre>	\xmlinstalldirective {} {} \xmllast {} {} \xmllastatt \xmllastmatch \xmllastpar \xmlloadbuffer {} {} {} \xmlloaddata {} {} {} \xmlloaddirectives {} \xmlloaddirectives {} \xmlloadonly {} {} {} \xmlmain {} \xmlmapvalue {} {} \xmlname {} \xmlnamespace {} \xmlnamspace {} \xmlpar {} {} \xmlpar {} {} \xmlpar {} {} \xmlpos {} \xmlpos {} \xmlprependocumentsetup {} {} \xmlprettyprint {} {} \xmlprocessbuffer {} {} \xmlprocessdata {} {} {} \xmlprocessfile {} {} \xmlpure {} {} \xmlpure {} {} \xmlraw {} \xmlregistereddocumentsetups {} {} \xmlregisteredsetups
<pre>xmlinstalldirective xmllast xmllastatt xmllastpar xmlloadbuffer xmlloaddata xmlloaddirectives xmlloadfile xmlloadonly xmlmain xmlmapvalue xmlname xmlname xmlname xmlname xmlparam xmlparh xmlpos xmlposition xmlprependdocumentsetup xmlprettyprint xmlprettyprint xmlprocessbuffer xmlprocessfile xmlpure xmlraw xmlrefatt xmlregistereddocumentsetups xmlregisteredsetups xmlregisterens</pre>	\xmlinstalldirective {} {} \xmllast {} {} \xmllastatt \xmllastmatch \xmllastpar \xmlloadbuffer {} {} {} \xmlloaddata {} {} {} \xmlloaddirectives {} \xmlloaddirectives {} \xmlloadonly {} {} {} \xmlmain {} \xmlmain {} \xmlname {} \xmlnamespace {} \xmlnamespace {} \xmlnamespace {} \xmlpar {} {} \xmlpar {} {} \xmlpare {} {} \xmlpos {} \xmlpos {} \xmlprependocumentsetup {} {} \xmlprecessbuffer {} {} \xmlprocessbuffer {} {} \xmlprocessdata {} {} {} \xmlprocessfile {} {} \xmlprefatt {} {} \xmlraw {} \xmlregistereddocumentsetups {} {} \xmlregisteredsetups \xmlregisteredsetups \xmlregisteredsetups \xmlregisteredsetups \xmlregisteredsetups \xmlregisteredsetups \xmlregisteredsetups
<pre>xmlinstalldirective xmllast xmllastatt xmllastpar xmlloadbuffer xmlloaddata xmlloaddirectives xmlloadfile xmlloadonly xmlmain xmlmapvalue xmlname xmlnamespace xmlnonspace xmlpar xmlparam xmlpath xmlpos xmlposition xmlprependdocumentsetup xmlprettyprint xmlprettyprint xmlprocessbuffer xmlprocessfile xmlpure xmlraw xmlrefatt xmlregistereddocumentsetups xmlregisteredsetups</pre>	\xmlinstalldirective {} {} \xmllast {} {} \xmllastatt \xmllastmatch \xmllastpar \xmlloadbuffer {} {} {} \xmlloaddata {} {} {} \xmlloaddirectives {} \xmlloaddirectives {} \xmlloadonly {} {} {} \xmlmain {} \xmlmapvalue {} {} \xmlname {} \xmlnamespace {} \xmlnamspace {} \xmlpar {} {} \xmlpar {} {} \xmlpar {} {} \xmlpos {} \xmlpos {} \xmlprependocumentsetup {} {} \xmlprettyprint {} {} \xmlprocessbuffer {} {} \xmlprocessdata {} {} {} \xmlprocessfile {} {} \xmlpure {} {} \xmlpure {} {} \xmlraw {} \xmlregistereddocumentsetups {} {} \xmlregisteredsetups

	\1
xmlremovedocumentsetup	<pre>\xmlremovedocumentsetup {} {} \xmlremovesetup {}</pre>
xmlremovesetup	
xmlresetdocumentsetups xmlresetinjectors	\xmlresetdocumentsetups {} \xmlresetinjectors
xmlresetsetups	\xmlresetsetups {}
xmlsave	\xmlsave {} {}
xmlsetatt	\xmlsetatt {} {} {}
xmlsetattribute	\xmlsetattribute {} {} {} {}
xmlsetentity	\xmlsetentity {} {}
xmlsetfunction	\xmlsetfunction {} {} {}
xmlsetinjectors	\xmlsetinjectors []
xmlsetpar	\xmlsetpar {} {}
xmlsetparam	\xmlsetparam {} {} {} {}
xmlsetsetup	\xmlsetsetup {} {} {}
xmlsetup	\xmlsetup {} {}
xmlshow	\xmlshow {}
xmlsnippet	\xmlsnippet {} {}
xmlstrip	\xmlstrip {} {}
xmlstripnolines	\xmlstripnolines {} {}
xmlstripped	\xmlstripped {} {}
xmlstrippednolines	\xmlstrippednolines {} {}
xmltag	\xmltag {}
xmltexentity	\xmltexentity {} {}
xmltext	\xmltext {} {}
xmltobuffer	\xmltobuffer \{\} \{\}
xmltobufferverbose	\xmltobufferverbose \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
xmltofile	\xmltofile {} {}
xmlvalue	\xmlvalue {} {} {}
xmlverbatim	\xmlverbatim {}
xsplitstring	\xsplitstring \ {} \xypos {}
xypos Znak	\Znak {}
Znaky	\Znaky {}
zadnamezera	\zadnamezera
zadnehorniadolniradky	
zadnehorniadolniradky zadnezahlaviaupati	\zadnehorniadolniradky
zadnehorniadolniradky zadnezahlaviaupati zachovejbloky	\zadnehorniadolniradky \zadnezahlaviaupati
zadnezahlaviaupati	\zadnehorniadolniradky
zadnezahlaviaupati zachovejbloky	\zadnehorniadolniradky \zadnezahlaviaupati \zachovejbloky [] [] \zalozka [] {}
zadnezahlaviaupati zachovejbloky zalozka	\zadnehorniadolniradky \zadnezahlaviaupati \zachovejbloky [] []
zadnezahlaviaupati zachovejbloky zalozka zapisdoseznamu	<pre>\zadnehorniadolniradky \zadnezahlaviaupati \zachovejbloky [] [] \zalozka [] {} \zapisdoseznamu [] [=] {} {}</pre>
zadnezahlaviaupati zachovejbloky zalozka zapisdoseznamu zapismeziseznam	<pre>\zadnehorniadolniradky \zadnezahlaviaupati \zachovejbloky [] [] \zalozka [] {} \zapisdoseznamu [] [=] {} {} \zapismeziseznam [] [=] {}</pre>
zadnezahlaviaupati zachovejbloky zalozka zapisdoseznamu zapismeziseznam zaramovani	<pre>\zadnehorniadolniradky \zadnezahlaviaupati \zachovejbloky [] [] \zalozka [] {} \zapisdoseznamu [] [=] {} {} \zapismeziseznam [] [=] {} \zaramovani [=] {}</pre>
zadnezahlaviaupati zachovejbloky zalozka zapisdoseznamu zapismeziseznam zaramovani zarovnanonastred	<pre>\zadnehorniadolniradky \zadnezahlaviaupati \zachovejbloky [] [] \zalozka [] {} \zapisdoseznamu [] [=] {} {} \zapismeziseznam [] [=] {} \zaramovani [=] {} \zarovnanonastred {} \zarovnanovpravo {}</pre>
zadnezahlaviaupati zachovejbloky zalozka zapisdoseznamu zapismeziseznam zaramovani zarovnanonastred zarovnanovlevo zarovnanovpravo zasobnikpoli	<pre>\zadnehorniadolniradky \zadnezahlaviaupati \zachovejbloky [] [] \zalozka [] {} \zapisdoseznamu [] [=] {} {} \zapismeziseznam [] [=] {} \zaramovani [=] {} \zarovnanonastred {} \zarovnanovpravo {} \zasobnikpoli [] [] [=]</pre>
zadnezahlaviaupati zachovejbloky zalozka zapisdoseznamu zapismeziseznam zaramovani zarovnanonastred zarovnanovlevo zarovnanovpravo zasobnikpoli zeronumberconversion	\zadnehorniadolniradky \zadnezahlaviaupati \zachovejbloky [] [] \zalozka [] {} \zapisdoseznamu [] [=] {} {} \zapismeziseznam [] [=] {} \zaramovani [=] {} \zarovnanonastred {} \zarovnanovpravo {} \zasobnikpoli [] [] [=] \zeronumberconversion {}
zadnezahlaviaupati zachovejbloky zalozka zapisdoseznamu zapismeziseznam zaramovani zarovnanonastred zarovnanovlevo zarovnanovpravo zasobnikpoli zeronumberconversion ziskejbuffer	<pre>\zadnehorniadolniradky \zadnezahlaviaupati \zachovejbloky [] [] \zalozka [] {} \zapisdoseznamu [] [=] {} {} \zapismeziseznam [] [=] {} \zaramovani [=] {} \zarovnanonastred {} \zarovnanovpravo {} \zarovnanovpravo {} \zarounanovpravo {} \zaronumberconversion {} \ziskejbuffer []</pre>
zadnezahlaviaupati zachovejbloky zalozka zapisdoseznamu zapismeziseznam zaramovani zarovnanonastred zarovnanovlevo zarovnanovpravo zasobnikpoli zeronumberconversion ziskejbuffer ziskejbuffer:instance	\zadnehorniadolniradky \zadnezahlaviaupati \zachovejbloky [] [] \zalozka [] {} \zapisdoseznamu [] [=] {} {} \zapismeziseznam [] [=] {} \zaramovani [=] {} \zarovnanonastred {} \zarovnanovpravo {} \zarovnanovpravo {} \zasobnikpoli [] [] [=] \ziskejbuffer [] \ziskatBUFFER
zadnezahlaviaupati zachovejbloky zalozka zapisdoseznamu zapismeziseznam zaramovani zarovnanonastred zarovnanovlevo zarovnanovpravo zasobnikpoli zeronumberconversion ziskejbuffer ziskejbuffer:instance ziskejznaceni	\zadnehorniadolniradky \zadnezahlaviaupati \zachovejbloky [] [] \zalozka [] {} \zapisdoseznamu [] [=] {} {} \zapismeziseznam [] [=] {} \zaramovani [=] {} \zarovnanonastred {} \zarovnanovpravo {} \zarovnanovpravo {} \zarounanovpravo {} \zarounanovpravo {} \ziskejbuffer [] \ziskatBUFFER \ziskejznaceni [] [] []
zadnezahlaviaupati zachovejbloky zalozka zapisdoseznamu zapismeziseznam zaramovani zarovnanonastred zarovnanovlevo zarovnanovpravo zasobnikpoli zeronumberconversion ziskejbuffer ziskejbuffer:instance ziskejznaceni zlomek:instance	\zadnehorniadolniradky \zadnezahlaviaupati \zachovejbloky [] [] \zalozka [] {} \zapisdoseznamu [] [=] {} {} \zapismeziseznamu [] [=] {} \zaramovani [=] {} \zarovnanonastred {} \zarovnanovpravo {} \zarovnanovpravo {} \zarounanovpravo {} \ziskejbuffer [] \ziskatBUFFER \ziskejznaceni [] [] []
zadnezahlaviaupati zachovejbloky zalozka zapisdoseznamu zapismeziseznam zaramovani zarovnanonastred zarovnanovlevo zarovnanovpravo zasobnikpoli zeronumberconversion ziskejbuffer ziskejbuffer:instance ziskejznaceni zlomek:instance:binom	<pre>\zadnehorniadolniradky \zadnezahlaviaupati \zachovejbloky [] [] \zalozka [] {} \zapisdoseznamu [] [=] {} {} \zapismeziseznam [] [=] {} \zaramovani [=] {} \zarovnanonastred {} \zarovnanovpravo {} \zarovnanovpravo {} \zarounaberconversion {} \ziskejbuffer [] \ziskatBUFFER \ziskejznaceni [] [] [] \FRACTION {} {} \binom {} {}</pre>
zadnezahlaviaupati zachovejbloky zalozka zapisdoseznamu zapismeziseznam zaramovani zarovnanonastred zarovnanovlevo zarovnanovpravo zasobnikpoli zeronumberconversion ziskejbuffer ziskejbuffer:instance ziskejznaceni zlomek:instance:binom zlomek:instance:dbinom	<pre>\zadnehorniadolniradky \zadnezahlaviaupati \zachovejbloky [] [] \zalozka [] {} \zapisdoseznamu [] [=] {} {} \zapismeziseznam [] [=] {} \zaramovani [=] {} \zarovnanonastred {} \zarovnanovpravo {} \zarovnanovpravo {} \zarounaberconversion {} \ziskejbuffer [] \ziskatBUFFER \ziskejznaceni [] [] [] \FRACTION {} {} \binom {} {} \dbinom {} {}</pre>
zadnezahlaviaupati zachovejbloky zalozka zapisdoseznamu zapismeziseznam zaramovani zarovnanonastred zarovnanovlevo zarovnanovpravo zasobnikpoli zeronumberconversion ziskejbuffer ziskejbuffer:instance ziskejznaceni zlomek:instance:binom zlomek:instance:dbinom zlomek:instance:dfrac	<pre>\zadnehorniadolniradky \zadnezahlaviaupati \zachovejbloky [] [] \zalozka [] {} \zapisdoseznamu [] [=] {} {} \zapismeziseznam [] [=] {} \zaramovani [=] {} \zarovnanonastred {} \zarovnanovpravo {} \zarovnanovpravo {} \zarovnamberconversion {} \ziskejbuffer [] \ziskatBUFFER \ziskejznaceni [] [] [] \FRACTION {} {} \dbinom {} {} \ddinom {} {} \dfrac {} {}</pre>
zadnezahlaviaupati zachovejbloky zalozka zapisdoseznamu zapismeziseznam zaramovani zarovnanonastred zarovnanovlevo zarovnanovpravo zasobnikpoli zeronumberconversion ziskejbuffer ziskejbuffer:instance ziskejznaceni zlomek:instance:binom zlomek:instance:dfrac zlomek:instance:frac	<pre>\zadnehorniadolniradky \zadnezahlaviaupati \zachovejbloky [] [] \zalozka [] {} \zapisdoseznamu [] [=] {} {} \zapismeziseznam [] [=] {} \zaramovani [=] {} \zarovnanonastred {} \zarovnanovpravo {} \zarovnanovpravo {} \zarovnamberconversion {} \ziskejbuffer [] \ziskatBUFFER \ziskejznaceni [] [] [] \FRACTION {} {} \dbinom {} {} \dfrac {} {} \frac {} {} \frac {} {} \frac {} {} \frac {} {} \end{aracehorized} \[ tandensity files of the section o</pre>
zadnezahlaviaupati zachovejbloky zalozka zapisdoseznamu zapismeziseznam zaramovani zarovnanonastred zarovnanovlevo zarovnanovpravo zasobnikpoli zeronumberconversion ziskejbuffer ziskejbuffer:instance ziskejznaceni zlomek:instance:binom zlomek:instance:dbinom zlomek:instance:dfrac zlomek:instance:frac zlomek:instance:frac zlomek:instance:sfrac	<pre>\zadnehorniadolniradky \zadnezahlaviaupati \zachovejbloky [] [] \zalozka [] {} \zapisdoseznamu [] [=] {} {} \zapismeziseznam [] [=] {} \zaramovani [=] {} \zarovnanonastred {} \zarovnanovpravo {} \zarovnanovpravo {} \zarovnamberconversion {} \ziskejbuffer [] \ziskatBUFFER \ziskejznaceni [] [] [] \FRACTION {} {} \dbinom {} {} \dfrac {} {} \frac {} {} \sfrac {} {} \sfrac {} {} \sfrac {} {} </pre>
zadnezahlaviaupati zachovejbloky zalozka zapisdoseznamu zapismeziseznam zaramovani zarovnanonastred zarovnanovlevo zarovnanovpravo zasobnikpoli zeronumberconversion ziskejbuffer ziskejbuffer:instance ziskejznaceni zlomek:instance:binom zlomek:instance:dbinom zlomek:instance:dfrac zlomek:instance:frac zlomek:instance:sfrac zlomek:instance:sfrac zlomek:instance:tbinom	<pre>\zadnehorniadolniradky \zadnezahlaviaupati \zachovejbloky [] [] \zalozka [] {} \zapisdoseznamu [] [=] {} {} \zapismeziseznam [] [=] {} \zaramovani [=] {} \zarovnanonastred {} \zarovnanovpravo {} \zarovnanovpravo {} \zarovnamberconversion {} \ziskejbuffer [] \ziskatBUFFER \ziskejznaceni [] [] [] \FRACTION {} {} \dbinom {} {} \dfrac {} {} \frac {} {} \sfrac {} {} \thinom {} {} \thinom {} {} \frac {} {} \thinom {</pre>
zadnezahlaviaupati zachovejbloky zalozka zapisdoseznamu zapismeziseznam zaramovani zarovnanonastred zarovnanovlevo zarovnanovpravo zasobnikpoli zeronumberconversion ziskejbuffer ziskejbuffer:instance ziskejznaceni zlomek:instance:binom zlomek:instance:dbinom zlomek:instance:dfrac zlomek:instance:frac zlomek:instance:frac zlomek:instance:sfrac	\zadnehorniadolniradky \zadnezahlaviaupati \zachovejbloky [] [] \zalozka [] {} \zapisdoseznamu [] [=] {} {} \zapismeziseznam [] [=] {} \zaramovani [=] {} \zarovnanonastred {} \zarovnanovpravo {} \zarovnanovpravo {} \zarovnamberconversion {} \ziskejbuffer [] \ziskatBUFFER \ziskejznaceni [] [] [] \FRACTION {} {} \dbinom {} {} \dfrac {} {} \sfrac {} {} \thinom {} {}
zadnezahlaviaupati zachovejbloky zalozka zapisdoseznamu zapismeziseznam zaramovani zarovnanonastred zarovnanovlevo zarovnanovpravo zasobnikpoli zeronumberconversion ziskejbuffer ziskejbuffer:instance ziskejznaceni zlomek:instance:binom zlomek:instance:dbinom zlomek:instance:dfrac zlomek:instance:frac zlomek:instance:sfrac zlomek:instance:sfrac zlomek:instance:tbinom zlomek:instance:tbinom zlomek:instance:sfrac	\zadnehorniadolniradky \zadnezahlaviaupati \zachovejbloky [] [] \zalozka [] {} \zapisdoseznamu [] [=] {} {} \zapismeziseznam [] [=] {} \zaramovani [=] {} \zarovnanonastred {} \zarovnanovpravo {} \zarovnanovpravo {} \zarovnamberconversion {} \ziskejbuffer [] \ziskatBUFFER \ziskejznaceni [] [] [] \FRACTION {} {} \binom {} {} \dfrac {} {} \sfrac {} {} \thinom {} {} \xfrac {} {}
zadnezahlaviaupati zachovejbloky zalozka zapisdoseznamu zapismeziseznam zaramovani zarovnanonastred zarovnanovlevo zarovnanovpravo zasobnikpoli zeronumberconversion ziskejbuffer ziskejbuffer:instance ziskejznaceni zlomek:instance:binom zlomek:instance:dbinom zlomek:instance:dfrac zlomek:instance:frac zlomek:instance:sfrac zlomek:instance:sfrac zlomek:instance:xfrac zlomek:instance:xfrac zlomek:instance:xfrac zlomek:instance:xxfrac	\zadnehorniadolniradky \zadnezahlaviaupati \zachovejbloky [] [] \zalozka [] {} \zapisdoseznamu [] [=] {} {} \zapismeziseznam [] [=] {} \zaramovani [=] {} \zarovnanonastred {} \zarovnanovpravo {} \zarovnanovpravo {} \zarovnamberconversion {} \ziskejbuffer [] \ziskatBUFFER \ziskejznaceni [] [] [] \FRACTION {} {} \dbinom {} {} \dfrac {} {} \sfrac {} {} \thinom {} {}
zadnezahlaviaupati zachovejbloky zalozka zapisdoseznamu zapismeziseznam zaramovani zarovnanonastred zarovnanovlevo zarovnanovpravo zasobnikpoli zeronumberconversion ziskejbuffer ziskejbuffer:instance ziskejznaceni zlomek:instance zlomek:instance:dbinom zlomek:instance:dfrac zlomek:instance:frac zlomek:instance:sfrac zlomek:instance:sfrac zlomek:instance:xfrac zlomek:instance:xfrac zlomek:instance:xfrac zlomek:instance:xxfrac zlomek:instance:xxfrac znaceni	\zadnehorniadolniradky \zadnezahlaviaupati \zachovejbloky [] [] \zalozka [] {} \zapisdoseznamu [] [=] {} {} \zapismeziseznam [] [=] {} \zaramovani [=] {} \zarovnanonastred {} \zarovnanovlevo {} \zarovnanovpravo {} \zarovnanovpravo {} \ziskejbuffer [] \ziskatBUFFER \ziskejznaceni [] [] [] \FRACTION {} {} \binom {} {} \dfrac {} {} \frac {} {} \thinom {} {}
zadnezahlaviaupati zachovejbloky zalozka zapisdoseznamu zapismeziseznam zaramovani zarovnanonastred zarovnanovlevo zarovnanovpravo zasobnikpoli zeronumberconversion ziskejbuffer ziskejbuffer:instance ziskejznaceni zlomek:instance:binom zlomek:instance:dbinom zlomek:instance:dfrac zlomek:instance:frac zlomek:instance:sfrac zlomek:instance:tbinom zlomek:instance:tbinom zlomek:instance:xfrac zlomek:instance:xfrac zlomek:instance:xxfrac zlomek:instance:xxfrac znaceni znak	\zadnehorniadolniradky \zadnezahlaviaupati \zachovejbloky [] [] \zalozka [] {} \zapisdoseznamu [] [=] {} {} \zapismeziseznam [] [=] {} \zaramovani [=] {} \zarovnanonastred {} \zarovnanovpravo {} \zarovnanovpravo {} \zasobnikpoli [] [] [=] \zeronumberconversion {} \ziskejbuffer [] \ziskatBUFFER \ziskejznaceni [] [] [] \FRACTION {} {} \binom {} {} \dbinom {} {} \sfrac {} {} \thinom {} {} \xfrac {} {} \xxfrac {} {} \xxfrac {} {} \xxfrac {} {} \znaceni (,) (,) [] \znak {} \znaky {}
zadnezahlaviaupati zachovejbloky zalozka zapisdoseznamu zapismeziseznam zaramovani zarovnanonastred zarovnanovlevo zarovnanovpravo zasobnikpoli zeronumberconversion ziskejbuffer ziskejbuffer:instance ziskejznaceni zlomek:instance:binom zlomek:instance:dbinom zlomek:instance:frac zlomek:instance:frac zlomek:instance:sfrac zlomek:instance:tbinom zlomek:instance:xfrac zlomek:instance:xfrac zlomek:instance:xxfrac zlomek:instance:xxfrac znaceni znak znaky	\zadnehorniadolniradky \zadnezahlaviaupati \zachovejbloky [] [] \zalozka [] {} \zapisdoseznamu [] [=] {} {} \zapismeziseznam [] [=] {} \zaramovani [=] {} \zarovnanonastred {} \zarovnanovpravo {} \zarovnanovpravo {} \zasobnikpoli [] [] [=] \zeronumberconversion {} \ziskejbuffer [] \ziskatBUFFER \ziskejznaceni [] [] [] \FRACTION {} {} \binom {} {} \dfrac {} {} \frac {} {} \thinom {} {} \xfrac {} {} \xxfrac {} {} \xxfrac {} {} \xxfrac {} {} \znaceni (,) (,) [] \znak {}
zadnezahlaviaupati zachovejbloky zalozka zapisdoseznamu zapismeziseznam zaramovani zarovnanonastred zarovnanovlevo zarovnanovpravo zasobnikpoli zeronumberconversion ziskejbuffer ziskejbuffer:instance ziskejznaceni zlomek:instance:binom zlomek:instance:ddinom zlomek:instance:frac zlomek:instance:frac zlomek:instance:sfrac zlomek:instance:tbinom zlomek:instance:xfrac zlomek:instance:xfrac zlomek:instance:xxfrac zlomek:instance:xxfrac znaceni znak znaky zpracujbloky	\zadnehorniadolniradky \zadnezahlaviaupati \zachovejbloky [] [] \zalozka [] {} \zapisdoseznamu [] [=] {} {} \zapismeziseznam [] [=] {} \zaramovani [=] {} \zarovnanonastred {} \zarovnanovpravo {} \zarovnanovpravo {} \zasobnikpoli [] [] [=] \zeronumberconversion {} \ziskejbuffer [] \ziskatBUFFER \ziskejbuffer [] [] [] \FRACTION {} {} \binom {} {} \dbinom {} {} \dfrac {} {} \thinom {} {} \xfrac {} {} \xxfrac {} {} \xxfrac {} {} \xxfrac {} {} \znaky {} \znaky {} \zpracujbloky [] [] []
zadnezahlaviaupati zachovejbloky zalozka zapisdoseznamu zapismeziseznam zaramovani zarovnanonastred zarovnanovlevo zarovnanovpravo zasobnikpoli zeronumberconversion ziskejbuffer ziskejbuffer:instance ziskejznaceni zlomek:instance:binom zlomek:instance:dbinom zlomek:instance:frac zlomek:instance:frac zlomek:instance:sfrac zlomek:instance:xfrac zlomek:instance:xfrac zlomek:instance:xxfrac zlomek:instance:xxfrac znaceni znak znaky zpracujbloky zrcadlit	\zadnehorniadolniradky \zadnezahlaviaupati \zachovejbloky [] [] \zalozka [] {} \zapisdoseznamu [] [=] {} {} \zapismeziseznam [] [=] {} \zaramovani [=] {} \zarovnanonastred {} \zarovnanovpravo {} \zarovnanovpravo {} \zasobnikpoli [] [] [=] \zeronumberconversion {} \ziskejbuffer [] \ziskatBUFFER \ziskejznaceni [] [] [] \FRACTION {} {} \binom {} {} \dfrac {} {} \frac {} {} \thinom {} {} \xfrac {} {} \xxfrac {} {} \xxfrac {} {} \znaceni (,) (,) [] \znak {} \znaky {} \zpracujbloky [] [] [=] \zrcadlit {}

