buffers builders caches callbacks catcodes characters chemistry commands containers context converters coroutine ctxrunner debug dir directives document documentdata environment epdf experiments figures file floats font fontloader fonts functions global graphics gzip ima interactions interfaces io job languages layouts lfs libraries lmx logs lpdf lpeg ltn12 lua luatex lxml math mathematics mbox md5 metapost mime moduledata modules mp mplib noads mode nodes number objects os packa pagebuilders parametersets pdf pdfscanner physics profiler publications regimes resolvers sandbox scripts set socket sorters statistics status storage streams tring structures table tex texconditionals texconstants texifs • texisdefined texmodes texsystemmodes thirddata tokens tracers trackers typesetters unicode url userdata utilities vf visualizers xml zip zlib

ConT_EXt MkIV

global (alias: _G)

| LHATEVVERCTON | | 41 | 4-61- |
|----------------|----------|---------------------|----------|
| LUATEXVERSION | number | floats | table |
| MP | table | font | table |
| _LUAVERSION | number | fontloader | table |
| _MAJORVERSION | number | fonts | table |
| _MINORVERSION | number | frozen | boolean |
| arg | table | functions | table |
| assert | function | getmetatable | function |
| attributes | table | getpos | function |
| backends | table | getvpos | function |
| bit32 | table | global | table |
| blobs | table | graphics | table |
| boolean | table | gregorian_to_jalali | function |
| buffers | table | gzip | table |
| builders | table | img | table |
| caches | table | inspect | function |
| callback | table | interactions | table |
| callbacks | table | interfaces | table |
| catcodes | table | io | table |
| characters | table | ipairs | function |
| chemistry | table | jalali_to_gregorian | function |
| collectgarbage | function | job | table |
| commands | table | lang | table |
| containers | table | languages | table |
| context | function | last | number |
| converters | table | layouts | table |
| coroutine | table | lfs | table |
| ctxrunner | table | libraries | table |
| debug | table | lmx | table |
| dimen | function | load | function |
| dir | table | loadfile | function |
| directives | table | loadstring | function |
| document | table | logs | table |
| documentdata | table | lpdf | table |
| dofile | function | lpeg | table |
| done | boolean | ltn12 | table |
| environment | table | lua | table |
| epdf | table | luatex | table |
| error | function | lxml | table |
| experiments | table | math | table |
| figures | table | mathematics | table |
| file | table | mbox | table |

| md5 | table | setmetatable | function |
|-----------------|----------|-----------------|------------|
| metapost | table | socket | table |
| mime | table | sorters | table |
| module | function | statistics | table |
| moduledata | table | status | table |
| modules | table | storage | table |
| mp | function | streams | table |
| mplib | table | string | table |
| next | function | structures | table |
| noads | table | swiglib | function |
| node | table | table | table |
| nodes | table | tex | table |
| number | table | texconditionals | data table |
| objects | table | texconfig | table |
| optionalrequire | function | texconstants | data table |
| 05 | table | texifs | data table |
| package | table | texio | table |
| pagebuilders | table | texisdefined | function |
| pairs | function | texmodes | data table |
| parametersets | table | texsystemmodes | data table |
| pcall | function | thirddata | table |
| pdf | table | toboolean | function |
| pdfboolean | function | tokens | table |
| pdfnull | function | tonumber | function |
| pdfreference | function | tostring | function |
| pdfscanner | table | tracers | table |
| pdfverbose | function | trackers | table |
| physics | table | type | function |
| print | function | typesetters | table |
| profiler | table | unicode | table |
| publications | table | unpack | function |
| rawequal | function | url | table |
| rawget | function | userdata | table |
| rawlen | function | utf | table |
| rawset | function | utilities | table |
| regimes | table | V | number |
| require | function | vf | table |
| resolvers | table | visualizers | table |
| sandbox | table | xml | table |
| scripts | table | xpcall | function |
| select | function | zip | table |
| set | table | zlib | table |
| setinspector | function | | |

attributes (context)

| colorintents table | D models |
|---------------------------|--------------------------|
| N attribute | F mpcolor |
| D data | F mpnamedcolor |
| F enable | F mpoptions |
| F handler | F namedcolorattributes |
| F register | U none |
| D registered | F popset |
| colors table | F processcolorcomponents |
| N attribute | F pushset |
| F cmyk | F register |
| F cmyktogray | D registered |
| F cmyktorgb | F registerspotcolor |
| F colorcomponents | F rgb |
| D counts | F rgbtocmyk |
| B couple | F rgbtogray |
| F currentmodel | F rgbtohsv |
| F currentnamedmodel | N selector |
| D data | F setlist |
| N default | F setmodel |
| F defineintermediatecolor | F setpagecolormodel |
| F definemultitonecolor | D sets |
| F defineprocesscolor | F spec |
| F definesimplegray | F spot |
| F definespotcolor | F spotcolorname |
| F definetransparency | F spotcolorparent |
| F enable | F spotcolorvalue |
| F filter | B supported |
| F forcedmodel | F transparencycomponents |
| F forcesupport | B triggering |
| F formatcolor | F usecolors |
| F formatgray | D valid |
| F getpagecolormodel | F value |
| F gray | D values |
| F graytohsv | B weightgray |
| F handler | define function |
| F hsvtogray | effects table |
| F hsvtorgb | N attribute |
| F iccprofile | D data |
| F isblack | F enable |
| N main | F handler |
| S model | F register |
| | |

D registered N hardlight D values N hue handlers table N lighten list data table N luminosity data table names N multiply negatives table N none N attribute N normal D data N overlav N saturation F enable F handler N screen N softlight F register D registered U none F set F register numbers data table D registered ofnode function B supported private function B triggering public function F value restore function D values save function unsetvalue number showcurrent function viewerlayers table table states N attribute F disabletriggering F cleanup F enabletriggering D data F finalize F define F initialize F definedlayoutcomponent F process F enable F selective F forcesupport F handler F stacked F stacker B hasorder function system D listwise transparencies table F register N attribute D registered D data F resolve begin F enable F resolve end F resolve_reset F forcesupport F handler F resolve step T names D scopes F setfeatures N color N colorburn F start N colordodae F stop N darken B supported N difference D values N exclusion

backends (context)

F getfieldcategory

codeinjections table F aetfieldset F boxresourcedimensions F getformatoption F registerboxresource F gethpos F restoreboxresource F getmatrix current strina F getoutputfilename defaults table F getpos T codeiniections F getpreviewfigure F gethpos F getvpos F hasmatrix F getmatrix F insertrenderingwindow F getpos F aetypos F mergebookmarks F hasmatrix F mergereferences T nodeinjections F mergeviewerlayers T registrations F prerollreference D tables F presetsymbol included table F presetsymbollist R context F processrendering B date F registerdocumentcloseaction B id F registerdocumentopenaction B metadata F registeredsymbol B pdf F registerpagecloseaction install function F registerpageopenaction nodeinjections table F registersymbol F setfieldcalculationset F restore F save F setfigurealternative F transform F setfigurecolorspace function nothing F setfiguremask pdf table F setformat T codeiniections F setformsmethod F addbookmarks F setpagetransition F attachmentid F setupcanvas F clonefield F setupidentity F definefield F setxmpfile F definefieldset F startlayer F defineviewerlayer F startunicodetoactualtext F embedfile F startunicodetoactualtextdirect F enabletags F stoplayer F exportformdata F stopunicodetoactualtext F getbookmarks F stopunicodetoactualtextdirect F getdefaultfieldvalue F supportedformats

F unicodetoactualtext

F useviewerlayer F validfield

F validfieldcategory

F validfieldset

S comment

T nodeinjections

F addtags
F annotation
F attachfile

F changestackedlayer

F cmykcolor
F comment

F destination

F effect
F graycolor
F injectbitmap
F insertmovie
F insertsound
F insertswf

F insertu3d F knockout

F negative
F overprint
F positive

F reference
F rgbcolor
F spotcolor
F startlayer

F startstackedlayer

F stoplayer

F stopstackedlayer
F transparency
F typesetfield
T registrations
F cmykindexcolor
F cmykspotcolor

 ${\sf F} \ {\sf getspotcolorreference}$

F grayindexcolor
F grayspotcolor
F rgbindexcolor
F rgbspotcolor
F spotcolorname
F transparency

T tables
D vfspecials

registrations table
tables table
timestamp function

bit32 (basic lua)

| arshift | function | extract | function |
|---------|----------|---------|----------|
| band | function | lrotate | function |
| bnot | function | lshift | function |
| bor | function | replace | function |
| btest | function | rrotate | function |
| bxor | function | rshift | function |

blobs (context)

| append | function | strht | function |
|------------|----------|---------|----------|
| dimensions | function | strwd | function |
| dispose | function | tohpack | function |
| new | function | tonodes | function |
| pack | function | tovpack | function |
| strdp | function | write | function |
| strhd | function | | |

boolean (context)

tocontext function
tonumber function

buffers (context)

| append | function | F define | |
|----------------|----------|------------------|----------|
| assign | function | F hassomecontent | |
| collectcontent | function | F next | |
| erase | function | F place | |
| exists | function | F reset | |
| getcontent | function | F save | |
| getlines | function | prepend | function |
| loadcontent | function | raw | function |
| parallel | table | undent | function |
| | | | |

builders (context)

| kernel | table | T regis | tered |
|-----------|----------------|------------|----------|
| F hyphen | ation | F reset | : |
| F kernin | g | F set | |
| F ligatu | ring | F split | : |
| F mlist_ | to_hlist | F start | : |
| T origin | als | F stop | |
| F hyphe | enate | F tag | |
| F kerni | ing | profiling | table |
| F ligat | turing | F add | |
| paragraph | s table | F distance | |
| T constr | uctors | F fixedpro | file |
| N attri | ibute | F get | |
| F defir | ne | F list | |
| F disab | ble | F pagehand | ler |
| F enabl | le | F profileb | ox |
| F hand | ler | F set | |
| T metho | ods | vspacing | table |
| F bas | sic | F analyze | |
| F def | ault | D categori | es |
| F hpa | nck | F collapse | vbox |
| F one | eline | T data | |
| D names | S | D map | |
| D numbe | ers | D skip | |
| F set | | D snapme | thods |
| F start | t | F definesn | apmethod |
| F stop | | B fixed | |
| T expans | ion | F pagehand | ler |
| F trace | e | F resetpre | vdepth |
| F keepto | gether | F setmap | |
| F regist | ertogether | F setskip | |
| T soluti | ons | F snapbox | |
| T split | tters | F tocatego | ries |
| F def | ine | F tocatego | ry |
| F opt | imize | F vboxhand | ler |

caches (context)

| ask | boolean | is_writable | function |
|----------------------|----------|----------------------|----------|
| base | string | loadcontent | function |
| collapsecontent | function | loaddata | function |
| configfiles | function | more | string |
| contentstate | function | relocate | boolean |
| defaults | table | savecontent | function |
| define | function | savedata | function |
| direct | boolean | setfirstwritablefile | function |
| force | boolean | setluanames | function |
| getfirstreadablefile | function | tree | string |
| getreadablepaths | function | treehash | function |
| getwritablepath | function | usedpaths | function |
| hashed | function | | |

callback (basic tex)

find function
list function

register overloaded function

callbacks (context)

freeze function
known function
list data table
pop function

push function
register function
report function

catcodes (context)

names data table
numbers data table

register function

characters (context)

| activeoffset | number | lhash | data table |
|----------------|------------|------------|------------|
| adobename | function | linebreaks | table |
| bidi | data table | S ai | cabce |
| blockrange | function | S al | |
| blocks | data table | S b2 | |
| casemap | table | S ba | |
| categories | data table | S bb | |
| category | function | S bk | |
| categorytags | data table | S cb | |
| classifiers | table | S cj | |
| collapsed | data table | S cl | |
| contextname | function | S cm | |
| csletters | data table | S cp | |
| data | data table | S cr | |
| decomposed | data table | S eb | |
| description | function | S em | |
| descriptions | data table | S ex | |
| detailtags | data table | S ql | |
| directions | table | S h2 | |
| enccodes | data table | S h3 | |
| entities | data table | S hl | |
| fallbacks | data table | S hy | |
| filters | data table | S id | |
| fractions | table | S in | |
| fromnumber | function | S is | |
| fschars | data table | S jl | |
| fscodes | data table | S jt | |
| getrange | function | S jv | |
| graphemes | data table | S lf | |
| hangul | data table | S nl | |
| initialize | function | S ns | |
| is_character | data table | S nu | |
| is_command | data table | S op | |
| is_letter | data table | S po | |
| is_mark | data table | S pr | |
| is_punctuation | data table | S qu | |
| is_spacing | data table | S ri | |
| lcchars | data table | S sa | |
| lccode | function | S sg | |
| lccodes | data table | S sp | |
| lettered | function | S sy | |
| | | | |

| S wj | | splits | table |
|----------------------|------------|------------------|------------|
| S xx | | T char | |
| S zw | | T compat | |
| S zwj | | subscripts | table |
| lower | function | superscripts | table |
| math | table | synonyms | data table |
| mathpairs | data table | tex | table |
| mirrors | table | D accentmapping | |
| otfscripts | data table | D commandmapping | |
| ranges | data table | F defineaccents | |
| registerentities | function | F safechar | |
| remap_hangul_syllabe | function | F toutf | |
| setactivecatcodes | function | F toutfpattern | |
| setlettercatcodes | function | textclasses | table |
| shape | function | tonumber | function |
| shaped | function | ucchars | data table |
| shash | data table | uccode | function |
| shchars | data table | uccodes | data table |
| shcodes | data table | uhash | data table |
| showstring | function | unicodechar | function |
| specialchars | data table | upper | function |

data table

specials

chemistry (context)

component function
define function
definitions data table
format string
inlinechemical function
instance string
method string

molecule
moleculeparser
start
stop
structures
undefine
function
function
function
function

containers (context)

| cleanname | function | is_valid | function |
|-----------|----------|----------|----------|
| content | function | read | function |
| define | function | usecache | boolean |
| is_usable | function | write | function |

converters (context)

| A | function | isleapyear | function |
|--------------------|----------|-------------------|------------|
| A:es | function | lchexnumber | function |
| AK | function | lchexnumbers | function |
| Alphabetic | function | leapyear | function |
| Alphabetic:es | function | lower | function |
| Character | function | max | function |
| Characters | function | maxchrs | function |
| I | function | minute | function |
| KA | function | month | function |
| KR | function | nicenumber | function |
| R | function | nofdays | function |
| RK | function | number | function |
| Romannumerals | function | numbers | function |
| Sloviannumerals | function | octnumber | function |
| Spanishnumerals | function | octstringtonumber | function |
| Word | function | ordinal | function |
| Words | function | r | function |
| a | function | rawcharacter | function |
| a:es | function | romannumerals | function |
| abjadnodotnumerals | function | second | function |
| abjadnumerals | function | sequences | data table |
| alphabetic | function | settime | function |
| alphabetic:es | function | sloviannumerals | function |
| character | function | spanishnumerals | function |
| characters | function | textime | function |
| chineseallnumerals | function | toabjad | function |
| chinesecapnumerals | function | tochinese | function |
| chinesenumerals | function | toroman | function |
| chr | function | totime | function |
| chrs | function | uchexnumber | function |
| cn | function | uchexnumbers | function |
| cn-a | function | upper | function |
| cn-c | function | verbose | table |
| convert | function | D data | |
| decimals | function | F translate | |
| define | function | weekday | function |
| hexstringtonumber | function | word | function |
| hour | function | words | function |
| i | function | year | function |
| | | | |

coroutine (basic lua)

| create | function | status | function |
|---------|----------|--------|----------|
| resume | function | wrap | function |
| running | function | yield | function |

ctxrunner (context)

load function prepfiles data table
preparedfile function resolve function

debug (basic lua)

| debug | function | sethook | function |
|--------------|----------|--------------|----------|
| gethook | function | setlocal | function |
| getinfo | function | setmetatable | function |
| getlocal | function | setupvalue | function |
| getmetatable | function | setuservalue | function |
| getregistry | function | traceback | function |
| getupvalue | function | upvalueid | function |
| getuservalue | function | upvaluejoin | function |

dir (context)

| collectpattern | function |
|----------------|----------|
| current | function |
| expandname | function |
| found | function |
| glob | function |
| globdirs | function |
| alohfiles | function |

| globpattern | function |
|-------------|----------|
| ls | function |
| makedirs | function |
| mkdirs | function |
| pop | function |
| push | function |

directives (context)

| data | data table | name | string |
|---------|------------|----------|----------|
| default | function | register | function |
| disable | function | report | function |
| done | table | reset | function |
| enable | function | show | function |
| list | function | value | function |

document (context)

arguments files functions getargument getfilename options data table table table function function table D modes
D modules

function setargument setcommandline function setdefaultargument function setenvironments function setfilename function setfilenames function setmodes function setmodules function variables data table

 ${\sf T}$ commandline

D environments

D modes
D modules
T ctxfile

D environments

environment (context)

| argument | function | loadluafile | function |
|---------------------|------------|------------------------|------------|
| arguments | data table | luafile | function |
| basicengines | data table | luafilechunk | function |
| currentrun | number | maxnofruns | number |
| default_texmfcnf | string | originalarguments | data table |
| definefilefallback | function | outputfilename | string |
| definefilesynonym | function | ownbin | string |
| engineflags | data table | ownmain | string |
| filename | string | ownname | string |
| files | table | ownpath | string |
| filesynonyms | data table | prerollrun | boolean |
| forcedruns | number | rawarguments | data table |
| getargument | function | reconstructcommandline | function |
| homedir | string | relativepath | function |
| initex | boolean | setargument | function |
| initializearguments | function | splitarguments | function |
| initializefilenames | function | suffix | string |
| inputfilebarename | string | texfile | function |
| inputfilename | string | texmfos | string |
| inputfilesuffix | string | texos | string |
| jobfilefullname | string | texroot | string |
| jobfilename | string | truefilename | function |
| jobfilesuffix | string | useluamodule | function |
| jobname | string | usemodules | function |
| kindofrun | number | validengines | data table |
| loadexamodes | function | version | string |
| | | | |

epdf (extra tex)

Array function
Attribute function
AttributeOwner_Type function
Attribute_Type function
Dict function
Object function

PDFRectangle f f StructElement_Type open or openMemStream f

type

function function overloaded function function

function

experiments (context)

| data | data table | |
|----------------------|------------|--|
| default | function | |
| disable | function | |
| enable | function | |
| list function | | |
| name | string | |

| register | function |
|----------|----------|
| report | function |
| reset | function |
| show | function |
| value | function |
| | |

figures (context)

applvratio badname bases bitmapimage boxnumber cachepaths check checkers converters current defaultdepth defaultheight defaultsearch defaultwidth done dummy existers exists formats found get getrealpage auess hash identifiers identify images

rges

F boxes

F check

F checksize

F clone

F copy

F immediatewrite

F keys

F new F node function function data table function number data table function data table data table function number number hool ean number function function data table function data table data table function function function function data table function

table

F ofindex
F package
F print
F scan
F serialize
F totable
F types
F write
aclude

include includers initialize loaded localpaths magics mergegoodies nofprocessed order paths patterns pop preferquality programs push registerpattern registerresource registersuffix resources scale set setlookups setmemstream setorder setpaths suffixes used

function data table function data table data table data table function number data table data table data table function boolean data table function function function function data table function function function function function function data table data table

file (basic lua)

| addsuffix | function | needsupdating | function |
|------------------------------|----------|---------------|----------|
| basename | function | pathpart | function |
| checksum | function | readdata | function |
| collapsepath | function | removesuffix | function |
| сору | function | replacesuffix | function |
| dirname | function | reslash | function |
| expandname | function | robustname | function |
| extname | function | savechecksum | function |
| is_qualified_path | function | savedata | function |
| is_readable | function | size | function |
| <pre>is_rootbased_path</pre> | function | splitbase | function |
| is_writable | function | splitname | function |
| isreadable | function | splitpath | function |
| iswritable | function | strip | function |
| join | function | suffix | function |
| joinpath | function | suffixes | function |
| loadchecksum | function | suffixesonly | function |
| nameonly | function | suffixonly | function |
| nametotable | function | syncmtimes | function |
| needs_updating | function | | |

floats (context)

| analysemethod | function | nofstacked | function |
|----------------------------|----------|------------|----------|
| ${\tt checked page float}$ | function | pop | function |
| collect | function | push | function |
| consult | function | resave | function |
| flush | function | save | function |
| getvariable | function | stacked | function |
| hasstacked | function | | |

font (basic tex)

current function
define function
each function
fonts table
frozen function

getfont overloaded function

id function
max function
nextid function
read_tfm function
read_vf function

setfont overloaded function

fontloader (extra tex)

apply_afmfile function
apply_featurefile function
close function
fields function
fullinfo function

info
open
to_table
totable

overloaded function
overloaded function
function

fonts (context)

| analyzers | table | F checkenabled |
|-------------------|-------|-------------------------------|
| T features | | F clonevector |
| N blwf | | F define |
| N fin2 | | T definitions |
| N fin3 | | F found |
| N fina | | F prepare |
| N half | | F process |
| N init | | F registermain |
| N isol | | F report |
| N med2 | | F reset |
| N medi | | T vectors |
| N pref | | <pre>constructors table</pre> |
| N pstf | | F addcoreunicodes |
| N rphf | | F aftercopyingcharacters |
| D initializers | | F applymanipulators |
| D methods | | F assignmathparameters |
| F setstate | | B autocleanup |
| T states | | F beforecopyingcharacters |
| N blwf | | D cache |
| N fin2 | | B cacheintex |
| N fin3 | | F calculatescale |
| N fina | | F checkedfeatures |
| N half | | F checkedfilename |
| N init | | F checkvirtualids |
| N isol | | F cleanuptable |
| N mark | | F collectprocessors |
| N med2 | | F currentfonthasfeature |
| N medi | | D designsizes D dontembed |
| N pref N pstf | | F enhanceparameters |
| N rest | | T enhancers |
| N rest | | T afm |
| B useunicodemarks | | F apply |
| checkers | table | F patch |
| F getmissing | | T patches |
| F missing | | F register |
| F placeholder | | F register |
| cid | table | T otf |
| F getmap | | F addfeature |
| F loadfile | | F apply |
| collections | table | F enhance |
| | | |

| T patches | C patch | F alternate |
|--|-----------------------|---|
| F register | F patch | |
| F register T tfm F ligature F apply F patch F patch F patch F patch F patch F patch F register F register F register F register F register F register F substitution F reductor D off D off D features D off F reductor D tfm F reductor F reducto | · | · |
| Titim Fligature Fapity Fmultiple Fatch Figir Tithes Figure Fregister Fregister Fregister Stepkey Nator Fdeatures Dafm Sdefaulthosealternate Dafm Sdefaulthosealternate Dafm Sdefaulthosealternate Dafm Sdefaulthosealternate Ditim Freatures Dafm Sdefaulthosealternate Dafm Sdefaulthosealternate Dafm Sdefaulthosealternate Dafm Sdefaulthosealternate Dafm Freatures Dafm Freaturesprocessor Finalize Figetautest Figeteaureaction Figetautest Figeteaureaction Figetautenate Date Figetaureaction Figetautenate Figeternate Figens_context Fiload Figens_ark2base Figens_mark2ligature Figens_mark2li | | |
| F apply F abtch F patch F patch F patches F register F features S defaulthasealternate D afm S detaultnodealternate D otf D fm F features D tfm F features D tfm F featuresprocessor F finalize F getfeatureaction F getalternate F getfeatureaction F getalternate F getfeatureaction F getsub T afm F getsub T afm F getwern B autoprefixed F getmultiple D cache F getsubstitution D features T handlers F getsubstitution D features F getkern F devanagari_remove_joiners T helpdata F devanagari_remove_joiners F getkern F devanagari_reorder_matras D bothkerned F devanagari_reorder_matras D bothkerned F devanagari_reorder_matras F devanagari_reorder | | |
| F patch T patches F register F register F register F register F register S stepkey N factor F dataset T features S defaultbasealternate D afm S defaultodealternate D otf D tfm F features F getteatureaction F gettacternate F getteatureaction F gettacternate F getteature D adm F features F getsub F finalize F getteature F goos_context F goos_context F goos_context F goos_context F goos_context F goos_mark2base F goos_ | | |
| Fregister Fregister Fregister Fregister Stepkey N factor Fdataset T features S defaultbasealternate D off D features D off D features D tfm Ffeaturescsor Ffinalize Fgetatureaction Fgetatureaction Fgetatureaction Fgetatureaction Fgetatureaction Fgetatureaction Fgetatureaction Fgetatureaction D acache Fgetsubstitution D features Fourtheam Fgetsubstitution D features Fourtheam Fgetsubstitution D features Fourtheam Fgetsubstitution D features Fourtheam Fgetsubstitution D features Fgetsubstitution D textures Fgetsubstitution D textures Fgetsubstitution D textures Fgetsubstitution D textigature Fgevanagari_reorder_matras D bothkerned Fdevanagari_reorder_matras D tothkerned Fdevanagari_reorder_reph Edevanagari_reorder_reph D tigatures Fgoos_context D rightkerned Fgoos_context D rightkerned Fgoos_context D textigatures Fgoos_context Fload Fgoos_mark2base T readers Fgoos_mark2base Floadshapes Fgoos_single Floadshapes Fgoos_single Fsetfeatures Fgous_ligature Fgous_contexthain T otf Fgous_ligature Fgous_contexthain Foots—First Faddfeature Fgous_context Fgous_contexthain Foots—Faddfeature Fgous_context Fgous_contextchain Foots—Faddfeature Fgous_context Fgous_contextchain Foots—Faddfeature Fgous_context Fgous_contextchain Foots—Faddfeature Fgous_context Faddfeature Fgous_context Fraddfeature Fgous_context Faddfeature Faddfeat | | |
| Fregister Fregister Fregister S stepkey N factor F dataset T features S defaultbasealternate D afm S defaultnodealternate D otf D tfm F featuresprocessor F finalize F getactualtext F getfeatureaction F getalternate T handlers F getsub B autoprefixed F getsub B autoprefixed F getsubstitution D features F getkern F devanagari_renove_joiners F devanagari_renove_joiners F devanagari_renorder_matras D bothkerned F devanagari_reorder_pre_base_reordering_consonants D leftkerned F devanagari_reorder_reph D ligatures F goos_context D textigatures F load F goos_mark2base F load F goos_mark2base F setfeatures F syncs_pace F gosb_context F gosb_context F loadfont F gospos_pair F loadfont F gospos_pair F loadfont F gospos_pair F soul_context N version F gosb_context F gosb_mark2base F gosb_context F gosb_mark2base F gosb_context F gosb_mark2base F gosb_context F | | · |
| F register | | |
| N factor F dataset T features S defaultbasealternate D off S defaultbasealternate D off D tfm S defaultbasealternate D off D tfm F featuresprocessor F finalize F getactualtext F getfeatureaction F getactualtext T handlers F getsysub T afm F getkern B autoprefixed F getaultiple D cache F getsubstitution D features F getkern F devanagari_remove_joiners F getkern F devanagari_remove_joiners F getkern F devanagari_remove_joiners T helpdata F devanagari_remove_joiners F devanaga | | |
| T features D afm D off D tff D tfm F featuresprocessor F finalize F getactualtext F getfeatureaction T handlers F getsubs T afm B autoprefixed F getsubstitution D features D oache F getsubstitution F getsubstitution D features F devanagari_reorder_matras D bothkerned D leftkerned D lighterned D rightkerned F getsubstitution F geos_context D rightkerned F geos_context F goos_context F goos_mark2ligature F getinfo F goos_mark2ligature F getinfo F loadfont F loadfont F loadfont F spos_portext F spos_portext F loadfont F spos_portext F spos_portext | • | . , |
| D afm D otf D tfm F finalize F getfeatureaction F getautreaction F getautreaction F getwittin B autoprefixed F getsub F getsubstitution F getautres F getkern F getwern B autoprefixed F getsubstitution D features F getkern F devanagari_remove_joiners F devanagari_remorder_matras D bothkerned F devanagari_reorder_metras D bothkerned F devanagari_reorder_reph D ligatures F gos_context D rightkerned F gos_context F gos_context F gos_mark2base F reders F getinfo F gos_mark2base F setfeatures F setfeatures F setfeatures F synos_pair F loadshapes F setfeatures F synos_pair F loadshapes F setfeatures F synos_pair F loadshapes F setfeature F synos_mark2base F synos_pair F loadfont F synos_mark2base F setfeatures F synos_mark2base F spos_mark2base F spos_mark2base F spos_pair F loadfont F synos_pair F sob_ligature F synos_pair F sob_context N version F synos_pair F sund_contextchain F synos_pair F sob_context N version F synos_pair F syno | | 11 111 |
| Dotf Dotfm F features Dotfm F finalize F getactualtext F getfeatureaction F getalternate T handlers F getsub T arm F getwern B autoprefixed F getsubstitution D cache F getsubstitution D features F getkern F devanagari_remove_joiners F getkern F devanagari_remove_joiners F devanagari_remorder_matras D bothkerned F devanagari_remorder_pre_base_reordering_consonants D leftkerned F devanagari_remorder_pre_base_reordering_consonants D leftkerned F goos_context D rightkerned F goos_context D texligatures F goos_context F load F goos_mark2base T readers F goos_mark2base T readers F goos_mark2ligature F getinfo F goos_mark2ligature F getinfo F goos_mark2ligature F loadfont F goos_mark2ligature F loadfont F goos_mark2ligature F setfeatures B syncspace F gsub_alternate B syncspace F gsub_alternate B syncspace F gsub_context N version F gsub_context N version F gsub_context F f gsub_multiple F basemodeinitializer F gsub_multiple F basemodeinitializer F gsub_miggle F collectlookups F trigger_space_kerns T coverup T helpers | | |
| F finalize | | |
| F finalize F getfeatureaction F getfeatureaction F getfeatureaction F getgsub F getgsub F getkern B autoprefixed D cache D features F getkern F devanagari_remove_joiners F devanagari_reorder_pre_base_reordering_consonants D bothkerned D leftkerned D ligatures F gos_context D ligatures F gos_context D texligatures F load F gos_mark2base F getinfo F getinfo F gos_mark2ligature F gos_single F setfeatures B syncspace N version F gub_context F gub_single F gub_context F gusub_context N version F gusub_single F collectlookups F trigger_space_kerns F trigger_space_kerns F trigger_space_kerns F trigger_space_kerns F trigger_space_kerns F trigger_space_kerns | | |
| F getfeatureaction F getsub T handlers F getsub T afm B autoprefixed F getwern B autoprefixed F getsubstitution D features F getkern F devanagari_remove_joiners T helpdata D bothkerned F devanagari_recorder_matras D bothkerned F devanagari_recorder_reph D ligatures F gpos_context D rightkerned F gpos_context D taxligatures F load F gpos_contexthain D texligatures F goos_cursive F load F goos_mark2base F readers F getinfo F goos_mark2base F goos_mark2base F setifature F goos_mark2base F goos_mar | | · |
| T handlers T afm F getkern B autoprefixed F getkern F getkubstitution D features T handlers F getkern F devanagari_remove_joiners F devanagari_reorder_matras D bothkerned F devanagari_reorder_pre_base_reordering_consonants D leftkerned F devanagari_reorder_reph D ligatures F gpos_context D rightkerned F gpos_context F load F gpos_mark2base T readers F gpos_mark2base F gpos_mark2ligature F getinfo F gpos_mark2ligature F getinfo F gpos_mark2ligature F gpos_mark2mark F loadfont F gpos_pair F loadshapes F setfeatures F gsub_alternate B syncspace F gsub_context N version F gsub_context N version F gsub_ligature F addfeature F addfeature F addfeature F addfeature F gsub_multiple F basemodeinitializer F gsub_reversecontextchain F cache F gsub_reversecontextchain F trigger_space_kerns T coverup T helpers | | |
| T afm F getkern B autoprefixed F getmultiple D cache F getsubstitution D features T handlers F getkern F devanagari_remove_joiners F devanagari_remove_joines F devanagari_remove_poles F devanagari_remove_poles F devanagari_remove_ | | F getalternate |
| B autoprefixed D cache D cache F getsubstitution T handlers F getkern F devanagari_remove_joiners F devanagari_reorder_matras D bothkerned D leftkerned D ligatures F gos_context D rightkerned F gos_context D rightkerned F gos_context F F gos_context F F F F F F F F F F F F F F F F F F F | | |
| D cache D features T handlers F getkern F devanagari_remove_joiners F devanagari_reorder_matras D bothkerned F devanagari_reorder_pre_base_reordering_consonants D leftkerned F devanagari_reorder_reph D ligatures F gpos_context D rightkerned F gpos_context F gpos_cursive F load F gpos_cursive F load F gpos_mark2base F gpos_mark2base F readers F getinfo F gpos_mark2ligature F getinfo F loadfont F gpos_pair F loadshapes F setfeatures B syncspace N version F gsub_context N version F gsub_context F gsub_ligature F addfeature F addfeature F gsub_multiple F basemodeinitializer F gsub_single F collectlookups F trigger_space_kerns T coverup T helpers | T afm | |
| T handlers F getkern F getkern F devanagari_remove_joiners F devanagari_remove_joiners F devanagari_recorder_matras D bothkerned F devanagari_recorder_pre_base_recordering_consonants D leftkerned F devanagari_recorder_reph F devanagari_recorder_reph D ligatures F gpos_context D rightkerned F gpos_contextchain D texligatures F gpos_mark2base T readers F gpos_mark2base T readers F gpos_mark2ligature F getinfo F gpos_mark2ligature F gpos_mark2mark F loadshapes F gpos_single F setfeatures B syncspace F gsub_alternate B syncspace F gsub_context N version F gsub_context F gsub_contextchain T otf F gsub_contextchain F gsub_ligature F addfeature F gsub_multiple F basemodeinitializer F gsub_single F collectlookups F trigger_space_kerns T helpers | B autoprefixed | F getmultiple |
| F getkern T helpdata D bothkerned F devanagari_reorder_matras D bothkerned F devanagari_reorder_pre_base_reordering_consonants D leftkerned F devanagari_reorder_reph F devanagari_reorder_reph D ligatures F gpos_context D rightkerned F gpos_contextchain D texligatures F gpos_cursive F load F gpos_mark2base T readers F getinfo F gpos_mark2ligature F getinfo F gpos_mark2ligature F gos_pos_mark2mark F loadfont F gpos_single F setfeatures F gsub_alternate B syncspace F gsub_context N version F gsub_context N version F gsub_context N version F gsub_context N version F gsub_ligature F addfeature F gsub_multiple F basemodeinitializer F gsub_single F collectlookups F trigger_space_kerns T helpers | D cache | F getsubstitution |
| Thelpdata Distribution Timelpdata Distribution Timelpdata Figure devanagari_reorder_matras Figure devanagari_reorder_pre_base_reordering_consonants Figure devanagari_reorder_reph Figure devanagari_reorder_reph Figure devanagari_reorder_reph Figure devanagari_reorder_reph Figure devanagari_reorder_reph Figure devanagari_reorder_reph Figure devanagari_reorder_pre_base_reordering_consonants Figure devanagari_reorder_preph Figure devanagari_reorder_pr | D features | T handlers |
| D bothkerned D leftkerned D leftkerned D ligatures D rightkerned D texligatures F gpos_context F gpos_cursive F load F gpos_mark2base T readers F getinfo F gpos_mark2mark F loadfont F loadshapes F setfeatures F gsub_alternate B syncspace N version F addfeature F addfeature F addfeature F gsub_contextchain F gsub_context F gros_mark2ligature F gpos_mark2mark F gpos_pair F loadshapes F gpos_single F gsub_alternate B syncspace F gsub_context N version F gsub_ligature F addfeature F gsub_multiple F basemodeinitializer F gsub_reversecontextchain D cache F gsub_single F collectlookups F trigger_space_kerns T coverup T helpers | F getkern | F devanagari_remove_joiners |
| D leftkerned F devanagari_reorder_reph D ligatures F gpos_context D rightkerned F gpos_contextchain D texligatures F gpos_cursive F load F gpos_mark2base T readers F gpos_mark2ligature F getinfo F gpos_mark2ligature F loadfont F gpos_pair F loadshapes F gpos_single F setfeatures F gsub_alternate B syncspace F gsub_context N version F gsub_context N version F gsub_tigature F addfeature F gsub_multiple F basemodeinitializer F gsub_single F collectlookups F trigger_space_kerns T coverup T helpers | T helpdata | F devanagari_reorder_matras |
| D ligatures D rightkerned D texligatures F gpos_contextchain D texligatures F load F gpos_mark2base T readers F getinfo F gpos_mark2ligature F getinfo F gpos_mark2mark F loadfont F loadshapes F setfeatures F setfeatures F gsub_alternate B syncspace F gsub_context N version F gsub_context N version F gsub_ligature F addfeature F addfeature F addfeature F gsub_multiple F basemodeinitializer F cache F collectlookups F trigger_space_kerns T coverup F helpers | D bothkerned | F devanagari_reorder_pre_base_reordering_consonants |
| D rightkerned D texligatures F load F gpos_cursive F load F gpos_mark2base T readers F getinfo F gpos_mark2mark F loadfont F loadshapes F setfeatures F setfeatures F syncspace F syncspace F gsub_alternate B syncspace F gsub_context N version F gsub_context F gsub_ligature F addfeature F addfeature F gsub_multiple F basemodeinitializer F cache F collectlookups F trigger_space_kerns T coverup F helpers | D leftkerned | F devanagari_reorder_reph |
| D texligatures F load F gpos_cursive F load F gpos_mark2base T readers F getinfo F gpos_mark2ligature F getinfo F gpos_mark2mark F loadfont F gpos_pair F loadshapes F gpos_single F setfeatures F gsub_alternate B syncspace F gsub_context N version F gsub_contextchain T otf F gsub_ligature F addfeature F addfeature F gsub_multiple F basemodeinitializer F gsub_single F collectlookups F trigger_space_kerns T coverup T helpers | D ligatures | F gpos_context |
| F load T readers F gpos_mark2ligature F getinfo F gpos_mark2mark F loadfont F gpos_pair F loadshapes F gpos_single F setfeatures F gsub_alternate B syncspace F gsub_context N version F gsub_contextchain T otf F gsub_ligature F addfeature F basemodeinitializer F gsub_reversecontextchain D cache F collectlookups T coverup T helpers | D rightkerned | F gpos_contextchain |
| T readers F gpos_mark2ligature F getinfo F gpos_mark2mark F loadfont F gpos_pair F loadshapes F gpos_single F setfeatures F gsub_alternate B syncspace F gsub_context N version F gsub_contextchain T otf F gsub_ligature F addfeature F gsub_multiple F basemodeinitializer F gsub_reversecontextchain D cache F gsub_single F collectlookups F trigger_space_kerns T coverup T helpers | D texligatures | F gpos_cursive |
| F getinfo F gpos_mark2mark F loadfont F gpos_pair F loadshapes F gpos_single F setfeatures F gsub_alternate B syncspace F gsub_context N version F gsub_contextchain T otf F gsub_ligature F addfeature F gsub_multiple F basemodeinitializer F gsub_reversecontextchain D cache F gsub_single F collectlookups F trigger_space_kerns T coverup T helpers | F load | F gpos_mark2base |
| F loadfont F gpos_pair F loadshapes F gpos_single F setfeatures F gsub_alternate B syncspace F gsub_context N version F gsub_contextchain T otf F gsub_ligature F addfeature F gsub_multiple F basemodeinitializer F gsub_reversecontextchain D cache F gsub_single F collectlookups F trigger_space_kerns T coverup T helpers | T readers | F gpos_mark2ligature |
| F loadshapes F setfeatures F setfeatures F syncspace F syncspace F syncycontext N version F gsub_contextchain T otf F gsub_ligature F addfeature F basemodeinitializer F basemodeinitializer F collectlookups F coverup F trigger_space_kerns T coverup F syncspace F gpos_single F gsub_context F gsub_ligature F gsub_multiple F gsub_multiple F gsub_reversecontextchain F gsub_single F trigger_space_kerns T helpers | F getinfo | F gpos_mark2mark |
| F setfeatures B syncspace F gsub_context N version F gsub_contextchain T otf F gsub_ligature F addfeature F basemodeinitializer F collectlookups F coverup F setfeature F gsub_multiple F trigger_space_kerns T coverup F the setfeature F gsub_single F trigger_space_kerns T helpers | F loadfont | F gpos_pair |
| B syncspace F gsub_context N version F gsub_contextchain T otf F gsub_ligature F addfeature F gsub_multiple F basemodeinitializer F gsub_reversecontextchain D cache F gsub_single F collectlookups F trigger_space_kerns T coverup T helpers | F loadshapes | F gpos_single |
| N version F gsub_contextchain T otf F gsub_ligature F addfeature F gsub_multiple F basemodeinitializer F gsub_reversecontextchain D cache F gsub_single F collectlookups F trigger_space_kerns T coverup T helpers | F setfeatures | F gsub_alternate |
| T otf F gsub_ligature F addfeature F gsub_multiple F basemodeinitializer F gsub_reversecontextchain D cache F gsub_single F collectlookups F trigger_space_kerns T coverup T helpers | B syncspace | F gsub_context |
| F addfeature F gsub_multiple F basemodeinitializer F gsub_reversecontextchain D cache F gsub_single F collectlookups F trigger_space_kerns T coverup T helpers | N version | F gsub_contextchain |
| F basemodeinitializer F gsub_reversecontextchain D cache F gsub_single F collectlookups F trigger_space_kerns T coverup T helpers | T otf | F gsub_ligature |
| D cache F gsub_single F collectlookups F trigger_space_kerns T coverup T helpers | F addfeature | F gsub_multiple |
| F collectlookups F trigger_space_kerns T coverup T helpers | F basemodeinitializer | F gsub_reversecontextchain |
| T coverup T helpers | D cache | F gsub_single |
| · | F collectlookups | F trigger_space_kerns |
| T actions F pardirstate | T coverup | T helpers |
| | T actions | F pardirstate |

F read2dot14 F txtdirstate F load F readbyte F modeinitializer F readbytes F nodemodeinitializer F readcardinal D pdfcache F readcardinal1 T plugins F readcardinal2 T readers F readcardinal2le F addunicodetable F readcardinal3 F cff F readcardinal3le F checkhash F readcardinal4 F readcardinal4le F cmap F readchar F colr F compact F readfixed4 F cpal F readinteger F expand F readinteger1 F extend F readinteger2 F adef F readinteger2le F getcomponents F readinteger3 F readinteger3le F getinfo F readinteger4 F glyf F gpos F readinteger4le F gsub F readstring F head F readtag F hhea F setposition F hmtx F size F skip F kern F loadfont F skiplong F loadshapes F skipshort F loca F writebyte F math F writecardinal2 F writecardinal4 F maxp F name F writestring F os/2 F svg N tableversion F pack F unifymissing F parsecharstrings F post F unpack F registerextender F vhea F rehash F vmtx T streamreader F vorg F close F woff2otf F getposition F registerpalette F getsize F registerplugin F look F scriptandlanguage F open F setdynamics

| F setfeatures | T descriptions |
|----------------------|--------------------------|
| T statistics | T parameters |
| D usedfeatures | S ascender |
| T svg | S descender |
| F filterglyph | S designsize |
| F storepdfdata | T expansion |
| F topdf | S auto |
| D svgcache | S shrink |
| B svgenabled | S step |
| T tables | S stretch |
| D baselines | S extendfactor |
| D features | S factor |
| D featuretypes | S hfactor |
| D languages | S mathsize |
| D scripts | T protrusion |
| N version | S auto |
| T pfb | S quad |
| F loadvector | S scaledpoints |
| T tfm | S scriptpercentage |
| F addtounicode | S scriptscriptpercentage |
| D features | S size |
| N maxnestingdepth | S slantfactor |
| N maxnestingsize | S slantperpoint |
| F reencode | T spacing |
| F setfeatures | S extra |
| N version | S shrink |
| T vf | S stretch |
| T combinations | S width |
| F combine | S units |
| T combiner | S vfactor |
| D commands | S xheight |
| D helpers | T properties |
| D math | S autoitalicamount |
| D predefined | S cidinfo |
| N version | S embedding |
| D whatever | S encodingbytes |
| F hashfeatures | S filename |
| F hashinstance | S finalized |
| T hashmethods | S fontname |
| F normal | S format |
| F virtual | S fullname |
| F initializefeatures | S hasitalics |
| T keys | S hasmath |
| T characters | S mathitalics |
| | |

| S mode | | D variants | | |
|-------------------|----------|----------------------------|------|--|
| S name | | F read | | |
| S noglyphnames | S | F register | | |
| S nostackmath | | F registered | | |
| S psname | | F registersplit | | |
| S textitalics | | F resetnullfont | | |
| S virtualized | | F resolve | | |
| D loadedfonts | | T resolvers | | |
| S namemode | | F file | | |
| N noffontsloaded | | F name | | |
| N nofsharedfonts | | F spec | | |
| N nofsharedhashes | ; | definetypeface func | tion | |
| N nofsharedvector | rs | encodings tabl | e | |
| N privateoffset | | T agl | | |
| D privateslots | | D ctxcodes | | |
| F readanddefine | | D extras | | |
| F registerfeature | 2 | D names | | |
| F resetfeature | | T synonyms | | |
| B resolvevirtualt | :00 | N Acyrillic | | |
| F scale | | N Becyrillic | | |
| F scaled | | N Cdot | | |
| F setfactor | | N Checyrillic | | |
| F setfeature | | N Decyrillic | | |
| F setname | | N Djecyrillic | | |
| B sharefonts | | N Dzecyrillic | | |
| F trytosharefont | | N Dzhecyrillic | | |
| N version | | N Ecyrillic | | |
| current | function | N Edot | | |
| currentid | function | N Efcyrillic | | |
| definers | table | N Elcyrillic | | |
| F addlookup | | N Emcyrillic | | |
| F analyze | | N Encyrillic | | |
| F applypostproces | ssors | N Ercyrillic | | |
| F checkedmode | | N Ereversedcyrillic | | |
| F checkedscript | | N Escyrillic | | |
| F current | | N Fitacyrillic | | |
| S defaultlookup | | N Gcedilla | | |
| F define | | N Gdot | | |
| F getspecificatio | on | N Gecyrillic | | |
| F internal | | N Gheupturncyrillic | | |
| F loadfont | | N Gjecyrillic | | |
| F makespecificati | .on | N Hardsigncyrillic | | |
| T methods | | N IAcyrillic | | |
| F install | | N IUcyrillic | | |

| N Icyrillic | N afii57700 |
|--------------------|-----------------------------|
| N Idot | N afii57705 |
| N Iecyrillic | N afii57723 |
| N Iicyrillic | N alef |
| N Iishortcyrillic | N alefmaksurainitialarabic |
| N Iocyrillic | N alefmaksuramedialarabic |
| N Izhitsacyrillic | N approximatelyequal |
| N Jecyrillic | N asteriskaltonearabic |
| N Kacyrillic | N ayin |
| N Kcedilla | N bet |
| N Khacyrillic | N betdagesh |
| N Kjecyrillic | N blackdownpointingtriangle |
| N Lcedilla | N blackleftpointingpointer |
| N Ljecyrillic | N blackrectangle |
| N Ncedilla | N blackrightpointingpointer |
| N Njecyrillic | N blacksmilingface |
| N Ocyrillic | N blacksquare |
| N Odblacute | N blackuppointingtriangle |
| N Ohm | N bulletinverse |
| N Pecyrillic | N cdot |
| N Rcedilla | N compass |
| N Shacyrillic | N dagesh |
| N Shchacyrillic | N dalet |
| N Softsigncyrillic | N daletdagesh |
| N Tcedilla | N dalethatafpatah |
| N Tecyrillic | N dalethatafpatahhebrew |
| N Tsecyrillic | N dalethatafsegol |
| N Tshecyrillic | N dalethatafsegolhebrew |
| N Ucyrillic | N dalethebrew |
| N Udblacute | N dalethiriq |
| N Ushortcyrillic | N dalethiriqhebrew |
| N Vecyrillic | N daletholam |
| N Yatcyrillic | N daletholamhebrew |
| N Yericyrillic | N daletpatah |
| N Yicyrillic | N daletpatahhebrew |
| N Zdot | N daletqamats |
| N Zecyrillic | N daletqamatshebrew |
| N Zhecyrillic | N daletqubuts |
| N acutecmb | N daletqubutshebrew |
| N acyrillic | N daletsegol |
| N afii00208 | N daletsegolhebrew |
| N afii08941 | N daletsheva |
| N afii57694 | N daletshevahebrew |
| N afii57695 | N dalettsere |
| | |

N dammaarabic N hatafpatah16 N dammatanaltonearabic N hatafpatah23 N dargahebrew N hatafpatah2f N dbllowline N hatafpatahhebrew N decimalseparatorarabic N hatafpatahnarrowhebrew N dialytikatonos N hatafpatahquarterhebrew N dotbelowcmb N hatafgamats N doublevodpatah N hatafgamats1b N doubleyodpatahhebrew N hatafgamats28 N hatafqamats34 N edot N eightarabic N hatafgamatshebrew N eighthnotebeamed N hatafqamatsnarrowhebrew N etnahtafoukhhebrew N hatafgamatsguarterhebrew N etnahtafoukhlefthebrew N hatafsegol N etnahtahebrew N hatafsegol17 N fathaarabic N hatafsegol24 N finalkaf N hatafsegol30 N finalkafdagesh N hatafsegolhebrew N finalkafhebrew N hatafsegolnarrowhebrew N finalkafgamats N hatafsegolguarterhebrew N finalkafgamatshebrew N finalkafsheva N hedagesh N finalmem N hehfinalalttwoarabic N finalnun N het N finalpe N hiria N finaltsadi N hiria14 N fivearabic N hirig21 N forall N hiriq2d N fourarabic N hirighebrew N gcedilla N hirignarrowhebrew N qdot N hirigguarterhebrew N gimel N holam N gimeldagesh N holam19 N holam26 N gravecmb N holam32 N haaltonearabic N hamzaarabic N holamhebrew N hamzadammaarabic N holamnarrowhebrew N hamzadammatanarabic N holamquarterhebrew N hamzafathaarabic N ilde N hamzafathatanarabic N integralbottom N hamzalowarabic N integraltop N hamzalowkasraarabic N kaf N hamzalowkasratanarabic N kafdagesh N hatafpatah N kashidaautoarabic

N kashidaautonosidebearingarabic N gamats33 N kcedilla N gamatsde N lamed N gamatshebrew N lameddagesh N gamatsnarrowhebrew N lamedhebrew N gamatsgatanhebrew N lamedholam N gamatsgatannarrowhebrew N lamedholamdagesh N gamatsgatanguarterhebrew N lamedholamdageshhebrew N qamatsqatanwidehebrew N laminitialarabic N gamatsquarterhebrew N lammeemjeeminitialarabic N qof N lcedilla N qofdagesh N logicalnotreversed N qofhatafpatah N mahapakhhebrew N gofhatafpatahhebrew N qofhatafsegol N mem N memdagesh N qofhatafsegolhebrew N merkhahebrew N gofhebrew N merkhakefulahebrew N gofhirig N middot N qofhirighebrew N munahhebrew N gofholam N nbspace N gofholamhebrew N ncedilla N gofpatah N newshegelsign N qofpatahhebrew N ninearabic N gofgamats N noonhehinitialarabic N gofgamatshebrew N nun N qofqubuts N nundagesh N qofqubutshebrew N odblacute N qofsegol N onearabic N qofsegolhebrew N overscore N qofsheva N patah N gofshevahebrew N patah11 N goftsere N patahld N qubuts N patah2a N qubuts18 N patahhebrew N gubuts25 N patahnarrowhebrew N gubuts31 N patahquarterhebrew N qubutshebrew N pe N gubutsnarrowhebrew N pedagesh N qubutsquarterhebrew N quoteleftreversed N gamats N gamats10 N rafe N rcedilla N gamatsla N reharabic N qamats1c N gamats27 N resh N gamats29 N reshhatafpatah

| | reshhatafpatahhebrew | | N shindageshsindot |
|---|----------------------|------|----------------------------|
| | reshhatafsegol | | N shinshindot |
| | reshhatafsegolhebrew | | N shinsindot |
| N | reshhebrew | | N siluqhebrew |
| N | reshhiriq | | N sixarabic |
| N | reshhiriqhebrew | | N tav |
| N | reshholam | | N tavdages |
| N | reshholamhebrew | | N tavdagesh |
| N | reshpatah | | N tcedilla |
| N | reshpatahhebrew | | N tchehinitialarabic |
| N | reshqamats | | N tet |
| N | reshqamatshebrew | | N tetdagesh |
| N | reshqubuts | | N tevirhebrew |
| N | reshqubutshebrew | | N thousandsseparatorarabic |
| N | reshsegol | | N threearabic |
| N | reshsegolhebrew | | N tildecmb |
| N | reshsheva | | N tipehahebrew |
| N | reshshevahebrew | | N tsadi |
| N | reshtsere | | N tsadidagesh |
| N | reviahebrew | | N tsere |
| N | samekh | | N tsere12 |
| N | samekhdagesh | | N tserele |
| N | segol | | N tsere2b |
| N | segol13 | | N tserehebrew |
| N | segol1f | | N tserenarrowhebrew |
| N | segol2c | | N tserequarterhebrew |
| N | segolhebrew | | N twoarabic |
| N | segolnarrowhebrew | | N udblacute |
| N | segolquarterhebrew | | N vav |
| N | sevenarabic | | N vavdagesh |
| N | sfthyphen | | N vavdagesh65 |
| N | shaddaarabic | | N vavholam |
| N | sheqel | | N yerahbenyomohebrew |
| N | sheva | | N yod |
| N | sheval15 | | N yoddagesh |
| N | sheva15 | | N zayin |
| N | sheva22 | | N zayindagesh |
| N | sheva2e | | N zdot |
| N | shevahebrew | | N zeroarabic |
| N | shevanarrowhebrew | D | unicodes |
| N | shevaquarterhebrew | D ca | ache |
| | | | txcodes |
| | shindagesh | N | AEacute |
| | shindageshshindot | | AEligature |
| • | | • | J |

N AFmacron N Dzcaronligature N Aacute N Dzligature N Abreve N Eacute N Abreveacute N Ebreve N Abrevedotbelow N Ecaron N Ecedilla N Abrevegrave N Abrevehook N Ecircumflex N Abrevetilde N Fcircumflexacute N Ecircumflexdotbelow N Acaron N Acircumflex N Ecircumflexgrave N Acircumflexacute N Ecircumflexhook N Acircumflexdotbelow N Ecircumflextilde N Acircumflexgrave N Ediaeresis N Acircumflexhook N Edotaccent N Acircumflextilde N Edotbelow N Adiaeresis N Edoublegrave N Adiaeresismacron N Egrave N Adotaccent N Ehook N Adotaccentmacron N Einvertedbreve N Adotbelow N Emacron N Adoublegrave N Eogonek N Agrave N Eth N Ahook N Etilde N Ainvertedbreve N Fhook N Amacron N Gacute N Aogonek N Gbreve N Gcaron N Aring N Aringacute N Gcircumflex N Astroke N Gcommaaccent N Atilde N Gdotaccent N Bhook N Ghook N Cacute N Gstroke N Ccaron N Hearon N Ccedilla N Hcircumflex N Ccircumflex N Hstroke N Cdotaccent N IJligature N Chook N Iacute N Ibreve N Cstroke N DZcaronligature N Icaron N DZligature N Icircumflex N Dafrican N Idiaeresis N Dcaron N Idotaccent N Dhook N Idotbelow N Dstroke N Idoublegrave

N Igrave N Ohook N Ihook N Ohorn N Iinvertedbreve N Ohornacute N Imacron N Ohorndotbelow N Iogonek N Ohorngrave N Istroke N Ohornhook N Itilde N Ohorntilde N lcircumflex N Ohungarumlaut N Kcaron N Oinvertedbreve N Kcommaaccent N Omacron N Khook N Oogonek N LJligature N Oogonekmacron N Lacute N Ostroke N Lbar N Ostrokeacute N Lcaron N Otilde N Lcommaaccent N Otildemacron N Ldotmiddle N Phook N Racute N Ljligature N Lstroke N Rcaron N NJligature N Rcommaaccent N Nacute N Rdoublegrave N Ncaron N Rinvertedbreve N Ncommaaccent N Sacute N Neng N Scaron N Ngrave N Scedilla N Njligature N Schwa N Ntilde N Scircumflex N OEligature N Scommaaccent N Oacute N Tcaron N Obreve N Tcedilla N Ocaron N Tcommaaccent N Ocircumflex N Thook N Ocircumflexacute N Thorn N Ocircumflexdotbelow N Tstroke N Ocircumflexgrave N Uacute N Ocircumflexhook N Ubreve N Ocircumflextilde N Ucaron N Odiaeresis N Ucircumflex N Odiaeresismacron N Udiaeresis N Odotaccent N Udiaeresisacute N Odotaccentmacron N Udiaeresiscaron N Odotbelow N Udiaeresisgrave N Odoublegrave N Udiaeresismacron N Ograve N Udotbelow

N Udoublegrave N adiaeresismacron N Ugrave N adotaccent N Uhook N adotaccentmacron N Uhorn N adotbelow N Uhornacute N adoublegrave N Uhorndotbelow N aeacute N Uhornarave N aeligature N Ilhornhook N aemacron N Uhorntilde N agrave N Uhungarumlaut N ahook N Uinvertedbreve N ainvertedbreve N Umacron N amacron N Uogonek N aogonek N Uring N aring N Utilde N aringacute N Wcircumflex N atilde N Yacute N bhook N Ycircumflex N breakablethinspace N Ydiaeresis N bstroke N Ydotbelow N cacute N Yarave N carriagereturn N Yhook N ccaron N Ymacron N ccedilla N Ytilde N ccircumflex N Zacute N ccurl N Zcaron N cdotaccent N Zdotaccent N chook N Zhook N copyright N Zstroke N cstroke N aacute N cyrillicA N abreve N cyrillicAE N abreveacute N cyrillicAbreve N abrevedothelow N cyrillicAdiaeresis N abrevegrave N cyrillicB N abrevehook N cyrillicBIGYUS N abrevetilde N cyrillicBIGYUSiotified N cyrillicC N acaron N acircumflex N cyrillicCH N acircumflexacute N cyrillicCHEDC N acircumflexdotbelow N cyrillicCHEDCabkhasian N acircumflexgrave N cyrillicCHEabkhasian N acircumflexhook N cyrillicCHEdiaeresis N acircumflextilde N cyrillicCHEkhakassian

N cyrillicCHEvertstroke

N adiaeresis

N cvrillicD N cvrillicKAbashkir N cyrillicDASIAPNEUMATA N cyrillicKAhook N cyrillicDJE N cyrillicKAstroke N cyrillicDZE N cyrillicKAvertstroke N cyrillicDZEabkhasian N cyrillicKJE N cyrillicDZHE N cyrillicKOPPA N cvrillicE N cvrillicKSI N cvrillicELtail N cvrillicL N cyrillicLITTLEYUS N cyrillicEMtail N cyrillicENDC N cyrillicLITTLEYUSiotified N cvrillicENGHE N cvrillicLJE N cvrillicENhook N cvrillicM N cyrillicENtail N cyrillicN N cyrillicEREV N cyrillicNJE N cyrillicERY N cyrillic0 N cyrillicERtick N cyrillicOMEGA N cyrillicEbreve N cyrillic0MEGAround N cyrillicEdiaeresis N cyrillicOMEGAtitlo N cyrillicEgrave N cyrillicOT N cyrillicEiotified N cyrillicObarred N cvrillicF N cvrillicObarreddiaeresis N cyrillicFITA N cvrillicOdiaeresis N cyrillicG N cyrillicP N cyrillicGHEmidhook N cyrillicPALATALIZATION N cyrillicGHEstroke N cyrillicPALOCHKA N cyrillicGHEupturn N cyrillicPEmidhook N cyrillicGJE N cyrillicPSI N cyrillicH N cyrillicPSILIPNEUMATA N cyrillicHA N cyrillicR N cyrillicHADC N cyrillicS N cyrillicHRDSN N cyrillicSCHWA N cyrillicI N cyrillicSCHWAdiaeresis N cyrillicIE N cyrillicSDSC N cyrillicII N cyrillicSEMISOFT N cyrillicISHRT N cyrillicSFTSN N cyrillicISHRTtail N cyrillicSH N cyrillicIZHITSA N cyrillicSHCH N cyrillicIZHITSAdoublegrave N cyrillicSHHA N cyrillicIdiaeresis N cyrillicT N cyrillicIgrave N cyrillicTEDC N cyrillicImacron N cyrillicTETSE N cyrillicJE N cyrillicTITL0 N cyrillicK N cyrillicTSHE

N cyrillicU

N cyrillicKADC

N cvrillicUK N cvrillicegrave N cyrillicUSHRT N cyrilliceiotified N cyrillicUdiaeresis N cyrilliceltail N cyrillicUdoubleacute N cyrillicemtail N cyrillicUmacron N cyrillicendc N cyrillicV N cyrillicenghe N cvrillicYA N cvrillicenhook N cvrillicYAT N cvrillicentail N cyrillicYERUdiaeresis N cyrillicerev N cyrillicYI N cyrillicertick N cvrillicY0 N cvrillicerv N cvrillicYU N cvrillicf N cyrillicYstr N cyrillicfita N cvrillicYstrstroke N cyrillicg N cvrillicZ N cyrillicghemidhook N cyrillicZDSC N cyrillicghestroke N cyrillicZEdiaeresis N cyrillicgheupturn N cvrillicZH N cyrillicgje N cyrillicZHEbreve N cyrillich N cyrillicZHEdescender N cyrillicha N cvrillicZHEdiaeresis N cvrillichadc N cvrillica N cvrillichrdsn N cyrillicabreve N cyrillici N cyrillicadiaeresis N cyrillicidiaeresis N cvrillicae N cvrillicie N cyrillicb N cyrillicigrave N cyrillicbigyus N cyrillicii N cyrillicbigyusiotified N cyrillicimacron N cyrillicc N cyrillicishrt N cyrillicch N cyrillicishrttail N cyrilliccheabkhasian N cyrillicizhitsa N cyrillicchedc N cyrillicizhitsadoublegrave N cyrillicchedcabkhasian N cyrillicje N cyrillicchediaeresis N cyrillick N cyrillicchekhakassian N cyrillickabashkir N cyrillicchevertstroke N cyrillickadc N cyrillicd N cyrillickahook N cyrillicdje N cyrillickastroke N cyrillicdze N cyrillickavertstroke N cvrillicdzeabkhasian N cyrillickje N cyrillicdzhe N cyrillickoppa N cyrillice N cyrillicksi

N cyrillicl

N cyrilliclittleyus

N cyrillicebreve

N cyrillicediaeresis

N cyrillicyu N cvrilliclittlevusiotified N cyrilliclie N cyrillicz N cyrillicm N cyrilliczdsc N cyrilliczediaeresis N cyrillicn N cyrillicnje N cyrilliczh N cyrillico N cyrilliczhebreve N cvrillicobarred N cvrilliczhedescender N cvrillicobarreddiaeresis N cyrilliczhediaeresis N cyrillicodiaeresis N dcaron N cyrillicomega N dcurl N dhook N cyrillicomegaround N dotlessI N cyrillicomegatitlo N cyrillicot N dotlessJ N cyrillicp N dotlessi N cyrillicpemidhook N dotlessj N cyrillicpsi N dotlessistroke N cyrillicr N dstroke N dtail N cyrillics N cyrillicschwa N dzcaronligature N cyrillicschwadiaeresis N dzligature N cvrillicsdsc N eacute N cyrillicsemisoft N ebreve N cyrillicsftsn N ecaron N cyrillicsh N ecedilla N cvrillicshch N ecircumflex N cvrillicshha N ecircumflexacute N cyrillict N ecircumflexdotbelow N cyrillictedc N ecircumflexgrave N cyrillictetse N ecircumflexhook N ecircumflextilde N cyrillictshe N cyrillicu N ediaeresis N cyrillicudiaeresis N edotaccent N cyrillicudoubleacute N edothelow N edoublegrave N cyrillicuk N cyrillicumacron N egrave N cyrillicushrt N ehook N cyrillicv N einvertedbreve N cyrillicya N emacron N cyrillicyat N emdash N cyrillicyerudiaeresis N emspace N cyrillicyi N endash N cyrillicyo N enspace N cyrillicystr N eogonek

N etilde

N cyrillicystrstroke

N exclamdown N areekEpsilon N ffiligature N greekEpsilondasia N greekEpsilondasiatonos N ffligature N fflligature N greekEpsilondasiavaria N fhook N greekEpsilonpsili N figurespace N greekEpsilonpsilitonos N filigature N greekEpsilonpsilivaria N fiveeighths N greekEpsilontonos N fivesixths N greekEpsilonvaria N flligature N greekEta N fourfifths N greekEtadasia N fourperemspace N greekEtadasiaperispomeni N gacute N greekEtadasiatonos N gbreve N greekEtadasiavaria N greekEtaiotasub N gcaron N gcircumflex N greekEtaiotasubdasia N gcommaaccent N greekEtaiotasubdasiaperispomeni N greekEtaiotasubdasiatonos N gdotaccent N greekEtaiotasubdasiavaria N greekAlpha N greekAlphadasia N greekEtaiotasubpsili N greekAlphadasiaperispomeni N greekEtaiotasubpsiliperispomeni N greekAlphadasiatonos N greekEtaiotasubpsilitonos N greekEtaiotasubpsilivaria N greekAlphadasiavaria N greekEtapsili N greekAlphaiotasub N greekAlphaiotasubdasia N greekEtapsiliperispomeni N greekAlphaiotasubdasiaperispomeni N greekEtapsilitonos N greekAlphaiotasubdasiatonos N greekEtapsilivaria N greekAlphaiotasubdasiavaria N greekEtatonos N greekAlphaiotasubpsili N greekEtavaria N greekAlphaiotasubpsiliperispomeni N greekGamma N greekAlphaiotasubpsilitonos N greekIota N greekAlphaiotasubpsilivaria N greekIotadasia N greekAlphamacron N greekIotadasiaperispomeni N greekAlphapsili N greekIotadasiatonos N greekAlphapsiliperispomeni N greekIotadasiavaria N greekAlphapsilitonos N greekIotadialytika N greekAlphapsilivaria N greekIotamacron N greekAlphatonos N greekIotapsili N greekAlphavaria N greekIotapsiliperispomeni N greekAlphavrachy N greekIotapsilitonos N greekBeta N greekIotapsilivaria N greekChi N greekIotatonos N greekCoronis N greekIotavaria

N greekIotavrachy

N greekDelta

N greekKappa N greekUpsilondasiaperispomeni N greekLambda N greekUpsilondasiatonos N greekMu N greekUpsilondasiavaria N greekNu N greekUpsilondialytika N greekOmega N greekUpsilonmacron N greekOmegadasia N greekUpsilontonos N greekOmegadasiaperispomeni N greekUpsilonvaria N greekOmegadasiatonos N greekUpsilonvrachv N greekOmegadasiavaria N greekXi N greekOmegaiotasub N greekZeta N greekOmegaiotasubdasia N greekalpha N greekOmegaiotasubdasiaperispomeni N greekalphadasia N greekOmegaiotasubdasiatonos N greekalphadasiaperispomeni N greekOmegaiotasubdasiavaria N greekalphadasiatonos N greekOmegaiotasubpsili N greekalphadasiavaria N greekOmegaiotasubpsiliperispomeni N greekalphaiotasub N greekOmegaiotasubpsilitonos N greekalphaiotasubdasia N greekOmegaiotasubpsilivaria N greekalphaiotasubdasiaperispomeni N greekOmegapsili N greekalphaiotasubdasiatonos N greekOmegapsiliperispomeni N greekalphaiotasubdasiavaria N greekOmegapsilitonos N greekalphaiotasubperispomeni N greekOmegapsilivaria N greekalphaiotasubpsili N greekOmegatonos N greekalphaiotasubpsiliperispomeni N greekOmegavaria N greekalphaiotasubpsilitonos N areekOmicron N greekalphaiotasubpsilivaria N greekOmicrondasia N greekalphaiotasubtonos N greekOmicrondasiatonos N greekalphaiotasubvaria N greekOmicrondasiavaria N greekalphamacron N greekOmicronpsili N greekalphaoxia N greekOmicronpsilitonos N greekalphaperispomeni N greekOmicronpsilivaria N greekalphapsili N greekOmicrontonos N greekalphapsiliperispomeni N greekOmicronvaria N greekalphapsilitonos N greekPhi N greekalphapsilivaria N greekPi N greekalphatonos N greekPsi N greekalphavaria N greekRho N greekalphavrachy N greekRhodasia N greekbeta N greekchi N greekSigma N greekSigmalunate N greekdasia N greekTau N greekdasiaperispomeni N greekTheta N greekdasiatonos N greekUpsilon N greekdasiavaria N greekUpsilondasia N greekdelta

| N greekdialytikaperispomeni | N | greekiotadasiaperispomeni |
|-----------------------------------|---|-----------------------------------|
| N greekdialytikatonos | N | greekiotadasiatonos |
| N greekdialytikavaria | N | greekiotadasiavaria |
| N greekdigamma | N | greekiotadialytika |
| N greekepsilon | N | greekiotadialytikaperispomeni |
| N greekepsilonalt | N | greekiotadialytikatonos |
| N greekepsilondasia | N | greekiotadialytikavaria |
| N greekepsilondasiatonos | N | greekiotamacron |
| N greekepsilondasiavaria | N | greekiotaoxia |
| N greekepsilonoxia | N | greekiotaperispomeni |
| N greekepsilonpsili | N | greekiotapsili |
| N greekepsilonpsilitonos | N | greekiotapsiliperispomeni |
| N greekepsilonpsilivaria | N | greekiotapsilitonos |
| N greekepsilontonos | N | greekiotapsilivaria |
| N greekepsilonvaria | N | greekiotatonos |
| N greeketa | N | greekiotavaria |
| N greeketadasia | N | greekiotavrachy |
| N greeketadasiaperispomeni | N | greekkappa |
| N greeketadasiatonos | N | greekkoppa |
| N greeketadasiavaria | N | greeklambda |
| N greeketaiotasub | N | greekmu |
| N greeketaiotasubdasia | N | greeknu |
| N greeketaiotasubdasiaperispomeni | N | greeknumkoppa |
| N greeketaiotasubdasiatonos | N | greekomega |
| N greeketaiotasubdasiavaria | N | greekomegadasia |
| N greeketaiotasubperispomeni | N | greekomegadasiaperispomeni |
| N greeketaiotasubpsili | N | greekomegadasiatonos |
| N greeketaiotasubpsiliperispomeni | N | greekomegadasiavaria |
| N greeketaiotasubpsilitonos | N | greekomegaiotasub |
| N greeketaiotasubpsilivaria | N | greekomegaiotasubdasia |
| N greeketaiotasubtonos | N | greekomegaiotasubdasiaperispomeni |
| N greeketaiotasubvaria | N | greekomegaiotasubdasiatonos |
| N greeketaoxia | N | greekomegaiotasubdasiavaria |
| N greeketaperispomeni | N | greekomegaiotasubperispomeni |
| N greeketapsili | N | greekomegaiotasubpsili |
| N greeketapsiliperispomeni | N | greekomegaiotasubpsiliperispomeni |
| N greeketapsilitonos | N | greekomegaiotasubpsilitonos |
| N greeketapsilivaria | N | greekomegaiotasubpsilivaria |
| N greeketatonos | N | greekomegaiotasubtonos |
| N greeketavaria | N | greekomegaiotasubvaria |
| N greekfinalsigma | N | greekomegaoxia |
| N greekgamma | N | greekomegaperispomeni |
| N greekiota | N | greekomegapsili |
| N greekiotadasia | N | greekomegapsiliperispomeni |

N greekomegapsilitonos N greekupsilondialytikaperispomeni N greekomegapsilivaria N greekupsilondialytikatonos N greekomegatonos N greekupsilondialytikavaria N greekomegavaria N greekupsilonmacron N greekomicron N greekupsilonoxia N greekomicrondasia N greekupsilonperispomeni N greekomicrondasiatonos N greekupsilonpsili N greekomicrondasiavaria N greekupsilonpsiliperispomeni N greekomicronoxia N greekupsilonpsilitonos N greekomicronpsili N greekupsilonpsilivaria N greekomicronpsilitonos N greekupsilontonos N greekomicronpsilivaria N greekupsilonvaria N greekomicrontonos N greekupsilonvrachy N greekomicronvaria N greekvaria N greekoxia N greekxi N greekperispomeni N greekzeta N greekphi N astroke N greekphialt N guilsingleleft N greekpi N guilsingleright N greekpialt N hairspace N greekprosgegrammeni N hcaron N greekpsi N hcircumflex N hebrewAlef N greekpsili N greekpsiliperispomeni N hebrewAyin N greekpsilitonos N hebrewBet N greekpsilivaria N hebrewDalet N hebrewGimel N greekrho N greekrhoalt N hebrewHe N hebrewHet N greekrhodasia N hebrewKaf N greekrhopsili N hebrewKaffinal N greeksampi N greeksigma N hebrewlamed N greeksigmalunate N hehrewMem N hebrewMemfinal N greekstigma N hebrewNun N greektau N greektheta N hebrewNunfinal N hebrewPe N greekthetaalt N hebrewPefinal N greektonos N greekupsilon N hebrewOof N greekupsilondasia N hebrewResh N hebrewSamekh N greekupsilondasiaperispomeni N hebrewShin N greekupsilondasiatonos N hebrewTav N greekupsilondasiavaria N greekupsilondiaeresis N hebrewTet

N hehrewTsadi N ncurl N hebrewTsadifinal N neng N hebrewVav N ngrave N hebrewYod N njligature N hebrewZayin N nobreakspace N hstroke N ntilde N iacute N oacute N ibreve N obreve N icaron N ocaron N icircumflex N ocircumflex N ocircumflexacute N ideographichalffillspace N ocircumflexdotbelow N ideographicspace N idiaeresis N ocircumflexgrave N idotaccent N ocircumflexhook N ocircumflextilde N idotbelow N idoublegrave N odiaeresis N igrave N odiaeresismacron N ihook N odotaccent N iinvertedbreve N odotaccentmacron N odotbelow N ijligature N imacron N odoublegrave N iogonek N oeligature N itilde N ograve N jcaron N ohook N icircumflex N ohorn N kcaron N ohornacute N kcommaaccent N ohorndotbelow N khook N ohorngrave N kkra N ohornhook N lacute N ohorntilde N lbar N ohungarumlaut N lcaron N oinvertedbreve N lcommaaccent N omacron N lcurl N oneeighth N ldotmiddle N onefifth N leftguillemot N onehalf N liligature N onequarter N lstroke N onesixth N medspace N onesuperior N nacute N onethird N napostrophe N oogonek N narrownobreakspace N oogonekmacron N ordfeminine N ncaron

previous 54 next

N ordmasculine

N ncommaaccent

N romanii N ostroke N ostrokeacute N romaniii N otilde N romaniv N otildemacron N romanix N paragraphmark N romanl N periodcentered N romanm N perthousand N romany N phook N romanyi N romanvii N punctuationspace N questiondown N romanviii N quotedbl N romanx N quotedblbase N romanxi N quotedblleft N romanxii N quotedblright N sacute N quoteleft N scaron N quoteright N scedilla N quotesingle N schwa N schwahook N quotesinglebase N scircumflex N racute N scommaaccent N rcaron N rcommaaccent N sectionmark N seveneighths N rdoublegrave N registered N sixperemspace N rightquillemot N slong N rinvertedbreve N softhyphen N romanC N ssharp N romanD N stligature N romanI N tcaron N romanII N tcedilla N romanIII N tcommaaccent N romanIV N tcurl N romanTX N textAngstrom N romani N textacute N romanM N textampersand N romanV N textasciicircum N romanVI N textasciitilde N romanVII N textat N romanVIII N textbackslash N romanX N textbar N romanXI N textbottomcomma N romanXII N textbottomdot N romanc N textbraceleft N romand N textbraceright N romani N textbreve

N textbrokenbar N textunderscore N textbullet N textyen N textcaron N thook N textcedilla N thorn N textcelsius N threeeighths N textcent N threefifths N textcircledP N threeperemspace N textcircumflex N threequarter N textcomma N threesuperior N textcurrency N trademark N textdag N tstroke N textddag N twofifths N textdegree N twosuperior N textdiaeresis N twothirds N textdiv N uacute N textdollar N ubreve N textdona N ucaron N textdotaccent N ucircumflex N textellipsis N udiaeresis N texteuro N udiaeresisacute N textfraction N udiaeresiscaron N textorave N udiaeresisgrave N texthash N udiaeresismacron N texthorizontalbar N udotbelow N texthungarumlaut N udoublegrave N texthyphen N ugrave N textkelvin N uhook N textlognot N uhorn N textmacron N uhornacute N textmho N uhorndotbelow N textminus N uhorngrave N textmu N uhornhook N textmultiply N uhorntilde N uhungarumlaut N textnumero N uinvertedbreve N textogonek N textohm N umacron N textounce N uogonek N textpercent N uring N textperiod N utilde N textpm N wcircumflex N textring N yacute N textslash N ycircumflex N ydiaeresis N textsterling N texttilde N ydotbelow

| N. varava | N. Adiovociomocron |
|-------------------------|---------------------------------|
| N ygrave | N Addresismacron |
| N yhook | N Adotbelow |
| N ymacron | N Adotmacron |
| N ytilde | N Agrave |
| N zacute | N Ahookabove |
| N zcaron | N Aiecyrillic |
| N zdotaccent | N Ainvertedbreve |
| N zerowidthnobreakspace | N Alpha |
| N zerowidthspace | N Alphatonos |
| N zhook | N Amacron |
| N zstroke | N Amonospace |
| N zwj | N Aogonek |
| N zwnj | N Aring |
| is_known | N Aringacute |
| known | N Aringbelow |
| load | N Atilde |
| make_unicode_vector | N Aybarmenian |
| math | N B |
| names | N Bcircle |
| unicodes | N Bdotaccent |
| N A | N Bdotbelow |
| N AE | N Becyrillic |
| N AEacute | N Benarmenian |
| N AEmacron | N Beta |
| N Aacute | N Bhook |
| N Abreve | N Blinebelow |
| N Abreveacute | N Bmonospace |
| N Abrevecyrillic | N Btopbar |
| N Abrevedotbelow | N C |
| N Abrevegrave | N Caarmenian |
| N Abrevehookabove | N Cacute |
| N Abrevetilde | N Ccaron |
| N Acaron | N Ccedilla |
| N Acircle | N Ccedillaacute |
| N Acircumflex | N Ccircle |
| N Acircumflexacute | N Ccircumflex |
| N Acircumflexdotbelow | N Cdot |
| N Acircumflexgrave | N Cdotaccent |
| N Acircumflexhookabove | N Chaarmenian |
| N Acircumflextilde | N Cheabkhasiancyrillic |
| N Acyrillic | N Checyrillic |
| N Adblgrave | N Chedescenderabkhasiancyrillic |
| N Adieresis | N Chedescendercyrillic |
| N Adieresiscyrillic | N Chedieresiscyrillic |
| | |

N Cheharmenian N Fcircumflexhelow N Chekhakassiancyrillic N Ecircumflexdotbelow N Cheverticalstrokecyrillic N Ecircumflexgrave N Chi N Ecircumflexhookabove N Chook N Ecircumflextilde N Cmonospace N Ecyrillic N Coarmenian N Edblarave N D N Edieresis N Edot N DZ N D7caron N Edotaccent N Daarmenian N Edotbelow N Dafrican N Efcyrillic N Dcaron N Egrave N Dcedilla N Eharmenian N Dcircle N Ehookabove N Dcircumflexbelow N Eightroman N Dcroat N Einvertedbreve N Ddotaccent N Eiotifiedcyrillic N Ddotbelow N Elcyrillic N Decyrillic N Elevenroman N Deicoptic N Emacron N Delta N Emacronacute N Deltagreek N Emacrongrave N Dhook N Emcyrillic N Digammagreek N Emonospace N Djecyrillic N Encyrillic N Dlinebelow N Endescendercyrillic N Dmonospace N Eng N Dslash N Enghecyrillic N Dtopbar N Enhookcyrillic N Dz N Eogonek N Dzcaron N Eopen N Dzeabkhasiancyrillic N Epsilon N Dzecyrillic N Epsilontonos N Dzhecyrillic N Ercyrillic ΝE N Ereversed N Ereversedcyrillic N Eacute N Escyrillic N Ebreve N Ecaron N Esdescendercyrillic N Ecedillabreve N Esh N Echarmenian N Eta N Ecircle N Etarmenian N Ecircumflex N Etatonos N Ecircumflexacute N Eth

N Etilde N H18543 N Etildebelow N H18551 N Euro N H22073 N Ezh N HPsquare N Ezhcaron N Haabkhasiancyrillic N Ezhreversed N Hadescendercyrillic NF N Hardsigncyrillic N Fcircle N Hhar N Edotaccent N Hbrevebelow N Feharmenian N Hcedilla N Feicoptic N Hcircle N Fhook N Hcircumflex N Fitacyrillic N Hdieresis N Fiveroman N Hdotaccent N Fmonospace N Hdotbelow N Fourroman N Hmonospace NG N Hoarmenian N GBsquare N Horicoptic N Gacute N Hzsquare N Gamma ΝI N Gammaafrican N IAcyrillic N Gangiacoptic NIJ N Gbreve N IUcyrillic N Gcaron N Iacute N Gcedilla N Threve N Gcircle N Icaron N Gcircumflex N Icircle N Gcommaaccent N Icircumflex N Gdot N Icyrillic N Gdotaccent N Idblgrave N Gecyrillic N Idieresis N Ghadarmenian N Idieresisacute N Ghemiddlehookcyrillic N Idieresiscyrillic N Idot N Ghestrokecyrillic N Gheupturncyrillic N Idotaccent N Ghook N Idotbelow N Iebrevecyrillic N Gimarmenian N Iecyrillic N Gjecyrillic N Gmacron N Ifraktur N Gmonospace N Igrave N Gsmallhook N Ihookabove N Gstroke N Iicyrillic NH N Iinvertedbreve N H18533 N Iishortcyrillic

N Imacron N Klinebelow N Imacroncyrillic N Kmonospace N Imonospace N Koppacyrillic N Iniarmenian N Koppagreek N Iocyrillic N Ksicyrillic N Iogonek NL N Iota N LJ N Totaafrican N Lacute N Iotadieresis N Lambda N Iotatonos N Lcaron N Istroke N Lcedilla N Itilde N Lcircle N Itildebelow N Lcircumflexbelow N Izhitsacyrillic N Lcommaaccent N Izhitsadblgravecyrillic N Ldot N Ldotaccent N Jaarmenian N Ldotbelow N Jcircle N Ldotbelowmacron N Jcircumflex N Liwnarmenian N Jecyrillic N Li N Jheharmenian N Ljecyrillic N Jmonospace N Llinebelow NK N Lmonospace N KBsquare N Lslash N KKsquare N M N Kabashkircyrillic N MBsquare N Kacute N Macute N Kacyrillic N Mcircle N Kadescendercyrillic N Mdotaccent N Kahookcyrillic N Mdotbelow N Kappa N Menarmenian N Kastrokecyrillic N Mmonospace N Kaverticalstrokecyrillic N Mturned N Mu N Kcaron N Kcedilla NN N Kcircle N NJ N Kcommaaccent N Nacute N Kdotbelow N Ncaron N Keharmenian N Ncedilla N Kenarmenian N Ncircle N Khacyrillic N Ncircumflexbelow N Kheicoptic N Ncommaaccent N Khook N Ndotaccent N Kjecyrillic N Ndotbelow

N Nhookleft N Omacronacute N Nineroman N Omacrongrave N Ni N Omega N Njecyrillic N Omegacyrillic N Nlinebelow N Omegagreek N Nmonospace N Omegaroundcyrillic N Nowarmenian N Omegatitlocyrillic N Ntilde N Omegatonos N Nu N Omicron N O N Omicrontonos N OE N Omonospace N Oacute N Oneroman N Obarredcyrillic N Oogonek N Obarreddieresiscyrillic N Oogonekmacron N Obreve N Oopen N Ocaron N Oslash N Ocenteredtilde N Oslashacute N Ocircle N Ostrokeacute N Ocircumflex N Otcyrillic N Ocircumflexacute N Otilde N Ocircumflexdotbelow N Otildeacute N Ocircumflexgrave N Otildedieresis N Ocircumflexhookabove ΝP N Ocircumflextilde N Pacute N Ocvrillic N Pcircle N Odblacute N Pdotaccent N Odblgrave N Pecyrillic N Odieresis N Peharmenian N Odieresiscyrillic N Pemiddlehookcyrillic N Odotbelow N Phi N Ograve N Phook N Oharmenian N Pi N Ohm N Piwrarmenian N Ohookabove N Pmonospace N Ohorn N Psi N Ohornacute N Psicyrillic N Ohorndotbelow N Q N Ohorngrave N Qcircle N Ohornhookabove N Qmonospace N Ohorntilde NR N Ohungarumlaut N Raarmenian N Oi N Racute N Oinvertedbreve N Rcaron N Omacron N Rcedilla

| N | Rcircle | N | SF400000 |
|---|------------------------|---|-----------------------|
| N | Rcommaaccent | N | SF410000 |
| N | Rdblgrave | N | SF420000 |
| N | Rdotaccent | N | SF430000 |
| N | Rdotbelow | N | SF440000 |
| N | Rdotbelowmacron | N | SF450000 |
| N | Reharmenian | N | SF460000 |
| N | Rfraktur | N | SF470000 |
| N | Rho | N | SF480000 |
| N | Rinvertedbreve | N | SF490000 |
| N | Rlinebelow | N | SF50000 |
| N | Rmonospace | N | SF500000 |
| N | Rsmallinverted | N | SF510000 |
| N | Rsmallinvertedsuperior | N | SF520000 |
| N | S | N | SF530000 |
| N | SF010000 | N | SF540000 |
| N | SF020000 | N | SF60000 |
| N | SF030000 | N | SF70000 |
| N | SF040000 | N | SF80000 |
| N | SF050000 | N | SF90000 |
| N | SF060000 | N | Sacute |
| N | SF070000 | N | Sacutedotaccent |
| N | SF080000 | N | Sampigreek |
| N | SF090000 | N | Scaron |
| N | SF10000 | N | Scarondotaccent |
| N | SF100000 | N | Scedilla |
| N | SF110000 | N | Schwa |
| N | SF190000 | N | Schwacyrillic |
| N | SF20000 | N | Schwadieresiscyrillic |
| N | SF200000 | N | Scircle |
| N | SF210000 | N | Scircumflex |
| N | SF220000 | N | Scommaaccent |
| N | SF230000 | N | Sdotaccent |
| N | SF240000 | N | Sdotbelow |
| N | SF250000 | N | Sdotbelowdotaccent |
| N | SF260000 | N | Seharmenian |
| N | SF270000 | N | Sevenroman |
| N | SF280000 | N | Shaarmenian |
| N | SF30000 | N | Shacyrillic |
| N | SF360000 | N | Shchacyrillic |
| N | SF370000 | N | Sheicoptic |
| N | SF380000 | N | Shhacyrillic |
| N | SF390000 | N | Shimacoptic |
| | 5540000 | | C : |

N Sigma

N SF40000

N Sixroman N Udieresis N Smonospace N Udieresisacute N Softsigncyrillic N Udieresisbelow N Stigmagreek N Udieresiscaron ΝT N Udieresiscyrillic N Tau N Udieresisgrave N Tbar N Udieresismacron N Tcaron N Udothelow N Tcedilla N Ugrave N Tcircle N Uhookabove N Tcircumflexbelow N Uhorn N Tcommaaccent N Uhornacute N Tdotaccent N Uhorndotbelow N Tdotbelow N Uhorngrave N Tecyrillic N Uhornhookabove N Tedescendercyrillic N Uhorntilde N Tenroman N Uhungarumlaut N Tetsecyrillic N Uhungarumlautcyrillic N Uinvertedbreve N Theta N Thook N Ukcyrillic N Thorn N Umacron N Threeroman N Umacroncvrillic N Tiwnarmenian N Umacrondieresis N Tlinebelow N Umonospace N Tmonospace N Uogonek N Toarmenian N Upsilon N Tonefive N Upsilon1 N Tonesix N Upsilonacutehooksymbolgreek N Tonetwo N Upsilonafrican N Tretroflexhook N Upsilondieresis N Tsecyrillic N Upsilondieresishooksymbolgreek N Tshecyrillic N Upsilonhooksymbol N Twelveroman N Upsilontonos N Tworoman N Uring NU N Ushortcyrillic N Uacute N Ustraightcyrillic N Ustraightstrokecyrillic N Ubreve N Ucaron N Utilde N Ucircle N Utildeacute N Ucircumflex N Utildebelow N Ucircumflexbelow ΝV N Ucyrillic N Vcircle N Vdotbelow N Udblacute N Udblgrave N Vecyrillic

| N Vewarmenian | N Zaarmenian |
|-----------------------------|----------------------------|
| N Vhook | N Zacute |
| N Vmonospace | N Zcaron |
| N Voarmenian | N Zcircle |
| N Vtilde | N Zcircumflex |
| N W | N Zdot |
| N Wacute | N Zdotaccent |
| N Wcircle | N Zdotbelow |
| N Wcircumflex | N Zecyrillic |
| N Wdieresis | N Zedescendercyrillic |
| N Wdotaccent | N Zedieresiscyrillic |
| N Wdotbelow | N Zeta |
| N Wgrave | N Zhearmenian |
| N Wmonospace | N Zhebrevecyrillic |
| N X | N Zhecyrillic |
| N Xcircle | N Zhedescendercyrillic |
| N Xdieresis | N Zhedieresiscyrillic |
| N Xdotaccent | N Zlinebelow |
| N Xeharmenian | N Zmonospace |
| N Xi | N Zstroke |
| N Xmonospace | N a |
| NY | N aabengali |
| N Yacute | N aacute |
| N Yatcyrillic | N aadeva |
| N Ycircle | N aagujarati |
| N Ycircumflex | N aagurmukhi |
| N Ydieresis | N aamatragurmukhi |
| N Ydotaccent | N aarusquare |
| N Ydotbelow | N aavowelsignbengali |
| N Yericyrillic | N aavowelsigndeva |
| N Yerudieresiscyrillic | N aavowelsigngujarati |
| N Ygrave | N abbreviationmarkarmenian |
| N Yhook | N abbreviationsigndeva |
| N Yhookabove | N abengali |
| N Yiarmenian | N abopomofo |
| N Yicyrillic | N abreve |
| N Yiwnarmenian | N abreveacute |
| N Ymonospace | N abrevecyrillic |
| N Ytilde | N abrevedotbelow |
| N Yusbigcyrillic | N abrevegrave |
| N Yusbigiotifiedcyrillic | N abrevehookabove |
| N Yuslittlecyrillic | N abrevetilde |
| N Yuslittleiotifiedcyrillic | N acaron |
| N Z | N acircle |
| | |

| N acircumflex | N afii10033 |
|----------------------------|----------------------------|
| N acircumflexacute | N afii10034 |
| N acircumflexdotbelow | N afii10035 |
| N acircumflexgrave | N afii10036 |
| N acircumflexhookabove | N afii10037 |
| N acircumflextilde | N afii10038 |
| N acute | N afii10039 |
| N acutebelowcmb | N afii10040 |
| N acutecmb | N afii10041 |
| N acutecomb | N afii10042 |
| N acutedeva | N afii10043 |
| N acutelowmod | N afii10044 |
| N acutetonecmb | N afii10045 |
| N acyrillic | N afii10046 |
| N adblgrave | N afii10047 |
| N addakgurmukhi | N afii10048 |
| N adeva | N afii10049 |
| N adieresis | N afii10050 |
| N adieresiscyrillic | N afii10051 |
| N adieresismacron | N afii10052 |
| N adotbelow | N afii10053 |
| N adotmacron | N afii10054 |
| N ae | N afii10055 |
| N aeacute | N afii10056 |
| N aekorean | N afii10057 |
| N aemacron | N afii10058 |
| N afii00208 | N afii10059 |
| N afii08941 | N afii10060 |
| N afii10017 | N afii10061 |
| N afiil0018 | N afii10062 |
| N afii10019 | N afii10065 |
| N afii10020 | N afii10066 |
| N afii10021 | N afii10067 |
| N afii10022 | N afii10068 |
| N afii10023 | N afii10069 N afii10070 |
| N afii10024 | |
| N afii10025 | N afii10071 |
| N afii10026 | N afii10072 |
| N afii10027 | N afii10073 |
| N afii10028 N afii10029 | N afii10074 |
| N afii10029 N afii10030 | N afii10075 N afii10076 |
| N afii10030 N afii10031 | N afii10076 |
| N afii10031 | |
| N GITTIONSE | N afii10078 |

| N a | afii10079 | N | afii301 |
|-----|-----------|---|-----------|
| N a | afii10080 | N | afii57381 |
| N a | afii10081 | N | afii57388 |
| Na | afii10082 | N | afii57392 |
| Na | afii10083 | N | afii57393 |
| Na | afii10084 | N | afii57394 |
| Na | afii10085 | N | afii57395 |
| Na | afii10086 | N | afii57396 |
| Na | afii10087 | N | afii57397 |
| Na | afii10088 | N | afii57398 |
| Na | afii10089 | N | afii57399 |
| Na | afii10090 | N | afii57400 |
| Na | afii10091 | N | afii57401 |
| Na | afii10092 | N | afii57403 |
| Na | afii10093 | N | afii57407 |
| Na | afii10094 | N | afii57409 |
| Na | afii10095 | N | afii57410 |
| N a | afii10096 | N | afii57411 |
| Na | afii10097 | N | afii57412 |
| Na | afii10098 | N | afii57413 |
| Na | afii10099 | N | afii57414 |
| N a | afii10100 | N | afii57415 |
| Na | afii10101 | N | afii57416 |
| Na | afii10102 | N | afii57417 |
| Na | afii10103 | N | afii57418 |
| N a | afii10104 | N | afii57419 |
| Na | afii10105 | N | afii57420 |
| Na | afii10106 | N | afii57421 |
| Na | afii10107 | N | afii57422 |
| N a | afii10108 | N | afii57423 |
| Na | afii10109 | N | afii57424 |
| N a | afii10110 | N | afii57425 |
| Na | afii10145 | N | afii57426 |
| N a | afii10146 | N | afii57427 |
| Na | afii10147 | N | afii57428 |
| Na | afii10148 | N | afii57429 |
| Na | afii10193 | N | afii57430 |
| Na | afii10194 | N | afii57431 |
| Na | afii10195 | N | afii57432 |
| Na | afii10196 | N | afii57433 |
| Na | afii10846 | N | afii57434 |
| Na | afii208 | N | afii57440 |
| N a | afii299 | N | afii57441 |
| Na | afii300 | N | afii57442 |
| | | | |

| N afii57443 | N afii57678 |
|-------------|-------------|
| N afii57444 | N afii57679 |
| N afii57445 | N afii57680 |
| N afii57446 | N afii57681 |
| N afii57448 | N afii57682 |
| N afii57449 | N afii57683 |
| N afii57450 | N afii57684 |
| N afii57451 | N afii57685 |
| N afii57452 | N afii57686 |
| N afii57453 | N afii57687 |
| N afii57454 | N afii57688 |
| N afii57455 | N afii57689 |
| N afii57456 | N afii57690 |
| N afii57457 | N afii57694 |
| N afii57458 | N afii57695 |
| N afii57470 | N afii57700 |
| N afii57505 | N afii57705 |
| N afii57506 | N afii57716 |
| N afii57507 | N afii57717 |
| N afii57508 | N afii57718 |
| N afii57509 | N afii57723 |
| N afii57511 | N afii57793 |
| N afii57512 | N afii57794 |
| N afii57513 | N afii57795 |
| N afii57514 | N afii57796 |
| N afii57519 | N afii57797 |
| N afii57534 | N afii57798 |
| N afii57636 | N afii57799 |
| N afii57645 | N afii57800 |
| N afii57658 | N afii57801 |
| N afii57664 | N afii57802 |
| N afii57665 | N afii57803 |
| N afii57666 | N afii57804 |
| N afii57667 | N afii57806 |
| N afii57668 | N afii57807 |
| N afii57669 | N afii57839 |
| N afii57670 | N afii57841 |
| N afii57671 | N afii57842 |
| N afii57672 | N afii57929 |
| N afii57673 | N afii61248 |
| N afii57674 | N afii61289 |
| N afii57675 | N afii61352 |
| N afii57676 | N afii61573 |
| N afii57677 | N afii61574 |
| | |

| N | afii61575 | N | alefqamatshebrew |
|---|---------------------------|---|---------------------------|
| N | afii61664 | N | aleph |
| N | afii63167 | N | allequal |
| N | afii64937 | N | alpha |
| N | agrave | N | alphatonos |
| N | agujarati | N | amacron |
| N | agurmukhi | N | amonospace |
| N | ahiragana | N | ampersand |
| N | ahookabove | N | ampersandmonospace |
| N | aibengali | N | amsquare |
| N | aibopomofo | N | anbopomofo |
| N | aideva | N | angbopomofo |
| N | aiecyrillic | N | angkhankhuthai |
| N | aigujarati | N | angle |
| N | aigurmukhi | N | anglebracketleft |
| N | aimatragurmukhi | N | anglebracketleftvertical |
| N | ainarabic | N | anglebracketright |
| N | ainfinalarabic | N | anglebracketrightvertical |
| N | aininitialarabic | N | angleleft |
| N | ainmedialarabic | N | angleright |
| N | ainvertedbreve | N | angstrom |
| N | aivowelsignbengali | N | anoteleia |
| N | aivowelsigndeva | N | anudattadeva |
| N | aivowelsigngujarati | N | anusvarabengali |
| N | akatakana | N | anusvaradeva |
| N | akatakanahalfwidth | N | anusvaragujarati |
| N | akorean | N | aogonek |
| N | alef | N | apaatosquare |
| N | alefarabic | N | aparen |
| N | alefdageshhebrew | N | apostrophearmenian |
| N | aleffinalarabic | N | apostrophemod |
| N | alefhamzaabovearabic | N | apple |
| N | alefhamzaabovefinalarabic | N | approaches |
| N | alefhamzabelowarabic | N | approxequal |
| N | alefhamzabelowfinalarabic | N | approxequalorimage |
| N | alefhebrew | N | approximatelyequal |
| N | aleflamedhebrew | N | araeaekorean |
| N | alefmaddaabovearabic | N | araeakorean |
| N | alefmaddaabovefinalarabic | N | arc |
| N | alefmaksuraarabic | N | arighthalfring |
| N | alefmaksurafinalarabic | N | aring |
| N | alefmaksurainitialarabic | N | aringacute |
| N | alefmaksuramedialarabic | N | aringbelow |
| N | alefpatahhebrew | N | arrowboth |
| | | | |

N asmallkatakana N arrowdashdown N arrowdashleft N asmallkatakanahalfwidth N arrowdashright N asterisk N asteriskaltonearabic N arrowdashup N arrowdblboth N asteriskarabic N arrowdbldown N asteriskmath N arrowdblleft N asteriskmonospace N arrowdblright N asterisksmall N arrowdblup N asterism N arrowdown N asymptoticallyequal N arrowdownleft N at N arrowdownright N atilde N arrowdownwhite N atmonospace N arrowheaddownmod N atsmall N arrowheadleftmod N aturned N arrowheadrightmod N aubengali N arrowheadupmod N aubopomofo N arrowleft N audeva N arrowleftdbl N augujarati N arrowleftdblstroke N augurmukhi N arrowleftoverright N aulengthmarkbengali N arrowleftwhite N aumatragurmukhi N arrowright N auvowelsignbengali N arrowrightdblstroke N auvowelsigndeva N arrowrightheavy N auvowelsigngujarati N arrowrightoverleft N avagrahadeva N arrowrightwhite N aybarmenian N arrowtableft N ayin N arrowtabright N ayinaltonehebrew N arrowup N ayinhebrew N b N arrowupdn N arrowupdnbse N babengali N arrowupdownbase N backslash N arrowupleft N backslashmonospace N arrowupleftofdown N badeva N arrowupright N bagujarati N arrowupwhite N bagurmukhi N bahiragana N asciicircum N asciicircummonospace N bahtthai N asciitilde N bakatakana N asciitildemonospace N bar N ascript N barmonospace N ascriptturned N bbopomofo N asmallhiragana N bcircle

N bdotaccent N blackrightpointingpointer N bdotbelow N blackrightpointingtriangle N beamedsixteenthnotes N blacksmallsquare N because N blacksmilingface N becyrillic N blacksquare N beharabic N blackstar N behfinalarabic N blackupperlefttriangle N behinitialarabic N blackupperrighttriangle N behiragana N blackuppointingsmalltriangle N behmedialarabic N blackuppointingtriangle N behmeeminitialarabic N blank N blinebelow N behmeemisolatedarabic N behnoonfinalarabic N block N bekatakana N bmonospace N benarmenian N bobaimaithai N bet N bohiragana N beta N bokatakana N betasymbolgreek N bparen N betdagesh N bqsquare N betdageshhebrew N braceleft N bethebrew N braceleftmonospace N betrafehebrew N braceleftsmall N bhabengali N braceleftvertical N bhadeva N braceright N bhagujarati N bracerightmonospace N bhagurmukhi N bracerightsmall N bhook N bracerightvertical N bihiragana N bracketleft N bikatakana N bracketleftmonospace N bilabialclick N bracketright N bindigurmukhi N bracketrightmonospace N birusquare N breve N blackcircle N brevehelowomb N blackdiamond N brevecmb N breveinvertedbelowcmb N blackdownpointingtriangle N blackleftpointingpointer N breveinvertedcmb N blackleftpointingtriangle N breveinverteddoublecmb N blacklenticularbracketleft N bridgebelowcmb N blacklenticularbracketleftvertical N bridgeinvertedbelowcmb N blacklenticularbracketright N brokenbar N blacklenticularbracketrightvertical N bstroke N blacklowerlefttriangle N btopbar N blacklowerrighttriangle N buhiragana N blackrectangle N bukatakana

N bullet N checkmark N bulletinverse N checyrillic N bulletoperator N chedescenderabkhasiancyrillic N bullseye N chedescendercyrillic N c N chedieresiscyrillic N caarmenian N cheharmenian N cabengali N chekhakassiancvrillic N cacute N cheverticalstrokecvrillic N cadeva N chi N chieuchacirclekorean N caquiarati N cagurmukhi N chieuchaparenkorean N calsquare N chieuchcirclekorean N candrabindubengali N chieuchkorean N candrabinducmb N chieuchparenkorean N candrabindudeva N chochangthai N candrabinduqujarati N chochanthai N capslock N chochingthai N careof N chochoethai N chook N caron N caronbelowcmb N cieucacirclekorean N caroncmb N cieucaparenkorean N carriagereturn N cieuccirclekorean N cbopomofo N cieuckorean N ccaron N cieucparenkorean N ccedilla N cieucuparenkorean N ccedillaacute N circle N ccircle N circlemultiply N ccircumflex N circleot N ccurl N circleplus N cdot N circlepostalmark N cdotaccent N circlewithlefthalfblack N cdsquare N circlewithrighthalfblack N cedilla N circumflex N cedillacmb N circumflexbelowcmb N circumflexcmb N cent N centigrade N clear N centmonospace N clickalveolar N chaarmenian N clickdental N chabengali N clicklateral N chadeva N clickretroflex N chagujarati N club N chagurmukhi N clubsuitblack N chbopomofo N clubsuitwhite N cheabkhasiancyrillic N cmcubedsquare

N cmonospace N controlGS N cmsquaredsquare N controlHT N coarmenian N controlLF N colon N controlNAK N colonmonetary N controlRS N colonmonospace N controlSI N colonsian N controlSO N colonsmall N controlSOT N colontriangularhalfmod N controlSTX N colontriangularmod N control SUB N controlSYN N comma N commaabovecmb N controlUS N commaaboverightcmb N controlVT N commaarabic N copyright N commaarmenian N cornerbracketleft N commamonospace N cornerbracketlefthalfwidth N commareversedabovecmb N cornerbracketleftvertical N commareversedmod N cornerbracketright N commasmall N cornerbracketrighthalfwidth N commaturnedabovecmb N cornerbracketrightvertical N commaturnedmod N corporationsquare N compass N cosquare N congruent N coverkgsquare N contourintegral N cparen N control N cruzeiro N controlACK N cstretched N controlBEL N curlyand N controlBS N curlyor N controlCAN N currency N controlCR N d N controlDC1 N daarmenian N controlDC2 N dabengali N controlDC3 N dadarabic N controlDC4 N dadeva N controlDEL N dadfinalarabic N controlDLE N dadinitialarabic N controlEM N dadmedialarabic N controlENQ N dagesh N controlEOT N dageshhebrew N controlESC N dagger N controlETB N daggerdbl N controlETX N dagujarati N controlFF N dagurmukhi

N dahiragana

N controlFS

N dakatakana N dblintegral N dalarabic N dbllowline N dalet N dbllowlinecmb N daletdagesh N dbloverlinecmb N daletdageshhebrew N dblprimemod N dalethatafpatah N dblverticalbar N dalethatafpatahhebrew N dblverticallineabovecmb N dalethatafsegol N dbopomofo N dalethatafsegolhebrew N dbsquare N dalethebrew N dcaron N dalethiria N dcedilla N dalethirighebrew N dcircle N daletholam N dcircumflexbelow N daletholamhebrew N dcroat N daletpatah N ddabengali N daletpatahhebrew N ddadeva N daletgamats N ddagujarati N daletgamatshebrew N ddagurmukhi N daletqubuts N ddalarabic N ddalfinalarabic N daletqubutshebrew N daletsegol N dddhadeva N daletsegolhebrew N ddhabengali N daletsheva N ddhadeva N daletshevahebrew N ddhagujarati N dalettsere N ddhagurmukhi N dalettserehebrew N ddotaccent N dalfinalarabic N ddotbelow N dammaarabic N decimalseparatorarabic N dammalowarabic N decimalseparatorpersian N dammatanaltonearabic N decyrillic N dammatanarabic N degree N danda N dehihebrew N dargahebrew N dehiragana N dargalefthebrew N deicoptic N dekatakana N dasiapneumatacyrilliccmb N dblanglebracketleft N deleteleft N dblanglebracketleftvertical N deleteright N dblanglebracketright N delta N dblanglebracketrightvertical N deltaturned N dblarchinvertedbelowcmb N denominatorminusonenumeratorbengali N dblarrowleft N dezh N dblarrowright N dhabengali N dbldanda N dhadeva N dblgravecmb N dhaqujarati

N downtackbelowcmb N dhaqurmukhi N dhook N downtackmod N dialytikatonos N dparen N dialytikatonoscmb N dtail N diamond N dtopbar N diamondsuitwhite N duhiragana N dieresis N dukatakana N dieresishelowcmb N dz N dieresiscmh N dzaltone N dieresistonos N dzcaron N dihiragana N dzcurl N dikatakana N dzeabkhasiancyrillic N dittomark N dzecyrillic N divide N dzhecyrillic N divides N divisionslash N eacute N djecyrillic N earth N dkshade N ebengali N dlinebelow N ebopomofo N dlsquare N ebreve N dmacron N ecandradeva N dmonospace N ecandragujarati N dnblock N ecandravowelsigndeva N dochadathai N ecandravowelsigngujarati N dodekthai N ecaron N dohiragana N ecedillabreve N dokatakana N echarmenian N dollar N echyiwnarmenian N dollarmonospace N ecircle N dollarsmall N ecircumflex N dong N ecircumflexacute N dorusquare N ecircumflexhelow N dotaccent N ecircumflexdotbelow N dotaccentcmb N ecircumflexgrave N dotbelowcmb N ecircumflexhookabove N dotbelowcomb N ecircumflextilde N dotkatakana N ecyrillic N edblgrave N dotlessi N dotlessj N edeva N dotlessjstrokehook N edieresis N dotmath N edot N dottedcircle N edotaccent N doubleyodpatah N edotbelow N doubleyodpatahhebrew N eegurmukhi

N eematragurmukhi N ellipsis N efcyrillic N ellipsisvertical N egrave N emacron N egujarati N emacronacute N eharmenian N emacrongrave N ehbopomofo N emcyrillic N ehiragana N emdash N ehookabove N emdashvertical N eibopomofo N emonospace N eight N emphasismarkarmenian N eightarabic N emptyset N eightbengali N enbopomofo N eightcircle N encyrillic N eightcircleinversesansserif N endash N eightdeva N endashvertical N eighteencircle N endescendercyrillic N eighteenparen N eng N eighteenperiod N engbopomofo N eightgujarati N enghecyrillic N eightgurmukhi N enhookcyrillic N eighthackarabic N enspace N eighthangzhou N eogonek N eighthnotebeamed N eokorean N eightideographicparen N eopen N eightinferior N eopenclosed N eightmonospace N eopenreversed N eopenreversedclosed N eightparen N eightperiod N eopenreversedhook N eightpersian N eparen N eightroman N epsilon N epsilontonos N eightsuperior N eightthai N equal N einvertedbreve N equalmonospace N eiotifiedcyrillic N equalsmall N ekatakana N equalsuperior N ekatakanahalfwidth N equivalence N ekonkargurmukhi N erbopomofo N ekorean N ercyrillic N elcyrillic N ereversed N element N ereversedcyrillic N elevencircle N escyrillic N elevenparen N esdescendercyrillic N elevenperiod N esh

N eshcurl

N elevenroman

N eshortdeva N fdotaccent N eshortvowelsigndeva N feharabic N eshreversedloop N feharmenian N fehfinalarabic N eshsquatreversed N esmallhiragana N fehinitialarabic N fehmedialarabic N esmallkatakana N esmallkatakanahalfwidth N feicoptic N estimated N female N ff Neta N etarmenian N ffi N ffl N etatonos N fi N eth N etilde N fifteencircle N etildebelow N fifteenparen N etnahtafoukhhebrew N fifteenperiod N etnahtafoukhlefthebrew N figuredash N etnahtahebrew N filledbox N etnahtalefthebrew N filledrect N eturned N finalkaf N eukorean N finalkafdagesh N euro N finalkafdageshhebrew N evowelsignbengali N finalkafhebrew N evowelsigndeva N finalkafgamats N evowelsigngujarati N finalkafgamatshebrew N exclam N finalkafsheva N finalkafshevahebrew N exclamarmenian N exclamdbl N finalmem N exclamdown N finalmemhebrew N exclammonospace N finalnun N existential N finalnunhebrew N ezh N finalpe N finalpehebrew N ezhcaron N ezhcurl N finaltsadi N ezhreversed N finaltsadihebrew N ezhtail N firsttonechinese Nf N fisheye N fitacyrillic N fadeva N fagurmukhi N five N fahrenheit N fivearabic N fathaarabic N fivebengali N fathalowarabic N fivecircle N fathatanarabic N fivecircleinversesansserif N fbopomofo N fivedeva N fcircle N fiveeighths

N fivegujarati N fourthtonechinese N fivegurmukhi N fparen N fivehackarabic N fraction N franc N fivehangzhou N fiveideographicparen Ng N gabengali N fiveinferior N fivemonospace N gacute N gadeva N fiveparen N fiveperiod N gafarabic N fivepersian N gaffinalarabic N gafinitialarabic N fiveroman N fivesuperior N gafmedialarabic N fivethai N qaqujarati N fl N gagurmukhi N florin N gahiragana N fmonospace N gakatakana N fmsquare N gamma N fofanthai N gammalatinsmall N fofathai N gammasuperior N fongmanthai N gangiacoptic N forall N gbopomofo N four N gbreve N fourarabic N gcaron N fourbengali N gcedilla N fourcircle N gcircle N fourcircleinversesansserif N gcircumflex N fourdeva N gcommaaccent N fourgujarati N gdot N fourgurmukhi N gdotaccent N fourhackarabic N gecyrillic N fourhangzhou N gehiragana N fourideographicparen N gekatakana N fourinferior N geometricallyequal N fourmonospace N gereshaccenthebrew N gereshhebrew N fournumeratorbengali N fourparen N gereshmuqdamhebrew N fourperiod N germandbls N fourpersian N gershayimaccenthebrew N fourroman N gershayimhebrew N foursuperior N getamark N fourteencircle N ghabengali N fourteenparen N ghadarmenian N fourteenperiod N ghadeva

N ghagujarati

N fourthai

N ahagurmukhi N greater N ghainarabic N greaterequal N ghainfinalarabic N greaterequalorless N ghaininitialarabic N greatermonospace N ghainmedialarabic N greaterorequivalent N ghemiddlehookcyrillic N greaterorless N ghestrokecyrillic N greateroverequal N gheupturncyrillic N greatersmall N ghhadeva N qscript N ghhagurmukhi N gstroke N ghook N guhiragana N ghzsquare N guillemotleft N gihiragana N quillemotright N gikatakana N guilsinglleft N gimarmenian N guilsinglright N gimel N gukatakana N gimeldagesh N guramusquare N gimeldageshhebrew N gysquare N gimelhebrew Νh N gjecyrillic N haabkhasiancyrillic N glottalinvertedstroke N haaltonearabic N glottalstop N habengali N glottalstopinverted N hadescendercyrillic N glottalstopmod N hadeva N glottalstopreversed N hagujarati N glottalstopreversedmod N hagurmukhi N haharabic N glottalstopreversedsuperior N glottalstopstroke N hahfinalarabic N hahinitialarabic N glottalstopstrokereversed N gmacron N hahiragana N gmonospace N hahmedialarabic N gohiragana N haitusquare N gokatakana N hakatakana N hakatakanahalfwidth N gparen N gpasquare N halantgurmukhi N gradient N hamzaarabic N hamzadammaarabic N grave N hamzadammatanarabic N gravebelowcmb N gravecmb N hamzafathaarabic N gravecomb N hamzafathatanarabic N gravedeva N hamzalowarabic N gravelowmod N hamzalowkasraarabic N hamzalowkasratanarabic N gravemonospace

N hamzasukunarabic

N gravetonecmb

N hehaltonearabic N hangulfiller N hardsigncyrillic N heharabic N harpoonleftbarbup N hehebrew N hehfinalaltonearabic N harpoonrightbarbup N hasquare N hehfinalalttwoarabic N hatafpatah N hehfinalarabic N hatafpatah16 N hehhamzaabovefinalarabic N hatafpatah23 N hehhamzaahoveisolatedarahic N hatafpatah2f N hehinitialaltonearabic N hatafpatahhebrew N hehinitialarabic N hatafpatahnarrowhebrew N hehiragana N hatafpatahquarterhebrew N hehmedialaltonearabic N hatafpatahwidehebrew N hehmedialarabic N hatafqamats N heiseierasquare N hatafqamats1b N hekatakana N hatafgamats28 N hekatakanahalfwidth N hatafgamats34 N hekutaarusquare N hatafgamatshebrew N henghook N hatafqamatsnarrowhebrew N herutusquare N hatafgamatsquarterhebrew N het N hatafgamatswidehebrew N hethebrew N hatafsegol N hhook N hatafsegol17 N hhooksuperior N hatafsegol24 N hieuhacirclekorean N hatafsegol30 N hieuhaparenkorean N hatafsegolhebrew N hieuhcirclekorean N hieuhkorean N hatafsegolnarrowhebrew N hatafsegolquarterhebrew N hieuhparenkorean N hatafsegolwidehebrew N hihiragana N hbar N hikatakana N hbopomofo N hikatakanahalfwidth N hbrevehelow N hiriq N hcedilla N hiriq14 N hcircle N hirig21 N hcircumflex N hiriq2d N hdieresis N hirighebrew N hdotaccent N hirignarrowhebrew N hdotbelow N hirigguarterhebrew N he N hiriawidehebrew N heart N hlinebelow N heartsuitblack N hmonospace N heartsuitwhite N hoarmenian N hohipthai N hedagesh N hedageshhebrew N hohiragana

N hokatakana N icvrillic N hokatakanahalfwidth N idblgrave N holam N ideographearthcircle N holam19 N ideographfirecircle N holam26 N ideographicallianceparen N holam32 N ideographiccallparen N holamhebrew N ideographiccentrecircle N holamnarrowhebrew N ideographicclose N holamquarterhebrew N ideographiccomma N holamwidehehrew N ideographiccommaleft N honokhukthai N ideographiccongratulationparen N hookabovecomb N ideographiccorrectcircle N hookemb N ideographicearthparen N hookpalatalizedbelowcmb N ideographicenterpriseparen N hookretroflexbelowcmb N ideographicexcellentcircle N hoonsquare N ideographicfestivalparen N horicoptic N ideographicfinancialcircle N horizontalbar N ideographicfinancialparen N hornemb N ideographicfireparen N hotsprings N ideographichaveparen N house N ideographichighcircle N hparen N ideographiciterationmark N hsuperior N ideographiclaborcircle N hturned N ideographiclaborparen N huhiragana N ideographicleftcircle N huiitosquare N ideographiclowcircle N hukatakana N ideographicmedicinecircle N hukatakanahalfwidth N ideographicmetalparen N hungarumlaut N ideographicmoonparen N hungarumlautcmb N ideographicnameparen N hv N ideographicperiod N hyphen N ideographicprintcircle N hyphenmonospace N ideographicreachparen N hyphensmall N ideographicrepresentparen N hyphentwo N ideographicresourceparen Νi N ideographicrightcircle N iacute N ideographicsecretcircle N iacyrillic N ideographicselfparen N ibengali N ideographicsocietyparen N ibopomofo N ideographicspace N ibreve N ideographicspecialparen N icaron N ideographicstockparen N icircle N ideographicstudyparen N icircumflex N ideographicsunparen

N ideographicsuperviseparen N imacron N ideographicwaterparen N imacroncyrillic N ideographicwoodparen N imageorapproximatelyequal N ideographiczero N imatragurmukhi N ideographmetalcircle N imonospace N ideographmooncircle N increment N ideographnamecircle N infinity N iniarmenian N ideographsuncircle N ideographwatercircle N integral N ideographwoodcircle N integralbottom N ideva N integralbt N idieresis N integraltop N idieresisacute N integraltp N idieresiscyrillic N intersection N idotbelow N intisquare N iebrevecyrillic N invbullet N iecyrillic N invcircle N invsmileface N ieungacirclekorean N iocyrillic N ieungaparenkorean N ieungcirclekorean N iogonek N ieungkorean N iota N ieungparenkorean N iotadieresis N iotadieresistonos N igrave N iotalatin N iqujarati N igurmukhi N iotatonos N iparen N ihiragana N ihookabove N irigurmukhi N iibengali N ismallhiragana N iicyrillic N ismallkatakana N ismallkatakanahalfwidth N iideva N iiqujarati N issharbengali N iigurmukhi N istroke N iimatragurmukhi N iterationhiragana N iinvertedbreve N iterationkatakana N iishortcyrillic N itilde N iivowelsignbengali N itildebelow N iivowelsigndeva N iubopomofo N iivowelsigngujarati N iucyrillic Nij N ivowelsignbengali N ikatakana N ivowelsigndeva N ikatakanahalfwidth N ivowelsigngujarati N ikorean N izhitsacyrillic N ilde N izhitsadblgravecyrillic N iluyhebrew Νi

| N | jaarmenian | N | kagurmukhi |
|---|---------------------|---|--------------------------------|
| N | jabengali | N | kahiragana |
| N | jadeva | N | kahookcyrillic |
| N | jagujarati | N | kakatakana |
| N | jagurmukhi | N | kakatakanahalfwidth |
| N | jbopomofo | N | kappa |
| N | jcaron | N | kappasymbolgreek |
| N | jcircle | N | kapyeounmieumkorean |
| N | jcircumflex | N | kapyeounphieuphkorean |
| N | jcrossedtail | N | kapyeounpieupkorean |
| N | jdotlessstroke | N | kapyeounssangpieupkorean |
| N | jecyrillic | N | karoriisquare |
| N | jeemarabic | N | kashidaautoarabic |
| Ν | jeemfinalarabic | N | kashidaautonosidebearingarabic |
| Ν | jeeminitialarabic | N | kasmallkatakana |
| N | jeemmedialarabic | N | kasquare |
| N | jeharabic | N | kasraarabic |
| N | jehfinalarabic | N | kasratanarabic |
| N | jhabengali | N | kastrokecyrillic |
| N | jhadeva | N | katahiraprolongmarkhalfwidth |
| N | jhagujarati | N | kaverticalstrokecyrillic |
| N | jhagurmukhi | N | kbopomofo |
| Ν | jheharmenian | N | kcalsquare |
| N | jis | N | kcaron |
| Ν | jmonospace | N | kcedilla |
| N | jparen | N | kcircle |
| Ν | jsuperior | N | kcommaaccent |
| Ν | k | N | kdotbelow |
| N | kabashkircyrillic | N | keharmenian |
| N | kabengali | N | kehiragana |
| Ν | kacute | N | kekatakana |
| N | kacyrillic | N | kekatakanahalfwidth |
| Ν | kadescendercyrillic | N | kenarmenian |
| N | kadeva | N | kesmallkatakana |
| N | kaf | N | kgreenlandic |
| N | kafarabic | N | khabengali |
| N | kafdagesh | N | khacyrillic |
| N | kafdageshhebrew | N | khadeva |
| N | kaffinalarabic | N | khagujarati |
| N | kafhebrew | N | khagurmukhi |
| N | kafinitialarabic | N | khaharabic |
| N | kafmedialarabic | N | khahfinalarabic |
| N | kafrafehebrew | N | khahinitialarabic |
| | | | |

N khahmedialarabic

N kagujarati

| N kheicoptic | N kpasquare |
|------------------------|-----------------------------------|
| N khhadeva | N ksicyrillic |
| N khhagurmukhi | N ktsquare |
| N khieukhacirclekorean | N kturned |
| N khieukhaparenkorean | N kuhiragana |
| N khieukhcirclekorean | N kukatakana |
| N khieukhkorean | N kukatakanahalfwidth |
| N khieukhparenkorean | N kvsquare |
| N khokhaithai | N kwsquare |
| N khokhonthai | Νl |
| N khokhuatthai | N labengali |
| N khokhwaithai | N lacute |
| N khomutthai | N ladeva |
| N khook | N lagujarati |
| N khorakhangthai | N lagurmukhi |
| N khzsquare | N lakkhangyaothai |
| N kihiragana | N lamaleffinalarabic |
| N kikatakana | N lamalefhamzaabovefinalarabic |
| N kikatakanahalfwidth | N lamalefhamzaaboveisolatedarabic |
| N kiroguramusquare | N lamalefhamzabelowfinalarabic |
| N kiromeetorusquare | N lamalefhamzabelowisolatedarabic |
| N kirosquare | N lamalefisolatedarabic |
| N kiyeokacirclekorean | N lamalefmaddaabovefinalarabic |
| N kiyeokaparenkorean | N lamalefmaddaaboveisolatedarabic |
| N kiyeokcirclekorean | N lamarabic |
| N kiyeokkorean | N lambda |
| N kiyeokparenkorean | N lambdastroke |
| N kiyeoksioskorean | N lamed |
| N kjecyrillic | N lameddagesh |
| N klinebelow | N lameddageshhebrew |
| N klsquare | N lamedhebrew |
| N kmcubedsquare | N lamedholam |
| N kmonospace | N lamedholamdagesh |
| N kmsquaredsquare | N lamedholamdageshhebrew |
| N kohiragana | N lamedholamhebrew |
| N kohmsquare | N lamfinalarabic |
| N kokaithai | N lamhahinitialarabic |
| N kokatakana | N laminitialarabic |
| N kokatakanahalfwidth | N lamjeeminitialarabic |
| N kooposquare | N lamkhahinitialarabic |
| N koppacyrillic | N lamlamhehisolatedarabic |
| N koreanstandardsymbol | N lammedialarabic |
| N koroniscmb | N lammeemhahinitialarabic |
| N kparen | N lammeeminitialarabic |

N lammeemjeeminitialarabic N logicaland N lammeemkhahinitialarabic N logicalnot N largecircle N logicalnotreversed N lbar N logicalor N lbelt N lolingthai N lbopomofo N longs N lcaron N lowlinecenterline N lcedilla N lowlinecmb N lowlinedashed N lcircle N lcircumflexbelow N lozenge N lcommaaccent N lparen N ldot N lslash N ldotaccent N lsquare N ldotbelow N ltshade N ldotbelowmacron N luthai N leftangleabovecmb N lvocalichengali N lefttackbelowcmb N lvocalicdeva N less N lvocalicvowelsignbengali N lessequal N lvocalicvowelsigndeva N lessequalorgreater N lxsquare N lessmonospace N m N lessorequivalent N mabengali N lessorgreater N macron N lessoverequal N macronbelowcmb N lesssmall N macronemb N lezh N macronlowmod N lfblock N macronmonospace N lhookretroflex N macute N lira N madeva N liwnarmenian N magujarati Nli N magurmukhi N ljecyrillic N mahapakhhebrew N 11adeva N mahapakhlefthebrew N llaqujarati N mahiragana N llinebelow N maichattawathai N llladeva N maiekthai N llvocalicbengali N maihanakatthai N maitaikhuthai N llvocalicdeva N llvocalicvowelsignbengali N maithothai N llvocalicvowelsigndeva N maitrithai N lmiddletilde N maiyamokthai N lmonospace N makatakana N makatakanahalfwidth N lmsquare N lochulathai N male

N mikatakana N mansyonsquare N magafhebrew N mikatakanahalfwidth N mars N minus N masoracirclehebrew N minusbelowcmb N masquare N minuscircle N mbopomofo N minusmod N mbsquare N minusplus N mcircle N minute N mcubedsquare N miribaarusquare N mdotaccent N mirisquare N mdotbelow N mlonglegturned N meemarabic N mlsquare N meemfinalarabic N mmcubedsquare N meeminitialarabic N mmonospace N meemmedialarabic N mmsquaredsquare N meemmeeminitialarabic N mohiragana N meemmeemisolatedarabic N mohmsquare N mokatakana N meetorusquare N mokatakanahalfwidth N mehiragana N meizierasquare N molsquare N mekatakana N momathai N mekatakanahalfwidth N moverssquare N mem N moverssquaredsquare N memdagesh N mparen N memdageshhebrew N mpasquare N memhebrew N mssquare N menarmenian N mturned N merkhahebrew N mu N merkhakefulahebrew N mu1 N merkhakefulalefthebrew N muasquare N merkhalefthebrew N muchgreater N mhook N muchless N mhzsquare N mufsquare N middledotkatakanahalfwidth N mugreek N middot N mugsquare N mieumacirclekorean N muhiragana N mukatakana N mieumaparenkorean N mieumcirclekorean N mukatakanahalfwidth N mieumkorean N mulsquare N mieumpansioskorean N multiply

N mieumpansioskorean N multiply
N mieumparenkorean N mumsquare
N mieumpieupkorean N munahhebrew
N mieumsioskorean N munahlefthebrew
N mihiragana N musicalnote

N musicalnotedbl N nieunacirclekorean N musicflatsign N nieunaparenkorean N musicsharpsign N nieuncieuckorean N mussquare N nieuncirclekorean N nieunhieuhkorean N muvsquare N muwsquare N nieunkorean N mvmegasquare N nieunpansioskorean N nieunnarenkorean N mvsquare N mwmegasquare N nieunsioskorean N nieuntikeutkorean N mwsquare Νn N nihiragana N nabengali N nikatakana N nabla N nikatakanahalfwidth N nacute N nikhahitthai N nadeva N nine N nagujarati N ninearabic N nagurmukhi N ninebengali N ninecircle N nahiragana N ninecircleinversesansserif N nakatakana N nakatakanahalfwidth N ninedeva N napostrophe N ninegujarati N nasquare N nineaurmukhi N nbopomofo N ninehackarabic N ninehangzhou N nbspace N ncaron N nineideographicparen N ncedilla N nineinferior N ncircle N ninemonospace N ncircumflexbelow N nineparen N ncommaaccent N nineperiod N ndotaccent N ninepersian N ndotbelow N nineroman N nehiragana N ninesuperior N nekatakana N nineteencircle N nekatakanahalfwidth N nineteenparen N nineteenperiod N newsheqelsign N nfsquare N ninethai N ngabengali Nnj N njecyrillic N ngadeva N ngagujarati N nkatakana N ngagurmukhi N nkatakanahalfwidth N ngonguthai N nlegrightlong N nhiragana N nlinebelow N nhookleft N nmonospace

N nmsquare

N nhookretroflex

N nnabengali N nuhiragana N nnadeva N nukatakana N nnaqujarati N nukatakanahalfwidth N nuktabengali N nnagurmukhi N nnnadeva N nuktadeva N nohiragana N nuktaqujarati N nokatakana N nuktagurmukhi N nokatakanahalfwidth N numbersian N nonbreakingspace N numbersignmonospace N nonenthai N numbersignsmall N nonuthai N numeralsigngreek N noonarabic N numeralsignlowergreek N noonfinalarabic N numero N noonghunnaarabic N nun N noonghunnafinalarabic N nundagesh N noonhehinitialarabic N nundageshhebrew N nooninitialarabic N nunhebrew N noonjeeminitialarabic N nvsquare N noonjeemisolatedarabic N nwsquare N noonmedialarabic N nyabengali N noonmeeminitialarabic N nvadeva N noonmeemisolatedarabic N nyagujarati N noonnoonfinalarabic N nyagurmukhi N notcontains Nο N notelement N oacute N notelementof N oangthai N notequal N obarred N notgreater N obarredcyrillic N notgreaternorequal N obarreddieresiscyrillic N notgreaternorless N obengali N notidentical N obopomofo N notless N obreve N notlessnorequal N ocandradeva N ocandragujarati N notparallel N notprecedes N ocandravowelsigndeva N notsubset N ocandravowelsigngujarati N notsucceeds N ocaron N notsuperset N ocircle N nowarmenian N ocircumflex N nparen N ocircumflexacute N nssquare N ocircumflexdotbelow N nsuperior N ocircumflexgrave N ntilde N ocircumflexhookabove

N ocircumflextilde

N nu

N ocvrillic N one N odblacute N onearabic N odblgrave N onebengali N odeva N onecircle N odieresis N onecircleinversesansserif N odieresiscyrillic N onedeva N odotbelow N onedotenleader N oe N oneeighth N oekorean N onequiarati N ogonek N onegurmukhi N onehackarabic N ogonekcmb N onehalf N ograve N oqujarati N onehangzhou N oharmenian N oneideographicparen N ohiragana N oneinferior N onemonospace N ohookabove N ohorn N onenumeratorbengali N ohornacute N oneparen N ohorndotbelow N oneperiod N ohorngrave N onepersian N ohornhookabove N onequarter N ohorntilde N oneroman N ohungarumlaut N onesuperior N onethai N oinvertedbreve N onethird N okatakana N oogonek N okatakanahalfwidth N oogonekmacron N okorean N oogurmukhi N olehebrew N oomatragurmukhi N omacron N oopen N omacronacute N oparen N omacrongrave N openbullet N omdeva N option N ordfeminine N omega N ordmasculine N omega1 N omegacyrillic N orthogonal N omegalatinclosed N oshortdeva N oshortvowelsigndeva N omegaroundcyrillic N omegatitlocyrillic N oslash N omegatonos N oslashacute N omgujarati N osmallhiragana N omicron N osmallkatakana N omicrontonos N osmallkatakanahalfwidth

N ostrokeacute

N omonospace

N otcyrillic N parenrightsmall N otilde N parenrightsuperior N otildeacute N parenrightvertical N otildedieresis N partialdiff N oubopomofo N paseghebrew N overline N pashtahebrew N overlinecenterline N pasquare N overlinecmb N patah N overlinedashed N patah11 N overlinedblwavy N patah1d N overlinewayy N patah2a N overscore N patahhebrew N ovowelsignbengali N patahnarrowhebrew N ovowelsigndeva N patahquarterhebrew N ovowelsigngujarati N patahwidehebrew Νp N pazerhebrew N paampssquare N pbopomofo N paasentosquare N pcircle N pdotaccent N pabengali N pacute N pe N padeva N pecyrillic N pagedown N pedagesh N pedageshhebrew N pageup N paqujarati N peezisquare N pagurmukhi N pefinaldageshhebrew N pahiragana N peharabic N paiyannoithai N peharmenian N pakatakana N pehebrew N palatalizationcyrilliccmb N pehfinalarabic N palochkacyrillic N pehinitialarabic N pansioskorean N pehiragana N paragraph N pehmedialarabic N parallel N pekatakana N pemiddlehookcyrillic N perafehebrew N percent N percentarabic

N parenleft N parenleftaltonearabic N parenleftinferior N parenleftmonospace N parenleftsmall N percentmonospace N parenleftsuperior N percentsmall N parenleftvertical N period N parenright N periodarmenian N parenrightaltonearabic N periodcentered N parenrightinferior N periodhalfwidth

N parenrightmonospace

N periodmonospace

N periodsmall N plusminus N perispomenigreekcmb N plusmod N perpendicular N plusmonospace N perthousand N plussmall N peseta N plussuperior N pfsquare N pmonospace N phabengali N pmsquare N phadeva N pohiragana N phaqujarati N pointingindexdownwhite N phagurmukhi N pointingindexleftwhite N phi N pointingindexrightwhite N phil N pointingindexupwhite N phieuphacirclekorean N pokatakana N phieuphaparenkorean N poplathai N phieuphcirclekorean N postalmark N phieuphkorean N postalmarkface N phieuphparenkorean N pparen N philatin N precedes N phinthuthai N prescription N phisymbolgreek N primemod N phook N primereversed N phophanthai N product N phophungthai N projective N phosamphaothai N prolongedkana N pi N propellor N pieupacirclekorean N propersubset N pieupaparenkorean N propersuperset N pieupcieuckorean N proportion N proportional N pieupcirclekorean N pieupkiyeokkorean N psi N pieupkorean N psicyrillic N pieupparenkorean N psilipneumatacyrilliccmb N pieupsioskiyeokkorean N pssquare N pieupsioskorean N puhiragana N pukatakana N pieupsiostikeutkorean N pieupthieuthkorean N pvsquare N pwsquare N pieuptikeutkorean N pihiragana Nq N pikatakana N qadeva N pisymbolgreek N qadmahebrew N piwrarmenian N gafarabic N qaffinalarabic N plus N plusbelowcmb N qafinitialarabic N pluscircle N gafmedialarabic

| N | qamats | N | qoftserehebrew |
|---|--------------------------|---|-----------------------|
| N | qamats10 | N | qparen |
| N | qamats1a | N | quarternote |
| N | qamats1c | N | qubuts |
| N | qamats27 | N | qubuts18 |
| N | qamats29 | N | qubuts25 |
| N | qamats33 | N | qubuts31 |
| N | qamatsde | N | qubutshebrew |
| N | qamatshebrew | N | qubutsnarrowhebrew |
| N | qamatsnarrowhebrew | N | qubutsquarterhebrew |
| N | qamatsqatanhebrew | N | qubutswidehebrew |
| N | qamatsqatannarrowhebrew | N | question |
| N | qamatsqatanquarterhebrew | N | questionarabic |
| N | qamatsqatanwidehebrew | N | questionarmenian |
| N | qamatsquarterhebrew | N | questiondown |
| N | qamatswidehebrew | N | questiongreek |
| N | qarneyparahebrew | N | questionmonospace |
| N | qbopomofo | N | quotedbl |
| N | qcircle | N | quotedblbase |
| N | qhook | N | quotedblleft |
| N | qmonospace | N | quotedblmonospace |
| N | qof | N | quotedblprime |
| N | qofdagesh | N | quotedblprimereversed |
| N | qofdageshhebrew | N | quotedblright |
| N | qofhatafpatah | N | quoteleft |
| N | qofhatafpatahhebrew | N | quoteleftreversed |
| N | qofhatafsegol | N | quotereversed |
| N | qofhatafsegolhebrew | N | quoteright |
| N | qofhebrew | N | quoterightn |
| N | qofhiriq | N | quotesinglbase |
| N | qofhiriqhebrew | N | quotesingle |
| N | qofholam | N | quotesinglemonospace |
| N | qofholamhebrew | N | r |
| N | qofpatah | N | raarmenian |
| N | qofpatahhebrew | N | rabengali |
| N | qofqamats | N | racute |
| N | qofqamatshebrew | N | radeva |
| N | qofqubuts | N | radical |
| N | qofqubutshebrew | N | radoverssquare |
| N | qofsegol | N | radoverssquaredsquare |
| N | qofsegolhebrew | N | radsquare |
| N | qofsheva | N | rafe |
| N | qofshevahebrew | N | rafehebrew |
| N | qoftsere | N | ragujarati |
| | | | |

N rahiragana N reshsegol N rakatakana N reshsegolhebrew N rakatakanahalfwidth N reshsheva N ralowerdiagonalbengali N reshshevahebrew N ramiddlediagonalbengali N reshtsere N ramshorn N reshtserehebrew N reversedtilde N ratio N rbopomofo N reviahebrew N reviamugrashhebrew N rcaron N rcedilla N revlogicalnot N rcircle N rfishhook N rcommaaccent N rfishhookreversed N rdblgrave N rhabengali N rdotaccent N rhadeva N rdotbelow N rho N rdotbelowmacron N rhook N referencemark N rhookturned N reflexsubset N rhookturnedsuperior N reflexsuperset N rhosymbolgreek N registered N rhotichookmod N reharabic N rieulacirclekorean N reharmenian N rieulaparenkorean N rehfinalarabic N rieulcirclekorean N rehiragana N rieulhieuhkorean N rehyehaleflamarabic N rieulkiyeokkorean N rekatakana N rieulkiyeoksioskorean N rekatakanahalfwidth N rieulkorean N rieulmieumkorean N resh N reshdageshhebrew N rieulpansioskorean N reshhatafpatah N rieulparenkorean N reshhatafpatahhebrew N rieulphieuphkorean N reshhatafsegol N rieulpieupkorean N reshhatafsegolhebrew N rieulpieupsioskorean N reshhebrew N rieulsioskorean N reshhiriq N rieulthieuthkorean N reshhirighebrew N rieultikeutkorean N reshholam N rieulyeorinhieuhkorean N reshholamhebrew N rightangle N reshpatah N righttackbelowcmb N reshpatahhebrew N righttriangle N reshgamats N rihiragana N reshgamatshebrew N rikatakana N reshqubuts N rikatakanahalfwidth

N reshaubutshebrew

N ragurmukhi

N rina N rvocalicvowelsignbengali N ringbelowcmb N rvocalicvowelsigndeva N ringcmb N rvocalicvowelsigngujarati N ringhalfleft Ns N ringhalfleftarmenian N sabengali N ringhalfleftbelowcmb N sacute N ringhalfleftcentered N sacutedotaccent N ringhalfright N sadarabic N ringhalfrightbelowcmb N sadeva N ringhalfrightcentered N sadfinalarahic N sadinitialarabic N rinvertedbreve N sadmedialarabic N rittorusquare N rlinebelow N sagujarati N rlongleg N sagurmukhi N rlonglegturned N sahiragana N rmonospace N sakatakana N rohiragana N sakatakanahalfwidth N rokatakana N sallallahoualayhewasallamarabic N rokatakanahalfwidth N samekh N roruathai N samekhdagesh N rparen N samekhdageshhebrew N rrabengali N samekhhebrew N rradeva N saraaathai N rragurmukhi N saraaethai N rreharabic N saraaimaimalaithai N rrehfinalarabic N saraaimaimuanthai N rrvocalicbengali N saraamthai N saraathai N rrvocalicdeva N rrvocalicgujarati N saraethai N saraiithai N rrvocalicvowelsignbengali N saraithai N rrvocalicvowelsigndeva N rrvocalicvowelsigngujarati N saraothai N rthlock N saraueethai N rturned N sarauethai N rturnedsuperior N sarauthai N ruhiragana N sarauuthai N rukatakana N sbopomofo N rukatakanahalfwidth N scaron N rupeemarkbengali N scarondotaccent N rupeesignbengali N scedilla N ruthai N schwa N rvocalichengali N schwacyrillic N rvocalicdeva N schwadieresiscyrillic N rvocalicqujarati N schwahook

N scircle N sevenhackarabic N scircumflex N sevenhangzhou N scommaaccent N sevenideographicparen N sdotaccent N seveninferior N sdotbelow N sevenmonospace N sdotbelowdotaccent N sevenparen N seagullbelowcmb N sevenperiod N second N sevennersian N secondtonechinese N sevenroman N section N sevensuperior N seenarabic N seventeencircle N seenfinalarabic N seventeenparen N seeninitialarabic N seventeenperiod N seenmedialarabic N seventhai N segol N sfthyphen N segol13 N shaarmenian N segol1f N shabengali N segol2c N shacyrillic N shaddaarabic N segolhebrew N shaddadammaarabic N segolnarrowhebrew N segolquarterhebrew N shaddadammatanarabic N segoltahebrew N shaddafathaarabic N segolwidehebrew N shaddafathatanarabic N seharmenian N shaddakasraarabic N sehiragana N shaddakasratanarabic N sekatakana N shade N sekatakanahalfwidth N shadedark N semicolon N shadelight N semicolonarabic N shademedium N semicolonmonospace N shadeva N semicolonsmall N shagujarati N semivoicedmarkkana N shagurmukhi N semivoicedmarkkanahalfwidth N shalshelethehrew N shbopomofo N sentisquare N sentosquare N shchacyrillic N seven N sheenarabic N sheenfinalarabic N sevenarabic N sevenbengali N sheeninitialarabic N sevencircle N sheenmedialarabic N sevencircleinversesansserif N sheicoptic N sevendeva N sheqel N seveneighths N shegelhebrew N sevengujarati N sheva N sevengurmukhi N sheval15

N sheva15 N six N sheva22 N sixarabic N sheva2e N sixbengali N shevahebrew N sixcircle N shevanarrowhebrew N sixcircleinversesansserif N shevaquarterhebrew N sixdeva N shevawidehebrew N sixgujarati N shhacvrillic N sixaurmukhi N shimacoptic N sixhackarabic N shin N sixhangzhou N shindagesh N sixideographicparen N shindageshhebrew N sixinferior N shindageshshindot N sixmonospace N shindageshshindothebrew N sixparen N shindageshsindot N sixperiod N shindageshsindothebrew N sixpersian N shindothebrew N sixroman N shinhehrew N sixsuperior N shinshindot N sixteencircle N shinshindothebrew N sixteencurrencydenominatorbengali N shinsindot N sixteenparen N shinsindothebrew N sixteenperiod N shook N sixthai N sigma N slash N sigmal N slashmonospace N sigmafinal N slona N slongdotaccent N sigmalunatesymbolgreek N sihiragana N smileface N sikatakana N smonospace N sikatakanahalfwidth N sofpasughebrew N silughebrew N softhyphen N siluglefthebrew N softsigncyrillic N similar N sohiragana N sindothebrew N sokatakana N siosacirclekorean N sokatakanahalfwidth N siosaparenkorean N soliduslongoverlaycmb N solidusshortoverlaycmb N sioscieuckorean N sorusithai N sioscirclekorean N sioskiyeokkorean N sosalathai N sioskorean N sosothai N siosnieunkorean N sosuathai N siosparenkorean N space N spacehackarabic N siospieupkorean

N spade

N siostikeutkorean

N spadesuitblack N sukatakana N spadesuitwhite N sukatakanahalfwidth N sparen N sukunarabic N squarebelowcmb N summation N squarecc N sun N squarecm N superset N squarediagonalcrosshatchfill N supersetnotequal N squarehorizontalfill N supersetorequal N squarekq N sysquare N squarekm N syouwaerasquare N squarekmcapital Νt N squareln N tabengali N squarelog N tackdown N tackleft N squaremg N squaremil N tadeva N squaremm N taqujarati N squaremsquared N tagurmukhi N taharahic N squareorthogonalcrosshatchfill N tahfinalarabic N squareupperlefttolowerrightfill N tahinitialarabic N squareupperrighttolowerleftfill N squareverticalfill N tahiragana N squarewhitewithsmallblack N tahmedialarabic N srsquare N taisyouerasquare N ssabengali N takatakana N ssadeva N takatakanahalfwidth N ssagujarati N tatweelarabic N ssangcieuckorean N tau N ssanghieuhkorean N tav N ssangieungkorean N tavdages N ssangkiyeokkorean N tavdagesh N tavdageshhebrew N ssangnieunkorean N ssangpieupkorean N tayhebrew N ssangsioskorean N thar N ssangtikeutkorean N tbopomofo N sterling N tcaron N sterlingmonospace N tccurl N strokelongoverlaycmb N tcedilla N strokeshortoverlaycmb N tcheharabic N subset N tchehfinalarabic N subsetnotequal N tchehinitialarabic N subsetorequal N tchehmedialarabic N succeeds N tchehmeeminitialarabic N suchthat N tcircle

N tcircumflexbelow

N suhiragana

| N tcommaaccent | N thalfinalarabic |
|-------------------------|-------------------------------|
| N tdieresis | N thanthakhatthai |
| N tdotaccent | N theharabic |
| N tdotbelow | N thehfinalarabic |
| N tecyrillic | N thehinitialarabic |
| N tedescendercyrillic | N thehmedialarabic |
| N teharabic | N thereexists |
| N tehfinalarabic | N therefore |
| N tehhahinitialarabic | N theta |
| N tehhahisolatedarabic | N thetal |
| N tehinitialarabic | N thetasymbolgreek |
| N tehiragana | N thieuthacirclekorean |
| N tehjeeminitialarabic | N thieuthaparenkorean |
| N tehjeemisolatedarabic | N thieuthcirclekorean |
| N tehmarbutaarabic | N thieuthkorean |
| N tehmarbutafinalarabic | N thieuthparenkorean |
| N tehmedialarabic | N thirteencircle |
| N tehmeeminitialarabic | N thirteenparen |
| N tehmeemisolatedarabic | N thirteenperiod |
| N tehnoonfinalarabic | N thonangmonthothai |
| N tekatakana | N thook |
| N tekatakanahalfwidth | N thophuthaothai |
| N telephone | N thorn |
| N telephoneblack | N thothahanthai |
| N telishagedolahebrew | N thothanthai |
| N telishaqetanahebrew | N thothongthai |
| N tencircle | N thothungthai |
| N tenideographicparen | N thousandcyrillic |
| N tenparen | N thousandsseparatorarabic |
| N tenperiod | N thousandsseparatorpersian |
| N tenroman | N three |
| N tesh | N threearabic |
| N tet | N threebengali |
| N tetdagesh | N threecircle |
| N tetdageshhebrew | N threecircleinversesansserif |
| N tethebrew | N threedeva |
| N tetsecyrillic | N threeeighths |
| N tevirhebrew | N threegujarati |
| N tevirlefthebrew | N threegurmukhi |
| N thabengali | N threehackarabic |
| N thadeva | N threehangzhou |
| N thagujarati | N threeideographicparen |
| N thagurmukhi | N threeinferior |
| N thalarabic | N threemonospace |

N threenumeratorbengali N tonetwo N tonos N threeparen N threeperiod N tonsquare N threepersian N topatakthai N threequarters N tortoiseshellbracketleft N threeroman N tortoiseshellbracketleftsmall N threesuperior N tortoiseshellbracketleftvertical N threethai N tortoiseshellbracketright N thzsquare N tortoiseshellbracketrightsmall N tihiragana N tortoiseshellbracketrightvertical N tikatakana N totaothai N tikatakanahalfwidth N tpalatalhook N tikeutacirclekorean N tparen N tikeutaparenkorean N trademark N tikeutcirclekorean N tretroflexhook N tikeutkorean N triaddn N tikeutparenkorean N triaglf N tilde N triagrt N tildehelowcmb N triagup N tildecmb N ts N tildecomb N tsadi N tildedoublecmb N tsadidagesh N tildeoperator N tsadidageshhebrew N tildeoverlaycmb N tsadihebrew N tildeverticalcmb N tsecvrillic N timescircle N tsere N tipehahebrew N tsere12 N tipehalefthebrew N tserele N tsere2b N tippigurmukhi N titlocyrilliccmb N tserehebrew N tiwnarmenian N tserenarrowhebrew N tlinebelow N tserequarterhebrew N tmonospace N tserewidehehrew N tshecyrillic N toarmenian N tohiragana N ttabengali N tokatakana N ttadeva N tokatakanahalfwidth N ttagujarati N tonebarextrahighmod N ttagurmukhi N tonebarextralowmod N tteharabic N tonebarhighmod N ttehfinalarabic N tonebarlowmod N ttehinitialarabic N tonebarmidmod N ttehmedialarabic N tonefive N tthabengali N tonesix N tthadeva

N tthagujarati N ubengali N tthagurmukhi N ubopomofo N tturned N ubreve N tuhiragana N ucaron N tukatakana N ucircle N tukatakanahalfwidth N ucircumflex N tusmallhiragana N ucircumflexbelow N tusmallkatakana N ucvrillic N tusmallkatakanahalfwidth N udattadeva N twelvecircle N udhlacute N twelveparen N udblarave N twelveperiod N udeva N twelveroman N udieresis N twentycircle N udieresisacute N udieresisbelow N twentyparen N twentyperiod N udieresiscaron N two N udieresiscyrillic N twoarabic N udieresisgrave N twobengali N udieresismacron N twocircle N udotbelow N twocircleinversesansserif N ugrave N twodeva N ugujarati N twodotenleader N ugurmukhi N twodotleader N uhiragana N twodotleadervertical N uhookabove N twogujarati N uhorn N twogurmukhi N uhornacute N twohackarabic N uhorndotbelow N twohangzhou N uhorngrave N twoideographicparen N uhornhookabove N uhorntilde N twoinferior N twomonospace N uhungarumlaut N twonumeratorbengali N uhungarumlautcyrillic N uinvertedbreve N twoparen N ukatakana N twoperiod N twopersian N ukatakanahalfwidth N ukcyrillic N tworoman N twostroke N ukorean N twosuperior N umacron

N twothai N umacroncyrillic
N twothirds N umacrondieresis
N u N umatragurmukhi
N uacute N umonospace
N ubar N underscore

N underscoredbl N vav N underscoremonospace N vavdagesh N underscorevertical N vavdagesh65 N underscorewayy N vavdageshhebrew N union N vavhebrew N universal N vavholam N uogonek N vavholamhebrew N vavvavhebrew N uparen N upblock N vavyodhebrew N upperdothebrew N vcircle N vdotbelow N upsilon N vecvrillic N upsilondieresis N upsilondieresistonos N veharabic N vehfinalarabic N upsilonlatin N vehinitialarabic N upsilontonos N uptackbelowcmb N vehmedialarabic N uptackmod N vekatakana N uragurmukhi N venus N verticalbar N uring N verticallineabovecmb N ushortcyrillic N usmallhiragana N verticallinebelowcmb N verticallinelowmod N usmallkatakana N usmallkatakanahalfwidth N verticallinemod N ustraightcyrillic N vewarmenian N ustraightstrokecyrillic N vhook N utilde N vikatakana N utildeacute N viramabengali N utildebelow N viramadeva N uubengali N viramagujarati N uudeva N visargabengali N visargadeva N uuqujarati N uugurmukhi N visargagujarati N uumatragurmukhi N vmonospace N uuvowelsignbengali N voarmenian N uuvowelsigndeva N voicediterationhiragana N uuvowelsigngujarati N voicediterationkatakana N uvowelsignbengali N voicedmarkkana N voicedmarkkanahalfwidth N uvowelsigndeva N uvowelsigngujarati N vokatakana Νv N vparen

N v vadeva N vtilde
N vagujarati N vturned
N vagurmukhi N vuhiragana
N vakatakana N vukatakana

Νw N whiterightpointingtriangle N wacute N whitesmallsquare N waekorean N whitesmilingface N wahiragana N whitesquare N wakatakana N whitestar N wakatakanahalfwidth N whitetelephone N wakorean N whitetortoiseshellbracketleft N wasmallhiragana N whitetortoiseshellbracketright N wasmallkatakana N whiteuppointingsmalltriangle N wattosquare N whiteuppointingtriangle N wavedash N wihiragana N wavvunderscorevertical N wikatakana N wawarabic N wikorean N wawfinalarabic N wmonospace N wawhamzaabovearabic N wohiragana N wawhamzaabovefinalarabic N wokatakana N wbsquare N wokatakanahalfwidth N wcircle N won N wcircumflex N wonmonospace N wdieresis N wowaenthai N wdotaccent N wparen N wdotbelow N wring N wehiragana N wsuperior N weierstrass N wturned N wekatakana N wvnn N wekorean Nx N weokorean N xabovecmb N wgrave N xbopomofo N whitebullet N xcircle N whitecircle N xdieresis N whitecircleinverse N xdotaccent N whitecornerbracketleft N xeharmenian N whitecornerbracketleftvertical N xi N whitecornerbracketright N xmonospace N whitecornerbracketrightvertical N xparen N whitediamond N xsuperior N whitediamondcontainingblacksmalldiamond Nу N whitedownpointingsmalltriangle N yaadosquare N whitedownpointingtriangle N yabengali N whiteleftpointingsmalltriangle N yacute N whiteleftpointingtriangle N yadeva N whitelenticularbracketleft N yaekorean

N yagujarati

N yagurmukhi

N whitelenticularbracketright

N whiterightpointingsmalltriangle

N yahiragana N viarmenian N yakatakana N yicyrillic N yakatakanahalfwidth N yikorean N vakorean N yinyang N yamakkanthai N yiwnarmenian N yasmallhiragana N ymonospace N vasmallkatakana N yod N yasmallkatakanahalfwidth N yoddagesh N yatcyrillic N yoddageshhebrew N ycircle N yodhebrew N ycircumflex N yodyodhebrew N vdieresis N yodyodpatahhebrew N ydotaccent N yohiragana N ydotbelow N yoikorean N yeharabic N yokatakana N yehbarreearabic N yokatakanahalfwidth N yehbarreefinalarabic N yokorean N yehfinalarabic N yosmallhiragana N yehhamzaabovearabic N yosmallkatakana N yehhamzaabovefinalarabic N yosmallkatakanahalfwidth N yehhamzaaboveinitialarabic N yotgreek N vehhamzaabovemedialarabic N yoyaekorean N yehinitialarabic N yoyakorean N yehmedialarabic N yoyakthai N yehmeeminitialarabic N yoyingthai N yehmeemisolatedarabic N yparen N yehnoonfinalarabic N ypogegrammeni N yehthreedotsbelowarabic N ypogegrammenigreekcmb N yekorean Nyr N yen N yring N yenmonospace N ysuperior N yeokorean N ytilde N yeorinhieuhkorean N yturned N yerahbenyomohebrew N yuhiragana N yerahbenyomolefthebrew N yuikorean N yericyrillic N yukatakana N yerudieresiscyrillic N yukatakanahalfwidth N yesieungkorean N yukorean N yesieungpansioskorean N yusbigcyrillic N yesieungsioskorean N yusbigiotifiedcyrillic N yetivhebrew N yuslittlecyrillic N yuslittleiotifiedcyrillic N ygrave N yusmallhiragana N yhook N yhookabove N yusmallkatakana

N vusmallkatakanahalfwidth N zerohackarabic N yuyekorean N zeroinferior N yuyeokorean N zeromonospace N yyabengali N zeropersian N yyadeva N zerosuperior Νz N zerothai N zaarmenian N zerowidthioiner N zacute N zerowidthnonioiner N zadeva N zerowidthspace N zagurmukhi N zeta N zaharabic N zhbopomofo N zahfinalarabic N zhearmenian N zahinitialarabic N zhebrevecyrillic N zahiragana N zhecyrillic N zahmedialarabic N zhedescendercyrillic N zainarabic N zhedieresiscyrillic N zainfinalarabic N zihiragana N zakatakana N zikatakana N zinorhehrew N zagefgadolhebrew N zlinebelow N zagefgatanhebrew N zargahebrew N zmonospace N zavin N zohiragana N zayindagesh N zokatakana N zayindageshhebrew N zparen N zayinhebrew N zretroflexhook N zbopomofo N zstroke N zcaron N zuhiragana N zcircle N zukatakana N zcircumflex N version enhanceid function N zcurl expansions data table N zdot formats data table N zdotaccent N zdotbelow getalternate function getdiscexpansion function N zecyrillic getkern function N zedescendercyrillic function getmultiple N zedieresiscyrillic N zehiragana getsubstitution function table getters N zekatakana N zero T alternate N zeroarabic F opentype N zerobengali T kern N zerodeva F opentype N zerogujarati F type1 N zerogurmukhi T multiple

| F opentype | | D modes | |
|--------------------|-------|--------------------|----------|
| T substitution | | D originals | |
| F opentype | | D parameters | |
| goodies | table | T processes | |
| D colorschemes | | D properties | |
| T data | | D quads | |
| T dejavu-math | | D resources | |
| S author | | T setdynamics | |
| S comment | | T shapes | |
| S copyright | | D spaces | |
| B initialized | | D spacings | |
| T mathematics | | D unicodes | |
| T alternates | | D variants | |
| T dotless | | D xheights | |
| S comment | | helpers | table |
| S feature | | F addextraprivate | |
| N value | | F addprivate | |
| T kerns | | F dimenfactor | |
| S name | | F expandglyph | |
| S version | | F fontpatternhassi | ze |
| D designsizes | | F getcoloredglyphs | |
| D filenames | | F getdigitwidth | |
| F getcompositions | | F getparameters | |
| T list | | F getprivatecharor | node |
| F load | | F getprivatenode | |
| F prepare_features | | F getprivates | |
| F register | | F getprivateslot | |
| F registerpostproc | essor | F hasprivate | |
| F report | | F indextoslot | |
| T suffixes | | F name | |
| handlers | table | F nametoslot | |
| hashes | table | F setdigitwidth | |
| D characters | | F splitfontpattern | |
| D csnames | | F tochar | |
| D descriptions | | infofont | function |
| D dynamics | | iterators | table |
| D emwidths | | F characters | |
| D exheights | | F descriptions | |
| D extensibles | | F glyphs | |
| D features | | loggers | table |
| D identifiers | | F add_placeholders | |
| D italics | | D category_to_plac | eholder |
| D lastmathids | | F format | |
| D marks | | F onetimemessage | |

| F register | F reset | |
|----------------------|----------------------|------------|
| F reportdefinedfonts | F tounicode | |
| F reportusedfeatures | F tounicode16 | |
| mappings table | F tounicode16sequ | ience |
| F addtounicode | metapost | table |
| F fromunicode16 | F boundingbox | |
| F loadfile | F boxtomp | |
| F loadline | F draw | |
| F makenameparser | F fill | |
| T overloads | F maxbounds | |
| T IJ | F output | |
| N mess | F paths | |
| S name | F widthline | |
| T unicode | F zeroline | |
| T f_f | mp | table |
| N mess | D cache | |
| S name | B inline | |
| T unicode | N version | |
| T f_f_i | names | data table |
| N mess | nulldata | data table |
| S name | protrusions | data table |
| T unicode | readers | table |
| T f_f_l | F afm | |
| N mess | F check_lua | |
| S name | F check_tfm | |
| T unicode | F lua | |
| T f_i | F ofm | |
| N mess | F opentype | |
| S name | F otf | |
| T unicode | F pfb | |
| T f_j | D sequence | |
| S name | F tfm | |
| T unicode | F ttc | |
| T f_k | F ttf | |
| S name | F woff reserveid | function |
| T unicode | select | table |
| T f_l | D alternatives | table |
| N mess S name | | |
| S name T unicode | F bodyfont D data | |
| T i_j | р data F default | |
| N mess | D defaults | |
| S name | F definefallbackf | Family |
| T unicode | F definefontfamil | |
| i mircone | r deilheidhrigmli | - у |

| F definefontfamilypreset | D contextsetups |
|--------------------------------------|-------------------------|
| D extras | F contexttostring |
| F fallback | F definecontext |
| D fallbacks | F mergecontext |
| F features | F presetcontext |
| F filefallback | F registercontext |
| F fontdata | F showcontext |
| F fontfallback | F splitcontext |
| F fontsynonym | D synonyms |
| F goodies | D variants |
| F mathfallback | symbols table |
| D methods | F uselibrary |
| D presets | tables table |
| F registerfallback | D data |
| F registerfiles | F savefont |
| F registerfontalternative | F saveoriginal |
| F registerfontfamily | tracers table |
| F textfallback | treatments table |
| F typeface | F applyfixes |
| F typescript | D data |
| F userdata | S filename |
| <pre>setdiscexpansion function</pre> | F ignoredfile |
| <pre>specifiers table</pre> | F report |
| D contextmerged | F trace |
| | |

F contextnumber
D contextnumbers

typefaces

table

functions (context)

dummy function

graphics (context)

backgrounds table

F calculatemultipar

F fetchmultipar

F pair

F path

F point

gzip (extra lua)

| close | function | open | function |
|-------|----------|--------|----------|
| lines | function | save | function |
| load | function | suffix | function |

img (basic tex)

| boxes | function | ofindex | function |
|----------------|----------|-----------|----------|
| check | function | package | function |
| checksize | function | print | function |
| clone | function | scan | function |
| сору | function | serialize | function |
| immediatewrite | function | totable | function |
| keys | function | types | function |
| new | function | write | function |
| node | function | | |

interactions (context)

attachments data table D functions fields table D preambles F clone F setpreamble F define F storecode F defineset F storepreamble F insert F usepreamblenow general table F usescripts linkedlists data table F getidentity pages table F setupidentity help table F setpagetransition F collect F setupcanvas table references F reference F register F setclosedocument javascripts table F setclosepage F addtopreamble F setopendocument F code F setopenpage renderings data table D codes soundclips data table F flushpreambles

interfaces (context)

| addvalidkeys | function | F MPpardata |
|--------------------------|------------|-----------------------------|
| cachedsetups | data table | F MPplus |
| cachesetup | function | F MPpos |
| checkedspecification | function | F MPposset |
| complete | data table | F MPr |
| constants | data table | F MPrest |
| corenamespaces | data table | F MPrs |
| currentinterface | string | F MPul |
| currentresponse | string | F MPur |
| definecommand | function | F MPw |
| defined | function | F MPwhd |
| doifelsemessage | function | F MPx |
| elements | data table | F MPxy |
| formats | data table | F MPxywhd |
| getcheckedparameters | function | F MPy |
| getmessage | function | F Romannumerals |
| getnamespace | function | F abjadnodotnumerals |
| getsetupstring | function | F abjadnumerals |
| hashedsetups | data table | F adaptfontfeature |
| implement | function | F addcounter |
| interfacedcommand | function | F addfeature |
| interfaces | table | F addgrapheme |
| invalidkey | function | F addlinklistelement |
| message | function | F addreplacements |
| namespaces | table | F addtocolumnset |
| F define | | F addtojavascriptpreamble |
| F list | | F addtolist |
| registernamespace | function | F addvalidinterfacekeys |
| scanners | table | F allinputpaths |
| F Alphabetic | | F alphabetic |
| F Character | | F analysefloatmethod |
| F Characters | | F analyzeitemgroup |
| F MPLIBconvertoutlinetex | t | F analyzelist |
| F MPc | | F analyzeregister |
| F MPd | | F applypattern |
| F MPh | | F applytobox |
| F MPll | | F applytofirstcharacter |
| F MPlr | | F assignbuffer |
| F MPls | | F autofinishstructurelevels |
| F MPn | | F autonextspace |
| F MPp | | F autonextstructurelevel |
| | | |

F autosetups F btxlastofrange F autostarttext F btxlistvariant F autostoptext F btxloaddefinitionfile F averagecharwidth F btxloadiournallist F bitmapimage F btxloadreplacementfile F blockcolumnset F btxoneorrange F boxtostrina F btxpreparelistentries F btxremanauthor F bposcolumn F bposcolumnregistered F btxsavedataset F btxabbreviatedjournal F btxsavejournallist F btxaddentrv F btxsetdataset F btxaddiournal F btxsetentry F btxauthor F btxsetregister F btxauthorfield F btxsetspecification F btxauthortoregister F btxsingularorplural F btxcollectlistentries F btxtoregister F btxcurrentfirstnames F btxusedataset F htxuservariable F btxcurrentinitials F buildtextaccent F btxcurrentjuniors F btxcurrentsurnames F character F btxcurrentvons F characters F btxdetail F chardescription F btxdirect F checkcolumnset F btxdoif F checkcountersetup F btxdoifelse F checkedconversion F btxdoifelsecombiinlist F checkedpagefloat F btxdoifelsesameasprevious F checkinjector F btxdoifelseuservariable F checkinterfacechain F btxdoifnot F checktwopassdata F btxexpandedjournal F chemicalcomponent F btxfetchlistentries F chinesenumerals F btxfield F cleanfontname F btxfieldname F cleanupbox F btxfieldtype F cleanuplayers F clonefield F btxfirstofrange F btxflush F collectfloat F btxflushlistcombi F collecthelp F btxflushlistentry F colorcomponents F btxflushmarked F columnsetcurrentcolumn F btxflushpages F columnsetaoto F btxfoundname F columnsetnoto F btxfoundtype F concatcommalist

F btxhandlenocite F convertbtxdatasettoxml

F btxhandlecite

F consultfloat

F converteddimen E definefontfeature F convertmpstopdf F definefontsolution F copyboxfromcache F definehyphenationfeatures F defineinsertion F copyposition F cos F defineintermediatecolor F cosd F definelabels F countervalue F definelanguage F definelinefiller F counttwonassdata F definelinkedlist F currentcomponent F currentdate F definemarking F currentdesignsize F definemetafont F currentenvironment F definemultitonecolorglobal F currentposthyphenchar F definenamespace F currentprehyphenchar F definenote F currentproduct F defineparallel F currentproject F defineparbuilder F currentreferenceorder F defineprocesscolordummy F currentsectiontolist F defineprocesscolorglobal F datasetvariable F defineprocesscolorlocal F dayname F defineprogram F decimals F definereference F decrementcounter F defineregister F decrementedcounter F definerule F decrementsubcounter F definesectionlevels F defineaccents F defineshift F defineattribute F definesnapmethod F definebreakpoint F definespotcolorglobal F definebreakpoints F definestructureblock F definecharacterspacing F definestructureset F definechemical F definetransparency F definecolumnset F definetransparencyglobal F defineconversion F definetwopasslist F definecounter F definetypeface F definedlayoutcomponent F defineviewerlayer F depthnumber F definefallbackfamily F definefield F digits normal F definefieldset F digits_reverse F definefilefallback F directboxfromcache F definefilesynonym F directcopyboxfromcache F definefont one F disableautofontscript F definefont_two F disabledirectives F definefontcolorpalette F disableexperiments F definefontfamily F disablejobsave F definefontfamilypreset F disableparbuilder

F disableregime F doifelsepositionsonsamepage F disablespellchecking F doifelsepositionsonthispage F disablestatetriggering F doifelsepositionsused F disablestream F doifelserangeonpage F disabletrackers F doifelsereference F discardfromlist F doifelserighttoleftinbox F doanalvzeframedbox F doifelsesame F doifelsestackedfloats F doifcommon F doifcounter F doifelsesynonymshown F doifelseblack F doifelsesynonymused F doifelsebuffer F doifelseurldefined F doifelsecharinfont F doifelseutfmathabove F doifelsecommon F doifelseutfmathaccent F doifelsecontinuewithfile F doifelseutfmathbelow F doifelseconverter F doifelseutfmathfiller F doifelsecounter F doifelsevisualizer F doifelsecurrentfonthasfeature F doiffieldsetelse F doifelsedrawingblack F doifinset F doifelsefieldcategory F doifnotcommon F doifelsefiledefined F doifnotcounter F doifelsefileexist F doifnotecontent F doifelsefirstchar F doifnoteonsamepageasprevious F doifelsefontpresent F doifnotinset F doifelseinelement F doifnotsame F doifelseinputfile F doifposition F doifelseinset F doifsame F doifelseintwopassdata F doprocesstypescriptfile F doifelseleapyear F doreshapeframedbox F doifelselisthasentry F dosaveposition F doifelselisthasnumber F dosavepositionplus F doifelselisthaspage F dosavepositionwhd F doifelselisthastitle F dosetposition F doifelselocfile F dosetpositionbox F dosetpositionplus F doifelsemarking F doifelsemessage F dosetpositionstrut F doifelseobject F dosetpositionwhd F doifelseobjectreference F dostarttextfile F doifelseolderversion F dostoptextfile F doifelseoverlapping F elapsedtime F doifelseparallel F enableasciimode F doifelseparentfile F enableautofences F doifelsepathexist F enableautofontscript

F enablebackgroundalign

F enablebackgroundboxes

F doifelseposition

F doifelsepositiononpage

F enablecolor F figure flush registered pages F enablecolorintents F figure identify F enablecrlf F figure include F enabledirectives F figure mergegoodies F enableexperiments F figure nof registered pages F enablefontcolorschemes F figure pop F enableinteraction F figure push F enablelinefillers F figure register page F enableparbuilder F figure reset F enableregime F figure scale F enablerules F figurefilename F figurefilepath F enableshifts F enablespellchecking F figurefiletype F enablestatetriggering F figurerequest F enablestream F figuresetdimensions F enabletrackers F figurestatus F enabletransparency F figureused F enableutf F filterdefaultreference F enhancelinkedlist F filterreference F enhancelist F finalizebox F enhancereference F findregisterinternal F enhanceregister F findtwopassdata F finishcolumnsetflush F eposcolumn F eposcolumnregistered F finishexport F erasebuffer F firstcountervalue F execute F firstinset F expandcurrentreference F firstsubcountervalue F exportformdata F flushcolumnsetareas F flushcolumnsetcolumn F exportreferences F extendregister F flushcolumnsetrest F extensiblecode F flushfloat F fakeword F flushlabeledfloat F featureattribute F flushnotes F featurelist F flushpageinjectionsafter F flushpageinjectionsbefore F feedback F fetchallmarks F flushpostponedblocks F fetchmultipar F flushpostponednotes F fetchmultishape F flushstream F fetchonemark F flushstreamcopy F fetchposboxes F fontchar F fetchtwomarks F fontcharbyindex F figure_check F fontcollectionclone F fontcollectiondefine F figure done F figure dummy F fontcollectionprepare

F fontcollectionregister F getobjectdimensions F fontcollectionreport F getobjectreference F fontcollectionreset F getobjectreferencepage F fontlookupgetkev F getprivatechar F fontlookupgetkeyofindex F getprivateglyphslot F fontlookupinitialize F getprivatemathchar F fontlookupnoffound F getprivateslot F forceendiob F getprogram F forcequitjob F getrandomdimen F formatcolor F getrandomfloat F formatoray F getrandomnumber F from F getrandomseed F frule F getreadfilename F aetbidimode F getsetupstring F getbodyfontsizes F getsomefullstructurenumber F getboxfromcache F getsomestructurenumber F getbuffer F getspecificstructuretitle F getbufferctxlua F getstructurelevel F getbuffermkvi F getstructurenumber F getcheckedinterfaceparameters F getsubstring F getcurrentprefixspec F gettexbuffer F getcurrentreferencemetadata F gettwopassdata F getdefaultfieldvalue F gettwopassdatalist F geturl F getdocumentargument F getdocumentfilename F getvisual F getelementtag F hboxtovbox F getfieldcategory F helpaction F getfile F helpreference F hexstringtonumber F getfirstcharacter F getfirsttwopassdata F horizontalcode F getfloatvariable F hour F getfullstructurenumber F hyphenatedlist F getinternalcachedlistreference F hyphenatedurl F immediatemessage F getinternallistreference F incrementcounter F getlasttwopassdata F getmarking F incrementedcounter F getmathdomain F incrementsubcounter F getmathitalics F initializejob F initializemathdomain F getmessage F getmpextensions F initializemathitalics F getmprandomnumber F initializestream F initializetexdirectives F getnaturaldimensions F initializetextrackers F getnaturalwd

F injectcurrentreference

F getnotestate

F injectcurrentreferencehtdp F locatefilepath F injectreference F locfilename F inlinechemical F lower F inputfilebarename F lpdf adddocumentcolorspace F inputfilename F lpdf adddocumentextgstate F inputfilerealsuffix F lpdf adddocumentpattern F inputfilesuffix F lpdf adddocumentshade F insertattachment F lpdf addtocatalog F insertcomment F lpdf addtoinfo F insertfield F lpdf addtonames F insertionnumber F lpdf addtopageattributes F insertrenderingwindow F lpdf addtopageresources F installedlanguages F lpdf_addtopagesattributes F installtexdirective F lpdf collectedresources F installtextracker F lpdf color F iobfilefullname F luascript F jobfilename F luathread F lxmlid F jobfilesuffix F languagenumber F markcontent F lastcountervalue F markingnumber F lastsubcountervalue F markingtitle F lchexnumber F markiniector F lchexnumbers F markregionbox F markregionboxcorrected F leapyear F linenumbersstageone F markregionboxtagged F linenumbersstagetwo F markvisualfonts F mathfraction F listgroupindex F listlabel F mathrenderset F listlocation F message F listnamespaces F metapostescaped F listprefixednumber F metapostformatted F listprefixedpage F metapostgraphformat F listrealpage F minute F mixcleanup F listsize F mixfinalize F listtitle F listuserdata F mixflushlist F mixflushrest F loadexamodes F loadfontgoodies F mixgetsplit F loadluamodule F mixsetsplit F loadmapfile F mixstate F loadmapline F molecule F loadspellchecklist F month F loadtypescriptfile F monthmnem

F monthname

F loadvisualizer

F mpcolor F overloaderror F mpflushliteral F overloadlowercase F mpflushreset F overloaduppercase F pageofinternal F mpgettext F mpgraphic F pagestaterealpage F mpoptions F parpos F mppopvariables F pdfrotation F mppushvariables F pdfstartmatrix F mprunset F pdfstartmirroring F pdfstartrotation F mpruntab F mprunvar F pdfstartscaling F mpsetclippath F pdfstopmatrix F mpsetoutercolor F pdfstopmirroring F mpsetsxsy F pdfstoprotation F mpsettext F pdfstopscaling F mptexget F percentageof F mptexreset F pqfxcolorspec F mptexset F pickupbuffer F mptexsetfrombuffer F pickupmarkedcontent F namedstructureuservariable F pickuppunctuation F namedstructurevariable F placeparallel F naturalwd F popfloat F pophyphenation F nbfs F negatedcolorcomponent F popitaliccorrection F nextcountervalue F poplist F nextparallel F poppath F nextsubcountervalue F poprandomseed F nofconversions F popreferenceprefix F nofdays F popregime F nofstackedfloats F popsectionblock F notedeltapage F postponenotes F noteinternal F prefixedconverted F notelistindex F prepareMPvariable F noteprefixednumber F preparecolumnsetflush F notetitle F presetmathalternate F ntimes F presetsymbollist F presettabulate F number F numbers F previouscountervalue F octnumber F previoussubcountervalue F octstringtonumber F processbodyfontsizes F operatingsystem F processbuffer F ordinal F processcolorcomponents

previous 119 next

F processedfile

F processedfiles

F outputfilename

F overloadbookmark

F processfile F registerhyphenationexception F processfilemany F registerhyphenationpattern F processfilenone F registeritemgroup F processfileonce F registerlanguagefeatures F processiob F registerlinenumbering F processlist F registermaintextcolor F processregister F registermpyfile F processsplit F registernamedlua F processsynonyms F registernamespace F profilebox F registerobject F purefontname F registerpattern F pushfloat F registerpostponedblock F pushhyphenation F registerreferencedobject F pushitaliccorrection F registerrendering F pushlist F registersection F pushpath F registershownsynonym F pushrandomseed F registerstructureprocessor F pushreferenceprefix F registersynonym F pushregime F registerunit F pushsectionblock F registerusedsynonym F pushstream F registeruserdata F putboxincache F relatemarking F putincolumnset F renderingvar F rawcharacter F replacefeature F rawcountervalue F replacepospxywhd F rawdate F reportstructure F resavefloat F rawsetupstring F rawsubcountervalue F resetboxesincache F resetcharacteralign F referencepagedetail F referencepagestate F resetcolumnset F referencerealpage F resetcounter F registerattachment F reseteffect F registerbackendsymbol F resetfeature F resetfontfeature F registerbodyfontsize F resetfontsolution F registerbookmark F registerbuttons F resetinjector F registercolorintent F resetitaliccorrection F registercolumnsetarea F resetmapfiles F registeredviewerlayer F resetmarking F registerfigurepattern F resetmathattributes F registerfiguresuffix F resetmathitalics F registerfontalternative F resetnullfont F registerfontfamily F resetparallel F registerhelp F resetpath

F resetprevdepth F setbreakpoints F resetreference F setcharacteralign F resetscript F setcharactercasing F resetshownsynonyms F setcharactercleaning F resetstructureprocessor F setcharacterkerning F resetsubcounter F setcharacterspacing F resettimer F setcharacterstripping F resettrackers F setclosedocumentaction F resetusedsynonyms F setclosepageaction F restartcounter F setcolormodel F restartsubcounter F setcolumnsetarea F restorecounter F setcolumnsetlines F restorecurrentattributes F setcolumnsetproperties F restorenote F setcolumnsetstart F restoreobject F setcounter F reuserandomseed F setdataset F revivefeature F setdestinationattribute F romannumerals F setdigitsmanipulation F rounded F setdirection F ruby F setdocumentargument F runbuffer F setdocumentcommandline F runcontextiob F setdocumentctxfile F safechar F setdocumentdefaultargument F savebuffer F setdocumentenvironments F savecounter E setdocumentfilename F savecurrentattributes F setdocumentfilenames F savedlistnumber F setdocumentmodes F savedlistprefixednumber F setdocumentmodules F savedlisttitle F seteffect F savefloat F setelementuserproperties F savefont F setextrafontkerns F savemargindata F setfieldcalculationset F savenote F setfigurelookuporder F savepagedata F setfigurepaths F setfirstline F savepageinjections F saveparallel F setfontfeature F savespecificfloat F setfontofid F savestructureblock F setfontsolution F setformat F savetaggedtwopassdata F savetwopassdata F setformsmethod F savevariable F sethsizecolumnset F sethsizecolumnspan F second F selectstructureblock F sethyphenatedurlcharacters

previous 121 next

F sethyphenationfeatures

F setactivecatcodes

F sethyphenationmethod F setprofile F setinitial F setrandomseed F setinitialsectionblock F setrealign F setiniector F setrealspaces F setinnerreferencemethod F setreferencearguments F setinsertionlocation F setreferenceoperation F setinterfaceconstant F setregionbox F setinterfaceelement F setregionboxtagged F setinterfacemessage F setregistermethod F setinterfacemessages F setreplacements F setinterfacevariable F setruby F setinternalreference F setscript F setitaliccorrection F setsectionblock F setjavascriptpreamble F setsectionentry F setjobcomment F setstructureblockstate F setlanguageexceptions F setstructurelevel F setlanguagesynonym F setstructurenumber F setlettercatcodes F setsubcounter F setmapfile F settagaspect F setmapline F settagcombination F setmarking F settagdelimitedsymbol F setmathalphabet F settagfigure F setmathalternate F settaggedmetadata F setmathattribute F settaghighlight F setmathdirection F settagitem F setmathdomain F settagitemgroup F setmathitalics F settaglist F setmathstyle F settagnotation F setmpextensions F settagnotationsymbol F setnaturalwd F settagproperty F setnegative F settagproperty b F setnextinternal reference F settagproperty n F setnextreferenceorder F settagregister F setnotestate F settagsorting F setopendocumentaction F settagsubsentencesymbol F setopenpageaction F settagsynonym F setowncounter F settagtablecell F setownsubcounter F settagtabulatecell F setupbookmarks F setpagecolormodel F setpagestate F setupcanvas F setupcharacterspacing F setpagestaterealpageno F setupexport F setpagetransition F setparbuilder F setupfontexpansion

F setupfontprotrusion

F setpdfcompression

F setupidentity F startregime F setupinsertion F startruby F setupitaliccorrection F startsectionlevel F setuplinenumbering F startstream F setuserinterface F starttag F setvalidinterfacekeys F starttag c F setvisual F starttag d F setvisualfont F starttag u F setvisuallayer F starttext F setvisuals F startviewerlayer F setvsizecolumnset F step F setxmpfile F stopactualtext F showassignerror F stopchemical F showattributes F stopcolorset F showcounter F stopcomponent F showdebuginfo F stopenvironment F showdirectives F stopfontsolution F showdiscretionaries F stopparbuilder F showexperiments F stopproduct F showhyphenatedinlist F stopproject F showhyphenationtrace F stopregime F showiniector F stopsectionlevel F showjustification F stopstream F showlogcategories F stoptag F showmessage F stoptext F showtrackers F stopviewerlayer F sin F storejavascriptcode F sind F storejavascriptpreamble F specifiedfont F storenote F specifiedfontsize F storeregister F specifiedfontspec F strdp F splitfilename F strhd F spotcolorname F strht F spotcolorparent F strip F spotcolorvalue F structureautocatcodedget F startactualtext F structurecatcodedget F startchemical F structuregivencatcodedget F startcolorset F structurenumber F structuretitle F startcomponent F startenvironment F structureuservariable F startfontsolution F structurevariable F startparbuilder F strwd F startproduct F subcountervalue

F subcountervalues

F startproject

F subsubcountervalues F usecomponent F subtractfeature F useenvironment F synccolor F usefigurebase F synccolorclone F usefile F synccolorcount F usejavascriptpreamble F synchronizemarking F usejavascriptscripts F synchronizestream F useluafile F useluafileonce F synonymmeaning F useluamodule F synonymname F usemodules F systemlog F tagmfunctionlab F usepath F tagmfunctiontxt F useproduct F tan F useproject F tand F usesubpath F texdefinition one F usesymbols F texdefinition_two F usetexfile F textime F usetexfileonce F thefirstcharacter F useurl F themaxboxwidth F usexmlfile F usexmlfileonce F theremainingcharacters F usezipfile F transparencycomponents F utfchar F utfmathclass F triggerpagebuilder F truefilename F utfmathcommand F truefontname F utfmathcommandahove F type F utfmathcommandbelow F typebuffer F utfmathcommandfiller F typefile F utfmathfiller F utfmathstretch F uchar F uchexnumber F vboxlisttohbox F uchexnumbers F verbose F undefinechemical F vspacing F unicodechar F vspacingcollapse F unihex F vspacingcollapseonly F unit_normal F vspacingdefine F unit reverse F vspacingsetamount F unloadlanguage F vspacingsnap F upper F way F useMPlibrary F weekday F useanyfile F weekdayname F useanyfileonce F writestatus F usecldfile F x_table_c

F x table cleanup

F x_table_construct

F usecldfileonce

F usecolors

F x table create F xmldoifelseselfemptv F x table finish row F xmldoifelsetext F x table flush F xmldoifemptv F x table init construct F xmldoifnot F x table init reflow height F xmldoifnotempty F x table init reflow height option F xmldoifnotselfempty F x_table_init_reflow_width F xmldoifnottext F x table init reflow width option F xmldoifselfemoty F x table next row F xmldoiftext F ymlelement F x table next row option F xmlfilter F x table r F xmlfilterlist F x table reflow height F x_table_reflow_width F xmlfirst F x table set construct F xmlflush F x table set reflow height F xmlflushcontext F x_table_set_reflow_width F xmlflushlinewise F xmladdindex F xmlflushpure F xmlaftersetup F xmlflushsetups F xmlall F xmlflushspacewise F xmlappendsetup F xmlflushtext F xmlapplyselectors F xmlfunction F xmlatt F xmlaetindex F xmlattdef F xmlinclude F xmlattribute F xmlincludeoptions F xmlattributedef F xmlinclusion F xmlbadinclusions F xmlinclusions F xmlbeforesetup F xmlindex F xmlchainatt F xmlinlineverbatim F xmlchainattdef F xmlinstalldirective F xmlchecknamespace F xmllast F xmlcommand F xmllastatt F xmlconcat F xmllastmatch F xmlconcatrange F xmlload F xmlloadbuffer F xmlcontext F xmlloaddata F xmlcount F xmldelete F xmlloaddirectives F xmldirect F xmlloadentities F xmldirectives F xmlmain F xmldirectivesafter F xmlmatch F xmldirectivesbefore F xmlname F xmldisplayverbatim F xmlnamespace F xmldoif F xmlnonspace F xmldoifelse F xmlpath

F xmlpos

F xmldoifelseempty

F xmlprependsetup
F xmlpure
F xmlraw
F xmlrawtex
F xmlrefatt
F xmlregisterns
F xmlremapname
F xmlremapnamespace

F xmlremapnamespace
F xmlremovesetup
F xmlresetinjectors
F xmlresetsetups

F xmlsave

F xmlsetcommandtonone
F xmlsetcommandtotext

F xmlsetentity
F xmlsetinjectors
F xmlsetsetup
F xmlsnippet
F xmlstartraw
F xmlstarttiming
F xmlstopraw
F xmlstoptiming

F xmlstripanywhere
F xmlstripnolines
F xmlstripped
F xmlstrippednolines

F xmlstrip

F xmltag
F xmltexentity
F xmltext

F xmltobuffer

F xmltobufferverbose

F xmltofile

F xmltoparameters

 ${\sf F} \ {\sf xmlverbatim}$

F xmlwithindex

F year

function setconstant setcount function setdimen function setelement function setformat function setmacro function setmessage function setmessages function settranslation function data table setupstrings setuserinterface function setvalidkeys function setvariable function showmessage function storedscanners data table strings table

tolist translations usednamespaces variables writestatus

syntax

data table data table function

data table

data table

function

io (basic lua)

| ask | function | output | overloaded function |
|---------------|---------------------|---------------|---------------------|
| bytes | function | pathseparator | string |
| characters | function | popen | overloaded function |
| close | function | read | function |
| copydata | function | readall | function |
| exists | function | readnumber | function |
| fileseparator | string | readstring | function |
| flush | function | savedata | function |
| input | overloaded function | size | function |
| lines | overloaded function | stderr | userdata |
| loadchunk | function | stdin | userdata |
| loaddata | function | stdout | userdata |
| loadlines | function | tmpfile | function |
| noflines | function | type | function |
| open | overloaded function | write | function |

job (context)

| comment | function | F | find | |
|-------------------|----------|------|---------------|-------|
| datasets | table | | first | |
| D collected | | | get | |
| F extend | | | getcollected | |
| F getdata | | | getdata | |
| F setdata | | | getfield | |
| D tobesaved | | | gettobesaved | |
| disablesave | function | | inlist | |
| fileobjreferences | table | F | last | |
| D collected | | F | list | |
| D tobesaved | | F | save | |
| files | table | F | savetagged | |
| D collected | | D | tobesaved | |
| F context | | posi | tions | table |
| B forcerun | | F | b_column | |
| F run | | F | b_region | |
| D tobesaved | | F | С | |
| initialize | function | D | collected | |
| load | function | F | column | |
| loadother | function | F | сору | |
| objects | table | F | depth | |
| D collected | | F | e_column | |
| F get | | F | e_region | |
| F number | | F | enhance | |
| F page | | F | extra | |
| F save | | F | get | |
| F set | | F | getreserved | |
| D tobesaved | | F | gettobesaved | |
| pack | boolean | F | hangafter | |
| packversion | number | F | hangindent | |
| pagestates | table | F | height | |
| D collected | | F | hsize | |
| F extend | | F | leftskip | |
| F realpage | | F | lowerleft | |
| F setstate | | F | lowerright | |
| D tobesaved | | | markregionbox | |
| passes | table | F | | |
| F check | | | onsamepage | |
| D collected | | | overlapping | |
| F count | | F | p | |
| F define | | F | page | |

| F paragraph | save | function |
|----------------|----------------|----------|
| F parindent | structure | table |
| F position | D collected | |
| Fr | T components | |
| F region | T tobesaved | |
| F replace | T branches | |
| F rightskip | S name | |
| F set | S type | |
| F setall | variables | table |
| F setregionbox | D checksums | |
| D tobesaved | D collected | |
| F upperleft | F getchecksum | |
| F upperright | F makechecksum | |
| S used | F restore | |
| F width | F save | |
| Fx | F setchecksum | |
| F xy | D tobesaved | |
| Fy | version | number |

register function

lang (basic tex)

| clean | function | id | function |
|-------------------|----------|------------------|----------|
| clear_hyphenation | function | new | function |
| clear_patterns | function | patterns | function |
| exceptions | function | postexhyphenchar | function |
| gethjcode | function | posthyphenchar | function |
| hyphenate | function | preexhyphenchar | function |
| hyphenation | function | prehyphenchar | function |
| hyphenationmin | function | sethjcode | function |

languages (context)

| | £ | | |
|------------------------|------------|--------------------------|------------|
| associate | function | F registerexception | |
| associated | data table | F registerpattern | |
| association | function | F setfeatures | £ |
| counters | data table | installed | function |
| current | function | labels | table |
| data | data table | F define | |
| decimals | data table | F split | |
| define | function | loadable | function |
| expand | function | loadwords - | function |
| expanders | table | logger | table |
| frequencies | table | F report | |
| F averagecharwidth | | numbers | data table |
| F getdata | | postexhyphenchar | function |
| getdata | function | posthyphenchar | function |
| getnumber | function | preexhyphenchar | function |
| hjcounts | table | prehyphenchar | function |
| hyphenate | function | registered | data table |
| hyphenators | table | replacements | table |
| T dictionaries | | F add | |
| D featuresets | | F handler | |
| F handler | | F set | |
| T methods | | serializediscretionary | function |
| F expanded | | setexceptions | function |
| B none | | setsynonym | function |
| F original | | showdiscretionaries | function |
| F tex | | unload | function |
| F traditional | | urls | table |
| B optimize | | D characters | |
| F popmethod | | N lefthyphenmin | |
| F pushmethod | | D mapping | |
| F setmethod | | B packslashes | |
| F setup | | N righthyphenmin | |
| F showhyphenationtrace | | F setcharacters | |
| T traditional | | version | number |
| F definefeatures | | visualizediscretionaries | function |
| F gettrace | | words | table |
| F hyphenate | | F check | |
| F injecthyphens | | T data | |
| F installmethod | | F disable | |
| F lasttrace | | F enable | |
| F loadpatterns | | T enablers | |

B enables

F load

F found

T methods

N threshold

layouts (context)

status table
 F isleftpage

F leftorrightpageaction

lfs (extra lua)

| attributes | overloaded | function |
|------------|------------|----------|
| chdir | overloaded | function |
| currentdir | function | |
| dir | overloaded | function |
| isdir | overloaded | function |
| isfile | overloaded | function |
| lock | function | |
| lock_dir | overloaded | function |
| mkdir | overloaded | function |

| mkdirs | function | |
|-------------------|------------|----------|
| readlink | overloaded | function |
| rmdir | overloaded | function |
| setmode | overloaded | function |
| shortname | overloaded | function |
| symlinkattributes | overloaded | function |
| touch | overloaded | function |
| unlock | function | |
| touch | overloaded | |

libraries (context)

| basiclua | data table |
|----------|------------|
| basictex | data table |
| builtin | data table |
| extralua | data table |

extratex data table
functions data table
globals data table

lmx (context)

| color | function |
|---------------|----------|
| convert | function |
| convertfile | function |
| convertstring | function |
| einject | function |
| eprint | function |
| escape | function |
| finalized | function |
| finject | function |
| fprint | function |
| get | function |
| getvariables | function |
| htmfile | function |
| html | table |
| Fa | |
| F td | |
| F th | |
| include | function |
| inherited | table |

- S color-background-four
 - S color-background-one
 - S color-background-three
 - S color-background-two
 - S title

| initialize | function |
|------------|----------|
| inject | function |
| lmxfile | function |

| loadedfile | function |
|---------------|----------|
| make | function |
| new | function |
| overloaderror | function |
| popupfile | function |
| print | function |
| pv | function |
| report | function |
| reset | function |
| result | function |
| set | function |
| show | function |
| showdebuginfo | function |
| showerror | function |
| stripcss | function |
| tv | function |
| type | function |
| urlescape | function |
| variable | function |
| variables | table |
| | |

- S color-background-blue
- S color-background-body
- S color-background-green
- S color-background-main
- S color-background-purple
- S color-background-yellow
- S title-default

logs (context)

| application | function | reportlines | function |
|--------------|----------|-------------------|----------|
| categories | function | setformats | function |
| direct | function | setformatters | function |
| disable | function | setlogfile | function |
| enable | function | setmessenger | function |
| exporters | table | setprocessor | function |
| extendbanner | function | setprogram | function |
| flush | function | settarget | function |
| help | function | settimedlog | function |
| messenger | function | settranslations | function |
| new | function | show | function |
| newline | function | show_close | function |
| poptarget | function | show_load | function |
| pushtarget | function | show_open | function |
| report | function | simple | function |
| reportbanner | function | simpleline | function |
| reporter | function | simplelines | function |
| reporters | table | start_page_number | function |
| F banner | | status | function |
| F export | | stop_page_number | function |
| F help | | subdirect | function |
| F info | | subreport | function |
| F lines | | system | function |
| F version | | texerrormessage | function |
| reportline | function | writer | function |

lpdf (context)

| action | function | finalizedocument | function |
|--------------------------|------------|---------------------------|------------|
| adddocumentcolorspace | function | finalizepage | function |
| adddocumentextgstate | function | finishtransparencycode | function |
| adddocumentpattern | function | flushobject | function |
| adddocumentshade | function | flushstreamfileobject | function |
| addtocatalog | function | flushstreamobject | function |
| addtoinfo | function | formats | data table |
| addtonames | function | frompdfdoc | function |
| addtopageattributes | function | fromsixteen | function |
| addtopageresources | function | gethpos | function |
| addtopagesattributes | function | getmatrix | function |
| addxmpinfo | function | getpos | function |
| annotationspecification | function | getvpos | function |
| array | function | graycode | function |
| boolean | function | hasmatrix | function |
| border | function | id | function |
| checkedkey | function | injectxmpinfo | function |
| checkedvalue | function | insertxmpinfo | function |
| circularshade | function | layerreference | function |
| cmykcode | function | limited | function |
| collectedresources | function | linearshade | function |
| color | function | nametree | function |
| colorspace | function | null | function |
| colorspaceconstants | data table | number | function |
| colorspec | function | pagereference | function |
| colorvalue | function | patternstream | function |
| colorvalues | function | pdfcolor | function |
| constant | function | pdftimestamp | function |
| delayedobject | function | permitdetail | function |
| destinationspecification | function | protectresources | boolean |
| dictionary | function | rectangle | function |
| docstring | function | reference . | function |
| epdf | table | registerannotation | function |
| F contenttotext | | registerdestination | function |
| F expand | | registerdocumentfinalizer | function |
| F expanded | | registerpagefinalizer | function |
| F getpagecontent | | registerpattern | function |
| F getstructure | | reserveobject | function |
| F load | | rgbcode | function |
| F unload • | | rotationcm | function |
| escaped | function | setdates | function |

| settime | function | tosixteen | function |
|----------------------|----------|--------------------|----------|
| settrailerid | function | transform | function |
| shareobject | function | transparency | function |
| shareobjectreference | function | transparencycode | function |
| spotcode | function | transparencygroups | table |
| stream | function | B none | |
| string | function | transparencyvalue | function |
| timestamp | function | unicode | function |
| toeight | function | verbose | function |
| topdfdoc | function | | |

lpeg (basic lua)

| 5 | 6 | 61 1 | |
|--------------|----------|-----------------------|------------|
| В | function | finder | function |
| C | function | firstofsplit | function |
| Carg | function | frontstripper | function |
| Cb | function | instringchecker | function |
| Cc | function | is_lpeg | function |
| Cf | function | keeper | function |
| Cg | function | locale | function |
| Cmt | function | match | function |
| Ср | function | oneof | function |
| Cs | function | patterns | data table |
| Ct | function | pcode | function |
| P | function | print | function |
| R | function | ptree | function |
| S | function | replacer | function |
| UP | function | secondofsplit | function |
| UR | function | setmaxstack | function |
| US | function | split | function |
| V | function | splitat | function |
| afterprefix | function | splitter | function |
| anywhere | function | stripper | function |
| append | function | times | function |
| balancer | function | tsplitat | function |
| beforesuffix | function | tsplitter | function |
| checkedsplit | function | type | function |
| counter | function | utfchartabletopattern | function |
| endstripper | function | version | function |
| | | | |

ltn12 (extra lua)

| BLOCKSIZE | number | Fs | implify |
|-----------|--------|-------|----------------|
| filter | table | F t | able |
| F chain | | sourc | e table |
| F cycle | | Fc | at |
| pump | table | Fc | chain |
| F all | | F e | empty |
| F step | | F e | error |
| sink | table | F f | ile |
| F chain | | Fr | rewind |
| F error | | Fs | implify |
| F file | | Fs | tring |
| F null | | | |

lua (basic tex)

| bytecode | table | lastbytecode | number |
|--------------------------------|------------|-------------------|------------|
| bytedata | data table | mask | string |
| bytedone | table | messages | data table |
| B page-cst | | name | table |
| collectgarbage | function | numbers | data table |
| delay | function | registercode | function |
| finalize | function | registeredcodes | function |
| firstbytecode | number | registerfinalizer | function |
| flush | function | registername | function |
| flushdelayed | function | setbytecode | function |
| <pre>get_functions_table</pre> | function | setluaname | function |
| getbytecode | function | startupfile | string |
| getluaname | function | version | string |

luatex (context)

cleanuptempfiles function
registerdumpactions function
registerpageactions function
registerstartactions function

registerstopactions registertempfile starttime function function number

lxml (context)

| | £ | £1ch | £ |
|-----------------|------------|-------------------|----------|
| addindex | function | flush | function |
| all | function | flushlinewise | function |
| applyfunction | function | flushsetups | function |
| applyselectors | function | flushspacewise | function |
| att | function | get_id | function |
| attribute | function | getid | function |
| badinclusions | function | getindex | function |
| chainattribute | function | id | function |
| checkindex | function | idsplitter | userdata |
| collected | function | include | function |
| command | function | inclusion | function |
| concat | function | inclusions | function |
| concatrange | function | index | function |
| content | function | inlineverbatim | function |
| context | function | installsetup | function |
| convert | function | last | function |
| count | function | lastatt | function |
| delete | function | lastmatch | function |
| direct | function | load | function |
| directives | table | loadbuffer | function |
| F after | | loaddata | function |
| F before | | loaded | table |
| F handle | | main | function |
| F load | | match | function |
| F setup | | name | function |
| displayverbatim | function | namespace | function |
| doif | function | nonspace | function |
| doifelse | function | path | function |
| doifelseempty | function | pos | function |
| doifelsetext | function | position | function |
| doifempty | function | pure | function |
| doifnot | function | raw | function |
| doifnotempty | function | rawroot | function |
| doifnottext | function | rawtex | function |
| doiftext | function | refatt | function |
| element | function | register | function |
| elements | function | registerentity | function |
| entities | data table | removesetup | function |
| filter | function | resetcdata | function |
| filterlist | function | resetsetups | function |
| first | function | resolvedentity | function |

| root | function | startraw | function |
|------------------|----------|----------------|------------|
| save | function | startunescaped | function |
| serialize | function | stopraw | function |
| setaction | function | stopunescaped | function |
| setcdata | function | store | function |
| setcommandtonone | function | strip | function |
| setcommandtotext | function | stripped | function |
| setsetup | function | tag | function |
| snippet | function | text | function |
| sorters | table | tobuffer | function |
| F add | | tofile | function |
| F compare | | toparameters | function |
| F flush | | toverbatim | function |
| F reset | | verbatim | function |
| F show | | withindex | function |
| F sort | | xmltexhandler | data table |
| splitid | function | | |

math (basic lua)

| abs | function | log | function |
|-------------|----------|----------------|----------|
| acos | function | max | function |
| asin | function | min | function |
| atan | function | mod | function |
| atan2 | function | modf | function |
| ceil | function | odd | function |
| ceiling | function | рi | number |
| cos | function | pow | function |
| cosd | function | rad | function |
| cosh | function | random | function |
| deg | function | randomseed | function |
| div | function | round | function |
| even | function | setrandomseedi | function |
| exp | function | sin | function |
| floor | function | sind | function |
| fmod | function | sinh | function |
| frexp | function | sqrt | function |
| huge | number | tan | function |
| initialseed | number | tand | function |
| ldexp | function | tanh | function |
| | | | |

mathematics (context)

| addfallbacks | function | injectfallbacks | function |
|------------------------|------------|------------------------|------------|
| alphabets | data table | makefont | function |
| alternatives | data table | mapremap | data table |
| big | function | overloaddimensions | function |
| boldmap | data table | overloadparameters | function |
| categories | table | privatebase | number |
| D functions | | registerdomain | function |
| charactersets | data table | remapalphabets | function |
| checkaccentbaseheight | function | renderings | table |
| checkprivateparameters | function | D mappings | |
| classes | data table | D numbers | |
| codes | data table | D sets | |
| define | function | renderset | function |
| dimensions | function | resetattributes | function |
| domains | table | resetitalics | function |
| extensiblecode | function | scaleparameters | function |
| extensibles | data table | setdomain | function |
| extrabase | number | setitalics | function |
| extras | table | sets | data table |
| F add | | styles | data table |
| F copy | | syncboth | function |
| fallbacks | table | syncname | function |
| F apply | | syncstyle | function |
| F install | | toname | function |
| fallbackstyleattr | function | tostyle | function |
| families | data table | tweakaftercopyingfont | function |
| gaps | data table | tweakbeforecopyingfont | function |
| getboth | function | tweaks | table |
| getdomain | function | utfmathaccent | function |
| getitalics | function | utfmathclass | function |
| getstyle | function | utfmathcommand | function |
| horizontalcode | function | utfmathfiller | function |
| initializeparameters | function | utfmathstretch | function |
| | | | |

mbox (context)

| parse | function | parse_message | function |
|---------------|----------|---------------|----------|
| parse_from | function | split_headers | function |
| parse_header | function | split_mbox | function |
| parse_headers | function | split_message | function |

md5 (extra lua)

| HEX | function | exor | function |
|---------|----------|---------|----------|
| crypt | function | hex | function |
| dec | function | sum | function |
| decrypt | function | sumhexa | function |

metapost (context)

| 11 | function | | £ |
|-------------------------------|----------------------|------------------------|----------------------|
| analyzeplugins checkformat | function function | getstatistics | function function |
| checktexts | function | gettext | function |
| | boolean | graphic | |
| collapse colorinitializer | function | graphic_base_pass | function function |
| | function | initializescriptrunner | function |
| comment | | instance | table |
| convert | function | intermediate | table |
| defaultformat | string | T actions | |
| defaultinstance | string | F makempy | |
| defaultmethod | string | lastlog | string |
| directrun | function | load | function |
| escaped | function | makempy | table |
| exectime | table | N nofconverted | |
| extensiondata | data table | F processgraphics | |
| filterclippath | function | F registerfile | |
| flush | function | maketext | function |
| flushers | table | metafun | table |
| T pdf | | F interpolate | |
| F comment | | F topath | |
| F flushfigure | | method | number |
| F startfigure | | mptopdf | table |
| F stopfigure | | F convertmpstopdf | |
| F textfigure | | N nofconverted | |
| flushliteral | function | n | number |
| flushnormalpath | function | nvformat | function |
| flushreset | function | optimize | boolean |
| fonts | table | parse | function |
| F define | | pdfliterals | function |
| T flusher | | pluginactions | function |
| F flushfigure | | popvariable | function |
| F startfigure | | popvariables | function |
| F stopfigure | | process | function |
| N instances | | processplugins | function |
| F process | | processspecial | function |
| format | function | properties | table |
| format_number | function | pushvariable | function |
| format_string | function | pushvariables | function |
| formatnumber | function | quickanddirty | function |
| getclippath | function | reducetogray | boolean |
| getextensions | function | reporterror | function |
| getjobdata | function | reset | function |

| resetlastlog | function | F get | |
|---------------|----------|-----------------|----------|
| resetplugins | function | F reset | |
| runscript | function | F set | |
| scripterror | function | F setfrombuffer | |
| setextensions | function | texerrors | boolean |
| setoutercolor | function | texexp | function |
| settext | function | textextsdata | function |
| setvariable | function | theclippath | function |
| showlog | boolean | totable | function |
| simple | function | unload | function |
| svformat | function | untagvariable | function |
| tex | table | variables | table |

mime (extra lua)

| b64 decode | function function | qp qpwrp | function function |
|---------------|-------------------|-------------|----------------------|
| decodet | table | stuff | function |
| F base64 | | unb64 | function |
| F quoted- | printable | unqp | function |
| dot | function | wrap | function |
| encode | function | wrapt | table |
| encodet | table | F base64 | |
| F base64 | | F defaul | t |
| F quoted- | printable | F quoted | -printable |
| eol | function | F text | |
| normalize | function | wrp | function |

mp (context)

| BackSpace | function | OuterMarginWidth | function |
|----------------------|----------|----------------------|----------|
| BaseLineSkip | function | OverlayDepth | function |
| BodyFontSize | function | OverlayHeight | function |
| BottomDistance | function | OverlayLineWidth | function |
| BottomHeight | function | OverlayOffset | function |
| BottomSpace | function | OverlayWidth | function |
| CurrentColumn | function | PageDepth | function |
| CurrentHeight | function | PageFraction | function |
| CurrentWidth | function | PageNumber | function |
| CutSpace | function | PageOffset | function |
| EmWidth | function | PaperBleed | function |
| ExHeight | function | PaperHeight | function |
| FooterDistance | function | PaperWidth | function |
| FooterHeight | function | PrintPaperHeight | function |
| HSize | function | PrintPaperWidth | function |
| HeaderDistance | function | RealPageNumber | function |
| HeaderHeight | function | RightEdgeDistance | function |
| InPageBody | function | RightEdgeWidth | function |
| InnerEdgeDistance | function | RightMarginDistance | function |
| InnerEdgeWidth | function | RightMarginWidth | function |
| InnerMarginDistance | function | SpineWidth | function |
| InnerMarginWidth | function | StrutDepth | function |
| LastPageNumber | function | StrutHeight | function |
| LayoutColumnDistance | function | TextHeight | function |
| LayoutColumnWidth | function | TextWidth | function |
| LayoutColumns | function | TopDistance | function |
| LeftEdgeDistance | function | TopHeight | function |
| LeftEdgeWidth | function | TopSkip | function |
| LeftMarginDistance | function | TopSpace | function |
| LeftMarginWidth | function | VSize | function |
| LineHeight | function | _f_ | function |
| MakeupHeight | function | boolean | function |
| MakeupWidth | function | dataset | function |
| NOfColumns | function | datasets | table |
| NOfPages | function | F load | |
| NamedColor | function | defaultcolormodel | function |
| OnOddPage | function | format | function |
| OnRightPage | function | formatted | function |
| OuterEdgeDistance | function | get | table |
| OuterEdgeWidth | function | F boolean | |
| OuterMarginDistance | function | F number | |

| F numeric | | quadruple | function |
|-----------------------------|----------|---------------|----------|
| F string | | quoted | function |
| <pre>get_outline_text</pre> | function | report | function |
| graphformat | function | size | function |
| n | function | tb_dimensions | function |
| numeric | function | triplet | function |
| pair | function | tt_dimensions | function |
| path | function | tt_initialize | function |
| nrint | function | _ | |

mplib (extra tex)

fields function
finder function
finders table

F file

get_boolean function
get number function

get_numeric function
get_string function

new overloaded function

pen_info function
preprocessed function
version function

noads (context)

| handlers | table | F unscript | |
|--------------|-------|-----------------|---------------------|
| F alternates | | F variants | |
| F autofences | | process | $ \hbox{function} $ |
| F classes | | processnested | $ \hbox{function} $ |
| F collapse | | processors | table |
| F domains | | T autofences | |
| F families | | T collapse | |
| F italics | | F mlist_to_hlis | t |
| F makeup | | T relocate | |
| F relocate | | T render | |
| F render | | T resize | |
| F resize | | T unscript | |
| F showtree | | processouter | $ \hbox{function} $ |
| F tags | | | |

node (basic tex)

F has_field

check discretionaries function F has glyph check discretionary function F hpack copy function F insert after copy list function F insert before function count F is char function current attr F is direct dimensions function F is_glyph direct table F is node F check discretionaries F is zero glue F check discretionary F kerning F copy F last node F copy list F lenath F ligaturing F count F current attr F new F dimensions F protect glyph F protect_glyphs F effective glue F end_of_math F protrusion_skippable F find attribute F rangedimensions F remove F first glyph F flush list F set attribute F flush node F set_properties_mode F flush properties table F setboth F sethox F free F get attribute F setchar F get properties table F setdisc F getboth F setfield F setglue F getbox F setleader F getchar F aetdisc F setlink F aetfield F setlist F getfont F setnext F getglue F setprev F getid F setproperty F getleader F setsubtype F getlist F slide F getnext F tail F getprev F todirect F tonode F getproperty F getsubtype F tostring F has attribute F traverse

F traverse_char

| F traverse_id | | is_node | function |
|---------------------------------|----------|----------------------|----------|
| - F unprotect_glyphs | | is_zero_glue | function |
| F unset attribute | | kerning | function |
| – F usedlist | | last node | function |
| F vpack | | _ length | function |
| F write | | ligaturing | function |
| effective glue | function | mlist to hlist | function |
| end of math | function | new | function |
| family_font | function | next | function |
| fields | function | prev | function |
| find attribute | function | protect glyph | function |
| first_glyph | function | protect_glyphs | function |
| flush_list | function | protrusion_skippable | function |
| flush_node | function | rangedimensions | function |
| flush_properties_table | function | remove | function |
| free | function | set_attribute | function |
| get_attribute | function | set_properties_mode | function |
| <pre>get_properties_table</pre> | function | setboth | function |
| getboth | function | setfield | function |
| getchar | function | setglue | function |
| getdisc | function | setlink | function |
| getfield | function | setnext | function |
| getfont | function | setprev | function |
| getglue | function | setproperty | function |
| getid | function | slide | function |
| getleader | function | subtype | function |
| getlist | function | subtypes | function |
| getnext | function | tail | function |
| getprev | function | tostring | function |
| getproperty | function | traverse | function |
| getsubtype | function | traverse_char | function |
| has_attribute | function | traverse_id | function |
| has_field | function | type | function |
| has_glyph | function | types | function |
| hpack | function | unprotect_glyphs | function |
| id | function | unset_attribute | function |
| insert_after | function | usedlist | function |
| insert_before | function | vpack | function |
| is_char | function | whatsits | function |
| is_glyph | function | write | function |
| | | | |

nodes (context)

end_of_math

fencecodes

fillcodes

fields

| accentcodes | data table | first_glyph | function |
|----------------------------------|------------|------------------------|------------|
| aligned | function | firstcharacter | function |
| append | function | firstcharinbox | function |
| apply | function | firstdirinbox | function |
| astable | function | firstglyph | function |
| basepoints | function | flush | function |
| boundarycodes | data table | flush_list | function |
| boxes | table | flush_node | function |
| F dimensions | | free | function |
| F direct | | fullhpack | function |
| F reset | | getbox | function |
| F restore | | getchar | function |
| F save | | getdisc | function |
| builders | table | getfield | function |
| F buildpage_filter | | getfont | function |
| F vpack_filter | | getglue | function |
| <pre>check_discretionaries</pre> | function | getid | function |
| codes | data table | getleader | function |
| concat | function | getlist | function |
| сору | function | getnext | function |
| copy_list | function | getprev | function |
| copy_node | function | getskip | function |
| count | function | getsubtype | function |
| current_attr | function | gluecodes | data table |
| delete | function | glyphcodes | data table |
| destinations | table | glyphdir_is_equal | data table |
| N attribute | | glyphdir_is_opposite | data table |
| T done | | glyphdir_is_orthogonal | data table |
| F handler | | handlers | table |
| T stack | | F accessibility | |
| dimensionfields | data table | F alignbackgrounds | |
| dimensions | function | F backgrounds | |
| dir_is_pop | data table | F characters | |
| dir_negation | data table | F checkforleaks | |
| disccodes | data table | F checkglyphs | |
| discretionarycodes | data table | F cleanupbox | |
| effective_glue | function | F cleanuppage | |

F export

F finalize

F migrate

F protectglyphs

function

function

data table

data table

| F stripping | | leadercodes | data table |
|-------------------------|------------|-----------------|------------|
| F unprotectglyphs | | leftmarginwidth | function |
| has_attribute | function | ligaturing | function |
| has_field | function | linefillers | table |
| has_glyph | function | D data | |
| hpack | function | F define | |
| idstostring | function | F enable | |
| ignorablefields | data table | F handler | |
| injections | table | lines | table |
| F copy | | T boxed | |
| F getligaindex | | F register | |
| F getthreshold | | F setup | |
| F handler | | F stage_one | |
| F installnewkern | | F stage_two | |
| F isspace | | D data | |
| F keepcounts | | F finalize | |
| F reset | | F number | |
| F resetcounts | | N scratchbox | |
| F setcursive | | link | function |
| F setkern | | linked | function |
| F setligaindex | | list | function |
| F setmark | | listablefields | data table |
| F setpair | | listcodes | data table |
| F setspacekerns | | listtoutf | function |
| insert_after | function | load | function |
| insert_before | function | locate | function |
| insert_list_after | function | margincodes | data table |
| installattributehandler | function | marginkerncodes | data table |
| is_char | function | markers | table |
| is_direct | function | F get | |
| is_display_math | function | mathcodes | data table |
| is_glyph | function | maxboxwidth | function |
| is_mirrored | data table | mlist_to_hlist | function |
| is_node | function | new | function |
| is_nut | function | noadcodes | data table |
| is_rotated | data table | noadoptions | table |
| is_zero_glue | function | N axis | |
| ischar | function | N exact | |
| isglyph | function | N left | |
| kerncodes | data table | N middle | |
| kerning | function | N no_axis | |
| keys | table | N right | |
| T whatsit | | N set | |
| last_node | function | N unused_1 | |

N unused 2 F getskip nodecodes data table F getsubtype nopts function F has attribute table nuts F has field F append F has glyph F apply F hpack F applyvisuals F insert_after F check discretionaries F insert before F concat F insert list after F is char F copy F copy list F is direct F copy node F is display math F copy_properties F is_glyph F copyvisual F is node F count F is nut F current attr F is_zero_glue F delete F ischar F dimensions F isglyph F effective glue F kerning F end_of_math F last node F first glyph F leftmarginwidth F firstcharacter F ligaturing F firstcharinbox F link F firstqlyph F linked F flush F locate F flush list F mlist to hlist F flush_node F nestedtracedslide F free F new F fullhpack T pool F getattr F baselineskip F getattribute F boundary F getboth F cleanup F getbox F disc F emptyrule F getchar F fontkern F getdisc F getfield F glue F getfont F gluespec F getglue F glyph F getid F hlist F getleader F italickern F getlist F kern F latelua F getnext F lateluafunction F getprev

F getprop

F leftmarginkern

F leftskip F rangedimensions F lineskip F rawprop F negatedglue F reference F rehpack F noad F pdfannotation F remove F pdfdestination F repackhlist F pdfdirectliteral F replace F pdfliteral F rightmarginwidth F pdforiginliteral F set attribute F pdfpageliteral F setattr F setattribute F pdfrawliteral F setattributes F pdfrestore F pdfsave F setboth F pdfsetmatrix F setbox F penalty F setchar F register F setdisc F rightmarginkern F setfield F setglue F rightskip F rule F setleader F shrink F setlink F special F setlist F stretch F setnext F temp F setprev F textdir F setprop F usage F setsubtype F userattributes F setunsetattributes T userids F setvisual N margins.inline F setvisuals F slide N property N splitters.one F somepenalty N splitters.two F somespace Fuserlist F splitbox F userlua F tail F usernumber F takebox F userrule F takelist F userstring F theprop F usertokens F tonode F vlist F tonodes F wordboundary F tonut F zeroglue F tosequence F prepend F tostring F protect_glyph F tracedslide F protect glyphs F traverse

F traverse char

F protrusion_skippable

| F traverse_id | | F lateluafunction | |
|---------------------|------------|-------------------------|------------|
| T typesetters | | F lineskip | |
| F tohbox | | F pdfdirect | |
| F tohpack | | F pdfliteral | |
| F tonodes | | F pdforiginliteral | |
| F tovbox | | F pdfrestore | |
| F tovpack | | F pdfsave | |
| F unprotect_glyphs | | F pdfsetmatrix | |
| F unset_attribute | | F register | |
| F unsetattribute | | F rule | |
| F unsetattributes | | F special | |
| F untracedslide | | F usage | |
| F usedlist | | F usernumber | |
| F vianodes | | F vlist | |
| F vianuts | | prepend | function |
| F vpack | | print | function |
| F write | | processors | table |
| packlist | function | B enabled | |
| pardir_is_equal | data table | F hpack_filter | |
| pardir_is_opposite | data table | F post_linebreak_filter | |
| pardir_is_parallel | data table | F pre_linebreak_filter | |
| partextdir_is_equal | data table | F tracer | |
| penaltycodes | data table | processwords | function |
| plugindata | table | properties | table |
| F finalizer | | T actions | |
| F initializer | | F delayed | |
| S name | | F fdelayed | |
| T namespace | | F immediate | |
| N attribute | | F attach | |
| D data | | T data | |
| F enable | | F delayed | |
| F handler | | protect_glyph | function |
| F register | | protect_glyphs | function |
| D registered | | protrusion_skippable | function |
| D values | | pts | function |
| F processor | | radicalcodes | data table |
| points | function | rangedimensions | function |
| pool | table | reference | function |
| F baselineskip | | references | table |
| F cleanup | | N attribute | |
| F glyph | | T done | |
| F hlist | | F handler | |
| F kern | | T stack | |
| F latelua | | rehpack | function |
| | | | |

| remove | function | somepenalty | function |
|--------------------|------------|----------------------|------------|
| repackhlist | function | somespace | function |
| replace | function | splitbox | function |
| report | function | stripdiscretionaries | function |
| rightmarginwidth | function | stripping | table |
| rulecodes | data table | T glyphs | |
| rules | table | F set | |
| D data | | striprange | function |
| F define | | tail | function |
| F enable | | takebox | function |
| F handler | | tasks | table |
| T ruleactions | | F actions | |
| F draw | | F appendaction | |
| F fill | | F disableaction | |
| F mp | | F disablegroup | |
| F stroke | | F enableaction | |
| F userrule | | F enablegroup | |
| save | function | F freeze | |
| serialize | function | F freezegroup | |
| serializebox | function | F new | |
| set_attribute | function | F prependaction | |
| setattributes | function | F removeaction | |
| setbox | function | F replaceaction | |
| setboxtonaturalwd | function | F restart | |
| setfield | function | F setaction | |
| setglue | function | F showactions | |
| setunsetattributes | function | F table | |
| shifts | table | textdir_is_equal | data table |
| D data | | textdir_is_is | data table |
| F define | | textdir_is_opposite | data table |
| F enable | | textdir_is_parallel | data table |
| F handler | | tobasepoints | function |
| show | function | tocentimeters | function |
| showboxes | function | tociceros | function |
| showcodes | function | todidots | function |
| showlist | function | todimen | function |
| showsimplelist | function | toinches | function |
| skipcodes | data table | tomillimeters | function |
| slide | function | tonewciceros | function |
| snapshots | table | tonewdidots | function |
| F getparameters | | tonode | function |
| F getsamples | | tonodes | function |
| F resetsamples | | tonut | function |
| F takesample | | topicas | function |

| topoints | function | F stop | |
|-------------------|----------|------------------|------------|
| toscaledpoints | function | T transparencies | |
| tosequence | function | F reset | |
| tostring | function | F set | |
| totable | function | F setlist | |
| totree | function | traverse | function |
| toutf | function | traverse char | function |
| tracers | table | traverse_id | function |
| T characters | | typesetters | table |
| F collect | | F hbox | |
| F equal | | F hpack | |
| F start | | F tohbox | |
| F string | | F tohpack | |
| F unicodes | | F tonodes | |
| T colors | | F tovbox | |
| F reset | | F tovpack | |
| F set | | F vpack | |
| F setlist | | unprotect_glyphs | function |
| F fontchar | | unset_attribute | function |
| T frequencies | | unsetattribute | function |
| F register | | unsetattributes | function |
| T pool | | usedlist | function |
| T nodes | | usercodes | data table |
| F rule | | vianodes | function |
| T nuts | | vianuts | function |
| F rule | | visualizebox | function |
| F resetproperties | | visualizers | table |
| F rule | | F box | |
| F setlist | | F handler | |
| F setproperties | | F markfonts | |
| F start | | F setfont | |
| T steppers | | F setlayer | |
| F check | | F setvisual | |
| F codes | | vpack | function |
| F features | | whatcodes | data table |
| F font | | whatsitcodes | data table |
| F glyphs | | whatsitters | table |
| F message | | T getters | |
| F messages | | T dimensions | |
| F nofsteps | | T width | |
| F register | | T setters | |
| F reset | | T dimensions | |
| F start | | T width | |
| | | • • | |

F stop

write

function

number (context)

| | function | tocenti |
|----------------|------------|---------|
| basepoints | function | tocicer |
| bit | function | toconte |
| bits | function | todidot |
| clearbit | function | todimen |
| dimenfactors | data table | toevenh |
| formatted | function | toinche |
| hasbit | function | tomilli |
| maxdimen | number | tonewci |
| nopts | function | tonewdi |
| percent | function | tonumbe |
| points | function | tonumbe |
| pts | function | topicas |
| setbit | function | topoint |
| signed | function | toscale |
| sparseexponent | function | toscale |
| splitdimen | function | toset |
| tobasepoints | function | valid |
| tobitstring | function | |
| | | |

objects (context)

| data | table | page | function |
|------------|----------|-----------|----------|
| dimensions | function | reference | function |
| found | function | register | function |
| n | number | restore | function |

os (basic lua)

| getenv | function | remove | overloaded function |
|--------------|---------------------|-----------|---------------------|
| setenv | function | rename | overloaded function |
| binsuffix | string | resolvers | table |
| binsuffixes | table | F bits | |
| clock | function | resultof | function |
| converttime | function | runtime | function |
| date | function | selfdir | string |
| difftime | function | setenv | overloaded function |
| env | data table | setlocale | overloaded function |
| exec | overloaded function | sleep | function |
| execute | overloaded function | spawn | overloaded function |
| exit | function | time | function |
| fulltime | function | times | function |
| getenv | overloaded function | timezone | function |
| gettimeofday | function | tmpdir | function |
| isleapyear | function | tmpname | function |
| launch | function | today | function |
| libsuffix | string | type | string |
| localtime | function | uname | function |
| name | string | uuid | function |
| newline | string | validdate | function |
| nofdays | function | weekday | function |
| now | function | where | function |
| platform | string | which | function |
| | | | |

package (basic lua)

| config | string |
|---------------|----------|
| cpath | string |
| extralibpath | function |
| extralibpaths | function |
| extraluapath | function |
| extraluapaths | function |
| helpers | table |
| libpaths | function |
| loaded | table |
| | |

| loaders | table |
|------------|----------|
| loadlib | function |
| luapaths | function |
| path | string |
| preload | table |
| searchers | table |
| searchpath | function |
| seeall | function |

pagebuilders (context)

| columnsets tab | le F sethsize |
|-----------------|---------------------------|
| F add | F sethspan |
| F block | F setlines |
| F check | |
| | F setproperties |
| F currentcolumn | F setstart |
| F define | F setvsize |
| F finishflush | injections table |
| F flushareas | F flushafter |
| F flushcolumn | F flushbefore |
| F flushrest | F save |
| F goto | mixedcolumns table |
| F noto | F cleanup |
| F prepareflush | F finalize |
| F put | F getlist |
| F registerarea | F getrest |
| F reset | F getsplit |
| F setarea | F setsplit |

pdf (basic tex)

| fontname | function | immediateobj | function |
|-----------------------------------|----------|-------------------------|------------------------------|
| fontobjnum | function | mapfile | function |
| fontsize | function | mapline | function |
| getcatalog | function | maxobjnum | function |
| getcompresslevel | function | newcolorstack | function |
| getcompressievet | function | obi | function |
| getdecimaldigits | function | objtype | function |
| getdestmargin | function | | function |
| getgestmargin | function | pageref print | function |
| 5 5 | function | • | function |
| gethpos getignoreunknownimages | function | refobj registerannot | overloaded function |
| getimageresolution | function | | function |
| - | function | reserveobj | |
| getinclusionerrorlevel | | setcatalog | overloaded function function |
| getinfo | function | setcompresslevel | |
| getlastannot | function | setdecimaldigits | function |
| getlastlink | function | setdestmargin | function |
| getlastobj | function | setfontattributes | function |
| getlinkmargin | function | setgentounicode | function |
| getmajorversion | function | setignoreunknownimages | function |
| getmatrix | function | setimageresolution | function |
| getminorversion | function | setinclusionerrorlevel | function |
| getnames | function | setinfo | overloaded function |
| getobjcompresslevel | function | setlinkmargin | function |
| getomitcidset | function | setmajorversion | function |
| getorigin | function | setminorversion | function |
| getpageattributes | function | setnames | overloaded function |
| getpageresources | function | setobjcompresslevel | function |
| getpagesattributes | function | setomitcidset | function |
| getpkresolution | function | setorigin | function |
| getpos | function | setpageattributes | overloaded function |
| getretval | function | setpageresources | overloaded function |
| getsuppressoptionalinfo | function | setpagesattributes | overloaded function |
| getthreadmargin | function | setpkresolution | function |
| gettrailer | function | setsuppressoptionalinfo | function |
| gettrailerid | function | setthreadmargin | function |
| getversion | function | settrailer | overloaded function |
| getvpos | function | settrailerid | function |
| getxformattributes | function | setxformattributes | function |
| getxformmargin | function | setxformmargin | function |
| getxformresources | function | setxformresources | function |
| hasmatrix | function | xformname | function |

pdfscanner (context)

scan function

physics (context)

units table

D tables

F registerunit

profiler (extra lua)

publications (context)

| addtexentry | function | S author |
|----------------------|------------|--------------|
| analyze | function | T categories |
| anywhere | function | T article |
| authorcache | data table | S category |
| authorcollapsers | data table | T extra |
| authorhashers | table | T fields |
| F invertedshort | | S author |
| F normal | | S editor |
| F normalinverted | | S journal |
| F normalshort | | S keywords |
| F short | | S number |
| authormap | data table | S pages |
| authortoregister | function | S title |
| casters | table | S volume |
| F author | | S year |
| F keyword | | T optional |
| F pagenumber | | T required |
| F range | _ | T sets |
| checkeddataset | function | T author |
| citevariants | table | T virtual |
| F author | | T book |
| F authornum | | S category |
| F authoryear | | T extra |
| F authoryears | | T fields |
| F category | | S address |
| F default | | S author |
| F entry | | S edition |
| F index | | S editor |
| F keywords | | S keywords |
| F num | | S number |
| F page | | S publisher |
| F short | | S subtitle |
| F tag | | S title |
| F textnum | | S volume |
| F year | | S year |
| collected | data table | T optional |
| components | table | T required |
| F author | | T sets |
| concatstate | function | T author |
| converttoxml | function | T editionset |
| currentspecification | table | T virtual |

| T demo-a | T virtualfields | |
|----------------|------------------|------------|
| S category | B authornum | |
| T extra | B authoryear | |
| T fields | B authoryears | |
| S author | B num | |
| S institution | B suffix | |
| S organization | datasets | table |
| S subtitle | detailed | table |
| S title | endnotes_to_btx | function |
| S year | enhancer | table |
| T optional | S arguments | |
| T required | T askip | |
| T sets | B dirty | |
| T author | T gskip | |
| T virtual | T kind | |
| T demo-b | T list | |
| S category | T system | |
| T extra | T order | |
| T fields | enhancers | table |
| S author | F details | |
| S institution | F order | |
| S organization | F suffixes | |
| S subtitle | finder | function |
| S title | firstofrange | function |
| S year | found | function |
| T optional | get | function |
| T required | getcasted | function |
| T sets | getdetail | function |
| T authors | getdirect | function |
| T virtual | getfaster | function |
| S comment | getfield | function |
| S copyright | getfuzzy | function |
| T fields | getindex | function |
| S name | inspectors | data table |
| T types | journals | table |
| S author | F abbreviated | |
| S editor | F add | |
| S keywords | F expanded | |
| S number | F load | |
| S page | F save | |
| S pages | lastofrange | function |
| S volume | lists | table |
| S version | F collectentries | |
| D virtual | F combiinlist | |

| F fetchentries | | okay | function |
|--|---|--|----------------------------|
| F filterall | | oneorrange | function |
| F flushcombi | | parenttag | function |
| F flushentry | | permitted | function |
| T methods | | refman_to_btx | function |
| F dataset | | resolvedname | function |
| F force | | save | function |
| F global | | search | function |
| F local | | setcategory | function |
| F nofregistered | | setspecification | function |
| F prepareentries | | singularorplural | function |
| F register | | sortedentries | function |
| F sameasprevious | | sortmethods | table |
| T sorters | | T authoryear | |
| F cite | | T sequence | |
| F dataset | | specifications | table |
| F default | | T default | |
| F index | | S author | |
| F list | | S comment | |
| F reference | | S copyright | |
| F short | | S name | |
| F used | | S version | |
| F uservariable | | D virtual | |
| | | | |
| listvariants | table | splitauthor | function |
| listvariants F default | table | splitoneauthor | function function |
| | table | | |
| F default | table | splitoneauthor | function |
| F default F index | table | splitoneauthor statistics | function |
| F default F index F num | table | splitoneauthor statistics N nofbytes | function |
| F default F index F num F page F short F tag | | splitoneauthor statistics N nofbytes N nofdatasets N nofdefinitions N nofshortcuts | function table |
| F default F index F num F page F short F tag load | function | splitoneauthor statistics N nofbytes N nofdatasets N nofdefinitions | function |
| F default F index F num F page F short F tag load | function function | splitoneauthor statistics N nofbytes N nofdatasets N nofdefinitions N nofshortcuts | function table |
| F default F index F num F page F short F tag load loadbibdata loaddefinitionfile | function function function | splitoneauthor statistics N nofbytes N nofdatasets N nofdefinitions N nofshortcuts tables | function table |
| F default F index F num F page F short F tag load | function function | splitoneauthor statistics N nofbytes N nofdatasets N nofdefinitions N nofshortcuts tables D implicits | function table |
| F default F index F num F page F short F tag load loadbibdata loaddefinitionfile | function function function | splitoneauthor statistics N nofbytes N nofdatasets N nofdefinitions N nofshortcuts tables D implicits D origins | function table |
| F default F index F num F page F short F tag load loadbibdata loaddefinitionfile loaders | function function function | splitoneauthor statistics N nofbytes N nofdatasets N nofdefinitions N nofshortcuts tables D implicits D origins D privates | function table |
| F default F index F num F page F short F tag load loadbibdata loaddefinitionfile loaders F bbl | function function function | splitoneauthor statistics N nofbytes N nofdatasets N nofdefinitions N nofshortcuts tables D implicits D origins D privates D sets | function table |
| F default F index F num F page F short F tag load loadbibdata loaddefinitionfile loaders F bbl F bib | function function function | splitoneauthor statistics N nofbytes N nofdatasets N nofdefinitions N nofshortcuts tables D implicits D origins D privates D sets D specials | function table |
| F default F index F num F page F short F tag load loadbibdata loaddefinitionfile loaders F bbl F bib F buffer | function function function | splitoneauthor statistics N nofbytes N nofdatasets N nofdefinitions N nofshortcuts tables D implicits D origins D privates D sets D specials D types D virtuals tags | function table table |
| F default F index F num F page F short F tag load loadbibdata loaddefinitionfile loaders F bbl F bib F buffer F endnote F lua F refman | function function function | splitoneauthor statistics N nofbytes N nofdatasets N nofdefinitions N nofshortcuts tables D implicits D origins D privates D sets D specials D types D virtuals | function table |
| F default F index F num F page F short F tag load loadbibdata loaddefinitionfile loaders F bbl F bib F buffer F endnote F lua | function function function | splitoneauthor statistics N nofbytes N nofdatasets N nofdefinitions N nofshortcuts tables D implicits D origins D privates D sets D specials D types D virtuals tags tracers F showdatasetauthors | function table table |
| F default F index F num F page F short F tag load loadbibdata loaddefinitionfile loaders F bbl F bib F buffer F endnote F lua F refman F registercleaner F xml | function function function table | splitoneauthor statistics N nofbytes N nofdatasets N nofdefinitions N nofshortcuts tables D implicits D origins D privates D sets D specials D types D virtuals tags tracers | function table table |
| F default F index F num F page F short F tag load loadbibdata loaddefinitionfile loaders F bbl F bib F buffer F endnote F lua F refman F registercleaner | function function function | splitoneauthor statistics N nofbytes N nofdatasets N nofdefinitions N nofshortcuts tables D implicits D origins D privates D sets D specials D types D virtuals tags tracers F showdatasetauthors | function table table |

F showfields

F showhashedauthors

F showtables

F showvariants

typesetters

table

F author

F string

usedataset usedentries writers

F author

F keyword

F pagenumber

F range

function
function
table

regimes (context)

| cleanun | function | nrococc | function |
|------------|-----------|-----------|-------------|
| cleanup | TullCtion | process | Tulle CIOII |
| disable | function | push | function |
| enable | function | toregime | function |
| fromregime | function | translate | function |
| pop | function | | |

resolvers (context)

| allprefixes | function | findtexfile | function |
|------------------------------|---------------------|-------------------------|------------|
| appendhash | function | findwildcardfile | function |
| automount | function | findwildcardfiles | function |
| automounted | table | formatofsuffix | function |
| booleanvariable | function | formatofyariable | function |
| cacheversion | string | formats | data table |
| checkedvariable | function | generators | data table |
| cleanedpathlist | function | get_from_content | function |
| cleanpath | function | getenv | function |
| cleanpathlist | function | getownpath | function |
| concatinators | data table | getreadfilename | function |
| confighanner | string | hashers | data table |
| criticalvars | data table | homedir | string |
| dangerous | data table | inputstack | table |
| datastate | function | installinputfilehandler | function |
| defaultsuffixes | table | installinputlinehandler | function |
| dowithfilesandreport | function | instance | table |
| dowithfilesintree | function | D data | |
| dowithpath | function | B diskcache | |
| dowithvariable | function | D environment | |
| env | function | D expansions | |
| executers | table | D fakepaths | |
| expandbraces | function | D files | |
| expandedpathfromlist | function | B force_suffixes | |
| expandedpathlist | function | D found | |
| expandedpathlistfromvariable | function | D foundintrees | |
| expandpath | function | D hashed | |
| expandpathfromvariable | function | D hashes | |
| expansion | function | D lists | |
| extendtexmfvariable | function | B loaderror | |
| filtered_from_content | function | D order | |
| find_file | function | D pathlists | |
| find_files | function | T pathstack | |
| findbinfile | function | B remember | |
| findctxfile | function | B renewcache | |
| finders | data table | B renewtree | |
| findfile | function | B savelists | |
| findfiles | function | D setups | |
| findgivenfile | function | D specification | |
| findgivenfiles | function | D variables | |
| findpath | function | jobpath | function |

| jobs | table | registerextrapath | function |
|----------------------|------------|------------------------|------------|
| F currentcomponent | | registerfile | function |
| F currentenvironment | | registerfilehash | function |
| F currentproduct | | registerintrees | function |
| F currentproject | | registermethod | function |
| F justacomponent | | registerzipfile | function |
| D processors | | relations | data table |
| F productcomponent | | renew | function |
| F usefile | | repath | function |
| joinpath | function | reset | function |
| load | function | resetextrapath | function |
| loadbinfile | function | resetmemstream | function |
| loaders | data table | resetresolve | function |
| loadlualib | function | resolve | function |
| loadtexfile | function | savers | data table |
| loadtime | function | scandata | function |
| locateformat | function | scanfiles | function |
| locators | data table | schemes | table |
| luacnfname | string | T cleaners | |
| luacnfspec | string | F md5 | |
| luacnfstate | string | F none | |
| macros | table | F strip | |
| F convertfile | | F cleanname | |
| F decodecomment | | F fetchstring | |
| F enablecomment | | F fetchtable | |
| F encodecomment | | F install | |
| F preprocessed | | setdynamic | function |
| F processmk | | setenv | function |
| F processmkvi | | setinstance | function |
| F version | | setmemstream | function |
| maxreadlevel | number | showpath | function |
| methodhandler | function | simplescanfiles | function |
| newinstance | function | splitconfigurationpath | function |
| openbinfile | function | splitexpansions | function |
| openers | data table | splitmethod | function |
| openfile | function | splitpath | function |
| opentexfile | function | stackpath | function |
| ownpath | string | suffixes | data table |
| popextrapath | function | suffixmap | data table |
| poppath | function | suffixofformat | function |
| prefixes | data table | texdatablob | function |
| prependhash | function | toppath | function |
| pushextrapath | function | unexpandedpath | function |
| | | | |

function unexpandedpathlist

function

pushpath

| unresolve updaterelations updatescript uselibrary usertypes | function function function function data table | validatedpath variable variableofformat variableofformatorsuffix wildcardpattern | function function function function function |
|---|--|--|--|
| usezipfile | function | | |

sandbox (context)

| binaryhandler | function | redefine | function |
|----------------|----------|-------------------|----------|
| disablerunners | function | register | function |
| enable | function | registerbinary | function |
| filehandlerone | function | registerroot | function |
| filehandlertwo | function | registerrunner | function |
| finalizer | function | report | function |
| initializer | function | run | function |
| iohandler | function | runhandler | function |
| logcalls | function | setfilenamelogger | function |
| logfiles | function | setlogger | function |
| original | function | setreporter | function |
| overload | function | settrace | function |
| possiblepath | function | validfilename | function |

scripts (context)

autofontfeature table

F disable

F enable

F handler

N inter_char_half_shrink_factor

N inter_char_half_stretch_factor $\,$

N inter_char_hangul_penalty

N inter_char_quarter_shrink_factor

N inter_char_quarter_stretch_factor

N inter_char_shrink_factor

N inter_char_stretch_factor

N inter_word_stretch_factor

handlers data table table hash iniectors data table installdataset function installmethod function numbertocategory data table numbertodataset data table numbertohandler data table reset function function set data table splitters

set (context)

contains function
create function
tolist function

tonumber function
totable function

socket (extra lua)

S comments

BLOCKSIZE number S connection boolean DEBUG S content-description SETSIZE number S content-disposition bind function S content-encoding function choose S content-id function connect S content-language connect4 function S content-length function connect6 S content-location dns table S content-md5 F getaddrinfo S content-range F gethostname S content-transfer-encoding F getnameinfo S content-type F tohostname S date F toip S diagnostic-code ftp table S dsn-gateway S PASSWORD S etag N PORT S expect N TIMEOUT S expires S USER S final-log-id F command S final-recipient F get S from F open S host F put S if-match gettime function S if-modified-since headers table S if-none-match T canonic S if-range S accept S if-unmodified-since S accept-charset S in-reply-to S accept-encoding S keywords S accept-language S last-attempt-date S accept-ranges S last-modified S action S location S max-forwards S age S allow S message-id S alternate-recipient S mime-version S arrival-date S original-envelope-id S authorization S original-recipient S bcc S pragma S cache-control S proxy-authenticate Scc S proxy-authorization

S range

| S received | protect | function |
|-------------------------|----------|-----------|
| S received-from-mta | select | function |
| S references | sink | function |
| S referer | sinkt | table |
| S remote-mta | F close- | when-done |
| S reply-to | F defaul | t |
| S reporting-mta | F http-c | hunked |
| S resent-bcc | F keep-o | pen |
| S resent-cc | skip | function |
| S resent-date | sleep | function |
| S resent-from | smtp | table |
| S resent-message-id | S DOMAIN | |
| S resent-reply-to | N PORT | |
| S resent-sender | S SERVER | |
| S resent-to | N TIMEOU | Т |
| S retry-after | S ZONE | |
| S return-path | F messag | e |
| S sender | F open | |
| S server | F send | |
| S smtp-remote-recipient | source | function |
| S status | sourcet | table |
| S subject | F by-len | gth |
| S te | F defaul | t |
| S to | F http-c | hunked |
| S trailer | F until- | |
| S transfer-encoding | tcp | function |
| S upgrade | tcp6 | function |
| S user-agent | tp | table |
| S vary | N TIMEOU | Т |
| S via | F connec | |
| S warning | try | function |
| S will-retry-until | udp | function |
| S www-authenticate | udp6 | function |
| S x-mailer | url | table |
| http table | F absolu | te |
| N PORT | F build | |
| N TIMEOUT | F build_ | path |
| S USERAGENT | F escape | |
| F open | F parse | |
| Frequest | F parse_ | |
| newtry function | F unesca | ре |

sorters (context)

basicsorter function
comparers table
 F basic
constants table

Stants table

S defaultdigits

S defaultlanguage

S defaultmethod

N digitsmaximum

N digitsoffset

N ignoredoffset

N replacementoffset

T validmethods
B ch
B mc
B mm
B pc

B pm B uc B zc B zm

definitions data table firstofsplit function packch function packuc function setlanguage sort function splitters table

F utf strip tracers

update

function
data table
function

statistics (context)

| checkfmtstatus | function | resettiming | function |
|----------------|----------|---------------|----------|
| elapsed | function | runtime | function |
| elapsedindeed | function | savefmtstatus | function |
| elapsedseconds | function | show | function |
| elapsedtime | function | starttiming | function |
| enable | boolean | stoptiming | function |
| formatruntime | function | threshold | number |
| hastiming | function | timed | function |
| memused | function | tracefunction | function |
| register | function | | |

status (basic tex)

list function
resetmessages function

storage (context)

| allocate | function | |
|------------|----------|--|
| data | table | |
| mark | function | |
| marked | function | |
| max | number | |
| min | number | |
| nofmodules | number | |

| noftables | number |
|-----------------|------------|
| register | function |
| shared | data table |
| storedfunctions | data table |
| strip | boolean |
| tofmodules | number |
| toftables | number |

streams (context)

| collect | function | push | function |
|------------|----------|-------------|----------|
| disable | function | start | function |
| enable | function | stop | function |
| flush | function | synchronize | function |
| initialize | function | | |

string (basic lua)

| autodouble | function | optionalquoted | function |
|------------------|----------|-----------------|----------|
| autosingle | function | quote | function |
| booleanstring | function | quoted | function |
| byte | function | rep | function |
| bytepairs | function | replacenewlines | function |
| bytes | function | reverse | function |
| char | function | split | function |
| characterpairs | function | splitlines | function |
| characters | function | splitup | function |
| checkedsplit | function | strip | function |
| collapsespaces | function | sub | function |
| count | function | tformat | function |
| dump | function | toHEX | function |
| escapedpattern | function | toboolean | function |
| explode | function | tobytes | function |
| find | function | tocontext | function |
| format | function | todec | function |
| formatter | function | todimen | function |
| formatters | function | tohex | function |
| fullstrip | function | tonodes | function |
| gmatch | function | topattern | function |
| gsub | function | totable | function |
| is_boolean | function | toutf | function |
| is_empty | function | tracedchar | function |
| itself | function | tracedchars | table |
| len | function | unquote | function |
| limit | function | unquoted | function |
| longtostring | function | upper | function |
| lower | function | utfcharacters | function |
| match | function | utfvalues | function |
| nspaces | table | valid | function |
| | | | |

structures (context)

| atlocation | function | F previous | |
|------------------|----------|----------------------|----------|
| blocks | table | F raw | |
| D collected | | F record | |
| F define | | F reset | |
| F print | | F restart | |
| F save | | F restore | |
| F select | | F save | |
| F setstate | | F set | |
| D states | | F setlevel | |
| D tobesaved | | F setoffset | |
| bookmarks | table | F setown | |
| T extras | | F setstate | |
| F get | | F setvalue | |
| F mergesections | | T specials | |
| F register | | F userpage | |
| F reset | | F subs | |
| F tosections | | D tobesaved | |
| F finalize | | F value | |
| F flatten | | F way | |
| F installhandler | | currentsectionnumber | function |
| F merge | | descriptions | table |
| S method | | documents | table |
| F overload | | D data | |
| F place | | F initialize | |
| F register | | F preset | |
| F setup | | F reset | |
| counters | table | floats | table |
| F add | | formulas | table |
| F analyze | | helpers | table |
| F check | | F analyze | |
| D collected | | F formulanumber | |
| F compact | | F merged | |
| F converted | | F page | |
| F currentvalue | | F pageofinternal | |
| D data | | F prefix | |
| F define | | F prefixlastpage | |
| F first | | F prefixpage | |
| F get | | F simplify | |
| F last | | F title | |
| F next | | F touserdata | |
| F prev | | inserts | table |

| D data | | F savedlistnumber |
|------------------|-------|----------------------------|
| F define | | F savedlistprefixednumber |
| F getdata | | F savedlisttitle |
| F getlocation | | D sectionblocks |
| F getname | | F sectionnumber |
| F getnumber | | F size |
| F setlocation | | F title |
| F setup | | D tobesaved |
| D stored | | F userdata |
| itemgroups | table | F uservalue |
| lists | table | marks table |
| F addto | | D data |
| F analyze | | F define |
| B autoreorder | | F exists |
| D cached | | F fetch |
| D collected | | F fetchallmarks |
| F discard | | F fetched |
| F enhance | | F fetchonemark |
| T enhancers | | F fetchtwomarks |
| F filter | | F get |
| F formulanumber | | F number |
| F getresult | | F relate |
| F groupindex | | F reset |
| F hasnumberdata | | F set |
| F haspagedata | | F show |
| F hastitledata | | F synchronize |
| F iscached | | F title |
| D kinds | | T tracers |
| F label | | F showtable |
| F location | | notes table |
| D names | | F check_spacing |
| F number | | F checkpagechange |
| D ordered | | F define |
| F page | | F doifonsamepageasprevious |
| F popnesting | | F get |
| F prefix | | F getdeltapage |
| F prefixednumber | | F getinternal |
| F prefixedpage | | F getn |
| F process | | F getstate |
| D pushed | | F hascontent |
| F pushnesting | | F internal |
| F realpage | | F internalid |
| F reordered | | F listindex |
| T result | | F ordered |

| | F postpone | | D filters |
|---|---------------------|-------|----------------------------------|
| | F resetpostponed | | D flaginternals |
| | F restore | | F from |
| | F save | | D functions |
| | F setstate | | F get |
| | D states | | F getcurrentmetadata |
| | F store | | F getcurrentprefixspec |
| p | ages | table | F getinnermethod |
| | F analyze | | F getinternalcachedlistreference |
| | D collected | | F getinternallistreference |
| | F in_body | | F getinternalreference |
| | F is_odd | | D handlers |
| | N nofpages | | F identify |
| | F number | | F import |
| | F on_right | | F inject |
| | F save | | F injectcurrentset |
| | D tobesaved | | S innermethod |
| r | eferences | table | D internals |
| | F analyze | | F load |
| | F checkedfile | | F loadpresets |
| | F checkedfileorurl | | F mark |
| | F checkedprogram | | D pages |
| | F checkedrealpage | | U prefixsplitter |
| | F checkedurl | | D productdata |
| | D collected | | T programs |
| | U componentsplitter | | T data |
| | F currentmetadata | | F define |
| | F currentorder | | F get |
| | D currentset | | F realpageofpage |
| | F define | | U referencesplitter |
| | D defined | | D referred |
| | D derived | | F referredpage |
| | F enableinteraction | | F registerfinalizer |
| | F enhance | | F registerinitializer |
| | D executers | | F registerpage |
| | F expandcurrent | | F reportproblems |
| | F export | | F reset |
| | T files | | D runners |
| | T data | | F set |
| | F define | | F setandgetattribute |
| | F found | | F setcomponent |
| | F get | | F setinnermethod |
| | F filter | | F setinternalreference |
| | F filterdefault | | F setnextinternal |
| | | | |

| F setnextorder | | F get | |
|--------------------|-------------------|-----------------------|-------|
| F setreferencereal | page | F prepare | |
| D specials | | F process | |
| F splitcomponent | | F setmethod | |
| F splitprefix | | F sort | |
| F splitreference | | F store | |
| F synchronizepage | | D tobesaved | |
| T testrunners | | F unique | |
| F inner | | F userdata | |
| F special | | sections | table |
| F special operati | .on | F autodepth | |
| F special operati | on with arguments | F cct | |
| T testspecials | | D collected | |
| F deltapage | | F current | |
| Fi | | F currentblock | |
| F internal | | F currentid | |
| F page | | F currentlevel | |
| F realpage | | F currentsectionindex | |
| F section | | F depthnumber | |
| F userpage | | F finddata | |
| D tobereferred | | F findnumber | |
| D tobesaved | | F fullnumber | |
| D tracedpages | | F getcurrentlevel | |
| T urls | | F getlevel | |
| T data | | F getnumber | |
| F define | | F internalreference | |
| F found | | D levelmap | |
| F get | | D levels | |
| F untex | | F load | |
| D usedinternals | | F matchingtilldepth | |
| D usedviews | | F numberatdepth | |
| F valid | 4-11- | F numbers | |
| registers | table | F popblock | |
| F analyze | | F prefixedconverted | |
| D collected | | F pushblock | |
| F compare | | F register | |
| F define | | D registered | |
| F enhance | | F reportstructure | |
| F extend | | F save | |
| F filter | | T sectionblockdata | |
| F filtercollected | | T bodypart | |
| F finalize | | S bookmark | |
| F findinternal | | F set | |
| F flush | | F setblock | |

| F setchecker | | tags | | table |
|-------------------|-------|------|-------------------------|-------|
| F setentry | | F | elementtag | |
| F setinitialblock | | F | finishexport | |
| F setlevel | | F | getid | |
| F setnumber | | F | handler | |
| F structuredata | | D | labels | |
| F title | | F | last | |
| D tobesaved | | F | lastinchain | |
| F typesetnumber | | F | locatedtag | |
| F userdata | | Т | patterns | |
| B verbose | | | U splitter | |
| sets | table | D | properties | |
| F define | | F | registermetadata | |
| F get | | F | restart | |
| F getall | | F | setaspect | |
| D setlist | | F | setattributehash | |
| specials | table | F | setcombination | |
| D collected | | F | setfigure | |
| F retrieve | | F | sethighlight | |
| F store | | F | setitem | |
| D tobesaved | | F | setitemgroup | |
| synonyms | table | F | setlist | |
| F analyzed | | | setnotation | |
| D collected | | | setnotationsymbol | |
| F compare | | | setproperty | |
| F define | | | setregister | |
| F filter | | | setsorting | |
| F finalize | | | setsynonym | |
| F flush | | | settablecell | |
| Fisshown | | | settabulatecell | |
| F isused | | | settagdelimitedsymbol | |
| F meaning | | | settagsubsentencesymbol | L |
| F prepare | | | setupexport | |
| F process | | | setuserproperties | |
| F register | | | specifications | |
| F registershown | | | start | |
| F registerused | | | stop | |
| F resetshown | | | strip | |
| F resetused | | | taglist | |
| F sort | | Т | usewithcare | |
| F synonym | | | T images | |
| D tobesaved | | | | |

table (basic lua)

| allkeys | function | remove | function |
|-----------------|----------|----------------------|----------|
| append | function | reverse | function |
| are_equal | function | reversed | function |
| autokey | function | save | function |
| compact | function | sequenced | function |
| concat | function | serialize | function |
| contains | function | setmetatablecall | function |
| сору | function | setmetatableindex | function |
| count | function | setmetatablekey | function |
| derive | function | setmetatablenewindex | function |
| deserialize | function | sort | function |
| drop | function | sorted | function |
| fastcopy | function | sortedhash | function |
| fastserialize | function | sortedhashkeys | function |
| filtered | function | sortedhashonly | function |
| flattened | function | sortedindexonly | function |
| fromhash | function | sortedkeys | function |
| getmetatablekey | function | sortedpairs | function |
| has_one_entry | function | sparse | function |
| hashed | function | strip | function |
| identical | function | sub | function |
| imerge | function | swapped | function |
| imerged | function | tocontext | function |
| insert | function | tocsv | function |
| is_empty | function | tofile | function |
| keys | function | tohandle | function |
| load | function | tohash | function |
| loweredkeys | function | toxml | function |
| merge | function | twowaymapper | function |
| merged | function | unique | function |
| mirrored | function | unnest | function |
| pack | function | unpack | function |
| prepend | function | values | function |
| print | function | | |
| | | | |

tex (basic tex)

| attribute | table | gettoks | function |
|--------------------------|------------|---------------------|---------------------|
| badness | function | getuccode | function |
| box | table | glue | table |
| catcode | table | hashtokens | function |
| conditionals | data table | ifs | data table |
| constants | data table | inicatcodes | number |
| count | table | init_rand | function |
| cprint | function | isattribute | function |
| ctdcatcodes | number | isbox | function |
| ctxcatcodes | number | iscount | overloaded function |
| definefont | function | isdefined | function |
| delcode | table | isdimen | overloaded function |
| dimen | table | ismuskip | overloaded function |
| directives | data table | isskip | overloaded function |
| enableprimitives | function | istoken | function |
| error | function | istoks | function |
| extraprimitives | function | lccode | table |
| finish | function | linebreak | function |
| fontidentifier | function | lists | table |
| fontname | function | lua_math_random | function |
| fprint | function | lua_math_randomseed | function |
| get | function | luacatcodes | number |
| getattribute | function | mathcode | table |
| getbox | function | modes | data table |
| getboxresourcedimensions | function | muglue | table |
| getcatcode | function | muskip | table |
| getcount | function | nest | table |
| getdelcode | function | nilcatcodes | number |
| getdelcodes | function | normal_rand | function |
| getdimen | function | notcatcodes | number |
| getglue | function | number | function |
| getlccode | function | primitives | function |
| getlist | function | print | function |
| getmath | function | prtcatcodes | number |
| getmathcode | function | resetparagraph | function |
| getmathcodes | function | romannumeral | function |
| getmuglue | function | round | function |
| getmuskip | function | run | function |
| getnest | function | saveboxresource | function |
| getsfcode | function | scale | function |
| getskip | function | scantoks | function |
| | | | |

| set | function | skip | table |
|--------------|----------|------------------|------------|
| setattribute | function | sp | function |
| setbox | function | splitbox | function |
| setcatcode | function | sprint | function |
| setcount | function | systemmodes | data table |
| setdelcode | function | takebox | function |
| setdimen | function | texcatcodes | number |
| setglue | function | toks | table |
| setlccode | function | tpacatcodes | number |
| setlist | function | tpbcatcodes | number |
| setmath | function | tprint | function |
| setmathcode | function | trackers | data table |
| setmuglue | function | triggerbuildpage | function |
| setmuskip | function | txtcatcodes | number |
| setnest | function | type | function |
| setsfcode | function | uccode | table |
| setskip | function | uniform_rand | function |
| settoks | function | uniformdeviate | function |
| setuccode | function | uprint | function |
| sfcode | table | useboxresource | function |
| shipout | function | vrbcatcodes | number |
| show_context | function | write | function |
| | | | |

texconfig (basic tex)

kpse_init boolean
max_in_open number

max_print_line number
max_strings number
nest_size number
param_size number
save_size number
shell escape string

texio (basic tex)

setescape function
write function

write_nl function

tokens (context)

| astable | function | defined | function |
|-------------|----------|-------------|----------|
| bgroup | userdata | egroup | userdata |
| bits | table | getters | table |
| N active | | F box | |
| N alignment | t | F count | |
| N begingrou | ηp | F dimen | |
| N characte | r | F glue | |
| N close | | F skip | |
| N comment | | F token | |
| N endgroup | | hbox | userdata |
| N endofline | 9 | istoken | function |
| N escape | | letter | function |
| N ignore | | letters | function |
| N invalid | | other | function |
| N letter | | pickup | function |
| N mathshift | t | printlist | function |
| N open | | scanners | table |
| N other | | F boolean | |
| N paramete | r | F code | |
| N space | | F condition | nal |
| N subscript | t | F count | |
| N superscri | ipt | F csname | |
| N whitespac | ce | F dimen | |
| collectors | table | F dimensio | n |
| T data | | F glue | |
| F defaultwo | ords | F integer | |
| F dowithwo | rds | F keyword | |
| F flush | | F list | |
| F install | | F lxmlid | |
| F register | | F number | |
| T register | ed | F scanclos | е |
| F show | | F scanoper | |
| F test | | F skip | |
| compile | function | F string | |
| constant | function | F token | |
| converters | table | F tokens | |
| S toboolear | 1 | F toks | |
| S todimen | | F word | |
| S toglue | | scantable | function |
| S tonumber | | setters | table |
| S tostring | | F box | |

F conditional F count F dimen F count F glue F csname F dimen F macro F skip F dimension shortcuts table F glue T bits F integer N active F kevword F list N alignment N begingroup F lxmlid F number N character F scanclose N close N comment F scanopen N endgroup F skip N endofline F string N escape F token N ignore F tokens N invalid F toks N letter F word N mathshift F scannumber N open F scanopen N other F scanstring N parameter F scanword N space F toboolean N subscript F todimen N superscript T tokens N whitespace F astable N close U bgroup F inspect T collectors F defaultwords N open F dowithwords F report F scanboolean F flush F scanclose F install F scancode F register F scanconditional F show F scancsname F test F scandimen F compile F scandimension F constant F scaninteger T converters F scankeyword S toboolean F scanlist S todimen T scanners S toglue F boolean S tonumber F code S tostring

F defined N open U egroup F report T getters F scanboolean F scanclose F box F count F scancode F dimen F scanconditional F glue F scancsname F skip F scandimen F token F scandimension U hbox F scaninteger F istoken F scankeyword F letter F scanlist F letters F scannumber F other F scanopen F pickup F scanstring F printlist F scanword F scantable F toboolean T setters F todimen F box F tonumber F count F tostring F dimen U vbox F glue U vtop F macro F tonumber F skip F tostring T shortcuts vbox userdata N close vtop userdata

F inspect

tracers (context)

count function
cs function
dimen function
knownlist function
lists table

T context

T internals
T scratch

name function

primitive function
printerror function
printwarning function
showlines function
strings table

S undefined

toks function
type function

trackers (context)

| data | data table | register | function |
|----------------|------------|----------|----------|
| default | function | report | function |
| disable | function | reset | function |
| dumphashtofile | function | savehash | function |
| enable | function | show | function |
| list | function | value | function |
| name | string | | |

typesetters (context)

| alignments | table | T handlers | |
|------------------|-------|------------------|-------|
| F handler | | F installhandler | |
| F set | | F processmath | |
| breakpoints | table | F set | |
| F define | | F setcolor | |
| F handler | | F setmath | |
| D mapping | | F tomode | |
| T methods | | firstlines | table |
| T numbers | | T actions | |
| F set | | F default | |
| F setreplacement | | Fline | |
| cases | table | F word | |
| T actions | | F handler | |
| F handler | | F set | |
| F register | | fontkerns | table |
| F set | | F handler | |
| characteralign | table | initials | table |
| F handler | | T actions | |
| F resetcharacter | align | F default | |
| F setcharacteral | ign | F addanchortolin | e |
| characters | table | F addtoline | |
| F handler | | F calculatedelta | |
| T methods | | F checkline | |
| F replacenbsp | | F handler | |
| F replacenbspace | S | F moveinline | |
| checkers | table | F normalize | |
| F handler | | F set | |
| F reset | | injectors | table |
| F set | | F check | |
| cleaners | table | T list | |
| F handler | | F mark | |
| F set | | F reset | |
| digits | table | F set | |
| T actions | | F show | |
| F handler | | italics | table |
| F set | | F enablemath | |
| directions | table | F enabletext | |
| F getfences | | F forcevariant | |
| F getglobal | | F handler | |
| F getmethod | | F reset | |
| F handler | | F set | |

| kerns | table | E mant | |
|--------------------------------|----------|-----------------------------|-------------|
| D factors | table | F reset | |
| F handler | | F split | |
| | | F startapply | |
| F keepligature | | F stopapply | |
| B keeptogether | | F stripped | |
| D mapping | | F tostring rubies | table |
| F set manipulators | table | F attach | table |
| • | table | F attach F check | |
| F apply F applyspecific | antion. | showsuspects | function |
| T methods | Cation | spacings | table |
| F Word | | F define | table |
| F Words | | F handler | |
| | daumna1 | | |
| F abbreviated F expandedjou | | D mapping T numbers | |
| F lowercase | illat | T frenchpunct | ustion |
| F stripperiod | | T characters | |
| F uppercase | | S name | • |
| T patterns | | N number | |
| U list | | F reset | |
| U pair | | F set | |
| F splitspecific | ration | F setup | |
| margins | table | wrappers | table |
| F finalhandler | | F handler | cabic |
| F globalhandler | - | xtables | table |
| F localhandler | | F cleanup | |
| F save | | F construct | |
| marksuspects | function | F create | |
| paragraphs | table | F finish_row | |
| F addanchortoli | ine | F flush | |
| F addtoline | | F initialize_co | nstruct |
| F calculatedelt | ta | F initialize_re | flow_height |
| F checkline | | F initialize_re | flow_width |
| F handler | | F next_row | |
| F moveinline | | F reflow_height | |
| F normalize | | F reflow_width | |
| F set | | F set_construct | |
| processors | table | F set_reflow_he | ight |
| F apply | | F set_reflow_wi | dth |
| F register | | | |
| | | | |

unicode (extra lua)

| ascii | table | | len |
|----------|---------|------|------------|
| F byte | | F | lower |
| F char | | F | match |
| F dump | | F | rep |
| F find | | F | reverse |
| F form | at | F | sub |
| F gfin | 1 | | upper |
| F gmat | ch | utf8 | table |
| F gsub | | F | byte |
| F len | | F | char |
| F lowe | г | F | characters |
| F matc | 1 | F | chrlen |
| F rep | | F | count |
| F reve | rse | F | dump |
| F sub | | F | filetype |
| F uppe | | F | find |
| grapheme | e table | F | format |
| F byte | | F | gfind |
| F char | | F | gmatch |
| F dump | | F | gsub |
| F find | | F | is_valid |
| F form | at | F | len |
| F gfin | d | F | length |
| F gmat | ch | F | lower |
| F gsub | | F | magic |
| F len | | F | match |
| F lowe | г | F | remapper |
| F matc | 1 | F | rep |
| F rep | | F | replacer |
| F reve | rse | F | reverse |
| F sub | | F | split |
| F uppe | | F | splitlines |
| latin1 | table | F | sub |
| F byte | | F | subtituter |
| F char | | F | tocodes |
| F dump | | | toeight |
| F find | | | toentities |
| F form | at | F | tostring |
| F gfin | i | F | totable |
| F gmat | ch | F | upper |
| F gsub | | F | ustring |

F utf16_to_utf8_be
F utf16_to_utf8_be_t
F utf16_to_utf8_le
F utf16_to_utf8_le_t
F utf16_to_utf8_t
F utf32_to_utf8_be
F utf32_to_utf8_be_t
F utf32_to_utf8_le
F utf32_to_utf8_le
F utf32_to_utf8_le

F utf32_to_utf8_t
F utf8_to_utf16
F utf8_to_utf16_be
F utf8_to_utf16_le
F utf8_to_utf8_t
F values
F xstring

url (context)

| addscheme | function |
|-----------|----------|
| barepath | function |
| construct | function |
| escape | function |
| filename | function |
| hashed | function |

hasscheme function
query function
split function
toquery function
unescapeget function

utilities (context)

| debugger | table | F writecardinal2 | |
|-------------------|-------|----------------------|-------|
| F disable | | F writecardinal4 | |
| F enable | | F writestring | |
| F savestats | | formatters | table |
| F showstats | | F formatcolumns | |
| F showtraceback | | F list | |
| files | table | F stripzeros | |
| F close | | garbagecollector | table |
| F getposition | | F check | |
| F getsize | | N criterium | |
| F look | | B enabled | |
| F open | | lua | table |
| F read2dot14 | | B alwaysstripcode | |
| F readbyte | | F compile | |
| F readbytes | | F loadedluacode | |
| F readcardinal | | F loadstripped | |
| F readcardinal1 | | N nofstrippedbytes | |
| F readcardinal2 | | N nofstrippedchunks | |
| F readcardinal2le | | F registerfinalizer | |
| F readcardinal3 | | B stripcode | |
| F readcardinal3le | | T strippedchunks | |
| F readcardinal4 | | F strippedloadstring | |
| F readcardinal4le | | T suffixes | |
| F readchar | | S lua | |
| F readfixed4 | | S luc | |
| F readinteger | | S lui | |
| F readinteger1 | | S luj | |
| F readinteger2 | | S luv | |
| F readinteger2le | | S tma | |
| F readinteger3 | | S tmc | |
| F readinteger3le | | S tua | |
| F readinteger4 | | S tuc | |
| F readinteger4le | | packers | table |
| F readstring | | F hashed | |
| F readtag | | F new | |
| F setposition | | F pack | |
| F size | | F simplehashed | |
| F skip | | F strip | |
| F skiplong | | F unpack | |
| F skipshort | | N version | |
| F writebyte | | parsers | table |

```
F add settings to array
                                                                  T modern-variable, latin-modern-variable-designsize, la
F arguments to table
                                                                    B latin-modern-variable
F array_to_string
                                                                    B latin-modern-variable-designsize
F csvsplitter
                                                                    B modern-variable
F getparameters
                                                                  T modernvariable.modern-variable
F groupedsplitat
                                                                    B modern-variable
F hash_to_string
                                                                    B modernvariable
                                                                  T modernvariablelight.modern-variable-light
T hashes
 T settings to set
                                                                    B modern-variable-light
   T max, fit, broad, auto
                                                                    B modernvariablelight
     B auto
                                                                  T serif.sans.mono
     B broad
                                                                    R mono
     B fit
                                                                    B sans
     R max
                                                                    B serif
   T modern.latin-modern
                                                                  T text, hidden, paper, page, leftpage, rightpage
     B latin-modern
                                                                    B hidden
     B modern
                                                                    B leftpage
   T modern,latin-modern.woriable,latin-modern-variable,moderned,latin-modern-condensed
     B latin-modern
                                                                    B paper
     B latin-modern-condensed
                                                                    B rightpage
     B latin-modern-variable
                                                                    B text
     B modern
                                                               F iterator
     B modern-condensed
                                                               F keq_to_hash
     B modern-variable
                                                               F listitem
   T modern, latin-modern-designsize, latin-modern
                                                               F make settings to hash pattern
     B latin-modern
                                                               F mergehashes
     B latin-modern-designsize
                                                               F options_to_array
     B modern
                                                               F options to hash
   T modern.modern-base
                                                               T patterns
                                                                 U settings_to_array
     B modern
     B modern-base
                                                                 U settings_to_hash_a
   T modern-condensed, latin-modern-condensed-designsize, latin-lmosetrin-ngosndozensheods/modern-light-condensed, latin-modern-light-condensed, latin-modern-light-condensed.
     B latin-modern-condensed
                                                                 U settings to hash c
     B latin-modern-condensed-designsize
                                                                 U unittotex
     B latin-modern-light-condensed
                                                               F process_stripped_settings
     B modern-condensed
                                                               F rfc4180splitter
     B modern-light-condensed
                                                               F runtime
   T modern-light, latin-modern-light-designsize, latin-modernFlightings_to_array
     B latin-modern-light
                                                               F settings_to_array_obey_fences
     B latin-modern-light-designsize
                                                               F settings_to_array_with_repeat
     B modern-light
                                                               F settings_to_hash
   T modern-mono.modern-base-mono
                                                               F settings_to_hash_strict
     B modern-base-mono
                                                               F settings to hash tolerant
     B modern-mono
                                                               F settings to numbers
```

| F settings_to_set | | F setinitia | lizer |
|-------------------------|------------|-----------------------|--------------|
| F simple_hash_to_string | | F sparse | |
| F splitmethod | | streams | table |
| F splitthousands | | F close | |
| F stepper | | F getposition | on |
| F stripped_setting | s_to_array | F look | |
| F unittotex | | F open | |
| F unittoxml | | F read2dot14 | 4 |
| report | function | F readbyte | |
| sequencers | table | F readbytes | |
| F appendaction | | F readcardi | nal |
| F appendgroup | | F readcardi | nal1 |
| F compile | | F readcardi | nal2 |
| F disableaction | | F readcardi | nal3 |
| F disablegroup | | F readcardi | nal4 |
| F enableaction | | F readchar | |
| F enablegroup | | F readfixed | 1 |
| D functions | | F readintege | er |
| F localize | | F readintege | er1 |
| F new | | F readintege | er2 |
| F nodeprocessor | | F readintege | er4 |
| F prependaction | | F readstring | 9 |
| F prependgroup | | F setposition | on |
| F removeaction | | F size | |
| F replaceaction | | F skip | |
| F setkind | | F skipbytes | |
| F tostring | | F skiplong | |
| setters | table | F skipshort | |
| F disable | | strings | table |
| F enable | | F collapsec | rlf |
| F initialize | | T formatters | 5 |
| F list | | F add | |
| F new | | F new | |
| F register | | F newrepeate | er |
| F report | | F nice | |
| F reset | | T stripline | oatterns |
| F show | | U collapse | • |
| stacker | table | U prune | |
| F new | | U prune ar | d collapse |
| storage | table | U prune and no empty | |
| F allocate | | U retain | |
| F checked | | U retain and collapse | |
| F mark | | U retain a | ind no empty |
| F marked | | F stripline | 5 |
| | | | |

F striplong F insertbeforevalue F tabtospace F migratetable T tracers F removevalue table tables F replacevalue templates table F accesstable F definedtable F load F definetable F replace F encapsulate F replacer

F resolve

F insertaftervalue

vf (context)

| char | function |
|--------|----------|
| down | function |
| fontid | function |
| image | function |
| node | function |
| nop | function |

pop function
push function
right function
rule function
special function

visualizers (context)

| escapepatterns | data table | signal | string |
|-----------------------|------------|-----------------|------------|
| getspecification | function | signalpattern | userdata |
| getvisualizer | function | specifications | data table |
| load | function | visualize | function |
| makenested | function | visualizebuffer | function |
| makepattern | function | visualizefile | function |
| newgrammar | function | visualizestring | function |
| newhandler | function | write | function |
| parsedxml | function | writeargument | function |
| pattern | function | writedefault | function |
| register | function | writeemptyline | function |
| registerescapecommand | function | writenewline | function |
| registerescapeline | function | writespace | function |
| registerescapepattern | function | | |

xml (context)

| addentitiesdoctype | function | D parsedxml | |
|----------------------|---------------------|---------------------------|---------------------|
| addspecialcode | function | D string | |
| after | function | D tex | |
| all | function | D texline | |
| applylpath | function | D texspace | |
| assign | function | D verbose | |
| attribute | function | defaultprotocol | string |
| badinclusions | function | delete | function |
| before | function | delete_element | function |
| body | function | each | function |
| builtinentities | table | each_element | function |
| B amp | | elements | function |
| B apos | | elementtocdata | function |
| B gt | | empty | function |
| B lt | | entities | data table |
| B quot | | erase | function |
| cdata | function | errorhandler | function |
| cdatatotext | function | escaped | function |
| checkbom | function | expressions | table |
| checkerror | function | F boolean | |
| checknamespace | function | F child | |
| checkns | function | F contains | |
| cleansed | function | F count | |
| collect | function | F error | |
| collect_elements | function | F find | |
| collect_tags | function | F idstring | |
| collect_texts | function | F lower | |
| collected | function | F name | |
| collecttexts | function | F number | |
| content | function | F oneof | |
| convert | function | F print | |
| сору | function | F quit | |
| count | function | F tag | |
| cprint | function | F text | |
| css | table | F undefined | |
| F colorspecification | | F upper | |
| F dimension | | fillin | function |
| F fontspecification | | filter | function |
| F padding | | finalizers | table |
| defaulthandlers | table | F paragraphs | |
| D file | | T tex | |
| | | | |

| F all | F match | |
|-----------------------------|---|----------------------|
| F attribute | F name | |
| F chainattribute | | |
| F chainpath | F position F reverse | |
| · | F table | |
| F command | | |
| F concat | F tag | |
| F concatrange | F tags | |
| F context | F text | |
| F count F ctxtext | F texts | |
| | F upperall first | function |
| F default F first | found | function |
| | functions | table |
| F function | getbuffer | function |
| F index | gethandlers | function |
| Flast | - | function |
| F lettered | gethandlersfunction halmars | table |
| Flower | helpers | table |
| F lowerall | F recursetext include | function |
| F match | include | function |
| F name | inclusions | function |
| F position | index | function |
| F reverse | inheritedconvert | |
| F stripped | | function |
| F tag | inject | function |
| F tags | inject_element | function function |
| F text | <pre>inject_element_after inject_element_before</pre> | function |
| F upper | | |
| F upperall | injectafter injectbefore | function function |
| T xml | insert | function |
| F all | insert insert element | function |
| Fatt | insert_etement insert element after | function |
| F attribute | insert_element_before | function |
| F attributes | insertafter | function |
| F cdata F chainattribute | insertbefore | function |
| | insertcdata | function |
| F count | | function |
| F default F elements | insertcomment inspect | function |
| | is_valid | function |
| F empty F first | kind | function |
| F function | last | function |
| F function F index | lastmatch | function |
| F index | load | function |
| | | function |
| F lowerall | lpath | runction |

| lpathcached | function | save | function |
|-------------------------------|---------------------|---------------------|---------------------|
| lpathcalls | function | selection | function |
| lshow | function | separate | function |
| makestandalone | function | serialize | function |
| match | function | setcdata | function |
| name | function | setcomment | function |
| newhandlers | function | sethandlersfunction | function |
| nodesettostring | function | setinjectors | function |
| originalload | function | setproperty | function |
| package | function | settings | function |
| parent | function | specialcodes | table |
| parsedentitylpeg | userdata | S " | |
| pihandlers | table | S # | |
| F injector | | S \$ | |
| F tex | | S % | |
| placeholders | table | S & | |
| F unknown_any_entity | | S ' | |
| F unknown_dec_entity | | S < | |
| F unknown_hex_entity | | S > | |
| position | function | S \ | |
| privatecodes | table | S { | |
| privatetoken | function | S | |
| process | function | S } | |
| <pre>process_attributes</pre> | function | S ~ | |
| <pre>process_elements</pre> | function | specialhandler | table |
| processattributes | function | sprint | function |
| profiled | table | string | function |
| raw | function | strip | function |
| registerentity | function | strip_whitespace | function |
| registerns | function | stripelement | function |
| reindex | function | stripleadingspaces | function |
| remap_name | function | table | function |
| remap_namespace | function | text | function |
| remap_tag | function | textonly | function |
| remapname | function | texttocdata | function |
| remapnamespace | function | tocdata | function |
| remaptag | function | toelement | function |
| renamespace | function | tostring | function |
| reparsedentitylpeg | userdata | totable | function |
| replace | function | toxml | function |
| replace_element | function | tprint | function |
| resetinjectors | function | traverse | function |
| resolvens | function | unescaped | function |
| root | function | unescapedentitylpeg | userdata |
| | | | |

| unprivatized | function | withelements | function |
|---------------|----------|--------------|----------|
| unspecialized | function | wrap | function |
| withelement | function | xmlns | table |

zip (extra lua)

archivestableopenarchivefunctionclosefunctionopenfilefunctionclosearchivefunctionregisteredfilestableopenoverloaded functiontypefunction

zlib (extra lua)

adler32 function
compress function
compressobj function
crc32 function

decompress function
decompressobj function
version function