MP attributes backends bit32 blobs boolean buffers builders caches callbacks catcodes characters chemistry commands containers context converters coroutine ctxrunner debug dir directives document documentdata environment epdf experiments ffi figures file fio floats font fonts functions global graphics gzip img interactions interfaces in job languages layouts lfs libraries lmx logs lpdf lpeg ltn12 lum luatex lxml math mathematics mbox md5 metapost mime moduledata modules mp mplib noads mode nodes number objects os package pagebuilders parametersets pdf pdfscanner physics publications regimes resolvers sandbox scripts set sio socket sorters statistics storage streams string structures table texconditionals texconfin texconstants texifs texisdefined texmodes texsystemmodes thirddata tokens tracers trackers typesetters unicode url userdata utilities vf visualizers xml zip zlib

ConT_EXt MkIV

global (alias: _G)

FETCURRORTER	£ + ÷		4-61-
FFISUPPORTED	function	epdf	table
INITEXMODE	boolean	error	function
LUATEXCOREVERSION	number	experiments	table
LUATEXENGINE	string	ffi	table
LUATEXVERSION	number	ffilib	function
MP	table	figures	table
_LUAVERSION	number	file	table
_MAJORVERSION	number	fio	table
_MINORVERSION	number	floats	table
arg	table	font	table
assert	function	fonts	table
attributes	table	frozen	boolean
backends	table	functions	table
bit32	table	getmetatable	function
blobs	table	getpos	function
blockrequire	function	getvpos	function
boolean	table	global	table
buffers	table	graphics	table
builders	table	gregorian_to_jalali	function
caches	table	gzip	table
callback	table	img	table
callbacks	table	inspect	function
catcodes	table	interactions	table
characters	table	interfaces	table
chemistry	table	io	table
collectgarbage	function	ipairs	function
commands	table	jalali_to_gregorian	function
containers	table	job	table
context	function	lang	table
converters	table	languages	table
coroutine	table	last	number
ctxrunner	table	layouts	table
debug	table	lfs	table
dimen	function	libraries	table
dir	table	lmx	table
directives	table	load	function
document	table	loadfile	function
documentdata	table	loadstring	function
dofile	function	logs	table
done	boolean	lpdf	table
environment	table	lpeg	table

1412	+		4-11-
ltn12	table	resolvers	table
lua	table	sandbox	table
luatex	table	scripts	table
lxml	table	select	function
math	table	set	table
mathematics	table	setinspector	function
mbox	table	setmetatable	function
md5	table	sio	table
metapost	table	socket	table
mime	table	sorters	table
module	function	statistics	table
moduledata	table	status	table
modules	table	storage	table
mp	function	streams	table
mplib	table	string	table
next	function	structures	table
noads	table	swiglib	function
node	table	table	table
nodes	table	tex	table
number	table	texconditionals	data table
objects	table	texconfig	table
optionalrequire	function	texconstants	data table
os	table	texifs	data table
package	table	texio	table
pagebuilders	table	texisdefined	function
pairs	function	texmodes	data table
parametersets	table	texsystemmodes	data table
pcall	function	thirddata	table
pdf	table	toboolean	function
pdfboolean	function	token	table
pdfnull	function	tokens	table
pdfreference	function	tonumber	function
pdfscanner	table	tostring	function
pdfverbose	function	tracers	table
physics	table	trackers	table
print	function	type	function
publications	table	typesetters	table
rawequal	function	unicode	table
rawget	function	unpack	function
rawlen	function	url	table
rawset	function	userdata	table
regimes	table	utf	table
require	function	utilities	table
requireswiglib	function	V	number

vf	table	xpcall	function
visualizers	table	zip	table
xml	table	zlib	table

attributes (context)

colorintents table	D models
N attribute	F mpcolor
D data	F mpnamedcolor
F enable	F mpoptions
F handler	F namedcolorattributes
F register	U none
D registered	F popset
colors table	F processcolorcomponents
N attribute	F pushset
F cmyk	F register
F cmyktogray	D registered
F cmyktorgb	F registerspotcolor
F colorcomponents	F rgb
D counts	F rgbtocmyk
B couple	F rgbtogray
F currentmodel	F rgbtohsv
F currentnamedmodel	N selector
D data	F setlist
N default	F setmodel
F defineintermediatecolor	F setpagecolormodel
F definemultitonecolor	D sets
F defineprocesscolor	F spec
F definesimplegray	F spot
F definespotcolor	F spotcolorname
F definetransparency	F spotcolorparent
F enable	F spotcolorvalue
F filter	B supported
F forcedmodel	F transparencycomponents
F forcesupport	B triggering
F formatcolor	F usecolors
F formatgray	D valid
F getpagecolormodel	F value
F gray	D values
F graytohsv	B weightgray
F handler	define function
F hsvtogray	effects table
F hsvtorgb	N attribute
F iccprofile	D data
F isblack	F enable
N main	F handler
S model	F register

D registered N hardlight D values N hue handlers table N lighten list data table N luminosity data table names N multiply negatives table N none N attribute N normal D data N overlav F enable N saturation F handler N screen N softlight F register D registered U none F set F register numbers data table D registered ofnode function B supported private function B triggering public function F value restore function D values save function unsetvalue number showcurrent function viewerlayers table table states N attribute F disabletriggering F cleanup F enabletriggering D data F finalize F define F initialize F definedlayoutcomponent F process F enable F selective F forcesupport F handler F stacked F stacker B hasorder function system D listwise transparencies table F register N attribute D registered D data F resolve begin F enable F resolve end F resolve_reset F forcesupport F handler F resolve step T names D scopes F setfeatures N color N colorburn F start N colordodae F stop N darken B supported N difference D values

N exclusion

backends (context)

F getfieldcategory

codeinjections table F aetfieldset F boxresourcedimensions F getformatoption F registerboxresource F gethpos F restoreboxresource F getmatrix current strina F getoutputfilename defaults table F getpos T codeiniections F getpreviewfigure F gethpos F getvpos F hasmatrix F getmatrix F insertrenderingwindow F getpos F aetypos F mergebookmarks F hasmatrix F mergereferences T nodeinjections F mergeviewerlayers T registrations F prerollreference D tables F presetsymbol included table F presetsymbollist R context F processrendering B date F registerdocumentcloseaction B id F registerdocumentopenaction B metadata F registeredsymbol B pdf F registerpagecloseaction install function F registerpageopenaction nodeinjections table F registersymbol F setfieldcalculationset F restore F save F setfigurealternative F transform F setfigurecolorspace function nothing F setfiguremask pdf table F setformat T codeiniections F setformsmethod F addbookmarks F setpagetransition F attachmentid F setupcanvas F clonefield F setupidentity F definefield F setxmpfile F definefieldset F startlayer F defineviewerlayer F startunicodetoactualtext F embedfile F startunicodetoactualtextdirect F enabletags F stoplayer F exportformdata F stopunicodetoactualtext F getbookmarks F stopunicodetoactualtextdirect F getdefaultfieldvalue F supportedformats

F unicodetoactualtext

F useviewerlayer F validfield

F validfieldcategory

F validfieldset

S comment

T nodeinjections

F addtags
F annotation
F attachfile

F changestackedlayer

F cmykcolor
F comment
F destination

F destination F effect

F graycolor
F injectbitmap
F insertmovie
F insertsound

F insertswf

F insertu3d F knockout

F negative F overprint F positive F reference
F rgbcolor
F spotcolor
F startlayer

F startstackedlayer

F stoplayer

F stopstackedlayer
F transparency
F typesetfield
T registrations
F cmykindexcolor

F cmykspotcolor

F getspotcolorreference

F grayindexcolor
F grayspotcolor
F rgbindexcolor
F rgbspotcolor
F spotcolorname
F transparency

T tables
D vfspecials

registrations table
tables table
timestamp function

bit32 (basic lua)

arshift	function	extract	function
band	function	lrotate	function
bnot	function	lshift	function
bor	function	replace	function
btest	function	rrotate	function
bxor	function	rshift	function

blobs (context)

append	function	strht	function
dimensions	function	strwd	function
dispose	function	tohpack	function
new	function	tonodes	function
pack	function	tovpack	function
strdp	function	write	function
strhd	function		

boolean (context)

tocontext function
tonumber function

buffers (context)

append	function
assign	function
collectcontent	function
erase	function
exists	function
getcontent	function
getlines	function
loadcontent	function
parallel	table

F define

F hassomecontent

F next
F place
F reset
F save

prepend function
raw function
run function
undent function

builders (context)

kernel	table	T registered
F hyphenat	ion	F reset
F kerning		F set
F ligaturi	ng	F split
F mlist_to	_hlist	F start
T original	.s	F stop
F hyphen	ate	F tag
F kernin	g	profiling table
F ligatu	ring	F add
paragraphs	table	F distance
T construc	ctors	F fixedprofile
N attrib	ute	F get
F define		F list
F disabl	e	F pagehandler
F enable		F profilebox
F handle	r	F set
T method	S	vspacing table
F basio	С	F analyze
F defa	ult	D categories
F hpack	k	F collapsevbox
F onel:	ine	T data
D names		D map
D number	S	D skip
F set		D snapmethods
F start		F definesnapmethod
F stop		B fixed
T expansio	on	F pagehandler
F trace		F resetprevdepth
F keeptoge	ether	F setmap
F register	together	F setskip
T solution	ıs	F snapbox
T splitt	ers	F tocategories
F defi	ne	F tocategory
F optin	nize	F vboxhandler

caches (context)

ask	boolean	is_writable	function
base	string	loadcontent	function
collapsecontent	function	loaddata	function
configfiles	function	more	string
contentstate	function	relocate	boolean
defaults	table	savecontent	function
define	function	savedata	function
direct	boolean	setfirstwritablefile	function
force	boolean	setluanames	function
${\tt getfirstreadablefile}$	function	tree	string
getreadablepaths	function	treehash	function
getwritablepath	function	usedpaths	function
hashed	function		

callback (basic tex)

find function
list function

register overloaded function

callbacks (context)

freeze function B insert local par function known B kerning list data table B ligaturing function gog B linebreak filter function push B mlist to hlist function register B open_read_file report function B post_linebreak_filter supported table B pre dump B append to vlist filter B pre linebreak filter B build page insert B pre output filter B buildpage filter B process input buffer B call edit B process jobname B process output buffer B char exists B contribute filter B process rule B define font B read cidmap file B find_cidmap_file B read_data_file B find_data_file B read_enc_file B read font file B find enc file B find font file B read map file B find_format_file B read_opentype_file B find_image_file B read_pk_file B find map file B read sfd file B find opentype file B read truetype file B find_output_file B read_type1_file B find pk file B read vf file B find read file B show error hook B find_sfd_file B show_error_message B find_truetype_file B show_lua_error_hook B find_type1_file B show warning message B find_vf_file B start file B find_write_file B start_page_number B finish pdffile B start run B finish pdfpage B stop file B glyph_stream_provider B stop page number B hpack_filter B stop_run B hpack_quality B vpack_filter B hyphenate B vpack quality

catcodes (context)

names data table
numbers data table

register function

characters (context)

activeoffset	number	S A	
adobename	function	S A	
bidi	data table	S B	
blockrange	function	S B	
blocks	data table	S B	_
casemap	table	S C	
categories	data table	S C	
category	function	S C	
categorytags	data table	S C	
classifiers	table	S C	
collapsed	table	S C	
S </th <th></th> <th>S D</th> <th></th>		S D	
S =/		S D	
S >/		S D	
S A`		S D	
S A'		S D	
S A^		S D	
S A^`		S E	
S A^′		S E	
S A^~		S E	
S A^'		S E	
S A~		S E	
S A		S E	
S A~		S E	
S A ``		S E	
S A ~ ′		S E	
S A~~		S E	
S A ''		S E	
S A.		S E	
S A · -		S E	
S A"		S E	
S A		S E	
S A'		S E	
S A°		S E	
S A°′		S E	
S A [*]		S E	
S A"		S E	
S A^		S E	
S A.		S E	
S A.^		S E	
S A. ~		S E	^

S E _~	S L_
S F'	S M′
S G′	S M'
S G^	S M.
S G ⁻	S N`
S G	S N′
S G.	S N~
S G [*]	S N.
S G,	S N°
S H^	S N.
S H.	S N,
S H"	S N
S H [*]	S N_
S H.	S 0`
S H,	S 0′
S H _o	S 0 [^]
S I'	S 0^`
S I'	S 0^′
S I^	S 0^~
S I~	S 0^ '
S I	S 0~
S I Č	S 0~′
S I.	S 0~-
S I"	S 0~"
S I"'	S 0 ⁻
S I'	S 0 ⁻ `
S I [*]	S 0 - ′
S I"	S O ̃
S I^	S 0.
SI.	S 0
S I.	S 0"
S I _~	S 0"-
S J^	S 0'
S K'	S 0"
S K [*]	S O°
S K.	S 0"
S K,	S 0^
S K_	S 0,
S L'	S 0.,
S L [*]	S 0.′
S L.	S 0.~
S L	S 0.,
S L.	2 0°.
S L,	S 0.

S 0.^	S U'
S 0.	S U°
S 0	S U"
S P'	S Uř
S P.	S U"
S R′	S U^
S R'	S U,
S R [*]	Z n.,
S R"	S U''
S R^	S U·~
S R.	S N.,
S R _. -	S U'.
S R _s	S $\mathrm{U}_{.}$
S R_	S U
S S′	S U.
S S'.	S U_
S S^	S U _~
S S'	S V~
S S ^v	S V_{\cdot}
S S ^v ·	S W`
S S.	S W′
S S. ·	S W^
S S,	S W.
S S.	S W"
S T	S W.
S T [*]	S X.
S T.	S X"
S T,	S Y`
S T,	S Y'
S T _*	S Y^
S T_	S Y~
S U`	S Y
S U'	S Y.
S U^	S Y"
S U~	S Y'
S U~′	SY.
S U	S Z'
S U-"	S Z^
S U Š	S Z
S U"	S Z [*]
S U"`	SZ.
S U"'	S Z_
S U"-	S a`
S U""	S a′

S a^	S e^
S a^`	S e^`
S a^′	S e^′
S a^~	S e^~
S a^'	S e^ '
S a~	S e~
S a ⁻	S e
S a ̃	S e ⁻ `
S a ``	S e ′
S a ´´	S e ̃
S a ~~	S e˙
S a ``	S e"
S a ·	S e'
S a ^{·-}	S e Č
S a"	S e"
S a	S e^
S a'	S e.
S a°	S e _. ^
S a°′	S e,
S a [*]	S e, ~
S a"	S e.
S a^	S e ̯
S a _.	S e _~
S a ^	S f
S a ~ ~	Sg′
S a。	S g^
S a.	S g
S b.	Sg̃
S b.	S g
S b_	S g ˙
S c'	S g,
S c^	S h^
S c'	S h
S c [*]	S h"
S c,	S h
S c,'	S h.
S d'	S h,
S d [*]	S h _u
S d _.	S h_
S d.	S i`
S d _x	S i'
S d_	S i^
S e`	Si~
S e'	S i

S i ̃	S o ~ ′
S i"	S o~-
Si"'	S o~"
Si'	S o
S i [*]	S o ~ `
S i"	S o - ′
S i^	S o ̃
Si.	S o.
Si.	S o
Si _~	S o"
S j^	S o"-
S j [*]	S o'
S k'	S o"
S k [*]	S o*
S k.	S o"
S k.	S o^
S k_	2 o,
Sl'	2 o.,
S l [*]	S 0''
Sl.	S 0, ~
Sl ₋ -	S 0',
Sl.	2 o.'
S l,	S o.
Sl_	S o.^
S m′	S o.
S m [·]	S o, -
S m.	S p′
S n'	S p.
S n'	S r′
S n~	Sr.
S n'	S r [*]
S n [*]	S r"
S n.	S r^
S n,	Sr.
S n,	Sr.
S n_	Sr,
S o`	Sr_
S o'	S s′
S o [^]	S s′
S o^`	S s^
S o^′	S s
S o^~	S s *
S o^'	S s ··
S o~	Ss.

S s. ·	S w′
S _s ,	S w^
S _s	S w
S t	S w"
S t"	S w°
S t [*]	S w.
St.	S x
St,	S x"
St,	S y`
S t _.	Sy′
St_	S y^
S u`	S y~
S u'	S y
S u^	S y
S u"	S y"
S u~′	S y'
S u	S y°
S u	Sy.
S u ̃	S z′
S u"	S z^
S u"`	Sz.
S u"'	S z ř
S u"-	Sz.
S u""	Sz_
S u'	S "`
S u°	S "′
S u"	S "
S u [*]	S Â`
S u"	SÂ′
S u^	S Â~
S u'	S Â'
S u [*]	Sį
S u·′	SÅ΄
S u·~	SÆ′
S u·'	SÆ ⁻
S u*.	S Ç′
S u.	S Ê`
S u.	S Ê′
S u.	S Ê~
S u,	SÊ'
S u _	SΪ΄
S v~	S Ô`
S v.	S Ô′
S w`	S Ô~

S Ô'	S ă'
S Õ′	S Ē`
S Õ-	S Ē′
S Õ.	S ē`
S Ö⁻	S ē′
S Ø′	S Ō`
S Ü`	S Ō′
S Ü′	S ō`
S Ü⁻	S ō′
S Üř	s ś
S â`	S ś
S â′	S Š
S â~	S š
S â'	S Ũ′
S ä¯	S ű′
S å′	s ū"
S æ′	S ū¨
Sæ¯	S f
S ç′	s o`
S ê`	s oʻ
S ê′	s o~
S ê~	s oʻ
S ê'	s σ _.
S ï′	S o`
S ô`	S oʻ
S ô′	S o~
S ô~	S σ'
S ô'	S σ _.
S ő′	S Ư'
S Õ	S U'
S õ¨	S U"
S ö	S Ư'
S ø′	S U.
S ü`	S u'
S ü′	S u'
S ü¯	S u"
S ü [*]	S ư'
S Ă`	S u.
S Ă´ S Ă~	S 3°
S A S Ă'	S Q ⁻
S ă`	S ǫ⁻ S Å⁻
S ă´	S à -
S ă [~]	
эа	S Ę̃

S ę̃	S H'
S Ö ⁻	S H'`
S ô¯	S H'`
S 3°	S H'′
S "'	S H'′
S A`	S H'
S A'	S H'
S A ⁻	S H'
S A [~]	SH
S A'	S I`
S A'`	SI′
S A'`	SI
S A''	Sľ
S A'´	S I"
S A'	S I'
S A'	S I'`
S A'	S I''
S A'	S I'
S A'`	S I'
S A'`	S I'`
S A''	S I''
S A''	S I'
S A'	S 0`
S A'	S 0'
S A'	S 0'
S A	S 0'`
S E`	S 0''
S E'	S 0'
S E'	S 0'`
S E'`	S 0'′
S E''	S P'
S E'	S Y`
S E'`	S Y'
S E''	S Y
S H'	S Y ̈
S H'	S Y"
S H'	S Y'
S H'`	S Y'`
S H'`	S Y'′
S H''	S Y'
S H''	S Ω`
S H'	S Ω΄
S H'	S Ω'
S H'	S Ω'`

S 0'`	S ε'
S o''	S ε'`
S o''	Sε'′
S Ω'	Sε'
S Q'	S ε'`
S Ω'	S ε'′
S Q'	Sη`
S Ω'`	Sη`
S Ω'`	Sη′
S Q''	Sη′
S Q''	Sη'
S Ω'	S η'`
SΩ'	S η'`
SΩ'	S η'΄
SΩ	S η'′
S ά	Sη'
Sή	Sη
5 α΄	Sη'
5 α`	S η'
Sα΄	S η'`
Sα΄	S η'`
S α ⁻	S η'′
Sα̈́	S η'΄
S α'	Sη'
S α'`	Sη'
S α'`	Sη'
S α'΄	Sη
S α'΄	Sη
S α'	Sη
S α'	Sι`
ς α'	Sι΄
S α'	Sι¯
ς α'`	Sι
ς α'`	Sι"
Sα'΄	S ι"`
Sα'΄	Sι"′
ς α'	Sι"
ς α'	Sι'
ς α'	S ι'`
S α	Sι'′
S α	Sι'
S α	Sι'
Sε`	Sι'`
Sε΄	S i'′

Sι'	Sω'′
Sι	S ω'΄
S 0'	S ω'
S o'	S ω'
S o'	S ω'
S o'`	S ω
S o''	S ω
S o'	S ω
S o'`	S ϊ`
S o''	Sϊ′
Sρ'	Sϊ
Sρ'	Sΰ`
S υ`	Sΰ′
Sυ′	Sΰ
Sυ	Sώ
Sΰ	SΫ́
S υ"	S Υ"
S υ"`	S I"
S v"´	S A ~
S υ"	S A"
Sυ'	SΓ′
S υ'`	S E`
Sυ'΄	SE
Sυ'	S E"
Sυ'	S XK~
S υ'`	S Ж
Sυ'′	S 3"
Sυ'	S N`
S υ	S M
S ω`	SӤ́
S ω`	ЅИ"
S ω′	S K′
S ω′	S 0"
S ω'	S Y
S ω'`	SӰ́
S ω'`	ς у"
S ω'΄	Ѕ У″
S ω'΄	S 4"
S ω'	ЅЫ"
S ω'	S Э"
S ω'	Saĭ
S ω'	S a"
Sω'`	SΓ΄
Sω'`	S e`

S	e Č	S
S	e"	S
S	ж [~]	S
S	ж"	S
S	3"	S
S	и`	S
S	и ⁻	S
S	и	S
S	и"	S
S	κ΄	S
S	0"	S
S	y ⁻	S
S	y	S
S	y"	S
S	у″	S
S	ч"	S I
S	ы	S I
S	э"	S I
	i"	'و S
S		'ي S
S	w.	S'
S	ð	S'
S	ə¨	S'
S	θ"	S
S	θ"	S
S		S
S		S
S		S
S		S
S		S
S		S
S		S
S		S
S		S
S		S
S		S
S		S
S		S
S		S
S		S
S		S
S		S
S		S
S		S

S	S
S	S
S	S
S	S
S	S
S	S
S	S
S	S
S	S
S	S
S	S Ļ
S	s i-
S	S Ŗ
S	S ŗ
S	S Ş.
S	S ș
S	S Ą^
S	S Ą~
S	S a^
S	S a ̃
S	S Ę^
S	S e^
S	S Q^
S	S ô
S	Sά`
S	S à`
S	Så
S	Så
S	Sά
S	Sά
S	Sά
S	S à`
S	S à`
S	Så
S	Så
S	Sά
S	Sἄ
S	Sἄ
S	Sἆ
S	Sἆ

S Ä`		Sἤ
S Ä`		Sή
S À′		Sἦ
S À′		Sἦ
SÄ		S 'H`
SÄ		S 'H`
SÄ		S H′
S A`		S H′
S Ä`		S H
S 'A'		S H
S A′		S H
SΆ		S 'H`
S Å		S 'H`
SΆ		S H′
S "A		S H′
S "A		S H
S "A		S H
S "A		S H
S Ã		S "H
SÃ		S "H
S ἐ`		S "H
Sἐ′		S "H
S ἑ`		S Ή
Sἑ′		S Ή
S 'E`		S i`
S 'E'		Si′
S E`		Sί
S E′		Sί`
Ѕ ή`		Si′
Ѕ ή`		Sί
Sἠ′		S T`
Sἠ′		SÏ′
Sἠ		S Ï
Sἠ		S 'I'
Sἠ		SÏ′
S ἡ`		S I
S ή`		S Ġ`
Sἡ΄		Sỏ′
Sἡ΄		S ò`
Sή		S ò′
Sἡ		S Ø`
Sἡ		S 'O'
Sη̈́		S '0'
Sη̈́		S '0'

S ΰ`	Ω" 2
Sΰ′	Ω" 2
Sΰ	Ω" S
S ὑ`	ΔŽ
Sὑ′	S Ω̈́
Sΰ	Sὰ
S 'Y'	Sὴ
S 'Y'	Sὼ
S Y	Sã
S ώ`	S '`
S ἀ`	S ''
S ω΄	S '
S ω΄	Sη̃
S ἀ	S ω̃
S ώ	S '`
S ώ	S ''
S ώ`	S '
S ώ`	S ←/
S w´	S →/
S w´	S ↔/
Sώ	\$ ←/
Sώ	\$ ⇒/
Sώ	\$ ⇔/
S ω	S 3/
S ω	S €/
Sὤ	S 3/
Sű	S /
Sὧ	S /
Sὧ	S ~/
S D`	S ≃/
S D'	S ≅/
S D'	S ≈/
S 'n'	S ≍/
S'n	S ≡/
S 'n	S ≤/
S 'n	S ≥/
S D'	S ≤/
S 'n'	S ≥/
S 'n′	S ≶/
S 'n′	S ≷ /
S'n	S </td
S 'n	S >/
S 'n	S ≼/
S n	S ≽/

S	c/	S
S	ɔ /	S
S	⊆/	S
S	2/	S
	⊑/	S
	⊒/	S
	⊢/	S
	/	S
	/	S
	/	S
	/	S
	/	S
	/	S
	/	S
		S
S		S
S		S
S		S
S		S
S		S
S		S
S		S
S		S
S		S
S		S
S		S
S		S
S		S
S		S
S		S
S		S
S		S
S		S
S		S
S		S
S		S
S		S
S		S
S		S
S		S
S		S
S		S
S		S
S		S

S		S /
S		T A
S		s `
S		s ´
S		s ^
S		s ~
S		s -
S		S ~
S		S .
S		s
S		s,
S		s °
S		s *
S		S "
S		s ^
S		S
S		S .
S		S ,
S		ТВ
S		s ·
S		S .
contextname	function	S _
csletters	data table	T C
data	data table	S ′
decomposed	data table	s ^
description	function	s ·
descriptions	data table	Sř
detailtags	data table	S,
directions	table	T D
enccodes	data table	S .
entities	data table	S *
fallbacks	data table	S .
filters	data table	S,
fractions	table	S ,
fromnumber	function	S _
fschars	data table	T E
fscodes	data table	S `
getrange	function	S ′
graphemes	table	S ^
T <		S ~
S /		s -
T =		S
S /		S .
T >		S "

S'	S ^
S *	тк
S "	S ′
s ^	S *
S .	S .
ς,	S .
ς,	S _
S ,	T L
S ~	S ′
T F	S *
S .	S .
T G	S ,
S ′	S ,
s ^	S _
s ⁻	T M
S ~	S ′
S .	s ·
Sř	S .
S ,	T N
ТН	s `
s ^	s ′
s ·	S ~
s "	s ·
s ř	S *
S .	S .
S ,	S ,
S	S ,
ΤΙ	S _
s `	Т О
S ′	S `
s ^	S ′
s ~	S ^
s -	S ~
s ~	s ⁻
s ·	s ~
s "	s ·
s '	S "
S *	s '
s "	S "
s ^	S *
S .	S "
S .	s ^
S ~	S ·
T J	s .
	3.

S.	S .
T P	S "
s ′	S.
s ·	S ,
T R	S ~
S ′	T V
s ·	S ~
s *	S .
S "	T W
s ^	s `
S .	S ′
S ,	S ^
S _	s ·
T S	S "
S ′	S .
s ^	ΤX
s ·	s ·
s *	S "
S .	ΤΥ
S ,	s `
S .	S ′
тт	S ^
s ·	S ~
S *	s -
s .	s ·
S ,	s "
S ,	S '
S ,	S .
S _	ΤZ
T U	S ′
s `	s ^
s ′	s ·
S ^	S *
S ~	S .
S ⁻	S _
S ~	T a
S "	S `
S '	S ′
S°	S ^
S "	S ~
S *	s ⁻
S "	S ~
S ^	S ·
S ·	S "

S'	S .
s °	T g
S *	S ′
S "	S ^
S ^	s -
S .	S
S 。	S ·
S .	S *
T b	S ,
s ·	T h
S .	s ^
S _	s ·
T c	S "
S ′	S *
s ^	S .
s ·	S .
s *	S ,
S ,	s _
T d	T i
s ·	S `
s s *	s ′
S .	s ^
S ,	5 ~
S ,	s -
S _	s ~
T e	S "
S `	S '
S ′	S *
s ^	S "
S ~	S ^
s -	S .
S ~	S.
S .	S ~
S "	Тј
s '	S ^
S *	S *
S "	T k
s ^	S ′
S .	s ˇ
S ,	S .
S.	S ,
S ,	S _
s _	ті
T f	S ′

S *	s ^
S .	S .
S ,	S ,
S ,	S _
s _	T s
T m	S ′
S ′	s ^
s ·	s ·
S .	S *
T n	
s `	
s ′	S , S ,
s ~	T t
	s ·
	S "
S .	S ×
S ,	S .
S ,	S ,
S _	S ,
То	S ,
s `	S _
S ′	T u
s ^	s `
S ~	S ′
s ⁻	s ^
Sĭ	S ~
S .	s -
S "	S ~
S'	S "
S "	S '
Sř	s °
S "	S "
S ^	S v
۶ ،	S "
S .	S ^
S.	S ·
Тр	S .
S ′	S
S .	S .
Tr	S ,
S ′	S _~
S .	T v
Sř	S "
S "	S .

T w	s -	
s `	T Ç	
S ′	S ′	
s ^	ΤÊ	
s ·	s `	
s "	S ′	
s °	S ~	
S .	S,	
T x	ΤΪ	
s ·	S ′	
s "	T Ô	
Тy	s `	
S `	s ′	
S ′	\$ ~	
S ^	s '	
S ~	ΤŐ	
s -	S ′	
S .	s -	
s "	S "	
s '	ΤÖ	
s °	s -	
S .	ΤØ	
Τz	S ′	
S ′	ΤÜ	
s ^	s `	
s ·	S ′	
s *	s -	
S .	S *	
S _	T â	
Т "	s `	
s `	S ′	
s ′	S ~	
S	S,	
ΤÂ	T ä	
s `	S -	
S ′	T å	
S ~	\$ ´	
s '	T æ	
ΤÄ	s ′	
s -	s -	
ΤÅ	Τç	
S ′	S ′	
T Æ	T ê	
S ′	S `	

Ś ′	S ′
S ~	ΤŚ
S '	s ·
Τï	Τ ś
S ′	S .
T ô	ΤŠ
S `	S .
S ′	Τš
S ~	S .
S '	ΤŰ
Τő	S ′
S ′	Τű
s -	S ′
S	ΤŪ
Τö	s "
s -	Τū
Τø	s "
s ′	Tf
Тü	s ·
s `	тσ
S ′	s `
s ⁻	S ′
s ˇ	s ~
ΤĂ	s '
s `	S .
s ′	Тσ
s ~	s `
S '	s ´
Тă	S ~
s `	S '
s ′	S .
s ~	т ሆ
S '	s `
ΤĒ	S ′
s `	S ~
S ′	S '
Тē	S .
s `	Tư
S ′	s `
T Ō	S ′
S `	S ~
S ′	s '
Τō	S .
S `	Т 3

S *	S `
ΤQ	S.
s -	S
Τǫ	S '
s -	Т 0
ΤÀ	S `
s -	S
Τà	S '
s -	S '
ΤĘ	T P
S	S '
Τę	ΤΥ
s ~	S
ΤÓ	S
s -	s ·
Τό	S
s -	S .
Т 3	S '
s ř	TΩ
Т "	5 `
S ′	S -
ТА	S '
s `	S '
s ′	S
s -	Τά
s ~	S
s '	T ή
s'	S
S	Τα
ΤE	S `
s `	S
s ′	S -
s '	S
s '	S '
тн	S '
s `	S
s ′	S
s '	Τε
s'	S .
S	S -
T I	S '
S `	S '
s s ′	
s s -	Τη
5	s `

S ′	S′
s'	S
s '	Τώ
S	S
S	ТΥ
Τι	s ′
S `	s "
S ′	ΤΙ
s -	S "
S	T A
S "	S ~
S '	S "
s'	ΤГ
S	S ′
Τo	ΤE
s `	s `
S ′	S ~
s '	s
s '	ТЖ
Тρ	s ~
s '	s "
s '	T 3
Τυ	s "
s `	ТИ
s ′	S `
s -	
s S ~	s - s ~
S "	S "
s '	T K
s'	S ′
S	T 0
Τω	S "
S `	ТУ
S ′	s -
S '	S
s'	S "
S	S "
S	ТЧ
Τï	s "
s `	ТЫ
S ′	s "
S	ТЭ
Τΰ	s
s `	T a

S ~	S "
S "	Тe
Тг	S "
S ′	Т
T e	S
s `	S
S ~	S
s "	Т
Тж	S
S ~	S
S "	Т
Тз	S
s "	Т
Ти	S
s `	Т
s -	S
s ~	Т
s "	S
Τĸ	S
S ′	
	T
T o	S -
S "	Т
Ty	S
s ⁻	Т
S ~	S
S "	S
S "	Т
Тч	S
S "	Т
Ты	S
S "	S
Тэ	Т
s "	S
Τi	Т
s "	S
Т	Т
S "	S
Т	Т
S "	S
T Ə	Т
S "	S
Τə	Т
s "	S
Тθ	S
	3

Т	Т
S	S
Т	Т
S	S
Т	Т
S	S
T	Т
S	S
S	Т
S	S
T	Т
S	S
T	Т
S	S
T I	S
S ~	Т
S '	S
S ,	Т
T و	S
S '	Т
ي T	S
S '	Т
Т	S
S '	Т
Т	S
S '	Т
Т	S
S '	Т
T	S
S	Т
T	S
S	Т
Т	S
S	S
T	S
S	Т
T	S
S	Т
Т	S
S	S
T	Т
S	S
T	Т
S	S

Т	S
S	T
Т	S
S	T
S	S
S	Т
Т	S
S	T
Т	S
S	T
S	S
Т	Т
S	S
T	T
S	S
S	T
S	S
Т	Т
S	S
Т	T
S	S
Т	T
S	S
Т	Т
-	
S	S
	-
Т	T
S	S
Т	T
S	S
Т	T
S	S
Т	ΤĻ
S	s -
S	Τļ
S	s -
Т	ΤŖ
S	s -
Т	Τŗ
S	s -
Т	ΤŞ
S	S .
Т	
	Τş
S	S .
Т	ΤÀ

	S ^	S
	S ~	A' T
Т	ą	S
	S ^	A' T
	S ~	S
Т	Ę	T 'n
	S ^	S
Т	ę	T 'A
	S ^	S
	Q.	ΤÃ
	S ^	S
Т	Ō.	ΤÃ
	S ^	S
Т	ά	Τέ
	5 `	s `
	S ′	S ′
	S .	Τέ
	S	s `
Т	ά	S ′
	s `	T Έ
	S '	s`
	S .	s ′
	S .	T E
т	à	s `
	S	S ′
Т	à	Τή
-	S	S `
т	ά	s ′
·	S	S
т	ά	S
•	S .	Tή
т	ά	S ,
·	5	S ′
т	ά	5
•	5	5
т	Ά	Τἢ
•	5 `	5
	s ′	Τἣ
	S	S
	S .	Τή
т	A	5
1	S `	τή
	s ′	5 5
	S	Σ Τἦ
	J	1 11

S	1	Γò
Τἦ		s `
S		S ′
ΤΉ	1	ď
s `		s `
S ′		S ′
S	1	0' آ
S		s `
T H		S ′
s `	1	Γů
S ′		s `
S		S ′
S		S
T "H	1	Γὑ
S		s `
H"T		S ′
S		S
Т "Н	1	Γ Ύ
S		s `
T "H		S ′
S		S
T ³H	1	Γů
S		s `
Τ Ḧ́		S ′
S		S
Τί		S
s `	1	Γώ
S ′		s `
S		S ′
Τί		S
s `		S
S ′	1	ω
S		S
ľ T	1	ſω
S `		S
S′	1	ľű
S		S
ľ T	1	ľű
S `		S
S ′	1	Γὧ
S		S
Τὀ	1	Γὧ
s `		S
S ′	1	Ω̈́T

S `	S /
S ′	T ↔
S	5 /
S	Τ ←
Ω̈́T	S /
S `	T ⇒
S ′	5 /
S	T ↔
S	S /
Ω΄ Τ	E T
S	S /
Ω΄ Τ	T
S	S /
Ω΄ Τ	Т Э
S	S /
Ω̈́T	Т
S	S /
ďΤ	Т
S	S /
Ω̈́ T	T ~
S	S /
Τὰ	T ≃
S	S /
Τὴ	T ≅
S	S /
Тὼ	T ≈
S	S /
Τã	T ≍
S	S /
Т '	T ≡
s `	S /
S ′	T ≤
S	S /
Τη̃	T ≥
S	S /
Τũ	T ≤
S	S /
Т '	T ≳
s `	S /
s ′	Τ ≶
S	S /
T ←	T ≥
S /	S /
T →	T <

S /	S
T >	Т
S /	S
Τ ≼	Т
S /	S
T ≽	Т
S /	S
Тс	Т
S /	S
Τ⊃	Т
S /	S
T⊆	Т
S /	S
T⊇	Т
S /	S
T⊑	Т
S /	S
T⊒	Т
S /	S
T ⊢	Т
S /	S
Т	Т
\$ /	S
Т	Т
\$ /	S
Т	Т
S /	S
Т	S
S /	Т
Т	S
S /	S
Т	Т
S /	S
Т	S
S /	Т
Т	S
S /	S
Т	Т
S	S
Т	S
S	Т
T	S
S	Т
Т	S
	_

Т	:	S
S	Т	
T	!	S
S	Т	
T	:	S
S	Т	
Т		S
S	Т	
Т		S
S	Т	
Т		S
S	Т	
Т		S
S		S
T	Т	,
S		S
T	Т	,
S		S
T	Т	,
S		S
		5
T S	т	_
		S
T S	т	_
		S
Т	т	_
S		S
T		S
S _	Т	
Т		S
S		S
T		S
S	Т	
S		S
T	Т	
S		S
S	Т	
Т		S
S	Т	
S		S
Т	Т	
S		S
S		S
T	:	S
S	•	S

S		S hy	
Т		S id	
S		S in	
Т		S is	
S		S jl	
Т		S jt	
S		S jv	
S		S lf	
Т		S nl	
S		S ns	
S		S nu	
hangul	data table	S op	
initialize	function	S po	
is_character	data table	S pr	
is_command	data table	S qu	
is_letter	data table	S ri	
is_mark	data table	S sa	
is_punctuation	data table	S sg	
is_spacing	data table	S sp	
lcchars	data table	S sy	
lccode	function	S wj	
lccodes	data table	S xx	
lettered	function	S zw	
lhash	data table	S zw S zwj	
		S zwj lower	function
lhash	data table	S zwj lower math	table
lhash linebreaks	data table	S zwj lower	
<pre>lhash linebreaks S ai</pre>	data table	S zwj lower math mathpairs T:	table
<pre>lhash linebreaks S ai S al S b2 S ba</pre>	data table	S zwj lower math mathpairs T : S =	table
<pre>lhash linebreaks S ai S al S b2 S ba S bb</pre>	data table	<pre>S zwj lower math mathpairs T : S = T <</pre>	table
<pre>lhash linebreaks S ai S al S b2 S ba</pre>	data table	<pre>S zwj lower math mathpairs T : S = T < S =</pre>	table
<pre>lhash linebreaks S ai S b2 S ba S bb S bk S cb</pre>	data table	<pre>S zwj lower math mathpairs T : S = T < S = T =</pre>	table
<pre>lhash linebreaks S ai S al S b2 S ba S bb S bk S cb S cj</pre>	data table	<pre>S zwj lower math mathpairs T : S = T < S = T = S :</pre>	table
<pre>lhash linebreaks S ai S al S b2 S ba S bb S bk S cb S cj S cl</pre>	data table	<pre>S zwj lower math mathpairs T : S = T < S = T = S : T ></pre>	table
<pre>lhash linebreaks S ai S al S b2 S ba S bb S bk S cb S cc S cc S cc S cm</pre>	data table	<pre>S zwj lower math mathpairs T : S = T < S = T = S : T > S =</pre>	table
<pre>lhash linebreaks S ai S al S b2 S ba S bb S bk S cb S cj S cl</pre>	data table	<pre>S zwj lower math mathpairs T : S = T < S = T = S : T ></pre>	table
<pre>lhash linebreaks S ai S al S b2 S ba S bb S bk S cb S cc S cc S cc S cm</pre>	data table	<pre>S zwj lower math mathpairs T : S = T < S = T = S : T > S = T / S <</pre>	table
<pre>lhash linebreaks S ai S al S b2 S ba S bb S bk S cb S cj S cl S cm S cp S cr S eb</pre>	data table	<pre>S zwj lower math mathpairs T : S = T < S = T = S : T > S = T / S < T < <</pre>	table
<pre>lhash linebreaks S ai S al S b2 S ba S bb S bk S cb S cc S cc S cc S cc S cm S cc S cc S cc</pre>	data table	<pre>S zwj lower math mathpairs T : S = T < S = T = S : T > S = T / S < S = T / S < S = S > </pre>	table
lhash linebreaks S ai S al S b2 S ba S bb S bk S cb S cj S cl S cm S cp S cr S eb S em S ex	data table	S zwj lower math mathpairs T: S = T < S = T = S: T > S = T / S < S = S : T > S = T / S < S = S > S > S -	table
lhash linebreaks S ai S al S b2 S ba S bb S bb S bk S cb S cj S cl S cm S cp S cr S eb S em S ex S gl	data table	S zwj lower math mathpairs T: S = T < S = T = S: T > S = T / S < S = T / S < S = T / S < S = S > S + S →	table
lhash linebreaks S ai S al S b2 S ba S bb S bk S cb S cj S cl S cm S cp S cr S eb S em S ex S gl S h2	data table	S zwj lower math mathpairs T: S = T < S = T < S = T > S = T / S < S = S > S + S + S + S +	table
lhash linebreaks S ai S al S b2 S ba S bb S bb S bk S cb S cj S cl S cm S cp S cr S eb S em S ex S gl	data table	S zwj lower math mathpairs T: S = T < S = T = S: T > S = T / S < S = T / S < S = T / S < S = S > S + S →	table

\$ ↔	mirrors	table
S 3	otfscripts	data table
S €	ranges	data table
S 3	registerentities	function
S	remap_hangul_syllabe	function
S	setactivecatcodes	function
S ~	setlettercatcodes	function
S ≃	shape	function
S ≅	shaped	function
S ≈	shash	data table
S ≍	shchars	data table
S =	shcodes	data table
\$ ≤	showstring	function
S ≥	specialchars	data table
5 ≲	specials	data table
S ≥	splits	table
S ≶	T char	
S ≥	T compat	
S <	subscripts	table
S >	superscripts	table
S ≼	synonyms	data table
\$ ≽	tex	table
S c	D accentmapping	
S >	D commandmapping	
\$ ⊆	F defineaccents	
S ⊇	F safechar	
S ⊑	F toutf	
S ⊒	F toutfpattern	
S -	textclasses	table
S	tonumber	function
S	ucchars	data table
S	uccode	function
S	uccodes	data table
S	uhash	data table
S	unicodechar	function
S	upper	function

chemistry (context)

component	function	
define	function	
definitions	data table	
format	string	
inlinechemical	. function	
instance	string	
method	string	

molecule
moleculeparser
start
stop
structures
undefine
function
function
number
function

containers (context)

cleanname	function	is_valid	function
content	function	read	function
define	function	usecache	boolean
is_usable	function	write	function

converters (context)

Α	function	cn-c	function
A:es	function	convert	function
A:ru	function	decimals	function
A:sl	function	define	function
AK	function	hexstringtonumber	function
Alphabetic	function	hour	function
Alphabetic:es	function	i	function
Alphabetic:ru	function	isleapyear	function
Alphabetic:sl	function	lchexnumber	function
Character	function	lchexnumbers	function
Characters	function	leapyear	function
I	function	lower	function
KA	function	max	function
KR	function	maxchrs	function
R	function	minute	function
RK	function	month	function
Romannumerals	function	nicenumber	function
Russiannumerals	function	nofdays	function
Sloveniannumerals	function	number	function
Spanishnumerals	function	numbers	function
Word	function	octnumber	function
Words	function	octstringtonumber	function
a	function	ordinal	function
a:es	function	r	function
a:ru	function	rawcharacter	function
a:sl	function	romannumerals	function
abjadnodotnumerals	function	russiannumerals	function
abjadnumerals	function	second	function
alphabetic	function	sequences	data table
alphabetic:es	function	settime	function
alphabetic:ru	function	sloveniannumerals	function
alphabetic:sl	function	spanishnumerals	function
character	function	textime	function
characters	function	toabjad	function
chineseallnumerals	function	tochinese	function
chinesecapnumerals	function	toroman	function
chinesenumerals	function	totime	function
chr	function	uchexnumber	function
chrs	function	uchexnumbers	function
cn	function	upper	function
cn-a	function	verbose	table

D data		word	function
F translate		words	function
weekday	function	year	function

coroutine (basic lua)

create	function	status	function
resume	function	wrap	function
running	function	yield	function

ctxrunner (context)

load function prepfiles data table
preparedfile function resolve function

debug (basic lua)

debug	function	sethook	function
gethook	function	setlocal	function
getinfo	function	setmetatable	function
getlocal	function	setupvalue	function
getmetatable	function	setuservalue	function
getregistry	function	traceback	function
getupvalue	function	upvalueid	function
getuservalue	function	upvaluejoin	function

dir (context)

collectpattern	function
current	function
expandname	function
found	function
glob	function
globdirs	function
globfiles	function

globpattern	function
ls	function
makedirs	function
mkdirs	function
pop	function
push	function

directives (context)

data	data table	name	string
default	function	register	function
disable	function	report	function
done	table	reset	function
enable	function	show	function
list	function	value	function

document (context)

arguments files functions getargument getfilename options data table table table function function table D modes
D modules

function setargument setcommandline function setdefaultargument function setenvironments function setfilename function setfilenames function setmodes function setmodules function variables data table

T commandline

D environments

D modes
D modules
T ctxfile

D environments

environment (context)

argument	function	luafile	function
arguments	data table	luafilechunk	function
basicengines	data table	luatexengine	string
currentrun	number	luatexversion	number
default_texmfcnf	string	maxnofruns	number
definefilefallback	function	originalarguments	data table
definefilesynonym	function	outputfilename	string
engineflags	data table	ownbin	string
filename	string	ownmain	string
files	table	ownname	string
filesynonyms	data table	ownpath	string
forcedruns	number	prerollrun	boolean
getargument	function	rawarguments	data table
homedir	string	reconstructcommandline	function
initex	boolean	relativepath	function
initexmode	boolean	setargument	function
initializearguments	function	splitarguments	function
initializefilenames	function	suffix	string
inputfilebarename	string	texfile	function
inputfilename	string	texmfos	string
inputfilesuffix	string	texos	string
jobfilefullname	string	texroot	string
jobfilename	string	truefilename	function
jobfilesuffix	string	useluamodule	function
jobname	string	usemodules	function
	number	validengines	data table
kindofrun	Humber	vaciacinginos	
	function	version	string

epdf (extra tex)

Array function
Attribute function
AttributeOwner_Type function
Attribute_Type function
Dict function
Object function

PDFRectangle function
StructElement_Type function
open overload
openMemStream function
type function

function function overloaded function function function

experiments (context)

data	data table
default	function
disable	function
enable	function
list	function
name	string

register function report function reset function show function value function

figures (context)

applvratio badname bases bitmapimage boxnumber cachepaths check checkers converters current defaultdepth defaultheight defaultsearch defaultwidth done dummy existers exists formats found get getrealpage auess hash identifiers identify images

F boxes
F check
F checksize
F clone
F copy
F immediatewrite
F keys

F new F node function function data table function number data table function data table data table function number number hool ean number function function data table function data table data table function function function function data table function

table

F ofindex
F package
F print
F scan
F serialize
F totable
F types
F write
nclude

include includers initialize loaded localpaths magics mergegoodies nofprocessed order paths patterns pop preferguality programs push registerpattern registerresource registersuffix resources scale set setlookups setmemstream setorder setpaths suffixes used

function data table function data table data table data table function number data table data table data table function boolean data table function function function function data table function function function function function function data table data table

file (basic lua)

addsuffix	function	needsupdating	function
basename	function	pathpart	function
checksum	function	readdata	function
collapsepath	function	removesuffix	function
сору	function	replacesuffix	function
dirname	function	reslash	function
expandname	function	robustname	function
extname	function	savechecksum	function
is_qualified_path	function	savedata	function
is_readable	function	size	function
is_rootbased_path	function	splitbase	function
is_writable	function	splitname	function
isreadable	function	splitpath	function
iswritable	function	strip	function
join	function	suffix	function
joinpath	function	suffixes	function
loadchecksum	function	suffixesonly	function
nameonly	function	suffixonly	function
nametotable	function	syncmtimes	function
needs_updating	function		

fio (extra lua)

checkpermission	function	readfixed4	function
getposition	function	readinteger1	function
read2dot14	function	readinteger2	function
readbytes	function	readinteger3	function
readbytetable	function	readinteger4	function
readcardinal1	function	readline	function
readcardinal2	function	recordfilename	function
readcardinal3	function	setposition	function
readcardinal4	function	skipposition	function
readfixed2	function		

floats (context)

analysemethod	function	nofstacked	function
${\tt checked page float}$	function	pop	function
collect	function	push	function
consult	function	resave	function
flush	function	save	function
getvariable	function	stacked	function
hasstacked	function		

font (basic tex)

current function
define function
each function
fonts table
frozen function

getfont overloaded function

id function
max function
nextid function
read_tfm function
read_vf function

setfont overloaded function

fonts (context)

analyzers	table	F checkenabled	
T features		F clonevector	
N blwf		F define	
N fin2		T definitions	
N fin3		F found	
N fina		F prepare	
N half		F process	
N init		F registermain	
N isol		F report	
N med2		F reset	
N medi		T vectors	
N pref		<pre>constructors table</pre>	
N pstf		F addcoreunicodes	
N rphf		F aftercopyingcharacters	
D initializers		F applymanipulators	
D methods	F assignmathparameters		
F setstate	F setstate B autocleanup		
T states		F beforecopyingcharacters	
N blwf		D cache	
N fin2		B cacheintex	
N fin3		F calculatescale	
N fina		F checkedfeatures	
N half		F checkedfilename	
N init		F checkvirtualids	
N isol		F cleanuptable	
N mark		F collectprocessors	
N med2		F currentfonthasfeature	
N medi		D designsizes	
N pref N pstf		D dontembed F enhanceparameters	
N rest		T enhancers	
N rest		T afm	
B useunicodemarks		F apply	
checkers	table	F patch	
F getmissing		T patches	
F missing		F register	
F placeholder		F register	
cid	table	T otf	
F getmap		F addfeature	
F loadfile		F apply	
collections	table	F enhance	

	- 1.
F patch	F alternate
T patches	F chainposition
F register	F chainsubstitution
F register	F kern
T tfm	F ligature
F apply	F multiple
F patch	F pair
T patches	F substitution
F register	F register
F register	S stepkey
N factor	F dataset
T features	S defaultbasealternate
D afm	S defaultnodealternate
D otf	D features
D tfm	F featuresprocessor
F finalize	F getactualtext
F getfeatureaction	F getalternate
T handlers	F getgsub
T afm	F getkern
B autoprefixed	F getmultiple
D cache	F getsubstitution
D features	T handlers
F getkern	F devanagari_remove_joiners
T helpdata	F devanagari_reorder_matras
D bothkerned	F devanagari_reorder_pre_base_reordering_consonants
D leftkerned	F devanagari_reorder_reph
D ligatures	F gpos_context
D rightkerned	F gpos_contextchain
D texligatures	F gpos_cursive
F load	F gpos_mark2base
T readers	F gpos_mark2ligature
F getinfo	F gpos_mark2mark
F loadfont	F gpos_pair
F loadshapes	F gpos_single
F setfeatures	F gsub_alternate
B syncspace	F gsub_context
N version	F gsub_contextchain
T otf	F gsub_ligature
F addfeature	F gsub_multiple
F basemodeinitializer	F gsub_reversecontextchain
D cache	F gsub_single
F collectlookups	F trigger_space_kerns
T coverup	T helpers
T actions	F blockligatures

T gsubhandlers F pardirstate F txtdirstate F alternate F load F chainedcontext F loadoutlinedata F context F loadstreamdata F extension F modeinitializer F ligature F nodemodeinitializer F multiple D pdfcache F reversechainedcontextsingle T plugins F single T readers F gvar F addunicodetable F head F avar T helpers F cbdt F axistofactors F cblc F cleanname F cff F getaxisscale F cff2 F getfactors F cffcheck F getscales F checkhash F gotodatatable F normalizedaxis F cmap F colr T normalizedaxishash F compact F readvariationdata F cpal F reportskippedtable F ebdt F setvariabledata F eblc F hhea F ebsc F hmtx F expand F hvar F extend F kern F fvar F loadfont F gdef F loadshapes F getcomponents F loca F math F getinfo F glyf F maxp F gpos F myar T gposhandlers F name F chainedcontext F os/2 F context F pack F cursive F parsecharstrings F extension F post F marktobase F registerextender F marktoligature F rehash F marktomark F sbix F pair F stat T streamreader F single F qsub F close

F getposition	F vhea
F getsize	F vmtx
F look	F vorg
F open	F vvar
F read2dot14	F woff2otf
F readbyte	F registerpalette
F readbytes	F registerplugin
F readbytetable	T sbix
F readcardinal	F topdf
F readcardinal1	D sbixcache
F readcardinal2	B sbixenabled
F readcardinal2le	F scriptandlanguage
F readcardinal3	F setdynamics
F readcardinal3le	F setfeatures
F readcardinal4	T statistics
F readcardinal4le	D usedfeatures
F readchar	F storepdfdata
F readfixed2	T svg
F readfixed4	F filterglyph
F readinteger	F topdf
F readinteger1	D svgcache
F readinteger2	B svgenabled
F readinteger2le	T tables
F readinteger3	D baselines
F readinteger3le	D features
F readinteger4	D featuretypes
F readinteger4le	D languages
F readsignedbyte	D scripts
F readstring	N version
F readtag	T pfb
F setposition	F loadvector
F size	T tfm
F skip	F addtounicode
F skiplong	D features
F skipposition	N maxnestingdepth
F skipshort	N maxnestingsize
F writebyte	F reencode
F writecardinal2	F setfeatures
F writecardinal4	N version
F writestring	T vf
F svg	T combinations
N tableversion	F combine
F unifymissing	T combiner
F unpack	D commands

D helpers	T properties	
D math	S autoitalicamo	ın+
D predefined	S cidinfo	unc
N version	S embedding	
D whatever	S encodingbytes	
F hashfeatures	S filename	
	S finalized	
F hashinstance	S fontname	
T hashmethods		
F normal	S format	
F virtual	S fullname S hasitalics	
F initializefeatures	S hasitatics S hasmath	
T sharestand		
T characters	S mathitalics	
T descriptions	S mode	
T parameters	S name	
S ascender	S noglyphnames	
S descender	S nostackmath	
S designsize	S psname	
T expansion	S textitalics	
S auto	S virtualized	
S shrink	D loadedfonts	
S step	S namemode	
S stretch	N noffontsloaded	
S extendfactor	N nofsharedfonts	
S factor	N nofsharedhashes	
S hfactor	N nofsharedvectors	
S mathsize	N privateoffset	
T protrusion	D privateslots	
S auto	F readanddefine	
S quad	F registerfeature	
S scaledpoints	F resetfeature	
S scriptpercentage	B resolvevirtualtoo)
S scriptscriptpercentage	F scale	
S size	F scaled	
S slantfactor	F setfactor	
S slantperpoint	F setfeature	
T spacing	F setname	
S extra	B sharefonts	
S shrink	F trytosharefont	
S stretch	N version	
S width	current	function
S units	currentid	function
S vfactor	definers	table
S xheight	F addlookup	

F analyze		N Encyrillic	
F applypostprocesso	ors	N Ercyrillic	
F checkedmode		N Ereversedcyril	lic
F checkedscript		N Escyrillic	
F current		N Fitacyrillic	
S defaultlookup		N Gcedilla	
F define		N Gdot	
F getspecification		N Gecyrillic	
F internal		N Gheupturncyril	lic
F loadfont		N Gjecyrillic	
F makespecification	1	N Hardsigncyrill	ic
T methods		N IAcyrillic	
F install		N IUcyrillic	
D variants		N Icyrillic	
F read		N Idot	
F register		N Iecyrillic	
F registered		N Iicyrillic	
F registersplit		N Iishortcyrilli	.c
F resetnullfont		N Iocyrillic	
F resolve		N Izhitsacyrilli	.c
T resolvers		N Jecyrillic	
F file		N Kacyrillic	
F name		N Kcedilla	
F spec		N Khacyrillic	
definetypeface	function	N Kjecyrillic	
encodings	table	N Lcedilla	
T agl		N Ljecyrillic	
D ctxcodes		N Ncedilla	
D extras		N Njecyrillic	
D names		N Ocyrillic	
T synonyms		N Odblacute	
N Acyrillic		N Ohm	
N Becyrillic		N Pecyrillic	
N Cdot		N Rcedilla	
N Checyrillic		N Shacyrillic	
N Decyrillic		N Shchacyrillic	
N Djecyrillic		N Softsigncyrill	ic
N Dzecyrillic		N Tcedilla	
N Dzhecyrillic		N Tecyrillic	
N Ecyrillic		N Tsecyrillic	
N Edot		N Tshecyrillic	
N Efcyrillic		N Ucyrillic	
N Elcyrillic		N Udblacute	
N Emcyrillic		N Ushortcyrillic	

N	Vecyrillic	N	daletholam
N	Yatcyrillic	N	daletholamhebrew
N	Yericyrillic	N	daletpatah
N	Yicyrillic	N	daletpatahhebrew
N	Zdot	N	daletqamats
N	Zecyrillic	N	daletqamatshebrew
N	Zhecyrillic	N	daletqubuts
N	acutecmb	N	daletqubutshebrew
N	acyrillic	N	daletsegol
N	afii00208	N	daletsegolhebrew
N	afii08941	N	daletsheva
N	afii57694	N	daletshevahebrew
N	afii57695	N	dalettsere
N	afii57700	N	dammaarabic
N	afii57705	N	dammatanaltonearabic
N	afii57723	N	dargahebrew
N	alef	N	dbllowline
N	alefmaksurainitialarabic	N	decimalseparatorarabic
N	alefmaksuramedialarabic	N	dialytikatonos
N	approximatelyequal	N	dotbelowcmb
N	asteriskaltonearabic	N	doubleyodpatah
N	ayin	N	doubleyodpatahhebrew
N	bet	N	edot
N	betdagesh	N	eightarabic
N	blackdownpointingtriangle	N	eighthnotebeamed
N	blackleftpointingpointer	N	etnahtafoukhhebrew
N	blackrectangle	N	etnahtafoukhlefthebrew
N	blackrightpointingpointer	N	etnahtahebrew
N	blacksmilingface	N	fathaarabic
N	blacksquare	N	finalkaf
N	blackuppointingtriangle	N	finalkafdagesh
N	bulletinverse	N	finalkafhebrew
N	cdot	N	finalkafqamats
N	compass	N	finalkafqamatshebrew
N	dagesh	N	finalkafsheva
N	dalet	N	finalmem
N	daletdagesh	N	finalnun
N	dalethatafpatah	N	finalpe
N	dalethatafpatahhebrew	N	finaltsadi
N	dalethatafsegol	N	fivearabic
N	dalethatafsegolhebrew	N	forall
N	dalethebrew	N	fourarabic
	dolothinia	N	gcedilla
IV	dalethiriq	14	gccuicta

N gdot

N dalethiriqhebrew

N aimel N holam N holam19 N gimeldagesh N gravecmb N holam26 N haaltonearabic N holam32 N hamzaarabic N holamhebrew N hamzadammaarabic N holamnarrowhebrew N hamzadammatanarabic N holamquarterhebrew N hamzafathaarabic N ilde N hamzafathatanarabic N integralbottom N hamzalowarabic N integraltop N hamzalowkasraarabic N kaf N hamzalowkasratanarabic N kafdagesh N hatafpatah N kashidaautoarabic N hatafpatah16 N kashidaautonosidebearingarabic N hatafpatah23 N kcedilla N hatafpatah2f N lamed N hatafpatahhebrew N lameddagesh N hatafpatahnarrowhebrew N lamedhebrew N hatafpatahquarterhebrew N lamedholam N hatafgamats N lamedholamdagesh N hatafgamats1b N lamedholamdageshhebrew N hatafqamats28 N laminitialarabic N lammeemjeeminitialarabic N hatafgamats34 N hatafgamatshebrew N lcedilla N hatafqamatsnarrowhebrew N logicalnotreversed N hatafqamatsquarterhebrew N mahapakhhebrew N hatafsegol N mem N hatafsegol17 N memdagesh N hatafsegol24 N merkhahebrew N hatafsegol30 N merkhakefulahebrew N hatafsegolhebrew N middot N hatafsegolnarrowhebrew N munahhebrew N hatafsegolquarterhebrew N nbspace N he N ncedilla N hedagesh N newshegelsign N hehfinalalttwoarabic N ninearabic N het N noonhehinitialarabic N hiriq N nun N hiriq14 N nundagesh N hiria21 N odblacute N hiriq2d N onearabic N hiriqhebrew N overscore N hirignarrowhebrew N patah

N patah11

N hirigguarterhebrew

N patahld N aubuts N qubuts18 N patah2a N qubuts25 N patahhebrew N patahnarrowhebrew N qubuts31 N patahquarterhebrew N gubutshebrew N pe N gubutsnarrowhebrew N qubutsquarterhebrew N pedagesh N quoteleftreversed N gamats N gamats10 N rafe N rcedilla N gamatsla N gamats1c N reharabic N gamats27 N resh N gamats29 N reshhatafpatah N gamats33 N reshhatafpatahhebrew N gamatsde N reshhatafsegol N gamatshebrew N reshhatafsegolhebrew N gamatsnarrowhebrew N reshhebrew N gamatsgatanhebrew N reshhiriq N reshhirighebrew N gamatsgatannarrowhebrew N gamatsgatanguarterhebrew N reshholam N gamatsgatanwidehebrew N reshholamhebrew N gamatsquarterhebrew N reshpatah N reshpatahhebrew N qof N gofdagesh N reshgamats N qofhatafpatah N reshgamatshebrew N qofhatafpatahhebrew N reshaubuts N qofhatafsegol N reshqubutshebrew N qofhatafsegolhebrew N reshsegol N qofhebrew N reshsegolhebrew N gofhirig N reshsheva N gofhirighebrew N reshshevahebrew N qofholam N reshtsere N qofholamhebrew N reviahehrew N samekh N gofpatah N gofpatahhebrew N samekhdagesh N qofqamats N segol N gofgamatshebrew N segol13 N gofgubuts N segol1f N qofqubutshebrew N segol2c N qofsegol N segolhebrew N qofsegolhebrew N segolnarrowhebrew N gofsheva N segolquarterhebrew N qofshevahebrew N sevenarabic N goftsere N sfthyphen

N	shaddaarabic		Ν	l vavholam
N	sheqel		Ν	l yerahbenyomohebrew
N	sheva		Ν	l yod
N	sheval15		Ν	l yoddagesh
N	sheva15		Ν	l zayin
N	sheva22		Ν	l zayindagesh
N	sheva2e		Ν	l zdot
N	shevahebrew		Ν	l zeroarabic
N	shevanarrowhebrew		Dı	unicodes
N	shevaquarterhebrew	D	ca	che
N	shin	T	ct	xcodes
N	shindagesh		N A	AEacute
N	shindageshshindot		N A	AEligature
N	shindageshsindot		N A	AEmacron
N	shinshindot		N A	Aacute
N	shinsindot		N A	Abreve
N	siluqhebrew		N A	Abreveacute
N	sixarabic		N A	Abrevedotbelow
N	tav		N A	Abrevegrave
N	tavdages		N A	Abrevehook
N	tavdagesh		N A	Abrevetilde
N	tcedilla		N A	Acaron
N	tchehinitialarabic		N A	Acircumflex
N	tet		N A	Acircumflexacute
N	tetdagesh		N A	Acircumflexdotbelow
N	tevirhebrew		N A	Acircumflexgrave
N	thousandsseparatorarabic		N A	Acircumflexhook
N	threearabic		N A	Acircumflextilde
N	tildecmb		N A	Adiaeresis
N	tipehahebrew		N A	Adiaeresismacron
N	tsadi		N A	Adotaccent
N	tsadidagesh		N A	Adotaccentmacron
N	tsere		N A	Adotbelow
N	tsere12		N A	Adoublegrave
N	tserele		N A	Agrave
N	tsere2b		N A	Ahook
N	tserehebrew		N A	Ainvertedbreve
N	tserenarrowhebrew		N A	Amacron
N	tserequarterhebrew		N A	Aogonek
N	twoarabic		N A	Aring
N	udblacute		N A	Aringacute
N	vav		N A	Astroke
N	vavdagesh		N A	Atilde
N	vavdagesh65		N I	Bhook

N	Cacute	N	Gstroke
N	Ccaron	N	Hcaron
N	Ccedilla	N	Hcircumflex
N	Ccircumflex	N	Hstroke
N	Cdotaccent	N	IJligature
N	Chook	N	Iacute
N	Cstroke	N	Ibreve
N	DZcaronligature	N	Icaron
N	DZligature	N	Icircumflex
N	Dafrican	N	Idiaeresis
N	Dcaron	N	Idotaccent
N	Dhook	N	Idotbelow
N	Dstroke	N	Idoublegrave
N	Dzcaronligature	N	Igrave
N	Dzligature	N	Ihook
Ν	Eacute	N	Iinvertedbreve
N	Ebreve	N	Imacron
N	Ecaron	N	Iogonek
Ν	Ecedilla	N	Istroke
N	Ecircumflex	N	Itilde
N	Ecircumflexacute	N	Jcircumflex
N	Ecircumflexdotbelow	N	Kcaron
N	Ecircumflexgrave	N	Kcommaaccent
N	Ecircumflexhook	N	Khook
N	Ecircumflextilde	N	LJligature
N	Ediaeresis	N	Lacute
N	Edotaccent	N	Lbar
N	Edotbelow	N	Lcaron
Ν	Edoublegrave	N	Lcommaaccent
N	Egrave	N	Ldotmiddle
N	Ehook	N	Ljligature
N	Einvertedbreve	N	Lstroke
N	Emacron	N	NJligature
Ν	Eogonek	N	Nacute
Ν	Eth	N	Ncaron
Ν	Etilde	N	Ncommaaccent
N	Fhook	N	Neng
N	Gacute	N	Ngrave
N	Gbreve	N	Njligature
N	Gcaron	N	Ntilde
N	Gcircumflex	N	0Eligature
Ν	Gcommaaccent	N	0acute
Ν	Gdotaccent	N	Obreve
Ν	Ghook	N	Ocaron

N Ocircumflex N Thook N Ocircumflexacute N Thorn N Ocircumflexdotbelow N Tstroke N Ocircumflexgrave N Uacute N Ocircumflexhook N Ubreve N Ocircumflextilde N Ucaron N Odiaeresis N Ucircumflex N Odiaeresismacron N Udiaeresis N Odotaccent N Udiaeresisacute N Odotaccentmacron N Udiaeresiscaron N Odotbelow N Udiaeresisgrave N Odoublegrave N Udiaeresismacron N Ograve N Udotbelow N Ohook N Udoublegrave N Ohorn N Ugrave N Ohornacute N Uhook N Ohorndotbelow N Uhorn N Ohorngrave N Uhornacute N Uhorndotbelow N Ohornhook N Ohorntilde N Uhorngrave N Ohungarumlaut N Uhornhook N Oinvertedbreve N Uhorntilde N Omacron N Uhungarumlaut N Uinvertedbreve N Oogonek N Oogonekmacron N Umacron N Ostroke N Uogonek N Ostrokeacute N Uring N Otilde N Utilde N Otildemacron N Wcircumflex N Phook N Yacute N Racute N Ycircumflex N Rearon N Ydiaeresis N Rcommaaccent N Ydotbelow N Rdoublegrave N Ygrave N Rinvertedbreve N Yhook N Sacute N Ymacron N Ytilde N Scaron N Scedilla N Zacute N Schwa N Zcaron N Scircumflex N Zdotaccent N Scommaaccent N Zhook N Tcaron N Zstroke N Tcedilla N aacute N Tcommaaccent N abreve

N abreveacute N cvrillicAbreve N abrevedotbelow N cyrillicAdiaeresis N abrevegrave N cyrillicB N abrevehook N cyrillicBIGYUS N abrevetilde N cyrillicBIGYUSiotified N acaron N cyrillicC N acircumflex N cvrillicCH N acircumflexacute N cvrillicCHEDC N acircumflexdotbelow N cyrillicCHEDCabkhasian N acircumflexgrave N cyrillicCHEabkhasian N acircumflexhook N cyrillicCHEdiaeresis N acircumflextilde N cyrillicCHEkhakassian N adiaeresis N cyrillicCHEvertstroke N adiaeresismacron N cyrillicD N adotaccent N cyrillicDASIAPNEUMATA N adotaccentmacron N cyrillicDJE N adotbelow N cyrillicDZE N adoublegrave N cyrillicDZEabkhasian N aeacute N cyrillicDZHE N aeligature N cyrillicE N aemacron N cvrillicELtail N agrave N cyrillicEMtail N ahook N cyrillicENDC N ainvertedbreve N cyrillicENGHE N amacron N cyrillicENhook N aogonek N cyrillicENtail N aring N cyrillicEREV N aringacute N cyrillicERY N atilde N cyrillicERtick N bhook N cyrillicEbreve N breakablethinspace N cyrillicEdiaeresis N cyrillicEgrave N bstroke N cacute N cyrillicEiotified N carriagereturn N cyrillicF N ccaron N cyrillicFITA N ccedilla N cyrillicG N ccircumflex N cyrillicGHEmidhook N ccurl N cyrillicGHEstroke N cdotaccent N cyrillicGHEupturn N chook N cyrillicGJE N copyright N cyrillicH N cstroke N cyrillicHA

previous 81 next

N cyrillicHADC

N cyrillicHRDSN

N cyrillicA

N cyrillicAE

N cvrillicI N cvrillicSCHWAdiaeresis N cyrillicIE N cyrillicSDSC N cyrillicII N cyrillicSEMISOFT N cyrillicISHRT N cyrillicSFTSN N cyrillicISHRTtail N cyrillicSH N cyrillicIZHITSA N cyrillicSHCH N cyrillicIZHITSAdoublegrave N cvrillicSHHA N cvrillicIdiaeresis N cvrillicT N cyrillicIgrave N cyrillicTEDC N cyrillicImacron N cyrillicTETSE N cvrillicJE N cvrillicTITL0 N cvrillicK N cvrillicTSHE N cyrillicKADC N cyrillicU N cvrillicKAbashkir N cyrillicUK N cyrillicKAhook N cyrillicUSHRT N cyrillicKAstroke N cyrillicUdiaeresis N cyrillicKAvertstroke N cyrillicUdoubleacute N cyrillicKJE N cyrillicUmacron N cyrillicKOPPA N cyrillicV N cyrillicKSI N cyrillicYA N cvrillicL N cvrillicYAT N cvrillicLITTLEYUS N cvrillicYERUdiaeresis N cyrillicLITTLEYUSiotified N cyrillicYI N cyrillicLJE N cyrillicY0 N cvrillicM N cyrillicYU N cyrillicN N cyrillicYstr N cyrillicNJE N cyrillicYstrstroke N cyrillic0 N cyrillicZ N cyrillicOMEGA N cyrillicZDSC N cyrillic0MEGAround N cyrillicZEdiaeresis N cyrillic0MEGAtitlo N cyrillicZH N cyrillicOT N cyrillicZHEbreve N cyrillicObarred N cyrillicZHEdescender N cyrillicObarreddiaeresis N cyrillicZHEdiaeresis N cyrillicOdiaeresis N cyrillica N cyrillicP N cyrillicabreve N cyrillicPALATALIZATION N cyrillicadiaeresis N cyrillicPALOCHKA N cyrillicae N cyrillicPEmidhook N cyrillicb N cyrillicPSI N cyrillicbigyus N cyrillicPSILIPNEUMATA N cyrillicbigyusiotified N cyrillicR N cyrillicc N cyrillicS N cyrillicch

N cyrilliccheabkhasian

N cyrillicSCHWA

N cvrillicchedc N cvrillicizhitsadoublegrave N cyrillicchedcabkhasian N cyrillicje N cyrillicchediaeresis N cyrillick N cyrillicchekhakassian N cyrillickabashkir N cyrillicchevertstroke N cyrillickadc N cyrillicd N cyrillickahook N cyrillicdje N cvrillickastroke N cvrillicdze N cvrillickavertstroke N cyrillicdzeabkhasian N cyrillickje N cyrillicdzhe N cyrillickoppa N cvrillice N cvrillicksi N cvrillicebreve N cvrillicl N cyrillicediaeresis N cyrilliclittleyus N cyrillicegrave N cyrilliclittleyusiotified N cyrilliceiotified N cyrilliclje N cyrilliceltail N cyrillicm N cyrillicemtail N cyrillicn N cyrillicendc N cyrillicnje N cyrillicenghe N cyrillico N cyrillicenhook N cyrillicobarred N cvrillicentail N cvrillicobarreddiaeresis N cvrillicerev N cvrillicodiaeresis N cyrillicertick N cyrillicomega N cyrillicery N cyrillicomegaround N cvrillicf N cyrillicomegatitlo N cyrillicfita N cyrillicot N cyrillicg N cyrillicp N cyrillicghemidhook N cyrillicpemidhook N cyrillicpsi N cyrillicghestroke N cyrillicgheupturn N cyrillicr N cyrillicgje N cyrillics N cyrillich N cyrillicschwa N cyrillicha N cyrillicschwadiaeresis N cyrillichadc N cyrillicsdsc N cyrillichrdsn N cyrillicsemisoft N cyrillici N cyrillicsftsn N cyrillicidiaeresis N cyrillicsh N cyrillicie N cyrillicshch N cyrillicigrave N cyrillicshha N cyrillicii N cyrillict N cyrillicimacron N cyrillictedc N cyrillicishrt N cyrillictetse N cyrillicishrttail N cyrillictshe N cyrillicizhitsa N cyrillicu

N cvrillicudiaeresis N edotaccent N cyrillicudoubleacute N edotbelow N edoublegrave N cyrillicuk N cyrillicumacron N egrave N cyrillicushrt N ehook N cyrillicv N einvertedbreve N cyrillicya N emacron N cyrillicyat N emdash N cyrillicyerudiaeresis N emspace N cyrillicyi N endash N cyrillicyo N enspace N cyrillicystr N eogonek N cyrillicystrstroke N etilde N cyrillicyu N exclamdown N cyrillicz N ffiligature N cyrilliczdsc N ffligature N cyrilliczediaeresis N fflligature N cyrilliczh N fhook N cyrilliczhebreve N figurespace N cyrilliczhedescender N filigature N cvrilliczhediaeresis N fiveeighths N dcaron N fivesixths N dcurl N flligature N dhook N fourfifths N dotlessT N fourperemspace N dotlessl N gacute N dotlessi N gbreve N dotlessj N gcaron N dotlessjstroke N gcircumflex N dstroke N gcommaaccent N dtail N gdotaccent N dzcaronligature N greekAlpha N dzligature N greekAlphadasia N eacute N greekAlphadasiaperispomeni N ebreve N greekAlphadasiatonos N ecaron N greekAlphadasiavaria N greekAlphaiotasub N ecedilla N ecircumflex N greekAlphaiotasubdasia N ecircumflexacute N greekAlphaiotasubdasiaperispomeni N ecircumflexdotbelow N greekAlphaiotasubdasiatonos N ecircumflexgrave N greekAlphaiotasubdasiavaria N ecircumflexhook N greekAlphaiotasubpsili

previous 84 next

N greekAlphaiotasubpsiliperispomeni

N greekAlphaiotasubpsilitonos

N ecircumflextilde

N ediaeresis

N greekAlphamacron N greekIotadasiaperispomeni N greekAlphapsili N greekIotadasiatonos N greekAlphapsiliperispomeni N greekIotadasiavaria N greekAlphapsilitonos N greekIotadialytika N greekAlphapsilivaria N greekIotamacron N greekAlphatonos N greekIotapsili N greekAlphavaria N greekIotapsiliperispomeni N greekAlphavrachy N greekIotapsilitonos N greekBeta N greekIotapsilivaria N areekChi N greekIotatonos N areekCoronis N greekIotavaria N greekDelta N greekIotavrachy N greekEpsilon N greekKappa N greekEpsilondasia N greekLambda N greekEpsilondasiatonos N areekMu N greekEpsilondasiavaria N areekNu N greekEpsilonpsili N greekOmega N greekEpsilonpsilitonos N greekOmegadasia N greekEpsilonpsilivaria N greekOmegadasiaperispomeni N greekEpsilontonos N greekOmegadasiatonos N greekEpsilonvaria N greekOmegadasiavaria N greekEta N greekOmegaiotasub N greekEtadasia N greekOmegaiotasubdasia N greekEtadasiaperispomeni N greekOmegaiotasubdasiaperispomeni N greekEtadasiatonos N greekOmegaiotasubdasiatonos N greekEtadasiavaria N greekOmegaiotasubdasiavaria N greekEtaiotasub N greekOmegaiotasubpsili N greekEtaiotasubdasia N greekOmegaiotasubpsiliperispomeni N greekEtaiotasubdasiaperispomeni N greekOmegaiotasubpsilitonos N greekEtaiotasubdasiatonos N greekOmegaiotasubpsilivaria N greekEtaiotasubdasiavaria N greekOmegapsili N greekEtaiotasubpsili N greekOmegapsiliperispomeni N greekEtaiotasubpsiliperispomeni N greekOmegapsilitonos N greekEtaiotasubpsilitonos N greekOmegapsilivaria N greekEtaiotasubpsilivaria N greekOmegatonos N greekEtapsili N greekOmegavaria N greekEtapsiliperispomeni N greekOmicron N greekEtapsilitonos N greekOmicrondasia N greekEtapsilivaria N greekOmicrondasiatonos N greekEtatonos N greekOmicrondasiavaria N greekEtavaria N greekOmicronpsili N greekGamma N greekOmicronpsilitonos N greekIota N greekOmicronpsilivaria

N greekIotadasia

N greekAlphaiotasubpsilivaria

N greekalphapsiliperispomeni N greekOmicronvaria N greekalphapsilitonos N greekPhi N greekalphapsilivaria N areekPi N greekalphatonos N greekPsi N greekalphavaria N greekRho N greekalphavrachy N greekRhodasia N greekbeta N areekchi N greekSigma N greekSigmalunate N greekdasia N greekTau N greekdasiaperispomeni N greekTheta N greekdasiatonos N greekUpsilon N greekdasiavaria N greekUpsilondasia N greekdelta N greekUpsilondasiaperispomeni N greekdialytikaperispomeni N greekUpsilondasiatonos N greekdialytikatonos N greekUpsilondasiavaria N greekdialytikavaria N greekUpsilondialytika N greekdigamma N greekUpsilonmacron N greekepsilon N greekUpsilontonos N greekepsilonalt N greekUpsilonvaria N greekepsilondasia N greekUpsilonvrachv N greekepsilondasiatonos N areekXi N greekepsilondasiavaria N greekZeta N greekepsilonoxia N greekalpha N greekepsilonpsili N greekalphadasia N greekepsilonpsilitonos N greekalphadasiaperispomeni N greekepsilonpsilivaria N greekalphadasiatonos N greekepsilontonos N greekalphadasiavaria N greekepsilonvaria N greekalphaiotasub N greeketa N greekalphaiotasubdasia N greeketadasia N greekalphaiotasubdasiaperispomeni N greeketadasiaperispomeni N greekalphaiotasubdasiatonos N greeketadasiatonos N greekalphaiotasubdasiavaria N greeketadasiavaria N greekalphaiotasubperispomeni N greeketaiotasub N greekalphaiotasubpsili N greeketaiotasubdasia N greekalphaiotasubpsiliperispomeni N greeketaiotasubdasiaperispomeni N greekalphaiotasubpsilitonos N greeketaiotasubdasiatonos N greekalphaiotasubpsilivaria N greeketaiotasubdasiavaria N greekalphaiotasubtonos N greeketaiotasubperispomeni N greekalphaiotasubvaria N greeketaiotasubpsili N greekalphamacron N greeketaiotasubpsiliperispomeni N greekalphaoxia N greeketaiotasubpsilitonos N greekalphaperispomeni N greeketaiotasubpsilivaria N greekalphapsili N greeketaiotasubtonos

N greekOmicrontonos

N greeketaiotasubvaria N greekomegaiotasubdasiatonos N greeketaoxia N greekomegaiotasubdasiavaria N greeketaperispomeni N greekomegaiotasubperispomeni N greekomegaiotasubpsili N greeketapsili N greeketapsiliperispomeni N greekomegaiotasubpsiliperispomeni N greeketapsilitonos N greekomegaiotasubpsilitonos N greeketapsilivaria N greekomegaiotasubpsilivaria N greeketatonos N greekomegaiotasubtonos N greeketavaria N greekomegaiotasubvaria N greekfinalsigma N greekomegaoxia N greekgamma N greekomegaperispomeni N greekiota N greekomegapsili N greekiotadasia N greekomegapsiliperispomeni N greekiotadasiaperispomeni N greekomegapsilitonos N greekiotadasiatonos N greekomegapsilivaria N greekiotadasiavaria N greekomegatonos N greekiotadialytika N greekomegavaria N greekiotadialytikaperispomeni N greekomicron N greekiotadialytikatonos N greekomicrondasia N greekiotadialytikavaria N greekomicrondasiatonos N greekiotamacron N greekomicrondasiavaria N greekiotaoxia N greekomicronoxia N greekiotaperispomeni N greekomicronpsili N greekiotapsili N greekomicronpsilitonos N greekiotapsiliperispomeni N greekomicronpsilivaria N greekiotapsilitonos N greekomicrontonos N greekiotapsilivaria N greekomicronvaria N greekiotatonos N greekoxia N greekiotavaria N greekperispomeni N greekiotavrachy N greekphi N greekkappa N greekphialt N greekkoppa N greekpi N greeklambda N greekpialt N greekmu N greekprosgegrammeni N greeknu N greekpsi N greeknumkoppa N greekpsili N greekomega N greekpsiliperispomeni N greekomegadasia N greekpsilitonos N greekomegadasiaperispomeni N greekpsilivaria N greekomegadasiatonos N greekrho N greekomegadasiavaria N greekrhoalt N greekrhodasia N greekomegaiotasub N greekomegaiotasubdasia N greekrhopsili N greekomegaiotasubdasiaperispomeni N greeksampi

N greeksigma N hebrewlamed N greeksigmalunate N hebrewMem N greekstigma N hebrewMemfinal N hebrewNun N greektau N greektheta N hebrewNunfinal N greekthetaalt N hebrewPe N areektonos N hebrewPefinal N areekupsilon N hebrewOof N greekupsilondasia N hehrewResh N greekupsilondasiaperispomeni N hehrewSamekh N hebrewShin N greekupsilondasiatonos N hebrewTav N greekupsilondasiavaria N greekupsilondiaeresis N hebrewTet N hebrewTsadi N greekupsilondialytikaperispomeni N hebrewTsadifinal N greekupsilondialytikatonos N greekupsilondialytikavaria N hebrewVav N greekupsilonmacron N hebrewYod N greekupsilonoxia N hebrewZayin N greekupsilonperispomeni N hstroke N greekupsilonpsili N iacute N greekupsilonpsiliperispomeni N ibreve N greekupsilonpsilitonos N icaron N greekupsilonpsilivaria N icircumflex N greekupsilontonos N ideographichalffillspace N greekupsilonvaria N ideographicspace N greekupsilonvrachy N idiaeresis N greekvaria N idotaccent N greekxi N idotbelow N idoublegrave N greekzeta N gstroke N igrave N quilsingleleft N ihook N guilsingleright N iinvertedbreve N hairspace N ijligature N hcaron N imacron N hcircumflex N iogonek N hebrewAlef N itilde N hebrewAyin N icaron N jcircumflex N hebrewBet N hebrewDalet N kcaron N hebrewGimel N kcommaaccent N hebrewHe N khook N hebrewHet N kkra N hehrewKaf N lacute

N lbar

N hebrewKaffinal

N lcaron N oinvertedbreve N lcommaaccent N omacron N lcurl N oneeighth N ldotmiddle N onefifth N leftquillemot N onehalf N liligature N onequarter N lstroke N onesixth N medspace N onesuperior N onethird N nacute N napostrophe N oogonek N narrownobreakspace N oogonekmacron N ncaron N ordfeminine N ncommaaccent N ordmasculine N ncurl N ostroke N neng N ostrokeacute N ngrave N otilde N njligature N otildemacron N nobreakspace N paragraphmark N ntilde N periodcentered N oacute N perthousand N obreve N phook N ocaron N punctuationspace N ocircumflex N questiondown N ocircumflexacute N quotedbl N ocircumflexdotbelow N quotedblbase N ocircumflexgrave N quotedblleft N ocircumflexhook N quotedblright N ocircumflextilde N quoteleft N odiaeresis N quoteright N odiaeresismacron N quotesingle N odotaccent N quotesinglebase N odotaccentmacron N racute N odotbelow N rcaron N odoublegrave N rcommaaccent N oeligature N rdoublegrave N ograve N registered N ohook N rightguillemot N rinvertedbreve N ohorn N ohornacute N romanC N ohorndotbelow N romanD N ohorngrave N romanI N ohornhook N romanII N ohorntilde N romanIII

N romanIV

N ohungarumlaut

N romanTX N textAngstrom N romanL N textacute N romanM N textampersand N romanV N textasciicircum N romanVI N textasciitilde N romanVII N textat N romanVIII N textbackslash N romanX N textbar N romanXI N textbottomcomma N romanXII N textbottomdot N romanc N textbraceleft N romand N textbraceright N romani N textbreve N romanii N textbrokenbar N romaniii N textbullet N romaniv N textcaron N romanix N textcedilla N romanl N textcelsius N romanm N textcent N textcircledP N romanv N romanvi N textcircumflex N romanvii N textcomma N romanviii N textcurrency N romanx N textdag N romanxi N textddag N romanxii N textdearee N sacute N textdiaeresis N scaron N textdiv N scedilla N textdollar N schwa N textdong N schwahook N textdotaccent N scircumflex N textellipsis N scommaaccent N texteuro N sectionmark N textfraction N seveneighths N textgrave N sixperemspace N texthash N texthorizontalbar N slong N softhyphen N texthungarumlaut N ssharp N texthyphen N stligature N textkelvin N tcaron N textlognot N tcedilla N textmacron N tcommaaccent N textmho N tcurl N textminus

N uhornhook N textmu N textmultiply N uhorntilde N textnumero N uhungarumlaut N textogonek N uinvertedbreve N textohm N umacron N textounce N uogonek N textpercent N urina N textperiod N utilde N wcircumflex N textpm N textring N yacute N textslash N ycircumflex N ydiaeresis N textsterling N texttilde N ydotbelow N textunderscore N ygrave N textyen N yhook N thook N ymacron N thorn N ytilde N threeeighths N zacute N threefifths N zcaron N threeperemspace N zdotaccent N threequarter N zerowidthnobreakspace N threesuperior N zerowidthspace N trademark N zhook N tstroke N zstroke N twofifths N zwi N twosuperior N zwnj N twothirds F is_known N uacute D known N ubreve F load N ucaron F make_unicode_vector N ucircumflex D math N udiaeresis T names N udiaeresisacute T unicodes N udiaeresiscaron N A N udiaeresisgrave N AE N udiaeresismacron N AEacute N udotbelow N AEmacron N udoublegrave N Aacute N ugrave N Abreve N uhook N Abreveacute N uhorn N Abrevecyrillic N uhornacute N Abrevedotbelow N uhorndotbelow N Abrevegrave N uhorngrave N Abrevehookabove

N Abrevetilde	N Ccaron
N Acaron	N Ccedilla
N Acircle	N Ccedillaacute
N Acircumflex	N Ccircle
N Acircumflexacute	N Ccircumflex
N Acircumflexdotbelow	N Cdot
N Acircumflexgrave	N Cdotaccent
N Acircumflexhookabove	N Chaarmenian
N Acircumflextilde	N Cheabkhasiancyrillic
N Acyrillic	N Checyrillic
N Adblgrave	N Chedescenderabkhasiancyrillic
N Adieresis	N Chedescendercyrillic
N Adieresiscyrillic	N Chedieresiscyrillic
N Adieresismacron	N Cheharmenian
N Adotbelow	N Chekhakassiancyrillic
N Adotmacron	N Cheverticalstrokecyrillic
N Agrave	N Chi
N Ahookabove	N Chook
N Aiecyrillic	N Cmonospace
N Ainvertedbreve	N Coarmenian
N Alpha	N D
N Alphatonos	N DZ
N Amacron	N DZcaron
N Amonospace	N Daarmenian
N Aogonek	N Dafrican
N Aring	N Dcaron
N Aringacute	N Dcedilla
N Aringbelow	N Dcircle
N Atilde	N Dcircumflexbelow
N Aybarmenian	N Dcroat
N B	N Ddotaccent
N Bcircle	N Ddotbelow
N Bdotaccent	N Decyrillic
N Bdotbelow	N Deicoptic
N Becyrillic	N Delta
N Benarmenian	N Deltagreek
N Beta	N Dhook
N Bhook	N Digammagreek
N Blinebelow	N Djecyrillic
N Bmonospace	N Dlinebelow
N Btopbar	N Dmonospace
N C	N Dslash
N Caarmenian	N Dtopbar
N Cacute	N Dz

N Dzcaron N Eopen N Dzeabkhasiancyrillic N Epsilon N Dzecyrillic N Epsilontonos N Dzhecyrillic N Ercyrillic ΝE N Ereversed N Eacute N Ereversedcyrillic N Ebreve N Escyrillic N Ecaron N Esdescendercyrillic N Ecedillabreve N Esh N Echarmenian N Fta N Ecircle N Etarmenian N Ecircumflex N Etatonos N Ecircumflexacute N Eth N Ecircumflexbelow N Etilde N Ecircumflexdotbelow N Etildebelow N Ecircumflexgrave N Euro N Ecircumflexhookabove N Ezh N Ecircumflextilde N Ezhcaron N Ecyrillic N Ezhreversed ΝF N Edblgrave N Edieresis N Fcircle N Edot N Fdotaccent N Edotaccent N Feharmenian N Edotbelow N Feicoptic N Efcyrillic N Fhook N Egrave N Fitacvrillic N Eharmenian N Fiveroman N Ehookabove N Fmonospace N Eightroman N Fourroman NG N Einvertedbreve N Eiotifiedcyrillic N GBsquare N Elcyrillic N Gacute N Flevenroman N Gamma N Emacron N Gammaafrican N Emacronacute N Gangiacoptic N Emacrongrave N Gbreve N Emcyrillic N Gcaron N Gcedilla N Emonospace N Encyrillic N Gcircle N Endescendercyrillic N Gcircumflex N Eng N Gcommaaccent N Enghecyrillic N Gdot N Gdotaccent N Enhookcyrillic N Eogonek N Gecyrillic

N Idieresisacute N Ghadarmenian N Ghemiddlehookcyrillic N Idieresiscyrillic N Ghestrokecyrillic N Idot N Gheupturncyrillic N Idotaccent N Ghook N Idotbelow N Gimarmenian N Iebrevecyrillic N Giecvrillic N Iecvrillic N Ifraktur N Gmacron N Gmonospace N Igrave N Gsmallhook N Ihookabove N Gstroke N Iicyrillic NΗ N Iinvertedbreve N H18533 N Iishortcyrillic N H18543 N Imacron N H18551 N Imacroncyrillic N H22073 N Imonospace N HPsquare N Iniarmenian N Iocyrillic N Haabkhasiancyrillic N Hadescendercyrillic N Iogonek N Hardsigncyrillic N Iota N Hbar N Iotaafrican N Hbrevebelow N Iotadieresis N Hcedilla N Iotatonos N Hcircle N Istroke N Hcircumflex N Ttilde N Hdieresis N Itildebelow N Hdotaccent N Izhitsacyrillic N Hdotbelow N Izhitsadblgravecyrillic N Hmonospace N 1 N Hoarmenian N Jaarmenian N Horicoptic N Jcircle N Hzsquare N lcircumflex N T N Jecyrillic N Jheharmenian N IAcyrillic N IJ N Jmonospace N IUcyrillic NK N Iacute N KBsquare N Ibreve N KKsquare N Icaron N Kabashkircyrillic N Icircle N Kacute N Icircumflex N Kacyrillic N Icyrillic N Kadescendercyrillic N Kahookcyrillic N Idblgrave

N Kappa

N Idieresis

N Mmonospace N Kastrokecyrillic N Kaverticalstrokecyrillic N Mturned N Kcaron N Mu N Kcedilla NN N Kcircle N NJ N Kcommaaccent N Nacute N Kdotbelow N Ncaron N Keharmenian N Ncedilla N Kenarmenian N Ncircle N Khacyrillic N Ncircumflexbelow N Kheicoptic N Ncommaaccent N Khook N Ndotaccent N Kjecyrillic N Ndotbelow N Klinebelow N Nhookleft N Kmonospace N Nineroman N Koppacyrillic N Ni N Koppagreek N Njecyrillic N Nlinebelow N Ksicyrillic NL N Nmonospace N LJ N Nowarmenian N Lacute N Ntilde N Lambda N Nu N Lcaron N O N Lcedilla N OE N Lcircle N Oacute N Lcircumflexbelow N Obarredcyrillic N Lcommaaccent N Obarreddieresiscyrillic N Ldot N Obreve N Ldotaccent N Ocaron N Ocenteredtilde N Ldotbelow N Ldotbelowmacron N Ocircle N Liwnarmenian N Ocircumflex N Lj N Ocircumflexacute N Ljecyrillic N Ocircumflexdotbelow N Llinebelow N Ocircumflexgrave N Lmonospace N Ocircumflexhookabove N Ocircumflextilde N Lslash N M N Ocyrillic N MBsquare N Odblacute N Macute N Odblgrave N Mcircle N Odieresis N Mdotaccent N Odieresiscyrillic N Odotbelow N Mdotbelow N Menarmenian N Ograve

N Pi N Oharmenian N Ohm N Piwrarmenian N Ohookabove N Pmonospace N Ohorn N Psi N Ohornacute N Psicyrillic N Ohorndotbelow N Q N Ohorngrave N Ocircle N Ohornhookabove N Qmonospace N Ohorntilde NR N Ohungarumlaut N Raarmenian N Oi N Racute N Oinvertedbreve N Rcaron N Omacron N Rcedilla N Omacronacute N Rcircle N Omacrongrave N Rcommaaccent N Omega N Rdblgrave N Omegacyrillic N Rdotaccent N Rdothelow N Omegagreek N Rdotbelowmacron N Omegaroundcyrillic N Reharmenian N Omegatitlocyrillic N Omegatonos N Rfraktur N Omicron N Rho N Omicrontonos N Rinvertedbreve N Omonospace N Rlinebelow N Oneroman N Rmonospace N Oogonek N Rsmallinverted N Rsmallinvertedsuperior N Oogonekmacron N Oopen N S N Oslash N SF010000 N Oslashacute N SF020000 N Ostrokeacute N SF030000 N Otcyrillic N SF040000 N Otilde N SE050000 N Otildeacute N SF060000 N Otildedieresis N SF070000 ΝP N SF080000 N SF090000 N Pacute N Pcircle N SF10000 N Pdotaccent N SF100000 N Pecyrillic N SF110000 N Peharmenian N SF190000 N Pemiddlehookcyrillic N SF20000 N Phi N SF200000 N Phook N SF210000

N	SF220000	N	Scommaaccent
N	SF230000	N	Sdotaccent
N	SF240000	N	Sdotbelow
N	SF250000	N	Sdotbelowdotaccent
N	SF260000	N	Seharmenian
N	SF270000	N	Sevenroman
N	SF280000	N	Shaarmenian
N	SF30000	N	Shacyrillic
N	SF360000	N	Shchacyrillic
N	SF370000	N	Sheicoptic
N	SF380000	N	Shhacyrillic
N	SF390000	N	Shimacoptic
N	SF40000	N	Sigma
N	SF400000	N	Sixroman
N	SF410000	N	Smonospace
N	SF420000	N	Softsigncyrillic
N	SF430000	N	Stigmagreek
N	SF440000	N	Т
N	SF450000	N	Tau
N	SF460000	N	Tbar
N	SF470000	N	Tcaron
N	SF480000	N	Tcedilla
N	SF490000	N	Tcircle
N	SF50000	N	Tcircumflexbelow
N	SF500000	N	Tcommaaccent
N	SF510000	N	Tdotaccent
N	SF520000	N	Tdotbelow
N	SF530000	N	Tecyrillic
N	SF540000	N	Tedescendercyrillic
N	SF60000	N	Tenroman
N	SF70000	N	Tetsecyrillic
N	SF80000	N	Theta
N	SF90000	N	Thook
N	Sacute	N	Thorn
N	Sacutedotaccent	N	Threeroman
N	Sampigreek	N	Tiwnarmenian
N	Scaron	N	Tlinebelow
N	Scarondotaccent	N	Tmonospace
N	Scedilla	N	Toarmenian
N	Schwa	N	Tonefive
N	Schwacyrillic	N	Tonesix
N	Schwadieresiscyrillic	N	Tonetwo
N	Scircle	N	Tretroflexhook
N	Scircumflex	N	Tsecyrillic

N Tshecyrillic N Upsilonhooksymbol N Twelveroman N Upsilontonos N Tworoman N Uring NII N Ushortcyrillic N Uacute N Ustraightcyrillic N Ubreve N Ustraightstrokecyrillic N Ucaron N Utilde N Ucircle N Utildeacute N Ucircumflex N Utildebelow N Ucircumflexbelow N V N Ucvrillic N Vcircle N Udblacute N Vdotbelow N Udblgrave N Vecyrillic N Udieresis N Vewarmenian N Udieresisacute N Vhook N Udieresisbelow N Vmonospace N Udieresiscaron N Voarmenian N Udieresiscyrillic N Vtilde N W N Udieresisgrave N Udieresismacron N Wacute N Udotbelow N Wcircle N Ugrave N Wcircumflex N Uhookabove N Wdieresis N Uhorn N Wdotaccent N Uhornacute N Wdotbelow N Uhorndotbelow N Wgrave N Uhorngrave N Wmonospace N Uhornhookabove NX N Uhorntilde N Xcircle N Uhungarumlaut N Xdieresis N Uhungarumlautcyrillic N Xdotaccent N Hinvertedbreve N Xeharmenian N Ukcyrillic N Xi N Umacron N Xmonospace ΝΥ N Umacroncyrillic N Umacrondieresis N Yacute N Umonospace N Yatcyrillic N Uogonek N Ycircle N Upsilon N Ycircumflex N Upsilon1 N Ydieresis N Upsilonacutehooksymbolgreek N Ydotaccent N Upsilonafrican N Ydotbelow N Upsilondieresis N Yericyrillic N Upsilondieresishooksymbolgreek N Yerudieresiscyrillic

N Yarave N abbreviationmarkarmenian N Yhook N abbreviationsigndeva N Yhookabove N abengali N Yiarmenian N abopomofo N Yicyrillic N abreve N Yiwnarmenian N abreveacute N Ymonospace N abrevecvrillic N Ytilde N abrevedotbelow N Yusbigcyrillic N abrevegrave N Yusbigiotifiedcyrillic N abrevehookabove N abrevetilde N Yuslittlecvrillic N Yuslittleiotifiedcvrillic N acaron ΝZ N acircle N Zaarmenian N acircumflex N Zacute N acircumflexacute N Zcaron N acircumflexdotbelow N Zcircle N acircumflexgrave N 7circumflex N acircumflexhookabove N 7dot N acircumflextilde N Zdotaccent N acute N Zdotbelow N acutebelowcmb N Zecyrillic N acutecmb N Zedescendercyrillic N acutecomb N Zedieresiscyrillic N acutedeva N Zeta N acutelowmod N Zhearmenian N acutetonecmb N Zhebrevecyrillic N acyrillic N Zhecyrillic N adblgrave N Zhedescendercyrillic N addakgurmukhi N Zhedieresiscyrillic N adeva N Zlinebelow N adieresis N Zmonospace N adieresiscyrillic N 7stroke N adieresismacron N adotbelow Na N adotmacron N aabengali N aacute N ae N aadeva N aeacute N aagujarati N aekorean N aagurmukhi N aemacron N aamatragurmukhi N afii00208 N aarusquare N afii08941 N aavowelsignbengali N afii10017 N afii10018 N aavowelsigndeva

N afii10019

N aavowelsigngujarati

N afii10020	N afii10066
N afii10021	N afii10067
N afii10022	N afii10068
N afii10023	N afii10069
N afii10024	N afii10070
N afii10025	N afii10071
N afii10026	N afii10072
N afii10027	N afii10073
N afii10028	N afii10074
N afii10029	N afii10075
N afii10030	N afii10076
N afii10031	N afii10077
N afii10032	N afii10078
N afii10033	N afii10079
N afii10034	N afii10080
N afii10035	N afii10081
N afii10036	N afii10082
N afii10037	N afii10083
N afii10038	N afii10084
N afii10039	N afii10085
N afii10040	N afii10086
N afii10041	N afii10087
N afii10042	N afii10088
N afii10043	N afii10089
N afiil0044	N afii10090
N afii10045	N afii10091
N afii10046	N afii10092
N afii10047	N afii10093
N afii10048	N afii10094
N afii10049	N afii10095
N afii10050	N afii10096
N afii10051	N afii10097
N afii10052	N afii10098
N afii10053	N afii10099
N afii10054	N afii10100
N afii10055	N afii10101
N afii10056	N afii10102
N afii10057	N afii10103
N afii10058	N afii10104
N afii10059	N afii10105
N afii10060	N afii10106
N afii10061	N afii10107
N afii10062	N afii10108
N afii10065	N afii10109

N afii10110	N afii57425
N afii10145	N afii57426
N afii10146	N afii57427
N afii10147	N afii57428
N afii10148	N afii57429
N afii10193	N afii57430
N afii10194	N afii57431
N afii10195	N afii57432
N afii10196	N afii57433
N afii10846	N afii57434
N afii208	N afii57440
N afii299	N afii57441
N afii300	N afii57442
N afii301	N afii57443
N afii57381	N afii57444
N afii57388	N afii57445
N afii57392	N afii57446
N afii57393	N afii57448
N afii57394	N afii57449
N afii57395	N afii57450
N afii57396	N afii57451
N afii57397	N afii57452
N afii57398	N afii57453
N afii57399	N afii57454
N afii57400	N afii57455
N afii57401	N afii57456
N afii57403	N afii57457
N afii57407	N afii57458
N afii57409	N afii57470
N afii57410	N afii57505
N afii57411	N afii57506
N afii57412	N afii57507
N afii57413	N afii57508
N afii57414	N afii57509
N afii57415	N afii57511
N afii57416	N afii57512
N afii57417	N afii57513
N afii57418	N afii57514
N afii57419	N afii57519
N afii57420	N afii57534
N afii57421	N afii57636
N afii57422	N afii57645
N afii57423	N afii57658
N afii57424	N afii57664

N	afii57665	N	afii57803
N	afii57666	N	afii57804
N	afii57667	N	afii57806
N	afii57668	N	afii57807
N	afii57669	N	afii57839
N	afii57670	N	afii57841
N	afii57671	N	afii57842
N	afii57672	N	afii57929
N	afii57673	N	afii61248
N	afii57674	N	afii61289
N	afii57675	N	afii61352
N	afii57676	N	afii61573
N	afii57677	N	afii61574
N	afii57678	N	afii61575
N	afii57679	N	afii61664
N	afii57680	N	afii63167
N	afii57681	N	afii64937
N	afii57682	N	agrave
N	afii57683	N	agujarati
N	afii57684	N	agurmukhi
N	afii57685	N	ahiragana
N	afii57686	N	ahookabove
N	afii57687	N	aibengali
N	afii57688	N	aibopomofo
N	afii57689	N	aideva
N	afii57690	N	aiecyrillic
N	afii57694	N	aigujarati
N	afii57695	N	aigurmukhi
N	afii57700	N	aimatragurmukhi
N	afii57705	N	ainarabic
N	afii57716	N	ainfinalarabic
N	afii57717	N	aininitialarabic
N	afii57718	N	ainmedialarabic
N	afii57723	N	ainvertedbreve
N	afii57793	N	aivowelsignbengali
N	afii57794	N	aivowelsigndeva
N	afii57795	N	aivowelsigngujarati
N	afii57796	N	akatakana
N	afii57797	N	akatakanahalfwidth
N	afii57798	N	akorean
N	afii57799	N	alef
N	afii57800	N	alefarabic
N	afii57801	N	alefdageshhebrew
N	afii57802	N	aleffinalarabic

N alefhamzaahovearabic N apple N alefhamzaabovefinalarabic N approaches N alefhamzabelowarabic N approxequal N alefhamzabelowfinalarabic N approxequalorimage N alefhebrew N approximatelyequal N aleflamedhebrew N araeaekorean N alefmaddaabovearabic N araeakorean N alefmaddaabovefinalarabic Narc N alefmaksuraarahic N arighthalfring N alefmaksurafinalarahic N aring N alefmaksurainitialarabic N aringacute N alefmaksuramedialarabic N aringbelow N alefpatahhebrew N arrowboth N arrowdashdown N alefgamatshebrew N arrowdashleft N aleph N allequal N arrowdashright N alpha N arrowdashup N arrowdhlhoth N alphatonos N arrowdbldown N amacron N arrowdblleft N amonospace N ampersand N arrowdblright N ampersandmonospace N arrowdblup N arrowdown N amsquare N anbopomofo N arrowdownleft N angbopomofo N arrowdownright N angkhankhuthai N arrowdownwhite N angle N arrowheaddownmod N arrowheadleftmod N anglebracketleft N anglebracketleftvertical N arrowheadrightmod N anglebracketright N arrowheadupmod N arrowleft N anglebracketrightvertical N angleleft N arrowleftdbl N angleright N arrowleftdblstroke N arrowleftoverright N angstrom N anoteleia N arrowleftwhite N anudattadeva N arrowright N anusvarabengali N arrowrightdblstroke N anusvaradeva N arrowrightheavy N anusvaragujarati N arrowrightoverleft N aogonek N arrowrightwhite N apaatosquare N arrowtableft N arrowtabright N aparen N apostrophearmenian N arrowup N apostrophemod N arrowupdn

N arrowupdnbse N babengali N arrowupdownbase N backslash N arrowupleft N backslashmonospace N arrowupleftofdown N badeva N arrowupright N baqujarati N arrowupwhite N bagurmukhi N asciicircum N bahiragana N asciicircummonospace N bahtthai N hakatakana N asciitilde N asciitildemonospace N har N ascript N barmonospace N ascriptturned N bbopomofo N asmallhiragana N bcircle N asmallkatakana N bdotaccent N asmallkatakanahalfwidth N bdotbelow N asterisk N beamedsixteenthnotes N asteriskaltonearabic N because N asteriskarabic N becyrillic N asteriskmath N beharabic N behfinalarabic N asteriskmonospace N asterisksmall N behinitialarabic N asterism N behiragana N asymptoticallyequal N behmedialarabic N at N behmeeminitialarabic N atilde N behmeemisolatedarabic N atmonospace N behnoonfinalarabic N atsmall N bekatakana N aturned N benarmenian N aubengali N bet N aubopomofo N beta N audeva N betasymbolgreek N augujarati N betdagesh N augurmukhi N betdageshhebrew N aulengthmarkbengali N bethebrew N aumatragurmukhi N betrafehebrew N auvowelsignbengali N bhabengali N auvowelsigndeva N bhadeva N auvowelsigngujarati N bhagujarati N avagrahadeva N bhagurmukhi N aybarmenian N bhook N bihiragana N ayin N ayinaltonehebrew N bikatakana N ayinhebrew N bilabialclick N b N bindigurmukhi

N birusquare N breve N blackcircle N brevebelowcmb N blackdiamond N brevecmb N breveinvertedbelowcmb N blackdownpointingtriangle N blackleftpointingpointer N breveinvertedcmb N blackleftpointingtriangle N breveinverteddoublecmb N blacklenticularbracketleft N bridgebelowcmb N blacklenticularbracketleftvertical N bridgeinvertedbelowcmb N blacklenticularbracketright N hrokenhar N blacklenticularbracketrightvertical N hstroke N blacklowerlefttriangle N btopbar N blacklowerrighttriangle N buhiragana N blackrectangle N bukatakana N blackrightpointingpointer N bullet N blackrightpointingtriangle N bulletinverse N blacksmallsquare N bulletoperator N blacksmilingface N bullseye Nς N blacksquare N caarmenian N blackstar N blackupperlefttriangle N cabengali N blackupperrighttriangle N cacute N blackuppointingsmalltriangle N cadeva N blackuppointingtriangle N cagujarati N blank N cagurmukhi N blinebelow N calsquare N block N candrabindubengali N bmonospace N candrabinducmb N bobaimaithai N candrabindudeva N bohiragana N candrabindugujarati N bokatakana N capslock N bparen N careof N bqsquare N caron N braceleft N caronbelowcmb N braceleftmonospace N caroncmb N braceleftsmall N carriagereturn N braceleftvertical N cbopomofo N braceright N ccaron N bracerightmonospace N ccedilla N bracerightsmall N ccedillaacute N bracerightvertical N ccircle N bracketleft N ccircumflex N bracketleftmonospace N ccurl N bracketright N cdot N bracketrightmonospace N cdotaccent

N cdsquare N circlewithrighthalfblack N cedilla N circumflex N cedillacmb N circumflexbelowcmb N circumflexcmb N cent N centigrade N clear N centmonospace N clickalveolar N chaarmenian N clickdental N chahengali N clicklateral N chadeva N clickretroflex N club N chaqujarati N clubsuitblack N chagurmukhi N chbopomofo N clubsuitwhite N cheabkhasiancyrillic N cmcubedsquare N checkmark N cmonospace N cmsquaredsquare N checyrillic N chedescenderabkhasiancyrillic N coarmenian N chedescendercyrillic N colon N chedieresiscyrillic N colonmonetary N cheharmenian N colonmonospace N chekhakassiancyrillic N colonsign N cheverticalstrokecyrillic N colonsmall N chi N colontriangularhalfmod N chieuchacirclekorean N colontriangularmod N chieuchaparenkorean N comma N chieuchcirclekorean N commaabovecmb N commaaboverightcmb N chieuchkorean N chieuchparenkorean N commaarabic N chochangthai N commaarmenian N chochanthai N commamonospace N chochingthai N commareversedabovecmb N chochoethai N commareversedmod N chook N commasmall N cieucacirclekorean N commaturnedahovecmb N commaturnedmod N cieucaparenkorean N cieuccirclekorean N compass N cieuckorean N congruent N cieucparenkorean N contourintegral N cieucuparenkorean N control N circle N controlACK N circlemultiply N controlBEL N circleot N controlBS N circleplus N controlCAN N circlepostalmark N controlCR N circlewithlefthalfblack N controlDC1

N controlDC2	N dabengali
N controlDC3	N dadarabic
N controlDC4	N dadeva
N controlDEL	N dadfinalarabic
N controlDLE	N dadinitialarabic
N controlEM	N dadmedialarabic
N controlENQ	N dagesh
N controlEOT	N dageshhebrew
N controlESC	N dagger
N controlETB	N daggerdbl
N controlETX	N dagujarati
N controlFF	N dagurmukhi
N controlFS	N dahiragana
N controlGS	N dakatakana
N controlHT	N dalarabic
N controlLF	N dalet
N controlNAK	N daletdagesh
N controlRS	N daletdageshhebrew
N controlSI	N dalethatafpatah
N controlSO	N dalethatafpatahhebrew
N controlSOT	N dalethatafsegol
N controlSTX	N dalethatafsegolhebrew
N controlSUB	N dalethebrew
N controlSYN	N dalethiriq
N controlUS	N dalethiriqhebrew
N controlVT	N daletholam
N copyright	N daletholamhebrew
N cornerbracketleft	N daletpatah
N cornerbracketlefthalfwidth	N daletpatahhebrew
N cornerbracketleftvertical	N daletqamats
N cornerbracketright	N daletqamatshebrew
N cornerbracketrighthalfwidth	N daletqubuts
N cornerbracketrightvertical	N daletqubutshebrew
N corporationsquare	N daletsegol
N cosquare	N daletsegolhebrew
N coverkgsquare	N daletsheva
N cparen	N daletshevahebrew
N cruzeiro	N dalettsere
N cstretched	N dalettserehebrew
N curlyand	N dalfinalarabic
N curlyor	N dammaarabic
N currency	N dammalowarabic
N d	N dammatanaltonearabic
N daarmenian	N dammatanarabic

N danda N dehihebrew N dargahebrew N dehiragana N dargalefthebrew N deicoptic N dasiapneumatacyrilliccmb N dekatakana N dblanglebracketleft N deleteleft N dblanglebracketleftvertical N deleteright N dblanglebracketright N delta N dblanglebracketrightvertical N deltaturned N dblarchinvertedbelowcmb N denominatorminusonenumeratorbengali N dhlarrowleft N dezh N dblarrowright N dhabengali N dbldanda N dhadeva N dblgravecmb N dhaqujarati N dblintegral N dhagurmukhi N dbllowline N dhook N dbllowlinecmb N dialytikatonos N dbloverlinecmb N dialytikatonoscmb N diamond N dblprimemod N diamondsuitwhite N dblverticalbar N dblverticallineabovecmb N dieresis N dbopomofo N dieresisbelowcmb N dbsquare N dieresiscmb N dieresistonos N dcaron N dcedilla N dihiragana N dcircle N dikatakana N dcircumflexbelow N dittomark N dcroat N divide N ddabengali N divides N ddadeva N divisionslash N ddagujarati N djecyrillic N ddagurmukhi N dkshade N ddalarabic N dlinebelow N ddalfinalarabic N dlsquare N dddhadeva N dmacron N ddhabengali N dmonospace N ddhadeva N dnblock N dochadathai N ddhagujarati N ddhagurmukhi N dodekthai N dohiragana N ddotaccent N ddotbelow N dokatakana N decimalseparatorarabic N dollar N decimalseparatorpersian N dollarmonospace N decyrillic N dollarsmall N degree N dong

N dorusquare N ecircumflexbelow N dotaccent N ecircumflexdotbelow N dotaccentcmb N ecircumflexgrave N dotbelowcmb N ecircumflexhookabove N dotbelowcomb N ecircumflextilde N dotkatakana N ecyrillic N dotlessi N edblarave N dotlessi N edeva N dotlessistrokehook N edieresis N dotmath N edot N dottedcircle N edotaccent N doubleyodpatah N edotbelow N doubleyodpatahhebrew N eegurmukhi N downtackbelowcmb N eematragurmukhi N downtackmod N efcyrillic N dparen N egrave N dtail N equiarati N dtopbar N eharmenian N duhiragana N ehbopomofo N dukatakana N ehiragana N dz N ehookabove N dzaltone N eibopomofo N dzcaron N eight N dzcurl N eightarabic N dzeabkhasiancyrillic N eightbengali N dzecyrillic N eightcircle N dzhecyrillic N eightcircleinversesansserif Νe N eightdeva N eacute N eighteencircle N earth N eighteenparen

N e e sutte N eightdeva
N eacute N eighteencircle
N earth N eighteenparen
N ebengali N eighteenperiod
N ebopomofo N eightgujarati
N ebreve N eightgujarati
N ecandradeva N eightgurmukhi
N ecandragujarati N eighthackarabic
N ecandravowelsigndeva N eighthnotebeamed
N ecandravowelsigngujarati N eighthdeographicparen

N ecaron N eightinferior
N ecedillabreve N eightmonospace
N echarmenian N eightparen
N echyiwnarmenian N eightperiod
N ecircle N eightpersian
N ecircumflex N eightroman
N ecircumflex N eightroman
N ecircumflex N eightsuperior

N eightthai N equal N einvertedbreve N equalmonospace N eiotifiedcyrillic N equalsmall N ekatakana N equalsuperior N ekatakanahalfwidth N equivalence N ekonkargurmukhi N erbopomofo N ekorean N ercyrillic N elcvrillic N ereversed N element N ereversedcyrillic N elevencircle N escyrillic N elevenparen N esdescendercyrillic N elevenperiod N esh N elevenroman N eshcurl N ellipsis N eshortdeva N ellipsisvertical N eshortvowelsigndeva N emacron N eshreversedloop N emacronacute N eshsquatreversed N emacrongrave N esmallhiragana N esmallkatakana N emcyrillic N emdash N esmallkatakanahalfwidth N emdashvertical N estimated N emonospace N eta N emphasismarkarmenian N etarmenian N emptyset N etatonos N enbopomofo N eth N encyrillic N etilde N etildebelow N endash N endashvertical N etnahtafoukhhebrew N endescendercyrillic N etnahtafoukhlefthebrew N eng N etnahtahebrew N etnahtalefthebrew N engbopomofo N enghecyrillic N eturned N enhookcyrillic N eukorean N enspace N euro N eogonek N evowelsignbengali N eokorean N evowelsigndeva N evowelsigngujarati N eopen N eopenclosed N exclam N eopenreversed N exclamarmenian N eopenreversedclosed N exclamdbl N eopenreversedhook N exclamdown N exclammonospace N eparen N existential N epsilon

N ezh

N epsilontonos

N ezhcaron N finalpehebrew N ezhcurl N finaltsadi N ezhreversed N finaltsadihebrew N ezhtail N firsttonechinese Nf N fisheye N fadeva N fitacyrillic N fagurmukhi N five N fahrenheit N fivearabic N fathaarahic N fivebengali N fathalowarabic N fivecircle N fathatanarabic N fivecircleinversesansserif N fbopomofo N fivedeva N fcircle N fiveeighths N fdotaccent N fivegujarati N feharabic N fivegurmukhi N feharmenian N fivehackarabic N fehfinalarabic N fivehangzhou N fehinitialarabic N fiveideographicparen N fehmedialarabic N fiveinferior N feicoptic N fivemonospace N female N fiveparen N ff N fiveperiod N ffi N fivepersian N ffl N fiveroman N fi N fivesuperior N fifteencircle N fivethai N fl N fifteenparen N fifteenperiod N florin N figuredash N fmonospace N filledbox N fmsquare N filledrect N fofanthai N finalkaf N fofathai N finalkafdagesh N fongmanthai N finalkafdageshhebrew N forall N finalkafhebrew N four N finalkafqamats N fourarabic N finalkafgamatshebrew N fourbengali N finalkafsheva N fourcircle N finalkafshevahebrew N fourcircleinversesansserif N finalmem N fourdeva N finalmemhebrew N fourgujarati N finalnun N fourgurmukhi N finalnunhebrew N fourhackarabic N finalpe N fourhangzhou

N fourideographicparen N gekatakana N fourinferior N geometricallyequal N fourmonospace N gereshaccenthebrew N fournumeratorbengali N gereshhebrew N fourparen N gereshmugdamhebrew N fourperiod N germandbls N fourpersian N gershayimaccenthebrew N fourroman N gershayimhebrew N getamark N foursuperior N fourteencircle N qhabengali N fourteenparen N ghadarmenian N fourteenperiod N ghadeva N fourthai N ghagujarati N fourthtonechinese N ghagurmukhi N fparen N ghainarabic N fraction N ghainfinalarabic N franc N ghaininitialarabic Νg N ghainmedialarabic N gabengali N ghemiddlehookcyrillic N gacute N ghestrokecyrillic N gadeva N gheupturncyrillic N gafarabic N ghhadeva N gaffinalarabic N ghhagurmukhi N gafinitialarabic N ghook N gafmedialarabic N ghzsquare N gagujarati N gihiragana N gagurmukhi N gikatakana N gahiragana N gimarmenian N gakatakana N gimel N gamma N gimeldagesh N gammalatinsmall N gimeldageshhebrew N gammasuperior N gimelhebrew N gangiacoptic N gjecyrillic N gbopomofo N glottalinvertedstroke N gbreve N glottalstop N gcaron N glottalstopinverted N gcedilla N glottalstopmod N gcircle N glottalstopreversed N gcircumflex N glottalstopreversedmod N gcommaaccent N glottalstopreversedsuperior N qdot N glottalstopstroke N glottalstopstrokereversed N gdotaccent N gecyrillic N gmacron N gehiragana N gmonospace

N haitusquare N gohiragana N qokatakana N hakatakana N gparen N hakatakanahalfwidth N gpasquare N halantgurmukhi N gradient N hamzaarabic N hamzadammaarabic N grave N gravebelowcmb N hamzadammatanarabic N hamzafathaarabic N gravecmb N hamzafathatanarahic N gravecomb N hamzalowarahic N gravedeva N gravelowmod N hamzalowkasraarabic N gravemonospace N hamzalowkasratanarabic N gravetonecmb N hamzasukunarabic N greater N hangulfiller N greaterequal N hardsigncyrillic N greaterequalorless N harpoonleftbarbup N greatermonospace N harpoonrightbarbup N greaterorequivalent N hasquare N greaterorless N hatafpatah N greateroverequal N hatafpatah16 N greatersmall N hatafpatah23 N gscript N hatafpatah2f N gstroke N hatafpatahhebrew N guhiragana N hatafpatahnarrowhebrew N guillemotleft N hatafpatahquarterhebrew N guillemotright N hatafpatahwidehebrew N guilsinglleft N hatafgamats N guilsinglright N hatafqamats1b N gukatakana N hatafqamats28 N guramusquare N hatafgamats34 N gysquare N hatafgamatshebrew Νh N hatafgamatsnarrowhebrew N haabkhasiancyrillic N hatafqamatsquarterhebrew N haaltonearabic N hatafgamatswidehebrew N habengali N hatafsegol N hadescendercyrillic N hatafsegol17 N hatafsegol24 N hadeva N hagujarati N hatafsegol30 N hagurmukhi N hatafsegolhebrew N haharabic N hatafsegolnarrowhebrew N hahfinalarabic N hatafsegolquarterhebrew N hahinitialarabic N hatafsegolwidehebrew N hahiragana N hbar

N hbopomofo

N hahmedialarabic

N hbrevehelow N hiria N hcedilla N hirig14 N hcircle N hirig21 N hcircumflex N hiriq2d N hdieresis N hirighebrew N hdotaccent N hirignarrowhebrew N hdotbelow N hirigguarterhebrew N he N hiriawidehebrew N heart N hlinehelow N heartsuithlack N hmonospace N heartsuitwhite N hoarmenian N hedagesh N hohipthai N hedageshhebrew N hohiragana N hehaltonearabic N hokatakana N hokatakanahalfwidth N heharabic N hehebrew N holam N hehfinalaltonearabic N holam19 N hehfinalalttwoarabic N holam26 N hehfinalarabic N holam32 N hehhamzaabovefinalarabic N holamhebrew N hehhamzaaboveisolatedarabic N holamnarrowhebrew N hehinitialaltonearabic N holamquarterhebrew N hehinitialarabic N holamwidehebrew N hehiragana N honokhukthai N hehmedialaltonearabic N hookabovecomb N hehmedialarabic N hookcmb N hookpalatalizedbelowcmb N heiseierasquare N hekatakana N hookretroflexbelowcmb N hekatakanahalfwidth N hoonsquare N hekutaarusquare N horicoptic N henghook N horizontalbar N herutusquare N hornemb N het N hotsprings N hethebrew N house N hhook N hparen N hhooksuperior N hsuperior N hieuhacirclekorean N hturned N hieuhaparenkorean N huhiragana N hieuhcirclekorean N huiitosquare N hieuhkorean N hukatakana N hieuhparenkorean N hukatakanahalfwidth N hihiragana N hungarumlaut N hikatakana N hungarumlautcmb

N hv

N hikatakanahalfwidth

N hyphen N ideographicprintcircle N hyphenmonospace N ideographicreachparen N hyphensmall N ideographicrepresentparen N hyphentwo N ideographicresourceparen Νi N ideographicrightcircle N iacute N ideographicsecretcircle N iacvrillic N ideographicselfparen N ibengali N ideographicsocietyparen N ibopomofo N ideographicspace N ihreve N ideographicspecialparen N icaron N ideographicstockparen N icircle N ideographicstudyparen N icircumflex N ideographicsunparen N icvrillic N ideographicsuperviseparen N idblgrave N ideographicwaterparen N ideographearthcircle N ideographicwoodparen N ideographfirecircle N ideographiczero N ideographicallianceparen N ideographmetalcircle N ideographiccallparen N ideographmooncircle N ideographiccentrecircle N ideographnamecircle N ideographicclose N ideographsuncircle N ideographiccomma N ideographwatercircle N ideographiccommaleft N ideographwoodcircle N ideva N ideographiccongratulationparen N ideographiccorrectcircle N idieresis N ideographicearthparen N idieresisacute N idieresiscyrillic N ideographicenterpriseparen N ideographicexcellentcircle N idotbelow N ideographicfestivalparen N iebrevecyrillic N ideographicfinancialcircle N iecyrillic N ideographicfinancialparen N ieungacirclekorean N ideographicfireparen N ieungaparenkorean N ideographichaveparen N ieungcirclekorean N ideographichighcircle N ieungkorean N ideographiciterationmark N ieungparenkorean N ideographiclaborcircle N igrave N ideographiclaborparen N iqujarati N ideographicleftcircle N igurmukhi N ideographiclowcircle N ihiragana N ideographicmedicinecircle N ihookabove ${\sf N}$ ideographicmetalparen N iibengali N iicyrillic N ideographicmoonparen N iideva N ideographicnameparen N ideographicperiod N iiqujarati

N iiaurmukhi N istroke N iimatragurmukhi N iterationhiragana N iinvertedbreve N iterationkatakana N iishortcvrillic N itilde N iivowelsignbengali N itildebelow N iivowelsigndeva N iubopomofo N iivowelsigngujarati N iucyrillic N ivowelsianbengali Nii N ikatakana N ivowelsigndeva N ikatakanahalfwidth N ivowelsigngujarati N ikorean N izhitsacyrillic N ilde N izhitsadblgravecyrillic N iluyhebrew Νį N imacron N jaarmenian N imacroncyrillic N jabengali N imageorapproximatelyequal N jadeva N imatragurmukhi N jagujarati N imonospace N jagurmukhi N increment N jbopomofo N infinity N icaron N iniarmenian N jcircle N integral N jcircumflex N integralbottom N jcrossedtail N integralbt N jdotlessstroke N integraltop N jecyrillic N integraltp N jeemarabic N intersection N jeemfinalarabic N intisquare N jeeminitialarabic N invbullet N jeemmedialarabic N invcircle N jeharabic N invsmileface N jehfinalarabic N iocyrillic N jhabengali N iogonek N jhadeva N iota N jhagujarati N jhagurmukhi N iotadieresis N iotadieresistonos N jheharmenian N iotalatin N jis N iotatonos N jmonospace N iparen N jparen N irigurmukhi N jsuperior N ismallhiragana Nk N ismallkatakana N kabashkircyrillic N ismallkatakanahalfwidth N kabengali N issharbengali N kacute

N kacvrillic N kekatakanahalfwidth N kadescendercyrillic N kenarmenian N kadeva N kesmallkatakana N kaf N kareenlandic N kafarabic N khabengali N kafdagesh N khacyrillic N kafdageshhebrew N khadeva N kaffinalarabic N khaquiarati N kafhehrew N khagurmukhi N kafinitialarahic N khaharahic N kafmedialarabic N khahfinalarabic N kafrafehebrew N khahinitialarabic N kagujarati N khahmedialarabic N kagurmukhi N kheicoptic N kahiragana N khhadeva N kahookcyrillic N khhagurmukhi N kakatakana N khieukhacirclekorean N kakatakanahalfwidth N khieukhaparenkorean N khieukhcirclekorean N kappa N khieukhkorean N kappasymbolgreek N kapyeounmieumkorean N khieukhparenkorean N kapyeounphieuphkorean N khokhaithai N khokhonthai N kapyeounpieupkorean N khokhuatthai N kapyeounssangpieupkorean N karoriisquare N khokhwaithai N kashidaautoarabic N khomutthai N kashidaautonosidebearingarabic N khook N kasmallkatakana N khorakhangthai N kasquare N khzsquare N kasraarabic N kihiragana N kasratanarabic N kikatakana N kastrokecyrillic N kikatakanahalfwidth N katahiraprolongmarkhalfwidth N kiroguramusquare N kaverticalstrokecyrillic N kiromeetorusquare N kbopomofo N kirosquare N kcalsquare N kiyeokacirclekorean N kcaron N kiyeokaparenkorean N kcedilla N kiyeokcirclekorean N kcircle N kiyeokkorean N kcommaaccent N kiyeokparenkorean N kdotbelow N kiyeoksioskorean N keharmenian N kjecyrillic N kehiragana N klinebelow N kekatakana N klsquare

N	kmcubedsquare	N	lamedholam
N	kmonospace	N	lamedholamdagesh
N	kmsquaredsquare	N	lamedholamdageshhebrew
N	kohiragana	N	lamedholamhebrew
N	kohmsquare	N	lamfinalarabic
N	kokaithai	N	lamhahinitialarabic
N	kokatakana	N	laminitialarabic
N	kokatakanahalfwidth	N	lamjeeminitialarabic
N	kooposquare	N	lamkhahinitialarabic
N	koppacyrillic	N	lamlamhehisolatedarabic
N	koreanstandardsymbol	N	lammedialarabic
N	koroniscmb	N	lammeemhahinitialarabic
N	kparen	N	lammeeminitialarabic
N	kpasquare	N	lammeemjeeminitialarabic
N	ksicyrillic	N	lammeemkhahinitialarabic
N	ktsquare	N	largecircle
N	kturned	N	lbar
N	kuhiragana	N	lbelt
N	kukatakana	N	lbopomofo
N	kukatakanahalfwidth	N	lcaron
N	kvsquare	N	lcedilla
N	kwsquare	N	lcircle
N	ι	N	lcircumflexbelow
N	labengali	N	lcommaaccent
N	lacute	N	ldot
N	ladeva	N	ldotaccent
N	lagujarati	N	ldotbelow
N	lagurmukhi	N	ldotbelowmacron
N	lakkhangyaothai	N	leftangleabovecmb
N	lamaleffinalarabic	N	lefttackbelowcmb
N	lamalefhamzaabovefinalarabic	N	less
N	lamalefhamzaaboveisolatedarabic	N	lessequal
N	lamalefhamzabelowfinalarabic	N	lessequalorgreater
N	lamalefhamzabelowisolatedarabic	N	lessmonospace
N	lamalefisolatedarabic	N	lessorequivalent
N	lamalefmaddaabovefinalarabic	N	lessorgreater
N	lamalefmaddaaboveisolatedarabic	N	lessoverequal
N	lamarabic	N	lesssmall
N	lambda	N	lezh
N	lambdastroke	N	lfblock
N	lamed	N	lhookretroflex
N	lameddagesh	N	lira
N	lameddageshhebrew	N	liwnarmenian
N	lamedhebrew	N	lj

N ljecyrillic N mahapakhhebrew N lladeva N mahapakhlefthebrew N llaqujarati N mahiragana N llinebelow N maichattawathai N llladeva N maiekthai N llvocalicbengali N maihanakatthai N llvocalicdeva N maitaikhuthai N llvocalicvowelsignbengali N maithothai N maitrithai N llvocalicvowelsigndeva N lmiddletilde N maiyamokthai N lmonospace N makatakana N makatakanahalfwidth N lmsquare N lochulathai N male N logicaland N mansyonsquare N logicalnot N magafhebrew N logicalnotreversed N mars N logicalor N masoracirclehebrew N lolingthai N masquare N longs N mbopomofo N lowlinecenterline N mbsquare N lowlinecmb N mcircle N lowlinedashed N mcubedsquare N mdotaccent N lozenge N mdotbelow N lparen N lslash N meemarabic N lsquare N meemfinalarabic N ltshade N meeminitialarabic N meemmedialarabic N luthai N lvocalicbengali N meemmeeminitialarabic N lvocalicdeva N meemmeemisolatedarabic N lvocalicvowelsignbengali N meetorusquare N lvocalicvowelsigndeva N mehiragana N lxsquare N meizierasquare N mekatakana N m N mekatakanahalfwidth N mabengali N macron N mem N macronbelowcmb N memdagesh N macronemb N memdageshhebrew N macronlowmod N memhebrew N macronmonospace N menarmenian N macute N merkhahebrew N madeva N merkhakefulahebrew

previous 119 next

N magujarati N magurmukhi N merkhakefulalefthebrew

N merkhalefthebrew

N muchless N mhook N mhzsquare N mufsquare N middledotkatakanahalfwidth N mugreek N middot N mugsquare N mieumacirclekorean N muhiragana N mieumaparenkorean N mukatakana N mieumcirclekorean N mukatakanahalfwidth N mieumkorean N mulsquare N mieumpansioskorean N multiply N mumsquare N mieumparenkorean N munahhebrew N mieumpieupkorean N munahlefthebrew N mieumsioskorean N mihiragana N musicalnote N musicalnotedbl N mikatakana N mikatakanahalfwidth N musicflatsign N minus N musicsharpsign N minusbelowcmb N mussquare N minuscircle N muvsquare N minusmod N muwsquare N minusplus N mvmegasquare N minute N mvsquare N miribaarusquare N mwmegasquare N mirisquare N mwsquare N mlonglegturned Νn N mlsquare N nabengali N mmcubedsquare N nabla N mmonospace N nacute N mmsquaredsquare N nadeva N nagujarati N mohiragana N mohmsquare N nagurmukhi N mokatakana N nahiragana N mokatakanahalfwidth N nakatakana N molsquare N nakatakanahalfwidth N napostrophe N momathai N moverssquare N nasquare N moverssquaredsquare N nbopomofo N mparen N nbspace N mpasquare N ncaron N mssquare N ncedilla

N mssquare N ncedilla
N mturned N ncircle
N mu N ncircumflexbelow
N mu1 N ncommaaccent
N muasquare N ndotaccent
N muchgreater N ndotbelow

N nehiragana N ninesuperior N nekatakana N nineteencircle N nekatakanahalfwidth N nineteenparen N newshegelsign N nineteenperiod N nfsquare N ninethai N ngabengali Nnj N ngadeva N niecvrillic N nkatakana N ngagujarati N ngagurmukhi N nkatakanahalfwidth N ngonguthai N nlegrightlong N nhiragana N nlinebelow N nhookleft N nmonospace N nhookretroflex N nmsquare N nieunacirclekorean N nnabengali N nieunaparenkorean N nnadeva N nieuncieuckorean N nnaqujarati N nieuncirclekorean N nnagurmukhi N nieunhieuhkorean N nnnadeva N nieunkorean N nohiragana N nieunpansioskorean N nokatakana N nieunparenkorean N nokatakanahalfwidth N nieunsioskorean N nonbreakingspace N nieuntikeutkorean N nonenthai N nihiragana N nonuthai N nikatakana N noonarabic N nikatakanahalfwidth N noonfinalarabic N nikhahitthai N noonghunnaarabic N nine N noonghunnafinalarabic N ninearabic N noonhehinitialarabic N ninebengali N nooninitialarabic N ninecircle N noonjeeminitialarabic N ninecircleinversesansserif N noonjeemisolatedarabic N ninedeva N noonmedialarabic N noonmeeminitialarabic N ninequjarati N noonmeemisolatedarabic N ninegurmukhi N ninehackarabic N noonnoonfinalarabic N notcontains N ninehangzhou N nineideographicparen N notelement N nineinferior N notelementof N ninemonospace N notequal N nineparen N notgreater N nineperiod N notgreaternorequal

N notgreaternorless

N notidentical

N ninepersian

N nineroman

N notless N obreve N notlessnorequal N ocandradeva N notparallel N ocandragujarati N notprecedes N ocandravowelsigndeva N notsubset N ocandravowelsigngujarati N notsucceeds N ocaron N notsuperset N ocircle N nowarmenian N ocircumflex N ocircumflexacute N nparen N ocircumflexdotbelow N nssquare N nsuperior N ocircumflexgrave N ntilde N ocircumflexhookabove N nu N ocircumflextilde N nuhiragana N ocyrillic N nukatakana N odblacute N nukatakanahalfwidth N odblarave N nuktabengali N odeva N nuktadeva N odieresis N odieresiscyrillic N nuktagujarati N odotbelow N nuktagurmukhi N numbersian N oe N numbersignmonospace N oekorean N numbersignsmall N ogonek N numeralsigngreek N ogonekcmb N numeralsignlowergreek N ograve N numero N ogujarati N nun N oharmenian N nundagesh N ohiragana N nundageshhebrew N ohookabove N nunhebrew N ohorn N nvsquare N ohornacute N nwsquare N oborndothelow N nyabengali N ohorngrave N ohornhookabove N nyadeva N ohorntilde N nyagujarati N nyagurmukhi N ohungarumlaut Νo N oi N oinvertedbreve N oacute N oangthai N okatakana N obarred N okatakanahalfwidth N obarredcyrillic N okorean N obarreddieresiscyrillic N olehebrew N obengali N omacron

N omacronacute

N obopomofo

N omacrongrave N openbullet N omdeva N option N omega N ordfeminine N ordmasculine N omega1 N omegacyrillic N orthogonal N omegalatinclosed N oshortdeva N omegaroundcyrillic N oshortvowelsiandeva N omegatitlocyrillic N oslash N oslashacute N omegatonos N omqujarati N osmallhiragana N omicron N osmallkatakana N osmallkatakanahalfwidth N omicrontonos N omonospace N ostrokeacute N one N otcyrillic N onearabic N otilde N onebengali N otildeacute N onecircle N otildedieresis N onecircleinversesansserif N oubopomofo N onedeva N overline N overlinecenterline N onedotenleader N oneeighth N overlinecmb N onegujarati N overlinedashed N onegurmukhi N overlinedblwavy N onehackarabic N overlinewavy N onehalf N overscore N onehangzhou N ovowelsignbengali N oneideographicparen N ovowelsigndeva N oneinferior N ovowelsigngujarati N onemonospace N onenumeratorbengali N paampssquare N oneparen N paasentosquare N oneperiod N pabengali N onepersian N pacute N onequarter N padeva N oneroman N pagedown N onesuperior N pageup N onethai N pagujarati N onethird N pagurmukhi N oogonek N pahiragana N oogonekmacron N paiyannoithai N oogurmukhi N pakatakana N oomatragurmukhi N palatalizationcyrilliccmb N oopen N palochkacyrillic N oparen N pansioskorean

N paragraph N pehmedialarabic N parallel N pekatakana N parenleft N pemiddlehookcyrillic N parenleftaltonearabic N perafehebrew N parenleftinferior N percent N parenleftmonospace N percentarabic N parenleftsmall N percentmonospace N parenleftsuperior N percentsmall N parenleftvertical N period N parenright N periodarmenian N parenrightaltonearabic N periodcentered N parenrightinferior N periodhalfwidth N parenrightmonospace N periodmonospace N parenrightsmall N periodsmall N parenrightsuperior N perispomenigreekcmb N parenrightvertical N perpendicular N partialdiff N perthousand N paseghebrew N peseta N pashtahebrew N pfsquare N pasquare N phabengali N patah N phadeva N patah11 N phagujarati N patah1d N phagurmukhi N patah2a N phi N patahhebrew N phil N patahnarrowhebrew N phieuphacirclekorean N patahquarterhebrew N phieuphaparenkorean N patahwidehebrew N phieuphcirclekorean N phieuphkorean N pazerhebrew N pbopomofo N phieuphparenkorean N pcircle N philatin N pdotaccent N phinthuthai N pe N phisymbolgreek N pecyrillic N phook N pedagesh N phophanthai N pedageshhebrew N phophungthai N phosamphaothai N peezisquare N pefinaldageshhebrew N peharabic N pieupacirclekorean N peharmenian N pieupaparenkorean N pehebrew N pieupcieuckorean N pehfinalarabic N pieupcirclekorean

N pieupkiyeokkorean

N pieupkorean

N pehinitialarabic

N pehiragana

N pieupparenkorean N psilipneumatacyrilliccmb N pieupsioskiyeokkorean N pssquare N pieupsioskorean N puhiragana N pieupsiostikeutkorean N pukatakana N pieupthieuthkorean N pvsquare N pieuptikeutkorean N pwsquare N pihiragana Νq N gadeva N pikatakana N pisymbolgreek N gadmahebrew N piwrarmenian N gafarabic N plus N qaffinalarabic N plusbelowcmb N qafinitialarabic N pluscircle N gafmedialarabic N plusminus N gamats N plusmod N gamats10 N plusmonospace N gamatsla N plussmall N gamats1c N plussuperior N qamats27 N pmonospace N gamats29 N pmsquare N gamats33 N pohiragana N gamatsde N pointingindexdownwhite N gamatshebrew N pointingindexleftwhite N gamatsnarrowhebrew N pointingindexrightwhite N gamatsgatanhebrew N pointingindexupwhite N gamatsgatannarrowhebrew N pokatakana N gamatsgatanguarterhebrew N poplathai N qamatsqatanwidehebrew N postalmark N gamatsquarterhebrew N postalmarkface N gamatswidehebrew N pparen N garneyparahebrew N precedes N gbopomofo N prescription N qcircle N primemod N qhook N primereversed N gmonospace N product N qof N projective N qofdagesh N prolongedkana N gofdageshhebrew N propellor N qofhatafpatah N propersubset N qofhatafpatahhebrew N propersuperset N qofhatafsegol N proportion N qofhatafsegolhebrew N proportional N qofhebrew N qofhiriq N psi N psicyrillic N gofhirighebrew

N gofholam N quotesinglemonospace N gofholamhebrew Nr N gofpatah N raarmenian N qofpatahhebrew N rabengali N gofgamats N racute N gofgamatshebrew N radeva N qofqubuts N radical N gofqubutshebrew N radoverssquare N gofsegol N radoverssquaredsquare N gofsegolhebrew N radsquare N gofsheva N rafe N qofshevahebrew N rafehebrew N goftsere N raqujarati N qoftserehebrew N ragurmukhi N qparen N rahiragana N quarternote N rakatakana N gubuts N rakatakanahalfwidth N qubuts18 N ralowerdiagonalbengali N qubuts25 N ramiddlediagonalbengali N qubuts31 N ramshorn N qubutshebrew N ratio N qubutsnarrowhebrew N rbopomofo N qubutsquarterhebrew N rcaron N qubutswidehebrew N rcedilla N question N rcircle N questionarabic N rcommaaccent N questionarmenian N rdblgrave N questiondown N rdotaccent N rdotbelow N questiongreek N questionmonospace N rdotbelowmacron N quotedbl N referencemark N quotedblbase N reflexsubset N quotedblleft N reflexsuperset N quotedblmonospace N registered N reharabic N quotedblprime N reharmenian N quotedblprimereversed N rehfinalarabic N quotedblright N quoteleft N rehiragana N quoteleftreversed N rehyehaleflamarabic N quotereversed N rekatakana N quoteright N rekatakanahalfwidth N quoterightn N resh N quotesinglbase N reshdageshhebrew

N reshhatafpatah

N quotesingle

N reshhatafpatahhebrew N rieulphieuphkorean N reshhatafsegol N rieulpieupkorean N reshhatafsegolhebrew N rieulpieupsioskorean N reshhebrew N rieulsioskorean N reshhirig N rieulthieuthkorean N reshhirighebrew N rieultikeutkorean N reshholam N rieulveorinhieuhkorean N reshholamhebrew N rightangle N reshpatah N righttackbelowcmb N reshpatahhebrew N righttriangle N reshgamats N rihiragana N reshgamatshebrew N rikatakana N reshqubuts N rikatakanahalfwidth N reshaubutshebrew N rina N reshsegol N ringbelowcmb N reshsegolhebrew N rinacmb N reshsheva N ringhalfleft N reshshevahebrew N ringhalfleftarmenian N reshtsere N ringhalfleftbelowcmb N reshtserehebrew N ringhalfleftcentered N reversedtilde N ringhalfright N reviahebrew N ringhalfrightbelowcmb N reviamugrashhebrew N ringhalfrightcentered N revlogicalnot N rinvertedbreve N rfishhook N rittorusquare N rfishhookreversed N rlinebelow N rhabengali N rlongleg N rhadeva N rlonglegturned N rho N rmonospace N rhook N rohiragana N rhookturned N rokatakana N rhookturnedsuperior N rokatakanahalfwidth N rhosymbolgreek N roruathai N rhotichookmod N rparen N rieulacirclekorean N rrabengali N rieulaparenkorean N rradeva N rieulcirclekorean N rragurmukhi N rieulhieuhkorean N rreharabic N rieulkiyeokkorean N rrehfinalarabic N rieulkiyeoksioskorean N rrvocalicbengali N rieulkorean N rrvocalicdeva N rieulmieumkorean N rrvocalicgujarati N rieulpansioskorean N rrvocalicvowelsignbengali N rieulparenkorean N rrvocalicvowelsigndeva

N rrvocalicvowelsigngujarati N saraothai N rtblock N saraueethai N rturned N sarauethai N rturnedsuperior N sarauthai N ruhiragana N sarauuthai N rukatakana N sbopomofo N rukatakanahalfwidth N scaron N rupeemarkbengali N scarondotaccent N rupeesignbengali N scedilla N ruthai N schwa N rvocalicbengali N schwacyrillic N rvocalicdeva N schwadieresiscvrillic N rvocalicqujarati N schwahook N rvocalicvowelsignbengali N scircle N rvocalicvowelsigndeva N scircumflex N rvocalicvowelsigngujarati N scommaaccent Ns N sdotaccent N sdothelow N sabengali N sdotbelowdotaccent N sacute N sacutedotaccent N seagullbelowcmb N sadarabic N second N sadeva N secondtonechinese N sadfinalarabic N section N sadinitialarabic N seenarabic N sadmedialarabic N seenfinalarabic N sagujarati N seeninitialarabic N sagurmukhi N seenmedialarabic N sahiragana N segol N sakatakana N segol13 N sakatakanahalfwidth N segol1f N sallallahoualayhewasallamarabic N segol2c N samekh N segolhebrew N samekhdagesh N segolnarrowhebrew N samekhdageshhebrew N segolquarterhebrew N samekhhebrew N segoltahebrew N saraaathai N segolwidehebrew N saraaethai N seharmenian N saraaimaimalaithai N sehiragana N saraaimaimuanthai N sekatakana N saraamthai N sekatakanahalfwidth N saraathai N semicolon N saraethai N semicolonarabic N saraiithai N semicolonmonospace

N semicolonsmall

N saraithai

N semivoicedmarkkana N shaqurmukhi N semivoicedmarkkanahalfwidth N shalshelethebrew N sentisquare N shbopomofo N shchacyrillic N sentosquare N seven N sheenarabic N sheenfinalarabic N sevenarabic N sevenbengali N sheeninitialarabic N sevencircle N sheenmedialarabic N sevencircleinversesansserif N sheicoptic N sevendeva N shegel N seveneighths N sheqelhebrew N sevengujarati N sheva N sevengurmukhi N sheval15 N sevenhackarabic N sheva15 N sevenhangzhou N sheva22 N sevenideographicparen N sheva2e N seveninferior N shevahebrew N shevanarrowhebrew N sevenmonospace N shevaquarterhebrew N sevenparen N sevenperiod N shevawidehebrew N sevenpersian N shhacvrillic N sevenroman N shimacoptic N sevensuperior N shin N seventeencircle N shindagesh N seventeenparen N shindageshhebrew N seventeenperiod N shindageshshindot N seventhai N shindageshshindothebrew N sfthyphen N shindageshsindot N shaarmenian N shindageshsindothebrew N shabengali N shindothebrew N shacyrillic N shinhebrew N shaddaarabic N shinshindot N shaddadammaarabic N shinshindothebrew N shaddadammatanarabic N shinsindot N shaddafathaarabic N shinsindothebrew N shaddafathatanarabic N shook N shaddakasraarabic N sigma N shaddakasratanarabic N sigmal N shade N sigmafinal N shadedark N sigmalunatesymbolgreek N shadelight N sihiragana N shademedium N sikatakana N shadeva N sikatakanahalfwidth N shaqujarati N silughebrew

N silualefthebrew N softsiancvrillic N similar N sohiragana N sindothebrew N sokatakana N sokatakanahalfwidth N siosacirclekorean N siosaparenkorean N soliduslongoverlaycmb N sioscieuckorean N solidusshortoverlaycmb N sioscirclekorean N sorusithai N sioskiveokkorean N sosalathai N sosothai N sioskorean N siosnieunkorean N sosuathai N siosparenkorean N space N siospieupkorean N spacehackarabic N siostikeutkorean N spade N six N spadesuitblack N sixarabic N spadesuitwhite N sixbengali N sparen N sixcircle N squarebelowcmb N sixcircleinversesansserif N squarecc N sixdeva N squarecm N sixqujarati N squarediagonalcrosshatchfill N sixaurmukhi N squarehorizontalfill N sixhackarabic N squarekg N sixhangzhou N squarekm N sixideographicparen N squarekmcapital N sixinferior N squareln N sixmonospace N squarelog N sixparen N squaremg N sixperiod N squaremil N sixpersian N squaremm N sixroman N squaremsquared N sixsuperior N squareorthogonalcrosshatchfill N sixteencircle N squareupperlefttolowerrightfill N sixteencurrencydenominatorbengali N squareupperrighttolowerleftfill N sixteenparen N squareverticalfill N sixteenperiod N squarewhitewithsmallblack N sixthai N srsquare N ssabengali N slash N slashmonospace N ssadeva N slong N ssagujarati N ssangcieuckorean N slongdotaccent N smileface N ssanghieuhkorean N smonospace N ssangieungkorean N sofpasughebrew N ssangkiyeokkorean N softhyphen N ssangnieunkorean

N ssangpieupkorean N tayhebrew N ssangsioskorean N tbar N ssangtikeutkorean N tbopomofo N sterling N tcaron N sterlingmonospace N tocurl N strokelongoverlaycmb N tcedilla N strokeshortoverlavcmb N tcheharabic N subset N tchehfinalarabic N subsetnotequal N tchehinitialarahic N subsetorequal N tchehmedialarabic N tchehmeeminitialarabic N succeeds N suchthat N tcircle N suhiragana N tcircumflexbelow N sukatakana N tcommaaccent N sukatakanahalfwidth N tdieresis N sukunarabic N tdotaccent N summation N tdotbelow N sun N tecyrillic N superset N tedescendercyrillic N teharabic N supersetnotequal N supersetorequal N tehfinalarabic N sysquare N tehhahinitialarabic N tehhahisolatedarabic N syouwaerasquare N tehinitialarabic Νt N tabengali N tehiragana N tackdown N tehjeeminitialarabic N tackleft N tehjeemisolatedarabic N tadeva N tehmarbutaarabic N tagujarati N tehmarbutafinalarabic N tagurmukhi N tehmedialarabic N taharabic N tehmeeminitialarabic N tahfinalarabic N tehmeemisolatedarabic N tahinitialarabic N tehnoonfinalarabic N tahiragana N tekatakana N tahmedialarabic N tekatakanahalfwidth N taisyouerasquare N telephone N takatakana N telephoneblack N takatakanahalfwidth N telishagedolahebrew N tatweelarabic N telishagetanahebrew N tau N tencircle N tav N tenideographicparen N tavdages N tenparen N tavdagesh N tenperiod N tavdageshhebrew N tenroman

N tesh N threearabic N tet N threebengali N tetdagesh N threecircle N threecircleinversesansserif N tetdageshhebrew N tethebrew N threedeva N tetsecyrillic N threeeighths N threegujarati N tevirhebrew N tevirlefthebrew N threeaurmukhi N thabengali N threehackarabic N thadeva N threehangzhou N thagujarati N threeideographicparen N thagurmukhi N threeinferior N thalarabic N threemonospace N thalfinalarabic N threenumeratorbengali N thanthakhatthai N threeparen N theharabic N threeperiod N thehfinalarabic N threepersian N thehinitialarabic N threequarters N thehmedialarabic N threeroman N thereexists N threesuperior N therefore N threethai N theta N thzsquare N thetal N tihiragana N tikatakana N thetasymbolgreek N thieuthacirclekorean N tikatakanahalfwidth N thieuthaparenkorean N tikeutacirclekorean N thieuthcirclekorean N tikeutaparenkorean N thieuthkorean N tikeutcirclekorean N thieuthparenkorean N tikeutkorean N thirteencircle N tikeutparenkorean N thirteenparen N tilde N thirteenperiod N tildebelowcmb N thonangmonthothai N tildecmb N tildecomb N thook N tildedoublecmb N thophuthaothai N thorn N tildeoperator N thothahanthai N tildeoverlaycmb N thothanthai N tildeverticalcmb N thothongthai N timescircle N thothungthai N tipehahebrew N thousandcyrillic N tipehalefthebrew N thousandsseparatorarabic N tippigurmukhi N titlocyrilliccmb N thousandsseparatorpersian N three N tiwnarmenian

N tlinebelow N tserequarterhebrew N tmonospace N tserewidehebrew N tshecyrillic N toarmenian N tohiragana N ttabengali N tokatakana N ttadeva N tokatakanahalfwidth N ttaqujarati N tonebarextrahighmod N ttagurmukhi N tonebarextralowmod N tteharabic N ttehfinalarahic N tonebarhighmod N tonebarlowmod N ttehinitialarahic N tonebarmidmod N ttehmedialarabic N tonefive N tthabengali N tonesix N tthadeva N tonetwo N tthagujarati N tonos N tthagurmukhi N tonsquare N tturned N topatakthai N tuhiragana N tortoiseshellbracketleft N tukatakana N tortoiseshellbracketleftsmall N tukatakanahalfwidth N tortoiseshellbracketleftvertical N tusmallhiragana N tortoiseshellbracketright N tusmallkatakana N tortoiseshellbracketrightsmall N tusmallkatakanahalfwidth N tortoiseshellbracketrightvertical N twelvecircle N totaothai N twelveparen N tpalatalhook N twelveperiod N tparen N twelveroman N trademark N twentycircle N tretroflexhook N twentyparen N triagdn N twentyperiod N triaglf N two N triagrt N twoarabic N triagup N twobengali Nts N twocircle N twocircleinversesansserif N tsadi N tsadidagesh N twodeva N tsadidageshhebrew N twodotenleader N twodotleader N tsadihebrew N tsecyrillic N twodotleadervertical N tsere N twogujarati N twogurmukhi N tsere12 N tserele N twohackarabic N tsere2b N twohangzhou N tserehebrew N twoideographicparen N tserenarrowhebrew N twoinferior

N twomonospace N uhungarumlaut N twonumeratorbengali N uhungarumlautcyrillic N twoparen N uinvertedbreve N twoperiod N ukatakana N twopersian N ukatakanahalfwidth N ukcyrillic N tworoman N twostroke N ukorean N twosuperior N umacron N twothai N umacroncyrillic N twothirds N umacrondieresis Nıı N umatragurmukhi N uacute N umonospace N ubar N underscore N ubengali N underscoredbl N ubopomofo N underscoremonospace N ubreve N underscorevertical N ucaron N underscorewayy N ucircle N union N ucircumflex N universal N ucircumflexbelow N uogonek N ucvrillic N uparen N udattadeva N upblock N udblacute N upperdothebrew N udblgrave N upsilon N udeva N upsilondieresis N udieresis N upsilondieresistonos N udieresisacute N upsilonlatin N udieresisbelow N upsilontonos N udieresiscaron N uptackbelowcmb N udieresiscyrillic N uptackmod N udieresisgrave N uragurmukhi N udieresismacron N uring N_udothelow N ushortcyrillic N usmallhiragana N ugrave N usmallkatakana N ugujarati N ugurmukhi N usmallkatakanahalfwidth N uhiragana N ustraightcyrillic N ustraightstrokecyrillic N uhookabove N uhorn N utilde N uhornacute N utildeacute N uhorndotbelow N utildebelow N uhorngrave N uubengali N uhornhookabove N uudeva

N uuqujarati

N uhorntilde

N uugurmukhi N visargagujarati N uumatragurmukhi N vmonospace N uuvowelsignbengali N voarmenian N uuvowelsigndeva N voicediterationhiragana N uuvowelsigngujarati N voicediterationkatakana N uvowelsignbengali N voicedmarkkana N uvowelsiandeva N voicedmarkkanahalfwidth N uvowelsigngujarati N vokatakana Nv N vparen N vadeva N vtilde N vagujarati N vturned N vagurmukhi N vuhiragana N vakatakana N vukatakana N vav Νw N vavdagesh N wacute N vavdagesh65 N waekorean N vavdageshhebrew N wahiragana N vavhebrew N wakatakana N vavholam N wakatakanahalfwidth N vavholamhebrew N wakorean N vavvavhebrew N wasmallhiragana N vavvodhebrew N wasmallkatakana N vcircle N wattosquare N vdotbelow N wavedash N vecvrillic N wavvunderscorevertical N veharabic N wawarabic N vehfinalarabic N wawfinalarabic N vehinitialarabic N wawhamzaabovearabic N vehmedialarabic N wawhamzaabovefinalarabic N vekatakana N wbsquare N venus N wcircle N verticalbar N wcircumflex N verticallineabovecmb N wdieresis N verticallinebelowcmb N wdotaccent N verticallinelowmod N wdotbelow N verticallinemod N wehiragana N vewarmenian N weierstrass N wekatakana N vhook N vikatakana N wekorean N viramabengali N weokorean N viramadeva N wgrave N viramagujarati N whitebullet N whitecircle N visargabengali N visargadeva N whitecircleinverse

N whitecornerbracketleft N xeharmenian N whitecornerbracketleftvertical M vi N whitecornerbracketright N xmonospace N whitecornerbracketrightvertical N xparen N whitediamond N xsuperior N whitediamondcontainingblacksmalldiamond Ny N whitedownpointingsmalltriangle N yaadosquare N whitedownpointingtriangle N yabengali N whiteleftpointingsmalltriangle N yacute N whiteleftpointingtriangle N yadeva N whitelenticularbracketleft N vaekorean N whitelenticularbracketright N yagujarati N whiterightpointingsmalltriangle N yagurmukhi N whiterightpointingtriangle N yahiragana N whitesmallsquare N yakatakana N whitesmilingface N yakatakanahalfwidth N whitesquare N vakorean N whitestar N yamakkanthai N yasmallhiragana N whitetelephone N whitetortoiseshellbracketleft N yasmallkatakana N whitetortoiseshellbracketright N vasmallkatakanahalfwidth N whiteuppointingsmalltriangle N yatcyrillic N whiteuppointingtriangle N ycircle N wihiragana N ycircumflex N wikatakana N ydieresis N wikorean N ydotaccent N wmonospace N ydotbelow N wohiragana N yeharabic N wokatakana N yehbarreearabic N wokatakanahalfwidth N yehbarreefinalarabic N won N yehfinalarabic N wonmonospace N yehhamzaabovearabic N wowaenthai N yehhamzaabovefinalarabic N wparen N yehhamzaaboveinitialarabic N wring N yehhamzaabovemedialarabic N wsuperior N yehinitialarabic N wturned N yehmedialarabic N wynn N yehmeeminitialarabic N yehmeemisolatedarabic Nx N xabovecmb N yehnoonfinalarabic N xbopomofo N yehthreedotsbelowarabic N xcircle N yekorean

previous 136 next

N yen

N yenmonospace

N xdieresis

N xdotaccent

N veokorean N vtilde N yeorinhieuhkorean N yturned N yerahbenyomohebrew N yuhiragana N yerahbenyomolefthebrew N yuikorean N yericyrillic N yukatakana N yerudieresiscyrillic N yukatakanahalfwidth N yesieungkorean N vukorean N yesieungpansioskorean N yusbigcyrillic N yesieungsioskorean N yusbigiotifiedcyrillic N yetivhebrew N yuslittlecyrillic N ygrave N yuslittleiotifiedcyrillic N yhook N yusmallhiragana N yhookabove N yusmallkatakana N yiarmenian N yusmallkatakanahalfwidth N yicyrillic N yuyekorean N yikorean N yuyeokorean N yinyang N yyabengali N yiwnarmenian N yyadeva N ymonospace N 7 N zaarmenian N yod N yoddagesh N zacute N yoddageshhebrew N zadeva N yodhebrew N zagurmukhi N yodyodhebrew N zaharabic N yodyodpatahhebrew N zahfinalarahic N yohiragana N zahinitialarabic N yoikorean N zahiragana N yokatakana N zahmedialarabic N yokatakanahalfwidth N zainarabic N zainfinalarabic N yokorean N zakatakana N yosmallhiragana N zaqefgadolhebrew N yosmallkatakana N yosmallkatakanahalfwidth N zagefgatanhebrew N zargahebrew N yotgreek N yoyaekorean N zayin N yoyakorean N zayindagesh N yoyakthai N zayindageshhebrew N yoyingthai N zayinhebrew N yparen N zbopomofo N ypogegrammeni N zcaron N ypogegrammenigreekcmb N zcircle Nyr N zcircumflex N zcurl N yring N ysuperior N zdot

N zerosuperior N zerothai N zerowidthjoiner N zerowidthjoiner N zerowidthnonjoiner S author N zerowidthspace S comment S copyright N zhbopomofo B initialized N zhearmenian T dotless N zhebrevecyrillic T alternates N zhecyrillic S comment S comment S comment N zhedieresiscyrillic S comment S feature N zihiragana N zihatakana T kerns N zinorhebrew S name N zlinebelow S version N zmonospace D designsizes N zokatakana F getcompositions N zparen T list N zretroflexhook F load N zuhatakana F register N zuhatakana F register N zuhatakana F registerpostprocessor N version F report	N zdotaccent N zdotbelow N zecyrillic N zedescendercyri N zedieresiscyril N zehiragana N zekatakana N zero N zeroarabic N zerobengali N zerodeva N zerogujarati N zerogurmukhi N zerohackarabic N zerohackarabic N zeroinferior N zeromonospace		formats getalternate getdiscexpansion getkern getmultiple getsubstitution getters T alternate F opentype T kern F opentype F typel T multiple F opentype T substitution F opentype	data table function function function function table
N zerothai N zerowidthjoiner N zerowidthonjoiner N zerowidthspace S comment N zeta S copyright N zhopomofo B initialized N zhearmenian T mathematics N zhebrevecyrillic T alternates N zhedieresiscyrillic S comment N ziharagana N ziharagana N ziharagana N zinorhebrew S name N zinorhebrew S name N zlinebelow S version N zmonospace N zohiragana D filenames N zokatakana F getcompositions N zparen N zretroflexhook F load N zstroke N zukatakana F register N zukatakana F register N zukatakana F registerpostprocessor N version N version F registerpostprocessor	N zeropersian		goodies	table
N zerowidthjoiner N zerowidthnonjoiner S author N zerowidthspace S comment S comment N zeta S copyright N zhbopomofo B initialized N zhearmenian T mathematics N zhebrevecyrillic T dotless N zhedescendercyrillic S comment N zhedieresiscyrillic S feature N zihiragana N value T kerns N zinorhebrew S name N zinorhebrew S name N zlinebelow S version N zmonospace D designsizes N zohiragana N zokatakana F getcompositions N zparen T list N zretroflexhook F load N zstroke N zuhiragana F register N zuhiragana F register N zuhiragana F register N zokatakana F registerpostprocessor N version	·			
N zerowidthnonjoiner N zerowidthspace S comment N zeta S copyright N zhbopomofo B initialized N zhearmenian T mathematics N zhebrevecyrillic T dotless N zhecyrillic S comment N zhedescendercyrillic S feature N zihiragana N zihiragana N zinorhebrew S name N zinorhebrew S name N zlinebelow S version N zmonospace D designsizes N zohiragana D filenames N zokatakana F getcompositions N zparen N zretroflexhook F load N zstroke F prepare_features N zuhiragana F register N zuhiragana F register N zuhiragana F register N zuhiragana F registerpostprocessor N version F report		-		
N zerowidthspace S comment N zeta S copyright N zhbopomofo B initialized N zhearmenian T mathematics N zhebrevecyrillic T alternates N zhecyrillic T dotless N zhedescendercyrillic S comment N zhedieresiscyrillic S feature N zihiragana N value N zikatakana T kerns N zinorhebrew S name N zlinebelow S version N zmonospace D designsizes N zohiragana D filenames N zokatakana F getcompositions N zparen T list N zretroflexhook F load N zstroke F prepare_features N zuhiragana F register N zuhiragana F registerpostprocessor N version F report	-			
N zeta N zhbopomofo B initialized N zhearmenian T mathematics N zhebrevecyrillic T alternates N zhecyrillic T dotless N zhedescendercyrillic S comment N zhedieresiscyrillic S feature N zihiragana N value T kerns N zinorhebrew S name N zinorhebrew S name N zlinebelow S version N zmonospace D designsizes N zohiragana N zokatakana F getcompositions N zparen T list N zretroflexhook F load N zstroke F prepare_features N zuhiragana F register N zuhiragana F register N zuhiragana F registerpostprocessor N version F report		Lilei		
N zhopomofo N zhearmenian T mathematics N zhebrevecyrillic T alternates N zhecyrillic T dotless N zhedescendercyrillic S comment N zhedieresiscyrillic S feature N zihiragana N value N zikatakana T kerns N zinorhebrew S name N zlinebelow S version N zmonospace D designsizes N zohiragana D filenames N zokatakana F getcompositions N zparen T list N zretroflexhook F load N zstroke F prepare_features N zuhiragana F register N zukatakana F registerpostprocessor N version F regort	•			
N zhearmenian N zhebrevecyrillic N zhecyrillic N zhedescendercyrillic N zhedieresiscyrillic N zihiragana N ziinagana N ziinorhebrew N ziinorhebrew N zlinebelow N zlinebelow N zmonospace N zohiragana N zohiragana N zokatakana F getcompositions N zparen N zretroflexhook N zstroke N zuhiragana N zuhiragana F register N zuhiragana F register N zukatakana F registerpostprocessor N version F report			., .	
N zhebrevecyrillic N zhecyrillic N zhedescendercyrillic N zhedieresiscyrillic N zihiragana N zihatakana N zikatakana N zinorhebrew N zinorhebrew N zlinebelow N zlinebelow N zmonospace N zohiragana N zokatakana D filenames N zokatakana F getcompositions N zparen N zretroflexhook F load N zstroke N zuhiragana F register N zuhiragana F registerpostprocessor N version F report	·			
N zhecyrillic T dotless N zhedescendercyrillic S comment N zhedieresiscyrillic S feature N zihiragana N value N zikatakana T kerns N zinorhebrew S name N zlinebelow S version N zmonospace D designsizes N zohiragana D filenames N zokatakana F getcompositions N zparen T list N zretroflexhook F load N zstroke F prepare_features N zuhiragana F register N zuhiragana F register N zukatakana F registerpostprocessor N version F report		ic		
N zhedescendercyrillic N zhedieresiscyrillic S feature N zihiragana N value N zikatakana T kerns N zinorhebrew S name N zlinebelow S version N zmonospace D designsizes N zohiragana D filenames N zokatakana F getcompositions N zparen T list N zretroflexhook F load N zstroke F prepare_features N zuhiragana F register N zukatakana F registerpostprocessor N version F report	•			
N zhedieresiscyrillic N zihiragana N value N zikatakana T kerns N zinorhebrew S name N zlinebelow S version N zmonospace D designsizes N zohiragana D filenames N zokatakana F getcompositions N zparen T list N zretroflexhook F load N zstroke F prepare_features N zuhiragana F register N zukatakana F registerpostprocessor N version F report	•	rillic		
N zihiragana N zikatakana T kerns N zinorhebrew S name N zlinebelow S version N zmonospace D designsizes N zohiragana D filenames N zokatakana F getcompositions N zparen T list N zretroflexhook F load N zstroke F prepare_features N zuhiragana F register N zukatakana F registerpostprocessor N version F report	•			
N zinorhebrew S name N zlinebelow S version N zmonospace D designsizes N zohiragana D filenames N zokatakana F getcompositions N zparen T list N zretroflexhook F load N zstroke F prepare_features N zuhiragana F register N zukatakana F registerpostprocessor N version F report	_		N value	
N zlinebelow S version N zmonospace D designsizes N zohiragana D filenames N zokatakana F getcompositions N zparen T list N zretroflexhook F load N zstroke F prepare_features N zuhiragana F register N zukatakana F registerpostprocessor N version F report	N zikatakana		T kerns	
N zmonospace D designsizes N zohiragana D filenames N zokatakana F getcompositions T list N zretroflexhook F load N zstroke F prepare_features N zuhiragana F register N zukatakana F registerpostprocessor N version F report	N zinorhebrew		S name	
N zohiragana D filenames N zokatakana F getcompositions N zparen T list N zretroflexhook F load N zstroke F prepare_features N zuhiragana F register N zukatakana F registerpostprocessor N version F report	N zlinebelow		S version	
N zokatakana F getcompositions N zparen T list N zretroflexhook F load N zstroke F prepare_features N zuhiragana F register N zukatakana F registerpostprocessor N version F report	N zmonospace		D designsizes	
N zparen T list N zretroflexhook F load N zstroke F prepare_features N zuhiragana F register N zukatakana F registerpostprocessor N version F report	N zohiragana		D filenames	
N zretroflexhook F load N zstroke F prepare_features N zuhiragana F register N zukatakana F registerpostprocessor N version F report	N zokatakana		F getcompositions	
N zstroke F prepare_features N zuhiragana F register N zukatakana F registerpostprocessor N version F report	N zparen		T list	
N zuhiragana F register N zukatakana F registerpostprocessor N version F report	N zretroflexhook		F load	
N zukatakana F registerpostprocessor N version F report	N zstroke		F prepare_features	
N version F report	N zuhiragana		F register	
	N zukatakana		F registerpostproce	essor
	N version		F report	
enhanceid function T suffixes	enhanceid	function	T suffixes	
expansions data table handlers table	expansions	data table	handlers	table

hashes	table	F	hasprivate	
D characters		F	indextoslot	
D classes		F	name	
D csnames		F	nametoslot	
D descriptions		F	setdigitwidth	
D dynamics		F	splitfontpattern	
D emwidths		F	tochar	
D exheights		info	font	function
D extensibles		iter	ators	table
D features		F	characters	
D identifiers		F	descriptions	
D italics		F	glyphs	
D lastmathids		logg	jers	table
D marks		F	add_placeholders	
D modes		D	category_to_plac	eholder
D originals		F	format	
D parameters		F	onetimemessage	
T processes		F	register	
D properties		F	reportdefinedfon	ts
D quads		F	reportusedfeatur	es
D resources		mapp	ings	table
T setdynamics		F	addtounicode	
T shapes		F	fromunicode16	
D spaces		F	loadfile	
D spacings		F	loadline	
T streams		F	makenameparser	
D unicodes		Т	overloads	
D variants			T IJ	
D xheights			N mess	
helpers	table		S name	
F addextraprivate			T unicode	
F addprivate			T f_f	
F descriptiontoslo	ot		N mess	
F dimenfactor			S name	
F expandglyph			T unicode	
F fontpatternhassi	ize		T f_f_i	
F getcoloredglyphs	5		N mess	
F getdigitwidth			S name	
F getinstancespec			T unicode	
F getparameters			T f_f_l	
F getprivatecharor	rnode		N mess	
F getprivatenode			S name	
F getprivates			T unicode	
F getprivateslot			T f_i	

N mess		F opentype	
S name		F otf	
T unicode		F pfb	
T f_j		D sequence	
S name		F tfm	
T unicode		F ttc	
		F ttf	
T f_k S name		F woff	
T unicode		reserveid	function
		select	table
T f_l N mess		D alternatives	table
S name		F bodyfont	
T unicode		D data	
T i_j		F default	
N mess		D defaults	
S name		F definefallbackfa	milv
T unicode		F definefontfamily	
F reset		F definefontfamily	
F tounicode		D extras	p
F tounicode16		F fallback	
F tounicode16seque	ence	D fallbacks	
metapost	table	F features	
F boundingbox		F filefallback	
F boxtomp		F fontdata	
F draw		F fontfallback	
F fill		F fontsynonym	
F maxbounds		F goodies	
F output		F mathfallback	
F paths		D methods	
F widthline		D presets	
F zeroline		F registerfallback	
mp	table	F registerfiles	
D cache		F registerfontalte	rnative
B inline		F registerfontfami	ly
N version		F textfallback	
names	data table	F typeface	
nulldata	data table	F typescript	
protrusions	data table	F userdata	
readers	table	setdiscexpansion	function
F afm		specifiers	table
F check_lua		D contextmerged	
F check_tfm		F contextnumber	
F lua		D contextnumbers	
F ofm		D contextsetups	

F contexttostring		D data		
F definecontext		F savefont		
r derinecontext		r saveront		
F mergecontext		F saveoriginal		
F presetcontext		tracers	table	
F registercontext		treatments	table	
F showcontext		F applyfixes		
F splitcontext		D data		
D synonyms		S filename		
D variants		F ignoredfile		
symbols	table	F report		
F uselibrary		F trace		
tables	table	typefaces	table	

functions (context)

dummy function

graphics (context)

backgrounds table

F fetchmultipar

F pair

F path

F point

gzip (extra lua)

close	function	open	function
lines	function	save	function
load	function	suffix	function

img (basic tex)

boxes	function	ofindex	function
check	function	package	function
checksize	function	print	function
clone	function	scan	function
сору	function	serialize	function
immediatewrite	function	totable	function
keys	function	types	function
new	function	write	function
node	function		

interactions (context)

attachments data table D functions fields table D preambles F clone F setpreamble F storecode F define F defineset F storepreamble F insert F usepreamblenow general table F usescripts linkedlists data table F getidentity pages table F setupidentity help table F setpagetransition F collect F setupcanvas table references F reference F register F setclosedocument javascripts table F setclosepage F addtopreamble F setopendocument F code F setopenpage renderings data table D codes soundclips data table F flushpreambles

interfaces (context)

addvalidkeys	function	F MPpardata
cachedsetups	data table	F MPplus
cachesetup	function	F MPpos
checkedspecification	function	F MPposset
complete	data table	F MPr
constants	data table	F MPrest
corenamespaces	data table	F MPrs
currentinterface	string	F MPul
currentresponse	string	F MPur
definecommand	function	F MPw
defined	function	F MPwhd
doifelsemessage	function	F MPx
elements	data table	F MPxy
formats	data table	F MPxywhd
getcheckedparameters	function	F MPy
getmessage	function	F Romannumerals
getnamespace	function	F abjadnodotnumerals
getsetupstring	function	F abjadnumerals
hashedsetups	data table	F adaptfontfeature
implement	function	F addcounter
interfacedcommand	function	F addfeature
interfaces	table	F addgrapheme
invalidkey	function	F addlinklistelement
message	function	F addreplacements
namespaces	table	F addtocolumnset
F define		F addtojavascriptpreamble
F list		F addtolist
registernamespace	function	F addvalidinterfacekeys
scanners	table	F allinputpaths
F Alphabetic		F alphabetic
F Character		F analysefloatmethod
F Characters		F analyzeitemgroup
F MPLIBconvertoutlinetex	t	F analyzelist
F MPc		F analyzeregister
F MPd		F applypattern
F MPh		F applytobox
F MPll		F applytofirstcharacter
F MPlr		F assignbuffer
F MPls		F autofinishstructurelevels
F MPn		F autonextspace
F MPp		F autonextstructurelevel

F autosetups F btxhandlenocite F autostarttext F btxlastofrange F autostoptext F btxlistvariant F averagecharwidth F btxloaddefinitionfile F bitmapimage F btxloadjournallist F blockcolumnset F btxloadreplacementfile F blockligatures F btxoneorrange F btxpreparelistentries F boxtostrina F bposcolumn F btxremapauthor F bposcolumnregistered F htysavedataset F btxabbreviatediournal F btxsaveiournallist F btxaddentrv F btxsetdataset F btxaddjournal F btxsetentry F btxauthor F btxsetregister F btxauthorfield F btxsetspecification F btxauthortoregister F btxsingularorplural F btxcollectlistentries F btxtoregister F htxcurrentfirstnames F btxusedataset F htxuservariable F btxcurrentinitials F btxcurrentjuniors F buildtextaccent F btxcurrentsurnames F character F btxcurrentvons F characters F btxdetail F chardescription F btxdirect F checkcolumnset F btxdoif F checkcountersetup F btxdoifelse F checkedconversion F btxdoifelsecombiinlist F checkedpagefloat F btxdoifelsesameasprevious F checkinjector F btxdoifelseuservariable F checkinterfacechain F btxdoifnot F checktwopassdata F btxexpandedjournal F chemicalcomponent F htxfetchlistentries F chinesenumerals F btxfield F cleanfontname F btxfieldname F cleanupbox F btxfieldtype F cleanuplayers F btxfirstofrange F clonefield F collectfloat F btxflush F btxflushlistcombi F collecthelp F btxflushlistentrv F colorcomponents F btxflushmarked F columnsetcurrentcolumn F btxflushpages F columnsetgoto F btxfoundname F columnsetnoto

F btxfoundtype
F btxhandlecite

F concatcommalist

F consultfloat

F converthtxdatasettoxml F definefontfamily F converteddimen F definefontfamilypreset F convertmpstopdf F definefontfeature F copyboxfromcache F definefontsolution F copyposition F definehyphenationfeatures F cos F defineinsertion F cosd F defineintermediatecolor E countervalue F definelahels F counttwopassdata F definelanguage F currentcomponent F definelinefiller F definelinkedlist F currentdate F currentdesignsize F definemarking F currentenvironment F definemetafont F currentfontinstancespec F definemultitonecolorglobal F currentposthyphenchar F definenamespace F currentprehyphenchar F definenote F currentproduct F defineparallel F currentproject F defineparbuilder F currentreferenceorder F defineprocesscolordummy F currentsectiontolist F defineprocesscolorglobal F datasetvariable F defineprocesscolorlocal F davname F defineprogram F definereference F decimals F decrementcounter F defineregister F decrementedcounter F definerule E decrementsubcounter F definesectionlevels F defineshift F defineaccents F defineattribute F definesnapmethod F definespotcolorglobal F definebreakpoint F definebreakpoints F definestructureblock F definecharacterspacing F definestructureset F definechemical F definetransparency F definecolumnset F definetransparencyglobal F defineconversion F definetwopasslist F definecounter F definetypeface F definedlayoutcomponent F defineviewerlayer F definefallbackfamily F depthnumber F definefield F digits_normal F definefieldset F digits reverse F definefilefallback F directboxfromcache F definefilesynonym F directcopyboxfromcache F definefont_one F disableautofontscript F disabledirectives F definefont two F definefontcolorpalette F disableexperiments

F disableiobsave F doifelsepathexist F disableparbuilder F doifelseposition F disableregime F doifelsepositiononpage F disablespellchecking F doifelsepositionsonsamepage F disablestatetriggering F doifelsepositionsonthispage F disablestream F doifelsepositionsused F disabletrackers F doifelserangeonpage F discardfromlist F doifelsereference F doanalyzeframedbox F doifelserighttoleftinbox F doifcommon F doifelsesame F doifcounter F doifelsestackedfloats F doifelseblack F doifelsesvnonvmshown F doifelseboxincache F doifelsesynonymused F doifelsebuffer F doifelseurldefined F doifelsecharinfont F doifelseutfmathabove F doifelsecommon F doifelseutfmathaccent F doifelsecontinuewithfile F doifelseutfmathbelow F doifelseconverter F doifelseutfmathfiller F doifelsecounter F doifelseutfmathlimop F doifelsecurrentfonthasfeature F doifelsevisualizer F doifelsedrawingblack F doiffieldsetelse F doifelsefieldcategory F doifinset F doifelsefiledefined F doifnotcommon F doifelsefileexist F doifnotcounter F doifelsefirstchar F doifnotecontent F doifelsefontpresent F doifnoteonsamepageasprevious F doifnotinset F doifelseinelement F doifelseinputfile F doifnotsame F doifelseinset F doifposition F doifelseintwopassdata F doifsame F doifelseleapyear F doprocesstypescriptfile F doifelselisthasentry F doreshapeframedbox F doifelselisthasnumber F dosaveposition F doifelselisthaspage F dosavepositionplus F doifelselisthastitle F dosavepositionwhd F doifelselocfile F dosetposition F doifelsemarking F dosetpositionbox F doifelsemessage F dosetpositionplus F doifelseobject F dosetpositionstrut F doifelseobiectreference F dosetpositionstrutkind F doifelseolderversion F dosetpositionwhd F doifelseoverlapping F dostarttextfile

F dostoptextfile

F elapsedtime

F doifelseparallel

F doifelseparentfile

F enableasciimode F fetchposboxes F enableautofences F fetchtwomarks F enableautofontscript F figure check F enablebackgroundalign F figure done F enablebackgroundboxes F figure dummy F enablecolor F figure flush registered pages F enablecolorintents F figure identify F enablecrlf F figure include F enabledirectives F figure mergegoodies F enableexperiments F figure nof registered pages F enablefontcolorschemes F figure pop F enableinteraction F figure push F enablelinefillers F figure_register_page F enableparbuilder F figure reset F enableregime F figure scale F enablerules F figurefilename F enableshifts F figurefilepath F enablespellchecking F figurefiletype F enablestatetriggering F figurerequest F enablestream F figuresetdimensions F enabletrackers F figurestatus F enabletransparency F figureused F enableutf F filterdefaultreference F enhancelinkedlist F filterreference F enhancelist F finalizebox F enhancereference F findregisterinternal F findtwopassdata F enhanceregister F eposcolumn F finishcolumnsetflush F finishexport F eposcolumnregistered F erasebuffer F firstcountervalue F execute F firstinset F expandcurrentreference F firstsubcountervalue F exportformdata F flushcolumnsetareas F flushcolumnsetcolumn F exportreferences F flushcolumnsetrest F extendregister F extensiblecode F flushfloat F fakenextstrutline F flushlabeledfloat F fakeword F flushnotes F featureattribute F flushpageinjectionsafter F featurelist F flushpageinjectionsbefore F feedback F flushpostponedblocks F fetchallmarks F flushpostponednotes F fetchmultipar F flushstream F fetchonemark F flushstreamcopy

F fontchar F getmpextensions F fontcharbyindex F getnaturaldimensions F fontcollectionclone F getnaturalwd F fontcollectiondefine F getnotestate F fontcollectionprepare F getobjectdimensions F fontcollectionregister F getobjectreference F fontcollectionreport F getobjectreferencepage F fontcollectionreset F getprivatechar F fontlookupgetkey F getprivateglyphslot F fontlookupgetkeyofindex F getprivatemathchar F fontlookupinitialize F getprivateslot F fontlookupnoffound F getprogram F forceendjob F getrandomdimen F forcequitjob F getrandomfloat F formatcolor F getrandomnumber F formatgray F getrandomseed F from F getreadfilename F frule F getsetupstring F getbidimode F getsomefullstructurenumber F getbodyfontsizes F getsomestructurenumber F getboxfromcache F getspecificstructuretitle F getbuffer F getstructurelevel F getbufferctxlua F getstructurenumber F getbuffermkvi F getsubstring F getcheckedinterfaceparameters F gettexbuffer F getcurrentprefixspec F gettwopassdata F getcurrentreferencemetadata F gettwopassdatalist F getdefaultfieldvalue F geturl F getdocumentargument F getvisual F getdocumentfilename F hboxtovbox F getelementtag F helpaction F getfieldcategory F helpreference F getfile F hexstringtonumber F horizontalcode F getfirstcharacter F hour F getfirsttwopassdata F getfloatvariable F hyphenatedlist F getfullstructurenumber F hyphenatedurl F getinternalcachedlistreference F immediatemessage F getinternallistreference F incrementcounter F getlasttwopassdata F incrementedcounter F getmarking F incrementsubcounter F getmathdomain F initializejob F initializemathdomain F getmathitalics

F initializemathitalics

F getmessage

F initializemathkernpairs F loadluamodule F initializestream F loadmapfile F initializetexdirectives F loadmapline F initializetextrackers F loadspellchecklist F injectcurrentreference F loadtypescriptfile F injectcurrentreferencehtdp F loadvisualizer F injectreference F locatefilepath F inlinechemical F locfilename F inputfilebarename F lower F inputfilename F lpdf adddocumentcolorspace F inputfilerealsuffix F lpdf adddocumentextgstate F inputfilesuffix F lpdf adddocumentpattern F insertattachment F lpdf adddocumentshade F insertcomment F lpdf addtocatalog F insertfield F lpdf addtoinfo F insertionnumber F lpdf_addtonames F insertrenderingwindow F lpdf_addtopageattributes F installedlanguages F lpdf addtopageresources F installtexdirective F lpdf addtopagesattributes F installtextracker F lpdf collectedresources F iobfilefullname F lpdf color F iobfilename F luascript F jobfilesuffix F luathread F lxmlid F languagenumber F lastcountervalue F markcontent F lastlinewidth F markingnumber F lastsubcountervalue F markingtitle F lchexnumber F markinjector F lchexnumbers F markregionbox F leapyear F markregionboxcorrected F linenumbersstageone F markregionboxtagged F linenumbersstagetwo F markregionboxtaggedkind F listgroupindex F markvisual fonts F mathfraction F listlabel F mathrenderset F listlocation F listnamespaces F message F listprefixednumber F metapostescaped F listprefixedpage F metapostformatted F metapostgraphformat F listrealpage F listsize F minute F listtitle F mixcleanup F listuserdata F mixfinalize F loadexamodes F mixflushlist F loadfontgoodies F mixflushrest

F mixgetsplit F numbers
F mixsetsplit F octnumber

F mixstate F octstringtonumber
F molecule F operatingsystem

F month F ordinal

F monthmnem F outputfilename
F monthname F overloadbookmark
F mpcolor F overloadlowercase
F mpflushliteral F overloadlowercase
F mpflushreset F overloaduppercase
F mpgettext F pageofinternal
F mpgraphic F pagestaterealpage

F mpoptions F parpos F mppopvariables F pdfannot F mppushvariables F pdfdest F morunset F pdfrotation F moruntab F pdfstartmatrix F mprunvar F pdfstartmirroring F pdfstartrotation F mpsetclippath F mpsetoutercolor F pdfstartscaling F mpsetsxsy F pdfstopmatrix F mpsettext F pdfstopmirroring F pdfstoprotation F mptexget F pdfstopscaling F mptexreset F mptexset F percentageof F mptexsetfrombuffer F pgfxcolorspec

F namedstructureuservariable F pickupbuffer
F namedstructurevariable F pickupmarkedcontent
F naturalwd F pickuppunctuation

F nbfs F placeparallel
F negatedcolorcomponent F popfloat

F nextcountervalue F pophyphenation
F nextparallel F popitaliccorrection

F nextsubcountervalue F poplist
F nofconversions F poppath
F nofdays F poprandomseed

F nofstackedfloats F popreferenceprefix
F notedeltapage F popregime

F noteinternal F popsectionblock
F notelistindex F postponenotes
F noteprefixednumber F prefixedconverted
F notetitle F prepareMPvariable
F ntimes F preparecolumnsetflush
F number F presetmathalternate

F presetsymbollist F registerbookmark F presettabulate F registerbuttons F previouscountervalue F registercolorintent F previoussubcountervalue F registercolumnsetarea F processbodyfontsizes F registeredviewerlayer F processbuffer F registerfigurepattern F processcolorcomponents F registerfiguresuffix F processedfile F registerfontalternative F processedfiles F registerfontfamily F registerhelp F processfile F processfilemany F registerhyphenationexception F processfilenone F registerhyphenationpattern F processfileonce F registeritemgroup F processjob F registerlanguagefeatures F processlist F registerlinenumbering F processregister F registermaintextcolor F processsplit F registermpyfile F processsynonyms F registernamedlua F profilebox F registernamespace F purefontname F registerobject F pushfloat F registerpattern F pushhyphenation F registerpostponedblock F pushitaliccorrection F registerreferencedobject F pushlist F registerrendering F pushpath F registersection F pushrandomseed F registershownsynonym F pushreferenceprefix F registerstructureprocessor F pushregime F registersynonym F registerunit F pushsectionblock F pushstream F registerusedsynonym F putboxincache F registeruserdata F putincolumnset F relatemarking F rawcharacter F renderingvar F rawcountervalue F replacefeature F rawdate F replacepospxywhd F rawsetupstring F reportstructure F rawsubcountervalue F resavefloat F referencepagedetail F resetboxesincache F resetcharacteralign F referencepagestate F referencerealpage F resetcolumnset F registerattachment F resetcounter F registerbackendsymbol F reseteffect F resetfeature F registerbackground

F resetfontfeature

F registerbodyfontsize

F resetfontsolution F savepageinjections F resetiniector F saveparallel F resetitaliccorrection F savespecificfloat F resetmapfiles F savestructureblock F resetmarking F savetaggedtwopassdata F resetmathattributes F savetwopassdata F resetmathitalics F savevariable F resetnullfont F second F resetparallel F selectstructureblock F setactivecatcodes F resetpath F resetprevdepth F setbreakpoints F resetreference F setcharacteralign F resetscript F setcharactercasing F resetshownsynonyms F setcharactercleaning F resetstructureprocessor F setcharacterkerning F resetsubcounter F setcharacterspacing F resettimer F setcharacterstripping F setclosedocumentaction F resettrackers F resetusedsynonyms F setclosepageaction F restartcounter F setcolormodel F restartsubcounter F setcolumnsetarea F restorecounter F setcolumnsetlines F restorecurrentattributes F setcolumnsetproperties F restorenote F setcolumnsetstart F restoreobject F setcounter F reuserandomseed F setdataset F revivefeature F setdestinationattribute F romannumerals F setdigitsmanipulation F rounded F setdirection F ruby F setdocumentargument F runbuffer F setdocumentcommandline F runcontextjob E setdocumentctxfile F safechar F setdocumentdefaultargument F savebuffer F setdocumentenvironments F savecounter F setdocumentfilename F savecurrentattributes F setdocumentfilenames F savedlistnumber F setdocumentmodes F savedlistprefixednumber F setdocumentmodules F savedlisttitle F seteffect F savefloat F setelementuserproperties F savefont F setextrafontkerns F savemargindata F setfieldcalculationset F savenote F setfigurelookuporder

F setfigurepaths

F savepagedata

F setfirstline F setopendocumentaction F setfontfeature F setopenpageaction F setfontofid F setowncounter F setfontsolution F setownsubcounter F setformat F setpagecolormodel F setformsmethod F setpagestate F sethsizecolumnset F setpagestaterealpageno F sethsizecolumnsnan F setpagetransition F sethyphenatedurlcharacters F setparbuilder F sethyphenationfeatures F setpdfcompression F sethyphenationmethod F setprofile F setinitial F setrandomseed F setinitialsectionblock F setrealign F setinjector F setrealspaces F setinnerreferencemethod F setreferencearguments F setinsertionlocation F setreferenceoperation F setinterfaceconstant F setregionbox F setinterfaceelement F setregionboxtagged F setinterfacemessage F setregistermethod F setinterfacemessages F setreplacements F setinterfacevariable F setruby F setinternalreference F setscript F setitaliccorrection F setsectionblock F setsectionentry F setjavascriptpreamble F setjobcomment F setstructureblockstate F setlanguageexceptions F setstructurelevel F setstructurenumber F setlanguagesynonym F setlettercatcodes F setsubcounter F setmapfile F settagaspect F setmapline F settagcombination F setmarking F settagdelimitedsymbol F setmathalphabet F settagfigure E setmathalternate F settaggedmetadata F setmathattribute F settaghighlight F setmathdirection F settagitem F setmathdomain F settagitemgroup F setmathitalics F settaglist F setmathstyle F settagnotation F setmpextensions F settagnotationsymbol F setnaturalwd F settagproperty F setnegative F settagproperty_b F setnextinternalreference F settagproperty_n F setnextreferenceorder F settagregister

F settagsorting

F setnotestate

F settagsubsentencesymbol F spotcolorvalue F startactualtext F settagsynonym F settagtablecell F startchemical F settagtabulatecell F startcolorset F setupbookmarks F startcomponent F setupcanvas F startenvironment F setupcharacterspacing F startfontsolution F startparbuilder F setupexport F setupfontexpansion F startproduct F setupfontprotrusion F startproject F setupidentity F startregime F setupinsertion F startruby F setupitaliccorrection F startsectionlevel F setuplinenumbering F startstream F setuserinterface F starttag F setvalidinterfacekevs F starttag c F setvisual F starttag d F setvisualfont F starttag u F setvisuallayer F starttext F setvisuals F startviewerlayer F setvsizecolumnset F step F setxmpfile F stopactualtext F stopchemical F showassignerror F showattributes F stopcolorset F showcounter F stopcomponent F showdebuginfo F stopenvironment F showdirectives F stopfontsolution F showdiscretionaries F stopparbuilder F showexperiments F stopproduct F showhyphenatedinlist F stopproject F showhyphenationtrace F stopregime F showinjector F stopsectionlevel F showjustification F stopstream F showlogcategories F stoptag F showmessage F stoptext F showtrackers F stopviewerlayer F sin F storejavascriptcode F sind F storejavascriptpreamble F specifiedfont F storenote F specifiedfontsize F storeregister F specifiedfontspec F strdp F splitfilename F strhd F spotcolorname F strht

F strip

F spotcolorparent

F structureautocatcodedget F unihex F structurecatcodedget F unit normal F structuregivencatcodedget F unit reverse F structurenumber F unloadlanguage F structuretitle F upper F structureuservariable F useMPlibrary F structurevariable F useanvfile F strwd F useanvfileonce F usecldfile F subcountervalue F subcountervalues F usecldfilennce F subsubcountervalues F usecolors F subtractfeature F usecomponent F synccolor F useenvironment F synccolorclone F usefigurebase F synccolorcount F usefile F synchronizemarking F usejavascriptpreamble F synchronizestream F usejavascriptscripts F useluafile F synonymmeaning F useluafileonce F synonymname F systemlog F useluamodule F tagmfunctionlab F usemodules F tagmfunctiontxt F usepath F useproduct F tan F useproject F tand F texdefinition one F usesubpath F texdefinition two F usesymbols F usetexfile F textime F thefirstcharacter F usetexfileonce F themaxboxwidth F useurl F theremainingcharacters F usexmlfile F usexmlfileonce F tochar F transparencycomponents F usezipfile F triggerpagebuilder F utfchar F truefilename F utfmathclass F truefontname F utfmathcommand F type F utfmathcommandabove F utfmathcommandbelow F typebuffer F utfmathcommandfiller F typefile F typesetbuffer F utfmathfiller F uchar F utfmathstretch F uchexnumber F vboxlisttohbox F uchexnumbers F verbose F undefinechemical F vspacing

F vspacingcollapse

F unicodechar

F vspacingcollapseonly F xmlcontext F vspacingdefine F xmlcount F vspacingsetamount F xmldelete F vspacingsnap F xmldirect F way F xmldirectives F weekday F xmldirectivesafter F weekdavname F xmldirectivesbefore F writestatus F xmldisplayverbatim F xmldoif F x table c F xmldoifelse F x table cleanup F x table construct F xmldoifelseemptv F x table create F xmldoifelseselfemptv F x_table_finish_row F xmldoifelsetext F x table flush F xmldoifemptv F x table init construct F xmldoifnot F x_table_init_reflow_height F xmldoifnotempty F x_table_init_reflow_height_option F xmldoifnotselfempty F xmldoifnottext F x table init reflow width F x table init reflow width option F xmldoifselfempty F x table next row F xmldoiftext F x table next row option F xmlelement F x table r F xmlfilter F x_table_reflow_height F xmlfilterlist F xmlfirst F x_table_reflow_width F x table set construct F xmlflush F x table set reflow height F xmlflushcontext F x_table_set_reflow_width F xmlflushlinewise F xmladdindex F xmlflushpure F xmlaftersetup F xmlflushsetups F xmlall F xmlflushspacewise F xmlappendsetup F xmlflushtext F xmlapplyselectors F xmlfunction F xmlatt F xmlgetindex F xmlattdef F xmlinclude F xmlattribute F xmlincludeoptions F xmlattributedef F xmlinclusion F xmlbadinclusions F xmlinclusions F xmlbeforesetup F xmlindex F xmlchainatt F xmlinlineverbatim F xmlchainattdef F xmlinstalldirective F xmlchecknamespace F xmllast F xmlcommand F xmllastatt F xmlconcat F xmllastmatch

F xmlload

F xmlconcatrange

F xmlloadbuffer F xmlstripanywhere F xmlloaddata F xmlstripnolines F xmlloaddirectives F xmlstripped F xmlloadentities F xmlstrippednolines F xmlmain F xmltag F xmlmatch F xmltexentity F xmlname F xmltext F xmlnamespace F xmltobuffer F xmltohufferverhose F xmlnonspace F xmlpath F xmltofile F xmlpopmatch F xmltoparameters F xmlpos F xmlverbatim F xmlprependsetup F xmlwithindex F xmlpure F vear setconstant function F xmlpushmatch setcount function F xmlraw setdimen function F xmlrawtex F xmlrefatt setelement function setformat function F xmlregisterns setmacro function F xmlremapname function F xmlremapnamespace setmessage setmessages function F xmlremovesetup settranslation F xmlresetinjectors function data table F xmlresetsetups setupstrings setuserinterface function F xmlsave setvalidkevs function F xmlsetcommandtonone setvariable function F xmlsetcommandtotext showmessage function F xmlsetentity F xmlsetinjectors storedscanners data table strings table F xmlsetsetup data table syntax F xmlsnippet tolist function F xmlstartraw F xmlstarttiming translations data table

F xmlstopraw

F xmlstrip

F xmlstoptiming

usednamespaces

variables

writestatus

data table

data table

function

io (basic lua)

ask	function	pathseparator	string
bytes	function	popen	overloaded function
characters	function	read	function
close	function	readall	function
copydata	function	readnumber	function
exists	function	readstring	function
fileseparator	string	saved_open	function
flush	function	saved_popen	function
input	overloaded function	savedata	function
lines	overloaded function	size	function
loadchunk	function	stderr	userdata
loaddata	function	stdin	userdata
loadlines	function	stdout	userdata
noflines	function	tmpfile	function
open	overloaded function	type	function
output	overloaded function	write	function

job (context)

comment	function	F define	
datasets	table	F find	
D collected		F first	
F extend		F get	
F getdata		F getcollected	
F setdata		F getdata	
D tobesaved		F getfield	
disablesave	function	F gettobesaved	
fileobjreferences	table	F inlist	
D collected		F last	
D tobesaved		F list	
files	table	F save	
D collected		F savetagged	
F context		D tobesaved	
B forcerun		positions	table
F run		F b_column	
D tobesaved		F b_region	
getrandomseed	function	Fc	
initialize	function	D collected	
load	function	F column	
loadother	function	F copy	
objects	table	F depth	
D collected		F e_column	
F get		F e_region	
F number		F enhance	
F page		F extra	
F save		T free	
F set		F get	
D tobesaved		F getreserved	
pack	boolean	F gettobesaved	
packversion	number	F hangafter	
pagestates	table	F hangindent	
D collected		F height	
F extend		F hsize	
F realpage		F leftskip	
F setstate		F lowerleft	
D tobesaved		F lowerright	
passes	table	F markregionbox	
F check		Fn	
D collected		F onsamepage	
F count		F overlapping	

T =	E v	
Fp	F y	_
T page	register	function
F paragraph	save	function
F parindent	structure	table
F position	D collected	
Fr	T components	
F region	T tobesaved	
F replace	T branches	
F rightskip	S name	
F set	S type	
F setall	variables	table
F setregionbox	D checksums	
D tobesaved	D collected	
F upperleft	F getchecksum	
F upperright	F makechecksum	
S used	F restore	
F whd	F save	
F width	F setchecksum	

F x

F xy

D tobesaved

number

version

lang (basic tex)

clean	function	id	function
clear_hyphenation	function	new	function
clear_patterns	function	patterns	function
exceptions	function	postexhyphenchar	function
gethjcode	function	posthyphenchar	function
hyphenate	function	preexhyphenchar	function
hyphenation	function	prehyphenchar	function
hyphenationmin	function	sethjcode	function

languages (context)

associate	function	F registerpattern	
associated	data table	F setfeatures	
association	function	installed	function
counters	data table	labels	table
current	function	F define	tubte
data	data table	F split	
decimals	data table	loadable	function
define	function	loadwords	function
expand	function	logger	table
flatten	function	Freport	10010
frequencies	table	nofflattened	function
F averagecharwidth		numbers	data table
F getdata		postexhyphenchar	function
getdata	function	posthyphenchar	function
getnumber	function	preexhyphenchar	function
hjcounts	table	prehyphenchar	function
hyphenate	function	registered	data table
hyphenators	table	replacements	table
T dictionaries		F add	
D featuresets		F handler	
F handler		F set	
T methods		serializediscretionary	function
F expanded		setexceptions	function
B none		setsynonym	function
F original		showdiscretionaries	function
F tex		unload	function
F traditional		urls	table
F popmethod		D characters	
F pushmethod		N lefthyphenmin	
F setmethod		D mapping	
F setup		B packslashes	
F showhyphenationtrace		N righthyphenmin	
T traditional		F setcharacters	
F definefeatures		version	number
F gettrace		visualizediscretionaries	function
F hyphenate		words	table
F injecthyphens		F check	
F installmethod		T data	
F lasttrace		F disable	
F loadpatterns		F enable	
F registerexception		T enablers	

B enables

F found

Fload

T methods

N threshold

layouts (context)

status table
 F isleftpage

F leftorrightpageaction

lfs (extra lua)

attributes	overloaded	function
chdir	overloaded	$ \hbox{function} $
currentdir	function	
dir	overloaded	$ \hbox{function} $
isdir	overloaded	$ \hbox{function} $
isfile	overloaded	$ \hbox{function} $
lock	function	
lock_dir	overloaded	$ \hbox{function} $
mkdir	overloaded	function

mkdirs	function	
readlink	overloaded	function
rmdir	overloaded	function
setmode	overloaded	function
shortname	overloaded	function
symlinkattributes	overloaded	function
touch	overloaded	function
unlock	function	

libraries (context)

basiclua	data table
basictex	data table
builtin	data table
extralua	data table

extratex data table
functions data table
globals data table

lmx (context)

color	function
convert	function
convertfile	function
convertstring	function
einject	function
eprint	function
escape	function
finalized	function
finject	function
fprint	function
get	function
getvariables	function
htmfile	function
html	table
Fa	
F td	
F th	
include	function

S color-background-four

table

- S color-background-one
- S color-background-three
- S color-background-two
- S title

inherited

initialize	tunction
inject	function
lmxfile	function

loadedfile	function
make	function
new	function
overloaderror	function
popupfile	function
print	function
pv	function
report	function
reset	function
result	function
set	function
show	function
showdebuginfo	function
showerror	function
stripcss	function
tv	function
type	function
urlescape	function
variable	function
variables	table

- S color-background-blue
- S color-background-body
- S color-background-green
- S color-background-main
- S color-background-purple
- S color-background-yellow
- S title-default

logs (context)

application	function	reportlines	function
categories	function	setformats	function
direct	function	setformatters	function
disable	function	setlogfile	function
enable	function	setmessenger	function
exporters	table	setprocessor	function
extendbanner	function	setprogram	function
flush	function	settarget	function
help	function	settimedlog	function
messenger	function	settranslations	function
new	function	show	function
newline	function	show_close	function
poptarget	function	show_load	function
pushtarget	function	show_open	function
report	function	simple	function
reportbanner	function	simpleline	function
reporter	function	simplelines	function
reporters	table	start_page_number	function
F banner		status	function
F export		stop_page_number	function
F help		subdirect	function
F info		subreport	function
F lines		system	function
F version		texerrormessage	function
reportline	function	writer	function

lpdf (context)

action	function	finalizedocument	function
adddocumentcolorspace	function	finalizepage	function
adddocumentextgstate	function	finishtransparencycode	function
adddocumentpattern	function	flushobject	function
adddocumentshade	function	flushstreamfileobject	function
addtocatalog	function	flushstreamobject	function
addtoinfo	function	formats	data table
addtonames	function	frompdfdoc	function
addtopageattributes	function	fromsixteen	function
addtopageresources	function	gethpos	function
addtopagesattributes	function	getmpos getmatrix	function
addxmpinfo	function	getpos	function
annotationspecification	function	getypos	function
array	function	graycode	function
boolean	function	hasmatrix	function
border	function	id	function
checkedkey	function	injectxmpinfo	function
checkedvalue	function	insertxmpinfo	function
circularshade	function	layerreference	function
cmykcode	function	limited	function
collectedresources	function	linearshade	function
color	function	nametree	function
colorspace	function	null	function
colorspaceconstants	data table	number	function
colorspec	function	pagereference	function
colorvalue	function	patternstream	function
colorvalues	function	pdfcolor	function
constant	function	pdftimestamp	function
delayedobject	function	permitdetail	function
destinationspecification	function	protectresources	boolean
dictionary	function	rectangle	function
docstring	function	reference	function
epdf	table	registerannotation	function
F contenttotext		registerdestination	function
F expand		registerdocumentfinalizer	function
F expanded		registerpagefinalizer	function
F getpagecontent		registerpattern	function
F getstructure		reserveobject	function
F load		rgbcode	function
F unload		rotationcm	function
escaped	function	setdates	function
- F			

settime	function	tosixteen	function
settrailerid	function	transform	function
shareobject	function	transparency	function
shareobjectreference	function	transparencycode	function
spotcode	function	transparencygroups	table
stream	function	B none	
string	function	transparencyvalue	function
timestamp	function	unicode	function
toeight	function	verbose	function
topdfdoc	function		

lpeg (basic lua)

В	function	finder	function
C	function	firstofsplit	function
Carg	function	frontstripper	function
Cb	function	instringchecker	function
Cc	function	is_lpeg	function
Cf	function	keeper	function
Cg	function	locale	function
Cmt	function	match	function
Ср	function	oneof	function
Cs	function	patterns	data table
Ct	function	pcode	function
P	function	print	function
R	function	ptree	function
S	function	replacer	function
UP	function	secondofsplit	function
UR	function	setmaxstack	function
US	function	split	function
V	function	splitat	function
afterprefix	function	splitter	function
anywhere	function	stripper	function
append	function	times	function
balancer	function	tsplitat	function
beforesuffix	function	tsplitter	function
checkedsplit	function	type	function
counter	function	utfchartabletopattern	function
endstripper	function	version	function

ltn12 (extra lua)

BLOCKSIZE	number		F simp	lify
filter	table		F table	е
F chain		sou	ırce	table
F cycle			F cat	
pump	table		F chai	n
F all			F empt	у
F step			F erro	r
sink	table		F file	
F chain			F rewi	nd
F error			F simp	lify
F file			F stri	ng
F null				

lua (basic tex)

bytecode	table	lastbytecode	number
bytedata	data table	mask	string
bytedone	table	messages	data table
B page-cst		name	table
collectgarbage	function	numbers	data table
delay	function	registercode	function
finalize	function	registeredcodes	function
firstbytecode	number	registerfinalizer	function
flush	function	registername	function
flushdelayed	function	setbytecode	function
<pre>get_functions_table</pre>	function	setluaname	function
getbytecode	function	startupfile	string
getluaname	function	version	string

luatex (context)

cleanuptempfiles	function	synctex	table
currentfile	function	F collect	
registerdumpactions	function	F enable	
registerpageactions	function	F finish	
registerstartactions	function	F flush	
registerstopactions	function	F resetfilename	
registertempfile	function	F setfilename	
starttime	number		

lxml (context)

- 442 - 4	for the co	£1	£
addindex	function	flush	function
all	function	flushlinewise	function
applyfunction	function	flushsetups	function
applyselectors	function	flushspacewise	function
att	function	get_id	function
attribute	function	getid	function
badinclusions	function	getindex	function
chainattribute	function	id	function
checkindex	function	idsplitter	userdata
collected	function	include	function
command	function	inclusion	function
concat	function	inclusions	function
concatrange	function	index	function
content	function	inlineverbatim	function
context	function	installsetup	function
convert	function	last	function
count	function	lastatt	function
delete	function	lastmatch	function
direct	function	load	function
directives	table	loadbuffer	function
F after		loaddata	function
F before		loaded	table
F handle		main	function
F load		match	function
F setup		name	function
displayverbatim	function	namespace	function
doif	function	nonspace	function
doifelse	function	path	function
doifelseempty	function	popmatch	function
doifelsetext	function	pos	function
doifempty	function	position	function
doifnot	function	pure	function
doifnotempty	function	pushmatch	function
doifnottext	function	raw	function
doiftext	function	rawroot	function
element	function	rawtex	function
elements	function	refatt	function
entities	data table	register	function
filter	function	registerentity	function
filterlist	function	removesetup	function
first	function	resetcdata	function

resetsetups	function
resolvedentity	function
root	function
save	function
serialize	function
setaction	function
setcdata	function
setcommandtonone	function
setcommandtotext	function
setsetup	function
snippet	function
sorters	table

F add
F compare
F flush
F reset
F show
F sort

splitid function function startraw startunescaped function function stopraw function stopunescaped function store strip function stripped function function tag function text tobuffer function tofile function function toparameters toverbatim function verbatim function withindex function xmltexhandler data table

math (basic lua)

abs	function	log	function
acos	function	max	function
asin	function	min	function
atan	function	mod	function
atan2	function	modf	function
ceil	function	odd	function
ceiling	function	рi	number
cos	function	pow	function
cosd	function	rad	function
cosh	function	random	overloaded function
deg	function	randomseed	function
div	function	round	function
even	function	setrandomseedi	function
exp	function	sin	function
floor	function	sind	function
fmod	function	sinh	function
frexp	function	sqrt	function
huge	number	tan	function
initialseed	number	tand	function
ldexp	function	tanh	function

mathematics (context)

addfallbacks	function	injectfallbacks	function
alphabets	data table	makefont	function
alternatives	data table	mapremap	data table
big	function	overloaddimensions	function
boldmap	data table	overloadparameters	function
categories	table	privatebase	number
D functions		registerdomain	function
charactersets	data table	remapalphabets	function
checkaccentbaseheight	function	renderings	table
checkprivateparameters	function	D mappings	
classes	data table	D numbers	
codes	data table	D sets	
define	function	renderset	function
dimensions	function	resetattributes	function
domains	table	resetitalics	function
extensiblecode	function	scaleparameters	function
extensibles	data table	setdomain	function
extrabase	number	setitalics	function
extras	table	sets	data table
F add		styles	data table
F copy		syncboth	function
fallbacks	table	syncname	function
F apply		syncstyle	function
F install		toname	function
fallbackstyleattr	function	tostyle	function
families	data table	tweakaftercopyingfont	function
gaps	data table	tweakbeforecopyingfont	function
getboth	function	tweaks	table
getdomain	function	utfmathaccent	function
getitalics	function	utfmathclass	function
getstyle	function	utfmathcommand	function
horizontalcode	function	utfmathfiller	function
initializeparameters	function	utfmathstretch	function

mbox (context)

parse	function	parse_message	function
parse_from	function	split_headers	function
parse_header	function	split_mbox	function
parse_headers	function	split_message	function

md5 (extra lua)

HEX	function
crypt	function
dec	function
decrypt	function
exor	function

hex function
sum function
sumHEXA overloaded function
sumhexa overloaded function

metapost (context)

checkformat function gettext function checkformat function graphic separate function colorinitializer function initializescriptrunner function comment function instance function convert function instance function convert function intermediate table defaultformat string function load function directrun function load function escaped function makempy table extensiondata data table function makempy table function flushers table metafun table T pdf F comment F flushfigure F startfigure f startfigure f function flushers table parse fonts function flushers table parse function flushers function nytomat function flushers function nytomat function flushers function pluginations function flushers f function properties for function flushiteral function nytomat function flushiteral function properties for financial function flushrese financial function pupinate for financial function properties function flusher financial function properties function flusher financial function pupinations function flushers table parse function flushers table parse function flushreset function process function process function function function function function function function function function proversible function format function process function format function process function format function pushvariable function format_number function pushvariable function format_number function reducetogray boolean getjobata function reporterror function getjobata	11	£		£
colapse boolean graphic function colapse boolean graphic_base_pass function colorinitalizer function initializescriptrunner function comment function instance function convert function intermediate table defaultformat string Tactions feature function defaultmethod string Issue featultmethod string lastlog string directrun function load function escaped function makempy table exectime table Processgraphics filterclippath function Fregisterfile flush function maketext function flushers table metafun table I pdf F comment F topath F topath F topath F storfigure F storfigure F storfigure F textfigure F textfigure F textfigure F textfigure F function in number flushnormalpath function nyformat function flushrese function optimize boolean fonts table parse function F f define F flushfigure popvariable function F f testrifigure F textfigure F textfigure F function process function function flushrese function optimize boolean fonts table parse function proversible function F f define F textfigure F function process function F f define F flushigure F function optimize boolean fonts table parse function proversible function proversible function proversible function function function function function function function function proversible function process function process function function function process function function function processpecial function format function properties table format_number function pushvariables function format function function reducetogray boolean getextensions function reducetogray boolean getextensions function function reducetogray boolean getextensions	analyzeplugins	function	getstatistics	function
collapse boolean graphic_base_pass function colorinitalizer function initializescriptrunner function comment function instance function convert function intermediate table defaultformat string Tactions defaultformat string Tactions defaultmethod string lastlog string directrun function load function escaped function makempy table exectime table N nofconverted extensiondata data table F processgraphics filterclippath function makempy table T pdf F interpolate F toment F function maket function flushers table metafun table F startfigure F textfigure F convertmpstopdf F textfigure F textfigure F textfigure F toment flushnormalpath function n n number flushnormalpath function nyformat function flushreset function optimize boolean fonts table parse function popyariable function F startfigure F stopfigure F filushfigure popyariable function frushreset function optimize boolean fonts function process function process function process function function function function function function filushreset function popyariable function function function process function format function process function process function format function process function format function process function format function process function format function process pulsales function format function pushvariable function format function pushvariables function format function quickanddirty function getclippath function reducetogray boolean getextensions function function reducetogray boolean getextensions			3	
colorinitializer function initializescriptrunner function comment function instance function convert function instance function instance function table defaultformat string Tactions defaultinstance string Fmakempy defaultmethod string lastlog string directrun function load function escaped function makempy table exectine table N mortconverted fusching function function function fregisterfile fusch function maketx function flushers table metafun table T pdf Finterpolate F topath function fromat function n n number function fusching function function fregisterfile fusching function n number function function optimize boolean function proversel function functio				
comment function instance function convert function intermediate table defaultformat string Tactions defaultinstance string Intermediate defaultmethod string lastlog string directrun function load function exectime table Nofconverted exectime table Forcessgraphics extensiondata data table Forcessgraphics filterclippath function maketext function flush function maketext function flush function maketext function flushigure Finterpolate Finterpolate Forment Finterpolate Finterpolate Finterpolate Finterpolate	•			
convertfunctionintermediatetabledefaultformatstringT actionsdefaultmethodstringlastlogstringdirectrunfunctionloadfunctionescapedfunctionmakempytableexectimetableN nofconvertedextensiondatadata tableF processgraphicsfilterclippathfunctionF registerfileflushfunctionmaketextfunctionflusherstableF interpolateF commentF interpolateF repathF flushfigureF topathnumberF startfigureP convertmpstopdftableF textfigureF convertmpstopdftableF textfigureF convertmostopdfnumberflushliteralfunctionnnumberflushresetfunctionnvformatfunctionflushresetfunctionoptimizebooleanfontstableparsefunctionF definepdfliteralsfunctionT flusherpluginactionsfunctionF startfigurepopvariablefunctionF startfigureprocessfunctionF stopfigureprocessfunctionF stopfigureprocessfunctionF stopfigureprocessfunctionF stopfigureprocessfunctionF processfunctionprocesspluginsfunctionF processfunctionprocesspluginsfunction			•	
defaultformat string F makempy defaultmethod string lastlog string directrun function load function escaped function makempy table exectime table N nofconverted extensiondata data table F processgraphics filterclippath function maketext function flush function maketext function flushers table metafun table T pdf F interpolate F topath restriction F flushfigure method number F startfigure F convertmpstopdf table F startfigure F convertmpstopdf table flushliteral function n nofconverted flushreset function n number flushreset function nvformat function f define parse function F flushfigure populinactions function F startfigure populinactions function F startfigure process function F startfigure process function F stopfigure processplugins function </th <th></th> <th></th> <th></th> <th></th>				
defaultinstance string Lastlog string directrun function load function escaped function makempy table exectime table N nofconverted extensiondata data table F processgraphics filterclippath function maketext function flush function maketext function flushers table metafun table T pdf F interpolate F registerfile F comment F topath F topath F comment F topath Test popath F startfigure method number F startfigure F convertmpstopdf table F startfigure F convertmpstopdf table F startfigure F convertmpstopdf table F startfigure F unction nufformate function F define parse function F flushfigure pluginactions function F startfigure popvariable function F startfigure popvariabl				table
defaultmethod string lastlog string directrun function load function exceded function makempy table exectime table N nofconverted extensiondata data table F processgraphics filterclippath function maketext function flush function maketext function flushers table F interpolate F function F comment F interpolate F function F comment F topath F forment F forment F startfigure Method number F startfigure F convertmpstopdf table F startfigure F convertmpstopdf table F textfigure F unction nuformat function F define parse function T flusher pluginactions function F startfigure popvariable function F startfigure popvariable function F stopfigure popvariable function F stopfigur		3		
directrun function load function escaped function makempy table exectime table N nofconverted extensiondata data table F processgraphics filterclippath function F registerfile flush function maketext function flushers table metafun table T pdf F comment F topath F flushfigure method number F startfigure F stopfigure F textfigure F stopfigure F textfigure N nofconverted flushnormalpath function n number flushnormalpath function nvformat function flushreset function optimize boolean fonts table parse function F flushfigure poyvariable function F flushrigure process function F startfiqure poyvariable function F startfiqure process function F startfiqure process function F startfiqure process function F startfiqure process function F stopfigure process function F popvariables function F stopfigure process function F stopfigure process function F stopfigure process function F popvariable function F process function F pr		•	• • • • • • • • • • • • • • • • • • • •	
escaped function makempy table exectime table N nofconverted extensiondata data table F processgraphics filterclippath function F registerfile flush function maketext function flushers table metafun table T pdf F comment F topath F fushfigure method number F startfigure F convertmpstopdf F textfigure N nofconverted flushliteral function n number flushormalpath function nvformat function flushreset function optimize boolean fonts table parse function F flushfigure paffilterals function F flusher pluginactions function F flusher popvariable function F startfigure popvariable function F startfigure process function F stopfigure process function F flusher process function F stopfigure function F stopfigure process funct		•		•
exectime table N nofconverted extensiondata data table F processgraphics filterclippath function F registerfile flush function maketext function table T pdf F comment F flushfigure F startfigure F textfigure F textfigure F textfigure F textfigure F textfigure F function n n number flushormalpath function n n number flushreset function optimize boolean fonts table parse function F flushrigure F startfigure F function pushvariable function F startfigure F function process function function function function process function function process function pushvariable function pushvariables function format function pushvariables function function pushvariables function format function pushvariables function pustlending function format function pushvariables function format function pushvariables function format function quickanddirty function getelippath function reporterror function function function reporterror function				
extensiondata filterclippath flush Function Functio	•		• •	table
filterclippath flush flush function flushers table T pdf F comment F flushfigure F startfigure F textfigure F flushfigure F startfigure F startfigure F startfigure F stopfigure F stopfigure F stopfigure F stopfigure F textfigure F process function F fruction F fruction F fruction F process function F			N nofconverted	
flushers table metafun table T pdf F comment F topath F flushfigure method number F startfigure Mptopdf table F textfigure N nofconverted flushliteral function n n number flushnormalpath function nvformat function flushreset function optimize boolean F flushfigure parse function F flushine pdfliterals function F fefine pdfliterals function F flusher pdfliterals function F flushreset process function F flushfigure popvariable function F flushfigure process function F startfigure process function F stopfigure process function F stopfigure process function F			F processgraphics	
T pdf F comment F comment F flushfigure F startfigure F stopfigure F textfigure F tunction I number F unction F unction F define F define F flushfigure F startfigure F startfigure F stopfigure F stopfigure F stopfigure F stopfigure F process F process F process F process F process F process F function F process F process F function F function F process F function	filterclippath		F registerfile	
T pdf F comment F comment F flushfigure F startfigure F stopfigure F textfigure F tunction I n number I unumber I unction I flushreset I function I flushreset I function I flusher I flusher I flusher I flushfigure I popvariable I function I f startfigure I popvariable I function I f stopfigure I process I function I format I function I format I function I format I function I format I function I process I function I format I function I processsplugins I function I processspecial I function I properties I table I format_number I function I pushvariable I function I quickanddirty I function I reducetogray I boolean I function I reporterror I function I function I reporterror I function I function I function I function I function I function I format function I function I format function I functi	flush	function	maketext	function
F comment F flushfigure F startfigure F stopfigure F textfigure F tunction F tunction F define F define F define F tlushfigure F startfigure F startfigure F stopfigure F stopfigure F stopfigure F process F process F function F process F process F process F process F process F process F unction F function F process F process F unction F process F process F unction F process F tunction F	flushers	table	metafun	table
F flushfigure F startfigure F stopfigure F textfigure flushliteral function flushreset function F define F flushfigure F flushfigure F flushfigure F flusher F flusher F flushfigure F flushfigure F flushfigure F startfigure F startfigure F stopfigure F stopfigure F textfigure F process F process F process F process F process F function F function F process F function F process F function F process F function F function F process F function F process F function F process F function	T pdf		F interpolate	
F startfigure F stopfigure F textfigure F textfigure flushliteral function flushreset fonts F define T flusher F flushfigure F startfigure F textion F flushfigure F textion F flushfigure F define F flushfigure F flushfigure F startfigure F startfigure F stopfigure F stopfigure F stopfigure F process F process F process F process F process F function F process F function F process F process F process F function F process F function F process F function F process F process F function F process F function F process F process F function F process F function F process F process F function F function F function F process F function	F comment		F topath	
F stopfigure F textfigure flushliteral function flushreset forms forts F flushfigure F flushfigure F textfigure forts F define F flusher F flushfigure F startfigure F startfigure F stopfigure F flushcass F flushcass F flushcass F stopfigure F stopfigure F stopfigure F stopfigure F stopfigure F stopfigure F process F function F process F process F process F process F function F process F process F process F unction F process F process F unction F process F process F process F unction F process F process F unction F pushvariable F unction	F flushfigure		method	number
F textfigure flushliteral function flushnormalpath function flushreset fonts F define T flusher F tlushfigure F startfigure F stopfigure N nofconverted N nofconverted N number number function pdfliteral parse function pdfliterals function pluginactions pluginactions function popvariable function F startfigure popvariables function N instances process function process function processplugins function format function properties process function pushvariable function format_string function pushvariables function formatnumber function quickanddirty function getclippath function reducetogray poolean getextensions	F startfigure		mptopdf	table
flushliteralfunctionnnumberflushnormalpathfunctionnvformatfunctionflushresetfunctionoptimizebooleanfontstableparsefunctionF definepdfliteralsfunctionT flusherpluginactionsfunctionF flushfigurepopvariablefunctionF startfigurepopvariablesfunctionF stopfigureprocessfunctionN instancesprocesspluginsfunctionF processprocesspluginsfunctionformatfunctionpropertiestableformat_numberfunctionpushvariablefunctionformat_stringfunctionpushvariablesfunctionformatnumberfunctionquickanddirtyfunctiongetclippathfunctionreducetograybooleangetextensionsfunctionreporterrorfunction	F stopfigure		F convertmpstopdf	
flushnormalpath flushresetfunctionnvformat optimizefunctionfontstableparse pdfliteralsfunctionF definepluginactions pluginactionsfunctionT flusherpluginactions popvariablefunctionF startfigurepopvariables processfunctionF stopfigureprocess processpluginsfunctionN instancesprocessplugins processpluginsfunctionF processprocessspecial formatfunctionformatfunctionpushvariable pushvariablefunctionformat_stringfunctionpushvariables quickanddirtyfunctionformatnumberfunctionquickanddirtyfunctiongetclippathfunctionreducetograybooleangetextensionsfunctionreporterrorfunction	F textfigure		N nofconverted	
flushresetfunctionoptimizebooleanfontstableparsefunctionF definepdfliteralsfunctionT flusherpluginactionsfunctionF flushfigurepopvariablefunctionF startfigurepopvariablesfunctionF stopfigureprocessfunctionN instancesprocesspluginsfunctionF processprocessspecialfunctionformatfunctionpropertiestableformat_numberfunctionpushvariablefunctionformat_stringfunctionpushvariablesfunctionformatnumberfunctionquickanddirtyfunctiongetclippathfunctionreducetograybooleangetextensionsfunctionreporterrorfunction	flushliteral	function	n	number
fonts table parse function F define pdfliterals function T flusher pluginactions function F flushfigure popvariable function F startfigure popvariables function F stopfigure process function N instances processplugins function F process processpecial function format function properties table format_number function pushvariable function format string function pushvariables function formatnumber function quickanddirty function getclippath function reducetogray boolean getextensions	flushnormalpath	function	nvformat	function
F define T flusher F flushfigure F startfigure F stopfigure N instances F process F pr	flushreset	function	optimize	boolean
T flusher F flushfigure F startfigure F stopfigure N instances F process F unction F process F process F process F unction F process F process F unction F process F unction F process F unction F process F process F unction F unction F process F unction F unction	fonts	table	parse	function
F flushfigure popvariable function F startfigure popvariables function F stopfigure process function N instances processplugins function F process processplugins function format function properties table format_number function pushvariable function format_string function pushvariables function formatnumber function quickanddirty function getclippath function reducetogray boolean getextensions function reporterror function	F define		pdfliterals	function
F startfigure popvariables function F stopfigure process function N instances processplugins function F process processplugins function format function properties table format_number function pushvariable function format_string function pushvariables function formatnumber function quickanddirty function getclippath function reducetogray boolean getextensions function reporterror function	T flusher		pluginactions	function
F stopfigure N instances P process P	F flushfigure		popvariable	function
N instances F process Process Process Process Process Process Processspecial Function Format Format Format_number Format_string Function Format_string Function Formatnumber Function Formatnumber Function Functi	F startfigure		popvariables	function
F process format function format function format_number format_string formatnumber formatnumber formatnumber formatnumber formatnumber function formatnumber function quickanddirty function getclippath function reducetogray boolean getextensions function reporterror function	F stopfigure		process	function
format function properties table format_number function pushvariable function format_string function pushvariables function formatnumber function quickanddirty function getclippath function reducetogray boolean getextensions function reporterror function	N instances		processplugins	function
format_numberfunctionpushvariablefunctionformat_stringfunctionpushvariablesfunctionformatnumberfunctionquickanddirtyfunctiongetclippathfunctionreducetograybooleangetextensionsfunctionreporterrorfunction	F process		processspecial	function
format_stringfunctionpushvariablesfunctionformatnumberfunctionquickanddirtyfunctiongetclippathfunctionreducetograybooleangetextensionsfunctionreporterrorfunction	format	function	properties	table
formatnumber function quickanddirty function getclippath function reducetogray boolean getextensions function reporterror function	format_number	function	pushvariable	function
getclippathfunctionreducetograybooleangetextensionsfunctionreporterrorfunction	format_string	function	pushvariables	function
getextensions function reporterror function	formatnumber	function	quickanddirty	function
	getclippath	function	reducetogray	boolean
getjobdata function reset function	getextensions	function	reporterror	function
	getjobdata	function	reset	function

resetlastlog	function	F get	
resetplugins	function	F reset	
runscript	function	F set	
scripterror	function	F setfrombuffer	
setextensions	function	texerrors	boolean
setoutercolor	function	texexp	function
settext	function	textextsdata	function
setvariable	function	theclippath	function
showlog	boolean	totable	function
simple	function	unload	function
svformat	function	untagvariable	function
tex	table	variables	table

mime (extra lua)

b64	function	qp	function
decode	function	qpwrp	function
decodet	table	stuff	function
F base64		unb64	function
F quoted-	printable	unqp	function
dot	function	wrap	function
encode	function	wrapt	table
encodet	table	F base64	
F base64		F defaul	t
F quoted-	printable	F quoted	-printable
eol	function	F text	
normalize	function	wrp	function

mp (context)

BackSpace	function	OuterMarginWidth	function
BaseLineSkip	function	OverlayDepth	function
BodyFontSize	function	OverlayHeight	function
BottomDistance	function	OverlayLineWidth	function
BottomHeight	function	OverlayOffset	function
BottomSpace	function	OverlayWidth	function
CurrentColumn	function	PageDepth	function
CurrentHeight	function	PageFraction	function
CurrentWidth	function	PageNumber	function
CutSpace	function	PageOffset	function
EmWidth	function	PaperBleed	function
ExHeight	function	PaperHeight	function
FooterDistance	function	PaperWidth	function
FooterHeight	function	PrintPaperHeight	function
HSize	function	PrintPaperWidth	function
HeaderDistance	function	RealPageNumber	function
HeaderHeight	function	RightEdgeDistance	function
InPageBody	function	RightEdgeWidth	function
InnerEdgeDistance	function	RightMarginDistance	function
InnerEdgeWidth	function	RightMarginWidth	function
InnerMarginDistance	function	SpineWidth	function
InnerMarginWidth	function	StrutDepth	function
LastPageNumber	function	StrutHeight	function
LayoutColumnDistance	function	TextHeight	function
LayoutColumnWidth	function	TextWidth	function
LayoutColumns	function	TopDistance	function
LeftEdgeDistance	function	TopHeight	function
LeftEdgeWidth	function	TopSkip	function
LeftMarginDistance	function	TopSpace	function
LeftMarginWidth	function	VSize	function
LineHeight	function	_f_	function
MakeupHeight	function	_get_count_	function
MakeupWidth	function	_get_dimen_	function
NOfColumns	function	_get_toks_	function
NOfPages	function	_set_count_	function
NamedColor	function	_set_dimen_	function
OnOddPage	function	_set_toks_	function
OnRightPage	function	boolean	function
OuterEdgeDistance	function	dataset	function
OuterEdgeWidth	function	datasets	table
OuterMarginDistance	function	F load	

defaultcolormodel	function	positionbox	function
dimensions	function	positioncurve	function
disposehash	function	positionpage	function
format	function	positionpath	function
formatted	function	positionpxy	function
fprint	function	positionregion	function
get	table	positionwhd	function
F boolean		positionxy	function
F number		prefix	function
F numeric		print	function
F string		quadruple	function
get_outline_text	function	quoted	function
getcount	function	report	function
getdimen	function	setcount	function
gettoks	function	setdimen	function
graphformat	function	settoks	function
inhash	function	size	function
integer	function	systemmode	function
isarray	function	tb_dimensions	function
mode	function	texstr	function
n	function	texvar	function
newhash	function	tohash	function
numeric	function	triplet	function
pair	function	tt_dimensions	function
path	function	tt_initialize	function

function

positionanchor

mplib (extra tex)

fields function
finder function
finders table

F file

get_boolean function
get_number function

get_numeric function
get_string function

new overloaded function

pen_info function
preprocessed function
version function

noads (context)

handlers	table	F tags	
F alternates		F unscript	
F autofences		F variants	
F classes		process	function
F collapse		processnested	function
F domains		processors	table
F families		T autofences	
F italics		T collapse	
F kernpairs		F mlist_to_hlis	st
F makeup		T relocate	
F relocate		T render	
F render		T resize	
F resize		T unscript	
F showtree		processouter	function

node (basic tex)

F getlang

check discretionaries function F getleader check discretionary function F getlist copy function F getnext copy list function F getnucleus function count F getoffsets function current attr F getpenalty dimensions function F getprev direct table F getproperty F getshift F check discretionaries F check discretionary F getsub F copy F getsubtype F copy list F aetsup F getwhd F count F current attr F getwidth F dimensions F has attribute F has field F effective glue F end_of_math F has_glyph F find attribute F hpack F first glyph F insert after F flush list F insert before F flush node F is_char F flush_properties_table F is direct F free F is glyph F is node F get attribute F get properties table F is zero glue F get synctex fields F kerning F getattributelist F last node F getboth F length F aetbox F ligaturing F getchar F new F getcomponents F protect_glyph F getdepth F protect glyphs F getdir F protrusion skippable F getdisc F rangedimensions F getfield F remove F getfont F set attribute F getglue F set properties mode F getheight F set_synctex_fields F setattributelist F getid F getkern F sethoth

F setbox

F setchar		find_attribute	function
F setcomponents		first_glyph	function
F setdepth		fix_node_lists	function
F setdir		flush_list	function
F setdisc		flush_node	function
F setfield		flush_properties_table	function
F setfont		free	function
F setglue		get_attribute	function
F setheight		get_properties_table	function
F setkern		getboth	function
F setlang		getchar	function
F setleader		getdisc	function
F setlink		getfield	function
F setlist		getfont	function
F setnext		getglue	function
F setnucleus		getid	function
F setoffsets		getleader	function
F setpenalty		getlist	function
F setprev		getnext	function
F setproperty		getprev	function
F setshift		getproperty	function
F setsplit		getsubtype	function
F setsub		getwhd	function
F setsubtype		has_attribute	function
F setsup		has_field	function
F setwhd		has_glyph	function
F setwidth		hpack	function
F slide		id	function
F tail		insert_after	function
F todirect		insert_before	function
F tonode		is_char	function
F tostring		is_glyph	function
F traverse		is_node	function
F traverse_char		is_zero_glue	function
F traverse_id		kerning	function
F unprotect_glyphs		last_node	function
F unset_attribute		length	function
F usedlist		ligaturing	function
F vpack		mlist_to_hlist	function
F write		new	function
effective_glue	function	next	function
end_of_math	function	prev	function
family_font	function	protect_glyph	function
fields	function	protect_glyphs	function

protrusion_skippable	function	subtypes	function
rangedimensions	function	tail	function
remove	function	tostring	function
set_attribute	function	traverse	function
set_properties_mode	function	traverse_char	function
set_synctex_line	function	traverse_id	function
set_synctex_mode	function	type	function
set_synctex_tag	function	types	function
setfield	function	unprotect_glyphs	function
setglue	function	unset_attribute	function
setproperty	function	usedlist	function
setwhd	function	vpack	function
slide	function	whatsits	function
subtype	function	write	function

nodes (context)

fencecodes

accentcodes	data table	fields	function
aligned	function	fillcodes	data table
append	function	find_attribute	function
apply	function	first_glyph	function
astable	function	firstcharacter	function
basepoints	function	firstcharinbox	function
boundarycodes	data table	firstdirinbox	function
boxes	table	firstglyph	function
F dimensions		flush	function
F direct		flush_list	function
F found		flush_node	function
F reset		free	function
F restore		fullhpack	function
F save		getbox	function
builders	table	getchar	function
F buildpage_filter		getdisc	function
F vpack_filter		getfield	function
check_discretionaries	function	getfont	function
codes	data table	getglue	function
concat	function	getid	function
сору	function	getleader	function
copy_list	function	getlist	function
copy_node	function	getnext	function
count	function	getprev	function
countall	function	getsubtype	function
current_attr	function	getwhd	function
delete	function	gluecodes	data table
destinations	table	glyphcodes	data table
N attribute		glyphdir_is_equal	data table
T done		glyphdir_is_opposite	data table
F handler		glyphdir_is_orthogonal	data table
T stack		handlers	table
dimensionfields	data table	F accessibility	
dimensions	function	F alignbackgrounds	
dir_is_pop	data table	F backgrounds	
dir_negation	data table	F characters	
disccodes	data table	F checkforleaks	
discretionarycodes	data table	F checkglyphs	
effective_glue	function	F cleanupbox	
end_of_math	function	F cleanuppage	
_			

F export

data table

F finalize		isglyph	function
F flatten		kerncodes	data table
F flattenline		kerning	function
F migrate		keys	table
F protectglyphs		T whatsit	
F stripping		last_node	function
F textbackgrounds		leadercodes	data table
F unprotectglyphs		leftmarginwidth	function
has_attribute	function	length	function
has_field	function	ligaturing	function
has_glyph	function	linefillers	table
hpack	function	D data	
idstostring	function	F define	
ignorablefields	data table	F enable	
injections	table	F handler	
F copy		lines	table
F getligaindex		T boxed	
F getthreshold		F register	
F handler		F setup	
F installnewkern		F stage_one	
F isspace		F stage_two	
F keepcounts		D data	
F reset		F finalize	
F resetcounts		F number	
F setcursive		N scratchbox	
F setkern		link	function
F setligaindex		linked	function
F setmark		list	function
F setpair		listablefields	data table
F setspacekerns		listcodes	data table
insert_after	function	listtoutf	function
insert_before	function	load	function
insert_list_after	function	locate	function
installattributehandler		margincodes	data table
is_char	function	marginkerncodes	data table
is_direct	function	markers	table
is_display_math	function	F get	
is_glyph	function	mathcodes	data table
is_mirrored	data table	maxboxwidth	function
is_node	function	mlist_to_hlist	function
is_nut	function	new	function
is_rotated	data table	noadcodes	data table
is_zero_glue	function	noadoptions	table
ischar	function	N axis	

N exact F getattribute N left F getattributelist N middle F getattrlist N no axis F getboth N right F getbox N set F getchar N unused 1 F getcomponents N unused 2 F getdepth nodecodes data table F getdir nopts function F getdisc table nuts F getdiscretionary F append F getfield F apply F getfont F applyvisuals F getglue F check discretionaries F getheight F concat F getid F copy F getkern F copy list F getlang F getlanguage F copy no components F copy node F getleader F copy_only_glyphs F aetlist F copy_properties F getnext F copyvisual F getnucleus F getoffsets F count F count components F getpenalty F countall F getprev F current_attr F getprop F delete F getshift F getsub F dimensions F effective_glue F getsubtype F end_of_math F getsup F find attribute F getsurround F first glyph F getwhd F firstcharacter F getwidth F firstcharinbox F has attribute F firstglyph F has field F has_glyph F flush F flush_list F hpack F flush node F insert_after F free F insert_before F fullhpack F insert_list_after F is_char F get_components F is direct F get synctex fields F getattr F is_display_math

F is glyph F pdfrestore F is_node F pdfsave F is_nut F pdfsetmatrix F is zero glue F penalty F ischar F register F rightmarginkern F isqlyph F kernina F rightskip F last node Frule F shrink F leftmarginwidth F length F special F ligaturing F stretch F temp F link F linked F textdir F locate F usage F mlist to hlist F userattributes F nestedtracedslide T userids F new N margins.inline T pool N property F baselineskip N splitters.one F boundary N splitters.two F cleanup F userlist F disc F userlua F emptyrule F usernumber F fontkern F userrule F glue F userstring F gluespec F usertokens F vlist F glyph F hlist F wordboundary F italickern F prepend F kern F protect_glyph F latelua F protect_glyphs F lateluafunction F protrusion skippable F leftmarginkern F rangedimensions F leftskip F rawprop F lineskip F reference F negatedglue F rehpack F noad F remove F pdfannotation F repackhlist F pdfdestination F replace F pdfdirectliteral F rightmarginwidth F pdfliteral F set_attribute F pdforiginliteral F set_components F pdfpageliteral F set synctex fields

F setattr

F pdfrawliteral

F setattribute F take components F setattributelist F takeattr F setattributes F takebox F setattrlist F takelist F setboth F theprop F setbox F tonode F setchar F tonodes F setcomponents F tonut F setdepth F tosequence F setdir F tostring F setdisc F tracedslide F setdiscretionary F traverse F setfield F traverse char F setfont F traverse id F setglue T typesetters F setheight F tohbox F setkern F tohpack F tonodes F setlang F tovbox F setlanguage F setleader F tovpack F setlink F unprotect_glyphs F setlist F unset attribute F setnext F unsetattribute F setnucleus F unsetattributes F setoffsets F untracedslide F setpenalty F use components F usedlist F setprev F setprop F vianodes F setshift F vianuts F setsplit F vpack F write F setsub packlist function F setsubtype F setsup pardir is equal data table pardir is opposite data table F setsurround pardir is parallel data table F setunsetattributes partextdir_is_equal data table F setvisual F setvisuals penaltycodes data table table F setwhd plugindata F setwidth F finalizer F slide F initializer F somepenalty S name F somespace T namespace F splitbox N attribute F tail D data

F enable		T data	
F handler		F delayed	
F register		protect_glyph	function
D registered		protect_glyphs	function
D values		protrusion_skippable	function
F processor		pts	function
ooints	function	radicalcodes	data table
oool	table	rangedimensions	function
F baselineskip		reference	function
F cleanup		references	table
F glyph		N attribute	
F hlist		T done	
F kern		F handler	
F latelua		T stack	
F lineskip		rehpack	function
F pdfdirect		remove	function
F pdfliteral		repackhlist	function
F pdforiginliteral		replace	function
F pdfrestore		report	function
F pdfsave		rightmarginwidth	function
F pdfsetmatrix		rulecodes	data table
F register		rules	table
F rule		D data	
F special		F define	
F usage		F enable	
F usernumber		F handler	
F vlist		T ruleactions	
repend	function	F draw	
orint	function	F fill	
rocessors	table	F mp	
F contribute_filter		F stroke	
B enabled		F userrule	
F hpack_filter		save	function
F post_linebreak_filter		serialize	function
F pre_linebreak_filter		serializebox	function
F tracer		set_attribute	function
processranges	function	set_synctex_line	function
processwords	function	set_synctex_tag	function
properties	table	setattributes	function
T actions		setboth	function
F delayed		setbox	function
F fdelayed		setboxtonaturalwd	function
F immediate		setfield	function
F attach		setglue	function

setlink	function	F prependaction	
setlist	function	F removeaction	
setnext	function	F replaceaction	
setprev	function	F restart	
setunsetattributes	function	F setaction	
setwhd	function	F showactions	
shifts	table	F table	
D data		textdir_is_equal	data table
F define		textdir_is_is	data table
F enable		textdir_is_opposite	data table
F handler		textdir_is_parallel	data table
show	function	tobasepoints	function
showboxes	function	tocentimeters	function
showcodes	function	tociceros	function
showlist	function	todidots	function
showsimplelist	function	todimen	function
skipcodes	data table	toinches	function
slide	function	tomillimeters	function
snapshots	table	tonewciceros	function
F getparameters		tonewdidots	function
F getsamples		tonode	function
F resetsamples		tonodes	function
F takesample		tonut	function
somepenalty	function	topicas	function
somespace	function	topoints	function
splitbox	function	toscaledpoints	function
stripdiscretionaries	function	tosequence	function
stripping	table	tostring	function
T glyphs		totable	function
F set		totree	function
striprange	function	toutf	function
tail	function	tracers	table
takeattr	function	T characters	
takebox	function	F collect	
tasks	table	F equal	
F actions		F start	
F appendaction		F string	
F disableaction		F unicodes	
F disablegroup		T colors	
F enableaction		F reset	
F enablegroup		F set	
F freeze		F setlist	
F freezegroup		F fontchar	
F new		T frequencies	

F register	traverse_id	function
T pool	typesetters	table
T nodes	F hbox	
F rule	F hpack	
T nuts	F tohbox	
F rule	F tohpack	
F resetproperties	F tonodes	
F rule	F tovbox	
F setlist	F tovpack	
F setproperties	F vpack	
F start	unprotect_glyphs	function
T steppers	unset_attribute	function
F check	unsetattribute	function
F codes	unsetattributes	function
F features	usedlist	function
F font	usercodes	data table
F glyphs	vianodes	function
F message	vianuts	function
F messages	visualizebox	function
F nofsteps	visualizers	table
F register	F box	
F reset	F handler	
F start	F markfonts	
F stop	F setfont	
F stop	F setlayer	
T transparencies	F setvisual	
F reset	vpack	function
F set	whatcodes	data table
F setlist	whatsitcodes	data table

function

function

traverse_char

traverse

write

function

number (context)

	function	tobasepoints	function
basepoints	function	tobitstring	function
bit	function	tocentimeters	function
bits	function	tociceros	function
bytetodecimal	function	tocontext	function
clearbit	function	todidots	function
decimaltobyte	function	todimen	function
dimenfactors	data table	toevenhex	function
formatted	function	toinches	function
formattedfloat	function	tomillimeters	function
hasbit	function	tonewciceros	function
maxdimen	number	tonewdidots	function
nopts	function	tonumberf	function
percent	function	tonumberg	function
points	function	topicas	function
pts	function	topoints	function
setbit	function	toscaled	function
signed	function	toscaledpoints	function
sparseexponent	function	toset	function
splitdimen	function	valid	function

objects (context)

data	table	page	function
dimensions	function	reference	function
found	function	register	function
n	number	restore	function

os (basic lua)

getenv	function	remove	overloaded function
setenv	function	rename	overloaded function
binsuffix	string	resolvers	table
binsuffixes	table	F bits	
clock	function	resultof	function
converttime	function	runtime	function
date	function	selfdir	string
difftime	function	setenv	overloaded function
env	data table	setlocale	overloaded function
exec	overloaded function	sleep	function
execute	overloaded function	spawn	overloaded function
exit	function	time	function
fulltime	function	times	function
getenv	overloaded function	timezone	function
gettimeofday	function	tmpdir	function
isleapyear	function	tmpname	function
launch	function	today	function
libsuffix	string	type	string
localtime	function	uname	function
name	string	uuid	function
newline	string	validdate	function
nofdays	function	weekday	function
now	function	where	function
pipeto	function	which	function
platform	string		

package (basic lua)

config	string
cpath	string
extralibpath	function
extralibpaths	function
extraluapath	function
extraluapaths	function
helpers	table
libpaths	function
loaded	table

loaders	table
loadlib	function
luapaths	function
path	string
preload	table
searchers	table
searchpath	function
seeall	function

pagebuilders (context)

columnsets tab	le F sethsize
F add	F sethspan
F block	F setlines
F check	
	F setproperties
F currentcolumn	F setstart
F define	F setvsize
F finishflush	injections table
F flushareas	F flushafter
F flushcolumn	F flushbefore
F flushrest	F save
F goto	mixedcolumns table
F noto	F cleanup
F prepareflush	F finalize
F put	F getlist
F registerarea	F getrest
F reset	F getsplit
F setarea	F setsplit

pdf (basic tex)

fontname	function	immediateobj	function
fontobjnum	function	mapfile	function
fontsize	function	mapline	function
getcatalog	function	maxobjnum	function
getcompresslevel	function	newcolorstack	function
getcompressievet	function	obi	function
getdecimaldigits	function	objtype	function
getdestmargin	function		function
getgestmargin	function	pageref print	function
5 5	function	•	function
gethpos getignoreunknownimages	function	refobj registerannot	overloaded function
getimageresolution	function		function
-	function	reserveobj	
getinclusionerrorlevel		setcatalog	overloaded function function
getinfo	function	setcompresslevel	
getlastannot	function	setdecimaldigits	function
getlastlink	function	setdestmargin	function
getlastobj	function	setfontattributes	function
getlinkmargin	function	setgentounicode	function
getmajorversion	function	setignoreunknownimages	function
getmatrix	function	setimageresolution	function
getminorversion	function	setinclusionerrorlevel	function
getnames	function	setinfo	overloaded function
getobjcompresslevel	function	setlinkmargin	function
getomitcidset	function	setmajorversion	function
getorigin	function	setminorversion	function
getpageattributes	function	setnames	overloaded function
getpageresources	function	setobjcompresslevel	function
getpagesattributes	function	setomitcidset	function
getpkresolution	function	setorigin	function
getpos	function	setpageattributes	overloaded function
getretval	function	setpageresources	overloaded function
getsuppressoptionalinfo	function	setpagesattributes	overloaded function
getthreadmargin	function	setpkresolution	function
gettrailer	function	setsuppressoptionalinfo	function
gettrailerid	function	setthreadmargin	function
getversion	function	settrailer	overloaded function
getvpos	function	settrailerid	function
getxformattributes	function	setxformattributes	function
getxformmargin	function	setxformmargin	function
getxformresources	function	setxformresources	function
hasmatrix	function	xformname	function

pdfscanner (context)

scan function

physics (context)

units table

F registerunit

D tables

publications (context)

addtexentry	function	S author
analyze	function	T categories
anywhere	function	T article
authorcache	data table	S category
authorcollapsers	data table	T extra
authorhashers	table	T fields
F invertedshort		S author
F normal		S editor
F normalinverted		S journal
F normalshort		S keywords
F short		S number
authormap	data table	S pages
authortoregister	function	S title
casters	table	S volume
F author		S year
F keyword		T optional
F pagenumber		T required
F range	_	T sets
checkeddataset	function	T author
citevariants	table	T virtual
F author		T book
F authornum		S category
F authoryear		T extra
F authoryears		T fields
F category		S address
F default		S author
F entry		S edition
F index		S editor
F keywords		S keywords
F num		S number
F page		S publisher
F short		S subtitle
F tag		S title
F textnum		S volume
F year		S year
collected	data table	T optional
components	table	T required
F author		T sets
concatstate	function	T author
converttoxml	function	T editionset
currentspecification	table	T virtual

T demo-a	T virtualfields	
S category	B authornum	
T extra	B authoryear	
T fields	B authoryears	
S author	B num	
S institution	B suffix	
S organization	datasets	table
S subtitle	detailed	table
S title	endnotes_to_btx	function
S year	enhancer	table
T optional	S arguments	
T required	T askip	
T sets	B dirty	
T author	T gskip	
T virtual	T kind	
T demo-b	T list	
S category	T system	
T extra	T order	
T fields	enhancers	table
S author	F details	
S institution	F order	
S organization	F suffixes	
S subtitle	finder	function
S title	firstofrange	function
S year	found	function
T optional	get	function
T required	getcasted	function
T sets	getdetail	function
T authors	getdirect	function
T virtual	getfaster	function
S comment	getfield	function
S copyright	getfuzzy	function
T fields	getindex	function
S name	inspectors	data table
T types	journals	table
S author	F abbreviated	
S editor	F add	
S keywords	F expanded	
S number	F load	
S page	F save	
S pages	lastofrange	function
S volume	lists	table
S version	F collectentries	
D virtual	F combiinlist	

F fetchentries		okay	function
F filterall		oneorrange	function
F flushcombi		parenttag	function
F flushentry		permitted	function
T methods		refman_to_btx	function
F dataset		resolvedname	function
F force		save	function
F global		search	function
F local		setcategory	function
F nofregistered		setspecification	function
F prepareentries		singularorplural	function
F register		sortedentries	function
F sameasprevious		sortmethods	table
T sorters		T authoryear	
F cite		T sequence	
F dataset		specifications	table
F default		T default	
F index		S author	
F list		S comment	
F reference		S copyright	
F short		S name	
F used		S version	
F uservariable		D virtual	
listvariants	table	splitauthor	function
listvariants F default	table	splitoneauthor	function function
	table		
F default	table	splitoneauthor	function
F default F index	table	splitoneauthor statistics	function
F default F index F num	table	splitoneauthor statistics N nofbytes	function
F default F index F num F page F short F tag		splitoneauthor statistics N nofbytes N nofdatasets N nofdefinitions N nofshortcuts	function table
F default F index F num F page F short F tag load	function	splitoneauthor statistics N nofbytes N nofdatasets N nofdefinitions	function
F default F index F num F page F short F tag load	function function	splitoneauthor statistics N nofbytes N nofdatasets N nofdefinitions N nofshortcuts	function table
F default F index F num F page F short F tag load loadbibdata loaddefinitionfile	function function function	splitoneauthor statistics N nofbytes N nofdatasets N nofdefinitions N nofshortcuts tables	function table
F default F index F num F page F short F tag load	function function	splitoneauthor statistics N nofbytes N nofdatasets N nofdefinitions N nofshortcuts tables D implicits	function table
F default F index F num F page F short F tag load loadbibdata loaddefinitionfile	function function function	splitoneauthor statistics N nofbytes N nofdatasets N nofdefinitions N nofshortcuts tables D implicits D origins	function table
F default F index F num F page F short F tag load loadbibdata loaddefinitionfile loaders	function function function	splitoneauthor statistics N nofbytes N nofdatasets N nofdefinitions N nofshortcuts tables D implicits D origins D privates	function table
F default F index F num F page F short F tag load loadbibdata loaddefinitionfile loaders F bbl	function function function	splitoneauthor statistics N nofbytes N nofdatasets N nofdefinitions N nofshortcuts tables D implicits D origins D privates D sets	function table
F default F index F num F page F short F tag load loadbibdata loaddefinitionfile loaders F bbl F bib	function function function	splitoneauthor statistics N nofbytes N nofdatasets N nofdefinitions N nofshortcuts tables D implicits D origins D privates D sets D specials	function table
F default F index F num F page F short F tag load loadbibdata loaddefinitionfile loaders F bbl F bib F buffer	function function function	splitoneauthor statistics N nofbytes N nofdatasets N nofdefinitions N nofshortcuts tables D implicits D origins D privates D sets D specials D types D virtuals tags	function table table
F default F index F num F page F short F tag load loadbibdata loaddefinitionfile loaders F bbl F bib F buffer F endnote F lua F refman	function function function	splitoneauthor statistics N nofbytes N nofdatasets N nofdefinitions N nofshortcuts tables D implicits D origins D privates D sets D specials D types D virtuals	function table
F default F index F num F page F short F tag load loadbibdata loaddefinitionfile loaders F bbl F bib F buffer F endnote F lua	function function function	splitoneauthor statistics N nofbytes N nofdatasets N nofdefinitions N nofshortcuts tables D implicits D origins D privates D sets D specials D types D virtuals tags tracers F showdatasetauthors	function table table
F default F index F num F page F short F tag load loadbibdata loaddefinitionfile loaders F bbl F bib F buffer F endnote F lua F refman F registercleaner F xml	function function function table	splitoneauthor statistics N nofbytes N nofdatasets N nofdefinitions N nofshortcuts tables D implicits D origins D privates D sets D specials D types D virtuals tags tracers	function table table
F default F index F num F page F short F tag load loadbibdata loaddefinitionfile loaders F bbl F bib F buffer F endnote F lua F refman F registercleaner	function function function	splitoneauthor statistics N nofbytes N nofdatasets N nofdefinitions N nofshortcuts tables D implicits D origins D privates D sets D specials D types D virtuals tags tracers F showdatasetauthors	function table table

F showfields

F showhashedauthors

F showtables

F showvariants

typesetters

table

F author F string usedataset usedentries writers

F author

F keyword

F pagenumber

F range

function
function
table

regimes (context)

cleanup	function
disable	function
enable	function
fromregime	function
рор	function

process function
push function
toregime function
translate function

resolvers (context)

allprefixes	function	findtexfile	function
appendhash	function	findwildcardfile	function
automount	function	findwildcardfiles	function
automounted	table	formatofsuffix	function
booleanvariable	function	formatofvariable	function
cacheversion	string	formats	data table
checkedvariable	function	generators	data table
cleanedpathlist	function	get_from_content	function
cleanpath	function	getenv	function
cleanpathlist	function	getownpath	function
concatinators	data table	getreadfilename	function
configbanner	string	hashers	data table
criticalvars	data table	homedir	string
dangerous	data table	inputstack	table
datastate	function	installinputfilehandler	function
defaultsuffixes	table	installinputlinehandler	function
dowithfilesandreport	function	instance	table
dowithfilesintree	function	D data	
dowithpath	function	B diskcache	
dowithvariable	function	D environment	
env	function	D expansions	
executers	table	D fakepaths	
expandbraces	function	D files	
expandedpathfromlist	function	B force_suffixes	
expandedpathlist	function	D found	
expandedpathlistfromvariable	function	D foundintrees	
expandpath	function	D hashed	
expandpathfromvariable	function	D hashes	
expansion	function	D lists	
extendtexmfvariable	function	B loaderror	
filtered_from_content	function	D order	
find_file	function	D pathlists	
find_files	function	T pathstack	
findbinfile	function	B remember	
findctxfile	function	B renewcache	
finders	data table	B renewtree	
findfile	function	B savelists	
findfiles	function	D setups	
findgivenfile	function	D specification	
findgivenfiles	function	D variables	
findpath	function	jobpath	function

jobs	table	pushpath	function
F currentcomponent		registerextrapath	function
F currentenvironment		registerfile	function
F currentproduct		registerfilehash	function
F currentproject		registerintrees	function
F justacomponent		registermethod	function
D processors		registerzipfile	function
F productcomponent		relations	data table
F usefile		renew	function
joinpath	function	repath	function
load	function	reset	function
loadbinfile	function	resetextrapath	function
loaders	data table	resetmemstream	function
loadlualib	function	resetresolve	function
loadtexfile	function	resolve	function
loadtime	function	savers	data table
locateformat	function	scandata	function
locators	data table	scanfiles	function
luacnffallback	string	schemes	table
luacnfname	string	T cleaners	
luacnfspec	string	F md5	
luacnfstate	string	F none	
macros	table	F strip	
F convertfile		F cleanname	
F decodecomment		F fetchstring	
F enablecomment		F fetchtable	
F encodecomment		F install	
F preprocessed		setdynamic	function
F processmk		setenv	function
F processmkvi		setinstance	function
F version		setmemstream	function
maxreadlevel	number	showpath	function
methodhandler	function	simplescanfiles	function
newinstance	function	splitconfigurationpath	function
openbinfile	function	splitexpansions	function
openers	data table	splitmethod	function
openfile	function	splitpath	function
opentexfile	function	stackpath	function
ownpath	string	suffixes	data table
popextrapath	function	suffixmap	data table
poppath	function	suffixofformat	function
prefixes	data table	texdatablob	function
prependhash	function	toppath	function
pushextrapath	function	unexpandedpath	function

unexpandedpathlist	function	usezipfile	function
unresolve	function	validatedpath	function
updaterelations	function	variable	function
updatescript	function	variableofformat	function
uselibrary	function	variableofformatorsuffix	function
usertypes	data table	wildcardpattern	function

sandbox (context)

disablelibraries	function	possiblepath	function
disablerunners	function	redefine	function
enable	function	register	function
filehandlerone	function	registerbinary	function
filehandlertwo	function	registerlibrary	function
finalizer	function	registerroot	function
getrunner	function	registerrunner	function
initializer	function	report	function
iohandler	function	setfilenamelogger	function
logcalls	function	setlogger	function
logfiles	function	setreporter	function
original	function	settrace	function
overload	function	validfilename	function

scripts (context)

autofontfeature table

F disable

F enable

F handler

N inter_char_half_shrink_factor

N inter_char_half_stretch_factor

N inter_char_hangul_penalty

N inter_char_quarter_shrink_factor

N inter_char_quarter_stretch_factor

N inter_char_shrink_factor

N inter_char_stretch_factor

N inter_word_stretch_factor

handlers data table table hash iniectors data table installdataset function installmethod function numbertocategory data table numbertodataset data table numbertohandler data table reset function function set data table splitters

set (context)

contains function
create function
tolist function

tonumber function
totable function

sio (context)

read2dot14	function	readfixed2	function
readbytes	function	readfixed4	function
readbytetable	function	readinteger1	function
readcardinal1	function	readinteger2	function
readcardinal2	function	readinteger3	function
readcardinal3	function	readinteger4	function
readcardinal4	function		

socket (extra lua)

BLOCKSIZE number S connection boolean DEBUG S content-description SETSIZE number S content-disposition bind function S content-encoding function choose S content-id function connect S content-language connect4 function S content-length function connect6 S content-location dns table S content-md5 F getaddrinfo S content-range F gethostname S content-transfer-encoding F getnameinfo S content-type F tohostname S date F toip S diagnostic-code ftp table S dsn-gateway S PASSWORD S etag N PORT S expect N TIMEOUT S expires S USER S final-log-id S final-recipient F command F get S from F open S host F put S if-match gettime function S if-modified-since headers table S if-none-match T canonic S if-range S accept S if-unmodified-since S accept-charset S in-reply-to S accept-encoding S keywords S accept-language S last-attempt-date S accept-ranges S last-modified S action S location S max-forwards S age S allow S message-id S alternate-recipient S mime-version S original-envelope-id S arrival-date S authorization S original-recipient S bcc S pragma S cache-control S proxy-authenticate Scc S proxy-authorization S comments S range

S received	protect	function
S received-from-mta	select	function
S references	sink	function
S referer	sinkt	table
S remote-mta	F close-	when-done
S reply-to	F defaul	t
S reporting-mta	F http-c	hunked
S resent-bcc	F keep-o	pen
S resent-cc	skip	function
S resent-date	sleep	function
S resent-from	smtp	table
S resent-message-id	S DOMAIN	
S resent-reply-to	N PORT	
S resent-sender	S SERVER	
S resent-to	N TIMEOU	Т
S retry-after	S ZONE	
S return-path	F messag	e
S sender	F open	
S server	F send	
S smtp-remote-recipient	source	function
S status	sourcet	table
S subject	F by-len	gth
S te	F defaul	t
S to	F http-c	hunked
S trailer	F until-	
S transfer-encoding	tcp	function
S upgrade	tcp6	function
S user-agent	tp	table
S vary	N TIMEOU	Т
S via	F connec	
S warning	try	function
S will-retry-until	udp	function
S www-authenticate	udp6	function
S x-mailer	url	table
http table	F absolu	te
N PORT	F build	
N TIMEOUT	F build_	path
S USERAGENT	F escape	
F open	F parse	
Frequest	F parse_	
newtry function	F unesca	pe

sorters (context)

basicsorter function
comparers table
 F basic

constants table

S defaultdigits
S defaultlanguage
S defaultmethod
N digitsmaximum
N digitsoffset
N ignoredoffset

N replacementoffset

T validmethods

B ch
B mc
B mm
B pc

B pm
B uc
B zc
B zm

definitions data table
firstofsplit function
packch function
packuc function
setlanguage function
sort function
splitters table

Futf

strip function
tracers data table
update function

statistics (context)

checkfmtstatus	function	resettiming	function
elapsed	function	runtime	function
elapsedindeed	function	savefmtstatus	function
elapsedseconds	function	show	function
elapsedtime	function	starttiming	function
enable	boolean	stoptiming	function
formatruntime	function	threshold	number
hastiming	function	timed	function
memused	function	tracefunction	function
register	function		

status (basic tex)

list function
resetmessages function

storage (context)

allocate	function
data	table
mark	function
marked	function
max	number
min	number
nofmodules	number

streams (context)

collect	function	push	function
disable	function	start	function
enable	function	stop	function
flush	function	synchronize	function
initialize	function		

string (basic lua)

autodouble	function	nspaces	table
autosingle	function	optionalquoted	function
booleanstring	function	quote	function
byte	function	quoted	function
bytepairs	function	rep	function
bytes	function	replacenewlines	function
bytetable	function	reverse	function
char	function	split	function
characterpairs	function	splitlines	function
characters	function	splitup	function
checkedsplit	function	strip	function
collapsespaces	function	sub	function
count	function	tformat	function
dump	function	toHEX	function
escapedpattern	function	toboolean	function
explode	function	tobytes	function
find	function	tocontext	function
format	function	todec	function
formatter	function	todimen	function
formatters	function	tohex	function
fullstrip	function	tonodes	function
gmatch	function	topattern	function
gsub	function	totable	function
is_boolean	function	toutf	function
is_empty	function	tracedchar	function
itself	function	tracedchars	table
len	function	unquote	function
limit	function	unquoted	function
longtostring	function	upper	function
lower	function	utfcharacters	function
match	function	utfvalues	function
nospaces	function	valid	function

structures (context)

atlocation	function	F previous	
blocks	table	F raw	
D collected		F record	
F define		F reset	
F print		F restart	
F save		F restore	
F select		F save	
F setstate		F set	
D states		F setlevel	
D tobesaved		F setoffset	
bookmarks	table	F setown	
T extras		F setstate	
F get		F setvalue	
F mergesections		T specials	
F register		F userpage	
F reset		F subs	
F tosections		D tobesaved	
F finalize		F value	
F flatten		F way	
F installhandler		currentsectionnumber	function
F merge		descriptions	table
S method		documents	table
F overload		D data	
F place		F initialize	
F register		F preset	
F setup		F reset	
counters	table	floats	table
F add		formulas	table
F analyze		helpers	table
F check		F analyze	
D collected		F formulanumber	
F compact		F merged	
F converted		F page	
F currentvalue		F pageofinternal	
D data		F prefix	
F define		F prefixlastpage	
F first		F prefixpage	
F get		F simplify	
F last		F title	
F next		F touserdata	
F prev		inserts	table

D data		F savedlistnumber
F define		F savedlistprefixednumber
F getdata		F savedlisttitle
F getlocation		D sectionblocks
F getname		F sectionnumber
F getnumber		F size
F setlocation		F title
F setup		D tobesaved
D stored		F userdata
itemgroups	table	F uservalue
lists	table	marks table
F addto		D data
F analyze		F define
B autoreorder		F exists
D cached		F fetch
D collected		F fetchallmarks
F discard		F fetched
F enhance		F fetchonemark
T enhancers		F fetchtwomarks
F filter		F get
F formulanumber		F number
F getresult		F relate
F groupindex		F reset
F hasnumberdata		F set
F haspagedata		F show
F hastitledata		F synchronize
F iscached		F title
D kinds		T tracers
F label		F showtable
F location		notes table
D names		F check_spacing
F number		F checkpagechange
D ordered		F define
F page		F doifonsamepageasprevious
F popnesting		F get
F prefix		F getdeltapage
F prefixednumber		F getinternal
F prefixedpage		F getn
F process		F getstate
D pushed		F hascontent
F pushnesting		F internal
F realpage		F internalid
F reordered		F listindex
T result		T numbers

F ordered		F filterdefault
F postpone		D filters
F resetpostponed		D flaginternals
F restore		F from
F save		D functions
F setstate		F get
D states		F getcurrentmetadata
F store		F getcurrentprefixspec
pages	table	F getinnermethod
F analyze		F getinternalcachedlistreference
D collected		F getinternallistreference
F in_body		F getinternalreference
F is_odd		D handlers
N nofpages		F identify
F number		F import
F on_right		F inject
F save		F injectcurrentset
D tobesaved		S innermethod
references	table	D internals
F analyze		F load
F checkedfile		F loadpresets
F checkedfileorurl		F mark
F checkedprogram		D pages
F checkedrealpage		U prefixsplitter
F checkedurl		D productdata
D collected		T programs
U componentsplitter		T data
F currentmetadata		F define
F currentorder		F get
D currentset		F realpageofpage
F define		U referencesplitter
D defined		D referred
D derived		F referredpage
F enableinteraction		F registerfinalizer
F enhance		F registerinitializer
D executers		F registerpage
F expandcurrent		F reportproblems
F export		F reset
T files		D runners
T data		F set
F define		F setandgetattribute
F found		F setcomponent
F get		F setinnermethod
F filter		F setinternalreference

F setnextinternal		F	flush	
F setnextorder		F	get	
F setreferencerealpage		F	prepare	
D specials		F	process	
F splitcomponent		F	setmethod	
F splitprefix		F	sort	
F splitreference		F	store	
F synchronizepage		D	tobesaved	
T testrunners		F	unique	
F inner		F	userdata	
F special		sect	ions	table
F special operation		F	autodepth	
F special operation wi	th arguments	F	cct	
T testspecials		D	collected	
F deltapage		F	current	
Fi		F	currentblock	
F internal		F	currentid	
F page		F	currentlevel	
F realpage		F	currentsectionindex	
F section		F	depthnumber	
F userpage		F	finddata	
D tobereferred		F	findnumber	
D tobesaved		F	fullnumber	
D tracedpages		F	getcurrentlevel	
T urls		F	getlevel	
T data		F	getnumber	
F define		F	internalreference	
F found		D	levelmap	
F get		D	levels	
F untex		F	load	
D usedinternals		F	matchingtilldepth	
D usedviews		F	numberatdepth	
F valid		F	numbers	
registers	table	F	popblock	
F analyze		F	prefixedconverted	
D collected		F	pushblock	
F compare		F	register	
F define			registered	
F enhance			reportstructure	
F extend			save	
F filter			sectionblockdata	
F filtercollected			T bodypart	
F finalize			S bookmark	
F findinternal		F	set	

F setblock		D	tobesaved	
F setchecker		tags		table
F setentry		F	elementtag	
F setinitialblock		F	finishexport	
F setlevel		F	getid	
F setnumber		F	handler	
F structuredata		D	labels	
F title		F	last	
D tobesaved		F	lastinchain	
F typesetnumber		F	locatedtag	
F userdata		Т	patterns	
B verbose			U splitter	
sets	table	D	properties	
F define		F	registermetadata	
F get		F	restart	
F getall		F	setaspect	
D setlist		F	setattributehash	
specials	table	F	setcombination	
D collected		F	setfigure	
F retrieve		F	sethighlight	
F store		F	setitem	
D tobesaved		F	setitemgroup	
synonyms	table	F	setlist	
F analyzed		F	setnotation	
D collected		F	setnotationsymbol	
F compare		F	setproperty	
F define		F	setregister	
F filter			setsorting	
F finalize			setsynonym	
F flush			settablecell	
F isshown			settabulatecell	
F isused			settagdelimitedsymbol	
F meaning			settagsubsentencesymbo	l
F prepare			setupexport	
F process			setuserproperties	
F register			specifications	
F registershown		F	start	
F registerused		F	stop	
F resetshown			strip	
F resetused			taglist	
F sort		Т	usewithcare	
F synonym			T images	

table (basic lua)

allkeys	function	prepend	function
append	function	print	function
are_equal	function	remove	function
autokey	function	reverse	function
collapsed	function	reversed	function
collapsedhash	function	save	function
compact	function	sequenced	function
concat	function	serialize	function
contains	function	setmetatablecall	function
сору	function	setmetatableindex	function
count	function	setmetatablekey	function
derive	function	setmetatablenewindex	function
deserialize	function	sort	function
drop	function	sorted	function
fastcopy	function	sortedhash	function
fastserialize	function	sortedhashkeys	function
filtered	function	sortedhashonly	function
flattened	function	sortedindexonly	function
fromhash	function	sortedkeys	function
getmetatablekey	function	sortedpairs	function
has_one_entry	function	sparse	function
hashed	function	strip	function
identical	function	sub	function
imerge	function	swapped	function
imerged	function	tocontext	function
insert	function	tocsv	function
is_empty	function	tofile	function
is_simple_table	function	tohandle	function
keys	function	tohash	function
load	function	toxml	function
loweredkeys	function	twowaymapper	function
merge	function	unique	function
merged	function	unnest	function
mirrored	function	unpack	function
pack	function	values	function

tex (basic tex)

attribute	table	gettoks	function
badness	function	getuccode	function
box	table	glue	table
catcode	table	hashtokens	function
conditionals	data table	ifs	data table
constants	data table	inicatcodes	number
count	table	init_rand	function
cprint	function	isattribute	function
ctdcatcodes	number	isbox	function
ctxcatcodes	number	iscount	overloaded function
definefont	function	isdefined	function
delcode	table	isdimen	overloaded function
dimen	table	ismuskip	overloaded function
directives	data table	isskip	overloaded function
enableprimitives	function	istoken	function
error	function	istoks	function
extraprimitives	function	lccode	table
finish	function	linebreak	function
fontidentifier	function	lists	table
fontname	function	lua_math_random	function
fprint	function	lua_math_randomseed	function
get	function	luacatcodes	number
getattribute	function	mathcode	table
getbox	function	modes	data table
getboxresourcedimensions	function	muglue	table
getcatcode	function	muskip	table
getcount	function	nest	table
getdelcode	function	nilcatcodes	number
getdelcodes	function	normal_rand	function
getdimen	function	notcatcodes	number
getglue	function	number	function
getlccode	function	primitives	function
getlist	function	print	function
getmath	function	prtcatcodes	number
getmathcode	function	resetparagraph	function
getmathcodes	function	romannumeral	function
getmuglue	function	round	function
getmuskip	function	run	function
getnest	function	saveboxresource	function
getsfcode	function	scale	function
getskip	function	scantoks	function

set	function	skip	table
setattribute	function	sp	function
setbox	function	splitbox	function
setcatcode	function	sprint	function
setcount	function	systemmodes	data table
setdelcode	function	takebox	function
setdimen	function	texcatcodes	number
setglue	function	toks	table
setlccode	function	tpacatcodes	number
setlist	function	tpbcatcodes	number
setmath	function	tprint	function
setmathcode	function	trackers	data table
setmuglue	function	triggerbuildpage	function
setmuskip	function	txtcatcodes	number
setnest	function	type	function
setsfcode	function	uccode	table
setskip	function	uniform_rand	function
settoks	function	uniformdeviate	function
setuccode	function	uprint	function
sfcode	table	useboxresource	function
shipout	function	vrbcatcodes	number
show_context	function	write	function

texconfig (basic tex)

error_line number
expand_depth number
formatname string
half_error_line number
hash_extra number

kpse_init boolean
max_in_open number

max_print_line number
max_strings number
nest_size number
param_size number
save_size number
shell escape string

texio (basic tex)

setescape function
write function

write_nl function

token (basic tex)

get_activefunctionput_nextfunctionget_cmdnamefunctionscan_codefunctionget_commandfunctionscan_csnamefunctionget_csnamefunctionscan_dimenfunctionget_expandablefunctionscan_gluefunctionget_idfunctionscan_intfunctionget_indexfunctionscan_keywordfunctionget_macrofunctionscan_stringfunctionget_meaningfunctionscan_tokenfunctionget_modefunctionscan_toksfunctionget_nextfunctionscan_wordfunctionget_protectedfunctionset_macrofunctionget_tokfunctiontypefunction	create	function	is_token	function
get_commandfunctionscan_csnamefunctionget_csnamefunctionscan_dimenfunctionget_expandablefunctionscan_gluefunctionget_idfunctionscan_intfunctionget_indexfunctionscan_keywordfunctionget_macrofunctionscan_stringfunctionget_meaningfunctionscan_tokenfunctionget_modefunctionscan_toksfunctionget_nextfunctionscan_wordfunctionget_protectedfunctionset_macrofunction	<pre>get_active</pre>	function	put_next	function
get_csnamefunctionscan_dimenfunctionget_expandablefunctionscan_gluefunctionget_idfunctionscan_intfunctionget_indexfunctionscan_keywordfunctionget_macrofunctionscan_stringfunctionget_meaningfunctionscan_tokenfunctionget_modefunctionscan_toksfunctionget_nextfunctionscan_wordfunctionget_protectedfunctionset_macrofunction	get_cmdname	function	scan_code	function
get_expandablefunctionscan_gluefunctionget_idfunctionscan_intfunctionget_indexfunctionscan_keywordfunctionget_macrofunctionscan_stringfunctionget_meaningfunctionscan_tokenfunctionget_modefunctionscan_toksfunctionget_nextfunctionscan_wordfunctionget_protectedfunctionset_macrofunction	get_command	function	scan_csname	function
get_idfunctionscan_intfunctionget_indexfunctionscan_keywordfunctionget_macrofunctionscan_stringfunctionget_meaningfunctionscan_tokenfunctionget_modefunctionscan_toksfunctionget_nextfunctionscan_wordfunctionget_protectedfunctionset_macrofunction	get_csname	function	scan_dimen	function
get_indexfunctionscan_keywordfunctionget_macrofunctionscan_stringfunctionget_meaningfunctionscan_tokenfunctionget_modefunctionscan_toksfunctionget_nextfunctionscan_wordfunctionget_protectedfunctionset_macrofunction	<pre>get_expandable</pre>	function	scan_glue	function
get_macrofunctionscan_stringfunctionget_meaningfunctionscan_tokenfunctionget_modefunctionscan_toksfunctionget_nextfunctionscan_wordfunctionget_protectedfunctionset_macrofunction	get_id	function	scan_int	function
get_meaningfunctionscan_tokenfunctionget_modefunctionscan_toksfunctionget_nextfunctionscan_wordfunctionget_protectedfunctionset_macrofunction	get_index	function	scan_keyword	function
get_modefunctionscan_toksfunctionget_nextfunctionscan_wordfunctionget_protectedfunctionset_macrofunction	get_macro	function	scan_string	function
get_nextfunctionscan_wordfunctionget_protectedfunctionset_macrofunction	<pre>get_meaning</pre>	function	scan_token	function
get_protected function set_macro function	get_mode	function	scan_toks	function
3. 2	get_next	function	scan_word	function
get_tok function type function	get_protected	function	set_macro	function
	get_tok	function	type	function

tokens (context)

astable	function	defined	function
bgroup	userdata	egroup	userdata
bits	table	getters	table
N active		F box	
N alignmen	t	F count	
N begingro	up	F dimen	
N characte	r	F glue	
N close		F macro	
N comment		F meaning	
N endgroup		F skip	
N endoflin	e	F token	
N escape		hbox	userdata
N ignore		istoken	function
N invalid		letter	function
N letter		letters	function
N mathshif	t	other	function
N open		pickup	function
N other		printlist	function
N paramete	r	scanners	table
N space		F boolean	
N subscrip	t	F code	
N superscr	ipt	F conditio	nal
N whitespa	ce	F count	
collectors	table	F csname	
T data		F dimen	
F defaultw	ords	F dimensio	n
F dowithwo	rds	F glue	
F flush		F integer	
F install		F keyword	
F register		F list	
T register	ed	F lxmlid	
F show		F number	
F test		F scanclos	е
compile	function	F scanopen	
constant	function	F skip	
converters	table	F string	
S toboolea	n	F token	
S todimen		F tokens	
S toglue		F toks	
S tonumber		F word	
S tostring		scantable	function

setters to	able	E haalaan
F box	abte	F boolean F code
F count		F code F conditional
F dimen		F count
		F count
F glue F macro		F dimen
F skip shortcuts ta	able	F dimension F glue
T bits	abte	
N active		F integer F keyword
N active		F list
N begingroup		F lxmlid
N character	,	F number
N close		F scanclose
N comment		F scanopen
N endgroup		F skip
N endofline		F string
N escape		F token
N ignore		F tokens
N invalid		F toks
N letter		F word
N mathshift		F scannumber
N open		F scanopen
N other		F scanstring
N parameter		F scanword
N space		F toboolean
N subscript		F todimen
N superscrip	ot	T tokens
N whitespace		F astable
N close		U bgroup
F inspect		T collectors
N open		F defaultwords
F report		F dowithwords
F scanboolean		F flush
F scanclose		F install
F scancode		F register
F scancondition	onal	F show
F scancsname		F test
F scandimen		F compile
F scandimensi	on	F constant
F scaninteger		T converters
F scankeyword		S toboolean
F scanlist		S todimen
T scanners		S toglue

S tonumber N close S tostring F inspect F defined N open U egroup F report T getters F scanboolean F box F scanclose F count F scancode F dimen F scanconditional F scancsname F glue F macro F scandimen F scandimension F meaning F scaninteger F skip F token F scankeyword U hbox F scanlist F istoken F scannumber F letter F scanopen F letters F scanstring F other F scanword F pickup F toboolean F printlist F todimen F scantable F tonumber T setters F tostring F box U vbox F count U vtop F dimen F tonumber F tostring F glue

F macro

F skip T shortcuts vbox

vtop

userdata

userdata

tracers (context)

count function
cs function
dimen function
knownlist function
lists table

T context

T internals
T scratch

name function

primitive function
printerror function
printwarning function
showlines function
strings table

S undefined

toks function
type function

trackers (context)

data	data table	register	function
default	function	report	function
disable	function	reset	function
dumphashtofile	function	savehash	function
enable	function	show	function
list	function	value	function
name	string		

typesetters (context)

alignments	table	T handlers		
F handler	cubic	F installhandler		
F set		F processmath		
breakpoints	table	F set		
F define	cubic	F setcolor		
F handler		F setmath		
D mapping		F tomode		
T methods		firstlines	table	
T numbers		T actions	cabcc	
F set		F default		
F setreplacement		F line		
cases	table	F word		
T actions	table	F handler		
F handler		F set		
		fontkerns	table	
F register			table	
F set	+abla	F handler initials	table	
characteralign	table		tabte	
F handler		T actions		
F resetcharacter	•	F default		
F setcharacteral		F addanchortoline		
characters	table	F addtoline		
F handler		F calculatedelta		
T methods		F checkline		
F replacenbsp		F handler		
F replacenbspace		F moveinline		
checkers	table	F normalize		
F handler		F set		
F reset		injectors	table	
F set		F check		
cleaners	table	T list		
F handler		F mark		
F set		F reset		
digits	table	F set		
T actions		F show		
F handler		italics	table	
F set		F enablemath		
directions	table	F enabletext		
F getfences		F forcevariant		
F getglobal		F handler		
F getmethod		F reset		
F handler		F set		

koma	table		
kerns	table	F reset	
D factors		F split	
F handler		F startapply	
F keepligature		F stopapply	
B keeptogether		F stripped	
D mapping		F tostring	
F set		rubies	table
manipulators	table	F attach	
F apply		F check	
F applyspecifi	cation	showsuspects	function
T methods		spacings	table
F Word		F define	
F Words		F handler	
F abbreviated	-	D mapping	
F expandedjou	urnal	T numbers	
F lowercase		T frenchpunct	cuation
F stripperio	d	T character	S
F uppercase		S name	
T patterns		N number	
U list		F reset	
U pair		F set	
F splitspecifi	cation	F setup	
margins	table	wrappers	table
F finalhandler		F handler	
F globalhandle	r	xtables	table
F localhandler		F cleanup	
F save		F construct	
marksuspects	function	F create	
paragraphs	table	F finish_row	
F addanchortol	ine	F flush	
F addtoline		F initialize_c	onstruct
F calculatedel	ta	F initialize_r	eflow_height
F checkline		F initialize_r	eflow_width
F handler		F next_row	
F moveinline		F reflow_heigh	t
F normalize		F reflow_width	
F set		F set_construc	t
processors	table	F set_reflow_h	eight
F apply		F set_reflow_w	idth
F register			

unicode (extra lua)

ascii	table	F len	
F byte		F lower	
F char		F match	
F dump		F rep	
F find		F reverse	
F format		F sub	
F gfind		F upper	
F gmatch		toutf32string	function
F gsub		utf8	table
F len		F byte	
F lower		F char	
F match		F characters	
F rep		F chrlen	
F reverse		F count	
F sub		F dump	
F upper		F filetype	
grapheme	table	F find	
F byte		F format	
F char		F gfind	
F dump		F gmatch	
F find		F gsub	
F format		F is_valid	
F gfind		F len	
F gmatch		F length	
F gsub		F lower	
F len		F magic	
F lower		F match	
F match		F remapper	
F rep		F rep	
F reverse		F replacer	
F sub		F reverse	
F upper		F split	
latin1	table	F splitlines	
F byte		F sub	
F char		F subtituter	
F dump		F tocodes	
F find		F toeight	
F format		F toentities	
F gfind		F tostring	
F gmatch		F totable	
F gsub		F upper	

F ustring
F utf16_to_utf8_be
F utf16_to_utf8_be_t
F utf16_to_utf8_le
F utf16_to_utf8_le_t
F utf16_to_utf8_t
F utf32_to_utf8_be
F utf32_to_utf8_be_t
F utf32_to_utf8_be_t
F utf32_to_utf8_le

F utf32_to_utf8_le_t
F utf32_to_utf8_t
F utf8_to_utf16
F utf8_to_utf16_be
F utf8_to_utf16_le
F utf8_to_utf8_t
F values
F xstring

url (context)

addscheme	function
barepath	function
construct	function
escape	function
filename	function
hashed	function

hasscheme function
query function
split function
toquery function
unescapeget function

utilities (context)

debugger table F skippong F disable F skipposition F enable F skipshort F savestats F writebyte F showstats F writecardinal	
F enable F skipshort F savestats F writebyte	
F savestats F writebyte	
,	
F showstats F writecardinal:	
	2
F showtraceback F writecardinal	4
files table F writestring	
F close formatters	table
F getposition F formatcolumns	
F getsize F list	
F look F stripzeros	
F open garbagecollecto	or table
F read2dot14 F check	
F readbyte N criterium	
F readbytes B enabled	
F readbytetable lua	table
F readcardinal B alwaysstripcoo	de
F readcardinal1 F compile	
F readcardinal2 F loadedluacode	
F readcardinal2le F loadstripped	
F readcardinal3 N nofstrippedby	tes
F readcardinal3le N nofstrippedchu	unks
F readcardinal4 F registerfinal:	izer
F readcardinal4le B stripcode	
F readchar T strippedchunks	S
F readfixed2 F strippedloads	tring
F readfixed4 T suffixes	
F readinteger S lua	
F readinteger1 S luc	
F readinteger2 S lui	
F readinteger2le S luj	
F readinteger3 S luv	
F readinteger3le S tma	
F readinteger4 S tmc	
F readinteger4le S tua	
F readsignedbyte S tuc	
	table
F readstring packers	
F readstring packers F readtag F hashed	
•	
F readtag F hashed	

F strip	B modern-light
F unpack	T modern-mono,modern-base-mono
N version	B modern-base-mono
arsers table	B modern-mono
F add_settings_to_array	T modern-variable,latin-modern-variable-designsize,la
F arguments_to_table	B latin-modern-variable
F array_to_string	B latin-modern-variable-designsize
F csvsplitter	B modern-variable
F getparameters	T modernvariable, modern-variable
F groupedsplitat	B modern-variable
F hash_to_string	B modernvariable
T hashes	T modernvariablelight,modern-variable-light
T settings_to_set	B modern-variable-light
T max,fit,broad,auto	B modernvariablelight
B auto	T serif,sans,mono
B broad	B mono
B fit	B sans
B max	B serif
T modern,latin-modern	T text,hidden,paper,page,leftpage,rightpage
B latin-modern	B hidden
B modern	B leftpage
T modern,latin-modern,modern-variable,latin-	modern-variable,m odepra gecondensed,latin-modern-condensed
B latin-modern	B paper
B latin-modern-condensed	B rightpage
B latin-modern-variable	B text
B modern	F iterator
B modern-condensed	F keq_to_hash
B modern-variable	F listitem
T modern, latin-modern-designsize, latin-modern	n F make_settings_to_hash_pattern
B latin-modern	F mergehashes
B latin-modern-designsize	F options_to_array
B modern	F options_to_hash
T modern,modern-base	T patterns
B modern	U settings_to_array
B modern-base	U settings_to_hash_a
T modern-condensed, latin-modern-condensed-des	signsize,latinUm odetrbingos<u>n</u>dæn_shæds/m_do dern-light-condensed,latin-modern-li
B latin-modern-condensed	U settings_to_hash_c
B latin-modern-condensed-designsize	U unittotex
B latin-modern-light-condensed	F process_stripped_settings
B modern-condensed	F rfc4180splitter
B modern-light-condensed	F runtime
T modern-light, latin-modern-light-designsize	, latin-modernF lsighttings_to_array
B latin-modern-light	F settings_to_array_obey_fences
B latin-modern-light-designsize	F settings_to_array_with_repeat

pa

		_		
F settings_to_hash			list	
F settings_to_hash_	_		new	
F settings_to_hash_			register	
F settings_to_numbe	ers		report	
F settings_to_set		F	reset	
F simple_hash_to_st	tring		show	
F splitmethod		stac	ker	table
F splitthousands		F	new	
F stepper		stor	age	table
F stripped_settings	s_to_array	F	allocate	
F unittotex		F	checked	
F unittoxml		F	mark	
randomizer	table	F	marked	
F get		F	setinitializer	
F getnumber		F	sparse	
F getseed		stre	ams	table
F popseed		F	close	
F pushseed		F	getposition	
F reuseseed		F	look	
F setseed		F	open	
F setseedi		F	read2dot14	
report	function	F	read2dot4	
sequencers	table	F	readbyte	
F appendaction		F	readbytes	
F appendgroup		F	readbytetable	
F compile		F	readcardinal	
F disableaction		F	readcardinal1	
F disablegroup		F	readcardinal2	
F enableaction		F	readcardinal2LE	
F enablegroup		F	readcardinal3	
D functions		F	readcardinal3le	
F localize		F	readcardinal4	
F new		F	readchar	
F nodeprocessor		F	readfixed2	
F prependaction		F	readfixed4	
F prependgroup		F	readinteger	
F removeaction		F	readinteger1	
F replaceaction		F	readinteger2	
F setkind		F	readinteger2le	
F tostring		F	readinteger3	
setters	table	F	readinteger3le	
F disable			readinteger4	
F enable		F	readinteger4le	
F initialize			readsignedbyte	
		•	5 7 . 0	

F readstring U retain and no empty F setposition F striplines F size F striplong F tabtospace F skip F skipbytes T tracers F skiplong tables table F accesstable F skipshort table strings E definedtable F collapsecrlf F definetable T formatters F encapsulate F add F insertaftervalue F new F insertbeforevalue F newrepeater F migratetable F removevalue F nice T striplinepatterns F replacevalue templates table U collapse

U prune

U retain

U prune and collapse

U prune and no empty

U retain and collapse

F replacer F resolve

vf (context)

char	function
down	function
fontid	function
image	function
node	function
nop	function

pop	function
push	function
right	function
rule	function
special	function

visualizers (context)

escapepatterns	data table	signal	string
getspecification	function	signalpattern	userdata
getvisualizer	function	specifications	data table
load	function	visualize	function
makenested	function	visualizebuffer	function
makepattern	function	visualizefile	function
newgrammar	function	visualizestring	function
newhandler	function	write	function
parsedxml	function	writeargument	function
pattern	function	writedefault	function
register	function	writeemptyline	function
registerescapecommand	function	writenewline	function
registerescapeline	function	writespace	function
registerescapepattern	function		

xml (context)

addentitiesdoctype	function	defaulthandlers	table
addspecialcode	function	D file	cabic
after	function	D parsedxml	
all	function	D string	
applylpath	function	D tex	
applyselector	function	D texline	
assign	function	D texspace	
attribute	function	D verbose	
badinclusions	function	defaultprotocol	string
before	function	delete	function
body	function	delete_element	function
builtinentities	table	despecialized	function
B amp		each	function
B apos		each element	function
B gt		elements	function
B lt		elementtocdata	function
B quot		empty	function
cdata	function	entities	data table
cdatatotext	function	erase	function
checkbom	function	errorhandler	function
checkerror	function	escaped	function
checknamespace	function	expressions	table
checkns	function	F boolean	
cleansed	function	F child	
collect	function	F contains	
collect_elements	function	F count	
collect_tags	function	F error	
collect_texts	function	F find	
collected	function	F idstring	
collecttexts	function	F lower	
content	function	F name	
convert	function	F number	
сору	function	F oneof	
count	function	F print	
cprint	function	F quit	
CSS	table	F tag	
F applyselector		F text	
F colorspecification		F undefined	
F dimension		F upper	
F fontspecification		fillin	function
F padding		filter	function

finalizers	table	F index	
F paragraphs		F last	
T tex		F lowerall	
F all		F match	
F attribute		F name	
F chainattribute		F position	
F chainpath		F reverse	
F command		F table	
F concat		F tag	
F concatrange		F tags	
F context		F text	
F count		F texts	
F ctxtext		F upperall	
F default		first	function
F first		found	function
F function		functions	table
F index		getbuffer	function
F last		gethandlers	function
F lettered		gethandlersfunction	function
F lower		helpers	table
F lowerall		F recursetext	
F match		include	function
F name		inclusion	function
F position		inclusions	function
F reverse		index	function
F stripped		inheritedconvert	function
F tag		inject	function
F tags		inject_element	function
F text		inject_element_after	function
F upper		<u>inject_element_before</u>	function
F upperall		injectafter	function
T xml		injectbefore	function
F all		insert	function
F att		insert_element	function
F attribute		<pre>insert_element_after</pre>	function
F attributes		<pre>insert_element_before</pre>	function
F cdata		insertafter	function
F chainattribute		insertbefore	function
F count		insertcdata	function
F default		insertcomment	function
F elements		inspect	function
F empty		is_valid	function
F first		kind	function
F function		last	function

lastmatch	function	replace	function
load	function	replace_element	function
lpath	function	resetinjectors	function
lpathcached	function	resolvens	function
lpathcalls	function	root	function
lshow	function	save	function
makestandalone	function	selection	function
match	function	separate	function
name	function	serialize	function
newhandlers	function	setcdata	function
nodesettostring	function	setcomment	function
originalload	function	sethandlersfunction	function
package	function	setinjectors	function
parent	function	setproperty	function
parsedentitylpeg	userdata	settings	function
pihandlers	table	specialcodes	table
F injector		S "	
F tex		S #	
placeholders	table	S \$	
F unknown_any_entity		S %	
F unknown_dec_entity		S &	
F unknown_hex_entity		S '	
popmatch	function	S <	
position	function	S >	
privatecodes	table	S \	
privatetoken	function	S {	
process	function	S	
process_attributes	function	S }	
process_elements	function	S ~	
processattributes	function	specialhandler	table
profiled	table	sprint	function
pushmatch	function	string	function
raw	function	strip	function
registerentity	function	strip_whitespace	function
registerns	function	stripelement	function
reindex	function	stripleadingspaces	function
remap_name	function	table	function
remap_namespace	function	text	function
remap_tag	function	textonly	function
remapname	function	texttocdata	function
remapnamespace	function	tocdata	function
remaptag	function	toelement	function
renamespace	function	tostring	function
reparsedentitylpeg	userdata	totable	function

toxml	function	unspecialized	function
tprint	function	withelement	function
traverse	function	withelements	function
unescaped	function	wrap	function
unescapedentitylpeg	userdata	xmlns	table
unprivatized	function		

zip (extra lua)

archivestableopenarchivefunctionclosefunctionopenfilefunctionclosearchivefunctionregisteredfilestableopenoverloaded functiontypefunction

zlib (extra lua)

adler32 function
compress function
compressobj function
crc32 function

decompress
decompressobj function
version function