

## ConTEX

coman

AfterPar	\AfterPar {}
Alphabeticnumerals	\Alphabeticnumerals {}
AMSTEX	\AMSTEX
AmSTeX	\AmSTeX
	•
And	\And
abjadnaivenumerals	\abjadnaivenumerals {}
abjadnodotnumerals	\abjadnodotnumerals {}
abjadnumerals	\abjadnumerals {}
activatespacehandler	\activatespacehandler {}
acute	\acute {}
adaptcollector	\adaptcollector [] [=]
adaptfontfeature	\adaptfontfeature [] [=]
<del>-</del>	<del>-</del>
adaptpapersize	\adaptpapersize [] []
adattacampo	\adattacampo [] [=]
adattalayout	\adattalayout [] [=]
addfeature	\addfeature []
addfeature:direct	\addfeature {}
addfontpath	\addfontpath []
addtocommalist	\addtocommalist {} \
addtoJSpreamble	
-	\addtoJSpreamble {} {}
addvalue	\addvalue {} {}
aftersplitstring	\aftersplitstring \at \to \
aftertestandsplitstring	\aftertestandsplitstring \at \to \
al	\al {} {} []
alignbottom	\alignbottom
aligned	\aligned [] {}
-	•
alignedbox	\alignedbox [] \ {}
alignedline	\alignedline {} {}
alignhere	\alignhere
alignmentcharacter	\alignmentcharacter
allineacentro	\allineacentro {}
allineadestra	\allineadestra {}
allineasinistra	\allineasinistra {}
	\allinputpaths
allinputpaths	
alphabeticnumerals	\alphabeticnumerals {}
alwayscitation	\alwayscitation [=] []
alwayscitation:alternative	\alwayscitation [] []
alwayscitation:userdata	$\all$ alwayscitation [=]
alwayscite	\alwayscite [=] []
alwayscite:alternative	\alwayscite [] []
alwayscite:userdata	\alwayscite [=] [=]
ambiente	\ambiente []
ambiente:string	\ambiente
ampersand	\ampersand
anchor	\anchor [] [=] [=] {}
ap	\ap {}
apagina	\apagina []
appendetoks	\appendetoks \to \
appendgvalue	\appendgvalue {} {}
appendtocommalist	
	\appendtocommalist {} \
appendtoks	\appendtoks \to \
appendtoksonce	\appendtoksonce \to \
appendvalue	\appendvalue {} {}
apply	\apply {} {}
applyalternativestyle	\applyalternativestyle {}
applyprocessor	\applyprocessor {} {}
v-	
applytocharacters	\applytocharacters \ \{\}
applytofirstcharacter	\applytofirstcharacter \ {}
applytosplitstringchar	\applytosplitstringchar \ {}
applytosplitstringcharspaced	\applytosplitstringcharspaced \ {}
applytosplitstringline	\applytosplitstringline \ {}
applytosplitstringlinespaced	\applytosplitstringlinespaced \ {}
applytosplitstringword	
	\applytosplitstringword \ {}
applytosplitstringwordspaced	\applytosplitstringwordspaced \ \{\}
applytowords	\applytowords \ {}
ap:instance	\HIGH {}
ap:instance:unitshigh	\unitshigh {}
arabicdecimals	\arabicdecimals {}
arabicexnumerals	
aranicerimmerat2	\arabicexnumerals {}

```
\assignalfadimension \{...\} \... \{...\} \{...\}
assignalfadimension
assigndimen
                                                         \assigndimen \... {...}
                                                         \assigndimension \{\ldots\} \... \{\ldots\} \{\ldots\}
assigndimension
assignifempty
                                                         \assignifempty \... {...}
                                                         \assigntranslation [..=..] \to \...
assigntranslation
                                                         \assignvalue {...} \... {...} {...} {...}
assignvalue
assignwidth
                                                         \assignwidth {...} \... {...} {...}
assumelongusagecs
                                                         \assumelongusagecs \... {...}
astype
                                                         \astype {...}
attachment:instance
                                                         \ATTACHMENT [...] [..=..]
attachment:instance:attachment
                                                         \attachment [...] [..=..]
autocap
                                                         \autocap {...}
autodirhbox
                                                         \autodirhbox ... {...}
autodirvbox
                                                         \autodirvbox ... {...}
autodirvtop
                                                         \autodirvtop ... {...}
autoinsertnextspace
                                                         \autoinsertnextspace
                                                         \autointegral {...} {...} {...}
autointegral
                                                         \automathematics {...}
automathematics
autopagestaterealpage
                                                         \autopagestaterealpage {...}
                                                         \autopagestaterealpageorder {...}
autopagestaterealpageorder
autosetups
                                                         \autosetups {...}
                                                         \autostarttesto ... \autostoptesto
autostarttesto
availablehsize
                                                         \availablehsize
averagecharwidth
                                                         \averagecharwidth
BeforePar
                                                         \BeforePar {...}
                                                         \Big ...
                                                         \Bigg ...
Bigg
                                                         \Biggl ...
Biggl
                                                         \Biggm ...
Biggm
Biggr
                                                         \Biggr ...
Bigl
                                                         \Bigl ...
                                                         \Bigm ...
Bigm
                                                         \Bigr ...
Bigr
                                                         \backgroundimage \{...\} \{...\} \{...\}
backgroundimage
                                                         \backgroundimagefill \{...\} \{...\} \{...\}
backgroundimagefill
backgroundline
                                                         \backgroundline [...] {...}
bar
                                                         \bar {...}
barracolori
                                                         \barracolori [...]
                                                         \barrainterazione [...] [..=..]
barrainterazione
bar:instance
                                                         \BAR {...}
bar:instance:hiddenbar
                                                         \hiddenbar {...}
                                                         \nobar {...}
bar:instance:nobar
                                                         \overbar {...}
bar:instance:overbar
                                                         \overbars {...}
bar:instance:overbars
bar:instance:overstrike
                                                         \overstrike {...}
                                                         \overstrikes {...}
bar:instance:overstrikes
                                                         \underbar {...}
bar:instance:underbar
bar:instance:underbars
                                                         \underbars {...}
bar:instance:underdash
                                                         \underdash {...}
                                                         \underdashes {...}
bar:instance:underdashes
                                                         \underdot {...}
bar:instance:underdot
bar:instance:underdots
                                                         \underdots {...}
bar:instance:underrandom
                                                         \underrandom {...}
bar:instance:underrandoms
                                                         \underrandoms {...}
bar:instance:understrike
                                                         \understrike {...}
bar:instance:understrikes
                                                         \understrikes {...}
                                                         \basegrid [..=..]
basegrid
baselinebottom
                                                         \baselinebottom
baselineleftbox
                                                         \baselineleftbox {...}
                                                         \baselinemiddlebox {...}
baselinemiddlebox
baselinerightbox
                                                         \baselinerightbox {...}
bbordermatrix
                                                         \bbordermatrix {...}
bbox
                                                         \bbox {...}
beforesplitstring
                                                         \beforesplitstring ... \at ... \to \...
                                                         \beforetestandsplitstring \dots \at \dots \to \...
beforetestandsplitstring
beginblock:example
                                                         \beginBLOCK [...] [..=..] ... \endBLOCK
beginhbox
                                                         \beginhbox ... \endhbox
                                                         \beginofshapebox ... \endofshapebox
beginofshapebox
```

\beginvbox ... \endvbox

beginvbox

```
biggl
                                                          \biggl ...
                                                          \biggm ...
biggm
biggr
                                                          \biggr ...
bigl
                                                         \bigl ...
bigm
                                                         \bigm ...
bigr
                                                         \bigr ...
bigskip
                                                         \bigskip
                                                         \bitmapimage [..=..] {...}
bitmapimage
                                                          \blap {...}
blap
bleed
                                                          \bleed [..=..] {...}
bleedheight
                                                          \bleedheight
bleedwidth
                                                         \bleedwidth
blockligatures
                                                         \blockligatures [...]
blocksynctexfile
                                                          \blocksynctexfile [...]
blockuservariable
                                                         \blockuservariable {...}
{\tt body fontenvironmentlist}
                                                          \bodyfontenvironmentlist
bodyfontsize
                                                          \bodyfontsize
boldface
                                                          \boldface
booleanmodevalue
                                                          \booleanmodevalue {...}
bordermatrix
                                                         \bordermatrix {...}
                                                         \bottombox {...}
bottombox
bottomleftbox
                                                         \bottomleftbox {...}
                                                         \bottomrightbox {...}
bottomrightbox
boxcursor
                                                          \boxcursor
boxmarker
                                                          \boxmarker {...} {...}
                                                          \boxofsize \... {...}
boxofsize
                                                         \boxreference [...] \... {...}
boxreference
bpar
                                                         \bpar ... \epar
bpos
                                                         \bpos {...}
                                                         \breakhere
breakhere
                                                          \breve {...}
breve
bTABLE
                                                          \bTABLE [..=..] ... \eTABLE
bTABLEbody
                                                         \bTABLEbody [..=..] ... \eTABLEbody
bTABLEfoot
                                                         \bTABLEfoot [..=..] ... \eTABLEfoot
bTABLEhead
                                                         \bTABLEhead [..=..] ... \eTABLEhead
bTABLEnext
                                                         \bTABLEnext [..=..] ... \eTABLEnext
bTC
                                                         \bTC [..=..] ... \eTC
bTD
                                                         \bTD [..=..] ... \eTD
                                                          \bTDs [...] ... \eTDs
bTDs
bTH
                                                         \bTH [..=..] ... \eTH
                                                         \bTN [..=..] ... \eTN
bTN
bTR
                                                         \bTR [..=..] ... \eTR
bTRs
                                                         \bTRs [...] ... \eTRs
bTX
                                                         \bTX [..=..] ... \eTX
hTY
                                                         \bTY [..=..] ... \eTY
btxabbreviatedjournal
                                                          \btxabbreviatedjournal {...}
btxaddjournal
                                                          \btxaddjournal [...] [...]
                                                         \btxalwayscitation [..=..] [...]
btxalwayscitation
btxalwayscitation:alternative
                                                         \btxalwayscitation [...] [...]
btxalwayscitation:userdata
                                                         \btxalwayscitation [..=..] [..=..]
btxauthorfield
                                                         \btxauthorfield {...}
btxdetail
                                                         \btxdetail {...}
btxdirect
                                                         \btxdirect {...}
                                                          \btxdoif {...} {...}
btxdoif
btxdoifcombiinlistelse
                                                          \btxdoifcombiinlistelse \{...\} \{...\} \{...\}
                                                         \btxdoifelse \{...\} \{...\}
btxdoifelse
btxdoifelsecombiinlist
                                                         \btxdoifelsecombiinlist \{...\} \{...\} \{...\}
btxdoifelsesameasprevious
                                                          \btxdoifelsesameasprevious \{...\} \{...\}
{\tt btxdoifelsesame as previous checked}
                                                         \btxdoifelsesameaspreviouschecked \{\ldots\} \{\ldots\} \{\ldots\} \{\ldots\}
                                                          \btxdoifelseuservariable \{\ldots\} \{\ldots\}
btxdoifelseuservariable
btxdoifnot
                                                          \btxdoifnot {...} {...}
{\tt btxdoifsame as previous checkedelse}
                                                          \btxdoifsameaspreviouscheckedelse \{...\} \{...\} \{...\}
                                                          \btxdoifsameaspreviouselse \{\ldots\} \{\ldots\}
btxdoifsameaspreviouselse
btxdoifuservariableelse
                                                         \btxdoifuservariableelse \{...\} \{...\}
btxexpandedjournal
                                                         \btxexpandedjournal {...}
btxfield
                                                          \btxfield {...}
                                                          \btxfieldname {...}
btxfieldname
btxfieldtype
                                                          \btxfieldtype {...}
```

\bigger

bigger

btxflushauthorinverted	\h+wflughau+harinuar+ad \
	\btxflushauthorinverted {}
btxflushauthorinvertedshort	\btxflushauthorinvertedshort {}
btxflushauthorname	\btxflushauthorname {}
btxflushauthornormal	\btxflushauthornormal {}
btxflushauthornormalshort	\btxflushauthornormalshort {}
btxflushsuffix	\btxflushsuffix
	• • • • • • • • • • • • • • • • • • • •
btxfoundname	\btxfoundname {}
btxfoundtype	\btxfoundtype {}
btxhiddencitation	\btxhiddencitation []
btxhybridcite	\btxhybridcite [=] []
ÿ	
btxhybridcite:alternative	\btxhybridcite [] []
btxhybridcite:direct	\btxhybridcite {}
btxhybridcite:userdata	\btxhybridcite [=] [=]
btxlistcitation	\btxlistcitation [=] []
btxlistcitation:alternative	\btxlistcitation [] []
btxlistcitation:userdata	\btxlistcitation [=] [=]
btxloadjournalist	\btxloadjournalist []
btxoneorrange	\btxoneorrange {} {} {}
btxremapauthor	\btxremapauthor [] []
<u>-</u>	
btxsavejournalist	\btxsavejournalist []
btxsetup	\btxsetup {}
btxsingularorplural	\btxsingularorplural {} {} {}
btxsingularplural	\btxsingularplural {} {} {}
btxtextcitation	\btxtextcitation [=] []
btxtextcitation:alternative	\btxtextcitation [] []
btxtextcitation:userdata	\btxtextcitation [=] [=]
buildmathaccent	\buildmathaccent {} {}
buildtextaccent	\buildtextaccent {} {}
buildtextbottomcomma	
	\buildtextbottomcomma {}
buildtextbottomdot	\buildtextbottomdot {}
buildtextcedilla	\buildtextcedilla {}
buildtextgrave	\buildtextgrave {}
buildtextmacron	\buildtextmacron {}
buildtextognek	\buildtextognek {}
Cap	\Cap {}
Caps	\Caps {}
CONTEXT	\CONTEXT
ConTeXt	\ConTeXt
Context	\Context
ConvertConstantAfter	\ConvertConstantAfter \ \{\} \{\}
ConvertToConstant	\ConvertToConstant \ \{\} \{\}
calligrafico	\calligrafico
cambiaafontdeltesto	\cambiaafontdeltesto []
camel	\camel {}
campi	\campi [] []
cap	\cap {}
capello	\capello
<del>-</del>	=
capoverso:instance	\SECTION [] {}
capoverso:instance:assignment	\SECTION [=]
capoverso:instance:assignment:chapter	\chapter [=]
capoverso:instance:assignment:part	\part [=]
	<del>-</del>
capoverso:instance:assignment:section	\section [=]
capoverso:instance:assignment:subject	\subject [=]
capoverso:instance:assignment:subsection	\subsection [=]
capoverso:instance:assignment:subsubject	\subsubject [=]
capoverso:instance:assignment:subsubsection	\subsubsection [=]
capoverso:instance:assignment:subsubsubject	\subsubsubject [=]
capoverso:instance:assignment:subsubsubsection	\subsubsubsection [=]
capoverso:instance:assignment:subsubsubsubject	\subsubsubsubject [=]
capoverso:instance:assignment:subsubsubsubsection	\subsubsubsection [=]
capoverso:instance:assignment:subsubsubsubsubject	\subsubsubsubject [=]
capoverso:instance:assignment:title	\title [=]
capoverso:instance:chapter	\chapter [] {}
capoverso:instance:ownnumber	\SECTION [] {} {}
capoverso:instance:ownnumber:chapter	\chapter [] {}
capoverso:instance:ownnumber:part	\part [] {}
capoverso:instance:ownnumber:section	\section [] {} {}
capoverso:instance:ownnumber:subject	\subject [] {} {}
capoverso:instance:ownnumber:subsection	\subsection [] {} {}

capoverso:instance:ownnumber:subsubsubsection	\subsubsubsection [] $\{\}$
capoverso:instance:ownnumber:subsubsubsubject	\subsubsubject [] $\{\}$
capoverso:instance:ownnumber:subsubsubsubsection	\subsubsubsubsection [] $\{\}$
capoverso:instance:ownnumber:subsubsubsubsubject	\subsubsubsubsubject $[]$ $\{\}$
capoverso:instance:ownnumber:title	\title [] {}
capoverso:instance:part	\part [] {}
capoverso:instance:section	\section [] $\{\}$
capoverso:instance:subject	\subject [] {}
capoverso:instance:subsection	\subsection [] {}
capoverso:instance:subsubject	\subsubject [] {}
capoverso:instance:subsubsection	\subsubsection [] {}
capoverso:instance:subsubsubject	\subsubsubject [] {}
capoverso:instance:subsubsubsection	\subsubsubsection [] {}
capoverso:instance:subsubsubject	\subsubsubsubject [] {}
capoverso:instance:subsubsubsubsection	\subsubsubsection $[\ldots]$ $\{\ldots\}$
capoverso:instance:subsubsubsubject	\subsubsubsubject $[\ldots]$ $\{\ldots\}$
capoverso:instance:title	\title [] {}
catcodetablename	\catcodetablename
cbox	\cbox {}
centeraligned	\centeraligned {}
centerbox	\centerbox {}
centeredbox	\centeredbox {}
centeredlastline	\centeredlastline
centerednextbox	\centerednextbox {}
centerline	\centerline {}
centro	\centro
cfrac	\cfrac [] {}
characterkerning:example	\CHARACTERKERNING [] {}
chardescription	\chardescription {}
charwidthlanguage	$\$ \charwidthlanguage
check	\check {}
checkcharacteralign	\checkcharacteralign {}
checkedblank	\checkedblank []
checkedchar	\checkedchar {} {}
checkedfiller	\checkedfiller {}
checkedstrippedcsname	\checkedstrippedcsname \
checkedstrippedcsname:string	\checkedstrippedcsname
checkinjector checknextindentation	\checkinjector [] \checknextindentation []
checknextingector	\checknextingentation []
checkpage	\checkpage [] [=]
checkparameters	\checkparameters []
checkpreviousinjector	\checkpreviousinjector []
checksoundtrack	\checksoundtrack {}
checktwopassdata	\checktwopassdata {}
checkvariables	\checkvariables [] [=]
chemical	\chemical [] []
chemicalbottext	\chemicalbottext {}
chemicalmidtext	\chemicalmidtext {}
chemicalsymbol	\chemicalsymbol []
chemicaltext	\chemicaltext {}
chemicaltoptext	\chemicaltoptext {}
chim	\chim {} {} {}
chineseallnumerals	\chineseallnumerals {}
chinesecapnumerals	\chinesecapnumerals {}
chinesenumerals	\chinesenumerals {}
circondato	\circondato [=] {}
citation	\citation [=] []
citation:alternative	\citation [] []
citation:direct	\citation {}
citation:userdata	\citation [=] [=]
cite	\cite [=] []
cite:alternative	\cite [] []
cite:direct	\cite {}
cite:userdata	\cite [=] [=]
clap	\clap {}
classfont	\classfont {} {} \cldcommand {}
cldcontext	\cldcontext {}
OLGOOD OOK O	(OIGCOHOOKO []

\ald1 aadfila ( )

```
\clippedoverlayimage {...}
clippedoverlayimage
                                                          \clonacampo [...] [...] [...]
clonacampo
                                                          \collect {...}
collect
                                                          \collectedtext [..=..] [..=..] {...} {...}
collectedtext
collectexpanded
                                                         \collectexpanded {...}
colonna
                                                         \colonna [...]
                                                         \colorcomponents {...}
colorcomponents
colore
                                                         \colore [...] {...}
                                                         \colored [..=..] {...}
colored
colored:name
                                                          \colored [...] {...}
coloregrigio
                                                          \coloregrigio [...] {...}
                                                          \coloronly [...] {...}
coloronly
columnbreak
                                                         \columnbreak [...]
columnsetspanwidth
                                                         \columnsetspanwidth {...}
combinepages
                                                         \combinepages [...] [..=..]
commalistelement
                                                          \commalistelement
                                                          \commalistsentence [...] [...]
commalistsentence
commalistsize
                                                          \commalistsize
                                                         \commento (...,...) (...,...) [..=..] {...} \COMMENT [...] [..=..] {...}
commento
commento:instance
commento:instance:comment
                                                          \comment [...] [..=..] {...}
                                                          \comparedimension \{\ldots\} \{\ldots\}
comparedimension
comparedimensioneps
                                                          \comparedimensioneps \{\ldots\} \{\ldots\}
                                                          \completebtxrendering [...] [..=..]
completebtxrendering
                                                          \completoCOMBINEDLIST [..=..]
completecombinedlist:instance
completecombinedlist:instance:content
                                                          \completocontent [..=..]
                                                          \completelist [...] [..=..]
completelist
completelistoffloats:instance
                                                          \completelistofFLOATS [..=..]
completelistoffloats:instance:chemicals
                                                          \completelistofchemicals [..=..]
completelistoffloats:instance:figures
                                                          \completelistoffigures [..=..]
completelistoffloats:instance:graphics
                                                          \completelistofgraphics [..=..]
completelistoffloats:instance:intermezzi
                                                          \completelistofintermezzi [..=..]
completelistoffloats:instance:tables
                                                          \completelistoftables [..=..]
                                                          \completelistofpublications [...] [..=..]
completelistofpublications
completelistofsorts
                                                          \completelistofsorts [...] [..=..]
completelistofsorts:instance
                                                          \completelistofSORTS [..=..]
completelistofsorts:instance:logos
                                                          \completelistoflogos [..=..]
                                                          \completelistofsynonyms [...] [..=..]
completelistofsynonyms
                                                          \completelistofSYNONYMS [..=..]
completelistofsynonyms:instance
                                                          \completelistofabbreviations [..=..]
completelistofsynonyms:instance:abbreviations
completeregister
                                                          \completeregister [...] [..=..]
                                                          \completoREGISTER [..=..]
completeregister:instance
completeregister:instance:index
                                                          \completoindex [..=..]
                                                          \complexorsimple \...
complexorsimple
complexorsimpleempty
                                                          \complexorsimpleempty \...
                                                          \complexorsimpleempty {...}
complexorsimpleempty:argument
complexorsimple:argument
                                                          \complexorsimple {...}
componenet
                                                          \componenet [...]
componenet:string
                                                          \componenet ...
composedcollector
                                                          \composedcollector {...}
                                                         \composedlayer {...}
composedlayer
compresult
                                                         \compresult
confrontagruppocolori
                                                         \confrontagruppocolori [...]
confrontatavolozza
                                                          \confrontatavolozza [...]
constantdimen
                                                          \constantdimen \...
constantdimenargument
                                                          \constantdimenargument \...
constantemptyargument
                                                          \constantemptyargument \...
constantnumber
                                                          \constantnumber \...
{\tt constant number argument}
                                                         \constantnumberargument \...
                                                         \contentreference [...] [..=..] \{...\}
contentreference
continuednumber
                                                          \continuednumber {...}
continueifinputfile
                                                          \continueifinputfile {...}
convertargument
                                                          \convertargument ... \to \...
                                                          \convertcommand \... \to \...
convertcommand
                                                         \convertedcounter [...] [..=..]
convertedcounter
                                                          \converteddimen \{\ldots\} \{\ldots\}
converteddimen
convertedsubcounter
                                                          \convertedsubcounter [...] [...] [..=..]
                                                          \convertinumero \{\ldots\} \{\ldots\}
convertinumero
                                                          \convertmenth {...}
convertmenth
```

copyboxfromcache	\copyboxfromcache {} {}
copylabeltext:instance	\copyLABELtesto [] [=]
copylabeltext:instance:btxlabel	\copybtxlabeltesto [] [=]
copylabeltext:instance:head	\copyheadtesto [] [=]
copylabeltext:instance:label	\copylabeltesto [] [=]
copylabeltext:instance:mathlabel	\copymathlabeltesto [] [=]
copylabeltext:instance:operator	\copyoperatortesto [] [=]
copylabeltext:instance:prefix	\copyprefixtesto [] [=]
copylabeltext:instance:suffix	\copysuffixtesto [] [=]
copylabeltext:instance:taglabel	\copytaglabeltesto [] [=]
copylabeltext:instance:unit	\copyunittesto [] [=]
copypages	\copypages [] [=]
copyparameters	\copyparameters [] []
copyration	\copyposition {} {} \copysetups [] []
copysetups correggispaziobianco	\correggispaziobianco {}
corsivo	\corsivo
corsivograssetto	\corsivo
countersubs	\countersubs [] []
counttoken	\counttelsubs [] [] \counttoken \in \to \
counttokens	\counttokens \to \
cramped	\cramped {}
crampedclap	\crampedclap {}
crampedllap	\crampedlap {}
crampedrlap	\crampedrlap {}
ctop	\ctop {}
ctxcommand	\ctxcommand {}
ctxdirectcommand	\ctxdirectcommand {}
ctxdirectlua	\ctxdirectlua {}
ctxfunction	\ctxfunction {}
ctxfunctiondefinition:example	\CTXFUNCTIONDEFINITION
ctxfunction:example	\CTXFUNCTION
ctxlatecommand	\ctxlatecommand {}
ctxlatelua	\ctxlatelua {}
ctxloadluafile	\ctxloadluafile {}
ctxlua	\ctxlua {}
ctxluabuffer	\ctxluabuffer []
ctxluacode	\ctxluacode {}
ctxreport	\ctxreport {}
ctxsprint	\ctxsprint {}
currentassignmentlistkey	\currentassignmentlistkey
currentassignmentlistvalue	\currentassignmentlistvalue
currentbtxuservariable	\currentbtxuservariable {}
currentcommalistitem	\currentcommalistitem
currentcomponent	\currentcomponent
currentenvironment	\currentenvironment
currentfeaturetest	\currentfeaturetest
currentinterface	\currentinterface
currentlabel:example	\currentETICHETTA [] {}
currentlanguage	\currentlanguage
${\tt currentlistentry destination attribute}$	$\verb \currentlistentrydestinationattribute $
currentlistentrylimitedtext	\currentlistentrylimitedtext {}
currentlistentrynumber	\currentlistentrynumber
currentlistentrypagenumber	$\verb \currentlistentrypagenumber $
currentlistentryreferenceattribute	\currentlistentryreferenceattribute {
currentlistentrytitle	\currentlistentrytitle
currentlistentrytitlerendered	$\c$ urrentlistentrytitlerendered
currentlistsymbol	\currentlistsymbol
currentmainlanguage	\currentmainlanguage
currentmessagetext	\currentmessagetext
currentmoduleparameter	\currentmoduleparameter {}
currentoutputstream	\currentoutputstream
currentproduct	\currentproduct
currentproject	\currentproject
currentregime	\currentregime
currentregisterpageuserdata	\currentregisterpageuserdata {}
currentresponses	\currentresponses
currenttime	\currenttime []
currentvalue	\currentvalue

αa	\da []
daqualcheparte	\daqualcheparte {} {} []
data	\data [=] []
datadioggi	\datadioggi []
datasetvariable	\datasetvariable {} {}
dayoftheweek	\dayoftheweek {} {} {}
dayspermonth	$\displaystyle \begin{array}{c} \text{\dayspermonth } \{\ldots\} \end{array}$
dddot	\dddot {}
ddot	\ddot {}
decrement	\decrement \
decrementcounter	\decrementcounter [] []
decrementedcounter	\decrementedcounter []
decrementpagenumber	\decrementpagenumber
decrementsubpagenumber	\decrementsubpagenumber
decrementvalue	\decrementvalue {}
decrement:argument	\decrement ()
	• • • • • • • • • • • • • • • • • • • •
defaultinterface	\defaultinterface
defaultobjectpage	\defaultobjectpage
defaultobjectreference	\defaultobjectreference
defcatcodecommand	\defcatcodecommand \ \{\}
defconvertedargument	\defconvertedargument \ {}
defconvertedcommand	\defconvertedcommand \ \
defconvertedvalue	\defconvertedvalue \ \{\}
defineactivecharacter	\defineactivecharacter {}
definealternativestyle	\definealternativestyle [] []
defineanchor	\defineanchor [] [=] [=]
defineattachment	\defineattachment [] [] [=]
defineattribute	\defineattribute [] []
definebackground	\definebackground [] [=]
definebar	\definebar [] [=]
definebodyfontswitch	\definebodyfontswitch [] []
definebreakpoint	\definebreakpoint [] [=]
definebreakpoints	\definebreakpoints []
definebtx	\definebtx [] [=]
definebtxdataset	\definebtxdataset [] [] [=]
definebtxregister	\definebtxregister [] [=]
definebtxrendering	\definebtxrendering [] [=]
definebutton	\definebutton [] [=]
definecapitals	\definecapitals [] [=]
definecharacterkerning	\definecharacterkerning [] [=]
	\definecharacterspacing []
definecharacterspacing	. 0
definechemical	\definechemical [] {}
definechemicals	\definechemicals [] [=]
definechemicalsymbol	\definechemicalsymbol [] []
definecollector	\definecollector [] [] [=]
definecolumnbreak	\definecolumnbreak [] []
definecolumnsetarea	\definecolumnsetarea [] [] [=]
definecolumnsetspan	\definecolumnsetspan [] [] [=]
definecombination	\definecombination [] [=]
definecomment	\definecomment [] [=]
definecomplexorsimple	\definecomplexorsimple \
definecomplexorsimpleempty	\definecomplexorsimpleempty \
definecomplexorsimpleempty:argument	\definecomplexorsimpleempty {}
definecomplexorsimple:argument	\definecomplexorsimple {}
defineconversionset	\defineconversionset [] []
definecounter	\definecounter [] [] [=]
definedataset	\definedataset [] [] [=]
definedelimitedtext	\definedelimitedtext [] [] [=]
definedfont	\definedfont []
defineeffect	\definedfort [] [] [=]
defineexpandable	\defineexpandable [] \ \{\}
defineexternalfigure	\defineexternalfigure [] [] [=]
definefacingfloat	\definefacingfloat [] [=]
definefallbackfamily	\definefallbackfamily [] [] []
definefallbackfamily:preset	\definefallbackfamily [] [] []
definefieldbody	\definefieldbody [] [] []
•	
definefieldbodyset	\definefieldbodyset [] []
definefieldcategory	\definefieldcategory [] [] [=]
definefileconstant	\definefileconstant {} {}
dofinofilofollback	\dofinofilefollback [ ] [ ]

```
definefirstline
                                                        \definefirstline [...] [...] [..=..]
                                                        \definefittingpage [...] [...] [..=..]
definefittingpage
                                                        \definefontalternative [...]
definefontalternative
definefontfallback
                                                        \definefontfallback [...] [...] [...] [..=..]
                                                        \definefontfamily [...] [...] [...]
definefontfamily
definefontfamilypreset
                                                        \definefontfamilypreset [...] [..=..]
                                                        \definefontfamilypreset [...] [...]
definefontfamilypreset:name
definefontfamily:preset
                                                        \definefontfamily [...] [...] [...]
                                                        \definefontfeature [...] [...] [..=..]
definefontfeature
definefontfile
                                                        \definefontfile [...] [...] [..=..]
definefontsize
                                                        \definefontsize [...]
definefontsolution
                                                        \definefontsolution [...] [...] [..=..]
                                                        \defineformula [...] [...] [..=..]
defineformula
defineformulaalternative
                                                        \defineformulaalternative [...] [...]
define formula framed
                                                        \label{lem:lemma:define} $$ \operatorname{long} [\ldots] [\ldots] [\ldots] $$
defineframedcontent
                                                        \defineframedcontent [...] [...] [..=..]
                                                        \defineframedtable [...] [...]
defineframedtable
                                                        \definefrozenfont [...] [...]
definefrozenfont
defineglobalcolor
                                                        \defineglobalcolor [...] [..=..]
                                                        \defineglobalcolor [...] [...]
defineglobalcolor:name
                                                        \definegraphictypesynonym [...] [...]
{\tt definegraphictypesynonym}
definegridsnapping
                                                        \definegridsnapping [...] [...]
defineheadalternative
                                                        \defineheadalternative [...] [...] [..=..]
                                                        \definehelp [...] [...] [..=..]
definehelp
                                                        \definehigh [...] [...] [..=..]
definehigh
definehighlight
                                                        \definehighlight [...] [...] [..=..]
                                                        \definehspace [...] [...]
definehspace
                                                        \definehypenationfeatures [...] [..=..]
definehypenationfeatures
                                                        \defineindentedtext [...] [...] [..=..]
defineindentedtext
defineindenting
                                                        \defineindenting [...] [...]
defineinitial
                                                        \defineinitial [...] [...] [..=..]
                                                        \defineinsertion [...] [...] [..=..]
defineinsertion
                                                        \defineinteraction [...] [...] [..=..]
defineinteraction
defineinteractionbar
                                                        \defineinteractionbar [...] [...] [..=..]
defineinterfaceconstant
                                                        \defineinterfaceconstant {...} {...}
defineinterfaceelement
                                                        \defineinterfaceelement {...} {...}
defineinterfacevariable
                                                        \verb| \define interface variable {...} {...} |
                                                        \defineinterlinespace [...] [...] [..=..]
defineinterlinespace
                                                        \defineintermediatecolor [...] [...] [..=..]
defineintermediatecolor
defineitemgroup
                                                        \defineitemgroup [...] [...] [..=..]
defineitems
                                                        \defineitems [...] [...] [..=..]
                                                        \definelabelclass [...] [...]
definelabelclass
                                                        \definelayer [...] [...] [..=..]
definelayer
                                                        \definelayerpreset [...] [..=..]
definelayerpreset
definelayerpreset:name
                                                        \definelayerpreset [...] [...]
                                                        \definelinefiller [...] [...] [..=..]
definelinefiller
definelinenote
                                                        \definelinenote [...] [...] [..=..]
definelinenumbering
                                                        \definelinenumbering [...] [...] [..=..]
                                                        \definelines [...] [...] [..=..]
definelines
                                                        \definelistalternative [...] [...] [..=..]
definelistalternative
                                                        \definelistextra [...] [...] [..=..]
definelistextra
definelow
                                                        \definelow [...] [...] [..=..]
definelowhigh
                                                        \definelowhigh [...] [...] [..=..]
                                                        \definelowmidhigh [...] [...] [..=..]
definelowmidhigh
defineMPinstance
                                                        \defineMPinstance [...] [...] [..=..]
definemarginblock
                                                        \definemarginblock [...] [...]
                                                        \definemargindata [...] [...] [..=..]
definemargindata
definemarker
                                                        \definemarker [...]
definemathaccent
                                                        \definemathaccent ... ...
                                                        \definemathalignment [...] [...] [..=..]
definemathalignment
                                                        \definemathcases [...] [...] [..=..]
definemathcases
definemathcommand
                                                        \definemathcommand [...] [...] [...] \{...\}
definemathdouble
                                                        \definemathdouble [...] [...] [...]
{\tt define math double extensible}
                                                        \definemathdoubleextensible [...] [...] [...]
                                                        \definemathematics [...] [...] [..=..]
definemathematics
                                                        \definemathextensible [...] [...]
definemathextensible
definemathfence
                                                        \definemathfence [...] [...]
definemathfraction
                                                        \definemathfraction [...] [...] [..=..]
```

\definemathframed [...] [...] [..=..]

definemathframed

```
definemathoverextensible
                                                       \definemathoverextensible [...] [...]
definemathovertextextensible
                                                       \definemathovertextextensible [...] [...]
definemathradical
                                                       \definemathradical [...] [...] [..=..]
definemathstackers
                                                       \definemathstackers [...] [...] [..=..]
definemathstyle
                                                       \definemathstyle [...] [...]
definemathtriplet
                                                       \definemathtriplet [...] [...]
                                                       \definemathunder [...] [...]
definemathunder
definemathunderextensible
                                                       \definemathunderextensible [...] [...]
definemathundertextextensible
                                                       \definemathundertextextensible [...] [...]
definemathunstacked
                                                       \definemathunstacked [...] [...]
definemeasure
                                                       \definemeasure [...] [...]
{\tt definemessage} constant
                                                       \definemessageconstant {...}
                                                       \definemixedcolumns [...] [...] [..=..]
definemixedcolumns
definemode
                                                       \definemode [...] [...]
definemultitonecolor
                                                       \definemultitonecolor [...] [..=..] [..=..]
definenamedcolor
                                                       \definenamedcolor [...] [..=..]
                                                       \definenamedcolor [...] [...]
definenamedcolor:name
                                                       \definenamespace [...] [..=..]
definenamespace
definenarrower
                                                       \definenarrower [...] [...] [..=..]
                                                       \definenote [...] [...] [..=..]
definenote
defineornament:collector
                                                       \defineornament [...] [..=..] [..=..]
                                                       \defineornament [...] [..=..] [..=..]
defineornament:layer
defineoutputroutine
                                                       \defineoutputroutine [...] [...] [..=..]
                                                       \verb|\define output routine command [...]|
{\tt define output routine command}
definepage
                                                       \definepage [...] [...]
definepagebreak
                                                       \definepagebreak [...] [...]
                                                       \definepagechecker [...] [...] [..=..]
definepagechecker
                                                       \definepagecolumns [...] [...] [..=..]
definepagecolumns
                                                       \definepageinjection [...] [...] [..=..]
definepageinjection
definepageinjectionalternative
                                                       \definepageinjectionalternative [...] [...]
definepageshift
                                                       \definepageshift [...] [...]
                                                       \definepagestate [...] [...] [..=..]
definepagestate
                                                       \definepairedbox [...] [...] [..=..]
definepairedbox
defineparagraph
                                                       \defineparagraph [...] [...] [..=..]
defineparallel
                                                       \defineparallel [...] [...]
defineparbuilder
                                                       \defineparbuilder [...]
defineperiodkerning
                                                       \defineperiodkerning [...] [...] [..=..]
                                                       \defineplacement [...] [...] [..=..]
defineplacement
{\tt define positioning}
                                                       \definepositioning [...] [..=..]
                                                       \defineprefixset [...] [...]
defineprefixset
defineprocesscolor
                                                       \defineprocesscolor [...] [...] [..=..]
                                                       \defineprocessor [...] [...] [..=..]
defineprocessor
                                                       \definepushbutton [...] [..=..]
definepushbutton
                                                       \definepushsymbol [...] [...]
definepushsymbol
definerenderingwindow
                                                       \definerenderingwindow [...] [...] [..=..]
                                                       \defineresetset [...] [...]
defineresetset
defineruby
                                                       \defineruby [...] [...] [..=..]
definescale
                                                       \definescale [...] [...] [..=..]
                                                       \definescript [...] [...] [..=..]
definescript
                                                       \definesectionlevels [...] [...]
definesectionlevels
                                                       \defineselector [...] [..=..]
defineselector
defineseparatorset
                                                       \defineseparatorset [...] [...]
                                                       \defineshift [...] [...] [..=..]
defineshift
definesidebar
                                                       \definesidebar [...] [...] [..=..]
                                                       \definesort [...] [...] [...] {...}
definesort
definespotcolor
                                                       \definespotcolor [...] [...] [..=..]
definestyleinstance
                                                       \definestyleinstance [...] [...] [...]
definesubformula
                                                       \definesubformula [...] [...] [..=..]
definesynonym
                                                       \definesynonym [...] [...] {...} {...}
{\tt define system attribute}
                                                       \definesystemattribute [...] [...]
                                                       \definesystemconstant {...}
definesystemconstant
definesystemvariable
                                                       \definesystemvariable {...}
defineTABLEsetup
                                                       \defineTABLEsetup [...] [..=..]
                                                       \verb| definetabulation [...] [...] [...=..] |
definetabulation
                                                       \definetextbackground [...] [...] [..=..]
definetextbackground
                                                       \definetextflow [...] [...] [..=..]
definetextflow
definetokenlist
                                                       \definetokenlist [...]
                                                       \definetooltip [...] [...] [..=..]
```

\definetransparency [...] [...]

definetooltip

definetransparency:1

```
\definetypeface [...] [...] [...] [...] [...]
definetypeface
                                                       \definetypescriptprefix [...] [...]
definetypescriptprefix
                                                       \definetypescriptsynonym [...] [...]
definetypescriptsynonym
definetypesetting
                                                       \definetypesetting [...] [...] [..=..]
defineunit
                                                      \defineunit [...] [...] [..=..]
                                                      \defineuserdata [...] [...] [..=..]
defineuserdata
                                                      \defineuserdataalternative [...] [...] [..=..]
defineuserdataalternative
defineviewerlayer
                                                      \defineviewerlayer [...] [...] [..=..]
                                                      \definevspace [...] [...]
definevspace
{\tt definevspacing}
                                                       \definevspacing [...] [...]
definevspacingamount
                                                       \definevspacingamount [...] [...]
definextable
                                                       \definextable [...] [...] [..=..]
                                                      \definisci [...] \... {...}
definisci
definisciaccento
                                                      \definisciaccento ... ...
definisciambientefontdeltesto
                                                       \definisciambientefontdeltesto [...] [...]
definisciblocco
                                                       \definisciblocco [...] [...] [..=..]
definiscibloccosezione
                                                       \definiscibloccosezione [...] [...]
                                                       \definiscibuffer [...] [...] [..=..]
definiscibuffer
definiscicampo
                                                       \definiscicampo [...] [...] [...] [...]
                                                       \definiscicapoversi [...] [...] [..=..]
definiscicapoversi
                                                      \definiscicarattere ... ...
definiscicarattere
                                                      \definiscicolore [...] [..=..]
definiscicolore
definiscicolore:name
                                                      \definiscicolore [...] [...]
                                                       \definiscicomando ... ...
definiscicomando
                                                       \definisciconversione [...] [...]
definisciconversione
definisciconversione:list
                                                       \definisciconversione [...] [...]
                                                      \definiscidescrizione [...] [...] [..=..]
definiscidescrizione
definiscidimensionicarta
                                                      \definiscidimensionicarta [...] [..=..]
definiscidimensionicarta:name
                                                      \definiscidimensionicarta [...] [...]
definiscielenco
                                                      \definiscielenco [...] [...] [..=..]
definiscielencocombinato
                                                       \definiscielencocombinato [...] [...] [..=..]
                                                       \definiscienumerazione [...] [...] [..=..]
definiscienumerazione
                                                       \definiscietichetta [...] [...] [..=..]
definiscietichetta
definiscifigurasimbolo
                                                       \definiscifigurasimbolo [...] [...] [..=..]
                                                      \definiscifont [...] [...] [..=..]
definiscifont
                                                      \definiscifontdeltesto [...] [...] [...] [...]
definiscifontdeltesto
                                                      \definiscifontdeltesto [...] [...] [...]
definiscifontdeltesto:argument
                                                      \verb| definiscifont [...] [...] [...] |
definiscifont:argument
definisciformatoriferimento
                                                       \definisciformatoriferimento [...] [...] [..=..]
definiscigruppocolonne
                                                       \definiscigruppocolonne [...] [...] [..=..]
definiscigruppocolori
                                                       \definiscigruppocolori [...] [x:y:z,..]
                                                       \definiscihbox [...] [...]
definiscihbox
                                                      \definisciincorniciato [...] [...] [..=..]
definisciincorniciato
definisciiniziatermina
                                                       \definisciiniziatermina [...] [...] [..=..]
definiscilayout
                                                       \definiscilayout [...] [...] [..=..]
definiscimakeup
                                                       \definiscimakeup [...] [...]
                                                       \definiscimarcatura [...] [...] [..=..]
definiscimarcatura
definiscimenuinterazione
                                                       \definiscimenuinterazione [...] [...] [..=..]
                                                      \label{localization} $$ \definiscimodellotabella [...] [|...|] [...] $$
definiscimodellotabella
                                                      \definiscioggettomobile [...] [...] [..=..]
definiscioggettomobile
definiscioggettomobile:name
                                                      \definiscioggettomobile [...] [...]
definisciordinamento
                                                      \definisciordinamento [...] [...]
definisciprofilo
                                                      \definisciprofilo [...] [...] [..=..]
definisciprogramma
                                                       \definisciprogramma [...] [...]
                                                       \definisciregistro [...] [..=..]
definisciregistro
definisciriferimento
                                                       \definisciriferimento [...] [...]
                                                      \definiscisezione [...]
definiscisezione
definiscisimbolo
                                                      \definiscisimbolo [...] [...]
definiscisinonimi
                                                       \definiscisinonimi [...] [...] [...]
{\tt definiscisinonimofont}
                                                      \definiscisinonimofont [...] [...] [..=..]
                                                       \definiscisottocampo [...] [...]
definiscisottocampo
definiscisovrapposizione
                                                       \definiscisovrapposizione [...] [...]
definiscistackcampi
                                                       \definiscistackcampi [...] [...] [..=..]
                                                      \definiscistile [...] [...] [..=..]
definiscistile
                                                      \definiscistilefont [...] [...]
definiscistilefont
                                                      \definiscitabulato [...] [...]
definiscitabulato
                                                       \definiscitavolozza [...] [..=..] OPT
definiscitavolozza
```

definiscitavolozza:name

definiscitesta

\definiscitavolozza [...] [...]

\definiscitesta [...] [...] [..=..]

```
\definiscityping [...] [...] [..=..]
definiscityping
delimited
                                                        \delimited [...] [...] {...}
                                                        \delimitedtext [...] [...] {...}
delimitedtext
delimitedtext:instance
                                                        \DELIMITEDTEXT [...] {...}
                                                        \aside [...] {...}
delimitedtext:instance:aside
delimitedtext:instance:blockquote
                                                        \blockquote [...] {...}
                                                        \quotation [...] {...}
delimitedtext:instance:quotation
delimitedtext:instance:quote
                                                        \quote [...] {...}
delimitedtext:instance:speech
                                                        \speech [...] {...}
                                                        \depthofstring {...}
depthofstring
depthonlybox
                                                        \depthonlybox {...}
depthspanningtext
                                                        \depthspanningtext {...} {...} {...}
depthstrut
                                                        \depthstrut
descrizione:example
                                                        \DESCRIZIONE [...] {...} ... \par
{\tt determinaca} ratteristichere gistro
                                                        \determinacaratteristicheregistro [...] [..=..]
determinacarattersticheelenco
                                                        \determinacarattersticheelenco [...] [..=..]
determinanumerotesta
                                                        \determinanumerotesta [...]
determinenoflines
                                                        \determinenoflines {...}
                                                        \devanagarinumerals {...}
devanagarinumerals
digits
                                                        \digits {...}
                                                        \digits ...
digits:string
dimensiontocount
                                                        \dimensiontocount {...} \...
directboxfromcache
                                                        directboxfromcache {...} {...}
                                                        \directcolor [...]
directcolor
directcolored
                                                        \directcolored [..=..]
directcolored:name
                                                        \directcolored [...]
                                                        \directconvertedcounter {...} {...}
directconvertedcounter
                                                        \directcopyboxfromcache {...} {...}
directcopyboxfromcache
directdummyparameter
                                                        \directdummyparameter {...}
directgetboxllx
                                                        \directgetboxllx ...
                                                        \directgetboxlly ...
directgetboxlly
directhighlight
                                                        \directhighlight {...} {...}
{\tt directlocal framed}
                                                        \directlocalframed [...] {...}
directluacode
                                                        \directluacode {...}
                                                        directselect
directsetbar
                                                        \directsetup {...}
directsetup
                                                        \displaystyle \operatorname{directsymbol}\ \{\ldots\}\ \{\ldots\}
directsymbol
directvspacing
                                                        \directvspacing {...}
                                                        \dis {...}
disabledirectives
                                                        \disabledirectives [...]
disableexperiments
                                                        \disableexperiments [...]
disablemode
                                                        \disablemode [...]
disableoutputstream
                                                        \disableoutputstream
disableparpositions
                                                        \disableparpositions
disableregime
                                                        \disableregime
disabletrackers
                                                        \disabletrackers [...]
                                                        \displaymath {...}
displaymath
displaymathematics
                                                        \displaymathematics {...}
displaymessage
                                                        \displaymessage {...}
distributedhsize
                                                        \distributedhsize \{...\} \{...\}
dividedsize
                                                        \dividedsize \{...\} \{...\}
doadaptleftskip
                                                        \doadaptleftskip {...}
doadaptrightskip
                                                        \doadaptrightskip {...}
doaddfeature
                                                        \doaddfeature {...}
doassign
                                                        \doassign [...] [..=..]
doassignempty
                                                        \doassignempty [...] [..=..]
doboundtext
                                                        \doboundtext {...} {...} {...}
docheckassignment
                                                        \docheckassignment {...}
                                                        \docheckedpagestate \{...\} \{...\} \{...\} \{...\} \{...\}
docheckedpagestate
docheckedpair
                                                        \docheckedpair {...}
documentvariable
                                                        \documentvariable {...}
                                                        \dodoubleargument \... [...] [...]
dodoubleargument
{\tt dodoubleargumentwithset}
                                                        \dodoubleargumentwithset \... [...]
dodoubleempty
                                                        \dodoubleempty \... [...] [...]
dodoubleemptywithset
                                                        \dodoubleemptywithset \... [...] [...]
                                                        \dodoublegroupempty \... \{...\}
dodoublegroupempty
```

\doeassign [...] [..=..]

doeassign

```
dogetattributeid
                                                                                   \dogetattributeid {...}
dogetcommacommandelement
                                                                                   \dogetcommacommandelement ... \from ... \to \...
dogobbledoubleempty
                                                                                   \dogobbledoubleempty [...] [...]
dogobblesingleempty
                                                                                   \dogobblesingleempty [...]
                                                                                   \doif {...} {...}
doif
doifallcommon
                                                                                   \doifallcommon \{...\} \{...\}
                                                                                   \doifallcommonelse \{...\} \{...\} \{...\}
doifallcommonelse
doifalldefinedelse
                                                                                   \doifalldefinedelse \{...\} \{...\}
                                                                                   \doifallmodes {...} {...} {...}
doifallmodes
doifallmodeselse
                                                                                   \doifallmodeselse \{...\} \{...\}
doifassignmentelse
                                                                                   \doifassignmentelse \{\ldots\} \{\ldots\}
doifassignmentelsecs
                                                                                   \doifblackelse \{...\} \{...\}
doifblackelse
doifbothsides
                                                                                   \doifbothsides \{...\} \{...\}
doifbothsidesoverruled
                                                                                   \doifbothsidesoverruled \{\ldots\} \{\ldots\} \doifbothsidesoverruled \{\ldots\} \doif
doifboxelse
                                                                                   \doifboxelse \{...\} \{...\} \{...\}
                                                                                   \doifbufferelse \{...\} \{...\}
doifbufferelse
                                                                                   \doifcolor {...} {...}
doifcolor
doifcolorelse
                                                                                   \doifcolorelse \{...\} \{...\}
{\tt doifcommandhandler}
                                                                                   \doifcommandhandler \... \{...\} \{...\}
                                                                                   \verb|\doifcommandhandlerelse| .... {...} {...} {...}
doifcommandhandlerelse
                                                                                   \doifcommon {...} {...} {...}
doifcommon
doifcommonelse
                                                                                   \doifcommonelse \{...\} \{...\} \{...\}
                                                                                   \doifcontent {...} {...} \... {...}
doifcontent
doifconversiondefinedelse
                                                                                   \doifconversiondefinedelse \{...\} \{...\}
doifconversionnumberelse
                                                                                   \doifconversionnumberelse \{...\} \{...\} \{...\}
                                                                                   \doifcounter \{\ldots\} \{\ldots\}
doifcounter
                                                                                   \doifcounterelse \{...\} \{...\}
doifcounterelse
doifcurrentfonthasfeatureelse
                                                                                   \doifcurrentfonthasfeatureelse \{...\} \{...\}
doifdefined
                                                                                   \doifdefined \{...\} \{...\}
doifdefinedcounter
                                                                                   \doifdefinedcounter \{\ldots\} \\ \\.\}
doifdefinedcounterelse
                                                                                   doifdefinedelse
                                                                                   doifdimensionelse
                                                                                   \doifdimensionelse \{...\} \{...\}
                                                                                   \verb|\doifdimenstringelse {...} {...} {...}|
{\tt doifdimenstringelse}
                                                                                   \doifdocumentargument {...} {...}
doifdocumentargument
doifdocumentargumentelse
                                                                                   \verb|\doifdocumentargumentelse {...} {...} {...}
                                                                                   \verb|\doifdocumentfilename {...} {...}|
doifdocumentfilename
doifdocumentfilenameelse
                                                                                   \doifdocumentfilenameelse \{...\} \{...\}
doifdocumentvariable
                                                                                   \doifdocumentvariable \{\ldots\} \\ \ldots\}
doifdocumentvariableelse
                                                                                   \doifdocumentvariableelse \{...\} \{...\}
                                                                                   \doifdrawingblackelse \{\ldots\} \{\ldots\}
doifdrawingblackelse
                                                                                   doifelse
                                                                                   \doifelseallcommon \{...\} \{...\} \{...\}
doifelseallcommon
doifelsealldefined
                                                                                   \doifelsealldefined \{...\} \{...\}
                                                                                   \doifelseallmodes \{...\} \{...\}
doifelseallmodes
doifelseassignment
                                                                                   \doifelseassignment \{...\} \{...\}
doifelseassignmentcs
                                                                                   \doifelseassignmentcs {...} \... \...
                                                                                   \doing \{...\} \{...\} \{...\}
doifelseblack
doifelsebox
                                                                                   \doifelsebox {...} {...} {...} {...}
                                                                                   \doifelseboxincache \{...\} \{...\} \{...\}
doifelseboxincache
doifelsebuffer
                                                                                   \doifelsebuffer \{...\} \{...\}
doifelsecolor
                                                                                   \doifelsecolor \{...\} \{...\}
doifelsecommandhandler
                                                                                   \doifelsecommandhandler \... \{...\} \{...\}
                                                                                   \doifelsecommon \{...\} \{...\} \{...\}
doifelsecommon
{\tt doifelse conversion defined}
                                                                                   \doifelseconversiondefined \{...\} \{...\}
                                                                                   \verb|\doifelseconversionnumber {...} {...} {...} {...}
doifelseconversionnumber
doifelsecounter
                                                                                   doifelsecurrentfonthasfeature
                                                                                   \doifelsecurrentfonthasfeature \{...\} \{...\}
{\tt doifelsecurrentsortingused}
                                                                                   \doifelsecurrentsortingused {...} {...}
                                                                                   \doifelsecurrentsynonymshown {...} {...}
doifelsecurrentsynonymshown
{\tt doifelse current synonymused}
                                                                                   \doifelsecurrentsynonymused \{\ldots\} \{\ldots\}
doifelsedefined
                                                                                   \doifelsedefined \{...\} \{...\}
                                                                                   \doifelsedefinedcounter \{\ldots\} \{\ldots\}
doifelsedefinedcounter
                                                                                   \doifelsedimension \{...\} \{...\}
doifelsedimension
                                                                                   doifelsedimenstring
doifelsedocumentargument
                                                                                   \doifelsedocumentargument \{\ldots\} \{\ldots\}
                                                                                   \doifelsedocumentfilename \{...\} \{...\}
doifelsedocumentfilename
```

\doifelsedocumentvariable \{\ldots\} \\\.\} \\.\}

doifelsedocumentvariable

```
doifelseemptyvariable
                                                        \doifelseemptyvariable \{...\} \{...\} \{...\}
                                                        \doifelseenv {...} {...} {...}
doifelseenv
doifelsefastoptionalcheck
                                                        \doifelsefastoptionalcheck {...} {...}
doifelsefastoptionalcheckcs
                                                        \doifelsefastoptionalcheckcs \... \...
                                                        \doifelsefieldbody \{...\} \{...\}
doifelsefieldbody
                                                        \doifelsefieldcategory \{...\} \{...\}
doifelsefieldcategory
                                                        \doifelsefigure \{\ldots\} \\\.\}
doifelsefigure
doifelsefile
                                                        \doifelsefile \{...\} \{...\}
doifelsefiledefined
                                                        \doifelsefiledefined \{...\} \{...\}
doifelsefileexists
                                                        \doifelsefileexists {...} {...} {...}
doifelsefirstchar
                                                        \doifelsefirstchar \{...\} \{...\} \{...\}
doifelseflagged
                                                        \doifelseflagged \{...\} \{...\}
                                                        \verb|\doifelsefontchar {...} {...} {...} {...} {...}
doifelsefontchar
doifelsefontfeature
                                                        \doifelsefontfeature {...} {...} {...}
doifelsefontpresent
                                                        \doifelsefontpresent \{\ldots\} \{\ldots\} \\
doifelsefontsynonym
                                                        \dointsynonym {...} {...} {...}
                                                        \doifelseframed \... \{...\}
doifelseframed
doifelsehasspace
                                                        \doifelsehasspace \{...\} \{...\}
doifelsehelp
                                                        \doifelsehelp \{\ldots\} \\ \\ \ldots\}
                                                        \doifelseincsname \{...\} \{...\} \{...\}
doifelseincsname
doifelseinelement
                                                        \doifelseinelement \{...\} \{...\}
                                                        \doifelseinputfile \{...\} \{...\}
doifelseinputfile
doifelseinsertion
                                                        \doifelseinsertion \{\ldots\} \{\ldots\}
                                                        \verb|\doifelseinset {...} {...} {...} {...} {...}
doifelseinset
                                                        \doifelseinstring \{...\} \{...\} \{...\}
doifelseinstring
doifelseinsymbolset
                                                        \doifelseinsymbolset \{...\} \{...\} \{...\}
                                                        \doifelseintoks \{...\} \{...\} \{...\}
doifelseintoks
doifelseintwopassdata
                                                        \doingle doifelseintwopassdata {...} {...} {...} {...}
                                                        \doifelseitalic {...} {...}
doifelseitalic
doifelselanguage
                                                        doifelselayerdata
                                                        \doifelselayerdata \{...\} \{...\}
                                                        \doifelselayoutdefined \{...\} \{...\}
doifelselayoutdefined
                                                        \doifelselayoutsomeline \{\ldots\} \\\.\}
doifelselayoutsomeline
doifelselayouttextline
                                                        \doifelselayouttextline \{...\} \{...\}
doifelseleapyear
                                                        \verb|\doifelseleapyear {...} {...} {...}
doifelselist
                                                        \doifelselist {...} {...} {...}
doifelselocation
                                                        \doifelselocation \{\ldots\} \{\ldots\}
                                                        \doifelselocfile \{...\} \{...\}
doifelselocfile
doifelseMPgraphic
                                                        \doifelseMPgraphic \{\ldots\} \{\ldots\} \doifelseMPgraphic \{\ldots\} \\
doifelsemainfloatbody
                                                        \doifelsemainfloatbody \{\ldots\} \\ \.\\
doifelsemarkedpage
                                                        \doifelsemarking \{...\} \{...\}
doifelsemarking
                                                        \doifelsemeaning \... \... \{...\}
doifelsemeaning
                                                        \doifelsemessage \{...\} \{...\} \{...\}
doifelsemessage
doifelsemode
                                                        \doifelsemode \{...\} \{...\}
                                                        \doifelsenextbgroup \{\ldots\} \{\ldots\}
doifelsenextbgroup
                                                        \doifelsenextbgroupcs \... \...
doifelsenextbgroupcs
doifelsenextchar
                                                        \doifelsenextchar \{...\} \{...\}
doifelsenextoptional
                                                        \doifelsenextoptional \{\ldots\} \{\ldots\}
doifelsenextoptionalcs
                                                        \doifelsenextoptionalcs \... \...
doifelsenextparenthesis
                                                        \doifelsenextparenthesis {...} {...}
doifelsenonzeropositive
                                                        \doifelsenonzeropositive \{...\} \{...\}
doifelsenoteonsamepage
                                                        \doifelsenoteonsamepage \{...\} \{...\}
doifelsenothing
                                                        \doifelsenothing \{...\} \{...\}
                                                        \doifelsenumber \{...\} \{...\}
doifelsenumber
doifelseobjectfound
                                                        \doifelseobjectfound \{...\} \{...\} \{...\}
                                                        \doifelseobjectreferencefound \{...\} \{...\} \{...\}
doifelseobjectreferencefound
doifelseoddpage
                                                        \verb|\doifelseoddpage {...} {...}|
doifelseoddpagefloat
                                                        \doifelseoddpagefloat {...} {...}
                                                        \doifelseoldercontext \{...\} \{...\}
doifelseoldercontext
                                                        \doifelseolderversion \{\ldots\} \{\ldots\} \{\ldots\}
doifelseolderversion
doifelseoverlapping
                                                        \doifelseoverlapping \{...\} \{...\} \{...\}
doifelseoverlay
                                                        \doifelseoverlay \{...\} \{...\}
                                                        \doifelseparallel \{...\} \{...\} \{...\}
doifelseparallel
                                                        \doifelseparentfile \{...\} \{...\}
doifelseparentfile
                                                        \doifelsepath \{...\} \{...\}
doifelsepath
doifelsepathexists
                                                        \doifelsepathexists \{\ldots\} \{\ldots\} \\
                                                        \doifelsepatterns \{...\} \{...\}
doifelsepatterns
doifelseposition
                                                        \doifelseposition \{...\} \{...\}
```

```
doifelsepositionsonthispage
                                                                                 \doifelsepositionsonthispage \{...\} \{...\}
                                                                                 \doifelsepositionsused \{\ldots\} \{\ldots\}
doifelsepositionsused
doifelsereferencefound
                                                                                 \doifelsereferencefound \{\ldots\} \{\ldots\} \\
doifelserightpage
                                                                                 \doifelserightpage {...} {...}
                                                                                \doifelserightpagefloat {...} {...}
doifelserightpagefloat
doifelserighttoleftinbox
                                                                                \doifelserighttoleftinbox ... {...} {...}
doifelsesamelinereference
                                                                                doifelsesamestring
                                                                                \doifelsesamestring \{...\} \{...\} \{...\}
                                                                                \doifelsesetups \{...\} \{...\}
doifelsesetups
doifelsesomebackground
                                                                                 \doifelsesomebackground \{\ldots\} \{\ldots\}
doifelsesomespace
                                                                                 \doifelsesomespace \{...\} \{...\}
                                                                                 \doifelsesomething \{\ldots\} \{\ldots\} \\
doifelsesomething
                                                                                \doing 1 \
doifelsesometoks
doifelsestringinstring
                                                                                \doifelsestringinstring \{...\} \{...\} \{...\}
doifelsestructurelisthasnumber
                                                                                 \doing 1 = 1 
doifelsestructurelisthaspage
                                                                                \doifelsestructurelisthaspage {...} {...}
                                                                                 \doifelsesymboldefined \{\ldots\} \{\ldots\}
doifelsesymboldefined
                                                                                 doifelsesymbolset
doifelsetext
                                                                                 \doifelsetext {...} {...} {...}
                                                                                 \doifelsetextflow \{\ldots\} \{\ldots\}
doifelsetextflow
doifelsetextflowcollector
                                                                                \doifelsetextflowcollector \{...\} \{...\}
                                                                                \doifelsetopofpage {...} {...}
doifelsetopofpage
doifelsetypingfile
                                                                                \doifelsetypingfile \{...\} \{...\}
                                                                                 doifelseundefined
doifelseurldefined
                                                                                 doifelsevalue
                                                                                 \doifelsevalue \{...\} \{...\} \{...\}
                                                                                \doifelsevaluenothing \{\ldots\} \{\ldots\}
doifelsevaluenothing
doifelsevariable
                                                                                \doifelsevariable \{...\} \{...\} \{...\}
                                                                                \doifempty {...} {...}
doifempty
doifemptyelse
                                                                                \doifemptyelse \{...\} \{...\}
doifemptytoks
                                                                                \doint \{ \dots \}
doifemptyvalue
                                                                                 \doifemptyvalue {...} {...}
doifemptyvalueelse
                                                                                 \doifemptyvalueelse \{...\} \{...\}
doifemptyvariable
                                                                                 \doifemptyvariable \{...\} \{...\}
{\tt doifempty variable else}
                                                                                \verb|\doifemptyvariableelse {...} {...} {...} {...}
doifenv
                                                                                \doifenv {...} {...}
                                                                                \doifenvelse \{...\} \{...\}
doifenvelse
doiffastoptionalcheckcselse
                                                                                \doiffastoptionalcheckcselse \... \...
doiffastoptionalcheckelse
                                                                                 \doiffastoptionalcheckelse \{\ldots\} \{\ldots\}
doiffieldbodyelse
                                                                                 doiffieldcategoryelse
                                                                                 \doiffieldcategoryelse \{\ldots\} \{\ldots\}
                                                                                \doiffigureelse \{...\} \{...\}
doiffigureelse
                                                                                 \doiffile {...} {...}
doiffile
doiffiledefinedelse
                                                                                 doiffileelse
                                                                                 \doiffileelse \{...\} \{...\}
doiffileexistselse
                                                                                 \doiffileexistselse \{...\} \{...\}
doiffirstcharelse
                                                                                 \doiffirstcharelse \{...\} \{...\} \{...\}
doifflaggedelse
                                                                                 \doiffontcharelse \{...\} \{...\} \{...\}
doiffontcharelse
doiffontfeatureelse
                                                                                doiffontpresentelse
doiffontsynonymelse
                                                                                \doiffontsynonymelse \{...\} \{...\}
doifhasspaceelse
                                                                                \doifhasspaceelse \{...\} \{...\}
doifhelpelse
                                                                                 \doifhelpelse \{\ldots\} \\ \ldots\}
                                                                                 \doifincsnameelse {...} {...} {...} {...}
doifincsnameelse
doifinelementelse
                                                                                 \doifinelementelse \{...\} \{...\}
                                                                                \doifinputfileelse \{...\} \{...\}
doifinputfileelse
doifinsertionelse
                                                                                \doifinsertionelse \{...\} \{...\}
doifinset
                                                                                \doifinset \{...\} \{...\}
                                                                                \doifinsetelse \{...\} \{...\} \{...\}
doifinsetelse
doifinstring
                                                                                 \doifinstring {...} {...} {...}
doifinstringelse
                                                                                 \doifinstringelse {...} {...} {...} {...}
doifinsymbolset
                                                                                 \doise \{...\} \{...\} \{...\} \{...\}
                                                                                \doifinsymbolsetelse \{...\} \{...\} \{...\}
doifinsymbolsetelse
                                                                                \doifintokselse {...} {...} {...}
doifintokselse
                                                                                \doifintwopassdataelse \{...\} \{...\} \{...\}
doifintwopassdataelse
doifitalicelse
                                                                                 \doifitalicelse \{\ldots\} \\ \\.\\
                                                                                 \doiflanguageelse \{...\} \{...\}
doiflanguageelse
```

\doiflayerdataelse  $\{...\}$   $\{...\}$ 

doiflayerdataelse

doifleapyearelse	\doifleapyearelse $\{\}$ $\{\}$
doiflistelse	\doiflistelse {} {}
doiflocationelse	\doiflocationelse {} {}
doiflocfileelse	\doiflocfileelse {} {}
doifMPgraphicelse	$\doifMPgraphicelse {} {}$
doifmainfloatbodyelse	$\doint Mainfloat Mody else {} {}$
doifmarkingelse	\doifmarkingelse {} {}
doifmeaningelse	\doifmeaningelse \ \ \{} \{}
doifmessageelse	\doifmessageelse $\{\}$ $\{\}$ $\{\}$
doifmode	\doifmode {} {}
doifmodeelse	\doifmodeelse {} {}
doifnextbgroupcselse	\doifnextbgroupcselse \ \
doifnextbgroupelse	\doifnextbgroupelse {} {}
doifnextcharelse	\doifnextcharelse \{\ldots\} \\\
doifnextoptionalcselse	\doifnextoptionalcselse \ \
doifnextoptionalelse	\doifnextoptionalelse {} {}
doifnextparenthesiselse	\doifnextparenthesiselse {} {}
doifnonzeropositiveelse	\doifnonzeropositiveelse {} {} {}
doifnot	\doifnot {} {}
doifnotallcommon	\doifnotallcommon \{\ldots\} \\\.\\
doifnotallmodes	\doifnotallmodes \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifnotcommandhandler	\doifnotcommandhandler \ \{\} \{\}
doifnotcommon	\doifnotcommon {} {} {}
doifnotcounter	\doifnotcounter {} {}
doifnotdocumentargument	\doifnotdocumentargument {} {}
doifnotdocumentfilename	\doifnotdocumentfilename {} {}
doifnotdocumentvariable	\doifnotdocumentvariable {} {}
doifnotempty	\doifnotempty {} {}
doifnotemptyvalue	\doifnotemptyvalue {} {}
doifnotemptyvariable	\doifnotemptyvariable {} {}
doifnotenv	\doifnotenv {} {}
doifnoteonsamepageelse	\doifnoteonsamepageelse {} {} {}
doifnotescollected	\doifnotescollected {} {}
doifnotfile	\doifnotfile {} {}
doifnotflagged	\doifnotflagged {} {}
doifnothing	\doifnothing {} {}
doifnothingelse	\doifnothingelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifnotinset	\doifnotinset {} {} {}
doifnotinsidesplitfloat	\doifnotinsidesplitfloat {}
doifnotinstring	\doifnotinstring {} {}
doifnotmode	\doifnotmode \{\ldots\} \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \
doifnotnumber	\doifnotnumber \{\ldots\\} \\\
doifnotsamestring	\doifnotsamestring {} {} {}
doifnotsetups	\doifnotsetups {} {}
doifnotvalue	\doifnotvalue {} {}
doifnotvariable	\doifnotvariable {} {} {}
doifnumber	\doifnumber {} {}
doifnumberelse	\doifnumberelse {} {}
doifobjectfoundelse	\doifobjectfoundelse $\{\}$ $\{\}$ $\{\}$
doifobjectreferencefoundelse	\doifobjectreferencefoundelse {} {} {}
doifoddpageelse	\doifoddpageelse {} {}
doifoddpagefloatelse	\doifoddpagefloatelse {} {}
doifoldercontextelse	\doifoldercontextelse {} {} {}
doifolderversionelse	\doifolderversionelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifoverlappingelse	\doifoverlappingelse {} {} {}
doifoverlayelse	\doifoverlayelse {} {} {}
doifparallelelse	\doifparallelelse {} {} {}
doifparentfileelse	\doifparentfileelse {} {}
doifpathelse	\doifpathelse {} {}
doifpathexistselse	\doifpathexistselse {} {}
doifpatternselse	\doifpatternselse {} {} {}
doifposition	\doifposition {} {}
doifpositionaction	\doifpositionaction \{\ldots\} \\\.\\
doifpositionactionelse	\doifpositionactionelse \{\ldots\} \\\.\}
doifpositionelse	\doifpositionelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifpositiononpageelse	\doifpositiononpageelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifpositionsonsamepageelse	\doifpositionsonsamepageelse {} {} {}
doifpositionsonthispageelse	\doifpositionsonthispageelse \{\ldots\} \\\.\} \\\.\}
doifpositionsusedelse	\doifpositionsusedelse {} {}
doifroforoncofoundolas	\doifroforoncofoundolgo [ ] [ ] [

```
doifsamelinereferenceelse
                                                       \doifsamelinereferenceelse \{...\} \{...\}
                                                       \doifsamestring \{...\} \{...\}
doifsamestring
                                                       \doifsamestringelse \{...\} \{...\} \{...\}
doifsamestringelse
doifsetups
                                                       \doifsetups {...} {...}
                                                       \doifsetupselse \{...\} \{...\}
doifsetupselse
doifsomebackground
                                                       \doifsomebackground \{...\} \{...\}
                                                       \verb|\doifsomebackgroundelse {...} {...} {...}
doifsomebackgroundelse
doifsomespaceelse
                                                       \doifsomespaceelse \{...\} \{...\}
doifsomething
                                                       \doifsomething {...} {...}
doifsomethingelse
                                                       doifsometoks
                                                       \doifsometoks \... {...}
                                                       \doifsometokselse \... \{...\}
doifsometokselse
                                                       \doifstringinstringelse \{...\} \{...\} \{...\}
doifstringinstringelse
doifstructurelisthasnumberelse
                                                       \dots
doifstructurelisthaspageelse
                                                       \doifstructurelisthaspageelse {...} {...}
doifsymboldefinedelse
                                                       \verb|\doifsymboldefinedelse {...} {...} {...}|
                                                       \doifsymbolsetelse \{\ldots\} \{\ldots\}
doifsymbolsetelse
                                                       \doiftext {...} {...} {...}
doiftext
doiftextelse
                                                       \doiftextelse \{...\} \{...\}
                                                       \doiftextflowcollectorelse \{...\} \{...\}
doiftextflowcollectorelse
                                                       \doiftextflowelse \{...\} \{...\}
doiftextflowelse
                                                       \doiftopofpageelse {...} {...}
doiftopofpageelse
doiftypingfileelse
                                                       \doiftypingfileelse \{...\} \{...\}
                                                       \doifundefined \{\ldots\} \\ \\ \ldots\}
doifundefined
doifundefinedcounter
                                                       \doifundefinedcounter \{\ldots\} \\ \\.\}
doifundefinedelse
                                                       \doifundefinedelse \{...\} \{...\}
                                                       \verb|\doifunknownfontfeature {...} {...} {...}
doifunknownfontfeature
doifurldefinedelse
                                                       \doifvalue {...} {...} {...}
doifvalue
doifvalueelse
                                                       \doifvalueelse \{...\} \{...\} \{...\}
doifvaluenothing
                                                       \doifvaluenothing {...} {...}
                                                       \doifvaluenothingelse \{\ldots\} \{\ldots\}
doifvaluenothingelse
doifvaluesomething
                                                       \doifvaluesomething {...} {...}
doifvariable
                                                       \doifvariable \{...\} \{...\}
doifvariableelse
                                                       \verb|\doifvariableelse {...} {...} {...} {...} {...}
doindentation
                                                       \doindentation
dollar
                                                       \dollar
doloop
                                                       \doloop {...}
                                                       \doloopoverlist {...} {...}
doloopoverlist
donothing
                                                       \donothing
dontconvertfont
                                                       \dontconvertfont
                                                       \dontleavehmode
dontleavehmode
                                                       \dontpermitspacesbetweengroups
dontpermitspacesbetweengroups
dopositionaction
                                                       \dopositionaction {...}
doprocesslocalsetups
                                                       \doprocesslocalsetups {...}
doquadrupleargument
                                                       \doquadrupleargument \... [...] [...] [...]
                                                       \doquadrupleempty \... [...] [...] [...]
doquadrupleempty
doquadruplegroupempty
                                                       \label{local-decomposition} $$ \doquad ruple group empty $$ \hdots {...} {...} {...} {...} {...} $$
                                                       \doquintupleargument \... [...] [...] [...] [...]
doquintupleargument
                                                       \doquintupleempty \... [...] [...] [...] [...]
doquintupleempty
                                                       \doquintuplegroupempty \... \{...\} \{...\} \{...\} \{...\} \{...
doquintuplegroupempty
dorechecknextindentation
                                                       \dorechecknextindentation
                                                       \dorecurse {...} {...}
dorecurse
dorepeatwithcommand
                                                       \dorepeatwithcommand [...] \...
doreplacefeature
                                                       \doreplacefeature {...}
doresetandafffeature
                                                       \doresetandafffeature {...}
doresetattribute
                                                       \doresetattribute {...}
dorotatebox
                                                       \dorotatebox {...} \... {...}
dosetattribute
                                                       \dosetattribute {...} {...}
{\tt dosetleftskipadaption}
                                                       \dosetleftskipadaption {...}
                                                       \dosetrightskipadaption {...}
dosetrightskipadaption
dosetupcheckedinterlinespace
                                                       \dosetupcheckedinterlinespace {..=..}
dosetupcheckedinterlinespace:argument
                                                       \dosetupcheckedinterlinespace {...}
                                                       \dosetupcheckedinterlinespace {...}
dosetupcheckedinterlinespace:name
                                                       \doseventupleargument \... [...] [...] [...] [...]
doseventupleargument
                                                       \doseventupleempty \... [...] [...] [...] [...] [...]
doseventupleempty
dosingleargument
                                                       \dosingleargument \... [...]
                                                       \dosingleempty \... [...]
dosingleempty
```

\dosinglegroupempty \... {...}

dosinglegroupempty

dostepwiserecurse	\dostepwiserecurse $\{\ldots\}$ $\{\ldots\}$ $\{\ldots\}$
dosubtractfeature	\dosubtractfeature {}
dotfskip	\dotfskip {}
dotoks	\dotoks \
dotripleargument	\dotripleargument \ [] []
	\dotripleargumentwithset \ [] [] []
dotripleargumentwithset	
dotripleempty	\dotripleempty \ [] []
dotripleemptywithset	\dotripleemptywithset \ [] []
dotriplegroupempty	\dotriplegroupempty \ {} {} {}
doublebond	\doublebond
dowith	\dowith {} {}
dowithnextbox	\dowithnextbox \{\} \ \{\}
dowithnextboxcontent	\dowithnextboxcontent \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
dowithnextboxcontentcs	\dowithnextboxcontentcs \ \ \ \ \
dowithnextboxcs	\dowithnextboxcs \ \ {}
dowithpargument	\dowithpargument \
dowithrange	\dowithrange {} \
_	<del>-</del>
dowithwargument	\dowithwargument \
dpofstring	\dpofstring {}
dummydigit	\dummydigit
dummyparameter	\dummyparameter {}
ETEX	\ETEX
Fuery ine	\EveryLine {}
EveryLine	
EveryPar	\EveryPar {}
edefconvertedargument	\edefconvertedargument \ \{\}
efcmaxheight	\efcmaxheight {}
efcmaxwidth	\efcmaxwidth {}
efcminheight	\efcminheight {}
efcminwidth	\efcminwidth {}
efcparameter	\efcparameter {} {}
effect	\effect [] {}
elaborablocchi	\elaborablocchi [] [] [=]
elapsedseconds	\elapsedseconds
elapsedtime	\elapsedtime
elementi	\elementi [=] {}
elemento	\elemento []
em	\em
emphasisboldface	\emphasisboldface
emphasistypeface	\emphasistypeface
emptylines	\emptylines []
emspace	\emspace
-	-
enabledirectives	\enabledirectives []
enableexperiments	\enableexperiments []
enablemode	\enablemode []
enableoutputstream	\enableoutputstream []
enableparpositions	\enableparpositions
enableregime	\enableregime []
3	
enabletrackers	\enabletrackers []
enskip	\enskip
enspace	\enspace
enumerazione:example	\ENUMERAZIONE [] {} \par
env	\env {}
envvar	\envvar {} {}
epos	\epos {}
equaldigits	\equaldigits {}
eTeX	\eTeX
etichetta:example	\ETICHETTA [] {}
executeifdefined	\executeifdefined {} {}
exitloop	\exitloop
exitloopnow	\exitloopnow
expandcheckedcsname	\expandcheckedcsname \ \{\} \{\}
expanded	\expanded {}
expandeddoif	\expandeddoif {} {} {}
expandeddoifelse	\expandeddoifelse {} {} {}
expandeddoifnot	\expandeddoifnot {} {} {}
expandfontsynonym	\expandfontsynonym \ {}
expdoif	\expdoif {} {}
expdoifcommonelse	\expdoifcommonelse \{\ldots\} \{\ldots\} \{\ldots\}
expdoifelse	\expdoifelse {} {} {}
oundoi fol accommon	\owndoifolgocommon \ \ \ \ \ \ \ \

```
expdoifnot
                                                         \expdoifnot {...} {...} {...}
{\tt external figure collection max height}
                                                         \externalfigurecollectionmaxheight {...}
externalfigurecollectionmaxwidth
                                                         \externalfigurecollectionmaxwidth {...}
externalfigurecollectionminheight
                                                         \externalfigurecollectionminheight {...}
{\tt external figure collection min width}
                                                         \externalfigurecollectionminwidth {...}
externalfigurecollectionparameter
                                                         \externalfigurecollectionparameter {...} {...}
fakebox
                                                         \fakebox ...
fastdecrement
                                                         \fastdecrement \...
fastincrement
                                                         \fastincrement \...
fastlocalframed
                                                         \fastlocalframed [...] [..=..] \{...\}
fastloopfinal
                                                         \fastloopfinal
fastloopindex
                                                         \fastloopindex
                                                         \fastscale \{...\} \{...\}
fastscale
                                                         \fastsetup {...}
fastsetup
fastsetupwithargument
                                                         \fastsetupwithargument {...} {...}
fastsetupwithargumentswapped
                                                         \verb| fastsetup with arguments wapped {...} {...}
fastswitchtobodyfont
                                                         \fastswitchtobodyfont {...}
fastsxsy
                                                         \fastsxsy {...} {...} {...}
feature
                                                         \feature [...] [...]
                                                         \feature {...} {...}
feature:direct
                                                         \fence
fence
                                                         \fenced [...] {...}
fenced
fence:example
                                                         \FENCE {...}
                                                         \fetchallmarkings [...] [...]
fetchallmarkings
fetchallmarks
                                                         \fetchallmarks [...]
fetchmark
                                                         \fetchmark [...] [...]
                                                         \fetchmarking [...] [...]
fetchmarking
                                                         \fetchonemark [...] [...]
fetchonemark
fetchonemarking
                                                         \fetchonemarking [...] [...]
fetchruntinecommand
                                                         \fetchruntinecommand \... \{...\}
fetchtwomarkings
                                                         \fetchtwomarkings [...] [...]
fetchtwomarks
                                                         \fetchtwomarks [...]
fieldbody
                                                         \fieldbody [...] [..=..]
                                                         \fifthoffivearguments \{...\} \{...\} \{...\} \{...\}
{\tt fifth of five arguments}
                                                         \fifthofsixarguments \{...\} \{...\} \{...\} \{...\} \{...\}
fifthofsixarguments
                                                         \figuraesterna [...] [...] [..=..]
figuraesterna
figurefilename
                                                         \figurefilename
figurefilepath
                                                         \figurefilepath
figurefiletype
                                                         \figurefiletype
figurefullname
                                                         \figurefullname
figureheight
                                                         \figureheight
figurenaturalheight
                                                         \figurenaturalheight
figurenaturalwidth
                                                         \figurenaturalwidth
figuresymbol
                                                         \figuresymbol [...] [..=..]
figurewidth
                                                         \figurewidth
                                                         \filename \{...\}
filename
filledhboxb
                                                         \filledhboxb ... {...}
filledhboxc
                                                         \filledhboxc ... {...}
filledhboxg
                                                         \filledhboxg ... {...}
filledhboxk
                                                         \filledhboxk ... {...}
                                                         \filledhboxm ... {...}
filledhboxm
filledhboxr
                                                         \filledhboxr ... {...}
filledhboxy
                                                         \filledhboxy ... {...}
filler
                                                         \filler [...]
fillupto
                                                         \fillupto [...] {...}
                                                         \filterfromnext \{...\} \{...\} \{...\} \{...\} \{...\} \{...\}
filterfromnext
                                                         OPT
filterfromvalue
                                                         \filterpages [...] [...] [..=..]
filterpages
filterreference
                                                         \filterreference {...}
findtwopassdata
                                                         \findtwopassdata {...} {...}
                                                         \verb|\finishregisterentry [...] [..=..] [..=..]|
finishregisterentry
firstcharacter
                                                         \firstcharacter
firstcounter
                                                         \firstcounter [...] [...]
firstcountervalue
                                                         \firstcountervalue [...]
firstinlist
                                                         \firstinlist [...]
                                                         \firstoffivearguments \{...\} \{...\} \{...\} \{...\}
firstoffivearguments
firstoffourarguments
                                                         \firstoffourarguments \{...\} \{...\} \{...\}
firstofoneargument
                                                         \firstofoneargument {...}
```

\firstofoneunexpanded {...}

rırırırı.

firstofoneunexpanded

firstoftwoarguments	\firstoftwoarguments {} {}
firstoftwounexpanded	\firstoftwounexpanded \{\dots\} \\\
firstrealpage	\firstrealpage
firstrealpagenumber	\firstrealpagenumber
firstsubcountervalue	\firstsubcountervalue [] []
firstsubpagenumber	\firstsubpagenumber
firstuserpage	\firstuserpage
firstuserpagenumber	\firstuserpagenumber
fitfieldframed	\fitfieldframed [=] {}
fittopbaselinegrid	\fittopbaselinegrid {}
flag	\flag {}
floatuserdataparameter	\floatuserdataparameter {}
flushbox	\flushbox {} {}
flushboxregister	\flushboxregister
flushcollector	\flushcollector []
flushedrightlastline	\flushedrightlastline
flushlayer	\flushlayer []
flushlocalfloats	\flushlocalfloats
flushnextbox	\flushnextbox
flushnotes	\flushnotes
flushoutputstream	\flushoutputstream []
flushshapebox	\flushshapebox
flushtextflow	\flushtextflow {}
flushtokens	\flushtokens []
flushtoks	\flushtoks \
fontalternative	\fontalternative
fontbody	\fontbody
fontchar	\fontchar {}
fontcharbyindex	\fontcharbyindex {}
fontclass	\fontclass
fontclassname	\fontclassname {} {}
fontface	\fontface
fontfeaturelist	\fontfeaturelist [] []
fontsize	\fontsize
fontstyle	\fontstyle
forcecharacterstripping	\forcecharacterstripping
forcelocalfloats	\forcelocalfloats
forgeteverypar	\forgeteverypar
forgetparameters	\forgetparameters [] [=]
forgetparskip	\forgetparskip
forgetragged	\forgetragged
formula	\formula [] {}
foundbox	\foundbox {} {}
fourthoffivearguments	\fourthoffivearguments $\{\}$ $\{\}$ $\{\}$ $\{\}$
fourthoffourarguments	\fourthoffourarguments $\{\}$ $\{\}$ $\{\}$
fourthofsixarguments	\fourthofsixarguments $\{\}$ $\{\}$ $\{\}$ $\{\}$ $\{\}$
frameddimension	\frameddimension {}
framedparameter	\framedparameter {}
frazione:instance	\FRACTION \{\ldots\}\ \\\
frazione:instance:binom	\binom {} {}
frazione:instance:dbinom	\dbinom {} {}
frazione:instance:dfrac	\dfrac {} {}
frazione:instance:frac	\frac \{\} \{\}
frazione:instance:sfrac	\sfrac {} {}
frazione:instance:tbinom	\tbinom {} {}
frazione:instance:xfrac	\xfrac {} {}
frazione:instance:xxfrac	\xxfrac {} {}
freezedimenmacro	\freezedimenmacro \ \
freezemeasure	\freezemeasure [] []
frenchspacing	\frenchspacing
fromlinenote	\fromlinenote [] {}
frozenhbox	\frozenhbox \{\}
frule	\frule \relax
GetPar	\GetPar
GIORNOSETTIMANA	\GIORNOSETTIMANA {}
GotoPar	\GotoPar
Greeknumerals	\Greeknumerals \{\ldots\}
gdefconvertedargument	\gdefconvertedargument \ \{\}
gdefconvertedcommand	\gdefconvertedcommand \ \

getbufferdata	\getbufferdata []
getcommacommandsize	\getcommacommandsize []
getcommalistsize	\getcommalistsize []
getdayoftheweek	\getdayoftheweek \{\ldots\} \{\ldots\} \{\ldots\}
getdayspermonth	\getdayspermonth \{\ldots\} \{\ldots\}
getdefinedbuffer	\getdefinedbuffer []
getdocumentargument	\getdocumentargument {}
getdocumentargumentdefault	\getdocumentargumentdefault {} {}
getdocumentfilename	\getdocumentfilename {}
getdummyparameters	\getdummyparameters [=]
getemptyparameters	\getemptyparameters [] [=]
geteparameters	\geteparameters [] [=]
getexpandedparameters	\getexpandedparameters [] [=]
getfiguredimensions	\getfiguredimensions [] [=]
getfirstcharacter	\getfirstcharacter {}
getfirsttwopassdata	\getfirsttwopassdata {}
getfromcommacommand	\getfromcommacommand [] []
getfromcommalist	\getfromcommalist []
getfromtwopassdata	\getfromtwopassdata {} {}
getglyphdirect	\getglyphdirect {} {}
getglyphstyled	\getglyphstyled {} {}
getgparameters	\getgparameters [] [=]
getinlineuserdata	\getinlineuserdata
getlasttwopassdata	\getlasttwopassdata {}
getlocalfloat	\getlocalfloats
getlocalfloats	\getlocalfloats
getMPdrawing getMPlayer	\getMPdrawing \getMPlayer [] [=] {}
getmessage	\getmssage {} {}
getnamedglyphdirect	\getnamedglyphdirect {} {}
getnamedglyphstyled	\getnamedglyphstyled {} {}
getnamedtwopassdatalist	\getnamedtwopassdatalist \ {}
getnaturaldimensions	\getnaturaldimensions
getnoflines	\getnoflines {}
getobject	\getobject {} {}
getobjectdimensions	\getobjectdimensions {} {}
getpaletsize	\getpaletsize []
getparameters	\getparameters [] [=]
getprivatechar	\getprivatechar {}
getprivateslot	\getprivateslot {}
getrandomcount	\getrandomcount \ {} {}
getrandomdimen	\getrandomdimen \ \{\} \{\}
getrandomfloat	\getrandomfloat \ {} {}
getrandomnumber	\getrandomnumber \ \{\} \{\}
getrandomseed	\getrandomseed \
getraweparameters	\getraweparameters [] [=]
getrawgparameters	\getrawgparameters [] [=]
getrawnoflines	\getrawnoflines {}
getrawparameters	\getrawparameters [] [=]
getrawxparameters	\getrawxparameters [] [=]
getreference getreferenceentry	\getreference [] [] \getreferenceentry {}
getroundednoflines	\getreundednoflines {}
getsubstring	\getsubstring {} {}
gettokenlist	\gettokenlist []
gettwopassdata	\gettwopassdata {}
gettwopassdatalist	\gettwopassdatalist {}
getuserdata	\getuserdata
getuvalue	\getuvalue {}
getvalue	\getvalue {}
getvariable	\getvariable {} {}
getvariabledefault	\getvariabledefault {} {} {}
getxparameters	\getxparameters [] [=]
giornosettimana	\giornosettimana {}
globaldisablemode	\globaldisablemode []
globalenablemode	\globalenablemode []
globalletempty	\globalletempty \
globalpopbox	\globalpopbox
globalpopmacro	\globalpopmacro \

```
globalpushreferenceprefix
                                                          \globalpushreferenceprefix {...} ... \globalpopreference
                                                          \globalswapcounts \... \...
globalswapcounts
globalswapdimens
                                                          \globalswapdimens \... \...
                                                          \globalswapmacros \... \...
globalswapmacros
globalundefine
                                                          \globalundefine {...}
glyphfontfile
                                                          \glyphfontfile {...}
gobbledoubleempty
                                                          \gobbledoubleempty [...] [...]
                                                          \gobbleeightarguments {...} {...} {...} {...} {...} {...
gobbleeightarguments
                                                          \gobblefivearguments \{\ldots\} \{\ldots\} \{\ldots\} \{\ldots\}
gobblefivearguments
gobblefiveoptionals
                                                          \gobblefiveoptionals [...] [...] [...] [...]
gobblefourarguments
                                                          \gobblefourarguments \{\ldots\} \{\ldots\} \{\ldots\}
                                                          \gobblefouroptionals [...] [...] [...]
{\tt gobble four optionals}
                                                          \gobbleninearguments \{\ldots\} \{\ldots\} \{\ldots\} \{\ldots\} \{\ldots\}
gobbleninearguments
gobbleoneargument
                                                          \gobbleoneargument {...}
gobbleoneoptional
                                                          \gobbleoneoptional [...]
                                                          \gobblesevenarguments \{\ldots\} \{\ldots\} \{\ldots\} \{\ldots\} \{\ldots\} \{\ldots\}
gobblesevenarguments
gobblesingleempty
                                                          \gobblesingleempty [...]
gobblesixarguments
                                                          \gobblesixarguments \{...\} \{...\} \{...\} \{...\} \{...\}
gobblespacetokens
                                                          \gobblespacetokens
                                                          \gobbletenarguments \{...\} \{...\} \{...\} \{...\} \{...\}
gobbletenarguments
                                                          \gobblethreearguments {...} {...} {...}
gobblethreearguments
gobblethreeoptionals
                                                          \gobblethreeoptionals [...] [...]
                                                          \gobbletwoarguments {...} {...}
gobbletwoarguments
                                                          \gobbletwooptionals [...] [...]
gobbletwooptionals
gobbleuntil
                                                          \gobbleuntil \...
                                                          \gobbleuntilrelax ... \relax
gobbleuntilrelax
                                                          \grabbufferdata [...] [...] [...]
grabbufferdata
grabbufferdatadirect
                                                          \grabbufferdatadirect {...} {...} {...}
grabuntil
                                                          \grabuntil {...} \...
grafiamanuale
                                                          \grafiamanuale
                                                          \grande ...
grande
grassetto
                                                          \grassetto
grassettocorsivo
                                                          \grassettocorsivo
{\tt grassettoinclinato}
                                                          \grassettoinclinato
grave
                                                          \grave {...}
grayvalue
                                                          \grayvalue {...}
                                                          \greedysplitstring ... \at ... \to \... \and \...
greedysplitstring
                                                          \greeknumerals {...}
greeknumerals
griglia
                                                          \griglia [..=..]
grossofontdeltesto
                                                          \grossofontdeltesto
                                                          \groupedcommand {...} {...}
groupedcommand
                                                          \gsetboxllx ... {...}
gsetboxllx
gsetboxlly
                                                          \gsetboxlly ... {...}
gujaratinumerals
                                                          \gujaratinumerals {...}
gurmurkhinumerals
                                                          \gurmurkhinumerals {...}
hairspace
                                                          \hairspace
halflinestrut
                                                          \halflinestrut
halfstrut
                                                          \halfstrut
                                                          \halfwaybox {...}
halfwaybox
handletokens
                                                          \handletokens ... \with \...
hash
                                                          \hash
                                                          \hat {...}
hat.
hboxofvbox
                                                          \hboxofvbox ...
                                                          \hboxreference [...] {...}
hboxreference
hbox:example
                                                          \hboxBOX {...}
                                                          \hdofstring {...}
hdofstring
headhbox
                                                          \headhbox ... {...}
headnumbercontent
                                                          \headnumbercontent
headnumberdistance
                                                          \headnumberdistance
                                                          \headnumberwidth
headnumberwidth
headreferenceattributes
                                                          \headreferenceattributes
headsetupspacing
                                                          \headsetupspacing
headtextcontent
                                                          \headtextcontent
headtextdistance
                                                          \headtextdistance
headtextwidth
                                                          \headtextwidth
headvbox
                                                          \headvbox ... {...}
                                                          \headwidth
headwidth
heightanddepthofstring
                                                          \heightanddepthofstring {...}
```

\globalpushmacro \...

globalpushmacro

help:instance:helptext	\helptext [] {}
hglue	\hglue
hiddencitation	\hiddencitation []
hiddencite	\hiddencite []
highlight	\highlight [] {}
highlight:example	\HIGHLIGHT {}
highordinalstr	\highordinalstr {}
hilo	\hilo [] {}
himilo	\himilo \{\} \{\}
hl	\hl []
horizontalgrowingbar	\horizontalgrowingbar [=]
horizontalpositionbar	\horizontalpositionbar [=]
hphantom	\hphantom {}
hpos	\hpos {} {}
hsizefraction	\hsizefraction {} {}
hsmash	\hsmash {}
hsmashbox	\hsmashbox
hsmashed	\hsmashed {}
hspace	\hspace [] []
<del>-</del>	\htdpofstring {}
htdpofstring	
htofstring	\htofstring {}
hyphen	hyphen
hyphenatedcoloredword	\hyphenatedcoloredword {}
hyphenatedfile	\hyphenatedfile {}
hyphenatedfilename	\hyphenatedfilename {}
hyphenatedhbox	\hyphenatedhbox {}
hyphenatedpar	\hyphenatedpar {}
hyphenatedurl	\hyphenatedurl {}
hyphenatedword	\hyphenatedword {}
INRSTEX	\INRSTEX
ibox	\ibox {}
ifassignment	\ifassignment \else \fi
iff	\iff
ifinobject	\ifinobject \else \fi
ifinoutputstream	\ifinoutputstream \else \fi
ifparameters	\ifparameters \else \fi
iftrialtypesetting	\iftrialtypesetting \else \fi
ignoreimplicitspaces	\ignoreimplicitspaces
ignoretagsinexport	\ignoretagsinexport []
ignorevalue	\ignorevalue {}
ignoto	\ignoto
immediatesavetwopassdata	\immediatesavetwopassdata \{\ldots\} \{\ldots\}
impliedby	\impliedby
implies	\implies
imposta	\imposta []
impostaallineamento	\impostaallineamento []
impostaampiezzariga	\impostaampiezzariga []
impostabarrainterazione	\impostabarrainterazione [] [=]
impostablocco	\impostablocco [] [=]
impostabloccosezione	\impostabloccosezione [] [=]
impostabuffer	\impostabuffer [] [=]
impostacampi	\impostacampi [] [=] [=]
impostacampo	\impostacampo [] [=] [=] [=]
	\impostacapoversi [] [] [] []
impostacapoversi	
impostacapoversi:assignment	\impostacapoversi [] [=]
impostacaption	\impostacaption [] [=]
impostacaptions	\impostacaptions [] [=]
impostacima	\impostacima [] [=]
impostaclippling	\impostaclippling [=]
impostacolonne	\impostacolonne [=]
impostacolore	\impostacolore []
impostacolori	\impostacolori [=]
impostacommento	\impostacommento [] [=]
impostacommentopagina	\impostacommentopagina [=]
impostadimensionicarta	\impostadimensionicarta [] [=]
impostadimensionicarta:name	\impostadimensionicarta [] []
impostaelementi	\impostaelementi [] [=]
impostaelencazioni	\impostaelencazioni [] [=]
impostaelenco	\impostaelenco [] [=]
1	\:\.\.\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\

impostaenumerazioni	\impostaenumerazioni [] [=]
impostafondo	\impostafondo [] [=]
impostafontdeltesto	\impostafontdeltesto []
impostaforms	\impostaforms [=]
impostaformule	\impostaformule [] [=]
impostagruppocolonne	\impostagruppocolonne [] [=]
impostaincorniciato	\impostaincorniciato [] [=]
impostainiziatermina	\impostainiziatermina [] [=]
impostainstestazione	\impostainstestazione [] [=]
impostainterazione	\impostainterazione [] [=]
impostainterazione:name	\impostainterazione []
impostainterlinea	\impostainterlinea [] [=]
impostainterlinea:argument	\impostainterlinea []
impostainterlinea:name	\impostainterlinea [] \impostalayout [] [=]
<pre>impostalayout impostalayout:name</pre>	\impostalayout [] \impostalayout []
impostalineemargine	\impostalineemargine [] [=]
impostalineenere	\impostalineenere [=]
impostalineeriempimento	\impostalineeriempimento [=]
impostalineesottili	\impostalineesottili [=]
impostalineetesto	\impostalineetesto [=]
impostalingua	\impostalingua [] [=]
impostamaiuscole	\impostamaiuscole [] [=]
impostamakeup	\impostamakeup [] [=]
impostamarcatura	\impostamarcatura [] [=]
impostamenuinterazione	\impostamenuinterazione [] [=]
impostamenzione	\impostamenzione [=]
impostanumerazionecapoversi	\impostanumerazionecapoversi [=]
impostanumerazionepagina	\impostanumerazionepagina [=]
impostanumerazionerighe	\impostanumerazionerighe [] [=]
impostanumeropagina	\impostanumeropagina [=]
impostanumerosottopagina	\impostanumerosottopagina [=]
impostanumerotesta	\impostanumerotesta [] []
impostaoggettimobili	\impostaoggettimobili [] [=]
impostaoggettomobile	\impostaoggettomobile [] [=] \impostaordinamento [] [=]
impostaordinamento impostaparranging	\impostaordinamento [] \impostaparranging []
impostapdp	\impostapdp [] [=]
impostapiustretto	\impostapiustretto [] [=]
impostaposizionamento	\impostaposizionamento [] [=]
impostaposizionamentoopposti	\impostaposizionamentoopposti [=]
impostaprogrammi	\impostaprogrammi [=]
impostaregistro	\impostaregistro [] [=]
impostaregistro:argument	\impostaregistro [] [=]
impostaregistro:instance	\impostaREGISTER [] [=]
<pre>impostaregistro:instance:index</pre>	\impostaindex [] [=]
impostarientro	\impostarientro []
impostariferimento	\impostariferimento [=]
impostarighe	\impostarighe [] [=]
impostarigheriempimento	\impostarigheriempimento [=]
impostarigovuoto	\impostarigovuoto []
impostarotazione	\impostarotazione [=]
impostaschermointerazione	\impostaschermointerazione [=] \impostasegnosillabazione [=]
<pre>impostasegnosillabazione impostasetsimboli</pre>	\impostasegnosiiiabazione [] \impostasetsimboli []
impostasfondi	\impostasfondi [] [=]
impostasfondi:page	\impostasfondi [] [=]
impostasfondo	\impostasfondo [] [=]
impostasinonimi	\impostasinonimi [] [=]
impostaspaziatura	\impostaspaziatura []
impostaspaziobianco	\impostaspaziobianco []
impostaspezzamentooggettomobile	\impostaspezzamentooggettomobile [=]
impostatabelle	\impostatabelle [=]
impostatabulato	\impostatabulato [] [] [=]
impostatavolozza	\impostatavolozza []
impostatesta	\impostatesta [] [=]
impostateste	\impostateste [] [=]
impostatesticima	\impostatesticima [] [] [] []
impostatestifondo	\impostatestifondo [] [] [] []

```
impostatesto
                                                           \impostatesto [...] [..=..]
impostatestoetichette:instance
                                                           \impostaLABELtesto [...] [..=..]
                                                           \impostabtxlabeltesto [...] [..=..]
impostatestoetichette:instance:btxlabel
impostatestoetichette:instance:head
                                                           \impostaheadtesto [...] [..=..]
                                                           \impostalabeltesto [...] [..=..]
impostatestoetichette:instance:label
impostatestoetichette:instance:mathlabel
                                                           \impostamathlabeltesto [...] [..=..]
                                                           \impostaoperatortesto [...] [..=..]
impostatestoetichette:instance:operator
impostatestoetichette:instance:prefix
                                                           \impostaprefixtesto [...] [..=..]
                                                           \impostasuffixtesto [...] [..=..]
impostatestoetichette:instance:suffix
                                                           \impostataglabeltesto [...] [..=..]
impostatestoetichette:instance:taglabel
                                                           \impostaunittesto [...] [..=..]
impostatestoetichette:instance:unit
impostatestotesti
                                                           \impostatestotesti [...] [...] [...] [...]
                                                           \impostatolleranza [...]
impostatolleranza
                                                           \impostatransizionepagina [...]
{\tt impostatransizione pagina}
impostatype
                                                           \impostatype [...] [..=..]
impostatyping
                                                           \impostatyping [...] [..=..]
                                                           \impostaurl [..=..]
impostaurl
                                                           \imposta {...}
imposta:direct
                                                           \inf \{...\} \{...\} [...]
                                                           \inclinato
inclinato
inclinatograssetto
                                                           \inclinatograssetto
                                                           \includemenu [...]
includemenu
includeversioninfo
                                                           \includeversioninfo {...}
                                                           \incorniciato [..=..] {...}
incorniciato
                                                           \FRAMED [..=..] {...}
incorniciato:instance
incorniciato:instance:fitfieldframed
                                                           \fitfieldframed [..=..] {...}
                                                           \uniform [..=..] {...}
incorniciato:instance:unframed
                                                           \incrementa \...
incrementa
incrementa: argument
                                                           \incrementa (...)
incrementcounter
                                                           \incrementcounter [...] [...]
incrementedcounter
                                                           \incrementedcounter [...]
                                                           \incrementpagenumber
incrementpagenumber
incrementsubpagenumber
                                                           \incrementsubpagenumber
incrementvalue
                                                           \incrementvalue {...}
indentation
                                                           \indentation
infofont
                                                           \infofont
infofontbold
                                                           \infofontbold
                                                           \inheritparameter [...] [...]
inheritparameter
inhibitblank
                                                           \inhibitblank
initializeboxstack
                                                           \initializeboxstack {...}
inizia
                                                           \inizia [...] ... \termina
                                                           \iniziaalignment [...] ... \terminaalignment
iniziaalignment
                                                           \iniziaallineacentro ... \terminaallineacentro
iniziaallineacentro
                                                           \iniziaallineadestra ... \terminaallineadestra
iniziaallineadestra
iniziaallineasinistra
                                                           \iniziaallineasinistra ... \terminaallineasinistra
iniziaallmodes
                                                           \iniziaallmodes [...] ... \terminaallmodes
iniziaambiente
                                                           \iniziaambiente [...] ... \terminaambiente
iniziaambientebloccosezione
                                                           \iniziaambientebloccosezione [...] ... \terminaambientel
iniziaambiente:string
                                                           \iniziaambiente ... \terminaambiente
                                                           \iniziaATTACHMENT [...] [..=..] ... \terminaATTACHMENT
iniziaattachment:instance
                                                           \iniziaattachment [...] [..=..] ... \terminaattachment
iniziaattachment:instance:attachment
iniziabar
                                                           \iniziabar [...] ... \terminabar
                                                           \iniziabbordermatrix ... \terminabbordermatrix
iniziabbordermatrix
iniziabitmapimage
                                                           \iniziabitmapimage [..=..] ... \terminabitmapimage
                                                           \iniziabordermatrix ... \terminabordermatrix
iniziabordermatrix
iniziabtxrenderingdefinitions
                                                           \iniziabtxrenderingdefinitions [...] ... \terminabtxrenderingdefinitions [...]
                                                           \iniziabuffer [...] ... \terminabuffer
iniziabuffer
iniziabuffer:instance
                                                           \iniziaBUFFER ... \terminaBUFFER
iniziabuffer:instance:hiding
                                                           \iniziahiding ... \terminahiding
                                                           \iniziacapoverso [...] [..=..] ... \terminacapoverso
iniziacapoverso
                                                           \verb|\iniziaSECTION| [..=..] [..=..] ... \verb|\terminaSECTION|
iniziacapoverso:instance
iniziacapoverso:instance:chapter
                                                           \iniziachapter [..=..] [..=..] ... \terminachapter
                                                           \label{linear} $$ \ \lim_{n\to\infty} [\ldots = \ldots] \ \ldots \ \operatorname{terminapart} $$ $$ \ \lim_{n\to\infty} [\ldots = \ldots] \ \ldots \ \operatorname{terminasection} $$
iniziacapoverso:instance:part
iniziacapoverso:instance:section
                                                           \verb|\iniziasubject[..=..][..=..]| ... \verb|\terminasubject|
iniziacapoverso:instance:subject
                                                           \iniziasubsection [..=..] [..=..] ... \terminasubsection
iniziacapoverso:instance:subsection
```

\iniziasubsubject [..=..] [..=..] ... \terminasubsubject \iniziasubsubsection [..=..] [..=..] ... \terminasubsubsection [..=..] ... \terminasu

\iniziasubsubsubject [..=..] [..=..] ... \terminasubsubs

iniziacapoverso:instance:subsubject

iniziacapoverso:instance:subsubsection
iniziacapoverso:instance:subsubsubject

```
iniziacapoverso:instance:subsubsubsubsubject
                                                                                \iniziasubsubsubsubsubject [..=..] [..=..] ... \terminas
                                                                                \iniziatitle [..=..] [..=..] \dots \terminatitle
iniziacapoverso:instance:title
                                                                                \mbox{\colored} \iniziacatcodetable \mbox{\colored}... \mbox{\colored} \text{\colored}
iniziacatcodetable
                                                                                \iniziacenteraligned ... \terminacenteraligned
iniziacenteraligned
                                                                                \iniziacharacteralign [..=..] ... \terminacharacteralign
iniziacharacteralign
iniziacharacteralign:argument
                                                                                \iniziacharacteralign [...] ... \terminacharacteralign
iniziacheckedfences
                                                                                \iniziacheckedfences ... \terminacheckedfences
iniziachemical
                                                                                \iniziachemical [...] [..=..] ... \terminachemical
iniziacodatabella
                                                                                \iniziacodatabella [...] ... \terminacodatabella
                                                                                \iniziacodatabulato [...] ... \terminacodatabulato
iniziacodatabulato
iniziacollect
                                                                                \iniziacollect ... \terminacollect
iniziacollecting
                                                                                \iniziacollecting ... \terminacollecting
                                                                                \iniziacolonne [..=..] ... \terminacolonne
iniziacolonne
                                                                                \iniziacolore [...] ... \terminacolore
iniziacolore
{\tt iniziacolorintent}
                                                                                \iniziacolorintent [...] ... \terminacolorintent
iniziacoloronly
                                                                                \iniziacoloronly [...] ... \terminacoloronly
iniziacolorset
                                                                                \iniziacolorset [...] ... \terminacolorset
iniziacolumnset
                                                                                \iniziacolumnset [...] [..=..] ... \terminacolumnset
iniziacolumnsetspan
                                                                                \iniziacolumnsetspan [...] [..=..] ... \terminacolumnset
                                                                                \verb|\iniziaCOLUMNSET[..=..]| ... \verb|\terminaCOLUMNSET||
iniziacolumnset:example
iniziacolumnspan
                                                                                \verb|\iniziacolumnspan| [..=..] ... \verb|\terminacolumnspan|
                                                                                \iniziacombination [...] [..=..] ... \terminacombination
iniziacombination
iniziacombination:matrix
                                                                                \iniziacombination [...] [...] ... \terminacombination
iniziacommentopagina
                                                                                \iniziacommentopagina ... \terminacommentopagina
iniziacommento:instance
                                                                                \verb|\iniziaCOMMENT| [...] [..=..] ... \verb|\terminaCOMMENT|
iniziacommento:instance:comment
                                                                                \iniziacomment [...] [..=..] ... \terminacomment
                                                                                \iniziacomponenet [...] ... \terminacomponenet
iniziacomponenet
                                                                                \iniziacomponenet ... \terminacomponenet
iniziacomponenet:string
                                                                                \iniziacontextcode ... \terminacontextcode
iniziacontextcode
iniziacontextdefinitioncode
                                                                                \iniziacontextdefinitioncode ... \terminacontextdefinit
iniziactxfunction
                                                                                \iniziactxfunction ... \terminactxfunction
iniziactxfunctiondefinition
                                                                                \iniziactxfunctiondefinition ... \terminactxfunction
iniziacurrentcolor
                                                                                \iniziacurrentcolor ... \terminacurrentcolor
\verb"iniziacurrentlistentrywrapper"
                                                                                \iniziacurrentlistentrywrapper ... \terminacurrentlisten
                                                                                \iniziadelimited [...] [...] ... \terminadelimited
iniziadelimited
                                                                                \iniziadelimitedtext [...] [...] ... \terminadelim
iniziadelimitedtext
                                                                                \iniziaDELIMITEDTEXT [...] [...] \terminaDELIMITEDTE
iniziadelimitedtext:instance
\verb"inizia delimited text: \verb"instance: aside"
                                                                                \mbox{\colored} \iniziaaside [...] [...] \terminaaside
                                                                                \verb|\iniziablockquote| [...] [...] ... \verb|\terminablockquote|
iniziadelimitedtext:instance:blockquote
                                                                                \verb|\  | inizia quotation [...] [...] ... \  | termina quotation |
iniziadelimitedtext:instance:quotation
                                                                                iniziadelimitedtext:instance:quote
iniziadelimitedtext:instance:speech
                                                                                \verb|\iniziaDESCRIZIONE| [..=..]| ... \verb|\terminaDESCRIZIONE|
iniziadescrizione:example
iniziadescrizione:example:title
                                                                                \mbox{\colored} \mbox{\color
iniziadisplaymath
                                                                                \iniziadisplaymath ... \terminadisplaymath
iniziadmath
                                                                                \iniziadmath ... \terminadmath
iniziadocument
                                                                                \iniziadocument [..=..] ... \terminadocument
iniziaeffect
                                                                                \iniziaeffect [...] ... \terminaeffect
iniziaeffect:example
                                                                                \iniziaEFFECT ... \terminaEFFECT
                                                                                \iniziaelement {...} [..=..] ... \terminaelement
iniziaelement
                                                                                \iniziaelemento [...] ... \terminaelemento
iniziaelemento
iniziaembeddedxtable
                                                                                \iniziaembeddedxtable [..=..] ... \terminaembeddedxtable
iniziaembeddedxtable:name
                                                                                \iniziaembeddedxtable [...] ... \terminaembeddedxtable
                                                                                iniziaenumerazione:example
iniziaenumerazione:example:title
                                                                                \iniziaENUMERAZIONE [...] {...} ... \terminaENUMERAZION
iniziaexceptions
                                                                                \iniziaexceptions [...] ... \terminaexceptions
                                                                                \iniziaexpanded ... \terminaexpanded
iniziaexpanded
\verb"inizia expanded collect"
                                                                                \iniziaexpandedcollect ... \terminaexpandedcollect
\verb"inizia extended catcode table"
                                                                                \iniziaextendedcatcodetable \... \terminaextendedcat
{\tt inizia external figure collection}
                                                                                \iniziaexternalfigurecollection [...] ... \terminaextern
                                                                                iniziafacingfloat
iniziafigura
                                                                                \iniziafigura [...] [..=..] ... \terminafigura
iniziafisso
                                                                                \iniziafisso [...] ... \terminafisso
                                                                                \iniziafittingpage [...] [..=..] ... \terminafittingpage
iniziafittingpage
                                                                                \iniziaFITTINGPAGE [..=..] ... \terminaFITTINGPAGE
\verb"iniziafittingpage:instance"
\verb"inizia fitting page:instance:MP" page"
                                                                                \iniziaMPpage [..=..] ... \terminaMPpage
iniziafittingpage:instance:TEXpage
                                                                                \iniziaTEXpage [..=..] ... \terminaTEXpage
```

iniziafloatcombination
iniziafloatcombination:matrix

\iniziafloatcombination [..=..] ... \terminafloatcombination

\iniziafloatcombination [...] ... \terminafloatcombinat:

```
iniziafloattext:instance:graphic
                                                                                                                                   \iniziagraphictesto [...] [...] \terminagraphi
                                                                                                                                   \iniziaintermezzotesto [...] [...] {...} ... \terminain
iniziafloattext:instance:intermezzo
iniziafloattext:instance:table
                                                                                                                                   \iniziatabletesto [...] [...] \terminatabletes
iniziafont
                                                                                                                                   \iniziafont [...] ... \terminafont
                                                                                                                                  \iniziafontclass [...] ... \terminafontclass
iniziafontclass
iniziafontsolution
                                                                                                                                  \iniziafontsolution [...] ... \terminafontsolution
                                                                                                                                  \iniziaformula [...] ... \terminaformula
iniziaformula
iniziaformula:assignment
                                                                                                                                  \iniziaformula [..=..] ... \terminaformula
                                                                                                                                   \verb|\iniziaFORMULA formula [...] ... \verb|\terminaFORMULA formula||
iniziaformula:instance
iniziaformula:instance:md
                                                                                                                                   \mbox{\colored} \mbox{\color
iniziaformula:instance:mp
                                                                                                                                   \mbox{\colored} \mbox{\color
iniziaformula:instance:sd
                                                                                                                                   \iniziasdformula [...] ... \terminasdformula
                                                                                                                                   \iniziaspformula [...] ... \terminaspformula
iniziaformula:instance:sp
iniziaformule
                                                                                                                                  \iniziaformule [...] ... \terminaformule
iniziaframedcell
                                                                                                                                  \iniziaframedcell [..=..] ... \terminaframedcell
iniziaframedcontent
                                                                                                                                  \iniziaframedcontent [...] ... \terminaframedcontent
iniziaframedrow
                                                                                                                                   \iniziaframedrow [..=..] ... \terminaframedrow
iniziaframedtable
                                                                                                                                   \iniziaframedtable [...] [..=..] ... \terminaframedtable
iniziagridsnapping
                                                                                                                                   \iniziagridsnapping [...] ... \terminagridsnapping
                                                                                                                                  \iniziagridsnapping [...] ... \terminagridsnapping
iniziagridsnapping:list
iniziahboxestohbox
                                                                                                                                  \iniziahboxestohbox ... \terminahboxestohbox
iniziahboxregister
                                                                                                                                  \iniziahboxregister ... \terminahboxregister
iniziahelp:instance
                                                                                                                                   \iniziaHELP [...] ... \terminaHELP
iniziahelp:instance:helptext
                                                                                                                                   \iniziahelptext [...] ... \terminahelptext
                                                                                                                                  \iniziahighlight [...] ... \terminahighlight \iniziahyphenation [...] ... \terminahyphenation
iniziahighlight
iniziahyphenation
iniziaimath
                                                                                                                                   \iniziaimath ... \terminaimath
iniziaimpaccato
                                                                                                                                  \iniziaimpaccato [...] ... \terminaimpaccato
                                                                                                                                  \iniziaincorniciato [...] [..=..] ... \terminaincornicia
iniziaincorniciato
iniziaindentedtext
                                                                                                                                  \iniziaindentedtext [...] ... \terminaindentedtext
iniziaindentedtext:example
                                                                                                                                   \iniziaINDENTEDTEXT ... \terminaINDENTEDTEXT
iniziainterazione
                                                                                                                                   \iniziainterazione [...] ... \terminainterazione
iniziainterface
                                                                                                                                   \iniziainterface ... \terminainterface
iniziaintertext
                                                                                                                                   \iniziaintertext ... \terminaintertext
                                                                                                                                  \iniziaitemgroup [...] [..=..] ... \terminaitemgroup
iniziaitemgroup
                                                                                                                                   \iniziaITEMGROUP [...] [..=..] ... \terminaITEMGROUP
iniziaitemgroup:instance
iniziaitemgroup:instance:itemize
                                                                                                                                   \iniziaitemize [...] [..=..] ... \terminaitemize
                                                                                                                                  \iniziaJScode ... ... \terminaJScode
\verb"iniziaJScode"
iniziaJSpreamble
                                                                                                                                   \iniziaJSpreamble ... ... \terminaJSpreamble
iniziaknockout
                                                                                                                                   \iniziaknockout ... \terminaknockout
inizialayout
                                                                                                                                   \inizialayout [...] ... \terminalayout
                                                                                                                                  \verb|\linealignment| [\dots] \dots \verb|\linealignment|
inizialinealignment
                                                                                                                                  \inizialineamargine [...] ... \terminalineamargine
inizialineamargine
inizialineamargine:assignment
                                                                                                                                  \inizialineamargine [..=..] ... \terminalineamargine
inizialineatesto
                                                                                                                                  \inizialineatesto {...} ... \terminalineatesto
inizialinecorrection
                                                                                                                                   \inizialinecorrection [...] ... \terminalinecorrection
inizialinefiller
                                                                                                                                   \inizialinefiller [...] [..=..] ... \terminalinefiller
                                                                                                                                   \inizialinenumbering [...] [..=..] ... \terminalinenumber
inizialinenumbering
                                                                                                                                  \inizialinenumbering [...] [...] ... \terminalinenumber:
inizialinenumbering:argument
                                                                                                                                  \inizialinetable ... \terminalinetable
inizialinetable
inizialinetablebody
                                                                                                                                  \inizialinetablebody ... \terminalinetablebody
inizialinetablecell
                                                                                                                                  \inizialinetablecell [..=..] ... \terminalinetablecell
                                                                                                                                  \inizialinetablehead ... \terminalinetablehead
inizialinetablehead
inizialingua
                                                                                                                                  \inizialingua [...] ... \terminalingua
inizialocalfootnotes
                                                                                                                                   \inizialocalfootnotes ... \terminalocalfootnotes
                                                                                                                                   \inizialocalheadsetup ... \terminalocalheadsetup
inizialocalheadsetup
                                                                                                                                  \inizialocallinecorrection [...] ... \terminalocallinecorrection
inizialocallinecorrection
                                                                                                                                  \inizialocalnotes [...] ... \terminalocalnotes
inizialocalnotes
inizialocalsetups
                                                                                                                                  \inizialocalsetups [...] [...] ... \terminalocalsetups
inizialocalsetups:string
                                                                                                                                  \inizialocalsetups ... \terminalocalsetups
                                                                                                                                   \inizialua ... \terminalua
inizialua
inizialuacode
                                                                                                                                   \inizialuacode ... \terminaluacode
\verb"inizialuaparameterset"
                                                                                                                                   \inizialuaparameterset [...] ... \terminaluaparameterse
                                                                                                                                  \inizialuasetups [...] [...] ... \terminaluasetups
inizialuasetups
inizialuasetups:string
                                                                                                                                  \inizialuasetups ... \terminaluasetups
                                                                                                                                  \iniziaMPclip {...} ... \terminaMPclip
iniziaMPclip
iniziaMPcode
                                                                                                                                   \iniziaMPcode {...} ... \terminaMPcode
                                                                                                                                   \mbox{\colored} \mbox{\color
\verb"iniziaMP" definitions"
```

\iniziaMPdrawing [...] ... \terminaMPdrawing

iniziaMPdrawing

```
iniziaMPinitializations
                                                          \iniziaMPinitializations ... \terminaMPinitializations
                                                          \iniziaMPpositiongraphic {...} {...} ... \terminaMPposition
iniziaMPpositiongraphic
\verb"iniziaMP" position method"
                                                          \iniziaMPpositionmethod {...} ... \terminaMPpositionmeth
iniziaMPrun
                                                          \iniziaMPrun {...} ... \terminaMPrun
                                                          \iniziamakeup [...] [..=..] ... \terminamakeup
iniziamakeup
iniziamakeup:instance
                                                          \iniziaMAKEUPmakeup [..=..] ... \terminaMAKEUPmakeup
                                                          \iniziamiddlemakeup [..=..] ... \terminamiddlemakeup
iniziamakeup:instance:middle
iniziamakeup:instance:page
                                                          \iniziapagemakeup [..=..] ... \terminapagemakeup
                                                          \iniziastandardmakeup [..=..] ... \terminastandardmakeup
iniziamakeup:instance:standard
iniziamakeup:instance:text
                                                          \verb|\  | iniziatextmakeup [..=..] ... \ | terminatextmakeup |
iniziamarginblock
                                                          \iniziamarginblock [...] ... \terminamarginblock
iniziamarkedcontent
                                                          \iniziamarkedcontent [...] ... \terminamarkedcontent
                                                          \iniziamarkpages [...] ... \terminamarkpages
{\tt iniziamark pages}
                                                          \iniziaMATHALIGNMENT [..=..] ... \terminaMATHALIGNMENT
iniziamathalignment:instance
iniziamathalignment:instance:align
                                                          \iniziaalign [..=..] ... \terminaalign
iniziamathalignment:instance:mathalignment
                                                          \iniziamathalignment [..=..] ... \terminamathalignment
iniziamathcases:instance
                                                          \verb|\iniziaMATHCASES| [..=..]| ... \verb|\terminaMATHCASES|
iniziamathcases:instance:cases
                                                          \iniziacases [..=..] ... \terminacases
iniziamathcases:instance:mathcases
                                                          \iniziamathcases [..=..] ... \terminamathcases
                                                          \verb|\iniziaMATHMATRIX| [..=..] ... \verb|\terminaMATHMATRIX| |
iniziamathmatrix:instance
iniziamathmatrix:instance:mathmatrix
                                                          \iniziamathmatrix [..=..] ... \terminamathmatrix
                                                          \iniziamatrix [..=..] ... \terminamatrix
iniziamathmatrix:instance:matrix
iniziamathmode
                                                          \iniziamathmode ... \terminamathmode
                                                          \iniziamathstyle [...] ... \terminamathstyle
iniziamathstyle
iniziamatrices
                                                          \iniziamatrices [..=..] ... \terminamatrices
iniziamaxaligned
                                                          \iniziamaxaligned ... \terminamaxaligned
iniziamenuinterattivo
                                                          \iniziamenuinterattivo [...] ... \terminamenuinterattivo
                                                          \verb|\colored [..=..] ... \verb|\colored | terminamettiformula| \\
iniziamettiformula
                                                          \iniziamettiformula [...] ... \terminamettiformula
iniziamettiformula:argument
iniziamiddlealigned
                                                          \iniziamiddlealigned ... \terminamiddlealigned
iniziamixedcolumns
                                                          \iniziamixedcolumns [...] [..=..] ... \terminamixedcolumn
                                                          \verb|\iniziaMIXEDCOLUMNS| [..=..] ... \verb|\terminaMIXEDCOLUMNS| |
iniziamixedcolumns:instance
iniziamixedcolumns:instance:boxedcolumns
                                                          \iniziaboxedcolumns [..=..] ... \terminaboxedcolumns
iniziamixedcolumns:instance:itemgroupcolumns
                                                          \iniziaitemgroupcolumns [..=..] ... \terminaitemgroupcolumns
                                                          \iniziamode [...] ... \terminamode
iniziamode
iniziamodeset
                                                          \iniziamodeset [...] {...} ... \terminamodeset
iniziamodule
                                                          \iniziamodule [...] ... \terminamodule
                                                          \iniziamoduletestsection ... \terminamoduletestsection
{\tt iniziamoduletestsection}
iniziamodule:string
                                                          \iniziamodule ... \terminamodule
inizianamedsection
                                                          \inizianamedsection [...] [..=..] [..=..] ... \terminana
inizianamedsubformulas
                                                          \inizianamedsubformulas [...] {...} ... \terminanamedsub
                                                          \inizianarrower [...] ... \terminanarrower
inizianarrower
                                                          \iniziaNARROWER [...] ... \terminaNARROWER
inizianarrower: example
inizianegativo
                                                          \inizianegativo ... \terminanegativo
inizianicelyfilledbox
                                                          \inizianicelyfilledbox [..=..] ... \terminanicelyfilled
inizianointerference
                                                          \inizianointerference ... \terminanointerference
inizianotallmodes
                                                          \inizianotallmodes [...] ... \terminanotallmodes
                                                          \iniziaNOTE [...] ... \terminaNOTE
inizianota:instance
                                                          \iniziaNOTE [..=..] ... \terminaNOTE
inizianota:instance:assignment
                                                          \iniziaendnote [..=..] ... \terminaendnote
inizianota:instance:assignment:endnote
                                                          \iniziafootnote [..=..] ... \terminafootnote
inizianota:instance:assignment:footnote
inizianota:instance:endnote
                                                          \iniziaendnote [...] ... \terminaendnote
                                                          \verb|\line| inizia footnote [...] ... \verb|\line| termina footnote | |
inizianota:instance:footnote
inizianotext
                                                          \inizianotext ... \terminanotext
inizianotmode
                                                          \inizianotmode [...] ... \terminanotmode
iniziaopposto
                                                          \iniziaopposto ... \terminaopposto
                                                          \iniziaoutputstream [...] ... \terminaoutputstream
iniziaoutputstream
                                                          \iniziaoverprint ... \terminaoverprint
iniziaoverprint
iniziapagecolumns
                                                          \iniziapagecolumns [..=..] ... \terminapagecolumns
iniziapagecolumns:instance
                                                          \verb|\iniziaPAGECOLUMNS| ... \verb|\terminaPAGECOLUMNS| |
                                                          \iniziapagecolumns [...] ... \terminapagecolumns
iniziapagecolumns:name
iniziapagefigure
                                                          \iniziapagefigure [...] [..=..] ... \terminapagefigure
iniziapagelayout
                                                          \iniziapagelayout [...] ... \terminapagelayout
                                                          \iniziapar [...] [..=..] ... \terminapar
iniziapar
                                                          \iniziaparagraphs [...] ... \terminaparagraphs
iniziaparagraphs
                                                          \iniziaparagraphscell ... \terminaparagraphscell
iniziaparagraphscell
```

\iniziaPARAGRAPHS ... \terminaPARAGRAPHS \iniziaPARALLEL ... \terminaPARALLEL

\iniziaparbuilder [...] ... \terminaparbuilder

iniziaparagraphs:example

iniziaparallel:example
iniziaparbuilder

```
iniziaplacefloat:instance:figure
                                                          \iniziamettifigure [..=..] [..=..] ... \terminamettifigure
                                                          \iniziamettigraphic [..=..] [..=..] ... \terminamettigra
iniziaplacefloat:instance:graphic
iniziaplacefloat:instance:intermezzo
                                                          \iniziamettiintermezzo [..=..] [..=..] ... \terminamett
iniziaplacefloat:instance:table
                                                          \iniziamettitable [..=..] [..=..] ... \terminamettitable
                                                          \iniziaplacepairedbox [...] [..=..] ... \terminaplacepairedbox
{\tt iniziaplacepairedbox}
iniziaplacepairedbox:instance
                                                          \iniziamettiPAIREDBOX [..=..] ... \terminamettiPAIREDBOX
                                                          \iniziamettilegend [..=..] ... \terminamettilegend
iniziaplacepairedbox:instance:legend
iniziapositioning
                                                         \iniziapositioning [...] [..=..] ... \terminapositioning
iniziapositionoverlay
                                                         \iniziapositionoverlay {...} ... \terminapositionoverlay
iniziapositivo
                                                          \iniziapositivo ... \terminapositivo
iniziaposporre
                                                          \iniziaposporre [...] ... \terminaposporre
{\tt iniziapostponing notes}
                                                          \iniziapostponingnotes ... \terminapostponingnotes
                                                         \iniziaprocessassignmentcommand [..=..] ... \terminaproc
{\tt inizia} process assign {\tt mentcommand}
                                                         \iniziaprocessassignmentlist [..=..] ... \terminaprocess
iniziaprocessassignmentlist
{\tt inizia} process {\tt commacommand}
                                                         \iniziaprocesscommacommand [...] ... \terminaprocesscomm
iniziaprocesscommalist
                                                         \iniziaprocesscommalist [...] ... \terminaprocesscommal:
                                                         \verb|\inizia prodotto [...] ... \verb|\termina prodotto||
iniziaprodotto
iniziaprodotto:string
                                                          \iniziaprodotto ... \terminaprodotto
                                                          \iniziaprogetto [...] ... \terminaprogetto
iniziaprogetto
                                                         \iniziaprogetto ... \terminaprogetto
iniziaprogetto:string
iniziaprotectedcolors
                                                         \iniziaprotectedcolors ... \terminaprotectedcolors
                                                         \iniziapubblicazione [...] [..=..] ... \terminapubblicaz
iniziapubblicazione
iniziarandomized
                                                         \iniziarandomized ... \terminarandomized
                                                         \iniziarawsetups [...] [... \terminarawsetups
iniziarawsetups
iniziarawsetups:string
                                                         \iniziarawsetups ... \terminarawsetups
                                                         \iniziareadingfile ... \terminareadingfile \iniziaregime [...] ... \terminaregime
iniziareadingfile
iniziaregime
                                                         \iniziareusableMPgraphic {...} {...} ... \terminareusabl
iniziareusableMPgraphic
iniziariga
                                                         \iniziariga [...]
iniziarighe:instance
                                                          \iniziaLINES [..=..] ... \terminaLINES
iniziarighe:instance:lines
                                                          \inizialines [..=..] ... \terminalines
iniziaruby
                                                         \iniziaruby [...] ... \terminaruby
iniziascript
                                                          \iniziascript [...] ... \terminascript
{\tt iniziasectionblock}
                                                          \iniziasectionblock [...] [..=..] ... \terminasectionblo
                                                          iniziasectionblock:instance
                                                          \iniziaappendices [..=..] ... \terminaappendices
iniziasectionblock:instance:appendices
                                                          \iniziabackmatter [..=..] ... \terminabackmatter
iniziasectionblock:instance:backmatter
iniziasectionblock:instance:bodymatter
                                                          \iniziabodymatter [..=..] ... \terminabodymatter
iniziasectionblock:instance:frontmatter
                                                          \verb|\inizia front matter [..=..] ... \verb|\termina front matter||
iniziasectionlevel
                                                          \iniziasectionlevel [...] [..=..] [..=..] ... \terminase
iniziasetups
                                                          \iniziasetups [...] [...] ... \terminasetups
                                                          \iniziasetups ... \terminasetups
iniziasetups:string
                                                         \iniziasfondo [..=..] ... \terminasfondo
iniziasfondo
                                                          \iniziaSFONDO [..=..] ... \terminaSFONDO
iniziasfondo:example
iniziashift
                                                          \iniziashift [...] ... \terminashift
iniziasidebar
                                                          \iniziasidebar [...] [..=..] ... \terminasidebar
iniziasimplecolumns
                                                          \verb|\line| \verb|\line| iniziasimple columns [..=..] ... \verb|\line| terminasimple columns |
                                                          \iniziasospeso [..=..] {...} ... \terminasospeso
iniziasospeso
                                                         \iniziasospeso [...] {...} ... \terminasospeso
iniziasospeso:argument
iniziasovrapponi
                                                         \iniziasovrapponi ... \terminasovrapponi
iniziaspecialitem:item
                                                         \iniziaspecialitem [...] [...] ... \terminaspecialitem
iniziaspecialitem:none
                                                         \iniziaspecialitem [...] ... \terminaspecialitem
                                                         \min iniziaspecialitem [...] {...} ... \terminaspecialitem
iniziaspecialitem:symbol
iniziasplitformula
                                                         \mbox{\colored} \iniziasplitformula ... \mbox{\colored}
                                                          \iniziasplittext ... \terminasplittext
iniziasplittext
iniziaspread
                                                          \iniziaspread ... \terminaspread
                                                          \iniziaSTARTSTOP ... \terminaSTARTSTOP
iniziastartstop:example
iniziastaticMPfigure
                                                         \iniziastaticMPfigure {...} ... \terminastaticMPfigure
iniziastatic MP graphic
                                                         \iniziastaticMPgraphic {...} {...} ... \terminastaticMPg
iniziastretto
                                                         \iniziastretto [...] [..=..] ... \terminastretto
                                                         \iniziastretto [..=..] [...] ... \terminastretto
iniziastretto:assignment
iniziastretto:name
                                                         \iniziastretto [...] [...] ... \terminastretto
iniziastrictinspectnextcharacter
                                                          \iniziastrictinspectnextcharacter ... \terminastrictinspections
iniziastyle
                                                         \iniziastyle [..=..] ... \terminastyle
iniziastyle:argument
                                                         \verb|\iniziastyle| [...] ... \verb|\terminastyle|
iniziastyle:instance
                                                          \iniziaSTYLE ... \terminaSTYLE
```

\iniziasubformulas [...] ... \terminasubformulas \iniziasubjectlevel [...] [..=..] [..=..] ... \terminasu

\iniziasubsentence ... \terminasubsentence

iniziasubformulas

iniziasubjectlevel iniziasubsentence

```
\iniziaTABLEbody [..=..] ... \terminaTABLEbody
iniziaTABLEbody
iniziaTABLEfoot
                                                        \iniziaTABLEfoot [..=..] ... \terminaTABLEfoot
                                                        \iniziaTABLEhead [..=..] ... \terminaTABLEhead \iniziaTABLEnext [..=..] ... \terminaTABLEnext
iniziaTABLEhead
iniziaTABLEnext
iniziatabella
                                                        \iniziatabella [|...|] [..=..] ... \terminatabella
iniziatabella:name
                                                        \iniziatabella [...] [..=..] ... \terminatabella
iniziatabelle
                                                        \iniziatabelle [|...|] ... \terminatabelle
iniziatabelle:name
                                                        \iniziatabelle [...] ... \terminatabelle
                                                        \iniziaTABULATION [...] [..=..] ... \terminaTABULATION
iniziatabulation:example
                                                        \iniziatabulato [/.../] [..=..] ... \terminatabulato
iniziatabulato
iniziatabulato:instance
                                                         \iniziaTABULATE [...] ... \terminaTABULATE
iniziatabulato:instance:fact
                                                        \iniziafact [...] [..=..] ... \terminafact
                                                        \inizialegend [...] [..=..] ... \terminalegend
iniziatabulato:instance:legend
                                                        \iniziatesta [...] {...} ... \terminatesta
iniziatesta
iniziatestatabella
                                                        \iniziatestatabella [...] ... \terminatestatabella
iniziatestatabulato
                                                        \iniziatestatabulato [...] ... \terminatestatabulato
iniziatesto
                                                        \iniziatesto ... \terminatesto
iniziatestoaiuto
                                                        \iniziatestoaiuto [...] ... \terminatestoaiuto
iniziatestoetichetta:instance
                                                        \iniziaLABELtesto [...] [...] ... \terminaLABELtesto
                                                        \iniziabtxlabeltesto [...] [...] ... \terminabtxlabeltes
iniziatestoetichetta:instance:btxlabel
iniziatestoetichetta:instance:head
                                                        \iniziaheadtesto [...] [...] ... \terminaheadtesto
                                                        \inizialabeltesto [...] [...] ... \terminalabeltesto
iniziatestoetichetta:instance:label
iniziatestoetichetta:instance:mathlabel
                                                        \iniziamathlabeltesto [...] [...] ... \terminamathlabel
                                                        \iniziaoperatortesto [...] [...] ... \terminaoperatortes
iniziatestoetichetta:instance:operator
                                                        iniziatestoetichetta:instance:prefix
iniziatestoetichetta:instance:suffix
                                                         \iniziataglabeltesto [...] [...] ... \terminataglabeltes
iniziatestoetichetta:instance:taglabel
                                                        \iniziaunittesto [...] [...] ... \terminaunittesto
iniziatestoetichetta:instance:unit
                                                        \iniziaFRAMEDTEXT [...] [..=..] ... \terminaFRAMEDTEXT
iniziatestoincorniciato:instance
iniziatestoincorniciato:instance:framedtext
                                                        \iniziaframedtext [...] [..=..] ... \terminaframedtext
                                                        \iniziatexcode ... \terminatexcode
iniziatexcode
iniziatexdefinition
                                                        \iniziatexdefinition ... ... ... ... \te
                                                        \iniziatextbackground [...] [..=..] ... \terminatextback
iniziatextbackground
\verb"iniziatextbackgroundmanual"
                                                        \iniziatextbackgroundmanual ... \terminatextbackgroundma
                                                        \iniziaTEXTBACKGROUND [..=..] ... \terminaTEXTBACKGROUND
\verb"iniziatextbackground:example"
                                                        \iniziatextcolor [...] ... \terminatextcolor
iniziatextcolor
                                                        \iniziatextcolorintent ... \terminatextcolorintent
iniziatextcolorintent
                                                        \iniziatextflow [...] ... \terminatextflow
iniziatextflow
                                                        \iniziatokenlist [...] ... \terminatokenlist
iniziatokenlist
iniziatokens
                                                        \iniziatokens [...] ... \terminatokens
                                                        \mbox{\colored} \iniziatransparent [...] ... \mbox{\colored} \text{\colored}
iniziatransparent
                                                        \iniziatypescript [...] [...] ... \terminatypescri
iniziatypescript
                                                        \iniziatypescriptcollection [...] ... \terminatypescript
iniziatypescriptcollection
iniziatyping:instance
                                                        \iniziaTYPING [..=..] ... \terminaTYPING
iniziatyping:instance:argument
                                                        \iniziaTYPING [...] ... \terminaTYPING
iniziatyping:instance:argument:LUA
                                                        \iniziaLUA [...] ... \terminaLUA
iniziatyping:instance:argument:MP
                                                         \iniziaMP [...] ... \terminaMF
iniziatyping:instance:argument:PARSEDXML
                                                         \iniziaPARSEDXML [...] ... \terminaPARSEDXML
                                                        \iniziaTEX [...] ... \terminaTEX
iniziatyping:instance:argument:TEX
                                                        \iniziatyping [...] ... \terminatyping
iniziatyping:instance:argument:typing
                                                        \iniziaXML [...] ... \terminaXML
iniziatyping:instance:argument:XML
iniziatyping:instance:LUA
                                                        \iniziaLUA [..=..] ... \terminaLUA
                                                        \iniziaMP [..=..] ... \terminaMP
iniziatyping:instance:MP
iniziatyping:instance:PARSEDXML
                                                         \iniziaPARSEDXML [..=..] ... \terminaPARSEDXML
                                                         \iniziaTEX [..=..] ... \terminaTEX
iniziatyping:instance:TEX
iniziatyping:instance:typing
                                                        \iniziatyping [..=..] ... \terminatyping
                                                        \iniziaXML [..=..] ... \terminaXML
iniziatyping:instance:XML
\verb"iniziauniqueMPgraphic"
                                                        \verb|\iniziauniqueMPgraphic {...} {...} ... \verb|\terminauniqueMPg||
                                                        \iniziauniqueMPpagegraphic \{...\} \{...\} ... \terminaunique
\verb"inizia unique MP" page graphic
iniziaunpacked
                                                        \iniziaunpacked ... \terminaunpacked
\verb"iniziausableMPgraphic"
                                                        \iniziausableMPgraphic \{\ldots\} \{\ldots\} ... \terminausableMPg
iniziauseMPgraphic
                                                        \iniziauseMPgraphic {...} {...} \terminauseMPgraphic
                                                        \iniziausemathstyleparameter \... \terminausemathsty\iniziauserdata [...] [..=..] ... \terminauserdata
{\tt iniziausemathstyle parameter}
iniziauserdata
                                                        \iniziausingbtxspecification [...] ... \terminausingbtxs
iniziausingbtxspecification
iniziavaia
                                                        \iniziavaia [...] ... \terminavaia
iniziavboxregister
                                                        \iniziavboxregister ... \terminavboxregister
```

iniziavboxtohbox

iniziavboxtohboxseparator

\iniziavboxtohbox ... \terminavboxtohbox

\iniziavboxtohboxseparator ... \terminavboxtohboxsepara

```
\iniziaxcell [...] [..=..] ... \terminaxcell
iniziaxcell
iniziaxcellgroup
                                                                                      \iniziaxcellgroup [...] [..=..] ... \terminaxcellgroup
iniziaxcolumn
                                                                                      \iniziaxcolumn [..=..] ... \terminaxcolumn
iniziaxcolumn:name
                                                                                      \iniziaxcolumn [...] ... \terminaxcolumn
                                                                                      \iniziaxgroup [...] [..=..] ... \terminaxgroup
iniziaxgroup
iniziaxmldisplayverbatim
                                                                                      \iniziaxmldisplayverbatim [...] ... \terminaxmldisplayve
iniziaxmlinlineverbatim
                                                                                      \iniziaxmlinlineverbatim [...] ... \terminaxmlinlinever
iniziaxmlraw
                                                                                      \iniziaxmlraw ... \terminaxmlraw
                                                                                      \iniziaxmlsetups [...] [...] ... \terminaxmlsetups
iniziaxmlsetups
iniziaxmlsetups:string
                                                                                      \iniziaxmlsetups ... \terminaxmlsetups
                                                                                      \iniziaxrow [...] [..=..] ... \terminaxrow
iniziaxrow
iniziaxrowgroup
                                                                                      \iniziaxrowgroup [...] [..=..] ... \terminaxrowgroup
                                                                                      \iniziaxtable [..=..] ... \terminaxtable
iniziaxtable
iniziaxtablebody
                                                                                      \iniziaxtablebody [..=..] ... \terminaxtablebody
iniziaxtablebody:name
                                                                                      \iniziaxtablebody [...] ... \terminaxtablebody
iniziaxtablefoot
                                                                                      \iniziaxtablefoot [..=..] ... \terminaxtablefoot
iniziaxtablefoot:name
                                                                                      \iniziaxtablefoot [...] ... \terminaxtablefoot
                                                                                      \iniziaxtablehead [..=..] ... \terminaxtablehead
iniziaxtablehead
iniziaxtablehead:name
                                                                                      \iniziaxtablehead [...] ... \terminaxtablehead
                                                                                      \iniziaxtablenext [..=..] ... \terminaxtablenext
iniziaxtablenext
iniziaxtablenext:name
                                                                                      \iniziaxtablenext [...] ... \terminaxtablenext
                                                                                      \iniziaXTABLE [..=..] ... \terminaXTABLE
iniziaxtable:example
                                                                                      \iniziaxtable [...] ... \terminaxtable
iniziaxtable:name
inlinebuffer
                                                                                      \inlinebuffer [...]
inlinedbox
                                                                                      \inlinedbox {...}
inlinemath
                                                                                      \inlinemath {...}
inlinemathematics
                                                                                      \inlinemathematics {...}
                                                                                      \inlinemessage {...}
inlinemessage
                                                                                      \inlineordisplaymath {...} {...}
inlineordisplaymath
inlineprettyprintbuffer
                                                                                      \inlineprettyprintbuffer {...} {...}
inlinerange
                                                                                      \inlinerange [...]
innerflushshapebox
                                                                                      \innerflushshapebox
                                                                                      \input {...}
input
inputfilebarename
                                                                                      \inputfilebarename
inputfilename
                                                                                      \inputfilename
inputfilerealsuffix
                                                                                      \inputfilerealsuffix
inputfilesuffix
                                                                                      \inputfilesuffix
inputgivenfile
                                                                                      \inputgivenfile {...}
                                                                                      \input ...
input:string
inriga
                                                                                      \inriga {...} [...]
insertpages
                                                                                      \insertpages [...] [...] [..=..]
{\tt installaction} handler
                                                                                      \installactionhandler {...}
                                                                                      \installactivecharacter ...
installactivecharacter
                                                                                      \installalingua [...] [..=..]
installalingua
installalingua:name
                                                                                      \installalingua [...] [...]
                                                                                      \installanddefineactivecharacter ... {...}
{\tt install} and define a {\tt ctivecharacter}
installattributestack
                                                                                      \installattributestack \...
in stall autocommand handler\\
                                                                                      \installautocommandhandler \... \.... \....
                                                                                      \installautosetuphandler \... {...}
installautosetuphandler
                                                                                      \installbasicautosetuphandler \... {...} \...
installbasicautosetuphandler
                                                                                      \installbasicparameterhandler \... {...}
installbasicparameterhandler
installbottomframerenderer
                                                                                      \installbottomframerenderer {...} {...}
installcommandhandler
                                                                                      \installcommandhandler \... \...
                                                                                      \installcorenamespace {...}
installcorenamespace
                                                                                      \installdefinehandler \... \{...} \...
installdefinehandler
                                                                                      \installdefinitionset \... {...}
installdefinitionset
                                                                                      \mbox{\colored} \mbox{\color
installdefinitionsetmember
in stall direct command handler\\
                                                                                      \installdirectcommandhandler \... \{...\}
installdirectparameterhandler
                                                                                      \installdirectparameterhandler \... {...}
installdirectparametersethandler
                                                                                      \installdirectparametersethandler \... {...}
installdirectsetuphandler
                                                                                      \installdirectsetuphandler \... \{...}
installdirectstyleandcolorhandler
                                                                                      \installdirectstyleandcolorhandler \... \{...\}
installframedautocommandhandler
                                                                                      \installframedautocommandhandler \... \\...
                                                                                      \installframedcommandhandler \... \.... \....
installframedcommandhandler
                                                                                      \installglobalmacrostack \...
installglobalmacrostack
                                                                                      \installleftframerenderer {...} {...}
installleftframerenderer
installmacrostack
                                                                                      \installmacrostack \...
                                                                                      \installnamespace {...}
installnamespace
```

installoutputroutine

\installoutputroutine \... {...}

	\
installparametersethandler	$\$ installparametersethandler $\$ $\{\dots\}$
installparentinjector	\installparentinjector \ {}
installrightframerenderer	\installrightframerenderer {} {}
installrootparameterhandler	
<del>-</del>	\installrootparameterhandler \ \{\}
installsetuphandler	\installsetuphandler \ {}
installsetuponlycommandhandler	\installsetuponlycommandhandler \ {}
installshipoutmethod	\installshipoutmethod {} {}
<del>-</del>	<u>-</u>
installsimplecommandhandler	\installsimplecommandhandler \ \{} \
installsimpleframedcommandhandler	$\$ \installsimpleframedcommandhandler $\$ \ \\
installstyleandcolorhandler	\installstyleandcolorhandler \ {}
installswitchcommandhandler	\installswitchcommandhandler \ \} \
installswitchsetuphandler	\installswitchsetuphandler \ {}
installtexdirective	\installtexdirective $\{\ldots\}$ $\{\ldots\}$
installtextracker	\installtextracker $\{\ldots\}$ $\{\ldots\}$
installtopframerenderer	\installtopframerenderer {} {}
<del>-</del>	
installunitsseparator	\installunitsseparator {} {}
installunitsspace	\installunitsspace $\{\ldots\}$ $\{\ldots\}$
installversioninfo	\installversioninfo {} {}
integerrounding	\integerrounding {}
intertext	\intertext {}
intorno	\intorno []
invokepageheandler	\invokepageheandler {} {}
istltdir	\istltdir
istrtdir	\istrtdir
italiccorrection	\italiccorrection
italicface	\italicface
itemtag	\itemtag []
jobfilename	\jobfilename
jobfilesuffix	\jobfilesuffix
kap	\kap {}
-	
keeplinestogether	\keeplinestogether {}
keepunwantedspaces	\keepunwantedspaces
kerncharacters	\kerncharacters [] {}
koreancirclenumerals	\koreancirclenumerals {}
koreannumerals	\koreannumerals {}
koreannumeralsc	\koreannumeralsc {}
koreannumeralsp	\koreannumeralsp {}
koreanparentnumerals	\koreanparentnumerals {}
<del>-</del>	
LAMSTEX	\LAMSTEX
LATEX	\LATEX
LamSTeX	\LamSTeX
LaTeX	\LaTeX
Lettera	\Lettera {}
Lettere	\Lettere {}
LUAJITTEX	\LUAJITTEX
LUATEX	LUATEX
Lua	\Lua
LuajitTeX	\LuajitTeX
LuaTeX	\LuaTeX
labellanguage:instance	\LABELlingua
	•
labellanguage:instance:btxlabel	\btxlabellingua
labellanguage:instance:head	\headlingua
labellanguage:instance:label	\labellingua
labellanguage:instance:mathlabel	\mathlabellingua
6 6	•
labellanguage:instance:operator	\operatorlingua
labellanguage:instance:prefix	\prefixlingua
labellanguage:instance:suffix	\suffixlingua
labellanguage:instance:taglabel	\taglabellingua
labellanguage:instance:unit	\unitlingua
labeltexts:instance	\LABELtexts {} {}
labeltexts:instance:head	\headtexts {} {}
labeltexts:instance:label	\labeltexts {} {}
labeltexts:instance:mathlabel	\mathlabeltexts {} {}
languageCharacters	\languageCharacters {}
languagecharacters	\languagecharacters {}
languagecharwidth	\languagecharwidth {}
	5 5
lastcounter	\lastcounter [] []
lastcountervalue	\lastcountervalue []
lastdigit	\lastdigit {}

lastnaturalboxwd	\lastnaturalboxwd
lastpredefinedsymbol	\lastpredefinedsymbol
lastrealpage	\lastrealpage
lastrealpagenumber	\lastrealpagenumber
lastsubcountervalue	\lastsubcountervalue [] []
lastsubpagenumber	\lastsubpagenumber
lasttwodigits	\lastwodigits {}
lastuserpage	\lastuserpage
latelyacede	\lastuserpagenumber \lateluacode {}
lateluacode	• • • • • • • • • • • • • • • • • • • •
layeredtext	\layeredtext [=] [=] {} \layerheight
layerheight	\layerneight \layerwidth
lagranutaggadtuonaggdata	\lazysavetaggedtwopassdata {} {} {} {}
lazysavetaggedtwopassdata lazysavetwopassdata	\lazysavetaggedtwopassdata \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
lbox	\lazysavetwopassdata () () \laveta ()
leftbottombox	\leftbottombox {}
leftbox	\leftbox {}
lefthbox	\lefthbox {}
leftlabeltext:instance	\leftLABELtesto {}
leftlabeltext:instance:head	\leftheadtesto \{\dots\}
leftlabeltext:instance:label	\leftlabeltesto {}
leftlabeltext:instance:mathlabel	\leftmathlabeltesto {}
leftline	\leftline {}
	\leftorrighthbox {}
leftorrighthbox leftorrightvbox	\leftorrightvbox {}
leftorrightvtop	\leftorrightvtop {}
leftskipadaption	\leftskipadaption
leftsubguillemot	\leftsubguillemot
lefttopbox	\lefttopbox {}
lefttoright	\lefttoright
lefttorighthbox	\lefttorighthbox {}
lefttorightvbox	\lefttorightvbox {}
lefttorightvtop	\lefttorightvtop {}
letbeundefined	\letbeundefined {}
letcatcodecommand	\letcatcodecommand \ \
letcscsname	\letcscsname \ \csname \endcsname
letcsnamecs	\letcsnamecs \csname \endcsname \
letcsnamecsname	\letcsnamecsname \csname \endcsname \csname \end
letdummyparameter	\letdummyparameter {} \
letempty	\letempty \
letgvalue	\letgvalue {} \
letgvalueempty	\letgvalueempty {}
letgvalurelax	\letgvalurelax {}
lettera	\lettera {}
letterampersand	\letterampersand
letterat	\letterat
letterbackslash	\letterbackslash
letterbar	\letterbar
letterbgroup	\letterbgroup
letterclosebrace	\letterclosebrace
lettercolon	\lettercolon
letterdollar	\letterdollar
letterdoublequote	\letterdoublequote
lettere	\lettere {}
letteregroup	\letteregroup
letterescape	\letterescape
letterexclamationmark	\letterexclamationmark
letterhash	\letterhash
letterhat	\letterhat
letterleftbrace	\letterleftbrace
letterleftbracket	\letterleftbracket
letterleftparenthesis	\letterleftparenthesis
letterless	\letterless

\letteropenbrace \letterpercent

\letterquestionmark \letterrightbrace

letteropenbrace letterpercent letterquestionmark letterrightbrace

letterspacing	\letterspacing [] {}
lettertilde	\lettertilde
letterunderscore	\letterunderscore
letvalue	\letvalue {} \
letvalueempty	\letvalueempty {}
letvaluerelax	\letvaluerelax {}
lfence	\lfence {}
lhbox	\lhbox {}
limitatefirstline	\limitatefirstline \{\ldots\} \{\ldots\}
limitatelines	\limitatelines $\{\ldots\}$ $\{\ldots\}$
limitatetext	\limitatetext {} {} {}
limitatetext:list	\limitatetext {} {} {}
lineanera	\lineanera [=]
lineasottile	\lineasottile
lineatesto	\lineatesto [] {}
linebox	\linebox {}
lineenere	\lineenere [=]
lineeriempimento	\lineeriempimento [=] {} {}
lineesottili	\linesottili [=]
linenote:instance	\LINENOTE {}
linenote:instance:linenote	\linenote {}
linespanningtext	\linespanningtext \{\dots\} \{\dots\}
lingua	\lingua []
linguaprincipale	\linguaprincipale []
lingua:example	\LANGUAGE
listcitation	\listcitation [=] []
listcitation:alternative	\listcitation [] []
listcitation:userdata	\listcitation [=] [=]
listcite	\listcite [=] []
listcite:alternative	\listcite [] []
listcite:userdata	\listcite [=] [=]
listnamespaces	\listnamespaces
llap	\lap {}
loadanyfile	\loadanyfile []
loadanyfileonce loadbtxdefinitionfile	\loadanyfileonce []
	\loadbtxdefinitionfile [] \loadbtxreplacementfile []
loadbtxreplacementfile loadcldfile	\loadcldfile []
loadcldfileonce	\loadcldfileonce []
loadfontgoodies	\loadfontgoodies []
loadluafile	\loadluafile []
loadluafileonce	\loadluafileonce []
loadspellchecklist	\loadspellchecklist [] []
loadtexfile	\loadtexfile []
loadtexfileonce	\loadtexfileonce []
loadtypescriptfile	\loadtypescriptfile []
localframed	\localframed [] [=] {}
localframedwithsettings	\localframedwithsettings [] [=] {}
localhsize	\localhsize
localpopbox	\localpopbox
localpopmacro	\localpopmacro \
localpushbox	\localpushbox
localpushmacro	\localpushmacro \
localundefine	\localundefine {}
locatedfilepath	\locatedfilepath
locatefilepath	\locatefilepath {}
locfilename	\locfilename {}
lomihi	\lomihi {} {} {}
lowerbox	\lowerbox {} \ {}
lowercased	\lowercased {}
lowercasestring	\lowercasestring \to \
lowerleftdoubleninequote	\lowerleftdoubleninequote
lowerleftsingleninequote	\lowerleftsingleninequote
lowerrightdoubleninequote	\lowerrightdoubleninequote
lowerrightsingleninequote	\lowerrightsingleninequote
lowhigh:instance	\LOWHIGH [] {} {}
lowmidhigh:instance	\LOWMIDHIGH {} {}
lrtbbox	\lrtbbox {} {} {} {}
14	\1+

\letterslash

letterslash

```
\displaystyle \sum_{i=1}^{n} \{i, i\}
luaexpanded
luaexpr
                                                          \luaexpr {...}
luafunction
                                                          \luafunction {...}
luajitTeX
                                                          \luajitTeX
luamajorversion
                                                          \luamajorversion
luaminorversion
                                                          \luaminorversion
                                                          \luaparameterset {...} {...}
luaparameterset
luasetup
                                                          \luasetup {...}
luaTeX
                                                          \luaTeX
luaversion
                                                          \luaversion
lunghezzaelenco
                                                          \lunghezzaelenco
                                                          \MESE {...}
MESE.
METAFONT
                                                          \METAFONT
METAFUN
                                                          \METAFUN
METAPOST
                                                          \METAPOST
MetaFont
                                                          \MetaFont
MetaFun
                                                          \MetaFun
MetaPost
                                                          \MetaPost
                                                          \MKII
MKII
MKIV
                                                          \MKIV
MKIX
                                                          \MKIX
MKVI
                                                          \MKVI
MKXI
                                                          \MKXI
                                                          \MONTHLONG {...}
MONTHLONG
MONTHSHORT
                                                          \MONTHSHORT {...}
                                                          \MPanchor {...}
MPanchor
MPbetex
                                                          \MPbetex {...}
MPc
                                                          \MPc {...}
MPcode
                                                          \MPcode {...} {...}
MPcolor
                                                          \MPcolor {...}
MPcoloronly
                                                          \MPcoloronly {...}
MPcolumn
                                                          \MPcolumn {...}
MPd
                                                          \MPd {...}
MPdrawing
                                                          \MPdrawing {...}
MPfontsizehskip
                                                          \MPfontsizehskip {...}
MPgetmultipars
                                                          \MPgetmultipars {...} {...}
MPgetmultishape
                                                          \MPgetmultishape {...} {...}
MPgetposboxes
                                                          \MPgetposboxes {...} {...}
MPh
                                                          \MPh {...}
MPII
                                                          \MPII
MPIV
                                                          \MPIV
MPinclusions
                                                          \MPinclusions [...] \{...\}
MPleftskip
                                                          \MPleftskip {...}
MP11
                                                          \MP11 {...}
MP1r
                                                          \MPlr {...}
MPls
                                                          \MPls {...}
MPmenubuttons
                                                          \MPmenubuttons {...}
MPn
                                                          MPn {...}
MPoptions
                                                          \MPoptions {...}
MPoverlayanchor
                                                          \MPoverlayanchor {...}
МРр
                                                          \MPp {...}
MPpage
                                                          \MPpage {...}
                                                          \MPpardata {...}
MPpardata
MPplus
                                                          \MPplus {...} {...} {...}
MPpos
                                                          \MPpos {...}
                                                          \MPpositiongraphic {...} {..=..}
MPpositiongraphic
MPposset
                                                          \MPposset {...}
\mathtt{MPr}
                                                          \MPr {...}
                                                          \MPrawvar {...} {...}
MPrawvar
MPregion
                                                          \MPregion {...}
                                                          \MPrest {...} {...}
MPrest
MPrightskip
                                                          \MPrightskip {...}
                                                          \MPrs {...}
MPrs
MPstring
                                                          \MPstring {...}
                                                          \MPtext {...}
MPtext
MPtransparency
                                                          \MPtransparency {...}
                                                          \MPul {...}
MPu1
MPur
                                                          \MPur {...}
```

luaenvironment

\luaenvironment ...

```
\MPvariable {...}
MPvariable
ΜΡνινι
                                                           \MPvv {...} {...}
MPw
                                                           \MPw {...}
MPwhd
                                                           \MPwhd {...}
                                                           \MPx {...}
MPx
MPxv
                                                           \MPxy {...}
                                                           \MPxywhd {...}
MPxywhd
MPy
                                                           \MPy {...}
                                                           \m [...] {...}
makecharacteractive
                                                           \makecharacteractive ...
makerawcommalist
                                                           \makerawcommalist [...] \...
makestrutofbox
                                                           \makestrutofbox ...
                                                           \mapfontsize [...] [...]
mapfontsize
marcatura
                                                           \marcatura (...,...) (...,...) [...]
margindata
                                                           \margindata [...] [..=..] [..=..] {...}
margindata:instance
                                                           \MARGINDATA [..=..] [..=..] {...}
margindata:instance:atleftmargin
                                                           \atleftmargin [..=..] [..=..] {...}
                                                           \atrightmargin [..=..] [..=..] {...}
margindata:instance:atrightmargin
margindata:instance:ininner
                                                           \ininner [..=..] [..=..] {...}
                                                           \ininneredge [..=..] [..=..] {...}
margindata:instance:ininneredge
                                                           \ininnermargin [..=..] [..=..] {...}
margindata:instance:ininnermargin
                                                           \inleft [..=..] [..=..] {...}
margindata:instance:inleft
                                                           \inleftedge [..=..] [..=..] {...}
margindata:instance:inleftedge
\verb|margindata:instance:inleftmargin|\\
                                                           \inleftmargin [..=..] [..=..] {...}
margindata:instance:inmargin
                                                           \label{liminary} $$ \lim argin [..=..] [..=..] {...}
                                                           \inother [..=..] [..=..] {...}
margindata:instance:inother
                                                           \inouter [..=..] [..=..] {...}
margindata:instance:inouter
                                                           \inouteredge [..=..] [..=..] {...}
margindata:instance:inouteredge
                                                           \inoutermargin [..=..] [..=..] {...}
margindata:instance:inoutermargin
margindata:instance:inright
                                                           \inright [..=..] [..=..] {...}
margindata:instance:inrightedge
                                                           \inrightedge [..=..] [..=..] {...}
margindata:instance:inrightmargin
                                                           \label{linear_solution} $$ \liminf [\ldots = \ldots] [\ldots = \ldots] $$ $$ ... $$
margindata:instance:margintext
                                                           \margintext [..=..] [..=..] {...}
                                                           \markcontent [...] {...}
markcontent
markedpages
                                                           \markedpages [...]
markinjector
                                                           \markinjector [...]
markpage
                                                           \markpage [...] [...]
mat
                                                           \mat {...}
matematica
                                                           \matematica [...] {...}
math
                                                           \math [...] {...}
mathbf
                                                           \mathbf
                                                           \mathbi
mathbi
mathblackboard
                                                           \mathblackboard
mathbs
                                                           \mathbs
mathcommand:example
                                                           \MATHCOMMAND {...} {...}
mathdefault
                                                           \mathdefault
                                                           \mathdouble [...] {...} {...}
mathdoubleextensible:instance
                                                           \MATHDOUBLEEXTENSIBLE {...} {...}
mathdoubleextensible:instance:doublebar
                                                           \doublebar \{...\} \{...\}
mathdoubleextensible:instance:doublebrace
                                                           \doublebrace \{\ldots\} \\ \frac{\ldots}{\ldots}
                                                           \doublebracket \{\ldots\} \\ \frac{\ldots}{\ldots}
mathdoubleextensible:instance:doublebracket
mathdoubleextensible:instance:doubleparent
                                                           \doubleparent \{\ldots\} \\ \frac{\ldots}{\ldots}
                                                           \vertoverbarunderbar \{\ldots\} \{\ldots\}
mathdoubleextensible:instance:overbarunderbar
mathdoubleextensible:instance:overbraceunderbrace
                                                           \overbraceunderbrace \{\ldots\} \{\ldots\}
mathdoubleextensible:instance:overbracketunderbracket
                                                           \overbracketunderbracket {...} {...}
                                                           \overparentunderparent \{\ldots\} \{\ldots\}
mathdoubleextensible:instance:overparentunderparent
                                                           \MATHEXTENSIBLE {...} {...}
mathextensible:instance
mathextensible:instance:cleftarrow
                                                           \cline{cleftarrow} {\ldots} {\ldots}
mathextensible:instance:crightarrow
                                                           \crightarrow {...} {...}
                                                           \crightoverleftarrow {...} {...}
mathextensible:instance:crightoverleftarrow
                                                           \eleftarrowfill {...} {...}
mathextensible:instance:eleftarrowfill
mathextensible:instance:eleftharpoondownfill
                                                           \eleftharpoondownfill {...} {...}
mathextensible:instance:eleftharpoonupfill
                                                           \eleftharpoonupfill {...} {...}
                                                           \eleftrightarrowfill {...} {...}
mathextensible:instance:eleftrightarrowfill
mathextensible:instance:eoverbarfill
                                                           \eoverbarfill {...} {...}
                                                           \eoverbracefill {...} {...}
mathextensible:instance:eoverbracefill
mathextensible:instance:eoverbracketfill
                                                           \eoverbracketfill {...} {...}
mathextensible:instance:eoverparentfill
                                                           \eoverparentfill {...} {...}
mathextensible:instance:erightarrowfill
                                                           \erightarrowfill {...} {...}
```

```
mathextensible:instance:eunderbarfill
                                                          \eunderbarfill {...} {...}
mathextensible:instance:eunderbracefill
                                                          \eunderbracefill {...} {...}
mathextensible:instance:eunderbracketfill
                                                          \eunderbracketfill {...} {...}
mathextensible:instance:eunderparentfill
                                                          \eunderparentfill {...} {...}
mathextensible:instance:mequal
                                                          \mequal {...} {...}
mathextensible:instance:mhookleftarrow
                                                         \mhookleftarrow {...} {...}
                                                          \mhookrightarrow {...} {...}
mathextensible:instance:mhookrightarrow
mathextensible:instance:mLeftarrow
                                                         \mLeftarrow {...} {...}
mathextensible:instance:mLeftrightarrow
                                                         \mLeftrightarrow {...} {...}
mathextensible:instance:mleftarrow
                                                          \mleftarrow {...} {...}
mathextensible:instance:mleftharpoondown
                                                          \mleftharpoondown {...} {...}
mathextensible:instance:mleftharpoonup
                                                          \mbox{\em Mlefthar poonup } \{\ldots\} \ \{\ldots\}
\verb|mathextensible:instance:mleftrightarrow| \\
                                                         \mbox{\em Mleftrightarrow } \{\ldots\} \ \{\ldots\}
                                                         \mleftrightharpoons {...} {...}
mathextensible:instance:mleftrightharpoons
mathextensible:instance:mmapsto
                                                          \mmapsto {...} {...}
mathextensible:instance:mRightarrow
                                                         \mRightarrow {...} {...}
                                                          \mrel {...} {...}
mathextensible:instance:mrel
mathextensible:instance:mrightarrow
                                                          \mrightarrow \{\ldots\} \\ \{\ldots\}
mathextensible:instance:mrightharpoondown
                                                          \mrightharpoondown \{\ldots\} \{\ldots\}
                                                          \mrightharpoonup {...} {...}
mathextensible:instance:mrightharpoonup
                                                          \mrightleftharpoons {...} {...}
mathextensible:instance:mrightleftharpoons
                                                          \mrightoverleftarrow \{\ldots\} \{\ldots\}
mathextensible:instance:mrightoverleftarrow
mathextensible:instance:mtriplerel
                                                          \mtriplerel \{\ldots\}
mathextensible:instance:mtwoheadleftarrow
                                                          \mtwoheadleftarrow \{\ldots\} \{\ldots\}
mathextensible:instance:mtwoheadrightarrow
                                                          \mtwoheadrightarrow \{\ldots\} \{\ldots\}
mathextensible:instance:tequal
                                                          \tequal \{...\}
                                                         \thookleftarrow {...} {...}
mathextensible:instance:thookleftarrow
mathextensible:instance:thookrightarrow
                                                         \thookrightarrow {...} {...}
                                                         \tLeftarrow {...} {...}
mathextensible:instance:tLeftarrow
mathextensible:instance:tLeftrightarrow
                                                         \tLeftrightarrow {...} {...}
mathextensible:instance:tleftarrow
                                                         \tleftarrow {...} {...}
mathextensible:instance:tleftharpoondown
                                                         \t! \tleftharpoondown \{...\}
mathextensible:instance:tleftharpoonup
                                                         \tleftharpoonup {...} {...}
mathextensible:instance:tleftrightarrow
                                                         \t tleftrightarrow \{...\}
\verb|mathextensible:instance:tleftrighthar poons|\\
                                                         \t tleftrightharpoons \{\ldots\} \{\ldots\}
                                                         \tmapsto {...} {...}
mathextensible:instance:tmapsto
mathextensible:instance:tRightarrow
                                                         \tRightarrow {...} {...}
                                                         \trel {...} {...}
mathextensible:instance:trel
mathextensible:instance:trightarrow
                                                          \trightarrow {...} {...}
                                                          \trightharpoondown {...} {...}
mathextensible:instance:trightharpoondown
mathextensible:instance:trightharpoonup
                                                          \trightharpoonup {...} {...}
                                                         \trightleftharpoons {...} {...}
mathextensible:instance:trightleftharpoons
                                                         \trightoverleftarrow {...} {...}
mathextensible:instance:trightoverleftarrow
                                                          \ttriplerel \{\ldots\} \\ \tag{\ldots}
mathextensible:instance:ttriplerel
mathextensible:instance:ttwoheadleftarrow
                                                          \ttwoheadleftarrow \{\ldots\} \{\ldots\}
\verb| mathextensible: instance: ttwo head right arrow|\\
                                                          mathextensible:instance:xequal
                                                          \xequal {...} {...}
mathextensible:instance:xhookleftarrow
                                                          \xhookleftarrow {...} {...}
                                                          \xhookrightarrow {...} {...}
mathextensible:instance:xhookrightarrow
                                                         \xLeftarrow {...} {...}
mathextensible:instance:xLeftarrow
                                                         \xLeftrightarrow {...} {...}
mathextensible:instance:xLeftrightarrow
mathextensible:instance:xleftarrow
                                                         \xleftarrow {...} {...}
                                                         \xleft that poon down \{\ldots\}
mathextensible:instance:xleftharpoondown
mathextensible:instance:xleftharpoonup
                                                          \xleftharpoonup {...} {...}
                                                          \xleftrightarrow {...} {...}
mathextensible:instance:xleftrightarrow
mathextensible:instance:xleftrightharpoons
                                                          \xleftrightharpoons {...} {...}
                                                          \xmapsto {...} {...}
mathextensible:instance:xmapsto
mathextensible:instance:xRightarrow
                                                         \xRightarrow {...} {...}
mathextensible:instance:xrel
                                                          \xrel {...} {...}
mathextensible:instance:xrightarrow
                                                         \xrightarrow {...} {...}
                                                          \xrightharpoondown {...} {...}
mathextensible:instance:xrightharpoondown
mathextensible:instance:xrightharpoonup
                                                          \xrightharpoonup {...} {...}
mathextensible:instance:xrightleftharpoons
                                                          \xrightleftharpoons {...} {...}
                                                         \xrightoverleftarrow {...} {...}
mathextensible:instance:xrightoverleftarrow
                                                         \xtriplerel {...} {...}
mathextensible:instance:xtriplerel
mathextensible:instance:xtwoheadleftarrow
                                                          \xtwoheadleftarrow {...} {...}
mathextensible:instance:xtwoheadrightarrow
                                                          \xtwoheadrightarrow {...} {...}
                                                         \mathfraktur
mathfraktur
                                                          \MATHFRAMED [..=..] {...}
mathframed:instance
```

-f-----

mathfunction mathit	\mathfunction {}
	<pre>\mathit \mathitalic</pre>
mathitalic mathmatrix	\mathitalic \MATHMATRIX {}
mathmatix	\mathop {}
-	\MATHORNAMENT {}
mathornament:example mathover	\mathover [] {} {}
	\mathover [] \\\forall \mathover []
mathoverextensible:example	
mathovertextextensible:instance	\MATHOVERTEXTEXTENSIBLE {} {}
mathradical:example	\MATHRADICAL [] {}
mathrm	\mathrm
nathscript	\mathscript \mathsl
mathsl mathss	\mathss
mathtext	\mathtext {}
mathtextbf	\mathtextbf {}
mathtextbi	\mathtextbi {}
mathtextbs	\mathtextbs {}
mathtextit	\mathtextis \\mathtextis \\\}
mathtextsl	\mathtextit {}
mathtextf	\mathtexts1 \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
	\mathtextti \lambdas\ \mathtf
mathtf	• • • •
mathtriplet mathtriplet:example	\mathtriplet [] {} {} { \MATHTRIPLET [] {} {} {
mathtt	
mathut mathunder	\mathtt \mathunder [] {} {}
	\mathunder [] \lambda}
mathunderextensible:example mathundertextextensible:instance	\MATHUNDERTEXTEXTENSIBLE \{\ldots\} \{\ldots\}
mathundertextextensible:Instance mathunstacked:example	\MATHUNSTACKED
mathupright mathword	\mathupright \mathword {}
mathword mathwordbf	\mathword \ \}
mathwordbi mathwordbi	\mathwordbi {}
mathwordbs	\mathwordbi \\}
mathwordit	
	\mathwordit {}
mathwordsl mathwordtf	\mathwordsl {} \mathwordtf {}
	\maxaligned {}
maxaligned mbox	\mbox {}
measure	\measure {}
measured	\measured {}
medskip	\medskip
-	\medskip \medspace
medspace menuinterattivo	\medspace \menuinterattivo [] [=]
mese	\mese {}
	\message {}
message metaTeX	\message \(\tau\tag{\tau}\)
mettielenco	\mettielenco [] [=]
mettielencocombinato	\mettielencocombinato [] [=]
mettielencocombinato:instance	\metticOMBINEDLIST [=]
mettielencocombinato:instance:content	\metticontent [=]
mettifiancoafianco	\mettifiancoafianco \{\ldots\} \{\ldots\}
mettiformula	\mettifiancoarianco \(\cdot\)\(\cdot\)
mettiingriglia	\mettiingriglia [] {}
mettiingriglia:list	\mettiingriglia [] {}
mettinotepdp	\mettinotepdp [=]
mettinotepdplocali	\mettinotepdplocali [=]
mettinumeropagina	\mettinumeropagina
mettiregistro	\mettiregistro [] [=]
mettiregistro:instance	\mettiREGISTER [=]
mettiregistro:instance:index	\mettiindex [=]
mettisegnalibro	\mettisegnalibro [] [] [=
mettisottoformula	\mettisottoformula [] {}
mettiunosullaltro	\mettiunosullaltro {} {}
mfence	\mfence {}
mfunction	\mfunction {}
mfunctionlabeltext	\mfunctionlabeltext {}
mhbox	\mhbox {}
niddlealigned	\middlealigned {}

minimalhbox	\minimalhbox {}
mixedcaps	\mixedcaps {}
mkvibuffer	\mkvibuffer []
moduleparameter	\moduleparameter {} {}
molecule	\molecule {}
mono	\mono
monograssetto	\monograssetto
mononormal	\mononormal
monthlong monthshort	\monthlong {} \monthshort {}
mostraambientefontdeltesto	\mostraambientefontdeltesto []
mostracolore	\mostracolore []
mostracornice	\mostracornice [] []
mostrafontdeltesto	\mostrafontdeltesto []
mostragriglia	\mostragriglia []
mostragruppocolori	\mostragruppocolori [] []
mostraimpostazioni	\mostraimpostazioni []
mostralyout	\mostralyout []
mostramakeup	\mostramakeup []
mostrasetsimboli	\mostrasetsimboli []
mostrastampa	\mostrastampa [] [=]
mostrastruts	\mostrastruts
mostratavolozza	\mostratavolozza [] []
mprandomnumber	\mprandomnumber
mtext	\mtext {}
NormalizeFontHeight	\NormalizeFontHeight \ \{\} \{\}
NormalizeFontWidth	\NormalizeFontWidth \ \{\} \{\}
NormalizeTextHeight NormalizeTextWidth	\NormalizeTextHeight {} {} {} \NormalizeTextWidth {} {} {}
Numeri	\Numeri {}
Numeriromani	\Numeriromani {}
namedheadnumber	\namedheadnumber {}
namedstructureheadlocation	\namedstructureheadlocation {}
namedstructureuservariable	\namedstructureuservariable {} {}
namedstructurevariable	\namedstructurevariable {} {}
namedtaggedlabeltexts	\namedtaggedlabeltexts {} {} {} {} {}
nascondiblocchi	\nascondiblocchi [] []
naturalhbox	\naturalhbox {}
naturalhpack	\naturalhpack {}
naturalvbox	\naturalvbox {}
naturalvcenter	\naturalvcenter {}
naturalvpack	\naturalvpack {}
naturalvtop	\naturalvtop {}
naturalwd	\naturalwd
negatecolorbox	\negatecolorbox
negated	\negated {}
negemspace	\negemspace
negenspace negthinspace	\negenspace \negthinspace
newattribute	\newattribute \
newcatcodetable	\newcatcodetable \
newcounter	\newcounter \
newevery	\newevery \ \
newfrenchspacing	\newfrenchspacing
newmode	\newmode {}
newsignal	\newsignal \
newsystemmode	\newsystemmode {}
nextbox	\nextbox
nextboxdp	\nextboxdp
nextboxht	\nextboxht
nextboxhtdp	\nextboxhtdp
nextboxwd	\nextboxwd
nextcounter	\nextcounter [] []
nextcountervalue	\nextcountervalue []
nextdepth	\nextdepth
nextparagraphs nextparagraphs:example	\nextparagraphs \successivoPARAGRAPHS
nextparagraphs:example nextrealpage	\nextrealpage
nextrealpagenumber	\nextrealpage \nextrealpagenumber
T T U T T T T T T T T T T T T T T T T T	· · · · · · · · · · · · · · · · · · ·

```
nextuserpagenumber
                                                         \nextuserpagenumber
nientelineecimafondo
                                                         \nientelineecimafondo
nientelineintestazionepdp
                                                         \nientelineintestazionepdp
nientespazio
                                                         \nientespazio
                                                        \nocap {...}
nocap
nocharacteralign
                                                        \nocharacteralign
nocitation
                                                        \nocitation [...]
nocitation:direct
                                                        \nocitation {...}
                                                        \nocite [...]
nocite
nocite:direct
                                                         \nocite {...}
nodetostring
                                                         \nodetostring \... {...}
noffigurepages
                                                         \noffigurepages
noflines
                                                        \noflines
noflocalfloats
                                                         \noflocalfloats
noheightstrut
                                                        \noheightstrut
noindentation
                                                        \noindentation
                                                         \noitem
noitem
                                                         \nonfrenchspacing
nonfrenchspacing
                                                         \nonmathematics {...}
nonmathematics
                                                         \normalboldface
normalboldface
normale
                                                        \normale
normalframedwithsettings
                                                        \normalframedwithsettings [..=..] {...}
normalitalicface
                                                        \normalitalicface
                                                         \normalizebodyfontsize \... {...}
normalizebodyfontsize
normalizedfontsize
                                                         \normalizedfontsize
                                                         \normalizefontdepth \... \{...\} \{...\}
normalizefontdepth
                                                         \normalizefontheight \... \{...\} \{...\}
normalizefontheight
normalizefontline
                                                        \normalizefontline \... \{...\} \{...\}
                                                         \normalizefontwidth \... \{...\} \{...\}
normalizefontwidth
normalizetextdepth
                                                        \normalizetextdepth \{...\} \{...\}
                                                         \normalizetextheight {...} {...} {...}
normalizetextheight
normalizetextline
                                                         \normalizetextline \{\ldots\} \{\ldots\}
normalizetextwidth
                                                         \normalizetextwidth \{\ldots\} \{\ldots\}
normalslantedface
                                                         \normalslantedface
normaltypeface
                                                        \normaltypeface
                                                        \nota [...] [...]
nota
nota:instance
                                                         \NOTE [...] {...}
                                                         \NOTE [..=..]
nota:instance:assignment
nota:instance:assignment:endnote
                                                         \endnote [..=..]
nota:instance:assignment:footnote
                                                         \footnote [..=..]
                                                         \verb|\endnote|[...]| \{...\}
nota:instance:endnote
                                                         \footnote [...] \{...\}
nota:instance:footnote
notesymbol
                                                         \notesymbol [...] [...]
                                                         \notragged
notragged
ntimes
                                                         \ntimes {...} {...}
                                                         \numberofpoints {...}
numberofpoints
                                                         \numeri {...}
numeri
numeriromani
                                                         \numeriromani {...}
numeroformula
                                                         \numeroformula [...]
numeropagina
                                                        \numeropagina
numeropaginacompleto
                                                        \numeropaginacompleto
numerotesta
                                                        \numerotesta [...] [...]
                                                        \numerotestacorrente
numerotestacorrente
obeydepth
                                                         \obeydepth
                                                         \objectdepth
objectdepth
objectheight
                                                         \objectheight
objectmargin
                                                         \objectmargin
objectwidth
                                                        \objectwidth
obox
                                                        \obox {...}
                                                        \offset [..=..] {...}
offset
offsetbox
                                                         \offsetbox [..=..] \... {...}
onedigitrounding
                                                         \onedigitrounding {...}
ordinaldaynumber
                                                         \ordinaldaynumber {...}
                                                         \ordinalstr {...}
ordinalstr
ornamenttext:collector
                                                         \ornamenttext [..=..] [..=..] {...} {...}
                                                         \ornamenttext [...] {...} {...}
ornamenttext:direct
ornamenttext:layer
                                                         \ornamenttext [..=..] [..=..] {...} {...}
                                                         \ORNAMENT {...} {...}
ornament:example
outputfilename
                                                         \outputfilename
```

outputstreamunvcopy	\outputstreamunvcopy []
over	\over []
overlaybutton	\overlaybutton []
overlaybutton:direct	\overlaybutton {}
·	\overlaybutton ()
overlaycolor	
overlaydepth	\overlaydepth
overlayfigure	\overlayfigure {}
overlayheight	\overlayheight
overlayimage	\overlayimage {}
overlaylinecolor	\overlaylinecolor
overlaylinewidth	$\olimits$ overlaylinewidth
overlayoffset	\overlayoffset
overlayrollbutton	\overlayrollbutton [] []
overlaywidth	\overlaywidth
overloaderror	\overloaderror
overset	\overset {} {}
PAROLA	\PAROLA {}
PAROLE	\PAROLE {}
Parola	\Parola {}
Parole	\Parole {}
PDFcolor	\PDFcolor {}
PDFETEX	\PDFETEX
PDFTEX	\PDFTEX
PICTEX	\PICTEX
PiCTeX	\PiCTeX
PointsToBigPoints	\PointsToBigPoints {} \
PointsToReal	\PointsToReal {} \
PointsToWholeBigPoints	\PointsToWholeBigPoints {} \
PPCHTEX	\PPCHTEX
PPCHTeX	\PPCHTeX
PRAGMA	\PRAGMA
PtToCm	\PtToCm {}
pagearea	\pagearea [] []
pagebreak	\pagebreak [] \pagebreak []
pagefigure	\pagefigure [] [=]
	\pageinjection [] [=]
pageinjection	
pageinjection:assignment	\pageinjection [=] [=] \pagestaterealpage {} {}
pagestaterealpage pagestaterealpageorder	
	\pagestaterealpageorder {} {}
pagina	\pagina []
paletsize	\paletsize
paragraphs:example	\PARAGRAPHS
parola	\parola {}
paroladestra	\paroladestra [] {}
pdfactualtext	\pdfactualtext {} {}
pdfbackendactualtext	\pdfbackendactualtext \{\dots\} \{\dots\}
pdfbackendcurrentresources	\pdfbackendcurrentresources
pdfbackendsetcatalog	\pdfbackendsetcatalog {} {}
pdfbackendsetcolorspace	\pdfbackendsetcolorspace \{\ldots\} \{\ldots\}
pdfbackendsetextgstate	\pdfbackendsetextgstate \{\ldots\}\{\ldots\}
pdfbackendsetinfo	\pdfbackendsetinfo {} {}
pdfbackendsetname	\pdfbackendsetname {} {}
pdfbackendsetpageattribute	\pdfbackendsetpageattribute $\{\}$
pdfbackendsetpageresource	$\pdf$ backendset pageresource $\{\ldots\}$ $\{\ldots\}$
pdfbackendsetpagesattribute	\pdfbackendsetpagesattribute \{\ldots\} \{\ldots\}
pdfbackendsetpattern	\pdfbackendsetpattern {} {}
pdfbackendsetshade	\pdfbackendsetshade {} {}
pdfcolor	\pdfcolor {}
pdfeTeX	\pdfeTeX
pdfTeX	\pdfTeX
ped	\ped {}
pedap	\pedap [] {}
ped:instance	\LOW {}
ped:instance:unitslow	\unitslow {}
percent	\percent
percentdimen	\percentdimen {} {}
perlungo	\perlungo {}
permitcaretescape	\permitcaretescape
permitcircumflexescape	\permitcircumflexescape
normitanagoghotycongroung	\normitanaccahoticongroung

```
phantom
                                                        \phantom {...}
                                                        \phantombox [..=..]
phantombox
piccolo
                                                        \piccolo
piccolocorsivograssetto
                                                        \piccolocorsivograssetto
piccolofontdelcorpo
                                                        \piccolofontdelcorpo
piccolograssetto
                                                       \piccolograssetto
piccolograssettocorsivo
                                                       \piccolograssettocorsivo
piccolograssettoinclinato
                                                       \piccolograssettoinclinato
piccoloinclinato
                                                        \piccoloinclinato
\verb|piccoloinclinatograss| etto
                                                        \piccoloinclinatograssetto
piccolonormale
                                                        \piccolonormale
piccolotype
                                                        \piccolotype
\verb"pickupgroupedcommand"
                                                        \pickupgroupedcommand \{...\} \{...\}
placeattachments
                                                        \placeattachments
placebtxrendering
                                                        \placebtxrendering [...] [..=..]
placecitation
                                                        \placecitation [...]
placecomments
                                                        \placecomments
placecurrentformulanumber
                                                        \placecurrentformulanumber
                                                        \placedbox {...}
placedbox
                                                        \placefloat [...] [...] {...} {...}
placefloat
placefloatwithsetups
                                                        \placefloatwithsetups [...] [...] [...] {...} {...}
                                                        \mettiFLOAT [...] [...] {...} {...}
placefloat:instance
placefloat:instance:chemical
                                                        \mettifigure [...] [...] {...} {...}
placefloat:instance:figure
                                                        \mettigraphic [...] [...] {...} {...}
placefloat:instance:graphic
placefloat:instance:intermezzo
                                                        \mettiintermezzo [...] [...] {...} {...}
                                                        \mettitable [...] [...] {...} {...}
placefloat:instance:table
                                                       \placeframed [...] [..=..] {...}
placeframed
placehelp
                                                        \placehelp
placeinitial
                                                        \placeinitial [...]
placelayer
                                                        \placelayer [...]
                                                        \placelayeredtext [...] [..=..] [..=..] {...} {...}
placelayeredtext
                                                        \placelistofFLOATS [..=..]
placelistoffloats:instance
placelistoffloats:instance:chemicals
                                                        \placelistofchemicals [..=..]
                                                        \placelistoffigures [..=..]
placelistoffloats:instance:figures
                                                        \placelistofgraphics [..=..]
placelistoffloats:instance:graphics
\verb|placelistoffloats:instance:intermezzi|\\
                                                        \placelistofintermezzi [..=..]
placelistoffloats:instance:tables
                                                        \placelistoftables [..=..]
placelistofpublications
                                                        \verb|\placelistofpublications [...] [..=..]|
placelistofsorts
                                                        \placelistofsorts [...] [..=..]
placelistofsorts:instance
                                                        \placelistofSORTS [..=..]
placelistofsorts:instance:logos
                                                        \placelistoflogos [..=..]
                                                        \placelistofsynonyms [...] [..=..]
placelistofsynonyms
placelistofsynonyms:instance
                                                        \placelistofSYNONYMS [..=..]
placelistofsynonyms:instance:abbreviations
                                                        \placelistofabbreviations [..=..]
placelocalnotes
                                                        \placelocalnotes [...] [..=..]
                                                        \placement [...] [..=..] {...}
placement
placement:example
                                                        \PLACEMENT [..=..] {...}
placenamedfloat
                                                        \placenamedfloat [...] [...]
placenamedformula
                                                        \placenamedformula [...] \{...\}
placenotes
                                                        \placenotes [...] [..=..]
placepairedbox
                                                        \placepairedbox [...] [..=..] {...} {...}
                                                        placepairedbox:instance
placepairedbox:instance:legend
                                                        \mettilegend [..=..] \{...\}
placeparallel
                                                        \placeparallel [...] [...] [..=..]
placerawlist
                                                        \placerawlist [...] [..=..]
placerenderingwindow
                                                        \placerenderingwindow [...] [...]
popattribute
                                                        \popattribute \...
popmacro
                                                        \popmacro \...
popmode
                                                        \popmode [...]
                                                        \popsystemmode {...}
popsystemmode
{\tt position} overlay
                                                        \positionoverlay {...}
positionregionoverlay
                                                        \positionregionoverlay \{\ldots\} \{\ldots\}
posizionanumerotesta
                                                        \posizionanumerotesta [...]
                                                        \posizionatestotesta [...]
posizionatestotesta
                                                        \posizione [..=..] (...,...) \{...\}
posizione
                                                        \postponenotes
postponenotes
                                                        \predefinedfont [...]
predefinedfont
predefinefont
                                                        \predefinefont [...] [...]
```

prendibuffer:instance	\prendiBUFFER
prendimarcatura	\prendimarcatura [] []
prependetoks	\prependetoks \to \
prependgvalue	\prependgvalue {} {}
prependtocommalist	\prependtocommalist \{\dots\}\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
prependtoks	\prependtoks \to \
prependtoksonce	\prependtoksonce \to \
prependvalue	\prependvalue {} {}
prerollblank	\prerollblank [] \presetdocument [=]
presetfocument presetfieldsymbols	\presetfieldsymbols []
presetlabeltext:instance	\presetLABELtesto [] [=]
presetlabeltext:instance:btxlabel	\presetbtxlabeltesto [] [=]
presetlabeltext:instance:head	\presetheadtesto [] [=]
presetlabeltext:instance:label	\presetlabeltesto [] [=]
<pre>presetlabeltext:instance:mathlabel</pre>	\presetmathlabeltesto [] [=]
<pre>presetlabeltext:instance:operator</pre>	\presetoperatortesto [] [=]
<pre>presetlabeltext:instance:prefix</pre>	\presetprefixtesto [] [=]
presetlabeltext:instance:suffix	\presetsuffixtesto [] [=]
presetlabeltext:instance:taglabel	\presettaglabeltesto [] [=]
presetlabeltext:instance:unit	\presetunittesto [] [=]
pretocommalist	\pretocommalist \{\dots\}\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
prettyprintbuffer prevcounter	\prettyprintbuffer {} {} \prevcounter [] []
prevcountervalue	\prevcounter [] \prevcountervalue []
preventmode	\preventmode []
prevrealpage	\prevrealpage
prevrealpagenumber	\prevrealpagenumber
prevsubcountervalue	\prevsubcountervalue [] []
prevsubpage	\prevsubpage
prevsubpagenumber	\prevsubpagenumber
prevuserpage	\prevuserpage
prevuserpagenumber	\prevuserpagenumber
primasottopagina	\primasottopagina
procent	\procent
processaction	\processaction [] [,.=>,]
processaliactionsinset	\processaliactionsinset [] [,=>,]
processassignlist	\processassignlist [] \
processassignlist processassignmentcommand	\processassignlist [] \\ \processassignmentcommand [=] \
processassignlist processassignmentcommand processassignmentlist	<pre>\processassignlist [] \ \processassignmentcommand [=] \ \processassignmentlist [=] \</pre>
processassignlist processassignmentcommand	\processassignlist [] \\ \processassignmentcommand [=] \
processassignmentcommand processassignmentlist processbetween	<pre>\processassignlist [] \ \processassignmentcommand [=] \ \processassignmentlist [=] \ \processbetween {} \</pre>
processassignlist processassignmentcommand processassignmentlist processbetween processbodyfontenvironmentlist	\processassignlist [] \ \processassignmentcommand [=] \ \processassignmentlist [=] \ \processbetween {} \ \processbodyfontenvironmentlist \
processassignlist processassignmentcommand processassignmentlist processbetween processbodyfontenvironmentlist processcolorcomponents	<pre>\processassignlist [] \ \processassignmentcommand [=] \ \processassignmentlist [=] \ \processbetween {} \ \processbodyfontenvironmentlist \ \processcolorcomponents {} \processcommacommand [] \ \processcommalist [] \</pre>
processassignlist processassignmentcommand processassignmentlist processbetween processbodyfontenvironmentlist processcolorcomponents processcommacommand processcommalist processcommalist	<pre>\processassignlist [] \ \processassignmentcommand [=] \ \processassignmentlist [=] \ \processbetween {} \ \processbodyfontenvironmentlist \ \processcolorcomponents {} \processcommacommand [] \ \processcommalist [] \ \processcommalist [] \</pre>
processassignlist processassignmentcommand processassignmentlist processbetween processbodyfontenvironmentlist processcolorcomponents processcommacommand processcommalist processcommalistwithparameters processcontent	<pre>\processassignlist [] \ \processassignmentcommand [=] \ \processassignmentlist [=] \ \processbetween {} \ \processcolorcomponents {} \processcolorcomponents {} \processcommacommand [] \ \processcommalist [] \ \processcommalist [] \ \processcontent {} \</pre>
processassignlist processassignmentcommand processassignmentlist processbetween processbodyfontenvironmentlist processcolorcomponents processcommacommand processcommalist processcommalist processcommalistwithparameters processcontent processfile	<pre>\processassignlist [] \ \processassignmentcommand [=] \ \processassignmentlist [=] \ \processbetween {} \ \processcolorcomponents {} \processcolorcomponents {} \processcommacommand [] \ \processcommalist [] \ \processcommalist [] \ \processcontent {} \ \processfile {}</pre>
processassignmentcommand processassignmentlist processbetween processbodyfontenvironmentlist processcolorcomponents processcommand processcommalist processcommalist processcontent processfile processfilemany	<pre>\processassignlist [] \ \processassignmentcommand [=] \ \processassignmentlist [=] \ \processbetween {} \ \processcolorcomponents {} \processcolorcomponents {} \processcommacommand [] \ \processcommalist [] \ \processcommalistwithparameters [] \ \processcontent {} \ \processfile {} \processfilemany {}</pre>
processassignmentcommand processassignmentlist processbetween processbodyfontenvironmentlist processcolorcomponents processcommacommand processcommalist processcommalist processcontent processfile processfilemany processfilenone	<pre>\processassignlist [] \ \processassignmentcommand [=] \ \processassignmentlist [=] \ \processbetween {} \ \processcolorcomponents {} \processcolorcomponents {} \processcommacommand [] \ \processcommalist [] \ \processcommalistwithparameters [] \ \processcontent {} \ \processfile {} \processfilemany {} \processfilenone {}</pre>
processassignlist processassignmentcommand processassignmentlist processbetween processbodyfontenvironmentlist processcolorcomponents processcommand processcommalist processcommalist processcontent processfile processfilemany processfilenone processfileonce	<pre>\processassignlist [] \ \processassignmentcommand [=] \ \processassignmentlist [=] \ \processbetween {} \ \processcolorcomponents {} \processcommacommand [] \ \processcommacommand [] \ \processcommalist [] \ \processcommalistwithparameters [] \ \processcontent {} \ \processfile {} \processfilemany {} \processfileonce {} \processfileonce {}</pre>
processassignlist processassignmentcommand processassignmentlist processbetween processbodyfontenvironmentlist processcolorcomponents processcommacommand processcommalist processcommalist processcontent processfile processfilemany processfilenone processfileonce processfirstactioninset	<pre>\processassignlist [] \ \processassignmentcommand [=] \ \processassignmentlist [=] \ \processbetween {} \ \processcolorcomponents {} \processcolorcomponents {} \processcommacommand [] \ \processcommalist [] \ \processcommalistwithparameters [] \ \processcontent {} \ \processfile {} \processfilemany {} \processfileonce {} \processfirstactioninset [] [,.=&gt;]</pre>
processassignlist processassignmentcommand processassignmentlist processbetween processbodyfontenvironmentlist processcolorcomponents processcommand processcommalist processcommalist processcontent processfile processfilemany processfilenone processfileonce	<pre>\processassignlist [] \ \processassignmentcommand [=] \ \processassignmentlist [=] \ \processbetween {} \ \processcolorcomponents {} \processcolorcomponents {} \processcommacommand [] \ \processcommalist [] \ \processcommalist [] \ \processcommalist [] \ \processcontent {} \ \processfile {} \processfilemany {} \processfileonce {} \processfirstactioninset [] [,=&gt;,] \processisolatedchars {} \</pre>
processassignlist processassignmentcommand processassignmentlist processbetween processbodyfontenvironmentlist processcolorcomponents processcommacommand processcommalist processcommalist processcontent processfile processfilemany processfilenone processfileonce processfirstactioninset processisolatedchars	<pre>\processassignlist [] \ \processassignmentcommand [=] \ \processassignmentlist [=] \ \processbetween {} \ \processcolorcomponents {} \processcolorcomponents {} \processcommacommand [] \ \processcommalist [] \ \processcommalistwithparameters [] \ \processcontent {} \ \processfile {} \processfilemany {} \processfileonce {} \processfirstactioninset [] [,.=&gt;]</pre>
processassignlist processassignmentcommand processassignmentlist processbetween processbodyfontenvironmentlist processcolorcomponents processcommacommand processcommalist processcommalist processcontent processfile processfilemany processfilenone processfileonce processfirstactioninset processisolatedchars processisolatedwords	<pre>\processassignlist [] \ \processassignmentcommand [=] \ \processassignmentlist [=] \ \processbetween {} \ \processcolorcomponents {} \processcolorcomponents {} \processcommacommand [] \ \processcommalist [] \ \processcommalist in [] \ \processcommalist in [] \ \processcontent {} \ \processfile {} \processfile {} \processfilenone {} \processfilenone {} \processfirstactioninset [] [, =&gt;, ] \processisolatedchars {} \ \processisolatedwords {} \</pre>
processassignlist processassignmentcommand processassignmentlist processbetween processbodyfontenvironmentlist processcolorcomponents processcommacommand processcommalist processcommalist processcontent processfile processfilemany processfilenone processfilenone processfilestactioninset processisolatedchars processisolatedwords processlinetablebuffer	<pre>\processassignlist [] \ \processassignmentcommand [=] \ \processassignmentlist [=] \ \processbetween {} \ \processbodyfontenvironmentlist \ \processcolorcomponents {} \processcommacommand [] \ \processcommalist [] \ \processcommalist [] \ \processcommalist withparameters [] \ \processcontent {} \ \processfile {} \processfilemany {} \processfilenone {} \processfileonce {} \processfirstactioninset [] [,=&gt;,] \processisolatedchars {} \ \processisolatedwords {} \ \processlinetablebuffer []</pre>
processassignmentcommand processassignmentlist processbetween processbodyfontenvironmentlist processcolorcomponents processcommacommand processcommalist processcommalist processcontent processfile processfilemany processfilenone processfilenone processfilestactioninset processisolatedchars processiolatedwords processlinetablebuffer processlist processlist processMPbuffer	<pre>\processassignlist [] \ \processassignmentcommand [] \ \processassignmentlist [] \ \processbetween {} \ \processbodyfontenvironmentlist \ \processcolorcomponents {} \processcommacommand [] \ \processcommalist [] \ \processcommalist inhammeters [] \ \processcommalist inhammeters [] \ \processcontent {} \ \processfile {} \processfile any {} \processfilenone {} \processfirstactioninset [] [=&gt;] \processisolatedchars {} \ \processisolatedwords {} \ \processlinetablebuffer [] \processlinetablefile {} \processlinetablefile {} \processlinetablefile {} \processMPbuffer []</pre>
processassignmentcommand processassignmentlist processbetween processbodyfontenvironmentlist processcolorcomponents processcommacommand processcommalist processcommalistwithparameters processcontent processfile processfilemany processfilenone processfilenone processfilentce processisolatedchars processisolatedwords processlinetablebuffer processlist processMPbuffer processMPfigurefile	<pre>\processassignlist [] \ \processassignmentcommand [] \ \processassignmentlist [] \ \processbetween {} \ \processbodyfontenvironmentlist \ \processcolorcomponents {} \processcommacommand [] \ \processcommalist [] \ \processcommalist withparameters [] \ \processcommalist withparameters [] \ \processcontent {} \ \processfile {} \processfile any {} \processfilenone {} \processfilenone {} \processfirstactioninset [] [=&gt;] \processisolatedchars {} \ \processisolatedwords {} \ \processlinetablebuffer [] \processlinetablefile {} \processMPbuffer [] \processMPfigurefile {}</pre>
processassignmentcommand processassignmentlist processbetween processbodyfontenvironmentlist processcolorcomponents processcommacommand processcommalist processcommalist processcontent processfile processfile processfilenone processfilenone processfilenone processisolatedchars processisolatedbuffer processlinetablefile processlist processMPbuffer processMPfigurefile processmonth	<pre>\processassignlist [] \ \processassignmentcommand [] \ \processassignmentlist [] \ \processbetween {} \ \processbodyfontenvironmentlist \ \processcolorcomponents {} \processcommacommand [] \ \processcommalist [] \ \processcommalist withparameters [] \ \processcontent {} \ \processfile {} \processfile any {} \processfilenone {} \processfilenone {} \processfirstactioninset [] [=&gt;] \processisolatedchars {} \ \processlinetablebuffer [] \processlinetablefile {} \processMPbuffer [] \processMPfigurefile {} \processmonth {} {} {} {} \processmonth {} {} {} \processmonth {} {} {} \end{array} </pre>
processassignmentcommand processassignmentlist processbetween processbodyfontenvironmentlist processcolorcomponents processcommacommand processcommalist processcommalist processcontent processfile processfilemany processfilenone processfilenone processisolatedchars processisolatedwords processlinetablebuffer processlist processMPbuffer processmonth processmonth processmonth processmonth processmonth	<pre>\processassignlist [] \ \processassignmentcommand [] \ \processassignmentlist [] \ \processbetween {} \ \processbodyfontenvironmentlist \ \processcolorcomponents {} \processcommacommand [] \ \processcommalist [] \ \processcommalist in [] \ \processcontent {} \ \processfile {} \processfile any {} \processfile none {} \processfile none {} \processfirstactioninset [] [, -&gt;] \processisolatedchars {} \ \processisolatedwords {} \ \processlinetablebuffer [] \processlinetablefile {} \processMPbuffer [] \processMPfigurefile {} \processmonth {} {} {} {} \processmonth {} {} {} \processmonth {} {} {} \processranges [] \</pre>
processassignmentcommand processassignmentlist processbetween processbodyfontenvironmentlist processcolorcomponents processcommacommand processcommalist processcommalist processcontent processfile processfile processfilenone processfilenone processfilenone processisolatedchars processisolatedwords processlinetablebuffer processlinetablefile processMPbuffer processmonth processranges processseparatedlist	<pre>\processassignlist [] \ \processassignmentcommand [] \ \processassignmentlist [] \ \processbetween {} \ \processbodyfontenvironmentlist \ \processcolorcomponents {} \processcommacommand [] \ \processcommalist [] \ \processcommalist in [] \ \processfile {} \processfile {} \processfile {} \processfilenone {} \processfilenone {} \processfilenone {} \ \processiolatedchars {} \ \processiolatedchars {} \ \processlinetablebuffer [] \processlinetablefile {} \processMPbuffer [] \processMPfigurefile {} \processmonth {} {} {} {} \processranges [] \ \processseparatedlist [] [] {} </pre>
processassignmentcommand processassignmentlist processbetween processbodyfontenvironmentlist processcolorcomponents processcommacommand processcommalist processcommalist processcontent processfile processfile processfilenone processfilenone processfilenore processisolatedchars processisolatedbefile processlinetablefile processlinetablefile processMPbifer processmonth processranges processeparatedlist processtexbuffer	<pre>\processassignlist [] \ \processassignmentcommand [] \ \processassignmentlist [] \ \processbetween {} \ \processbodyfontenvironmentlist \ \processcolorcomponents {} \processcommacommand [] \ \processcommalist [] \ \processcommalist withparameters [] \ \processcontent {} \ \processfile {} \processfile {} \processfilenone {} \processfirstactioninset [] [,=&gt;] \processiolatedchars {} \ \processlinetablebuffer [] \processlinetablefile {} \processMPbuffer [] \processMPfigurefile {} \processmonth {} {} {} \processranges [] \ \processtexsuffer [] \processtexsuffer [] \processtexsuffer [] \processtexsuffer []</pre>
processassignmentcommand processassignmentlist processbetween processbodyfontenvironmentlist processcolorcomponents processcommacommand processcommalist processcommalist processcontent processfile processfile processfilenone processfilenone processfilenone processisolatedchars processisolatedbeffer processlinetablebuffer processlinetablefile processMPbuffer processMPfigurefile processanges processeparatedlist processtexbuffer processtokens	<pre>\processassignlist [] \ \processassignmentcommand [=] \ \processassignmentlist [] \ \processbetween {} \ \processbodyfontenvironmentlist \ \processcolorcomponents {} \processcommacommand [] \ \processcommalist [] \ \processcommalist [] \ \processcommalist withparameters [] \ \processcontent {} \ \processfile {} \processfile {} \processfilenone {} \processfilenone {} \processfirstactioninset [] [,=&gt;,] \processiolatedchars {} \ \processlinetablebuffer [] \processlinetablefile {} \processInetablefile {} \processMPbuffer [] \processMPfigurefile {} \processmonth {} {} {} {} \processranges [] \ \processTEXbuffer [] \processTEXbuffer [] \processtokens {} {} {} {} {} {} </pre>
processassignmentcommand processassignmentlist processbetween processbodyfontenvironmentlist processcolorcomponents processcommacommand processcommalist processcommalist processcontent processfile processfile processfilenone processfilenone processfilenone processisolatedchars processisolatedbefile processlinetablebuffer processlinetablefile processMPbuffer processMPfigurefile processmonth processeparatedlist processtexbuffer processtokens processuntil	<pre>\processassignlist [] \ \processassignmentcommand [] \ \processassignmentlist [] \ \processbetween {} \ \processbodyfontenvironmentlist \ \processcolorcomponents {} \processcommacommand [] \ \processcommalist [] \ \processcommalist [] \ \processcommalist withparameters [] \ \processcontent {} \ \processfile {} \processfile {} \processfilenone {} \processfilenone {} \processfirstactioninset [] [,=&gt;] \processiolatedchars {} \ \processlinetablebuffer [] \processlinetablefile {} \processMPbuffer [] \processMPfigurefile {} \processmonth {} {} {} {} \processranges [] \ \processTEXbuffer [] \processtokens {} {} {} {} {} \processuntil \</pre>
processassignmentcommand processassignmentlist processbetween processbodyfontenvironmentlist processcolorcomponents processcommacommand processcommalist processcommalist processcontent processfile processfile processfilenone processfilenone processfilenone processisolatedchars processisolatedbeffer processlinetablebuffer processlinetablefile processMPbuffer processMPfigurefile processanges processeparatedlist processtexbuffer processtokens	<pre>\processassignlist [] \ \processassignmentcommand [] \ \processassignmentlist [] \ \processbetween {} \ \processbodyfontenvironmentlist \ \processcolorcomponents {} \processcommacommand [] \ \processcommalist [] \ \processcommalist [] \ \processcommalist withparameters [] \ \processcontent {} \ \processfile {} \processfile {} \processfilenone {} \processfilenone {} \processfirstactioninset [] [,=&gt;,] \processiolatedchars {} \ \processlinetablebuffer [] \processlinetablefile {} \processInetablefile {} \processMPbuffer [] \processMPfigurefile {} \processmonth {} {} {} {} \processranges [] \ \processtokens {} {} {} {} {} \processtokens {} {} {} {} \processuntil \ \processxtablebuffer []</pre>
processassignmentcommand processassignmentlist processbetween processbodyfontenvironmentlist processcolorcomponents processcommacommand processcommalist processcommalist processcontent processfile processfile processfilenone processfilenone processfilenone processisolatedchars processisolatedwords processlinetablebuffer processlinetablefile processMPbuffer processMPfigurefile processmonth processranges processtexbuffer processtokens processuntil processxtablebuffer	<pre>\processassignlist [] \ \processassignmentcommand [] \ \processassignmentlist [] \ \processbetween {} \ \processbodyfontenvironmentlist \ \processcolorcomponents {} \processcommacommand [] \ \processcommalist [] \ \processcommalist [] \ \processcommalist withparameters [] \ \processcontent {} \ \processfile {} \processfile {} \processfilenone {} \processfilenone {} \processfirstactioninset [] [,=&gt;] \processiolatedchars {} \ \processlinetablebuffer [] \processlinetablefile {} \processMPbuffer [] \processMPfigurefile {} \processmonth {} {} {} {} \processranges [] \ \processTEXbuffer [] \processtokens {} {} {} {} {} \processuntil \</pre>
processassignlist processassignmentcommand processassignmentlist processbetween processbodyfontenvironmentlist processcolorcomponents processcommacommand processcommalist processcommalist processcontent processfile processfile processfilenone processfileonce processfistactioninset processisolatedchars processisolatedwords processlinetablebuffer processlinetablefile processMPbuffer processMPfigurefile processmonth processranges processtexbuffer processtexbuffer processtokens processyear	<pre>\processassignlist [] \ \processassignmentcommand [] \ \processassignmentlist [] \ \processbetween {} \ \processbodyfontenvironmentlist \ \processcolorcomponents {} \processcommacommand [] \ \processcommalist [] \ \processcommalist withparameters [] \ \processcontent {} \ \processfile {} \processfile {} \processfilenone {} \processfilenone {} \processfirstactioninset [] [,=&gt;,] \processiolatedchars {} \ \processlinetablebuffer [] \processlinetablefile {} \processMPbuffer [] \processMPfigurefile {} \processmonth {} {} {} {} \processranges [] \ \processtokens {} {} {} {} {} \processtokens {} {} {} {} \processuntil \ \processxtablebuffer [] \processyear {} {} {} {} {}</pre>

	<b>\</b>
progetto:string	\progetto
programma	\programma []
pseudoMixedCapped	\pseudoMixedCapped {}
pseudoSmallCapped	\pseudoSmallCapped {}
pseudoSmallcapped	\pseudoSmallcapped {}
-	
pseudosmallcapped	\pseudosmallcapped {}
pulsante	\pulsante [=] {} []
pulsantemenu:button	\pulsantemenu [=] {} {}
pulsantemenu:interactionmenu	\pulsantemenu [] [=] {} {}
pulsante:example	\BUTTON [=.] {} []
-	
pulsantinterazione	\pulsantinterazione [=] []
punti	\punti []
punti:assignment	\punti [=]
punto	\punto {}
purenumber	\purenumber {}
-	
pusharrangedpages	\pusharrangedpages \poparrangedpages
pushattribute	\pushattribute \
pushbar	\pushbar [] \popbar
pushbutton	\pushbutton [] []
pushcatcodetable	\pushcatcodetable \popcatcodetable
-	
pushcolore	\pushcolore [] \popcolore
pushendofline	\pushendofline \popendofline
pushindentation	\pushindentation \popindentation
pushMPdrawing	\pushMPdrawing \popMPdrawing
pushmacro	\pushmacro \
-	*
pushmathstyle	\pushmathstyle \popmathstyle
pushmode	\pushmode []
pushoutputstream	\pushoutputstream []
pushpath	\pushpath [] \poppath
pushpunctuation	\pushpunctuation \poppunctuation
pushrandomseed	\pushrandomseed \poprandomseed
-	
pushreferenceprefix	\pushreferenceprefix {} \popreferenceprefix
pushsfondo	\pushsfondo [] \popsfondo
pushsystemmode	\pushsystemmode {}
putboxincache	\putboxincache {} {}
putnextboxincache	\putnextboxincache \{\dots\} \\\ \{\dots\}
qquad	\qquad
quad	
quads	s []
qualcheriga	\qualcheriga []
quarterstrut	\quarterstrut
-	· · · · · · · · · · · · · · · · · · ·
quitcommalist	\quitcommalist
quitprevcommalist	\quitprevcommalist
quittypescriptscanning	\quittypescriptscanning
ReadFile	\ReadFile {}
raggedbottom	\raggedbottom
	\raggedcenter
raggedcenter	
raggedleft	raggedleft
raggedright	\raggedright
raggedwidecenter	\raggedwidecenter
raisebox	\raisebox {} \ {}
randomizetext	\randomizetext {}
randomnumber	\randomnumber {} {}
rawcounter	\rawcounter [] []
rawcountervalue	\rawcountervalue []
rawdate	\rawdate []
rawdoifelseinset	\rawdoifelseinset {} {} {} {}
rawdoifinset	\rawdoifinset {} {} {}
rawdoifinsetelse	\rawdoifinsetelse $\{\}$ $\{\}$ $\{\}$
rawgetparameters	\rawgetparameters [] [=]
rawprocessaction	\rawprocessaction [] [,=>,]
rawprocesscommacommand	\rawprocesscommacommand [] \
<del>-</del>	
rawprocesscommalist	\rawprocesscommalist [] \
rawstructurelistuservariable	\rawstructurelistuservariable {}
rawsubcountervalue	\rawsubcountervalue [] []
rbox	\rbox {}
readfile	\readfile {} {}
readfixfile	\readfixfile \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
readiobfile	\readiobfile \\\\} \\\\}
T CHA IANT TTE	A COMINDITIES SOURCE SO

readtexfile	\readtexfile {} {}
readxmlfile	\readxmlfile {} {}
	\realpagenumber
1 0	\realSmallCapped {}
	\realSmallcapped {}
<del></del>	\realsmallcapped {}
	\recursedepth
-	\recurselevel
	\recursestring
S	\redoconvertfont
	\REFERENCEFORMAT \{\ldots\} \[\ldots\]
•	\referenceprefix
	\referring (,) (,) []
	\registerattachment [] [=]
	\registerattachment [] [] \registerctxluafile {} {}
	\registerexternalfigure [] [] [=]
<del>-</del>	-
	\registerfontclass {}
	\registerhyphenationexception [] []
	\registerhyphenationpattern [] []
	\registermenubuttons [] []
	\registersort [] []
	\registersynonym [] []
	\registerunit [] [=]
8	\REGISTER [] {++}
•	\index [] {++}
<u> </u>	\REGISTER [] {++}
	\index [] {++}
5	\regolare
<del>-</del>	\reimpostamarcatura []
	\relatemarking [] []
relateparameterhandlers	\relateparameterhandlers $\{\}$ $\{\}$ $\{\}$
relaxvalueifundefined	\relaxvalueifundefined {}
remainingcharacters	\remainingcharacters
removebottomthings	\removebottomthings
removedepth	\removedepth
removefromcommalist	$\mbox{removefromcommalist } \ldots \$
removelastskip	\removelastskip
removelastspace	\removelastspace
removemarkedcontent	\removemarkedcontent []
removepunctuation	\removepunctuation
removesubstring	\removesubstring \from \to \
removetoks	\removetoks \from \
removeunwantedspaces	\removeunwantedspaces
replacefeature	\replacefeature []
replacefeature:direct	\replacefeature {}
replaceincommalist	\replaceincommalist \ {}
	\replaceword [] []
rescan	\rescan {}
rescanwithsetup	\rescanwithsetup {} {}
resetallattributes	\resetallattributes
resetandaddfeature	\resetandaddfeature []
resetandaddfeature:direct	\resetandaddfeature {}
	\resetbar
resetboxesincache	\resetboxesincache {}
	\resetbreakpoints
•	\resetbuffer []
	\resetcharacteralign
	\resetcharacterkerning
	\resetcharacterspacing
	\resetcharacterstripping
•	\resetcollector []
	\resetconter [] \resetcounter []
	\resettounter [] [] \resettdigitsmanipulation
• -	\resetdigitsmanipulation \resetdirection
	\resetfeature
	• 10.11
<u> </u>	\resetflag {}
	\resetfontcolorsheme
	\resetfontfallback [] [] \resetfontsolution
1 696 01 011 00 111 11 10 11	/TEDE:TOHEBOTH:TOH

resetitaliccorrection	\resetitaliccorrection
resetlayer	\resetlayer []
resetlocalfloats	\resetlocalfloats
resetMPdrawing	\resetMPdrawing
resetMPenvironment	\resetMPenvironment
resetMPinstance	\resetMPinstance []
resetmarker	\resetmarker []
resetmode	\resetmode {}
resetpagenumber	\resetpagenumber
resetparallel	\resetparallel [] []
resetpath resetpenalties	\resetpath \resetpenalties \
resetperiodkerning	\resetpenattles \\resetperiodkerning
resetprofile	\resetprofile
resetrecurselevel	\resetrecurselevel
resetreference	\resetreference []
resetreplacement	\resetreplacement
resetscript	\resetscript
resetsetups	\resetsetups []
resetshownsynonyms	\resetshownsynonyms []
resetsubpagenumber	\resetsubpagenumber
resetsymbolset	\resetsymbolset
resetsystemmode	\resetsystemmode {}
resettimer	\resettimer
resettokenlist	\resettokenlist []
resettrackers	\resettrackers
resettrialtypesetting	\resettrialtypesetting
resetusedsortings	\resetusedsortings []
resetusedsynonyms	\resetusedsynonyms []
resetuserpagenumber	\resetuserpagenumber
resetvalue	\resetvalue {}
resetvisualizers	\resetvisualizers
reshapebox resolvedglyphdirect	\resolvedglyphdirect \{\ldots\} \{\ldots\}
resolvedglyphstyled	\resolvedglyphatiect \(\(\cdot\) \(\cdot\) \(\cdot\)
restartcounter	\restartcounter [] []
restorebox	\restorebox {} {}
restorecatcodes	\restorecatcodes
restorecounter	\restorecounter []
restorecurrentattributes	\restorecurrentattributes {}
restoreendofline	\restoreendofline
restoreglobalbodyfont	\restoreglobalbodyfont
reusableMPgraphic	\reusableMPgraphic {} {=}
reuseMPgraphic	\reuseMPgraphic {} {=}
reuserandomseed	\reuserandomseed
revivefeature	\revivefeature
rfence	\rfence {}
rhbox rif	\rhbox {}
riferimento	\rif [] [] \riferimento [] {}
riferimento	\riferimento [] \riferimento pagina []
riferimentotesto	\riferimentotesto [] \\riferimentotesto []
riflessione	\riflessione {}
riga	\riga {}
rigariempimento	\rigariempimento [=]
rightbottombox	\rightbottombox {}
rightbox	\rightbox {}
righthbox	\righthbox {}
rightlabeltext:instance	\rightLABELtesto {}
rightlabeltext:instance:head	\rightheadtesto {}
rightlabeltext:instance:label	\rightlabeltesto {}
rightlabeltext:instance:mathlabel	\rightmathlabeltesto {}
rightline	\rightline {}
rightorleftpageaction	\rightorleftpageaction {} {}
rightpageorder	\rightpageorder
rightskipadaption	\rightskipadaption
rightsubguillemot righttoleft	\rightsubguillemot \righttoleft
righttolefthbox	\righttoleft\righttolefthbox {}
0	/Omogonomorumov []

```
\rigovuoto [...]
rigovuoto
                                                                                                 \ring {...}
ring
rlap
                                                                                                 \rlap {...}
robustaddtocommalist
                                                                                                 \robustaddtocommalist {...} \...
                                                                                                 \robustdoifelseinset \{\ldots\} \{\ldots\} \{\ldots\}
robustdoifelseinset
                                                                                                 \robustdoifinsetelse \{...\} \{...\} \{...\}
robustdoifinsetelse
                                                                                                 \robustpretocommalist {...} \...
robustpretocommalist
rollbutton:button
                                                                                                 \rollbutton [..=..] ... [...]
                                                                                                 \rollbutton [...] [..=..] ... [...]
rollbutton:interactionmenu
                                                                                                 \roman
rtop
                                                                                                 \rtop ... {...}
                                                                                                 \ruby [...] {...} {...}
ruby
                                                                                                 \ruledhbox ... {...}
ruledhbox
ruledhpack
                                                                                                 \ruledhpack ... {...}
ruledmbox
                                                                                                 \ruledmbox {...}
ruledtopy
                                                                                                 \ruledtopv ... {...}
                                                                                                 \ruledtpack ... {...}
ruledtpack
                                                                                                 \ruledvbox ... {...}
ruledvbox
ruledvpack
                                                                                                 \ruledvpack ... {...}
                                                                                                 \ruledvtop ... {...}
ruledvtop
runMPbuffer
                                                                                                 \runMPbuffer [...]
                                                                                                 \runninghbox {...}
runninghbox
ruota
                                                                                                 \ruota [..=..] {...}
{\tt ScaledPointsToBigPoints}
                                                                                                 \ScaledPointsToBigPoints {...} \...
{\tt ScaledPointsToWholeBigPoints}
                                                                                                 \ScaledPointsToWholeBigPoints {...} \...
Smallcapped
                                                                                                 \Smallcapped {...}
                                                                                                 \safechar {...}
safechar
samplefile
                                                                                                 \samplefile {...}
sans
                                                                                                 \sans
sansgrassetto
                                                                                                 \sansgrassetto
sansnormal
                                                                                                 \sansnormal
sansserif
                                                                                                 \sansserif
savebox
                                                                                                 \savebox {...} {...} {...}
savebtxdataset
                                                                                                 \savebtxdataset [...] [...] [..=..]
savebuffer
                                                                                                 \savebuffer [..=..]
savebuffer:list
                                                                                                 \savebuffer [...] [...]
savecolore
                                                                                                 \savecolore ... \restorecolore
                                                                                                 \savecounter [...]
savecounter
savecurrentattributes
                                                                                                 \savecurrentattributes {...}
savenormalmeaning
                                                                                                 \savenormalmeaning \...
savetaggedtwopassdata
                                                                                                 \space{1mm} \spa
                                                                                                 \side \savetwopassdata \{...\} \{...\}
savetwopassdata
                                                                                                 \sbox {...}
sbox
                                                                                                 \scala [...] [..=..] {...}
scala
schermo
                                                                                                 \schermo [...]
script:instance
                                                                                                 \SCRIPT
script:instance:ethiopic
                                                                                                 \ethiopic
script:instance:hangul
                                                                                                 \hangul
                                                                                                 \hanzi
script:instance:hanzi
                                                                                                 \latin
script:instance:latin
script:instance:nihongo
                                                                                                 \nihongo
script:instance:test
                                                                                                 \test
script:instance:thai
                                                                                                 \thai
scrividentroelenco
                                                                                                 \scrividentroelenco [...] [..=..] {...}
                                                                                                 \scriviinelenco [...] [..=..] {...} {...}
scriviinelenco
secondoffivearguments
                                                                                                 \secondoffivearguments \{...\} \{...\} \{...\} \{...\}
                                                                                                 \secondoffourarguments {...} {...} {...}
{\tt secondoffour arguments}
secondofsixarguments
                                                                                                 secondofthreearguments
                                                                                                 \secondofthreearguments \{...\} \{...\}
secondofthreeunexpanded
                                                                                                 \secondofthreeunexpanded \{...\} \{...\}
                                                                                                 \secondoftwoarguments {...} {...}
secondoftwoarguments
secondoftwounexpanded
                                                                                                 \secondoftwounexpanded {...} {...}
seeregister:instance
                                                                                                 \vediREGISTER [...] {..+...+..} {...}
                                                                                                 \vediindex [...] {..+...+..} {...}
seeregister:instance:index
                                                                                                 \segnalibro [...] {...}
segnalibro
                                                                                                 \select {...} {...} {...} {...} {...} {...}
select
                                                                                                 \selezionablocchi [... ^{0} [... ^{0} [... ^{2} [... ^{2} ^{2} ... ]
selezionablocchi
                                                                                                 \serializecommalist [...]
serializecommalist
                                                                                                 \serializedcommalist
serializedcommalist
```

```
setautopagestaterealpageno
                                                         \setautopagestaterealpageno {...}
                                                         \setbar [...]
setbar
setbigbodyfont
                                                         \setbigbodyfont
                                                         \setboxllx ... {...}
setboxllx
                                                         \setboxlly ... {...}
setboxlly
setbreakpoints
                                                         \setbreakpoints [...]
                                                         \setbuffer [...] ... \endbuffer
setbuffer
setcapstrut
                                                         \setcapstrut
setcatcodetable
                                                         \setcatcodetable \...
setcharacteralign
                                                         \setcharacteralign {...} {...}
setcharacteraligndetail
                                                         \setcharacteraligndetail {...} {...} {...} {...}
setcharactercasing
                                                         \setcharactercasing [...]
setcharactercleaning
                                                         \setcharactercleaning [...]
setcharacterkerning
                                                         \setcharacterkerning [...]
setcharacterspacing
                                                         \setcharacterspacing [...]
setcharacterstripping
                                                         \setcharacterstripping [...]
                                                         \setcharstrut {...}
setcharstrut
                                                         \setcollector [...] [..=..] {...}
setcollector
setcolormodell
                                                         \setcolormodell [...]
                                                         \setcounter [...] [...]
setcounter
                                                         \setcounterown [...] [...]
setcounterown
                                                         \setcurrentfontclass {...}
setcurrentfontclass
setdataset
                                                         \setdataset [...] [...] [..=..]
                                                         \setdefaultpenalties
setdefaultpenalties
                                                         \setdigitsmanipulation [...]
setdigitsmanipulation
setdirection
                                                         \setdirection [...]
                                                         \setdocumentargument {...} {...}
setdocumentargument
                                                         \setdocumentargumentdefault {...} {...}
setdocumentargumentdefault
                                                         \setdocumentfilename {...} {...}
setdocumentfilename
setdummyparameter
                                                         \setdummyparameter {...} {...}
setelementexporttag
                                                         \setelementexporttag [...] [...]
                                                         \setemeasure \{\ldots\} \{\ldots\}
setemeasure
setevalue
                                                         \setevalue {...} {...}
setevariable
                                                         \setevariable {...} {...} {...}
                                                         \setevariables [...] [..=..]
setevariables
setfirstline
                                                         \setfirstline [...]
setfirstpasscharacteralign
                                                         \setfirstpasscharacteralign
setflag
                                                         \setflag {...}
                                                         \setfont ...
setfont
setfontcolorsheme
                                                         \setfontcolorsheme [...]
setfontfeature
                                                         \setfontfeature {...}
                                                         \setfontsolution [...]
setfontsolution
                                                         \setfontstrut
setfontstrut
setglobalscript
                                                         \setglobalscript [...]
setgmeasure
                                                         \setgmeasure {...} {...}
setgvalue
                                                         \setgvalue {...} {...}
setgvariable
                                                         \setgvariable {...} {...} {...}
setgvariables
                                                         \setgvariables [...] [..=..]
                                                         \sethboxregister ... {...}
sethboxregister
sethyphenatedurlafter
                                                         \sethyphenatedurlafter {...}
sethyphenatedurlbefore
                                                         \sethyphenatedurlbefore {...}
sethyphenatedurlnormal
                                                         \sethyphenatedurlnormal {...}
                                                         \sethyphenationfeatures [...]
sethyphenationfeatures
                                                         \setinitial [...] [..=..]
setinitial
                                                         \setinjector [...] [...]
setinjector
setinteraction
                                                         \setinteraction [...]
                                                         \setinterfacecommand \{\ldots\} \{\ldots\}
setinterfacecommand
setinterfaceconstant
                                                         \setinterfaceconstant \{\ldots\} \{\ldots\}
setinterfaceelement
                                                         \setinterfaceelement \{\ldots\} \{\ldots\}
                                                         \setinterfacemessage \{\ldots\} \{\ldots\}
setinterfacemessage
                                                         \setinterfacevariable \{\ldots\} \{\ldots\}
setinterfacevariable
setinternalrendering
                                                         \setinternalrendering [...] [...] {...}
setitaliccorrection
                                                         \setitaliccorrection [...]
                                                         \setJSpreamble {...} {...}
setJSpreamble
                                                         \setlayer [...] [...] [..=..] {...}
setlayer
                                                         \verb|\setlayerframed [...] [..=..] [..=..] {...}|
setlayerframed
setlayerframed:combination
                                                         \setlayerframed [...] [..=..] {...}
                                                         \setlayertext [...] [..=..] [..=..] {...}
setlavertext
setlinefiller
                                                         \setlinefiller [...]
```

```
{\tt setMPpositiongraphic}
                                                         \setMPpositiongraphic \{\ldots\} \{\ldots\} \{\ldots\}
{\tt setMPpositiongraphicrange}
                                                        \verb|\setMPpositiongraphic fange {...} {...} {...} {...} {...}
setMPtext
                                                         \setMPtext {...} {...}
setMPvariable
                                                         \setMPvariable [...] [..=..]
setMPvariables
                                                        \setMPvariables [...] [..=..]
setmainbodyfont
                                                        \setmainbodyfont
setmainparbuilder
                                                        \setmainparbuilder [...]
setmarker
                                                        \setmarker [...] [...]
setmarking
                                                        \setmarking [...] {...}
setmathstyle
                                                        \setmathstyle {...}
setmeasure
                                                         \setmeasure {...} {...}
setmessagetext
                                                         \setmessagetext {...} {...}
                                                        \setmode {...}
setmode
setnostrut
                                                        \setnostrut
setnote
                                                        \setnote [...] [...] {...}
setnotetext
                                                        \setnotetext [...] [...] {...}
                                                        \setnotetext [...] [..=..]
setnotetext:assignment
setnote:assignment
                                                        \setnote [...] [..=..]
setobject
                                                         \setobject {...} \... \... \...
                                                        \setoldstyle
setoldstyle
setpagereference
                                                        \setpagereference {...} {...}
setpagestate
                                                        \setpagestate [...] [...]
setpagestaterealpageno
                                                        \setpagestaterealpageno {...} {...}
                                                        \setpenalties \... \{...\}
setpenalties
                                                         \setpercentdimen {...} {...}
setpercentdimen
setperiodkerning
                                                         \setperiodkerning [...]
setposition
                                                         \setposition {...}
                                                        \setpositionbox {...} \... {...}
setpositionbox
                                                        \setpositiondata {...} {...} {...} {...}
setpositiondata
setpositiondataplus
                                                        \setpositiondataplus \{...\} \{...\} \{...\} \{...\}
                                                        \setpositiononly \{\ldots\}
setpositiononly
                                                         \setpositionplus \{...\} \{...\} \{...\}
setpositionplus
setpositionstrut
                                                         \setpositionstrut {...}
setprofile
                                                         \setprofile [...]
setrandomseed
                                                        \setrandomseed {...}
setreference
                                                        \setreference [...] [..=..]
setreferencedobject
                                                        \setreferencedobject \{\ldots\} \{\ldots\} \{\ldots\}
setregisterentry
                                                        \setregisterentry [...] [..=..] [..=..]
setreplacement
                                                        \setreplacement [...]
setrigidcolumnbalance
                                                        \setrigidcolumnbalance ...
setrigidcolumnhsize
                                                         \setrigidcolumnhsize \{\ldots\} \{\ldots\} \\
setscript
                                                        \setscript [...]
setsecondpasscharacteralign
                                                        \setsecondpasscharacteralign
setsectionblock
                                                        \setsectionblock [...] [..=..]
setsimplecolumnhsize
                                                        \setsimplecolumnhsize [..=..]
                                                        \setsmallbodyfont
setsmallbodyfont
setsmallcaps
                                                         \setsmallcaps
setstackbox
                                                         \setstackbox {...} {...} {...}
                                                        \setstructurepageregister [...] [..=..]
setstructurepageregister
setstrut
                                                        \setstrut
setsuperiors
                                                        \setsuperiors
setsystemmode
                                                        \setsystemmode {...}
settabular
                                                        \settabular
settaggedmetadata
                                                        \settaggedmetadata [..=..]
                                                        \settext [...] [...] [...] [...]
settightobject
                                                         \settightobject {...} \... \... \...
settightreferencedobject
                                                        \settightreferencedobject {...} \... {...}
settightstrut
                                                        \settightstrut
settightunreferencedobject
                                                        \settightunreferencedobject {...} \... {...}
settokenlist
                                                        \settokenlist [...] {...}
settrialtypesetting
                                                        \settrialtypesetting
setuevalue
                                                         \setuevalue {...} {...}
setugvalue
                                                         \setugvalue {...} {...}
                                                        \setunreferencedobject {...} \... {...}
setunreferencedobject
                                                        \setupalternativestyles [..=..]
setupalternativestyles
setupattachment
                                                        \setupattachment [...] [..=..]
setupattachments
                                                         \setupattachments [...] [..=..]
                                                         \setupbackend [..=..]
setupbackend
```

\setupbar [...] [..=..]

setupbar

```
setupbtx
                                                        \setupbtx [...] [..=..]
setupbtxdataset
                                                        \setupbtxdataset [...] [..=..]
setupbtxlist
                                                        \setupbtxlist [...] [..=..]
setupbtxregister
                                                        \setupbtxregister [...] [..=..]
                                                        \setupbtxrendering [...] [..=..]
setupbtxrendering
setupbtx:name
                                                        \setupbtx [...]
                                                        \setupbutton [...] [..=..]
setupbutton
setupcharacteralign
                                                        \setupcharacteralign [..=..]
setupcharacterkerning
                                                        \setupcharacterkerning [...] [..=..]
setupcharacterspacing
                                                        \setupcharacterspacing [...] [...] [..=..]
setupchemical
                                                        \setupchemical [...] [..=..]
setupchemicalframed
                                                        \setupchemicalframed [...] [..=..]
{\tt setupcollector}
                                                        \setupcollector [...] [..=..]
setupcolumnsetarea
                                                        \setupcolumnsetarea [...] [..=..]
{\tt setupcolumnsetare at ext}
                                                        \setupcolumnsetareatext [...] [...]
setupcolumnsetlines
                                                        \setupcolumnsetlines [...] [...] [...]
                                                        \setupcolumnsetspan [...] [..=..]
setupcolumnsetspan
setupcolumnsetstart
                                                        \setupcolumnsetstart [...] [...] [...]
setupcolumnspan
                                                        \setupcolumnspan [..=..]
                                                        \setupcombination [...] [..=..]
setupcombination
setupcounter
                                                        \setupcounter [...] [..=..]
                                                        \setupdataset [...] [..=..]
setupdataset
setupdelimitedtext
                                                        \setupdelimitedtext [...] [..=..]
{\tt setupdescription}
                                                        \setupdescription [...] [..=..]
setupdirections
                                                        \setupdirections [..=..]
setupdocument
                                                        \setupdocument [..=..]
                                                        \setupeffect [...] [..=..]
setupeffect
setupenumeration
                                                        \setupenumeration [...] [..=..]
setupenv
                                                        \setupenv [..=..]
setupexport
                                                        \setupexport [..=..]
setupexternalfigure
                                                        \setupexternalfigure [...] [..=..]
                                                        \setupexternalsoundtracks [..=..]
setupexternalsoundtracks
                                                        \setupfacingfloat [...] [..=..]
setupfacingfloat
setupfieldbody
                                                        \setupfieldbody [...] [..=..]
setupfieldcategory
                                                        \setupfieldcategory [...] [..=..]
setupfieldcontentframed
                                                        \setupfieldcontentframed [...] [..=..]
setupfieldlabelframed
                                                        \setupfieldlabelframed [...] [..=..]
{\tt setupfield total framed}
                                                        \setupfieldtotalframed [...] [..=..]
setupfiller
                                                        \setupfiller [...] [..=..]
setupfirstline
                                                        \setupfirstline [...] [..=..]
setupfittingpage
                                                        \setupfittingpage [...] [..=..]
                                                        \setupfloatframed [...] [..=..]
setupfloatframed
                                                        \setupfontexpansion [...] [..=..]
setupfontexpansion
setupfontprotrusion
                                                        \setupfontprotrusion [...] [..=..]
setupfonts
                                                        \setupfonts [..=..]
setupfontsolution
                                                        \setupfontsolution [...] [..=..]
setupformula
                                                        \setupformula [...] [..=..]
setupformula framed
                                                        \setupformulaframed [...] [..=..]
                                                        \setupframedcontent [...] [..=..]
setupframedcontent
setupframedtable
                                                        \setupframedtable [...] [..=..]
setupframedtablecolumn
                                                        \setupframedtablecolumn [...] [...] [..=..]
setupframedtablerow
                                                        \setupframedtablerow [...] [...] [..=..]
                                                        \setupframedtext [...] [..=..]
setupframedtext
setupglobalreferenceprefix
                                                        \setupglobalreferenceprefix [...]
setupheadalternative
                                                        \setupheadalternative [...] [..=..]
setuphelp
                                                        \setuphelp [...] [..=..]
                                                        \setuphigh [...] [..=..]
setuphigh
setuphighlight
                                                        \setuphighlight [...] [..=..]
setuphyphenation
                                                        \setuphyphenation [..=..]
setupindentedtext
                                                        \setupindentedtext [...] [..=..]
                                                        \setupinitial [...] [..=..]
setupinitial
setupinsertion
                                                        \setupinsertion [...] [..=..]
setupitaliccorrection
                                                        \setupitaliccorrection [...]
                                                        \setupitemgroup [...] [...] [...]
setupitemgroup
setupitemgroup:assignment
                                                        \setupitemgroup [...] [..=..]
                                                        \impostaITEMGROUP [...] [...] [..=..]
setupitemgroup:instance
setupitemgroup:instance:itemize
                                                        \impostaitemize [...] [...] [..=..]
                                                        \setuplabel [...] [..=..]
setuplabel
setuplayer
                                                        \setuplayer [...] [..=..]
```

```
setuplinefillers
                                                        \setuplinefillers [...] [..=..]
                                                        \setuplinenote [...] [..=..]
setuplinenote
setuplinetable
                                                        \setuplinetable [...] [...] [..=..]
setuplistalternative
                                                        \setuplistalternative [...] [..=..]
                                                        \setuplistextra [...] [..=..]
setuplistextra
setuplocalfloats
                                                        \setuplocalfloats [..=..]
                                                        \setuplocalinterlinespace [...] [..=..]
setuplocalinterlinespace
setuplocalinterlinespace:argument
                                                        \setuplocalinterlinespace [...]
setuplocalinterlinespace:name
                                                        \setuplocalinterlinespace [...]
                                                        \setuplow [...] [..=..]
setuplow
setuplowhigh
                                                        \setuplowhigh [...] [..=..]
setuplowmidhigh
                                                        \setuplowmidhigh [...] [..=..]
                                                        \setupMPgraphics [..=..]
{\tt setupMPgraphics}
setupMPinstance
                                                        \setupMPinstance [...] [..=..]
setupMPpage
                                                        \setupMPpage [..=..]
setupMPvariables
                                                        \setupMPvariables [...] [..=..]
                                                        \setupmarginblock [...] [..=..]
setupmarginblock
setupmargindata
                                                        \setupmargindata [...] [..=..]
setupmarginframed
                                                        \setupmarginframed [...] [..=..]
                                                        \setupmarginrule [...] [..=..]
setupmarginrule
setupmathalignment
                                                        \setupmathalignment [...] [..=..]
                                                        \setupmathcases [...] [..=..]
setupmathcases
setupmathematics
                                                        \setupmathematics [...] [..=..]
                                                        \setupmathfence [...] [..=..]
setupmathfence
                                                        \setupmathfraction [...] [..=..]
setupmathfraction
setupmathfractions
                                                         \setupmathfractions [...] [..=..]
                                                        \setupmathframed [...] [..=..]
setupmathframed
                                                        \setupmathmatrix [...] [..=..]
setupmathmatrix
                                                        \setupmathornament [...] [..=..]
setupmathornament
setupmathradical
                                                        \setupmathradical [...] [..=..]
setupmathstackers
                                                        \setupmathstackers [...] [..=..]
                                                        \setupmathstyle [...]
setupmathstyle
setupmixedcolumns
                                                        \setupmixedcolumns [...] [..=..]
setupmodule
                                                        \setupmodule [...] [..=..]
setupnotation
                                                        \setupnotation [...] [..=..]
                                                        \setupnotations [...] [..=..]
setupnotations
setupnote
                                                        \setupnote [...] [..=..]
setupnotes
                                                        \setupnotes [...] [..=..]
setupoffset
                                                        \setupoffset [..=..]
setupoffsetbox
                                                        \setupoffsetbox [..=..]
setupoutputroutine
                                                        \setupoutputroutine [...] [..=..]
                                                        \setupoutputroutine [...]
setupoutputroutine:name
                                                        \setuppagechecker [...] [..=..]
setuppagechecker
setuppagecolumns
                                                        \setuppagecolumns [...] [..=..]
setuppageinjection
                                                        \setuppageinjection [...] [..=..]
setuppageinjectionalternative
                                                        \setuppageinjectionalternative [...] [..=..]
setuppageshift
                                                        \setuppageshift [...] [...]
setuppagestate
                                                        \setuppagestate [...] [..=..]
                                                        \setuppairedbox [...] [..=..]
setuppairedbox
setuppairedbox:instance
                                                        \impostaPAIREDBOX [..=..]
setuppairedbox:instance:legend
                                                        \impostalegend [..=..]
setuppaper
                                                        \setuppaper [..=..]
                                                        \setupparagraph [...] [..=..]
setupparagraph
setupparagraphintro
                                                        \setupparagraphintro [...] [...]
                                                        \setupparallel [...] [...] [..=..]
setupparallel
setupperiodkerning
                                                        \setupperiodkerning [...] [..=..]
setupperiods
                                                        \setupperiods [..=..]
setupplacement
                                                        \setupplacement [...] [..=..]
setuppositionbar
                                                        \setuppositionbar [..=..]
setupprocessor
                                                        \setupprocessor [...] [..=..]
                                                        \setupprofile [...] [..=..]
setupprofile
setupquotation
                                                        \setupquotation [..=..]
setuprealpagenumber
                                                        \setuprealpagenumber [..=..]
                                                        \setupreferenceformat [...] [..=..]
{\tt setupreferenceformat}
setupreferenceprefix
                                                        \setupreferenceprefix [...]
                                                        \setupreferencestructureprefix [...] [...] [...=..]
setupreferencestructureprefix
                                                        \setupregisters [...] [..=..]
setupregisters
                                                        \setupregisters [...] [...] [..=..]
setupregisters:argument
setuprenderingwindow
                                                        \setuprenderingwindow [...] [..=..]
```

setupscript	\setupscript [] [=]
• •	
setupscripts	\setupscripts [] [=]
setupselector	\setupselector [] [=]
setupshift	\setupshift [] [=]
setupsidebar	\setupsidebar [] [=]
setupspellchecking	\setupspellchecking [=]
setupstretched	\setupstretched [=]
setupstruts	\setupstruts []
setupstyle	\setupstyle [] [=]
setupsubformula	\setupsubformula [] [=]
setupsubformulas	\setupsubformulas [] [=]
setupsynctex	\setupsynctex [=]
setups:direct	\setups {}
setupTABLE	\setupTABLE [] [=]
setupTEXpage	\setupTEXpage [=]
setuptabulation	\setuptabulation [] [=]
setuptagging	\setuptagging [=]
setuptextbackground	\setuptextbackground [] [=]
setuptextflow	\setuptextflow [] [=]
<del>-</del>	
setuptooltip	\setuptooltip [] [=]
setupunit	\setupunit [] [=]
setupuserdata	\setupuserdata [] [=]
setupuserdataalternative	\setupuserdataalternative [] [=]
setupuserpagenumber	\setupuserpagenumber [=]
setupversion	\setupversion []
setupviewerlayer	\setupviewerlayer [=]
setupvspacing	\setupvspacing []
	\setupvishargument {} {}
setupwithargument	
setupwithargumentswapped	\setupwithargumentswapped {} {}
setupxml	\setupxml [=]
setupxtable	\setupxtable [] [=]
setuvalue	\setuvalue {} {}
setuxvalue	\setuxvalue {} {}
setvalue	\setvalue {} {}
setvariable	\setvariable {} {} {}
setvariables	\setvariables [] [=]
setvboxregister	\setvboxregister {}
setvisualizerfont	\setvisualizerfont []
setvtopregister	\setvtopregister {}
setwidthof	\setwidthof \to \
setxmeasure	\setxmeasure {} {}
setxvalue	\setxvalue {} {}
setxvariable	\setxvariable {} {} {}
setxvariables	\setxvariables [] [=]
sfondo	\sfondo {}
sfondo:example	\SFONDO {}
shapedhbox	\shapedhbox {}
shiftbox	\shiftbox {}
shift:instance	\SHIFT {}
shift:instance:shiftdown	\shiftdown {}
shift:instance:shiftup	\shiftup {}
showallmakeup	\showallmakeup
showattributes	\showattributes
showboxes	\showboxes
showbtxdatasetauthors	\showbtxdatasetauthors [=]
showbtxdatasetauthors:argument	\showbtxdatasetauthors []
showbtxdatasetcompleteness	\showbtxdatasetcompleteness [=]
showbtxdatasetcompleteness:argument	\showbtxdatasetcompleteness []
showbtxdatasetfields	\showbtxdatasetfields [=]
showbtxdatasetfields:argument	\showbtxdatasetfields []
showbtxfields	\showbtxfields [=]
showbtxfields:argument	\showbtxfields []
showbtxhashedauthors	\showbtxhashedauthors []
showbtxtables	\showbtxtables []
showchardata	\showchardata {}
showcharratio	\showcharratio {}
showcolorbar	\showcolorbar []
showcolorcomponents	\showcolorcomponents []
showcolorset	\showcolorset []

```
showdirsinmargin
                                                          \showdirsinmargin
{\tt showedebuginfo}
                                                          \showedebuginfo
showexperiments
                                                          \showexperiments
                                                          \showfont [...] [...]
showfont
showfontdata
                                                          \showfontdata
showfontexpansion
                                                          \showfontexpansion
showfontitalics
                                                          \showfontitalics
showfontkerns
                                                          \showfontkerns
showfontparameters
                                                          \showfontparameters
showfontstrip
                                                          \showfontstrip [...]
showfontstyle
                                                          \showfontstyle [...] [...] [...]
showglyphdata
                                                          \showglyphdata
showglyphs
                                                          \showglyphs
showgridsnapping
                                                          \showgridsnapping
showhelp
                                                          \showhelp {...} [...]
showhyphenationtrace
                                                          \showhyphenationtrace [...] [...]
showhyphens
                                                          \showhyphens {...}
showinjector
                                                          \showinjector [...]
showjustification
                                                          \showjustification
                                                          \showkerning {...}
showkerning
showlayoutcomponents
                                                          \showlayoutcomponents
                                                          \showligature {...}
showligature
showligatures
                                                          \showligatures [...]
showlogcategories
                                                          \showlogcategories
                                                          \showmargins
showmargins
showmessage
                                                          \showmessage {...} {...} {...}
showminimalbaseline
                                                          \showminimalbaseline
                                                          \shownextbox \... {...}
shownextbox
                                                          \showotfcomposition \{\ldots\} \{\ldots\}
showotfcomposition
showparentchain
                                                          \showparentchain \... {...}
showsetupsdefinition
                                                          \showsetupsdefinition [...]
showtimer
                                                          \showtimer {...}
showtokens
                                                          \showtokens [...]
showtrackers
                                                          \showtrackers
showvalue
                                                          \showvalue {...}
showvariable
                                                          \showvariable \{\ldots\} \{\ldots\}
showwarning
                                                          \showwarning \{\ldots\} \{\ldots\}
                                                          \signalrightpage
signalrightpage
                                                          \simbolo [...] [...]
simbolo
simbolo:direct
                                                          \simbolo {...}
                                                          \simplealignedbox \{\ldots\} \{\ldots\} \{\ldots\}
simplealignedbox
simple a ligned boxplus
                                                          \simplealignedboxplus \{...\} \{...\} \{...\}
                                                          \simple aligned spread box {...} {...} {...}
simplealignedspreadbox
                                                          \simplegroupedcommand {...} {...}
simplegroupedcommand
simplereversealignedbox
                                                          \simplereversealignedbox {...} {...} {...}
simplereversealignedboxplus
                                                          \simplereversealignedboxplus \{...\} \{...\} \{...\}
singalcharacteralign
                                                          \singalcharacteralign {...} {...}
singlebond
                                                          \singlebond
sinistra
                                                          \sinistra ...
                                                          \sixthofsixarguments \{\ldots\} \{\ldots\} \{\ldots\} \{\ldots\} \{\ldots\}
sixthofsixarguments
slantedface
                                                          \slantedface
slicepages
                                                          \slicepages [...] [..=..] [..=..]
slovenianNumerals
                                                          \slovenianNumerals {...}
sloveniannumerals
                                                          \sloveniannumerals {...}
smallcappedcharacters
                                                          \smallcappedcharacters {...}
smallcappedromannumerals
                                                          \smallcappedromannumerals {...}
smaller
                                                          \smaller
smallskip
                                                          \smallskip
smash
                                                          \smash [...] {...}
smashbox
                                                          \smashbox ...
smashboxed
                                                          \smashboxed ...
smashedhbox
                                                          \smashedhbox ... {...}
smashedvbox
                                                          \smashedvbox ... {...}
                                                          \snaptogrid [...] \... {...}
snaptogrid
                                                          \snaptogrid [...] \... {...}
snaptogrid:list
                                                          \someheadnumber [...] [...]
someheadnumber
somekindoftab
                                                          \somekindoftab [..=..]
```

\somelocalfloat

\somenamedheadnumber \{\ldots\} \{\ldots\}

1 1 1 1 1

somelocalfloat

somenamedheadnumber

```
sottopaginasuccessiva
                                                         \sottopaginasuccessiva
                                                         \spaceddigits {...}
spaceddigits
spaceddigitsmethod
                                                         \spaceddigitsmethod
spaceddigitsseparator
                                                         \spaceddigitsseparator
spaceddigitssymbol
                                                         \spaceddigitssymbol
spanishNumerals
                                                         \spanishNumerals {...}
                                                         \spanishnumerals {...}
spanishnumerals
spazifissi
                                                         \spazifissi
                                                         \spazio
spazio
spaziofisso
                                                         \spaziofisso
spessoreriga
                                                         \spessoreriga
spezzaoggettomobile
                                                         \spezzaoggettomobile [..=..] \{...\}
splitatasterisk
                                                         \splitatasterisk ... \... \...
splitatcolon
                                                         \splitatcolon ... \... \...
splitatcolons
                                                         \splitatcolons ... \... \...
splitatcomma
                                                         \splitatcomma ... \... \...
                                                         \splitatperiod ... \... \...
splitatperiod
                                                         \splitdfrac {...} {...}
splitdfrac
splitfilename
                                                         \splitfilename {...}
                                                         \splitfrac \{...\} \{...\}
splitfrac
splitoffbase
                                                         \splitoffbase
splitofffull
                                                         \splitofffull
splitoffkind
                                                         \splitoffkind
splitoffname
                                                         \splitoffname
splitoffpath
                                                         \splitoffpath
splitoffroot
                                                         \splitoffroot
splitofftokens
                                                         \splitofftokens ... \from ... \to \...
splitofftype
                                                         \splitofftype
                                                         \splitstring ... \at ... \to \... \and \...
splitstring
spreadhbox
                                                         \spreadhbox ...
sqrt
                                                         \sqrt [...] {...}
                                                         \stackcampi [...] [...] [..=..]
stackcampi
stackrel
                                                         \stackrel {...} {...}
startlinenote:instance
                                                         \iniziaLINENOTE [...] {...}
startlinenote:instance:linenote
                                                         \mbox{\cite{linear} linear} \{ \ldots \}
                                                         \startregister [...] [...] [...] {..+...+..}
startregister
                                                         \STARTSTOP {...}
startstop:example
                                                         \verb|\startstructurepageregister [...] [...] [...=..] [...=..]
{\tt startstructure pageregister}
stirato
                                                         \stirato [..=..] {...}
stoplinenote:instance
                                                         \terminaLINENOTE [...]
stoplinenote:instance:linenote
                                                         \terminalinenote [...]
                                                         \stopregister [...] [...]
stopregister
stopstructurepageregister
                                                         \stopstructurepageregister [...] [...]
                                                         \strictdoifelsenextoptional {...} {...}
strictdoifelsenextoptional
strictdoifnextoptionalelse
                                                         \strictdoifnextoptionalelse {...} {...}
stripcharacter
                                                         \stripcharacter ... \from ... \to \...
                                                         \strippedcsname \...
strippedcsname
strippedcsname:string
                                                         \strippedcsname ...
                                                         \stripspaces \from ... \to \...
stripspaces
                                                         \structurelistuservariable {...}
structurelistuservariable
structurenumber
                                                         \structurenumber
structuretitle
                                                         \structuretitle
structureuservariable
                                                         \structureuservariable {...}
structurevariable
                                                         \structurevariable {...}
                                                         \strut
strutdp
                                                         \strutdp
strutgap
                                                         \strutgap
strutht
                                                         \strutht
struthtdp
                                                         \struthtdp
                                                         \struttedbox {...}
struttedbox
strutwd
                                                         \strutwd
style
                                                         \style [..=..] {...}
styleinstance
                                                         \styleinstance [...]
                                                         \style [...] {...}
style:argument
                                                         \STYLE {...}
style:instance
subpagenumber
                                                         \subpagenumber
subsentence
                                                         \subsentence {...}
                                                         \substituteincommalist \{\ldots\} \{\ldots\} \...
substituteincommalist
subtractfeature
                                                         \subtractfeature [...]
```

swapface	\swapface
swapmacros	\swapmacros \ \
swaptypeface	\swaptypeface
switchstyleonly	\switchstyleonly []
switchstyleonly:command	\switchstyleonly \
switchtocolor	\switchtocolor []
switchtointerlinespace	\switchtointerlinespace [] [=]
switchtointerlinespace:argument	\switchtointerlinespace []
switchtointerlinespace:name	\switchtointerlinespace []
symbolreference	\symbolreference []
synchronizeblank	\synchronizeblank
synchronizeindenting	\synchronizeindenting
synchronizemarking	\synchronizemarking [] []
synchronizeoutputstreams	\synchronizeoutputstreams []
synchronizestrut	\synchronizestrut {}
synchronizewhitespace	\synchronizewhitespace
synctexblockfilename	\synctexblockfilename {}
synctexresetfilename	\synctexresetfilename
synctexsetfilename	\synctexsetfilename {}
synonym:instance	\SYNONYM [] {}
synonym:instance:abbreviation	\abbreviation [] {}
systemlog	\systemlog {} {}
systemlogfirst	\systemlogfirst {} {} {}
systemloglast	\systemloglast {} {} {}
systemsetups	\systemsetups {}
TABLE	\TABLE
TaBlE	\TaBlE
TEX	\TEX
Tex	\TeX
TheNormalizedFontSize	\TheNormalizedFontSize
TransparencyHack	\TransparencyHack
tabulateautoline	\tabulateautoline
tabulateautorule	\tabulateautorule
tabulateline	\tabulateline
tabulaterule	\tabulaterule
taggedctxcommand	\taggedctxcommand {}
taggedlabeltexts	\taggedlabeltexts {} {} {}
tbox	\tbox {}
terminariga	\terminariga []
testandsplitstring testcolumn	\testandsplitstring \at \to \ \and \
testfeature	\testcolumn [] []
	<pre>\testfeature {} {} \testfeatureonce {} {}</pre>
testfeatureonce	\testieatureonce \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
testoaiuto	
testoetichetta:instance	\LABELtesto {}
testoetichetta:instance:btxlabel	\btxlabeltesto {} \headtesto {}
testoetichetta:instance:head testoetichetta:instance:label	\labeltesto \\\\}
testoetichetta:instance:mathlabel	\mathlabeltesto {}
testoetichetta:instance:operator	\operatortesto {}
testoetichetta:instance:prefix	\prefixtesto {}
testoetichetta:instance:suffix	\suffixtesto {}
testoetichetta:instance:taglabel	\taglabeltesto {}
testoetichetta:instance:unit	\unittesto {}
testoincorniciato:instance	\FRAMEDTEXT [=] {}
testoincorniciato:instance:framedtext	\framedtext [=] {}
testonotapdp	\testonotapdp [] {}
testonotapdp:assignment	\testonotapdp [=]
testoriempimento	\testoriempimento [=] {} {}
testpage	\testpage [] []
testpageonly	\testpageonly [] []
testpagesync	\testpagesync [] []
testtokens	\testtokens []
tex	\tex {}
texdefinition	\texdefinition {}
texsetup	\texsetup {}
textbackground:example	\TEXTBACKGROUND {}
textcitation	\textcitation [=] []
textcitation:alternative	\textcitation [] []

```
textcite:userdata
                                                         \textcite [..=..] [..=..]
                                                         \textcontrolspace
textcontrolspace
textflowcollector
                                                          \textflowcollector {...}
textmath
                                                          \textmath {...}
                                                         \textminus
textminus
textormathchar
                                                         \textormathchar {...}
                                                         \textormathchars {...}
textormathchars
textplus
                                                         \textplus
textvisiblespace
                                                         \textvisiblespace
thainumerals
                                                          \thainumerals {...}
thefirstcharacter
                                                          \thefirstcharacter {...}
thenormalizedbodyfontsize
                                                          \thenormalizedbodyfontsize {...}
the {\tt remaining} characters
                                                         \theremainingcharacters {...}
thickspace
                                                         \thickspace
thinspace
                                                         \thinspace
{\tt thirdoffive arguments}
                                                         \thirdoffivearguments \{\ldots\} \{\ldots\} \{\ldots\} \{\ldots\}
thirdoffour arguments
                                                          \thirdoffourarguments \{\ldots\} \{\ldots\} \{\ldots\}
                                                          \thirdofsixarguments {...} {...} {...} {...} {...} {...}
thirdofsixarguments
thirdofthreearguments
                                                          \thirdofthreearguments {...} {...} {...}
                                                         \thirdofthreeunexpanded \{...\} \{...\}
third of three unexpanded
threedigitrounding
                                                         \threedigitrounding {...}
                                                         \tibetannumerals {...}
tibetannumerals
tieniblocchi
                                                         \tieniblocchi [...] [...]
tightlayer
                                                         \tightlayer [...]
                                                         \tilde {...}
tilde
tinyfont
                                                          \tinyfont
                                                         \tlap {...}
tlap
tochar
                                                         \tochar {...}
                                                         \tolinenote [...]
tolinenote
tooltip:instance
                                                          \TOOLTIP [..=..] {...} {...}
                                                          \TOOLTIP [...] {...} {...}
tooltip:instance:argument
                                                          \tooltip [...] {...} {...}
tooltip:instance:argument:tooltip
                                                          \tooltip [..=..] {...} {...}
tooltip:instance:tooltip
topbox
                                                          \topbox {...}
topleftbox
                                                         \topleftbox {...}
toplinebox
                                                         \toplinebox {...}
toprightbox
                                                         \toprightbox {...}
                                                         \topskippedbox {...}
topskippedbox
                                                          \tracecatcodetables
tracecatcodetables
tracedfontname
                                                          \tracedfontname {...}
traceoutputroutines
                                                          \traceoutputroutines
tracepositions
                                                         \tracepositions
traduci
                                                         \traduci [..=..]
transparencycomponents
                                                         \transparencycomponents {...}
transparent
                                                         \transparent [...] {...}
triplebond
                                                         \triplebond
truefilename
                                                          \truefilename {...}
truefontname
                                                          \truefontname {...}
ttraggedright
                                                         \ttraggedright
twodigitrounding
                                                         \twodigitrounding {...}
                                                         \t.x
tx
                                                         \txx
txx
                                                         \typ [..=..] {...}
typ
                                                          \type [..=..] {...}
type
                                                          \typebuffer [...] [..=..]
typebuffer
typebuffer:instance
                                                          \typeBUFFER [..=..]
typedefinedbuffer
                                                          \typedefinedbuffer [...] [..=..]
typeface
                                                         \typeface
typefile
                                                          \typefile [...] [..=..] {...}
typeinlinebuffer
                                                         \typeinlinebuffer [...] [..=..]
typescriptone
                                                          \typescriptone
typescriptprefix
                                                          \typescriptprefix {...}
typescriptthree
                                                          \typescriptthree
typescripttwo
                                                          \typescripttwo
                                                         \typesetbuffer [...] [..=..]
typesetbuffer
                                                         \typesetfile [...] [...] [..=..]
typesetfile
type:angles
                                                          \type [..=..] <<...>>
                                                          \TYPE [..=..] \{...\}
type:example
```

\TYPE [..=..] <<...>>

type:example:angles

ultimasottopagina	\ultimasottopagina
undefinevalue	\undefinevalue {}
undepthed	\undepthed {}
underset	\underset {} {}
undoassign	\undoassign [] [=]
unexpandeddocumentvariable	\unexpandeddocumentvariable {}
unhhbox	\unhhbox \with {}
unihex	\unihex {}
uniqueMPgraphic	\uniqueMPgraphic {} {=}
uniqueMPpagegraphic	\uniqueMPpagegraphic {} {=}
unita:instance	\UNIT {}
unita:instance:unit	\unit {}
unprotect	\unprotect \protect
unprotected	\unprotected \par
unregisterhyphenationpattern	\unregisterhyphenationpattern [] []
unspaceafter	\unspaceafter \ {}
unspaceargument	\unspaceargument \to \
unspaced	\unspaced {}
unspacestring	\unspacestring \to \
untexargument	\untexargument {} \to \
untexcommand	\untexcommand {} \to \
uppercased	\uppercased {}
uppercasestring	\uppercasestring \to \
upperleftdoubleninequote	\upperleftdoubleninequote
upperleftdoublesixquote	\upperleftdoublesixquote
upperleftsingleninequote	\upperleftsingleninequote
upperleftsinglesixquote	\upperleftsinglesixquote
upperrightdoubleninequote	\upperrightdoubleninequote
•	
upperrightdoublesixquote	\upperrightdoublesixquote
upperrightsingleninequote	\upperrightsingleninequote
upperrightsinglesixquote	\upperrightsinglesixquote
url	\url []
usablocco	\usablocco [] [] [=]
usacartella	\usacartella []
usacolonnasonoraesterna	\usacolonnasonoraesterna [] []
usadocumentoesterno	\usadocumentoesterno [] []
usafiguraesterna	\usafiguraesterna [] [] [] [=]
usa ISscripts	
usaJSscripts	\usaJSscripts []
usamodulo	\usaJSscripts [] [] \usamodulo [] [=]
usamodulo usasimboli	\usaJSscripts [] [] \usamodulo [] [=] \usasimboli []
usamodulo usasimboli usaURL	\usaJSscripts [] [] \usamodulo [] [] [=] \usasimboli [] \usaURL [] [] []
usamodulo usasimboli usaURL usaurl	\usaJSscripts [] [] \usamodulo [] [] [] \usasimboli [] \usaURL [] [] [] \usaurl [] [] []
usamodulo usasimboli usaURL	\usaJSscripts [] [] \usamodulo [] [] [] \usasimboli [] \usaURL [] [] [] \usaurl [] [] [] \usealignparameter \
usamodulo usasimboli usaURL usaurl	\usaJSscripts [] [] \usamodulo [] [] [] \usasimboli [] \usaURL [] [] [] \usaurl [] [] []
usamodulo usasimboli usaURL usaurl usealignparameter	\usaJSscripts [] [] \usamodulo [] [] [] \usasimboli [] \usaURL [] [] [] \usaurl [] [] [] \usealignparameter \
usamodulo usasimboli usaURL usaurl usealignparameter useblankparameter	\usaJSscripts [] [] \usamodulo [] [] [] \usasimboli [] \usaURL [] [] [] \usaurl [] [] [] \usealignparameter \ \useblankparameter \
usamodulo usasimboli usaURL usaurl usealignparameter useblankparameter usebodyfont	\usaJSscripts [] [] \usamodulo [] [] [] \usasimboli [] \usaURL [] [] [] \usaurl [] [] [] \usealignparameter \ \usebdyfont []
usamodulo usasimboli usaURL usaurl usealignparameter useblankparameter usebodyfont usebodyfontparameter	\usaJSscripts [] [] \usamodulo [] [] [] \usasimboli [] \usaURL [] [] [] \usaurl [] [] [] \usealignparameter \ \usebodyfont [] \usebodyfontparameter \
usamodulo usasimboli usaURL usaurl usealignparameter useblankparameter usebodyfont usebodyfontparameter usebtxdataset usebtxdefinitions	\usaJSscripts [] [] \usamodulo [] [] [] \usaimboli [] \usaURL [] [] [] \usaurl [] [] [] \usealignparameter \ \useblankparameter \ \usebodyfont [] \usebtxdataset [] [] [] \usebtxdefinitions []
usamodulo usasimboli usaURL usaurl usealignparameter useblankparameter usebodyfont usebodyfontparameter usebtxdataset usebtxdefinitions usecitation	\usaJSscripts [] [] \usamodulo [] [] [] \usaimboli [] \usaURL [] [] [] \usaurl [] [] [] \usealignparameter \ \useblankparameter \ \usebodyfont [] \usebtxdataset [] [] [] \usebtxdefinitions [] \usecitation []
usamodulo usasimboli usaURL usaurl usealignparameter useblankparameter usebodyfont usebodyfontparameter usebtxdataset usebtxdefinitions usecitation usecitation:direct	\usaJSscripts [] [] \usamodulo [] [] [] \usasimboli [] \usaURL [] [] [] [] \usaurl [] [] [] \usealignparameter \ \useblankparameter \ \usebodyfont [] \usebtxdataset [] [] [=] \usebtxdefinitions [] \usecitation [] \usecitation {}
usamodulo usasimboli usaURL usaurl usealignparameter useblankparameter usebodyfont usebodyfontparameter usebtxdataset usebtxdefinitions usecitation usecitation:direct usecolors	\usaJSscripts [] [] \usamodulo [] [] [] \usasimboli [] \usaURL [] [] [] [] \usaurl [] [] [] \usealignparameter \ \usebdayfont [] \usebdyfontparameter \ \usebtxdataset [] [] [] \usebtxdefinitions [] \usecitation [] \usecolors []
usamodulo usasimboli usaURL usaurl usealignparameter useblankparameter usebodyfont usebodyfontparameter usebtxdataset usebtxdefinitions usecitation usecitation:direct usecolors usecomponent	\usaJSscripts [] [] \usamodulo [] [] [] \usasimboli [] \usaURL [] [] [] [] \usaurl [] [] [] \usealignparameter \ \useblankparameter \ \usebodyfont [] \usebtxdataset [] [] [=] \usebtxdefinitions [] \usecitation [] \usecolors [] \usecomponent []
usamodulo usasimboli usaURL usaurl usealignparameter useblankparameter usebodyfont usebodyfontparameter usebtxdataset usebtxdataset usebtxdefinitions usecitation usecitation:direct usecolors usecomponent usedummycolorparameter	<pre>\usaJSscripts [] [] \usamodulo [] [] [] \usasimboli [] \usaURL [] [] [] \usaurl [] [] [] \usaelignparameter \ \useblankparameter \ \usebdyfont [] \usebtxdataset [] [] [=] \usebtxdefinitions [] \usecitation [] \usecolors [] \usecomponent [] \usedummycolorparameter {}</pre>
usamodulo usasimboli usaURL usaurl usealignparameter useblankparameter usebodyfont usebodyfontparameter usebtxdataset usebtxdefinitions usecitation usecitation:direct usecolors usecomponent	\usaJSscripts [] [] \usamodulo [] [] [] \usasimboli [] \usaURL [] [] [] \usaurl [] [] [] \usealignparameter \ \useblankparameter \ \usebdyfont [] \usebdyfontparameter \ \usebtxdataset [] [] [=] \usebtxdefinitions [] \usecitation [] \usecolors [] \usecomponent [] \usedummycolorparameter {} \usedummystyleandcolor {} {}
usamodulo usasimboli usaURL usaurl usealignparameter useblankparameter usebodyfont usebodyfontparameter usebtxdataset usebtxdataset usebtxdefinitions usecitation usecitation:direct usecolors usecomponent usedummycolorparameter	<pre>\usaJSscripts [] [] \usamodulo [] [] [] \usasimboli [] \usaURL [] [] [] \usaurl [] [] [] \usaelignparameter \ \useblankparameter \ \usebdyfont [] \usebtxdataset [] [] [=] \usebtxdefinitions [] \usecitation [] \usecolors [] \usecomponent [] \usedummycolorparameter {}</pre>
usamodulo usasimboli usaURL usaurl usealignparameter useblankparameter usebodyfont usebodyfontparameter usebtxdataset usebtxdefinitions usecitation usecitation usecitation:direct usecolors usecomponent usedummycolorparameter usedummystyleandcolor	\usaJSscripts [] [] \usamodulo [] [] [] \usasimboli [] \usaURL [] [] [] \usaurl [] [] [] \usealignparameter \ \useblankparameter \ \usebdyfont [] \usebdyfontparameter \ \usebtxdataset [] [] [=] \usebtxdefinitions [] \usecitation [] \usecolors [] \usecomponent [] \usedummycolorparameter {} \usedummystyleandcolor {} {}
usamodulo usasimboli usaURL usaurl usealignparameter useblankparameter usebodyfont usebodyfontparameter usebtxdataset usebtxdefinitions usecitation usecitation usecolors usecomponent usedummycolorparameter usedummystyleandcolor usedummystyleparameter	\usaJSscripts [] [] \usamodulo [] [] [] \usaimboli [] \usaURL [] [] [] \usaurl [] [] [] \usealignparameter \ \useblankparameter \ \usebodyfont [] \usebodyfontparameter \ \usebtxdataset [] [] [=] \usebtxdefinitions [] \usecitation [] \usecolors [] \usecomponent [] \usedummycolorparameter {} \usedummystyleandcolor {} {} \usedummystyleparameter {} \usedummystyleparameter {} \usedummystyleparameter {}
usamodulo usasimboli usaURL usaurl usealignparameter useblankparameter usebodyfont usebodyfontparameter usebtxdataset usebtxdefinitions usecitation usecitation usecitationedirect usecolors usecomponent usedummycolorparameter usedummystyleandcolor usedummystyleparameter useenvironment	\usaJSscripts [] [] \usamodulo [] [] [] \usaimboli [] \usaURL [] [] [] \usaurl [] [] [] \usealignparameter \ \useblankparameter \ \usebodyfont [] \usebodyfontparameter \ \usebtxdataset [] [] [=] \usebtxdefinitions [] \usecitation [] \usecitation [] \usecolors [] \usecomponent [] \usedummycolorparameter {} \usedummystyleandcolor {} {} \usedummystylearameter {} \useenvironment [] \useexternalrendering [] [] []
usamodulo usasimboli usaURL usaurl usealignparameter useblankparameter usebodyfont usebodyfontparameter usebtxdataset usebtxdefinitions usecitation usecitation:direct usecolors usecomponent usedummycolorparameter usedummystyleandcolor usedummystyleparameter useenvironment useexternalrendering	\usaJSscripts [] [] \usamodulo [] [] [] \usaimboli [] \usaURL [] [] [] \usaurl [] [] [] \usealignparameter \ \useblankparameter \ \usebodyfont [] \usebodyfontparameter \ \usebtxdataset [] [] [=] \usebtxdefinitions [] \usecitation [] \usecolors [] \usecomponent [] \usedummycolorparameter {} \usedummystyleandcolor {} {} \usedummystyleparameter {} \usedummystyleparameter {} \usedummystyleparameter {}
usamodulo usasimboli usaURL usaurl usealignparameter useblankparameter usebodyfont usebodyfontparameter usebtxdataset usebtxdefinitions usecitation usecitation:direct usecolors usecomponent usedummycolorparameter usedummystyleandcolor usedummystyleparameter useevernalrendering usefigurebase usefile	\usaJSscripts [] [] \usamodulo [] [] [] \usasimboli [] \usaURL [] [] [] \usaurl [] [] [] \usealignparameter \ \useblankparameter \ \usebodyfont [] \usebodyfontparameter \ \usebtxdataset [] [] [] \usebtxdefinitions [] \usecitation [] \usecitation [] \usecolors [] \usecomponent [] \usedummycolorparameter {} \usedummystyleandcolor {} {} \usedummystyleandcolor {} {} \usedummystyleandcolor [] \usedummystyleandcolor [] [] \useduseternalrendering [] [] [] \usefigurebase [] \usefile [] [] []
usamodulo usasimboli usaURL usaurl usealignparameter useblankparameter usebodyfont usebodyfontparameter usebtxdataset usebtxdefinitions usecitation usecitation:direct usecolors usecomponent usedummycolorparameter usedummystyleandcolor usedummystyleandcolor usedummystyleparameter useexternalrendering usefigurebase usefile usegridparameter	\usaJSscripts [] [] \usamodulo [] [] [] \usasimboli [] \usaURL [] [] [] \usaurl [] [] [] \usealignparameter \ \useblankparameter \ \usebodyfont [] \usebodyfontparameter \ \usebtxdataset [] [] [=] \usebtxdefinitions [] \usecitation [] \usecitation [] \usecolors [] \usecomponent [] \usedummycolorparameter {} \usedummystyleandcolor {} {} \usedummystyleparameter {} \usedummystyleparameter {} \usedummystyleandcolor [] [] [] \usefigurebase [] \usefile [] [] [] \usefile [] [] [] \usegridparameter \
usamodulo usasimboli usaURL usaurl usealignparameter useblankparameter usebodyfont usebodyfontparameter usebtxdataset usebtxdefinitions usecitation usecitation:direct usecolors usecomponent usedummycolorparameter usedummystyleandcolor usedummystyleandcolor usedummystyleparameter useexternalrendering usefigurebase usefile usegridparameter useindentingparameter	\usaJSscripts [] [] \usamodulo [] [] [] \usasimboli [] \usaURL [] [] [] [] \usaurl [] [] [] \usealignparameter \ \useblankparameter \ \usebodyfont [] \usebtxdataset [] [] [] \usebtxdefinitions [] \usecitation [] \usecitation [] \usecolors [] \usecomponent [] \usedummycolorparameter {} \usedummystyleandcolor {} {} \usedummystyleandcolor {} {} \usedummystyleandcolor [] \usedummystyleandcolor [] [] \useduseternalrendering [] [] [] \usefigurebase [] \usefile [] [] [] \usegridparameter \ \useindentingparameter \
usamodulo usasimboli usaURL usaurl usealignparameter useblankparameter usebodyfont usebodyfontparameter usebtxdataset usebtxdefinitions usecitation usecitation:direct usecolors usecomponent usedummycolorparameter usedummystyleandcolor usedummystyleparameter useevernalrendering usefigurebase usefile usegridparameter useindentingparameter useindentnextparameter	\usaJSscripts [] [] \usamodulo [] [] [] \usaimboli [] \usaURL [] [] [] [] \usaurl [] [] [] \usealignparameter \ \useblankparameter \ \usebodyfont [] \usebtxdataset [] [] [] \usebtxdefinitions [] \usecitation [] \usecitation [] \usecolors [] \usecomponent [] \usedummycolorparameter \} \usedummystyleandcolor \{\} \\usedummystyleandcolor \{\} \\usedumsetrigurebase \{\} \\usedusetrialrendering \[\] \\usefile \[\] \[\] \\usedidentingparameter \\\\useindentingparameter \\\\\useindentingparameter \\\\\useindentingparameter \\\\\useindentingparameter \\\\\\useindentingparameter \\\\\useindentingparameter \\\\\\\\\\\\useindentingparameter \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
usamodulo usasimboli usaURL usaurl usealignparameter useblankparameter usebodyfont usebodyfontparameter usebtxdataset usebtxdefinitions usecitation usecitation:direct usecolors usecomponent usedummycolorparameter usedummystyleandcolor usedummystyleandcolor usedummystyleparameter useexternalrendering usefigurebase usefile usegridparameter useindentingparameter useindentnextparameter useinterlinespaceparameter	\usaJSscripts [] [] \usamodulo [] [] [] \usaimboli [] \usaURL [] [] [] [] \usaurl [] [] [] \usealignparameter \ \useblankparameter \ \usebdyfont [] \usebtydataset [] [] [] \usebtydataset [] [] [] \usebtydefinitions [] \usecitation [] \usecitation [] \usecolors [] \usecomponent [] \usedummycolorparameter {} \usedummystyleandcolor {} {} \usedummystylearameter {} \useenvironment [] \useexternalrendering [] [] [] \usefigurebase [] \usefide [] [] [] \usegridparameter \ \useindentingparameter \ \useindentnextparameter \ \useinterlinespaceparameter \ \useinterlinespaceparameter \
usamodulo usasimboli usaURL usaurl usealignparameter useblankparameter usebodyfont usebodyfontparameter usebtxdataset usebtxdefinitions usecitation usecitation:direct usecolors usecomponent usedummycolorparameter usedummystyleandcolor usedummystyleparameter useevernalrendering usefigurebase usefile usegridparameter useindentingparameter useindentnextparameter useindentnextparameter useinguageparameter uselanguageparameter	\usaJSscripts [] [] \usamodulo [] [] [] \usaimboli [] \usaURL [] [] [] [] \usaurl [] [] [] \usealignparameter \ \useblankparameter \ \usebdyfont [] \usebtxdataset [] [] [] \usebtxdefinitions [] \usecitation [] \usecitation [] \usecolors [] \usecomponent [] \usedummycolorparameter \{\} \usedummystyleandcolor \{\} \\ \usedummystyleandcolor \{\} \\ \usedummystyleandering [] [] [] \usefigurebase [] \usefigurebase [] \usefide [] [] [] \usedindentingparameter \ \useindentnextparameter \ \useindentnextparameter \ \useinterlinespaceparameter \ \uselanguageparameter \ \uselanguageparameter \ \uselanguageparameter \ \uselanguageparameter \
usamodulo usasimboli usaURL usaurl usealignparameter useblankparameter useblankparameter usebodyfont usebodyfontparameter usebtxdataset usebtxdefinitions usecitation usecitation:direct usecolors usecomponent usedummycolorparameter usedummystyleandcolor usedummystyleparameter useevironment useexternalrendering usefigurebase usefile usegridparameter useindentingparameter useindentnextparameter uselanguageparameter uselanguageparameter uselanguageparameter uselanguageparameter uselanguageparameter	\usaJSscripts [] [] \usamodulo [] [] [] \usasimboli [] \usaURL [] [] [] [] \usaurl [] [] [] \usealignparameter \ \useblankparameter \ \usebdyfont [] \usebdyfontparameter \ \usebtxdataset [] [] [] \usebtxdefinitions [] \usecitation [] \usecitation [] \usecolors [] \usecomponent [] \usedummycolorparameter {} \usedummystyleandcolor {} {} \usedummystyleparameter {} \usedummystyleparameter {} \useenvironment [] \usefigurebase [] \usefiglia [] [] [] \usefide [] [] \usefide [] [] \useindentingparameter \ \useindentnextparameter \ \useindentnextparameter \ \uselanguageparameter \
usamodulo usasimboli usaURL usaurl usealignparameter useblankparameter usebodyfont usebodyfontparameter usebtxdataset usebtxdefinitions usecitation usecitation:direct usecolors usecomponent usedummycolorparameter usedummystyleandcolor usedummystyleparameter useevernalrendering usefigurebase usefile usegridparameter useindentingparameter useindentnextparameter useindentnextparameter useinguageparameter uselanguageparameter	\usaJSscripts [] [] \usamodulo [] [] [] \usaimboli [] \usaURL [] [] [] [] \usaurl [] [] [] \usealignparameter \ \useblankparameter \ \usebdyfont [] \usebtydataset [] [] [] \usebtydataset [] [] [] \usebtydataset [] [] \usecitation [] \usecitation [] \usecolors [] \usecomponent [] \usedummycolorparameter {} \usedummystyleandcolor {} {} \usedummystyleandcolor {} {} \usedummystyleandcolor [] [] [] \usefigurebase [] \usefigurebase [] \usefile [] [] [] \usefindentingparameter \ \useindentingparameter \ \useindentnextparameter \ \useindentnextparameter \ \useindentnextparameter \ \uselanguageparameter \ \uselanguageparameter \ \uselanguageparameter [] \uselanguageparionmentbuffer []
usamodulo usasimboli usaURL usaurl usealignparameter useblankparameter useblankparameter usebodyfont usebodyfontparameter usebtxdataset usebtxdefinitions usecitation usecitation:direct usecolors usecomponent usedummycolorparameter usedummystyleandcolor usedummystyleparameter useevironment useexternalrendering usefigurebase usefile usegridparameter useindentingparameter useindentnextparameter uselanguageparameter uselanguageparameter uselanguageparameter uselanguageparameter uselanguageparameter	\usaJSscripts [] [] \usamodulo [] [] [] \usaimboli [] \usaURL [] [] [] [] \usaurl [] [] [] \usealignparameter \ \useblankparameter \ \usebdyfont [] \usebtxdataset [] [] [] \usebtxdefinitions [] \usecitation [] \usecitation [] \usecolors [] \usecomponent [] \usedummycolorparameter {} \usedummystyleandcolor {} {} \usedummystylearameter {} \usedummystylearameter [] \usedigurebase [] \usefigurebase [] \usefide [] [] [] \useindentingparameter \ \useindentnextparameter \ \useindentnextparameter \ \useindentnextparameter \ \useindentnextparameter \ \useindentnextparameter \ \uselanguageparameter \ \uselanguageparameter \ \uselanguageparameter [] \useMPenvironmentbuffer [] \useMPenvironmentbuffer [] \useMPgraphic {} {=}
usamodulo usasimboli usaURL usaurl usealignparameter useblankparameter usebodyfont usebodyfontparameter usebtxdataset usebtxdefinitions usecitation usecitation:direct usecolors usecomponent usedummycolorparameter usedummystyleandcolor usedummystyleparameter useevernalrendering usefigurebase usefile usegridparameter useindentingparameter useindentnextparameter uselanguageparameter uselanguageparameter useluamodule useMPenvironmentbuffer	\usaJSscripts [] [] \usamodulo [] [] [] \usasimboli [] \usaURL [] [] [] [] \usaurl [] [] [] \usealignparameter \ \useblankparameter \ \usebdyfont [] \usebdyfontparameter \ \usebtxdataset [] [] [] \usebtxdefinitions [] \usecitation [] \usecitation [] \usecolors [] \usecomponent [] \usedummycolorparameter {} \usedummystyleandcolor {} {} \usedummystyleparameter {} \useenvironment [] \useexternalrendering [] [] [] \usefigurebase [] \usefile [] [] [] \usefindentingparameter \ \useindentingparameter \ \useindentnextparameter \ \useindentnextparameter \ \useindentnextparameter \ \uselanguageparameter \ \uselanguageparameter \ \uselanguageparameter \ \uselanguageparameter [] \useMPenvironmentbuffer [] \useMPgraphic {} {=} \useMPlibrary []
usamodulo usasimboli usaURL usaurl usealignparameter useblankparameter usebodyfont usebodyfontparameter usebtxdataset usebtxdefinitions usecitation usecitation:direct usecolors usecomponent usedummycolorparameter usedummystyleandcolor usedummystyleparameter useenvironment useexternalrendering usefigurebase usefile usegridparameter useindentingparameter useindentnextparameter useindentnextparameter uselanguageparameter useMPenvironmentbuffer useMPgraphic	\usaJSscripts [] [] \usamodulo [] [] [] \usaimboli [] \usaURL [] [] [] [] \usaurl [] [] [] \usealignparameter \ \useblankparameter \ \usebdyfont [] \usebtxdataset [] [] [] \usebtxdefinitions [] \usecitation [] \usecitation [] \usecolors [] \usecomponent [] \usedummycolorparameter {} \usedummystyleandcolor {} {} \usedummystylearameter {} \usedummystylearameter [] \usedigurebase [] \usefigurebase [] \usefide [] [] [] \useindentingparameter \ \useindentnextparameter \ \useindentnextparameter \ \useindentnextparameter \ \useindentnextparameter \ \useindentnextparameter \ \uselanguageparameter \ \uselanguageparameter \ \uselanguageparameter [] \useMPenvironmentbuffer [] \useMPenvironmentbuffer [] \useMPgraphic {} {=}

useprofileparameter	\useprofileparameter \
useproject	\useproject []
usereferenceparameter	\usereferenceparameter \
userpagenumber	\userpagenumber
usesetupsparameter	\usesetupsparameter \
usestaticMPfigure	\usestaticMPfigure [=] []
usesubpath	\usesubpath []
usetexmodule	\usetexmodule [] [=]
usetypescript	\usetypescript [] []
usetypescriptfile	\usetypescriptfile []
usezipfile	\usezipfile [] []
utfchar	\utfchar {}
utflower	\utflower {}
utfupper	\utfupper {}
utilityregisterlength VerboseNumber	\utilityregisterlength
vaia	\VerboseNumber {} \vaia {} []
vaiabox	\vaiabox {} []
vaiapagina	\vaiapagina {} []
vaigiu valorecolore	<pre>\vaigiu [] \valorecolore {}</pre>
vboxreference	\vboxreference [] {}
vec	\vec {}
verbatim	\vec \(\cdot\)
	\verbatim \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
verbatimstring verbosenumber	\verbatimstiing \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
versione	\versione []
verticalgrowingbar	\verticalgrowingbar [=]
	\verticalgrowingbar [=]
verticalpositionbar veryraggedcenter	\veryraggedcenter
veryraggedleft	\veryraggedleft
veryraggedright	\veryraggedright
vglue	\vglue
viewerlayer	\viewerlayer [] {}
vl	\v1 []
vphantom	\vphantom {}
vpos	\vpos {} {}
vsmash	\vsmash {}
vsmashbox	\vsmashbox
vsmashed	\vsmashed {}
vspace	\vspace [] []
vspacing	\vspacing []
WidthSpanningText	\WidthSpanningText {} {}
wdofstring	\wdofstring {}
widthofstring	\widthofstring {}
widthspanningtext	\widthspanningtext {} {} {}
withoutpt	\withoutpt {}
words	\words {}
wordtonumber	\wordtonumber {} {}
writedatatolist	\writedatatolist [] [=] [=]
writestatus	\writestatus {} {}
XETEX	\XETEX
XeTeX	\XeTeX
xdefconvertedargument	\xdefconvertedargument \ {}
xmladdindex	\xmladdindex {}
xmlafterdocumentsetup	$\mbox{xmlafterdocumentsetup } \{\} \{\}$
xmlaftersetup	$\xr = \xr $
xmlall	\xmlall {} {}
xmlappenddocumentsetup	$\mbox{xmlappenddocumentsetup } \{\ldots\}$
xmlappendsetup	\xmlappendsetup {}
xmlapplyselectors	\xmlapplyselectors {}
xmlatt	\xmlatt {} {}
xmlattdef	\xmlattdef {} {}
xmlattribute	\xmlattribute {} {} {}
xmlattributedef	\xmlattributedef {} {} {} {}
xmlbadinclusions	\xmlbadinclusions {}
xmlbeforedocumentsetup	\xmlbeforedocumentsetup {} {} {}
xmlbeforesetup	\xmlbeforesetup {} {}
xmlchainatt	$\mbox{xmlchainatt } \{\}$

```
\xmlconcat {...} {...} {...}
xmlconcat
xmlconcatrange
                                                           \xmlconcatrange {...} {...} {...} {...}
xmlcontext
                                                           \xmlcontext {...} {...}
xml count
                                                           \xmlcount {...}
                                                           \xmldefaulttotext {...}
xmldefaulttotext
xmldirectives
                                                           \xmldirectives {...}
                                                           \xmldirectivesafter {...}
xmldirectivesafter
xmldirectivesbefore
                                                           \xmldirectivesbefore {...}
xmldisplayverbatim
                                                           \xmldisplayverbatim {...}
xmldoif
                                                           \xmldoif {...} {...} {...}
xmldoifatt
                                                           \xmldoifatt {...} {...}
                                                           \xmldoifelse {...} {...} {...} {...}
xmldoifelse
                                                           \verb|\xm| doifelseatt {...} {...} {...} {...}
xmldoifelseatt
xmldoifelseempty
                                                           \mbox{xmldoifelseempty } \{...\} \{...\} \{...\}
xmldoifelseselfempty
                                                           \mbox{xmldoifelseselfempty } \{...\} \{...\}
xmldoifelsetext
                                                           \mbox{xmldoifelsetext } \{...\} \{...\} \{...\}
                                                           \xmldoifelsevalue \{...\} \{...\} \{...\}
xmldoifelsevalue
                                                           \xmldoifnot {...} {...} {...}
xmldoifnot
xmldoifnotatt
                                                           \xmldoifnotatt {...} {...}
                                                           \xmldoifnotselfempty {...} {...}
xmldoifnotselfempty
xmldoifnottext
                                                           \mbox{xmldoifnottext } \{...\} \{...\}
                                                           \xmldoifselfempty {...} {...}
xmldoifselfempty
xmldoiftext
                                                           \mbox{xmldoiftext } \{...\} \ \{...\} \ \{...\}
                                                           \xmlelement {...} {...}
xmlelement
xmlfilter
                                                           \xmlfilter {...} {...}
                                                           \xmlfirst {...} {...}
xmlfirst
                                                           \xmlflush {...}
xmlflush
                                                           \xmlflushcontext {...}
xmlflushcontext
                                                           \xmlflushdocumentsetups {...} {...}
xmlflushdocumentsetups
xmlflushlinewise
                                                           \xmlflushlinewise {...}
xmlflushpure
                                                           \xmlflushpure {...}
xmlflushspacewise
                                                           \xmlflushspacewise {...}
xmlflushtext
                                                           \xmlflushtext {...}
xmlinclude
                                                           \xmlinclude {...} {...} {...}
xmlinclusion
                                                           \xmlinclusion {...}
xmlinclusions
                                                           \xmlinclusions {...}
xmlinfo
                                                           \xmlinfo {...}
xmlinjector
                                                           \xmlinjector {...}
                                                           \xmlinlineprettyprint {...} {...}
xmlinlineprettyprint
xmlinlineprettyprinttext
                                                           \xmlinlineprettyprinttext {...} {...}
xmlinlineverbatim
                                                           \xmlinlineverbatim {...}
xmlinstalldirective
                                                           \mbox{\colored} \xmlinstalldirective \{...\}
xmllast
                                                           \xmllast {...} {...}
                                                           \xmllastatt
xmllastatt
xmllastmatch
                                                           \xmllastmatch
xmllastpar
                                                           \xmllastpar
                                                           \xmlloadbuffer {...} {...} {...}
xmlloadbuffer
xmlloaddata
                                                           \xmlloaddata {...} {...} {...}
xmlloaddirectives
                                                           \xmlloaddirectives {...}
                                                           \xmlloadfile {...} {...} {...}
xmlloadfile
                                                           \mbox{xmlloadonly } \{...\} \{...\} \{...\}
xmlloadonly
xmlmain
                                                           \xmlmain {...}
xmlmapvalue
                                                           \mbox{xmlmapvalue } \{...\} \{...\}
xmlname
                                                           \xmlname {...}
xmlnamespace
                                                           \xmlnamespace {...}
xmlnonspace
                                                           \xmlnonspace {...} {...}
                                                           \xmlpar {...} {...}
xmlpar
xmlparam
                                                           \label{local_local_local_local_local} $$ \xmlparam {...} {...} {...} $$
xmlpath
                                                           \xmlpath {...}
xmlpos
                                                           \xmlpos {...}
xmlposition
                                                           \mbox{xmlposition } \{...\} \ \{...\}
xmlprependdocumentsetup
                                                           \xmlprependdocumentsetup {...} {...}
xmlprependsetup
                                                           \xmlprependsetup {...}
                                                           \xmlprettyprint {...} {...}
xmlprettyprint
                                                           \xmlprettyprinttext {...} {...}
xmlprettyprinttext
                                                           \xmlprocessbuffer {...} {...} {...}
xmlprocessbuffer
xmlprocessdata
                                                           \mbox{xmlprocessdata } \{...\} \{...\}
                                                           \xmlprocessfile \{\ldots\} \{\ldots\}
xmlprocessfile
```

\xmlpure {...} {...}

xmlpure

xmlregisteredsetups	\xmlregisteredsetups		
xmlregisterns	\xmlregisterns {} {}		
xmlremapname	$\xr = x + x + x + x + x + x + x + x + x + x$		
xmlremapnamespace	$\mbox{xmlremapnamespace } \{\} \{\}$		
xmlremovedocumentsetup	$\xspace \xspace \xsp$		
xmlremovesetup	\xmlremovesetup {}		
xmlresetdocumentsetups	\xmlresetdocumentsetups {}		
xmlresetinjectors	\xmlresetinjectors		
xmlresetsetups	\xmlresetsetups {}		
xmlsave	\xmlsave {} {}		
xmlsetatt	\xmlsetatt {} {} {}		
xmlsetattribute	\xmlsetattribute {} {} {} {}		
xmlsetentity	\xmlsetentity {} {}		
xmlsetfunction	\xmlsetfunction $\{\}$ $\{\}$		
xmlsetinjectors	\xmlsetinjectors []		
xmlsetpar	\xmlsetpar {} {} {}		
xmlsetparam	\xmlsetparam {} {} {} {}		
xmlsetsetup	\xmlsetsetup {} {} {}		
xmlsetup	\xmlsetup {} {}		
xmlshow	\xmlshow {}		
xmlsnippet	\xmlsnippet {} {}		
xmlstrip	\xmlstrip {} {}		
xmlstripnolines	\xmlstripnolines {} {}		
xmlstripped	\xmlstripped {} {}		
xmlstrippednolines	\xmlstrippednolines {} {}		
xmltag	\xmltag {}		
xmltexentity	\xmltexentity {} {}		
xmltext	\xmltext {} {}		
xmltobuffer	\xmltobuffer {} {} {}		
xmltobufferverbose	\xmltobufferverbose {} {} {}		
xmltofile	\xmltofile {} {} {}		
xmlvalue	\xmlvalue {} {} {}		
xmlverbatim	\xmlverbatim {}		
xsplitstring	\xsplitstring \ {}		
xypos	\xypos {}		
	- <del>-</del>		

