

# ConTeXt

## comandi

# II



# ConTeXt

## comandi

it / italiano  
1 dicembre 2018



|                              |   |
|------------------------------|---|
| AfterPar                     | \AfterPar {...}                               |
| Alphabeticnumerals           | \Alphabeticnumerals {...}                     |
| AMSTEX                       | \AMSTEX                                       |
| AmSTeX                       | \AmSTeX                                       |
| And                          | \And  |
| abjadnaivenumerals           | \abjadnaivenumerals {...}                     |
| abjadnodotnumerals           | \abjadnodotnumerals {...}                     |
| abjadnumerals                | \abjadnumerals {...}                          |
| activatespacehandler         | \activatespacehandler {...}                   |
| acute                        | \acute {...}                                  |
| adaptcollector               | \adaptcollector [...] [..=..]                 |
| adaptfontfeature             | \adaptfontfeature [...] [..=..]               |
| adaptpapersize               | \adaptpapersize [...] [...]                   |
| adattacampo                  | \adattacampo [...] [..=..]                    |
| adattalayout                 | \adattalayout [...] [..=..]                   |
| addfeature                   | \addfeature [...]                             |
| addfeature:direct            | \addfeature {...}                             |
| addfontpath                  | \addfontpath [...]                            |
| addtocommalist               | \addtocommalist {...} \...                    |
| addtoJSreamble               | \addtoJSreamble {...} {...}                   |
| addvalue                     | \addvalue {...} {...}                         |
| aftersplitstring             | \aftersplitstring ... \at ... \to \...        |
| aftertestandsplitstring      | \aftertestandsplitstring ... \at ... \to \... |
| al                           | \al {...} {...} [...]                         |
| alignbottom                  | \alignbottom                                  |
| aligned                      | \aligned [...] {...}                          |
| alignedbox                   | \alignedbox [...] \... {...}                  |
| alignedline                  | \alignedline {...} {...} {...}                |
| alignhere                    | \alignhere                                    |
| alignmentcharacter           | \alignmentcharacter                           |
| allineacentro                | \allineacentro {...}                          |
| allineadestra                | \allineadestra {...}                          |
| allineasinistra              | \allineasinistra {...}                        |
| allinputpaths                | \allinputpaths                                |
| alphabeticnumerals           | \alphabeticnumerals {...}                     |
| alwayscitation               | \alwayscitation [..=..] [...]                 |
| alwayscitation:alternative   | \alwayscitation [...] [...]                   |
| alwayscitation:userdata      | \alwayscitation [..=..] [..=..]               |
| alwayscite                   | \alwayscite [..=..] [...]                     |
| alwayscite:alternative       | \alwayscite [...] [...]                       |
| alwayscite:userdata          | \alwayscite [..=..] [..=..]                   |
| ambiente                     | \ambiente [...]                               |
| ambiente:string              | \ambiente ...                                 |
| ampersand                    | \ampersand                                    |
| anchor                       | \anchor [...] [..=..] [..=..] {...}           |
| ap                           | \ap {...}                                     |
| apagina                      | \apagina [...]                                |
| appendetoks                  | \appendetoks ... \to \...                     |
| appendgvalue                 | \appendgvalue {...} {...}                     |
| appendtocommalist            | \appendtocommalist {...} \...                 |
| appendtoks                   | \appendtoks ... \to \...                      |
| appendtoksonce               | \appendtoksonce ... \to \...                  |
| appendvalue                  | \appendvalue {...} {...}                      |
| apply                        | \apply {...} {...}                            |
| applyalternativestyle        | \applyalternativestyle {...}                  |
| applyprocessor               | \applyprocessor {...} {...}                   |
| applytocharacters            | \applytocharacters \... {...}                 |
| applytofirstcharacter        | \applytofirstcharacter \... {...}             |
| applytosplitstringchar       | \applytosplitstringchar \... {...}            |
| applytosplitstringcharspaced | \applytosplitstringcharspaced \... {...}      |
| applytosplitstringline       | \applytosplitstringline \... {...}            |
| applytosplitstringlinespaced | \applytosplitstringlinespaced \... {...}      |
| applytosplitstringword       | \applytosplitstringword \... {...}            |
| applytosplitstringwordspaced | \applytosplitstringwordspaced \... {...}      |
| applytowords                 | \applytowords \... {...}                      |
| ap:instance                  | \HIGH {...}                                   |
| ap:instance:unitshigh        | \unitshigh {...}                              |
| arabicdecimals               | \arabicdecimals {...}                         |
| arabicexnumerals             | \arabicexnumerals {...}                       |
| arabicnumerals               | \arabicnumerals {...}                         |
| arg                          | \arg {...}                                    |
| asciistr                     | \asciistr {...}                               |

|                                |   |
|--------------------------------|---|
| assignalfadimension            | \assignalfadimension {...} \... {...} {...} {...} |
| assigndimen                    | \assigndimen \... {...}                           |
| assigndimension                | \assigndimension {...} \... {...} {...} {...}     |
| assignifempty                  | \assignifempty \... {...}                         |
| assigntranslation              | \assigntranslation [..=..] \to \...               |
| assignvalue                    | \assignvalue {...} \... {...} {...} {...}         |
| assignwidth                    | \assignwidth {...} \... {...} {...}               |
| assumelongusagecs              | \assumelongusagecs \... {...}                     |
| astype                         | \astype {...}                                     |
| attachment:instance            | \ATTACHMENT [...] [..=..]                         |
| attachment:instance:attachment | \attachment [...] [..=..]                         |
| autocap                        | \autocap {...}                                    |
| autodirhbox                    | \autodirhbox ... {...}                            |
| autodirvbox                    | \autodirvbox ... {...}                            |
| autodirvtop                    | \autodirvtop ... {...}                            |
| autoinsertnextspace            | \autoinsertnextspace                              |
| autointegral                   | \autointegral {...} {...} {...}                   |
| automathematics                | \automathematics {...}                            |
| autopagestaterealpage          | \autopagestaterealpage {...}                      |
| autopagestaterealpageorder     | \autopagestaterealpageorder {...}                 |
| autosetups                     | \autosetups {...}                                 |
| autostarttesto                 | \autostarttesto ... \autostoptesto                |
| availablehsize                 | \availablehsize                                   |
| averagecharwidth               | \averagecharwidth                                 |
| BeforePar                      | \BeforePar {...}                                  |
| Big                            | \Big ...  |
| Bigg                           | \Bigg ...   |
| Biggl                          | \Biggl ...  |
| Biggm                          | \Biggm ...  |
| Biggr                          | \Biggr ...  |
| Bigl                           | \Bigl ...   |
| Bigm                           | \Bigm ...   |
| Bigr                           | \Bigr ...   |
| backgroundimage                | \backgroundimage {...} {...} {...} {...}          |
| backgroundimagefill            | \backgroundimagefill {...} {...} {...} {...}      |
| backgroundline                 | \backgroundline [...] {...}                       |
| bar                            | \bar {...}  |
| barracolori                    | \barracolori [...]                                |
| barrainterazione               | \barrainterazione [...] [..=..]                   |
| bar:instance                   | \BAR {...}  |
| bar:instance:hiddenbar         | \hiddenbar {...}                                  |
| bar:instance:nobar             | \nobar {...}                                      |
| bar:instance:overbar           | \overbar {...}                                    |
| bar:instance:overbars          | \overbars {...}                                   |
| bar:instance:overstrike        | \overstrike {...}                                 |
| bar:instance:overstrikes       | \overstrikes {...}                                |
| bar:instance:underbar          | \underbar {...}                                   |
| bar:instance:underbars         | \underbars {...}                                  |
| bar:instance:underdash         | \underdash {...}                                  |
| bar:instance:underdashes       | \underdashes {...}                                |
| bar:instance:underdot          | \underdot {...}                                   |
| bar:instance:underdots         | \underdots {...}                                  |
| bar:instance:underrandom       | \underrandom {...}                                |
| bar:instance:underrandoms      | \underrandoms {...}                               |
| bar:instance:understrike       | \understrike {...}                                |
| bar:instance:understrikes      | \understrikes {...}                               |
| basegrid                       | \basegrid [..=..]                                 |
| baselinebottom                 | \baselinebottom                                   |
| baselineleftbox                | \baselineleftbox {...}                            |
| baselinemiddlebox              | \baselinemiddlebox {...}                          |
| baselinerightbox               | \baselinerightbox {...}                           |
| bbordermatrix                  | \bbordermatrix {...}                              |
| bbox                           | \bbox {...}                                       |
| beforesplitstring              | \beforesplitstring ... \at ... \to \...           |
| beforetestandsplitstring       | \beforetestandsplitstring ... \at ... \to \...    |
| beginblock:example             | \beginBLOCK [...] ... \endBLOCK                   |
| beginhbox                      | \beginhbox ... \endhbox                           |
| beginofshapebox                | \beginofshapebox ... \endofshapebox               |
| beginvbox                      | \beginvbox ... \endvbox                           |
| beginvtop                      | \beginvtop ... \endvtop                           |
| begstrut                       | \begstrut ... \endstrut                           |
| bigg                           | \bigg ...   |

|                                  |   |
|----------------------------------|---|
| bigger                           | \bigger   |
| biggl                            | \biggl ...  |
| biggm                            | \biggm ...  |
| biggr                            | \biggr ...  |
| bigl                             | \bigl ...   |
| bigm                             | \bigm ...   |
| bigr                             | \bigr ...   |
| bigskip                          | \bigskip  |
| bitmapimage                      | \bitmapimage [..=..] {...}                                |
| blap                             | \blap {...}   |
| bleed                            | \bleed [..=..] {...}                                      |
| bleedheight                      | \bleedheight  |
| bleedwidth                       | \bleedwidth   |
| blockligatures                   | \blockligatures [...]                                     |
| blocksynctexfile                 | \blocksynctexfile [...]                                   |
| bodyfontenvironmentlist          | \bodyfontenvironmentlist                                  |
| bodyfontsize                     | \bodyfontsize   |
| boldface                         | \boldface   |
| booleanmodevalue                 | \booleanmodevalue {...}                                   |
| bordermatrix                     | \bordermatrix {...}                                       |
| bottombox                        | \bottombox {...}  |
| bottomleftbox                    | \bottomleftbox {...}                                      |
| bottomrightbox                   | \bottomrightbox {...}                                     |
| boxcursor                        | \boxcursor  |
| boxmarker                        | \boxmarker {...} {...}                                    |
| boxofsize                        | \boxofsize \... ... {...}                                 |
| boxreference                     | \boxreference [...] \... {...}                            |
| bpar                             | \bpar ... \epar   |
| bpos                             | \bpos {...}   |
| breakhere                        | \breakhere  |
| breve                            | \breve {...}  |
| bTABLE                           | \bTABLE [..=..] ... \eTABLE                               |
| bTABLEbody                       | \bTABLEbody [..=..] ... \eTABLEbody                       |
| bTABLEfoot                       | \bTABLEfoot [..=..] ... \eTABLEfoot                       |
| bTABLEhead                       | \bTABLEhead [..=..] ... \eTABLEhead                       |
| bTABLEnext                       | \bTABLEnext [..=..] ... \eTABLEnext                       |
| bTC                              | \bTC [..=..] ... \eTC                                     |
| bTD                              | \bTD [..=..] ... \eTD                                     |
| bTDs                             | \bTDs [...] ... \eTDs                                     |
| bTH                              | \bTH [..=..] ... \eTH                                     |
| bTN                              | \bTN [..=..] ... \eTN                                     |
| bTR                              | \bTR [..=..] ... \eTR                                     |
| bTRs                             | \bTRs [...] ... \eTRs                                     |
| bTX                              | \bTX [..=..] ... \eTX                                     |
| bTY                              | \bTY [..=..] ... \eTY                                     |
| btxabbreviatedjournal            | \btxabbreviatedjournal {...}                              |
| btxaddjournal                    | \btxaddjournal [...] [...]                                |
| btxalwayscitation                | \btxalwayscitation [..=..] [...]                          |
| btxalwayscitation:alternative    | \btxalwayscitation [...] [...]                            |
| btxalwayscitation:userdata       | \btxalwayscitation [..=..] [..=..]                        |
| btxauthorfield                   | \btxauthorfield {...}                                     |
| btxdetail                        | \btxdetail {...}  |
| btxdirect                        | \btxdirect {...}  |
| btxdoif                          | \btxdoif {...} {...}                                      |
| btxdoifcombiinlistelse           | \btxdoifcombiinlistelse {...} {...} {...} {...}           |
| btxdoifelse                      | \btxdoifelse {...} {...} {...}                            |
| btxdoifelsecombiinlist           | \btxdoifelsecombiinlist {...} {...} {...} {...}           |
| btxdoifelsesameasprevious        | \btxdoifelsesameasprevious {...} {...} {...}              |
| btxdoifelsesameaspreviouschecked | \btxdoifelsesameaspreviouschecked {...} {...} {...} {...} |
| btxdoifelseuservariable          | \btxdoifelseuservariable {...} {...} {...}                |
| btxdoifnot                       | \btxdoifnot {...} {...}                                   |
| btxdoifsameaspreviouscheckedelse | \btxdoifsameaspreviouscheckedelse {...} {...} {...} {...} |
| btxdoifsameaspreviouselse        | \btxdoifsameaspreviouselse {...} {...} {...}              |
| btxdoifuservariableelse          | \btxdoifuservariableelse {...} {...} {...}                |
| btxexpandedjournal               | \btxexpandedjournal {...}                                 |
| btxfield                         | \btxfield {...}   |
| btxfieldname                     | \btxfieldname {...}                                       |
| btxfieldtype                     | \btxfieldtype {...}                                       |
| btxfirstofrange                  | \btxfirstofrange {...}                                    |
| btxflush                         | \btxflush {...}   |
| btxflushauthor                   | \btxflushauthor [...] {...}                               |
| btxflushauthorinverted           | \btxflushauthorinverted {...}                             |

|   |  |
|---|--|
| btxflushauthorinvertedshort                       | \btxflushauthorinvertedshort {...}     |
| btxflushauthorname                                | \btxflushauthorname {...}              |
| btxflushauthornormal                              | \btxflushauthornormal {...}            |
| btxflushauthornormalshort                         | \btxflushauthornormalshort {...}       |
| btxflushsuffix                                    | \btxflushsuffix                        |
| btxfoundname                                      | \btxfoundname {...}                    |
| btxfoundtype                                      | \btxfoundtype {...}                    |
| btxhiddencitation                                 | \btxhiddencitation [...]               |
| btxhybridcite                                     | \btxhybridcite [..=..] [...]           |
| btxhybridcite:alternative                         | \btxhybridcite [...] [...]             |
| btxhybridcite:direct                              | \btxhybridcite {...}                   |
| btxhybridcite:userdata                            | \btxhybridcite [..=..] [..=..]         |
| btxlistcitation                                   | \btxlistcitation [..=..] [...]         |
| btxlistcitation:alternative                       | \btxlistcitation [...] [...]           |
| btxlistcitation:userdata                          | \btxlistcitation [..=..] [..=..]       |
| btxloadjournalist                                 | \btxloadjournalist [...]               |
| btxoneorrange                                     | \btxoneorrange {...} {...} {...}       |
| btxremapauthor                                    | \btxremapauthor [...] [...]            |
| btxsavejournalist                                 | \btxsavejournalist [...]               |
| btxsetup  | \btxsetup {...}                        |
| btxsingularorplural                               | \btxsingularorplural {...} {...} {...} |
| btxsingularplural                                 | \btxsingularplural {...} {...} {...}   |
| btxtextcitation                                   | \btxtextcitation [..=..] [...]         |
| btxtextcitation:alternative                       | \btxtextcitation [...] [...]           |
| btxtextcitation:userdata                          | \btxtextcitation [..=..] [..=..]       |
| buildmathaccent                                   | \buildmathaccent {...} {...}           |
| buildtextaccent                                   | \buildtextaccent {...} {...}           |
| buildtextbottomcomma                              | \buildtextbottomcomma {...}            |
| buildtextbottomdot                                | \buildtextbottomdot {...}              |
| buildtextcedilla                                  | \buildtextcedilla {...}                |
| buildtextgrave                                    | \buildtextgrave {...}                  |
| buildtextmacron                                   | \buildtextmacron {...}                 |
| buildtextognek                                    | \buildtextognek {...}                  |
| Cap   | \Cap {...}                             |
| Caps  | \Caps {...}                            |
| CONTEXT   | \CONTEXT                               |
| ConTeXt   | \ConTeXt                               |
| Context   | \Context                               |
| ConvertConstantAfter                              | \ConvertConstantAfter \... {...} {...} |
| ConvertToConstant                                 | \ConvertToConstant \... {...} {...}    |
| calligrafico                                      | \calligrafico                          |
| cambiaafontdeltesto                               | \cambiaafontdeltesto [...]             |
| camel   | \camel {...}                           |
| campi   | \campi [...] [...]                     |
| cap   | \cap {...}                             |
| capello   | \capello                               |
| capoverso:instance                                | \SECTION [...] {...}                   |
| capoverso:instance:assignment                     | \SECTION [..=..]                       |
| capoverso:instance:assignment:chapter             | \chapter [..=..]                       |
| capoverso:instance:assignment:part                | \part [..=..]                          |
| capoverso:instance:assignment:section             | \section [..=..]                       |
| capoverso:instance:assignment:subject             | \subject [..=..]                       |
| capoverso:instance:assignment:subsection          | \subsection [..=..]                    |
| capoverso:instance:assignment:subsubject          | \subsubject [..=..]                    |
| capoverso:instance:assignment:subsubsection       | \subsubsection [..=..]                 |
| capoverso:instance:assignment:subsubsubject       | \subsubsubject [..=..]                 |
| capoverso:instance:assignment:subsubsubsection    | \subsubsubsection [..=..]              |
| capoverso:instance:assignment:subsubsubsubject    | \subsubsubsubject [..=..]              |
| capoverso:instance:assignment:subsubsubsubsection | \subsubsubsubsection [..=..]           |
| capoverso:instance:assignment:subsubsubsubsubject | \subsubsubsubsubject [..=..]           |
| capoverso:instance:assignment:title               | \title [..=..]                         |
| capoverso:instance:chapter                        | \chapter [...] {...}                   |
| capoverso:instance:ownnumber                      | \SECTION [...] {...} {...}             |
| capoverso:instance:ownnumber:chapter              | \chapter [...] {...} {...}             |
| capoverso:instance:ownnumber:part                 | \part [...] {...} {...}                |
| capoverso:instance:ownnumber:section              | \section [...] {...} {...}             |
| capoverso:instance:ownnumber:subject              | \subject [...] {...} {...}             |
| capoverso:instance:ownnumber:subsection           | \subsection [...] {...} {...}          |
| capoverso:instance:ownnumber:subsubject           | \subsubject [...] {...} {...}          |
| capoverso:instance:ownnumber:subsubsection        | \subsubsection [...] {...} {...}       |
| capoverso:instance:ownnumber:subsubsubject        | \subsubsubject [...] {...} {...}       |
| capoverso:instance:ownnumber:subsubsubsection     | \subsubsubsection [...] {...} {...}    |



|  |  |
|--|--|
| capoverso:instance:ownnumber:subsubsubsubject    | \subsubsubsubject [...] {...} {...}    |
| capoverso:instance:ownnumber:subsubsubsubsection | \subsubsubsubsection [...] {...} {...} |
| capoverso:instance:ownnumber:subsubsubsubsubject | \subsubsubsubsubject [...] {...} {...} |
| capoverso:instance:ownnumber:title               | \title [...] {...} {...}               |
| capoverso:instance:part                          | \part [...] {...}                      |
| capoverso:instance:section                       | \section [...] {...}                   |
| capoverso:instance:subject                       | \subject [...] {...}                   |
| capoverso:instance:subsection                    | \subsection [...] {...}                |
| capoverso:instance:subsubject                    | \subsubject [...] {...}                |
| capoverso:instance:subsubsection                 | \subsubsection [...] {...}             |
| capoverso:instance:subsubsubject                 | \subsubsubject [...] {...}             |
| capoverso:instance:subsubsubsection              | \subsubsubsection [...] {...}          |
| capoverso:instance:subsubsubsubject              | \subsubsubsubject [...] {...}          |
| capoverso:instance:subsubsubsubsection           | \subsubsubsubsection [...] {...}       |
| capoverso:instance:subsubsubsubsubject           | \subsubsubsubsubject [...] {...}       |
| capoverso:instance:title                         | \title [...] {...}                     |
| catcodetablename                                 | \catcodetablename                      |
| cbox   | \cbox ... {...}                        |
| centeraligned                                    | \centeraligned {...}                   |
| centerbox  | \centerbox ... {...}                   |
| centeredbox                                      | \centeredbox ... {...}                 |
| centeredlastline                                 | \centeredlastline                      |
| centerednextbox                                  | \centerednextbox ... {...}             |
| centerline                                       | \centerline {...}                      |
| centro   | \centro ...                            |
| cfrac  | \cfrac [...] {...} {...}               |
| characterkerning:example                         | \CHARACTERKERNING [...] {...}          |
| chardescription                                  | \chardescription {...}                 |
| charwidthlanguage                                | \charwidthlanguage                     |
| check  | \check {...}                           |
| checkcharacteralign                              | \checkcharacteralign {...}             |
| checkedblank                                     | \checkedblank [...]                    |
| checkedchar                                      | \checkedchar {...} {...}               |
| checkedfiller                                    | \checkedfiller {...}                   |
| checkedstrippedcsname                            | \checkedstrippedcsname \...            |
| checkedstrippedcsname:string                     | \checkedstrippedcsname ...             |
| checkinjector                                    | \checkinjector [...]                   |
| checknextindentation                             | \checknextindentation [...]            |
| checknextinjector                                | \checknextinjector [...]               |
| checkpage  | \checkpage [...] [..=..]               |
| checkparameters                                  | \checkparameters [...]                 |
| checkpreviousinjector                            | \checkpreviousinjector [...]           |
| checksoundtrack                                  | \checksoundtrack {...}                 |
| checktwopassdata                                 | \checktwopassdata {...}                |
| checkvariables                                   | \checkvariables [...] [..=..]          |
| chemical   | \chemical [...] [...] [...]            |
| chemicalbottext                                  | \chemicalbottext {...}                 |
| chemicalmidtext                                  | \chemicalmidtext {...}                 |
| chemicalsymbol                                   | \chemicalsymbol [...]                  |
| chemicaltext                                     | \chemicaltext {...}                    |
| chemicaltoptext                                  | \chemicaltoptext {...}                 |
| chim   | \chim {...} {...} {...}                |
| chineseallnumerals                               | \chineseallnumerals {...}              |
| chinesecapnumerals                               | \chinesecapnumerals {...}              |
| chinesenumerals                                  | \chinesenumerals {...}                 |
| circondato                                       | \circondato [..=..] {...}              |
| citation   | \citation [..=..] [...]                |
| citation:alternative                             | \citation [...] [...]                  |
| citation:direct                                  | \citation {...}                        |
| citation:userdata                                | \citation [..=..] [..=..]              |
| cite   | \cite [..=..] [...]                    |
| cite:alternative                                 | \cite [...] [...]                      |
| cite:direct                                      | \cite {...}                            |
| cite:userdata                                    | \cite [..=..] [..=..]                  |
| clap   | \clap {...}                            |
| classfont  | \classfont {...} {...}                 |
| cldcommand                                       | \cldcommand {...}                      |
| cldcontext                                       | \cldcontext {...}                      |
| cldloadfile                                      | \cldloadfile {...}                     |
| cldprocessfile                                   | \cldprocessfile {...}                  |
| clip   | \clip [..=..] {...}                    |
| clippedoverlayimage                              | \clippedoverlayimage {...}             |

|   |   |
|---|---|
| clonacampo                                    | \clonacampo [...] [...] [...] [...]                             |
| collect                                       | \collect {...}  |
| collectedtext                                 | \collectedtext [...] [...] [...] {...} {...}                    |
| collectexpanded                               | \collectexpanded {...}  |
| colonna                                       | \colonna [...]  |
| colorcomponents                               | \colorcomponents {...}  |
| colore  | \colore [...] {...}   |
| colored                                       | \colored [...] [...] {...}                                      |
| colored:name                                  | \colored [...] [...] {...}                                      |
| coloregrigio                                  | \coloregrigio [...] [...] {...}                                 |
| coloronly                                     | \coloronly [...] [...] {...}                                    |
| columnbreak                                   | \columnbreak [...]  |
| columnsetspanwidth                            | \columnsetspanwidth {...}                                       |
| combinepages                                  | \combinepages [...] [...] [...] [...]                           |
| commalistelement                              | \commalistelement   |
| commalistsentence                             | \commalistsentence [...] [...] [...] [...]                      |
| commalistsize                                 | \commalistsize  |
| commento                                      | \commento (...) (...) (...) [...] [...] [...] [...] [...]       |
| commento:instance                             | \COMMENT [...] [...] [...] [...] [...] [...]                    |
| commento:instance:comment                     | \comment [...] [...] [...] [...] [...] [...]                    |
| comparedimension                              | \comparedimension [...] [...] [...] [...] [...] [...]           |
| comparedimensioneps                           | \comparedimensioneps [...] [...] [...] [...] [...] [...]        |
| completebt rendering                          | \completebt rendering [...] [...] [...] [...] [...] [...]       |
| completecombinedlist:instance                 | \completecombinedlist [...] [...] [...] [...] [...] [...]       |
| completecombinedlist:instance:content         | \completecontent [...] [...] [...] [...] [...] [...]            |
| completelist                                  | \completelist [...] [...] [...] [...] [...] [...]               |
| completelistoffloats:instance                 | \completelistoffloats [...] [...] [...] [...] [...] [...]       |
| completelistoffloats:instance:chemicals       | \completelistoffloats [...] [...] [...] [...] [...] [...]       |
| completelistoffloats:instance:figures         | \completelistoffloats [...] [...] [...] [...] [...] [...]       |
| completelistoffloats:instance:graphics        | \completelistoffloats [...] [...] [...] [...] [...] [...]       |
| completelistoffloats:instance:intermezzi      | \completelistoffloats [...] [...] [...] [...] [...] [...]       |
| completelistoffloats:instance:tables          | \completelistoffloats [...] [...] [...] [...] [...] [...]       |
| completelistofpublications                    | \completelistofpublications [...] [...] [...] [...] [...] [...] |
| completelistofsorts                           | \completelistofsorts [...] [...] [...] [...] [...] [...]        |
| completelistofsorts:instance                  | \completelistofsorts [...] [...] [...] [...] [...] [...]        |
| completelistofsorts:instance:logos            | \completelistofsorts [...] [...] [...] [...] [...] [...]        |
| completelistofsynonyms                        | \completelistofsynonyms [...] [...] [...] [...] [...] [...]     |
| completelistofsynonyms:instance               | \completelistofsynonyms [...] [...] [...] [...] [...] [...]     |
| completelistofsynonyms:instance:abbreviations | \completelistofsynonyms [...] [...] [...] [...] [...] [...]     |
| completeregister                              | \completeregister [...] [...] [...] [...] [...] [...]           |
| completeregister:instance                     | \completeREGISTER [...] [...] [...] [...] [...] [...]           |
| completeregister:instance:index               | \completeindex [...] [...] [...] [...] [...] [...]              |
| complexorsimple                               | \complexorsimple \...   |
| complexorsimpleempty                          | \complexorsimpleempty \...                                      |
| complexorsimpleempty:argument                 | \complexorsimpleempty {...}                                     |
| complexorsimple:argument                      | \complexorsimple {...}  |
| componenet                                    | \componenet [...] [...] [...] [...] [...] [...]                 |
| componenet:string                             | \componenet ...   |
| composedcollector                             | \composedcollector {...}  |
| composedlayer                                 | \composedlayer {...}  |
| compresult                                    | \compresult   |
| confrontagruppocolori                         | \confrontagruppocolori [...] [...] [...] [...] [...] [...]      |
| confrontatavolozza                            | \confrontatavolozza [...] [...] [...] [...] [...] [...]         |
| constantdimen                                 | \constantdimen \...   |
| constantdimenargument                         | \constantdimenargument \...                                     |
| constantemptyargument                         | \constantemptyargument \...                                     |
| constantnumber                                | \constantnumber \...  |
| constantnumberargument                        | \constantnumberargument \...                                    |
| contentreference                              | \contentreference [...] [...] [...] [...] [...] [...]           |
| continuednumber                               | \continuednumber {...}  |
| continueifinputfile                           | \continueifinputfile {...}                                      |
| convertargument                               | \convertargument ... \to \...                                   |
| convertcommand                                | \convertcommand \... \to \...                                   |
| convertedcounter                              | \convertedcounter [...] [...] [...] [...] [...] [...]           |
| converteddimen                                | \converteddimen [...] [...] [...] [...] [...] [...]             |
| convertedsubcounter                           | \convertedsubcounter [...] [...] [...] [...] [...] [...]        |
| convertinunero                                | \convertinunero [...] [...] [...] [...] [...] [...]             |
| convertmonth                                  | \convertmonth {...}   |
| convertvalue                                  | \convertvalue ... \to \...                                      |
| convertvboxtohbox                             | \convertvboxtohbox  |
| copiacampo                                    | \copiacampo [...] [...] [...] [...] [...] [...]                 |
| copyboxfromcache                              | \copyboxfromcache [...] [...] [...] [...] [...] [...]           |

|                                      |   |
|--------------------------------------|---|
| copylabeltext:instance               | \copyLABELtesto [...] [..=..]             |
| copylabeltext:instance:btxlabel      | \copybtxlabeltesto [...] [..=..]          |
| copylabeltext:instance:head          | \copyheadtesto [...] [..=..]              |
| copylabeltext:instance:label         | \copylabeltesto [...] [..=..]             |
| copylabeltext:instance:mathlabel     | \copymathlabeltesto [...] [..=..]         |
| copylabeltext:instance:operator      | \copyoperatortesto [...] [..=..]          |
| copylabeltext:instance:prefix        | \copyprefixtesto [...] [..=..]            |
| copylabeltext:instance:suffix        | \copysuffixtesto [...] [..=..]            |
| copylabeltext:instance:taglabel      | \copytaglabeltesto [...] [..=..]          |
| copylabeltext:instance:unit          | \copyunittesto [...] [..=..]              |
| copypages                            | \copypages [...] [..=..] [..=..]          |
| copyparameters                       | \copyparameters [...] [...] [...]         |
| copyposition                         | \copyposition {...} {...}                 |
| copysetups                           | \copysetups [...] [...]                   |
| correggispaobiobianco                | \correggispaobiobianco {...}              |
| corsivo                              | \corsivo                                  |
| corsivograssetto                     | \corsivograssetto                         |
| countersubs                          | \countersubs [...] [...]                  |
| counttoken                           | \counttoken ... \in ... \to \...          |
| counttokens                          | \counttokens ... \to \...                 |
| cramped                              | \cramped {...}                            |
| crampedclap                          | \crampedclap {...}                        |
| crampedllap                          | \crampedllap {...}                        |
| crampedrlap                          | \crampedrlap {...}                        |
| ctop                                 | \ctop ... {...}                           |
| ctxcommand                           | \ctxcommand {...}                         |
| ctxdirectcommand                     | \ctxdirectcommand {...}                   |
| ctxdirectlua                         | \ctxdirectlua {...}                       |
| ctxfunction                          | \ctxfunction {...}                        |
| ctxfunctiondefinition:example        | \CTXFUNCTIONDEFINITION                    |
| ctxfunction:example                  | \CTXFUNCTION                              |
| ctxlatecommand                       | \ctxlatecommand {...}                     |
| ctxlatelua                           | \ctxlatelua {...}                         |
| ctxloadluafile                       | \ctxloadluafile {...}                     |
| ctxlua                               | \ctxlua {...}                             |
| ctxluabuffer                         | \ctxluabuffer [...]                       |
| ctxluacode                           | \ctxluacode {...}                         |
| ctxreport                            | \ctxreport {...}                          |
| ctxsprint                            | \ctxsprint {...}                          |
| currentassignmentlistkey             | \currentassignmentlistkey                 |
| currentassignmentlistvalue           | \currentassignmentlistvalue               |
| currentbtbxuservariable              | \currentbtbxuservariable {...}            |
| currentcommalistitem                 | \currentcommalistitem                     |
| currentcomponent                     | \currentcomponent                         |
| currentenvironment                   | \currentenvironment                       |
| currentfeaturetest                   | \currentfeaturetest                       |
| currentinterface                     | \currentinterface                         |
| currentlabel:example                 | \currentETICHETTA [...] {...}             |
| currentlanguage                      | \currentlanguage                          |
| currentlistentrydestinationattribute | \currentlistentrydestinationattribute     |
| currentlistentrylimitedtext          | \currentlistentrylimitedtext {...}        |
| currentlistentrynumber               | \currentlistentrynumber                   |
| currentlistentrypagenumber           | \currentlistentrypagenumber               |
| currentlistentryreferenceattribute   | \currentlistentryreferenceattribute {...} |
| currentlistentrytitle                | \currentlistentrytitle                    |
| currentlistentrytitlerendered        | \currentlistentrytitlerendered            |
| currentlistsymbol                    | \currentlistsymbol                        |
| currentmainlanguage                  | \currentmainlanguage                      |
| currentmessagetext                   | \currentmessagetext                       |
| currentmoduleparameter               | \currentmoduleparameter {...}             |
| currentoutputstream                  | \currentoutputstream                      |
| currentproduct                       | \currentproduct                           |
| currentproject                       | \currentproject                           |
| currentregime                        | \currentregime                            |
| currentregisterpageuserdata          | \currentregisterpageuserdata {...}        |
| currentresponses                     | \currentresponses                         |
| currenttime                          | \currenttime [...]                        |
| currentvalue                         | \currentvalue                             |
| currentxtablecolumn                  | \currentxtablecolumn                      |
| currentxtablerow                     | \currentxtablerow                         |
| d                                    | \d {...}                                  |
| da                                   | \da [...]                                 |

|                                     |   |
|-------------------------------------|---|
| daqualcheparte                      | \daqualcheparte {...} {...} [...]               |
| data                                | \data [..=..] [...]                             |
| datadioggi                          | \datadioggi [...]                               |
| datasetvariable                     | \datasetvariable {...} {...} {...}              |
| dayoftheweek                        | \dayoftheweek {...} {...} {...}                 |
| dayspermonth                        | \dayspermonth {...} {...}                       |
| dddot                               | \dddot {...}                                    |
| ddot                                | \ddot {...}                                     |
| decrement                           | \decrement \...                                 |
| decrementcounter                    | \decrementcounter [...] [...]                   |
| decrementedcounter                  | \decrementedcounter [...]                       |
| decrementpagenumber                 | \decrementpagenumber                            |
| decrementsubpagenumber              | \decrementsubpagenumber                         |
| decrementvalue                      | \decrementvalue {...}                           |
| decrement:argument                  | \decrement (...)                                |
| defaultinterface                    | \defaultinterface                               |
| defaultobjectpage                   | \defaultobjectpage                              |
| defaultobjectreference              | \defaultobjectreference                         |
| defcatcodecommand                   | \defcatcodecommand \... \... {...}              |
| defconvertedargument                | \defconvertedargument \... {...}                |
| defconvertedcommand                 | \defconvertedcommand \... \...                  |
| defconvertedvalue                   | \defconvertedvalue \... {...}                   |
| defineactivecharacter               | \defineactivecharacter ... {...}                |
| definealternativestyle              | \definealternativestyle [...] [...] [...]       |
| defineanchor                        | \defineanchor [...] [...] [..=..] [..=..]       |
| defineattachment                    | \defineattachment [...] [...] [..=..]           |
| defineattribute                     | \defineattribute [...] [...]                    |
| definebackground                    | \definebackground [...] [...] [..=..]           |
| definebar                           | \definebar [...] [...] [..=..]                  |
| definebodyfontswitch                | \definebodyfontswitch [...] [...]               |
| definebreakpoint                    | \definebreakpoint [...] [...] [..=..]           |
| definebreakpoints                   | \definebreakpoints [...]                        |
| definebtx                           | \definebtx [...] [...] [..=..]                  |
| definebtxdataset                    | \definebtxdataset [...] [...] [..=..]           |
| definebtxregister                   | \definebtxregister [...] [...] [..=..]          |
| definebtxrendering                  | \definebtxrendering [...] [...] [..=..]         |
| definebutton                        | \definebutton [...] [...] [..=..]               |
| definecapitals                      | \definecapitals [...] [...] [..=..]             |
| definecharacterkerning              | \definecharacterkerning [...] [...] [..=..]     |
| definecharacterspacing              | \definecharacterspacing [...]                   |
| definechemical                      | \definechemical [...] {...}                     |
| definechemicals                     | \definechemicals [...] [...] [..=..]            |
| definechemicalsymbol                | \definechemicalsymbol [...] [...]               |
| definecollector                     | \definecollector [...] [...] [..=..]            |
| definecolumnbreak                   | \definecolumnbreak [...] [...]                  |
| definecolumnsetarea                 | \definecolumnsetarea [...] [...] [..=..]        |
| definecolumnsetspan                 | \definecolumnsetspan [...] [...] [..=..]        |
| definecombination                   | \definecombination [...] [...] [..=..]          |
| definecomment                       | \definecomment [...] [...] [..=..]              |
| definecomplexorsimple               | \definecomplexorsimple \...                     |
| definecomplexorsimpleempty          | \definecomplexorsimpleempty \...                |
| definecomplexorsimpleempty:argument | \definecomplexorsimpleempty {...}               |
| definecomplexorsimple:argument      | \definecomplexorsimple {...}                    |
| defineconversionset                 | \defineconversionset [...] [...] [...]          |
| definecounter                       | \definecounter [...] [...] [..=..]              |
| definedataset                       | \definedataset [...] [...] [..=..]              |
| definedelimitedtext                 | \definedelimitedtext [...] [...] [..=..]        |
| definedfont                         | \definedfont [...]                              |
| defineeffect                        | \defineeffect [...] [...] [..=..]               |
| defineexpandable                    | \defineexpandable [...] \... {...}              |
| defineexternalfigure                | \defineexternalfigure [...] [...] [..=..]       |
| definefacingfloat                   | \definefacingfloat [...] [...] [..=..]          |
| definefallbackfamily                | \definefallbackfamily [...] [...] [...] [..=..] |
| definefallbackfamily:preset         | \definefallbackfamily [...] [...] [...] [...]   |
| definefieldbody                     | \definefieldbody [...] [...] [..=..]            |
| definefieldbodyset                  | \definefieldbodyset [...] [...]                 |
| definefieldcategory                 | \definefieldcategory [...] [...] [..=..]        |
| definefileconstant                  | \definefileconstant {...} {...}                 |
| definefilefallback                  | \definefilefallback [...] [...]                 |
| definefilesynonym                   | \definefilesynonym [...] [...]                  |
| definefiller                        | \definefiller [...] [...] [..=..]               |
| definefirstline                     | \definefirstline [...] [...] [..=..]            |

|                             |   |
|-----------------------------|---|
| definefittingpage           | \definefittingpage [...] [...] [..=..]              |
| definefontalternative       | \definefontalternative [...]                        |
| definefontfallback          | \definefontfallback [...] [...] [...] [..=..]       |
| definefontfamily            | \definefontfamily [...] [...] [...] [..=..]         |
| definefontfamilypreset      | \definefontfamilypreset [...] [..=..]               |
| definefontfamilypreset:name | \definefontfamilypreset [...] [...]                 |
| definefontfamily:preset     | \definefontfamily [...] [...] [...] [...]           |
| definefontfeature           | \definefontfeature [...] [...] [..=..]              |
| definefontfile              | \definefontfile [...] [...] [..=..]                 |
| definefontsize              | \definefontsize [...]                               |
| definefontsolution          | \definefontsolution [...] [...] [..=..]             |
| defineformula               | \defineformula [...] [...] [..=..]                  |
| defineformulaalternative    | \defineformulaalternative [...] [...] [...]         |
| defineformulaframed         | \defineformulaframed [...] [...] [..=..]            |
| defineframedcontent         | \defineframedcontent [...] [...] [..=..]            |
| defineframedtable           | \defineframedtable [...] [...]                      |
| definefrozenfont            | \definefrozenfont [...] [...]                       |
| defineglobalcolor           | \defineglobalcolor [...] [..=..]                    |
| defineglobalcolor:name      | \defineglobalcolor [...] [...]                      |
| definegraphictypesynonym    | \definegraphictypesynonym [...] [...]               |
| definegridsnapping          | \definegridsnapping [...] [...]                     |
| defineheadalternative       | \defineheadalternative [...] [...] [..=..]          |
| definehelp                  | \definehelp [...] [...] [..=..]                     |
| definehigh                  | \definehigh [...] [...] [..=..]                     |
| definehighlight             | \definehighlight [...] [...] [..=..]                |
| definehspace                | \definehspace [...] [...] [...]                     |
| definehyphenationfeatures   | \definehyphenationfeatures [...] [..=..]            |
| defineindentedtext          | \defineindentedtext [...] [...] [..=..]             |
| defineindenting             | \defineindenting [...] [...]                        |
| defineinitial               | \defineinitial [...] [...] [..=..]                  |
| defineinsertion             | \defineinsertion [...] [...] [..=..]                |
| defineinteraction           | \defineinteraction [...] [...] [..=..]              |
| defineinteractionbar        | \defineinteractionbar [...] [...] [..=..]           |
| defineinterfaceconstant     | \defineinterfaceconstant {...} {...}                |
| defineinterfaceelement      | \defineinterfaceelement {...} {...}                 |
| defineinterfacevariable     | \defineinterfacevariable {...} {...}                |
| defineinterlinespace        | \defineinterlinespace [...] [...] [..=..]           |
| defineintermediatecolor     | \defineintermediatecolor [...] [...] [..=..]        |
| defineitemgroup             | \defineitemgroup [...] [...] [..=..]                |
| defineitems                 | \defineitems [...] [...] [..=..]                    |
| definelabelclass            | \definelabelclass [...] [...]                       |
| definelay                   | \definelay [...] [...] [..=..]                      |
| definelaypres               | \definelaypres [...] [..=..]                        |
| definelaypres:name          | \definelaypres [...] [...]                          |
| definelinefiller            | \definelinefiller [...] [...] [..=..]               |
| definelinenote              | \definelinenote [...] [...] [..=..]                 |
| definelinenumbering         | \definelinenumbering [...] [...] [..=..]            |
| definelines                 | \definelines [...] [...] [..=..]                    |
| definelistalternative       | \definelistalternative [...] [...] [..=..]          |
| definelistextra             | \definelistextra [...] [...] [..=..]                |
| definelow                   | \definelow [...] [...] [..=..]                      |
| definelowhigh               | \definelowhigh [...] [...] [..=..]                  |
| definelowmidhigh            | \definelowmidhigh [...] [...] [..=..]               |
| defineMPinstance            | \defineMPinstance [...] [...] [..=..]               |
| definemarginblock           | \definemarginblock [...] [...] [..=..]              |
| definemargindata            | \definemargindata [...] [...] [..=..]               |
| definemark                  | \definemark [...]                                   |
| definemathaccent            | \definemathaccent ... ..                            |
| definemathalignment         | \definemathalignment [...] [...] [..=..]            |
| definemathcases             | \definemathcases [...] [...] [..=..]                |
| definemathcommand           | \definemathcommand [...] [...] [...] {...}          |
| definemathdouble            | \definemathdouble [...] [...] [...] [...]           |
| definemathdoubleextensible  | \definemathdoubleextensible [...] [...] [...] [...] |
| definemathematics           | \definemathematics [...] [...] [..=..]              |
| definemathextensible        | \definemathextensible [...] [...] [...]             |
| definemathfence             | \definemathfence [...] [...] [..=..]                |
| definemathfraction          | \definemathfraction [...] [...] [..=..]             |
| definemathframed            | \definemathframed [...] [...] [..=..]               |
| definemathmatrix            | \definemathmatrix [...] [...] [..=..]               |
| definemathornament          | \definemathornament [...] [...] [..=..]             |
| definemathover              | \definemathover [...] [...] [...]                   |
| definemathoverextensible    | \definemathoverextensible [...] [...] [...] [...]   |

|                                |   |
|--------------------------------|---|
| definemathvertextextensible    | \definemathvertextextensible [...] [...] [...]      |
| definemathradical              | \definemathradical [...] [...] [..=..]              |
| definemathstackers             | \definemathstackers [...] [...] [..=..]             |
| definemathstyle                | \definemathstyle [...] [...]                        |
| definemathtriplet              | \definemathtriplet [...] [...] [...]                |
| definemathunder                | \definemathunder [...] [...] [...]                  |
| definemathunderextensible      | \definemathunderextensible [...] [...] [...]        |
| definemathundertextextensible  | \definemathundertextextensible [...] [...] [...]    |
| definemathunstacked            | \definemathunstacked [...] [...] [...]              |
| definemeasure                  | \definemeasure [...] [...]                          |
| definemessageconstant          | \definemessageconstant {...}                        |
| definemixedcolumns             | \definemixedcolumns [...] [...] [..=..]             |
| definemode                     | \definemode [...] [...]                             |
| definemultitonecolor           | \definemultitonecolor [...] [..=..] [..=..] [..=..] |
| definenamecolor                | \definenamecolor [...] [..=..]                      |
| definenamecolor:name           | \definenamecolor [...] [...]                        |
| definenamespace                | \definenamespace [...] [..=..]                      |
| definennarrower                | \definennarrower [...] [...] [..=..]                |
| definernote                    | \definernote [...] [...] [..=..]                    |
| defineornament:collector       | \defineornament [...] [..=..] [..=..]               |
| defineornament:layer           | \defineornament [...] [..=..] [..=..]               |
| defineoutputroutine            | \defineoutputroutine [...] [...] [..=..]            |
| defineoutputroutinecommand     | \defineoutputroutinecommand [...]                   |
| definepage                     | \definepage [...] [...]                             |
| definepagebreak                | \definepagebreak [...] [...]                        |
| definepagechecker              | \definepagechecker [...] [...] [..=..]              |
| definepagecolumns              | \definepagecolumns [...] [...] [..=..]              |
| definepageinjection            | \definepageinjection [...] [...] [..=..]            |
| definepageinjectionalternative | \definepageinjectionalternative [...] [...] [..=..] |
| definepageshift                | \definepageshift [...] [...] [...]                  |
| definepagestate                | \definepagestate [...] [...] [..=..]                |
| definepairedbox                | \definepairedbox [...] [...] [..=..]                |
| defineparagraph                | \defineparagraph [...] [...] [..=..]                |
| defineparallel                 | \defineparallel [...] [...]                         |
| defineparbuilder               | \defineparbuilder [...]                             |
| defineperiodkerning            | \defineperiodkerning [...] [...] [..=..]            |
| defineplacement                | \defineplacement [...] [...] [..=..]                |
| definepositioning              | \definepositioning [...] [...] [..=..]              |
| defineprefixset                | \defineprefixset [...] [...] [...]                  |
| defineprocesscolor             | \defineprocesscolor [...] [...] [..=..]             |
| defineprocessor                | \defineprocessor [...] [...] [..=..]                |
| definepushbutton               | \definepushbutton [...] [..=..]                     |
| definepushsymbol               | \definepushsymbol [...] [...]                       |
| definerenderingwindow          | \definerenderingwindow [...] [...] [..=..]          |
| defineresetset                 | \defineresetset [...] [...] [...]                   |
| defineruby                     | \defineruby [...] [...] [..=..]                     |
| definescale                    | \definescale [...] [...] [..=..]                    |
| definescript                   | \definescript [...] [...] [..=..]                   |
| definesectionlevels            | \definesectionlevels [...] [...]                    |
| defineselector                 | \defineselector [...] [..=..]                       |
| defineseparatorset             | \defineseparatorset [...] [...] [...]               |
| defineshift                    | \defineshift [...] [...] [..=..]                    |
| definesidebar                  | \definesidebar [...] [...] [..=..]                  |
| definesort                     | \definesort [...] [...] [...] {...}                 |
| definespotcolor                | \definespotcolor [...] [...] [..=..]                |
| definestyleinstance            | \definestyleinstance [...] [...] [...] [...]        |
| definesubformula               | \definesubformula [...] [...] [..=..]               |
| definesynonym                  | \definesynonym [...] [...] [...] {...} {...}        |
| definesystemattribute          | \definesystemattribute [...] [...]                  |
| definesystemconstant           | \definesystemconstant {...}                         |
| definesystemvariable           | \definesystemvariable {...}                         |
| defineTABLEsetup               | \defineTABLEsetup [...] [..=..]                     |
| definetabulation               | \definetabulation [...] [...] [..=..]               |
| definetextbackground           | \definetextbackground [...] [...] [..=..]           |
| definetextflow                 | \definetextflow [...] [...] [..=..]                 |
| definetooltip                  | \definetooltip [...] [...] [..=..]                  |
| definetransparency:1           | \definetransparency [...] [...]                     |
| definetransparency:2           | \definetransparency [...] [..=..]                   |
| definetransparency:3           | \definetransparency [...] [...]                     |
| definetwopasslist              | \definetwopasslist {...}                            |
| definetypesface                | \definetypesface [...] [...] [...] [...] [..=..]    |
| definetypescriptprefix         | \definetypescriptprefix [...] [...]                 |

|                                |   |
|--------------------------------|---|
| definetytypescriptsynonym      | \definetytypescriptsynonym [...] [...]                    |
| definetytypesetting            | \definetytypesetting [...] [...] [..=..]                  |
| defineunit                     | \defineunit [...] [...] [..=..]                           |
| defineviewerlayer              | \defineviewerlayer [...] [...] [..=..]                    |
| definevspace                   | \definevspace [...] [...] [...]                           |
| definevspacing                 | \definevspacing [...] [...]                               |
| definevspacingamount           | \definevspacingamount [...] [...] [...]                   |
| definextable                   | \definextable [...] [...] [..=..]                         |
| definisci                      | \definisci [...] \... {...}                               |
| definisciaccento               | \definisciaccento ... ..                                  |
| definisciambientefontdeltesto  | \definisciambientefontdeltesto [...] [...] [..=..]        |
| definisciblocco                | \definisciblocco [...] [...] [..=..]                      |
| definiscibloccosezione         | \definiscibloccosezione [...] [...] [..=..]               |
| definiscibuffer                | \definiscibuffer [...] [...] [..=..]                      |
| definiscicampo                 | \definiscicampo [...] [...] [...] [...] [...]             |
| definiscicapoversi             | \definiscicapoversi [...] [...] [..=..]                   |
| definiscicarattere             | \definiscicarattere ... ..                                |
| definiscicolore                | \definiscicolore [...] [..=..]                            |
| definiscicolore:name           | \definiscicolore [...] [...]                              |
| definiscicomando               | \definiscicomando ... ..                                  |
| definisciconversione           | \definisciconversione [...] [...] [...]                   |
| definisciconversione:list      | \definisciconversione [...] [...] [...]                   |
| definiscidescrizione           | \definiscidescrizione [...] [...] [..=..]                 |
| definiscidimensionicarta       | \definiscidimensionicarta [...] [..=..]                   |
| definiscidimensionicarta:name  | \definiscidimensionicarta [...] [...] [...]               |
| definiscielenco                | \definiscielenco [...] [...] [..=..]                      |
| definiscielencombinato         | \definiscielencombinato [...] [...] [..=..]               |
| definiscienumerazione          | \definiscienumerazione [...] [...] [..=..]                |
| definiscietichetta             | \definiscietichetta [...] [...] [..=..]                   |
| definiscifigurasimbolo         | \definiscifigurasimbolo [...] [...] [..=..]               |
| definiscifont                  | \definiscifont [...] [...] [..=..]                        |
| definiscifontdeltesto          | \definiscifontdeltesto [...] [...] [...] [..=..]          |
| definiscifontdeltesto:argument | \definiscifontdeltesto [...] [...] [...] [...]            |
| definiscifont:argument         | \definiscifont [...] [...] [...]                          |
| definisciformatoriferimento    | \definisciformatoriferimento [...] [...] [..=..]          |
| definiscigruppocolonne         | \definiscigruppocolonne [...] [...] [..=..]               |
| definiscigruppocolori          | \definiscigruppocolori [...] [...] [x:y:z,..]             |
| definiscihbox                  | \definiscihbox [...] [...]                                |
| definisciincorniciato          | \definisciincorniciato [...] [...] [..=..]                |
| definisciiniziatermina         | \definisciiniziatermina [...] [...] [..=..]               |
| definiscilayout                | \definiscilayout [...] [...] [..=..]                      |
| definiscimakeup                | \definiscimakeup [...] [...] [..=..]                      |
| definiscimarcatura             | \definiscimarcatura [...] [...] [..=..]                   |
| definiscimenuinterazione       | \definiscimenuinterazione [...] [...] [..=..]             |
| definiscimodellotabella        | \definiscimodellotabella [...] [...] [...] [...]          |
| definisciogettomobile          | \definisciogettomobile [...] [...] [..=..]                |
| definisciogettomobile:name     | \definisciogettomobile [...] [...] [...] [...]            |
| definiscioridinamento          | \definiscioridinamento [...] [...] [...] [...]            |
| definisciprofilo               | \definisciprofilo [...] [...] [..=..]                     |
| definisciprogramma             | \definisciprogramma [...] [...] [...] [...]               |
| definisciregistro              | \definisciregistro [...] [...] [..=..]                    |
| definisciriferimento           | \definisciriferimento [...] [...] [...]                   |
| definiscisezione               | \definiscisezione [...]                                   |
| definiscisimbolo               | \definiscisimbolo [...] [...] [...] [...]                 |
| definiscisinonimi              | \definiscisinonimi [...] [...] [...] [...] [...]          |
| definiscisinonimofont          | \definiscisinonimofont [...] [...] [..=..]                |
| definiscisottocampo            | \definiscisottocampo [...] [...] [...] [...]              |
| definiscisovrapposizione       | \definiscisovrapposizione [...] [...] [...] [...]         |
| definiscistackcampi            | \definiscistackcampi [...] [...] [..=..]                  |
| definiscistile                 | \definiscistile [...] [...] [..=..]                       |
| definiscistilefont             | \definiscistilefont [...] [...] [...]                     |
| definiscitabulato              | \definiscitabulato [...] [...] [/.../]                    |
| definiscitavolozza             | \definiscitavolozza [...] [..=..] <sup>OPT</sup>          |
| definiscitavolozza:name        | \definiscitavolozza [...] [...] [...]                     |
| definiscitesta                 | \definiscitesta [...] [...] [..=..]                       |
| definiscitesto                 | \definiscitesto [...] [...] [...] [...] [...] [...] [...] |
| definiscitestoincorniciato     | \definiscitestoincorniciato [...] [...] [..=..]           |
| definiscitype                  | \definiscitype [...] [...] [..=..]                        |
| definiscityping                | \definiscityping [...] [...] [..=..]                      |
| delimited                      | \delimited [...] [...] {...}                              |
| delimitedtext                  | \delimitedtext [...] [...] {...}                          |
| delimitedtext:instance         | \DELIMITEDTEXT [...] [...] {...}                          |

|                                   |   |
|-----------------------------------|---|
| delimitedtext:instance:aside      | \aside [...] {...}  |
| delimitedtext:instance:blockquote | \blockquote [...] {...}                                       |
| delimitedtext:instance:quotation  | \quotation [...] {...}  |
| delimitedtext:instance:quote      | \quote [...] {...}  |
| delimitedtext:instance:speech     | \speech [...] {...}   |
| depthofstring                     | \depthofstring {...}  |
| depthonlybox                      | \depthonlybox {...}   |
| depthspanningtext                 | \depthspanningtext {...} {...} {...}                          |
| depthstrut                        | \depthstrut   |
| descrizione:example               | \DESCRIZIONE [...] {...} ... \par                             |
| destra                            | \destra ...   |
| determinacaratteristicheregistro  | \determinacaratteristicheregistro [...] [..=..]               |
| determinacarattersticheelenco     | \determinacarattersticheelenco [...] [..=..]                  |
| determinanumerotesta              | \determinanumerotesta [...]                                   |
| determinenoflines                 | \determinenoflines {...}                                      |
| devanagarinumerals                | \devanagarinumerals {...}                                     |
| digits                            | \digits {...}   |
| digits:string                     | \digits ...   |
| dimensiontocount                  | \dimensiontocount {...} \...                                  |
| directboxfromcache                | \directboxfromcache {...} {...}                               |
| directcolor                       | \directcolor [...]  |
| directcolored                     | \directcolored [..=..]  |
| directcolored:name                | \directcolored [...]  |
| directconvertedcounter            | \directconvertedcounter {...} {...}                           |
| directcopyboxfromcache            | \directcopyboxfromcache {...} {...}                           |
| directdummyparameter              | \directdummyparameter {...}                                   |
| directgetboxllx                   | \directgetboxllx ...  |
| directgetboxlly                   | \directgetboxlly ...  |
| directhighlight                   | \directhighlight {...} {...}                                  |
| directlocalframed                 | \directlocalframed [...] {...}                                |
| directluacode                     | \directluacode {...}  |
| directselect                      | \directselect {...} {...} {...} {...} {...} {...}             |
| directsetbar                      | \directsetbar {...} OPT OPT OPT OPT OPT                       |
| directsetup                       | \directsetup {...}  |
| directsymbol                      | \directsymbol {...} {...}                                     |
| directvspacing                    | \directvspacing {...}   |
| dis                               | \dis {...}  |
| disabledirectives                 | \disabledirectives [...]                                      |
| disableexperiments                | \disableexperiments [...]                                     |
| disablemode                       | \disablemode [...]  |
| disableoutputstream               | \disableoutputstream  |
| disableparpositions               | \disableparpositions  |
| disableregime                     | \disableregime  |
| disabletrackers                   | \disabletrackers [...]  |
| displaymath                       | \displaymath {...}  |
| displaymathematics                | \displaymathematics {...}                                     |
| displaymessage                    | \displaymessage {...}   |
| distributedhsize                  | \distributedhsize {...} {...} {...}                           |
| dividedsize                       | \dividedsize {...} {...} {...}                                |
| doadaptleftskip                   | \doadaptleftskip {...}  |
| doadaptrightskip                  | \doadaptrightskip {...}                                       |
| doaddfeature                      | \doaddfeature {...}   |
| doassign                          | \doassign [...] [..=..]                                       |
| doassignempty                     | \doassignempty [...] [..=..]                                  |
| doboundtext                       | \doboundtext {...} {...} {...}                                |
| docheckassignment                 | \docheckassignment {...}                                      |
| docheckedpagestate                | \docheckedpagestate {...} {...} {...} {...} {...} {...} {...} |
| docheckedpair                     | \docheckedpair {...}  |
| documentvariable                  | \documentvariable {...}                                       |
| dodoubleargument                  | \dodoubleargument \... [...] [...]                            |
| dodoubleargumentwithset           | \dodoubleargumentwithset \... [...] [...]                     |
| dodoubleempty                     | \dodoubleempty \... [...] [...]                               |
| dodoubleemptywithset              | \dodoubleemptywithset \... [...] [...]                        |
| dodoublegroupempty                | \dodoublegroupempty \... {...} {...}                          |
| doeassign                         | \doeassign [...] [..=..]                                      |
| doexpandedrecurse                 | \doexpandedrecurse {...} {...}                                |
| dofastloopcs                      | \dofastloopcs {...} \...                                      |
| dogetattribute                    | \dogetattribute {...}   |
| dogetattributeid                  | \dogetattributeid {...}                                       |
| dogetcommacommandelement          | \dogetcommacommandelement ... \from ... \to \...              |
| dogobbledoubleempty               | \dogobbledoubleempty [...] [...]                              |
| dogobblesingleempty               | \dogobblesingleempty [...]                                    |



|                               |   |
|-------------------------------|---|
| doif                          | \doif {...} {...} {...}                           |
| doifallcommon                 | \doifallcommon {...} {...} {...}                  |
| doifallcommonelse             | \doifallcommonelse {...} {...} {...} {...}        |
| doifalldefinedelse            | \doifalldefinedelse {...} {...} {...}             |
| doifallmodes                  | \doifallmodes {...} {...} {...}                   |
| doifallmodeselse              | \doifallmodeselse {...} {...} {...}               |
| doifassignmentelse            | \doifassignmentelse {...} {...} {...}             |
| doifblackelse                 | \doifblackelse {...} {...} {...}                  |
| doifbothsides                 | \doifbothsides {...} {...} {...}                  |
| doifbothsidesoverruled        | \doifbothsidesoverruled {...} {...} {...}         |
| doifboxelse                   | \doifboxelse {...} {...} {...} {...}              |
| doifbufferelse                | \doifbufferelse {...} {...} {...}                 |
| doifcolor                     | \doifcolor {...} {...}                            |
| doifcolorelse                 | \doifcolorelse {...} {...} {...}                  |
| doifcommandhandler            | \doifcommandhandler \... {...} {...}              |
| doifcommandhandlerelse        | \doifcommandhandlerelse \... {...} {...} {...}    |
| doifcommon                    | \doifcommon {...} {...} {...}                     |
| doifcommonelse                | \doifcommonelse {...} {...} {...} {...}           |
| doifcontent                   | \doifcontent {...} {...} {...} \... {...}         |
| doifconversiondefinedelse     | \doifconversiondefinedelse {...} {...} {...}      |
| doifconversionnumberelse      | \doifconversionnumberelse {...} {...} {...} {...} |
| doifcounter                   | \doifcounter {...} {...}                          |
| doifcounterelse               | \doifcounterelse {...} {...} {...}                |
| doifcurrentfonthasfeatureelse | \doifcurrentfonthasfeatureelse {...} {...} {...}  |
| doifdefined                   | \doifdefined {...} {...}                          |
| doifdefinedcounter            | \doifdefinedcounter {...} {...}                   |
| doifdefinedcounterelse        | \doifdefinedcounterelse {...} {...} {...}         |
| doifdefinedelse               | \doifdefinedelse {...} {...} {...}                |
| doifdimensionelse             | \doifdimensionelse {...} {...} {...}              |
| doifdimenstringelse           | \doifdimenstringelse {...} {...} {...}            |
| doifdocumentargument          | \doifdocumentargument {...} {...}                 |
| doifdocumentargumentelse      | \doifdocumentargumentelse {...} {...} {...}       |
| doifdocumentfilename          | \doifdocumentfilename {...} {...}                 |
| doifdocumentfilenameelse      | \doifdocumentfilenameelse {...} {...} {...}       |
| doifdrawingblackelse          | \doifdrawingblackelse {...} {...}                 |
| doifelse                      | \doifelse {...} {...} {...} {...}                 |
| doifelseallcommon             | \doifelseallcommon {...} {...} {...} {...}        |
| doifelsealldefined            | \doifelsealldefined {...} {...} {...}             |
| doifelseallmodes              | \doifelseallmodes {...} {...} {...}               |
| doifelseassignment            | \doifelseassignment {...} {...} {...}             |
| doifelseblack                 | \doifelseblack {...} {...} {...}                  |
| doifelsebox                   | \doifelsebox {...} {...} {...} {...}              |
| doifelseboxincache            | \doifelseboxincache {...} {...} {...} {...}       |
| doifelsebuffer                | \doifelsebuffer {...} {...} {...}                 |
| doifelsecolor                 | \doifelsecolor {...} {...} {...}                  |
| doifelsecommandhandler        | \doifelsecommandhandler \... {...} {...} {...}    |
| doifelsecommon                | \doifelsecommon {...} {...} {...} {...}           |
| doifelseconversiondefined     | \doifelseconversiondefined {...} {...} {...}      |
| doifelseconversionnumber      | \doifelseconversionnumber {...} {...} {...} {...} |
| doifelsecounter               | \doifelsecounter {...} {...} {...}                |
| doifelsecurrentfonthasfeature | \doifelsecurrentfonthasfeature {...} {...} {...}  |
| doifelsecurrentsortingingused | \doifelsecurrentsortingingused {...} {...}        |
| doifelsecurrentsynonymshown   | \doifelsecurrentsynonymshown {...} {...}          |
| doifelsecurrentsynonymused    | \doifelsecurrentsynonymused {...} {...}           |
| doifelsedefined               | \doifelsedefined {...} {...} {...}                |
| doifelsedefinedcounter        | \doifelsedefinedcounter {...} {...} {...}         |
| doifelsedimension             | \doifelsedimension {...} {...} {...}              |
| doifelsedimenstring           | \doifelsedimenstring {...} {...} {...}            |
| doifelsedocumentargument      | \doifelsedocumentargument {...} {...} {...}       |
| doifelsedocumentfilename      | \doifelsedocumentfilename {...} {...} {...}       |
| doifelsedrawingblack          | \doifelsedrawingblack {...} {...}                 |
| doifelseempty                 | \doifelseempty {...} {...} {...}                  |
| doifelseemptyvalue            | \doifelseemptyvalue {...} {...} {...}             |
| doifelseemptyvariable         | \doifelseemptyvariable {...} {...} {...} {...}    |
| doifelseenv                   | \doifelseenv {...} {...} {...}                    |
| doifelsefastoptionalcheck     | \doifelsefastoptionalcheck {...} {...}            |
| doifelsefastoptionalcheckcs   | \doifelsefastoptionalcheckcs \... \...            |
| doifelsefieldbody             | \doifelsefieldbody {...} {...} {...}              |
| doifelsefieldcategory         | \doifelsefieldcategory {...} {...} {...}          |
| doifelsefigure                | \doifelsefigure {...} {...} {...}                 |
| doifelsefile                  | \doifelsefile {...} {...} {...}                   |
| doifelsefiledefined           | \doifelsefiledefined {...} {...} {...}            |

|                              |   |
|------------------------------|---|
| doifelsefileexists           | \doifelsefileexists {...} {...} {...}                 |
| doifelsefirstchar            | \doifelsefirstchar {...} {...} {...} {...}            |
| doifelseflagged              | \doifelseflagged {...} {...} {...}                    |
| doifelsefontchar             | \doifelsefontchar {...} {...} {...} {...}             |
| doifelsefontfeature          | \doifelsefontfeature {...} {...} {...}                |
| doifelsefontpresent          | \doifelsefontpresent {...} {...} {...}                |
| doifelsefontsynonym          | \doifelsefontsynonym {...} {...} {...}                |
| doifelsehasspace             | \doifelsehasspace {...} {...} {...}                   |
| doifelsehelp                 | \doifelsehelp {...} {...}                             |
| doifelseincsnam              | \doifelseincsnam {...} {...} {...} {...}              |
| doifelseinelement            | \doifelseinelement {...} {...} {...}                  |
| doifelseinputfile            | \doifelseinputfile {...} {...} {...}                  |
| doifelseinsertion            | \doifelseinsertion {...} {...} {...}                  |
| doifelseinset                | \doifelseinset {...} {...} {...} {...}                |
| doifelseinstring             | \doifelseinstring {...} {...} {...} {...}             |
| doifelseinsymbolset          | \doifelseinsymbolset {...} {...} {...} {...}          |
| doifelseintoks               | \doifelseintoks {...} {...} {...} {...}               |
| doifelseintwopassdata        | \doifelseintwopassdata {...} {...} {...} {...}        |
| doifelseitalic               | \doifelseitalic {...} {...}                           |
| doifelselanguage             | \doifelselanguage {...} {...} {...}                   |
| doifelselayerdata            | \doifelselayerdata {...} {...} {...}                  |
| doifelselayoutdefined        | \doifelselayoutdefined {...} {...} {...}              |
| doifelselayoutsomeline       | \doifelselayoutsomeline {...} {...} {...}             |
| doifelselayouttextline       | \doifelselayouttextline {...} {...} {...}             |
| doifelseleapyear             | \doifelseleapyear {...} {...} {...}                   |
| doifselist                   | \doifselist {...} {...} {...}                         |
| doifselocation               | \doifselocation {...} {...}                           |
| doifselocfile                | \doifselocfile {...} {...} {...}                      |
| doifelseMPgraphic            | \doifelseMPgraphic {...} {...} {...}                  |
| doifelsemainfloatbody        | \doifelsemainfloatbody {...} {...}                    |
| doifelsemarkedpage           | \doifelsemarkedpage {...} {...} {...}                 |
| doifelsemarking              | \doifelsemarking {...} {...} {...}                    |
| doifelsemeaning              | \doifelsemeaning \... \... {...} {...}                |
| doifelsemessage              | \doifelsemessage {...} {...} {...} {...}              |
| doifelsemode                 | \doifelsemode {...} {...} {...}                       |
| doifelsenextbgroup           | \doifelsenextbgroup {...} {...}                       |
| doifelsenextbgroupcs         | \doifelsenextbgroupcs \... \...                       |
| doifelsenextchar             | \doifelsenextchar {...} {...} {...}                   |
| doifelsenextoptional         | \doifelsenextoptional {...} {...}                     |
| doifelsenextoptionalcs       | \doifelsenextoptionalcs \... \...                     |
| doifelsenextparenthesis      | \doifelsenextparenthesis {...} {...}                  |
| doifelsenonzeropositive      | \doifelsenonzeropositive {...} {...} {...}            |
| doifelsenoteonsamepage       | \doifelsenoteonsamepage {...} {...} {...}             |
| doifelsenothing              | \doifelsenothing {...} {...} {...}                    |
| doifelsenumber               | \doifelsenumber {...} {...} {...}                     |
| doifelseobjectfound          | \doifelseobjectfound {...} {...} {...} {...}          |
| doifelseobjectreferencefound | \doifelseobjectreferencefound {...} {...} {...} {...} |
| doifelseoddpage              | \doifelseoddpage {...} {...}                          |
| doifelseoddpagefloat         | \doifelseoddpagefloat {...} {...}                     |
| doifelseoldercontext         | \doifelseoldercontext {...} {...} {...}               |
| doifelseolderversion         | \doifelseolderversion {...} {...} {...} {...}         |
| doifelseoverlapping          | \doifelseoverlapping {...} {...} {...} {...}          |
| doifelseoverlay              | \doifelseoverlay {...} {...} {...}                    |
| doifelseparallel             | \doifelseparallel {...} {...} {...} {...}             |
| doifelseparentfile           | \doifelseparentfile {...} {...} {...}                 |
| doifelsepath                 | \doifelsepath {...} {...} {...}                       |
| doifelsepathexists           | \doifelsepathexists {...} {...} {...}                 |
| doifelsepatterns             | \doifelsepatterns {...} {...} {...}                   |
| doifelseposition             | \doifelseposition {...} {...} {...}                   |
| doifelsepositionaction       | \doifelsepositionaction {...} {...} {...}             |
| doifelsepositiononpage       | \doifelsepositiononpage {...} {...} {...} {...}       |
| doifelsepositionsonsamepage  | \doifelsepositionsonsamepage {...} {...} {...}        |
| doifelsepositionsonthispage  | \doifelsepositionsonthispage {...} {...} {...}        |
| doifelsepositionsused        | \doifelsepositionsused {...} {...}                    |
| doifelserreferencefound      | \doifelserreferencefound {...} {...} {...}            |
| doifelserightpage            | \doifelserightpage {...} {...}                        |
| doifelserightpagefloat       | \doifelserightpagefloat {...} {...}                   |
| doifelserighttoleftinbox     | \doifelserighttoleftinbox ... {...} {...}             |
| doifelsesamelinereference    | \doifelsesamelinereference {...} {...} {...}          |
| doifelsesamestring           | \doifelsesamestring {...} {...} {...} {...}           |
| doifelsesetups               | \doifelsesetups {...} {...} {...}                     |
| doifelsesomebackground       | \doifelsesomebackground {...} {...} {...}             |

|                                |   |
|--------------------------------|---|
| doifelsesomespace              | \doifelsesomespace {...} {...} {...}            |
| doifelsesomething              | \doifelsesomething {...} {...} {...}            |
| doifelsesometoks               | \doifelsesometoks \... {...} {...}              |
| doifelsestringinstring         | \doifelsestringinstring {...} {...} {...} {...} |
| doifelsestructurelisthasnumber | \doifelsestructurelisthasnumber {...} {...}     |
| doifelsestructurelisthaspage   | \doifelsestructurelisthaspage {...} {...}       |
| doifelsesymboldefined          | \doifelsesymboldefined {...} {...} {...}        |
| doifelsesymbolset              | \doifelsesymbolset {...} {...} {...}            |
| doifelsetext                   | \doifelsetext {...} {...} {...}                 |
| doifelsetextflow               | \doifelsetextflow {...} {...} {...}             |
| doifelsetextflowcollector      | \doifelsetextflowcollector {...} {...} {...}    |
| doifelsetopofpage              | \doifelsetopofpage {...} {...}                  |
| doifelsetypingfile             | \doifelsetypingfile {...} {...} {...}           |
| doifelseundefined              | \doifelseundefined {...} {...} {...}            |
| doifelseurldefined             | \doifelseurldefined {...} {...} {...}           |
| doifelsevalue                  | \doifelsevalue {...} {...} {...} {...}          |
| doifelsevaluenothing           | \doifelsevaluenothing {...} {...} {...}         |
| doifelsevariable               | \doifelsevariable {...} {...} {...} {...}       |
| doifempty                      | \doifempty {...} {...}                          |
| doifemptyelse                  | \doifemptyelse {...} {...} {...}                |
| doifemptytoks                  | \doifemptytoks \... {...}                       |
| doifemptyvalue                 | \doifemptyvalue {...} {...}                     |
| doifemptyvalueelse             | \doifemptyvalueelse {...} {...} {...}           |
| doifemptyvariable              | \doifemptyvariable {...} {...} {...}            |
| doifemptyvariableelse          | \doifemptyvariableelse {...} {...} {...} {...}  |
| doifenv                        | \doifenv {...} {...}                            |
| doifenvelse                    | \doifenvelse {...} {...} {...}                  |
| doiffastoptionalcheckcseelse   | \doiffastoptionalcheckcseelse \... \...         |
| doiffastoptionalcheckelse      | \doiffastoptionalcheckelse {...} {...}          |
| doiffielddbodelse              | \doiffielddbodelse {...} {...} {...}            |
| doiffielddcategoryelse         | \doiffielddcategoryelse {...} {...} {...}       |
| doiffigureelse                 | \doiffigureelse {...} {...} {...}               |
| doiffile                       | \doiffile {...} {...}                           |
| doiffiledefinedelse            | \doiffiledefinedelse {...} {...} {...}          |
| doiffileelse                   | \doiffileelse {...} {...} {...}                 |
| doiffileexistselse             | \doiffileexistselse {...} {...} {...}           |
| doiffirstcharelse              | \doiffirstcharelse {...} {...} {...} {...}      |
| doifflaggedelse                | \doifflaggedelse {...} {...} {...}              |
| doiffontcharelse               | \doiffontcharelse {...} {...} {...} {...}       |
| doiffontfeatureelse            | \doiffontfeatureelse {...} {...} {...}          |
| doiffontpresentelse            | \doiffontpresentelse {...} {...} {...}          |
| doiffontsynonymelse            | \doiffontsynonymelse {...} {...} {...}          |
| doifhasspaceelse               | \doifhasspaceelse {...} {...} {...}             |
| doifhelpelse                   | \doifhelpelse {...} {...}                       |
| doifincsnamelse                | \doifincsnamelse {...} {...} {...} {...}        |
| doifinelementelse              | \doifinelementelse {...} {...} {...}            |
| doifinputfileelse              | \doifinputfileelse {...} {...} {...}            |
| doifinsertionelse              | \doifinsertionelse {...} {...} {...}            |
| doifinset                      | \doifinset {...} {...} {...}                    |
| doifinsetelse                  | \doifinsetelse {...} {...} {...} {...}          |
| doifinstring                   | \doifinstring {...} {...} {...}                 |
| doifinstringelse               | \doifinstringelse {...} {...} {...} {...}       |
| doifinsymbolset                | \doifinsymbolset {...} {...} {...} {...}        |
| doifinsymbolsetelse            | \doifinsymbolsetelse {...} {...} {...} {...}    |
| doifintokselse                 | \doifintokselse {...} {...} {...} {...}         |
| doifintwopassdataelse          | \doifintwopassdataelse {...} {...} {...} {...}  |
| doifitalicelse                 | \doifitalicelse {...} {...}                     |
| doiflanguageelse               | \doiflanguageelse {...} {...} {...}             |
| doiflayerdataelse              | \doiflayerdataelse {...} {...} {...}            |
| doiflayoutdefinedelse          | \doiflayoutdefinedelse {...} {...} {...}        |
| doiflayoutsomelineelse         | \doiflayoutsomelineelse {...} {...} {...}       |
| doiflayouttextlineelse         | \doiflayouttextlineelse {...} {...} {...}       |
| doifleapyearelse               | \doifleapyearelse {...} {...} {...}             |
| doiflistelse                   | \doiflistelse {...} {...} {...}                 |
| doiflocationelse               | \doiflocationelse {...} {...}                   |
| doiflocfileelse                | \doiflocfileelse {...} {...} {...}              |
| doifMPgraphicelse              | \doifMPgraphicelse {...} {...} {...}            |
| doifmainfloatbodyelse          | \doifmainfloatbodyelse {...} {...}              |
| doifmarkingelse                | \doifmarkingelse {...} {...} {...}              |
| doifmeaningelse                | \doifmeaningelse \... \... {...} {...}          |
| doifmessageelse                | \doifmessageelse {...} {...} {...} {...}        |
| doifmode                       | \doifmode {...} {...}                           |

|                              |   |
|------------------------------|---|
| doifmodeelse                 | \doifmodeelse {...} {...} {...}                       |
| doifnextbgroupcselect        | \doifnextbgroupcselect \... \...                      |
| doifnextbgroupselect         | \doifnextbgroupselect {...} {...}                     |
| doifnextchareselect          | \doifnextchareselect {...} {...} {...}                |
| doifnextoptionalcselect      | \doifnextoptionalcselect \... \...                    |
| doifnextoptionaleselect      | \doifnextoptionaleselect {...} {...}                  |
| doifnextparenthesiselect     | \doifnextparenthesiselect {...} {...}                 |
| doifnonzeropositiveselect    | \doifnonzeropositiveselect {...} {...} {...}          |
| doifnot                      | \doifnot {...} {...} {...}                            |
| doifnotallcommon             | \doifnotallcommon {...} {...} {...}                   |
| doifnotallmodes              | \doifnotallmodes {...} {...} {...}                    |
| doifnotcommandhandler        | \doifnotcommandhandler \... {...} {...}               |
| doifnotcommon                | \doifnotcommon {...} {...} {...}                      |
| doifnotcounter               | \doifnotcounter {...} {...}                           |
| doifnotdocumentargument      | \doifnotdocumentargument {...} {...}                  |
| doifnotdocumentfilename      | \doifnotdocumentfilename {...} {...}                  |
| doifnotempty                 | \doifnotempty {...} {...}                             |
| doifnotemptyvalue            | \doifnotemptyvalue {...} {...}                        |
| doifnotemptyvariable         | \doifnotemptyvariable {...} {...} {...}               |
| doifnotenv                   | \doifnotenv {...} {...}                               |
| doifnoteonsamepageelect      | \doifnoteonsamepageelect {...} {...} {...}            |
| doifnotescollected           | \doifnotescollected {...} {...}                       |
| doifnotfile                  | \doifnotfile {...} {...}                              |
| doifnotflagged               | \doifnotflagged {...} {...}                           |
| doifnothing                  | \doifnothing {...} {...}                              |
| doifnothingelse              | \doifnothingelse {...} {...} {...}                    |
| doifnotinset                 | \doifnotinset {...} {...} {...}                       |
| doifnotinsidesplitfloat      | \doifnotinsidesplitfloat {...}                        |
| doifnotinstring              | \doifnotinstring {...} {...} {...}                    |
| doifnotmode                  | \doifnotmode {...} {...}                              |
| doifnotnumber                | \doifnotnumber {...} {...}                            |
| doifnotsamestring            | \doifnotsamestring {...} {...} {...}                  |
| doifnotsetups                | \doifnotsetups {...} {...}                            |
| doifnotvalue                 | \doifnotvalue {...} {...} {...}                       |
| doifnotvariable              | \doifnotvariable {...} {...} {...}                    |
| doifnumber                   | \doifnumber {...} {...}                               |
| doifnumberelse               | \doifnumberelse {...} {...} {...}                     |
| doifobjectfoundelse          | \doifobjectfoundelse {...} {...} {...} {...}          |
| doifobjectreferencefoundelse | \doifobjectreferencefoundelse {...} {...} {...} {...} |
| doifoddpageselect            | \doifoddpageselect {...} {...}                        |
| doifoddpagefloatelect        | \doifoddpagefloatelect {...} {...}                    |
| doifoldercontextelect        | \doifoldercontextelect {...} {...} {...}              |
| doifolderversionelect        | \doifolderversionelect {...} {...} {...} {...}        |
| doifoverlappingelect         | \doifoverlappingelect {...} {...} {...} {...}         |
| doifoverlayelect             | \doifoverlayelect {...} {...} {...}                   |
| doifparallelect              | \doifparallelect {...} {...} {...} {...}              |
| doifparentfileelect          | \doifparentfileelect {...} {...} {...}                |
| doifpathelect                | \doifpathelect {...} {...} {...}                      |
| doifpathexistselect          | \doifpathexistselect {...} {...} {...}                |
| doifpatternselect            | \doifpatternselect {...} {...} {...}                  |
| doifposition                 | \doifposition {...} {...} {...}                       |
| doifpositionaction           | \doifpositionaction {...} {...} {...}                 |
| doifpositionactionelect      | \doifpositionactionelect {...} {...} {...}            |
| doifpositionelect            | \doifpositionelect {...} {...} {...}                  |
| doifpositiononpageelect      | \doifpositiononpageelect {...} {...} {...} {...}      |
| doifpositionsonsamepageelect | \doifpositionsonsamepageelect {...} {...} {...}       |
| doifpositionsonthispageelect | \doifpositionsonthispageelect {...} {...} {...}       |
| doifpositionsusedelect       | \doifpositionsusedelect {...} {...}                   |
| doifreferencefoundelect      | \doifreferencefoundelect {...} {...} {...}            |
| doifrightpagefloatelect      | \doifrightpagefloatelect {...} {...}                  |
| doifrighttoleftinboxelect    | \doifrighttoleftinboxelect ... {...} {...}            |
| doifsamelinereferenceelect   | \doifsamelinereferenceelect {...} {...} {...}         |
| doifsamestring               | \doifsamestring {...} {...} {...}                     |
| doifsamestringelect          | \doifsamestringelect {...} {...} {...} {...}          |
| doifsetups                   | \doifsetups {...} {...}                               |
| doifsetupsselect             | \doifsetupsselect {...} {...} {...}                   |
| doifsomebackground           | \doifsomebackground {...} {...} {...}                 |
| doifsomebackgroundelect      | \doifsomebackgroundelect {...} {...} {...}            |
| doifsomespaceelect           | \doifsomespaceelect {...} {...} {...}                 |
| doifsomething                | \doifsomething {...} {...}                            |
| doifsomethingelect           | \doifsomethingelect {...} {...} {...}                 |
| doifsometoks                 | \doifsometoks \... {...}                              |

|                                       |  |
|---------------------------------------|--|
| doifsometoksel                        | \doifsometoksel \... {...} {...}                                     |
| doifstringinstringelse                | \doifstringinstringelse {...} {...} {...} {...}                      |
| doifstructurelisthasnumberelse        | \doifstructurelisthasnumberelse {...} {...}                          |
| doifstructurelisthaspageelse          | \doifstructurelisthaspageelse {...} {...}                            |
| doifsymboldefinedelse                 | \doifsymboldefinedelse {...} {...} {...}                             |
| doifsymbolsetelse                     | \doifsymbolsetelse {...} {...} {...}                                 |
| doiftext                              | \doiftext {...} {...} {...}  |
| doiftextelse                          | \doiftextelse {...} {...} {...}                                      |
| doiftextflowcollectorelse             | \doiftextflowcollectorelse {...} {...} {...}                         |
| doiftextflowelse                      | \doiftextflowelse {...} {...} {...}                                  |
| doiftopofpageelse                     | \doiftopofpageelse {...} {...}                                       |
| doiftypingfileelse                    | \doiftypingfileelse {...} {...} {...}                                |
| doifundefined                         | \doifundefined {...} {...}   |
| doifundefinedcounter                  | \doifundefinedcounter {...} {...}                                    |
| doifundefinedelse                     | \doifundefinedelse {...} {...} {...}                                 |
| doifunknownfontfeature                | \doifunknownfontfeature {...} {...} {...}                            |
| doifurldefinedelse                    | \doifurldefinedelse {...} {...} {...}                                |
| doifvalue                             | \doifvalue {...} {...} {...}   |
| doifvalueelse                         | \doifvalueelse {...} {...} {...} {...}                               |
| doifvaluenothing                      | \doifvaluenothing {...} {...}  |
| doifvaluenothingelse                  | \doifvaluenothingelse {...} {...} {...}                              |
| doifvaluesomething                    | \doifvaluesomething {...} {...}                                      |
| doifvariable                          | \doifvariable {...} {...} {...}                                      |
| doifvariableelse                      | \doifvariableelse {...} {...} {...} {...}                            |
| doindentation                         | \doindentation   |
| dollar                                | \dollar  |
| doloop                                | \doloop {...}  |
| doloopoverlist                        | \doloopoverlist {...} {...}  |
| donothing                             | \donothing   |
| dontconvertfont                       | \dontconvertfont   |
| dontleavehmode                        | \dontleavehmode  |
| dontpermitspacesbetweengroups         | \dontpermitspacesbetweengroups                                       |
| dopositionaction                      | \dopositionaction {...}  |
| doprocesslocalsetups                  | \doprocesslocalsetups {...}  |
| doquadrupleargument                   | \doquadrupleargument \... [...] [...] [...] [...]                    |
| doquadrupleempty                      | \doquadrupleempty \... [...] [...] [...] [...]                       |
| doquadruplegroupempty                 | \doquadruplegroupempty \... {...} {...} {...} {...}                  |
| doquintupleargument                   | \doquintupleargument \... [...] [...] [...] [...] [...]              |
| doquintupleempty                      | \doquintupleempty \... [...] [...] [...] [...] [...]                 |
| doquintuplegroupempty                 | \doquintuplegroupempty \... {...} {...} {...} {...} {...}            |
| dorechecknextindentation              | \dorechecknextindentation  |
| dorecurse                             | \dorecurse {...} {...}   |
| dorepeatwithcommand                   | \dorepeatwithcommand [...] \...                                      |
| doreplacefeature                      | \doreplacefeature {...}  |
| doresetandafffeature                  | \doresetandafffeature {...}  |
| doresetattribute                      | \doresetattribute {...}  |
| dorotatebox                           | \dorotatebox {...} \... {...}  |
| dosetattribute                        | \dosetattribute {...} {...}  |
| dosetleftskipadaption                 | \dosetleftskipadaption {...}   |
| dosetrighskipadaption                 | \dosetrighskipadaption {...}   |
| dosetupcheckedinterlinespace          | \dosetupcheckedinterlinespace {..=..}                                |
| dosetupcheckedinterlinespace:argument | \dosetupcheckedinterlinespace {...}                                  |
| dosetupcheckedinterlinespace:name     | \dosetupcheckedinterlinespace {...}                                  |
| doseventupleargument                  | \doseventupleargument \... [...] [...] [...] [...] [...] [...] [...] |
| doseventupleempty                     | \doseventupleempty \... [...] [...] [...] [...] [...] [...] [...]    |
| dosingleargument                      | \dosingleargument \... [...]   |
| dosingleempty                         | \dosingleempty \... [...]  |
| dosinglegroupempty                    | \dosinglegroupempty \... {...}                                       |
| dosixtupleargument                    | \dosixtupleargument \... [...] [...] [...] [...] [...] [...] [...]   |
| dosixtupleempty                       | \dosixtupleempty \... [...] [...] [...] [...] [...] [...] [...]      |
| dostarttagged                         | \dostarttagged {...} {...} ... \dostoptagged                         |
| dostepwiserecurse                     | \dostepwiserecurse {...} {...} {...} {...}                           |
| dosubtractfeature                     | \dosubtractfeature {...}   |
| dotfskip                              | \dotfskip {...}  |
| dotoks                                | \dotoks \...   |
| dotripleargument                      | \dotripleargument \... [...] [...] [...] [...]                       |
| dotripleargumentwithset               | \dotripleargumentwithset \... [...] [...] [...] [...]                |
| dotripleempty                         | \dotripleempty \... [...] [...] [...] [...]                          |
| dotripleemptywithset                  | \dotripleemptywithset \... [...] [...] [...] [...]                   |
| dotriplegroupempty                    | \dotriplegroupempty \... {...} {...} {...}                           |
| doublebond                            | \doublebond  |
| dowith                                | \dowith {...} {...}  |

|                                   |  |
|-----------------------------------|--|
| dowithnextbox                     | \dowithnextbox {...} \... {...}                |
| dowithnextboxcontent              | \dowithnextboxcontent {...} {...} \... {...}   |
| dowithnextboxcontentcs            | \dowithnextboxcontentcs \... \... \... {...}   |
| dowithnextboxcs                   | \dowithnextboxcs \... \... {...}               |
| dowithpargument                   | \dowithpargument \...                          |
| dowithrange                       | \dowithrange {...} \...                        |
| dowithwargument                   | \dowithwargument \...                          |
| dpofstring                        | \dpofstring {...}                              |
| dummydigit                        | \dummydigit                                    |
| dummyparameter                    | \dummyparameter {...}                          |
| ETEX                              | \ETEX  |
| EveryLine                         | \EveryLine {...}                               |
| EveryPar                          | \EveryPar {...}                                |
| edefconvertedargument             | \edefconvertedargument \... {...}              |
| efcmaxheight                      | \efcmaxheight {...}                            |
| efcmaxwidth                       | \efcmaxwidth {...}                             |
| efcminheight                      | \efcminheight {...}                            |
| efcminwidth                       | \efcminwidth {...}                             |
| efcparameter                      | \efcparameter {...} {...}                      |
| effect                            | \effect [...] {...}                            |
| elaborablocchi                    | \elaborablocchi [...] [...] [..=..]            |
| elapsedseconds                    | \elapsedseconds                                |
| elapsedtime                       | \elapsedtime                                   |
| elementi                          | \elementi [..=..] {...}                        |
| elemento                          | \elemento [...]                                |
| em                                | \em  |
| emphasisboldface                  | \emphasisboldface                              |
| emphasistypeface                  | \emphasistypeface                              |
| emptylines                        | \emptylines [...]                              |
| emspace                           | \emspace                                       |
| enabledirectives                  | \enabledirectives [...]                        |
| enableexperiments                 | \enableexperiments [...]                       |
| enablemode                        | \enablemode [...]                              |
| enableoutputstream                | \enableoutputstream [...]                      |
| enableparpositions                | \enableparpositions                            |
| enableregime                      | \enableregime [...]                            |
| enabletrackers                    | \enabletrackers [...]                          |
| enskip                            | \enskip  |
| enspace                           | \enspace                                       |
| enumerazione:example              | \ENUMERAZIONE [...] {...} ... \par             |
| env                               | \env {...}                                     |
| envvar                            | \envvar {...} {...}                            |
| epos                              | \epos {...}                                    |
| equaldigits                       | \equaldigits {...}                             |
| eTeX                              | \eTeX  |
| etichetta:example                 | \ETICHETTA [...] {...}                         |
| executeifdefined                  | \executeifdefined {...} {...}                  |
| exitloop                          | \exitloop                                      |
| exitloopnow                       | \exitloopnow                                   |
| expandcheckedcsname               | \expandcheckedcsname \... {...} {...}          |
| expanded                          | \expanded {...}                                |
| expandeddoif                      | \expandeddoif {...} {...} {...}                |
| expandeddoifelse                  | \expandeddoifelse {...} {...} {...} {...}      |
| expandeddoifnot                   | \expandeddoifnot {...} {...} {...}             |
| expandfontsynonym                 | \expandfontsynonym \... {...}                  |
| expdoif                           | \expdoif {...} {...} {...}                     |
| expdoifcommonelse                 | \expdoifcommonelse {...} {...} {...} {...}     |
| expdoifelse                       | \expdoifelse {...} {...} {...} {...}           |
| expdoifelsecommon                 | \expdoifelsecommon {...} {...} {...} {...}     |
| expdoifelseinset                  | \expdoifelseinset {...} {...} {...} {...}      |
| expdoifinsetelse                  | \expdoifinsetelse {...} {...} {...} {...}      |
| expdoifnot                        | \expdoifnot {...} {...} {...}                  |
| externalfigurecollectionmaxheight | \externalfigurecollectionmaxheight {...}       |
| externalfigurecollectionmaxwidth  | \externalfigurecollectionmaxwidth {...}        |
| externalfigurecollectionminheight | \externalfigurecollectionminheight {...}       |
| externalfigurecollectionminwidth  | \externalfigurecollectionminwidth {...}        |
| externalfigurecollectionparameter | \externalfigurecollectionparameter {...} {...} |
| fakebox                           | \fakebox ...                                   |
| fastdecrement                     | \fastdecrement \...                            |
| fastincrement                     | \fastincrement \...                            |
| fastlocalframed                   | \fastlocalframed [...] [..=..] {...}           |
| fastloopfinal                     | \fastloopfinal                                 |

|                              |   |
|------------------------------|---|
| fastloopindex                | \fastloopindex  |
| fastscale                    | \fastscale {...} {...}                                    |
| fastsetup                    | \fastsetup {...}  |
| fastsetupwithargument        | \fastsetupwithargument {...} {...}                        |
| fastsetupwithargumentswapped | \fastsetupwithargumentswapped {...} {...}                 |
| fastswitchtobodyfont         | \fastswitchtobodyfont {...}                               |
| fastxsxy                     | \fastxsxy {...} {...} {...}                               |
| feature                      | \feature [...] [...]                                      |
| feature:direct               | \feature {...} {...}                                      |
| fence                        | \fence  |
| fenced                       | \fenced [...] {...}                                       |
| fence:example                | \FENCE {...}  |
| fetchallmarkings             | \fetchallmarkings [...] [...]                             |
| fetchallmarks                | \fetchallmarks [...]                                      |
| fetchmark                    | \fetchmark [...] [...]                                    |
| fetchmarking                 | \fetchmarking [...] [...] [...]                           |
| fetchonemark                 | \fetchonemark [...] [...]                                 |
| fetchonemarking              | \fetchonemarking [...] [...] [...]                        |
| fetchruntinecommand          | \fetchruntinecommand \... {...}                           |
| fetchtwomarkings             | \fetchtwomarkings [...] [...]                             |
| fetchtwomarks                | \fetchtwomarks [...]                                      |
| fieldbody                    | \fieldbody [...] [..=..]                                  |
| fifthoffivearguments         | \fifthoffivearguments {...} {...} {...} {...} {...}       |
| fifthofsixarguments          | \fifthofsixarguments {...} {...} {...} {...} {...} {...}  |
| figuraesterna                | \figuraesterna [...] [...] [..=..]                        |
| figurefilename               | \figurefilename   |
| figurefilepath               | \figurefilepath   |
| figurefiletype               | \figurefiletype   |
| figurefullname               | \figurefullname   |
| figureheight                 | \figureheight   |
| figurenaturalheight          | \figurenaturalheight                                      |
| figurenaturalwidth           | \figurenaturalwidth                                       |
| figuresymbol                 | \figuresymbol [...] [..=..]                               |
| figurewidth                  | \figurewidth  |
| filename                     | \filename {...}   |
| filledhboxb                  | \filledhboxb ... {...}                                    |
| filledhboxc                  | \filledhboxc ... {...}                                    |
| filledhboxg                  | \filledhboxg ... {...}                                    |
| filledhboxk                  | \filledhboxk ... {...}                                    |
| filledhboxm                  | \filledhboxm ... {...}                                    |
| filledhboxr                  | \filledhboxr ... {...}                                    |
| filledhboxy                  | \filledhboxy ... {...}                                    |
| filler                       | \filler [...]   |
| fillupto                     | \fillupto [...] {...}                                     |
| filterfromnext               | \filterfromnext {...} {...} {...} {...} {...} {...} {...} |
| filterfromvalue              | \filterfromvalue {...} {...} {...} OPT OPT OPT OPT        |
| filterpages                  | \filterpages [...] [...] [..=..]                          |
| filterreference              | \filterreference {...}                                    |
| findtwopassdata              | \findtwopassdata {...} {...}                              |
| finishregisterentry          | \finishregisterentry [...] [..=..] [..=..]                |
| firstcharacter               | \firstcharacter   |
| firstcounter                 | \firstcounter [...] [...]                                 |
| firstcountervalue            | \firstcountervalue [...]                                  |
| firstinlist                  | \firstinlist [...]  |
| firstoffivearguments         | \firstoffivearguments {...} {...} {...} {...} {...}       |
| firstoffourarguments         | \firstoffourarguments {...} {...} {...} {...}             |
| firstofoneargument           | \firstofoneargument {...}                                 |
| firstofoneunexpanded         | \firstofoneunexpanded {...}                               |
| firstofsixarguments          | \firstofsixarguments {...} {...} {...} {...} {...} {...}  |
| firstofthreearguments        | \firstofthreearguments {...} {...} {...}                  |
| firstofthreeunexpanded       | \firstofthreeunexpanded {...} {...} {...}                 |
| firstoftwoarguments          | \firstoftwoarguments {...} {...}                          |
| firstoftwounexpanded         | \firstoftwounexpanded {...} {...}                         |
| firstrealpage                | \firstrealpage  |
| firstrealpagenumber          | \firstrealpagenumber                                      |
| firstsubcountervalue         | \firstsubcountervalue [...] [...]                         |
| firstsubpagenumber           | \firstsubpagenumber                                       |
| firstuserpage                | \firstuserpage  |
| firstuserpagenumber          | \firstuserpagenumber                                      |
| fitfieldframed               | \fitfieldframed [..=..] {...}                             |
| fittopbaselinegrid           | \fittopbaselinegrid {...}                                 |
| flag                         | \flag {...}   |

|                            |   |
|----------------------------|---|
| floatuserdataparameter     | \floatuserdataparameter {...}                             |
| flushbox                   | \flushbox {...} {...}                                     |
| flushboxregister           | \flushboxregister ...                                     |
| flushcollector             | \flushcollector [...]                                     |
| flushedrightlastline       | \flushedrightlastline                                     |
| flushlayer                 | \flushlayer [...]   |
| flushlocalfloats           | \flushlocalfloats   |
| flushnextbox               | \flushnextbox   |
| flushnotes                 | \flushnotes   |
| flushoutputstream          | \flushoutputstream [...]                                  |
| flushshapebox              | \flushshapebox  |
| flushtextflow              | \flushtextflow {...}                                      |
| flushtokens                | \flushtokens [...]  |
| flushtoks                  | \flushtoks \...   |
| fontalternative            | \fontalternative  |
| fontbody                   | \fontbody   |
| fontchar                   | \fontchar {...}   |
| fontcharbyindex            | \fontcharbyindex {...}                                    |
| fontclass                  | \fontclass  |
| fontclassname              | \fontclassname {...} {...}                                |
| fontface                   | \fontface   |
| fontfeaturelist            | \fontfeaturelist [...] [...]                              |
| fontsize                   | \fontsize   |
| fontstyle                  | \fontstyle  |
| forcecharacterstripping    | \forcecharacterstripping                                  |
| forcelocalfloats           | \forcelocalfloats   |
| forgeteverypar             | \forgeteverypar   |
| forgetparameters           | \forgetparameters [...] [..=..]                           |
| forgetparskip              | \forgetparskip  |
| forgetragged               | \forgetragged   |
| formula                    | \formula [...] {...}                                      |
| foundbox                   | \foundbox {...} {...}                                     |
| fourthoffivearguments      | \fourthoffivearguments {...} {...} {...} {...} {...}      |
| fourthoffourarguments      | \fourthoffourarguments {...} {...} {...} {...}            |
| fourthofsixarguments       | \fourthofsixarguments {...} {...} {...} {...} {...} {...} |
| frameddimension            | \frameddimension {...}                                    |
| framedparameter            | \framedparameter {...}                                    |
| frazione:instance          | \FRACTION {...} {...}                                     |
| frazione:instance:binom    | \binom {...} {...}  |
| frazione:instance:dbinom   | \dbinom {...} {...}                                       |
| frazione:instance:dfrac    | \dfrac {...} {...}  |
| frazione:instance:frac     | \frac {...} {...}   |
| frazione:instance:sfrac    | \sfrac {...} {...}  |
| frazione:instance:tbinom   | \tbinom {...} {...}                                       |
| frazione:instance:xfrac    | \xfrac {...} {...}  |
| frazione:instance:xxfrac   | \xxfrac {...} {...}                                       |
| freezedimenmacro           | \freezedimenmacro \... \...                               |
| freezemeasure              | \freezemeasure [...] [...]                                |
| frenchspacing              | \frenchspacing  |
| fromlinenote               | \fromlinenote [...] {...}                                 |
| frozenhbox                 | \frozenhbox {...}   |
| frule                      | \frule ... \relax   |
| GetPar                     | \GetPar   |
| GIORNOSETTIMANA            | \GIORNOSETTIMANA {...}                                    |
| GotoPar                    | \GotoPar  |
| Greeknumerals              | \Greeknumerals {...}                                      |
| gdefconvertedargument      | \gdefconvertedargument \... {...}                         |
| gdefconvertedcommand       | \gdefconvertedcommand \... \...                           |
| getboxfromcache            | \getboxfromcache {...} {...} ...                          |
| getboxllx                  | \getboxllx ...  |
| getboxlly                  | \getboxlly ...  |
| getbufferdata              | \getbufferdata [...]                                      |
| getcommacommandsize        | \getcommacommandsize [...]                                |
| getcommalistsize           | \getcommalistsize [...]                                   |
| getdayoftheweek            | \getdayoftheweek {...} {...} {...}                        |
| getdayspermonth            | \getdayspermonth {...} {...}                              |
| getdefinedbuffer           | \getdefinedbuffer [...]                                   |
| getdocumentargument        | \getdocumentargument {...}                                |
| getdocumentargumentdefault | \getdocumentargumentdefault {...} {...}                   |
| getdocumentfilename        | \getdocumentfilename {...}                                |
| getdummyparameters         | \getdummyparameters [..=..]                               |
| getemptyparameters         | \getemptyparameters [...] [..=..]                         |



|                           |  |
|---------------------------|--|
| geteparameters            | \geteparameters [...] [..=..]  |
| getexpandedparameters     | \getexpandedparameters [...] [..=..]                                       |
| getfiguredimensions       | \getfiguredimensions [...] [..=..]   |
| getfirstcharacter         | \getfirstcharacter {...}   |
| getfirsttwopassdata       | \getfirsttwopassdata {...}   |
| getfromcommacommand       | \getfromcommacommand [...] [...]   |
| getfromcommalist          | \getfromcommalist [...] [...]  |
| getfromtwopassdata        | \getfromtwopassdata {...} {...}  |
| getglyphdirect            | \getglyphdirect {...} {...}  |
| getglyphstyled            | \getglyphstyled {...} {...}  |
| getgparameters            | \getgparameters [...] [..=..]  |
| getlasttwopassdata        | \getlasttwopassdata {...}  |
| getlocalfloat             | \getlocalfloat {...}   |
| getlocalfloats            | \getlocalfloats  |
| getMPdrawing              | \getMPdrawing  |
| getMPlayer                | \getMPlayer [...] [..=..] {...}  |
| getmessage                | \getmessage {...} {...}  |
| getnamedglyphdirect       | \getnamedglyphdirect {...} {...}   |
| getnamedglyphstyled       | \getnamedglyphstyled {...} {...}   |
| getnamedtwopassdatalist   | \getnamedtwopassdatalist \... {...}  |
| getnaturaldimensions      | \getnaturaldimensions ...  |
| getnoflines               | \getnoflines {...}   |
| getobject                 | \getobject {...} {...}   |
| getobjectdimensions       | \getobjectdimensions {...} {...}   |
| getpaletsize              | \getpaletsize [...]  |
| getparameters             | \getparameters [...] [..=..]   |
| getprivatechar            | \getprivatechar {...}  |
| getprivateslot            | \getprivateslot {...}  |
| getrandomcount            | \getrandomcount \... {...} {...}   |
| getrandomdimen            | \getrandomdimen \... {...} {...}   |
| getrandomfloat            | \getrandomfloat \... {...} {...}   |
| getrandomnumber           | \getrandomnumber \... {...} {...}  |
| getrandomseed             | \getrandomseed \...  |
| getraweparameters         | \getraweparameters [...] [..=..]   |
| getrawgparameters         | \getrawgparameters [...] [..=..]   |
| getrawnoflines            | \getrawnoflines {...}  |
| getrawparameters          | \getrawparameters [...] [..=..]  |
| getrawxparameters         | \getrawxparameters [...] [..=..]   |
| getreference              | \getreference [...] [...]  |
| getreferenceentry         | \getreferenceentry {...}   |
| getroundednoflines        | \getroundednoflines {...}  |
| getsubstring              | \getsubstring {...} {...} {...}  |
| gettwopassdata            | \gettwopassdata {...}  |
| gettwopassdatalist        | \gettwopassdatalist {...}  |
| getuvalue                 | \getuvalue {...}   |
| getvalue                  | \getvalue {...}  |
| getvariable               | \getvariable {...} {...}   |
| getvariabledefault        | \getvariabledefault {...} {...} {...} {...}                                |
| getxparameters            | \getxparameters [...] [..=..]  |
| giornosettimana           | \giornosettimana {...}   |
| globaldisablemode         | \globaldisablemode [...]   |
| globalenablemode          | \globalenablemode [...]  |
| globalletempty            | \globalletempty \...   |
| globalpopbox              | \globalpopbox ...  |
| globalpopmacro            | \globalpopmacro \...   |
| globalpreventmode         | \globalpreventmode [...]   |
| globalprocesscommalist    | \globalprocesscommalist [...] \...   |
| globalpushbox             | \globalpushbox ...   |
| globalpushmacro           | \globalpushmacro \...  |
| globalpushreferenceprefix | \globalpushreferenceprefix {...} ... \globalpopreferenceprefix             |
| globalswapcounts          | \globalswapcounts \... \...  |
| globalswapdimens          | \globalswapdimens \... \...  |
| globalswapmacros          | \globalswapmacros \... \...  |
| globalundefine            | \globalundefine {...}  |
| glyphfontfile             | \glyphfontfile {...}   |
| gobbledoubleempty         | \gobbledoubleempty [...] [...]   |
| gobbleeightarguments      | \gobbleeightarguments {...} {...} {...} {...} {...} {...} {...} {...}      |
| gobblefivearguments       | \gobblefivearguments {...} {...} {...} {...} {...}                         |
| gobblefiveoptionals       | \gobblefiveoptionals [...] [...] [...] [...] [...]                         |
| gobblefourarguments       | \gobblefourarguments {...} {...} {...} {...}                               |
| gobblefouroptionals       | \gobblefouroptionals [...] [...] [...] [...]                               |
| gobbleninearguments       | \gobbleninearguments {...} {...} {...} {...} {...} {...} {...} {...} {...} |

|                         |   |
|-------------------------|---|
| gobbleoneargument       | \gobbleoneargument {...}  |
| gobbleoneoptional       | \gobbleoneoptional [...]  |
| gobblesevenarguments    | \gobblesevenarguments {...} {...} {...} {...} {...} {...} {...}           |
| gobblesingleempty       | \gobblesingleempty [...]  |
| gobblesixarguments      | \gobblesixarguments {...} {...} {...} {...} {...} {...}                   |
| gobblespacetokens       | \gobblespacetokens  |
| gobbletenarguments      | \gobbletenarguments {...} {...} {...} {...} {...} {...} {...} {...} {...} |
| gobblethreearguments    | \gobblethreearguments {...} {...} {...}                                   |
| gobblethreepoptionals   | \gobblethreepoptionals [...] [...] [...]                                  |
| gobbletwoarguments      | \gobbletwoarguments {...} {...}   |
| gobbletwooptionals      | \gobbletwooptionals [...] [...]   |
| gobbleuntil             | \gobbleuntil \...   |
| gobbleuntilrelax        | \gobbleuntilrelax ... \relax  |
| grabbufferdata          | \grabbufferdata [...] [...] [...] [...]                                   |
| grabbufferdatadirect    | \grabbufferdatadirect {...} {...} {...}                                   |
| grabuntil               | \grabuntil {...} \...   |
| grafiamanuale           | \grafiamanuale  |
| grande                  | \grande ...   |
| grassetto               | \grassetto  |
| grassettocorsivo        | \grassettocorsivo   |
| grassettoinclinato      | \grassettoinclinato   |
| grave                   | \grave {...}  |
| grayvalue               | \grayvalue {...}  |
| greedysplitstring       | \greedysplitstring ... \at ... \to ... \and ...                           |
| greeknumerals           | \greeknumerals {...}  |
| griglia                 | \griglia [..=..]  |
| grossofontdeltesto      | \grossofontdeltesto   |
| groupedcommand          | \groupedcommand {...} {...}   |
| gsetboxllx              | \gsetboxllx ... {...}   |
| gsetboxlly              | \gsetboxlly ... {...}   |
| gujaratinumerals        | \gujaratinumerals {...}   |
| gurmurkhinumerals       | \gurmurkhinumerals {...}  |
| hairspace               | \hairspace  |
| halflinestrut           | \halflinestrut  |
| halfstrut               | \halfstrut  |
| halfwaybox              | \halfwaybox {...}   |
| handletokens            | \handletokens ... \with \...  |
| hash                    | \hash   |
| hat                     | \hat {...}  |
| hboxofvbox              | \hboxofvbox ...   |
| hboxreference           | \hboxreference [...] {...}  |
| hbox:example            | \hboxBOX {...}  |
| hdofstring              | \hdofstring {...}   |
| headhbox                | \headhbox ... {...}   |
| headnumbercontent       | \headnumbercontent  |
| headnumberdistance      | \headnumberdistance   |
| headnumberwidth         | \headnumberwidth  |
| headreferenceattributes | \headreferenceattributes  |
| headsetupspacing        | \headsetupspacing   |
| headtextcontent         | \headtextcontent  |
| headtextdistance        | \headtextdistance   |
| headtextwidth           | \headtextwidth  |
| headvbox                | \headvbox ... {...}   |
| headwidth               | \headwidth  |
| heightanddepthofstring  | \heightanddepthofstring {...}   |
| heightofstring          | \heightofstring {...}   |
| heightspanningtext      | \heightspanningtext {...} {...} {...}                                     |
| help:instance           | \HELP [...] {...} {...}   |
| help:instance:helptext  | \helptext [...] {...} {...}   |
| hglue                   | \hglue ...  |
| hiddencitation          | \hiddencitation [...]   |
| hiddencite              | \hiddencite [...]   |
| highlight               | \highlight [...] {...}  |
| highlight:example       | \HIGHLIGHT {...}  |
| highordinalstr          | \highordinalstr {...}   |
| hilo                    | \hilo [...] {...} {...}   |
| himilo                  | \himilo {...} {...} {...}   |
| hl                      | \hl [...]   |
| horizontalgrowingbar    | \horizontalgrowingbar [..=..]   |
| horizontalpositionbar   | \horizontalpositionbar [..=..]  |
| hphantom                | \hphantom {...}   |
| hpos                    | \hpos {...} {...}   |

|   |   |
|---|---|
| hsizefraction                           | \hsizefraction {...} {...}                        |
| hsmash                                  | \hsmash {...}                                     |
| hsmashbox                               | \hsmashbox ...                                    |
| hsmashed                                | \hsmashed {...}                                   |
| hspace                                  | \hspace [...] [...]                               |
| htdpofstring                            | \htdpofstring {...}                               |
| htofstring                              | \htofstring {...}                                 |
| hyphen                                  | \hyphen   |
| hyphenatedcoloredword                   | \hyphenatedcoloredword {...}                      |
| hyphenatedfile                          | \hyphenatedfile {...}                             |
| hyphenatedfilename                      | \hyphenatedfilename {...}                         |
| hyphenatedhbox                          | \hyphenatedhbox {...}                             |
| hyphenatedpar                           | \hyphenatedpar {...}                              |
| hyphenatedurl                           | \hyphenatedurl {...}                              |
| hyphenatedword                          | \hyphenatedword {...}                             |
| INRSTEX                                 | \INRSTEX  |
| ibox                                    | \ibox {...}                                       |
| ifassignment                            | \ifassignment ... \else ... \fi                   |
| iff                                     | \iff  |
| ifinobject                              | \ifinobject ... \else ... \fi                     |
| ifinoutputstream                        | \ifinoutputstream ... \else ... \fi               |
| ifparameters                            | \ifparameters ... \else ... \fi                   |
| iftrialsypesetting                      | \iftrialsypesetting ... \else ... \fi             |
| ignoreimplicitspaces                    | \ignoreimplicitspaces                             |
| ignoretagsinexport                      | \ignoretagsinexport [...]                         |
| ignorevalue                             | \ignorevalue {...}                                |
| ignoto                                  | \ignoto   |
| immediatesavetwopassdata                | \immediatesavetwopassdata {...} {...} {...}       |
| impliedby                               | \impliedby  |
| implies                                 | \implies  |
| imposta                                 | \imposta [...]                                    |
| impostaallineamento                     | \impostaallineamento [...]                        |
| impostaampiezzariga                     | \impostaampiezzariga [...]                        |
| impostabarrainterazione                 | \impostabarrainterazione [...] [..=..]            |
| impostablocco                           | \impostablocco [...] [..=..]                      |
| impostabloccosezione                    | \impostabloccosezione [...] [..=..]               |
| impostabuffer                           | \impostabuffer [...] [..=..]                      |
| impostacampi                            | \impostacampi [...] [..=..] [..=..] [..=..]       |
| impostacampo                            | \impostacampo [...] [...] [..=..] [..=..] [..=..] |
| impostacapoversi                        | \impostacapoversi [...] [...] [..=..]             |
| impostacapoversi:assignment             | \impostacapoversi [...] [..=..]                   |
| impostacaption                          | \impostacaption [...] [..=..]                     |
| impostacaptions                         | \impostacaptions [...] [..=..]                    |
| impostacima                             | \impostacima [...] [..=..]                        |
| impostaclippling                        | \impostaclippling [..=..]                         |
| impostacolonne                          | \impostacolonne [..=..]                           |
| impostacolore                           | \impostacolore [...]                              |
| impostacolori                           | \impostacolori [..=..]                            |
| impostacommento                         | \impostacommento [...] [..=..]                    |
| impostacommentopagina                   | \impostacommentopagina [..=..]                    |
| impostadimensionicarta                  | \impostadimensionicarta [...] [..=..]             |
| impostadimensionicarta:name             | \impostadimensionicarta [...] [...]               |
| impostaelementi                         | \impostaelementi [...] [..=..]                    |
| impostaelencazioni                      | \impostaelencazioni [...] [..=..]                 |
| impostaelenco                           | \impostaelenco [...] [..=..]                      |
| impostaelencocombinato                  | \impostaelencocombinato [...] [..=..]             |
| impostaelencocombinato:instance         | \impostaCOMBINEDLIST [..=..]                      |
| impostaelencocombinato:instance:content | \impostacontent [..=..]                           |
| impostaelenumerazioni                   | \impostaelenumerazioni [...] [..=..]              |
| impostafondo                            | \impostafondo [...] [..=..]                       |
| impostafontdeltesto                     | \impostafontdeltesto [...]                        |
| impostaforms                            | \impostaforms [..=..]                             |
| impostaformule                          | \impostaformule [...] [..=..]                     |
| impostagruppocolonne                    | \impostagruppocolonne [...] [..=..]               |
| impostaincorniciato                     | \impostaincorniciato [...] [..=..]                |
| impostainiziatermina                    | \impostainiziatermina [...] [..=..]               |
| impostainstestazione                    | \impostainstestazione [...] [..=..]               |
| impostainterazione                      | \impostainterazione [...] [..=..]                 |
| impostainterazione:name                 | \impostainterazione [...]                         |
| impostainterlinea                       | \impostainterlinea [...] [..=..]                  |
| impostainterlinea:argument              | \impostainterlinea [...]                          |
| impostainterlinea:name                  | \impostainterlinea [...]                          |

|  |   |
|--|---|
| impostalayout                            | \impostalayout [...] [..=..]                            |
| impostalayout:name                       | \impostalayout [...]                                    |
| impostalineemargine                      | \impostalineemargine [...] [..=..]                      |
| impostalineenere                         | \impostalineenere [..=..]                               |
| impostalineeriempimento                  | \impostalineeriempimento [..=..]                        |
| impostalineesottili                      | \impostalineesottili [..=..]                            |
| impostalineetest                         | \impostalineetest [..=..]                               |
| impostalingua                            | \impostalingua [...] [..=..]                            |
| impostamaiuscole                         | \impostamaiuscole [...] [..=..]                         |
| impostamakeup                            | \impostamakeup [...] [..=..]                            |
| impostamarcatura                         | \impostamarcatura [...] [..=..]                         |
| impostamenuinterazione                   | \impostamenuinterazione [...] [..=..]                   |
| impostamenzione                          | \impostamenzione [..=..]                                |
| impostanumerazionecapoversi              | \impostanumerazionecapoversi [..=..]                    |
| impostanumerazionepagina                 | \impostanumerazionepagina [..=..]                       |
| impostanumerazionerighe                  | \impostanumerazionerighe [...] [..=..]                  |
| impostanumeropagina                      | \impostanumeropagina [..=..]                            |
| impostanumerosottopagina                 | \impostanumerosottopagina [..=..]                       |
| impostanumerotesta                       | \impostanumerotesta [...] [...]                         |
| impostaooggetti mobili                   | \impostaooggetti mobili [...] [..=..]                   |
| impostaooggettomobile                    | \impostaooggettomobile [...] [..=..]                    |
| impostaaordinamento                      | \impostaaordinamento [...] [..=..]                      |
| impostaparranging                        | \impostaparranging [...]                                |
| impostapdp                               | \impostapdp [...] [..=..]                               |
| impostapiustretto                        | \impostapiustretto [...] [..=..]                        |
| impostaposizionamento                    | \impostaposizionamento [...] [..=..]                    |
| impostaposizionamentoopposti             | \impostaposizionamentoopposti [..=..]                   |
| impostaprogrammi                         | \impostaprogrammi [..=..]                               |
| impostaregistro                          | \impostaregistro [...] [..=..]                          |
| impostaregistro:argument                 | \impostaregistro [...] [...] [..=..]                    |
| impostaregistro:instance                 | \impostaregistro [...] [..=..]                          |
| impostaregistro:instance:index           | \impostaregistro [...] [..=..]                          |
| impostarientro                           | \impostarientro [...]                                   |
| impostariferimento                       | \impostariferimento [..=..]                             |
| impostarighe                             | \impostarighe [...] [..=..]                             |
| impostarigheriempimento                  | \impostarigheriempimento [..=..]                        |
| impostarigovuoto                         | \impostarigovuoto [...]                                 |
| impostarotazione                         | \impostarotazione [..=..]                               |
| impostaschermointerazione                | \impostaschermointerazione [..=..]                      |
| impostasegnosillabazione                 | \impostasegnosillabazione [..=..]                       |
| impostasettsimboli                       | \impostasettsimboli [...]                               |
| impostasfondi                            | \impostasfondi [...] [...] [..=..]                      |
| impostasfondi:page                       | \impostasfondi [...] [..=..]                            |
| impostasfondo                            | \impostasfondo [...] [..=..]                            |
| impostasinonimi                          | \impostasinonimi [...] [..=..]                          |
| impostaspaziatura                        | \impostaspaziatura [...]                                |
| impostaspaziobianco                      | \impostaspaziobianco [...]                              |
| impostaspezzamentooggettomobile          | \impostaspezzamentooggettomobile [..=..]                |
| impostatabelle                           | \impostatabelle [..=..]                                 |
| impostatabulato                          | \impostatabulato [...] [...] [..=..]                    |
| impostatavolozza                         | \impostatavolozza [...]                                 |
| impostatesta                             | \impostatesta [...] [..=..]                             |
| impostateste                             | \impostateste [...] [..=..]                             |
| impostatesticima                         | \impostatesticima [...] [...] [...] [...] [...]         |
| impostatestifondo                        | \impostatestifondo [...] [...] [...] [...] [...]        |
| impostatestiincorniciati                 | \impostatestiincorniciati [...] [..=..]                 |
| impostatestiintestazioni                 | \impostatestiintestazioni [...] [...] [...] [...] [...] |
| impostatestipdp                          | \impostatestipdp [...] [...] [...] [...] [...]          |
| impostatesto                             | \impostatesto [...] [..=..]                             |
| impostatestoetichette:instance           | \impostatestoetichette [...] [..=..]                    |
| impostatestoetichette:instance:btlabel   | \impostatestoetichette [...] [..=..]                    |
| impostatestoetichette:instance:head      | \impostatestoetichette [...] [..=..]                    |
| impostatestoetichette:instance:label     | \impostatestoetichette [...] [..=..]                    |
| impostatestoetichette:instance:mathlabel | \impostatestoetichette [...] [..=..]                    |
| impostatestoetichette:instance:operator  | \impostatestoetichette [...] [..=..]                    |
| impostatestoetichette:instance:prefix    | \impostatestoetichette [...] [..=..]                    |
| impostatestoetichette:instance:suffix    | \impostatestoetichette [...] [..=..]                    |
| impostatestoetichette:instance:taglabel  | \impostatestoetichette [...] [..=..]                    |
| impostatestoetichette:instance:unit      | \impostatestoetichette [...] [..=..]                    |
| impostatestotesti                        | \impostatestotesti [...] [...] [...] [...] [...]        |
| impostatolleranza                        | \impostatolleranza [...]                                |
| impostatransizionepagina                 | \impostatransizionepagina [...]                         |

|   |  |
|---|--|
| impostatype                                     | \impostatype [...] [..=..]   |
| impostatyping                                   | \impostatyping [...] [..=..]   |
| impostaur1                                      | \impostaur1 [..=..]  |
| impostadirect                                   | \impostadirect {...}   |
| in  | \in {...} {...} [...]  |
| inclinato                                       | \inclinato   |
| inclinatograssetto                              | \inclinatograssetto  |
| includemenu                                     | \includemenu [...]   |
| includeversioninfo                              | \includeversioninfo {...}  |
| incorniciato                                    | \incorniciato [..=..] {...}  |
| incorniciato:instance                           | \FRAMED [..=..] {...}  |
| incorniciato:instance:fitfieldframed            | \fitfieldframed [..=..] {...}  |
| incorniciato:instance:unframed                  | \unframed [..=..] {...}  |
| incrementa                                      | \incrementa \...   |
| incrementa:argument                             | \incrementa (...)  |
| incrementcounter                                | \incrementcounter [...] [...]  |
| incrementedcounter                              | \incrementedcounter [...]  |
| incrementpagenumber                             | \incrementpagenumber   |
| incrementsubpagenumber                          | \incrementsubpagenumber  |
| incrementvalue                                  | \incrementvalue {...}  |
| indentation                                     | \indentation   |
| infofont  | \infofont  |
| infofontbold                                    | \infofontbold  |
| inheritparameter                                | \inheritparameter [...] [...] [...]  |
| inhibitblank                                    | \inhibitblank  |
| initializeboxstack                              | \initializeboxstack {...}  |
| inizia  | \inizia [...] ... \termina   |
| iniziaalignment                                 | \iniziaalignment [...] ... \terminaalignment                                     |
| iniziaallineacentro                             | \iniziaallineacentro ... \terminaallineacentro                                   |
| iniziaallineadestra                             | \iniziaallineadestra ... \terminaallineadestra                                   |
| iniziaallineasinistra                           | \iniziaallineasinistra ... \terminaallineasinistra                               |
| iniziaallmodes                                  | \iniziaallmodes [...] ... \terminaallmodes                                       |
| iniziaambiente                                  | \iniziaambiente [...] ... \terminaambiente                                       |
| iniziaambientebloccosezione                     | \iniziaambientebloccosezione [...] ... \terminaambientebloccosezione             |
| iniziaambiente:string                           | \iniziaambiente ... ... \terminaambiente   |
| iniziaattachment:instance                       | \iniziaATTACHMENT [...] [..=..] ... \terminaATTACHMENT                           |
| iniziaattachment:instance:attachment            | \iniziaattachment [...] [..=..] ... \terminaattachment                           |
| iniziabar                                       | \iniziabar [...] ... \terminabar   |
| iniziabbordermatrix                             | \iniziabbordermatrix ... \terminabbordermatrix                                   |
| iniziabitmapimage                               | \iniziabitmapimage [..=..] ... \terminabitmapimage                               |
| iniziabordermatrix                              | \iniziabordermatrix ... \terminabordermatrix                                     |
| iniziabtxrenderingdefinitions                   | \iniziabtxrenderingdefinitions [...] ... \terminabtxrenderingdefinitions         |
| iniziabuffer                                    | \iniziabuffer [...] ... \terminabuffer   |
| iniziabuffer:instance                           | \iniziaBUFFER ... \terminaBUFFER   |
| iniziabuffer:instance:hiding                    | \iniziabuffer ... \terminabuffer   |
| iniziacapoverso                                 | \iniziacapoverso [...] [..=..] ... \terminacapoverso                             |
| iniziacapoverso:instance                        | \iniziaSECTION [..=..] [..=..] ... \terminaSECTION                               |
| iniziacapoverso:instance:chapter                | \iniziachapter [..=..] [..=..] ... \terminachapter                               |
| iniziacapoverso:instance:part                   | \iniziapart [..=..] [..=..] ... \terminapart                                     |
| iniziacapoverso:instance:section                | \iniziasection [..=..] [..=..] ... \terminasection                               |
| iniziacapoverso:instance:subject                | \iniziasubject [..=..] [..=..] ... \terminasubject                               |
| iniziacapoverso:instance:subsection             | \iniziasubsection [..=..] [..=..] ... \terminasubsection                         |
| iniziacapoverso:instance:subsubject             | \iniziasubsubject [..=..] [..=..] ... \terminasubsubject                         |
| iniziacapoverso:instance:subsubsection          | \iniziasubsubsection [..=..] [..=..] ... \terminasubsubsection                   |
| iniziacapoverso:instance:subsubsubject          | \iniziasubsubsubject [..=..] [..=..] ... \terminasubsubsubject                   |
| iniziacapoverso:instance:subsubsubsection       | \iniziasubsubsubsection [..=..] [..=..] ... \terminasubsubsubsection             |
| iniziacapoverso:instance:subsubsubsubject       | \iniziasubsubsubsubject [..=..] [..=..] ... \terminasubsubsubsubject             |
| iniziacapoverso:instance:subsubsubsubsection    | \iniziasubsubsubsubsection [..=..] [..=..] ... \terminasubsubsubsubsection       |
| iniziacapoverso:instance:subsubsubsubsubject    | \iniziasubsubsubsubsubject [..=..] [..=..] ... \terminasubsubsubsubsubject       |
| iniziacapoverso:instance:subsubsubsubsubsection | \iniziasubsubsubsubsubsection [..=..] [..=..] ... \terminasubsubsubsubsubsection |
| iniziacapoverso:instance:subsubsubsubsubsubject | \iniziasubsubsubsubsubsubject [..=..] [..=..] ... \terminasubsubsubsubsubsubject |
| iniziacapoverso:instance:title                  | \iniziaticle [..=..] [..=..] ... \terminaticle                                   |
| iniziacatcodetable                              | \iniziacatcodetable \... ... \terminacatcodetable                                |
| iniziacenteraligned                             | \iniziacenteraligned ... \terminacenteraligned                                   |
| iniziacharacteralign                            | \iniziacharacteralign [..=..] ... \terminacharacteralign                         |
| iniziacharacteralign:argument                   | \iniziacharacteralign [...] ... \terminacharacteralign                           |
| iniziacheckedfences                             | \iniziacheckedfences ... \terminacheckedfences                                   |
| iniziachemical                                  | \iniziachemical [...] [..=..] ... \terminachemical                               |
| iniziacodatabella                               | \iniziacodatabella [...] ... \terminacodatabella                                 |
| iniziacodatabulato                              | \iniziacodatabulato [...] ... \terminacodatabulato                               |
| iniziacollect                                   | \iniziacollect ... \terminacollect   |
| iniziacollecting                                | \iniziacollecting ... \terminacollecting   |
| iniziacolonne                                   | \iniziacolonne [..=..] ... \terminacolonne                                       |
| iniziacolore                                    | \iniziacolore [...] ... \terminacolore   |

|   |  |
|---|--|
| iniziacolorentint                         | \iniziacolorentint [...] ... \terminacolorentint   |
| iniziacolorononly                         | \iniziacolorononly [...] ... \terminacolorononly   |
| iniziacoloreset                           | \iniziacoloreset [...] ... \terminacoloreset   |
| iniziacolomnset                           | \iniziacolomnset [...] [...] ... \terminacolomnset   |
| iniziacolomnsetspan                       | \iniziacolomnsetspan [...] [...] ... \terminacolomnsetspan                                   |
| iniziacolomnset:example                   | \iniziaCOLUMNSET [...] [...] ... \terminaCOLUMNSET   |
| iniziacolomnspan                          | \iniziacolomnspan [...] [...] ... \terminacolomnspan   |
| iniziacomination                          | \iniziacomination [...] [...] ... \terminacomination   |
| iniziacomination:matrix                   | \iniziacomination [...] [...] ... \terminacomination   |
| iniziacommentopagina                      | \iniziacommentopagina ... \terminacommentopagina   |
| iniziacommento:instance                   | \iniziaCOMMENT [...] [...] ... \terminaCOMMENT   |
| iniziacommento:instance:comment           | \iniziacomment [...] [...] ... \terminacomment   |
| iniziacomponenet                          | \iniziacomponenet [...] ... \terminacomponenet   |
| iniziacomponenet:string                   | \iniziacomponenet ... ... \terminacomponenet   |
| iniziacode                                | \iniziacode ... \terminacode   |
| iniziacode:definitioncode                 | \iniziacode:definitioncode ... \terminacode:definitioncode                                   |
| iniziactxfunction                         | \iniziactxfunction ... ... \terminactxfunction   |
| iniziactxfunction:definition              | \iniziactxfunction:definition ... ... \terminactxfunction:definition                         |
| iniziacurrentcolor                        | \iniziacurrentcolor ... \terminacurrentcolor   |
| iniziacurrentlistentrywrapper             | \iniziacurrentlistentrywrapper ... \terminacurrentlistentrywrapper                           |
| iniziadelimited                           | \iniziadelimited [...] [...] [...] ... \terminadelimited                                     |
| iniziadelimitedtext                       | \iniziadelimitedtext [...] [...] [...] ... \terminadelimitedtext                             |
| iniziadelimitedtext:instance              | \iniziaDELIMITEDTEXT [...] [...] ... \terminaDELIMITEDTEXT                                   |
| iniziadelimitedtext:instance:aside        | \iniziaside [...] [...] ... \terminaside   |
| iniziadelimitedtext:instance:blockquote   | \iniziablockquote [...] [...] ... \terminablockquote   |
| iniziadelimitedtext:instance:quotation    | \iniziaquotation [...] [...] ... \terminaquotation   |
| iniziadelimitedtext:instance:quote        | \iniziaquote [...] [...] ... \terminaquote   |
| iniziadelimitedtext:instance:speech       | \iniziastatement [...] [...] ... \terminastatement   |
| iniziadescrizione:example                 | \iniziaDESCRIZIONE [...] [...] ... \terminaDESCRIZIONE                                       |
| iniziadescrizione:example:title           | \iniziaDESCRIZIONE [...] [...] ... \terminaDESCRIZIONE                                       |
| iniziadisplaymath                         | \iniziadisplaymath ... \terminadisplaymath   |
| iniziadmth                                | \iniziadmth ... \terminadmth   |
| iniziadocument                            | \iniziadocument [...] [...] ... \terminadocument   |
| iniziadefect                              | \iniziadefect [...] ... \terminadefect   |
| iniziadefect:example                      | \iniziaEFFECT ... \terminaEFFECT   |
| iniziadefect                              | \iniziadefect [...] [...] [...] ... \terminadefect   |
| iniziadefecto                             | \iniziadefecto [...] ... \terminadefecto   |
| iniziadefectedxtable                      | \iniziadefectedxtable [...] [...] ... \terminadefectedxtable                                 |
| iniziadefectedxtable:name                 | \iniziadefectedxtable [...] [...] ... \terminadefectedxtable                                 |
| iniziadefect:example                      | \iniziaENUMERAZIONE [...] [...] ... \terminaENUMERAZIONE                                     |
| iniziadefect:example:title                | \iniziaENUMERAZIONE [...] [...] ... \terminaENUMERAZIONE                                     |
| iniziadefect                              | \iniziadefect [...] ... \terminadefect   |
| iniziadefected                            | \iniziadefected ... \terminadefected   |
| iniziadefectedcollect                     | \iniziadefectedcollect ... \terminadefectedcollect   |
| iniziadefectedcatcodetable                | \iniziadefectedcatcodetable \... ... \terminadefectedcatcodetable                            |
| iniziadefectexternalfigurecollection      | \iniziadefectexternalfigurecollection [...] [...] ... \terminadefectexternalfigurecollection |
| iniziadefectfloat                         | \iniziadefectfloat [...] [...] ... \terminadefectfloat                                       |
| iniziadefectfigura                        | \iniziadefectfigura [...] [...] [...] [...] ... \terminadefectfigura                         |
| iniziadefectfisso                         | \iniziadefectfisso [...] ... \terminadefectfisso   |
| iniziadefectfittingpage                   | \iniziadefectfittingpage [...] [...] [...] ... \terminadefectfittingpage                     |
| iniziadefectfittingpage:instance          | \iniziaFITTINGPAGE [...] [...] ... \terminaFITTINGPAGE                                       |
| iniziadefectfittingpage:instance:MPpage   | \iniziadefectMPpage [...] [...] ... \terminadefectMPpage                                     |
| iniziadefectfittingpage:instance:TEXpage  | \iniziadefectTEXpage [...] [...] ... \terminadefectTEXpage                                   |
| iniziadefectfloatcombination              | \iniziadefectfloatcombination [...] [...] ... \terminadefectfloatcombination                 |
| iniziadefectfloatcombination:matrix       | \iniziadefectfloatcombination [...] [...] ... \terminadefectfloatcombination                 |
| iniziadefectfloattext:instance            | \iniziadefectFLOATtesto [...] [...] [...] [...] ... \terminadefectFLOATtesto                 |
| iniziadefectfloattext:instance:chemical   | \iniziadefectchemicaltesto [...] [...] [...] [...] ... \terminadefectchemicaltesto           |
| iniziadefectfloattext:instance:figure     | \iniziadefectfiguretesto [...] [...] [...] [...] ... \terminadefectfiguretesto               |
| iniziadefectfloattext:instance:graphic    | \iniziadefectgraphictesto [...] [...] [...] [...] ... \terminadefectgraphictesto             |
| iniziadefectfloattext:instance:intermezzo | \iniziadefectintermezzotesto [...] [...] [...] [...] ... \terminadefectintermezzotesto       |
| iniziadefectfloattext:instance:table      | \iniziadefecttabletesto [...] [...] [...] [...] ... \terminadefecttabletesto                 |
| iniziadefectfont                          | \iniziadefectfont [...] ... \terminadefectfont   |
| iniziadefectfontclass                     | \iniziadefectfontclass [...] ... \terminadefectfontclass                                     |
| iniziadefectfontsolution                  | \iniziadefectfontsolution [...] ... \terminadefectfontsolution                               |
| iniziadefectformula                       | \iniziadefectformula [...] ... \terminadefectformula   |
| iniziadefectformula:assignment            | \iniziadefectformula [...] [...] ... \terminadefectformula                                   |
| iniziadefectformula:instance              | \iniziaFORMULAformula [...] [...] ... \terminaFORMULAformula                                 |
| iniziadefectformula:instance:md           | \iniziadefectmdformula [...] ... \terminadefectmdformula                                     |
| iniziadefectformula:instance:mp           | \iniziadefectmpformula [...] ... \terminadefectmpformula                                     |
| iniziadefectformula:instance:sd           | \iniziadefectsdformula [...] ... \terminadefectsdformula                                     |
| iniziadefectformula:instance:sp           | \iniziadefectspformula [...] ... \terminadefectspformula                                     |
| iniziadefectformule                       | \iniziadefectformule [...] ... \terminadefectformule   |

|                                    |  |
|------------------------------------|--|
| iniziaframedcell                   | \iniziaframedcell [..=..] ... \terminaframedcell                   |
| iniziaframedcontent                | \iniziaframedcontent [...] ... \terminaframedcontent               |
| iniziaframedrow                    | \iniziaframedrow [..=..] ... \terminaframedrow                     |
| iniziaframedtable                  | \iniziaframedtable [...] [..=..] ... \terminaframedtable           |
| iniziagridsnapping                 | \iniziagridsnapping [...] ... \terminagridsnapping                 |
| iniziagridsnapping:list            | \iniziagridsnapping [...] ... \terminagridsnapping                 |
| iniziaboxestohbox                  | \iniziaboxestohbox ... \terminahboxestohbox                        |
| iniziaboxregister                  | \iniziaboxregister ... \terminahboxregister                        |
| iniziahelp:instance                | \iniziahelp [...] ... \terminahelp                                 |
| iniziahelp:instance:helptext       | \iniziahelptext [...] ... \terminahelptext                         |
| iniziahighlight                    | \iniziahighlight [...] ... \terminahighlight                       |
| iniziahyphenation                  | \iniziahyphenation [...] ... \terminahyphenation                   |
| iniziaimath                        | \iniziaimath ... \terminaimath                                     |
| iniziaimpaccato                    | \iniziaimpaccato [...] ... \terminaimpaccato                       |
| iniziaincorniciato                 | \iniziaincorniciato [...] [..=..] ... \terminaincorniciato         |
| iniziaindentedtext                 | \iniziaindentedtext [...] ... \terminaindentedtext                 |
| iniziaindentedtext:example         | \iniziaindentedtext [...] ... \terminaindentedtext                 |
| iniziainterazione                  | \iniziainterazione [...] ... \terminainterazione                   |
| iniziainterface                    | \iniziainterface ... \terminainterface                             |
| iniziaintertext                    | \iniziaintertext ... \terminaintertext                             |
| iniziaitemgroup                    | \iniziaitemgroup [...] [...] [..=..] ... \terminaitemgroup         |
| iniziaitemgroup:instance           | \iniziaitemgroup [...] [..=..] ... \terminaitemgroup               |
| iniziaitemgroup:instance:itemize   | \iniziaitemgroup [...] [..=..] ... \terminaitemgroup               |
| iniziajscod                        | \iniziajscod ... \terminajscod                                     |
| iniziajspreamble                   | \iniziajspreamble ... \terminajspreamble                           |
| iniziaknockout                     | \iniziaknockout ... \terminaknockout                               |
| inizialayout                       | \inizialayout [...] ... \terminalayout                             |
| inizialinealignment                | \inizialinealignment [...] ... \terminalinealignment               |
| inizialineamargine                 | \inizialineamargine [...] ... \terminalineamargine                 |
| inizialineamargine:assignment      | \inizialineamargine [..=..] ... \terminalineamargine               |
| inizialineatesto                   | \inizialineatesto {...} ... \terminalineatesto                     |
| inizialinecorrection               | \inizialinecorrection [...] ... \terminalinecorrection             |
| inizialinefiller                   | \inizialinefiller [...] [..=..] ... \terminalinefiller             |
| inizialinenumbering                | \inizialinenumbering [...] [..=..] ... \terminalinenumbering       |
| inizialinenumbering:argument       | \inizialinenumbering [...] [...] ... \terminalinenumbering         |
| inizialinetable                    | \inizialinetable ... \terminalinetable                             |
| inizialinetablebody                | \inizialinetablebody ... \terminalinetablebody                     |
| inizialinetablecell                | \inizialinetablecell [..=..] ... \terminalinetablecell             |
| inizialinetablehead                | \inizialinetablehead ... \terminalinetablehead                     |
| inizialocalfootnotes               | \inizialocalfootnotes ... \terminalocalfootnotes                   |
| inizialocalheadsetup               | \inizialocalheadsetup ... \terminalocalheadsetup                   |
| inizialocallinecorrection          | \inizialocallinecorrection [...] ... \terminalocallinecorrection   |
| inizialocalnotes                   | \inizialocalnotes [...] ... \terminalocalnotes                     |
| inizialocalsetups                  | \inizialocalsetups [...] [...] ... \terminalocalsetups             |
| inizialocalsetups:string           | \inizialocalsetups ... \terminalocalsetups                         |
| inizialua                          | \inizialua ... \terminalua   |
| inizialuacode                      | \inizialuacode ... \terminaluacode                                 |
| inizialuaparameterset              | \inizialuaparameterset [...] ... \terminaluaparameterset           |
| inizialuasetups                    | \inizialuasetups [...] [...] ... \terminaluasetups                 |
| inizialuasetups:string             | \inizialuasetups ... \terminaluasetups                             |
| iniziampclip                       | \iniziampclip {...} ... \terminampclip                             |
| iniziampcode                       | \iniziampcode {...} ... \terminampcode                             |
| iniziampdefinitions                | \iniziampdefinitions {...} ... \terminampdefinitions               |
| iniziampdrawing                    | \iniziampdrawing [...] ... \terminampdrawing                       |
| iniziampenvironment                | \iniziampenvironment [...] ... \terminampenvironment               |
| iniziampextensions                 | \iniziampextensions {...} ... \terminampextensions                 |
| iniziampinclusions                 | \iniziampinclusions [...] {...} ... \terminampinclusions           |
| iniziampinitializations            | \iniziampinitializations ... \terminampinitializations             |
| iniziamppositiongraphic            | \iniziamppositiongraphic {...} {...} ... \terminamppositiongraphic |
| iniziamppositionmethod             | \iniziamppositionmethod {...} ... \terminamppositionmethod         |
| iniziampun                         | \iniziampun {...} ... \terminampun                                 |
| iniziakeup                         | \iniziakeup [...] [..=..] ... \terminakeup                         |
| iniziakeup:instance                | \iniziakeup [...] [..=..] ... \terminakeup                         |
| iniziakeup:instance:middle         | \iniziakeup [...] [..=..] ... \terminakeup                         |
| iniziakeup:instance:page           | \iniziapagemakeup [..=..] ... \terminapagemakeup                   |
| iniziakeup:instance:standard       | \iniziastandardmakeup [..=..] ... \terminastandardmakeup           |
| iniziakeup:instance:text           | \iniziastandardmakeup [..=..] ... \terminastandardmakeup           |
| iniziamarginblock                  | \iniziamarginblock [...] ... \terminamarginblock                   |
| iniziamarkedcontent                | \iniziamarkedcontent [...] ... \terminamarkedcontent               |
| iniziamarkpages                    | \iniziamarkpages [...] ... \terminamarkpages                       |
| iniziamathalignment:instance       | \iniziamathalignment [..=..] ... \terminamathalignment             |
| iniziamathalignment:instance:align | \iniziamathalignment [..=..] ... \terminamathalignment             |

|  |  |
|--|--|
| iniziamathalignment:instance:mathalignment   | \iniziamathalignment [..=..] ... \terminamathalignment                       |
| iniziamathcases:instance                     | \iniziaMATHCASES [..=..] ... \terminaMATHCASES                               |
| iniziamathcases:instance:cases               | \iniziacases [..=..] ... \terminacases                                       |
| iniziamathcases:instance:mathcases           | \iniziamathcases [..=..] ... \terminamathcases                               |
| iniziamathmatrix:instance                    | \iniziaMATHMATRIX [..=..] ... \terminaMATHMATRIX                             |
| iniziamathmatrix:instance:mathmatrix         | \iniziamathmatrix [..=..] ... \terminamathmatrix                             |
| iniziamathmatrix:instance:matrix             | \iniziamatrix [..=..] ... \terminamatrix                                     |
| iniziamathmode                               | \iniziamathmode ... \terminamathmode   |
| iniziamathstyle                              | \iniziamathstyle [...] ... \terminamathstyle                                 |
| iniziamatrices                               | \iniziamatrices [..=..] ... \terminamatrices                                 |
| iniziamaxaligned                             | \iniziamaxaligned ... \terminamaxaligned                                     |
| iniziamenuinterattivo                        | \iniziamenuinterattivo [...] ... \terminamenuinterattivo                     |
| iniziamettiformula                           | \iniziamettiformula [..=..] ... \terminamettiformula                         |
| iniziamettiformula:argument                  | \iniziamettiformula [...] ... \terminamettiformula                           |
| iniziamiddlealigned                          | \iniziamiddlealigned ... \terminamiddlealigned                               |
| iniziamixedcolumns                           | \iniziamixedcolumns [...] [..=..] ... \terminamixedcolumns                   |
| iniziamixedcolumns:instance                  | \iniziaMIXEDCOLUMNS [..=..] ... \terminaMIXEDCOLUMNS                         |
| iniziamixedcolumns:instance:boxedcolumns     | \iniziaboxedcolumns [..=..] ... \terminaboxedcolumns                         |
| iniziamixedcolumns:instance:itemgroupcolumns | \iniziaitemgroupcolumns [..=..] ... \terminaitemgroupcolumns                 |
| iniziamode                                   | \iniziamode [...] ... \terminamode   |
| iniziamodeset                                | \iniziamodeset [...] {...} ... \terminamodeset                               |
| iniziamodule                                 | \iniziamodule [...] ... \terminamodule                                       |
| iniziamoduletestsection                      | \iniziamoduletestsection ... \terminamoduletestsection                       |
| iniziamodule:string                          | \iniziamodule ... ... \terminamodule   |
| inizianamedsection                           | \inizianamedsection [...] [..=..] [..=..] ... \terminanamedsection           |
| inizianamedsubformulas                       | \inizianamedsubformulas [...] {...} ... \terminanamedsubformulas             |
| inizianarrower                               | \inizianarrower [...] ... \terminanarrower                                   |
| inizianarrower:example                       | \iniziaNARROWER [...] ... \terminaNARROWER                                   |
| inizianegativo                               | \inizianegativo ... \terminanegativo   |
| inizianicelyfilledbox                        | \inizianicelyfilledbox [..=..] ... \terminanicelyfilledbox                   |
| inizianointerference                         | \inizianointerference ... \terminanointerference                             |
| inizianotallmodes                            | \inizianotallmodes [...] ... \terminanotallmodes                             |
| inizianota:instance                          | \iniziaNOTE [...] ... \terminaNOTE   |
| inizianota:instance:assignment               | \iniziaNOTE [..=..] ... \terminaNOTE   |
| inizianota:instance:assignment:endnote       | \iniziaendnote [..=..] ... \terminaendnote                                   |
| inizianota:instance:assignment:footnote      | \iniziafootnote [..=..] ... \terminafootnote                                 |
| inizianota:instance:endnote                  | \iniziaendnote [...] ... \terminaendnote                                     |
| inizianota:instance:footnote                 | \iniziafootnote [...] ... \terminafootnote                                   |
| inizianotext                                 | \inizianotext ... \terminanotext   |
| inizianotmode                                | \inizianotmode [...] ... \terminanotmode                                     |
| iniziaopposto                                | \iniziaopposto ... \terminaopposto   |
| iniziaoutputstream                           | \iniziaoutputstream [...] ... \terminaoutputstream                           |
| iniziaoverprint                              | \iniziaoverprint ... \terminaoverprint                                       |
| iniziapagecolumns                            | \iniziapagecolumns [..=..] ... \terminapagecolumns                           |
| iniziapagecolumns:instance                   | \iniziaPAGECOLUMNS ... \terminaPAGECOLUMNS                                   |
| iniziapagecolumns:name                       | \iniziapagecolumns [...] ... \terminapagecolumns                             |
| iniziapagefigure                             | \iniziapagefigure [...] [..=..] ... \terminapagefigure                       |
| iniziapagelayout                             | \iniziapagelayout [...] ... \terminapagelayout                               |
| iniziapar                                    | \iniziapar [...] [..=..] ... \terminapar                                     |
| iniziaparagraphs                             | \iniziaparagraphs [...] ... \terminaparagraphs                               |
| iniziaparagraphscell                         | \iniziaparagraphscell ... \terminaparagraphscell                             |
| iniziaparagraphs:example                     | \iniziaPARAGRAPHS ... \terminaPARAGRAPHS                                     |
| iniziaparallel:example                       | \iniziaPARALLEL ... \terminaPARALLEL   |
| iniziaparbuidler                             | \iniziaparbuidler [...] ... \terminaparbuidler                               |
| iniziaplacefloat                             | \iniziaplacefloat [...] [..=..] [..=..] ... \terminaplacefloat               |
| iniziaplacefloat:instance                    | \iniziamettiFLOAT [..=..] [..=..] ... \terminamettiFLOAT                     |
| iniziaplacefloat:instance:chemical           | \iniziamettichemical [..=..] [..=..] ... \terminamettichemical               |
| iniziaplacefloat:instance:figure             | \iniziamettifigure [..=..] [..=..] ... \terminamettifigure                   |
| iniziaplacefloat:instance:graphic            | \iniziamettigraphic [..=..] [..=..] ... \terminamettigraphic                 |
| iniziaplacefloat:instance:intermezzo         | \iniziamettiintermezzo [..=..] [..=..] ... \terminamettiintermezzo           |
| iniziaplacefloat:instance:table              | \iniziamettitable [..=..] [..=..] ... \terminamettitable                     |
| iniziaplacepairedbox                         | \iniziaplacepairedbox [...] [..=..] ... \terminaplacepairedbox               |
| iniziaplacepairedbox:instance                | \iniziamettiPAIREDBOX [..=..] ... \terminamettiPAIREDBOX                     |
| iniziaplacepairedbox:instance:legend         | \iniziamettilegend [..=..] ... \terminamettilegend                           |
| iniziapositioning                            | \iniziapositioning [...] [..=..] ... \terminapositioning                     |
| iniziapositionoverlay                        | \iniziapositionoverlay {...} ... \terminapositionoverlay                     |
| iniziapositivo                               | \iniziapositivo ... \terminapositivo   |
| iniziaposporre                               | \iniziaposporre [...] ... \terminaposporre                                   |
| iniziapostponingnotes                        | \iniziapostponingnotes ... \terminapostponingnotes                           |
| iniziaprocessassignmentcommand               | \iniziaprocessassignmentcommand [..=..] ... \terminaprocessassignmentcommand |
| iniziaprocessassignmentlist                  | \iniziaprocessassignmentlist [..=..] ... \terminaprocessassignmentlist       |
| iniziaprocesscommaccommand                   | \iniziaprocesscommaccommand [...] ... \terminaprocesscommaccommand           |



|   |  |
|---|--|
| iniziaprocesscommalist                  | \iniziaprocesscommalist [...] ... \terminaprocesscommalist               |
| iniziaprodotto                          | \iniziaprodotto [...] ... \terminaprodotto                               |
| iniziaprodotto:string                   | \iniziaprodotto ... .. \terminaprodotto                                  |
| iniziaprogetto                          | \iniziaprogetto [...] ... \terminaprogetto                               |
| iniziaprogetto:string                   | \iniziaprogetto ... .. \terminaprogetto                                  |
| iniziaprotectedcolors                   | \iniziaprotectedcolors ... \terminaprotectedcolors                       |
| iniziapubblicazione                     | \iniziapubblicazione [...] [..=..] ... \terminapubblicazione             |
| iniziarandomized                        | \iniziarandomized ... \terminarandomized                                 |
| iniziarawsetups                         | \iniziarawsetups [...] [...] ... \terminarawsetups                       |
| iniziarawsetups:string                  | \iniziarawsetups ... .. \terminarawsetups                                |
| iniziareadingfile                       | \iniziareadingfile ... \terminareadingfile                               |
| iniziaregime                            | \iniziaregime [...] ... \terminaregime                                   |
| iniziareusableMPgraphic                 | \iniziareusableMPgraphic {...} {...} ... \terminareusableMPgraphic       |
| iniziariga                              | \iniziariga [...]  |
| iniziariغه:instance                     | \inizialINES [..=..] ... \terminaLINES                                   |
| iniziariغه:instance:lines               | \inizialines [..=..] ... \terminalines                                   |
| iniziaruby                              | \iniziaruby [...] ... \terminaruby                                       |
| iniziascript                            | \iniziascript [...] ... \terminascript                                   |
| iniziasectionblock                      | \iniziasectionblock [...] [..=..] ... \terminasectionblock               |
| iniziasectionblock:instance             | \inizialSECTIONBLOCK [..=..] ... \terminaSECTIONBLOCK                    |
| iniziasectionblock:instance:appendices  | \inizialappendices [..=..] ... \terminaappendices                        |
| iniziasectionblock:instance:backmatter  | \iniziabackmatter [..=..] ... \terminabackmatter                         |
| iniziasectionblock:instance:bodymatter  | \iniziabodymatter [..=..] ... \terminabodymatter                         |
| iniziasectionblock:instance:frontmatter | \inizialfrontmatter [..=..] ... \terminafrontmatter                      |
| iniziasectionlevel                      | \iniziasectionlevel [...] [..=..] [..=..] ... \terminasectionlevel       |
| iniziasetups                            | \iniziasetups [...] [...] ... \terminasetups                             |
| iniziasetups:string                     | \iniziasetups ... .. \terminasetups                                      |
| iniziasfondo                            | \iniziasfondo [..=..] ... \terminasfondo                                 |
| iniziasfondo:example                    | \inizialSFONDO [..=..] ... \terminaSFONDO                                |
| iniziashift                             | \iniziashift [...] ... \terminashift                                     |
| iniziasidebar                           | \iniziasidebar [...] [..=..] ... \terminasidebar                         |
| iniziasimplecolumns                     | \iniziasimplecolumns [..=..] ... \terminasimplecolumns                   |
| iniziasospeso                           | \iniziasospeso [..=..] {...} ... \terminasospeso                         |
| iniziasospeso:argument                  | \iniziasospeso [...] {...} ... \terminasospeso                           |
| iniziasovrapponi                        | \iniziasovrapponi ... \terminasovrapponi                                 |
| iniziaspecialitem:item                  | \iniziaspecialitem [...] [...] ... \terminaspecialitem                   |
| iniziaspecialitem:none                  | \iniziaspecialitem [...] ... \terminaspecialitem                         |
| iniziaspecialitem:symbol                | \iniziaspecialitem [...] {...} ... \terminaspecialitem                   |
| iniziasplitformula                      | \iniziasplitformula ... \terminasplitformula                             |
| iniziaspread                            | \iniziaspread ... \terminaspread   |
| iniziastartstop:example                 | \inizialSTARTSTOP ... \terminaSTARTSTOP                                  |
| iniziastaticMPfigure                    | \iniziastaticMPfigure {...} ... \terminastaticMPfigure                   |
| iniziastaticMPgraphic                   | \iniziastaticMPgraphic {...} {...} ... \terminastaticMPgraphic           |
| iniziastretto                           | \iniziastretto [...] [..=..] ... \terminastretto                         |
| iniziastretto:assignment                | \iniziastretto [..=..] [...] ... \terminastretto                         |
| iniziastretto:name                      | \iniziastretto [...] [...] ... \terminastretto                           |
| iniziastRICTinspectnextcharacter        | \iniziastRICTinspectnextcharacter ... \terminastRICTinspectnextcharacter |
| iniziastyle                             | \iniziastyle [..=..] ... \terminastyle                                   |
| iniziastyle:argument                    | \iniziastyle [...] ... \terminastyle                                     |
| iniziastyle:instance                    | \inizialSTYLE ... \terminaSTYLE  |
| iniziasubformulas                       | \iniziasubformulas [...] ... \terminasubformulas                         |
| iniziasubjectlevel                      | \iniziasubjectlevel [...] [..=..] [..=..] ... \terminasubjectlevel       |
| iniziasubsentence                       | \iniziasubsentence ... \terminasubsentence                               |
| iniziasubstack                          | \iniziasubstack ... \terminasubstack                                     |
| iniziasymbolset                         | \iniziasymbolset [...] [..=..] ... \terminasymbolset                     |
| inizialTABLE                            | \inizialTABLE [..=..] ... \terminaTABLE                                  |
| inizialTABLEbody                        | \inizialTABLEbody [..=..] ... \terminaTABLEbody                          |
| inizialTABLEfoot                        | \inizialTABLEfoot [..=..] ... \terminaTABLEfoot                          |
| inizialTABLEhead                        | \inizialTABLEhead [..=..] ... \terminaTABLEhead                          |
| inizialTABLEnext                        | \inizialTABLEnext [..=..] ... \terminaTABLEnext                          |
| iniziatabella                           | \iniziatabella [ ... ] [..=..] ... \terminatabella                       |
| iniziatabella:name                      | \iniziatabella [...] [..=..] ... \terminatabella                         |
| iniziatabelle                           | \iniziatabelle [ ... ] ... \terminatabelle                               |
| iniziatabelle:name                      | \iniziatabelle [...] ... \terminatabelle                                 |
| iniziatabulation:example                | \inizialTABULATION [...] [..=..] ... \terminaTABULATION                  |
| iniziatabulato                          | \iniziatabulato [ ... ] [..=..] ... \terminatabulato                     |
| iniziatabulato:instance                 | \inizialTABULATE [.. <sup>OPT</sup> ] [..=..] ... \terminaTABULATE       |
| iniziatabulato:instance:fact            | \inizialfact [...] [..=..] ... \terminafact                              |
| iniziatabulato:instance:legend          | \iniziallegend [...] [..=..] ... \terminalegend                          |
| iniziatesta                             | \iniziatesta [...] {...} ... \terminatesta                               |
| iniziatestatabella                      | \iniziatestatabella [...] ... \terminatestatabella                       |
| iniziatestatabulato                     | \iniziatestatabulato [...] ... \terminatestatabulato                     |

|        |            |         |                    |                                    |
|--------|------------|---------|--------------------|------------------------------------|
| inizia | testo      | \inizia | testo ... \termina | testo                              |
| inizia | testo      | \inizia | testo              | aiuto                              |
| inizia | testo      | \inizia | LABEL              | testo                              |
| inizia | testo      | \inizia | btxlabel           | testo                              |
| inizia | testo      | \inizia | head               | testo                              |
| inizia | testo      | \inizia | label              | testo                              |
| inizia | testo      | \inizia | mathlabel          | testo                              |
| inizia | testo      | \inizia | operator           | testo                              |
| inizia | testo      | \inizia | prefix             | testo                              |
| inizia | testo      | \inizia | suffix             | testo                              |
| inizia | testo      | \inizia | taglabel           | testo                              |
| inizia | testo      | \inizia | unit               | testo                              |
| inizia | testo      | \inizia | FRAMEDTEXT         |                                    |
| inizia | testo      | \inizia | framedtext         |                                    |
| inizia | tex        | \inizia | tex                | code                               |
| inizia | tex        | \inizia | tex                | definition                         |
| inizia | tex        | \inizia | tex                | background                         |
| inizia | tex        | \inizia | tex                | backgroundmanual                   |
| inizia | tex        | \inizia | tex                | backgroundexample                  |
| inizia | tex        | \inizia | tex                | color                              |
| inizia | tex        | \inizia | tex                | colorintent                        |
| inizia | tex        | \inizia | tex                | flow                               |
| inizia | tex        | \inizia | tex                | tokens                             |
| inizia | tex        | \inizia | tex                | transparent                        |
| inizia | tex        | \inizia | tex                | typescript                         |
| inizia | tex        | \inizia | tex                | typescriptcollection               |
| inizia | tex        | \inizia | tex                | typing:instance                    |
| inizia | tex        | \inizia | tex                | typing:instance:argument           |
| inizia | tex        | \inizia | tex                | typing:instance:argument:LUA       |
| inizia | tex        | \inizia | tex                | typing:instance:argument:MP        |
| inizia | tex        | \inizia | tex                | typing:instance:argument:PARSEDXML |
| inizia | tex        | \inizia | tex                | typing:instance:argument:TEX       |
| inizia | tex        | \inizia | tex                | typing:instance:argument:typing    |
| inizia | tex        | \inizia | tex                | typing:instance:argument:XML       |
| inizia | tex        | \inizia | tex                | typing:instance:LUA                |
| inizia | tex        | \inizia | tex                | typing:instance:MP                 |
| inizia | tex        | \inizia | tex                | typing:instance:PARSEDXML          |
| inizia | tex        | \inizia | tex                | typing:instance:TEX                |
| inizia | tex        | \inizia | tex                | typing:instance:typing             |
| inizia | tex        | \inizia | tex                | typing:instance:XML                |
| inizia | unique     | \inizia | unique             | MPgraphic                          |
| inizia | unique     | \inizia | unique             | MPpagegraphic                      |
| inizia | unpack     | \inizia | unpack             |                                    |
| inizia | usable     | \inizia | usable             | MPgraphic                          |
| inizia | use        | \inizia | use                | MPgraphic                          |
| inizia | use        | \inizia | use                | mathstyleparameter                 |
| inizia | using      | \inizia | using              | btxs specification                 |
| inizia | vaia       | \inizia | vaia               |                                    |
| inizia | vbox       | \inizia | vbox               | register                           |
| inizia | vbox       | \inizia | vbox               | to hbox                            |
| inizia | vbox       | \inizia | vbox               | to hbox separator                  |
| inizia | viewer     | \inizia | viewer             | layer                              |
| inizia | viewer     | \inizia | viewer             | layer:example                      |
| inizia | vt         | \inizia | vt                 | register                           |
| inizia | xcell      | \inizia | xcell              |                                    |
| inizia | xcell      | \inizia | xcell              | group                              |
| inizia | xcolumn    | \inizia | xcolumn            |                                    |
| inizia | xgroup     | \inizia | xgroup             |                                    |
| inizia | xmldisplay | \inizia | xmldisplay         | verbatim                           |
| inizia | xmlline    | \inizia | xmlline            | verbatim                           |
| inizia | xmlraw     | \inizia | xmlraw             |                                    |
| inizia | xml        | \inizia | xml                | setups                             |
| inizia | xml        | \inizia | xml                | setups:string                      |
| inizia | xrow       | \inizia | xrow               |                                    |
| inizia | xrow       | \inizia | xrow               | group                              |
| inizia | xtable     | \inizia | xtable             |                                    |
| inizia | xtable     | \inizia | xtable             | body                               |
| inizia | xtable     | \inizia | xtable             | body:name                          |
| inizia | xtable     | \inizia | xtable             | foot                               |
| inizia | xtable     | \inizia | xtable             | foot:name                          |
| inizia | xtable     | \inizia | xtable             | head                               |
| inizia | xtable     | \inizia | xtable             | head:name                          |

|                                   |  |
|-----------------------------------|--|
| iniziatablenext                   | \iniziatablenext [..=..] ... \terminatablenext     |
| iniziatablenext:name              | \iniziatablenext [...] ... \terminatablenext       |
| iniziatable:example               | \iniziaXTABLE [..=..] ... \terminaXTABLE           |
| iniziatable:name                  | \iniziatable [...] ... \terminatable               |
| inlinebuffer                      | \inlinebuffer [...]                                |
| inlinedbox                        | \inlinedbox {...}                                  |
| inlinemath                        | \inlinemath {...}                                  |
| inlinemathematics                 | \inlinemathematics {...}                           |
| inlinemessage                     | \inlinemessage {...}                               |
| inlineordisplaymath               | \inlineordisplaymath {...} {...}                   |
| inlineprettyprintbuffer           | \inlineprettyprintbuffer {...} {...}               |
| inlinerange                       | \inlinerange [...]                                 |
| innerflushshapebox                | \innerflushshapebox                                |
| input                             | \input {...}                                       |
| inputfilebarename                 | \inputfilebarename                                 |
| inputfilename                     | \inputfilename                                     |
| inputfilerealsuffix               | \inputfilerealsuffix                               |
| inputfilesuffix                   | \inputfilesuffix                                   |
| inputgivenfile                    | \inputgivenfile {...}                              |
| input:string                      | \input ...   |
| inriga                            | \inriga {...} [...]                                |
| insertpages                       | \insertpages [...] [...] [..=..]                   |
| installactionhandler              | \installactionhandler {...}                        |
| installactivecharacter            | \installactivecharacter ...                        |
| installalingua                    | \installalingua [...] [..=..]                      |
| installalingua:name               | \installalingua [...] [...]                        |
| installanddefineactivecharacter   | \installanddefineactivecharacter ... {...}         |
| installattributestack             | \installattributestack \...                        |
| installautocommandhandler         | \installautocommandhandler \... {...} \...         |
| installautosetuphandler           | \installautosetuphandler \... {...}                |
| installbasicautosetuphandler      | \installbasicautosetuphandler \... {...} \...      |
| installbasicparameterhandler      | \installbasicparameterhandler \... {...}           |
| installbottomframerenderer        | \installbottomframerenderer {...} {...}            |
| installcommandhandler             | \installcommandhandler \... {...} \...             |
| installcorenamespace              | \installcorenamespace {...}                        |
| installdefinehandler              | \installdefinehandler \... {...} \...              |
| installdefinitionset              | \installdefinitionset \... {...}                   |
| installdefinitionsetmember        | \installdefinitionsetmember \... {...} \... {...}  |
| installdirectcommandhandler       | \installdirectcommandhandler \... {...}            |
| installdirectparameterhandler     | \installdirectparameterhandler \... {...}          |
| installdirectparametersethandler  | \installdirectparametersethandler \... {...}       |
| installdirectsetuphandler         | \installdirectsetuphandler \... {...}              |
| installdirectstyleandcolorhandler | \installdirectstyleandcolorhandler \... {...}      |
| installframedautocommandhandler   | \installframedautocommandhandler \... {...} \...   |
| installframedcommandhandler       | \installframedcommandhandler \... {...} \...       |
| installglobalmacrostack           | \installglobalmacrostack \...                      |
| installleftframerenderer          | \installleftframerenderer {...} {...}              |
| installmacrostack                 | \installmacrostack \...                            |
| installnamespace                  | \installnamespace {...}                            |
| installoutputroutine              | \installoutputroutine \... {...}                   |
| installpagearrangement            | \installpagearrangement ... {...}                  |
| installparameterhandler           | \installparameterhandler \... {...}                |
| installparameterhashhandler       | \installparameterhashhandler \... {...}            |
| installparametersethandler        | \installparametersethandler \... {...}             |
| installparentinjector             | \installparentinjector \... {...}                  |
| installrightframerenderer         | \installrightframerenderer {...} {...}             |
| installrootparameterhandler       | \installrootparameterhandler \... {...}            |
| installsetuphandler               | \installsetuphandler \... {...}                    |
| installsetuponlycommandhandler    | \installsetuponlycommandhandler \... {...}         |
| installshipoutmethod              | \installshipoutmethod {...} {...}                  |
| installsimplecommandhandler       | \installsimplecommandhandler \... {...} \...       |
| installsimpleframedcommandhandler | \installsimpleframedcommandhandler \... {...} \... |
| installstyleandcolorhandler       | \installstyleandcolorhandler \... {...}            |
| installswitchcommandhandler       | \installswitchcommandhandler \... {...} \...       |
| installswitchsetuphandler         | \installswitchsetuphandler \... {...}              |
| installtexdirective               | \installtexdirective {...} {...} {...}             |
| installtextracker                 | \installtextracker {...} {...} {...}               |
| installtopframerenderer           | \installtopframerenderer {...} {...}               |
| installunitsseparator             | \installunitsseparator {...} {...}                 |
| installunitsspace                 | \installunitsspace {...} {...}                     |
| installversioninfo                | \installversioninfo {...} {...}                    |
| integerrounding                   | \integerrounding {...}                             |

|                                  |  |
|----------------------------------|--|
| intertext                        | \intertext {...}                                   |
| intorno                          | \intorno [...]                                     |
| invokepagehandler                | \invokepagehandler {...} {...}                     |
| istltdir                         | \istltdir ...                                      |
| istrtdir                         | \istrtdir ...                                      |
| italiccorrection                 | \italiccorrection                                  |
| italicface                       | \italicface  |
| itemtag                          | \itemtag [...]                                     |
| jobfilename                      | \jobfilename                                       |
| jobfilesuffix                    | \jobfilesuffix                                     |
| kap                              | \kap {...}   |
| keeplinestogether                | \keeplinestogether {...}                           |
| keepunwantedspaces               | \keepunwantedspaces                                |
| kerncharacters                   | \kerncharacters [...] {...}                        |
| koreancirclemn timers            | \koreancirclemn timers {...}                       |
| koreannumerals                   | \koreannumerals {...}                              |
| koreannumeralsc                  | \koreannumeralsc {...}                             |
| koreannumeralsp                  | \koreannumeralsp {...}                             |
| koreanparentnumerals             | \koreanparentnumerals {...}                        |
| LAMSTEX                          | \LAMSTEX   |
| LATEX                            | \LATEX   |
| LamSTeX                          | \LamSTeX   |
| LaTeX                            | \LaTeX   |
| Lettera                          | \Lettera {...}                                     |
| Lettere                          | \Lettere {...}                                     |
| LUAJITTEX                        | \LUAJITTEX   |
| LUATEX                           | \LUATEX  |
| Lua                              | \Lua   |
| LuajitTeX                        | \LuajitTeX   |
| LuaTeX                           | \LuaTeX  |
| labellanguage:instance           | \LABELLingua                                       |
| labellanguage:instance:btxlabel  | \btxlabelingua                                     |
| labellanguage:instance:head      | \headlingua  |
| labellanguage:instance:label     | \labelingua  |
| labellanguage:instance:mathlabel | \mathlabelingua                                    |
| labellanguage:instance:operator  | \operatorlingua                                    |
| labellanguage:instance:prefix    | \prefixlingua                                      |
| labellanguage:instance:suffix    | \suffixlingua                                      |
| labellanguage:instance:taglabel  | \taglabelingua                                     |
| labellanguage:instance:unit      | \unitlingua  |
| labeltexts:instance              | \LABELtexts {...} {...}                            |
| labeltexts:instance:head         | \headtexts {...} {...}                             |
| labeltexts:instance:label        | \labeltexts {...} {...}                            |
| labeltexts:instance:mathlabel    | \mathlabeltexts {...} {...}                        |
| languageCharacters               | \languageCharacters {...}                          |
| languagecharacters               | \languagecharacters {...}                          |
| languagecharwidth                | \languagecharwidth {...}                           |
| lastcounter                      | \lastcounter [...] [...]                           |
| lastcountervalue                 | \lastcountervalue [...]                            |
| lastdigit                        | \lastdigit {...}                                   |
| lastlinewidth                    | \lastlinewidth                                     |
| lastnaturalboxdp                 | \lastnaturalboxdp                                  |
| lastnaturalboxht                 | \lastnaturalboxht                                  |
| lastnaturalboxwd                 | \lastnaturalboxwd                                  |
| lastpredefinedsymbol             | \lastpredefinedsymbol                              |
| lastrealpage                     | \lastrealpage                                      |
| lastrealpagenumber               | \lastrealpagenumber                                |
| lastsubcountervalue              | \lastsubcountervalue [...] [...]                   |
| lastsubpagenumber                | \lastsubpagenumber                                 |
| lasttwodigits                    | \lasttwodigits {...}                               |
| lastuserpage                     | \lastuserpage                                      |
| lastuserpagenumber               | \lastuserpagenumber                                |
| lateluacode                      | \lateluacode {...}                                 |
| layeredtext                      | \layeredtext [..=..] [..=..] {...} {...}           |
| layerheight                      | \layerheight                                       |
| layerwidth                       | \layerwidth  |
| lazysavetaggedtwopassdata        | \lazysavetaggedtwopassdata {...} {...} {...} {...} |
| lazysavetwopassdata              | \lazysavetwopassdata {...} {...} {...}             |
| lbox                             | \lbox ... {...}                                    |
| leftbottombox                    | \leftbottombox {...}                               |
| leftbox                          | \leftbox {...}                                     |
| lefthbox                         | \lefthbox {...}                                    |

|                                  |  |
|----------------------------------|--|
| leftlabeltext:instance           | \leftLABELtesto {...}  |
| leftlabeltext:instance:head      | \leftheadtesto {...}   |
| leftlabeltext:instance:label     | \leftlabeltesto {...}  |
| leftlabeltext:instance:mathlabel | \leftmathlabeltesto {...}                                      |
| leftline                         | \leftline {...}  |
| lefttorrighthbox                 | \lefttorrighthbox ... {...}                                    |
| lefttorrightvbox                 | \lefttorrightvbox ... {...}                                    |
| lefttorrightvtop                 | \lefttorrightvtop ... {...}                                    |
| leftskipadaption                 | \leftskipadaption  |
| leftsubguillemot                 | \leftsubguillemot  |
| lefttopbox                       | \lefttopbox {...}  |
| lefttoright                      | \lefttoright   |
| lefttorrighthbox                 | \lefttorrighthbox ... {...}                                    |
| lefttorrightvbox                 | \lefttorrightvbox ... {...}                                    |
| lefttorrightvtop                 | \lefttorrightvtop ... {...}                                    |
| letbeundefined                   | \letbeundefined {...}  |
| letcatcodecommand                | \letcatcodecommand \... \... \...                              |
| letcscsname                      | \letcscsname \... \csname ... \endcsname                       |
| letcsnamecs                      | \letcsnamecs \csname ... \endcsname \...                       |
| letcsnamecsname                  | \letcsnamecsname \csname ... \endcsname \csname ... \endcsname |
| letdummyparameter                | \letdummyparameter {...} \...                                  |
| letempty                         | \letempty \...   |
| letgvalue                        | \letgvalue {...} \...  |
| letgvalueempty                   | \letgvalueempty {...}  |
| letgvalurelax                    | \letgvalurelax {...}   |
| lettera                          | \lettera {...}   |
| letterampersand                  | \letterampersand   |
| letterat                         | \letterat  |
| letterbackslash                  | \letterbackslash   |
| letterbar                        | \letterbar   |
| letterbgroup                     | \letterbgroup  |
| letterclosebrace                 | \letterclosebrace  |
| lettercolon                      | \lettercolon   |
| letterdollar                     | \letterdollar  |
| letterdoublequote                | \letterdoublequote   |
| lettere                          | \lettere {...}   |
| letteregroup                     | \letteregroup  |
| letterescape                     | \letterescape  |
| letterexclamationmark            | \letterexclamationmark   |
| letterhash                       | \letterhash  |
| letterhat                        | \letterhat   |
| letterleftbrace                  | \letterleftbrace   |
| letterleftbracket                | \letterleftbracket   |
| letterleftparenthesis            | \letterleftparenthesis   |
| letterless                       | \letterless  |
| lettermore                       | \lettermore  |
| letteropenbrace                  | \letteropenbrace   |
| letterpercent                    | \letterpercent   |
| letterquestionmark               | \letterquestionmark  |
| letterrightbrace                 | \letterrightbrace  |
| letterrightbracket               | \letterrightbracket  |
| letterrightparenthesis           | \letterrightparenthesis  |
| lettersinglequote                | \lettersinglequote   |
| letterslash                      | \letterslash   |
| letterspacing                    | \letterspacing [...] {...}                                     |
| lettertilde                      | \lettertilde   |
| letterunderscore                 | \letterunderscore  |
| letvalue                         | \letvalue {...} \...   |
| letvalueempty                    | \letvalueempty {...}   |
| letvaluerelax                    | \letvaluerelax {...}   |
| lfence                           | \lfence {...}  |
| lhbox                            | \lhbox {...}   |
| limitatefirstline                | \limitatefirstline {...} {...} {...}                           |
| limitatelines                    | \limitatelines {...} {...} {...}                               |
| limitatetext                     | \limitatetext {...} {...} {...}                                |
| limitatetext:list                | \limitatetext {...} {...} {...}                                |
| lineanera                        | \lineanera [..=..]   |
| lineasottile                     | \lineasottile  |
| lineatesto                       | \lineatesto [...] {...}  |
| linebox                          | \linebox {...}   |
| lineenere                        | \lineenere [..=..]   |
| lineeriempimento                 | \lineeriempimento [..=..] {...} {...}                          |

|                            |  |
|----------------------------|--|
| linesottili                | \linesottili [..=..]                         |
| linenote:instance          | \LINENOTE {...}                              |
| linenote:instance:linenote | \linenote {...}                              |
| linespanningtext           | \linespanningtext {...} {...} {...}          |
| lingua                     | \lingua [...]                                |
| linguaprinzipale           | \linguaprinzipale [...]                      |
| lingua:example             | \LANGUAGE                                    |
| listcitation               | \listcitation [..=..] [...]                  |
| listcitation:alternative   | \listcitation [...] [...]                    |
| listcitation:userdata      | \listcitation [..=..] [..=..]                |
| listcite                   | \listcite [..=..] [...]                      |
| listcite:alternative       | \listcite [...] [...]                        |
| listcite:userdata          | \listcite [..=..] [..=..]                    |
| listnamespaces             | \listnamespaces                              |
| llap                       | \llap {...}                                  |
| loadanyfile                | \loadanyfile [...]                           |
| loadanyfileonce            | \loadanyfileonce [...]                       |
| loadbtxdefinitionfile      | \loadbtxdefinitionfile [...]                 |
| loadbtxreplacementfile     | \loadbtxreplacementfile [...]                |
| loadcldfile                | \loadcldfile [...]                           |
| loadcldfileonce            | \loadcldfileonce [...]                       |
| loadfontgoodies            | \loadfontgoodies [...]                       |
| loadluafile                | \loadluafile [...]                           |
| loadluafileonce            | \loadluafileonce [...]                       |
| loadspellchecklist         | \loadspellchecklist [...] [...]              |
| loadtexfile                | \loadtexfile [...]                           |
| loadtexfileonce            | \loadtexfileonce [...]                       |
| loadtypescriptfile         | \loadtypescriptfile [...]                    |
| localframed                | \localframed [...] [..=..] {...}             |
| localframedwithsettings    | \localframedwithsettings [...] [..=..] {...} |
| localhsize                 | \localhsize                                  |
| localpopbox                | \localpopbox ...                             |
| localpopmacro              | \localpopmacro \...                          |
| localpushbox               | \localpushbox ...                            |
| localpushmacro             | \localpushmacro \...                         |
| localundefine              | \localundefine {...}                         |
| locatedfilepath            | \locatedfilepath                             |
| locatefilepath             | \locatefilepath {...}                        |
| locfilename                | \locfilename {...}                           |
| lomihi                     | \lomihi {...} {...} {...}                    |
| lowerbox                   | \lowerbox {...} \... {...}                   |
| lowercased                 | \lowercased {...}                            |
| lowercasestring            | \lowercasestring ... \to \...                |
| lowerlefthdoubleninequote  | \lowerlefthdoubleninequote                   |
| lowerleftsingleninequote   | \lowerleftsingleninequote                    |
| lowerrightdoubleninequote  | \lowerrightdoubleninequote                   |
| lowerrightsingleninequote  | \lowerrightsingleninequote                   |
| lowhigh:instance           | \LOWHIGH [...] {...} {...}                   |
| lowmidhigh:instance        | \LOWMIDHIGH {...} {...} {...}                |
| lrbbox                     | \lrbbox {...} {...} {...} {...} {...}        |
| ltop                       | \ltop ... {...}                              |
| luacode                    | \luacode {...}                               |
| luaconditional             | \luaconditional \...                         |
| luaenvironment             | \luaenvironment ...                          |
| luaexpanded                | \luaexpanded {...}                           |
| luaexpr                    | \luaexpr {...}                               |
| luafunction                | \luafunction {...}                           |
| luajitTeX                  | \luajitTeX                                   |
| luamajorversion            | \luamajorversion                             |
| luaminorversion            | \luaminorversion                             |
| luaparameterset            | \luaparameterset {...} {...}                 |
| luasetup                   | \luasetup {...}                              |
| luaTeX                     | \luaTeX                                      |
| luaversion                 | \luaversion                                  |
| lunghezzaelenco            | \lunghezzaelenco                             |
| MESE                       | \MESE {...}                                  |
| METAFONT                   | \METAFONT                                    |
| METAFUN                    | \METAFUN                                     |
| METAPOST                   | \METAPOST                                    |
| MetaFont                   | \MetaFont                                    |
| MetaFun                    | \MetaFun                                     |
| MetaPost                   | \MetaPost                                    |

|                                   |   |
|-----------------------------------|---|
| MKII                              | \MKII                                     |
| MKIV                              | \MKIV                                     |
| MKIX                              | \MKIX                                     |
| MKVI                              | \MKVI                                     |
| MKXI                              | \MKXI                                     |
| MONTHLONG                         | \MONTHLONG {...}                          |
| MONTHSHORT                        | \MONTHSHORT {...}                         |
| MPanchor                          | \MPanchor {...}                           |
| MPbetex                           | \MPbetex {...}                            |
| MPc                               | \MPc {...}                                |
| MPcode                            | \MPcode {...} {...}                       |
| MPcolor                           | \MPcolor {...}                            |
| MPcoloronly                       | \MPcoloronly {...}                        |
| MPcolumn                          | \MPcolumn {...}                           |
| MPd                               | \MPd {...}                                |
| MPdrawing                         | \MPdrawing {...}                          |
| MPfontsizehskip                   | \MPfontsizehskip {...}                    |
| MPgetmultipars                    | \MPgetmultipars {...} {...}               |
| MPgetmultishape                   | \MPgetmultishape {...} {...}              |
| MPgetposboxes                     | \MPgetposboxes {...} {...}                |
| MPh                               | \MPh {...}                                |
| MPII                              | \MPII                                     |
| MPIV                              | \MPIV                                     |
| MPinclusions                      | \MPinclusions [...] {...} {...}           |
| MPleftskip                        | \MPleftskip {...}                         |
| MPll                              | \MPll {...}                               |
| MPlr                              | \MPlr {...}                               |
| MPls                              | \MPls {...}                               |
| MPmenubuttons                     | \MPmenubuttons {...}                      |
| MPn                               | \MPn {...}                                |
| MPoptions                         | \MPoptions {...}                          |
| MPoverlayanchor                   | \MPoverlayanchor {...}                    |
| MPp                               | \MPp {...}                                |
| MPpage                            | \MPpage {...}                             |
| MPpardata                         | \MPpardata {...}                          |
| MPplus                            | \MPplus {...} {...} {...}                 |
| MPpos                             | \MPpos {...}                              |
| MPpositiongraphic                 | \MPpositiongraphic {...} {...=..}         |
| MPposset                          | \MPposset {...}                           |
| MPr                               | \MPr {...}                                |
| MPrawvar                          | \MPrawvar {...} {...}                     |
| MPregion                          | \MPregion {...}                           |
| MPrest                            | \MPrest {...} {...}                       |
| MPrightskip                       | \MPrightskip {...}                        |
| MPrs                              | \MPrs {...}                               |
| MPstring                          | \MPstring {...}                           |
| MPtext                            | \MPtext {...}                             |
| MPtransparency                    | \MPtransparency {...}                     |
| MPul                              | \MPul {...}                               |
| MPur                              | \MPur {...}                               |
| MPVI                              | \MPVI                                     |
| MPv                               | \MPv {...} {...} {...}                    |
| MPvar                             | \MPvar {...}                              |
| MPvariable                        | \MPvariable {...}                         |
| MPvv                              | \MPvv {...} {...}                         |
| MPw                               | \MPw {...}                                |
| MPwhd                             | \MPwhd {...}                              |
| MPx                               | \MPx {...}                                |
| MPxy                              | \MPxy {...}                               |
| MPxywhd                           | \MPxywhd {...}                            |
| MPy                               | \MPy {...}                                |
| m                                 | \m [...] {...}                            |
| makecharacteractive               | \makecharacteractive ...                  |
| makerawcommalist                  | \makerawcommalist [...] \...              |
| makestrutofbox                    | \makestrutofbox ...                       |
| mapfontsize                       | \mapfontsize [...] [...]                  |
| marcatura                         | \marcatura (...,...) (...,...) [...]      |
| margindata                        | \margindata [...] [...=..] [...=..] {...} |
| margindata:instance               | \MARGINDATA [...=..] [...=..] {...}       |
| margindata:instance:atleftmargin  | \atleftmargin [...=..] [...=..] {...}     |
| margindata:instance:atrightmargin | \atrightmargin [...=..] [...=..] {...}    |
| margindata:instance:ininner       | \ininner [...=..] [...=..] {...}          |

|   |                                       |
|---|---------------------------------------|
| margindata:instance:ininneredge                       | \ininneredge [..=..] [..=..] {...}    |
| margindata:instance:ininnermargin                     | \ininnermargin [..=..] [..=..] {...}  |
| margindata:instance:inleft                            | \inleft [..=..] [..=..] {...}         |
| margindata:instance:inleftedge                        | \inleftedge [..=..] [..=..] {...}     |
| margindata:instance:inleftmargin                      | \inleftmargin [..=..] [..=..] {...}   |
| margindata:instance:inmargin                          | \inmargin [..=..] [..=..] {...}       |
| margindata:instance:inoth                             | \inoth [..=..] [..=..] {...}          |
| margindata:instance:inouter                           | \inouter [..=..] [..=..] {...}        |
| margindata:instance:inouteredge                       | \inouteredge [..=..] [..=..] {...}    |
| margindata:instance:inoutermargin                     | \inoutermargin [..=..] [..=..] {...}  |
| margindata:instance:inright                           | \inright [..=..] [..=..] {...}        |
| margindata:instance:inrightedge                       | \inrightedge [..=..] [..=..] {...}    |
| margindata:instance:inrightmargin                     | \inrightmargin [..=..] [..=..] {...}  |
| margindata:instance:margintext                        | \margintext [..=..] [..=..] {...}     |
| markcontent   | \markcontent [...] {...}              |
| markedpages   | \markedpages [...]                    |
| markinjector  | \markinjector [...]                   |
| markpage  | \markpage [...] [...]                 |
| mat   | \mat {...}                            |
| matematica  | \matematica [...] {...}               |
| math  | \math [...] {...}                     |
| mathbf  | \mathbf                               |
| mathbi  | \mathbi                               |
| mathblackboard  | \mathblackboard                       |
| mathbs  | \mathbs                               |
| mathcommand:example                                   | \MATHCOMMAND {...} {...}              |
| mathdefault   | \mathdefault                          |
| mathdouble  | \mathdouble [...] {...} {...} {...}   |
| mathdoubleextensible:instance                         | \MATHDOUBLEEXTENSIBLE {...} {...}     |
| mathdoubleextensible:instance:doublebar               | \doublebar {...} {...}                |
| mathdoubleextensible:instance:doublebrace             | \doublebrace {...} {...}              |
| mathdoubleextensible:instance:doublebracket           | \doublebracket {...} {...}            |
| mathdoubleextensible:instance:doubleparent            | \doubleparent {...} {...}             |
| mathdoubleextensible:instance:overbarunderbar         | \overbarunderbar {...} {...}          |
| mathdoubleextensible:instance:overbraceunderbrace     | \overbraceunderbrace {...} {...}      |
| mathdoubleextensible:instance:overbracketunderbracket | \overbracketunderbracket {...} {...}  |
| mathdoubleextensible:instance:overparentunderparent   | \overparentunderparent {...} {...}    |
| mathextensible:instance                               | \MATHEXTENSIBLE {...} {...}           |
| mathextensible:instance:cleftarrow                    | \cleftarrow {...} {...}               |
| mathextensible:instance:crightarrow                   | \crightarrow {...} {...}              |
| mathextensible:instance:crightoverleftarrow           | \crightoverleftarrow {...} {...}      |
| mathextensible:instance:eleftharpoonup                | \eleftharpoonup {...} {...}           |
| mathextensible:instance:eleftharpoonupdownfill        | \eleftharpoonupdownfill {...} {...}   |
| mathextensible:instance:eleftharpoonupfill            | \eleftharpoonupfill {...} {...}       |
| mathextensible:instance:eleftrightarrow               | \eleftrightarrow {...} {...}          |
| mathextensible:instance:eleftrightarrowfill           | \eleftrightarrowfill {...} {...}      |
| mathextensible:instance:eoverbarfill                  | \eoverbarfill {...} {...}             |
| mathextensible:instance:eoverbracefill                | \eoverbracefill {...} {...}           |
| mathextensible:instance:eoverbracketfill              | \eoverbracketfill {...} {...}         |
| mathextensible:instance:eoverparentfill               | \eoverparentfill {...} {...}          |
| mathextensible:instance:erightarrowfill               | \erightarrowfill {...} {...}          |
| mathextensible:instance:erightharpoonupdownfill       | \erightharpoonupdownfill {...} {...}  |
| mathextensible:instance:erightharpoonupfill           | \erightharpoonupfill {...} {...}      |
| mathextensible:instance:etwoheadrightarrowfill        | \etwoheadrightarrowfill {...} {...}   |
| mathextensible:instance:eunderbarfill                 | \eunderbarfill {...} {...}            |
| mathextensible:instance:eunderbracefill               | \eunderbracefill {...} {...}          |
| mathextensible:instance:eunderbracketfill             | \eunderbracketfill {...} {...}        |
| mathextensible:instance:eunderparentfill              | \eunderparentfill {...} {...}         |
| mathextensible:instance:mequal                        | \mequal {...} {...}                   |
| mathextensible:instance:mhookleftarrow                | \mhookleftarrow {...} {...}           |
| mathextensible:instance:mhookrightarrow               | \mhookrightarrow {...} {...}          |
| mathextensible:instance:mLeftarrow                    | \mLeftarrow {...} {...}               |
| mathextensible:instance:mLeftrightarrow               | \mLeftrightarrow {...} {...}          |
| mathextensible:instance:mleftarrow                    | \mleftarrow {...} {...}               |
| mathextensible:instance:mleftarrowharpoonupdown       | \mleftarrowharpoonupdown {...} {...}  |
| mathextensible:instance:mleftarrowharpoonup           | \mleftarrowharpoonup {...} {...}      |
| mathextensible:instance:mleftrightarrow               | \mleftrightarrow {...} {...}          |
| mathextensible:instance:mleftrightarrowharpoonup      | \mleftrightarrowharpoonup {...} {...} |
| mathextensible:instance:mmapsto                       | \mmapsto {...} {...}                  |
| mathextensible:instance:mrightarrow                   | \mrightarrow {...} {...}              |
| mathextensible:instance:mrel                          | \mrel {...} {...}                     |
| mathextensible:instance:mrightarrow                   | \mrightarrow {...} {...}              |
| mathextensible:instance:mrightarrowharpoonupdown      | \mrightarrowharpoonupdown {...} {...} |



|   |   |
|---|---|
| mathextensible:instance:mrightharpoonup     | <code>\mrightharpoonup {...} {...}</code>         |
| mathextensible:instance:mrightleftharpoons  | <code>\mrightleftharpoons {...} {...}</code>      |
| mathextensible:instance:mrightoverleftarrow | <code>\mrightoverleftarrow {...} {...}</code>     |
| mathextensible:instance:mtriplerel          | <code>\mtriplerel {...} {...}</code>              |
| mathextensible:instance:mtwoheadleftarrow   | <code>\mtwoheadleftarrow {...} {...}</code>       |
| mathextensible:instance:mtwoheadrightarrow  | <code>\mtwoheadrightarrow {...} {...}</code>      |
| mathextensible:instance:tequal              | <code>\tequal {...} {...}</code>                  |
| mathextensible:instance:thookleftarrow      | <code>\thookleftarrow {...} {...}</code>          |
| mathextensible:instance:thookrightarrow     | <code>\thookrightarrow {...} {...}</code>         |
| mathextensible:instance:tleftarrow          | <code>\tleftarrow {...} {...}</code>              |
| mathextensible:instance:tleftrightarrow     | <code>\tleftrightarrow {...} {...}</code>         |
| mathextensible:instance:tleftarrow          | <code>\tleftarrow {...} {...}</code>              |
| mathextensible:instance:tlefttharpoondown   | <code>\tlefttharpoondown {...} {...}</code>       |
| mathextensible:instance:tlefttharpoonup     | <code>\tlefttharpoonup {...} {...}</code>         |
| mathextensible:instance:tleftrightarrow     | <code>\tleftrightarrow {...} {...}</code>         |
| mathextensible:instance:tlefttrightharpoons | <code>\tlefttrightharpoons {...} {...}</code>     |
| mathextensible:instance:tmapsto             | <code>\tmapsto {...} {...}</code>                 |
| mathextensible:instance:trightarrow         | <code>\trightarrow {...} {...}</code>             |
| mathextensible:instance:trel                | <code>\trel {...} {...}</code>                    |
| mathextensible:instance:trightarrow         | <code>\trightarrow {...} {...}</code>             |
| mathextensible:instance:trightharpoondown   | <code>\trightharpoondown {...} {...}</code>       |
| mathextensible:instance:trightharpoonup     | <code>\trightharpoonup {...} {...}</code>         |
| mathextensible:instance:trightleftharpoons  | <code>\trightleftharpoons {...} {...}</code>      |
| mathextensible:instance:trightoverleftarrow | <code>\trightoverleftarrow {...} {...}</code>     |
| mathextensible:instance:ttriplerel          | <code>\ttriplerel {...} {...}</code>              |
| mathextensible:instance:ttwoheadleftarrow   | <code>\ttwoheadleftarrow {...} {...}</code>       |
| mathextensible:instance:ttwoheadrightarrow  | <code>\ttwoheadrightarrow {...} {...}</code>      |
| mathextensible:instance:xequal              | <code>\xequal {...} {...}</code>                  |
| mathextensible:instance:xhookleftarrow      | <code>\xhookleftarrow {...} {...}</code>          |
| mathextensible:instance:xhookrightarrow     | <code>\xhookrightarrow {...} {...}</code>         |
| mathextensible:instance:xleftarrow          | <code>\xleftarrow {...} {...}</code>              |
| mathextensible:instance:xleftrightarrow     | <code>\xleftrightarrow {...} {...}</code>         |
| mathextensible:instance:xlefttharpoondown   | <code>\xlefttharpoondown {...} {...}</code>       |
| mathextensible:instance:xlefttharpoonup     | <code>\xlefttharpoonup {...} {...}</code>         |
| mathextensible:instance:xleftrightarrow     | <code>\xleftrightarrow {...} {...}</code>         |
| mathextensible:instance:xlefttrightharpoons | <code>\xlefttrightharpoons {...} {...}</code>     |
| mathextensible:instance:xmapsto             | <code>\xmapsto {...} {...}</code>                 |
| mathextensible:instance:xrightarrow         | <code>\xrightarrow {...} {...}</code>             |
| mathextensible:instance:xrel                | <code>\xrel {...} {...}</code>                    |
| mathextensible:instance:xrightarrow         | <code>\xrightarrow {...} {...}</code>             |
| mathextensible:instance:xrightharpoondown   | <code>\xrightharpoondown {...} {...}</code>       |
| mathextensible:instance:xrightharpoonup     | <code>\xrightharpoonup {...} {...}</code>         |
| mathextensible:instance:xrightleftharpoons  | <code>\xrightleftharpoons {...} {...}</code>      |
| mathextensible:instance:xrightoverleftarrow | <code>\xrightoverleftarrow {...} {...}</code>     |
| mathextensible:instance:xtriplerel          | <code>\xtriplerel {...} {...}</code>              |
| mathextensible:instance:xtwoheadleftarrow   | <code>\xtwoheadleftarrow {...} {...}</code>       |
| mathextensible:instance:xtwoheadrightarrow  | <code>\xtwoheadrightarrow {...} {...}</code>      |
| mathfraktur                                 | <code>\mathfraktur</code>                         |
| mathframed:instance                         | <code>\MATHFRAMED [..=..] {...}</code>            |
| mathframed:instance:inmframed               | <code>\inmframed [..=..] {...}</code>             |
| mathframed:instance:mcfamed                 | <code>\mcfamed [..=..] {...}</code>               |
| mathframed:instance:mframed                 | <code>\mframed [..=..] {...}</code>               |
| mathfunction                                | <code>\mathfunction {...}</code>                  |
| mathit                                      | <code>\mathit</code>                              |
| mathitalic                                  | <code>\mathitalic</code>                          |
| mathmatrix                                  | <code>\MATHMATRIX {...}</code>                    |
| mathop                                      | <code>\mathop {...}</code>                        |
| mathornament:example                        | <code>\MATHORNAMENT {...}</code>                  |
| mathover                                    | <code>\mathover [...] {...} {...}</code>          |
| mathoverextensible:example                  | <code>\MATHOVEREXTENSIBLE {...}</code>            |
| mathovertextextensible:instance             | <code>\MATHOVERTEXTTEXTENSIBLE {...} {...}</code> |
| mathradical:example                         | <code>\MATHRADICAL [...] {...}</code>             |
| mathrm                                      | <code>\mathrm</code>                              |
| mathscript                                  | <code>\mathscript</code>                          |
| mathsl                                      | <code>\mathsl</code>                              |
| mathss                                      | <code>\mathss</code>                              |
| mathtext                                    | <code>\mathtext ... {...}</code>                  |
| mathtextbf                                  | <code>\mathtextbf ... {...}</code>                |
| mathtextbi                                  | <code>\mathtextbi ... {...}</code>                |
| mathtextbs                                  | <code>\mathtextbs ... {...}</code>                |
| mathtextit                                  | <code>\mathtextit ... {...}</code>                |

|                                       |                                      |
|---------------------------------------|--------------------------------------|
| mathtextsl                            | \mathtextsl ... {...}                |
| mathtexttf                            | \mathtexttf ... {...}                |
| mathtf                                | \mathtf                              |
| mathtriplet                           | \mathtriplet [...] {...} {...} {...} |
| mathtriplet:example                   | \MATHTRIPLET [...] {...} {...} {...} |
| mathtt                                | \mathtt                              |
| mathunder                             | \mathunder [...] {...} {...}         |
| mathunderextensible:example           | \MATHUNDEREXTENSIBLE {...}           |
| mathundertextextensible:instance      | \MATHUNDERTEXTEXTENSIBLE {...} {...} |
| mathunstacked:example                 | \MATHUNSTACKED                       |
| mathupright                           | \mathupright                         |
| mathword                              | \mathword ... {...}                  |
| mathwordbf                            | \mathwordbf ... {...}                |
| mathwordbi                            | \mathwordbi ... {...}                |
| mathwordbs                            | \mathwordbs ... {...}                |
| mathwordit                            | \mathwordit ... {...}                |
| mathwordsl                            | \mathwordsl ... {...}                |
| mathwordtf                            | \mathwordtf ... {...}                |
| maxaligned                            | \maxaligned {...}                    |
| mbox                                  | \mbox {...}                          |
| measure                               | \measure {...}                       |
| measured                              | \measured {...}                      |
| medskip                               | \medskip                             |
| medspace                              | \medspace                            |
| menuinterattivo                       | \menuinterattivo [...] [..=..]       |
| mese                                  | \mese {...}                          |
| message                               | \message {...}                       |
| metaTeX                               | \metaTeX                             |
| mettielenco                           | \mettielenco [...] [..=..]           |
| mettielencocombinato                  | \mettielencocombinato [...] [..=..]  |
| mettielencocombinato:instance         | \mettiCOMBINEDLIST [..=..]           |
| mettielencocombinato:instance:content | \metticontent [..=..]                |
| mettifiancoafianco                    | \mettifiancoafianco {...} {...}      |
| mettiformula                          | \mettiformula [...] {...}            |
| mettiingriglia                        | \mettiingriglia [...] {...}          |
| mettiingriglia:list                   | \mettiingriglia [...] {...}          |
| mettinotepdp                          | \mettinotepdp [..=..]                |
| mettinotepdplocali                    | \mettinotepdplocali [..=..]          |
| mettinumeropagina                     | \mettinumeropagina                   |
| mettiregistro                         | \mettiregistro [...] [..=..]         |
| mettiregistro:instance                | \mettiREGISTER [..=..]               |
| mettiregistro:instance:index          | \mettiindex [..=..]                  |
| mettisegnalibro                       | \mettisegnalibro [...] [...] [..=..] |
| mettisottoformula                     | \mettisottoformula [...] {...}       |
| mettiunosullaltro                     | \mettiunosullaltro {...} {...}       |
| mfence                                | \mfence {...}                        |
| mfunction                             | \mfunction {...}                     |
| mfunctionlabeltext                    | \mfunctionlabeltext {...}            |
| mhbox                                 | \mhbox {...}                         |
| middlealigned                         | \middlealigned {...}                 |
| middlebox                             | \middlebox {...}                     |
| midhbox                               | \midhbox {...}                       |
| midsentence                           | \midsentence                         |
| minimalhbox                           | \minimalhbox ... {...}               |
| mixedcaps                             | \mixedcaps {...}                     |
| mkvibuffer                            | \mkvibuffer [...]                    |
| moduleparameter                       | \moduleparameter {...} {...}         |
| molecule                              | \molecule {...}                      |
| mono                                  | \mono                                |
| monograssetto                         | \monograssetto                       |
| mononormal                            | \mononormal                          |
| monthlong                             | \monthlong {...}                     |
| monthshort                            | \monthshort {...}                    |
| mostraambientefontdeltesto            | \mostraambientefontdeltesto [...]    |
| mostracolore                          | \mostracolore [...]                  |
| mostracornice                         | \mostracornice [...] [...]           |
| mostrafontdeltesto                    | \mostrafontdeltesto [...]            |
| mostragriglia                         | \mostragriglia [...]                 |
| mostragruppocolori                    | \mostragruppocolori [...] [...]      |
| mostraimpostazioni                    | \mostraimpostazioni [...]            |
| mostralyout                           | \mostralyout [...]                   |
| mostramakeup                          | \mostramakeup [...]                  |

|                            |  |
|----------------------------|--|
| mostrasetssimboli          | \mostrasetssimboli [...]                             |
| mostrastampa               | \mostrastampa [...] [...] [...=..]                   |
| mostrastruts               | \mostrastruts  |
| mostratavolozza            | \mostratavolozza [...] [...]                         |
| mprandomnumber             | \mprandomnumber                                      |
| mtext                      | \mtext {...}   |
| NormalizeFontHeight        | \NormalizeFontHeight \... {...} {...} {...}          |
| NormalizeFontWidth         | \NormalizeFontWidth \... {...} {...} {...}           |
| NormalizeTextHeight        | \NormalizeTextHeight {...} {...} {...}               |
| NormalizeTextWidth         | \NormalizeTextWidth {...} {...} {...}                |
| Numeri                     | \Numeri {...}  |
| Numeriromani               | \Numeriromani {...}                                  |
| namedheadnumber            | \namedheadnumber {...}                               |
| namedstructureheadlocation | \namedstructureheadlocation {...}                    |
| namedstructureuservariable | \namedstructureuservariable {...} {...}              |
| namedstructurevariable     | \namedstructurevariable {...} {...}                  |
| namedtaggedlabeltexts      | \namedtaggedlabeltexts {...} {...} {...} {...} {...} |
| nascondiblocchi            | \nascondiblocchi [...] [...]                         |
| naturalhbox                | \naturalhbox ... {...}                               |
| naturalhpack               | \naturalhpack ... {...}                              |
| naturalvbox                | \naturalvbox ... {...}                               |
| naturalvcenter             | \naturalvcenter ... {...}                            |
| naturalvpack               | \naturalvpack ... {...}                              |
| naturalvtop                | \naturalvtop ... {...}                               |
| naturalwd                  | \naturalwd ...                                       |
| negatecolorbox             | \negatecolorbox ...                                  |
| negated                    | \negated {...}                                       |
| negemspace                 | \negemspace  |
| negenspace                 | \negenspace  |
| negthinspace               | \negthinspace  |
| newattribute               | \newattribute \...                                   |
| newcatcodetable            | \newcatcodetable \...                                |
| newcounter                 | \newcounter \...                                     |
| newevery                   | \newevery \... \...                                  |
| newfrenchspacing           | \newfrenchspacing                                    |
| newmode                    | \newmode {...}                                       |
| newsignal                  | \newsignal \...                                      |
| newsystemmode              | \newsystemmode {...}                                 |
| nextbox                    | \nextbox   |
| nextboxdp                  | \nextboxdp   |
| nextboxht                  | \nextboxht   |
| nextboxhtdp                | \nextboxhtdp   |
| nextboxwd                  | \nextboxwd   |
| nextcounter                | \nextcounter [...] [...]                             |
| nextcountervalue           | \nextcountervalue [...]                              |
| nextdepth                  | \nextdepth   |
| nextparagraphs             | \nextparagraphs                                      |
| nextparagraphs:example     | \successivoPARAGRAPHS                                |
| nextrealpage               | \nextrealpage  |
| nextrealpagenumber         | \nextrealpagenumber                                  |
| nextsubcountervalue        | \nextsubcountervalue [...] [...]                     |
| nextsubpagenumber          | \nextsubpagenumber                                   |
| nextuserpage               | \nextuserpage  |
| nextuserpagenumber         | \nextuserpagenumber                                  |
| nientelineecimafondo       | \nientelineecimafondo                                |
| nientelineintestazionepdp  | \nientelineintestazionepdp                           |
| nientespazio               | \nientespazio  |
| nocap                      | \nocap {...}   |
| nocharacteralign           | \nocharacteralign                                    |
| nocitation                 | \nocitation [...]                                    |
| nocitation:direct          | \nocitation {...}                                    |
| nocite                     | \nocite [...]  |
| nocite:direct              | \nocite {...}  |
| nodetostring               | \nodetostring \... {...}                             |
| nofigurepages              | \nofigurepages                                       |
| noflines                   | \noflines  |
| noflocalfloats             | \noflocalfloats                                      |
| noheightstrut              | \noheightstrut                                       |
| noindentation              | \noindentation                                       |
| noitem                     | \noitem  |
| nonfrenchspacing           | \nonfrenchspacing                                    |
| nonmathematics             | \nonmathematics {...}                                |

|                                   |   |
|-----------------------------------|---|
| normalboldface                    | \normalboldface                             |
| normale                           | \normale                                    |
| normalframedwithsettings          | \normalframedwithsettings [..=..] {...}     |
| normalitalicface                  | \normalitalicface                           |
| normalizebodyfontsize             | \normalizebodyfontsize \... {...}           |
| normalizedfontsize                | \normalizedfontsize                         |
| normalizefontdepth                | \normalizefontdepth \... {...} {...} {...}  |
| normalizefontheight               | \normalizefontheight \... {...} {...} {...} |
| normalizefontline                 | \normalizefontline \... {...} {...} {...}   |
| normalizefontwidth                | \normalizefontwidth \... {...} {...} {...}  |
| normalizetextdepth                | \normalizetextdepth {...} {...} {...}       |
| normalizetextheight               | \normalizetextheight {...} {...} {...}      |
| normalizetextline                 | \normalizetextline {...} {...} {...}        |
| normalizetextwidth                | \normalizetextwidth {...} {...} {...}       |
| normalslantedface                 | \normalslantedface                          |
| normaltypeface                    | \normaltypeface                             |
| nota                              | \nota [...] [...]                           |
| nota:instance                     | \NOTE [...] {...}                           |
| nota:instance:assignment          | \NOTE [..=..]                               |
| nota:instance:assignment:endnote  | \endnote [..=..]                            |
| nota:instance:assignment:footnote | \footnote [..=..]                           |
| nota:instance:endnote             | \endnote [...] {...}                        |
| nota:instance:footnote            | \footnote [...] {...}                       |
| notesymbol                        | \notesymbol [...] [...]                     |
| notragged                         | \notragged                                  |
| ntimes                            | \ntimes {...} {...}                         |
| numberofpoints                    | \numberofpoints {...}                       |
| numeri                            | \numeri {...}                               |
| numeriromani                      | \numeriromani {...}                         |
| numeroformula                     | \numeroformula [...]                        |
| numeropagina                      | \numeropagina                               |
| numeropaginacompleto              | \numeropaginacompleto                       |
| numerotesta                       | \numerotesta [...] [...]                    |
| numerotestacorrente               | \numerotestacorrente                        |
| obeydepth                         | \obeydepth                                  |
| objectdepth                       | \objectdepth                                |
| objectheight                      | \objectheight                               |
| objectmargin                      | \objectmargin                               |
| objectwidth                       | \objectwidth                                |
| obox                              | \obox {...}                                 |
| offset                            | \offset [..=..] {...}                       |
| offsetbox                         | \offsetbox [..=..] \... {...}               |
| onedigitrounding                  | \onedigitrounding {...}                     |
| ordinaldaynumber                  | \ordinaldaynumber {...}                     |
| ordinalstr                        | \ordinalstr {...}                           |
| ornamenttext:collector            | \ornamenttext [..=..] [..=..] {...} {...}   |
| ornamenttext:direct               | \ornamenttext [...] {...} {...}             |
| ornamenttext:layer                | \ornamenttext [..=..] [..=..] {...} {...}   |
| ornament:example                  | \ORNAMENT {...} {...}                       |
| outputfilename                    | \outputfilename                             |
| outputstreambox                   | \outputstreambox [...]                      |
| outputstreamcopy                  | \outputstreamcopy [...]                     |
| outputstreamunvbox                | \outputstreamunvbox [...]                   |
| outputstreamunvcopy               | \outputstreamunvcopy [...]                  |
| over                              | \over [...]                                 |
| overlaybutton                     | \overlaybutton [...]                        |
| overlaybutton:direct              | \overlaybutton {...}                        |
| overlaycolor                      | \overlaycolor                               |
| overlaydepth                      | \overlaydepth                               |
| overlayfigure                     | \overlayfigure {...}                        |
| overlayheight                     | \overlayheight                              |
| overlayimage                      | \overlayimage {...}                         |
| overlaylinecolor                  | \overlaylinecolor                           |
| overlaylinewidth                  | \overlaylinewidth                           |
| overlayoffset                     | \overlayoffset                              |
| overlayrollbutton                 | \overlayrollbutton [...] [...]              |
| overlaywidth                      | \overlaywidth                               |
| overloaderror                     | \overloaderror                              |
| overset                           | \overset {...} {...}                        |
| PAROLA                            | \PAROLA {...}                               |
| PAROLE                            | \PAROLE {...}                               |
| Parola                            | \Parola {...}                               |

|                             |  |
|-----------------------------|--|
| Parole                      | \Parole {...}                            |
| PDFcolor                    | \PDFcolor {...}                          |
| PDFETEX                     | \PDFETEX                                 |
| PDFTEX                      | \PDFTEX                                  |
| PICTEX                      | \PCTEX                                   |
| PiCTeX                      | \PiCTeX                                  |
| PointsToBigPoints           | \PointsToBigPoints {...} \...            |
| PointsToReal                | \PointsToReal {...} \...                 |
| PointsToWholeBigPoints      | \PointsToWholeBigPoints {...} \...       |
| PPCHTEX                     | \PPCHTEX                                 |
| PPCHTeX                     | \PPCHTeX                                 |
| PRAGMA                      | \PRAGMA                                  |
| PtToCm                      | \PtToCm {...}                            |
| pagearea                    | \pagearea [...] [...] [...]              |
| pagebreak                   | \pagebreak [...]                         |
| pagefigure                  | \pagefigure [...] [..=..]                |
| pageinjection               | \pageinjection [...] [..=..]             |
| pageinjection:assignment    | \pageinjection [..=..] [..=..]           |
| pagestaterealpage           | \pagestaterealpage {...} {...}           |
| pagestaterealpageorder      | \pagestaterealpageorder {...} {...}      |
| pagina                      | \pagina [...]                            |
| paletsize                   | \paletsize                               |
| paragraphs:example          | \PARAGRAPHS                              |
| parola                      | \parola {...}                            |
| paroladestra                | \paroladestra [...] {...}                |
| pdfactualtext               | \pdfactualtext {...} {...}               |
| pdfbackendactualtext        | \pdfbackendactualtext {...} {...}        |
| pdfbackendcurrentresources  | \pdfbackendcurrentresources              |
| pdfbackendsetcatalog        | \pdfbackendsetcatalog {...} {...}        |
| pdfbackendsetcolorspace     | \pdfbackendsetcolorspace {...} {...}     |
| pdfbackendsetextgstate      | \pdfbackendsetextgstate {...} {...}      |
| pdfbackendsetinfo           | \pdfbackendsetinfo {...} {...}           |
| pdfbackendsetname           | \pdfbackendsetname {...} {...}           |
| pdfbackendsetpageattribute  | \pdfbackendsetpageattribute {...} {...}  |
| pdfbackendsetpageresource   | \pdfbackendsetpageresource {...} {...}   |
| pdfbackendsetpagesattribute | \pdfbackendsetpagesattribute {...} {...} |
| pdfbackendsetpattern        | \pdfbackendsetpattern {...} {...}        |
| pdfbackendsetshade          | \pdfbackendsetshade {...} {...}          |
| pdfcolor                    | \pdfcolor {...}                          |
| pdfeTeX                     | \pdfeTeX                                 |
| pdfTeX                      | \pdfTeX                                  |
| ped                         | \ped {...}                               |
| pedap                       | \pedap [...] [...] [...]                 |
| ped:instance                | \LOW {...}                               |
| ped:instance:unitslow       | \unitslow {...}                          |
| percent                     | \percent                                 |
| percentdimen                | \percentdimen [...] [...] [...]          |
| perlungo                    | \perlungo {...}                          |
| permitcaretescape           | \permitcaretescape                       |
| permitcircumflexescape      | \permitcircumflexescape                  |
| permitspacesbetweengroups   | \permitspacesbetweengroups               |
| persiandecimals             | \persiandecimals {...}                   |
| persiannumerals             | \persiannumerals {...}                   |
| phantom                     | \phantom {...}                           |
| phantombox                  | \phantombox [..=..]                      |
| piccolo                     | \piccolo                                 |
| piccolocorsivograssetto     | \piccolocorsivograssetto                 |
| piccolofontdelcorpo         | \piccolofontdelcorpo                     |
| piccolograssetto            | \piccolograssetto                        |
| piccolograssetto corsivo    | \piccolograssetto corsivo                |
| piccolograssetto inclinato  | \piccolograssetto inclinato              |
| piccoloinclinato            | \piccoloinclinato                        |
| piccoloinclinatograssetto   | \piccoloinclinatograssetto               |
| piccolonormale              | \piccolonormale                          |
| piccolotype                 | \piccolotype                             |
| pickupgroupedcommand        | \pickupgroupedcommand {...} [...] [...]  |
| placeattachments            | \placeattachments                        |
| placebt rendering           | \placebt rendering [...] [..=..]         |
| placecitation               | \placecitation [...]                     |
| placecomments               | \placecomments                           |
| placecurrentformulanumber   | \placecurrentformulanumber               |
| placedbox                   | \placedbox {...}                         |

|  |   |
|--|---|
| placefloat                                 | \placefloat [...] [...] [...] [...] [...] {...} {...}             |
| placefloatwithsetups                       | \placefloatwithsetups [...] [...] [...] [...] [...] {...} {...}   |
| placefloat:instance                        | \mettiFLOAT [...] [...] [...] [...] [...] {...} {...}             |
| placefloat:instance:chemical               | \mettichemical [...] [...] [...] [...] [...] {...} {...}          |
| placefloat:instance:figure                 | \mettifigure [...] [...] [...] [...] [...] {...} {...}            |
| placefloat:instance:graphic                | \mettigraphic [...] [...] [...] [...] [...] {...} {...}           |
| placefloat:instance:intermezzo             | \mettiintermezzo [...] [...] [...] [...] [...] {...} {...}        |
| placefloat:instance:table                  | \mettitable [...] [...] [...] [...] [...] {...} {...}             |
| placeframed                                | \placeframed [...] [...] [...] [...] [...] {...}                  |
| placehelp                                  | \placehelp  |
| placeinitial                               | \placeinitial [...]   |
| placelayer                                 | \placelayer [...]   |
| placelayeredtext                           | \placelayeredtext [...] [...] [...] [...] [...] [...] {...} {...} |
| placelistoffloats:instance                 | \placelistofFLOATS [...] [...] [...] [...] [...] {...}            |
| placelistoffloats:instance:chemicals       | \placelistofchemicals [...] [...] [...] [...] [...] {...}         |
| placelistoffloats:instance:figures         | \placelistoffigures [...] [...] [...] [...] [...] {...}           |
| placelistoffloats:instance:graphics        | \placelistofgraphics [...] [...] [...] [...] [...] {...}          |
| placelistoffloats:instance:intermezzi      | \placelistofintermezzi [...] [...] [...] [...] [...] {...}        |
| placelistoffloats:instance:tables          | \placelistoftables [...] [...] [...] [...] [...] {...}            |
| placelistofpublications                    | \placelistofpublications [...] [...] [...] [...] [...] {...}      |
| placelistofsorts                           | \placelistofsorts [...] [...] [...] [...] [...] {...}             |
| placelistofsorts:instance                  | \placelistofSORTS [...] [...] [...] [...] [...] {...}             |
| placelistofsorts:instance:logos            | \placelistoflogos [...] [...] [...] [...] [...] {...}             |
| placelistofsynonyms                        | \placelistofsynonyms [...] [...] [...] [...] [...] {...}          |
| placelistofsynonyms:instance               | \placelistofSYNONYMS [...] [...] [...] [...] [...] {...}          |
| placelistofsynonyms:instance:abbreviations | \placelistofabbreviations [...] [...] [...] [...] [...] {...}     |
| placelocalnotes                            | \placelocalnotes [...] [...] [...] [...] [...] {...}              |
| placement                                  | \placement [...] [...] [...] [...] [...] {...}                    |
| placement:example                          | \PLACEMENT [...] [...] [...] [...] [...] {...}                    |
| placenamefloat                             | \placenamefloat [...] [...] [...] [...] [...] {...}               |
| placenameformula                           | \placenameformula [...] [...] [...] [...] [...] {...}             |
| placenotes                                 | \placenotes [...] [...] [...] [...] [...] {...}                   |
| placepairedbox                             | \placepairedbox [...] [...] [...] [...] [...] {...} {...}         |
| placepairedbox:instance                    | \mettiPAIREDBOX [...] [...] [...] [...] [...] {...} {...}         |
| placepairedbox:instance:legend             | \mettilegend [...] [...] [...] [...] [...] {...} {...}            |
| placeparallel                              | \placeparallel [...] [...] [...] [...] [...] {...}                |
| placeraawlist                              | \placeraawlist [...] [...] [...] [...] [...] {...}                |
| placereadingwindow                         | \placereadingwindow [...] [...] [...] [...] [...] {...}           |
| popattribute                               | \popattribute \...  |
| popmacro                                   | \popmacro \...  |
| popmode                                    | \popmode [...]  |
| popssystemmode                             | \popssystemmode {...}   |
| positionoverlay                            | \positionoverlay {...}  |
| positionregionoverlay                      | \positionregionoverlay {...} {...}                                |
| posizionanumerotesta                       | \posizionanumerotesta [...]                                       |
| posizionatestotesta                        | \posizionatestotesta [...]  |
| posizione                                  | \posizione [...] [...] [...] [...] [...] {...}                    |
| postponenotes                              | \postponenotes  |
| predefinedfont                             | \predefinedfont [...]   |
| predefinefont                              | \predefinefont [...] [...] [...] [...] [...] {...}                |
| predefinesymbol                            | \predefinesymbol [...]  |
| prefixedpagenumber                         | \prefixedpagenumber   |
| prendibuffer                               | \prendibuffer [...]   |
| prendibuffer:instance                      | \prendiBUFFER   |
| prendimarcatura                            | \prendimarcatura [...] [...] [...] [...] [...] {...}              |
| prependetoks                               | \prependetoks ... \to \...  |
| prependgvalue                              | \prependgvalue {...} {...}  |
| prependtocommalist                         | \prependtocommalist {...} \...                                    |
| prependtoks                                | \prependtoks ... \to \...   |
| prependtoksonce                            | \prependtoksonce ... \to \...                                     |
| prependvalue                               | \prependvalue {...} {...}   |
| prerollblank                               | \prerollblank [...]   |
| presetdocument                             | \presetdocument [...] [...] [...] [...] [...] {...}               |
| presetfieldsymbols                         | \presetfieldsymbols [...]   |
| presetlabeltext:instance                   | \presetLABELtesto [...] [...] [...] [...] [...] {...}             |
| presetlabeltext:instance:btxlabel          | \presetbtxlabeltesto [...] [...] [...] [...] [...] {...}          |
| presetlabeltext:instance:head              | \presetheadtesto [...] [...] [...] [...] [...] {...}              |
| presetlabeltext:instance:label             | \presetlabeltesto [...] [...] [...] [...] [...] {...}             |
| presetlabeltext:instance:mathlabel         | \presetmathlabeltesto [...] [...] [...] [...] [...] {...}         |
| presetlabeltext:instance:operator          | \presetoperatortesto [...] [...] [...] [...] [...] {...}          |
| presetlabeltext:instance:prefix            | \presetprefixtesto [...] [...] [...] [...] [...] {...}            |
| presetlabeltext:instance:suffix            | \setsuffixtesto [...] [...] [...] [...] [...] {...}               |

|                                   |  |
|-----------------------------------|--|
| presetlabeltext:instance:taglabel | \presettaglabeltesto [...] [..=..]           |
| presetlabeltext:instance:unit     | \presetunittesto [...] [..=..]               |
| pretocommalist                    | \pretocommalist {...} \...                   |
| prettyprintbuffer                 | \prettyprintbuffer {...} {...}               |
| prevcounter                       | \prevcounter [...] [...]                     |
| prevcountervalue                  | \prevcountervalue [...]                      |
| preventmode                       | \preventmode [...]                           |
| prevrealpage                      | \prevrealpage                                |
| prevrealpagenumber                | \prevrealpagenumber                          |
| prevsubcountervalue               | \prevsubcountervalue [...] [...]             |
| prevsubpage                       | \prevsubpage                                 |
| prevsubpagenumber                 | \prevsubpagenumber                           |
| prevuserpage                      | \prevuserpage                                |
| prevuserpagenumber                | \prevuserpagenumber                          |
| primasottopagina                  | \primasottopagina                            |
| procent                           | \procent                                     |
| processaction                     | \processaction [...] [...,..=>...]           |
| processallactionsinset            | \processallactionsinset [...] [...,..=>...]  |
| processassignlist                 | \processassignlist [...] \...                |
| processassignmentcommand          | \processassignmentcommand [..=..] \...       |
| processassignmentlist             | \processassignmentlist [..=..] \...          |
| processbetween                    | \processbetween {...} \...                   |
| processbodyfontenvironmentlist    | \processbodyfontenvironmentlist \...         |
| processcolorcomponents            | \processcolorcomponents {...}                |
| processcommaccommand              | \processcommaccommand [...] \...             |
| processcommalist                  | \processcommalist [...] \...                 |
| processcommalistwithparameters    | \processcommalistwithparameters [...] \...   |
| processcontent                    | \processcontent {...} \...                   |
| processfile                       | \processfile {...}                           |
| processfilemany                   | \processfilemany {...}                       |
| processfilenone                   | \processfilenone {...}                       |
| processfileonce                   | \processfileonce {...}                       |
| processfirstactioninset           | \processfirstactioninset [...] [...,..=>...] |
| processisolatedchars              | \processisolatedchars {...} \...             |
| processisolatedwords              | \processisolatedwords {...} \...             |
| processlinetablebuffer            | \processlinetablebuffer [...]                |
| processlinetablefile              | \processlinetablefile {...}                  |
| processlist                       | \processlist {...} {...} {...} \...          |
| processMPbuffer                   | \processMPbuffer [...]                       |
| processMPfigurefile               | \processMPfigurefile {...}                   |
| processmonth                      | \processmonth {...} {...} {...}              |
| processranges                     | \processranges [...] \...                    |
| processseparatedlist              | \processseparatedlist [...] [...] {...}      |
| processtexbuffer                  | \processtexbuffer [...]                      |
| processtokens                     | \processtokens {...} {...} {...} {...} {...} |
| processuntil                      | \processuntil \...                           |
| processxtablebuffer               | \processxtablebuffer [...]                   |
| processyear                       | \processyear {...} {...} {...} {...}         |
| prodotto                          | \prodotto [...]                              |
| prodotto:string                   | \prodotto ...                                |
| profiledbox                       | \profiledbox [...] [..=..] {...}             |
| profilegivenbox                   | \profilegivenbox {...} ...                   |
| progetto                          | \progetto [...]                              |
| progetto:string                   | \progetto ...                                |
| programma                         | \programma [...]                             |
| pseudoMixedCapped                 | \pseudoMixedCapped {...}                     |
| pseudoSmallCapped                 | \pseudoSmallCapped {...}                     |
| pseudoSmallcapped                 | \pseudoSmallcapped {...}                     |
| pseudosmallcapped                 | \pseudosmallcapped {...}                     |
| pulsante                          | \pulsante [..=..] {...} [...]                |
| pulsantemenu:button               | \pulsantemenu [..=..] {...} {...}            |
| pulsantemenu:interactionmenu      | \pulsantemenu [...] [..=..] {...} {...}      |
| pulsante:example                  | \BUTTON [..=..] {...} [...]                  |
| pulsantinterazione                | \pulsantinterazione [..=..] [...]            |
| punti                             | \punti [...]                                 |
| punti:assignment                  | \punti [..=..]                               |
| punto                             | \punto {...}                                 |
| purenumber                        | \purenumber {...}                            |
| pusharrangedpages                 | \pusharrangedpages ... \poparrangedpages     |
| pushattribute                     | \pushattribute \...                          |
| pushbar                           | \pushbar [...] ... \popbar                   |
| pushbutton                        | \pushbutton [...] [...]                      |

|                              |  |
|------------------------------|--|
| pushcatcodetable             | \pushcatcodetable ... \popcatcodetable             |
| pushcolore                   | \pushcolore [...] ... \popcolore                   |
| pushendofline                | \pushendofline ... \popendofline                   |
| pushindentation              | \pushindentation ... \popindentation               |
| pushMPdrawing                | \pushMPdrawing ... \popMPdrawing                   |
| pushmacro                    | \pushmacro \...                                    |
| pushmathstyle                | \pushmathstyle ... \popmathstyle                   |
| pushmode                     | \pushmode [...]                                    |
| pushoutputstream             | \pushoutputstream [...]                            |
| pushpath                     | \pushpath [...] ... \poppath                       |
| pushpunctuation              | \pushpunctuation ... \poppunctuation               |
| pushrandomseed               | \pushrandomseed ... \poprandomseed                 |
| pushreferenceprefix          | \pushreferenceprefix {...} ... \popreferenceprefix |
| pushsfondo                   | \pushsfondo [...] ... \popsfondo                   |
| pushsystemmode               | \pushsystemmode {...}                              |
| putboxincache                | \putboxincache {...} {...} ...                     |
| putnextboxincache            | \putnextboxincache {...} {...} \... {...}          |
| qquad                        | \qquad   |
| quad                         | \quad  |
| quads                        | \quads [...]                                       |
| qualcheriga                  | \qualcheriga [...]                                 |
| quarterstrut                 | \quarterstrut                                      |
| quitcommalist                | \quitcommalist                                     |
| quitprevcommalist            | \quitprevcommalist                                 |
| quittypescriptscanning       | \quittypescriptscanning                            |
| ReadFile                     | \ReadFile {...}                                    |
| raggedbottom                 | \raggedbottom                                      |
| raggedcenter                 | \raggedcenter                                      |
| raggedleft                   | \raggedleft  |
| raggedright                  | \raggedright                                       |
| raggedwidecenter             | \raggedwidecenter                                  |
| raisebox                     | \raisebox {...} \... {...}                         |
| randomizetext                | \randomizetext {...}                               |
| randomnumber                 | \randomnumber {...} {...}                          |
| rawcounter                   | \rawcounter [...] [...]                            |
| rawcountervalue              | \rawcountervalue [...]                             |
| rawdate                      | \rawdate [...]                                     |
| rawdoifelseinset             | \rawdoifelseinset {...} {...} {...} {...}          |
| rawdoifinset                 | \rawdoifinset {...} {...} {...}                    |
| rawdoifinsetelse             | \rawdoifinsetelse {...} {...} {...} {...}          |
| rawgetparameters             | \rawgetparameters [...] [...=..]                   |
| rawprocessaction             | \rawprocessaction [...] [...=>...]                 |
| rawprocesscommacommand       | \rawprocesscommacommand [...] \...                 |
| rawprocesscommalist          | \rawprocesscommalist [...] \...                    |
| rawstructurelistuservariable | \rawstructurelistuservariable {...}                |
| rawsubcountervalue           | \rawsubcountervalue [...] [...]                    |
| rbox                         | \rbox ... {...}                                    |
| readfile                     | \readfile {...} {...} {...}                        |
| readfixfile                  | \readfixfile {...} {...} {...} {...}               |
| readjobfile                  | \readjobfile {...} {...} {...}                     |
| readlocfile                  | \readlocfile {...} {...} {...}                     |
| readsetfile                  | \readsetfile {...} {...} {...} {...}               |
| readsysfile                  | \readsysfile {...} {...} {...}                     |
| readtexfile                  | \readtexfile {...} {...} {...}                     |
| readxmlfile                  | \readxmlfile {...} {...} {...}                     |
| realpagenumber               | \realpagenumber                                    |
| realSmallCapped              | \realSmallCapped {...}                             |
| realSmallcapped              | \realSmallcapped {...}                             |
| realsmallcapped              | \realsmallcapped {...}                             |
| recursedepth                 | \recursedepth                                      |
| recurselevel                 | \recurselevel                                      |
| recursestring                | \recursestring                                     |
| redoconvertfont              | \redoconvertfont                                   |
| referenceformat:example      | \REFERENCEFORMAT {...} {...} [...]                 |
| referenceprefix              | \referenceprefix                                   |
| referring                    | \referring (...,...) (...,...) [...]               |
| registerattachment           | \registerattachment [...] [...=..]                 |
| registerctxluafile           | \registerctxluafile {...} {...}                    |
| registerexternalfigure       | \registerexternalfigure [...] [...] [...=..]       |
| registerfontclass            | \registerfontclass {...}                           |
| registerhyphenationexception | \registerhyphenationexception [...] [...]          |
| registerhyphenationpattern   | \registerhyphenationpattern [...] [...]            |



|                                   |  |
|-----------------------------------|--|
| registermenubuttons               | \registermenubuttons [...] [...]                 |
| registersort                      | \registersort [...] [...]                        |
| registersynonym                   | \registersynonym [...] [...]                     |
| registerunit                      | \registerunit [...] [...=...]                    |
| registro:instance                 | \REGISTER [...] {...+...+...}                    |
| registro:instance:index           | \index [...] {...+...+...}                       |
| registro:instance:ownnumber       | \REGISTER [...] {...} {...+...+...}              |
| registro:instance:ownnumber:index | \index [...] {...} {...+...+...}                 |
| regolare                          | \regolare  |
| reimpostamarcatura                | \reimpostamarcatura [...]                        |
| relatemarking                     | \relatemarking [...] [...]                       |
| relateparameterhandlers           | \relateparameterhandlers {...} {...} {...} {...} |
| relaxvalueifundefined             | \relaxvalueifundefined {...}                     |
| remainingcharacters               | \remainingcharacters                             |
| removebottomthings                | \removebottomthings                              |
| removedepth                       | \removedepth                                     |
| removefromcommalist               | \removefromcommalist {...} \...                  |
| removelastskip                    | \removelastskip                                  |
| removelastspace                   | \removelastspace                                 |
| removemarkedcontent               | \removemarkedcontent [...]                       |
| removepunctuation                 | \removepunctuation                               |
| removesubstring                   | \removesubstring ... \from ... \to \...          |
| removetoks                        | \removetoks ... \from \...                       |
| removeunwantedspaces              | \removeunwantedspaces                            |
| replacefeature                    | \replacefeature [...]                            |
| replacefeature:direct             | \replacefeature {...}                            |
| replaceincommalist                | \replaceincommalist \... {...}                   |
| replaceword                       | \replaceword [...] [...] [...]                   |
| rescan                            | \rescan {...}                                    |
| rescanwithsetup                   | \rescanwithsetup {...} {...}                     |
| resetallattributes                | \resetallattributes                              |
| resetandaddfeature                | \resetandaddfeature [...]                        |
| resetandaddfeature:direct         | \resetandaddfeature {...}                        |
| resetbar                          | \resetbar  |
| resetboxesincache                 | \resetboxesincache {...}                         |
| resetbreakpoints                  | \resetbreakpoints                                |
| resetbuffer                       | \resetbuffer [...]                               |
| resetcharacteralign               | \resetcharacteralign                             |
| resetcharacterkerning             | \resetcharacterkerning                           |
| resetcharacterspacing             | \resetcharacterspacing                           |
| resetcharacterstripping           | \resetcharacterstripping                         |
| resetcollector                    | \resetcollector [...]                            |
| resetcounter                      | \resetcounter [...] [...]                        |
| resetdigitsmanipulation           | \resetdigitsmanipulation                         |
| resetdirection                    | \resetdirection                                  |
| resetfeature                      | \resetfeature                                    |
| resetflag                         | \resetflag {...}                                 |
| resetfontcolorscheme              | \resetfontcolorscheme                            |
| resetfontfallback                 | \resetfontfallback [...] [...]                   |
| resetfontsolution                 | \resetfontsolution                               |
| resetthyphenationfeatures         | \resetthyphenationfeatures                       |
| resetinjector                     | \resetinjector [...]                             |
| resetinteractionmenu              | \resetinteractionmenu [...]                      |
| resetitaliccorrection             | \resetitaliccorrection                           |
| resetlayer                        | \resetlayer [...]                                |
| resetlocalfloats                  | \resetlocalfloats                                |
| resetMPdrawing                    | \resetMPdrawing                                  |
| resetMPenvironment                | \resetMPenvironment                              |
| resetMPinstance                   | \resetMPinstance [...]                           |
| resetmarker                       | \resetmarker [...]                               |
| resetmode                         | \resetmode {...}                                 |
| resetpagenumber                   | \resetpagenumber                                 |
| resetparallel                     | \resetparallel [...] [...]                       |
| resetpath                         | \resetpath                                       |
| resetpenalties                    | \resetpenalties \...                             |
| resetperiodkerning                | \resetperiodkerning                              |
| resetprofile                      | \resetprofile                                    |
| resetrecurselevel                 | \resetrecurselevel                               |
| resetreference                    | \resetreference [...]                            |
| resetreplacement                  | \resetreplacement                                |
| resetscript                       | \resetscript                                     |
| resetsetups                       | \resetsetups [...]                               |

|                                   |  |
|-----------------------------------|--|
| resetshownsynonyms                | \resetshownsynonyms [...]                    |
| resetsubpagenumber                | \resetsubpagenumber                          |
| resetsymbolset                    | \resetsymbolset                              |
| resetsystemmode                   | \resetsystemmode {...}                       |
| resettimer                        | \resettimer                                  |
| resettrackers                     | \resettrackers                               |
| resettrialtypesetting             | \resettrialtypesetting                       |
| resetusedsortings                 | \resetusedsortings [...]                     |
| resetusedsynonyms                 | \resetusedsynonyms [...]                     |
| resetuserpagenumber               | \resetuserpagenumber                         |
| resetvalue                        | \resetvalue {...}                            |
| resetvisualizers                  | \resetvisualizers                            |
| reshapebox                        | \reshapebox {...}                            |
| resolvedglyphdirect               | \resolvedglyphdirect {...} {...}             |
| resolvedglyphstyled               | \resolvedglyphstyled {...} {...}             |
| restartcounter                    | \restartcounter [...] [...] [...]            |
| restorebox                        | \restorebox {...} {...}                      |
| restorecatcodes                   | \restorecatcodes                             |
| restorecounter                    | \restorecounter [...]                        |
| restorecurrentattributes          | \restorecurrentattributes {...}              |
| restoreendoffline                 | \restoreendoffline                           |
| restoreglobalbodyfont             | \restoreglobalbodyfont                       |
| reusableMPgraphic                 | \reusableMPgraphic {...} {...=..}            |
| reuseMPgraphic                    | \reuseMPgraphic {...} {...=..}               |
| reuserandomseed                   | \reuserandomseed                             |
| revivefeature                     | \revivefeature                               |
| rfence                            | \rfence {...}                                |
| rhbox                             | \rhbox {...}                                 |
| rif                               | \rif [...] [...]                             |
| riferimento                       | \riferimento [...] {...}                     |
| riferimentopagina                 | \riferimentopagina [...]                     |
| riferimentotesto                  | \riferimentotesto [...] {...}                |
| riflessione                       | \riflessione {...}                           |
| riga                              | \riga {...}                                  |
| rigariempimento                   | \rigariempimento [...=..]                    |
| rightbottombox                    | \rightbottombox {...}                        |
| rightbox                          | \rightbox {...}                              |
| rightbthbox                       | \rightbthbox {...}                           |
| rightlabeltext:instance           | \rightLABELtesto {...}                       |
| rightlabeltext:instance:head      | \righttheadtesto {...}                       |
| rightlabeltext:instance:label     | \rightlabeltesto {...}                       |
| rightlabeltext:instance:mathlabel | \rightmathlabeltesto {...}                   |
| rightline                         | \rightline {...}                             |
| rightorleftpageaction             | \rightorleftpageaction {...} {...}           |
| rightpageorder                    | \rightpageorder                              |
| rightskipadaption                 | \rightskipadaption                           |
| rightsubguillemot                 | \rightsubguillemot                           |
| righttoleft                       | \righttoleft                                 |
| righttoleftbthbox                 | \righttoleftbthbox ... {...}                 |
| righttoleftvbox                   | \righttoleftvbox ... {...}                   |
| righttoleftvtop                   | \righttoleftvtop ... {...}                   |
| righttopbox                       | \righttopbox {...}                           |
| rigovuoto                         | \rigovuoto [...]                             |
| ring                              | \ring {...}                                  |
| rlap                              | \rlap {...}                                  |
| robustaddtocommalist              | \robustaddtocommalist {...} \...             |
| robustdoifelseinset               | \robustdoifelseinset {...} {...} {...} {...} |
| robustdoifinsetelse               | \robustdoifinsetelse {...} {...} {...} {...} |
| robustpretocommalist              | \robustpretocommalist {...} \...             |
| rollbutton:button                 | \rollbutton [...=..] ... [...]               |
| rollbutton:interactionmenu        | \rollbutton [...] [...=..] ... [...]         |
| roman                             | \roman                                       |
| rtop                              | \rtop ... {...}                              |
| ruby                              | \ruby [...] {...} {...}                      |
| ruledhbox                         | \ruledhbox ... {...}                         |
| ruledhpack                        | \ruledhpack ... {...}                        |
| ruledmbox                         | \ruledmbox {...}                             |
| ruledtopv                         | \ruledtopv ... {...}                         |
| ruledtpack                        | \ruledtpack ... {...}                        |
| ruledvbox                         | \ruledvbox ... {...}                         |
| ruledvpack                        | \ruledvpack ... {...}                        |
| ruledvtop                         | \ruledvtop ... {...}                         |

|                              |   |
|------------------------------|---|
| runMPbuffer                  | \runMPbuffer [...]  |
| runninghbox                  | \runninghbox {...}  |
| ruota                        | \ruota [..=..] {...}  |
| ScaledPointsToBigPoints      | \ScaledPointsToBigPoints {...} \...                         |
| ScaledPointsToWholeBigPoints | \ScaledPointsToWholeBigPoints {...} \...                    |
| Smallcapped                  | \Smallcapped {...}  |
| safechar                     | \safechar {...}   |
| samplefile                   | \samplefile {...}   |
| sans                         | \sans   |
| sansgrassetto                | \sansgrassetto  |
| sansnormal                   | \sansnormal   |
| sansserif                    | \sansserif  |
| savebox                      | \savebox {...} {...} {...}                                  |
| savebtxdataset               | \savebtxdataset [...] [...] [..=..]                         |
| savebuffer                   | \savebuffer [..=..]   |
| savebuffer:list              | \savebuffer [...] [...]                                     |
| savecolore                   | \savecolore ... \restorecolore                              |
| savecounter                  | \savecounter [...]  |
| savecurrentattributes        | \savecurrentattributes {...}                                |
| savenormalmeaning            | \savenormalmeaning \...                                     |
| savetaggedtwopassdata        | \savetaggedtwopassdata {...} {...} {...} {...}              |
| savetwopassdata              | \savetwopassdata {...} {...} {...}                          |
| sbox                         | \sbox {...}   |
| scala                        | \scala [...] [..=..] {...}                                  |
| schermo                      | \schermo [...]  |
| script:instance              | \SCRIPT   |
| script:instance:ethiopic     | \ethiopic   |
| script:instance:hangul       | \hangul   |
| script:instance:hanzi        | \hanzi  |
| script:instance:latin        | \latin  |
| script:instance:nihongo      | \nihongo  |
| script:instance:test         | \test   |
| script:instance:thai         | \thai   |
| scrividentroelenco           | \scrividentroelenco [...] [..=..] {...}                     |
| scriviinelenco               | \scriviinelenco [...] [..=..] {...} {...}                   |
| secondoffivearguments        | \secondoffivearguments {...} {...} {...} {...} {...}        |
| secondoffourarguments        | \secondoffourarguments {...} {...} {...} {...}              |
| secondofsixarguments         | \secondofsixarguments {...} {...} {...} {...} {...} {...}   |
| secondofthreearguments       | \secondofthreearguments {...} {...} {...}                   |
| secondofthreeunexpanded      | \secondofthreeunexpanded {...} {...} {...}                  |
| secondoftwoarguments         | \secondoftwoarguments {...} {...}                           |
| secondoftwounexpanded        | \secondoftwounexpanded {...} {...}                          |
| seeregister:instance         | \vediREGISTER [...] {...+...+..} {...}                      |
| seeregister:instance:index   | \vediindex [...] {...+...+..} {...}                         |
| segnalibro                   | \segnalibro [...] {...}                                     |
| select                       | \select {...} {...} {...} {...} {...} {...}                 |
| selezionablocchi             | \selezionablocchi [...] [...] [...] [...] [...] OPT OPT OPT |
| serializecommalist           | \serializecommalist [...]                                   |
| serializedcommalist          | \serializedcommalist  |
| serif                        | \serif  |
| serifbold                    | \serifbold  |
| serifnormal                  | \serifnormal  |
| setautopagestaterealpageno   | \setautopagestaterealpageno {...}                           |
| setbar                       | \setbar [...]   |
| setbigbodyfont               | \setbigbodyfont   |
| setboxllx                    | \setboxllx ... {...}  |
| setboxlly                    | \setboxlly ... {...}  |
| setbreakpoints               | \setbreakpoints [...]                                       |
| setbuffer                    | \setbuffer [...] ... \endbuffer                             |
| setcapstrut                  | \setcapstrut  |
| setcatcodetable              | \setcatcodetable \...                                       |
| setcharacteralign            | \setcharacteralign {...} {...}                              |
| setcharacteraligndetail      | \setcharacteraligndetail {...} {...} {...} {...}            |
| setcharactercasing           | \setcharactercasing [...]                                   |
| setcharactercleaning         | \setcharactercleaning [...]                                 |
| setcharacterkerning          | \setcharacterkerning [...]                                  |
| setcharacterspacing          | \setcharacterspacing [...]                                  |
| setcharacterstripping        | \setcharacterstripping [...]                                |
| setcharstrut                 | \setcharstrut {...}   |
| setcollector                 | \setcollector [...] [..=..] {...}                           |
| setcolormodell               | \setcolormodell [...]                                       |
| setcounter                   | \setcounter [...] [...] [...]                               |

|                            |   |
|----------------------------|---|
| setcounterown              | \setcounterown [...] [...] [...]                      |
| setcurrentfontclass        | \setcurrentfontclass {...}                            |
| setdataset                 | \setdataset [...] [...] [...=..]                      |
| setdefaultpenalties        | \setdefaultpenalties                                  |
| setdigitsmanipulation      | \setdigitsmanipulation [...]                          |
| setdirection               | \setdirection [...]                                   |
| setdocumentargument        | \setdocumentargument {...} {...}                      |
| setdocumentargumentdefault | \setdocumentargumentdefault {...} {...}               |
| setdocumentfilename        | \setdocumentfilename {...} {...}                      |
| setdummyparameter          | \setdummyparameter {...} {...}                        |
| setelementexporttag        | \setelementexporttag [...] [...] [...]                |
| setemeasure                | \setemeasure {...} {...}                              |
| setevalue                  | \setevalue {...} {...}                                |
| setevariable               | \setevariable {...} {...} {...}                       |
| setevariables              | \setevariables [...] [...=..]                         |
| setfirstline               | \setfirstline [...]                                   |
| setfirstpasscharacteralign | \setfirstpasscharacteralign                           |
| setflag                    | \setflag {...}  |
| setfont                    | \setfont ...  |
| setfontcolorscheme         | \setfontcolorscheme [...]                             |
| setfontfeature             | \setfontfeature {...}                                 |
| setfontsolution            | \setfontsolution [...]                                |
| setfontstrut               | \setfontstrut   |
| setglobalscript            | \setglobalscript [...]                                |
| setgmeasure                | \setgmeasure {...} {...}                              |
| setgvalue                  | \setgvalue {...} {...}                                |
| setgvariable               | \setgvariable {...} {...} {...}                       |
| setgvariables              | \setgvariables [...] [...=..]                         |
| sethboxregister            | \sethboxregister ...{...}                             |
| sethyphenatedurlafter      | \sethyphenatedurlafter {...}                          |
| sethyphenatedurlbefore     | \sethyphenatedurlbefore {...}                         |
| sethyphenatedurlnormal     | \sethyphenatedurlnormal {...}                         |
| sethyphenationfeatures     | \sethyphenationfeatures [...]                         |
| setinitial                 | \setinitial [...] [...=..]                            |
| setinjector                | \setinjector [...] [...] [...]                        |
| setinteraction             | \setinteraction [...]                                 |
| setinterfacecommand        | \setinterfacecommand {...} {...}                      |
| setinterfaceconstant       | \setinterfaceconstant {...} {...}                     |
| setinterfaceelement        | \setinterfaceelement {...} {...}                      |
| setinterfacemessage        | \setinterfacemessage {...} {...} {...}                |
| setinterfacevariable       | \setinterfacevariable {...} {...}                     |
| setinternalrendering       | \setinternalrendering [...] [...] {...}               |
| setitaliccorrection        | \setitaliccorrection [...]                            |
| setJSreamble               | \setJSreamble {...} {...}                             |
| setlayer                   | \setlayer [...] [...] [...=..] {...}                  |
| setlayerframed             | \setlayerframed [...] [...=..] [...=..] {...}         |
| setlayerframed:combination | \setlayerframed [...] [...=..] {...}                  |
| setlayertext               | \setlayertext [...] [...=..] [...=..] {...}           |
| setlinefiller              | \setlinefiller [...]                                  |
| setlocalhsize              | \setlocalhsize [...]                                  |
| setlocalscript             | \setlocalscript [...]                                 |
| setMPlayer                 | \setMPlayer [...] [...] [...=..] {...}                |
| setMPpositiongraphic       | \setMPpositiongraphic {...} {...} {...=..}            |
| setMPpositiongraphicrange  | \setMPpositiongraphicrange {...} {...} {...} {...=..} |
| setMPtext                  | \setMPtext {...} {...}                                |
| setMPvariable              | \setMPvariable [...] [...=..]                         |
| setMPvariables             | \setMPvariables [...] [...=..]                        |
| setmainbodyfont            | \setmainbodyfont                                      |
| setmainparbuilder          | \setmainparbuilder [...]                              |
| setmarker                  | \setmarker [...] [...]                                |
| setmarking                 | \setmarking [...] {...}                               |
| setmathstyle               | \setmathstyle {...}                                   |
| setmeasure                 | \setmeasure {...} {...}                               |
| setmessagetext             | \setmessagetext {...} {...}                           |
| setmode                    | \setmode {...}  |
| setnostrut                 | \setnostrut   |
| setnote                    | \setnote [...] [...] {...}                            |
| setnotetext                | \setnotetext [...] [...] {...}                        |
| setnotetext:assignment     | \setnotetext [...] [...=..]                           |
| setnote:assignment         | \setnote [...] [...=..]                               |
| setobject                  | \setobject {...} {...} \... {...}                     |
| setoldstyle                | \setoldstyle  |

|                             |   |
|-----------------------------|---|
| setpagereference            | \setpagereference {...} {...}                       |
| setpagestate                | \setpagestate [...] [...]                           |
| setpagestaterealpageno      | \setpagestaterealpageno {...} {...}                 |
| setpenalties                | \setpenalties \... {...} {...}                      |
| setpercentdimen             | \setpercentdimen {...} {...}                        |
| setperiodkerning            | \setperiodkerning [...]                             |
| setposition                 | \setposition {...}                                  |
| setpositionbox              | \setpositionbox {...} \... {...}                    |
| setpositiondata             | \setpositiondata {...} {...} {...} {...}            |
| setpositiondatapplus        | \setpositiondatapplus {...} {...} {...} {...} {...} |
| setpositiononly             | \setpositiononly {...}                              |
| setpositionplus             | \setpositionplus {...} {...} \... {...}             |
| setpositionstrut            | \setpositionstrut {...}                             |
| setprofile                  | \setprofile [...]                                   |
| setrandomseed               | \setrandomseed {...}                                |
| setreference                | \setreference [...] [..=..]                         |
| setreferencedobject         | \setreferencedobject {...} {...} \... {...}         |
| setregisterentry            | \setregisterentry [...] [..=..] [..=..]             |
| setreplacement              | \setreplacement [...]                               |
| setrigidcolumnbalance       | \setrigidcolumnbalance ...                          |
| setrigidcolumnhsize         | \setrigidcolumnhsize {...} {...} {...}              |
| setscript                   | \setscript [...]                                    |
| setsecondpasscharacteralign | \setsecondpasscharacteralign                        |
| setsectionblock             | \setsectionblock [...] [..=..]                      |
| setsimplecolumnhsize        | \setsimplecolumnhsize [..=..]                       |
| setsmallbodyfont            | \setsmallbodyfont                                   |
| setsmallcaps                | \setsmallcaps                                       |
| setstackbox                 | \setstackbox {...} {...} {...}                      |
| setstructurepageregister    | \setstructurepageregister [...] [..=..] [..=..]     |
| setstrut                    | \setstrut   |
| setsuperiors                | \setsuperiors                                       |
| setsystemmode               | \setsystemmode {...}                                |
| settabular                  | \settabular   |
| settaggedmetadata           | \settaggedmetadata [..=..]                          |
| settext                     | \settext [...] [...] [...] [...] [...]              |
| settightobject              | \settightobject {...} {...} \... {...}              |
| settightreferencedobject    | \settightreferencedobject {...} {...} \... {...}    |
| settightstrut               | \settightstrut                                      |
| settightunreferencedobject  | \settightunreferencedobject {...} {...} \... {...}  |
| settrialtypesetting         | \settrialtypesetting                                |
| setuevalue                  | \setuevalue {...} {...}                             |
| setugvalue                  | \setugvalue {...} {...}                             |
| setunreferencedobject       | \setunreferencedobject {...} {...} \... {...}       |
| setupalternativestyles      | \setupalternativestyles [..=..]                     |
| setupattachment             | \setupattachment [...] [..=..]                      |
| setupattachments            | \setupattachments [...] [..=..]                     |
| setupbackend                | \setupbackend [..=..]                               |
| setupbar                    | \setupbar [...] [..=..]                             |
| setupbars                   | \setupbars [...] [..=..]                            |
| setupbleeding               | \setupbleeding [..=..]                              |
| setupbookmark               | \setupbookmark [..=..]                              |
| setupbtx                    | \setupbtx [...] [..=..]                             |
| setupbtxdataset             | \setupbtxdataset [...] [..=..]                      |
| setupbtxlist                | \setupbtxlist [...] [..=..]                         |
| setupbtxregister            | \setupbtxregister [...] [..=..]                     |
| setupbtxrendering           | \setupbtxrendering [...] [..=..]                    |
| setupbtx:name               | \setupbtx [...]                                     |
| setupbutton                 | \setupbutton [...] [..=..]                          |
| setupcharacteralign         | \setupcharacteralign [..=..]                        |
| setupcharacterkerning       | \setupcharacterkerning [...] [..=..]                |
| setupcharacterspacing       | \setupcharacterspacing [...] [...] [..=..]          |
| setupchemical               | \setupchemical [...] [..=..]                        |
| setupchemicalframed         | \setupchemicalframed [...] [..=..]                  |
| setupcollector              | \setupcollector [...] [..=..]                       |
| setupcolumnsetarea          | \setupcolumnsetarea [...] [..=..]                   |
| setupcolumnsetareatext      | \setupcolumnsetareatext [...] [...]                 |
| setupcolumnsetlines         | \setupcolumnsetlines [...] [...] [...] [...]        |
| setupcolumnsetspan          | \setupcolumnsetspan [...] [..=..]                   |
| setupcolumnsetstart         | \setupcolumnsetstart [...] [...] [...] [...]        |
| setupcolumnspan             | \setupcolumnspan [..=..]                            |
| setupcombination            | \setupcombination [...] [..=..]                     |
| setupcounter                | \setupcounter [...] [..=..]                         |

|                                   |   |
|-----------------------------------|---|
| setupdataset                      | \setupdataset [...] [..=..]                 |
| setupdelimitedtext                | \setupdelimitedtext [...] [..=..]           |
| setupdescription                  | \setupdescription [...] [..=..]             |
| setupdirections                   | \setupdirections [..=..]                    |
| setupdocument                     | \setupdocument [..=..]                      |
| setupeffect                       | \setupeffect [...] [..=..]                  |
| setupenumeration                  | \setupenumeration [...] [..=..]             |
| setupenv                          | \setupenv [..=..]                           |
| setupexport                       | \setupexport [..=..]                        |
| setupexternalfigure               | \setupexternalfigure [...] [..=..]          |
| setupexternalsoundtracks          | \setupexternalsoundtracks [..=..]           |
| setupfacingfloat                  | \setupfacingfloat [...] [..=..]             |
| setupfieldbody                    | \setupfieldbody [...] [..=..]               |
| setupfieldcategory                | \setupfieldcategory [...] [..=..]           |
| setupfieldcontentframed           | \setupfieldcontentframed [...] [..=..]      |
| setupfieldlabelframed             | \setupfieldlabelframed [...] [..=..]        |
| setupfieldtotalframed             | \setupfieldtotalframed [...] [..=..]        |
| setupfiller                       | \setupfiller [...] [..=..]                  |
| setupfirstline                    | \setupfirstline [...] [..=..]               |
| setupfittingpage                  | \setupfittingpage [...] [..=..]             |
| setupfontexpansion                | \setupfontexpansion [...] [..=..]           |
| setupfontprotrusion               | \setupfontprotrusion [...] [..=..]          |
| setupfonts                        | \setupfonts [..=..]                         |
| setupfontsolution                 | \setupfontsolution [...] [..=..]            |
| setupformula                      | \setupformula [...] [..=..]                 |
| setupformulaframed                | \setupformulaframed [...] [..=..]           |
| setupframedcontent                | \setupframedcontent [...] [..=..]           |
| setupframedtable                  | \setupframedtable [...] [..=..]             |
| setupframedtablecolumn            | \setupframedtablecolumn [...] [...] [..=..] |
| setupframedtablerow               | \setupframedtablerow [...] [...] [..=..]    |
| setupframedtext                   | \setupframedtext [...] [..=..]              |
| setupglobalreferenceprefix        | \setupglobalreferenceprefix [...]           |
| setupheadalternative              | \setupheadalternative [...] [..=..]         |
| setuphelp                         | \setuphelp [...] [..=..]                    |
| setuphigh                         | \setuphigh [...] [..=..]                    |
| setuphighlight                    | \setuphighlight [...] [..=..]               |
| setuphyphenation                  | \setuphyphenation [..=..]                   |
| setupindentedtext                 | \setupindentedtext [...] [..=..]            |
| setupinitial                      | \setupinitial [...] [..=..]                 |
| setupinsertion                    | \setupinsertion [...] [..=..]               |
| setupitaliccorrection             | \setupitaliccorrection [...]                |
| setupitemgroup                    | \setupitemgroup [...] [...] [...] [..=..]   |
| setupitemgroup:assignment         | \setupitemgroup [...] [..=..]               |
| setupitemgroup:instance           | \impostaiTEMGROUP [...] [...] [..=..]       |
| setupitemgroup:instance:itemize   | \impostaitemize [...] [...] [..=..]         |
| setuplabel                        | \setuplabel [...] [..=..]                   |
| setuplayer                        | \setuplayer [...] [..=..]                   |
| setuplayeredtext                  | \setuplayeredtext [...] [..=..]             |
| setuplayouttext                   | \setuplayouttext [...] [...] [..=..]        |
| setuplinefiller                   | \setuplinefiller [...] [..=..]              |
| setuplinefillers                  | \setuplinefillers [...] [..=..]             |
| setuplinenote                     | \setuplinenote [...] [..=..]                |
| setuplinetable                    | \setuplinetable [...] [...] [..=..]         |
| setuplistalternative              | \setuplistalternative [...] [..=..]         |
| setuplistextra                    | \setuplistextra [...] [..=..]               |
| setuplocalfloats                  | \setuplocalfloats [..=..]                   |
| setuplocalinterlinespace          | \setuplocalinterlinespace [...] [..=..]     |
| setuplocalinterlinespace:argument | \setuplocalinterlinespace [...]             |
| setuplocalinterlinespace:name     | \setuplocalinterlinespace [...]             |
| setuplow                          | \setuplow [...] [..=..]                     |
| setuplowhigh                      | \setuplowhigh [...] [..=..]                 |
| setuplowmidhigh                   | \setuplowmidhigh [...] [..=..]              |
| setupMPgraphics                   | \setupMPgraphics [..=..]                    |
| setupMPinstance                   | \setupMPinstance [...] [..=..]              |
| setupMPpage                       | \setupMPpage [..=..]                        |
| setupMPvariables                  | \setupMPvariables [...] [..=..]             |
| setupmarginblock                  | \setupmarginblock [...] [..=..]             |
| setupmargindata                   | \setupmargindata [...] [..=..]              |
| setupmarginframed                 | \setupmarginframed [...] [..=..]            |
| setupmarginrule                   | \setupmarginrule [...] [..=..]              |
| setupmathalignment                | \setupmathalignment [...] [..=..]           |
| setupmathcases                    | \setupmathcases [...] [..=..]               |

|                                |  |
|--------------------------------|--|
| setupmathematics               | \setupmathematics [...] [..=..]                    |
| setupmathfence                 | \setupmathfence [...] [..=..]                      |
| setupmathfraction              | \setupmathfraction [...] [..=..]                   |
| setupmathfractions             | \setupmathfractions [...] [..=..]                  |
| setupmathframed                | \setupmathframed [...] [..=..]                     |
| setupmathmatrix                | \setupmathmatrix [...] [..=..]                     |
| setupmathornament              | \setupmathornament [...] [..=..]                   |
| setupmathradical               | \setupmathradical [...] [..=..]                    |
| setupmathstackers              | \setupmathstackers [...] [..=..]                   |
| setupmathstyle                 | \setupmathstyle [...]                              |
| setupmixedcolumns              | \setupmixedcolumns [...] [..=..]                   |
| setupmodule                    | \setupmodule [...] [..=..]                         |
| setupnotation                  | \setupnotation [...] [..=..]                       |
| setupnotations                 | \setupnotations [...] [..=..]                      |
| setupnote                      | \setupnote [...] [..=..]                           |
| setupnotes                     | \setupnotes [...] [..=..]                          |
| setupoffset                    | \setupoffset [..=..]                               |
| setupoffsetbox                 | \setupoffsetbox [..=..]                            |
| setupoutputroutine             | \setupoutputroutine [...] [..=..]                  |
| setupoutputroutine:name        | \setupoutputroutine [...]                          |
| setuppagechecker               | \setuppagechecker [...] [..=..]                    |
| setuppagecolumns               | \setuppagecolumns [...] [..=..]                    |
| setuppageinjection             | \setuppageinjection [...] [..=..]                  |
| setuppageinjectionalternative  | \setuppageinjectionalternative [...] [..=..]       |
| setuppageshift                 | \setuppageshift [...] [...] [..=..]                |
| setuppagestate                 | \setuppagestate [...] [..=..]                      |
| setuppairedbox                 | \setuppairedbox [...] [..=..]                      |
| setuppairedbox:instance        | \impostapAIREDBOX [..=..]                          |
| setuppairedbox:instance:legend | \impostalegend [..=..]                             |
| setuppaper                     | \setuppaper [..=..]                                |
| setupparagraph                 | \setupparagraph [...] [..=..]                      |
| setupparagraphintro            | \setupparagraphintro [...] [..=..]                 |
| setupparallel                  | \setupparallel [...] [...] [..=..]                 |
| setupperiodkerning             | \setupperiodkerning [...] [..=..]                  |
| setupperiods                   | \setupperiods [..=..]                              |
| setupplacement                 | \setupplacement [...] [..=..]                      |
| setuppositionbar               | \setuppositionbar [..=..]                          |
| setupprocessor                 | \setupprocessor [...] [..=..]                      |
| setupprofile                   | \setupprofile [...] [..=..]                        |
| setupquotation                 | \setupquotation [..=..]                            |
| setuprealpagenumber            | \setuprealpagenumber [..=..]                       |
| setupreferenceformat           | \setupreferenceformat [...] [..=..]                |
| setupreferenceprefix           | \setupreferenceprefix [...]                        |
| setupreferencestructureprefix  | \setupreferencestructureprefix [...] [...] [..=..] |
| setupregisters                 | \setupregisters [...] [..=..]                      |
| setupregisters:argument        | \setupregisters [...] [...] [..=..]                |
| setuprenderingwindow           | \setuprenderingwindow [...] [..=..]                |
| setupruby                      | \setupruby [...] [..=..]                           |
| setups                         | \setups [...]                                      |
| setupscale                     | \setupscale [...] [..=..]                          |
| setupscrip                     | \setupscrip [...] [..=..]                          |
| setupscripts                   | \setupscripts [...] [..=..]                        |
| setupselector                  | \setupselector [...] [..=..]                       |
| setupshift                     | \setupshift [...] [..=..]                          |
| setupsidebar                   | \setupsidebar [...] [..=..]                        |
| setupspellchecking             | \setupspellchecking [..=..]                        |
| setupstretched                 | \setupstretched [..=..]                            |
| setupstruts                    | \setupstruts [...]                                 |
| setupstyle                     | \setupstyle [...] [..=..]                          |
| setupsubformula                | \setupsubformula [...] [..=..]                     |
| setupsubformulas               | \setupsubformulas [...] [..=..]                    |
| setupsynctex                   | \setupsynctex [..=..]                              |
| setups:direct                  | \setups {...}                                      |
| setupTABLE                     | \setupTABLE [...] [...] [..=..]                    |
| setupTEXpage                   | \setupTEXpage [..=..]                              |
| setuptabulation                | \setuptabulation [...] [..=..]                     |
| setuptagging                   | \setuptagging [..=..]                              |
| setuptextbackground            | \setuptextbackground [...] [..=..]                 |
| setuptextflow                  | \setuptextflow [...] [..=..]                       |
| setuptooltip                   | \setuptooltip [...] [..=..]                        |
| setupunit                      | \setupunit [...] [..=..]                           |
| setupuserpagenumber            | \setupuserpagenumber [..=..]                       |

|                                     |  |
|-------------------------------------|--|
| setupversion                        | \setupversion [...]                    |
| setupviewerlayer                    | \setupviewerlayer [..=..]              |
| setupvspacing                       | \setupvspacing [...]                   |
| setupwithargument                   | \setupwithargument {...} {...}         |
| setupwithargumentswapped            | \setupwithargumentswapped {...} {...}  |
| setupxml                            | \setupxml [..=..]                      |
| setupxtable                         | \setupxtable [...] [..=..]             |
| setuvalue                           | \setuvalue {...} {...}                 |
| setuxvalue                          | \setuxvalue {...} {...}                |
| setvalue                            | \setvalue {...} {...}                  |
| setvariable                         | \setvariable {...} {...} {...}         |
| setvariables                        | \setvariables [...] [..=..]            |
| setvboxregister                     | \setvboxregister ... {...}             |
| setvisualizerfont                   | \setvisualizerfont [...]               |
| setvtopregister                     | \setvtopregister ... {...}             |
| setwidthof                          | \setwidthof ... \to \...               |
| setxmeasure                         | \setxmeasure {...} {...}               |
| setxvalue                           | \setxvalue {...} {...}                 |
| setxvariable                        | \setxvariable {...} {...} {...}        |
| setxvariables                       | \setxvariables [...] [..=..]           |
| sfondo                              | \sfondo {...}                          |
| sfondo:example                      | \SFONDO {...}                          |
| shapedhbox                          | \shapedhbox {...}                      |
| shiftbox                            | \shiftbox {...}                        |
| shift:instance                      | \SHIFT {...}                           |
| shift:instance:shiftdown            | \shiftdown {...}                       |
| shift:instance:shiftup              | \shiftup {...}                         |
| showallmakeup                       | \showallmakeup                         |
| showattributes                      | \showattributes                        |
| showboxes                           | \showboxes                             |
| showbtxdatasetauthors               | \showbtxdatasetauthors [..=..]         |
| showbtxdatasetauthors:argument      | \showbtxdatasetauthors [...]           |
| showbtxdatasetcompleteness          | \showbtxdatasetcompleteness [..=..]    |
| showbtxdatasetcompleteness:argument | \showbtxdatasetcompleteness [...]      |
| showbtxdatasetfields                | \showbtxdatasetfields [..=..]          |
| showbtxdatasetfields:argument       | \showbtxdatasetfields [...]            |
| showbtxfields                       | \showbtxfields [..=..]                 |
| showbtxfields:argument              | \showbtxfields [...]                   |
| showbtxhashedauthors                | \showbtxhashedauthors [...]            |
| showbtxtables                       | \showbtxtables [...]                   |
| showchardata                        | \showchardata {...}                    |
| showcharratio                       | \showcharratio {...}                   |
| showcolorbar                        | \showcolorbar [...]                    |
| showcolorcomponents                 | \showcolorcomponents [...]             |
| showcolorset                        | \showcolorset [...]                    |
| showcolorstruts                     | \showcolorstruts                       |
| showcounter                         | \showcounter [...]                     |
| showdirectives                      | \showdirectives                        |
| showdirsinmargin                    | \showdirsinmargin                      |
| showdebuginfo                       | \showdebuginfo                         |
| showexperiments                     | \showexperiments                       |
| showfont                            | \showfont [...] [...]                  |
| showfontdata                        | \showfontdata                          |
| showfontexpansion                   | \showfontexpansion                     |
| showfontitalics                     | \showfontitalics                       |
| showfontkerns                       | \showfontkerns                         |
| showfontparameters                  | \showfontparameters                    |
| showfontstrip                       | \showfontstrip [...]                   |
| showfontstyle                       | \showfontstyle [...] [...] [...] [...] |
| showglyphdata                       | \showglyphdata                         |
| showglyphs                          | \showglyphs                            |
| showgridsnapping                    | \showgridsnapping                      |
| showhelp                            | \showhelp {...} [...]                  |
| showhyphenationtrace                | \showhyphenationtrace [...] [...]      |
| showhyphens                         | \showhyphens {...}                     |
| showinjector                        | \showinjector [...]                    |
| showjustification                   | \showjustification                     |
| showkerning                         | \showkerning {...}                     |
| showlayoutcomponents                | \showlayoutcomponents                  |
| showligature                        | \showligature {...}                    |
| showligatures                       | \showligatures [...]                   |
| showlogcategories                   | \showlogcategories                     |



|                             |  |
|-----------------------------|--|
| showmargins                 | \showmargins   |
| showmessage                 | \showmessage {...} {...} {...}                           |
| showminimalbaseline         | \showminimalbaseline                                     |
| shownextbox                 | \shownextbox \... {...}                                  |
| showotfcomposition          | \showotfcomposition {...} {...} {...}                    |
| showparentchain             | \showparentchain \... {...}                              |
| showsetupsdefinition        | \showsetupsdefinition [...]                              |
| showtimer                   | \showtimer {...}   |
| showtokens                  | \showtokens [...]  |
| showtrackers                | \showtrackers  |
| showvalue                   | \showvalue {...}   |
| showvariable                | \showvariable {...} {...}                                |
| showwarning                 | \showwarning {...} {...} {...}                           |
| signalrightpage             | \signalrightpage   |
| simbolo                     | \simbolo [...] [...]                                     |
| simbolo:direct              | \simbolo {...}   |
| simplealignedbox            | \simplealignedbox {...} {...} {...}                      |
| simplealignedboxplus        | \simplealignedboxplus {...} {...} {...} {...}            |
| simplealignedspreadbox      | \simplealignedspreadbox {...} {...} {...}                |
| simplegroupedcommand        | \simplegroupedcommand {...} {...}                        |
| simplereversealignedbox     | \simplereversealignedbox {...} {...} {...}               |
| simplereversealignedboxplus | \simplereversealignedboxplus {...} {...} {...} {...}     |
| singalcharacteralign        | \singalcharacteralign {...} {...}                        |
| singlebond                  | \singlebond  |
| sinistra                    | \sinistra ...  |
| sixthofsixarguments         | \sixthofsixarguments {...} {...} {...} {...} {...} {...} |
| slantedface                 | \slantedface   |
| slicepages                  | \slicepages [...] [..=..] [..=..]                        |
| slovenianNumerals           | \slovenianNumerals {...}                                 |
| sloveniannumerals           | \sloveniannumerals {...}                                 |
| smallcappedcharacters       | \smallcappedcharacters {...}                             |
| smallcappedromannumerals    | \smallcappedromannumerals {...}                          |
| smaller                     | \smaller   |
| smallskip                   | \smallskip   |
| smash                       | \smash [...] {...}                                       |
| smashbox                    | \smashbox ...  |
| smashboxed                  | \smashboxed ...  |
| smashedhbox                 | \smashedhbox ... {...}                                   |
| smashedvbox                 | \smashedvbox ... {...}                                   |
| snaptogrid                  | \snaptogrid [...] \... {...}                             |
| snaptogrid:list             | \snaptogrid [...] \... {...}                             |
| someheadnumber              | \someheadnumber [...] [...]                              |
| somekindoftab               | \somekindoftab [..=..]                                   |
| somelocalfloat              | \somelocalfloat  |
| somenamedheadnumber         | \somenamedheadnumber {...} {...}                         |
| someplace                   | \someplace {...} {...} {...} {...} {...} [...]           |
| sorting:instance            | \SORTING [...] {...}                                     |
| sorting:instance:logo       | \logo [...] {...}  |
| sottopaginasuccessiva       | \sottopaginasuccessiva                                   |
| spanishNumerals             | \spanishNumerals {...}                                   |
| spanishnumerals             | \spanishnumerals {...}                                   |
| spazifissi                  | \spazifissi  |
| spazio                      | \spazio  |
| spaziofisso                 | \spaziofisso   |
| spessoreriga                | \spessoreriga  |
| spezzaoggettomobile         | \spezzaoggettomobile [..=..] {...} {...}                 |
| splitatasterisk             | \splitatasterisk ... \... \...                           |
| splitatcolon                | \splitatcolon ... \... \...                              |
| splitatcolons               | \splitatcolons ... \... \...                             |
| splitatcomma                | \splitatcomma ... \... \...                              |
| splitatperiod               | \splitatperiod ... \... \...                             |
| splitdffrac                 | \splitdffrac {...} {...}                                 |
| splitfilename               | \splitfilename {...}                                     |
| splitfrac                   | \splitfrac {...} {...}                                   |
| splitoffbase                | \splitoffbase  |
| splitofffull                | \splitofffull  |
| splitoffkind                | \splitoffkind  |
| splitoffname                | \splitoffname  |
| splitoffpath                | \splitoffpath  |
| splitoffroot                | \splitoffroot  |
| splitofftokens              | \splitofftokens ... \from ... \to \...                   |
| splitofftype                | \splitofftype  |

|                                 |   |
|---------------------------------|---|
| splitstring                     | \splitstring ... \at ... \to \... \and \...             |
| spreadhbox                      | \spreadhbox ...   |
| sqrtd                           | \sqrtd [...] {...}                                      |
| stackcampi                      | \stackcampi [...] [...] [..=..]                         |
| stackrel                        | \stackrel {...} {...}                                   |
| startlinenote:instance          | \iniziaLINENOTE [...] {...}                             |
| startlinenote:instance:linenote | \inizialinenote [...] {...}                             |
| startregister                   | \startregister [...] [...] [...] [...] {...+...+...}    |
| startstop:example               | \STARTSTOP {...}  |
| startstructurepageregister      | \startstructurepageregister [...] [...] [..=..] [..=..] |
| stirato                         | \stirato [..=..] {...}                                  |
| stoplinenote:instance           | \terminaLINENOTE [...] [...]                            |
| stoplinenote:instance:linenote  | \terminalinenote [...] [...]                            |
| stopregister                    | \stopregister [...] [...]                               |
| stopstructurepageregister       | \stopstructurepageregister [...] [...]                  |
| strictdoifelsenextoptional      | \strictdoifelsenextoptional {...} {...}                 |
| strictdoifnextoptionalelse      | \strictdoifnextoptionalelse {...} {...}                 |
| stripcharacter                  | \stripcharacter ... \from ... \to \...                  |
| strippedcsname                  | \strippedcsname \...                                    |
| strippedcsname:string           | \strippedcsname ...                                     |
| stripspaces                     | \stripspaces \from ... \to \...                         |
| structurelistuservariable       | \structurelistuservariable {...}                        |
| structurenumber                 | \structurenumber  |
| structuretitle                  | \structuretitle   |
| structureuservariable           | \structureuservariable {...}                            |
| structurevariable               | \structurevariable {...}                                |
| strut                           | \strut  |
| strutdp                         | \strutdp  |
| strutgap                        | \strutgap   |
| strutht                         | \strutht  |
| struthtdp                       | \struthtdp  |
| struttedbox                     | \struttedbox {...}                                      |
| strutwd                         | \strutwd  |
| style                           | \style [..=..] {...}                                    |
| styleinstance                   | \styleinstance [...]                                    |
| style:argument                  | \style [...] {...}                                      |
| style:instance                  | \STYLE {...}  |
| subpagenumber                   | \subpagenumber  |
| subsentence                     | \subsentence {...}                                      |
| substituteincommalist           | \substituteincommalist {...} {...} \...                 |
| subtractfeature                 | \subtractfeature [...]                                  |
| subtractfeature:direct          | \subtractfeature {...}                                  |
| swapcounts                      | \swapcounts \... \...                                   |
| swapdimens                      | \swapdimens \... \...                                   |
| swapface                        | \swapface   |
| swapmacros                      | \swapmacros \... \...                                   |
| swaptypesface                   | \swaptypesface  |
| switchstyleonly                 | \switchstyleonly [...]                                  |
| switchstyleonly:command         | \switchstyleonly \...                                   |
| switchtocolour                  | \switchtocolour [...]                                   |
| switchtointerlinespace          | \switchtointerlinespace [...] [..=..]                   |
| switchtointerlinespace:argument | \switchtointerlinespace [...]                           |
| switchtointerlinespace:name     | \switchtointerlinespace [...]                           |
| symbolreference                 | \symbolreference [...]                                  |
| synchronizeblank                | \synchronizeblank                                       |
| synchronizeindenting            | \synchronizeindenting                                   |
| synchronizemarking              | \synchronizemarking [...] [...] [...]                   |
| synchronizeoutputstreams        | \synchronizeoutputstreams [...]                         |
| synchronizestrut                | \synchronizestrut {...}                                 |
| synchronizewhitespace           | \synchronizewhitespace                                  |
| synctexblockfilename            | \synctexblockfilename {...}                             |
| synctexresetfilename            | \synctexresetfilename                                   |
| synctexsetfilename              | \synctexsetfilename {...}                               |
| synonym:instance                | \SYNONYM [...] [...] {...}                              |
| synonym:instance:abbreviation   | \abbreviation [...] [...] {...}                         |
| systemlog                       | \systemlog [...] [...] {...}                            |
| systemlogfirst                  | \systemlogfirst [...] [...] {...}                       |
| systemloglast                   | \systemloglast [...] [...] {...}                        |
| systemsetups                    | \systemsetups {...}                                     |
| TABLE                           | \TABLE  |
| TaBlE                           | \TaBlE  |
| TEX                             | \TEX  |

|                                       |  |
|---------------------------------------|--|
| TeX                                   | \TeX   |
| TheNormalizedFontSize                 | \TheNormalizedFontSize                                   |
| TransparencyHack                      | \TransparencyHack  |
| tabulateautoline                      | \tabulateautoline  |
| tabulateautorule                      | \tabulateautorule  |
| tabulateline                          | \tabulateline  |
| tabulaterule                          | \tabulaterule  |
| taggedctxcommand                      | \taggedctxcommand {...}                                  |
| taggedlabeltexts                      | \taggedlabeltexts {...} {...} {...}                      |
| tbox                                  | \tbox {...}  |
| terminariga                           | \terminariga [...]                                       |
| testandsplitstring                    | \testandsplitstring ... \at ... \to ... \and \...        |
| testcolumn                            | \testcolumn [...] [...]                                  |
| testfeature                           | \testfeature {...} {...}                                 |
| testfeatureonce                       | \testfeatureonce {...} {...}                             |
| testoaiuto                            | \testoaiuto [...] {...} {...}                            |
| testoetichetta:instance               | \LABELtesto {...}  |
| testoetichetta:instance:btxlabel      | \btxlabeltesto {...}                                     |
| testoetichetta:instance:head          | \headtesto {...}   |
| testoetichetta:instance:label         | \labeltesto {...}  |
| testoetichetta:instance:mathlabel     | \mathlabeltesto {...}                                    |
| testoetichetta:instance:operator      | \operatorortesto {...}                                   |
| testoetichetta:instance:prefix        | \prefixtesto {...}                                       |
| testoetichetta:instance:suffix        | \suffixtesto {...}                                       |
| testoetichetta:instance:taglabel      | \taglabeltesto {...}                                     |
| testoetichetta:instance:unit          | \unittesto {...}   |
| testoincorniciato:instance            | \FRAMEDTEXT [..=..] {...}                                |
| testoincorniciato:instance:framedtext | \framedtext [..=..] {...}                                |
| testonotapdp                          | \testonotapdp [...] {...}                                |
| testonotapdp:assignment               | \testonotapdp [..=..]                                    |
| testoriempimento                      | \testoriempimento [..=..] {...} {...}                    |
| testpage                              | \testpage [...] [...]                                    |
| testpageonly                          | \testpageonly [...] [...]                                |
| testpagesync                          | \testpagesync [...] [...]                                |
| testtokens                            | \testtokens [...]  |
| tex                                   | \tex {...}   |
| texdefinition                         | \texdefinition {...}                                     |
| texsetup                              | \texsetup {...}  |
| textbackground:example                | \TEXTBACKGROUND {...}                                    |
| textcitation                          | \textcitation [..=..] [...]                              |
| textcitation:alternative              | \textcitation [...] [...]                                |
| textcitation:userdata                 | \textcitation [..=..] [..=..]                            |
| textcite                              | \textcite [..=..] [...]                                  |
| textcite:alternative                  | \textcite [...] [...]                                    |
| textcite:userdata                     | \textcite [..=..] [..=..]                                |
| textcontrolspace                      | \textcontrolspace  |
| textflowcollector                     | \textflowcollector {...}                                 |
| textmath                              | \textmath {...}  |
| textminus                             | \textminus   |
| textormathchar                        | \textormathchar {...}                                    |
| textormathchars                       | \textormathchars {...}                                   |
| textplus                              | \textplus  |
| textvisiblespace                      | \textvisiblespace  |
| thainumerals                          | \thainumerals {...}                                      |
| thefirstcharacter                     | \thefirstcharacter {...}                                 |
| thenormalizedbodyfontsize             | \thenormalizedbodyfontsize {...}                         |
| theremainingcharacters                | \theremainingcharacters {...}                            |
| thickspace                            | \thickspace  |
| thinspace                             | \thinspace   |
| thirdoffivearguments                  | \thirdoffivearguments {...} {...} {...} {...} {...}      |
| thirdoffourarguments                  | \thirdoffourarguments {...} {...} {...} {...}            |
| thirdofsixarguments                   | \thirdofsixarguments {...} {...} {...} {...} {...} {...} |
| thirdofthreearguments                 | \thirdofthreearguments {...} {...} {...}                 |
| thirdofthreeunexpanded                | \thirdofthreeunexpanded {...} {...} {...}                |
| threedigitrounding                    | \threedigitrounding {...}                                |
| tibetannumerals                       | \tibetannumerals {...}                                   |
| tieniblocchi                          | \tieniblocchi [...] [...]                                |
| tightlayer                            | \tightlayer [...]  |
| tilde                                 | \tilde {...}   |
| tinyfont                              | \tinyfont  |
| tlap                                  | \tlap {...}  |
| tochar                                | \tochar {...}  |

|                                   |   |
|-----------------------------------|---|
| tolinenote                        | \tolinenote [...]                         |
| tooltip:instance                  | \TOOLTIP [..=..] {...} {...}              |
| tooltip:instance:argument         | \TOOLTIP [...] {...} {...}                |
| tooltip:instance:argument:tooltip | \tooltip [...] {...} {...}                |
| tooltip:instance:tooltip          | \tooltip [..=..] {...} {...}              |
| topbox                            | \topbox {...}                             |
| opleftbox                         | \opleftbox {...}                          |
| toplinebox                        | \toplinebox {...}                         |
| toprightbox                       | \toprightbox {...}                        |
| topskippedbox                     | \topskippedbox {...}                      |
| tracecatcodetables                | \tracecatcodetables                       |
| tracedfontname                    | \tracedfontname {...}                     |
| traceoutputroutines               | \traceoutputroutines                      |
| tracepositions                    | \tracepositions                           |
| traduci                           | \traduci [..=..]                          |
| transparencycomponents            | \transparencycomponents {...}             |
| transparent                       | \transparent [...] {...}                  |
| triplebond                        | \triplebond                               |
| truefilename                      | \truefilename {...}                       |
| truefontname                      | \truefontname {...}                       |
| ttraggedright                     | \ttraggedright                            |
| twodigitrounding                  | \twodigitrounding {...}                   |
| tx                                | \tx                                       |
| txx                               | \txx                                      |
| typ                               | \typ [..=..] {...}                        |
| type                              | \type [..=..] {...}                       |
| typebuffer                        | \typebuffer [...] [..=..]                 |
| typebuffer:instance               | \typeBUFFER [..=..]                       |
| typedefinedbuffer                 | \typedefinedbuffer [...] [..=..]          |
| typeface                          | \typeface                                 |
| typefile                          | \typefile [...] [..=..] {...}             |
| typeinlinebuffer                  | \typeinlinebuffer [...] [..=..]           |
| typescriptone                     | \typescriptone                            |
| typescriptprefix                  | \typescriptprefix {...}                   |
| typescriptthree                   | \typescriptthree                          |
| typescripttwo                     | \typescripttwo                            |
| typesetbuffer                     | \typesetbuffer [...] [..=..]              |
| typesetfile                       | \typesetfile [...] [...] [..=..]          |
| type:angles                       | \type [..=..] <<...>>                     |
| type:example                      | \TYPE [..=..] {...}                       |
| type:example:angles               | \TYPE [..=..] <<...>>                     |
| typ:angles                        | \typ [..=..] <<...>>                      |
| uconvertnumber                    | \uconvertnumber {...} {...}               |
| uedcatcodecommand                 | \uedcatcodecommand \... ... {...}         |
| ultimasottopagina                 | \ultimasottopagina                        |
| undefinevalue                     | \undefinevalue {...}                      |
| undepthed                         | \undepthed {...}                          |
| underset                          | \underset {...} {...}                     |
| undoassign                        | \undoassign [...] [..=..]                 |
| unexpandeddocumentvariable        | \unexpandeddocumentvariable {...}         |
| unhhbox                           | \unhhbox ... \with {...}                  |
| unihex                            | \unihex {...}                             |
| uniqueMPgraphic                   | \uniqueMPgraphic {...} {..=..}            |
| uniqueMPpagegraphic               | \uniqueMPpagegraphic {...} {..=..}        |
| unita:instance                    | \UNIT {...}                               |
| unita:instance:unit               | \unit {...}                               |
| unprotect                         | \unprotect ... \protect                   |
| unprotected                       | \unprotected ... \par                     |
| unregisterhyphenationpattern      | \unregisterhyphenationpattern [...] [...] |
| unspaceafter                      | \unspaceafter \... {...}                  |
| unspaceargument                   | \unspaceargument ... \to \...             |
| unspaced                          | \unspaced {...}                           |
| unspacestring                     | \unspacestring ... \to \...               |
| untexargument                     | \untexargument {...} \to \...             |
| untexcommand                      | \untexcommand {...} \to \...              |
| uppercased                        | \uppercased {...}                         |
| uppercasestring                   | \uppercasestring ... \to \...             |
| upperlefthdoubleninequote         | \upperlefthdoubleninequote                |
| upperlefthdoublesixquote          | \upperlefthdoublesixquote                 |
| upperleftsingleninequote          | \upperleftsingleninequote                 |
| upperleftsinglesixquote           | \upperleftsinglesixquote                  |
| upperrightdoubleninequote         | \upperrightdoubleninequote                |

|                            |   |
|----------------------------|---|
| upperrightdoublesixquote   | \upperrightdoublesixquote                     |
| upperrightsingleninequote  | \upperrightsingleninequote                    |
| upperrightsinglesixquote   | \upperrightsinglesixquote                     |
| url                        | \url [...]                                    |
| usablocco                  | \usablocco [...] [...] [..=..]                |
| usacartella                | \usacartella [...]                            |
| usacolonnasonoraesterna    | \usacolonnasonoraesterna [...] [...]          |
| usadocumentoesterno        | \usadocumentoesterno [...] [...] [...]        |
| usafiguraesterna           | \usafiguraesterna [...] [...] [...] [..=..]   |
| usaJSscripts               | \usaJSscripts [...] [...]                     |
| usamodulo                  | \usamodulo [...] [...] [..=..]                |
| usasimboli                 | \usasimboli [...]                             |
| usaURL                     | \usaURL [...] [...] [...] [...]               |
| usaur1                     | \usaur1 [...] [...] [...] [...]               |
| usealignparameter          | \usealignparameter \...                       |
| useblankparameter          | \useblankparameter \...                       |
| usebodyfont                | \usebodyfont [...]                            |
| usebodyfontparameter       | \usebodyfontparameter \...                    |
| usebtxdataset              | \usebtxdataset [...] [...] [..=..]            |
| usebtxdefinitions          | \usebtxdefinitions [...]                      |
| usecitation                | \usecitation [...]                            |
| usecitation:direct         | \usecitation {...}                            |
| usecolors                  | \usecolors [...]                              |
| usecomponent               | \usecomponent [...]                           |
| usedummycolorparameter     | \usedummycolorparameter {...}                 |
| usedummystyleandcolor      | \usedummystyleandcolor {...} {...}            |
| usedummystyleparameter     | \usedummystyleparameter {...}                 |
| useenvironment             | \useenvironment [...]                         |
| useexternalrendering       | \useexternalrendering [...] [...] [...] [...] |
| usefigurebase              | \usefigurebase [...]                          |
| usefile                    | \usefile [...] [...] [...] [...]              |
| usegridparameter           | \usegridparameter \...                        |
| useindentingparameter      | \useindentingparameter \...                   |
| useindentnextparameter     | \useindentnextparameter \...                  |
| useinterlinespaceparameter | \useinterlinespaceparameter \...              |
| uselanguageparameter       | \uselanguageparameter \...                    |
| uselua module              | \uselua module [...]                          |
| useMPenvironmentbuffer     | \useMPenvironmentbuffer [...]                 |
| useMPgraphic               | \useMPgraphic {...} {..=..}                   |
| useMPlibrary               | \useMPlibrary [...]                           |
| useMPrun                   | \useMPrun {...} {...}                         |
| useMPvariables             | \useMPvariables [...] [...]                   |
| usemathstyleparameter      | \usemathstyleparameter \...                   |
| useproduct                 | \useproduct [...]                             |
| useprofileparameter        | \useprofileparameter \...                     |
| useproject                 | \useproject [...]                             |
| userreferenceparameter     | \userreferenceparameter \...                  |
| userpagenumber             | \userpagenumber                               |
| usesetupsparameter         | \usesetupsparameter \...                      |
| usestaticMPfigure          | \usestaticMPfigure [..=..] [...]              |
| usesubpath                 | \usesubpath [...]                             |
| usetexmodule               | \usetexmodule [...] [...] [..=..]             |
| usetypescript              | \usetypescript [...] [...] [...] [...]        |
| usetypescriptfile          | \usetypescriptfile [...]                      |
| usezipfile                 | \usezipfile [...] [...]                       |
| utfchar                    | \utfchar {...}                                |
| utflower                   | \utflower {...}                               |
| utfupper                   | \utfupper {...}                               |
| utilityregisterlength      | \utilityregisterlength                        |
| VerboseNumber              | \VerboseNumber {...}                          |
| vaia                       | \vaia {...} [...]                             |
| vaiabox                    | \vaiabox {...} [...]                          |
| vaiapagina                 | \vaiapagina {...} [...]                       |
| vaigiu                     | \vaigiu [...]                                 |
| valorecolore               | \valorecolore {...}                           |
| vboxreference              | \vboxreference [...] {...}                    |
| vec                        | \vec {...}                                    |
| verbatim                   | \verbatim {...}                               |
| verbatimstring             | \verbatimstring {...}                         |
| verbosenumbers             | \verbosenumbers {...}                         |
| versione                   | \versione [...]                               |
| verticalgrowingbar         | \verticalgrowingbar [..=..]                   |

|                         |   |
|-------------------------|---|
| verticalpositionbar     | \verticalpositionbar [...=..]                 |
| veryraggedcenter        | \veryraggedcenter                             |
| veryraggedleft          | \veryraggedleft                               |
| veryraggedright         | \veryraggedright                              |
| vglue                   | \vglue ...                                    |
| viewerlayer             | \viewerlayer [...] {...}                      |
| v1                      | \v1 [...]                                     |
| vphantom                | \vphantom {...}                               |
| vpos                    | \vpos {...} {...}                             |
| vsmash                  | \vsmash {...}                                 |
| vsmashbox               | \vsmashbox ...                                |
| vsmashed                | \vsmashed {...}                               |
| vspace                  | \vspace [...] [...]                           |
| vspacing                | \vspacing [...]                               |
| WidthSpanningText       | \WidthSpanningText {...} {...} {...}          |
| wdofstring              | \wdofstring {...}                             |
| widthofstring           | \widthofstring {...}                          |
| widthspanningtext       | \widthspanningtext {...} {...} {...}          |
| withoutpt               | \withoutpt {...}                              |
| words                   | \words {...}                                  |
| wordtonumber            | \wordtonumber {...} {...}                     |
| writedatatolist         | \writedatatolist [...] [...=..] [...=..]      |
| writestatus             | \writestatus {...} {...}                      |
| XETEX                   | \XETEX  |
| XeTeX                   | \XeTeX  |
| xdefconvertedargument   | \xdefconvertedargument \... {...}             |
| xmladdindex             | \xmladdindex {...}                            |
| xmlafterdocumentssetup  | \xmlafterdocumentssetup {...} {...} {...}     |
| xmlafterssetup          | \xmlafterssetup {...} {...}                   |
| xmlall                  | \xmlall {...} {...}                           |
| xmlappenddocumentssetup | \xmlappenddocumentssetup {...} {...}          |
| xmlappendsetup          | \xmlappendsetup {...}                         |
| xmlapplyselectors       | \xmlapplyselectors {...}                      |
| xmlatt                  | \xmlatt {...} {...}                           |
| xmlattdef               | \xmlattdef {...} {...} {...}                  |
| xmlattribute            | \xmlattribute {...} {...} {...}               |
| xmlattributedef         | \xmlattributedef {...} {...} {...} {...}      |
| xmlbadinclusions        | \xmlbadinclusions {...}                       |
| xmlbeforedocumentssetup | \xmlbeforedocumentssetup {...} {...} {...}    |
| xmlbeforesetup          | \xmlbeforesetup {...} {...}                   |
| xmlchainatt             | \xmlchainatt {...} {...}                      |
| xmlchainattdef          | \xmlchainattdef {...} {...} {...}             |
| xmlchecknamespace       | \xmlchecknamespace {...} {...}                |
| xmlcommand              | \xmlcommand {...} {...} {...}                 |
| xmlconcat               | \xmlconcat {...} {...} {...}                  |
| xmlconcatrange          | \xmlconcatrange {...} {...} {...} {...} {...} |
| xmlcontext              | \xmlcontext {...} {...}                       |
| xmlcount                | \xmlcount {...}                               |
| xmldefaulttotext        | \xmldefaulttotext {...}                       |
| xmldirectives           | \xmldirectives {...}                          |
| xmldirectivesafter      | \xmldirectivesafter {...}                     |
| xmldirectivesbefore     | \xmldirectivesbefore {...}                    |
| xmldisplayverbatim      | \xmldisplayverbatim {...}                     |
| xmldoif                 | \xmldoif {...} {...} {...}                    |
| xmldoifatt              | \xmldoifatt {...} {...}                       |
| xmldoifelse             | \xmldoifelse {...} {...} {...} {...}          |
| xmldoifelseatt          | \xmldoifelseatt {...} {...} {...}             |
| xmldoifelseempty        | \xmldoifelseempty {...} {...} {...} {...}     |
| xmldoifelseselfempty    | \xmldoifelseselfempty {...} {...} {...}       |
| xmldoifelsestext        | \xmldoifelsestext {...} {...} {...} {...}     |
| xmldoifelsevalue        | \xmldoifelsevalue {...} {...} {...} {...}     |
| xmldoifnot              | \xmldoifnot {...} {...} {...}                 |
| xmldoifnotatt           | \xmldoifnotatt {...} {...}                    |
| xmldoifnotselfempty     | \xmldoifnotselfempty {...} {...}              |
| xmldoifnottext          | \xmldoifnottext {...} {...} {...}             |
| xmldoifselfempty        | \xmldoifselfempty {...} {...}                 |
| xmldoifstext            | \xmldoifstext {...} {...} {...}               |
| xmlelement              | \xmlelement {...} {...}                       |
| xmlfilter               | \xmlfilter {...} {...}                        |
| xmlfirst                | \xmlfirst {...} {...}                         |
| xmlflush                | \xmlflush {...}                               |
| xmlflushcontext         | \xmlflushcontext {...}                        |

|                             |  |
|-----------------------------|--|
| xmlflushdocumentsetups      | \xmlflushdocumentsetups {...} {...}      |
| xmlflushlinewise            | \xmlflushlinewise {...}                  |
| xmlflushpure                | \xmlflushpure {...}                      |
| xmlflushspacewise           | \xmlflushspacewise {...}                 |
| xmlflushtext                | \xmlflushtext {...}                      |
| xmlinclude                  | \xmlinclude {...} {...} {...}            |
| xmlinclusion                | \xmlinclusion {...}                      |
| xmlinclusions               | \xmlinclusions {...}                     |
| xmlinfo                     | \xmlinfo {...}                           |
| xmlinjector                 | \xmlinjector {...}                       |
| xmlinlineprettyprint        | \xmlinlineprettyprint {...} {...}        |
| xmlinlineprettyprinttext    | \xmlinlineprettyprinttext {...} {...}    |
| xmlinlineverbatim           | \xmlinlineverbatim {...}                 |
| xmlinstalldirective         | \xmlinstalldirective {...} {...}         |
| xmllast                     | \xmllast {...} {...}                     |
| xmllastatt                  | \xmllastatt                              |
| xmllastmatch                | \xmllastmatch                            |
| xmllastpar                  | \xmllastpar                              |
| xmlloadbuffer               | \xmlloadbuffer {...} {...} {...}         |
| xmlloaddata                 | \xmlloaddata {...} {...} {...}           |
| xmlloaddirectives           | \xmlloaddirectives {...}                 |
| xmlloadfile                 | \xmlloadfile {...} {...} {...}           |
| xmlloadonly                 | \xmlloadonly {...} {...} {...}           |
| xmlmain                     | \xmlmain {...}                           |
| xmlmapvalue                 | \xmlmapvalue {...} {...} {...}           |
| xmlname                     | \xmlname {...}                           |
| xmlnamespace                | \xmlnamespace {...}                      |
| xmlnonamespace              | \xmlnonamespace {...} {...}              |
| xmlpar                      | \xmlpar {...} {...}                      |
| xmlparam                    | \xmlparam {...} {...} {...}              |
| xmlpath                     | \xmlpath {...}                           |
| xmlpos                      | \xmlpos {...}                            |
| xmlposition                 | \xmlposition {...} {...} {...}           |
| xmlprependdocumentsetup     | \xmlprependdocumentsetup {...} {...}     |
| xmlprependsetup             | \xmlprependsetup {...}                   |
| xmlprettyprint              | \xmlprettyprint {...} {...}              |
| xmlprettyprinttext          | \xmlprettyprinttext {...} {...}          |
| xmlprocessbuffer            | \xmlprocessbuffer {...} {...} {...}      |
| xmlprocessdata              | \xmlprocessdata {...} {...} {...}        |
| xmlprocessfile              | \xmlprocessfile {...} {...} {...}        |
| xmlpure                     | \xmlpure {...} {...}                     |
| xmlraw                      | \xmlraw {...}                            |
| xmlrefatt                   | \xmlrefatt {...} {...}                   |
| xmlregistereddokumentsetups | \xmlregistereddokumentsetups {...} {...} |
| xmlregisteredsetups         | \xmlregisteredsetups                     |
| xmlregisterns               | \xmlregisterns {...} {...}               |
| xmlremapname                | \xmlremapname {...} {...} {...} {...}    |
| xmlremapnamespace           | \xmlremapnamespace {...} {...} {...}     |
| xmlremoveddocumentsetup     | \xmlremoveddocumentsetup {...} {...}     |
| xmlremovesetup              | \xmlremovesetup {...}                    |
| xmlresetdocumentsetups      | \xmlresetdocumentsetups {...}            |
| xmlresetinjectors           | \xmlresetinjectors                       |
| xmlresetsetups              | \xmlresetsetups {...}                    |
| xmlsave                     | \xmlsave {...} {...}                     |
| xmlsetatt                   | \xmlsetatt {...} {...} {...}             |
| xmlsetattribute             | \xmlsetattribute {...} {...} {...} {...} |
| xmlsetentity                | \xmlsetentity {...} {...}                |
| xmlsetfunction              | \xmlsetfunction {...} {...} {...}        |
| xmlsetinjectors             | \xmlsetinjectors [...]                   |
| xmlsetpar                   | \xmlsetpar {...} {...} {...}             |
| xmlsetparam                 | \xmlsetparam {...} {...} {...} {...}     |
| xmlsetsetup                 | \xmlsetsetup {...} {...} {...}           |
| xmlsetup                    | \xmlsetup {...} {...}                    |
| xmlshow                     | \xmlshow {...}                           |
| xmlsnippet                  | \xmlsnippet {...} {...}                  |
| xmlstrip                    | \xmlstrip {...} {...}                    |
| xmlstripnolines             | \xmlstripnolines {...} {...}             |
| xmlstripped                 | \xmlstripped {...} {...}                 |
| xmlstrippednolines          | \xmlstrippednolines {...} {...}          |
| xmltag                      | \xmltag {...}                            |
| xmltextentity               | \xmltextentity {...} {...}               |
| xmltext                     | \xmltext {...} {...}                     |

xmltobuffer  
xmltobufferverbose  
xmltofile  
xmlvalue  
xmlverbatim  
xsplitstring  
xypos

\xmltobuffer {...} {...} {...}  
\xmltobufferverbose {...} {...} {...}  
\xmltofile {...} {...} {...}  
\xmlvalue {...} {...} {...}  
\xmlverbatim {...}  
\xsplitstring \... {...}  
\xypos {...}





**PRAGMA ADE**  
**Ridderstraat 27**  
**8061GH Hasselt NL**  
**[www.pragma-ade.com](http://www.pragma-ade.com)**