ConTEXt

comandi

IT

ConTeXt

comandi

AfterPar	`\AfterPar {...}`
Alphabeticnumerals	`\Alphabeticnumerals {...}`
AMSTEX	`\AMSTEX`
AmSTeX	`\AmSTeX`
And	`\And`
abjadnaivenumerals	`\abjadnaivenumerals {...}`
abjadnodotnumerals	`\abjadnodotnumerals {...}`
abjadnumerals	`\abjadnumerals {...}`
activatespacehandler	`\activatespacehandler {...}`
acute	`\acute {...}`
adaptcollector	`\adaptcollector [...] [..=..]`
adaptfontfeature	`\adaptfontfeature [...] [..=..]`
adaptpapersize	`\adaptpapersize [...] [...]`
adattacampo	`\adattacampo [...] [..=..]`
adattalayout	`\adattalayout [...] [..=..]`
addfeature	`\addfeature [...]`
addfeature:direct	`\addfeature {...}`
addfontpath	`\addfontpath [...]`
addtocommalist	`\addtocommalist {...} \...`
addtoJSpreamble	`\addtoJSpreamble {...} {...}`
addvalue	`\addvalue {...} {...}`
aftersplitstring	`\aftersplitstring ... \at ... \to \...`
aftertestandsplitstring	`\aftertestandsplitstring ... \at ... \to \...`
al	`\al {...} {...} [...]`
alignbottom	`\alignbottom`
aligned	`\aligned [...] {...}`
alignedbox	`\alignedbox [...] \... {...}`
alignedline	`\alignedline {...} {...} {...}`
alignhere	`\alignhere`
alignmentcharacter	`\alignmentcharacter`
allineacentro	`\allineacentro {...}`
allineadestra	`\allineadestra {...}`
allineasinistra	`\allineasinistra {...}`
allinputpaths	`\allinputpaths`
alphabeticnumerals	`\alphabeticnumerals {...}`
alwayscitation	`\alwayscitation [..=..] [...]`
alwayscitation:alternative	`\alwayscitation [...] [...]`
alwayscitation:userdata	`\alwayscitation [..=..] [..=..]`
alwayscite	`\alwayscite [..=..] [...]`
alwayscite:alternative	`\alwayscite [...] [...]`
alwayscite:userdata	`\alwayscite [..=..] [..=..]`
ambiente	`\ambiente [...]`
ambiente:string	`\ambiente ...`
ampersand	`\ampersand`
anchor	`\anchor [...] [..=..] [..=..] {...}`
ap	`\ap {...}`
apagina	`\apagina [...]`
appendetoks	`\appendetoks ... \to \...`
appendgvalue	`\appendgvalue {...} {...}`
appendtocommalist	`\appendtocommalist {...} \...`
appendtoks	`\appendtoks ... \to \...`
appendtoksonce	`\appendtoksonce ... \to \...`
appendvalue	`\appendvalue {...} {...}`
apply	`\apply {...} {...}`
applyalternativestyle	`\applyalternativestyle {...}`
applyprocessor	`\applyprocessor {...} {...}`
applytocharacters	`\applytocharacters \... {...}`
applytofirstcharacter	`\applytofirstcharacter \... {...}`
applytosplitstringchar	`\applytosplitstringchar \... {...}`
applytosplitstringcharspaced	`\applytosplitstringcharspaced \... {...}`
applytosplitstringline	`\applytosplitstringline \... {...}`
applytosplitstringlinespaced	`\applytosplitstringlinespaced \... {...}`
applytosplitstringword	`\applytosplitstringword \... {...}`
applytosplitstringwordspaced	`\applytosplitstringwordspaced \... {...}`
applytowords	`\applytowords \... {...}`
ap:instance	`\HIGH {...}`
ap:instance:unitshigh	`\unitshigh {...}`
arabicdecimals	`\arabicdecimals {...}`
arabicexnumerals	`\arabicexnumerals {...}`
arabicnumerals	`\arabicnumerals {...}`
arg	`\arg {...}`
asciistr	`\asciistr {...}`

assignalfadimension	`\assignalfadimension {...} \... {...} {...} {...}`
assigndimen	`\assigndimen \... {...}`
assigndimension	`\assigndimension {...} \... {...} {...} {...}`
assignifempty	`\assignifempty \... {...}`
assigntranslation	`\assigntranslation [..=..] \to \...`
assignvalue	`\assignvalue {...} \... {...} {...} {...}`
assignwidth	`\assignwidth {...} \... {...} {...}`
assumelongusagecs	`\assumelongusagecs \... {...}`
astype	`\astype {...}`
attachment:instance	`\ATTACHMENT [...] [..=..]`
attachment:instance:attachment	`\attachment [...] [..=..]`
autocap	`\autocap {...}`
autodirhbox	`\autodirhbox ... {...}`
autodirvbox	`\autodirvbox ... {...}`
autodirvtop	`\autodirvtop ... {...}`
autoinsertnextspace	`\autoinsertnextspace`
autointegral	`\autointegral {...} {...} {...}`
automathematics	`\automathematics {...}`
autopagestaterealpage	`\autopagestaterealpage {...}`
autopagestaterealpageorder	`\autopagestaterealpageorder {...}`
autosetups	`\autosetups {...}`
autostarttesto	`\autostarttesto ... \autostoptesto`
availablehsize	`\availablehsize`
averagecharwidth	`\averagecharwidth`
BeforePar	`\BeforePar {...}`
Big	`\Big ...`
Bigg	`\Bigg ...`
Biggl	`\Biggl ...`
Biggm	`\Biggm ...`
Biggr	`\Biggr ...`
Bigl	`\Bigl ...`
Bigm	`\Bigm ...`
Bigr	`\Bigr ...`
backgroundimage	`\backgroundimage {...} {...} {...} {...}`
backgroundimagefill	`\backgroundimagefill {...} {...} {...} {...}`
backgroundline	`\backgroundline [...] {...}`
bar	`\bar {...}`
barracolori	`\barracolori [...]`
barrainterazione	`\barrainterazione [...] [..=..]`
bar:instance	`\BAR {...}`
bar:instance:hiddenbar	`\hiddenbar {...}`
bar:instance:nobar	`\nobar {...}`
bar:instance:overbar	`\overbar {...}`
bar:instance:overbars	`\overbars {...}`
bar:instance:overstrike	`\overstrike {...}`
bar:instance:overstrikes	`\overstrikes {...}`
bar:instance:underbar	`\underbar {...}`
bar:instance:underbars	`\underbars {...}`
bar:instance:underdash	`\underdash {...}`
bar:instance:underdashes	`\underdashes {...}`
bar:instance:underdot	`\underdot {...}`
bar:instance:underdots	`\underdots {...}`
bar:instance:underrandom	`\underrandom {...}`
bar:instance:underrandoms	`\underrandoms {...}`
bar:instance:understrike	`\understrike {...}`
bar:instance:understrikes	`\understrikes {...}`
basegrid	`\basegrid [..=..]`
baselinebottom	`\baselinebottom`
baselineleftbox	`\baselineleftbox {...}`
baselinemiddlebox	`\baselinemiddlebox {...}`
baselinerightbox	`\baselinerightbox {...}`
bbordermatrix	`\bbordermatrix {...}`
bbox	`\bbox {...}`
beforesplitstring	`\beforesplitstring ... \at ... \to \...`
beforetestandsplitstring	`\beforetestandsplitstring ... \at ... \to \...`
beginblock:example	`\beginBLOCK [...] [..=..] ... \endBLOCK`
beginhbox	`\beginhbox ... \endhbox`
beginofshapebox	`\beginofshapebox ... \endofshapebox`
beginvbox	`\beginvbox ... \endvbox`
beginvtop	`\beginvtop ... \endvtop`
begstrut	`\begstrut ... \endstrut`
bigg	`\bigg ...`

```
bigger                                    \bigger
biggl                                     \biggl ...
biggm                                     \biggm ...
biggr                                     \biggr ...
bigl                                      \bigl ...
bigm                                      \bigm ...
bigr                                      \bigr ...
bigskip                                   \bigskip
bitmapimage                               \bitmapimage [..=..] {...}
blap                                      \blap {...}
bleed                                     \bleed [..=..] {...}
bleedheight                               \bleedheight
bleedwidth                                \bleedwidth
blockligatures                            \blockligatures [...]
blocksynctexfile                          \blocksynctexfile [...]
blockuservariable                         \blockuservariable {...}
bodyfontenvironmentlist                   \bodyfontenvironmentlist
bodyfontsize                              \bodyfontsize
boldface                                  \boldface
booleanmodevalue                          \booleanmodevalue {...}
bordermatrix                              \bordermatrix {...}
bottombox                                 \bottombox {...}
bottomleftbox                             \bottomleftbox {...}
bottomrightbox                            \bottomrightbox {...}
boxcursor                                 \boxcursor
boxmarker                                 \boxmarker {...} {...}
boxofsize                                 \boxofsize \... ... {...}
boxreference                              \boxreference [...] \... {...}
bpar                                      \bpar ... \epar
bpos                                      \bpos {...}
breakhere                                 \breakhere
breve                                     \breve {...}
bTABLE                                    \bTABLE [..=..] ... \eTABLE
bTABLEbody                                \bTABLEbody [..=..] ... \eTABLEbody
bTABLEfoot                                \bTABLEfoot [..=..] ... \eTABLEfoot
bTABLEhead                                \bTABLEhead [..=..] ... \eTABLEhead
bTABLEnext                                \bTABLEnext [..=..] ... \eTABLEnext
bTC                                       \bTC [..=..] ... \eTC
bTD                                       \bTD [..=..] ... \eTD
bTDs                                      \bTDs [...] ... \eTDs
bTH                                       \bTH [..=..] ... \eTH
bTN                                       \bTN [..=..] ... \eTN
bTR                                       \bTR [..=..] ... \eTR
bTRs                                      \bTRs [...] ... \eTRs
bTX                                       \bTX [..=..] ... \eTX
bTY                                       \bTY [..=..] ... \eTY
btxabbreviatedjournal                     \btxabbreviatedjournal {...}
btxaddjournal                             \btxaddjournal [...] [...]
btxalwayscitation                         \btxalwayscitation [..=..] [...]
btxalwayscitation:alternative             \btxalwayscitation [...] [...]
btxalwayscitation:userdata                \btxalwayscitation [..=..] [..=..]
btxauthorfield                            \btxauthorfield {...}
btxdetail                                 \btxdetail {...}
btxdirect                                 \btxdirect {...}
btxdoif                                   \btxdoif {...} {...}
btxdoifcombiinlistelse                    \btxdoifcombiinlistelse {...} {...} {...} {...}
btxdoifelse                               \btxdoifelse {...} {...} {...}
btxdoifelsecombiinlist                    \btxdoifelsecombiinlist {...} {...} {...} {...}
btxdoifelsesameasprevious                 \btxdoifelsesameasprevious {...} {...} {...}
btxdoifelsesameaspreviouschecked          \btxdoifelsesameaspreviouschecked {...} {...} {...} {...}
btxdoifelseuservariable                   \btxdoifelseuservariable {...} {...} {...}
btxdoifnot                                \btxdoifnot {...} {...}
btxdoifsameaspreviouscheckedelse          \btxdoifsameaspreviouscheckedelse {...} {...} {...} {...}
btxdoifsameaspreviouselse                 \btxdoifsameaspreviouselse {...} {...} {...}
btxdoifuservariableelse                   \btxdoifuservariableelse {...} {...} {...}
btxexpandedjournal                        \btxexpandedjournal {...}
btxfield                                  \btxfield {...}
btxfieldname                              \btxfieldname {...}
btxfieldtype                              \btxfieldtype {...}
btxfirstofrange                           \btxfirstofrange {...}
btxflush                                  \btxflush {...}
btxflushauthor                            \btxflushauthor [...] {...}
```

```
btxflushauthorinverted                              \btxflushauthorinverted {...}
btxflushauthorinvertedshort                         \btxflushauthorinvertedshort {...}
btxflushauthorname                                  \btxflushauthorname {...}
btxflushauthornormal                                \btxflushauthornormal {...}
btxflushauthornormalshort                           \btxflushauthornormalshort {...}
btxflushsuffix                                      \btxflushsuffix
btxfoundname                                        \btxfoundname {...}
btxfoundtype                                        \btxfoundtype {...}
btxhiddencitation                                   \btxhiddencitation [...]
btxhybridcite                                       \btxhybridcite [..=..] [...]
btxhybridcite:alternative                           \btxhybridcite [...] [...]
btxhybridcite:direct                                \btxhybridcite {...}
btxhybridcite:userdata                              \btxhybridcite [..=..] [..=..]
btxlistcitation                                     \btxlistcitation [..=..] [...]
btxlistcitation:alternative                         \btxlistcitation [...] [...]
btxlistcitation:userdata                            \btxlistcitation [..=..] [..=..]
btxloadjournalist                                   \btxloadjournalist [...]
btxoneorrange                                       \btxoneorrange {...} {...} {...}
btxremapauthor                                      \btxremapauthor [...] [...]
btxsavejournalist                                   \btxsavejournalist [...]
btxsetup                                            \btxsetup {...}
btxsingularorplural                                 \btxsingularorplural {...} {...} {...}
btxsingularplural                                   \btxsingularplural {...} {...} {...}
btxtextcitation                                     \btxtextcitation [..=..] [...]
btxtextcitation:alternative                         \btxtextcitation [...] [...]
btxtextcitation:userdata                            \btxtextcitation [..=..] [..=..]
buildmathaccent                                     \buildmathaccent {...} {...}
buildtextaccent                                     \buildtextaccent {...} {...}
buildtextbottomcomma                                \buildtextbottomcomma {...}
buildtextbottomdot                                  \buildtextbottomdot {...}
buildtextcedilla                                    \buildtextcedilla {...}
buildtextgrave                                      \buildtextgrave {...}
buildtextmacron                                     \buildtextmacron {...}
buildtextognek                                      \buildtextognek {...}
Cap                                                 \Cap {...}
Caps                                                \Caps {...}
CONTEXT                                             \CONTEXT
ConTeXt                                             \ConTeXt
Context                                             \Context
ConvertConstantAfter                                \ConvertConstantAfter \... {...} {...}
ConvertToConstant                                   \ConvertToConstant \... {...} {...}
calligrafico                                        \calligrafico
cambiaafontdeltesto                                 \cambiaafontdeltesto [...]
camel                                               \camel {...}
campi                                               \campi [...] [...]
cap                                                 \cap {...}
capello                                             \capello
capoverso:instance                                  \SECTION [...] {...}
capoverso:instance:assignment                       \SECTION [..=..]
capoverso:instance:assignment:chapter               \chapter [..=..]
capoverso:instance:assignment:part                  \part [..=..]
capoverso:instance:assignment:section               \section [..=..]
capoverso:instance:assignment:subject               \subject [..=..]
capoverso:instance:assignment:subsection            \subsection [..=..]
capoverso:instance:assignment:subsubject            \subsubject [..=..]
capoverso:instance:assignment:subsubsection         \subsubsection [..=..]
capoverso:instance:assignment:subsubsubject         \subsubsubject [..=..]
capoverso:instance:assignment:subsubsubsection      \subsubsubsection [..=..]
capoverso:instance:assignment:subsubsubsubject      \subsubsubsubject [..=..]
capoverso:instance:assignment:title                 \title [..=..]
capoverso:instance:chapter                          \chapter [...] {...}
capoverso:instance:ownnumber                        \SECTION [...] {...} {...}
capoverso:instance:ownnumber:chapter                \chapter [...] {...} {...}
capoverso:instance:ownnumber:part                   \part [...] {...} {...}
capoverso:instance:ownnumber:section                \section [...] {...} {...}
capoverso:instance:ownnumber:subject                \subject [...] {...} {...}
capoverso:instance:ownnumber:subsection             \subsection [...] {...} {...}
capoverso:instance:ownnumber:subsubject             \subsubject [...] {...} {...}
capoverso:instance:ownnumber:subsubsection          \subsubsection [...] {...} {...}
capoverso:instance:ownnumber:subsubsubject          \subsubsubject [...] {...} {...}
```

```
capoverso:instance:ownnumber:subsubsubsection        \subsubsubsection [...] {...} {...}
capoverso:instance:ownnumber:subsubsubsubject        \subsubsubsubject [...] {...} {...}
capoverso:instance:ownnumber:subsubsubsubsection     \subsubsubsubsection [...] {...} {...}
capoverso:instance:ownnumber:subsubsubsubsubject     \subsubsubsubsubject [...] {...} {...}
capoverso:instance:ownnumber:title                   \title [...] {...} {...}
capoverso:instance:part                              \part [...] {...}
capoverso:instance:section                           \section [...] {...}
capoverso:instance:subject                           \subject [...] {...}
capoverso:instance:subsection                        \subsection [...] {...}
capoverso:instance:subsubject                        \subsubject [...] {...}
capoverso:instance:subsubsection                     \subsubsection [...] {...}
capoverso:instance:subsubsubject                     \subsubsubject [...] {...}
capoverso:instance:subsubsubsection                  \subsubsubsection [...] {...}
capoverso:instance:subsubsubsubject                  \subsubsubsubject [...] {...}
capoverso:instance:title                             \title [...] {...}
catcodetablename                                     \catcodetablename
cbox                                                 \cbox ... {...}
centeraligned                                        \centeraligned {...}
centerbox                                            \centerbox ... {...}
centeredbox                                          \centeredbox ... {...}
centeredlastline                                     \centeredlastline
centerednextbox                                      \centerednextbox ... {...}
centerline                                           \centerline {...}
centro                                               \centro ...
cfrac                                                \cfrac [...] {...} {...}
characterkerning:example                             \CHARACTERKERNING [...] {...}
chardescription                                      \chardescription {...}
charwidthlanguage                                    \charwidthlanguage
check                                                \check {...}
checkcharacteralign                                  \checkcharacteralign {...}
checkedblank                                         \checkedblank [...]
checkedchar                                          \checkedchar {...} {...}
checkedfiller                                        \checkedfiller {...}
checkedstrippedcsname                                \checkedstrippedcsname \...
checkedstrippedcsname:string                         \checkedstrippedcsname ...
checkinjector                                        \checkinjector [...]
checknextindentation                                 \checknextindentation [...]
checknextinjector                                    \checknextinjector [...]
checkpage                                            \checkpage [...] [..=..]
checkparameters                                      \checkparameters [...]
checkpreviousinjector                                \checkpreviousinjector [...]
checksoundtrack                                      \checksoundtrack {...}
checktwopassdata                                     \checktwopassdata {...}
checkvariables                                       \checkvariables [...] [..=..]
chemical                                             \chemical [...] [...] [...]
chemicalbottext                                      \chemicalbottext {...}
chemicalmidtext                                      \chemicalmidtext {...}
chemicalsymbol                                       \chemicalsymbol [...]
chemicaltext                                         \chemicaltext {...}
chemicaltoptext                                      \chemicaltoptext {...}
chim                                                 \chim {...} {...} {...}
chineseallnumerals                                   \chineseallnumerals {...}
chinesecapnumerals                                   \chinesecapnumerals {...}
chinesenumerals                                      \chinesenumerals {...}
circondato                                           \circondato [..=..] {...}
citation                                             \citation [..=..] [...]
citation:alternative                                 \citation [...] [...]
citation:direct                                      \citation {...}
citation:userdata                                    \citation [..=..] [..=..]
cite                                                 \cite [..=..] [...]
cite:alternative                                     \cite [...] [...]
cite:direct                                          \cite {...}
cite:userdata                                        \cite [..=..] [..=..]
clap                                                 \clap {...}
classfont                                            \classfont {...} {...}
cldcommand                                           \cldcommand {...}
cldcontext                                           \cldcontext {...}
cldloadfile                                          \cldloadfile {...}
cldprocessfile                                       \cldprocessfile {...}
clip                                                 \clip [..=..] {...}
```

```
clippedoverlayimage                              \clippedoverlayimage {...}
clonacampo                                       \clonacampo [...] [...] [...] [...]
collect                                          \collect {...}
collectedtext                                    \collectedtext [..=..] [..=..] {...} {...}
collectexpanded                                  \collectexpanded {...}
colonna                                          \colonna [...]
colorcomponents                                  \colorcomponents {...}
colore                                           \colore [...] {...}
colored                                          \colored [..=..] {...}
colored:name                                     \colored [...] {...}
coloregrigio                                     \coloregrigio [...] {...}
coloronly                                        \coloronly [...] {...}
columnbreak                                      \columnbreak [...]
columnsetspanwidth                               \columnsetspanwidth {...}
combinepages                                     \combinepages [...] [..=..]
commalistelement                                 \commalistelement
commalistsentence                                \commalistsentence [...] [...]
commalistsize                                    \commalistsize
commento                                         \commento (...,...) (...,...) [..=..] {...}
commento:instance                                \COMMENT [...] [..=..] {...}
commento:instance:comment                        \comment [...] [..=..] {...}
comparedimension                                 \comparedimension {...} {...}
comparedimensioneps                              \comparedimensioneps {...} {...}
completebtxrendering                             \completebtxrendering [...] [..=..]
completecombinedlist:instance                    \completoCOMBINEDLIST [..=..]
completecombinedlist:instance:content            \completocontent [..=..]
completelist                                     \completelist [...] [..=..]
completelistoffloats:instance                    \completelistofFLOATS [..=..]
completelistoffloats:instance:chemicals          \completelistofchemicals [..=..]
completelistoffloats:instance:figures            \completelistoffigures [..=..]
completelistoffloats:instance:graphics           \completelistofgraphics [..=..]
completelistoffloats:instance:intermezzi         \completelistofintermezzi [..=..]
completelistoffloats:instance:tables             \completelistoftables [..=..]
completelistofpublications                       \completelistofpublications [...] [..=..]
completelistofsorts                              \completelistofsorts [...] [..=..]
completelistofsorts:instance                     \completelistofSORTS [..=..]
completelistofsorts:instance:logos               \completelistoflogos [..=..]
completelistofsynonyms                           \completelistofsynonyms [...] [..=..]
completelistofsynonyms:instance                  \completelistofSYNONYMS [..=..]
completelistofsynonyms:instance:abbreviations    \completelistofabbreviations [..=..]
completeregister                                 \completeregister [...] [..=..]
completeregister:instance                        \completoREGISTER [..=..]
completeregister:instance:index                  \completoindex [..=..]
complexorsimple                                  \complexorsimple \...
complexorsimpleempty                             \complexorsimpleempty \...
complexorsimpleempty:argument                    \complexorsimpleempty {...}
complexorsimple:argument                         \complexorsimple {...}
componenet                                       \componenet [...]
componenet:string                                \componenet ...
composedcollector                                \composedcollector {...}
composedlayer                                    \composedlayer {...}
compresult                                       \compresult
confrontagruppocolori                            \confrontagruppocolori [...]
confrontatavolozza                               \confrontatavolozza [...]
constantdimen                                    \constantdimen \...
constantdimenargument                            \constantdimenargument \...
constantemptyargument                            \constantemptyargument \...
constantnumber                                   \constantnumber \...
constantnumberargument                           \constantnumberargument \...
contentreference                                 \contentreference [...] [..=..] {...}
continuednumber                                  \continuednumber {...}
continueifinputfile                              \continueifinputfile {...}
convertargument                                  \convertargument ... \to \...
convertcommand                                   \convertcommand \... \to \...
convertedcounter                                 \convertedcounter [...] [..=..]
converteddimen                                   \converteddimen {...} {...}
convertedsubcounter                              \convertedsubcounter [...] [...] [..=..]
convertinumero                                   \convertinumero {...} {...}
convertmonth                                     \convertmonth {...}
convertvalue                                     \convertvalue ... \to \...
convertvboxtohbox                                \convertvboxtohbox
copiacampo                                       \copiacampo [...] [...]
```

```
copyboxfromcache                      \copyboxfromcache {...} {...} ...
copylabeltext:instance                \copyLABELtesto [...] [..=..]
copylabeltext:instance:btxlabel       \copybtxlabeltesto [...] [..=..]
copylabeltext:instance:head           \copyheadtesto [...] [..=..]
copylabeltext:instance:label          \copylabeltesto [...] [..=..]
copylabeltext:instance:mathlabel      \copymathlabeltesto [...] [..=..]
copylabeltext:instance:operator       \copyoperatortesto [...] [..=..]
copylabeltext:instance:prefix         \copyprefixtesto [...] [..=..]
copylabeltext:instance:suffix         \copysuffixtesto [...] [..=..]
copylabeltext:instance:taglabel       \copytaglabeltesto [...] [..=..]
copylabeltext:instance:unit           \copyunittesto [...] [..=..]
copypages                             \copypages [...] [..=..] [..=..]
copyparameters                        \copyparameters [...] [...] [...]
copyposition                          \copyposition {...} {...}
copysetups                            \copysetups [...] [...]
correggispaziobianco                  \correggispaziobianco {...}
corsivo                               \corsivo
corsivograssetto                      \corsivograssetto
countersubs                           \countersubs [...] [...]
counttoken                            \counttoken ... \in ... \to \...
counttokens                           \counttokens ... \to \...
cramped                               \cramped {...}
crampedclap                           \crampedclap {...}
crampedllap                           \crampedllap {...}
crampedrlap                           \crampedrlap {...}
ctop                                  \ctop ... {...}
ctxcommand                            \ctxcommand {...}
ctxdirectcommand                      \ctxdirectcommand {...}
ctxdirectlua                          \ctxdirectlua {...}
ctxfunction                           \ctxfunction {...}
ctxfunctiondefinition:example         \CTXFUNCTIONDEFINITION
ctxfunction:example                   \CTXFUNCTION
ctxlatecommand                        \ctxlatecommand {...}
ctxlatelua                            \ctxlatelua {...}
ctxloadluafile                        \ctxloadluafile {...}
ctxlua                                \ctxlua {...}
ctxluabuffer                          \ctxluabuffer [...]
ctxluacode                            \ctxluacode {...}
ctxreport                             \ctxreport {...}
ctxsprint                             \ctxsprint {...}
currentassignmentlistkey              \currentassignmentlistkey
currentassignmentlistvalue            \currentassignmentlistvalue
currentbtxuservariable                \currentbtxuservariable {...}
currentcommalistitem                  \currentcommalistitem
currentcomponent                      \currentcomponent
currentenvironment                    \currentenvironment
currentfeaturetest                    \currentfeaturetest
currentinterface                      \currentinterface
currentlabel:example                  \currentETICHETTA [...] {...}
currentlanguage                       \currentlanguage
currentlistentrydestinationattribute  \currentlistentrydestinationattribute
currentlistentrylimitedtext           \currentlistentrylimitedtext {...}
currentlistentrynumber                \currentlistentrynumber
currentlistentrypagenumber            \currentlistentrypagenumber
currentlistentryreferenceattribute    \currentlistentryreferenceattribute {...}
currentlistentrytitle                 \currentlistentrytitle
currentlistentrytitlerendered         \currentlistentrytitlerendered
currentlistsymbol                     \currentlistsymbol
currentmainlanguage                   \currentmainlanguage
currentmessagetext                    \currentmessagetext
currentmoduleparameter                \currentmoduleparameter {...}
currentoutputstream                   \currentoutputstream
currentproduct                        \currentproduct
currentproject                        \currentproject
currentregime                         \currentregime
currentregisterpageuserdata           \currentregisterpageuserdata {...}
currentresponses                      \currentresponses
currenttime                           \currentTime [...]
currentvalue                          \currentvalue
currentxtablecolumn                   \currentxtablecolumn
currentxtablerow                      \currentxtablerow
d                                     \d {...}
```

```
da                                  \da [...]
daqualcheparte                      \daqualcheparte {...} {...} [...]
data                                \data [..=..] [...]
datadioggi                          \datadioggi [...]
datasetvariable                     \datasetvariable {...} {...} {...}
dayoftheweek                        \dayoftheweek {...} {...} {...}
dayspermonth                        \dayspermonth {...} {...}
dddot                               \dddot {...}
ddot                                \ddot {...}
decrement                           \decrement \...
decrementcounter                    \decrementcounter [...] [...]
decrementedcounter                  \decrementedcounter [...]
decrementpagenumber                 \decrementpagenumber
decrementsubpagenumber              \decrementsubpagenumber
decrementvalue                      \decrementvalue {...}
decrement:argument                  \decrement (...)
defaultinterface                    \defaultinterface
defaultobjectpage                   \defaultobjectpage
defaultobjectreference              \defaultobjectreference
defcatcodecommand                   \defcatcodecommand \... ... {...}
defconvertedargument                \defconvertedargument \... {...}
defconvertedcommand                 \defconvertedcommand \... \...
defconvertedvalue                   \defconvertedvalue \... {...}
defineactivecharacter               \defineactivecharacter ... {...}
definealternativestyle              \definealternativestyle [...] [...] [...]
defineanchor                        \defineanchor [...] [...] [..=..] [..=..]
defineattachment                    \defineattachment [...] [...] [..=..]
defineattribute                     \defineattribute [...] [...]
definebackground                    \definebackground [...] [...] [..=..]
definebar                           \definebar [...] [...] [..=..]
definebodyfontswitch                \definebodyfontswitch [...] [...]
definebreakpoint                    \definebreakpoint [...] [...] [..=..]
definebreakpoints                   \definebreakpoints [...]
definebtx                           \definebtx [...] [...] [..=..]
definebtxdataset                    \definebtxdataset [...] [...] [..=..]
definebtxregister                   \definebtxregister [...] [...] [..=..]
definebtxrendering                  \definebtxrendering [...] [...] [..=..]
definebutton                        \definebutton [...] [...] [..=..]
definecapitals                      \definecapitals [...] [...] [..=..]
definecharacterkerning              \definecharacterkerning [...] [...] [..=..]
definecharacterspacing              \definecharacterspacing [...]
definechemical                      \definechemical [...] {...}
definechemicals                     \definechemicals [...] [...] [..=..]
definechemicalsymbol                \definechemicalsymbol [...] [...]
definecollector                     \definecollector [...] [...] [..=..]
definecolumnbreak                   \definecolumnbreak [...] [...]
definecolumnsetarea                 \definecolumnsetarea [...] [...] [..=..]
definecolumnsetspan                 \definecolumnsetspan [...] [...] [..=..]
definecombination                   \definecombination [...] [...] [..=..]
definecomment                       \definecomment [...] [...] [..=..]
definecomplexorsimple               \definecomplexorsimple \...
definecomplexorsimpleempty          \definecomplexorsimpleempty \...
definecomplexorsimpleempty:argument \definecomplexorsimpleempty {...}
definecomplexorsimple:argument      \definecomplexorsimple {...}
defineconversionset                 \defineconversionset [...] [...] [...]
definecounter                       \definecounter [...] [...] [..=..]
definedataset                       \definedataset [...] [...] [..=..]
definedelimitedtext                 \definedelimitedtext [...] [...] [..=..]
definedfont                         \definedfont [...]
defineeffect                        \defineeffect [...] [...] [..=..]
defineexpandable                    \defineexpandable [...] \... {...}
defineexternalfigure                \defineexternalfigure [...] [...] [..=..]
definefacingfloat                   \definefacingfloat [...] [...] [..=..]
definefallbackfamily                \definefallbackfamily [...] [...] [...] [..=..]
definefallbackfamily:preset         \definefallbackfamily [...] [...] [...] [...]
definefieldbody                     \definefieldbody [...] [...] [..=..]
definefieldbodyset                  \definefieldbodyset [...] [...]
definefieldcategory                 \definefieldcategory [...] [...] [..=..]
definefileconstant                  \definefileconstant {...} {...}
definefilefallback                  \definefilefallback [...] [...]
definefilesynonym                   \definefilesynonym [...] [...]
definefiller                        \definefiller [...] [...] [..=..]
```

```
definefirstline                      \definefirstline [...] [...] [..=..]
definefittingpage                    \definefittingpage [...] [...] [..=..]
definefontalternative                \definefontalternative [...]
definefontfallback                   \definefontfallback [...] [...] [...] [..=..]
definefontfamily                     \definefontfamily [...] [...] [...] [..=..]
definefontfamilypreset               \definefontfamilypreset [...] [..=..]
definefontfamilypreset:name          \definefontfamilypreset [...] [...]
definefontfamily:preset              \definefontfamily [...] [...] [...] [...]
definefontfeature                    \definefontfeature [...] [...] [..=..]
definefontfile                       \definefontfile [...] [...] [..=..]
definefontsize                       \definefontsize [...]
definefontsolution                   \definefontsolution [...] [...] [..=..]
defineformula                        \defineformula [...] [...] [..=..]
defineformulaalternative             \defineformulaalternative [...] [...] [...]
defineformulaframed                  \defineformulaframed [...] [...] [..=..]
defineframedcontent                  \defineframedcontent [...] [...] [..=..]
defineframedtable                    \defineframedtable [...] [...]
definefrozenfont                     \definefrozenfont [...] [...]
defineglobalcolor                    \defineglobalcolor [...] [..=..]
defineglobalcolor:name               \defineglobalcolor [...] [...]
definegraphictypesynonym             \definegraphictypesynonym [...] [...]
definegridsnapping                   \definegridsnapping [...] [...]
defineheadalternative                \defineheadalternative [...] [...] [..=..]
definehelp                           \definehelp [...] [...] [..=..]
definehigh                           \definehigh [...] [...] [..=..]
definehighlight                      \definehighlight [...] [...] [..=..]
definehspace                         \definehspace [...] [...] [...]
definehypenationfeatures             \definehypenationfeatures [...] [..=..]
defineindentedtext                   \defineindentedtext [...] [...] [..=..]
defineindenting                      \defineindenting [...] [...]
defineinitial                        \defineinitial [...] [...] [..=..]
defineinsertion                      \defineinsertion [...] [...] [..=..]
defineinteraction                    \defineinteraction [...] [...] [..=..]
defineinteractionbar                 \defineinteractionbar [...] [...] [..=..]
defineinterfaceconstant              \defineinterfaceconstant {...} {...}
defineinterfaceelement               \defineinterfaceelement {...} {...}
defineinterfacevariable              \defineinterfacevariable {...} {...}
defineinterlinespace                 \defineinterlinespace [...] [...] [..=..]
defineintermediatecolor              \defineintermediatecolor [...] [...] [..=..]
defineitemgroup                      \defineitemgroup [...] [...] [..=..]
defineitems                          \defineitems [...] [...] [..=..]
definelabelclass                     \definelabelclass [...] [...]
definelayer                          \definelayer [...] [...] [..=..]
definelayerpreset                    \definelayerpreset [...] [..=..]
definelayerpreset:name               \definelayerpreset [...] [...]
definelinefiller                     \definelinefiller [...] [...] [..=..]
definelinenote                       \definelinenote [...] [...] [..=..]
definelinenumbering                  \definelinenumbering [...] [...] [..=..]
definelines                          \definelines [...] [...] [..=..]
definelistalternative                \definelistalternative [...] [...] [..=..]
definelistextra                      \definelistextra [...] [...] [..=..]
definelow                            \definelow [...] [...] [..=..]
definelowhigh                        \definelowhigh [...] [...] [..=..]
definelowmidhigh                     \definelowmidhigh [...] [...] [..=..]
defineMPinstance                     \defineMPinstance [...] [...] [..=..]
definemarginblock                    \definemarginblock [...] [...] [..=..]
definemargindata                     \definemargindata [...] [...] [..=..]
definemarker                         \definemarker [...]
definemathaccent                     \definemathaccent ... ...
definemathalignment                  \definemathalignment [...] [...] [..=..]
definemathcases                      \definemathcases [...] [...] [..=..]
definemathcommand                    \definemathcommand [...] [...] [...] {...}
definemathdouble                     \definemathdouble [...] [...] [...] [...]
definemathdoubleextensible           \definemathdoubleextensible [...] [...] [...] [...]
definemathematics                    \definemathematics [...] [...] [..=..]
definemathextensible                 \definemathextensible [...] [...] [...]
definemathfence                      \definemathfence [...] [...] [..=..]
definemathfraction                   \definemathfraction [...] [...] [..=..]
definemathframed                     \definemathframed [...] [...] [..=..]
definemathmatrix                     \definemathmatrix [...] [...] [..=..]
definemathornament                   \definemathornament [...] [...] [..=..]
definemathover                       \definemathover [...] [...] [...]
```

9

```
definemathoverextensible              \definemathoverextensible [...] [...] [...]
definemathovertextextensible          \definemathovertextextensible [...] [...] [...]
definemathradical                     \definemathradical [...] [...] [..=..]
definemathstackers                    \definemathstackers [...] [...] [..=..]
definemathstyle                       \definemathstyle [...] [...]
definemathtriplet                     \definemathtriplet [...] [...] [...]
definemathunder                       \definemathunder [...] [...] [...]
definemathunderextensible             \definemathunderextensible [...] [...] [...]
definemathundertextextensible         \definemathundertextextensible [...] [...] [...]
definemathunstacked                   \definemathunstacked [...] [...] [...]
definemeasure                         \definemeasure [...] [...]
definemessageconstant                 \definemessageconstant {...}
definemixedcolumns                    \definemixedcolumns [...] [...] [..=..]
definemode                            \definemode [...] [...]
definemultitonecolor                  \definemultitonecolor [...] [..=..] [..=..] [..=..]
definenamedcolor                      \definenamedcolor [...] [..=..]
definenamedcolor:name                 \definenamedcolor [...] [...]
definenamespace                       \definenamespace [...] [..=..]
definenarrower                        \definenarrower [...] [...] [..=..]
definenote                            \definenote [...] [...] [..=..]
defineornament:collector              \defineornament [...] [..=..] [..=..]
defineornament:layer                  \defineornament [...] [..=..] [..=..]
defineoutputroutine                   \defineoutputroutine [...] [...] [..=..]
defineoutputroutinecommand            \defineoutputroutinecommand [...]
definepage                            \definepage [...] [...]
definepagebreak                       \definepagebreak [...] [...]
definepagechecker                     \definepagechecker [...] [...] [..=..]
definepagecolumns                     \definepagecolumns [...] [...] [..=..]
definepageinjection                   \definepageinjection [...] [...] [..=..]
definepageinjectionalternative        \definepageinjectionalternative [...] [...] [..=..]
definepageshift                       \definepageshift [...] [...] [...]
definepagestate                       \definepagestate [...] [...] [..=..]
definepairedbox                       \definepairedbox [...] [...] [..=..]
defineparagraph                       \defineparagraph [...] [...] [..=..]
defineparallel                        \defineparallel [...] [...]
defineparbuilder                      \defineparbuilder [...]
defineperiodkerning                   \defineperiodkerning [...] [...] [..=..]
defineplacement                       \defineplacement [...] [...] [..=..]
definepositioning                     \definepositioning [...] [...] [..=..]
defineprefixset                       \defineprefixset [...] [...] [...]
defineprocesscolor                    \defineprocesscolor [...] [...] [..=..]
defineprocessor                       \defineprocessor [...] [...] [..=..]
definepushbutton                      \definepushbutton [...] [..=..]
definepushsymbol                      \definepushsymbol [...] [...]
definerenderingwindow                 \definerenderingwindow [...] [...] [..=..]
defineresetset                        \defineresetset [...] [...] [...]
defineruby                            \defineruby [...] [...] [..=..]
definescale                           \definescale [...] [...] [..=..]
definescript                          \definescript [...] [...] [..=..]
definesectionlevels                   \definesectionlevels [...] [...]
defineselector                        \defineselector [...] [..=..]
defineseparatorset                    \defineseparatorset [...] [...] [...]
defineshift                           \defineshift [...] [...] [..=..]
definesidebar                         \definesidebar [...] [...] [..=..]
definesort                            \definesort [...] [...] [...] {...}
definespotcolor                       \definespotcolor [...] [...] [..=..]
definestyleinstance                   \definestyleinstance [...] [...] [...] [...]
definesubformula                      \definesubformula [...] [...] [..=..]
definesynonym                         \definesynonym [...] [...] [...] {...} {...}
definesystemattribute                 \definesystemattribute [...] [...]
definesystemconstant                  \definesystemconstant {...}
definesystemvariable                  \definesystemvariable {...}
defineTABLEsetup                      \defineTABLEsetup [...] [..=..]
definetabulation                      \definetabulation [...] [...] [..=..]
definetextbackground                  \definetextbackground [...] [...] [..=..]
definetextflow                        \definetextflow [...] [...] [..=..]
definetokenlist                       \definetokenlist [...]
definetooltip                         \definetooltip [...] [...] [..=..]
definetransparency:1                  \definetransparency [...] [...]
definetransparency:2                  \definetransparency [...] [..=..]
definetransparency:3                  \definetransparency [...] [...]
definetwopasslist                     \definetwopasslist {...}
```

```
definetypeface                      \definetypeface [...] [...] [...] [...] [...] [..=..]
definetypescriptprefix              \definetypescriptprefix [...] [...]
definetypescriptsynonym             \definetypescriptsynonym [...] [...]
definetypesetting                   \definetypesetting [...] [...] [..=..]
defineunit                          \defineunit [...] [...] [..=..]
defineuserdata                      \defineuserdata [...] [...] [..=..]
defineuserdataalternative           \defineuserdataalternative [...] [...] [..=..]
defineviewerlayer                   \defineviewerlayer [...] [...] [..=..]
definevspace                        \definevspace [...] [...] [...]
definevspacing                      \definevspacing [...] [...]
definevspacingamount                \definevspacingamount [...] [...] [...]
definextable                        \definextable [...] [...] [..=..]
definisci                           \definisci [...] \... {...}
definisciaccento                    \definisciaccento ... ... ...
definisciambientefontdeltesto       \definisciambientefontdeltesto [...] [...] [..=..]
definisciblocco                     \definisciblocco [...] [...] [..=..]
definiscibloccosezione              \definiscibloccosezione [...] [...] [..=..]
definiscibuffer                     \definiscibuffer [...] [...] [..=..]
definiscicampo                      \definiscicampo [...] [...] [...] [...] [...]
definiscicapoversi                  \definiscicapoversi [...] [...] [..=..]
definiscicarattere                  \definiscicarattere ... ...
definiscicolore                     \definiscicolore [...] [..=..]
definiscicolore:name                \definiscicolore [...] [...]
definiscicomando                    \definiscicomando ... ...
definisciconversione                \definisciconversione [...] [...] [...]
definisciconversione:list           \definisciconversione [...] [...] [...]
definiscidescrizione                \definiscidescrizione [...] [...] [..=..]
definiscidimensionicarta            \definiscidimensionicarta [...] [..=..]
definiscidimensionicarta:name       \definiscidimensionicarta [...] [...] [...]
definiscielenco                     \definiscielenco [...] [...] [..=..]
definiscielencocombinato            \definiscielencocombinato [...] [...] [..=..]
definiscienumerazione               \definiscienumerazione [...] [...] [..=..]
definiscietichetta                  \definiscietichetta [...] [...] [..=..]
definiscifigurasimbolo              \definiscifigurasimbolo [...] [...] [..=..]
definiscifont                       \definiscifont [...] [...] [..=..]
definiscifontdeltesto               \definiscifontdeltesto [...] [...] [...] [..=..]
definiscifontdeltesto:argument      \definiscifontdeltesto [...] [...] [...] [...]
definiscifont:argument              \definiscifont [...] [...] [...]
definisciformatoriferimento         \definisciformatoriferimento [...] [...] [..=..]
definiscigruppocolonne              \definiscigruppocolonne [...] [...] [..=..]
definiscigruppocolori               \definiscigruppocolori [...] [...] [x:y:z,..]
definiscihbox                       \definiscihbox [...] [...]
definisciincorniciato               \definisciincorniciato [...] [...] [..=..]
definisciiniziatermina              \definisciiniziatermina [...] [...] [..=..]
definiscilayout                     \definiscilayout [...] [...] [..=..]
definiscimakeup                     \definiscimakeup [...] [...] [..=..]
definiscimarcatura                  \definiscimarcatura [...] [...] [..=..]
definiscimenuinterazione            \definiscimenuinterazione [...] [...] [..=..]
definiscimodellotabella             \definiscimodellotabella [...] [|...|] [...] [...]
definiscioggettomobile              \definiscioggettomobile [...] [...] [..=..]
definiscioggettomobile:name         \definiscioggettomobile [...] [...] [...]
definisciordinamento                \definisciordinamento [...] [...] [...]
definisciprofilo                    \definisciprofilo [...] [...] [..=..]
definisciprogramma                  \definisciprogramma [...] [...] [...]
definisciregistro                   \definisciregistro [...] [...] [..=..]
definisciriferimento                \definisciriferimento [...] [...]
definiscisezione                    \definiscisezione [...]
definiscisimbolo                    \definiscisimbolo [...] [...] [...]
definiscisinonimi                   \definiscisinonimi [...] [...] [...] [...]
definiscisinonimofont               \definiscisinonimofont [...] [...] [..=..]
definiscisottocampo                 \definiscisottocampo [...] [...] [...]
definiscisovrapposizione            \definiscisovrapposizione [...] [...] [...]
definiscistackcampi                 \definiscistackcampi [...] [...] [..=..]
definiscistile                      \definiscistile [...] [...] [..=..]
definiscistilefont                  \definiscistilefont [...] [...]
definiscitabulato                   \definiscitabulato [...] [...] [|...|]
definiscitavolozza                  \definiscitavolozza [...] [..=..] OPT
definiscitavolozza:name             \definiscitavolozza [...] [...]
definiscitesta                      \definiscitesta [...] [...] [..=..]
definiscitesto                      \definiscitesto [...] [...] [...] [...] [...] [...] [...]
definiscitestoincorniciato          \definiscitestoincorniciato [...] [...] [..=..]
definiscitype                       \definiscitype [...] [...] [..=..]
```

definiscityping	`\definiscityping [...] [...] [..=..]`
delimited	`\delimited [...] [...] {...}`
delimitedtext	`\delimitedtext [...] [...] {...}`
delimitedtext:instance	`\DELIMITEDTEXT [...] {...}`
delimitedtext:instance:aside	`\aside [...] {...}`
delimitedtext:instance:blockquote	`\blockquote [...] {...}`
delimitedtext:instance:quotation	`\quotation [...] {...}`
delimitedtext:instance:quote	`\quote [...] {...}`
delimitedtext:instance:speech	`\speech [...] {...}`
depthofstring	`\depthofstring {...}`
depthonlybox	`\depthonlybox {...}`
depthspanningtext	`\depthspanningtext {...} {...} {...}`
depthstrut	`\depthstrut`
descrizione:example	`\DESCRIZIONE [...] {...} ... \par`
destra	`\destra ...`
determinacaratteristicheregistro	`\determinacaratteristicheregistro [...] [..=..]`
determinacarattersticheelenco	`\determinacarattersticheelenco [...] [..=..]`
determinanumerotesta	`\determinanumerotesta [...]`
determinenoflines	`\determinenoflines {...}`
devanagarinumerals	`\devanagarinumerals {...}`
digits	`\digits {...}`
digits:string	`\digits ...`
dimensiontocount	`\dimensiontocount {...} \...`
directboxfromcache	`\directboxfromcache {...} {...}`
directcolor	`\directcolor [...]`
directcolored	`\directcolored [..=..]`
directcolored:name	`\directcolored [...]`
directconvertedcounter	`\directconvertedcounter {...} {...}`
directcopyboxfromcache	`\directcopyboxfromcache {...} {...}`
directdummyparameter	`\directdummyparameter {...}`
directgetboxllx	`\directgetboxllx ...`
directgetboxlly	`\directgetboxlly ...`
directhighlight	`\directhighlight {...} {...}`
directlocalframed	`\directlocalframed [...] {...}`
directluacode	`\directluacode {...}`
directselect	`\directselect {...} {...} {...} {...} {...} {...}`
directsetbar	`\directsetbar {...}` `OPT` `OPT` `OPT` `OPT` `OPT`
directsetup	`\directsetup {...}`
directsymbol	`\directsymbol {...} {...}`
directvspacing	`\directvspacing {...}`
dis	`\dis {...}`
disabledirectives	`\disabledirectives [...]`
disableexperiments	`\disableexperiments [...]`
disablemode	`\disablemode [...]`
disableoutputstream	`\disableoutputstream`
disableparpositions	`\disableparpositions`
disableregime	`\disableregime`
disabletrackers	`\disabletrackers [...]`
displaymath	`\displaymath {...}`
displaymathematics	`\displaymathematics {...}`
displaymessage	`\displaymessage {...}`
distributedhsize	`\distributedhsize {...} {...} {...}`
dividedsize	`\dividedsize {...} {...} {...}`
doadaptleftskip	`\doadaptleftskip {...}`
doadaptrightskip	`\doadaptrightskip {...}`
doaddfeature	`\doaddfeature {...}`
doassign	`\doassign [...] [..=..]`
doassignempty	`\doassignempty [...] [..=..]`
doboundtext	`\doboundtext {...} {...} {...}`
docheckassignment	`\docheckassignment {...}`
docheckedpagestate	`\docheckedpagestate {...} {...} {...} {...} {...} {...} {...}`
docheckedpair	`\docheckedpair {...}`
documentvariable	`\documentvariable {...}`
dodoubleargument	`\dodoubleargument \... [...] [...]`
dodoubleargumentwithset	`\dodoubleargumentwithset \... [...] [...]`
dodoubleempty	`\dodoubleempty \... [...] [...]`
dodoubleemptywithset	`\dodoubleemptywithset \... [...] [...]`
dodoublegroupempty	`\dodoublegroupempty \... {...} {...}`
doeassign	`\doeassign [...] [..=..]`
doexpandedrecurse	`\doexpandedrecurse {...} {...}`
dofastloopcs	`\dofastloopcs {...} \...`
dogetattribute	`\dogetattribute {...}`

```
dogetattributeid                      \dogetattributeid {...}
dogetcommacommandelement              \dogetcommacommandelement ... \from ... \to \...
dogobbledoubleempty                   \dogobbledoubleempty [...] [...]
dogobblesingleempty                   \dogobblesingleempty [...]
doif                                  \doif {...} {...} {...}
doifallcommon                         \doifallcommon {...} {...} {...}
doifallcommonelse                     \doifallcommonelse {...} {...} {...} {...}
doifalldefinedelse                    \doifalldefinedelse {...} {...} {...}
doifallmodes                          \doifallmodes {...} {...} {...}
doifallmodeselse                      \doifallmodeselse {...} {...} {...}
doifassignmentelse                    \doifassignmentelse {...} {...} {...}
doifassignmentelsecs                  \doifassignmentelsecs {...} \... \...
doifblackelse                         \doifblackelse {...} {...} {...}
doifbothsides                         \doifbothsides {...} {...} {...}
doifbothsidesoverruled                \doifbothsidesoverruled {...} {...} {...}
doifboxelse                           \doifboxelse {...} {...} {...} {...}
doifbufferelse                        \doifbufferelse {...} {...} {...}
doifcolor                             \doifcolor {...} {...}
doifcolorelse                         \doifcolorelse {...} {...} {...}
doifcommandhandler                    \doifcommandhandler \... {...} {...}
doifcommandhandlerelse                \doifcommandhandlerelse \... {...} {...} {...}
doifcommon                            \doifcommon {...} {...} {...}
doifcommonelse                        \doifcommonelse {...} {...} {...} {...}
doifcontent                           \doifcontent {...} {...} {...} \... {...}
doifconversiondefinedelse             \doifconversiondefinedelse {...} {...} {...}
doifconversionnumberelse              \doifconversionnumberelse {...} {...} {...} {...}
doifcounter                           \doifcounter {...} {...}
doifcounterelse                       \doifcounterelse {...} {...} {...}
doifcurrentfonthasfeatureelse         \doifcurrentfonthasfeatureelse {...} {...} {...}
doifdefined                           \doifdefined {...} {...}
doifdefinedcounter                    \doifdefinedcounter {...} {...}
doifdefinedcounterelse                \doifdefinedcounterelse {...} {...} {...}
doifdefinedelse                       \doifdefinedelse {...} {...} {...}
doifdimensionelse                     \doifdimensionelse {...} {...} {...}
doifdimenstringelse                   \doifdimenstringelse {...} {...} {...}
doifdocumentargument                  \doifdocumentargument {...} {...}
doifdocumentargumentelse              \doifdocumentargumentelse {...} {...} {...}
doifdocumentfilename                  \doifdocumentfilename {...} {...}
doifdocumentfilenameelse              \doifdocumentfilenameelse {...} {...} {...}
doifdocumentvariable                  \doifdocumentvariable {...} {...}
doifdocumentvariableelse              \doifdocumentvariableelse {...} {...} {...}
doifdrawingblackelse                  \doifdrawingblackelse {...} {...}
doifelse                              \doifelse {...} {...} {...} {...}
doifelseallcommon                     \doifelseallcommon {...} {...} {...} {...}
doifelsealldefined                    \doifelsealldefined {...} {...} {...}
doifelseallmodes                      \doifelseallmodes {...} {...} {...}
doifelseassignment                    \doifelseassignment {...} {...} {...}
doifelseassignmentcs                  \doifelseassignmentcs {...} \... \...
doifelseblack                         \doifelseblack {...} {...} {...}
doifelsebox                           \doifelsebox {...} {...} {...} {...}
doifelseboxincache                    \doifelseboxincache {...} {...} {...} {...}
doifelsebuffer                        \doifelsebuffer {...} {...} {...}
doifelsecolor                         \doifelsecolor {...} {...} {...}
doifelsecommandhandler                \doifelsecommandhandler \... {...} {...} {...}
doifelsecommon                        \doifelsecommon {...} {...} {...} {...}
doifelseconversiondefined             \doifelseconversiondefined {...} {...} {...}
doifelseconversionnumber              \doifelseconversionnumber {...} {...} {...} {...}
doifelsecounter                       \doifelsecounter {...} {...} {...}
doifelsecurrentfonthasfeature         \doifelsecurrentfonthasfeature {...} {...} {...}
doifelsecurrentsortingused            \doifelsecurrentsortingused {...} {...}
doifelsecurrentsynonymshown           \doifelsecurrentsynonymshown {...} {...}
doifelsecurrentsynonymused            \doifelsecurrentsynonymused {...} {...}
doifelsedefined                       \doifelsedefined {...} {...} {...}
doifelsedefinedcounter                \doifelsedefinedcounter {...} {...} {...}
doifelsedimension                     \doifelsedimension {...} {...} {...}
doifelsedimenstring                   \doifelsedimenstring {...} {...} {...}
doifelsedocumentargument              \doifelsedocumentargument {...} {...} {...}
doifelsedocumentfilename              \doifelsedocumentfilename {...} {...} {...}
doifelsedocumentvariable              \doifelsedocumentvariable {...} {...} {...}
doifelsedrawingblack                  \doifelsedrawingblack {...} {...}
doifelseempty                         \doifelseempty {...} {...} {...}
doifelseemptyvalue                    \doifelseemptyvalue {...} {...} {...}
```

```
doifelseemptyvariable            \doifelseemptyvariable {...} {...} {...} {...}
doifelseenv                      \doifelseenv {...} {...} {...}
doifelsefastoptionalcheck        \doifelsefastoptionalcheck {...} {...}
doifelsefastoptionalcheckcs      \doifelsefastoptionalcheckcs \... \...
doifelsefieldbody                \doifelsefieldbody {...} {...} {...}
doifelsefieldcategory            \doifelsefieldcategory {...} {...} {...}
doifelsefigure                   \doifelsefigure {...} {...} {...}
doifelsefile                     \doifelsefile {...} {...} {...}
doifelsefiledefined              \doifelsefiledefined {...} {...} {...}
doifelsefileexists               \doifelsefileexists {...} {...} {...}
doifelsefirstchar                \doifelsefirstchar {...} {...} {...} {...}
doifelseflagged                  \doifelseflagged {...} {...} {...}
doifelsefontchar                 \doifelsefontchar {...} {...} {...} {...}
doifelsefontfeature              \doifelsefontfeature {...} {...} {...}
doifelsefontpresent              \doifelsefontpresent {...} {...} {...}
doifelsefontsynonym              \doifelsefontsynonym {...} {...} {...}
doifelseframed                   \doifelseframed \... {...} {...}
doifelsehasspace                 \doifelsehasspace {...} {...} {...}
doifelsehelp                     \doifelsehelp {...} {...}
doifelseincsname                 \doifelseincsname {...} {...} {...} {...}
doifelseinelement                \doifelseinelement {...} {...} {...}
doifelseinputfile                \doifelseinputfile {...} {...} {...}
doifelseinsertion                \doifelseinsertion {...} {...} {...}
doifelseinset                    \doifelseinset {...} {...} {...} {...}
doifelseinstring                 \doifelseinstring {...} {...} {...} {...}
doifelseinsymbolset              \doifelseinsymbolset {...} {...} {...} {...}
doifelseintoks                   \doifelseintoks {...} {...} {...} {...}
doifelseintwopassdata            \doifelseintwopassdata {...} {...} {...} {...}
doifelseitalic                   \doifelseitalic {...} {...}
doifelselanguage                 \doifelselanguage {...} {...} {...}
doifelselayerdata                \doifelselayerdata {...} {...} {...}
doifelselayoutdefined            \doifelselayoutdefined {...} {...} {...}
doifelselayoutsomeline           \doifelselayoutsomeline {...} {...} {...}
doifelselayouttextline           \doifelselayouttextline {...} {...} {...}
doifelseleapyear                 \doifelseleapyear {...} {...} {...}
doifelselist                     \doifelselist {...} {...} {...}
doifelselocation                 \doifelselocation {...} {...}
doifelselocfile                  \doifelselocfile {...} {...} {...}
doifelseMPgraphic                \doifelseMPgraphic {...} {...} {...}
doifelsemainfloatbody            \doifelsemainfloatbody {...} {...}
doifelsemarkedpage               \doifelsemarkedpage {...} {...} {...}
doifelsemarking                  \doifelsemarking {...} {...} {...}
doifelsemeaning                  \doifelsemeaning \... \... {...} {...}
doifelsemessage                  \doifelsemessage {...} {...} {...} {...}
doifelsemode                     \doifelsemode {...} {...} {...}
doifelsenextbgroup               \doifelsenextbgroup {...} {...}
doifelsenextbgroupcs             \doifelsenextbgroupcs \... \...
doifelsenextchar                 \doifelsenextchar {...} {...} {...}
doifelsenextoptional             \doifelsenextoptional {...} {...}
doifelsenextoptionalcs           \doifelsenextoptionalcs \... \...
doifelsenextparenthesis          \doifelsenextparenthesis {...} {...}
doifelsenonzeropositive          \doifelsenonzeropositive {...} {...} {...}
doifelsenoteonsamepage           \doifelsenoteonsamepage {...} {...} {...}
doifelsenothing                  \doifelsenothing {...} {...} {...}
doifelsenumber                   \doifelsenumber {...} {...} {...}
doifelseobjectfound              \doifelseobjectfound {...} {...} {...} {...}
doifelseobjectreferencefound     \doifelseobjectreferencefound {...} {...} {...} {...}
doifelseoddpage                  \doifelseoddpage {...} {...}
doifelseoddpagefloat             \doifelseoddpagefloat {...} {...}
doifelseoldercontext             \doifelseoldercontext {...} {...} {...}
doifelseolderversion             \doifelseolderversion {...} {...} {...} {...}
doifelseoverlapping              \doifelseoverlapping {...} {...} {...} {...}
doifelseoverlay                  \doifelseoverlay {...} {...} {...}
doifelseparallel                 \doifelseparallel {...} {...} {...} {...}
doifelseparentfile               \doifelseparentfile {...} {...} {...}
doifelsepath                     \doifelsepath {...} {...} {...}
doifelsepathexists               \doifelsepathexists {...} {...} {...}
doifelsepatterns                 \doifelsepatterns {...} {...} {...}
doifelseposition                 \doifelseposition {...} {...} {...}
doifelsepositionaction           \doifelsepositionaction {...} {...} {...}
doifelsepositiononpage           \doifelsepositiononpage {...} {...} {...} {...}
doifelsepositionsonsamepage      \doifelsepositionsonsamepage {...} {...} {...}
```

```
doifelsepositionsonthispage          \doifelsepositionsonthispage {...} {...} {...}
doifelsepositionsused                 \doifelsepositionsused {...} {...}
doifelsereferencefound                \doifelsereferencefound {...} {...} {...}
doifelserightpage                     \doifelserightpage {...} {...}
doifelserightpagefloat                \doifelserightpagefloat {...} {...}
doifelserighttoleftinbox              \doifelserighttoleftinbox ... {...} {...}
doifelsesamelinereference             \doifelsesamelinereference {...} {...} {...}
doifelsesamestring                    \doifelsesamestring {...} {...} {...} {...}
doifelsesetups                        \doifelsesetups {...} {...} {...}
doifelsesomebackground                \doifelsesomebackground {...} {...} {...}
doifelsesomespace                     \doifelsesomespace {...} {...} {...}
doifelsesomething                     \doifelsesomething {...} {...} {...}
doifelsesometoks                      \doifelsesometoks \... {...} {...}
doifelsestringinstring                \doifelsestringinstring {...} {...} {...} {...}
doifelsestructurelisthasnumber        \doifelsestructurelisthasnumber {...} {...}
doifelsestructurelisthaspage          \doifelsestructurelisthaspage {...} {...}
doifelsesymboldefined                 \doifelsesymboldefined {...} {...} {...}
doifelsesymbolset                     \doifelsesymbolset {...} {...} {...}
doifelsetext                          \doifelsetext {...} {...} {...}
doifelsetextflow                      \doifelsetextflow {...} {...} {...}
doifelsetextflowcollector             \doifelsetextflowcollector {...} {...} {...}
doifelsetopofpage                     \doifelsetopofpage {...} {...}
doifelsetypingfile                    \doifelsetypingfile {...} {...} {...}
doifelseundefined                     \doifelseundefined {...} {...} {...}
doifelseurldefined                    \doifelseurldefined {...} {...} {...}
doifelsevalue                         \doifelsevalue {...} {...} {...} {...}
doifelsevaluenothing                  \doifelsevaluenothing {...} {...} {...}
doifelsevariable                      \doifelsevariable {...} {...} {...} {...}
doifempty                             \doifempty {...} {...}
doifemptyelse                         \doifemptyelse {...} {...} {...}
doifemptytoks                         \doifemptytoks \... {...}
doifemptyvalue                        \doifemptyvalue {...} {...}
doifemptyvalueelse                    \doifemptyvalueelse {...} {...} {...}
doifemptyvariable                     \doifemptyvariable {...} {...} {...}
doifemptyvariableelse                 \doifemptyvariableelse {...} {...} {...} {...}
doifenv                               \doifenv {...} {...}
doifenvelse                           \doifenvelse {...} {...} {...}
doiffastoptionalcheckcselse           \doiffastoptionalcheckcselse \... \...
doiffastoptionalcheckelse             \doiffastoptionalcheckelse {...} {...}
doiffieldbodyelse                     \doiffieldbodyelse {...} {...} {...}
doiffieldcategoryelse                 \doiffieldcategoryelse {...} {...} {...}
doiffigureelse                        \doiffigureelse {...} {...} {...}
doiffile                              \doiffile {...} {...}
doiffiledefinedelse                   \doiffiledefinedelse {...} {...} {...}
doiffileelse                          \doiffileelse {...} {...} {...}
doiffileexistselse                    \doiffileexistselse {...} {...} {...}
doiffirstcharelse                     \doiffirstcharelse {...} {...} {...} {...}
doifflaggedelse                       \doifflaggedelse {...} {...} {...}
doiffontcharelse                      \doiffontcharelse {...} {...} {...} {...}
doiffontfeatureelse                   \doiffontfeatureelse {...} {...} {...}
doiffontpresentelse                   \doiffontpresentelse {...} {...} {...}
doiffontsynonymelse                   \doiffontsynonymelse {...} {...} {...}
doifhasspaceelse                      \doifhasspaceelse {...} {...} {...}
doifhelpelse                          \doifhelpelse {...} {...}
doifincsnameelse                      \doifincsnameelse {...} {...} {...} {...}
doifinelementelse                     \doifinelementelse {...} {...} {...}
doifinputfileelse                     \doifinputfileelse {...} {...} {...}
doifinsertionelse                     \doifinsertionelse {...} {...} {...}
doifinset                             \doifinset {...} {...} {...}
doifinsetelse                         \doifinsetelse {...} {...} {...} {...}
doifinstring                          \doifinstring {...} {...} {...}
doifinstringelse                      \doifinstringelse {...} {...} {...} {...}
doifinsymbolset                       \doifinsymbolset {...} {...} {...} {...}
doifinsymbolsetelse                   \doifinsymbolsetelse {...} {...} {...} {...}
doifintokselse                        \doifintokselse {...} {...} {...} {...}
doifintwopassdataelse                 \doifintwopassdataelse {...} {...} {...} {...}
doifitalicelse                        \doifitalicelse {...} {...}
doiflanguageelse                      \doiflanguageelse {...} {...} {...}
doiflayerdataelse                     \doiflayerdataelse {...} {...} {...}
doiflayoutdefinedelse                 \doiflayoutdefinedelse {...} {...} {...}
doiflayoutsomelineelse                \doiflayoutsomelineelse {...} {...} {...}
doiflayouttextlineelse                \doiflayouttextlineelse {...} {...} {...}
```

```
doifleapyearelse                    \doifleapyearelse {...} {...} {...}
doiflistelse                        \doiflistelse {...} {...} {...}
doiflocationelse                    \doiflocationelse {...} {...}
doiflocfileelse                     \doiflocfileelse {...} {...} {...}
doifMPgraphicelse                   \doifMPgraphicelse {...} {...} {...}
doifmainfloatbodyelse               \doifmainfloatbodyelse {...} {...}
doifmarkingelse                     \doifmarkingelse {...} {...} {...}
doifmeaningelse                     \doifmeaningelse \... \... {...} {...}
doifmessageelse                     \doifmessageelse {...} {...} {...} {...}
doifmode                            \doifmode {...} {...}
doifmodeelse                        \doifmodeelse {...} {...} {...}
doifnextbgroupcselse                \doifnextbgroupcselse \... \...
doifnextbgroupelse                  \doifnextbgroupelse {...} {...}
doifnextcharelse                    \doifnextcharelse {...} {...} {...}
doifnextoptionalcselse              \doifnextoptionalcselse \... \...
doifnextoptionalelse                \doifnextoptionalelse {...} {...}
doifnextparenthesiselse             \doifnextparenthesiselse {...} {...}
doifnonzeropositiveelse             \doifnonzeropositiveelse {...} {...} {...}
doifnot                             \doifnot {...} {...} {...}
doifnotallcommon                    \doifnotallcommon {...} {...} {...}
doifnotallmodes                     \doifnotallmodes {...} {...} {...}
doifnotcommandhandler               \doifnotcommandhandler \... {...} {...}
doifnotcommon                       \doifnotcommon {...} {...} {...}
doifnotcounter                      \doifnotcounter {...} {...}
doifnotdocumentargument             \doifnotdocumentargument {...} {...}
doifnotdocumentfilename             \doifnotdocumentfilename {...} {...}
doifnotdocumentvariable             \doifnotdocumentvariable {...} {...}
doifnotempty                        \doifnotempty {...} {...}
doifnotemptyvalue                   \doifnotemptyvalue {...} {...}
doifnotemptyvariable                \doifnotemptyvariable {...} {...} {...}
doifnotenv                          \doifnotenv {...} {...}
doifnoteonsamepageelse              \doifnoteonsamepageelse {...} {...} {...}
doifnotescollected                  \doifnotescollected {...} {...}
doifnotfile                         \doifnotfile {...} {...}
doifnotflagged                      \doifnotflagged {...} {...}
doifnothing                         \doifnothing {...} {...}
doifnothingelse                     \doifnothingelse {...} {...} {...}
doifnotinset                        \doifnotinset {...} {...} {...}
doifnotinsidesplitfloat             \doifnotinsidesplitfloat {...}
doifnotinstring                     \doifnotinstring {...} {...} {...}
doifnotmode                         \doifnotmode {...} {...}
doifnotnumber                       \doifnotnumber {...} {...}
doifnotsamestring                   \doifnotsamestring {...} {...} {...}
doifnotsetups                       \doifnotsetups {...} {...}
doifnotvalue                        \doifnotvalue {...} {...} {...}
doifnotvariable                     \doifnotvariable {...} {...} {...}
doifnumber                          \doifnumber {...} {...}
doifnumberelse                      \doifnumberelse {...} {...} {...}
doifobjectfoundelse                 \doifobjectfoundelse {...} {...} {...} {...}
doifobjectreferencefoundelse        \doifobjectreferencefoundelse {...} {...} {...} {...}
doifoddpageelse                     \doifoddpageelse {...} {...}
doifoddpagefloatelse                \doifoddpagefloatelse {...} {...}
doifoldercontextelse                \doifoldercontextelse {...} {...} {...}
doifolderversionelse                \doifolderversionelse {...} {...} {...} {...}
doifoverlappingelse                 \doifoverlappingelse {...} {...} {...} {...}
doifoverlayelse                     \doifoverlayelse {...} {...} {...}
doifparallelelse                    \doifparallelelse {...} {...} {...} {...}
doifparentfileelse                  \doifparentfileelse {...} {...} {...}
doifpathelse                        \doifpathelse {...} {...} {...}
doifpathexistselse                  \doifpathexistselse {...} {...} {...}
doifpatternselse                    \doifpatternselse {...} {...} {...}
doifposition                        \doifposition {...} {...} {...}
doifpositionaction                  \doifpositionaction {...} {...} {...}
doifpositionactionelse              \doifpositionactionelse {...} {...} {...}
doifpositionelse                    \doifpositionelse {...} {...} {...}
doifpositiononpageelse              \doifpositiononpageelse {...} {...} {...} {...}
doifpositionsonsamepageelse         \doifpositionsonsamepageelse {...} {...} {...}
doifpositionsonthispageelse         \doifpositionsonthispageelse {...} {...} {...}
doifpositionsusedelse               \doifpositionsusedelse {...} {...}
doifreferencefoundelse              \doifreferencefoundelse {...} {...} {...}
doifrightpagefloatelse              \doifrightpagefloatelse {...} {...}
doifrighttoleftinboxelse            \doifrighttoleftinboxelse ... {...} {...}
```

16

doifsamelinereferenceelse	`\doifsamelinereferenceelse {...} {...} {...}`
doifsamestring	`\doifsamestring {...} {...} {...}`
doifsamestringelse	`\doifsamestringelse {...} {...} {...} {...}`
doifsetups	`\doifsetups {...} {...}`
doifsetupselse	`\doifsetupselse {...} {...} {...}`
doifsomebackground	`\doifsomebackground {...} {...} {...}`
doifsomebackgroundelse	`\doifsomebackgroundelse {...} {...} {...}`
doifsomespaceelse	`\doifsomespaceelse {...} {...} {...}`
doifsomething	`\doifsomething {...} {...}`
doifsomethingelse	`\doifsomethingelse {...} {...} {...}`
doifsometoks	`\doifsometoks \... {...}`
doifsometokselse	`\doifsometokselse \... {...} {...}`
doifstringinstringelse	`\doifstringinstringelse {...} {...} {...} {...}`
doifstructurelisthasnumberelse	`\doifstructurelisthasnumberelse {...} {...}`
doifstructurelisthaspageelse	`\doifstructurelisthaspageelse {...} {...}`
doifsymboldefinedelse	`\doifsymboldefinedelse {...} {...} {...}`
doifsymbolsetelse	`\doifsymbolsetelse {...} {...} {...}`
doiftext	`\doiftext {...} {...} {...}`
doiftextelse	`\doiftextelse {...} {...} {...}`
doiftextflowcollectorelse	`\doiftextflowcollectorelse {...} {...} {...}`
doiftextflowelse	`\doiftextflowelse {...} {...} {...}`
doiftopofpageelse	`\doiftopofpageelse {...} {...}`
doiftypingfileelse	`\doiftypingfileelse {...} {...} {...}`
doifundefined	`\doifundefined {...} {...}`
doifundefinedcounter	`\doifundefinedcounter {...} {...}`
doifundefinedelse	`\doifundefinedelse {...} {...} {...}`
doifunknownfontfeature	`\doifunknownfontfeature {...} {...} {...}`
doifurldefinedelse	`\doifurldefinedelse {...} {...} {...}`
doifvalue	`\doifvalue {...} {...} {...}`
doifvalueelse	`\doifvalueelse {...} {...} {...} {...}`
doifvaluenothing	`\doifvaluenothing {...} {...}`
doifvaluenothingelse	`\doifvaluenothingelse {...} {...} {...}`
doifvaluesomething	`\doifvaluesomething {...} {...}`
doifvariable	`\doifvariable {...} {...} {...}`
doifvariableelse	`\doifvariableelse {...} {...} {...} {...}`
doindentation	`\doindentation`
dollar	`\dollar`
doloop	`\doloop {...}`
doloopoverlist	`\doloopoverlist {...} {...}`
donothing	`\donothing`
dontconvertfont	`\dontconvertfont`
dontleavehmode	`\dontleavehmode`
dontpermitspacesbetweengroups	`\dontpermitspacesbetweengroups`
dopositionaction	`\dopositionaction {...}`
doprocesslocalsetups	`\doprocesslocalsetups {...}`
doquadrupleargument	`\doquadrupleargument \... [...] [...] [...] [...]`
doquadrupleempty	`\doquadrupleempty \... [...] [...] [...] [...]`
doquadruplegroupempty	`\doquadruplegroupempty \... {...} {...} {...} {...}`
doquintupleargument	`\doquintupleargument \... [...] [...] [...] [...] [...]`
doquintupleempty	`\doquintupleempty \... [...] [...] [...] [...] [...]`
doquintuplegroupempty	`\doquintuplegroupempty \... {...} {...} {...} {...} {...}`
dorechecknextindentation	`\dorechecknextindentation`
dorecurse	`\dorecurse {...} {...}`
dorepeatwithcommand	`\dorepeatwithcommand [...] \...`
doreplacefeature	`\doreplacefeature {...}`
doresetandafffeature	`\doresetandafffeature {...}`
doresetattribute	`\doresetattribute {...}`
dorotatebox	`\dorotatebox {...} \... {...}`
dosetattribute	`\dosetattribute {...} {...}`
dosetleftskipadaption	`\dosetleftskipadaption {...}`
dosetrightskipadaption	`\dosetrightskipadaption {...}`
dosetupcheckedinterlinespace	`\dosetupcheckedinterlinespace {..=..}`
dosetupcheckedinterlinespace:argument	`\dosetupcheckedinterlinespace {...}`
dosetupcheckedinterlinespace:name	`\dosetupcheckedinterlinespace {...}`
doseventupleargument	`\doseventupleargument \... [...] [...] [...] [...] [...] [...] [...]`
doseventupleempty	`\doseventupleempty \... [...] [...] [...] [...] [...] [...] [...]`
dosingleargument	`\dosingleargument \... [...]`
dosingleempty	`\dosingleempty \... [...]`
dosinglegroupempty	`\dosinglegroupempty \... {...}`
dosixtupleargument	`\dosixtupleargument \... [...] [...] [...] [...] [...] [...]`
dosixtupleempty	`\dosixtupleempty \... [...] [...] [...] [...] [...] [...]`
dostarttagged	`\dostarttagged {...} {...} ... \dostoptagged`

dostepwiserecurse	`\dostepwiserecurse {...} {...} {...} {...}`
dosubtractfeature	`\dosubtractfeature {...}`
dotfskip	`\dotfskip {...}`
dotoks	`\dotoks \...`
dotripleargument	`\dotripleargument \... [...] [...] [...]`
dotripleargumentwithset	`\dotripleargumentwithset \... [...] [...] [...]`
dotripleempty	`\dotripleempty \... [...] [...] [...]`
dotripleemptywithset	`\dotripleemptywithset \... [...] [...] [...]`
dotriplegroupempty	`\dotriplegroupempty \... {...} {...} {...}`
doublebond	`\doublebond`
dowith	`\dowith {...} {...}`
dowithnextbox	`\dowithnextbox {...} \... {...}`
dowithnextboxcontent	`\dowithnextboxcontent {...} {...} \... {...}`
dowithnextboxcontentcs	`\dowithnextboxcontentcs \... \... \... {...}`
dowithnextboxcs	`\dowithnextboxcs \... \... {...}`
dowithpargument	`\dowithpargument \...`
dowithrange	`\dowithrange {...} \...`
dowithwargument	`\dowithwargument \...`
dpofstring	`\dpofstring {...}`
dummydigit	`\dummydigit`
dummyparameter	`\dummyparameter {...}`
ETEX	`\ETEX`
EveryLine	`\EveryLine {...}`
EveryPar	`\EveryPar {...}`
edefconvertedargument	`\edefconvertedargument \... {...}`
efcmaxheight	`\efcmaxheight {...}`
efcmaxwidth	`\efcmaxwidth {...}`
efcminheight	`\efcminheight {...}`
efcminwidth	`\efcminwidth {...}`
efcparameter	`\efcparameter {...} {...}`
effect	`\effect [...] {...}`
elaborablocchi	`\elaborablocchi [...] [...] [..=..]`
elapsedseconds	`\elapsedseconds`
elapsedtime	`\elapsedtime`
elementi	`\elementi [..=..] {...}`
elemento	`\elemento [...]`
em	`\em`
emphasisboldface	`\emphasisboldface`
emphasistypeface	`\emphasistypeface`
emptylines	`\emptylines [...]`
emspace	`\emspace`
enabledirectives	`\enabledirectives [...]`
enableexperiments	`\enableexperiments [...]`
enablemode	`\enablemode [...]`
enableoutputstream	`\enableoutputstream [...]`
enableparpositions	`\enableparpositions`
enableregime	`\enableregime [...]`
enabletrackers	`\enabletrackers [...]`
enskip	`\enskip`
enspace	`\enspace`
enumerazione:example	`\ENUMERAZIONE [...] {...} ... \par`
env	`\env {...}`
envvar	`\envvar {...} {...}`
epos	`\epos {...}`
equaldigits	`\equaldigits {...}`
eTeX	`\eTeX`
etichetta:example	`\ETICHETTA [...] {...}`
executeifdefined	`\executeifdefined {...} {...}`
exitloop	`\exitloop`
exitloopnow	`\exitloopnow`
expandcheckedcsname	`\expandcheckedcsname \... {...} {...}`
expanded	`\expanded {...}`
expandeddoif	`\expandeddoif {...} {...} {...}`
expandeddoifelse	`\expandeddoifelse {...} {...} {...} {...}`
expandeddoifnot	`\expandeddoifnot {...} {...} {...}`
expandfontsynonym	`\expandfontsynonym \... {...}`
expdoif	`\expdoif {...} {...} {...}`
expdoifcommonelse	`\expdoifcommonelse {...} {...} {...} {...}`
expdoifelse	`\expdoifelse {...} {...} {...} {...}`
expdoifelsecommon	`\expdoifelsecommon {...} {...} {...} {...}`
expdoifelseinset	`\expdoifelseinset {...} {...} {...} {...}`
expdoifinsetelse	`\expdoifinsetelse {...} {...} {...} {...}`

expdoifnot	`\expdoifnot {...} {...} {...}`
externalfigurecollectionmaxheight	`\externalfigurecollectionmaxheight {...}`
externalfigurecollectionmaxwidth	`\externalfigurecollectionmaxwidth {...}`
externalfigurecollectionminheight	`\externalfigurecollectionminheight {...}`
externalfigurecollectionminwidth	`\externalfigurecollectionminwidth {...}`
externalfigurecollectionparameter	`\externalfigurecollectionparameter {...} {...}`
fakebox	`\fakebox ...`
fastdecrement	`\fastdecrement \...`
fastincrement	`\fastincrement \...`
fastlocalframed	`\fastlocalframed [...] [..=..] {...}`
fastloopfinal	`\fastloopfinal`
fastloopindex	`\fastloopindex`
fastscale	`\fastscale {...} {...}`
fastsetup	`\fastsetup {...}`
fastsetupwithargument	`\fastsetupwithargument {...} {...}`
fastsetupwithargumentswapped	`\fastsetupwithargumentswapped {...} {...}`
fastswitchtobodyfont	`\fastswitchtobodyfont {...}`
fastsxsy	`\fastsxsy {...} {...} {...}`
feature	`\feature [...] [...]`
feature:direct	`\feature {...} {...}`
fence	`\fence`
fenced	`\fenced [...] {...}`
fence:example	`\FENCE {...}`
fetchallmarkings	`\fetchallmarkings [...] [...]`
fetchallmarks	`\fetchallmarks [...]`
fetchmark	`\fetchmark [...] [...]`
fetchmarking	`\fetchmarking [...] [...] [...]`
fetchonemark	`\fetchonemark [...] [...]`
fetchonemarking	`\fetchonemarking [...] [...] [...]`
fetchruntinecommand	`\fetchruntinecommand \... {...}`
fetchtwomarkings	`\fetchtwomarkings [...] [...]`
fetchtwomarks	`\fetchtwomarks [...]`
fieldbody	`\fieldbody [...] [..=..]`
fifthoffivearguments	`\fifthoffivearguments {...} {...} {...} {...} {...}`
fifthofsixarguments	`\fifthofsixarguments {...} {...} {...} {...} {...} {...}`
figuraesterna	`\figuraesterna [...] [...] [..=..]`
figurefilename	`\figurefilename`
figurefilepath	`\figurefilepath`
figurefiletype	`\figurefiletype`
figurefullname	`\figurefullname`
figureheight	`\figureheight`
figurenaturalheight	`\figurenaturalheight`
figurenaturalwidth	`\figurenaturalwidth`
figuresymbol	`\figuresymbol [...] [..=..]`
figurewidth	`\figurewidth`
filename	`\filename {...}`
filledhboxb	`\filledhboxb ... {...}`
filledhboxc	`\filledhboxc ... {...}`
filledhboxg	`\filledhboxg ... {...}`
filledhboxk	`\filledhboxk ... {...}`
filledhboxm	`\filledhboxm ... {...}`
filledhboxr	`\filledhboxr ... {...}`
filledhboxy	`\filledhboxy ... {...}`
filler	`\filler [...]`
fillupto	`\fillupto [...] {...}`
filterfromnext	`\filterfromnext {...} {...} {...} {...} {...} {...} {...}`
filterfromvalue	`\filterfromvalue {...} {...} {...}` OPT OPT OPT OPT
filterpages	`\filterpages [...] [...] [..=..]`
filterreference	`\filterreference {...}`
findtwopassdata	`\findtwopassdata {...} {...}`
finishregisterentry	`\finishregisterentry [...] [..=..] [..=..]`
firstcharacter	`\firstcharacter`
firstcounter	`\firstcounter [...] [...]`
firstcountervalue	`\firstcountervalue [...]`
firstinlist	`\firstinlist [...]`
firstoffivearguments	`\firstoffivearguments {...} {...} {...} {...} {...}`
firstoffourarguments	`\firstoffourarguments {...} {...} {...} {...}`
firstofoneargument	`\firstofoneargument {...}`
firstofoneunexpanded	`\firstofoneunexpanded {...}`
firstofsixarguments	`\firstofsixarguments {...} {...} {...} {...} {...} {...}`
firstofthreearguments	`\firstofthreearguments {...} {...} {...}`
firstofthreeunexpanded	`\firstofthreeunexpanded {...} {...} {...}`

```
firstoftwoarguments              \firstoftwoarguments {...} {...}
firstoftwounexpanded             \firstoftwounexpanded {...} {...}
firstrealpage                    \firstrealpage
firstrealpagenumber              \firstrealpagenumber
firstsubcountervalue             \firstsubcountervalue [...] [...]
firstsubpagenumber               \firstsubpagenumber
firstuserpage                    \firstuserpage
firstuserpagenumber              \firstuserpagenumber
fitfieldframed                   \fitfieldframed [..=..] {...}
fittopbaselinegrid               \fittopbaselinegrid {...}
flag                             \flag {...}
floatuserdataparameter           \floatuserdataparameter {...}
flushbox                         \flushbox {...} {...}
flushboxregister                 \flushboxregister ...
flushcollector                   \flushcollector [...]
flushedrightlastline             \flushedrightlastline
flushlayer                       \flushlayer [...]
flushlocalfloats                 \flushlocalfloats
flushnextbox                     \flushnextbox
flushnotes                       \flushnotes
flushoutputstream                \flushoutputstream [...]
flushshapebox                    \flushshapebox
flushtextflow                    \flushtextflow {...}
flushtokens                      \flushtokens [...]
flushtoks                        \flushtoks \...
fontalternative                  \fontalternative
fontbody                         \fontbody
fontchar                         \fontchar {...}
fontcharbyindex                  \fontcharbyindex {...}
fontclass                        \fontclass
fontclassname                    \fontclassname {...} {...}
fontface                         \fontface
fontfeaturelist                  \fontfeaturelist [...] [...]
fontsize                         \fontsize
fontstyle                        \fontstyle
forcecharacterstripping          \forcecharacterstripping
forcelocalfloats                 \forcelocalfloats
forgeteverypar                   \forgeteverypar
forgetparameters                 \forgetparameters [...] [..=..]
forgetparskip                    \forgetparskip
forgetragged                     \forgetragged
formula                          \formula [...] {...}
foundbox                         \foundbox {...} {...}
fourthoffivearguments            \fourthoffivearguments {...} {...} {...} {...} {...}
fourthoffourarguments            \fourthoffourarguments {...} {...} {...} {...}
fourthofsixarguments             \fourthofsixarguments {...} {...} {...} {...} {...} {...}
frameddimension                  \frameddimension {...}
framedparameter                  \framedparameter {...}
frazione:instance                \FRACTION {...} {...}
frazione:instance:binom          \binom {...} {...}
frazione:instance:dbinom         \dbinom {...} {...}
frazione:instance:dfrac          \dfrac {...} {...}
frazione:instance:frac           \frac {...} {...}
frazione:instance:sfrac          \sfrac {...} {...}
frazione:instance:tbinom         \tbinom {...} {...}
frazione:instance:xfrac          \xfrac {...} {...}
frazione:instance:xxfrac         \xxfrac {...} {...}
freezedimenmacro                 \freezedimenmacro \... \...
freezemeasure                    \freezemeasure [...] [...]
frenchspacing                    \frenchspacing
fromlinenote                     \fromlinenote [...] {...}
frozenhbox                       \frozenhbox {...}
frule                            \frule ... \relax
GetPar                           \GetPar
GIORNOSETTIMANA                  \GIORNOSETTIMANA {...}
GotoPar                          \GotoPar
Greeknumerals                    \Greeknumerals {...}
gdefconvertedargument            \gdefconvertedargument \... {...}
gdefconvertedcommand             \gdefconvertedcommand \... \...
getboxfromcache                  \getboxfromcache {...} {...} ...
getboxllx                        \getboxllx ...
getboxlly                        \getboxlly ...
```

getbufferdata	`\getbufferdata [...]`
getcommacommandsize	`\getcommacommandsize [...]`
getcommalistsize	`\getcommalistsize [...]`
getdayoftheweek	`\getdayoftheweek {...} {...} {...}`
getdayspermonth	`\getdayspermonth {...} {...}`
getdefinedbuffer	`\getdefinedbuffer [...]`
getdocumentargument	`\getdocumentargument {...}`
getdocumentargumentdefault	`\getdocumentargumentdefault {...} {...}`
getdocumentfilename	`\getdocumentfilename {...}`
getdummyparameters	`\getdummyparameters [..=..]`
getemptyparameters	`\getemptyparameters [...] [..=..]`
geteparameters	`\geteparameters [...] [..=..]`
getexpandedparameters	`\getexpandedparameters [...] [..=..]`
getfiguredimensions	`\getfiguredimensions [...] [..=..]`
getfirstcharacter	`\getfirstcharacter {...}`
getfirsttwopassdata	`\getfirsttwopassdata {...}`
getfromcommacommand	`\getfromcommacommand [...] [...]`
getfromcommalist	`\getfromcommalist [...] [...]`
getfromtwopassdata	`\getfromtwopassdata {...} {...}`
getglyphdirect	`\getglyphdirect {...} {...}`
getglyphstyled	`\getglyphstyled {...} {...}`
getgparameters	`\getgparameters [...] [..=..]`
getinlineuserdata	`\getinlineuserdata`
getlasttwopassdata	`\getlasttwopassdata {...}`
getlocalfloat	`\getlocalfloat {...}`
getlocalfloats	`\getlocalfloats`
getMPdrawing	`\getMPdrawing`
getMPlayer	`\getMPlayer [...] [..=..] {...}`
getmessage	`\getmessage {...} {...}`
getnamedglyphdirect	`\getnamedglyphdirect {...} {...}`
getnamedglyphstyled	`\getnamedglyphstyled {...} {...}`
getnamedtwopassdatalist	`\getnamedtwopassdatalist \... {...}`
getnaturaldimensions	`\getnaturaldimensions ...`
getnoflines	`\getnoflines {...}`
getobject	`\getobject {...} {...}`
getobjectdimensions	`\getobjectdimensions {...} {...}`
getpaletsize	`\getpaletsize [...]`
getparameters	`\getparameters [...] [..=..]`
getprivatechar	`\getprivatechar {...}`
getprivateslot	`\getprivateslot {...}`
getrandomcount	`\getrandomcount \... {...} {...}`
getrandomdimen	`\getrandomdimen \... {...} {...}`
getrandomfloat	`\getrandomfloat \... {...} {...}`
getrandomnumber	`\getrandomnumber \... {...} {...}`
getrandomseed	`\getrandomseed \...`
getraweparameters	`\getraweparameters [...] [..=..]`
getrawgparameters	`\getrawgparameters [...] [..=..]`
getrawnoflines	`\getrawnoflines {...}`
getrawparameters	`\getrawparameters [...] [..=..]`
getrawxparameters	`\getrawxparameters [...] [..=..]`
getreference	`\getreference [...] [...]`
getreferenceentry	`\getreferenceentry {...}`
getroundednoflines	`\getroundednoflines {...}`
getsubstring	`\getsubstring {...} {...} {...}`
gettokenlist	`\gettokenlist [...]`
gettwopassdata	`\gettwopassdata {...}`
gettwopassdatalist	`\gettwopassdatalist {...}`
getuserdata	`\getuserdata`
getuvalue	`\getuvalue {...}`
getvalue	`\getvalue {...}`
getvariable	`\getvariable {...} {...}`
getvariabledefault	`\getvariabledefault {...} {...} {...}`
getxparameters	`\getxparameters [...] [..=..]`
giornosettimana	`\giornosettimana {...}`
globaldisablemode	`\globaldisablemode [...]`
globalenablemode	`\globalenablemode [...]`
globalletempty	`\globalletempty \...`
globalpopbox	`\globalpopbox ...`
globalpopmacro	`\globalpopmacro \...`
globalpreventmode	`\globalpreventmode [...]`
globalprocesscommalist	`\globalprocesscommalist [...] \...`
globalpushbox	`\globalpushbox ...`

```
globalpushmacro                \globalpushmacro \...
globalpushreferenceprefix      \globalpushreferenceprefix {...} ... \globalpopreferenceprefix
globalswapcounts               \globalswapcounts \... \...
globalswapdimens               \globalswapdimens \... \...
globalswapmacros               \globalswapmacros \... \...
globalundefine                 \globalundefine {...}
glyphfontfile                  \glyphfontfile {...}
gobbledoubleempty              \gobbledoubleempty [...] [...]
gobbleeightarguments           \gobbleeightarguments {...} {...} {...} {...} {...} {...} {...} {...}
gobblefivearguments            \gobblefivearguments {...} {...} {...} {...} {...}
gobblefiveoptionals            \gobblefiveoptionals [...] [...] [...] [...] [...]
gobblefourarguments            \gobblefourarguments {...} {...} {...} {...}
gobblefouroptionals            \gobblefouroptionals [...] [...] [...] [...]
gobbleninearguments            \gobbleninearguments {...} {...} {...} {...} {...} {...} {...} {...} {..
gobbleoneargument              \gobbleoneargument {...}
gobbleoneoptional              \gobbleoneoptional [...]
gobblesevenarguments           \gobblesevenarguments {...} {...} {...} {...} {...} {...} {...}
gobblesingleempty              \gobblesingleempty [...]
gobblesixarguments             \gobblesixarguments {...} {...} {...} {...} {...} {...}
gobblespacetokens              \gobblespacetokens
gobbletenarguments             \gobbletenarguments {...} {...} {...} {...} {...} {...} {...} {...} {..
gobblethreearguments           \gobblethreearguments {...} {...} {...}
gobblethreeoptionals           \gobblethreeoptionals [...] [...] [...]
gobbletwoarguments             \gobbletwoarguments {...} {...}
gobbletwooptionals             \gobbletwooptionals [...] [...]
gobbleuntil                    \gobbleuntil \...
gobbleuntilrelax               \gobbleuntilrelax ... \relax
grabbufferdata                 \grabbufferdata [...] [...] [...] [...]
grabbufferdatadirect           \grabbufferdatadirect {...} {...} {...}
grabuntil                      \grabuntil {...} \...
grafiamanuale                  \grafiamanuale
grande                         \grande ...
grassetto                      \grassetto
grassettocorsivo               \grassettocorsivo
grassettoinclinato             \grassettoinclinato
grave                          \grave {...}
grayvalue                      \grayvalue {...}
greedysplitstring              \greedysplitstring ... \at ... \to \... \and \...
greeknumerals                  \greeknumerals {...}
griglia                        \griglia [..=..]
grossofontdeltesto             \grossofontdeltesto
groupedcommand                 \groupedcommand {...} {...}
gsetboxllx                     \gsetboxllx ... {...}
gsetboxlly                     \gsetboxlly ... {...}
gujaratinumerals               \gujaratinumerals {...}
gurmurkhinumerals              \gurmurkhinumerals {...}
hairspace                      \hairspace
halflinestrut                  \halflinestrut
halfstrut                      \halfstrut
halfwaybox                     \halfwaybox {...}
handletokens                   \handletokens ... \with \...
hash                           \hash
hat                            \hat {...}
hboxofvbox                     \hboxofvbox ...
hboxreference                  \hboxreference [...] {...}
hbox:example                   \hboxBOX {...}
hdofstring                     \hdofstring {...}
headhbox                       \headhbox ... {...}
headnumbercontent              \headnumbercontent
headnumberdistance             \headnumberdistance
headnumberwidth                \headnumberwidth
headreferenceattributes        \headreferenceattributes
headsetupspacing               \headsetupspacing
headtextcontent                \headtextcontent
headtextdistance               \headtextdistance
headtextwidth                  \headtextwidth
headvbox                       \headvbox ... {...}
headwidth                      \headwidth
heightanddepthofstring         \heightanddepthofstring {...}
heightofstring                 \heightofstring {...}
heightspanningtext             \heightspanningtext {...} {...} {...}
help:instance                  \HELP [...] {...} {...}
```

```
help:instance:helptext                          \helptext [...] {...} {...}
hglue                                            \hglue ...
hiddencitation                                   \hiddencitation [...]
hiddencite                                       \hiddencite [...]
highlight                                        \highlight [...] {...}
highlight:example                                \HIGHLIGHT {...}
highordinalstr                                   \highordinalstr {...}
hilo                                             \hilo [...] {...} {...}
himilo                                           \himilo {...} {...} {...}
hl                                               \hl [...]
horizontalgrowingbar                             \horizontalgrowingbar [..=..]
horizontalpositionbar                            \horizontalpositionbar [..=..]
hphantom                                         \hphantom {...}
hpos                                             \hpos {...} {...}
hsizefraction                                    \hsizefraction {...} {...}
hsmash                                           \hsmash {...}
hsmashbox                                        \hsmashbox ...
hsmashed                                         \hsmashed {...}
hspace                                           \hspace [...] [...]
htdpofstring                                     \htdpofstring {...}
htofstring                                       \htofstring {...}
hyphen                                           \hyphen
hyphenatedcoloredword                            \hyphenatedcoloredword {...}
hyphenatedfile                                   \hyphenatedfile {...}
hyphenatedfilename                               \hyphenatedfilename {...}
hyphenatedhbox                                   \hyphenatedhbox {...}
hyphenatedpar                                    \hyphenatedpar {...}
hyphenatedurl                                    \hyphenatedurl {...}
hyphenatedword                                   \hyphenatedword {...}
INRSTEX                                          \INRSTEX
ibox                                             \ibox {...}
ifassignment                                     \ifassignment ... \else ... \fi
iff                                              \iff
ifinobject                                       \ifinobject ... \else ... \fi
ifinoutputstream                                 \ifinoutputstream ... \else ... \fi
ifparameters                                     \ifparameters ... \else ... \fi
iftrialtypesetting                               \iftrialtypesetting ... \else ... \fi
ignoreimplicitspaces                             \ignoreimplicitspaces
ignoretagsinexport                               \ignoretagsinexport [...]
ignorevalue                                      \ignorevalue {...}
ignoto                                           \ignoto
immediatesavetwopassdata                         \immediatesavetwopassdata {...} {...} {...}
impliedby                                         \impliedby
implies                                          \implies
imposta                                          \imposta [...]
impostaallineamento                              \impostaallineamento [...]
impostaampiezzariga                              \impostaampiezzariga [...]
impostabarrainterazione                          \impostabarrainterazione [...] [..=..]
impostablocco                                    \impostablocco [...] [..=..]
impostabloccosezione                             \impostabloccosezione [...] [..=..]
impostabuffer                                    \impostabuffer [...] [..=..]
impostacampi                                     \impostacampi [...] [..=..] [..=..] [..=..]
impostacampo                                     \impostacampo [...] [...] [..=..] [..=..] [..=..]
impostacapoversi                                 \impostacapoversi [...] [...] [..=..]
impostacapoversi:assignment                      \impostacapoversi [...] [..=..]
impostacaption                                   \impostacaption [...] [..=..]
impostacaptions                                  \impostacaptions [...] [..=..]
impostacima                                      \impostacima [...] [..=..]
impostaclippling                                 \impostaclippling [..=..]
impostacolonne                                   \impostacolonne [..=..]
impostacolore                                    \impostacolore [...]
impostacolori                                    \impostacolori [..=..]
impostacommento                                  \impostacommento [...] [..=..]
impostacommentopagina                            \impostacommentopagina [..=..]
impostadimensionicarta                           \impostadimensionicarta [...] [..=..]
impostadimensionicarta:name                      \impostadimensionicarta [...] [...]
impostaelementi                                  \impostaelementi [...] [..=..]
impostaelencazioni                               \impostaelencazioni [...] [..=..]
impostaelenco                                    \impostaelenco [...] [..=..]
impostaelencocombinato                           \impostaelencocombinato [...] [..=..]
impostaelencocombinato:instance                  \impostaCOMBINEDLIST [..=..]
impostaelencocombinato:instance:content          \impostacontent [..=..]
```

```
impostaenumerazioni                    \impostaenumerazioni [...] [..=..]
impostafondo                           \impostafondo [...] [..=..]
impostafontdeltesto                    \impostafontdeltesto [...]
impostaforms                           \impostaforms [..=..]
impostaformule                         \impostaformule [...] [..=..]
impostagruppocolonne                   \impostagruppocolonne [...] [..=..]
impostaincorniciato                    \impostaincorniciato [...] [..=..]
impostainiziatermina                   \impostainiziatermina [...] [..=..]
impostainstestazione                   \impostainstestazione [...] [..=..]
impostainterazione                     \impostainterazione [...] [..=..]
impostainterazione:name                \impostainterazione [...]
impostainterlinea                      \impostainterlinea [...] [..=..]
impostainterlinea:argument             \impostainterlinea [...]
impostainterlinea:name                 \impostainterlinea [...]
impostalayout                          \impostalayout [...] [..=..]
impostalayout:name                     \impostalayout [...]
impostalineemargine                    \impostalineemargine [...] [..=..]
impostalineenere                       \impostalineenere [..=..]
impostalineeriempimento                \impostalineeriempimento [..=..]
impostalineesottili                    \impostalineesottili [..=..]
impostalineetesto                      \impostalineetesto [..=..]
impostalingua                          \impostalingua [...] [..=..]
impostamaiuscole                       \impostamaiuscole [...] [..=..]
impostamakeup                          \impostamakeup [...] [..=..]
impostamarcatura                       \impostamarcatura [...] [..=..]
impostamenuinterazione                 \impostamenuinterazione [...] [..=..]
impostamenzione                        \impostamenzione [..=..]
impostanumerazionecapoversi            \impostanumerazionecapoversi [..=..]
impostanumerazionepagina               \impostanumerazionepagina [..=..]
impostanumerazionerighe                \impostanumerazionerighe [...] [..=..]
impostanumeropagina                    \impostanumeropagina [..=..]
impostanumerosottopagina               \impostanumerosottopagina [..=..]
impostanumerotesta                     \impostanumerotesta [...] [...]
impostaoggettimobili                   \impostaoggettimobili [...] [..=..]
impostaoggettomobile                   \impostaoggettomobile [...] [..=..]
impostaordinamento                     \impostaordinamento [...] [..=..]
impostaparranging                      \impostaparranging [...]
impostapdp                             \impostapdp [...] [..=..]
impostapiustretto                      \impostapiustretto [...] [..=..]
impostaposizionamento                  \impostaposizionamento [...] [..=..]
impostaposizionamentoopposti           \impostaposizionamentoopposti [..=..]
impostaprogrammi                       \impostaprogrammi [..=..]
impostaregistro                        \impostaregistro [...] [..=..]
impostaregistro:argument               \impostaregistro [...] [...] [..=..]
impostaregistro:instance               \impostaREGISTER [...] [..=..]
impostaregistro:instance:index         \impostaindex [...] [..=..]
impostarientro                         \impostarientro [...]
impostariferimento                     \impostariferimento [..=..]
impostarighe                           \impostarighe [...] [..=..]
impostarigheriempimento                \impostarigheriempimento [..=..]
impostarigovuoto                       \impostarigovuoto [...]
impostarotazione                       \impostarotazione [..=..]
impostaschermointerazione              \impostaschermointerazione [..=..]
impostasegnosillabazione               \impostasegnosillabazione [..=..]
impostasetsimboli                      \impostasetsimboli [...]
impostasfondi                          \impostasfondi [...] [...] [..=..]
impostasfondi:page                     \impostasfondi [...] [..=..]
impostasfondo                          \impostasfondo [...] [..=..]
impostasinonimi                        \impostasinonimi [...] [..=..]
impostaspaziatura                      \impostaspaziatura [...]
impostaspaziobianco                    \impostaspaziobianco [...]
impostaspezzamentooggettomobile        \impostaspezzamentooggettomobile [..=..]
impostatabelle                         \impostatabelle [..=..]
impostatabulato                        \impostatabulato [...] [...] [..=..]
impostatavolozza                       \impostatavolozza [...]
impostatesta                           \impostatesta [...] [..=..]
impostateste                           \impostateste [...] [..=..]
impostatesticima                       \impostatesticima [...] [...] [...] [...] [...]
impostatestifondo                      \impostatestifondo [...] [...] [...] [...] [...]
impostatestiincorniciati               \impostatestiincorniciati [...] [..=..]
impostatestiintestazioni               \impostatestiintestazioni [...] [...] [...] [...] [...]
impostatestipdp                        \impostatestipdp [...] [...] [...] [...] [...]
```

```
impostatesto                                        \impostatesto [...] [..=..]
impostatestoetichette:instance                      \impostaLABELtesto [...] [..=..]
impostatestoetichette:instance:btxlabel             \impostabtxlabeltesto [...] [..=..]
impostatestoetichette:instance:head                 \impostaheadtesto [...] [..=..]
impostatestoetichette:instance:label                \impostalabeltesto [...] [..=..]
impostatestoetichette:instance:mathlabel            \impostamathlabeltesto [...] [..=..]
impostatestoetichette:instance:operator             \impostaoperatortesto [...] [..=..]
impostatestoetichette:instance:prefix               \impostaprefixtesto [...] [..=..]
impostatestoetichette:instance:suffix               \impostasuffixtesto [...] [..=..]
impostatestoetichette:instance:taglabel             \impostataglabeltesto [...] [..=..]
impostatestoetichette:instance:unit                 \impostaunittesto [...] [..=..]
impostatestotesti                                   \impostatestotesti [...] [...] [...] [...] [...]
impostatolleranza                                   \impostatolleranza [...]
impostatransizionepagina                            \impostatransizionepagina [...]
impostatype                                         \impostatype [...] [..=..]
impostatyping                                       \impostatyping [...] [..=..]
impostaurl                                          \impostaurl [..=..]
imposta:direct                                      \imposta {...}
in                                                  \in {...} {...} [...]
inclinato                                           \inclinato
inclinatograssetto                                  \inclinatograssetto
includemenu                                         \includemenu [...]
includeversioninfo                                  \includeversioninfo {...}
incorniciato                                        \incorniciato [..=..] {...}
incorniciato:instance                               \FRAMED [..=..] {...}
incorniciato:instance:fitfieldframed                \fitfieldframed [..=..] {...}
incorniciato:instance:unframed                      \unframed [..=..] {...}
incrementa                                          \incrementa \...
incrementa:argument                                 \incrementa (...)
incrementcounter                                    \incrementcounter [...] [...]
incrementedcounter                                  \incrementedcounter [...]
incrementpagenumber                                 \incrementpagenumber
incrementsubpagenumber                              \incrementsubpagenumber
incrementvalue                                      \incrementvalue {...}
indentation                                         \indentation
infofont                                            \infofont
infofontbold                                        \infofontbold
inheritparameter                                    \inheritparameter [...] [...] [...]
inhibitblank                                        \inhibitblank
initializeboxstack                                  \initializeboxstack {...}
inizia                                              \inizia [...] ... \termina
iniziaalignment                                     \iniziaalignment [...] ... \terminaalignment
iniziaallineacentro                                 \iniziaallineacentro ... \terminaallineacentro
iniziaallineadestra                                 \iniziaallineadestra ... \terminaallineadestra
iniziaallineasinistra                               \iniziaallineasinistra ... \terminaallineasinistra
iniziaallmodes                                      \iniziaallmodes [...] ... \terminaallmodes
iniziaambiente                                      \iniziaambiente [...] ... \terminaambiente
iniziaambientebloccosezione                         \iniziaambientebloccosezione [...] ... \terminaambientebloccosezione
iniziaambiente:string                               \iniziaambiente ... ... \terminaambiente
iniziaattachment:instance                           \iniziaATTACHMENT [...] [..=..] ... \terminaATTACHMENT
iniziaattachment:instance:attachment                \iniziaattachment [...] [..=..] ... \terminaattachment
iniziabar                                           \iniziabar [...] ... \terminabar
iniziabbordermatrix                                 \iniziabbordermatrix ... \terminabbordermatrix
iniziabitmapimage                                   \iniziabitmapimage [..=..] ... \terminabitmapimage
iniziabordermatrix                                  \iniziabordermatrix ... \terminabordermatrix
iniziabtxrenderingdefinitions                       \iniziabtxrenderingdefinitions [...] ... \terminabtxrenderingdefinitions
iniziabuffer                                        \iniziabuffer [...] ... \terminabuffer
iniziabuffer:instance                               \iniziaBUFFER ... \terminaBUFFER
iniziabuffer:instance:hiding                         \iniziahiding ... \terminahiding
iniziacapoverso                                     \iniziacapoverso [...] [..=..] ... \terminacapoverso
iniziacapoverso:instance                            \iniziaSECTION [..=..] [..=..] ... \terminaSECTION
iniziacapoverso:instance:chapter                    \iniziachapter [..=..] [..=..] ... \terminachapter
iniziacapoverso:instance:part                       \iniziapart [..=..] [..=..] ... \terminapart
iniziacapoverso:instance:section                    \iniziasection [..=..] [..=..] ... \terminasection
iniziacapoverso:instance:subject                    \iniziasubject [..=..] [..=..] ... \terminasubject
iniziacapoverso:instance:subsection                 \iniziasubsection [..=..] [..=..] ... \terminasubsection
iniziacapoverso:instance:subsubject                 \iniziasubsubject [..=..] [..=..] ... \terminasubsubject
iniziacapoverso:instance:subsubsection              \iniziasubsubsection [..=..] [..=..] ... \terminasubsubsection
iniziacapoverso:instance:subsubsubject              \iniziasubsubsubject [..=..] [..=..] ... \terminasubsubsubject
iniziacapoverso:instance:subsubsubsection           \iniziasubsubsubsection [..=..] [..=..] ... \terminasubsubsubsection
iniziacapoverso:instance:subsubsubsubject           \iniziasubsubsubsubject [..=..] [..=..] ... \terminasubsubsubsubject
iniziacapoverso:instance:subsubsubsubsection        \iniziasubsubsubsubsection [..=..] [..=..] ... \terminasubsubsubsubsecti
```

```
iniziacapoverso:instance:subsubsubsubsubject    \iniziasubsubsubsubsubject [..=..] [..=..] ... \terminasubsubsubsubsubje
iniziacapoverso:instance:title                  \iniziatitle [..=..] [..=..] ... \terminatitle
iniziacatcodetable                              \iniziacatcodetable \... ... \terminacatcodetable
iniziacenteraligned                             \iniziacenteraligned ... \terminacenteraligned
iniziacharacteralign                            \iniziacharacteralign [..=..] ... \terminacharacteralign
iniziacharacteralign:argument                   \iniziacharacteralign [...] ... \terminacharacteralign
iniziacheckedfences                             \iniziacheckedfences ... \terminacheckedfences
iniziachemical                                  \iniziachemical [...] [..=..] ... \terminachemical
iniziacodatabella                               \iniziacodatabella [...] ... \terminacodatabella
iniziacodatabulato                              \iniziacodatabulato [...] ... \terminacodatabulato
iniziacollect                                   \iniziacollect ... \terminacollect
iniziacollecting                                \iniziacollecting ... \terminacollecting
iniziacolonne                                   \iniziacolonne [..=..] ... \terminacolonne
iniziacolore                                    \iniziacolore [...] ... \terminacolore
iniziacolorintent                               \iniziacolorintent [...] ... \terminacolorintent
iniziacoloronly                                 \iniziacoloronly [...] ... \terminacoloronly
iniziacolorset                                  \iniziacolorset [...] ... \terminacolorset
iniziacolumnset                                 \iniziacolumnset [...] [..=..] ... \terminacolumnset
iniziacolumnsetspan                             \iniziacolumnsetspan [...] [..=..] ... \terminacolumnsetspan
iniziacolumnset:example                         \iniziaCOLUMNSET [..=..] ... \terminaCOLUMNSET
iniziacolumnspan                                \iniziacolumnspan [..=..] ... \terminacolumnspan
iniziacombination                               \iniziacombination [...] [..=..] ... \terminacombination
iniziacombination:matrix                        \iniziacombination [...] [...] ... \terminacombination
iniziacommentopagina                            \iniziacommentopagina ... \terminacommentopagina
iniziacommento:instance                         \iniziaCOMMENT [...] [..=..] ... \terminaCOMMENT
iniziacommento:instance:comment                 \iniziacomment [...] [..=..] ... \terminacomment
iniziacomponenet                                \iniziacomponenet [...] ... \terminacomponenet
iniziacomponenet:string                         \iniziacomponenet ... ... \terminacomponenet
iniziacontextcode                               \iniziacontextcode ... \terminacontextcode
iniziacontextdefinitioncode                     \iniziacontextdefinitioncode ... \terminacontextdefinitioncode
iniziactxfunction                               \iniziactxfunction ... ... \terminactxfunction
iniziactxfunctiondefinition                     \iniziactxfunctiondefinition ... ... \terminactxfunctiondefinition
iniziacurrentcolor                              \iniziacurrentcolor ... \terminacurrentcolor
iniziacurrentlistentrywrapper                   \iniziacurrentlistentrywrapper ... \terminacurrentlistentrywrapper
iniziadelimited                                 \iniziadelimited [...] [...] [...] ... \terminadelimited
iniziadelimitedtext                             \iniziadelimitedtext [...] [...] [...] ... \terminadelimitedtext
iniziadelimitedtext:instance                    \iniziaDELIMITEDTEXT [...] [...] ... \terminaDELIMITEDTEXT
iniziadelimitedtext:instance:aside              \iniziaaside [...] [...] ... \terminaaside
iniziadelimitedtext:instance:blockquote         \iniziablockquote [...] [...] ... \terminablockquote
iniziadelimitedtext:instance:quotation          \iniziaquotation [...] [...] ... \terminaquotation
iniziadelimitedtext:instance:quote              \iniziaquote [...] [...] ... \terminaquote
iniziadelimitedtext:instance:speech             \iniziaspeech [...] [...] ... \terminaspeech
iniziadescrizione:example                       \iniziaDESCRIZIONE [..=..] ... \terminaDESCRIZIONE
iniziadescrizione:example:title                 \iniziaDESCRIZIONE [...] {...} ... \terminaDESCRIZIONE
iniziadisplaymath                               \iniziadisplaymath ... \terminadisplaymath
iniziadmath                                     \iniziadmath ... \terminadmath
iniziadocument                                  \iniziadocument [..=..] ... \terminadocument
iniziaeffect                                    \iniziaeffect [...] ... \terminaeffect
iniziaeffect:example                            \iniziaEFFECT ... \terminaEFFECT
iniziaelement                                   \iniziaelement {...} [..=..] ... \terminaelement
iniziaelemento                                  \iniziaelemento [...] ... \terminaelemento
iniziaembeddedxtable                            \iniziaembeddedxtable [..=..] ... \terminaembeddedxtable
iniziaembeddedxtable:name                       \iniziaembeddedxtable [...] ... \terminaembeddedxtable
iniziaenumerazione:example                      \iniziaENUMERAZIONE [..=..] ... \terminaENUMERAZIONE
iniziaenumerazione:example:title                \iniziaENUMERAZIONE [...] {...} ... \terminaENUMERAZIONE
iniziaexceptions                                \iniziaexceptions [...] ... \terminaexceptions
iniziaexpanded                                  \iniziaexpanded ... \terminaexpanded
iniziaexpandedcollect                           \iniziaexpandedcollect ... \terminaexpandedcollect
iniziaextendedcatcodetable                      \iniziaextendedcatcodetable \... ... \terminaextendedcatcodetable
iniziaexternalfigurecollection                  \iniziaexternalfigurecollection [...] ... \terminaexternalfigurecollecti
iniziafacingfloat                               \iniziafacingfloat [...] ... \terminafacingfloat
iniziafigura                                    \iniziafigura [...] [...] [..=..] ... \terminafigura
iniziafisso                                     \iniziafisso [...] ... \terminafisso
iniziafittingpage                               \iniziafittingpage [...] [..=..] ... \terminafittingpage
iniziafittingpage:instance                      \iniziaFITTINGPAGE [..=..] ... \terminaFITTINGPAGE
iniziafittingpage:instance:MPpage               \iniziaMPpage [..=..] ... \terminaMPpage
iniziafittingpage:instance:TEXpage              \iniziaTEXpage [..=..] ... \terminaTEXpage
iniziafloatcombination                          \iniziafloatcombination [..=..] ... \terminafloatcombination
iniziafloatcombination:matrix                   \iniziafloatcombination [...] ... \terminafloatcombination
iniziafloattext:instance                        \iniziaFLOATtesto [...] [...] {...} ... \terminaFLOATtesto
iniziafloattext:instance:chemical               \iniziachemicaltesto [...] [...] {...} ... \terminachemicaltesto
iniziafloattext:instance:figure                 \iniziafiguretesto [...] [...] {...} ... \terminafiguretesto
```

```
iniziafloattext:instance:graphic          \iniziagraphictesto [...] [...] {...} ... \terminagraphictesto
iniziafloattext:instance:intermezzo       \iniziaintermezzotesto [...] [...] {...} ... \terminaintermezzotesto
iniziafloattext:instance:table            \iniziatabletesto [...] [...] {...} ... \terminatabletesto
iniziafont                                \iniziafont [...] ... \terminafont
iniziafontclass                           \iniziafontclass [...] ... \terminafontclass
iniziafontsolution                        \iniziafontsolution [...] ... \terminafontsolution
iniziaformula                             \iniziaformula [...] ... \terminaformula
iniziaformula:assignment                  \iniziaformula [..=..] ... \terminaformula
iniziaformula:instance                    \iniziaFORMULAformula [...] ... \terminaFORMULAformula
iniziaformula:instance:md                 \iniziamdformula [...] ... \terminamdformula
iniziaformula:instance:mp                 \iniziampformula [...] ... \terminampformula
iniziaformula:instance:sd                 \iniziasdformula [...] ... \terminasdformula
iniziaformula:instance:sp                 \iniziaspformula [...] ... \terminaspformula
iniziaformule                             \iniziaformule [...] ... \terminaformule
iniziaframedcell                          \iniziaframedcell [..=..] ... \terminaframedcell
iniziaframedcontent                       \iniziaframedcontent [...] ... \terminaframedcontent
iniziaframedrow                           \iniziaframedrow [..=..] ... \terminaframedrow
iniziaframedtable                         \iniziaframedtable [...] [..=..] ... \terminaframedtable
iniziagridsnapping                        \iniziagridsnapping [...] ... \terminagridsnapping
iniziagridsnapping:list                   \iniziagridsnapping [...] ... \terminagridsnapping
iniziahboxestohbox                        \iniziahboxestohbox ... \terminahboxestohbox
iniziahboxregister                        \iniziahboxregister ... ... \terminahboxregister
iniziahelp:instance                       \iniziaHELP [...] ... \terminaHELP
iniziahelp:instance:helptext              \iniziahelptext [...] ... \terminahelptext
iniziahighlight                           \iniziahighlight [...] ... \terminahighlight
iniziahyphenation                         \iniziahyphenation [...] ... \terminahyphenation
iniziaimath                               \iniziaimath ... \terminaimath
iniziaimpaccato                           \iniziaimpaccato [...] ... \terminaimpaccato
iniziaincorniciato                        \iniziaincorniciato [...] [..=..] ... \terminaincorniciato
iniziaindentedtext                        \iniziaindentedtext [...] ... \terminaindentedtext
iniziaindentedtext:example                \iniziaINDENTEDTEXT ... \terminaINDENTEDTEXT
iniziainterazione                         \iniziainterazione [...] ... \terminainterazione
iniziainterface                           \iniziainterface ... ... \terminainterface
iniziaintertext                           \iniziaintertext ... \terminaintertext
iniziaitemgroup                           \iniziaitemgroup [...] [...] [..=..] ... \terminaitemgroup
iniziaitemgroup:instance                  \iniziaITEMGROUP [...] [..=..] ... \terminaITEMGROUP
iniziaitemgroup:instance:itemize          \iniziaitemize [...] [..=..] ... \terminaitemize
iniziaJScode                              \iniziaJScode ... ... ... ... \terminaJScode
iniziaJSpreamble                          \iniziaJSpreamble ... ... ... ... \terminaJSpreamble
iniziaknockout                            \iniziaknockout ... \terminaknockout
inizialayout                              \inizialayout [...] ... \terminalayout
inizialinealignment                       \inizialinealignment [...] ... \terminalinealignment
inizialineamargine                        \inizialineamargine [...] ... \terminalineamargine
inizialineamargine:assignment             \inizialineamargine [..=..] ... \terminalineamargine
inizialineatesto                          \inizialineatesto {...} ... \terminalineatesto
inizialinecorrection                      \inizialinecorrection [...] ... \terminalinecorrection
inizialinefiller                          \inizialinefiller [...] [..=..] ... \terminalinefiller
inizialinenumbering                       \inizialinenumbering [...] [..=..] ... \terminalinenumbering
inizialinenumbering:argument              \inizialinenumbering [...] [...] ... \terminalinenumbering
inizialinetable                           \inizialinetable ... \terminalinetable
inizialinetablebody                       \inizialinetablebody ... \terminalinetablebody
inizialinetablecell                       \inizialinetablecell [..=..] ... \terminalinetablecell
inizialinetablehead                       \inizialinetablehead ... \terminalinetablehead
inizialingua                              \inizialingua [...] ... \terminalingua
inizialocalfootnotes                      \inizialocalfootnotes ... \terminalocalfootnotes
inizialocalheadsetup                      \inizialocalheadsetup ... \terminalocalheadsetup
inizialocallinecorrection                 \inizialocallinecorrection [...] ... \terminalocallinecorrection
inizialocalnotes                          \inizialocalnotes [...] ... \terminalocalnotes
inizialocalsetups                         \inizialocalsetups [...] [...] ... \terminalocalsetups
inizialocalsetups:string                  \inizialocalsetups ... ... \terminalocalsetups
inizialua                                 \inizialua ... \terminalua
inizialuacode                             \inizialuacode ... \terminaluacode
inizialuaparameterset                     \inizialuaparameterset [...] ... \terminaluaparameterset
inizialuasetups                           \inizialuasetups [...] [...] ... \terminaluasetups
inizialuasetups:string                    \inizialuasetups ... ... \terminaluasetups
iniziaMPclip                              \iniziaMPclip {...} ... \terminaMPclip
iniziaMPcode                              \iniziaMPcode {...} ... \terminaMPcode
iniziaMPdefinitions                       \iniziaMPdefinitions {...} ... \terminaMPdefinitions
iniziaMPdrawing                           \iniziaMPdrawing [...] ... \terminaMPdrawing
iniziaMPenvironment                       \iniziaMPenvironment [...] ... \terminaMPenvironment
iniziaMPextensions                        \iniziaMPextensions {...} ... \terminaMPextensions
iniziaMPinclusions                        \iniziaMPinclusions [...] {...} ... \terminaMPinclusions
```

```
iniziaMPinitializations                          \iniziaMPinitializations ... \terminaMPinitializations
iniziaMPpositiongraphic                          \iniziaMPpositiongraphic {...} {...} ... \terminaMPpositiongraphic
iniziaMPpositionmethod                           \iniziaMPpositionmethod {...} ... \terminaMPpositionmethod
iniziaMPrun                                      \iniziaMPrun {...} ... \terminaMPrun
iniziamakeup                                     \iniziamakeup [...] [..=..] ... \terminamakeup
iniziamakeup:instance                            \iniziaMAKEUPmakeup [..=..] ... \terminaMAKEUPmakeup
iniziamakeup:instance:middle                     \iniziamiddlemakeup [..=..] ... \terminamiddlemakeup
iniziamakeup:instance:page                       \iniziapagemakeup [..=..] ... \terminapagemakeup
iniziamakeup:instance:standard                   \iniziastandardmakeup [..=..] ... \terminastandardmakeup
iniziamakeup:instance:text                       \iniziatextmakeup [..=..] ... \terminatextmakeup
iniziamarginblock                                \iniziamarginblock [...] ... \terminamarginblock
iniziamarkedcontent                              \iniziamarkedcontent [...] ... \terminamarkedcontent
iniziamarkpages                                  \iniziamarkpages [...] ... \terminamarkpages
iniziamathalignment:instance                     \iniziaMATHALIGNMENT [..=..] ... \terminaMATHALIGNMENT
iniziamathalignment:instance:align               \iniziaalign [..=..] ... \terminaalign
iniziamathalignment:instance:mathalignment       \iniziamathalignment [..=..] ... \terminamathalignment
iniziamathcases:instance                         \iniziaMATHCASES [..=..] ... \terminaMATHCASES
iniziamathcases:instance:cases                   \iniziacases [..=..] ... \terminacases
iniziamathcases:instance:mathcases               \iniziamathcases [..=..] ... \terminamathcases
iniziamathmatrix:instance                        \iniziaMATHMATRIX [..=..] ... \terminaMATHMATRIX
iniziamathmatrix:instance:mathmatrix             \iniziamathmatrix [..=..] ... \terminamathmatrix
iniziamathmatrix:instance:matrix                 \iniziamatrix [..=..] ... \terminamatrix
iniziamathmode                                   \iniziamathmode ... \terminamathmode
iniziamathstyle                                  \iniziamathstyle [...] ... \terminamathstyle
iniziamatrices                                   \iniziamatrices [..=..] ... \terminamatrices
iniziamaxaligned                                 \iniziamaxaligned ... \terminamaxaligned
iniziamenuinterattivo                            \iniziamenuinterattivo [...] ... \terminamenuinterattivo
iniziamettiformula                               \iniziamettiformula [..=..] ... \terminamettiformula
iniziamettiformula:argument                      \iniziamettiformula [...] ... \terminamettiformula
iniziamiddlealigned                              \iniziamiddlealigned ... \terminamiddlealigned
iniziamixedcolumns                               \iniziamixedcolumns [...] [..=..] ... \terminamixedcolumns
iniziamixedcolumns:instance                      \iniziaMIXEDCOLUMNS [..=..] ... \terminaMIXEDCOLUMNS
iniziamixedcolumns:instance:boxedcolumns         \iniziaboxedcolumns [..=..] ... \terminaboxedcolumns
iniziamixedcolumns:instance:itemgroupcolumns     \iniziaitemgroupcolumns [..=..] ... \terminaitemgroupcolumns
iniziamode                                       \iniziamode [...] ... \terminamode
iniziamodeset                                    \iniziamodeset [...] {...} ... \terminamodeset
iniziamodule                                     \iniziamodule [...] ... \terminamodule
iniziamoduletestsection                          \iniziamoduletestsection ... \terminamoduletestsection
iniziamodule:string                              \iniziamodule ... ... \terminamodule
iniziananedsection                               \iniziananedsection [...] [..=..] [..=..] ... \terminananedsection
iniziananedsubformulas                           \iniziananedsubformulas [...] {...} ... \terminananedsubformulas
iniziananarrower                                 \iniziananarrower [...] ... \terminananarrower
iniziananarrower:example                         \iniziaNARROWER [...] ... \terminaNARROWER
iniziananegativo                                 \iniziananegativo ... \terminananegativo
iniziananicelyfilledbox                          \iniziananicelyfilledbox [..=..] ... \terminananicelyfilledbox
inizianointerference                             \inizianointerference ... \terminanointerference
inizianotallmodes                                \inizianotallmodes [...] ... \terminanotallmodes
iniziananota:instance                            \iniziaNOTE [...] ... \terminaNOTE
iniziananota:instance:assignment                 \iniziaNOTE [..=..] ... \terminaNOTE
iniziananota:instance:assignment:endnote         \iniziaendnote [..=..] ... \terminaendnote
iniziananota:instance:assignment:footnote        \iniziafootnote [..=..] ... \terminafootnote
iniziananota:instance:endnote                    \iniziaendnote [...] ... \terminaendnote
iniziananota:instance:footnote                   \iniziafootnote [...] ... \terminafootnote
iniziananotext                                   \iniziananotext ... \terminananotext
iniziananotmode                                  \iniziananotmode [...] ... \terminananotmode
inizianopposto                                   \inizianopposto ... \terminanopposto
iniziaoutputstream                               \iniziaoutputstream [...] ... \terminaoutputstream
iniziaoverprint                                  \iniziaoverprint ... \terminaoverprint
iniziapagecolumns                                \iniziapagecolumns [..=..] ... \terminapagecolumns
iniziapagecolumns:instance                       \iniziaPAGECOLUMNS ... \terminaPAGECOLUMNS
iniziapagecolumns:name                           \iniziapagecolumns [...] ... \terminapagecolumns
iniziapagefigure                                 \iniziapagefigure [...] [..=..] ... \terminapagefigure
iniziapagelayout                                 \iniziapagelayout [...] ... \terminapagelayout
iniziapar                                        \iniziapar [...] [..=..] ... \terminapar
iniziaparagraphs                                 \iniziaparagraphs [...] ... \terminaparagraphs
iniziaparagraphscell                             \iniziaparagraphscell ... \terminaparagraphscell
iniziaparagraphs:example                         \iniziaPARAGRAPHS ... \terminaPARAGRAPHS
iniziaparallel:example                           \iniziaPARALLEL ... \terminaPARALLEL
iniziaparbuilder                                 \iniziaparbuilder [...] ... \terminaparbuilder
iniziaplacefloat                                 \iniziaplacefloat [...] [..=..] [..=..] ... \terminaplacefloat
iniziaplacefloat:instance                        \iniziamettiFLOAT [..=..] [..=..] ... \terminamettiFLOAT
iniziaplacefloat:instance:chemical               \iniziamettichemical [..=..] [..=..] ... \terminamettichemical
```

iniziaplacefloat:instance:figure	\iniziamettifigure [..=..] [..=..] ... \terminamettifigure
iniziaplacefloat:instance:graphic	\iniziamettigraphic [..=..] [..=..] ... \terminamettigraphic
iniziaplacefloat:instance:intermezzo	\iniziamettiintermezzo [..=..] [..=..] ... \terminamettiintermezzo
iniziaplacefloat:instance:table	\iniziamettitable [..=..] [..=..] ... \terminamettitable
iniziaplacepairedbox	\iniziaplacepairedbox [...] [..=..] ... \terminaplacepairedbox
iniziaplacepairedbox:instance	\iniziamettiPAIREDBOX [..=..] ... \terminamettiPAIREDBOX
iniziaplacepairedbox:instance:legend	\iniziamettilegend [..=..] ... \terminamettilegend
iniziapositioning	\iniziapositioning [...] [..=..] ... \terminapositioning
iniziapositionoverlay	\iniziapositionoverlay {...} ... \terminapositionoverlay
iniziapositivo	\iniziapositivo ... \terminapositivo
iniziaposporre	\iniziaposporre [...] ... \terminaposporre
iniziapostponingnotes	\iniziapostponingnotes ... \terminapostponingnotes
iniziaprocessassignmentcommand	\iniziaprocessassignmentcommand [..=..] ... \terminaprocessassignmentcom
iniziaprocessassignmentlist	\iniziaprocessassignmentlist [..=..] ... \terminaprocessassignmentlist
iniziaprocesscommacommand	\iniziaprocesscommacommand [...] ... \terminaprocesscommacommand
iniziaprocesscommalist	\iniziaprocesscommalist [...] ... \terminaprocesscommalist
iniziaprodotto	\iniziaprodotto [...] ... \terminaprodotto
iniziaprodotto:string	\iniziaprodotto ... ... \terminaprodotto
iniziaprogetto	\iniziaprogetto [...] ... \terminaprogetto
iniziaprogetto:string	\iniziaprogetto ... ... \terminaprogetto
iniziaprotectedcolors	\iniziaprotectedcolors ... \terminaprotectedcolors
iniziapubblicazione	\iniziapubblicazione [...] [..=..] ... \terminapubblicazione
iniziarandomized	\iniziarandomized ... \terminarandomized
iniziarawsetups	\iniziarawsetups [...] [...] ... \terminarawsetups
iniziarawsetups:string	\iniziarawsetups ... ... \terminarawsetups
iniziareadingfile	\iniziareadingfile ... \terminareadingfile
iniziaregime	\iniziaregime [...] ... \terminaregime
iniziareusableMPgraphic	\iniziareusableMPgraphic {...} {...} ... \terminareusableMPgraphic
iniziariga	\iniziariga [...]
iniziarighe:instance	\iniziaLINES [..=..] ... \terminaLINES
iniziarighe:instance:lines	\inizialines [..=..] ... \terminalines
iniziaruby	\iniziaruby [...] ... \terminaruby
iniziascript	\iniziascript [...] ... \terminascript
iniziasectionblock	\iniziasectionblock [...] [..=..] ... \terminasectionblock
iniziasectionblock:instance	\iniziaSECTIONBLOCK [..=..] ... \terminaSECTIONBLOCK
iniziasectionblock:instance:appendices	\iniziaappendices [..=..] ... \terminaappendices
iniziasectionblock:instance:backmatter	\iniziabackmatter [..=..] ... \terminabackmatter
iniziasectionblock:instance:bodymatter	\iniziabodymatter [..=..] ... \terminabodymatter
iniziasectionblock:instance:frontmatter	\iniziafrontmatter [..=..] ... \terminafrontmatter
iniziasectionlevel	\iniziasectionlevel [...] [..=..] [..=..] ... \terminasectionlevel
iniziasetups	\iniziasetups [...] [...] ... \terminasetups
iniziasetups:string	\iniziasetups ... ... \terminasetups
iniziasfondo	\iniziasfondo [..=..] ... \terminasfondo
iniziasfondo:example	\iniziaSFONDO [..=..] ... \terminaSFONDO
iniziashift	\iniziashift [...] ... \terminashift
iniziasidebar	\iniziasidebar [...] [..=..] ... \terminasidebar
iniziasimplecolumns	\iniziasimplecolumns [..=..] ... \terminasimplecolumns
iniziasospeso	\iniziasospeso [..=..] {...} ... \terminasospeso
iniziasospeso:argument	\iniziasospeso [...] {...} ... \terminasospeso
iniziasovrapponi	\iniziasovrapponi ... \terminasovrapponi
iniziaspecialitem:item	\iniziaspecialitem [...] [...] ... \terminaspecialitem
iniziaspecialitem:none	\iniziaspecialitem [...] ... \terminaspecialitem
iniziaspecialitem:symbol	\iniziaspecialitem [...] {...} ... \terminaspecialitem
iniziasplitformula	\iniziasplitformula ... \terminasplitformula
iniziasplittext	\iniziasplittext ... \terminasplittext
iniziaspread	\iniziaspread ... \terminaspread
iniziastartstop:example	\iniziaSTARTSTOP ... \terminaSTARTSTOP
iniziastaticMPfigure	\iniziastaticMPfigure {...} ... \terminastaticMPfigure
iniziastaticMPgraphic	\iniziastaticMPgraphic {...} {...} ... \terminastaticMPgraphic
iniziastretto	\iniziastretto [...] [..=..] ... \terminastretto
iniziastretto:assignment	\iniziastretto [..=..] [...] ... \terminastretto
iniziastretto:name	\iniziastretto [...] [...] ... \terminastretto
iniziastrictinspectnextcharacter	\iniziastrictinspectnextcharacter ... \terminastrictinspectnextcharacter
iniziastyle	\iniziastyle [..=..] ... \terminastyle
iniziastyle:argument	\iniziastyle [...] ... \terminastyle
iniziastyle:instance	\iniziaSTYLE ... \terminaSTYLE
iniziasubformulas	\iniziasubformulas [...] ... \terminasubformulas
iniziasubjectlevel	\iniziasubjectlevel [...] [..=..] [..=..] ... \terminasubjectlevel
iniziasubsentence	\iniziasubsentence ... \terminasubsentence
iniziasubstack	\iniziasubstack ... \terminasubstack
iniziasymbolset	\iniziasymbolset [...] [..=..] ... \terminasymbolset
iniziaTABLE	\iniziaTABLE [..=..] ... \terminaTABLE

iniziaTABLEbody	`\iniziaTABLEbody [..=..] ... \terminaTABLEbody`
iniziaTABLEfoot	`\iniziaTABLEfoot [..=..] ... \terminaTABLEfoot`
iniziaTABLEhead	`\iniziaTABLEhead [..=..] ... \terminaTABLEhead`
iniziaTABLEnext	`\iniziaTABLEnext [..=..] ... \terminaTABLEnext`
iniziatabella	`\iniziatabella [|...|] [..=..] ... \terminatabella`
iniziatabella:name	`\iniziatabella [...] [..=..] ... \terminatabella`
iniziatabelle	`\iniziatabelle [|...|] ... \terminatabelle`
iniziatabelle:name	`\iniziatabelle [...] ... \terminatabelle`
iniziatabulation:example	*\iniziaTABULATION [...] [..=..] ... \terminaTABULATION*
iniziatabulato	`\iniziatabulato` *[|...|]* `[..=..] ... \terminatabulato`
iniziatabulato:instance	*\iniziaTABULATE* [.$^{OPT}_{..}$] *[..=..] ... \terminaTABULATE*
iniziatabulato:instance:fact	*\iniziafact [...] [..=..] ... \terminafact*
iniziatabulato:instance:legend	*\inizialegend [...] [..=..] ... \terminalegend*
iniziatesta	`\iniziatesta [...] {...} ... \terminatesta`
iniziatestatabella	`\iniziatestatabella [...] ... \terminatestatabella`
iniziatestatabulato	`\iniziatestatabulato [...] ... \terminatestatabulato`
iniziatesto	`\iniziatesto ... \terminatesto`
iniziatestoaiuto	`\iniziatestoaiuto [...] ... \terminatestoaiuto`
iniziatestoetichetta:instance	*\iniziaLABELtesto [...] [...] ... \terminaLABELtesto*
iniziatestoetichetta:instance:btxlabel	*\iniziabtxlabeltesto [...] [...] ... \terminabtxlabeltesto*
iniziatestoetichetta:instance:head	*\iniziaheadtesto [...] [...] ... \terminaheadtesto*
iniziatestoetichetta:instance:label	*\inizialabeltesto [...] [...] ... \terminalabeltesto*
iniziatestoetichetta:instance:mathlabel	*\iniziamathlabeltesto [...] [...] ... \terminamathlabeltesto*
iniziatestoetichetta:instance:operator	*\iniziaoperatortesto [...] [...] ... \terminaoperatortesto*
iniziatestoetichetta:instance:prefix	*\iniziaprefixtesto [...] [...] ... \terminaprefixtesto*
iniziatestoetichetta:instance:suffix	*\iniziasuffixtesto [...] [...] ... \terminasuffixtesto*
iniziatestoetichetta:instance:taglabel	*\iniziataglabeltesto [...] [...] ... \terminataglabeltesto*
iniziatestoetichetta:instance:unit	*\iniziaunittesto [...] [...] ... \terminaunittesto*
iniziatestoincorniciato:instance	*\iniziaFRAMEDTEXT [...] [..=..] ... \terminaFRAMEDTEXT*
iniziatestoincorniciato:instance:framedtext	*\iniziaframedtext [...] [..=..] ... \terminaframedtext*
iniziatexcode	`\iniziatexcode ... \terminatexcode`
iniziatexdefinition	`\iniziatexdefinition ... ... ... ... ... ... ... ... \terminatexdefiniti`
iniziatextbackground	`\iniziatextbackground [...] [..=..] ... \terminatextbackground`
iniziatextbackgroundmanual	`\iniziatextbackgroundmanual ... \terminatextbackgroundmanual`
iniziatextbackground:example	*\iniziaTEXTBACKGROUND [..=..] ... \terminaTEXTBACKGROUND*
iniziatextcolor	`\iniziatextcolor [...] ... \terminatextcolor`
iniziatextcolorintent	`\iniziatextcolorintent ... \terminatextcolorintent`
iniziatextflow	`\iniziatextflow [...] ... \terminatextflow`
iniziatokenlist	`\iniziatokenlist [...] ... \terminatokenlist`
iniziatokens	`\iniziatokens [...] ... \terminatokens`
iniziatransparent	`\iniziatransparent [...] ... \terminatransparent`
iniziatypescript	`\iniziatypescript [...] [...] [...] ... \terminatypescript`
iniziatypescriptcollection	`\iniziatypescriptcollection [...] ... \terminatypescriptcollection`
iniziatyping:instance	*\iniziaTYPING [..=..] ... \terminaTYPING*
iniziatyping:instance:argument	*\iniziaTYPING [...] ... \terminaTYPING*
iniziatyping:instance:argument:LUA	*\iniziaLUA [...] ... \terminaLUA*
iniziatyping:instance:argument:MP	*\iniziaMP [...] ... \terminaMP*
iniziatyping:instance:argument:PARSEDXML	*\iniziaPARSEDXML [...] ... \terminaPARSEDXML*
iniziatyping:instance:argument:TEX	*\iniziaTEX [...] ... \terminaTEX*
iniziatyping:instance:argument:typing	*\iniziatyping [...] ... \terminatyping*
iniziatyping:instance:argument:XML	*\iniziaXML [...] ... \terminaXML*
iniziatyping:instance:LUA	*\iniziaLUA [..=..] ... \terminaLUA*
iniziatyping:instance:MP	*\iniziaMP [..=..] ... \terminaMP*
iniziatyping:instance:PARSEDXML	*\iniziaPARSEDXML [..=..] ... \terminaPARSEDXML*
iniziatyping:instance:TEX	*\iniziaTEX [..=..] ... \terminaTEX*
iniziatyping:instance:typing	*\iniziatyping [..=..] ... \terminatyping*
iniziatyping:instance:XML	*\iniziaXML [..=..] ... \terminaXML*
iniziauniqueMPgraphic	`\iniziauniqueMPgraphic {...} {...} ... \terminauniqueMPgraphic`
iniziauniqueMPpagegraphic	`\iniziauniqueMPpagegraphic {...} {...} ... \terminauniqueMPpagegraphic`
iniziaunpacked	`\iniziaunpacked ... \terminaunpacked`
iniziausableMPgraphic	`\iniziausableMPgraphic {...} {...} ... \terminausableMPgraphic`
iniziauseMPgraphic	`\iniziauseMPgraphic {...} {...} ... \terminauseMPgraphic`
iniziausemathstyleparameter	`\iniziausemathstyleparameter \... ... \terminausemathstyleparameter`
iniziauserdata	`\iniziauserdata [...] [..=..] ... \terminauserdata`
iniziausingbtxspecification	`\iniziausingbtxspecification [...] ... \terminausingbtxspecification`
iniziavaia	`\iniziavaia [...] ... \terminavaia`
iniziavboxregister	`\iniziavboxregister ... ... \terminavboxregister`
iniziavboxtohbox	`\iniziavboxtohbox ... \terminavboxtohbox`
iniziavboxtohboxseparator	`\iniziavboxtohboxseparator ... \terminavboxtohboxseparator`
iniziaviewerlayer	`\iniziaviewerlayer [...] ... \terminaviewerlayer`
iniziaviewerlayer:example	*\iniziaVIEWERLAYER ... \terminaVIEWERLAYER*
iniziavtopregister	`\iniziavtopregister ... ... \terminavtopregister`

```
iniziaxcell                          \iniziaxcell [...] [..=..] ... \terminaxcell
iniziaxcellgroup                     \iniziaxcellgroup [...] [..=..] ... \terminaxcellgroup
iniziaxcolumn                        \iniziaxcolumn [..=..] ... \terminaxcolumn
iniziaxcolumn:name                   \iniziaxcolumn [...] ... \terminaxcolumn
iniziaxgroup                         \iniziaxgroup [...] [..=..] ... \terminaxgroup
iniziaxmldisplayverbatim             \iniziaxmldisplayverbatim [...] ... \terminaxmldisplayverbatim
iniziaxmlinlineverbatim              \iniziaxmlinlineverbatim [...] ... \terminaxmlinlineverbatim
iniziaxmlraw                         \iniziaxmlraw ... \terminaxmlraw
iniziaxmlsetups                      \iniziaxmlsetups [...] [...] ... \terminaxmlsetups
iniziaxmlsetups:string               \iniziaxmlsetups ... ... \terminaxmlsetups
iniziaxrow                           \iniziaxrow [...] [..=..] ... \terminaxrow
iniziaxrowgroup                      \iniziaxrowgroup [...] [..=..] ... \terminaxrowgroup
iniziaxtable                         \iniziaxtable [..=..] ... \terminaxtable
iniziaxtablebody                     \iniziaxtablebody [..=..] ... \terminaxtablebody
iniziaxtablebody:name                \iniziaxtablebody [...] ... \terminaxtablebody
iniziaxtablefoot                     \iniziaxtablefoot [..=..] ... \terminaxtablefoot
iniziaxtablefoot:name                \iniziaxtablefoot [...] ... \terminaxtablefoot
iniziaxtablehead                     \iniziaxtablehead [..=..] ... \terminaxtablehead
iniziaxtablehead:name                \iniziaxtablehead [...] ... \terminaxtablehead
iniziaxtablenext                     \iniziaxtablenext [..=..] ... \terminaxtablenext
iniziaxtablenext:name                \iniziaxtablenext [...] ... \terminaxtablenext
iniziaxtable:example                 \iniziaXTABLE [..=..] ... \terminaXTABLE
iniziaxtable:name                    \iniziaxtable [...] ... \terminaxtable
inlinebuffer                         \inlinebuffer [...]
inlinedbox                           \inlinedbox {...}
inlinemath                           \inlinemath {...}
inlinemathematics                    \inlinemathematics {...}
inlinemessage                        \inlinemessage {...}
inlineordisplaymath                  \inlineordisplaymath {...} {...}
inlineprettyprintbuffer              \inlineprettyprintbuffer {...} {...}
inlinerange                          \inlinerange [...]
innerflushshapebox                   \innerflushshapebox
input                                \input {...}
inputfilebarename                    \inputfilebarename
inputfilename                        \inputfilename
inputfilerealsuffix                  \inputfilerealsuffix
inputfilesuffix                      \inputfilesuffix
inputgivenfile                       \inputgivenfile {...}
input:string                         \input ...
inriga                               \inriga {...} [...]
insertpages                          \insertpages [...] [...] [..=..]
installactionhandler                 \installactionhandler {...}
installactivecharacter               \installactivecharacter ...
installalingua                       \installalingua [...] [..=..]
installalingua:name                  \installalingua [...] [...]
installanddefineactivecharacter      \installanddefineactivecharacter ... {...}
installattributestack                \installattributestack \...
installautocommandhandler            \installautocommandhandler \... {...} \...
installautosetuphandler              \installautosetuphandler \... {...}
installbasicautosetuphandler         \installbasicautosetuphandler \... {...} \...
installbasicparameterhandler         \installbasicparameterhandler \... {...}
installbottomframerenderer           \installbottomframerenderer {...} {...}
installcommandhandler                \installcommandhandler \... {...} \...
installcorenamespace                 \installcorenamespace {...}
installdefinehandler                 \installdefinehandler \... {...} \...
installdefinitionset                 \installdefinitionset \... {...}
installdefinitionsetmember           \installdefinitionsetmember \... {...} \... {...}
installdirectcommandhandler          \installdirectcommandhandler \... {...}
installdirectparameterhandler        \installdirectparameterhandler \... {...}
installdirectparametersethandler     \installdirectparametersethandler \... {...}
installdirectsetuphandler            \installdirectsetuphandler \... {...}
installdirectstyleandcolorhandler    \installdirectstyleandcolorhandler \... {...}
installframedautocommandhandler      \installframedautocommandhandler \... {...} \...
installframedcommandhandler          \installframedcommandhandler \... {...} \...
installglobalmacrostack              \installglobalmacrostack \...
installleftframerenderer             \installleftframerenderer {...} {...}
installmacrostack                    \installmacrostack \...
installnamespace                     \installnamespace {...}
installoutputroutine                 \installoutputroutine \... {...}
installpagearrangement               \installpagearrangement ... {...}
installparameterhandler              \installparameterhandler \... {...}
installparameterhashhandler          \installparameterhashhandler \... {...}
```

installparametersethandler	`\installparametersethandler \... {...}`
installparentinjector	`\installparentinjector \... {...}`
installrightframerenderer	`\installrightframerenderer {...} {...}`
installrootparameterhandler	`\installrootparameterhandler \... {...}`
installsetuphandler	`\installsetuphandler \... {...}`
installsetuponlycommandhandler	`\installsetuponlycommandhandler \... {...}`
installshipoutmethod	`\installshipoutmethod {...} {...}`
installsimplecommandhandler	`\installsimplecommandhandler \... {...} \...`
installsimpleframedcommandhandler	`\installsimpleframedcommandhandler \... {...} \...`
installstyleandcolorhandler	`\installstyleandcolorhandler \... {...}`
installswitchcommandhandler	`\installswitchcommandhandler \... {...} \...`
installswitchsetuphandler	`\installswitchsetuphandler \... {...}`
installtexdirective	`\installtexdirective {...} {...} {...}`
installtextracker	`\installtextracker {...} {...} {...}`
installtopframerenderer	`\installtopframerenderer {...} {...}`
installunitsseparator	`\installunitsseparator {...} {...}`
installunitsspace	`\installunitsspace {...} {...}`
installversioninfo	`\installversioninfo {...} {...}`
integerrounding	`\integerrounding {...}`
intertext	`\intertext {...}`
intorno	`\intorno [...]`
invokepageheandler	`\invokepageheandler {...} {...}`
istltdir	`\istltdir ...`
istrtdir	`\istrtdir ...`
italiccorrection	`\italiccorrection`
italicface	`\italicface`
itemtag	`\itemtag [...]`
jobfilename	`\jobfilename`
jobfilesuffix	`\jobfilesuffix`
kap	`\kap {...}`
keeplinestogether	`\keeplinestogether {...}`
keepunwantedspaces	`\keepunwantedspaces`
kerncharacters	`\kerncharacters [...] {...}`
koreancirclenumerals	`\koreancirclenumerals {...}`
koreannumerals	`\koreannumerals {...}`
koreannumeralsc	`\koreannumeralsc {...}`
koreannumeralsp	`\koreannumeralsp {...}`
koreanparentnumerals	`\koreanparentnumerals {...}`
LAMSTEX	`\LAMSTEX`
LATEX	`\LATEX`
LamSTeX	`\LamSTeX`
LaTeX	`\LaTeX`
Lettera	`\Lettera {...}`
Lettere	`\Lettere {...}`
LUAJITTEX	`\LUAJITTEX`
LUAMETATEX	`\LUAMETATEX`
LUATEX	`\LUATEX`
Lua	`\Lua`
LuajitTeX	`\LuajitTeX`
LuaMetaTeX	`\LuaMetaTeX`
LuaTeX	`\LuaTeX`
labellanguage:instance	`\LABELlingua`
labellanguage:instance:btxlabel	`\btxlabellingua`
labellanguage:instance:head	`\headlingua`
labellanguage:instance:label	`\labellingua`
labellanguage:instance:mathlabel	`\mathlabellingua`
labellanguage:instance:operator	`\operatorlingua`
labellanguage:instance:prefix	`\prefixlingua`
labellanguage:instance:suffix	`\suffixlingua`
labellanguage:instance:taglabel	`\taglabellingua`
labellanguage:instance:unit	`\unitlingua`
labeltexts:instance	`\LABELtexts {...} {...}`
labeltexts:instance:head	`\headtexts {...} {...}`
labeltexts:instance:label	`\labeltexts {...} {...}`
labeltexts:instance:mathlabel	`\mathlabeltexts {...} {...}`
languageCharacters	`\languageCharacters {...}`
languagecharacters	`\languagecharacters {...}`
languagecharwidth	`\languagecharwidth {...}`
lastcounter	`\lastcounter [...] [...]`
lastcountervalue	`\lastcountervalue [...]`
lastdigit	`\lastdigit {...}`
lastlinewidth	`\lastlinewidth`

lastnaturalboxdp	\lastnaturalboxdp
lastnaturalboxht	\lastnaturalboxht
lastnaturalboxwd	\lastnaturalboxwd
lastpredefinedsymbol	\lastpredefinedsymbol
lastrealpage	\lastrealpage
lastrealpagenumber	\lastrealpagenumber
lastsubcountervalue	\lastsubcountervalue [...] [...]
lastsubpagenumber	\lastsubpagenumber
lasttwodigits	\lasttwodigits {...}
lastuserpage	\lastuserpage
lastuserpagenumber	\lastuserpagenumber
lateluacode	\lateluacode {...}
layeredtext	\layeredtext [..=..] [..=..] {...} {...}
layerheight	\layerheight
layerwidth	\layerwidth
lazysavetaggedtwopassdata	\lazysavetaggedtwopassdata {...} {...} {...} {...}
lazysavetwopassdata	\lazysavetwopassdata {...} {...} {...}
lbox	\lbox ... {...}
leftbottombox	\leftbottombox {...}
leftbox	\leftbox {...}
lefthbox	\lefthbox {...}
leftlabeltext:instance	*\leftLABELtesto* {...}
leftlabeltext:instance:head	*\leftheadtesto* {...}
leftlabeltext:instance:label	*\leftlabeltesto* {...}
leftlabeltext:instance:mathlabel	*\leftmathlabeltesto* {...}
leftline	\leftline {...}
leftorrighthbox	\leftorrighthbox ... {...}
leftorrightvbox	\leftorrightvbox ... {...}
leftorrightvtop	\leftorrightvtop ... {...}
leftskipadaption	\leftskipadaption
leftsubguillemot	\leftsubguillemot
lefttopbox	\lefttopbox {...}
lefttoright	\lefttoright
lefttorighthbox	\lefttorighthbox ... {...}
lefttorightvbox	\lefttorightvbox ... {...}
lefttorightvtop	\lefttorightvtop ... {...}
letbeundefined	\letbeundefined {...}
letcatcodecommand	\letcatcodecommand \... ... \...
letcscsname	\letcscsname \... \csname ... \endcsname
letcsnamecs	\letcsnamecs \csname ... \endcsname \...
letcsnamecsname	\letcsnamecsname \csname ... \endcsname \csname ... \endcsname
letdummyparameter	\letdummyparameter {...} \...
letempty	\letempty \...
letgvalue	\letgvalue {...} \...
letgvalueempty	\letgvalueempty {...}
letgvalurelax	\letgvalurelax {...}
lettera	\lettera {...}
letterampersand	\letterampersand
letterat	\letterat
letterbackslash	\letterbackslash
letterbar	\letterbar
letterbgroup	\letterbgroup
letterclosebrace	\letterclosebrace
lettercolon	\lettercolon
letterdollar	\letterdollar
letterdoublequote	\letterdoublequote
lettere	\lettere {...}
letteregroup	\letteregroup
letterescape	\letterescape
letterexclamationmark	\letterexclamationmark
letterhash	\letterhash
letterhat	\letterhat
letterleftbrace	\letterleftbrace
letterleftbracket	\letterleftbracket
letterleftparenthesis	\letterleftparenthesis
letterless	\letterless
lettermore	\lettermore
letteropenbrace	\letteropenbrace
letterpercent	\letterpercent
letterquestionmark	\letterquestionmark
letterrightbrace	\letterrightbrace
letterrightbracket	\letterrightbracket

```
letterrightparenthesis                      \letterrightparenthesis
lettersinglequote                           \lettersinglequote
letterslash                                 \letterslash
letterspacing                               \letterspacing [...] {...}
lettertilde                                 \lettertilde
letterunderscore                            \letterunderscore
letvalue                                     \letvalue {...} \...
letvalueempty                                \letvalueempty {...}
letvaluerelax                                \letvaluerelax {...}
lfence                                       \lfence {...}
lhbox                                        \lhbox {...}
limitatefirstline                            \limitatefirstline {...} {...} {...}
limitatelines                                \limitatelines {...} {...} {...}
limitatetext                                 \limitatetext {...} {...} {...}
limitatetext:list                            \limitatetext {...} {...} {...}
lineanera                                    \lineanera [..=..]
lineasottile                                 \lineasottile
lineatesto                                   \lineatesto [...] {...}
linebox                                      \linebox {...}
lineenere                                    \lineenere [..=..]
lineeriempimento                             \lineeriempimento [..=..] {...} {...}
lineesottili                                 \lineesottili [..=..]
linenote:instance                            \LINENOTE {...}
linenote:instance:linenote                   \linenote {...}
linespanningtext                             \linespanningtext {...} {...} {...}
lingua                                       \lingua [...]
linguaprincipale                             \linguaprincipale [...]
lingua:example                               \LANGUAGE
listcitation                                 \listcitation [..=..] [...]
listcitation:alternative                     \listcitation [...] [...]
listcitation:userdata                        \listcitation [..=..] [..=..]
listcite                                     \listcite [..=..] [...]
listcite:alternative                         \listcite [...] [...]
listcite:userdata                            \listcite [..=..] [..=..]
listnamespaces                               \listnamespaces
llap                                         \llap {...}
loadanyfile                                  \loadanyfile [...]
loadanyfileonce                              \loadanyfileonce [...]
loadbtxdefinitionfile                        \loadbtxdefinitionfile [...]
loadbtxreplacementfile                       \loadbtxreplacementfile [...]
loadcldfile                                  \loadcldfile [...]
loadcldfileonce                              \loadcldfileonce [...]
loadfontgoodies                              \loadfontgoodies [...]
loadluafile                                  \loadluafile [...]
loadluafileonce                              \loadluafileonce [...]
loadspellchecklist                           \loadspellchecklist [...] [...]
loadtexfile                                  \loadtexfile [...]
loadtexfileonce                              \loadtexfileonce [...]
loadtypescriptfile                           \loadtypescriptfile [...]
localframed                                  \localframed [...] [..=..] {...}
localframedwithsettings                      \localframedwithsettings [...] [..=..] {...}
localhsize                                   \localhsize
localpopbox                                  \localpopbox ...
localpopmacro                                \localpopmacro \...
localpushbox                                 \localpushbox ...
localpushmacro                               \localpushmacro \...
localundefine                                \localundefine {...}
locatedfilepath                              \locatedfilepath
locatefilepath                               \locatefilepath {...}
locfilename                                  \locfilename {...}
lomihi                                       \lomihi {...} {...} {...}
lowerbox                                     \lowerbox {...} \... {...}
lowercased                                   \lowercased {...}
lowercasestring                              \lowercasestring ... \to \...
lowerleftdoubleninequote                     \lowerleftdoubleninequote
lowerleftsingleninequote                     \lowerleftsingleninequote
lowerrightdoubleninequote                    \lowerrightdoubleninequote
lowerrightsingleninequote                    \lowerrightsingleninequote
lowhigh:instance                             \LOWHIGH [...] {...} {...}
lowmidhigh:instance                          \LOWMIDHIGH {...} {...} {...}
lrtbbox                                      \lrtbbox {...} {...} {...} {...} {...}
ltop                                         \ltop ... {...}
```

```
luacode                 \luacode {...}
luaconditional          \luaconditional \...
luaenvironment          \luaenvironment ...
luaexpanded             \luaexpanded {...}
luaexpr                 \luaexpr {...}
luafunction             \luafunction {...}
luajitTeX               \luajitTeX
luamajorversion         \luamajorversion
luametaTeX              \luametaTeX
luaminorversion         \luaminorversion
luaparameterset         \luaparameterset {...} {...}
luasetup                \luasetup {...}
luaTeX                  \luaTeX
luaversion              \luaversion
lunghezzaelenco         \lunghezzaelenco
MESE                    \MESE {...}
METAFONT                \METAFONT
METAFUN                 \METAFUN
METAPOST                \METAPOST
MetaFont                \MetaFont
MetaFun                 \MetaFun
MetaPost                \MetaPost
MKII                    \MKII
MKIV                    \MKIV
MKIX                    \MKIX
MKVI                    \MKVI
MKXI                    \MKXI
MONTHLONG               \MONTHLONG {...}
MONTHSHORT              \MONTHSHORT {...}
MPanchor                \MPanchor {...}
MPbetex                 \MPbetex {...}
MPc                     \MPc {...}
MPcode                  \MPcode {...} {...}
MPcolor                 \MPcolor {...}
MPcoloronly             \MPcoloronly {...}
MPcolumn                \MPcolumn {...}
MPd                     \MPd {...}
MPdrawing               \MPdrawing {...}
MPfontsizehskip         \MPfontsizehskip {...}
MPgetmultipars          \MPgetmultipars {...} {...}
MPgetmultishape         \MPgetmultishape {...} {...}
MPgetposboxes           \MPgetposboxes {...} {...}
MPh                     \MPh {...}
MPII                    \MPII
MPIV                    \MPIV
MPinclusions            \MPinclusions [...] {...} {...}
MPleftskip              \MPleftskip {...}
MPll                    \MPll {...}
MPlr                    \MPlr {...}
MPls                    \MPls {...}
MPmenubuttons           \MPmenubuttons {...}
MPn                     \MPn {...}
MPoptions               \MPoptions {...}
MPoverlayanchor         \MPoverlayanchor {...}
MPp                     \MPp {...}
MPpage                  \MPpage {...}
MPpardata               \MPpardata {...}
MPplus                  \MPplus {...} {...} {...}
MPpos                   \MPpos {...}
MPpositiongraphic       \MPpositiongraphic {...} {..=..}
MPposset                \MPposset {...}
MPr                     \MPr {...}
MPrawvar                \MPrawvar {...} {...}
MPregion                \MPregion {...}
MPrest                  \MPrest {...} {...}
MPrightskip             \MPrightskip {...}
MPrs                    \MPrs {...}
MPstring                \MPstring {...}
MPtext                  \MPtext {...}
MPtransparency          \MPtransparency {...}
MPul                    \MPul {...}
MPur                    \MPur {...}
```

```
MPVI                                              \MPVI
MPv                                               \MPv {...} {...} {...}
MPvar                                             \MPvar {...}
MPvariable                                        \MPvariable {...}
MPvv                                              \MPvv {...} {...}
MPw                                               \MPw {...}
MPwhd                                             \MPwhd {...}
MPx                                               \MPx {...}
MPxy                                              \MPxy {...}
MPxywhd                                           \MPxywhd {...}
MPy                                               \MPy {...}
m                                                 \m [...] {...}
makecharacteractive                              \makecharacteractive ...
makerawcommalist                                 \makerawcommalist [...] \...
makestrutofbox                                   \makestrutofbox ...
mapfontsize                                       \mapfontsize [...] [...]
marcatura                                         \marcatura (...,...) (...,...) [...]
margindata                                        \margindata [...] [..=..] [..=..] {...}
margindata:instance                              \MARGINDATA [..=..] [..=..] {...}
margindata:instance:atleftmargin                 \atleftmargin [..=..] [..=..] {...}
margindata:instance:atrightmargin                \atrightmargin [..=..] [..=..] {...}
margindata:instance:ininner                      \ininner [..=..] [..=..] {...}
margindata:instance:ininneredge                  \ininneredge [..=..] [..=..] {...}
margindata:instance:ininnermargin                \ininnermargin [..=..] [..=..] {...}
margindata:instance:inleft                       \inleft [..=..] [..=..] {...}
margindata:instance:inleftedge                   \inleftedge [..=..] [..=..] {...}
margindata:instance:inleftmargin                 \inleftmargin [..=..] [..=..] {...}
margindata:instance:inmargin                     \inmargin [..=..] [..=..] {...}
margindata:instance:inother                      \inother [..=..] [..=..] {...}
margindata:instance:inouter                      \inouter [..=..] [..=..] {...}
margindata:instance:inouteredge                  \inouteredge [..=..] [..=..] {...}
margindata:instance:inoutermargin                \inoutermargin [..=..] [..=..] {...}
margindata:instance:inright                      \inright [..=..] [..=..] {...}
margindata:instance:inrightedge                  \inrightedge [..=..] [..=..] {...}
margindata:instance:inrightmargin                \inrightmargin [..=..] [..=..] {...}
margindata:instance:margintext                   \margintext [..=..] [..=..] {...}
markcontent                                       \markcontent [...] {...}
markedpages                                       \markedpages [...]
markinjector                                      \markinjector [...]
markpage                                          \markpage [...] [...]
mat                                               \mat {...}
matematica                                        \matematica [...] {...}
math                                              \math [...] {...}
mathbf                                            \mathbf
mathbi                                            \mathbi
mathblackboard                                    \mathblackboard
mathbs                                            \mathbs
mathcommand:example                              \MATHCOMMAND {...} {...}
mathdefault                                       \mathdefault
mathdouble                                        \mathdouble [...] {...} {...} {...}
mathdoubleextensible:instance                    \MATHDOUBLEEXTENSIBLE {...} {...}
mathdoubleextensible:instance:doublebar          \doublebar {...} {...}
mathdoubleextensible:instance:doublebrace        \doublebrace {...} {...}
mathdoubleextensible:instance:doublebracket      \doublebracket {...} {...}
mathdoubleextensible:instance:doubleparent       \doubleparent {...} {...}
mathdoubleextensible:instance:overbarunderbar    \overbarunderbar {...} {...}
mathdoubleextensible:instance:overbraceunderbrace \overbraceunderbrace {...} {...}
mathdoubleextensible:instance:overbracketunderbracket \overbracketunderbracket {...} {...}
mathdoubleextensible:instance:overparentunderparent \overparentunderparent {...} {...}
mathextensible:instance                          \MATHEXTENSIBLE {...} {...}
mathextensible:instance:cleftarrow               \cleftarrow {...} {...}
mathextensible:instance:crightarrow              \crightarrow {...} {...}
mathextensible:instance:crightoverleftarrow      \crightoverleftarrow {...} {...}
mathextensible:instance:eleftarrowfill           \eleftarrowfill {...} {...}
mathextensible:instance:eleftharpoondownfill     \eleftharpoondownfill {...} {...}
mathextensible:instance:eleftharpoonupfill       \eleftharpoonupfill {...} {...}
mathextensible:instance:eleftrightarrowfill      \eleftrightarrowfill {...} {...}
mathextensible:instance:eoverbarfill             \eoverbarfill {...} {...}
mathextensible:instance:eoverbracefill           \eoverbracefill {...} {...}
mathextensible:instance:eoverbracketfill         \eoverbracketfill {...} {...}
mathextensible:instance:eoverparentfill          \eoverparentfill {...} {...}
mathextensible:instance:erightarrowfill          \erightarrowfill {...} {...}
```

mathextensible:instance:erightharpoondownfill	`\erightharpoondownfill {...} {...}`
mathextensible:instance:erightharpoonupfill	`\erightharpoonupfill {...} {...}`
mathextensible:instance:etwoheadrightarrowfill	`\etwoheadrightarrowfill {...} {...}`
mathextensible:instance:eunderbarfill	`\eunderbarfill {...} {...}`
mathextensible:instance:eunderbracefill	`\eunderbracefill {...} {...}`
mathextensible:instance:eunderbracketfill	`\eunderbracketfill {...} {...}`
mathextensible:instance:eunderparentfill	`\eunderparentfill {...} {...}`
mathextensible:instance:mequal	`\mequal {...} {...}`
mathextensible:instance:mhookleftarrow	`\mhookleftarrow {...} {...}`
mathextensible:instance:mhookrightarrow	`\mhookrightarrow {...} {...}`
mathextensible:instance:mLeftarrow	`\mLeftarrow {...} {...}`
mathextensible:instance:mLeftrightarrow	`\mLeftrightarrow {...} {...}`
mathextensible:instance:mleftarrow	`\mleftarrow {...} {...}`
mathextensible:instance:mleftharpoondown	`\mleftharpoondown {...} {...}`
mathextensible:instance:mleftharpoonup	`\mleftharpoonup {...} {...}`
mathextensible:instance:mleftrightarrow	`\mleftrightarrow {...} {...}`
mathextensible:instance:mleftrightharpoons	`\mleftrightharpoons {...} {...}`
mathextensible:instance:mmapsto	`\mmapsto {...} {...}`
mathextensible:instance:mRightarrow	`\mRightarrow {...} {...}`
mathextensible:instance:mrel	`\mrel {...} {...}`
mathextensible:instance:mrightarrow	`\mrightarrow {...} {...}`
mathextensible:instance:mrightharpoondown	`\mrightharpoondown {...} {...}`
mathextensible:instance:mrightharpoonup	`\mrightharpoonup {...} {...}`
mathextensible:instance:mrightleftharpoons	`\mrightleftharpoons {...} {...}`
mathextensible:instance:mrightoverleftarrow	`\mrightoverleftarrow {...} {...}`
mathextensible:instance:mtriplerel	`\mtriplerel {...} {...}`
mathextensible:instance:mtwoheadleftarrow	`\mtwoheadleftarrow {...} {...}`
mathextensible:instance:mtwoheadrightarrow	`\mtwoheadrightarrow {...} {...}`
mathextensible:instance:tequal	`\tequal {...} {...}`
mathextensible:instance:thookleftarrow	`\thookleftarrow {...} {...}`
mathextensible:instance:thookrightarrow	`\thookrightarrow {...} {...}`
mathextensible:instance:tLeftarrow	`\tLeftarrow {...} {...}`
mathextensible:instance:tLeftrightarrow	`\tLeftrightarrow {...} {...}`
mathextensible:instance:tleftarrow	`\tleftarrow {...} {...}`
mathextensible:instance:tleftharpoondown	`\tleftharpoondown {...} {...}`
mathextensible:instance:tleftharpoonup	`\tleftharpoonup {...} {...}`
mathextensible:instance:tleftrightarrow	`\tleftrightarrow {...} {...}`
mathextensible:instance:tleftrightharpoons	`\tleftrightharpoons {...} {...}`
mathextensible:instance:tmapsto	`\tmapsto {...} {...}`
mathextensible:instance:tRightarrow	`\tRightarrow {...} {...}`
mathextensible:instance:trel	`\trel {...} {...}`
mathextensible:instance:trightarrow	`\trightarrow {...} {...}`
mathextensible:instance:trightharpoondown	`\trightharpoondown {...} {...}`
mathextensible:instance:trightharpoonup	`\trightharpoonup {...} {...}`
mathextensible:instance:trightleftharpoons	`\trightleftharpoons {...} {...}`
mathextensible:instance:trightoverleftarrow	`\trightoverleftarrow {...} {...}`
mathextensible:instance:ttriplerel	`\ttriplerel {...} {...}`
mathextensible:instance:ttwoheadleftarrow	`\ttwoheadleftarrow {...} {...}`
mathextensible:instance:ttwoheadrightarrow	`\ttwoheadrightarrow {...} {...}`
mathextensible:instance:xequal	`\xequal {...} {...}`
mathextensible:instance:xhookleftarrow	`\xhookleftarrow {...} {...}`
mathextensible:instance:xhookrightarrow	`\xhookrightarrow {...} {...}`
mathextensible:instance:xLeftarrow	`\xLeftarrow {...} {...}`
mathextensible:instance:xLeftrightarrow	`\xLeftrightarrow {...} {...}`
mathextensible:instance:xleftarrow	`\xleftarrow {...} {...}`
mathextensible:instance:xleftharpoondown	`\xleftharpoondown {...} {...}`
mathextensible:instance:xleftharpoonup	`\xleftharpoonup {...} {...}`
mathextensible:instance:xleftrightarrow	`\xleftrightarrow {...} {...}`
mathextensible:instance:xleftrightharpoons	`\xleftrightharpoons {...} {...}`
mathextensible:instance:xmapsto	`\xmapsto {...} {...}`
mathextensible:instance:xRightarrow	`\xRightarrow {...} {...}`
mathextensible:instance:xrel	`\xrel {...} {...}`
mathextensible:instance:xrightarrow	`\xrightarrow {...} {...}`
mathextensible:instance:xrightharpoondown	`\xrightharpoondown {...} {...}`
mathextensible:instance:xrightharpoonup	`\xrightharpoonup {...} {...}`
mathextensible:instance:xrightleftharpoons	`\xrightleftharpoons {...} {...}`
mathextensible:instance:xrightoverleftarrow	`\xrightoverleftarrow {...} {...}`
mathextensible:instance:xtriplerel	`\xtriplerel {...} {...}`
mathextensible:instance:xtwoheadleftarrow	`\xtwoheadleftarrow {...} {...}`
mathextensible:instance:xtwoheadrightarrow	`\xtwoheadrightarrow {...} {...}`
mathfraktur	`\mathfraktur`
mathframed:instance	`\MATHFRAMED [..=..] {...}`

```
mathframed:instance:inmframed              \inmframed [..=..] {...}
mathframed:instance:mcframed               \mcframed [..=..] {...}
mathframed:instance:mframed                \mframed [..=..] {...}
mathfunction                               \mathfunction {...}
mathit                                     \mathit
mathitalic                                 \mathitalic
mathmatrix                                 \MATHMATRIX {...}
mathop                                     \mathop {...}
mathornament:example                       \MATHORNAMENT {...}
mathover                                    \mathover [...] {...} {...}
mathoverextensible:example                 \MATHOVEREXTENSIBLE {...}
mathovertextextensible:instance            \MATHOVERTEXTEXTENSIBLE {...} {...}
mathradical:example                        \MATHRADICAL [...] {...}
mathrm                                     \mathrm
mathscript                                 \mathscript
mathsl                                     \mathsl
mathss                                     \mathss
mathtext                                   \mathtext ... {...}
mathtextbf                                 \mathtextbf ... {...}
mathtextbi                                 \mathtextbi ... {...}
mathtextbs                                 \mathtextbs ... {...}
mathtextit                                 \mathtextit ... {...}
mathtextsl                                 \mathtextsl ... {...}
mathtextttf                                \mathtextttf ... {...}
mathtf                                     \mathtf
mathtriplet                                \mathtriplet [...] {...} {...} {...}
mathtriplet:example                        \MATHTRIPLET [...] {...} {...} {...}
mathtt                                     \mathtt
mathunder                                  \mathunder [...] {...} {...}
mathunderextensible:example                \MATHUNDEREXTENSIBLE {...}
mathundertextextensible:instance           \MATHUNDERTEXTEXTENSIBLE {...} {...}
mathunstacked:example                      \MATHUNSTACKED
mathupright                                \mathupright
mathword                                   \mathword ... {...}
mathwordbf                                 \mathwordbf ... {...}
mathwordbi                                 \mathwordbi ... {...}
mathwordbs                                 \mathwordbs ... {...}
mathwordit                                 \mathwordit ... {...}
mathwordsl                                 \mathwordsl ... {...}
mathwordtf                                 \mathwordtf ... {...}
maxaligned                                 \maxaligned {...}
mbox                                       \mbox {...}
measure                                    \measure {...}
measured                                   \measured {...}
medskip                                    \medskip
medspace                                   \medspace
menuinterattivo                            \menuinterattivo [...] [..=..]
mese                                       \mese {...}
message                                    \message {...}
mettielenco                                \mettielenco [...] [..=..]
mettielencocombinato                       \mettielencocombinato [...] [..=..]
mettielencocombinato:instance              \mettiCOMBINEDLIST [..=..]
mettielencocombinato:instance:content      \metticontent [..=..]
mettifiancoafianco                         \mettifiancoafianco {...} {...}
mettiformula                               \mettiformula [...] {...}
mettiingriglia                             \mettiingriglia [...] {...}
mettiingriglia:list                        \mettiingriglia [...] {...}
mettinotepdp                               \mettinotepdp [..=..]
mettinotepdplocali                         \mettinotepdplocali [..=..]
mettinumeropagina                          \mettinumeropagina
mettiregistro                              \mettiregistro [...] [..=..]
mettiregistro:instance                     \mettiREGISTER [..=..]
mettiregistro:instance:index               \mettiindex [..=..]
mettisegnalibro                            \mettisegnalibro [...] [...] [..=..]
mettisottoformula                          \mettisottoformula [...] {...}
mettiunosullaltro                          \mettiunosullaltro {...} {...}
mfence                                     \mfence {...}
mfunction                                  \mfunction {...}
mfunctionlabeltext                         \mfunctionlabeltext {...}
mhbox                                      \mhbox {...}
middlealigned                              \middlealigned {...}
middlebox                                  \middlebox {...}
```

midhbox	`\midhbox {...}`
midsubsentence	`\midsubsentence`
minimalhbox	`\minimalhbox ... {...}`
mixedcaps	`\mixedcaps {...}`
mkvibuffer	`\mkvibuffer [...]`
moduleparameter	`\moduleparameter {...} {...}`
molecule	`\molecule {...}`
mono	`\mono`
monograssetto	`\monograssetto`
mononormal	`\mononormal`
monthlong	`\monthlong {...}`
monthshort	`\monthshort {...}`
mostraambientefontdeltesto	`\mostraambientefontdeltesto [...]`
mostracolore	`\mostracolore [...]`
mostracornice	`\mostracornice [...] [...]`
mostrafontdeltesto	`\mostrafontdeltesto [...]`
mostragriglia	`\mostragriglia [...]`
mostragruppocolori	`\mostragruppocolori [...] [...]`
mostraimpostazioni	`\mostraimpostazioni [...]`
mostralyout	`\mostralyout [...]`
mostramakeup	`\mostramakeup [...]`
mostrasetsimboli	`\mostrasetsimboli [...]`
mostrastampa	`\mostrastampa [...] [...] [..=..]`
mostrastruts	`\mostrastruts`
mostratavolozza	`\mostratavolozza [...] [...]`
mprandomnumber	`\mprandomnumber`
mtext	`\mtext {...}`
NormalizeFontHeight	`\NormalizeFontHeight \... {...} {...} {...}`
NormalizeFontWidth	`\NormalizeFontWidth \... {...} {...} {...}`
NormalizeTextHeight	`\NormalizeTextHeight {...} {...} {...}`
NormalizeTextWidth	`\NormalizeTextWidth {...} {...} {...}`
Numeri	`\Numeri {...}`
Numeriromani	`\Numeriromani {...}`
namedheadnumber	`\namedheadnumber {...}`
namedstructureheadlocation	`\namedstructureheadlocation {...}`
namedstructureuservariable	`\namedstructureuservariable {...} {...}`
namedstructurevariable	`\namedstructurevariable {...} {...}`
namedtaggedlabeltexts	`\namedtaggedlabeltexts {...} {...} {...} {...} {...}`
nascondiblocchi	`\nascondiblocchi [...] [...]`
naturalhbox	`\naturalhbox ... {...}`
naturalhpack	`\naturalhpack ... {...}`
naturalvbox	`\naturalvbox ... {...}`
naturalvcenter	`\naturalvcenter ... {...}`
naturalvpack	`\naturalvpack ... {...}`
naturalvtop	`\naturalvtop ... {...}`
naturalwd	`\naturalwd ...`
negatecolorbox	`\negatecolorbox ...`
negated	`\negated {...}`
negemspace	`\negemspace`
negenspace	`\negenspace`
negthinspace	`\negthinspace`
newattribute	`\newattribute \...`
newcatcodetable	`\newcatcodetable \...`
newcounter	`\newcounter \...`
newevery	`\newevery \... \...`
newfrenchspacing	`\newfrenchspacing`
newmode	`\newmode {...}`
newsignal	`\newsignal \...`
newsystemmode	`\newsystemmode {...}`
nextbox	`\nextbox`
nextboxdp	`\nextboxdp`
nextboxht	`\nextboxht`
nextboxhtdp	`\nextboxhtdp`
nextboxwd	`\nextboxwd`
nextcounter	`\nextcounter [...] [...]`
nextcountervalue	`\nextcountervalue [...]`
nextdepth	`\nextdepth`
nextparagraphs	`\nextparagraphs`
nextparagraphs:example	*\successivoPARAGRAPHS*
nextrealpage	`\nextrealpage`
nextrealpagenumber	`\nextrealpagenumber`
nextsubcountervalue	`\nextsubcountervalue [...] [...]`

```
nextsubpagenumber                          \nextsubpagenumber
nextuserpage                               \nextuserpage
nextuserpagenumber                         \nextuserpagenumber
nientelineecimafondo                       \nientelineecimafondo
nientelineintestazionepdp                  \nientelineintestazionepdp
nientespazio                               \nientespazio
nocap                                      \nocap {...}
nocharacteralign                           \nocharacteralign
nocitation                                 \nocitation [...]
nocitation:direct                          \nocitation {...}
nocite                                      \nocite [...]
nocite:direct                              \nocite {...}
nodetostring                               \nodetostring \... {...}
noffigurepages                             \noffigurepages
noflines                                   \noflines
noflocalfloats                             \noflocalfloats
noheightstrut                              \noheightstrut
noindentation                              \noindentation
noitem                                     \noitem
nonfrenchspacing                           \nonfrenchspacing
nonmathematics                             \nonmathematics {...}
normalboldface                             \normalboldface
normale                                    \normale
normalframedwithsettings                   \normalframedwithsettings [..=..] {...}
normalitalicface                           \normalitalicface
normalizebodyfontsize                      \normalizebodyfontsize \... {...}
normalizedfontsize                         \normalizedfontsize
normalizefontdepth                         \normalizefontdepth \... {...} {...} {...}
normalizefontheight                        \normalizefontheight \... {...} {...} {...}
normalizefontline                          \normalizefontline \... {...} {...} {...}
normalizefontwidth                         \normalizefontwidth \... {...} {...} {...}
normalizetextdepth                         \normalizetextdepth {...} {...} {...}
normalizetextheight                        \normalizetextheight {...} {...} {...}
normalizetextline                          \normalizetextline {...} {...} {...}
normalizetextwidth                         \normalizetextwidth {...} {...} {...}
normalslantedface                          \normalslantedface
normaltypeface                             \normaltypeface
nota                                       \nota [...] [...]
nota:instance                              \NOTE [...] {...}
nota:instance:assignment                   \NOTE [..=..]
nota:instance:assignment:endnote           \endnote [..=..]
nota:instance:assignment:footnote          \footnote [..=..]
nota:instance:endnote                      \endnote [...] {...}
nota:instance:footnote                     \footnote [...] {...}
notesymbol                                 \notesymbol [...] [...]
notragged                                  \notragged
ntimes                                     \ntimes {...} {...}
numberofpoints                             \numberofpoints {...}
numeri                                     \numeri {...}
numeriromani                               \numeriromani {...}
numeroformula                              \numeroformula [...]
numeropagina                               \numeropagina
numeropaginacompleto                       \numeropaginacompleto
numerotesta                                \numerotesta [...] [...]
numerotestacorrente                        \numerotestacorrente
obeydepth                                  \obeydepth
objectdepth                                \objectdepth
objectheight                               \objectheight
objectmargin                               \objectmargin
objectwidth                                \objectwidth
obox                                       \obox {...}
offset                                     \offset [..=..] {...}
offsetbox                                  \offsetbox [..=..] \... {...}
onedigitrounding                           \onedigitrounding {...}
ordinaldaynumber                           \ordinaldaynumber {...}
ordinalstr                                 \ordinalstr {...}
ornamenttext:collector                     \ornamenttext [..=..] [..=..] {...} {...}
ornamenttext:direct                        \ornamenttext [...] {...} {...}
ornamenttext:layer                         \ornamenttext [..=..] [..=..] {...} {...}
ornament:example                           \ORNAMENT {...} {...}
outputfilename                             \outputfilename
outputstreambox                            \outputstreambox [...]
```

outputstreamcopy	\outputstreamcopy [...]
outputstreamunvbox	\outputstreamunvbox [...]
outputstreamunvcopy	\outputstreamunvcopy [...]
over	\over [...]
overlaybutton	\overlaybutton [...]
overlaybutton:direct	\overlaybutton {...}
overlaycolor	\overlaycolor
overlaydepth	\overlaydepth
overlayfigure	\overlayfigure {...}
overlayheight	\overlayheight
overlayimage	\overlayimage {...}
overlaylinecolor	\overlaylinecolor
overlaylinewidth	\overlaylinewidth
overlayoffset	\overlayoffset
overlayrollbutton	\overlayrollbutton [...] [...]
overlaywidth	\overlaywidth
overloaderror	\overloaderror
overset	\overset {...} {...}
PAROLA	\PAROLA {...}
PAROLE	\PAROLE {...}
Parola	\Parola {...}
Parole	\Parole {...}
PDFcolor	\PDFcolor {...}
PDFETEX	\PDFETEX
PDFTEX	\PDFTEX
PICTEX	\PICTEX
PiCTeX	\PiCTeX
PointsToBigPoints	\PointsToBigPoints {...} \...
PointsToReal	\PointsToReal {...} \...
PointsToWholeBigPoints	\PointsToWholeBigPoints {...} \...
PPCHTEX	\PPCHTEX
PPCHTeX	\PPCHTeX
PRAGMA	\PRAGMA
PtToCm	\PtToCm {...}
pagearea	\pagearea [...] [...] [...]
pagebreak	\pagebreak [...]
pagefigure	\pagefigure [...] [..=..]
pageinjection	\pageinjection [...] [..=..]
pageinjection:assignment	\pageinjection [..=..] [..=..]
pagestaterealpage	\pagestaterealpage {...} {...}
pagestaterealpageorder	\pagestaterealpageorder {...} {...}
pagina	\pagina [...]
paletsize	\paletsize
paragraphs:example	\PARAGRAPHS
parola	\parola {...}
paroladestra	\paroladestra [...] {...}
pdfactualtext	\pdfactualtext {...} {...}
pdfbackendactualtext	\pdfbackendactualtext {...} {...}
pdfbackendcurrentresources	\pdfbackendcurrentresources
pdfbackendsetcatalog	\pdfbackendsetcatalog {...} {...}
pdfbackendsetcolorspace	\pdfbackendsetcolorspace {...} {...}
pdfbackendsetextgstate	\pdfbackendsetextgstate {...} {...}
pdfbackendsetinfo	\pdfbackendsetinfo {...} {...}
pdfbackendsetname	\pdfbackendsetname {...} {...}
pdfbackendsetpageattribute	\pdfbackendsetpageattribute {...} {...}
pdfbackendsetpageresource	\pdfbackendsetpageresource {...} {...}
pdfbackendsetpagesattribute	\pdfbackendsetpagesattribute {...} {...}
pdfbackendsetpattern	\pdfbackendsetpattern {...} {...}
pdfbackendsetshade	\pdfbackendsetshade {...} {...}
pdfcolor	\pdfcolor {...}
pdfeTeX	\pdfeTeX
pdfTeX	\pdfTeX
ped	\ped {...}
pedap	\pedap [...] {...} {...}
ped:instance	\LOW {...}
ped:instance:unitslow	\unitslow {...}
percent	\percent
percentdimen	\percentdimen {...} {...}
perlungo	\perlungo {...}
permitcaretescape	\permitcaretescape
permitcircumflexescape	\permitcircumflexescape
permitspacesbetweengroups	\permitspacesbetweengroups

persiandecimals	`\persiandecimals {...}`
persiannumerals	`\persiannumerals {...}`
phantom	`\phantom {...}`
phantombox	`\phantombox [..=..]`
piccolo	`\piccolo`
piccolocorsivograssetto	`\piccolocorsivograssetto`
piccolofontdelcorpo	`\piccolofontdelcorpo`
piccolograssetto	`\piccolograssetto`
piccolograssettocorsivo	`\piccolograssettocorsivo`
piccolograssettoinclinato	`\piccolograssettoinclinato`
piccoloinclinato	`\piccoloinclinato`
piccoloinclinatograssetto	`\piccoloinclinatograssetto`
piccolonormale	`\piccolonormale`
piccolotype	`\piccolotype`
pickupgroupedcommand	`\pickupgroupedcommand {...} {...} {...}`
placeattachments	`\placeattachments`
placebtxrendering	`\placebtxrendering [...] [..=..]`
placecitation	`\placecitation [...]`
placecomments	`\placecomments`
placecurrentformulanumber	`\placecurrentformulanumber`
placedbox	`\placedbox {...}`
placefloat	`\placefloat [...] [...] [...] {...} {...}`
placefloatwithsetups	`\placefloatwithsetups [...] [...] [...] {...} {...}`
placefloat:instance	*\mettiFLOAT* `[...] [...] {...} {...}`
placefloat:instance:chemical	*\mettichemical* `[...] [...] {...} {...}`
placefloat:instance:figure	*\mettifigure* `[...] [...] {...} {...}`
placefloat:instance:graphic	*\mettigraphic* `[...] [...] {...} {...}`
placefloat:instance:intermezzo	*\mettiintermezzo* `[...] [...] {...} {...}`
placefloat:instance:table	*\mettitable* `[...] [...] {...} {...}`
placeframed	`\placeframed [...] [..=..] {...}`
placehelp	`\placehelp`
placeinitial	`\placeinitial [...]`
placelayer	`\placelayer [...]`
placelayeredtext	`\placelayeredtext [...] [..=..] [..=..] {...} {...}`
placelistoffloats:instance	*\placelistofFLOATS* `[..=..]`
placelistoffloats:instance:chemicals	*\placelistofchemicals* `[..=..]`
placelistoffloats:instance:figures	*\placelistoffigures* `[..=..]`
placelistoffloats:instance:graphics	*\placelistofgraphics* `[..=..]`
placelistoffloats:instance:intermezzi	*\placelistofintermezzi* `[..=..]`
placelistoffloats:instance:tables	*\placelistoftables* `[..=..]`
placelistofpublications	`\placelistofpublications [...] [..=..]`
placelistofsorts	`\placelistofsorts [...] [..=..]`
placelistofsorts:instance	*\placelistofSORTS* `[..=..]`
placelistofsorts:instance:logos	*\placelistoflogos* `[..=..]`
placelistofsynonyms	`\placelistofsynonyms [...] [..=..]`
placelistofsynonyms:instance	*\placelistofSYNONYMS* `[..=..]`
placelistofsynonyms:instance:abbreviations	*\placelistofabbreviations* `[..=..]`
placelocalnotes	`\placelocalnotes [...] [..=..]`
placement	`\placement [...] [..=..] {...}`
placement:example	*\PLACEMENT* `[..=..] {...}`
placenamedfloat	`\placenamedfloat [...] [...]`
placenamedformula	`\placenamedformula [...] {...} {...}`
placenotes	`\placenotes [...] [..=..]`
placepairedbox	`\placepairedbox [...] [..=..] {...} {...}`
placepairedbox:instance	*\mettiPAIREDBOX* `[..=..] {...} {...}`
placepairedbox:instance:legend	*\mettilegend* `[..=..] {...} {...}`
placeparallel	`\placeparallel [...] [...] [..=..]`
placerawlist	`\placerawlist [...] [..=..]`
placerenderingwindow	`\placerenderingwindow [...] [...]`
popattribute	`\popattribute \...`
popmacro	`\popmacro \...`
popmode	`\popmode [...]`
popsystemmode	`\popsystemmode {...}`
positionoverlay	`\positionoverlay {...}`
positionregionoverlay	`\positionregionoverlay {...} {...}`
posizionanumerotesta	`\posizionanumerotesta [...]`
posizionatestotesta	`\posizionatestotesta [...]`
posizione	`\posizione [..=..] (...,...) {...}`
postponenotes	`\postponenotes`
predefinedfont	`\predefinedfont [...]`
predefinefont	`\predefinefont [...] [...]`
predefinesymbol	`\predefinesymbol [...]`

```
prefixedpagenumber                          \prefixedpagenumber
prendibuffer                                 \prendibuffer [...]
prendibuffer:instance                        \prendiBUFFER
prendimarcatura                              \prendimarcatura [...] [...] [...]
prependetoks                                 \prependetoks ... \to \...
prependgvalue                                \prependgvalue {...} {...}
prependtocommalist                           \prependtocommalist {...} \...
prependtoks                                  \prependtoks ... \to \...
prependtoksonce                              \prependtoksonce ... \to \...
prependvalue                                 \prependvalue {...} {...}
prerollblank                                 \prerollblank [...]
presetdocument                               \presetdocument [..=..]
presetfieldsymbols                           \presetfieldsymbols [...]
presetlabeltext:instance                     \presetLABELtesto [...] [..=..]
presetlabeltext:instance:btxlabel            \presetbtxlabeltesto [...] [..=..]
presetlabeltext:instance:head                \presetheadtesto [...] [..=..]
presetlabeltext:instance:label               \presetlabeltesto [...] [..=..]
presetlabeltext:instance:mathlabel           \presetmathlabeltesto [...] [..=..]
presetlabeltext:instance:operator            \presetoperatortesto [...] [..=..]
presetlabeltext:instance:prefix              \presetprefixtesto [...] [..=..]
presetlabeltext:instance:suffix              \presetsuffixtesto [...] [..=..]
presetlabeltext:instance:taglabel            \presettaglabeltesto [...] [..=..]
presetlabeltext:instance:unit                \presetunittesto [...] [..=..]
pretocommalist                               \pretocommalist {...} \...
prettyprintbuffer                            \prettyprintbuffer {...} {...}
prevcounter                                  \prevcounter [...] [...]
prevcountervalue                             \prevcountervalue [...]
preventmode                                  \preventmode [...]
prevrealpage                                 \prevrealpage
prevrealpagenumber                           \prevrealpagenumber
prevsubcountervalue                          \prevsubcountervalue [...] [...]
prevsubpage                                  \prevsubpage
prevsubpagenumber                            \prevsubpagenumber
prevuserpage                                 \prevuserpage
prevuserpagenumber                           \prevuserpagenumber
primasottopagina                             \primasottopagina
procent                                      \procent
processaction                                \processaction [...] [..,..=>..,..]
processallactionsinset                       \processallactionsinset [...] [..,..=>..,..]
processassignlist                            \processassignlist [...] \...
processassignmentcommand                     \processassignmentcommand [..=..] \...
processassignmentlist                        \processassignmentlist [..=..] \...
processbetween                               \processbetween {...} \...
processbodyfontenvironmentlist               \processbodyfontenvironmentlist \...
processcolorcomponents                       \processcolorcomponents {...}
processcommacommand                          \processcommacommand [...] \...
processcommalist                             \processcommalist [...] \...
processcommalistwithparameters               \processcommalistwithparameters [...] \...
processcontent                               \processcontent {...} \...
processfile                                  \processfile {...}
processfilemany                              \processfilemany {...}
processfilenone                              \processfilenone {...}
processfileonce                              \processfileonce {...}
processfirstactioninset                      \processfirstactioninset [...] [..,..=>..,..]
processisolatedchars                         \processisolatedchars {...} \...
processisolatedwords                         \processisolatedwords {...} \...
processlinetablebuffer                       \processlinetablebuffer [...]
processlinetablefile                         \processlinetablefile {...}
processlist                                  \processlist {...} {...} {...} \...
processMPbuffer                              \processMPbuffer [...]
processMPfigurefile                          \processMPfigurefile {...}
processmonth                                 \processmonth {...} {...} {...}
processranges                                \processranges [...] \...
processseparatedlist                         \processseparatedlist [...] [...] {...}
processtexbuffer                             \processTEXbuffer [...]
processtokens                                \processtokens {...} {...} {...} {...} {...}
processuntil                                 \processuntil \...
processxtablebuffer                          \processxtablebuffer [...]
processyear                                  \processyear {...} {...} {...} {...}
prodotto                                     \prodotto [...]
prodotto:string                              \prodotto ...
profiledbox                                  \profiledbox [...] [..=..] {...}
```

```
profilegivenbox                      \profilegivenbox {...} ...
progetto                             \progetto [...]
progetto:string                      \progetto ...
programma                            \programma [...]
pseudoMixedCapped                    \pseudoMixedCapped {...}
pseudoSmallCapped                    \pseudoSmallCapped {...}
pseudoSmallcapped                    \pseudoSmallcapped {...}
pseudosmallcapped                    \pseudosmallcapped {...}
pulsante                             \pulsante [..=..] {...} [...]
pulsantemenu:button                  \pulsantemenu [..=..] {...} {...}
pulsantemenu:interactionmenu         \pulsantemenu [...] [..=..] {...} {...}
pulsante:example                     \BUTTON [..=..] {...} [...]
pulsantinterazione                   \pulsantinterazione [..=..] [...]
punti                                \punti [...]
punti:assignment                     \punti [..=..]
punto                                \punto {...}
purenumber                           \purenumber {...}
pusharrangedpages                    \pusharrangedpages ... \poparrangedpages
pushattribute                        \pushattribute \...
pushbar                              \pushbar [...] ... \popbar
pushbutton                           \pushbutton [...] [...]
pushcatcodetable                     \pushcatcodetable ... \popcatcodetable
pushcolore                           \pushcolore [...] ... \popcolore
pushendofline                        \pushendofline ... \popendofline
pushindentation                      \pushindentation ... \popindentation
pushMPdrawing                        \pushMPdrawing ... \popMPdrawing
pushmacro                            \pushmacro \...
pushmathstyle                        \pushmathstyle ... \popmathstyle
pushmode                             \pushmode [...]
pushoutputstream                     \pushoutputstream [...]
pushpath                             \pushpath [...] ... \poppath
pushpunctuation                      \pushpunctuation ... \poppunctuation
pushrandomseed                       \pushrandomseed ... \poprandomseed
pushreferenceprefix                  \pushreferenceprefix {...} ... \popreferenceprefix
pushsfondo                           \pushsfondo [...] ... \popsfondo
pushsystemmode                       \pushsystemmode {...}
putboxincache                        \putboxincache {...} {...} ...
putnextboxincache                    \putnextboxincache {...} {...} \... {...}
qquad                                \qquad
quad                                 \quad
quads                                \quads [...]
qualcheriga                          \qualcheriga [...]
quarterstrut                         \quarterstrut
quitcommalist                        \quitcommalist
quitprevcommalist                    \quitprevcommalist
quittypescriptscanning               \quittypescriptscanning
ReadFile                             \ReadFile {...}
raggedbottom                         \raggedbottom
raggedcenter                         \raggedcenter
raggedleft                           \raggedleft
raggedright                          \raggedright
raggedwidecenter                     \raggedwidecenter
raisebox                             \raisebox {...} \... {...}
randomizetext                        \randomizetext {...}
randomnumber                         \randomnumber {...} {...}
rawcounter                           \rawcounter [...] [...]
rawcountervalue                      \rawcountervalue [...]
rawdate                              \rawdate [...]
rawdoifelseinset                     \rawdoifelseinset {...} {...} {...} {...}
rawdoifinset                         \rawdoifinset {...} {...} {...}
rawdoifinsetelse                     \rawdoifinsetelse {...} {...} {...} {...}
rawgetparameters                     \rawgetparameters [...] [..=..]
rawprocessaction                     \rawprocessaction [...] [..,..=>..,..]
rawprocesscommacommand               \rawprocesscommacommand [...] \...
rawprocesscommalist                  \rawprocesscommalist [...] \...
rawstructurelistuservariable         \rawstructurelistuservariable {...}
rawsubcountervalue                   \rawsubcountervalue [...] [...]
rbox                                 \rbox ... {...}
readfile                             \readfile {...} {...} {...}
readfixfile                          \readfixfile {...} {...} {...} {...}
readjobfile                          \readjobfile {...} {...} {...}
readlocfile                          \readlocfile {...} {...} {...}
```

```
readsetfile                            \readsetfile {...} {...} {...} {...}
readsysfile                            \readsysfile {...} {...} {...}
readtexfile                            \readtexfile {...} {...} {...}
readxmlfile                            \readxmlfile {...} {...} {...}
realpagenumber                         \realpagenumber
realSmallCapped                        \realSmallCapped {...}
realSmallcapped                        \realSmallcapped {...}
realsmallcapped                        \realsmallcapped {...}
recursedepth                           \recursedepth
recurselevel                           \recurselevel
recursestring                          \recursestring
redoconvertfont                        \redoconvertfont
referenceformat:example                \REFERENCEFORMAT {...} {...} [...]
referenceprefix                        \referenceprefix
referring                              \referring (...,...) (...,...) [...]
registerattachment                     \registerattachment [...] [..=..]
registerctxluafile                     \registerctxluafile {...} {...}
registerexternalfigure                 \registerexternalfigure [...] [...] [..=..]
registerfontclass                      \registerfontclass {...}
registerhyphenationexception           \registerhyphenationexception [...] [...]
registerhyphenationpattern             \registerhyphenationpattern [...] [...]
registermenubuttons                    \registermenubuttons [...] [...]
registersort                           \registersort [...] [...]
registersynonym                        \registersynonym [...] [...]
registerunit                           \registerunit [...] [..=..]
registro:instance                      \REGISTER [...] {..+...+..}
registro:instance:index                \index [...] {..+...+..}
registro:instance:ownnumber            \REGISTER [...] {...} {..+...+..}
registro:instance:ownnumber:index      \index [...] {...} {..+...+..}
regolare                               \regolare
reimpostamarcatura                     \reimpostamarcatura [...]
relatemarking                          \relatemarking [...] [...]
relateparameterhandlers                \relateparameterhandlers {...} {...} {...} {...}
relaxvalueifundefined                  \relaxvalueifundefined {...}
remainingcharacters                    \remainingcharacters
removebottomthings                     \removebottomthings
removedepth                            \removedepth
removefromcommalist                    \removefromcommalist {...} \...
removelastskip                         \removelastskip
removelastspace                        \removelastspace
removemarkedcontent                    \removemarkedcontent [...]
removepunctuation                      \removepunctuation
removesubstring                        \removesubstring ... \from ... \to \...
removetoks                             \removetoks ... \from \...
removeunwantedspaces                   \removeunwantedspaces
replacefeature                         \replacefeature [...]
replacefeature:direct                  \replacefeature {...}
replaceincommalist                     \replaceincommalist \... {...}
replaceword                            \replaceword [...] [...] [...]
rescan                                 \rescan {...}
rescanwithsetup                        \rescanwithsetup {...} {...}
resetallattributes                     \resetallattributes
resetandaddfeature                     \resetandaddfeature [...]
resetandaddfeature:direct              \resetandaddfeature {...}
resetbar                               \resetbar
resetboxesincache                      \resetboxesincache {...}
resetbreakpoints                       \resetbreakpoints
resetbuffer                            \resetbuffer [...]
resetcharacteralign                    \resetcharacteralign
resetcharacterkerning                  \resetcharacterkerning
resetcharacterspacing                  \resetcharacterspacing
resetcharacterstripping                \resetcharacterstripping
resetcollector                         \resetcollector [...]
resetcounter                           \resetcounter [...] [...]
resetdigitsmanipulation                \resetdigitsmanipulation
resetdirection                         \resetdirection
resetfeature                           \resetfeature
resetflag                              \resetflag {...}
resetfontcolorsheme                    \resetfontcolorsheme
resetfontfallback                      \resetfontfallback [...] [...]
resetfontsolution                      \resetfontsolution
resethyphenationfeatures               \resethyphenationfeatures
```

resetinjector	\resetinjector [...]
resetinteractionmenu	\resetinteractionmenu [...]
resetitaliccorrection	\resetitaliccorrection
resetlayer	\resetlayer [...]
resetlocalfloats	\resetlocalfloats
resetMPdrawing	\resetMPdrawing
resetMPenvironment	\resetMPenvironment
resetMPinstance	\resetMPinstance [...]
resetmarker	\resetmarker [...]
resetmode	\resetmode {...}
resetpagenumber	\resetpagenumber
resetparallel	\resetparallel [...] [...]
resetpath	\resetpath
resetpenalties	\resetpenalties \...
resetperiodkerning	\resetperiodkerning
resetprofile	\resetprofile
resetrecurselevel	\resetrecurselevel
resetreference	\resetreference [...]
resetreplacement	\resetreplacement
resetscript	\resetscript
resetsetups	\resetsetups [...]
resetshownsynonyms	\resetshownsynonyms [...]
resetsubpagenumber	\resetsubpagenumber
resetsymbolset	\resetsymbolset
resetsystemmode	\resetsystemmode {...}
resettimer	\resettimer
resettokenlist	\resettokenlist [...]
resettrackers	\resettrackers
resettrialtypesetting	\resettrialtypesetting
resetusedsortings	\resetusedsortings [...]
resetusedsynonyms	\resetusedsynonyms [...]
resetuserpagenumber	\resetuserpagenumber
resetvalue	\resetvalue {...}
resetvisualizers	\resetvisualizers
reshapebox	\reshapebox {...}
resolvedglyphdirect	\resolvedglyphdirect {...} {...}
resolvedglyphstyled	\resolvedglyphstyled {...} {...}
restartcounter	\restartcounter [...] [...] [...]
restorebox	\restorebox {...} {...}
restorecatcodes	\restorecatcodes
restorecounter	\restorecounter [...]
restorecurrentattributes	\restorecurrentattributes {...}
restoreendofline	\restoreendofline
restoreglobalbodyfont	\restoreglobalbodyfont
reusableMPgraphic	\reusableMPgraphic {...} {..=..}
reuseMPgraphic	\reuseMPgraphic {...} {..=..}
reuserandomseed	\reuserandomseed
revivefeature	\revivefeature
rfence	\rfence {...}
rhbox	\rhbox {...}
rif	\rif [...] [...]
riferimento	\riferimento [...] {...}
riferimentopagina	\riferimentopagina [...]
riferimentotesto	\riferimentotesto [...] {...}
riflessione	\riflessione {...}
riga	\riga {...}
rigariempimento	\rigariempimento [..=..]
rightbottombox	\rightbottombox {...}
rightbox	\rightbox {...}
righthbox	\righthbox {...}
rightlabeltext:instance	*\rightLABELtesto* {...}
rightlabeltext:instance:head	*\rightheadtesto* {...}
rightlabeltext:instance:label	*\rightlabeltesto* {...}
rightlabeltext:instance:mathlabel	*\rightmathlabeltesto* {...}
rightline	\rightline {...}
rightorleftpageaction	\rightorleftpageaction {...} {...}
rightpageorder	\rightpageorder
rightskipadaption	\rightskipadaption
rightsubguillemot	\rightsubguillemot
righttoleft	\righttoleft
righttolefthbox	\righttolefthbox ... {...}
righttoleftvbox	\righttoleftvbox ... {...}

```
righttoleftvtop                    \righttoleftvtop ... {...}
righttopbox                        \righttopbox {...}
rigovuoto                          \rigovuoto [...]
ring                               \ring {...}
rlap                               \rlap {...}
robustaddtocommalist               \robustaddtocommalist {...} \...
robustdoifelseinset                \robustdoifelseinset {...} {...} {...} {...}
robustdoifinsetelse                \robustdoifinsetelse {...} {...} {...} {...}
robustpretocommalist               \robustpretocommalist {...} \...
rollbutton:button                  \rollbutton [..=..] ... [...]
rollbutton:interactionmenu         \rollbutton [...] [..=..] ... [...]
roman                              \roman
rtop                               \rtop ... {...}
ruby                               \ruby [...] {...} {...}
ruledhbox                          \ruledhbox ... {...}
ruledhpack                         \ruledhpack ... {...}
ruledmbox                          \ruledmbox {...}
ruledtopv                          \ruledtopv ... {...}
ruledtpack                         \ruledtpack ... {...}
ruledvbox                          \ruledvbox ... {...}
ruledvpack                         \ruledvpack ... {...}
ruledvtop                          \ruledvtop ... {...}
runMPbuffer                        \runMPbuffer [...]
runninghbox                        \runninghbox {...}
ruota                              \ruota [..=..] {...}
ScaledPointsToBigPoints            \ScaledPointsToBigPoints {...} \...
ScaledPointsToWholeBigPoints       \ScaledPointsToWholeBigPoints {...} \...
Smallcapped                        \Smallcapped {...}
safechar                           \safechar {...}
samplefile                         \samplefile {...}
sans                               \sans
sansgrassetto                      \sansgrassetto
sansnormal                         \sansnormal
sansserif                          \sansserif
savebox                            \savebox {...} {...} {...}
savebtxdataset                     \savebtxdataset [...] [...] [..=..]
savebuffer                         \savebuffer [..=..]
savebuffer:list                    \savebuffer [...] [...]
savecolore                         \savecolore ... \restorecolore
savecounter                        \savecounter [...]
savecurrentattributes              \savecurrentattributes {...}
savenormalmeaning                  \savenormalmeaning \...
savetaggedtwopassdata              \savetaggedtwopassdata {...} {...} {...} {...}
savetwopassdata                    \savetwopassdata {...} {...} {...}
sbox                               \sbox {...}
scala                              \scala [...] [..=..] {...}
schermo                            \schermo [...]
script:instance                    \SCRIPT
script:instance:ethiopic           \ethiopic
script:instance:hangul             \hangul
script:instance:hanzi              \hanzi
script:instance:latin              \latin
script:instance:nihongo            \nihongo
script:instance:test               \test
script:instance:thai               \thai
scrividentroelenco                 \scrividentroelenco [...] [..=..] {...}
scriviinelenco                     \scriviinelenco [...] [..=..] {...} {...}
secondoffivearguments              \secondoffivearguments {...} {...} {...} {...} {...}
secondoffourarguments              \secondoffourarguments {...} {...} {...} {...}
secondofsixarguments               \secondofsixarguments {...} {...} {...} {...} {...} {...}
secondofthreearguments             \secondofthreearguments {...} {...} {...}
secondofthreeunexpanded            \secondofthreeunexpanded {...} {...} {...}
secondoftwoarguments               \secondoftwoarguments {...} {...}
secondoftwounexpanded              \secondoftwounexpanded {...} {...}
seeregister:instance               \vediREGISTER [...] {..+...+..} {...}
seeregister:instance:index         \vediindex [...] {..+...+..} {...}
segnalibro                         \segnalibro [...] {...}
select                             \select {...} {...} {...} {...} {...} {...}
selezionablocchi                   \selezionablocchi [...] [...] [..=..]         OPT
serializecommalist                 \serializecommalist [...]
serializedcommalist                \serializedcommalist
serif                              \serif
```

serifbold	`\serifbold`
serifnormal	`\serifnormal`
setautopagestaterealpageno	`\setautopagestaterealpageno {...}`
setbar	`\setbar [...]`
setbigbodyfont	`\setbigbodyfont`
setboxllx	`\setboxllx ... {...}`
setboxlly	`\setboxlly ... {...}`
setbreakpoints	`\setbreakpoints [...]`
setbuffer	`\setbuffer [...] ... \endbuffer`
setcapstrut	`\setcapstrut`
setcatcodetable	`\setcatcodetable \...`
setcharacteralign	`\setcharacteralign {...} {...}`
setcharacteraligndetail	`\setcharacteraligndetail {...} {...} {...} {...}`
setcharactercasing	`\setcharactercasing [...]`
setcharactercleaning	`\setcharactercleaning [...]`
setcharacterkerning	`\setcharacterkerning [...]`
setcharacterspacing	`\setcharacterspacing [...]`
setcharacterstripping	`\setcharacterstripping [...]`
setcharstrut	`\setcharstrut {...}`
setcollector	`\setcollector [...] [..=..] {...}`
setcolormodell	`\setcolormodell [...]`
setcounter	`\setcounter [...] [...] [...]`
setcounterown	`\setcounterown [...] [...] [...]`
setcurrentfontclass	`\setcurrentfontclass {...}`
setdataset	`\setdataset [...] [...] [..=..]`
setdefaultpenalties	`\setdefaultpenalties`
setdigitsmanipulation	`\setdigitsmanipulation [...]`
setdirection	`\setdirection [...]`
setdocumentargument	`\setdocumentargument {...} {...}`
setdocumentargumentdefault	`\setdocumentargumentdefault {...} {...}`
setdocumentfilename	`\setdocumentfilename {...} {...}`
setdummyparameter	`\setdummyparameter {...} {...}`
setelementexporttag	`\setelementexporttag [...] [...] [...]`
setemeasure	`\setemeasure {...} {...}`
setevalue	`\setevalue {...} {...}`
setevariable	`\setevariable {...} {...} {...}`
setevariables	`\setevariables [...] [..=..]`
setfirstline	`\setfirstline [...]`
setfirstpasscharacteralign	`\setfirstpasscharacteralign`
setflag	`\setflag {...}`
setfont	`\setfont ...`
setfontcolorsheme	`\setfontcolorsheme [...]`
setfontfeature	`\setfontfeature {...}`
setfontsolution	`\setfontsolution [...]`
setfontstrut	`\setfontstrut`
setglobalscript	`\setglobalscript [...]`
setgmeasure	`\setgmeasure {...} {...}`
setgvalue	`\setgvalue {...} {...}`
setgvariable	`\setgvariable {...} {...} {...}`
setgvariables	`\setgvariables [...] [..=..]`
sethboxregister	`\sethboxregister ... {...}`
sethyphenatedurlafter	`\sethyphenatedurlafter {...}`
sethyphenatedurlbefore	`\sethyphenatedurlbefore {...}`
sethyphenatedurlnormal	`\sethyphenatedurlnormal {...}`
sethyphenationfeatures	`\sethyphenationfeatures [...]`
setinitial	`\setinitial [...] [..=..]`
setinjector	`\setinjector [...] [...] [...]`
setinteraction	`\setinteraction [...]`
setinterfacecommand	`\setinterfacecommand {...} {...}`
setinterfaceconstant	`\setinterfaceconstant {...} {...}`
setinterfaceelement	`\setinterfaceelement {...} {...}`
setinterfacemessage	`\setinterfacemessage {...} {...} {...}`
setinterfacevariable	`\setinterfacevariable {...} {...}`
setinternalrendering	`\setinternalrendering [...] [...] {...}`
setitaliccorrection	`\setitaliccorrection [...]`
setJSpreamble	`\setJSpreamble {...} {...}`
setlayer	`\setlayer [...] [...] [..=..] {...}`
setlayerframed	`\setlayerframed [...] [..=..] [..=..] {...}`
setlayerframed:combination	`\setlayerframed [...] [..=..] {...}`
setlayertext	`\setlayertext [...] [..=..] [..=..] {...}`
setlinefiller	`\setlinefiller [...]`
setlocalhsize	`\setlocalhsize [...]`

setlocalscript	`\setlocalscript [...]`
setMPlayer	`\setMPlayer [...] [...] [..=..] {...}`
setMPpositiongraphic	`\setMPpositiongraphic {...} {...} {..=..}`
setMPpositiongraphicrange	`\setMPpositiongraphicrange {...} {...} {...} {..=..}`
setMPtext	`\setMPtext {...} {...}`
setMPvariable	`\setMPvariable [...] [..=..]`
setMPvariables	`\setMPvariables [...] [..=..]`
setmainbodyfont	`\setmainbodyfont`
setmainparbuilder	`\setmainparbuilder [...]`
setmarker	`\setmarker [...] [...]`
setmarking	`\setmarking [...] {...}`
setmathstyle	`\setmathstyle {...}`
setmeasure	`\setmeasure {...} {...}`
setmessagetext	`\setmessagetext {...} {...}`
setmode	`\setmode {...}`
setnostrut	`\setnostrut`
setnote	`\setnote [...] [...] {...}`
setnotetext	`\setnotetext [...] [...] {...}`
setnotetext:assignment	`\setnotetext [...] [..=..]`
setnote:assignment	`\setnote [...] [..=..]`
setobject	`\setobject {...} {...} \... {...}`
setoldstyle	`\setoldstyle`
setpagereference	`\setpagereference {...} {...}`
setpagestate	`\setpagestate [...] [...]`
setpagestaterealpageno	`\setpagestaterealpageno {...} {...}`
setpenalties	`\setpenalties \... {...} {...}`
setpercentdimen	`\setpercentdimen {...} {...}`
setperiodkerning	`\setperiodkerning [...]`
setposition	`\setposition {...}`
setpositionbox	`\setpositionbox {...} \... {...}`
setpositiondata	`\setpositiondata {...} {...} {...} {...}`
setpositiondataplus	`\setpositiondataplus {...} {...} {...} {...} {...}`
setpositiononly	`\setpositiononly {...}`
setpositionplus	`\setpositionplus {...} {...} \... {...}`
setpositionstrut	`\setpositionstrut {...}`
setprofile	`\setprofile [...]`
setrandomseed	`\setrandomseed {...}`
setreference	`\setreference [...] [..=..]`
setreferencedobject	`\setreferencedobject {...} {...} \... {...}`
setregisterentry	`\setregisterentry [...] [..=..] [..=..]`
setreplacement	`\setreplacement [...]`
setrigidcolumnbalance	`\setrigidcolumnbalance ...`
setrigidcolumnhsize	`\setrigidcolumnhsize {...} {...} {...}`
setscript	`\setscript [...]`
setsecondpasscharacteralign	`\setsecondpasscharacteralign`
setsectionblock	`\setsectionblock [...] [..=..]`
setsimplecolumnhsize	`\setsimplecolumnhsize [..=..]`
setsmallbodyfont	`\setsmallbodyfont`
setsmallcaps	`\setsmallcaps`
setstackbox	`\setstackbox {...} {...} {...}`
setstructurepageregister	`\setstructurepageregister [...] [..=..] [..=..]`
setstrut	`\setstrut`
setsuperiors	`\setsuperiors`
setsystemmode	`\setsystemmode {...}`
settabular	`\settabular`
settaggedmetadata	`\settaggedmetadata [..=..]`
settext	`\settext [...] [...] [...] [...] [...]`
settightobject	`\settightobject {...} {...} \... {...}`
settightreferencedobject	`\settightreferencedobject {...} {...} \... {...}`
settightstrut	`\settightstrut`
settightunreferencedobject	`\settightunreferencedobject {...} {...} \... {...}`
settokenlist	`\settokenlist [...] {...}`
settrialtypesetting	`\settrialtypesetting`
setuevalue	`\setuevalue {...} {...}`
setugvalue	`\setugvalue {...} {...}`
setunreferencedobject	`\setunreferencedobject {...} {...} \... {...}`
setupalternativestyles	`\setupalternativestyles [..=..]`
setupattachment	`\setupattachment [...] [..=..]`
setupattachments	`\setupattachments [...] [..=..]`
setupbackend	`\setupbackend [..=..]`
setupbar	`\setupbar [...] [..=..]`
setupbars	`\setupbars [...] [..=..]`

```
setupbleeding                          \setupbleeding [..=..]
setupbookmark                          \setupbookmark [..=..]
setupbtx                               \setupbtx [...] [..=..]
setupbtxdataset                        \setupbtxdataset [...] [..=..]
setupbtxlist                           \setupbtxlist [...] [..=..]
setupbtxregister                       \setupbtxregister [...] [..=..]
setupbtxrendering                      \setupbtxrendering [...] [..=..]
setupbtx:name                          \setupbtx [...]
setupbutton                            \setupbutton [...] [..=..]
setupcharacteralign                    \setupcharacteralign [..=..]
setupcharacterkerning                  \setupcharacterkerning [...] [..=..]
setupcharacterspacing                  \setupcharacterspacing [...] [...] [..=..]
setupchemical                          \setupchemical [...] [..=..]
setupchemicalframed                    \setupchemicalframed [...] [..=..]
setupcollector                         \setupcollector [...] [..=..]
setupcolumnsetarea                     \setupcolumnsetarea [...] [..=..]
setupcolumnsetareatext                 \setupcolumnsetareatext [...] [...]
setupcolumnsetlines                    \setupcolumnsetlines [...] [...] [...] [...]
setupcolumnsetspan                     \setupcolumnsetspan [...] [..=..]
setupcolumnsetstart                    \setupcolumnsetstart [...] [...] [...] [...]
setupcolumnspan                        \setupcolumnspan [..=..]
setupcombination                       \setupcombination [...] [..=..]
setupcounter                           \setupcounter [...] [..=..]
setupdataset                           \setupdataset [...] [..=..]
setupdelimitedtext                     \setupdelimitedtext [...] [..=..]
setupdescription                       \setupdescription [...] [..=..]
setupdirections                        \setupdirections [..=..]
setupdocument                          \setupdocument [..=..]
setupeffect                            \setupeffect [...] [..=..]
setupenumeration                       \setupenumeration [...] [..=..]
setupenv                               \setupenv [..=..]
setupexport                            \setupexport [..=..]
setupexternalfigure                    \setupexternalfigure [...] [..=..]
setupexternalsoundtracks               \setupexternalsoundtracks [..=..]
setupfacingfloat                       \setupfacingfloat [...] [..=..]
setupfieldbody                         \setupfieldbody [...] [..=..]
setupfieldcategory                     \setupfieldcategory [...] [..=..]
setupfieldcontentframed                \setupfieldcontentframed [...] [..=..]
setupfieldlabelframed                  \setupfieldlabelframed [...] [..=..]
setupfieldtotalframed                  \setupfieldtotalframed [...] [..=..]
setupfiller                            \setupfiller [...] [..=..]
setupfirstline                         \setupfirstline [...] [..=..]
setupfittingpage                       \setupfittingpage [...] [..=..]
setupfloatframed                       \setupfloatframed [...] [..=..]
setupfontexpansion                     \setupfontexpansion [...] [..=..]
setupfontprotrusion                    \setupfontprotrusion [...] [..=..]
setupfonts                             \setupfonts [..=..]
setupfontsolution                      \setupfontsolution [...] [..=..]
setupformula                           \setupformula [...] [..=..]
setupformulaframed                     \setupformulaframed [...] [..=..]
setupframedcontent                     \setupframedcontent [...] [..=..]
setupframedtable                       \setupframedtable [...] [..=..]
setupframedtablecolumn                 \setupframedtablecolumn [...] [...] [..=..]
setupframedtablerow                    \setupframedtablerow [...] [...] [..=..]
setupframedtext                        \setupframedtext [...] [..=..]
setupglobalreferenceprefix             \setupglobalreferenceprefix [...]
setupheadalternative                   \setupheadalternative [...] [..=..]
setuphelp                              \setuphelp [...] [..=..]
setuphigh                              \setuphigh [...] [..=..]
setuphighlight                         \setuphighlight [...] [..=..]
setuphyphenation                       \setuphyphenation [..=..]
setupindentedtext                      \setupindentedtext [...] [..=..]
setupinitial                           \setupinitial [...] [..=..]
setupinsertion                         \setupinsertion [...] [..=..]
setupitaliccorrection                  \setupitaliccorrection [...]
setupitemgroup                         \setupitemgroup [...] [...] [...] [..=..]
setupitemgroup:assignment              \setupitemgroup [...] [..=..]
setupitemgroup:instance                \impostaITEMGROUP [...] [...] [..=..]
setupitemgroup:instance:itemize        \impostaitemize [...] [...] [..=..]
setuplabel                             \setuplabel [...] [..=..]
setuplayer                             \setuplayer [...] [..=..]
setuplayeredtext                       \setuplayeredtext [...] [..=..]
```

```
setuplayouttext                          \setuplayouttext [...] [...] [..=..]
setuplinefiller                          \setuplinefiller [...] [..=..]
setuplinefillers                         \setuplinefillers [...] [..=..]
setuplinenote                            \setuplinenote [...] [..=..]
setuplinetable                           \setuplinetable [...] [...] [..=..]
setuplistalternative                     \setuplistalternative [...] [..=..]
setuplistextra                           \setuplistextra [...] [..=..]
setuplocalfloats                         \setuplocalfloats [..=..]
setuplocalinterlinespace                 \setuplocalinterlinespace [...] [..=..]
setuplocalinterlinespace:argument        \setuplocalinterlinespace [...]
setuplocalinterlinespace:name            \setuplocalinterlinespace [...]
setuplow                                 \setuplow [...] [..=..]
setuplowhigh                             \setuplowhigh [...] [..=..]
setuplowmidhigh                          \setuplowmidhigh [...] [..=..]
setupMPgraphics                          \setupMPgraphics [..=..]
setupMPinstance                          \setupMPinstance [...] [..=..]
setupMPpage                              \setupMPpage [..=..]
setupMPvariables                         \setupMPvariables [...] [..=..]
setupmarginblock                         \setupmarginblock [...] [..=..]
setupmargindata                          \setupmargindata [...] [..=..]
setupmarginframed                        \setupmarginframed [...] [..=..]
setupmarginrule                          \setupmarginrule [...] [..=..]
setupmathalignment                       \setupmathalignment [...] [..=..]
setupmathcases                           \setupmathcases [...] [..=..]
setupmathematics                         \setupmathematics [...] [..=..]
setupmathfence                           \setupmathfence [...] [..=..]
setupmathfraction                        \setupmathfraction [...] [..=..]
setupmathfractions                       \setupmathfractions [...] [..=..]
setupmathframed                          \setupmathframed [...] [..=..]
setupmathmatrix                          \setupmathmatrix [...] [..=..]
setupmathornament                        \setupmathornament [...] [..=..]
setupmathradical                         \setupmathradical [...] [..=..]
setupmathstackers                        \setupmathstackers [...] [..=..]
setupmathstyle                           \setupmathstyle [...]
setupmixedcolumns                        \setupmixedcolumns [...] [..=..]
setupmodule                              \setupmodule [...] [..=..]
setupnotation                            \setupnotation [...] [..=..]
setupnotations                           \setupnotations [...] [..=..]
setupnote                                \setupnote [...] [..=..]
setupnotes                               \setupnotes [...] [..=..]
setupoffset                              \setupoffset [..=..]
setupoffsetbox                           \setupoffsetbox [..=..]
setupoutputroutine                       \setupoutputroutine [...] [..=..]
setupoutputroutine:name                  \setupoutputroutine [...]
setuppagechecker                         \setuppagechecker [...] [..=..]
setuppagecolumns                         \setuppagecolumns [...] [..=..]
setuppageinjection                       \setuppageinjection [...] [..=..]
setuppageinjectionalternative            \setuppageinjectionalternative [...] [..=..]
setuppageshift                           \setuppageshift [...] [...] [...]
setuppagestate                           \setuppagestate [...] [..=..]
setuppairedbox                           \setuppairedbox [...] [..=..]
setuppairedbox:instance                  \impostaPAIREDBOX [..=..]
setuppairedbox:instance:legend           \impostalegend [..=..]
setuppaper                               \setuppaper [..=..]
setupparagraph                           \setupparagraph [...] [..=..]
setupparagraphintro                      \setupparagraphintro [...] [...]
setupparallel                            \setupparallel [...] [...] [..=..]
setupperiodkerning                       \setupperiodkerning [...] [..=..]
setupperiods                             \setupperiods [..=..]
setupplacement                           \setupplacement [...] [..=..]
setuppositionbar                         \setuppositionbar [..=..]
setupprocessor                           \setupprocessor [...] [..=..]
setupprofile                             \setupprofile [...] [..=..]
setupquotation                           \setupquotation [..=..]
setuprealpagenumber                      \setuprealpagenumber [..=..]
setupreferenceformat                     \setupreferenceformat [...] [..=..]
setupreferenceprefix                     \setupreferenceprefix [...]
setupreferencestructureprefix            \setupreferencestructureprefix [...] [...] [..=..]
setupregisters                           \setupregisters [...] [..=..]
setupregisters:argument                  \setupregisters [...] [...] [..=..]
setuprenderingwindow                     \setuprenderingwindow [...] [..=..]
setupruby                                \setupruby [...] [..=..]
```

setups	`\setups [...]`
setupscale	`\setupscale [...] [..=..]`
setupscript	`\setupscript [...] [..=..]`
setupscripts	`\setupscripts [...] [..=..]`
setupselector	`\setupselector [...] [..=..]`
setupshift	`\setupshift [...] [..=..]`
setupsidebar	`\setupsidebar [...] [..=..]`
setupspellchecking	`\setupspellchecking [..=..]`
setupstretched	`\setupstretched [..=..]`
setupstruts	`\setupstruts [...]`
setupstyle	`\setupstyle [...] [..=..]`
setupsubformula	`\setupsubformula [...] [..=..]`
setupsubformulas	`\setupsubformulas [...] [..=..]`
setupsynctex	`\setupsynctex [..=..]`
setups:direct	`\setups {...}`
setupTABLE	`\setupTABLE [...] [...] [..=..]`
setupTEXpage	`\setupTEXpage [..=..]`
setuptabulation	`\setuptabulation [...] [..=..]`
setuptagging	`\setuptagging [..=..]`
setuptextbackground	`\setuptextbackground [...] [..=..]`
setuptextflow	`\setuptextflow [...] [..=..]`
setuptooltip	`\setuptooltip [...] [..=..]`
setupunit	`\setupunit [...] [..=..]`
setupuserdata	`\setupuserdata [...] [..=..]`
setupuserdataalternative	`\setupuserdataalternative [...] [..=..]`
setupuserpagenumber	`\setupuserpagenumber [..=..]`
setupversion	`\setupversion [...]`
setupviewerlayer	`\setupviewerlayer [..=..]`
setupvspacing	`\setupvspacing [...]`
setupwithargument	`\setupwithargument {...} {...}`
setupwithargumentswapped	`\setupwithargumentswapped {...} {...}`
setupxml	`\setupxml [..=..]`
setupxtable	`\setupxtable [...] [..=..]`
setuvalue	`\setuvalue {...} {...}`
setuxvalue	`\setuxvalue {...} {...}`
setvalue	`\setvalue {...} {...}`
setvariable	`\setvariable {...} {...} {...}`
setvariables	`\setvariables [...] [..=..]`
setvboxregister	`\setvboxregister ... {...}`
setvisualizerfont	`\setvisualizerfont [...]`
setvtopregister	`\setvtopregister ... {...}`
setwidthof	`\setwidthof ... \to \...`
setxmeasure	`\setxmeasure {...} {...}`
setxvalue	`\setxvalue {...} {...}`
setxvariable	`\setxvariable {...} {...} {...}`
setxvariables	`\setxvariables [...] [..=..]`
sfondo	`\sfondo {...}`
sfondo:example	`\SFONDO {...}`
shapedhbox	`\shapedhbox {...}`
shiftbox	`\shiftbox {...}`
shift:instance	`\SHIFT {...}`
shift:instance:shiftdown	`\shiftdown {...}`
shift:instance:shiftup	`\shiftup {...}`
showallmakeup	`\showallmakeup`
showattributes	`\showattributes`
showboxes	`\showboxes`
showbtxdatasetauthors	`\showbtxdatasetauthors [..=..]`
showbtxdatasetauthors:argument	`\showbtxdatasetauthors [...]`
showbtxdatasetcompleteness	`\showbtxdatasetcompleteness [..=..]`
showbtxdatasetcompleteness:argument	`\showbtxdatasetcompleteness [...]`
showbtxdatasetfields	`\showbtxdatasetfields [..=..]`
showbtxdatasetfields:argument	`\showbtxdatasetfields [...]`
showbtxfields	`\showbtxfields [..=..]`
showbtxfields:argument	`\showbtxfields [...]`
showbtxhashedauthors	`\showbtxhashedauthors [...]`
showbtxtables	`\showbtxtables [...]`
showchardata	`\showchardata {...}`
showcharratio	`\showcharratio {...}`
showcolorbar	`\showcolorbar [...]`
showcolorcomponents	`\showcolorcomponents [...]`
showcolorset	`\showcolorset [...]`
showcolorstruts	`\showcolorstruts`

```
showcounter                         \showcounter [...]
showdirectives                      \showdirectives
showdirsinmargin                    \showdirsinmargin
showedebuginfo                      \showedebuginfo
showexperiments                     \showexperiments
showfont                            \showfont [...] [...]
showfontdata                        \showfontdata
showfontexpansion                   \showfontexpansion
showfontitalics                     \showfontitalics
showfontkerns                       \showfontkerns
showfontparameters                  \showfontparameters
showfontstrip                       \showfontstrip [...]
showfontstyle                       \showfontstyle [...] [...] [...] [...]
showglyphdata                       \showglyphdata
showglyphs                          \showglyphs
showgridsnapping                    \showgridsnapping
showhelp                            \showhelp {...} [...]
showhyphenationtrace                \showhyphenationtrace [...] [...]
showhyphens                         \showhyphens {...}
showinjector                        \showinjector [...]
showjustification                   \showjustification
showkerning                         \showkerning {...}
showlayoutcomponents                \showlayoutcomponents
showligature                        \showligature {...}
showligatures                       \showligatures [...]
showlogcategories                   \showlogcategories
showmargins                         \showmargins
showmessage                         \showmessage {...} {...} {...}
showminimalbaseline                 \showminimalbaseline
shownextbox                         \shownextbox \... {...}
showotfcomposition                  \showotfcomposition {...} {...} {...}
showparentchain                     \showparentchain \... {...}
showsetupsdefinition                \showsetupsdefinition [...]
showtimer                           \showtimer {...}
showtokens                          \showtokens [...]
showtrackers                        \showtrackers
showvalue                           \showvalue {...}
showvariable                        \showvariable {...} {...}
showwarning                         \showwarning {...} {...} {...}
signalrightpage                     \signalrightpage
simbolo                             \simbolo [...] [...]
simbolo:direct                      \simbolo {...}
simplealignedbox                    \simplealignedbox {...} {...} {...}
simplealignedboxplus                \simplealignedboxplus {...} {...} {...} {...}
simplealignedspreadbox              \simplealignedspreadbox {...} {...} {...}
simplegroupedcommand                \simplegroupedcommand {...} {...}
simplereversealignedbox             \simplereversealignedbox {...} {...} {...}
simplereversealignedboxplus         \simplereversealignedboxplus {...} {...} {...} {...}
singalcharacteralign                \singalcharacteralign {...} {...}
singlebond                          \singlebond
sinistra                            \sinistra ...
sixthofsixarguments                 \sixthofsixarguments {...} {...} {...} {...} {...} {...}
slantedface                         \slantedface
slicepages                          \slicepages [...] [..=..] [..=..]
slovenianNumerals                   \slovenianNumerals {...}
sloveniannumerals                   \sloveniannumerals {...}
smallcappedcharacters               \smallcappedcharacters {...}
smallcappedromannumerals            \smallcappedromannumerals {...}
smaller                             \smaller
smallskip                           \smallskip
smash                               \smash [...] {...}
smashbox                            \smashbox ...
smashboxed                          \smashboxed ...
smashedhbox                         \smashedhbox ... {...}
smashedvbox                         \smashedvbox ... {...}
snaptogrid                          \snaptogrid [...] \... {...}
snaptogrid:list                     \snaptogrid [...] \... {...}
someheadnumber                      \someheadnumber [...] [...]
somekindoftab                       \somekindoftab [..=..]
somelocalfloat                      \somelocalfloat
somenamedheadnumber                 \somenamedheadnumber {...} {...}
someplace                           \someplace {...} {...} {...} {...} {...} [...]
```

```
sorting:instance                      \SORTING [...] {...}
sorting:instance:logo                 \logo [...] {...}
sottopaginasuccessiva                 \sottopaginasuccessiva
spaceddigits                          \spaceddigits {...}
spaceddigitsmethod                    \spaceddigitsmethod
spaceddigitsseparator                 \spaceddigitsseparator
spaceddigitssymbol                    \spaceddigitssymbol
spanishNumerals                       \spanishNumerals {...}
spanishnumerals                       \spanishnumerals {...}
spazifissi                            \spazifissi
spazio                                \spazio
spaziofisso                           \spaziofisso
spessoreriga                          \spessoreriga
spezzaoggettomobile                   \spezzaoggettomobile [..=..] {...} {...}
splitatasterisk                       \splitatasterisk ... \... \...
splitatcolon                          \splitatcolon ... \... \...
splitatcolons                         \splitatcolons ... \... \...
splitatcomma                          \splitatcomma ... \... \...
splitatperiod                         \splitatperiod ... \... \...
splitdfrac                            \splitdfrac {...} {...}
splitfilename                         \splitfilename {...}
splitfrac                             \splitfrac {...} {...}
splitoffbase                          \splitoffbase
splitofffull                          \splitofffull
splitoffkind                          \splitoffkind
splitoffname                          \splitoffname
splitoffpath                          \splitoffpath
splitoffroot                          \splitoffroot
splitofftokens                        \splitofftokens ... \from ... \to \...
splitofftype                          \splitofftype
splitstring                           \splitstring ... \at ... \to \... \and \...
spreadhbox                            \spreadhbox ...
sqrt                                  \sqrt [...] {...}
stackcampi                            \stackcampi [...] [...] [..=..]
stackrel                              \stackrel {...} {...}
startlinenote:instance                \iniziaLINENOTE [...] {...}
startlinenote:instance:linenote       \inizialinenote [...] {...}
startregister                         \startregister [...] [...] [...] [...] {..+...+..}
startstop:example                     \STARTSTOP {...}
startstructurepageregister            \startstructurepageregister [...] [...] [..=..] [..=..]
stirato                               \stirato [..=..] {...}
stoplinenote:instance                 \terminaLINENOTE [...]
stoplinenote:instance:linenote        \terminalinenote [...]
stopregister                          \stopregister [...] [...]
stopstructurepageregister             \stopstructurepageregister [...] [...]
strictdoifelsenextoptional            \strictdoifelsenextoptional {...} {...}
strictdoifnextoptionalelse            \strictdoifnextoptionalelse {...} {...}
stripcharacter                        \stripcharacter ... \from ... \to \...
strippedcsname                        \strippedcsname \...
strippedcsname:string                 \strippedcsname ...
stripspaces                           \stripspaces \from ... \to \...
structurelistuservariable             \structurelistuservariable {...}
structurenumber                       \structurenumber
structuretitle                        \structuretitle
structureuservariable                 \structureuservariable {...}
structurevariable                     \structurevariable {...}
strut                                 \strut
strutdp                               \strutdp
strutgap                              \strutgap
strutht                               \strutht
struthtdp                             \struthtdp
struttedbox                           \struttedbox {...}
strutwd                               \strutwd
style                                 \style [..=..] {...}
styleinstance                         \styleinstance [...]
style:argument                        \style [...] {...}
style:instance                        \STYLE {...}
subpagenumber                         \subpagenumber
subsentence                           \subsentence {...}
substituteincommalist                 \substituteincommalist {...} {...} \...
subtractfeature                       \subtractfeature [...]
subtractfeature:direct                \subtractfeature {...}
```

```
swapcounts                              \swapcounts \... \...
swapdimens                              \swapdimens \... \...
swapface                                \swapface
swapmacros                              \swapmacros \... \...
swaptypeface                            \swaptypeface
switchstyleonly                         \switchstyleonly [...]
switchstyleonly:command                 \switchstyleonly \...
switchtocolor                           \switchtocolor [...]
switchtointerlinespace                  \switchtointerlinespace [...] [..=..]
switchtointerlinespace:argument         \switchtointerlinespace [...]
switchtointerlinespace:name             \switchtointerlinespace [...]
symbolreference                         \symbolreference [...]
synchronizeblank                        \synchronizeblank
synchronizeindenting                    \synchronizeindenting
synchronizemarking                      \synchronizemarking [...] [...] [...]
synchronizeoutputstreams                \synchronizeoutputstreams [...]
synchronizestrut                        \synchronizestrut {...}
synchronizewhitespace                   \synchronizewhitespace
synctexblockfilename                    \synctexblockfilename {...}
synctexresetfilename                    \synctexresetfilename
synctexsetfilename                      \synctexsetfilename {...}
synonym:instance                        \SYNONYM [...] {...} {...}
synonym:instance:abbreviation           \abbreviation [...] {...} {...}
systemlog                               \systemlog {...} {...} {...}
systemlogfirst                          \systemlogfirst {...} {...} {...}
systemloglast                           \systemloglast {...} {...} {...}
systemsetups                            \systemsetups {...}
TABLE                                   \TABLE
TaBlE                                   \TaBlE
TEX                                     \TEX
TeX                                     \TeX
TheNormalizedFontSize                   \TheNormalizedFontSize
TransparencyHack                        \TransparencyHack
tabulateautoline                        \tabulateautoline
tabulateautorule                        \tabulateautorule
tabulateline                            \tabulateline
tabulaterule                            \tabulaterule
taggedctxcommand                        \taggedctxcommand {...}
taggedlabeltexts                        \taggedlabeltexts {...} {...} {...}
tbox                                    \tbox {...}
terminariga                             \terminariga [...]
testandsplitstring                      \testandsplitstring ... \at ... \to \... \and \...
testcolumn                              \testcolumn [...] [...]
testfeature                             \testfeature {...} {...}
testfeatureonce                         \testfeatureonce {...} {...}
testoaiuto                              \testoaiuto [...] {...} {...}
testoetichetta:instance                 \LABELtesto {...}
testoetichetta:instance:btxlabel        \btxlabeltesto {...}
testoetichetta:instance:head            \headtesto {...}
testoetichetta:instance:label           \labeltesto {...}
testoetichetta:instance:mathlabel       \mathlabeltesto {...}
testoetichetta:instance:operator        \operatortesto {...}
testoetichetta:instance:prefix          \prefixtesto {...}
testoetichetta:instance:suffix          \suffixtesto {...}
testoetichetta:instance:taglabel        \taglabeltesto {...}
testoetichetta:instance:unit            \unittesto {...}
testoincorniciato:instance              \FRAMEDTEXT [..=..] {...}
testoincorniciato:instance:framedtext   \framedtext [..=..] {...}
testonotapdp                            \testonotapdp [...] {...}
testonotapdp:assignment                 \testonotapdp [..=..]
testoriempimento                        \testoriempimento [..=..] {...} {...}
testpage                                \testpage [...] [...]
testpageonly                            \testpageonly [...] [...]
testpagesync                            \testpagesync [...] [...]
testtokens                              \testtokens [...]
tex                                     \tex {...}
texdefinition                           \texdefinition {...}
texsetup                                \texsetup {...}
textbackground:example                  \TEXTBACKGROUND {...}
textcitation                            \textcitation [..=..] [...]
textcitation:alternative                \textcitation [...] [...]
textcitation:userdata                   \textcitation [..=..] [..=..]
```

textcite	`\textcite [..=..] [...]`
textcite:alternative	`\textcite [...] [...]`
textcite:userdata	`\textcite [..=..] [..=..]`
textcontrolspace	`\textcontrolspace`
textflowcollector	`\textflowcollector {...}`
textmath	`\textmath {...}`
textminus	`\textminus`
textormathchar	`\textormathchar {...}`
textormathchars	`\textormathchars {...}`
textplus	`\textplus`
textvisiblespace	`\textvisiblespace`
thainumerals	`\thainumerals {...}`
thefirstcharacter	`\thefirstcharacter {...}`
thenormalizedbodyfontsize	`\thenormalizedbodyfontsize {...}`
theremainingcharacters	`\theremainingcharacters {...}`
thickspace	`\thickspace`
thinspace	`\thinspace`
thirdoffivearguments	`\thirdoffivearguments {...} {...} {...} {...} {...}`
thirdoffourarguments	`\thirdoffourarguments {...} {...} {...} {...}`
thirdofsixarguments	`\thirdofsixarguments {...} {...} {...} {...} {...} {...}`
thirdofthreearguments	`\thirdofthreearguments {...} {...} {...}`
thirdofthreeunexpanded	`\thirdofthreeunexpanded {...} {...} {...}`
threedigitrounding	`\threedigitrounding {...}`
tibetannumerals	`\tibetannumerals {...}`
tieniblocchi	`\tieniblocchi [...] [...]`
tightlayer	`\tightlayer [...]`
tilde	`\tilde {...}`
tinyfont	`\tinyfont`
tlap	`\tlap {...}`
tochar	`\tochar {...}`
tolinenote	`\tolinenote [...]`
tooltip:instance	`\TOOLTIP [..=..] {...} {...}`
tooltip:instance:argument	`\TOOLTIP [...] {...} {...}`
tooltip:instance:argument:tooltip	`\tooltip [...] {...} {...}`
tooltip:instance:tooltip	`\tooltip [..=..] {...} {...}`
topbox	`\topbox {...}`
topleftbox	`\topleftbox {...}`
toplinebox	`\toplinebox {...}`
toprightbox	`\toprightbox {...}`
topskippedbox	`\topskippedbox {...}`
tracecatcodetables	`\tracecatcodetables`
tracedfontname	`\tracedfontname {...}`
traceoutputroutines	`\traceoutputroutines`
tracepositions	`\tracepositions`
traduci	`\traduci [..=..]`
transparencycomponents	`\transparencycomponents {...}`
transparent	`\transparent [...] {...}`
triplebond	`\triplebond`
truefilename	`\truefilename {...}`
truefontname	`\truefontname {...}`
ttraggedright	`\ttraggedright`
twodigitrounding	`\twodigitrounding {...}`
tx	`\tx`
txx	`\txx`
typ	`\typ [..=..] {...}`
type	`\type [..=..] {...}`
typebuffer	`\typebuffer [...] [..=..]`
typebuffer:instance	`\typeBUFFER [..=..]`
typedefinedbuffer	`\typedefinedbuffer [...] [..=..]`
typeface	`\typeface`
typefile	`\typefile [...] [..=..] {...}`
typeinlinebuffer	`\typeinlinebuffer [...] [..=..]`
typescriptone	`\typescriptone`
typescriptprefix	`\typescriptprefix {...}`
typescriptthree	`\typescriptthree`
typescripttwo	`\typescripttwo`
typesetbuffer	`\typesetbuffer [...] [..=..]`
typesetfile	`\typesetfile [...] [...] [..=..]`
type:angles	`\type [..=..] <<...>>`
type:example	`\TYPE [..=..] {...}`
type:example:angles	`\TYPE [..=..] <<...>>`
typ:angles	`\typ [..=..] <<...>>`

uconvertnumber	`\uconvertnumber {...} {...}`
uedcatcodecommand	`\uedcatcodecommand \... ... {...}`
ultimasottopagina	`\ultimasottopagina`
undefinevalue	`\undefinevalue {...}`
undepthed	`\undepthed {...}`
underset	`\underset {...} {...}`
undoassign	`\undoassign [...] [..=..]`
unexpandeddocumentvariable	`\unexpandeddocumentvariable {...}`
unhhbox	`\unhhbox ... \with {...}`
unihex	`\unihex {...}`
uniqueMPgraphic	`\uniqueMPgraphic {...} {..=..}`
uniqueMPpagegraphic	`\uniqueMPpagegraphic {...} {..=..}`
unita:instance	`\UNIT {...}`
unita:instance:unit	`\unit {...}`
unprotect	`\unprotect ... \protect`
unprotected	`\unprotected ... \par`
unregisterhyphenationpattern	`\unregisterhyphenationpattern [...] [...]`
unspaceafter	`\unspaceafter \... {...}`
unspaceargument	`\unspaceargument ... \to \...`
unspaced	`\unspaced {...}`
unspacestring	`\unspacestring ... \to \...`
untexargument	`\untexargument {...} \to \...`
untexcommand	`\untexcommand {...} \to \...`
uppercased	`\uppercased {...}`
uppercasestring	`\uppercasestring ... \to \...`
upperleftdoubleninequote	`\upperleftdoubleninequote`
upperleftdoublesixquote	`\upperleftdoublesixquote`
upperleftsingleninequote	`\upperleftsingleninequote`
upperleftsinglesixquote	`\upperleftsinglesixquote`
upperrightdoubleninequote	`\upperrightdoubleninequote`
upperrightdoublesixquote	`\upperrightdoublesixquote`
upperrightsingleninequote	`\upperrightsingleninequote`
upperrightsinglesixquote	`\upperrightsinglesixquote`
url	`\url [...]`
usablocco	`\usablocco [...] [...] [..=..]`
usacartella	`\usacartella [...]`
usacolonnasonoraesterna	`\usacolonnasonoraesterna [...] [...]`
usadocumentoesterno	`\usadocumentoesterno [...] [...] [...]`
usafiguraesterna	`\usafiguraesterna [...] [...] [...] [..=..]`
usaJSscripts	`\usaJSscripts [...] [...]`
usamodulo	`\usamodulo [...] [...] [..=..]`
usasimboli	`\usasimboli [...]`
usaURL	`\usaURL [...] [...] [...] [...]`
usaurl	`\usaurl [...] [...] [...] [...]`
usealignparameter	`\usealignparameter \...`
useblankparameter	`\useblankparameter \...`
usebodyfont	`\usebodyfont [...]`
usebodyfontparameter	`\usebodyfontparameter \...`
usebtxdataset	`\usebtxdataset [...] [...] [..=..]`
usebtxdefinitions	`\usebtxdefinitions [...]`
usecitation	`\usecitation [...]`
usecitation:direct	`\usecitation {...}`
usecolors	`\usecolors [...]`
usecomponent	`\usecomponent [...]`
usedummycolorparameter	`\usedummycolorparameter {...}`
usedummystyleandcolor	`\usedummystyleandcolor {...} {...}`
usedummystyleparameter	`\usedummystyleparameter {...}`
useenvironment	`\useenvironment [...]`
useexternalrendering	`\useexternalrendering [...] [...] [...] [...]`
usefigurebase	`\usefigurebase [...]`
usefile	`\usefile [...] [...] [...]`
usegridparameter	`\usegridparameter \...`
useindentingparameter	`\useindentingparameter \...`
useindentnextparameter	`\useindentnextparameter \...`
useinterlinespaceparameter	`\useinterlinespaceparameter \...`
uselanguageparameter	`\uselanguageparameter \...`
useluamodule	`\useluamodule [...]`
useMPenvironmentbuffer	`\useMPenvironmentbuffer [...]`
useMPgraphic	`\useMPgraphic {...} {..=..}`
useMPlibrary	`\useMPlibrary [...]`
useMPrun	`\useMPrun {...} {...}`
useMPvariables	`\useMPvariables [...] [...]`

```
usemathstyleparameter              \usemathstyleparameter \...
useproduct                         \useproduct [...]
useprofileparameter                \useprofileparameter \...
useproject                         \useproject [...]
usereferenceparameter              \usereferenceparameter \...
userpagenumber                     \userpagenumber
usesetupsparameter                 \usesetupsparameter \...
usestaticMPfigure                  \usestaticMPfigure [..=..] [...]
usesubpath                         \usesubpath [...]
usetexmodule                       \usetexmodule [...] [...] [..=..]
usetypescript                      \usetypescript [...] [...] [...]
usetypescriptfile                  \usetypescriptfile [...]
usezipfile                         \usezipfile [...] [...]
utfchar                            \utfchar {...}
utflower                           \utflower {...}
utfupper                           \utfupper {...}
utilityregisterlength              \utilityregisterlength
VerboseNumber                      \VerboseNumber {...}
vaia                               \vaia {...} [...]
vaiabox                            \vaiabox {...} [...]
vaiapagina                         \vaiapagina {...} [...]
vaigiu                             \vaigiu [...]
valorecolore                       \valorecolore {...}
vboxreference                      \vboxreference [...] {...}
vec                                \vec {...}
verbatim                           \verbatim {...}
verbatimstring                     \verbatimstring {...}
verbosenumber                      \verbosenumber {...}
versione                           \versione [...]
verticalgrowingbar                 \verticalgrowingbar [..=..]
verticalpositionbar                \verticalpositionbar [..=..]
veryraggedcenter                   \veryraggedcenter
veryraggedleft                     \veryraggedleft
veryraggedright                    \veryraggedright
vglue                              \vglue ...
viewerlayer                        \viewerlayer [...] {...}
vl                                 \vl [...]
vphantom                           \vphantom {...}
vpos                               \vpos {...} {...}
vsmash                             \vsmash {...}
vsmashbox                          \vsmashbox ...
vsmashed                           \vsmashed {...}
vspace                             \vspace [...] [...]
vspacing                           \vspacing [...]
WidthSpanningText                  \WidthSpanningText {...} {...} {...}
wdofstring                         \wdofstring {...}
widthofstring                      \widthofstring {...}
widthspanningtext                  \widthspanningtext {...} {...} {...}
withoutpt                          \withoutpt {...}
words                              \words {...}
wordtonumber                       \wordtonumber {...} {...}
writedatatolist                    \writedatatolist [...] [..=..] [..=..]
writestatus                        \writestatus {...} {...}
XETEX                              \XETEX
XeTeX                              \XeTeX
xdefconvertedargument              \xdefconvertedargument \... {...}
xmladdindex                        \xmladdindex {...}
xmlafterdocumentsetup              \xmlafterdocumentsetup {...} {...} {...}
xmlaftersetup                      \xmlaftersetup {...} {...}
xmlall                             \xmlall {...} {...}
xmlappenddocumentsetup             \xmlappenddocumentsetup {...} {...}
xmlappendsetup                     \xmlappendsetup {...}
xmlapplyselectors                  \xmlapplyselectors {...}
xmlatt                             \xmlatt {...} {...}
xmlattdef                          \xmlattdef {...} {...} {...}
xmlattribute                       \xmlattribute {...} {...} {...}
xmlattributedef                    \xmlattributedef {...} {...} {...} {...}
xmlbadinclusions                   \xmlbadinclusions {...}
xmlbeforedocumentsetup             \xmlbeforedocumentsetup {...} {...} {...}
xmlbeforesetup                     \xmlbeforesetup {...} {...}
xmlchainatt                        \xmlchainatt {...} {...}
xmlchainattdef                     \xmlchainattdef {...} {...} {...}
```

```
xmlchecknamespace                  \xmlchecknamespace {...} {...}
xmlcommand                         \xmlcommand {...} {...} {...}
xmlconcat                          \xmlconcat {...} {...} {...}
xmlconcatrange                     \xmlconcatrange {...} {...} {...} {...} {...}
xmlcontext                         \xmlcontext {...} {...}
xmlcount                           \xmlcount {...}
xmldefaulttotext                   \xmldefaulttotext {...}
xmldirectives                      \xmldirectives {...}
xmldirectivesafter                 \xmldirectivesafter {...}
xmldirectivesbefore                \xmldirectivesbefore {...}
xmldisplayverbatim                 \xmldisplayverbatim {...}
xmldoif                            \xmldoif {...} {...} {...}
xmldoifatt                         \xmldoifatt {...} {...}
xmldoifelse                        \xmldoifelse {...} {...} {...} {...}
xmldoifelseatt                     \xmldoifelseatt {...} {...} {...}
xmldoifelseempty                   \xmldoifelseempty {...} {...} {...} {...}
xmldoifelseselfempty               \xmldoifelseselfempty {...} {...} {...}
xmldoifelsetext                    \xmldoifelsetext {...} {...} {...} {...}
xmldoifelsevalue                   \xmldoifelsevalue {...} {...} {...} {...}
xmldoifnot                         \xmldoifnot {...} {...} {...}
xmldoifnotatt                      \xmldoifnotatt {...} {...}
xmldoifnotselfempty                \xmldoifnotselfempty {...} {...}
xmldoifnottext                     \xmldoifnottext {...} {...} {...}
xmldoifselfempty                   \xmldoifselfempty {...} {...}
xmldoiftext                        \xmldoiftext {...} {...} {...}
xmlelement                         \xmlelement {...} {...}
xmlfilter                          \xmlfilter {...} {...}
xmlfirst                           \xmlfirst {...} {...}
xmlflush                           \xmlflush {...}
xmlflushcontext                    \xmlflushcontext {...}
xmlflushdocumentsetups             \xmlflushdocumentsetups {...} {...}
xmlflushlinewise                   \xmlflushlinewise {...}
xmlflushpure                       \xmlflushpure {...}
xmlflushspacewise                  \xmlflushspacewise {...}
xmlflushtext                       \xmlflushtext {...}
xmlinclude                         \xmlinclude {...} {...} {...}
xmlinclusion                       \xmlinclusion {...}
xmlinclusions                      \xmlinclusions {...}
xmlinfo                            \xmlinfo {...}
xmlinjector                        \xmlinjector {...}
xmlinlineprettyprint               \xmlinlineprettyprint {...} {...}
xmlinlineprettyprinttext           \xmlinlineprettyprinttext {...} {...}
xmlinlineverbatim                  \xmlinlineverbatim {...}
xmlinstalldirective                \xmlinstalldirective {...} {...}
xmllast                            \xmllast {...} {...}
xmllastatt                         \xmllastatt
xmllastmatch                       \xmllastmatch
xmllastpar                         \xmllastpar
xmlloadbuffer                      \xmlloadbuffer {...} {...} {...}
xmlloaddata                        \xmlloaddata {...} {...} {...}
xmlloaddirectives                  \xmlloaddirectives {...}
xmlloadfile                        \xmlloadfile {...} {...} {...}
xmlloadonly                        \xmlloadonly {...} {...} {...}
xmlmain                            \xmlmain {...}
xmlmapvalue                        \xmlmapvalue {...} {...} {...}
xmlname                            \xmlname {...}
xmlnamespace                       \xmlnamespace {...}
xmlnonspace                        \xmlnonspace {...} {...}
xmlpar                             \xmlpar {...} {...}
xmlparam                           \xmlparam {...} {...} {...}
xmlpath                            \xmlpath {...}
xmlpos                             \xmlpos {...}
xmlposition                        \xmlposition {...} {...} {...}
xmlprependdocumentsetup            \xmlprependdocumentsetup {...} {...}
xmlprependsetup                    \xmlprependsetup {...}
xmlprettyprint                     \xmlprettyprint {...} {...}
xmlprettyprinttext                 \xmlprettyprinttext {...} {...}
xmlprocessbuffer                   \xmlprocessbuffer {...} {...} {...}
xmlprocessdata                     \xmlprocessdata {...} {...} {...}
xmlprocessfile                     \xmlprocessfile {...} {...} {...}
xmlpure                            \xmlpure {...} {...}
xmlraw                             \xmlraw {...}
```

```
xmlrefatt                        \xmlrefatt {...} {...}
xmlregistereddocumentsetups      \xmlregistereddocumentsetups {...} {...}
xmlregisteredsetups              \xmlregisteredsetups
xmlregisterns                    \xmlregisterns {...} {...}
xmlremapname                     \xmlremapname {...} {...} {...} {...}
xmlremapnamespace                \xmlremapnamespace {...} {...} {...}
xmlremovedocumentsetup           \xmlremovedocumentsetup {...} {...}
xmlremovesetup                   \xmlremovesetup {...}
xmlresetdocumentsetups           \xmlresetdocumentsetups {...}
xmlresetinjectors                \xmlresetinjectors
xmlresetsetups                   \xmlresetsetups {...}
xmlsave                          \xmlsave {...} {...}
xmlsetatt                        \xmlsetatt {...} {...} {...}
xmlsetattribute                  \xmlsetattribute {...} {...} {...} {...}
xmlsetentity                     \xmlsetentity {...} {...}
xmlsetfunction                   \xmlsetfunction {...} {...} {...}
xmlsetinjectors                  \xmlsetinjectors [...]
xmlsetpar                        \xmlsetpar {...} {...} {...}
xmlsetparam                      \xmlsetparam {...} {...} {...} {...}
xmlsetsetup                      \xmlsetsetup {...} {...} {...}
xmlsetup                         \xmlsetup {...} {...}
xmlshow                          \xmlshow {...}
xmlsnippet                       \xmlsnippet {...} {...}
xmlstrip                         \xmlstrip {...} {...}
xmlstripnolines                  \xmlstripnolines {...} {...}
xmlstripped                      \xmlstripped {...} {...}
xmlstrippednolines               \xmlstrippednolines {...} {...}
xmltag                           \xmltag {...}
xmltexentity                     \xmltexentity {...} {...}
xmltext                          \xmltext {...} {...}
xmltobuffer                      \xmltobuffer {...} {...} {...}
xmltobufferverbose               \xmltobufferverbose {...} {...} {...}
xmltofile                        \xmltofile {...} {...} {...}
xmlvalue                         \xmlvalue {...} {...} {...}
xmlverbatim                      \xmlverbatim {...}
xsplitstring                     \xsplitstring \... {...}
xypos                            \xypos {...}
```

PRAGMA ADE
Ridderstraat 27
8061GH Hasselt NL
www.pragma-ade.com