ConTEXt

commandes

ConTEXt

ConTEXt

commandes

AfterPar	`\AfterPar {...}`
Alphabeticnumerals	`\Alphabeticnumerals {...}`
AMSTEX	`\AMSTEX`
AmSTeX	`\AmSTeX`
And	`\And`
a	`\a {...} {...} [...]`
abjadnaivenumerals	`\abjadnaivenumerals {...}`
abjadnodotnumerals	`\abjadnodotnumerals {...}`
abjadnumerals	`\abjadnumerals {...}`
activatespacehandler	`\activatespacehandler {...}`
actualday	`\actualday`
actualmonth	`\actualmonth`
actualyear	`\actualyear`
acute	`\acute {...}`
adaptcollector	`\adaptcollector [...] [..=..]`
adaptedisposition	`\adaptedisposition [...] [..=..]`
adaptfontfeature	`\adaptfontfeature [...] [..=..]`
adaptpapersize	`\adaptpapersize [...] [...]`
addfeature	`\addfeature [...]`
addfeature:direct	`\addfeature {...}`
addfontpath	`\addfontpath [...]`
addtocommalist	`\addtocommalist {...} \...`
addtoJSpreamble	`\addtoJSpreamble {...} {...}`
addvalue	`\addvalue {...} {...}`
aftersplitstring	`\aftersplitstring ... \at ... \to \...`
aftertestandsplitstring	`\aftertestandsplitstring ... \at ... \to \...`
ajustechamp	`\ajustechamp [...] [..=..]`
alaligne	`\alaligne {...} [...]`
alapage	`\alapage [...]`
alignbottom	`\alignbottom`
aligneadroite	`\aligneadroite {...}`
aligneagauche	`\aligneagauche {...}`
aligneaumilieu	`\aligneaumilieu {...}`
aligned	`\aligned [...] {...}`
alignedbox	`\alignedbox [...] \... {...}`
alignedline	`\alignedline {...} {...} {...}`
alignhere	`\alignhere`
alignmentcharacter	`\alignmentcharacter`
allinputpaths	`\allinputpaths`
alphabeticnumerals	`\alphabeticnumerals {...}`
alwayscitation	`\alwayscitation [..=..] [...]`
alwayscitation:alternative	`\alwayscitation [...] [...]`
alwayscitation:userdata	`\alwayscitation [..=..] [..=..]`
alwayscite	`\alwayscite [..=..] [...]`
alwayscite:alternative	`\alwayscite [...] [...]`
alwayscite:userdata	`\alwayscite [..=..] [..=..]`
ampersand	`\ampersand`
anchor	`\anchor [...] [..=..] [..=..] {...}`
appendetoks	`\appendetoks ... \to \...`
appendgvalue	`\appendgvalue {...} {...}`
appendtocommalist	`\appendtocommalist {...} \...`
appendtoks	`\appendtoks ... \to \...`
appendtoksonce	`\appendtoksonce ... \to \...`
appendvalue	`\appendvalue {...} {...}`
apply	`\apply {...} {...}`
applyalternativestyle	`\applyalternativestyle {...}`
applyprocessor	`\applyprocessor {...} {...}`
applytocharacters	`\applytocharacters \... {...}`
applytofirstcharacter	`\applytofirstcharacter \... {...}`
applytosplitstringchar	`\applytosplitstringchar \... {...}`
applytosplitstringcharspaced	`\applytosplitstringcharspaced \... {...}`
applytosplitstringline	`\applytosplitstringline \... {...}`
applytosplitstringlinespaced	`\applytosplitstringlinespaced \... {...}`
applytosplitstringword	`\applytosplitstringword \... {...}`
applytosplitstringwordspaced	`\applytosplitstringwordspaced \... {...}`
applytowords	`\applytowords \... {...}`
arabicdecimals	`\arabicdecimals {...}`
arabicexnumerals	`\arabicexnumerals {...}`
arabicnumerals	`\arabicnumerals {...}`
arg	`\arg {...}`
arriereplan	`\arriereplan {...}`
arriereplan:example	`\ARRIEREPLAN {...}`

asciistr	`\asciistr {...}`
assignalfadimension	`\assignalfadimension {...} \... {...} {...} {...}`
assigndimen	`\assigndimen \... {...}`
assigndimension	`\assigndimension {...} \... {...} {...} {...}`
assignifempty	`\assignifempty \... {...}`
assigntranslation	`\assigntranslation [..=..] \to \...`
assignvalue	`\assignvalue {...} \... {...} {...} {...}`
assignwidth	`\assignwidth {...} \... {...} {...}`
assumelongusagecs	`\assumelongusagecs \... {...}`
astype	`\astype {...}`
attachment:instance	*`\ATTACHMENT [...] [..=..]`*
attachment:instance:attachment	*`\attachment [...] [..=..]`*
autocap	`\autocap {...}`
autodirhbox	`\autodirhbox ... {...}`
autodirvbox	`\autodirvbox ... {...}`
autodirvtop	`\autodirvtop ... {...}`
autoinsertnextspace	`\autoinsertnextspace`
autointegral	`\autointegral {...} {...} {...}`
automathematics	`\automathematics {...}`
autopagestaterealpage	`\autopagestaterealpage {...}`
autopagestaterealpageorder	`\autopagestaterealpageorder {...}`
autosetups	`\autosetups {...}`
autostarttexte	`\autostarttexte ... \autostoptexte`
availablehsize	`\availablehsize`
averagecharwidth	`\averagecharwidth`
BeforePar	`\BeforePar {...}`
Big	`\Big ...`
Bigg	`\Bigg ...`
Biggl	`\Biggl ...`
Biggm	`\Biggm ...`
Biggr	`\Biggr ...`
Bigl	`\Bigl ...`
Bigm	`\Bigm ...`
Bigr	`\Bigr ...`
backgroundimage	`\backgroundimage {...} {...} {...} {...}`
backgroundimagefill	`\backgroundimagefill {...} {...} {...} {...}`
backgroundline	`\backgroundline [...] {...}`
baha	`\baha [...] {...} {...}`
bar	`\bar {...}`
barrecouleur	`\barrecouleur [...]`
barreinteraction	`\barreinteraction [...] [..=..]`
bar:instance	*`\BAR {...}`*
bar:instance:hiddenbar	*`\hiddenbar {...}`*
bar:instance:nobar	*`\nobar {...}`*
bar:instance:overbar	*`\overbar {...}`*
bar:instance:overbars	*`\overbars {...}`*
bar:instance:overstrike	*`\overstrike {...}`*
bar:instance:overstrikes	*`\overstrikes {...}`*
bar:instance:underbar	*`\underbar {...}`*
bar:instance:underbars	*`\underbars {...}`*
bar:instance:underdash	*`\underdash {...}`*
bar:instance:underdashes	*`\underdashes {...}`*
bar:instance:underdot	*`\underdot {...}`*
bar:instance:underdots	*`\underdots {...}`*
bar:instance:underrandom	*`\underrandom {...}`*
bar:instance:underrandoms	*`\underrandoms {...}`*
bar:instance:understrike	*`\understrike {...}`*
bar:instance:understrikes	*`\understrikes {...}`*
bas	`\bas {...}`
basegrid	`\basegrid [..=..]`
baselinebottom	`\baselinebottom`
baselineleftbox	`\baselineleftbox {...}`
baselinemiddlebox	`\baselinemiddlebox {...}`
baselinerightbox	`\baselinerightbox {...}`
bas:instance	*`\LOW {...}`*
bas:instance:unitslow	*`\unitslow {...}`*
bbordermatrix	`\bbordermatrix {...}`
bbox	`\bbox {...}`
beforesplitstring	`\beforesplitstring ... \at ... \to \...`
beforetestandsplitstring	`\beforetestandsplitstring ... \at ... \to \...`
beginblock:example	*`\beginBLOCK [...] [..=..] ... \endBLOCK`*
beginhbox	`\beginhbox ... \endhbox`

beginofshapebox	`\beginofshapebox ... \endofshapebox`
beginvbox	`\beginvbox ... \endvbox`
beginvtop	`\beginvtop ... \endvtop`
begstrut	`\begstrut ... \endstrut`
bigg	`\bigg ...`
bigger	`\bigger`
biggl	`\biggl ...`
biggm	`\biggm ...`
biggr	`\biggr ...`
bigl	`\bigl ...`
bigm	`\bigm ...`
bigr	`\bigr ...`
bigskip	`\bigskip`
bitmapimage	`\bitmapimage [..=..] {...}`
blap	`\blap {...}`
bleed	`\bleed [..=..] {...}`
bleedheight	`\bleedheight`
bleedwidth	`\bleedwidth`
blockligatures	`\blockligatures [...]`
blocksynctexfile	`\blocksynctexfile [...]`
blockuservariable	`\blockuservariable {...}`
bodyfontenvironmentlist	`\bodyfontenvironmentlist`
bodyfontsize	`\bodyfontsize`
boldface	`\boldface`
booleanmodevalue	`\booleanmodevalue {...}`
bordermatrix	`\bordermatrix {...}`
bottombox	`\bottombox {...}`
bottomleftbox	`\bottomleftbox {...}`
bottomrightbox	`\bottomrightbox {...}`
bouton	`\bouton [..=..] {...} [...]`
boutonmenu:button	`\boutonmenu [..=..] {...} {...}`
boutonmenu:interactionmenu	`\boutonmenu [...] [..=..] {...} {...}`
boutonsinteraction	`\boutonsinteraction [..=..] [...]`
bouton:example	`\BUTTON [..=..] {...} [...]`
boxcursor	`\boxcursor`
boxmarker	`\boxmarker {...} {...}`
boxofsize	`\boxofsize \... ... {...}`
boxreference	`\boxreference [...] \... {...}`
bpar	`\bpar ... \epar`
bpos	`\bpos {...}`
breakhere	`\breakhere`
breve	`\breve {...}`
bTABLE	`\bTABLE [..=..] ... \eTABLE`
bTABLEbody	`\bTABLEbody [..=..] ... \eTABLEbody`
bTABLEfoot	`\bTABLEfoot [..=..] ... \eTABLEfoot`
bTABLEhead	`\bTABLEhead [..=..] ... \eTABLEhead`
bTABLEnext	`\bTABLEnext [..=..] ... \eTABLEnext`
bTC	`\bTC [..=..] ... \eTC`
bTD	`\bTD [..=..] ... \eTD`
bTDs	`\bTDs [...] ... \eTDs`
bTH	`\bTH [..=..] ... \eTH`
bTN	`\bTN [..=..] ... \eTN`
bTR	`\bTR [..=..] ... \eTR`
bTRs	`\bTRs [...] ... \eTRs`
bTX	`\bTX [..=..] ... \eTX`
bTY	`\bTY [..=..] ... \eTY`
btxabbreviatedjournal	`\btxabbreviatedjournal {...}`
btxaddjournal	`\btxaddjournal [...] [...]`
btxalwayscitation	`\btxalwayscitation [..=..] [...]`
btxalwayscitation:alternative	`\btxalwayscitation [...] [...]`
btxalwayscitation:userdata	`\btxalwayscitation [..=..] [..=..]`
btxauthorfield	`\btxauthorfield {...}`
btxdetail	`\btxdetail {...}`
btxdirect	`\btxdirect {...}`
btxdoif	`\btxdoif {...} {...}`
btxdoifcombiinlistelse	`\btxdoifcombiinlistelse {...} {...} {...} {...}`
btxdoifelse	`\btxdoifelse {...} {...} {...}`
btxdoifelsecombiinlist	`\btxdoifelsecombiinlist {...} {...} {...} {...}`
btxdoifelsesameasprevious	`\btxdoifelsesameasprevious {...} {...} {...}`
btxdoifelsesameaspreviouschecked	`\btxdoifelsesameaspreviouschecked {...} {...} {...} {...}`
btxdoifelseuservariable	`\btxdoifelseuservariable {...} {...} {...}`
btxdoifnot	`\btxdoifnot {...} {...}`

btxdoifsameaspreviouscheckedelse	\btxdoifsameaspreviouscheckedelse {...} {...} {...} {...}
btxdoifsameaspreviouselse	\btxdoifsameaspreviouselse {...} {...} {...}
btxdoifuservariableelse	\btxdoifuservariableelse {...} {...} {...}
btxexpandedjournal	\btxexpandedjournal {...}
btxfield	\btxfield {...}
btxfieldname	\btxfieldname {...}
btxfieldtype	\btxfieldtype {...}
btxfirstofrange	\btxfirstofrange {...}
btxflush	\btxflush {...}
btxflushauthor	\btxflushauthor [...] {...}
btxflushauthorinverted	\btxflushauthorinverted {...}
btxflushauthorinvertedshort	\btxflushauthorinvertedshort {...}
btxflushauthorname	\btxflushauthorname {...}
btxflushauthornormal	\btxflushauthornormal {...}
btxflushauthornormalshort	\btxflushauthornormalshort {...}
btxflushsuffix	\btxflushsuffix
btxfoundname	\btxfoundname {...}
btxfoundtype	\btxfoundtype {...}
btxhiddencitation	\btxhiddencitation [...]
btxhybridcite	\btxhybridcite [..=..] [...]
btxhybridcite:alternative	\btxhybridcite [...] [...]
btxhybridcite:direct	\btxhybridcite {...}
btxhybridcite:userdata	\btxhybridcite [..=..] [..=..]
btxlistcitation	\btxlistcitation [..=..] [...]
btxlistcitation:alternative	\btxlistcitation [...] [...]
btxlistcitation:userdata	\btxlistcitation [..=..] [..=..]
btxloadjournalist	\btxloadjournalist [...]
btxoneorrange	\btxoneorrange {...} {...} {...}
btxremapauthor	\btxremapauthor [...] [...]
btxsavejournalist	\btxsavejournalist [...]
btxsetup	\btxsetup {...}
btxsingularorplural	\btxsingularorplural {...} {...} {...}
btxsingularplural	\btxsingularplural {...} {...} {...}
btxtextcitation	\btxtextcitation [..=..] [...]
btxtextcitation:alternative	\btxtextcitation [...] [...]
btxtextcitation:userdata	\btxtextcitation [..=..] [..=..]
buildmathaccent	\buildmathaccent {...} {...}
buildtextaccent	\buildtextaccent {...} {...}
buildtextbottomcomma	\buildtextbottomcomma {...}
buildtextbottomdot	\buildtextbottomdot {...}
buildtextcedilla	\buildtextcedilla {...}
buildtextgrave	\buildtextgrave {...}
buildtextmacron	\buildtextmacron {...}
buildtextognek	\buildtextognek {...}
Cap	\Cap {...}
Caps	\Caps {...}
Caractere	\Caractere {...}
Caracteres	\Caracteres {...}
Chiffresromains	\Chiffresromains {...}
CONTEXT	\CONTEXT
ConTeXt	\ConTeXt
Context	\Context
ConvertConstantAfter	\ConvertConstantAfter \... {...} {...}
ConvertToConstant	\ConvertToConstant \... {...} {...}
cacheblocs	\cacheblocs [...] [...]
calligraphique	\calligraphique
camel	\camel {...}
cap	\cap {...}
capitale	\capitale {...}
caractere	\caractere {...}
caracteres	\caracteres {...}
catcodetablename	\catcodetablename
cbox	\cbox ... {...}
centeraligned	\centeraligned {...}
centerbox	\centerbox ... {...}
centeredbox	\centeredbox ... {...}
centeredlastline	\centeredlastline
centerednextbox	\centerednextbox ... {...}
centerline	\centerline {...}
cfrac	\cfrac [...] {...} {...}
champ	\champ [...] [...]
changepolicecorps	\changepolicecorps [...]

characterkerning:example	*CHARACTERKERNING* [...] {...}
chardescription	\chardescription {...}
charwidthlanguage	\charwidthlanguage
check	\check {...}
checkcharacteralign	\checkcharacteralign {...}
checkedblank	\checkedblank [...]
checkedchar	\checkedchar {...} {...}
checkedfiller	\checkedfiller {...}
checkedstrippedcsname	\checkedstrippedcsname \...
checkedstrippedcsname:string	\checkedstrippedcsname ...
checkinjector	\checkinjector [...]
checknextindentation	\checknextindentation [...]
checknextinjector	\checknextinjector [...]
checkpage	\checkpage [...] [..=..]
checkparameters	\checkparameters [...]
checkpreviousinjector	\checkpreviousinjector [...]
checksoundtrack	\checksoundtrack {...}
checktwopassdata	\checktwopassdata {...}
checkvariables	\checkvariables [...] [..=..]
chem	\chem {...} {...} {...}
chemical	\chemical [...] [...] [...]
chemicalbottext	\chemicalbottext {...}
chemicalmidtext	\chemicalmidtext {...}
chemicalsymbol	\chemicalsymbol [...]
chemicaltext	\chemicaltext {...}
chemicaltoptext	\chemicaltoptext {...}
chiffresromains	\chiffresromains {...}
chineseallnumerals	\chineseallnumerals {...}
chinesecapnumerals	\chinesecapnumerals {...}
chinesenumerals	\chinesenumerals {...}
citation	\citation [..=..] [...]
citation:alternative	\citation [...] [...]
citation:direct	\citation {...}
citation:userdata	\citation [..=..] [..=..]
cite	\cite [..=..] [...]
cite:alternative	\cite [...] [...]
cite:direct	\cite {...}
cite:userdata	\cite [..=..] [..=..]
clap	\clap {...}
classfont	\classfont {...} {...}
cldcommand	\cldcommand {...}
cldcontext	\cldcontext {...}
cldloadfile	\cldloadfile {...}
cldprocessfile	\cldprocessfile {...}
clip	\clip [..=..] {...}
clippedoverlayimage	\clippedoverlayimage {...}
clonechamp	\clonechamp [...] [...] [...] [...]
collect	\collect {...}
collectedtext	\collectedtext [..=..] [..=..] {...} {...}
collectexpanded	\collectexpanded {...}
colonne	\colonne [...]
colorcomponents	\colorcomponents {...}
colored	\colored [..=..] {...}
colored:name	\colored [...] {...}
coloronly	\coloronly [...] {...}
columnbreak	\columnbreak [...]
columnsetspanwidth	\columnsetspanwidth {...}
combinepages	\combinepages [...] [..=..]
commalistelement	\commalistelement
commalistsentence	\commalistsentence [...] [...]
commalistsize	\commalistsize
commentaire	\commentaire (...,..) (...,..) [..=..] {...}
commentaire:instance	*COMMENT* [...] [..=..] {...}
commentaire:instance:comment	*comment* [...] [..=..] {...}
comparedimension	\comparedimension {...} {...}
comparedimensioneps	\comparedimensioneps {...} {...}
comparegroupecouleur	\comparegroupecouleur [...]
comparepalette	\comparepalette [...]
completebtxrendering	\completebtxrendering [...] [..=..]
completecombinedlist:instance	*completeCOMBINEDLIST* [..=..]
completecombinedlist:instance:content	*completecontent* [..=..]
completelist	\completelist [...] [..=..]

```
completelistoffloats:instance                    \completelistofFLOATS [..=..]
completelistoffloats:instance:chemicals           \completelistofchemicals [..=..]
completelistoffloats:instance:figures             \completelistoffigures [..=..]
completelistoffloats:instance:graphics            \completelistofgraphics [..=..]
completelistoffloats:instance:intermezzi          \completelistofintermezzi [..=..]
completelistoffloats:instance:tables              \completelistoftables [..=..]
completelistofpublications                        \completelistofpublications [...] [..=..]
completelistofsorts                               \completelistofsorts [...] [..=..]
completelistofsorts:instance                      \completelistofSORTS [..=..]
completelistofsorts:instance:logos                \completelistoflogos [..=..]
completelistofsynonyms                            \completelistofsynonyms [...] [..=..]
completelistofsynonyms:instance                   \completelistofSYNONYMS [..=..]
completelistofsynonyms:instance:abbreviations     \completelistofabbreviations [..=..]
completenumeropage                                \completenumeropage
completeregistre                                  \completeregistre [...] [..=..]
completeregistre:instance                         \completeREGISTER [..=..]
completeregistre:instance:index                   \completeindex [..=..]
complexorsimple                                   \complexorsimple \...
complexorsimpleempty                              \complexorsimpleempty \...
complexorsimpleempty:argument                     \complexorsimpleempty {...}
complexorsimple:argument                          \complexorsimple {...}
composant                                         \composant [...]
composant:string                                  \composant ...
composedcollector                                 \composedcollector {...}
composedlayer                                     \composedlayer {...}
compresult                                        \compresult
concernant                                        \concernant [...]
constantdimen                                     \constantdimen \...
constantdimenargument                             \constantdimenargument \...
constantemptyargument                             \constantemptyargument \...
constantnumber                                    \constantnumber \...
constantnumberargument                            \constantnumberargument \...
contentreference                                  \contentreference [...] [..=..] {...}
continuednumber                                   \continuednumber {...}
continueifinputfile                               \continueifinputfile {...}
convertargument                                   \convertargument ... \to \...
convertcommand                                    \convertcommand \... \to \...
convertedcounter                                  \convertedcounter [...] [..=..]
converteddimen                                    \converteddimen {...} {...}
convertedsubcounter                               \convertedsubcounter [...] [...] [..=..]
convertitnumero                                   \convertitnumero {...} {...}
convertmonth                                      \convertmonth {...}
convertvalue                                      \convertvalue ... \to \...
convertvboxtohbox                                 \convertvboxtohbox
copitchamp                                        \copitchamp [...] [...]
copyboxfromcache                                  \copyboxfromcache {...} {...} ...
copylabeltext:instance                            \copyLABELtexte [...] [..=..]
copylabeltext:instance:btxlabel                   \copybtxlabeltexte [...] [..=..]
copylabeltext:instance:head                       \copyheadtexte [...] [..=..]
copylabeltext:instance:label                      \copylabeltexte [...] [..=..]
copylabeltext:instance:mathlabel                  \copymathlabeltexte [...] [..=..]
copylabeltext:instance:operator                   \copyoperatortexte [...] [..=..]
copylabeltext:instance:prefix                     \copyprefixtexte [...] [..=..]
copylabeltext:instance:suffix                     \copysuffixtexte [...] [..=..]
copylabeltext:instance:taglabel                   \copytaglabeltexte [...] [..=..]
copylabeltext:instance:unit                       \copyunittexte [...] [..=..]
copypages                                         \copypages [...] [..=..] [..=..]
copyparameters                                    \copyparameters [...] [...] [...]
copyposition                                      \copyposition {...} {...}
copysetups                                        \copysetups [...] [...]
corrigeespaceblanc                                \corrigeespaceblanc {...}
couleur                                           \couleur [...] {...}
couleurgrise                                      \couleurgrise [...] {...}
countersubs                                       \countersubs [...] [...]
counttoken                                        \counttoken ... \in ... \to \...
counttokens                                       \counttokens ... \to \...
cramped                                           \cramped {...}
crampedclap                                       \crampedclap {...}
crampedllap                                       \crampedllap {...}
crampedrlap                                       \crampedrlap {...}
crlf                                              \crlf
crlfplaceholder                                   \crlfplaceholder
```

```
ctop                                     \ctop ... {...}
ctxcommand                               \ctxcommand {...}
ctxdirectcommand                         \ctxdirectcommand {...}
ctxdirectlua                             \ctxdirectlua {...}
ctxfunction                              \ctxfunction {...}
ctxfunctiondefinition:example            \CTXFUNCTIONDEFINITION
ctxfunction:example                      \CTXFUNCTION
ctxlatecommand                           \ctxlatecommand {...}
ctxlatelua                               \ctxlatelua {...}
ctxloadluafile                           \ctxloadluafile {...}
ctxlua                                   \ctxlua {...}
ctxluabuffer                             \ctxluabuffer [...]
ctxluacode                               \ctxluacode {...}
ctxreport                                \ctxreport {...}
ctxsprint                                \ctxsprint {...}
currentassignmentlistkey                 \currentassignmentlistkey
currentassignmentlistvalue               \currentassignmentlistvalue
currentbtxuservariable                   \currentbtxuservariable {...}
currentcommalistitem                     \currentcommalistitem
currentcomponent                         \currentcomponent
currentenvironment                       \currentenvironment
currentfeaturetest                       \currentfeaturetest
currentinterface                         \currentinterface
currentlabel:example                     \currentETIQUETTE [...] {...}
currentlanguage                          \currentlanguage
currentlistentrydestinationattribute     \currentlistentrydestinationattribute
currentlistentrylimitedtext              \currentlistentrylimitedtext {...}
currentlistentrynumber                   \currentlistentrynumber
currentlistentrypagenumber               \currentlistentrypagenumber
currentlistentryreferenceattribute       \currentlistentryreferenceattribute {...}
currentlistentrytitle                    \currentlistentrytitle
currentlistentrytitlerendered            \currentlistentrytitlerendered
currentlistsymbol                        \currentlistsymbol
currentmainlanguage                      \currentmainlanguage
currentmessagetext                       \currentmessagetext
currentmoduleparameter                   \currentmoduleparameter {...}
currentoutputstream                      \currentoutputstream
currentproduct                           \currentproduct
currentproject                           \currentproject
currentregime                            \currentregime
currentregisterpageuserdata              \currentregisterpageuserdata {...}
currentresponses                         \currentresponses
currenttime                              \currenttime [...]
currentvalue                             \currentvalue
currentxtablecolumn                      \currentxtablecolumn
currentxtablerow                         \currentxtablerow
d                                        \d {...}
dactylographier                          \dactylographier [..=..] {...}
dactylographier:angles                   \dactylographier [..=..] <<...>>
dactylographier:example                  \TYPE [..=..] {...}
dactylographier:example:angles           \TYPE [..=..] <<...>>
dans                                     \dans {...} {...} [...]
datasetvariable                          \datasetvariable {...} {...} {...}
date                                     \date [..=..] [...]
datecourante                             \datecourante [...]
dayoftheweek                             \dayoftheweek {...} {...} {...}
dayspermonth                             \dayspermonth {...} {...}
dddot                                    \dddot {...}
ddot                                     \ddot {...}
de                                       \de [...]
decrement                                \decrement \...
decrementcounter                         \decrementcounter [...] [...]
decrementedcounter                       \decrementedcounter [...]
decrementpagenumber                      \decrementpagenumber
decrementsubpagenumber                   \decrementsubpagenumber
decrementvalue                           \decrementvalue {...}
decrement:argument                       \decrement (...)
defaultinterface                         \defaultinterface
defaultobjectpage                        \defaultobjectpage
defaultobjectreference                   \defaultobjectreference
defcatcodecommand                        \defcatcodecommand \... ... {...}
defconvertedargument                     \defconvertedargument \... {...}
```

defconvertedcommand	`\defconvertedcommand \... \...`
defconvertedvalue	`\defconvertedvalue \... {...}`
defineactivecharacter	`\defineactivecharacter ... {...}`
definealternativestyle	`\definealternativestyle [...] [...] [...]`
defineanchor	`\defineanchor [...] [...] [..=..] [..=..]`
defineattachment	`\defineattachment [...] [...] [..=..]`
defineattribute	`\defineattribute [...] [...]`
definebackground	`\definebackground [...] [...] [..=..]`
definebar	`\definebar [...] [...] [..=..]`
definebodyfontswitch	`\definebodyfontswitch [...] [...]`
definebreakpoint	`\definebreakpoint [...] [...] [..=..]`
definebreakpoints	`\definebreakpoints [...]`
definebtx	`\definebtx [...] [...] [..=..]`
definebtxdataset	`\definebtxdataset [...] [...] [..=..]`
definebtxregister	`\definebtxregister [...] [...] [..=..]`
definebtxrendering	`\definebtxrendering [...] [...] [..=..]`
definebutton	`\definebutton [...] [...] [..=..]`
definecapitals	`\definecapitals [...] [...] [..=..]`
definecharacterkerning	`\definecharacterkerning [...] [...] [..=..]`
definecharacterspacing	`\definecharacterspacing [...]`
definechemical	`\definechemical [...] {...}`
definechemicals	`\definechemicals [...] [...] [..=..]`
definechemicalsymbol	`\definechemicalsymbol [...] [...]`
definecollector	`\definecollector [...] [...] [..=..]`
definecolumnsetarea	`\definecolumnsetarea [...] [...] [..=..]`
definecolumnsetspan	`\definecolumnsetspan [...] [...] [..=..]`
definecombination	`\definecombination [...] [...] [..=..]`
definecomment	`\definecomment [...] [...] [..=..]`
definecomplexorsimple	`\definecomplexorsimple \...`
definecomplexorsimpleempty	`\definecomplexorsimpleempty \...`
definecomplexorsimpleempty:argument	`\definecomplexorsimpleempty {...}`
definecomplexorsimple:argument	`\definecomplexorsimple {...}`
defineconversionset	`\defineconversionset [...] [...] [...]`
definecounter	`\definecounter [...] [...] [..=..]`
definedataset	`\definedataset [...] [...] [..=..]`
definedelimitedtext	`\definedelimitedtext [...] [...] [..=..]`
definedfont	`\definedfont [...]`
defineeffect	`\defineeffect [...] [...] [..=..]`
defineexpandable	`\defineexpandable [...] \... {...}`
defineexternalfigure	`\defineexternalfigure [...] [...] [..=..]`
definefacingfloat	`\definefacingfloat [...] [...] [..=..]`
definefallbackfamily	`\definefallbackfamily [...] [...] [...] [..=..]`
definefallbackfamily:preset	`\definefallbackfamily [...] [...] [...] [...]`
definefieldbody	`\definefieldbody [...] [...] [..=..]`
definefieldbodyset	`\definefieldbodyset [...] [...]`
definefieldcategory	`\definefieldcategory [...] [...] [..=..]`
definefileconstant	`\definefileconstant {...} {...}`
definefilefallback	`\definefilefallback [...] [...]`
definefilesynonym	`\definefilesynonym [...] [...]`
definefiller	`\definefiller [...] [...] [..=..]`
definefirstline	`\definefirstline [...] [...] [..=..]`
definefittingpage	`\definefittingpage [...] [...] [..=..]`
definefontalternative	`\definefontalternative [...]`
definefontfallback	`\definefontfallback [...] [...] [...] [..=..]`
definefontfamily	`\definefontfamily [...] [...] [...] [..=..]`
definefontfamilypreset	`\definefontfamilypreset [...] [..=..]`
definefontfamilypreset:name	`\definefontfamilypreset [...] [...]`
definefontfamily:preset	`\definefontfamily [...] [...] [...] [...]`
definefontfeature	`\definefontfeature [...] [...] [..=..]`
definefontfile	`\definefontfile [...] [...] [..=..]`
definefontsize	`\definefontsize [...]`
definefontsolution	`\definefontsolution [...] [...] [..=..]`
defineformula	`\defineformula [...] [...] [..=..]`
defineformulaalternative	`\defineformulaalternative [...] [...] [...]`
defineformulaframed	`\defineformulaframed [...] [...] [..=..]`
defineframed	`\defineframed [...] [...] [..=..]`
defineframedcontent	`\defineframedcontent [...] [...] [..=..]`
defineframedtable	`\defineframedtable [...] [...]`
defineframedtext	`\defineframedtext [...] [...] [..=..]`
definefrozenfont	`\definefrozenfont [...] [...]`
defineglobalcolor	`\defineglobalcolor [...] [..=..]`
defineglobalcolor:name	`\defineglobalcolor [...] [...]`

```
definegraphictypesynonym            \definegraphictypesynonym [...] [...]
definegridsnapping                   \definegridsnapping [...] [...]
defineheadalternative                \defineheadalternative [...] [...] [..=..]
definehelp                           \definehelp [...] [...] [..=..]
definehigh                           \definehigh [...] [...] [..=..]
definehighlight                      \definehighlight [...] [...] [..=..]
definehspace                         \definehspace [...] [...] [...]
definehypenationfeatures             \definehypenationfeatures [...] [..=..]
defineindentedtext                   \defineindentedtext [...] [...] [..=..]
defineindenting                      \defineindenting [...] [...]
defineinitial                        \defineinitial [...] [...] [..=..]
defineinsertion                      \defineinsertion [...] [...] [..=..]
defineinteraction                    \defineinteraction [...] [...] [..=..]
defineinteractionbar                 \defineinteractionbar [...] [...] [..=..]
defineinterfaceconstant              \defineinterfaceconstant {...} {...}
defineinterfaceelement               \defineinterfaceelement {...} {...}
defineinterfacevariable              \defineinterfacevariable {...} {...}
defineinterlinespace                 \defineinterlinespace [...] [...] [..=..]
defineintermediatecolor              \defineintermediatecolor [...] [...] [..=..]
defineitemgroup                      \defineitemgroup [...] [...] [..=..]
defineitems                          \defineitems [...] [...] [..=..]
definelabelclass                     \definelabelclass [...] [...]
definelayerpreset                    \definelayerpreset [...] [..=..]
definelayerpreset:name               \definelayerpreset [...] [...]
definelinefiller                     \definelinefiller [...] [...] [..=..]
definelinenote                       \definelinenote [...] [...] [..=..]
definelinenumbering                  \definelinenumbering [...] [...] [..=..]
definelines                          \definelines [...] [...] [..=..]
definelistalternative                \definelistalternative [...] [...] [..=..]
definelistextra                      \definelistextra [...] [...] [..=..]
definelow                            \definelow [...] [...] [..=..]
definelowhigh                        \definelowhigh [...] [...] [..=..]
definelowmidhigh                     \definelowmidhigh [...] [...] [..=..]
defineMPinstance                     \defineMPinstance [...] [...] [..=..]
definemarginblock                    \definemarginblock [...] [...] [..=..]
definemargindata                     \definemargindata [...] [...] [..=..]
definemarker                         \definemarker [...]
definemathaccent                     \definemathaccent ... ...
definemathalignment                  \definemathalignment [...] [...] [..=..]
definemathcases                      \definemathcases [...] [...] [..=..]
definemathcommand                    \definemathcommand [...] [...] [...] {...}
definemathdouble                     \definemathdouble [...] [...] [...] [...]
definemathdoubleextensible           \definemathdoubleextensible [...] [...] [...] [...]
definemathematics                    \definemathematics [...] [...] [..=..]
definemathextensible                 \definemathextensible [...] [...] [...]
definemathfence                      \definemathfence [...] [...] [..=..]
definemathfraction                   \definemathfraction [...] [...] [..=..]
definemathframed                     \definemathframed [...] [...] [..=..]
definemathmatrix                     \definemathmatrix [...] [...] [..=..]
definemathornament                   \definemathornament [...] [...] [..=..]
definemathover                       \definemathover [...] [...] [...]
definemathoverextensible             \definemathoverextensible [...] [...] [...]
definemathovertextextensible         \definemathovertextextensible [...] [...] [...]
definemathradical                    \definemathradical [...] [...] [..=..]
definemathstackers                   \definemathstackers [...] [...] [..=..]
definemathstyle                      \definemathstyle [...] [...]
definemathtriplet                    \definemathtriplet [...] [...] [...]
definemathunder                      \definemathunder [...] [...] [...]
definemathunderextensible            \definemathunderextensible [...] [...] [...]
definemathundertextextensible        \definemathundertextextensible [...] [...] [...]
definemathunstacked                  \definemathunstacked [...] [...] [...]
definemeasure                        \definemeasure [...] [...]
definemessageconstant                \definemessageconstant {...}
definemixedcolumns                   \definemixedcolumns [...] [...] [..=..]
definemode                           \definemode [...] [...]
definemultitonecolor                 \definemultitonecolor [...] [..=..] [..=..] [..=..]
definenamedcolor                     \definenamedcolor [...] [..=..]
definenamedcolor:name                \definenamedcolor [...] [...]
definenamespace                      \definenamespace [...] [..=..]
definenarrower                       \definenarrower [...] [...] [..=..]
definenote                           \definenote [...] [...] [..=..]
defineornament:collector             \defineornament [...] [..=..] [..=..]
```

```
defineornament:layer               \defineornament [...] [..=..] [..=..]
defineoutputroutine                \defineoutputroutine [...] [...] [..=..]
defineoutputroutinecommand         \defineoutputroutinecommand [...]
definepage                         \definepage [...] [...]
definepagechecker                  \definepagechecker [...] [...] [..=..]
definepagecolumns                  \definepagecolumns [...] [...] [..=..]
definepageinjection                \definepageinjection [...] [...] [..=..]
definepageinjectionalternative     \definepageinjectionalternative [...] [...] [..=..]
definepageshift                    \definepageshift [...] [...] [...]
definepagestate                    \definepagestate [...] [...] [..=..]
definepairedbox                    \definepairedbox [...] [...] [..=..]
defineparagraph                    \defineparagraph [...] [...] [..=..]
defineparallel                     \defineparallel [...] [...]
defineparbuilder                   \defineparbuilder [...]
defineperiodkerning                \defineperiodkerning [...] [...] [..=..]
defineplacement                    \defineplacement [...] [...] [..=..]
definepositioning                  \definepositioning [...] [...] [..=..]
defineprefixset                    \defineprefixset [...] [...] [...]
defineprocesscolor                 \defineprocesscolor [...] [...] [..=..]
defineprocessor                    \defineprocessor [...] [...] [..=..]
definepushbutton                   \definepushbutton [...] [..=..]
definepushsymbol                   \definepushsymbol [...] [...]
definerenderingwindow              \definerenderingwindow [...] [...] [..=..]
defineresetset                     \defineresetset [...] [...] [...]
defineruby                         \defineruby [...] [...] [..=..]
definescale                        \definescale [...] [...] [..=..]
definescript                       \definescript [...] [...] [..=..]
definesectionlevels                \definesectionlevels [...] [...]
defineselector                     \defineselector [...] [..=..]
defineseparatorset                 \defineseparatorset [...] [...] [...]
defineshift                        \defineshift [...] [...] [..=..]
definesidebar                      \definesidebar [...] [...] [..=..]
definesort                         \definesort [...] [...] [...] {...}
definespotcolor                    \definespotcolor [...] [...] [..=..]
definestyleinstance                \definestyleinstance [...] [...] [...] [...]
definesubformula                   \definesubformula [...] [...] [..=..]
definesynonym                      \definesynonym [...] [...] [...] {...} {...}
definesystemattribute              \definesystemattribute [...] [...]
definesystemconstant               \definesystemconstant {...}
definesystemvariable               \definesystemvariable {...}
defineTABLEsetup                   \defineTABLEsetup [...] [..=..]
definetabulation                   \definetabulation [...] [...] [..=..]
definetextbackground               \definetextbackground [...] [...] [..=..]
definetextflow                     \definetextflow [...] [...] [..=..]
definetextnote                     \definetextnote [...] [...] [..=..]
definetokenlist                    \definetokenlist [...]
definetooltip                      \definetooltip [...] [...] [..=..]
definetransparency:1               \definetransparency [...] [...]
definetransparency:2               \definetransparency [...] [..=..]
definetransparency:3               \definetransparency [...] [...]
definetwopasslist                  \definetwopasslist {...}
definetypeface                     \definetypeface [...] [...] [...] [...] [...] [..=..]
definetypescriptprefix             \definetypescriptprefix [...] [...]
definetypescriptsynonym            \definetypescriptsynonym [...] [...]
definetypesetting                  \definetypesetting [...] [...] [..=..]
defineunit                         \defineunit [...] [...] [..=..]
defineuserdata                     \defineuserdata [...] [...] [..=..]
defineuserdataalternative          \defineuserdataalternative [...] [...] [..=..]
defineviewerlayer                  \defineviewerlayer [...] [...] [..=..]
definevspace                       \definevspace [...] [...] [...]
definevspacing                     \definevspacing [...] [...]
definevspacingamount               \definevspacingamount [...] [...] [...]
definextable                       \definextable [...] [...] [..=..]
definicaractere                    \definicaractere ... ...
definit                            \definit [...] \... {...}
definitaccent                      \definitaccent ... ... ...
definitbloc                        \definitbloc [...] [...] [..=..]
definitblocsection                 \definitblocsection [...] [...] [..=..]
definitbuffer                      \definitbuffer [...] [...] [..=..]
definitcalque                      \definitcalque [...] [...] [..=..]
definitchamp                       \definitchamp [...] [...] [...] [...] [...]
definitcommande                    \definitcommande ... ...
```

```
definitconversion                          \definitconversion [...] [...] [...]
definitconversion:list                      \definitconversion [...] [...] [...]
definitcouleur                              \definitcouleur [...] [..=..]
definitcouleur:name                         \definitcouleur [...] [...]
definitdactylo                              \definitdactylo [...] [...] [..=..]
definitdemarrestoppe                        \definitdemarrestoppe [...] [...] [..=..]
definitdescription                          \definitdescription [...] [...] [..=..]
definitdisposition                          \definitdisposition [...] [...] [..=..]
definitenumeration                          \definitenumeration [...] [...] [..=..]
definitenvironnementpolicecorps             \definitenvironnementpolicecorps [...] [...] [..=..]
definitetiquette                            \definitetiquette [...] [...] [..=..]
definitflottant                             \definitflottant [...] [...] [..=..]
definitflottant:name                        \definitflottant [...] [...] [...]
definitformatreference                      \definitformatreference [...] [...] [..=..]
definitgroupecouleur                        \definitgroupecouleur [...] [...] [x:y:z,..]
definithbox                                 \definithbox [...] [...]
definitjeucolonne                           \definitjeucolonne [...] [...] [..=..]
definitliste                                \definitliste [...] [...] [..=..]
definitlisteimbriquee                       \definitlisteimbriquee [...] [...] [..=..]
definitmakeup                               \definitmakeup [...] [...] [..=..]
definitmarquage                             \definitmarquage [...] [...] [..=..]
definitmenuinteraction                      \definitmenuinteraction [...] [...] [..=..]
definitpalette                              \definitpalette [...] [..=..]
definitpalette:name                         \definitpalette [...] [...]
definitparagraphes                          \definitparagraphes [...] [...] [..=..]
definitpilechamp                            \definitpilechamp [...] [...] [..=..]
definitpolice                               \definitpolice [...] [...] [..=..]
definitpolicecorps                          \definitpolicecorps [...] [...] [...] [..=..]
definitpolicecorps:argument                 \definitpolicecorps [...] [...] [...] [...]
definitpolice:argument                      \definitpolice [...] [...] [...]
definitprofil                               \definitprofil [...] [...] [..=..]
definitprogramme                            \definitprogramme [...] [...] [...]
definitreference                            \definitreference [...] [...]
definitregistre                             \definitregistre [...] [...] [..=..]
definitrevetement                           \definitrevetement [...] [...] [...]
definitsautdecolonne                        \definitsautdecolonne [...] [...]
definitsautdepage                           \definitsautdepage [...] [...]
definitsection                              \definitsection [...]
definitsouschamp                            \definitsouschamp [...] [...] [...]
definitstyle                                \definitstyle [...] [...] [..=..]
definitstylepolice                          \definitstylepolice [...] [...]
definitsymbole                              \definitsymbole [...] [...] [...]
definitsymbolefigure                        \definitsymbolefigure [...] [...] [..=..]
definitsynonymepolice                       \definitsynonymepolice [...] [...] [..=..]
definitsynonymes                            \definitsynonymes [...] [...] [...] [...]
definittabulation                           \definittabulation [...] [...] [|...|]
definittaillepapier                         \definittaillepapier [...] [..=..]OPT
definittaillepapier:name                    \definittaillepapier [...] [...] [...]
definittete                                 \definittete [...] [...] [..=..]
definittexte                                \definittexte [...] [...] [...] [...] [...] [...] [...]
definittrametableau                         \definittrametableau [...] [|...|] [...] [...]
definittri                                  \definittri [...] [...] [...]
definittype                                 \definittype [...] [...] [..=..]
definitvide                                 \definitvide [...]
delimited                                   \delimited [...] [...] {...}
delimitedtext                               \delimitedtext [...] [...] {...}
delimitedtext:instance                      \DELIMITEDTEXT [...] {...}
delimitedtext:instance:aside                \aside [...] {...}
delimitedtext:instance:blockquote           \blockquote [...] {...}
delimitedtext:instance:quotation            \quotation [...] {...}
delimitedtext:instance:quote                \quote [...] {...}
delimitedtext:instance:speech               \speech [...] {...}
demarre                                      \demarre [...] ... \stoppe
demarrealigneadroite                        \demarrealigneadroite ... \stoppealigneadroite
demarrealigneagauche                        \demarrealigneagauche ... \stoppealigneagauche
demarrealigneaumilieu                       \demarrealigneaumilieu ... \stoppealigneaumilieu
demarrealignment                            \demarrealignment [...] ... \stoppealignment
demarreallmodes                             \demarreallmodes [...] ... \stoppeallmodes
demarrearriereplan                          \demarrearriereplan [..=..] ... \stoppearriereplan
demarrearriereplan:example                  \demarreARRIEREPLAN [..=..] ... \stoppeARRIEREPLAN
demarreattachment:instance                  \demarreATTACHMENT [...] [..=..] ... \stoppeATTACHMENT
demarreattachment:instance:attachment       \demarreattachment [...] [..=..] ... \stoppeattachment
```

```
demarrebar                              \demarrebar [...] ... \stoppebar
demarrebbordermatrix                    \demarrebbordermatrix ... \stoppebbordermatrix
demarrebitmapimage                      \demarrebitmapimage [..=..] ... \stoppebitmapimage
demarrebordermatrix                     \demarrebordermatrix ... \stoppebordermatrix
demarrebtxrenderingdefinitions          \demarrebtxrenderingdefinitions [...] ... \stoppebtxrenderingdefinitions
demarrebuffer                           \demarrebuffer [...] ... \stoppebuffer
demarrebuffer:instance                  \demarreBUFFER ... \stoppeBUFFER
demarrebuffer:instance:hiding           \demarrehiding ... \stoppehiding
demarrecatcodetable                     \demarrecatcodetable \... ... \stoppecatcodetable
demarrecenteraligned                    \demarrecenteraligned ... \stoppecenteraligned
demarrecharacteralign                   \demarrecharacteralign [..=..] ... \stoppecharacteralign
demarrecharacteralign:argument          \demarrecharacteralign [...] ... \stoppecharacteralign
demarrecheckedfences                    \demarrecheckedfences ... \stoppecheckedfences
demarrechemical                         \demarrechemical [...] [..=..] ... \stoppechemical
demarreciter                            \demarreciter [..=..]
demarrecollect                          \demarrecollect ... \stoppecollect
demarrecollecting                       \demarrecollecting ... \stoppecollecting
demarrecolorintent                      \demarrecolorintent [...] ... \stoppecolorintent
demarrecoloronly                        \demarrecoloronly [...] ... \stoppecoloronly
demarrecolorset                         \demarrecolorset [...] ... \stoppecolorset
demarrecolumnset                        \demarrecolumnset [...] [..=..] ... \stoppecolumnset
demarrecolumnsetspan                    \demarrecolumnsetspan [...] [..=..] ... \stoppecolumnsetspan
demarrecolumnset:example                \demarreCOLUMNSET [..=..] ... \stoppeCOLUMNSET
demarrecombination                      \demarrecombination [...] [..=..] ... \stoppecombination
demarrecombination:matrix               \demarrecombination [...] [...] ... \stoppecombination
demarrecommentairepage                  \demarrecommentairepage ... \stoppecommentairepage
demarrecommentaire:instance             \demarreCOMMENT [...] [..=..] ... \stoppeCOMMENT
demarrecommentaire:instance:comment     \demarrecomment [...] [..=..] ... \stoppecomment
demarrecomposant                        \demarrecomposant [...] ... \stoppecomposant
demarrecomposant:string                 \demarrecomposant ... ... \stoppecomposant
demarrecontextcode                      \demarrecontextcode ... \stoppecontextcode
demarrecontextdefinitioncode            \demarrecontextdefinitioncode ... \stoppecontextdefinitioncode
demarrecouleur                          \demarrecouleur [...] ... \stoppecouleur
demarrectxfunction                      \demarrectxfunction ... ... \stoppectxfunction
demarrectxfunctiondefinition            \demarrectxfunctiondefinition ... ... \stoppectxfunctiondefinition
demarrecurrentcolor                     \demarrecurrentcolor ... \stoppecurrentcolor
demarrecurrentlistentrywrapper          \demarrecurrentlistentrywrapper ... \stoppecurrentlistentrywrapper
demarredegroupe                         \demarredegroupe ... \stoppedegroupe
demarredelimited                        \demarredelimited [...] [...] [...] ... \stoppedelimited
demarredelimitedtext                    \demarredelimitedtext [...] [...] [...] ... \stoppedelimitedtext
demarredelimitedtext:instance           \demarreDELIMITEDTEXT [...] [...] ... \stoppeDELIMITEDTEXT
demarredelimitedtext:instance:aside     \demarreaside [...] [...] ... \stoppeaside
demarredelimitedtext:instance:blockquote \demarreblockquote [...] [...] ... \stoppeblockquote
demarredelimitedtext:instance:quotation \demarrequotation [...] [...] ... \stoppequotation
demarredelimitedtext:instance:quote     \demarrequote [...] [...] ... \stoppequote
demarredelimitedtext:instance:speech    \demarrespeech [...] [...] ... \stoppespeech
demarredescription:example              \demarreDESCRIPTION [..=..] ... \stoppeDESCRIPTION
demarredescription:example:title        \demarreDESCRIPTION [...] {...} ... \stoppeDESCRIPTION
demarredisplaymath                      \demarredisplaymath ... \stoppedisplaymath
demarredmath                            \demarredmath ... \stoppedmath
demarredocument                         \demarredocument [..=..] ... \stoppedocument
demarreeffect                           \demarreeffect [...] ... \stoppeeffect
demarreeffect:example                   \demarreEFFECT ... \stoppeEFFECT
demarreelement                          \demarreelement [...] ... \stoppeelement
demarreembeddedxtable                   \demarreembeddedxtable [..=..] ... \stoppeembeddedxtable
demarreembeddedxtable:name              \demarreembeddedxtable [...] ... \stoppeembeddedxtable
demarreenumeration:example              \demarreENUMERATION [..=..] ... \stoppeENUMERATION
demarreenumeration:example:title        \demarreENUMERATION [...] {...} ... \stoppeENUMERATION
demarreenvironement                     \demarreenvironement [...] ... \stoppeenvironement
demarreenvironementblocsection          \demarreenvironementblocsection [...] ... \stoppeenvironementblocsection
demarreenvironement:string              \demarreenvironement ... ... \stoppeenvironement
demarreetroit                           \demarreetroit [...] [..=..] ... \stoppeetroit
demarreetroit:assignment                \demarreetroit [..=..] [...] ... \stoppeetroit
demarreetroit:name                      \demarreetroit [...] [...] ... \stoppeetroit
demarreexceptions                       \demarreexceptions [...] ... \stoppeexceptions
demarreexpanded                         \demarreexpanded ... \stoppeexpanded
demarreexpandedcollect                  \demarreexpandedcollect ... \stoppeexpandedcollect
demarreextendedcatcodetable             \demarreextendedcatcodetable \... ... \stoppeextendedcatcodetable
demarreexternalfigurecollection         \demarreexternalfigurecollection [...] ... \stoppeexternalfigurecollection
demarrefacingfloat                      \demarrefacingfloat [...] ... \stoppefacingfloat
demarrefigure                           \demarrefigure [...] [...] [..=..] ... \stoppefigure
demarrefittingpage                      \demarrefittingpage [...] [..=..] ... \stoppefittingpage
```

demarrefittingpage:instance	\demarreFITTINGPAGE [..=..] ... \stoppeFITTINGPAGE
demarrefittingpage:instance:MPpage	\demarreMPpage [..=..] ... \stoppeMPpage
demarrefittingpage:instance:TEXpage	\demarreTEXpage [..=..] ... \stoppeTEXpage
demarrefixe	\demarrefixe [...] ... \stoppefixe
demarrefloatcombination	\demarrefloatcombination [..=..] ... \stoppefloatcombination
demarrefloatcombination:matrix	\demarrefloatcombination [...] ... \stoppefloatcombination
demarrefloattext:instance	\demarreFLOATtexte [...] [...] {...} ... \stoppeFLOATtexte
demarrefloattext:instance:chemical	\demarrechemicaltexte [...] [...] {...} ... \stoppechemicaltexte
demarrefloattext:instance:figure	\demarrefiguretexte [...] [...] {...} ... \stoppefiguretexte
demarrefloattext:instance:graphic	\demarregraphictexte [...] [...] {...} ... \stoppegraphictexte
demarrefloattext:instance:intermezzo	\demarreintermezzotexte [...] [...] {...} ... \stoppeintermezzotexte
demarrefloattext:instance:table	\demarretabletexte [...] [...] {...} ... \stoppetabletexte
demarrefont	\demarrefont [...] ... \stoppefont
demarrefontclass	\demarrefontclass [...] ... \stoppefontclass
demarrefontsolution	\demarrefontsolution [...] ... \stoppefontsolution
demarreformule	\demarreformule [...] ... \stoppeformule
demarreformules	\demarreformules [...] ... \stoppeformules
demarreformule:assignment	\demarreformule [..=..] ... \stoppeformule
demarreformule:instance	\demarreFORMULAformula [...] ... \stoppeFORMULAformula
demarreformule:instance:md	\demarremdformula [...] ... \stoppemdformula
demarreformule:instance:mp	\demarrempformula [...] ... \stoppempformula
demarreformule:instance:sd	\demarresdformula [...] ... \stoppesdformula
demarreformule:instance:sp	\demarrespformula [...] ... \stoppespformula
demarreframed	\demarreframed [...] [..=..] ... \stoppeframed
demarreframedcell	\demarreframedcell [..=..] ... \stoppeframedcell
demarreframedcontent	\demarreframedcontent [...] ... \stoppeframedcontent
demarreframedrow	\demarreframedrow [..=..] ... \stoppeframedrow
demarreframedtable	\demarreframedtable [...] [..=..] ... \stoppeframedtable
demarregridsnapping	\demarregridsnapping [...] ... \stoppegridsnapping
demarregridsnapping:list	\demarregridsnapping [...] ... \stoppegridsnapping
demarregroupe	\demarregroupe [...] ... \stoppegroupe
demarrehboxestohbox	\demarrehboxestohbox ... \stoppehboxestohbox
demarrehboxregister	\demarrehboxregister ... ... \stoppehboxregister
demarrehelp:instance	\demarreHELP [...] ... \stoppeHELP
demarrehelp:instance:helptext	\demarrehelptext [...] ... \stoppehelptext
demarrehighlight	\demarrehighlight [...] ... \stoppehighlight
demarrehyphenation	\demarrehyphenation [...] ... \stoppehyphenation
demarreimath	\demarreimath ... \stoppeimath
demarreindentedtext	\demarreindentedtext [...] ... \stoppeindentedtext
demarreindentedtext:example	\demarreINDENTEDTEXT ... \stoppeINDENTEDTEXT
demarreinteraction	\demarreinteraction [...] ... \stoppeinteraction
demarreinterface	\demarreinterface ... ... \stoppeinterface
demarreintertext	\demarreintertext ... \stoppeintertext
demarreitemgroup	\demarreitemgroup [...] [...] [..=..] ... \stoppeitemgroup
demarreitemgroup:instance	\demarreITEMGROUP [...] [..=..] ... \stoppeITEMGROUP
demarreitemgroup:instance:itemize	\demarreitemize [...] [..=..] ... \stoppeitemize
demarreJScode	\demarreJScode ... ... \stoppeJScode
demarreJSpreamble	\demarreJSpreamble ... ... \stoppeJSpreamble
demarreknockout	\demarreknockout ... \stoppeknockout
demarrelabeltexte:instance	\demarreLABELtexte [...] [...] ... \stoppeLABELtexte
demarrelabeltexte:instance:btxlabel	\demarrebtxlabeltexte [...] [...] ... \stoppebtxlabeltexte
demarrelabeltexte:instance:head	\demarreheadtexte [...] [...] ... \stoppeheadtexte
demarrelabeltexte:instance:label	\demarrelabeltexte [...] [...] ... \stoppelabeltexte
demarrelabeltexte:instance:mathlabel	\demarremathlabeltexte [...] [...] ... \stoppemathlabeltexte
demarrelabeltexte:instance:operator	\demarreoperatortexte [...] [...] ... \stoppeoperatortexte
demarrelabeltexte:instance:prefix	\demarreprefixtexte [...] [...] ... \stoppeprefixtexte
demarrelabeltexte:instance:suffix	\demarresuffixtexte [...] [...] ... \stoppesuffixtexte
demarrelabeltexte:instance:taglabel	\demarretaglabeltexte [...] [...] ... \stoppetaglabeltexte
demarrelabeltexte:instance:unit	\demarreunittexte [...] [...] ... \stoppeunittexte
demarrelangue	\demarrelangue [...] ... \stoppelangue
demarrelayout	\demarrelayout [...] ... \stoppelayout
demarreligne	\demarreligne [...]
demarreligneregleetexte	\demarreligneregleetexte {...} ... \stoppeligneregleetexte
demarrelignes:instance	\demarreLINES [..=..] ... \stoppeLINES
demarrelignes:instance:lines	\demarrelines [..=..] ... \stoppelines
demarrelinealignment	\demarrelinealignment [...] ... \stoppelinealignment
demarrelinecorrection	\demarrelinecorrection [...] ... \stoppelinecorrection
demarrelinefiller	\demarrelinefiller [...] [..=..] ... \stoppelinefiller
demarrelinenumbering	\demarrelinenumbering [...] [..=..] ... \stoppelinenumbering
demarrelinenumbering:argument	\demarrelinenumbering [...] [...] ... \stoppelinenumbering
demarrelinetable	\demarrelinetable ... \stoppelinetable
demarrelinetablebody	\demarrelinetablebody ... \stoppelinetablebody

```
demarrelinetablecell                            \demarrelinetablecell [..=..] ... \stoppelinetablecell
demarrelinetablehead                            \demarrelinetablehead ... \stoppelinetablehead
demarrelocalfootnotes                           \demarrelocalfootnotes ... \stoppelocalfootnotes
demarrelocalheadsetup                           \demarrelocalheadsetup ... \stoppelocalheadsetup
demarrelocallinecorrection                      \demarrelocallinecorrection [...] ... \stoppelocallinecorrection
demarrelocalnotes                               \demarrelocalnotes [...] ... \stoppelocalnotes
demarrelocalsetups                              \demarrelocalsetups [...] [...] ... \stoppelocalsetups
demarrelocalsetups:string                       \demarrelocalsetups ... ... \stoppelocalsetups
demarrelua                                      \demarrelua ... \stoppelua
demarreluacode                                  \demarreluacode ... \stoppeluacode
demarreluaparameterset                          \demarreluaparameterset [...] ... \stoppeluaparameterset
demarreluasetups                                \demarreluasetups [...] [...] ... \stoppeluasetups
demarreluasetups:string                         \demarreluasetups ... ... \stoppeluasetups
demarreMPclip                                   \demarreMPclip {...} ... \stoppeMPclip
demarreMPcode                                   \demarreMPcode {...} ... \stoppeMPcode
demarreMPdefinitions                            \demarreMPdefinitions {...} ... \stoppeMPdefinitions
demarreMPdrawing                                \demarreMPdrawing [...] ... \stoppeMPdrawing
demarreMPenvironment                            \demarreMPenvironment [...] ... \stoppeMPenvironment
demarreMPextensions                             \demarreMPextensions {...} ... \stoppeMPextensions
demarreMPinclusions                             \demarreMPinclusions [...] {...} ... \stoppeMPinclusions
demarreMPinitializations                        \demarreMPinitializations ... \stoppeMPinitializations
demarreMPpositiongraphic                        \demarreMPpositiongraphic {...} {...} ... \stoppeMPpositiongraphic
demarreMPpositionmethod                         \demarreMPpositionmethod {...} ... \stoppeMPpositionmethod
demarreMPrun                                    \demarreMPrun {...} ... \stoppeMPrun
demarremakeup                                   \demarremakeup [...] [..=..] ... \stoppemakeup
demarremakeup:instance                          \demarreMAKEUPmakeup [..=..] ... \stoppeMAKEUPmakeup
demarremakeup:instance:middle                   \demarremiddlemakeup [..=..] ... \stoppemiddlemakeup
demarremakeup:instance:page                     \demarrepagemakeup [..=..] ... \stoppepagemakeup
demarremakeup:instance:standard                 \demarrestandardmakeup [..=..] ... \stoppestandardmakeup
demarremakeup:instance:text                     \demarretextmakeup [..=..] ... \stoppetextmakeup
demarremargereglee                              \demarremargereglee [...] ... \stoppemargereglee
demarremargereglee:assignment                   \demarremargereglee [..=..] ... \stoppemargereglee
demarremarginblock                              \demarremarginblock [...] ... \stoppemarginblock
demarremarkedcontent                            \demarremarkedcontent [...] ... \stoppemarkedcontent
demarremarkpages                                \demarremarkpages [...] ... \stoppemarkpages
demarremathalignment:instance                   \demarreMATHALIGNMENT [..=..] ... \stoppeMATHALIGNMENT
demarremathalignment:instance:align             \demarrealign [..=..] ... \stoppealign
demarremathalignment:instance:mathalignment     \demarremathalignment [..=..] ... \stoppemathalignment
demarremathcases:instance                       \demarreMATHCASES [..=..] ... \stoppeMATHCASES
demarremathcases:instance:cases                 \demarrecases [..=..] ... \stoppecases
demarremathcases:instance:mathcases             \demarremathcases [..=..] ... \stoppemathcases
demarremathmatrix:instance                      \demarreMATHMATRIX [..=..] ... \stoppeMATHMATRIX
demarremathmatrix:instance:mathmatrix           \demarremathmatrix [..=..] ... \stoppemathmatrix
demarremathmatrix:instance:matrix               \demarrematrix [..=..] ... \stoppematrix
demarremathmode                                 \demarremathmode ... \stoppemathmode
demarremathstyle                                \demarremathstyle [...] ... \stoppemathstyle
demarrematrices                                 \demarrematrices [..=..] ... \stoppematrices
demarremaxaligned                               \demarremaxaligned ... \stoppemaxaligned
demarremenuinteraction                          \demarremenuinteraction [...] ... \stoppemenuinteraction
demarremiddlealigned                            \demarremiddlealigned ... \stoppemiddlealigned
demarremixedcolumns                             \demarremixedcolumns [...] [..=..] ... \stoppemixedcolumns
demarremixedcolumns:instance                    \demarreMIXEDCOLUMNS [..=..] ... \stoppeMIXEDCOLUMNS
demarremixedcolumns:instance:boxedcolumns       \demarreboxedcolumns [..=..] ... \stoppeboxedcolumns
demarremixedcolumns:instance:columns            \demarrecolumns [..=..] ... \stoppecolumns
demarremixedcolumns:instance:itemgroupcolumns   \demarreitemgroupcolumns [..=..] ... \stoppeitemgroupcolumns
demarremode                                     \demarremode [...] ... \stoppemode
demarremodeset                                  \demarremodeset [...] {...} ... \stoppemodeset
demarremodule                                   \demarremodule [...] ... \stoppemodule
demarremoduletestsection                        \demarremoduletestsection ... \stoppemoduletestsection
demarremodule:string                            \demarremodule ... ... \stoppemodule
demarrenamedsection                             \demarrenamedsection [...] [..=..] [..=..] ... \stoppenamedsection
demarrenamedsubformulas                         \demarrenamedsubformulas [...] {...} ... \stoppenamedsubformulas
demarrenarrower                                 \demarrenarrower [...] ... \stoppenarrower
demarrenarrower:example                         \demarreNARROWER [...] ... \stoppeNARROWER
demarrenegatif                                  \demarrenegatif ... \stoppenegatif
demarrenicelyfilledbox                          \demarrenicelyfilledbox [..=..] ... \stoppenicelyfilledbox
demarrenointerference                           \demarrenointerference ... \stoppenointerference
demarrenotallmodes                              \demarrenotallmodes [...] ... \stoppenotallmodes
demarrenotext                                   \demarrenotext ... \stoppenotext
demarrenote:instance                            \demarreNOTE [...] ... \stoppeNOTE
demarrenote:instance:assignment                 \demarreNOTE [..=..] ... \stoppeNOTE
demarrenote:instance:assignment:endnote         \demarreendnote [..=..] ... \stoppeendnote
```

```
demarrenote:instance:assignment:footnote      \demarrefootnote [..=..] ... \stoppefootnote
demarrenote:instance:endnote                   \demarreendnote [...] ... \stoppeendnote
demarrenote:instance:footnote                  \demarrefootnote [...] ... \stoppefootnote
demarrenotmode                                 \demarrenotmode [...] ... \stoppenotmode
demarreopposition                              \demarreopposition ... \stoppeopposition
demarreoutputstream                            \demarreoutputstream [...] ... \stoppeoutputstream
demarreoverprint                               \demarreoverprint ... \stoppeoverprint
demarrepagecolumns                             \demarrepagecolumns [..=..] ... \stoppepagecolumns
demarrepagecolumns:instance                    \demarrePAGECOLUMNS ... \stoppePAGECOLUMNS
demarrepagecolumns:name                        \demarrepagecolumns [...] ... \stoppepagecolumns
demarrepagefigure                              \demarrepagefigure [...] [..=..] ... \stoppepagefigure
demarrepagelayout                              \demarrepagelayout [...] ... \stoppepagelayout
demarrepar                                     \demarrepar [...] [..=..] ... \stoppepar
demarreparagraphe                              \demarreparagraphe [...] [..=..] ... \stoppeparagraphe
demarreparagraphs                              \demarreparagraphs [...] ... \stoppeparagraphs
demarreparagraphscell                          \demarreparagraphscell ... \stoppeparagraphscell
demarreparagraphs:example                      \demarrePARAGRAPHS ... \stoppePARAGRAPHS
demarreparallel:example                        \demarrePARALLEL ... \stoppePARALLEL
demarreparbuilder                              \demarreparbuilder [...] ... \stoppeparbuilder
demarreplaceflottant                           \demarreplaceflottant [...] [..=..] [..=..] ... \stoppeplaceflottant
demarreplaceflottant:instance                  \demarreplaceFLOAT [..=..] [..=..] ... \stoppeplaceFLOAT
demarreplaceflottant:instance:chemical         \demarreplacechemical [..=..] [..=..] ... \stoppeplacechemical
demarreplaceflottant:instance:figure           \demarreplacefigure [..=..] [..=..] ... \stoppeplacefigure
demarreplaceflottant:instance:graphic          \demarreplacegraphic [..=..] [..=..] ... \stoppeplacegraphic
demarreplaceflottant:instance:intermezzo       \demarreplaceintermezzo [..=..] [..=..] ... \stoppeplaceintermezzo
demarreplaceflottant:instance:table            \demarreplacetable [..=..] [..=..] ... \stoppeplacetable
demarreplaceformule                            \demarreplaceformule [..=..] ... \stoppeplaceformule
demarreplaceformule:argument                   \demarreplaceformule [...] ... \stoppeplaceformule
demarreplacepairedbox                          \demarreplacepairedbox [...] [..=..] ... \stoppeplacepairedbox
demarreplacepairedbox:instance                 \demarreplacePAIREDBOX [..=..] ... \stoppeplacePAIREDBOX
demarreplacepairedbox:instance:legend          \demarreplacelegend [..=..] ... \stoppeplacelegend
demarrepositif                                 \demarrepositif ... \stoppepositif
demarrepositioning                             \demarrepositioning [...] [..=..] ... \stoppepositioning
demarrepositionoverlay                         \demarrepositionoverlay {...} ... \stoppepositionoverlay
demarrepostponing                              \demarrepostponing [...] ... \stoppepostponing
demarrepostponingnotes                         \demarrepostponingnotes ... \stoppepostponingnotes
demarreprocessassignmentcommand                \demarreprocessassignmentcommand [..=..] ... \stoppeprocessassignmentcom
demarreprocessassignmentlist                   \demarreprocessassignmentlist [..=..] ... \stoppeprocessassignmentlist
demarreprocesscommacommand                     \demarreprocesscommacommand [...] ... \stoppeprocesscommacommand
demarreprocesscommalist                        \demarreprocesscommalist [...] ... \stoppeprocesscommalist
demarreproduit                                 \demarreproduit [...] ... \stoppeproduit
demarreproduit:string                          \demarreproduit ... ... \stoppeproduit
demarreprojet                                  \demarreprojet [...] ... \stoppeprojet
demarreprojet:string                           \demarreprojet ... ... \stoppeprojet
demarreprotectedcolors                         \demarreprotectedcolors ... \stoppeprotectedcolors
demarrepublication                             \demarrepublication [...] [..=..] ... \stoppepublication
demarrequeuetableau                            \demarrequeuetableau [...] ... \stoppequeuetableau
demarrequeuetabule                             \demarrequeuetabule [...] ... \stoppequeuetabule
demarrerandomized                              \demarrerandomized ... \stopperandomized
demarrerawsetups                               \demarrerawsetups [...] [...] ... \stopperawsetups
demarrerawsetups:string                        \demarrerawsetups ... ... \stopperawsetups
demarrereadingfile                             \demarrereadingfile ... \stoppereadingfile
demarreregime                                  \demarreregime [...] ... \stopperegime
demarrereusableMPgraphic                       \demarrereusableMPgraphic {...} {...} ... \stoppereusableMPgraphic
demarrerevetement                              \demarrerevetement ... \stopperevetement
demarreruby                                    \demarreruby [...] ... \stopperuby
demarrescript                                  \demarrescript [...] ... \stoppescript
demarresectionblock                            \demarresectionblock [...] [..=..] ... \stoppesectionblock
demarresectionblock:instance                   \demarreSECTIONBLOCK [..=..] ... \stoppeSECTIONBLOCK
demarresectionblock:instance:appendices        \demarreappendices [..=..] ... \stoppeappendices
demarresectionblock:instance:backmatter        \demarrebackmatter [..=..] ... \stoppebackmatter
demarresectionblock:instance:bodymatter        \demarrebodymatter [..=..] ... \stoppebodymatter
demarresectionblock:instance:frontmatter       \demarrefrontmatter [..=..] ... \stoppefrontmatter
demarresectionlevel                            \demarresectionlevel [...] [..=..] [..=..] ... \stoppesectionlevel
demarresection:instance                        \demarreSECTION [..=..] [..=..] ... \stoppeSECTION
demarresection:instance:chapter                \demarrechapter [..=..] [..=..] ... \stoppechapter
demarresection:instance:part                   \demarrepart [..=..] [..=..] ... \stoppepart
demarresection:instance:section                \demarresection [..=..] [..=..] ... \stoppesection
demarresection:instance:subject                \demarresubject [..=..] [..=..] ... \stoppesubject
demarresection:instance:subsection             \demarresubsection [..=..] [..=..] ... \stoppesubsection
demarresection:instance:subsubject             \demarresubsubject [..=..] [..=..] ... \stoppesubsubject
demarresection:instance:subsubsection          \demarresubsubsection [..=..] [..=..] ... \stoppesubsubsection
```

```
demarresection:instance:subsubsubject              \demarresubsubsubject [..=..] [..=..] ... \stoppesubsubsubject
demarresection:instance:subsubsubsection           \demarresubsubsubsection [..=..] [..=..] ... \stoppesubsubsubsubsection
demarresection:instance:subsubsubsubject           \demarresubsubsubsubject [..=..] [..=..] ... \stoppesubsubsubsubject
demarresection:instance:subsubsubsubsection        \demarresubsubsubsubsection [..=..] [..=..] ... \stoppesubsubsubsubsecti
demarresection:instance:subsubsubsubsubject        \demarresubsubsubsubsubject [..=..] [..=..] ... \stoppesubsubsubsubsubje
demarresection:instance:title                      \demarretitle [..=..] [..=..] ... \stoppetitle
demarresetups                                      \demarresetups [...] [...] ... \stoppesetups
demarresetups:string                               \demarresetups ... ... \stoppesetups
demarreshift                                       \demarreshift [...] ... \stoppeshift
demarresidebar                                     \demarresidebar [...] [..=..] ... \stoppesidebar
demarresimplecolumns                               \demarresimplecolumns [..=..] ... \stoppesimplecolumns
demarrespecialitem:item                            \demarrespecialitem [...] [...] ... \stoppespecialitem
demarrespecialitem:none                            \demarrespecialitem [...] ... \stoppespecialitem
demarrespecialitem:symbol                          \demarrespecialitem [...] {...} ... \stoppespecialitem
demarresplitformula                                \demarresplitformula ... \stoppesplitformula
demarresplittext                                   \demarresplittext ... \stoppesplittext
demarrespread                                      \demarrespread ... \stoppespread
demarrestartstop:example                           \demarreSTARTSTOP ... \stoppeSTARTSTOP
demarrestaticMPfigure                              \demarrestaticMPfigure {...} ... \stoppestaticMPfigure
demarrestaticMPgraphic                             \demarrestaticMPgraphic {...} {...} ... \stoppestaticMPgraphic
demarrestrictinspectnextcharacter                  \demarrestrictinspectnextcharacter ... \stoppestrictinspectnextcharacter
demarrestyle                                       \demarrestyle [..=..] ... \stoppestyle
demarrestyle:argument                              \demarrestyle [...] ... \stoppestyle
demarrestyle:instance                              \demarreSTYLE ... \stoppeSTYLE
demarresubformulas                                 \demarresubformulas [...] ... \stoppesubformulas
demarresubjectlevel                                \demarresubjectlevel [...] [..=..] [..=..] ... \stoppesubjectlevel
demarresubsentence                                 \demarresubsentence ... \stoppesubsentence
demarresubstack                                    \demarresubstack ... \stoppesubstack
demarresuspend                                     \demarresuspend [..=..] {...} ... \stoppesuspend
demarresuspend:argument                            \demarresuspend [...] {...} ... \stoppesuspend
demarresymbolset                                   \demarresymbolset [...] [..=..] ... \stoppesymbolset
demarreTABLE                                       \demarreTABLE [..=..] ... \stoppeTABLE
demarreTABLEbody                                   \demarreTABLEbody [..=..] ... \stoppeTABLEbody
demarreTABLEfoot                                   \demarreTABLEfoot [..=..] ... \stoppeTABLEfoot
demarreTABLEhead                                   \demarreTABLEhead [..=..] ... \stoppeTABLEhead
demarreTABLEnext                                   \demarreTABLEnext [..=..] ... \stoppeTABLEnext
demarretableau                                     \demarretableau [|...|] [..=..] ... \stoppetableau
demarretableau:name                                \demarretableau [...] [..=..] ... \stoppetableau
demarretables                                      \demarretables [|...|] ... \stoppetables
demarretables:name                                 \demarretables [...] ... \stoppetables
demarretabulation:example                          \demarreTABULATION [...] [..=..] ... \stoppeTABULATION
demarretabule                                      \demarretabule [|...|] [..=..] ... \stoppetabule
demarretabule:instance                             \demarreTABULATE [ᴼᴾᵀ..] [..=..] ... \stoppeTABULATE
demarretabule:instance:fact                        \demarrefact [...] [..=..] ... \stoppefact
demarretabule:instance:legend                      \demarrelegend [...] [..=..] ... \stoppelegend
demarretete                                        \demarretete [...] {...} ... \stoppetete
demarretetetableau                                 \demarretetetableau [...] ... \stoppetetetableau
demarretetetabule                                  \demarretetetabule [...] ... \stoppetetetabule
demarretexcode                                     \demarretexcode ... \stoppetexcode
demarretexdefinition                               \demarretexdefinition ... ... ... ... ... ... ... ... \stoppetexdefiniti
demarretextbackground                              \demarretextbackground [...] [..=..] ... \stoppetextbackground
demarretextbackgroundmanual                        \demarretextbackgroundmanual ... \stoppetextbackgroundmanual
demarretextbackground:example                      \demarreTEXTBACKGROUND [..=..] ... \stoppeTEXTBACKGROUND
demarretextcolor                                   \demarretextcolor [...] ... \stoppetextcolor
demarretextcolorintent                             \demarretextcolorintent ... \stoppetextcolorintent
demarretexte                                       \demarretexte ... \stoppetexte
demarretexteaide                                   \demarretexteaide [...] ... \stoppetexteaide
demarretexteencadre:instance                       \demarreFRAMEDTEXT [...] [..=..] ... \stoppeFRAMEDTEXT
demarretexteencadre:instance:framedtext            \demarreframedtext [...] [..=..] ... \stoppeframedtext
demarretextflow                                    \demarretextflow [...] ... \stoppetextflow
demarretokenlist                                   \demarretokenlist [...] ... \stoppetokenlist
demarretokens                                      \demarretokens [...] ... \stoppetokens
demarretransparent                                 \demarretransparent [...] ... \stoppetransparent
demarretypescript                                  \demarretypescript [...] [...] [...] ... \stoppetypescript
demarretypescriptcollection                        \demarretypescriptcollection [...] ... \stoppetypescriptcollection
demarretyping:instance                             \demarreTYPING [..=..] ... \stoppeTYPING
demarretyping:instance:argument                    \demarreTYPING [...] ... \stoppeTYPING
demarretyping:instance:argument:LUA                \demarreLUA [...] ... \stoppeLUA
demarretyping:instance:argument:MP                 \demarreMP [...] ... \stoppeMP
demarretyping:instance:argument:PARSEDXML          \demarrePARSEDXML [...] ... \stoppePARSEDXML
demarretyping:instance:argument:TEX                \demarreTEX [...] ... \stoppeTEX
demarretyping:instance:argument:typing             \demarretyping [...] ... \stoppetyping
```

demarretyping:instance:argument:XML	\demarreXML [...] ... \stoppeXML
demarretyping:instance:LUA	\demarreLUA [..=..] ... \stoppeLUA
demarretyping:instance:MP	\demarreMP [..=..] ... \stoppeMP
demarretyping:instance:PARSEDXML	\demarrePARSEDXML [..=..] ... \stoppePARSEDXML
demarretyping:instance:TEX	\demarreTEX [..=..] ... \stoppeTEX
demarretyping:instance:typing	\demarretyping [..=..] ... \stoppetyping
demarretyping:instance:XML	\demarreXML [..=..] ... \stoppeXML
demarreuniqueMPgraphic	\demarreuniqueMPgraphic {...} {...} ... \stoppeuniqueMPgraphic
demarreuniqueMPpagegraphic	\demarreuniqueMPpagegraphic {...} {...} ... \stoppeuniqueMPpagegraphic
demarreusableMPgraphic	\demarreusableMPgraphic {...} {...} ... \stoppeusableMPgraphic
demarreuseMPgraphic	\demarreuseMPgraphic {...} {...} ... \stoppeuseMPgraphic
demarreusemathstyleparameter	\demarreusemathstyleparameter \... ... \stoppeusemathstyleparameter
demarreuserdata	\demarreuserdata [...] [..=..] ... \stoppeuserdata
demarreusingbtxspecification	\demarreusingbtxspecification [...] ... \stoppeusingbtxspecification
demarreva	\demarreva [...] ... \stoppeva
demarrevboxregister	\demarrevboxregister ... ... \stoppevboxregister
demarrevboxtohbox	\demarrevboxtohbox ... \stoppevboxtohbox
demarrevboxtohboxseparator	\demarrevboxtohboxseparator ... \stoppevboxtohboxseparator
demarreviewerlayer	\demarreviewerlayer [...] ... \stoppeviewerlayer
demarreviewerlayer:example	\demarreVIEWERLAYER ... \stoppeVIEWERLAYER
demarrevtopregister	\demarrevtopregister ... ... \stoppevtopregister
demarrexcell	\demarrexcell [...] [..=..] ... \stoppexcell
demarrexcellgroup	\demarrexcellgroup [...] [..=..] ... \stoppexcellgroup
demarrexcolumn	\demarrexcolumn [..=..] ... \stoppexcolumn
demarrexcolumn:name	\demarrexcolumn [...] ... \stoppexcolumn
demarrexgroup	\demarrexgroup [...] [..=..] ... \stoppexgroup
demarrexmldisplayverbatim	\demarrexmldisplayverbatim [...] ... \stoppexmldisplayverbatim
demarrexmlinlineverbatim	\demarrexmlinlineverbatim [...] ... \stoppexmlinlineverbatim
demarrexmlraw	\demarrexmlraw ... \stoppexmlraw
demarrexmlsetups	\demarrexmlsetups [...] [...] ... \stoppexmlsetups
demarrexmlsetups:string	\demarrexmlsetups ... ... \stoppexmlsetups
demarrexrow	\demarrexrow [...] [..=..] ... \stoppexrow
demarrexrowgroup	\demarrexrowgroup [...] [..=..] ... \stoppexrowgroup
demarrextable	\demarrextable [..=..] ... \stoppextable
demarrextablebody	\demarrextablebody [..=..] ... \stoppextablebody
demarrextablebody:name	\demarrextablebody [...] ... \stoppextablebody
demarrextablefoot	\demarrextablefoot [..=..] ... \stoppextablefoot
demarrextablefoot:name	\demarrextablefoot [...] ... \stoppextablefoot
demarrextablehead	\demarrextablehead [..=..] ... \stoppextablehead
demarrextablehead:name	\demarrextablehead [...] ... \stoppextablehead
demarrextablenext	\demarrextablenext [..=..] ... \stoppextablenext
demarrextablenext:name	\demarrextablenext [...] ... \stoppextablenext
demarrextable:example	\demarreXTABLE [..=..] ... \stoppeXTABLE
demarrextable:name	\demarrextable [...] ... \stoppextable
depthofstring	\depthofstring {...}
depthonlybox	\depthonlybox {...}
depthspanningtext	\depthspanningtext {...} {...} {...}
depthstrut	\depthstrut
dernieresouspage	\dernieresouspage
description:example	\DESCRIPTION [...] {...} ... \par
determinecaracteristiqueliste	\determinecaracteristiqueliste [...] [..=..]
determinecaracteristiquesregistre	\determinecaracteristiquesregistre [...] [..=..]
determinenoflines	\determinenoflines {...}
determinenumerotete	\determinenumerotete [...]
devanagarinumerals	\devanagarinumerals {...}
digits	\digits {...}
digits:string	\digits ...
dimensiontocount	\dimensiontocount {...} \...
directboxfromcache	\directboxfromcache {...} {...}
directcolor	\directcolor [...]
directcolored	\directcolored [..=..]
directcolored:name	\directcolored [...]
directconvertedcounter	\directconvertedcounter {...} {...}
directcopyboxfromcache	\directcopyboxfromcache {...} {...}
directdummyparameter	\directdummyparameter {...}
directgetboxllx	\directgetboxllx ...
directgetboxlly	\directgetboxlly ...
directhighlight	\directhighlight {...} {...}
directlocalframed	\directlocalframed [...] {...}
directluacode	\directluacode {...}
directselect	\directselect {...} {...} {...} {...} {...} {...}
directsetbar	\directsetbar {...} ᴼᴾᵀ ᴼᴾᵀ ᴼᴾᵀ ᴼᴾᵀ ᴼᴾᵀ

```
directsetup                      \directsetup {...}
directsymbol                     \directsymbol {...} {...}
directvspacing                   \directvspacing {...}
dis                              \dis {...}
disabledirectives                \disabledirectives [...]
disableexperiments               \disableexperiments [...]
disablemode                      \disablemode [...]
disableoutputstream              \disableoutputstream
disableparpositions              \disableparpositions
disableregime                    \disableregime
disabletrackers                  \disabletrackers [...]
displaymath                      \displaymath {...}
displaymathematics               \displaymathematics {...}
displaymessage                   \displaymessage {...}
distributedhsize                 \distributedhsize {...} {...} {...}
dividedsize                      \dividedsize {...} {...} {...}
doadaptleftskip                  \doadaptleftskip {...}
doadaptrightskip                 \doadaptrightskip {...}
doaddfeature                     \doaddfeature {...}
doassign                         \doassign [...] [..=..]
doassignempty                    \doassignempty [...] [..=..]
doboundtext                      \doboundtext {...} {...} {...}
docheckassignment                \docheckassignment {...}
docheckedpagestate               \docheckedpagestate {...} {...} {...} {...} {...} {...} {...}
docheckedpair                    \docheckedpair {...}
documentvariable                 \documentvariable {...}
dodoubleargument                 \dodoubleargument \... [...] [...]
dodoubleargumentwithset          \dodoubleargumentwithset \... [...] [...]
dodoubleempty                    \dodoubleempty \... [...] [...]
dodoubleemptywithset             \dodoubleemptywithset \... [...] [...]
dodoublegroupempty               \dodoublegroupempty \... {...} {...}
doeassign                        \doeassign [...] [..=..]
doexpandedrecurse                \doexpandedrecurse {...} {...}
dofastloopcs                     \dofastloopcs {...} \...
dogetattribute                   \dogetattribute {...}
dogetattributeid                 \dogetattributeid {...}
dogetcommacommandelement         \dogetcommacommandelement ... \from ... \to \...
dogobbledoubleempty              \dogobbledoubleempty [...] [...]
dogobblesingleempty              \dogobblesingleempty [...]
doif                             \doif {...} {...} {...}
doifallcommon                    \doifallcommon {...} {...} {...}
doifallcommonelse                \doifallcommonelse {...} {...} {...} {...}
doifalldefinedelse               \doifalldefinedelse {...} {...} {...}
doifallmodes                     \doifallmodes {...} {...} {...}
doifallmodeselse                 \doifallmodeselse {...} {...} {...}
doifassignmentelse               \doifassignmentelse {...} {...} {...}
doifassignmentelsecs             \doifassignmentelsecs {...} \... \...
doifblackelse                    \doifblackelse {...} {...} {...}
doifbothsides                    \doifbothsides {...} {...} {...}
doifbothsidesoverruled           \doifbothsidesoverruled {...} {...} {...}
doifboxelse                      \doifboxelse {...} {...} {...} {...}
doifbufferelse                   \doifbufferelse {...} {...} {...}
doifcolor                        \doifcolor {...} {...}
doifcolorelse                    \doifcolorelse {...} {...} {...}
doifcommandhandler               \doifcommandhandler \... {...} {...}
doifcommandhandlerelse           \doifcommandhandlerelse \... {...} {...} {...}
doifcommon                       \doifcommon {...} {...} {...}
doifcommonelse                   \doifcommonelse {...} {...} {...} {...}
doifcontent                      \doifcontent {...} {...} {...} \... {...}
doifconversiondefinedelse        \doifconversiondefinedelse {...} {...} {...}
doifconversionnumberelse         \doifconversionnumberelse {...} {...} {...} {...}
doifcounter                      \doifcounter {...} {...}
doifcounterelse                  \doifcounterelse {...} {...} {...}
doifcurrentfonthasfeatureelse    \doifcurrentfonthasfeatureelse {...} {...} {...}
doifdefined                      \doifdefined {...} {...}
doifdefinedcounter               \doifdefinedcounter {...} {...}
doifdefinedcounterelse           \doifdefinedcounterelse {...} {...} {...}
doifdefinedelse                  \doifdefinedelse {...} {...} {...}
doifdimensionelse                \doifdimensionelse {...} {...} {...}
doifdimenstringelse              \doifdimenstringelse {...} {...} {...}
doifdocumentargument             \doifdocumentargument {...} {...}
doifdocumentargumentelse         \doifdocumentargumentelse {...} {...} {...}
```

doifdocumentfilename	`\doifdocumentfilename {...} {...}`
doifdocumentfilenameelse	`\doifdocumentfilenameelse {...} {...} {...}`
doifdocumentvariable	`\doifdocumentvariable {...} {...}`
doifdocumentvariableelse	`\doifdocumentvariableelse {...} {...} {...}`
doifdrawingblackelse	`\doifdrawingblackelse {...} {...}`
doifelse	`\doifelse {...} {...} {...} {...}`
doifelseallcommon	`\doifelseallcommon {...} {...} {...} {...}`
doifelsealldefined	`\doifelsealldefined {...} {...} {...}`
doifelseallmodes	`\doifelseallmodes {...} {...} {...}`
doifelseassignment	`\doifelseassignment {...} {...} {...}`
doifelseassignmentcs	`\doifelseassignmentcs {...} \... \...`
doifelseblack	`\doifelseblack {...} {...} {...}`
doifelsebox	`\doifelsebox {...} {...} {...} {...}`
doifelseboxincache	`\doifelseboxincache {...} {...} {...} {...}`
doifelsebuffer	`\doifelsebuffer {...} {...} {...}`
doifelsecolor	`\doifelsecolor {...} {...} {...}`
doifelsecommandhandler	`\doifelsecommandhandler \... {...} {...} {...}`
doifelsecommon	`\doifelsecommon {...} {...} {...} {...}`
doifelseconversiondefined	`\doifelseconversiondefined {...} {...} {...}`
doifelseconversionnumber	`\doifelseconversionnumber {...} {...} {...} {...}`
doifelsecounter	`\doifelsecounter {...} {...} {...}`
doifelsecurrentfonthasfeature	`\doifelsecurrentfonthasfeature {...} {...} {...}`
doifelsecurrentsortingused	`\doifelsecurrentsortingused {...} {...}`
doifelsecurrentsynonymshown	`\doifelsecurrentsynonymshown {...} {...}`
doifelsecurrentsynonymused	`\doifelsecurrentsynonymused {...} {...}`
doifelsedefined	`\doifelsedefined {...} {...} {...}`
doifelsedefinedcounter	`\doifelsedefinedcounter {...} {...} {...}`
doifelsedimension	`\doifelsedimension {...} {...} {...}`
doifelsedimenstring	`\doifelsedimenstring {...} {...} {...}`
doifelsedocumentargument	`\doifelsedocumentargument {...} {...} {...}`
doifelsedocumentfilename	`\doifelsedocumentfilename {...} {...} {...}`
doifelsedocumentvariable	`\doifelsedocumentvariable {...} {...} {...}`
doifelsedrawingblack	`\doifelsedrawingblack {...} {...}`
doifelseempty	`\doifelseempty {...} {...} {...}`
doifelseemptyvalue	`\doifelseemptyvalue {...} {...} {...}`
doifelseemptyvariable	`\doifelseemptyvariable {...} {...} {...} {...}`
doifelseenv	`\doifelseenv {...} {...} {...}`
doifelsefastoptionalcheck	`\doifelsefastoptionalcheck {...} {...}`
doifelsefastoptionalcheckcs	`\doifelsefastoptionalcheckcs \... \...`
doifelsefieldbody	`\doifelsefieldbody {...} {...} {...}`
doifelsefieldcategory	`\doifelsefieldcategory {...} {...} {...}`
doifelsefigure	`\doifelsefigure {...} {...} {...}`
doifelsefile	`\doifelsefile {...} {...} {...}`
doifelsefiledefined	`\doifelsefiledefined {...} {...} {...}`
doifelsefileexists	`\doifelsefileexists {...} {...} {...}`
doifelsefirstchar	`\doifelsefirstchar {...} {...} {...} {...}`
doifelseflagged	`\doifelseflagged {...} {...} {...}`
doifelsefontchar	`\doifelsefontchar {...} {...} {...} {...}`
doifelsefontfeature	`\doifelsefontfeature {...} {...} {...}`
doifelsefontpresent	`\doifelsefontpresent {...} {...} {...}`
doifelsefontsynonym	`\doifelsefontsynonym {...} {...} {...}`
doifelseframed	`\doifelseframed \... {...} {...}`
doifelsehasspace	`\doifelsehasspace {...} {...} {...}`
doifelsehelp	`\doifelsehelp {...} {...}`
doifelseincsname	`\doifelseincsname {...} {...} {...} {...}`
doifelseinelement	`\doifelseinelement {...} {...} {...}`
doifelseinputfile	`\doifelseinputfile {...} {...} {...}`
doifelseinsertion	`\doifelseinsertion {...} {...} {...}`
doifelseinset	`\doifelseinset {...} {...} {...} {...}`
doifelseinstring	`\doifelseinstring {...} {...} {...} {...}`
doifelseinsymbolset	`\doifelseinsymbolset {...} {...} {...} {...}`
doifelseintoks	`\doifelseintoks {...} {...} {...} {...}`
doifelseintwopassdata	`\doifelseintwopassdata {...} {...} {...} {...}`
doifelseitalic	`\doifelseitalic {...} {...}`
doifelselanguage	`\doifelselanguage {...} {...} {...}`
doifelselayerdata	`\doifelselayerdata {...} {...} {...}`
doifelselayoutdefined	`\doifelselayoutdefined {...} {...} {...}`
doifelselayoutsomeline	`\doifelselayoutsomeline {...} {...} {...}`
doifelselayouttextline	`\doifelselayouttextline {...} {...} {...}`
doifelseleapyear	`\doifelseleapyear {...} {...} {...}`
doifelselist	`\doifelselist {...} {...} {...}`
doifelselocation	`\doifelselocation {...} {...}`

doifelselocfile	`\doifelselocfile {...} {...} {...}`
doifelseMPgraphic	`\doifelseMPgraphic {...} {...} {...}`
doifelsemainfloatbody	`\doifelsemainfloatbody {...} {...}`
doifelsemarkedpage	`\doifelsemarkedpage {...} {...} {...}`
doifelsemarking	`\doifelsemarking {...} {...} {...}`
doifelsemeaning	`\doifelsemeaning \... \... {...} {...}`
doifelsemessage	`\doifelsemessage {...} {...} {...} {...}`
doifelsemode	`\doifelsemode {...} {...} {...}`
doifelsenextbgroup	`\doifelsenextbgroup {...} {...}`
doifelsenextbgroupcs	`\doifelsenextbgroupcs \... \...`
doifelsenextchar	`\doifelsenextchar {...} {...} {...}`
doifelsenextoptional	`\doifelsenextoptional {...} {...}`
doifelsenextoptionalcs	`\doifelsenextoptionalcs \... \...`
doifelsenextparenthesis	`\doifelsenextparenthesis {...} {...}`
doifelsenonzeropositive	`\doifelsenonzeropositive {...} {...} {...}`
doifelsenoteonsamepage	`\doifelsenoteonsamepage {...} {...} {...}`
doifelsenothing	`\doifelsenothing {...} {...} {...}`
doifelsenumber	`\doifelsenumber {...} {...} {...}`
doifelseobjectfound	`\doifelseobjectfound {...} {...} {...} {...}`
doifelseobjectreferencefound	`\doifelseobjectreferencefound {...} {...} {...} {...}`
doifelseoddpage	`\doifelseoddpage {...} {...}`
doifelseoddpagefloat	`\doifelseoddpagefloat {...} {...}`
doifelseoldercontext	`\doifelseoldercontext {...} {...} {...}`
doifelseolderversion	`\doifelseolderversion {...} {...} {...} {...}`
doifelseoverlapping	`\doifelseoverlapping {...} {...} {...} {...}`
doifelseoverlay	`\doifelseoverlay {...} {...} {...}`
doifelseparallel	`\doifelseparallel {...} {...} {...} {...}`
doifelseparentfile	`\doifelseparentfile {...} {...} {...}`
doifelsepath	`\doifelsepath {...} {...} {...}`
doifelsepathexists	`\doifelsepathexists {...} {...} {...}`
doifelsepatterns	`\doifelsepatterns {...} {...} {...}`
doifelseposition	`\doifelseposition {...} {...} {...}`
doifelsepositionaction	`\doifelsepositionaction {...} {...} {...}`
doifelsepositiononpage	`\doifelsepositiononpage {...} {...} {...} {...}`
doifelsepositionsonsamepage	`\doifelsepositionsonsamepage {...} {...} {...}`
doifelsepositionsonthispage	`\doifelsepositionsonthispage {...} {...} {...}`
doifelsepositionsused	`\doifelsepositionsused {...} {...}`
doifelsereferencefound	`\doifelsereferencefound {...} {...} {...}`
doifelserightpage	`\doifelserightpage {...} {...}`
doifelserightpagefloat	`\doifelserightpagefloat {...} {...}`
doifelserighttoleftinbox	`\doifelserighttoleftinbox ... {...} {...}`
doifelsesamelinereference	`\doifelsesamelinereference {...} {...} {...}`
doifelsesamestring	`\doifelsesamestring {...} {...} {...} {...}`
doifelsesetups	`\doifelsesetups {...} {...} {...}`
doifelsesomebackground	`\doifelsesomebackground {...} {...} {...}`
doifelsesomespace	`\doifelsesomespace {...} {...} {...}`
doifelsesomething	`\doifelsesomething {...} {...} {...}`
doifelsesometoks	`\doifelsesometoks \... {...} {...}`
doifelsestringinstring	`\doifelsestringinstring {...} {...} {...} {...}`
doifelsestructurelisthasnumber	`\doifelsestructurelisthasnumber {...} {...}`
doifelsestructurelisthaspage	`\doifelsestructurelisthaspage {...} {...}`
doifelsesymboldefined	`\doifelsesymboldefined {...} {...} {...}`
doifelsesymbolset	`\doifelsesymbolset {...} {...} {...}`
doifelsetext	`\doifelsetext {...} {...} {...}`
doifelsetextflow	`\doifelsetextflow {...} {...} {...}`
doifelsetextflowcollector	`\doifelsetextflowcollector {...} {...} {...}`
doifelsetopofpage	`\doifelsetopofpage {...} {...}`
doifelsetypingfile	`\doifelsetypingfile {...} {...} {...}`
doifelseundefined	`\doifelseundefined {...} {...} {...}`
doifelseurldefined	`\doifelseurldefined {...} {...} {...}`
doifelsevalue	`\doifelsevalue {...} {...} {...} {...}`
doifelsevaluenothing	`\doifelsevaluenothing {...} {...} {...}`
doifelsevariable	`\doifelsevariable {...} {...} {...} {...}`
doifempty	`\doifempty {...} {...}`
doifemptyelse	`\doifemptyelse {...} {...} {...}`
doifemptytoks	`\doifemptytoks \... {...}`
doifemptyvalue	`\doifemptyvalue {...} {...}`
doifemptyvalueelse	`\doifemptyvalueelse {...} {...} {...}`
doifemptyvariable	`\doifemptyvariable {...} {...} {...}`
doifemptyvariableelse	`\doifemptyvariableelse {...} {...} {...} {...}`
doifenv	`\doifenv {...} {...}`
doifenvelse	`\doifenvelse {...} {...} {...}`

```
doiffastoptionalcheckcselse          \doiffastoptionalcheckcselse \... \...
doiffastoptionalcheckelse            \doiffastoptionalcheckelse {...} {...}
doiffieldbodyelse                    \doiffieldbodyelse {...} {...} {...}
doiffieldcategoryelse                \doiffieldcategoryelse {...} {...} {...}
doiffigureelse                       \doiffigureelse {...} {...} {...}
doiffile                             \doiffile {...} {...}
doiffiledefinedelse                  \doiffiledefinedelse {...} {...} {...}
doiffileelse                         \doiffileelse {...} {...} {...}
doiffileexistselse                   \doiffileexistselse {...} {...} {...}
doiffirstcharelse                    \doiffirstcharelse {...} {...} {...} {...}
doifflaggedelse                      \doifflaggedelse {...} {...} {...}
doiffontcharelse                     \doiffontcharelse {...} {...} {...} {...}
doiffontfeatureelse                  \doiffontfeatureelse {...} {...} {...}
doiffontpresentelse                  \doiffontpresentelse {...} {...} {...}
doiffontsynonymelse                  \doiffontsynonymelse {...} {...} {...}
doifhasspaceelse                     \doifhasspaceelse {...} {...} {...}
doifhelpelse                         \doifhelpelse {...} {...}
doifincsnameelse                     \doifincsnameelse {...} {...} {...} {...}
doifinelementelse                    \doifinelementelse {...} {...} {...}
doifinputfileelse                    \doifinputfileelse {...} {...} {...}
doifinsertionelse                    \doifinsertionelse {...} {...} {...}
doifinset                            \doifinset {...} {...} {...}
doifinsetelse                        \doifinsetelse {...} {...} {...} {...}
doifinstring                         \doifinstring {...} {...} {...}
doifinstringelse                     \doifinstringelse {...} {...} {...} {...}
doifinsymbolset                      \doifinsymbolset {...} {...} {...} {...}
doifinsymbolsetelse                  \doifinsymbolsetelse {...} {...} {...} {...}
doifintokselse                       \doifintokselse {...} {...} {...} {...}
doifintwopassdataelse                \doifintwopassdataelse {...} {...} {...} {...}
doifitalicelse                       \doifitalicelse {...} {...}
doiflanguageelse                     \doiflanguageelse {...} {...} {...}
doiflayerdataelse                    \doiflayerdataelse {...} {...} {...}
doiflayoutdefinedelse                \doiflayoutdefinedelse {...} {...} {...}
doiflayoutsomelineelse               \doiflayoutsomelineelse {...} {...} {...}
doiflayouttextlineelse               \doiflayouttextlineelse {...} {...} {...}
doifleapyearelse                     \doifleapyearelse {...} {...} {...}
doiflistelse                         \doiflistelse {...} {...} {...}
doiflocationelse                     \doiflocationelse {...} {...}
doiflocfileelse                      \doiflocfileelse {...} {...} {...}
doifMPgraphicelse                    \doifMPgraphicelse {...} {...} {...}
doifmainfloatbodyelse                \doifmainfloatbodyelse {...} {...}
doifmarkingelse                      \doifmarkingelse {...} {...} {...}
doifmeaningelse                      \doifmeaningelse \... \... {...} {...}
doifmessageelse                      \doifmessageelse {...} {...} {...} {...}
doifmode                             \doifmode {...} {...}
doifmodeelse                         \doifmodeelse {...} {...} {...}
doifnextbgroupcselse                 \doifnextbgroupcselse \... \...
doifnextbgroupelse                   \doifnextbgroupelse {...} {...}
doifnextcharelse                     \doifnextcharelse {...} {...} {...}
doifnextoptionalcselse               \doifnextoptionalcselse \... \...
doifnextoptionalelse                 \doifnextoptionalelse {...} {...}
doifnextparenthesiselse              \doifnextparenthesiselse {...} {...}
doifnonzeropositiveelse              \doifnonzeropositiveelse {...} {...} {...}
doifnot                              \doifnot {...} {...} {...}
doifnotallcommon                     \doifnotallcommon {...} {...} {...}
doifnotallmodes                      \doifnotallmodes {...} {...} {...}
doifnotcommandhandler                \doifnotcommandhandler \... {...} {...}
doifnotcommon                        \doifnotcommon {...} {...} {...}
doifnotcounter                       \doifnotcounter {...} {...}
doifnotdocumentargument              \doifnotdocumentargument {...} {...}
doifnotdocumentfilename              \doifnotdocumentfilename {...} {...}
doifnotdocumentvariable              \doifnotdocumentvariable {...} {...}
doifnotempty                         \doifnotempty {...} {...}
doifnotemptyvalue                    \doifnotemptyvalue {...} {...}
doifnotemptyvariable                 \doifnotemptyvariable {...} {...} {...}
doifnotenv                           \doifnotenv {...} {...}
doifnoteonsamepageelse               \doifnoteonsamepageelse {...} {...} {...}
doifnotescollected                   \doifnotescollected {...} {...}
doifnotfile                          \doifnotfile {...} {...}
doifnotflagged                       \doifnotflagged {...} {...}
doifnothing                          \doifnothing {...} {...}
doifnothingelse                      \doifnothingelse {...} {...} {...}
```

```
doifnotinset                          \doifnotinset {...} {...} {...}
doifnotinsidesplitfloat               \doifnotinsidesplitfloat {...}
doifnotinstring                       \doifnotinstring {...} {...} {...}
doifnotmode                           \doifnotmode {...} {...}
doifnotnumber                         \doifnotnumber {...} {...}
doifnotsamestring                     \doifnotsamestring {...} {...} {...}
doifnotsetups                         \doifnotsetups {...} {...}
doifnotvalue                          \doifnotvalue {...} {...} {...}
doifnotvariable                       \doifnotvariable {...} {...} {...}
doifnumber                            \doifnumber {...} {...}
doifnumberelse                        \doifnumberelse {...} {...} {...}
doifobjectfoundelse                   \doifobjectfoundelse {...} {...} {...} {...}
doifobjectreferencefoundelse          \doifobjectreferencefoundelse {...} {...} {...} {...}
doifoddpageelse                       \doifoddpageelse {...} {...}
doifoddpagefloatelse                  \doifoddpagefloatelse {...} {...}
doifoldercontextelse                  \doifoldercontextelse {...} {...} {...}
doifolderversionelse                  \doifolderversionelse {...} {...} {...} {...}
doifoverlappingelse                   \doifoverlappingelse {...} {...} {...} {...}
doifoverlayelse                       \doifoverlayelse {...} {...} {...}
doifparallelelse                      \doifparallelelse {...} {...} {...} {...}
doifparentfileelse                    \doifparentfileelse {...} {...} {...}
doifpathelse                          \doifpathelse {...} {...} {...}
doifpathexistselse                    \doifpathexistselse {...} {...} {...}
doifpatternselse                      \doifpatternselse {...} {...} {...}
doifposition                          \doifposition {...} {...} {...}
doifpositionaction                    \doifpositionaction {...} {...} {...}
doifpositionactionelse                \doifpositionactionelse {...} {...} {...}
doifpositionelse                      \doifpositionelse {...} {...} {...}
doifpositiononpageelse                \doifpositiononpageelse {...} {...} {...} {...}
doifpositionsonsamepageelse           \doifpositionsonsamepageelse {...} {...} {...}
doifpositionsonthispageelse           \doifpositionsonthispageelse {...} {...} {...}
doifpositionsusedelse                 \doifpositionsusedelse {...} {...}
doifreferencefoundelse                \doifreferencefoundelse {...} {...} {...}
doifrightpagefloatelse                \doifrightpagefloatelse {...} {...}
doifrighttoleftinboxelse              \doifrighttoleftinboxelse ... {...} {...}
doifsamelinereferenceelse             \doifsamelinereferenceelse {...} {...} {...}
doifsamestring                        \doifsamestring {...} {...} {...}
doifsamestringelse                    \doifsamestringelse {...} {...} {...} {...}
doifsetups                            \doifsetups {...} {...}
doifsetupselse                        \doifsetupselse {...} {...} {...}
doifsomebackground                    \doifsomebackground {...} {...} {...}
doifsomebackgroundelse                \doifsomebackgroundelse {...} {...} {...}
doifsomespaceelse                     \doifsomespaceelse {...} {...} {...}
doifsomething                         \doifsomething {...} {...}
doifsomethingelse                     \doifsomethingelse {...} {...} {...}
doifsometoks                          \doifsometoks \... {...}
doifsometokselse                      \doifsometokselse \... {...} {...}
doifstringinstringelse                \doifstringinstringelse {...} {...} {...} {...}
doifstructurelisthasnumberelse        \doifstructurelisthasnumberelse {...} {...}
doifstructurelisthaspageelse          \doifstructurelisthaspageelse {...} {...}
doifsymboldefinedelse                 \doifsymboldefinedelse {...} {...} {...}
doifsymbolsetelse                     \doifsymbolsetelse {...} {...} {...}
doiftext                              \doiftext {...} {...} {...}
doiftextelse                          \doiftextelse {...} {...} {...}
doiftextflowcollectorelse             \doiftextflowcollectorelse {...} {...} {...}
doiftextflowelse                      \doiftextflowelse {...} {...} {...}
doiftopofpageelse                     \doiftopofpageelse {...} {...}
doiftypingfileelse                    \doiftypingfileelse {...} {...} {...}
doifundefined                         \doifundefined {...} {...}
doifundefinedcounter                  \doifundefinedcounter {...} {...}
doifundefinedelse                     \doifundefinedelse {...} {...} {...}
doifunknownfontfeature                \doifunknownfontfeature {...} {...} {...}
doifurldefinedelse                    \doifurldefinedelse {...} {...} {...}
doifvalue                             \doifvalue {...} {...} {...}
doifvalueelse                         \doifvalueelse {...} {...} {...} {...}
doifvaluenothing                      \doifvaluenothing {...} {...}
doifvaluenothingelse                  \doifvaluenothingelse {...} {...} {...}
doifvaluesomething                    \doifvaluesomething {...} {...}
doifvariable                          \doifvariable {...} {...} {...}
doifvariableelse                      \doifvariableelse {...} {...} {...} {...}
doindentation                         \doindentation
dollar                                \dollar
```

```
doloop                                  \doloop {...}
doloopoverlist                          \doloopoverlist {...} {...}
donothing                               \donothing
dontconvertfont                         \dontconvertfont
dontleavehmode                          \dontleavehmode
dontpermitspacesbetweengroups           \dontpermitspacesbetweengroups
dopositionaction                        \dopositionaction {...}
doprocesslocalsetups                    \doprocesslocalsetups {...}
doquadrupleargument                     \doquadrupleargument \... [...] [...] [...] [...]
doquadrupleempty                        \doquadrupleempty \... [...] [...] [...] [...]
doquadruplegroupempty                   \doquadruplegroupempty \... {...} {...} {...} {...}
doquintupleargument                     \doquintupleargument \... [...] [...] [...] [...] [...]
doquintupleempty                        \doquintupleempty \... [...] [...] [...] [...] [...]
doquintuplegroupempty                   \doquintuplegroupempty \... {...} {...} {...} {...} {...}
dorechecknextindentation                \dorechecknextindentation
dorecurse                               \dorecurse {...} {...}
dorepeatwithcommand                     \dorepeatwithcommand [...] \...
doreplacefeature                        \doreplacefeature {...}
doresetandafffeature                    \doresetandafffeature {...}
doresetattribute                        \doresetattribute {...}
dorotatebox                             \dorotatebox {...} \... {...}
dosetattribute                          \dosetattribute {...} {...}
dosetleftskipadaption                   \dosetleftskipadaption {...}
dosetrightskipadaption                  \dosetrightskipadaption {...}
dosetupcheckedinterlinespace            \dosetupcheckedinterlinespace {..=..}
dosetupcheckedinterlinespace:argument   \dosetupcheckedinterlinespace {...}
dosetupcheckedinterlinespace:name       \dosetupcheckedinterlinespace {...}
doseventupleargument                    \doseventupleargument \... [...] [...] [...] [...] [...] [...] [...]
doseventupleempty                       \doseventupleempty \... [...] [...] [...] [...] [...] [...] [...]
dosingleargument                        \dosingleargument \... [...]
dosingleempty                           \dosingleempty \... [...]
dosinglegroupempty                      \dosinglegroupempty \... {...}
dosixtupleargument                      \dosixtupleargument \... [...] [...] [...] [...] [...] [...]
dosixtupleempty                         \dosixtupleempty \... [...] [...] [...] [...] [...] [...]
dostarttagged                           \dostarttagged {...} {...} ... \dostoptagged
dostepwiserecurse                       \dostepwiserecurse {...} {...} {...} {...}
dosubtractfeature                       \dosubtractfeature {...}
dotfskip                                \dotfskip {...}
dotoks                                  \dotoks \...
dotripleargument                        \dotripleargument \... [...] [...] [...]
dotripleargumentwithset                 \dotripleargumentwithset \... [...] [...] [...]
dotripleempty                           \dotripleempty \... [...] [...] [...]
dotripleemptywithset                    \dotripleemptywithset \... [...] [...] [...]
dotriplegroupempty                      \dotriplegroupempty \... {...} {...} {...}
doublebond                              \doublebond
dowith                                  \dowith {...} {...}
dowithnextbox                           \dowithnextbox {...} \... {...}
dowithnextboxcontent                    \dowithnextboxcontent {...} {...} \... {...}
dowithnextboxcontentcs                  \dowithnextboxcontentcs \... \... \... {...}
dowithnextboxcs                         \dowithnextboxcs \... \... {...}
dowithpargument                         \dowithpargument \...
dowithrange                             \dowithrange {...} \...
dowithwargument                         \dowithwargument \...
dpofstring                              \dpofstring {...}
droite                                  \droite ...
dummydigit                              \dummydigit
dummyparameter                          \dummyparameter {...}
ETEX                                    \ETEX
EveryLine                               \EveryLine {...}
EveryPar                                \EveryPar {...}
echelle                                 \echelle [...] [..=..] {...}
ecran                                   \ecran [...]
ecritdansliste                          \ecritdansliste [...] [..=..] {...} {...}
ecritentreliste                         \ecritentreliste [...] [..=..] {...}
edefconvertedargument                   \edefconvertedargument \... {...}
efcmaxheight                            \efcmaxheight {...}
efcmaxwidth                             \efcmaxwidth {...}
efcminheight                            \efcminheight {...}
efcminwidth                             \efcminwidth {...}
efcparameter                            \efcparameter {...} {...}
effect                                  \effect [...] {...}
elapsedseconds                          \elapsedseconds
```

```
elapsedtime                            \elapsedtime
element                                \element [...]
elements                               \elements [..=..] {...}
em                                     \em
emphasisboldface                       \emphasisboldface
emphasistypeface                       \emphasistypeface
emptylines                             \emptylines [...]
emspace                                \emspace
enabledirectives                       \enabledirectives [...]
enableexperiments                      \enableexperiments [...]
enablemode                             \enablemode [...]
enableoutputstream                     \enableoutputstream [...]
enableparpositions                     \enableparpositions
enableregime                           \enableregime [...]
enabletrackers                         \enabletrackers [...]
enskip                                 \enskip
enspace                                \enspace
enumeration:example                    \ENUMERATION [...] {...} ... \par
env                                     \env {...}
environement                           \environement [...]
environement:string                    \environement ...
envvar                                 \envvar {...} {...}
epos                                   \epos {...}
equaldigits                            \equaldigits {...}
espace                                 \espace
espacefixe                             \espacefixe
espacesfixes                           \espacesfixes
eTeX                                   \eTeX
etiquette:example                      \ETIQUETTE [...] {...}
etire                                  \etire [..=..] {...}
executeifdefined                       \executeifdefined {...} {...}
exitloop                               \exitloop
exitloopnow                            \exitloopnow
expandcheckedcsname                    \expandcheckedcsname \... {...} {...}
expanded                               \expanded {...}
expandeddoif                           \expandeddoif {...} {...} {...}
expandeddoifelse                       \expandeddoifelse {...} {...} {...} {...}
expandeddoifnot                        \expandeddoifnot {...} {...} {...}
expandfontsynonym                      \expandfontsynonym \... {...}
expdoif                                \expdoif {...} {...} {...}
expdoifcommonelse                      \expdoifcommonelse {...} {...} {...} {...}
expdoifelse                            \expdoifelse {...} {...} {...} {...}
expdoifelsecommon                      \expdoifelsecommon {...} {...} {...} {...}
expdoifelseinset                       \expdoifelseinset {...} {...} {...} {...}
expdoifinsetelse                       \expdoifinsetelse {...} {...} {...} {...}
expdoifnot                             \expdoifnot {...} {...} {...}
externalfigurecollectionmaxheight      \externalfigurecollectionmaxheight {...}
externalfigurecollectionmaxwidth       \externalfigurecollectionmaxwidth {...}
externalfigurecollectionminheight      \externalfigurecollectionminheight {...}
externalfigurecollectionminwidth       \externalfigurecollectionminwidth {...}
externalfigurecollectionparameter      \externalfigurecollectionparameter {...} {...}
faitreference                          \faitreference (...,...) (...,...) [...]
fakebox                                \fakebox ...
fastdecrement                          \fastdecrement \...
fastincrement                          \fastincrement \...
fastlocalframed                        \fastlocalframed [...] [..=..] {...}
fastloopfinal                          \fastloopfinal
fastloopindex                          \fastloopindex
fastscale                              \fastscale {...} {...}
fastsetup                              \fastsetup {...}
fastsetupwithargument                  \fastsetupwithargument {...} {...}
fastsetupwithargumentswapped           \fastsetupwithargumentswapped {...} {...}
fastswitchtobodyfont                   \fastswitchtobodyfont {...}
fastsxsy                               \fastsxsy {...} {...} {...}
feature                                \feature [...] [...]
feature:direct                         \feature {...} {...}
fence                                  \fence
fenced                                 \fenced [...] {...}
fence:example                          \FENCE {...}
fetchallmarkings                       \fetchallmarkings [...] [...]
fetchallmarks                          \fetchallmarks [...]
fetchmark                              \fetchmark [...] [...]
```

```
fetchmarking                          \fetchmarking [...] [...] [...]
fetchonemark                          \fetchonemark [...] [...]
fetchonemarking                       \fetchonemarking [...] [...] [...]
fetchruntinecommand                   \fetchruntinecommand \... {...}
fetchtwomarkings                      \fetchtwomarkings [...] [...]
fetchtwomarks                         \fetchtwomarks [...]
fichierdactylo                        \fichierdactylo [...] [..=..] {...}
fieldbody                             \fieldbody [...] [..=..]
fifthoffivearguments                  \fifthoffivearguments {...} {...} {...} {...} {...}
fifthofsixarguments                   \fifthofsixarguments {...} {...} {...} {...} {...} {...}
figureexterne                         \figureexterne [...] [...] [..=..]
figurefilename                        \figurefilename
figurefilepath                        \figurefilepath
figurefiletype                        \figurefiletype
figurefullname                        \figurefullname
figureheight                          \figureheight
figurenaturalheight                   \figurenaturalheight
figurenaturalwidth                    \figurenaturalwidth
figuresymbol                          \figuresymbol [...] [..=..]
figurewidth                           \figurewidth
filename                              \filename {...}
filledhboxb                           \filledhboxb ... {...}
filledhboxc                           \filledhboxc ... {...}
filledhboxg                           \filledhboxg ... {...}
filledhboxk                           \filledhboxk ... {...}
filledhboxm                           \filledhboxm ... {...}
filledhboxr                           \filledhboxr ... {...}
filledhboxy                           \filledhboxy ... {...}
filler                                \filler [...]
fillupto                              \fillupto [...] {...}
filterfromnext                        \filterfromnext {...} {...} {...} {...} {...} {...} {...}
filterfromvalue                       \filterfromvalue {...} {...} {...}   OPT      OPT       OPT       OPT       OPT
filterpages                           \filterpages [...] [...] [..=..]
filterreference                       \filterreference {...}
findtwopassdata                       \findtwopassdata {...} {...}
finishregisterentry                   \finishregisterentry [...] [..=..] [..=..]
firstcharacter                        \firstcharacter
firstcounter                          \firstcounter [...] [...]
firstcountervalue                     \firstcountervalue [...]
firstinlist                           \firstinlist [...]
firstoffivearguments                  \firstoffivearguments {...} {...} {...} {...} {...}
firstoffourarguments                  \firstoffourarguments {...} {...} {...} {...}
firstofoneargument                    \firstofoneargument {...}
firstofoneunexpanded                  \firstofoneunexpanded {...}
firstofsixarguments                   \firstofsixarguments {...} {...} {...} {...} {...} {...}
firstofthreearguments                 \firstofthreearguments {...} {...} {...}
firstofthreeunexpanded                \firstofthreeunexpanded {...} {...} {...}
firstoftwoarguments                   \firstoftwoarguments {...} {...}
firstoftwounexpanded                  \firstoftwounexpanded {...} {...}
firstrealpage                         \firstrealpage
firstrealpagenumber                   \firstrealpagenumber
firstsubcountervalue                  \firstsubcountervalue [...] [...]
firstsubpagenumber                    \firstsubpagenumber
firstuserpage                         \firstuserpage
firstuserpagenumber                   \firstuserpagenumber
fitfieldframed                        \fitfieldframed [..=..] {...}
fittopbaselinegrid                    \fittopbaselinegrid {...}
flag                                  \flag {...}
floatuserdataparameter                \floatuserdataparameter {...}
flushbox                              \flushbox {...} {...}
flushboxregister                      \flushboxregister ...
flushcollector                        \flushcollector [...]
flushedrightlastline                  \flushedrightlastline
flushlayer                            \flushlayer [...]
flushlocalfloats                      \flushlocalfloats
flushnextbox                          \flushnextbox
flushnotes                            \flushnotes
flushoutputstream                     \flushoutputstream [...]
flushshapebox                         \flushshapebox
flushtextflow                         \flushtextflow {...}
flushtokens                           \flushtokens [...]
flushtoks                             \flushtoks \...
```

fontalternative	\fontalternative
fontbody	\fontbody
fontchar	\fontchar {...}
fontcharbyindex	\fontcharbyindex {...}
fontclass	\fontclass
fontclassname	\fontclassname {...} {...}
fontface	\fontface
fontfeaturelist	\fontfeaturelist [...] [...]
fontsize	\fontsize
fontstyle	\fontstyle
forcecharacterstripping	\forcecharacterstripping
forcelocalfloats	\forcelocalfloats
forgeteverypar	\forgeteverypar
forgetparameters	\forgetparameters [...] [..=..]
forgetparskip	\forgetparskip
forgetragged	\forgetragged
formule	\formule [...] {...}
foundbox	\foundbox {...} {...}
fourthoffivearguments	\fourthoffivearguments {...} {...} {...} {...} {...}
fourthoffourarguments	\fourthoffourarguments {...} {...} {...} {...}
fourthofsixarguments	\fourthofsixarguments {...} {...} {...} {...} {...} {...}
fraction:instance	\FRACTION {...} {...}
fraction:instance:binom	\binom {...} {...}
fraction:instance:dbinom	\dbinom {...} {...}
fraction:instance:dfrac	\dfrac {...} {...}
fraction:instance:frac	\frac {...} {...}
fraction:instance:sfrac	\sfrac {...} {...}
fraction:instance:tbinom	\tbinom {...} {...}
fraction:instance:xfrac	\xfrac {...} {...}
fraction:instance:xxfrac	\xxfrac {...} {...}
framed	\framed [..=..] {...}
frameddimension	\frameddimension {...}
framedparameter	\framedparameter {...}
framed:instance	\FRAMED [..=..] {...}
framed:instance:fitfieldframed	\fitfieldframed [..=..] {...}
framed:instance:unframed	\unframed [..=..] {...}
freezedimenmacro	\freezedimenmacro \... \...
freezemeasure	\freezemeasure [...] [...]
frenchspacing	\frenchspacing
fromlinenote	\fromlinenote [...] {...}
frozenhbox	\frozenhbox {...}
frule	\frule ... \relax
GetPar	\GetPar
GotoPar	\GotoPar
Greeknumerals	\Greeknumerals {...}
gardeblocs	\gardeblocs [...] [...]
gauche	\gauche ...
gdefconvertedargument	\gdefconvertedargument \... {...}
gdefconvertedcommand	\gdefconvertedcommand \... \...
getboxfromcache	\getboxfromcache {...} {...} ...
getboxllx	\getboxllx ...
getboxlly	\getboxlly ...
getbufferdata	\getbufferdata [...]
getcommacommandsize	\getcommacommandsize [...]
getcommalistsize	\getcommalistsize [...]
getdayoftheweek	\getdayoftheweek {...} {...} {...}
getdayspermonth	\getdayspermonth {...} {...}
getdefinedbuffer	\getdefinedbuffer [...]
getdocumentargument	\getdocumentargument {...}
getdocumentargumentdefault	\getdocumentargumentdefault {...} {...}
getdocumentfilename	\getdocumentfilename {...}
getdummyparameters	\getdummyparameters [..=..]
getemptyparameters	\getemptyparameters [...] [..=..]
geteparameters	\geteparameters [...] [..=..]
getexpandedparameters	\getexpandedparameters [...] [..=..]
getfiguredimensions	\getfiguredimensions [...] [..=..]
getfirstcharacter	\getfirstcharacter {...}
getfirsttwopassdata	\getfirsttwopassdata {...}
getfromcommacommand	\getfromcommacommand [...] [...]
getfromcommalist	\getfromcommalist [...] [...]
getfromtwopassdata	\getfromtwopassdata {...} {...}
getglyphdirect	\getglyphdirect {...} {...}

getglyphstyled	`\getglyphstyled {...} {...}`
getgparameters	`\getgparameters [...] [..=..]`
getinlineuserdata	`\getinlineuserdata`
getlasttwopassdata	`\getlasttwopassdata {...}`
getlocalfloat	`\getlocalfloat {...}`
getlocalfloats	`\getlocalfloats`
getMPdrawing	`\getMPdrawing`
getMPlayer	`\getMPlayer [...] [..=..] {...}`
getmessage	`\getmessage {...} {...}`
getnamedglyphdirect	`\getnamedglyphdirect {...} {...}`
getnamedglyphstyled	`\getnamedglyphstyled {...} {...}`
getnamedtwopassdatalist	`\getnamedtwopassdatalist \... {...}`
getnaturaldimensions	`\getnaturaldimensions ...`
getnoflines	`\getnoflines {...}`
getobject	`\getobject {...} {...}`
getobjectdimensions	`\getobjectdimensions {...} {...}`
getpaletsize	`\getpaletsize [...]`
getparameters	`\getparameters [...] [..=..]`
getprivatechar	`\getprivatechar {...}`
getprivateslot	`\getprivateslot {...}`
getrandomcount	`\getrandomcount \... {...} {...}`
getrandomdimen	`\getrandomdimen \... {...} {...}`
getrandomfloat	`\getrandomfloat \... {...} {...}`
getrandomnumber	`\getrandomnumber \... {...} {...}`
getrandomseed	`\getrandomseed \...`
getraweparameters	`\getraweparameters [...] [..=..]`
getrawgparameters	`\getrawgparameters [...] [..=..]`
getrawnoflines	`\getrawnoflines {...}`
getrawparameters	`\getrawparameters [...] [..=..]`
getrawxparameters	`\getrawxparameters [...] [..=..]`
getreference	`\getreference [...] [...]`
getreferenceentry	`\getreferenceentry {...}`
getroundednoflines	`\getroundednoflines {...}`
getsubstring	`\getsubstring {...} {...} {...}`
gettokenlist	`\gettokenlist [...]`
gettwopassdata	`\gettwopassdata {...}`
gettwopassdatalist	`\gettwopassdatalist {...}`
getuserdata	`\getuserdata`
getuvalue	`\getuvalue {...}`
getvalue	`\getvalue {...}`
getvariable	`\getvariable {...} {...}`
getvariabledefault	`\getvariabledefault {...} {...} {...}`
getxparameters	`\getxparameters [...] [..=..]`
globaldisablemode	`\globaldisablemode [...]`
globalenablemode	`\globalenablemode [...]`
globalletempty	`\globalletempty \...`
globalpopbox	`\globalpopbox ...`
globalpopmacro	`\globalpopmacro \...`
globalpreventmode	`\globalpreventmode [...]`
globalprocesscommalist	`\globalprocesscommalist [...] \...`
globalpushbox	`\globalpushbox ...`
globalpushmacro	`\globalpushmacro \...`
globalpushreferenceprefix	`\globalpushreferenceprefix {...} ... \globalpopreferenceprefix`
globalswapcounts	`\globalswapcounts \... \...`
globalswapdimens	`\globalswapdimens \... \...`
globalswapmacros	`\globalswapmacros \... \...`
globalundefine	`\globalundefine {...}`
glyphfontfile	`\glyphfontfile {...}`
gobbledoubleempty	`\gobbledoubleempty [...] [...]`
gobbleeightarguments	`\gobbleeightarguments {...} {...} {...} {...} {...} {...} {...} {...}`
gobblefivearguments	`\gobblefivearguments {...} {...} {...} {...} {...}`
gobblefiveoptionals	`\gobblefiveoptionals [...] [...] [...] [...] [...]`
gobblefourarguments	`\gobblefourarguments {...} {...} {...} {...}`
gobblefouroptionals	`\gobblefouroptionals [...] [...] [...] [...]`
gobbleninearguments	`\gobbleninearguments {...} {...} {...} {...} {...} {...} {...} {...} {...`
gobbleoneargument	`\gobbleoneargument {...}`
gobbleoneoptional	`\gobbleoneoptional [...]`
gobblesevenarguments	`\gobblesevenarguments {...} {...} {...} {...} {...} {...} {...}`
gobblesingleempty	`\gobblesingleempty [...]`
gobblesixarguments	`\gobblesixarguments {...} {...} {...} {...} {...} {...}`
gobblespacetokens	`\gobblespacetokens`
gobbletenarguments	`\gobbletenarguments {...} {...} {...} {...} {...} {...} {...} {...} {...`

gobblethreearguments	`\gobblethreearguments {...} {...} {...}`
gobblethreeoptionals	`\gobblethreeoptionals [...] [...] [...]`
gobbletwoarguments	`\gobbletwoarguments {...} {...}`
gobbletwooptionals	`\gobbletwooptionals [...] [...]`
gobbleuntil	`\gobbleuntil \...`
gobbleuntilrelax	`\gobbleuntilrelax ... \relax`
grabbufferdata	`\grabbufferdata [...] [...] [...] [...]`
grabbufferdatadirect	`\grabbufferdatadirect {...} {...} {...}`
grabuntil	`\grabuntil {...} \...`
grand	`\grand ...`
grandepolicecorp	`\grandepolicecorp`
gras	`\gras`
grasincline	`\grasincline`
grasinclinepetit	`\grasinclinepetit`
grasitalique	`\grasitalique`
grasitaliquepetit	`\grasitaliquepetit`
graspetit	`\graspetit`
grave	`\grave {...}`
grayvalue	`\grayvalue {...}`
greedysplitstring	`\greedysplitstring ... \at ... \to \... \and \...`
greeknumerals	`\greeknumerals {...}`
grille	`\grille [..=..]`
groupedcommand	`\groupedcommand {...} {...}`
gsetboxllx	`\gsetboxllx ... {...}`
gsetboxlly	`\gsetboxlly ... {...}`
gujaratinumerals	`\gujaratinumerals {...}`
gurmurkhinumerals	`\gurmurkhinumerals {...}`
hairspace	`\hairspace`
halflinestrut	`\halflinestrut`
halfstrut	`\halfstrut`
halfwaybox	`\halfwaybox {...}`
handletokens	`\handletokens ... \with \...`
hash	`\hash`
hat	`\hat {...}`
haut	`\haut {...}`
haut:instance	`\HIGH {...}`
haut:instance:unitshigh	`\unitshigh {...}`
hboxofvbox	`\hboxofvbox ...`
hboxreference	`\hboxreference [...] {...}`
hbox:example	`\hboxBOX {...}`
hdofstring	`\hdofstring {...}`
headhbox	`\headhbox ... {...}`
headnumbercontent	`\headnumbercontent`
headnumberdistance	`\headnumberdistance`
headnumberwidth	`\headnumberwidth`
headreferenceattributes	`\headreferenceattributes`
headsetupspacing	`\headsetupspacing`
headtextcontent	`\headtextcontent`
headtextdistance	`\headtextdistance`
headtextwidth	`\headtextwidth`
headvbox	`\headvbox ... {...}`
headwidth	`\headwidth`
heightanddepthofstring	`\heightanddepthofstring {...}`
heightofstring	`\heightofstring {...}`
heightspanningtext	`\heightspanningtext {...} {...} {...}`
help:instance	`\HELP [...] {...} {...}`
help:instance:helptext	`\helptext [...] {...} {...}`
hglue	`\hglue ...`
hiddencitation	`\hiddencitation [...]`
hiddencite	`\hiddencite [...]`
highlight	`\highlight [...] {...}`
highlight:example	`\HIGHLIGHT {...}`
highordinalstr	`\highordinalstr {...}`
hilo	`\hilo [...] {...} {...}`
himilo	`\himilo {...} {...} {...}`
hl	`\hl [...]`
horizontalgrowingbar	`\horizontalgrowingbar [..=..]`
horizontalpositionbar	`\horizontalpositionbar [..=..]`
hpackbox	`\hpackbox`
hpackedbox	`\hpackedbox`
hphantom	`\hphantom {...}`
hpos	`\hpos {...} {...}`

hsizefraction	\hsizefraction {...} {...}
hsmash	\hsmash {...}
hsmashbox	\hsmashbox ...
hsmashed	\hsmashed {...}
hspace	\hspace [...] [...]
htdpofstring	\htdpofstring {...}
htofstring	\htofstring {...}
hyphen	\hyphen
hyphenatedcoloredword	\hyphenatedcoloredword {...}
hyphenatedfile	\hyphenatedfile {...}
hyphenatedfilename	\hyphenatedfilename {...}
hyphenatedhbox	\hyphenatedhbox {...}
hyphenatedpar	\hyphenatedpar {...}
hyphenatedurl	\hyphenatedurl {...}
hyphenatedword	\hyphenatedword {...}
INRSTEX	\INRSTEX
ibox	\ibox {...}
ifassignment	\ifassignment ... \else ... \fi
iff	\iff
ifinobject	\ifinobject ... \else ... \fi
ifinoutputstream	\ifinoutputstream ... \else ... \fi
ifparameters	\ifparameters ... \else ... \fi
iftrialtypesetting	\iftrialtypesetting ... \else ... \fi
ignoreimplicitspaces	\ignoreimplicitspaces
ignoretagsinexport	\ignoretagsinexport [...]
ignorevalue	\ignorevalue {...}
immediatesavetwopassdata	\immediatesavetwopassdata {...} {...} {...}
impliedby	\impliedby
implies	\implies
incline	\incline
inclinegras	\inclinegras
inclinegraspetit	\inclinegraspetit
inclinepetit	\inclinepetit
includemenu	\includemenu [...]
includeversioninfo	\includeversioninfo {...}
inconnu	\inconnu
incrementcounter	\incrementcounter [...] [...]
incremente	\incremente \...
incrementedcounter	\incrementedcounter [...]
incremente:argument	\incremente (...)
incrementpagenumber	\incrementpagenumber
incrementsubpagenumber	\incrementsubpagenumber
incrementvalue	\incrementvalue {...}
indentation	\indentation
infofont	\infofont
infofontbold	\infofontbold
inframed	\inframed [..=..] {...}
infull	\infull {...}
inheritparameter	\inheritparameter [...] [...] [...]
inhibitblank	\inhibitblank
initializeboxstack	\initializeboxstack {...}
inlinebuffer	\inlinebuffer [...]
inlinedbox	\inlinedbox {...}
inlinemath	\inlinemath {...}
inlinemathematics	\inlinemathematics {...}
inlinemessage	\inlinemessage {...}
inlineordisplaymath	\inlineordisplaymath {...} {...}
inlineprettyprintbuffer	\inlineprettyprintbuffer {...} {...}
inlinerange	\inlinerange [...]
innerflushshapebox	\innerflushshapebox
input	\input {...}
inputfilebarename	\inputfilebarename
inputfilename	\inputfilename
inputfilerealsuffix	\inputfilerealsuffix
inputfilesuffix	\inputfilesuffix
inputgivenfile	\inputgivenfile {...}
input:string	\input ...
insertpages	\insertpages [...] [...] [..=..]
installactionhandler	\installactionhandler {...}
installactivecharacter	\installactivecharacter ...
installanddefineactivecharacter	\installanddefineactivecharacter ... {...}
installattributestack	\installattributestack \...

```
installautocommandhandler              \installautocommandhandler \... {...} \...
installautosetuphandler                \installautosetuphandler \... {...}
installbasicautosetuphandler           \installbasicautosetuphandler \... {...} \...
installbasicparameterhandler           \installbasicparameterhandler \... {...}
installbottomframerenderer             \installbottomframerenderer {...} {...}
installcommandhandler                  \installcommandhandler \... {...} \...
installcorenamespace                   \installcorenamespace {...}
installdefinehandler                   \installdefinehandler \... {...} \...
installdefinitionset                   \installdefinitionset \... {...}
installdefinitionsetmember             \installdefinitionsetmember \... {...} \... {...}
installdirectcommandhandler            \installdirectcommandhandler \... {...}
installdirectparameterhandler          \installdirectparameterhandler \... {...}
installdirectparametersethandler       \installdirectparametersethandler \... {...}
installdirectsetuphandler              \installdirectsetuphandler \... {...}
installdirectstyleandcolorhandler      \installdirectstyleandcolorhandler \... {...}
installelangue                         \installelangue [...] [..=..]
installelangue:name                    \installelangue [...] [...]
installframedautocommandhandler        \installframedautocommandhandler \... {...} \...
installframedcommandhandler            \installframedcommandhandler \... {...} \...
installglobalmacrostack                \installglobalmacrostack \...
installleftframerenderer               \installleftframerenderer {...} {...}
installmacrostack                      \installmacrostack \...
installnamespace                       \installnamespace {...}
installoutputroutine                   \installoutputroutine \... {...}
installpagearrangement                 \installpagearrangement ... {...}
installparameterhandler                \installparameterhandler \... {...}
installparameterhashhandler            \installparameterhashhandler \... {...}
installparametersethandler             \installparametersethandler \... {...}
installparentinjector                  \installparentinjector \... {...}
installrightframerenderer              \installrightframerenderer {...} {...}
installrootparameterhandler            \installrootparameterhandler \... {...}
installsetuphandler                    \installsetuphandler \... {...}
installsetuponlycommandhandler         \installsetuponlycommandhandler \... {...}
installshipoutmethod                   \installshipoutmethod {...} {...}
installsimplecommandhandler            \installsimplecommandhandler \... {...} \...
installsimpleframedcommandhandler      \installsimpleframedcommandhandler \... {...} \...
installstyleandcolorhandler            \installstyleandcolorhandler \... {...}
installswitchcommandhandler            \installswitchcommandhandler \... {...} \...
installswitchsetuphandler              \installswitchsetuphandler \... {...}
installtexdirective                    \installtexdirective {...} {...} {...}
installtextracker                      \installtextracker {...} {...} {...}
installtopframerenderer                \installtopframerenderer {...} {...}
installunitsseparator                  \installunitsseparator {...} {...}
installunitsspace                      \installunitsspace {...} {...}
installversioninfo                     \installversioninfo {...} {...}
integerrounding                        \integerrounding {...}
intertext                              \intertext {...}
invokepageheandler                     \invokepageheandler {...} {...}
italiccorrection                       \italiccorrection
italicface                             \italicface
italique                               \italique
italiquegras                           \italiquegras
italiquegraspetit                      \italiquegraspetit
itemtag                                \itemtag [...]
JOURSEMAINE                            \JOURSEMAINE {...}
jobfilename                            \jobfilename
jobfilesuffix                          \jobfilesuffix
joursemaine                            \joursemaine {...}
kap                                    \kap {...}
keeplinestogether                      \keeplinestogether {...}
keepunwantedspaces                     \keepunwantedspaces
kerncharacters                         \kerncharacters [...] {...}
koreancirclenumerals                   \koreancirclenumerals {...}
koreannumerals                         \koreannumerals {...}
koreannumeralsc                        \koreannumeralsc {...}
koreannumeralsp                        \koreannumeralsp {...}
koreanparentnumerals                   \koreanparentnumerals {...}
LAMSTEX                                \LAMSTEX
LATEX                                  \LATEX
LamSTeX                                \LamSTeX
LaTeX                                  \LaTeX
LUAJITTEX                              \LUAJITTEX
```

```
LUAMETATEX                              \LUAMETATEX
LUATEX                                  \LUATEX
Lua                                     \Lua
LuajitTeX                               \LuajitTeX
LuaMetaTeX                              \LuaMetaTeX
LuaTeX                                  \LuaTeX
labellanguage:instance                  \LABELlangue
labellanguage:instance:btxlabel         \btxlabellangue
labellanguage:instance:head             \headlangue
labellanguage:instance:label            \labellangue
labellanguage:instance:mathlabel        \mathlabellangue
labellanguage:instance:operator         \operatorlangue
labellanguage:instance:prefix           \prefixlangue
labellanguage:instance:suffix           \suffixlangue
labellanguage:instance:taglabel         \taglabellangue
labellanguage:instance:unit             \unitlangue
labeltexte:instance                     \LABELtexte {...}
labeltexte:instance:btxlabel            \btxlabeltexte {...}
labeltexte:instance:head                \headtexte {...}
labeltexte:instance:label               \labeltexte {...}
labeltexte:instance:mathlabel           \mathlabeltexte {...}
labeltexte:instance:operator            \operatortexte {...}
labeltexte:instance:prefix              \prefixtexte {...}
labeltexte:instance:suffix              \suffixtexte {...}
labeltexte:instance:taglabel            \taglabeltexte {...}
labeltexte:instance:unit                \unittexte {...}
labeltexts:instance                     \LABELtexts {...} {...}
labeltexts:instance:head                \headtexts {...} {...}
labeltexts:instance:label               \labeltexts {...} {...}
labeltexts:instance:mathlabel           \mathlabeltexts {...} {...}
languageCharacters                      \languageCharacters {...}
languagecharacters                      \languagecharacters {...}
languagecharwidth                       \languagecharwidth {...}
langue                                  \langue [...]
langueprincipale                        \langueprincipale [...]
langue:example                          \LANGUAGE
largeurligne                            \largeurligne
lastcounter                             \lastcounter [...] [...]
lastcountervalue                        \lastcountervalue [...]
lastdigit                               \lastdigit {...}
lastlinewidth                           \lastlinewidth
lastnaturalboxdp                        \lastnaturalboxdp
lastnaturalboxht                        \lastnaturalboxht
lastnaturalboxwd                        \lastnaturalboxwd
lastpredefinedsymbol                    \lastpredefinedsymbol
lastrealpage                            \lastrealpage
lastrealpagenumber                      \lastrealpagenumber
lastsubcountervalue                     \lastsubcountervalue [...] [...]
lastsubpagenumber                       \lastsubpagenumber
lasttwodigits                           \lasttwodigits {...}
lastuserpage                            \lastuserpage
lastuserpagenumber                      \lastuserpagenumber
lateluacode                             \lateluacode {...}
layeredtext                             \layeredtext [..=..] [..=..] {...} {...}
layerheight                             \layerheight
layerwidth                              \layerwidth
lazysavetaggedtwopassdata               \lazysavetaggedtwopassdata {...} {...} {...} {...}
lazysavetwopassdata                     \lazysavetwopassdata {...} {...} {...}
lbox                                    \lbox ... {...}
leftbottombox                           \leftbottombox {...}
leftbox                                 \leftbox {...}
lefthbox                                \lefthbox {...}
leftlabeltext:instance                  \leftLABELtexte {...}
leftlabeltext:instance:head             \leftheadtexte {...}
leftlabeltext:instance:label            \leftlabeltexte {...}
leftlabeltext:instance:mathlabel        \leftmathlabeltexte {...}
leftline                                \leftline {...}
leftorrighthbox                         \leftorrighthbox ... {...}
leftorrightvbox                         \leftorrightvbox ... {...}
leftorrightvtop                         \leftorrightvtop ... {...}
leftskipadaption                        \leftskipadaption
leftsubguillemot                        \leftsubguillemot
```

```
lefttopbox                      \lefttopbox {...}
lefttoright                     \lefttoright
lefttorighthbox                 \lefttorighthbox ... {...}
lefttorightvbox                 \lefttorightvbox ... {...}
lefttorightvtop                 \lefttorightvtop ... {...}
letbeundefined                  \letbeundefined {...}
letcatcodecommand               \letcatcodecommand \... ... \...
letcscsname                     \letcscsname \... \csname ... \endcsname
letcsnamecs                     \letcsnamecs \csname ... \endcsname \...
letcsnamecsname                 \letcsnamecsname \csname ... \endcsname \csname ... \endcsname
letdummyparameter               \letdummyparameter {...} \...
letempty                        \letempty \...
letgvalue                       \letgvalue {...} \...
letgvalueempty                  \letgvalueempty {...}
letgvaluerelax                  \letgvaluerelax {...}
letterampersand                 \letterampersand
letterat                        \letterat
letterbackslash                 \letterbackslash
letterbar                       \letterbar
letterbgroup                    \letterbgroup
letterclosebrace                \letterclosebrace
lettercolon                     \lettercolon
letterdollar                    \letterdollar
letterdoublequote               \letterdoublequote
letteregroup                    \letteregroup
letterescape                    \letterescape
letterexclamationmark           \letterexclamationmark
letterhash                      \letterhash
letterhat                       \letterhat
letterleftbrace                 \letterleftbrace
letterleftbracket               \letterleftbracket
letterleftparenthesis           \letterleftparenthesis
letterless                      \letterless
lettermore                      \lettermore
letteropenbrace                 \letteropenbrace
letterpercent                   \letterpercent
letterquestionmark              \letterquestionmark
letterrightbrace                \letterrightbrace
letterrightbracket              \letterrightbracket
letterrightparenthesis          \letterrightparenthesis
lettersinglequote               \lettersinglequote
letterslash                     \letterslash
letterspacing                   \letterspacing [...] {...}
lettertilde                     \lettertilde
letterunderscore                \letterunderscore
letvalue                        \letvalue {...} \...
letvalueempty                   \letvalueempty {...}
letvaluerelax                   \letvaluerelax {...}
lfence                          \lfence {...}
lhbox                           \lhbox {...}
ligne                           \ligne {...}
ligneh                          \ligneh
lignenoire                      \lignenoire [..=..]
ligneregleetexte                \ligneregleetexte [...] {...}
lignesnoires                    \lignesnoires [..=..]
limitatefirstline               \limitatefirstline {...} {...} {...}
limitatelines                   \limitatelines {...} {...} {...}
limitatetext                    \limitatetext {...} {...} {...}
limitatetext:list               \limitatetext {...} {...} {...}
linebox                         \linebox {...}
linespanningtext                \linespanningtext {...} {...} {...}
listcitation                    \listcitation [..=..] [...]
listcitation:alternative        \listcitation [...] [...]
listcitation:userdata           \listcitation [..=..] [..=..]
listcite                        \listcite [..=..] [...]
listcite:alternative            \listcite [...] [...]
listcite:userdata               \listcite [..=..] [..=..]
listnamespaces                  \listnamespaces
llap                            \llap {...}
llongueurliste                  \llongueurliste
loadanyfile                     \loadanyfile [...]
loadanyfileonce                 \loadanyfileonce [...]
```

```
loadbtxdefinitionfile                \loadbtxdefinitionfile [...]
loadbtxreplacementfile               \loadbtxreplacementfile [...]
loadcldfile                          \loadcldfile [...]
loadcldfileonce                      \loadcldfileonce [...]
loadfontgoodies                      \loadfontgoodies [...]
loadluafile                          \loadluafile [...]
loadluafileonce                      \loadluafileonce [...]
loadspellchecklist                   \loadspellchecklist [...] [...]
loadtexfile                          \loadtexfile [...]
loadtexfileonce                      \loadtexfileonce [...]
loadtypescriptfile                   \loadtypescriptfile [...]
localframed                          \localframed [...] [..=..] {...}
localframedwithsettings              \localframedwithsettings [...] [..=..] {...}
localhsize                           \localhsize
localpopbox                          \localpopbox ...
localpopmacro                        \localpopmacro \...
localpushbox                         \localpushbox ...
localpushmacro                       \localpushmacro \...
localundefine                        \localundefine {...}
locatedfilepath                      \locatedfilepath
locatefilepath                       \locatefilepath {...}
locfilename                          \locfilename {...}
lomihi                               \lomihi {...} {...} {...}
lowerbox                             \lowerbox {...} \... {...}
lowercased                           \lowercased {...}
lowercasestring                      \lowercasestring ... \to \...
lowerleftdoubleninequote             \lowerleftdoubleninequote
lowerleftsingleninequote             \lowerleftsingleninequote
lowerrightdoubleninequote            \lowerrightdoubleninequote
lowerrightsingleninequote            \lowerrightsingleninequote
lowhigh:instance                     \LOWHIGH [...] {...} {...}
lowmidhigh:instance                  \LOWMIDHIGH {...} {...} {...}
lrtbbox                              \lrtbbox {...} {...} {...} {...} {...}
ltop                                 \ltop ... {...}
ltrhbox                              \ltrhbox ... {...}
ltrvbox                              \ltrvbox ... {...}
ltrvtop                              \ltrvtop ... {...}
luacode                              \luacode {...}
luaconditional                       \luaconditional \...
luaenvironment                       \luaenvironment ...
luaexpanded                          \luaexpanded {...}
luaexpr                              \luaexpr {...}
luafunction                          \luafunction {...}
luajitTeX                            \luajitTeX
luamajorversion                      \luamajorversion
luametaTeX                           \luametaTeX
luaminorversion                      \luaminorversion
luaparameterset                      \luaparameterset {...} {...}
luasetup                             \luasetup {...}
luaTeX                               \luaTeX
luaversion                           \luaversion
METAFONT                             \METAFONT
METAFUN                              \METAFUN
METAPOST                             \METAPOST
MetaFont                             \MetaFont
MetaFun                              \MetaFun
MetaPost                             \MetaPost
MKII                                 \MKII
MKIV                                 \MKIV
MKIX                                 \MKIX
MKVI                                 \MKVI
MKXI                                 \MKXI
MOIS                                 \MOIS {...}
MONTHLONG                            \MONTHLONG {...}
MONTHSHORT                           \MONTHSHORT {...}
MOT                                  \MOT {...}
MOTS                                 \MOTS {...}
Mot                                  \Mot {...}
Mots                                 \Mots {...}
MPanchor                             \MPanchor {...}
MPbetex                              \MPbetex {...}
MPc                                  \MPc {...}
```

```
MPcode                                \MPcode {...} {...}
MPcolor                               \MPcolor {...}
MPcoloronly                           \MPcoloronly {...}
MPcolumn                              \MPcolumn {...}
MPd                                   \MPd {...}
MPdrawing                             \MPdrawing {...}
MPfontsizehskip                       \MPfontsizehskip {...}
MPgetmultipars                        \MPgetmultipars {...} {...}
MPgetmultishape                       \MPgetmultishape {...} {...}
MPgetposboxes                         \MPgetposboxes {...} {...}
MPh                                   \MPh {...}
MPII                                  \MPII
MPIV                                  \MPIV
MPinclusions                          \MPinclusions [...] {...} {...}
MPleftskip                            \MPleftskip {...}
MPll                                  \MPll {...}
MPlr                                  \MPlr {...}
MPls                                  \MPls {...}
MPmenubuttons                         \MPmenubuttons {...}
MPn                                   \MPn {...}
MPoptions                             \MPoptions {...}
MPoverlayanchor                       \MPoverlayanchor {...}
MPp                                   \MPp {...}
MPpage                                \MPpage {...}
MPpardata                             \MPpardata {...}
MPplus                                \MPplus {...} {...} {...}
MPpos                                 \MPpos {...}
MPpositiongraphic                     \MPpositiongraphic {...} {..=..}
MPposset                              \MPposset {...}
MPr                                   \MPr {...}
MPrawvar                              \MPrawvar {...} {...}
MPregion                             \MPregion {...}
MPrest                               \MPrest {...} {...}
MPrightskip                           \MPrightskip {...}
MPrs                                  \MPrs {...}
MPstring                              \MPstring {...}
MPtext                                \MPtext {...}
MPtransparency                        \MPtransparency {...}
MPul                                  \MPul {...}
MPur                                  \MPur {...}
MPVI                                  \MPVI
MPv                                   \MPv {...} {...} {...}
MPvar                                 \MPvar {...}
MPvariable                            \MPvariable {...}
MPvv                                  \MPvv {...} {...}
MPw                                   \MPw {...}
MPwhd                                 \MPwhd {...}
MPx                                   \MPx {...}
MPxy                                  \MPxy {...}
MPxywhd                               \MPxywhd {...}
MPy                                   \MPy {...}
m                                     \m [...] {...}
makecharacteractive                   \makecharacteractive ...
makerawcommalist                      \makerawcommalist [...] \...
makestrutofbox                        \makestrutofbox ...
manuscript                            \manuscript
mapfontsize                           \mapfontsize [...] [...]
margindata                            \margindata [...] [..=..] [..=..] {...}
margindata:instance                   \MARGINDATA [..=..] [..=..] {...}
margindata:instance:atleftmargin      \atleftmargin [..=..] [..=..] {...}
margindata:instance:atrightmargin     \atrightmargin [..=..] [..=..] {...}
margindata:instance:ininner           \ininner [..=..] [..=..] {...}
margindata:instance:ininneredge       \ininneredge [..=..] [..=..] {...}
margindata:instance:ininnermargin     \ininnermargin [..=..] [..=..] {...}
margindata:instance:inleft            \inleft [..=..] [..=..] {...}
margindata:instance:inleftedge        \inleftedge [..=..] [..=..] {...}
margindata:instance:inleftmargin      \inleftmargin [..=..] [..=..] {...}
margindata:instance:inmargin          \inmargin [..=..] [..=..] {...}
margindata:instance:inother           \inother [..=..] [..=..] {...}
margindata:instance:inouter           \inouter [..=..] [..=..] {...}
margindata:instance:inouteredge       \inouteredge [..=..] [..=..] {...}
margindata:instance:inoutermargin     \inoutermargin [..=..] [..=..] {...}
```

margindata:instance:inright	\inright [..=..] [..=..] {...}
margindata:instance:inrightedge	\inrightedge [..=..] [..=..] {...}
margindata:instance:inrightmargin	\inrightmargin [..=..] [..=..] {...}
margindata:instance:margintext	\margintext [..=..] [..=..] {...}
markcontent	\markcontent [...] {...}
markedpages	\markedpages [...]
markinjector	\markinjector [...]
markpage	\markpage [...] [...]
marquage	\marquage (...,...) (...,...) [...]
marquepage	\marquepage [...] {...}
mat	\mat {...}
math	\math [...] {...}
mathbf	\mathbf
mathbi	\mathbi
mathblackboard	\mathblackboard
mathbs	\mathbs
mathcommand:example	\MATHCOMMAND {...} {...}
mathdefault	\mathdefault
mathdouble	\mathdouble [...] {...} {...} {...}
mathdoubleextensible:instance	\MATHDOUBLEEXTENSIBLE {...} {...}
mathdoubleextensible:instance:doublebar	\doublebar {...} {...}
mathdoubleextensible:instance:doublebrace	\doublebrace {...} {...}
mathdoubleextensible:instance:doublebracket	\doublebracket {...} {...}
mathdoubleextensible:instance:doubleparent	\doubleparent {...} {...}
mathdoubleextensible:instance:overbarunderbar	\overbarunderbar {...} {...}
mathdoubleextensible:instance:overbraceunderbrace	\overbraceunderbrace {...} {...}
mathdoubleextensible:instance:overbracketunderbracket	\overbracketunderbracket {...} {...}
mathdoubleextensible:instance:overparentunderparent	\overparentunderparent {...} {...}
mathematique	\mathematique [...] {...}
mathematique:assignment	\mathematique [..=..] {...}
mathextensible:instance	\MATHEXTENSIBLE {...} {...}
mathextensible:instance:cleftarrow	\cleftarrow {...} {...}
mathextensible:instance:crightarrow	\crightarrow {...} {...}
mathextensible:instance:crightoverleftarrow	\crightoverleftarrow {...} {...}
mathextensible:instance:eleftarrowfill	\eleftarrowfill {...} {...}
mathextensible:instance:eleftharpoondownfill	\eleftharpoondownfill {...} {...}
mathextensible:instance:eleftharpoonupfill	\eleftharpoonupfill {...} {...}
mathextensible:instance:eleftrightarrowfill	\eleftrightarrowfill {...} {...}
mathextensible:instance:eoverbarfill	\eoverbarfill {...} {...}
mathextensible:instance:eoverbracefill	\eoverbracefill {...} {...}
mathextensible:instance:eoverbracketfill	\eoverbracketfill {...} {...}
mathextensible:instance:eoverparentfill	\eoverparentfill {...} {...}
mathextensible:instance:erightarrowfill	\erightarrowfill {...} {...}
mathextensible:instance:erightharpoondownfill	\erightharpoondownfill {...} {...}
mathextensible:instance:erightharpoonupfill	\erightharpoonupfill {...} {...}
mathextensible:instance:etwoheadrightarrowfill	\etwoheadrightarrowfill {...} {...}
mathextensible:instance:eunderbarfill	\eunderbarfill {...} {...}
mathextensible:instance:eunderbracefill	\eunderbracefill {...} {...}
mathextensible:instance:eunderbracketfill	\eunderbracketfill {...} {...}
mathextensible:instance:eunderparentfill	\eunderparentfill {...} {...}
mathextensible:instance:mequal	\mequal {...} {...}
mathextensible:instance:mhookleftarrow	\mhookleftarrow {...} {...}
mathextensible:instance:mhookrightarrow	\mhookrightarrow {...} {...}
mathextensible:instance:mLeftarrow	\mLeftarrow {...} {...}
mathextensible:instance:mLeftrightarrow	\mLeftrightarrow {...} {...}
mathextensible:instance:mleftarrow	\mleftarrow {...} {...}
mathextensible:instance:mleftharpoondown	\mleftharpoondown {...} {...}
mathextensible:instance:mleftharpoonup	\mleftharpoonup {...} {...}
mathextensible:instance:mleftrightarrow	\mleftrightarrow {...} {...}
mathextensible:instance:mleftrightharpoons	\mleftrightharpoons {...} {...}
mathextensible:instance:mmapsto	\mmapsto {...} {...}
mathextensible:instance:mRightarrow	\mRightarrow {...} {...}
mathextensible:instance:mrel	\mrel {...} {...}
mathextensible:instance:mrightarrow	\mrightarrow {...} {...}
mathextensible:instance:mrightharpoondown	\mrightharpoondown {...} {...}
mathextensible:instance:mrightharpoonup	\mrightharpoonup {...} {...}
mathextensible:instance:mrightleftharpoons	\mrightleftharpoons {...} {...}
mathextensible:instance:mrightoverleftarrow	\mrightoverleftarrow {...} {...}
mathextensible:instance:mtriplerel	\mtriplerel {...} {...}
mathextensible:instance:mtwoheadleftarrow	\mtwoheadleftarrow {...} {...}
mathextensible:instance:mtwoheadrightarrow	\mtwoheadrightarrow {...} {...}
mathextensible:instance:tequal	\tequal {...} {...}

mathextensible:instance:thookleftarrow	`\thookleftarrow {...} {...}`
mathextensible:instance:thookrightarrow	`\thookrightarrow {...} {...}`
mathextensible:instance:tLeftarrow	`\tLeftarrow {...} {...}`
mathextensible:instance:tLeftrightarrow	`\tLeftrightarrow {...} {...}`
mathextensible:instance:tleftarrow	`\tleftarrow {...} {...}`
mathextensible:instance:tleftharpoondown	`\tleftharpoondown {...} {...}`
mathextensible:instance:tleftharpoonup	`\tleftharpoonup {...} {...}`
mathextensible:instance:tleftrightarrow	`\tleftrightarrow {...} {...}`
mathextensible:instance:tleftrightharpoons	`\tleftrightharpoons {...} {...}`
mathextensible:instance:tmapsto	`\tmapsto {...} {...}`
mathextensible:instance:tRightarrow	`\tRightarrow {...} {...}`
mathextensible:instance:trel	`\trel {...} {...}`
mathextensible:instance:trightarrow	`\trightarrow {...} {...}`
mathextensible:instance:trightharpoondown	`\trightharpoondown {...} {...}`
mathextensible:instance:trightharpoonup	`\trightharpoonup {...} {...}`
mathextensible:instance:trightleftharpoons	`\trightleftharpoons {...} {...}`
mathextensible:instance:trightoverleftarrow	`\trightoverleftarrow {...} {...}`
mathextensible:instance:ttriplerel	`\ttriplerel {...} {...}`
mathextensible:instance:ttwoheadleftarrow	`\ttwoheadleftarrow {...} {...}`
mathextensible:instance:ttwoheadrightarrow	`\ttwoheadrightarrow {...} {...}`
mathextensible:instance:xequal	`\xequal {...} {...}`
mathextensible:instance:xhookleftarrow	`\xhookleftarrow {...} {...}`
mathextensible:instance:xhookrightarrow	`\xhookrightarrow {...} {...}`
mathextensible:instance:xLeftarrow	`\xLeftarrow {...} {...}`
mathextensible:instance:xLeftrightarrow	`\xLeftrightarrow {...} {...}`
mathextensible:instance:xleftarrow	`\xleftarrow {...} {...}`
mathextensible:instance:xleftharpoondown	`\xleftharpoondown {...} {...}`
mathextensible:instance:xleftharpoonup	`\xleftharpoonup {...} {...}`
mathextensible:instance:xleftrightarrow	`\xleftrightarrow {...} {...}`
mathextensible:instance:xleftrightharpoons	`\xleftrightharpoons {...} {...}`
mathextensible:instance:xmapsto	`\xmapsto {...} {...}`
mathextensible:instance:xRightarrow	`\xRightarrow {...} {...}`
mathextensible:instance:xrel	`\xrel {...} {...}`
mathextensible:instance:xrightarrow	`\xrightarrow {...} {...}`
mathextensible:instance:xrightharpoondown	`\xrightharpoondown {...} {...}`
mathextensible:instance:xrightharpoonup	`\xrightharpoonup {...} {...}`
mathextensible:instance:xrightleftharpoons	`\xrightleftharpoons {...} {...}`
mathextensible:instance:xrightoverleftarrow	`\xrightoverleftarrow {...} {...}`
mathextensible:instance:xtriplerel	`\xtriplerel {...} {...}`
mathextensible:instance:xtwoheadleftarrow	`\xtwoheadleftarrow {...} {...}`
mathextensible:instance:xtwoheadrightarrow	`\xtwoheadrightarrow {...} {...}`
mathfraktur	`\mathfraktur`
mathframed:instance	`\MATHFRAMED [..=..] {...}`
mathframed:instance:inmframed	`\inmframed [..=..] {...}`
mathframed:instance:mcframed	`\mcframed [..=..] {...}`
mathframed:instance:mframed	`\mframed [..=..] {...}`
mathfunction	`\mathfunction {...}`
mathit	`\mathit`
mathitalic	`\mathitalic`
mathmatrix	`\MATHMATRIX {...}`
mathop	`\mathop {...}`
mathornament:example	`\MATHORNAMENT {...}`
mathover	`\mathover [...] {...} {...}`
mathoverextensible:example	`\MATHOVEREXTENSIBLE {...}`
mathovertextextensible:instance	`\MATHOVERTEXTEXTENSIBLE {...} {...}`
mathradical:example	`\MATHRADICAL [...] {...}`
mathrm	`\mathrm`
mathscript	`\mathscript`
mathsl	`\mathsl`
mathss	`\mathss`
mathtext	`\mathtext ... {...}`
mathtextbf	`\mathtextbf ... {...}`
mathtextbi	`\mathtextbi ... {...}`
mathtextbs	`\mathtextbs ... {...}`
mathtextit	`\mathtextit ... {...}`
mathtextsl	`\mathtextsl ... {...}`
mathtextttf	`\mathtextttf ... {...}`
mathtf	`\mathtf`
mathtriplet	`\mathtriplet [...] {...} {...} {...}`
mathtriplet:example	`\MATHTRIPLET [...] {...} {...} {...}`
mathtt	`\mathtt`
mathunder	`\mathunder [...] {...} {...}`

```
mathunderextensible:example          \MATHUNDEREXTENSIBLE {...}
mathundertextextensible:instance     \MATHUNDERTEXTEXTENSIBLE {...} {...}
mathunstacked:example                \MATHUNSTACKED
mathupright                          \mathupright
mathword                             \mathword ... {...}
mathwordbf                           \mathwordbf ... {...}
mathwordbi                           \mathwordbi ... {...}
mathwordbs                           \mathwordbs ... {...}
mathwordit                           \mathwordit ... {...}
mathwordsl                           \mathwordsl ... {...}
mathwordtf                           \mathwordtf ... {...}
math:assignment                      \math [..=..] {...}
maxaligned                           \maxaligned {...}
mbox                                 \mbox {...}
measure                              \measure {...}
measured                             \measured {...}
medskip                              \medskip
medspace                             \medspace
menuinteraction                      \menuinteraction [...] [..=..]
message                              \message {...}
mfence                               \mfence {...}
mfunction                            \mfunction {...}
mfunctionlabeltext                   \mfunctionlabeltext {...}
mhbox                                \mhbox {...}
middlealigned                        \middlealigned {...}
middlebox                            \middlebox {...}
midhbox                              \midhbox {...}
midsubsentence                       \midsubsentence
milieu                               \milieu ...
minimalhbox                          \minimalhbox ... {...}
mixedcaps                            \mixedcaps {...}
mkvibuffer                           \mkvibuffer [...]
moduleparameter                      \moduleparameter {...} {...}
mois                                 \mois {...}
molecule                             \molecule {...}
mono                                 \mono
monogras                             \monogras
mononormal                           \mononormal
monthlong                            \monthlong {...}
monthshort                           \monthshort {...}
montrecadre                          \montrecadre [...] [...]
montrecouleur                        \montrecouleur [...]
montredisposition                    \montredisposition [...]
montreedition                        \montreedition [...] [...] [..=..]
montreenvironnementpolicecorps       \montreenvironnementpolicecorps [...]
montregrille                         \montregrille [...]
montregroupecouleur                  \montregroupecouleur [...] [...]
montrejeusymboles                    \montrejeusymboles [...]
montremakeup                         \montremakeup [...]
montrepalette                        \montrepalette [...] [...]
montrepolicecorps                    \montrepolicecorps [...]
montrereglages                       \montrereglages [...]
montrestruts                         \montrestruts
mot                                  \mot {...}
motdroit                             \motdroit [...] {...}
mprandomnumber                       \mprandomnumber
mtext                                \mtext {...}
m:assignment                         \m [..=..] {...}
NormalizeFontHeight                  \NormalizeFontHeight \... {...} {...} {...}
NormalizeFontWidth                   \NormalizeFontWidth \... {...} {...} {...}
NormalizeTextHeight                  \NormalizeTextHeight {...} {...} {...}
NormalizeTextWidth                   \NormalizeTextWidth {...} {...} {...}
Numeros                              \Numeros {...}
namedheadnumber                      \namedheadnumber {...}
namedstructureheadlocation           \namedstructureheadlocation {...}
namedstructureuservariable           \namedstructureuservariable {...} {...}
namedstructurevariable               \namedstructurevariable {...} {...}
namedtaggedlabeltexts                \namedtaggedlabeltexts {...} {...} {...} {...} {...}
naturalhbox                          \naturalhbox ... {...}
naturalhpack                         \naturalhpack ... {...}
naturaltpack                         \naturaltpack ... {...}
naturalvbox                          \naturalvbox ... {...}
```

```
naturalvcenter                          \naturalvcenter ... {...}
naturalvpack                            \naturalvpack ... {...}
naturalvtop                             \naturalvtop ... {...}
naturalwd                               \naturalwd ...
negatecolorbox                          \negatecolorbox ...
negated                                 \negated {...}
negemspace                              \negemspace
negenspace                              \negenspace
negthinspace                            \negthinspace
newattribute                            \newattribute \...
newcatcodetable                         \newcatcodetable \...
newcounter                              \newcounter \...
newevery                                \newevery \... \...
newfrenchspacing                        \newfrenchspacing
newmode                                 \newmode {...}
newsignal                               \newsignal \...
newsystemmode                           \newsystemmode {...}
nextbox                                 \nextbox
nextboxdp                               \nextboxdp
nextboxht                               \nextboxht
nextboxhtdp                             \nextboxhtdp
nextboxwd                               \nextboxwd
nextcounter                             \nextcounter [...] [...]
nextcountervalue                        \nextcountervalue [...]
nextdepth                               \nextdepth
nextparagraphs                          \nextparagraphs
nextparagraphs:example                  \suivantPARAGRAPHS
nextrealpage                            \nextrealpage
nextrealpagenumber                      \nextrealpagenumber
nextsubcountervalue                     \nextsubcountervalue [...] [...]
nextsubpagenumber                       \nextsubpagenumber
nextuserpage                            \nextuserpage
nextuserpagenumber                      \nextuserpagenumber
nocap                                   \nocap {...}
nocharacteralign                        \nocharacteralign
nocitation                              \nocitation [...]
nocitation:direct                       \nocitation {...}
nocite                                  \nocite [...]
nocite:direct                           \nocite {...}
nodetostring                            \nodetostring \... {...}
noffigurepages                          \noffigurepages
noflines                                \noflines
noflocalfloats                          \noflocalfloats
noheightstrut                           \noheightstrut
noindentation                           \noindentation
noitem                                  \noitem
nonfrenchspacing                        \nonfrenchspacing
nonmathematics                          \nonmathematics {...}
normal                                  \normal
normalboldface                          \normalboldface
normalframedwithsettings                \normalframedwithsettings [..=..] {...}
normalitalicface                        \normalitalicface
normalizebodyfontsize                   \normalizebodyfontsize \... {...}
normalizedfontsize                      \normalizedfontsize
normalizefontdepth                      \normalizefontdepth \... {...} {...} {...}
normalizefontheight                     \normalizefontheight \... {...} {...} {...}
normalizefontline                       \normalizefontline \... {...} {...} {...}
normalizefontwidth                      \normalizefontwidth \... {...} {...} {...}
normalizetextdepth                      \normalizetextdepth {...} {...} {...}
normalizetextheight                     \normalizetextheight {...} {...} {...}
normalizetextline                       \normalizetextline {...} {...} {...}
normalizetextwidth                      \normalizetextwidth {...} {...} {...}
normalpetit                             \normalpetit
normalslantedface                       \normalslantedface
normaltypeface                          \normaltypeface
note                                    \note [...] [...]
noteligne:instance                      \LINENOTE {...}
noteligne:instance:linenote             \linenote {...}
notesymbol                              \notesymbol [...] [...]
note:instance                           \NOTE [...] {...}
note:instance:assignment                \NOTE [..=..]
note:instance:assignment:endnote        \endnote [..=..]
```

```
note:instance:assignment:footnote          \footnote [..=..]
note:instance:endnote                       \endnote [...] {...}
note:instance:footnote                      \footnote [...] {...}
notragged                                   \notragged
ntimes                                      \ntimes {...} {...}
numberofpoints                              \numberofpoints {...}
numeroformule                               \numeroformule [...]
numeropage                                  \numeropage
numeros                                     \numeros {...}
numerotete                                  \numerotete [...] [...]
numerotetecourant                           \numerotetecourant
obeydepth                                   \obeydepth
objectdepth                                 \objectdepth
objectheight                                \objectheight
objectmargin                                \objectmargin
objectwidth                                 \objectwidth
obox                                        \obox {...}
obtientmarquage                             \obtientmarquage [...] [...] [...]
offset                                      \offset [..=..] {...}
offsetbox                                   \offsetbox [..=..] \... {...}
onedigitrounding                            \onedigitrounding {...}
ordinaldaynumber                            \ordinaldaynumber {...}
ordinalstr                                  \ordinalstr {...}
oriente                                     \oriente [..=..] {...}
ornamenttext:collector                      \ornamenttext [..=..] [..=..] {...} {...}
ornamenttext:direct                         \ornamenttext [...] {...} {...}
ornamenttext:layer                          \ornamenttext [..=..] [..=..] {...} {...}
ornament:example                            \ORNAMENT {...} {...}
outputfilename                              \outputfilename
outputstreambox                             \outputstreambox [...]
outputstreamcopy                            \outputstreamcopy [...]
outputstreamunvbox                          \outputstreamunvbox [...]
outputstreamunvcopy                         \outputstreamunvcopy [...]
over                                        \over [...]
overlaybutton                               \overlaybutton [...]
overlaybutton:direct                        \overlaybutton {...}
overlaycolor                                \overlaycolor
overlaydepth                                \overlaydepth
overlayfigure                               \overlayfigure {...}
overlayheight                               \overlayheight
overlayimage                                \overlayimage {...}
overlaylinecolor                            \overlaylinecolor
overlaylinewidth                            \overlaylinewidth
overlayoffset                               \overlayoffset
overlayrollbutton                           \overlayrollbutton [...] [...]
overlaywidth                                \overlaywidth
overloaderror                               \overloaderror
overset                                     \overset {...} {...}
PDFcolor                                    \PDFcolor {...}
PDFETEX                                     \PDFETEX
PDFTEX                                      \PDFTEX
PICTEX                                      \PICTEX
PiCTeX                                      \PiCTeX
PointsToBigPoints                           \PointsToBigPoints {...} \...
PointsToReal                                \PointsToReal {...} \...
PointsToWholeBigPoints                      \PointsToWholeBigPoints {...} \...
PPCHTEX                                     \PPCHTEX
PPCHTeX                                     \PPCHTeX
PRAGMA                                      \PRAGMA
PtToCm                                      \PtToCm {...}
page                                        \page [...]
pagearea                                    \pagearea [...] [...] [...]
pagebreak                                   \pagebreak [...]
pagefigure                                  \pagefigure [...] [..=..]
pageinjection                               \pageinjection [...] [..=..]
pageinjection:assignment                    \pageinjection [..=..] [..=..]
pagestaterealpage                           \pagestaterealpage {...} {...}
pagestaterealpageorder                      \pagestaterealpageorder {...} {...}
paletsize                                   \paletsize
paragraphs:example                          \PARAGRAPHS
pdfactualtext                               \pdfactualtext {...} {...}
pdfbackendactualtext                        \pdfbackendactualtext {...} {...}
```

```
pdfbackendcurrentresources        \pdfbackendcurrentresources
pdfbackendsetcatalog              \pdfbackendsetcatalog {...} {...}
pdfbackendsetcolorspace           \pdfbackendsetcolorspace {...} {...}
pdfbackendsetextgstate            \pdfbackendsetextgstate {...} {...}
pdfbackendsetinfo                 \pdfbackendsetinfo {...} {...}
pdfbackendsetname                 \pdfbackendsetname {...} {...}
pdfbackendsetpageattribute        \pdfbackendsetpageattribute {...} {...}
pdfbackendsetpageresource         \pdfbackendsetpageresource {...} {...}
pdfbackendsetpagesattribute       \pdfbackendsetpagesattribute {...} {...}
pdfbackendsetpattern              \pdfbackendsetpattern {...} {...}
pdfbackendsetshade                \pdfbackendsetshade {...} {...}
pdfcolor                          \pdfcolor {...}
pdfeTeX                           \pdfeTeX
pdfTeX                            \pdfTeX
percent                           \percent
percentdimen                      \percentdimen {...} {...}
periodes                          \periodes [...]
periodes:assignment               \periodes [..=..]
permitcaretescape                 \permitcaretescape
permitcircumflexescape            \permitcircumflexescape
permitspacesbetweengroups         \permitspacesbetweengroups
persiandecimals                   \persiandecimals {...}
persiannumerals                   \persiannumerals {...}
petit                             \petit
petitpolicecorps                  \petitpolicecorps
petitescapitales                  \petitescapitales {...}
petittype                         \petittype
phantom                           \phantom {...}
phantombox                        \phantombox [..=..]
pickupgroupedcommand              \pickupgroupedcommand {...} {...} {...}
pilechamp                         \pilechamp [...] [...] [..=..]
placeattachments                  \placeattachments
placebtxrendering                 \placebtxrendering [...] [..=..]
placecitation                     \placecitation [...]
placecomments                     \placecomments
placecoteacote                    \placecoteacote {...} {...}
placecurrentformulanumber         \placecurrentformulanumber
placedbox                         \placedbox {...}
placefloatwithsetups              \placefloatwithsetups [...] [...] [...] {...} {...}
placeflottant                     \placeflottant [...] [...] [...] {...} {...}
placeflottant:instance            \placeFLOAT [...] [...] {...} {...}
placeflottant:instance:chemical   \placechemical [...] [...] {...} {...}
placeflottant:instance:figure     \placefigure [...] [...] {...} {...}
placeflottant:instance:graphic    \placegraphic [...] [...] {...} {...}
placeflottant:instance:intermezzo \placeintermezzo [...] [...] {...} {...}
placeflottant:instance:table      \placetable [...] [...] {...} {...}
placeformule                      \placeformule [...] {...}
placeframed                       \placeframed [...] [..=..] {...}
placehelp                         \placehelp
placeinitial                      \placeinitial [...]
placelayer                        \placelayer [...]
placelayeredtext                  \placelayeredtext [...] [..=..] [..=..] {...} {...}
placelesunsaudessusdesautres      \placelesunsaudessusdesautres {...} {...}
placeliste                        \placeliste [...] [..=..]
placelisteinmbriquee              \placelisteinmbriquee [...] [..=..]
placelisteinmbriquee:instance     \placeCOMBINEDLIST [..=..]
placelisteinmbriquee:instance:content \placecontent [..=..]
placelistoffloats:instance        \placelistofFLOATS [..=..]
placelistoffloats:instance:chemicals \placelistofchemicals [..=..]
placelistoffloats:instance:figures \placelistoffigures [..=..]
placelistoffloats:instance:graphics \placelistofgraphics [..=..]
placelistoffloats:instance:intermezzi \placelistofintermezzi [..=..]
placelistoffloats:instance:tables \placelistoftables [..=..]
placelistofpublications           \placelistofpublications [...] [..=..]
placelistofsorts                  \placelistofsorts [...] [..=..]
placelistofsorts:instance         \placelistofSORTS [..=..]
placelistofsorts:instance:logos   \placelistoflogos [..=..]
placelistofsynonyms               \placelistofsynonyms [...] [..=..]
placelistofsynonyms:instance      \placelistofSYNONYMS [..=..]
placelistofsynonyms:instance:abbreviations \placelistofabbreviations [..=..]
placelocalnotes                   \placelocalnotes [...] [..=..]
placemarquespages                 \placemarquespages [...] [...] [..=..]
```

```
placement                              \placement [...] [..=..] {...}
placement:example                      \PLACEMENT [..=..] {...}
placenamedfloat                        \placenamedfloat [...] [...]
placenamedformula                      \placenamedformula [...] {...} {...}
placenotes                             \placenotes [...] [..=..]
placenotespdp                          \placenotespdp [..=..]
placenotespdplocales                   \placenotespdplocales [..=..]
placenumeropage                        \placenumeropage
placenumerotete                        \placenumerotete [...]
placepairedbox                         \placepairedbox [...] [..=..] {...} {...}
placepairedbox:instance                \placePAIREDBOX [..=..] {...} {...}
placepairedbox:instance:legend         \placelegend [..=..] {...} {...}
placeparallel                          \placeparallel [...] [...] [..=..]
placerawheaddata                       \placerawheaddata [...]
placerawheadnumber                     \placerawheadnumber [...]
placerawheadtext                       \placerawheadtext [...]
placerawlist                           \placerawlist [...] [..=..]
placeregistre                          \placeregistre [...] [..=..]
placeregistre:instance                 \placeREGISTER [..=..]
placeregistre:instance:index           \placeindex [..=..]
placerenderingwindow                   \placerenderingwindow [...] [...]
placesousformule                       \placesousformule [...] {...}
placesurgrille                         \placesurgrille [...] {...}
placesurgrille:list                    \placesurgrille [...] {...}
placetextetete                         \placetextetete [...]
point                                  \point {...}
popattribute                           \popattribute \...
popmacro                               \popmacro \...
popmode                                \popmode [...]
popsystemmode                          \popsystemmode {...}
position                               \position [..=..] (...,...) {...}
positionoverlay                        \positionoverlay {...}
positionregionoverlay                  \positionregionoverlay {...} {...}
postponenotes                          \postponenotes
predefinedfont                         \predefinedfont [...]
predefinefont                          \predefinefont [...] [...]
predefinesymbol                        \predefinesymbol [...]
prefixedpagenumber                     \prefixedpagenumber
premieresouspage                       \premieresouspage
prendbuffer                            \prendbuffer [...]
prendbuffer:instance                   \obtientBUFFER
prependetoks                           \prependetoks ... \to \...
prependgvalue                          \prependgvalue {...} {...}
prependtocommalist                     \prependtocommalist {...} \...
prependtoks                            \prependtoks ... \to \...
prependtoksonce                        \prependtoksonce ... \to \...
prependvalue                           \prependvalue {...} {...}
prerollblank                           \prerollblank [...]
presetdocument                         \presetdocument [..=..]
presetfieldsymbols                     \presetfieldsymbols [...]
presetlabeltext:instance               \presetLABELtexte [...] [..=..]
presetlabeltext:instance:btxlabel      \presetbtxlabeltexte [...] [..=..]
presetlabeltext:instance:head          \presetheadtexte [...] [..=..]
presetlabeltext:instance:label         \presetlabeltexte [...] [..=..]
presetlabeltext:instance:mathlabel     \presetmathlabeltexte [...] [..=..]
presetlabeltext:instance:operator      \presetoperatortexte [...] [..=..]
presetlabeltext:instance:prefix        \presetprefixtexte [...] [..=..]
presetlabeltext:instance:suffix        \presetsuffixtexte [...] [..=..]
presetlabeltext:instance:taglabel      \presettaglabeltexte [...] [..=..]
presetlabeltext:instance:unit          \presetunittexte [...] [..=..]
pretocommalist                         \pretocommalist {...} \...
prettyprintbuffer                      \prettyprintbuffer {...} {...}
prevcounter                            \prevcounter [...] [...]
prevcountervalue                       \prevcountervalue [...]
preventmode                            \preventmode [...]
prevrealpage                           \prevrealpage
prevrealpagenumber                     \prevrealpagenumber
prevsubcountervalue                    \prevsubcountervalue [...] [...]
prevsubpage                            \prevsubpage
prevsubpagenumber                      \prevsubpagenumber
prevuserpage                           \prevuserpage
prevuserpagenumber                     \prevuserpagenumber
```

```
procent                              \procent
processaction                        \processaction [...] [..,..=>..,..]
processallactionsinset               \processallactionsinset [...] [..,..=>..,..]
processassignlist                    \processassignlist [...] \...
processassignmentcommand             \processassignmentcommand [..=..] \...
processassignmentlist                \processassignmentlist [..=..] \...
processbetween                       \processbetween {...} \...
processbodyfontenvironmentlist       \processbodyfontenvironmentlist \...
processcolorcomponents               \processcolorcomponents {...}
processcommacommand                  \processcommacommand [...] \...
processcommalist                     \processcommalist [...] \...
processcommalistwithparameters       \processcommalistwithparameters [...] \...
processcontent                       \processcontent {...} \...
processfile                          \processfile {...}
processfilemany                      \processfilemany {...}
processfilenone                      \processfilenone {...}
processfileonce                      \processfileonce {...}
processfirstactioninset              \processfirstactioninset [...] [..,..=>..,..]
processisolatedchars                 \processisolatedchars {...} \...
processisolatedwords                 \processisolatedwords {...} \...
processlinetablebuffer               \processlinetablebuffer [...]
processlinetablefile                 \processlinetablefile {...}
processlist                          \processlist {...} {...} {...} \...
processMPbuffer                      \processMPbuffer [...]
processMPfigurefile                  \processMPfigurefile {...}
processmonth                         \processmonth {...} {...} {...}
processranges                        \processranges [...] \...
processseparatedlist                 \processseparatedlist [...] [...] {...}
processtexbuffer                     \processTEXbuffer [...]
processtokens                        \processtokens {...} {...} {...} {...} {...}
processuntil                         \processuntil \...
processxtablebuffer                  \processxtablebuffer [...]
processyear                          \processyear {...} {...} {...} {...}
produit                              \produit [...]
produit:string                       \produit ...
profiledbox                          \profiledbox [...] [..=..] {...}
profilegivenbox                      \profilegivenbox {...} ...
programme                            \programme [...]
projet                               \projet [...]
projet:string                        \projet ...
pseudoMixedCapped                    \pseudoMixedCapped {...}
pseudoSmallCapped                    \pseudoSmallCapped {...}
pseudoSmallcapped                    \pseudoSmallcapped {...}
pseudosmallcapped                    \pseudosmallcapped {...}
purenumber                           \purenumber {...}
pusharrangedpages                    \pusharrangedpages ... \poparrangedpages
pusharriereplan                      \pusharriereplan [...] ... \poparriereplan
pushattribute                        \pushattribute \...
pushbar                              \pushbar [...] ... \popbar
pushbutton                           \pushbutton [...] [...]
pushcatcodetable                     \pushcatcodetable ... \popcatcodetable
pushcouleur                          \pushcouleur [...] ... \popcouleur
pushendofline                        \pushendofline ... \popendofline
pushindentation                      \pushindentation ... \popindentation
pushMPdrawing                        \pushMPdrawing ... \popMPdrawing
pushmacro                            \pushmacro \...
pushmathstyle                        \pushmathstyle ... \popmathstyle
pushmode                             \pushmode [...]
pushoutputstream                     \pushoutputstream [...]
pushpath                             \pushpath [...] ... \poppath
pushpunctuation                      \pushpunctuation ... \poppunctuation
pushrandomseed                       \pushrandomseed ... \poprandomseed
pushreferenceprefix                  \pushreferenceprefix {...} ... \popreferenceprefix
pushsystemmode                       \pushsystemmode {...}
putboxincache                        \putboxincache {...} {...} ...
putnextboxincache                    \putnextboxincache {...} {...} \... {...}
qqpart                               \qqpart {...} {...} [...]
qquad                                \qquad
quad                                 \quad
quads                                \quads [...]
quarterstrut                         \quarterstrut
quitcommalist                        \quitcommalist
```

quitprevcommalist	\quitprevcommalist
quittypescriptscanning	\quittypescriptscanning
ReadFile	\ReadFile {...}
raggedbottom	\raggedbottom
raggedcenter	\raggedcenter
raggedleft	\raggedleft
raggedright	\raggedright
raggedwidecenter	\raggedwidecenter
raisebox	\raisebox {...} \... {...}
randomizetext	\randomizetext {...}
randomnumber	\randomnumber {...} {...}
rawcounter	\rawcounter [...] [...]
rawcountervalue	\rawcountervalue [...]
rawdate	\rawdate [...]
rawdoifelseinset	\rawdoifelseinset {...} {...} {...} {...}
rawdoifinset	\rawdoifinset {...} {...} {...}
rawdoifinsetelse	\rawdoifinsetelse {...} {...} {...} {...}
rawgetparameters	\rawgetparameters [...] [..=..]
rawprocessaction	\rawprocessaction [...] [..,..=>..,..]
rawprocesscommacommand	\rawprocesscommacommand [...] \...
rawprocesscommalist	\rawprocesscommalist [...] \...
rawstructurelistuservariable	\rawstructurelistuservariable {...}
rawsubcountervalue	\rawsubcountervalue [...] [...]
razmarquage	\razmarquage [...]
rbox	\rbox ... {...}
readfile	\readfile {...} {...} {...}
readfixfile	\readfixfile {...} {...} {...} {...}
readjobfile	\readjobfile {...} {...} {...}
readlocfile	\readlocfile {...} {...} {...}
readsetfile	\readsetfile {...} {...} {...} {...}
readsysfile	\readsysfile {...} {...} {...}
readtexfile	\readtexfile {...} {...} {...}
readxmlfile	\readxmlfile {...} {...} {...}
realpagenumber	\realpagenumber
realSmallCapped	\realSmallCapped {...}
realSmallcapped	\realSmallcapped {...}
realsmallcapped	\realsmallcapped {...}
recursedepth	\recursedepth
recurselevel	\recurselevel
recursestring	\recursestring
redoconvertfont	\redoconvertfont
ref	\ref [...] [...]
reference	\reference [...] {...}
referenceformat:example	\REFERENCEFORMAT {...} {...} [...]
referencepage	\referencepage [...]
referenceprefix	\referenceprefix
referencetexte	\referencetexte [...] {...}
reflete	\reflete {...}
registerattachment	\registerattachment [...] [..=..]
registerctxluafile	\registerctxluafile {...} {...}
registerexternalfigure	\registerexternalfigure [...] [...] [..=..]
registerfontclass	\registerfontclass {...}
registerhyphenationexception	\registerhyphenationexception [...] [...]
registerhyphenationpattern	\registerhyphenationpattern [...] [...]
registermenubuttons	\registermenubuttons [...] [...]
registersort	\registersort [...] [...]
registersynonym	\registersynonym [...] [...]
registerunit	\registerunit [...] [..=..]
registre:instance	\REGISTER [...] {..+...+..}
registre:instance:index	\index [...] {..+...+..}
registre:instance:ownnumber	\REGISTER [...] {...} {..+...+..}
registre:instance:ownnumber:index	\index [...] {...} {..+...+..}
regle	\regle [...]
reglealignement	\reglealignement [...]
reglearrangement	\reglearrangement [...]
reglearriereplan	\reglearriereplan [...] [..=..]
reglearriereplans	\reglearriereplans [...] [...] [..=..]
reglearriereplans:page	\reglearriereplans [...] [..=..]
reglebarreinteraction	\reglebarreinteraction [...] [..=..]
reglebloc	\reglebloc [...] [..=..]
regleblocsection	\regleblocsection [...] [..=..]
reglebuffer	\reglebuffer [...] [..=..]

reglecapitales	`\reglecapitales [...] [..=..]`
reglechamp	`\reglechamp [...] [...] [..=..] [..=..] [..=..]`
reglechamps	`\reglechamps [...] [..=..] [..=..] [..=..]`
regleclipping	`\regleclipping [..=..]`
reglecolonnes	`\reglecolonnes [..=..]`
reglecommentaire	`\reglecommentaire [...] [..=..]`
reglecommentairepage	`\reglecommentairepage [..=..]`
reglecompoetroite	`\reglecompoetroite [...] [..=..]`
reglecomposeenalinea	`\reglecomposeenalinea [...]`
reglecouleur	`\reglecouleur [...]`
reglecouleurs	`\reglecouleurs [..=..]`
regledactylo	`\regledactylo [...] [..=..]`
regledemarrestoppe	`\regledemarrestoppe [...] [..=..]`
regledisposition	`\regledisposition [...] [..=..]`
regledisposition:name	`\regledisposition [...]`
regleecraninteraction	`\regleecraninteraction [..=..]`
regleelements	`\regleelements [...] [..=..]`
regleencadre	`\regleencadre [...] [..=..]`
regleentete	`\regleentete [...] [..=..]`
regleenumerations	`\regleenumerations [...] [..=..]`
regleepaisseurligne	`\regleepaisseurligne [...]`
regleespaceblanc	`\regleespaceblanc [...]`
regleespacement	`\regleespacement [...]`
regleespacementinterligne	`\regleespacementinterligne [...] [..=..]`
regleespacementinterligne:argument	`\regleespacementinterligne [...]`
regleespacementinterligne:name	`\regleespacementinterligne [...]`
regleflottant	`\regleflottant [...] [..=..]`
regleflottants	`\regleflottants [...] [..=..]`
regleformulaires	`\regleformulaires [..=..]`
regleformules	`\regleformules [...] [..=..]`
reglegroupeselements	`\reglegroupeselements [...] [..=..]`
regleinf	`\regleinf [...] [..=..]`
regleinteraction	`\regleinteraction [...] [..=..]`
regleinteraction:name	`\regleinteraction [...]`
regleintitule	`\regleintitule [...] [..=..]`
regleintitules	`\regleintitules [...] [..=..]`
reglejeucolonne	`\reglejeucolonne [...] [..=..]`
reglejeusymboles	`\reglejeusymboles [...]`
reglelabeltexte:instance	*`\regleLABELtexte [...] [..=..]`*
reglelabeltexte:instance:btxlabel	*`\reglebtxlabeltexte [...] [..=..]`*
reglelabeltexte:instance:head	*`\regleheadtexte [...] [..=..]`*
reglelabeltexte:instance:label	*`\reglelabeltexte [...] [..=..]`*
reglelabeltexte:instance:mathlabel	*`\reglemathlabeltexte [...] [..=..]`*
reglelabeltexte:instance:operator	*`\regleoperatortexte [...] [..=..]`*
reglelabeltexte:instance:prefix	*`\regleprefixtexte [...] [..=..]`*
reglelabeltexte:instance:suffix	*`\reglesuffixtexte [...] [..=..]`*
reglelabeltexte:instance:taglabel	*`\regletaglabeltexte [...] [..=..]`*
reglelabeltexte:instance:unit	*`\regleunittexte [...] [..=..]`*
reglelangue	`\reglelangue [...] [..=..]`
reglelignes	`\reglelignes [...] [..=..]`
reglelignesnoires	`\reglelignesnoires [..=..]`
reglelignesreglestexte	`\reglelignesreglestexte [..=..]`
regleliste	`\regleliste [...] [..=..]`
reglelisteimbriquee	`\reglelisteimbriquee [...] [..=..]`
reglelisteimbriquee:instance	*`\regleCOMBINEDLIST [..=..]`*
reglelisteimbriquee:instance:content	*`\reglecontent [..=..]`*
reglemakeup	`\reglemakeup [...] [..=..]`
reglemargereglee	`\reglemargereglee [...] [..=..]`
reglemarquage	`\reglemarquage [...] [..=..]`
reglemarquagehyphenation	`\reglemarquagehyphenation [..=..]`
reglemenuinteraction	`\reglemenuinteraction [...] [..=..]`
reglenotepdp	`\reglenotepdp [..=..]`
reglenumeropage	`\reglenumeropage [..=..]`
reglenumerotationligne	`\reglenumerotationligne [...] [..=..]`
reglenumerotationpage	`\reglenumerotationpage [..=..]`
reglenumerotationparagraphe	`\reglenumerotationparagraphe [..=..]`
reglenumerotete	`\reglenumerotete [...] [...]`
regleoriente	`\regleoriente [..=..]`
reglepalette	`\reglepalette [...]`
reglepapier	`\reglepapier [..=..]`
regleparagraphes	`\regleparagraphes [...] [...] [..=..]`
regleparagraphes:assignment	`\regleparagraphes [...] [..=..]`

reglepdp	\reglepdp [...] [..=..]
regleplacementopposition	\regleplacementopposition [..=..]
reglepolicecorps	\reglepolicecorps [...]
reglepositionnement	\reglepositionnement [...] [..=..]
regleprogrammes	\regleprogrammes [..=..]
reglereferencage	\reglereferencage [..=..]
regleregistre	\regleregistre [...] [..=..]
regleregistre:argument	\regleregistre [...] [...] [..=..]
regleregistre:instance	*\regleREGISTER* [...] [..=..]
regleregistre:instance:index	*\regleindex* [...] [..=..]
regleremplitligne	\regleremplitligne [..=..]
regleremplitlignesreglees	\regleremplitlignesreglees [..=..]
regleseparationflottant	\regleseparationflottant [..=..]
reglesousnumeropage	\reglesousnumeropage [..=..]
reglesup	\reglesup [...] [..=..]
reglesynonymes	\reglesynonymes [...] [..=..]
regletableaux	\regletableaux [..=..]
regletabulation	\regletabulation [...] [...] [..=..]
regletaillepapier	\regletaillepapier [...] [..=..]
regletaillepapier:name	\regletaillepapier [...] [...]
regletete	\regletete [...] [..=..]
regletetes	\regletetes [...] [..=..]
regletexte	\regletexte [...] [..=..]
regletextesentete	\regletextesentete [...] [...] [...] [...] [...]
regletextesinf	\regletextesinf [...] [...] [...] [...] [...]
regletextespdp	\regletextespdp [...] [...] [...] [...] [...]
regletextessup	\regletextessup [...] [...] [...] [...] [...]
regletextestexte	\regletextestexte [...] [...] [...] [...] [...]
regletolerance	\regletolerance [...]
regletraitsfins	\regletraitsfins [..=..]
regletransitionspage	\regletransitionspage [...]
regletri	\regletri [...] [..=..]
regletype	\regletype [...] [..=..]
regleurl	\regleurl [..=..]
regle:direct	\regle {...}
regulier	\regulier
relatemarking	\relatemarking [...] [...]
relateparameterhandlers	\relateparameterhandlers {...} {...} {...} {...}
relaxvalueifundefined	\relaxvalueifundefined {...}
remainingcharacters	\remainingcharacters
removebottomthings	\removebottomthings
removedepth	\removedepth
removefromcommalist	\removefromcommalist {...} \...
removelastskip	\removelastskip
removelastspace	\removelastspace
removemarkedcontent	\removemarkedcontent [...]
removepunctuation	\removepunctuation
removesubstring	\removesubstring ... \from ... \to \...
removetoks	\removetoks ... \from \...
removeunwantedspaces	\removeunwantedspaces
remplitligne	\remplitligne [..=..]
remplitlignesreglees	\remplitlignesreglees [..=..] {...} {...}
remplittexte	\remplittexte [..=..] {...} {...}
repeathead	\repeathead [...]
replacefeature	\replacefeature [...]
replacefeature:direct	\replacefeature {...}
replaceincommalist	\replaceincommalist \... {...}
replaceword	\replaceword [...] [...] [...]
rescan	\rescan {...}
rescanwithsetup	\rescanwithsetup {...} {...}
resetallattributes	\resetallattributes
resetandaddfeature	\resetandaddfeature [...]
resetandaddfeature:direct	\resetandaddfeature {...}
resetbar	\resetbar
resetboxesincache	\resetboxesincache {...}
resetbreakpoints	\resetbreakpoints
resetbuffer	\resetbuffer [...]
resetcharacteralign	\resetcharacteralign
resetcharacterkerning	\resetcharacterkerning
resetcharacterspacing	\resetcharacterspacing
resetcharacterstripping	\resetcharacterstripping
resetcollector	\resetcollector [...]

resetcounter	`\resetcounter [...] [...]`
resetdigitsmanipulation	`\resetdigitsmanipulation`
resetdirection	`\resetdirection`
resetfeature	`\resetfeature`
resetflag	`\resetflag {...}`
resetfontcolorsheme	`\resetfontcolorsheme`
resetfontfallback	`\resetfontfallback [...] [...]`
resetfontsolution	`\resetfontsolution`
resethyphenationfeatures	`\resethyphenationfeatures`
resetinjector	`\resetinjector [...]`
resetinteractionmenu	`\resetinteractionmenu [...]`
resetitaliccorrection	`\resetitaliccorrection`
resetlayer	`\resetlayer [...]`
resetlocalfloats	`\resetlocalfloats`
resetMPdrawing	`\resetMPdrawing`
resetMPenvironment	`\resetMPenvironment`
resetMPinstance	`\resetMPinstance [...]`
resetmarker	`\resetmarker [...]`
resetmode	`\resetmode {...}`
resetpagenumber	`\resetpagenumber`
resetparallel	`\resetparallel [...] [...]`
resetpath	`\resetpath`
resetpenalties	`\resetpenalties \...`
resetperiodkerning	`\resetperiodkerning`
resetprofile	`\resetprofile`
resetrecurselevel	`\resetrecurselevel`
resetreference	`\resetreference [...]`
resetreplacement	`\resetreplacement`
resetscript	`\resetscript`
resetsetups	`\resetsetups [...]`
resetshownsynonyms	`\resetshownsynonyms [...]`
resetsubpagenumber	`\resetsubpagenumber`
resetsymbolset	`\resetsymbolset`
resetsystemmode	`\resetsystemmode {...}`
resettimer	`\resettimer`
resettokenlist	`\resettokenlist [...]`
resettrackers	`\resettrackers`
resettrialtypesetting	`\resettrialtypesetting`
resetusedsortings	`\resetusedsortings [...]`
resetusedsynonyms	`\resetusedsynonyms [...]`
resetuserpagenumber	`\resetuserpagenumber`
resetvalue	`\resetvalue {...}`
resetvisualizers	`\resetvisualizers`
reshapebox	`\reshapebox {...}`
resolvedglyphdirect	`\resolvedglyphdirect {...} {...}`
resolvedglyphstyled	`\resolvedglyphstyled {...} {...}`
restartcounter	`\restartcounter [...] [...] [...]`
restorebox	`\restorebox {...} {...}`
restorecatcodes	`\restorecatcodes`
restorecounter	`\restorecounter [...]`
restorecurrentattributes	`\restorecurrentattributes {...}`
restoreendofline	`\restoreendofline`
restoreglobalbodyfont	`\restoreglobalbodyfont`
reusableMPgraphic	`\reusableMPgraphic {...} {..=..}`
reuseMPgraphic	`\reuseMPgraphic {...} {..=..}`
reuserandomseed	`\reuserandomseed`
reversehbox	`\reversehbox ... {...}`
reversehpack	`\reversehpack ... {...}`
reversetpack	`\reversetpack ... {...}`
reversevbox	`\reversevbox ... {...}`
reversevpack	`\reversevpack ... {...}`
reversevtop	`\reversevtop ... {...}`
revivefeature	`\revivefeature`
rfence	`\rfence {...}`
rhbox	`\rhbox {...}`
rightbottombox	`\rightbottombox {...}`
rightbox	`\rightbox {...}`
righthbox	`\righthbox {...}`
rightlabeltext:instance	`\rightLABELtexte {...}`
rightlabeltext:instance:head	`\rightheadtexte {...}`
rightlabeltext:instance:label	`\rightlabeltexte {...}`
rightlabeltext:instance:mathlabel	`\rightmathlabeltexte {...}`

```
rightline                          \rightline {...}
rightorleftpageaction              \rightorleftpageaction {...} {...}
rightpageorder                     \rightpageorder
rightskipadaption                  \rightskipadaption
rightsubguillemot                  \rightsubguillemot
righttoleft                        \righttoleft
righttolefthbox                    \righttolefthbox ... {...}
righttoleftvbox                    \righttoleftvbox ... {...}
righttoleftvtop                    \righttoleftvtop ... {...}
righttopbox                        \righttopbox {...}
ring                               \ring {...}
rlap                               \rlap {...}
robustaddtocommalist               \robustaddtocommalist {...} \...
robustdoifelseinset                \robustdoifelseinset {...} {...} {...} {...}
robustdoifinsetelse                \robustdoifinsetelse {...} {...} {...} {...}
robustpretocommalist               \robustpretocommalist {...} \...
rollbutton:button                  \rollbutton [..=..] ... [...]
rollbutton:interactionmenu         \rollbutton [...] [..=..] ... [...]
roman                              \roman
rtlhbox                            \rtlhbox ... {...}
rtlvbox                            \rtlvbox ... {...}
rtlvtop                            \rtlvtop ... {...}
rtop                               \rtop ... {...}
ruby                               \ruby [...] {...} {...}
ruledhbox                          \ruledhbox ... {...}
ruledhpack                         \ruledhpack ... {...}
ruledmbox                          \ruledmbox {...}
ruledtopv                          \ruledtopv ... {...}
ruledtpack                         \ruledtpack ... {...}
ruledvbox                          \ruledvbox ... {...}
ruledvpack                         \ruledvpack ... {...}
ruledvtop                          \ruledvtop ... {...}
runMPbuffer                        \runMPbuffer [...]
runninghbox                        \runninghbox {...}
ScaledPointsToBigPoints            \ScaledPointsToBigPoints {...} \...
ScaledPointsToWholeBigPoints       \ScaledPointsToWholeBigPoints {...} \...
Smallcapped                        \Smallcapped {...}
safechar                           \safechar {...}
samplefile                         \samplefile {...}
sans                               \sans
sansespace                         \sansespace
sansgras                           \sansgras
sanslignesenteteetpdp              \sanslignesenteteetpdp
sanslignessupetinf                 \sanslignessupetinf
sansnormal                         \sansnormal
sansserif                          \sansserif
savebox                            \savebox {...} {...} {...}
savebtxdataset                     \savebtxdataset [...] [...] [..=..]
savebuffer                         \savebuffer [..=..]
savebuffer:list                    \savebuffer [...] [...]
savecouleur                        \savecouleur ... \restorecouleur
savecounter                        \savecounter [...]
savecurrentattributes              \savecurrentattributes {...}
savenormalmeaning                  \savenormalmeaning \...
savetaggedtwopassdata              \savetaggedtwopassdata {...} {...} {...} {...}
savetwopassdata                    \savetwopassdata {...} {...} {...}
sbox                               \sbox {...}
script:instance                    \SCRIPT
script:instance:ethiopic           \ethiopic
script:instance:hangul             \hangul
script:instance:hanzi              \hanzi
script:instance:latin              \latin
script:instance:nihongo            \nihongo
script:instance:test               \test
script:instance:thai               \thai
secondoffivearguments              \secondoffivearguments {...} {...} {...} {...} {...}
secondoffourarguments              \secondoffourarguments {...} {...} {...} {...}
secondofsixarguments               \secondofsixarguments {...} {...} {...} {...} {...} {...}
secondofthreearguments             \secondofthreearguments {...} {...} {...}
secondofthreeunexpanded            \secondofthreeunexpanded {...} {...} {...}
secondoftwoarguments               \secondoftwoarguments {...} {...}
secondoftwounexpanded              \secondoftwounexpanded {...} {...}
```

```
section:instance                                           \SECTION [...] {...}
section:instance:assignment                                \SECTION [..=..]
section:instance:assignment:chapter                        \chapter [..=..]
section:instance:assignment:part                           \part [..=..]
section:instance:assignment:section                        \section [..=..]
section:instance:assignment:subject                        \subject [..=..]
section:instance:assignment:subsection                     \subsection [..=..]
section:instance:assignment:subsubject                     \subsubject [..=..]
section:instance:assignment:subsubsection                  \subsubsection [..=..]
section:instance:assignment:subsubsubject                  \subsubsubject [..=..]
section:instance:assignment:subsubsubsection               \subsubsubsection [..=..]
section:instance:assignment:subsubsubsubject               \subsubsubsubject [..=..]
section:instance:assignment:title                          \title [..=..]
section:instance:chapter                                   \chapter [...] {...}
section:instance:ownnumber                                 \SECTION [...] {...} {...}
section:instance:ownnumber:chapter                         \chapter [...] {...} {...}
section:instance:ownnumber:part                            \part [...] {...} {...}
section:instance:ownnumber:section                         \section [...] {...} {...}
section:instance:ownnumber:subject                         \subject [...] {...} {...}
section:instance:ownnumber:subsection                      \subsection [...] {...} {...}
section:instance:ownnumber:subsubject                      \subsubject [...] {...} {...}
section:instance:ownnumber:subsubsection                   \subsubsection [...] {...} {...}
section:instance:ownnumber:subsubsubject                   \subsubsubject [...] {...} {...}
section:instance:ownnumber:subsubsubsection                \subsubsubsection [...] {...} {...}
section:instance:ownnumber:subsubsubsubject                \subsubsubsubject [...] {...} {...}
section:instance:ownnumber:title                           \title [...] {...} {...}
section:instance:part                                      \part [...] {...}
section:instance:section                                   \section [...] {...}
section:instance:subject                                   \subject [...] {...}
section:instance:subsection                                \subsection [...] {...}
section:instance:subsubject                                \subsubject [...] {...}
section:instance:subsubsection                             \subsubsection [...] {...}
section:instance:subsubsubject                             \subsubsubject [...] {...}
section:instance:subsubsubsection                          \subsubsubsection [...] {...}
section:instance:subsubsubsubject                          \subsubsubsubject [...] {...}
section:instance:title                                     \title [...] {...}
seeregister:instance                                       \voitREGISTER [...] {..+...+..} {...}
seeregister:instance:index                                 \voitindex [...] {..+...+..} {...}
select                                                     \select {...} {...} {...} {...} {...} {...}
selectionneblocs                                           \selectionneblocs [...] [...] [...] [..=..]    OPT
separeflottant                                             \separeflottant [..=..] {...} {...}
serializecommalist                                         \serializecommalist [...]
serializedcommalist                                        \serializedcommalist
serif                                                      \serif
serifbold                                                  \serifbold
serifnormal                                                \serifnormal
setautopagestaterealpageno                                 \setautopagestaterealpageno {...}
setbar                                                     \setbar [...]
setbigbodyfont                                             \setbigbodyfont
setboxllx                                                  \setboxllx ... {...}
setboxlly                                                  \setboxlly ... {...}
setbreakpoints                                             \setbreakpoints [...]
setbuffer                                                  \setbuffer [...] ... \endbuffer
setcapstrut                                                \setcapstrut
setcatcodetable                                            \setcatcodetable \...
setcharacteralign                                          \setcharacteralign {...} {...}
setcharacteraligndetail                                    \setcharacteraligndetail {...} {...} {...} {...}
setcharactercasing                                         \setcharactercasing [...]
setcharactercleaning                                       \setcharactercleaning [...]
setcharacterkerning                                        \setcharacterkerning [...]
setcharacterspacing                                        \setcharacterspacing [...]
setcharacterstripping                                      \setcharacterstripping [...]
setcharstrut                                               \setcharstrut {...}
setcollector                                               \setcollector [...] [..=..] {...}
setcolormodell                                             \setcolormodell [...]
setcounter                                                 \setcounter [...] [...] [...]
```

setcounterown	`\setcounterown [...] [...] [...]`
setcurrentfontclass	`\setcurrentfontclass {...}`
setdataset	`\setdataset [...] [...] [..=..]`
setdefaultpenalties	`\setdefaultpenalties`
setdigitsmanipulation	`\setdigitsmanipulation [...]`
setdirection	`\setdirection [...]`
setdocumentargument	`\setdocumentargument {...} {...}`
setdocumentargumentdefault	`\setdocumentargumentdefault {...} {...}`
setdocumentfilename	`\setdocumentfilename {...} {...}`
setdummyparameter	`\setdummyparameter {...} {...}`
setelementexporttag	`\setelementexporttag [...] [...] [...]`
setemeasure	`\setemeasure {...} {...}`
setevalue	`\setevalue {...} {...}`
setevariable	`\setevariable {...} {...} {...}`
setevariables	`\setevariables [...] [..=..]`
setfirstline	`\setfirstline [...]`
setfirstpasscharacteralign	`\setfirstpasscharacteralign`
setflag	`\setflag {...}`
setfont	`\setfont ...`
setfontcolorsheme	`\setfontcolorsheme [...]`
setfontfeature	`\setfontfeature {...}`
setfontsolution	`\setfontsolution [...]`
setfontstrut	`\setfontstrut`
setglobalscript	`\setglobalscript [...]`
setgmeasure	`\setgmeasure {...} {...}`
setgvalue	`\setgvalue {...} {...}`
setgvariable	`\setgvariable {...} {...} {...}`
setgvariables	`\setgvariables [...] [..=..]`
sethboxregister	`\sethboxregister ... {...}`
sethyphenatedurlafter	`\sethyphenatedurlafter {...}`
sethyphenatedurlbefore	`\sethyphenatedurlbefore {...}`
sethyphenatedurlnormal	`\sethyphenatedurlnormal {...}`
sethyphenationfeatures	`\sethyphenationfeatures [...]`
setinitial	`\setinitial [...] [..=..]`
setinjector	`\setinjector [...] [...] [...]`
setinteraction	`\setinteraction [...]`
setinterfacecommand	`\setinterfacecommand {...} {...}`
setinterfaceconstant	`\setinterfaceconstant {...} {...}`
setinterfaceelement	`\setinterfaceelement {...} {...}`
setinterfacemessage	`\setinterfacemessage {...} {...} {...}`
setinterfacevariable	`\setinterfacevariable {...} {...}`
setinternalrendering	`\setinternalrendering [...] [...] {...}`
setitaliccorrection	`\setitaliccorrection [...]`
setJSpreamble	`\setJSpreamble {...} {...}`
setlayer	`\setlayer [...] [...] [..=..] {...}`
setlayerframed	`\setlayerframed [...] [..=..] [..=..] {...}`
setlayerframed:combination	`\setlayerframed [...] [..=..] {...}`
setlayertext	`\setlayertext [...] [..=..] [..=..] {...}`
setlinefiller	`\setlinefiller [...]`
setlocalhsize	`\setlocalhsize [...]`
setlocalscript	`\setlocalscript [...]`
setMPlayer	`\setMPlayer [...] [...] [..=..] {...}`
setMPpositiongraphic	`\setMPpositiongraphic {...} {...} {..=..}`
setMPpositiongraphicrange	`\setMPpositiongraphicrange {...} {...} {...} {..=..}`
setMPtext	`\setMPtext {...} {...}`
setMPvariable	`\setMPvariable [...] [..=..]`
setMPvariables	`\setMPvariables [...] [..=..]`
setmainbodyfont	`\setmainbodyfont`
setmainparbuilder	`\setmainparbuilder [...]`
setmarker	`\setmarker [...] [...]`
setmarking	`\setmarking [...] {...}`
setmathstyle	`\setmathstyle {...}`
setmeasure	`\setmeasure {...} {...}`
setmessagetext	`\setmessagetext {...} {...}`
setmode	`\setmode {...}`
setnostrut	`\setnostrut`
setnote	`\setnote [...] [...] {...}`
setnotetext	`\setnotetext [...] [...] {...}`
setnotetext:assignment	`\setnotetext [...] [..=..]`
setnote:assignment	`\setnote [...] [..=..]`
setobject	`\setobject {...} {...} \... {...}`
setoldstyle	`\setoldstyle`

setpagereference	`\setpagereference {...} {...}`
setpagestate	`\setpagestate [...] [...]`
setpagestaterealpageno	`\setpagestaterealpageno {...} {...}`
setpenalties	`\setpenalties \... {...} {...}`
setpercentdimen	`\setpercentdimen {...} {...}`
setperiodkerning	`\setperiodkerning [...]`
setposition	`\setposition {...}`
setpositionbox	`\setpositionbox {...} \... {...}`
setpositiondata	`\setpositiondata {...} {...} {...} {...}`
setpositiondataplus	`\setpositiondataplus {...} {...} {...} {...} {...}`
setpositiononly	`\setpositiononly {...}`
setpositionplus	`\setpositionplus {...} {...} \... {...}`
setpositionstrut	`\setpositionstrut {...}`
setprofile	`\setprofile [...]`
setrandomseed	`\setrandomseed {...}`
setreference	`\setreference [...] [..=..]`
setreferencedobject	`\setreferencedobject {...} {...} \... {...}`
setregisterentry	`\setregisterentry [...] [..=..] [..=..]`
setreplacement	`\setreplacement [...]`
setrigidcolumnbalance	`\setrigidcolumnbalance ...`
setrigidcolumnhsize	`\setrigidcolumnhsize {...} {...} {...}`
setscript	`\setscript [...]`
setsecondpasscharacteralign	`\setsecondpasscharacteralign`
setsectionblock	`\setsectionblock [...] [..=..]`
setsimplecolumnshsize	`\setsimplecolumnshsize [..=..]`
setsmallbodyfont	`\setsmallbodyfont`
setsmallcaps	`\setsmallcaps`
setstackbox	`\setstackbox {...} {...} {...}`
setstructurepageregister	`\setstructurepageregister [...] [..=..] [..=..]`
setstrut	`\setstrut`
setsuperiors	`\setsuperiors`
setsystemmode	`\setsystemmode {...}`
settabular	`\settabular`
settaggedmetadata	`\settaggedmetadata [..=..]`
settestcrlf	`\settestcrlf`
settext	`\settext [...] [...] [...] [...] [...]`
settightobject	`\settightobject {...} {...} \... {...}`
settightreferencedobject	`\settightreferencedobject {...} {...} \... {...}`
settightstrut	`\settightstrut`
settightunreferencedobject	`\settightunreferencedobject {...} {...} \... {...}`
settokenlist	`\settokenlist [...] {...}`
settrialtypesetting	`\settrialtypesetting`
setuevalue	`\setuevalue {...} {...}`
setugvalue	`\setugvalue {...} {...}`
setunreferencedobject	`\setunreferencedobject {...} {...} \... {...}`
setupalternativestyles	`\setupalternativestyles [..=..]`
setupattachment	`\setupattachment [...] [..=..]`
setupattachments	`\setupattachments [...] [..=..]`
setupbackend	`\setupbackend [..=..]`
setupbar	`\setupbar [...] [..=..]`
setupbars	`\setupbars [...] [..=..]`
setupbleeding	`\setupbleeding [..=..]`
setupbookmark	`\setupbookmark [..=..]`
setupbtx	`\setupbtx [...] [..=..]`
setupbtxdataset	`\setupbtxdataset [...] [..=..]`
setupbtxlist	`\setupbtxlist [...] [..=..]`
setupbtxregister	`\setupbtxregister [...] [..=..]`
setupbtxrendering	`\setupbtxrendering [...] [..=..]`
setupbtx:name	`\setupbtx [...]`
setupbutton	`\setupbutton [...] [..=..]`
setupcharacteralign	`\setupcharacteralign [..=..]`
setupcharacterkerning	`\setupcharacterkerning [...] [..=..]`
setupcharacterspacing	`\setupcharacterspacing [...] [...] [..=..]`
setupchemical	`\setupchemical [...] [..=..]`
setupchemicalframed	`\setupchemicalframed [...] [..=..]`
setupcollector	`\setupcollector [...] [..=..]`
setupcolumnsetarea	`\setupcolumnsetarea [...] [..=..]`
setupcolumnsetareatext	`\setupcolumnsetareatext [...] [...]`
setupcolumnsetlines	`\setupcolumnsetlines [...] [...] [...] [...]`
setupcolumnsetspan	`\setupcolumnsetspan [...] [..=..]`
setupcolumnsetstart	`\setupcolumnsetstart [...] [...] [...] [...]`
setupcombination	`\setupcombination [...] [..=..]`

setupcounter	\setupcounter [...] [..=..]
setupdataset	\setupdataset [...] [..=..]
setupdelimitedtext	\setupdelimitedtext [...] [..=..]
setupdescription	\setupdescription [...] [..=..]
setupdirections	\setupdirections [..=..]
setupdocument	\setupdocument [..=..]
setupeffect	\setupeffect [...] [..=..]
setupenumeration	\setupenumeration [...] [..=..]
setupenv	\setupenv [..=..]
setupexport	\setupexport [..=..]
setupexternalfigure	\setupexternalfigure [...] [..=..]
setupexternalsoundtracks	\setupexternalsoundtracks [..=..]
setupfacingfloat	\setupfacingfloat [...] [..=..]
setupfieldbody	\setupfieldbody [...] [..=..]
setupfieldcategory	\setupfieldcategory [...] [..=..]
setupfieldcontentframed	\setupfieldcontentframed [...] [..=..]
setupfieldlabelframed	\setupfieldlabelframed [...] [..=..]
setupfieldtotalframed	\setupfieldtotalframed [...] [..=..]
setupfiller	\setupfiller [...] [..=..]
setupfirstline	\setupfirstline [...] [..=..]
setupfittingpage	\setupfittingpage [...] [..=..]
setupfloatframed	\setupfloatframed [...] [..=..]
setupfontexpansion	\setupfontexpansion [...] [..=..]
setupfontprotrusion	\setupfontprotrusion [...] [..=..]
setupfonts	\setupfonts [..=..]
setupfontsolution	\setupfontsolution [...] [..=..]
setupformula	\setupformula [...] [..=..]
setupformulaframed	\setupformulaframed [...] [..=..]
setupframedcontent	\setupframedcontent [...] [..=..]
setupframedtable	\setupframedtable [...] [..=..]
setupframedtablecolumn	\setupframedtablecolumn [...] [...] [..=..]
setupframedtablerow	\setupframedtablerow [...] [...] [..=..]
setupframedtext	\setupframedtext [...] [..=..]
setupframedtexts	\setupframedtexts [...] [..=..]
setupglobalreferenceprefix	\setupglobalreferenceprefix [...]
setupheadalternative	\setupheadalternative [...] [..=..]
setuphelp	\setuphelp [...] [..=..]
setuphigh	\setuphigh [...] [..=..]
setuphighlight	\setuphighlight [...] [..=..]
setuphyphenation	\setuphyphenation [..=..]
setupindentedtext	\setupindentedtext [...] [..=..]
setupinitial	\setupinitial [...] [..=..]
setupinsertion	\setupinsertion [...] [..=..]
setupitaliccorrection	\setupitaliccorrection [...]
setupitemgroup	\setupitemgroup [...] [...] [...] [..=..]
setupitemgroup:assignment	\setupitemgroup [...] [..=..]
setupitemgroup:instance	\regleITEMGROUP [...] [...] [..=..]
setupitemgroup:instance:itemize	\regleitemize [...] [...] [..=..]
setuplabel	\setuplabel [...] [..=..]
setuplayer	\setuplayer [...] [..=..]
setuplayeredtext	\setuplayeredtext [...] [..=..]
setuplayouttext	\setuplayouttext [...] [...] [..=..]
setuplinefiller	\setuplinefiller [...] [..=..]
setuplinefillers	\setuplinefillers [...] [..=..]
setuplinenote	\setuplinenote [...] [..=..]
setuplinetable	\setuplinetable [...] [...] [..=..]
setuplistalternative	\setuplistalternative [...] [..=..]
setuplistextra	\setuplistextra [...] [..=..]
setuplocalfloats	\setuplocalfloats [..=..]
setuplocalinterlinespace	\setuplocalinterlinespace [...] [..=..]
setuplocalinterlinespace:argument	\setuplocalinterlinespace [...]
setuplocalinterlinespace:name	\setuplocalinterlinespace [...]
setuplow	\setuplow [...] [..=..]
setuplowhigh	\setuplowhigh [...] [..=..]
setuplowmidhigh	\setuplowmidhigh [...] [..=..]
setupMPgraphics	\setupMPgraphics [..=..]
setupMPinstance	\setupMPinstance [...] [..=..]
setupMPpage	\setupMPpage [..=..]
setupMPvariables	\setupMPvariables [...] [..=..]
setupmarginblock	\setupmarginblock [...] [..=..]
setupmargindata	\setupmargindata [...] [..=..]
setupmarginframed	\setupmarginframed [...] [..=..]

setupmarginrule	\setupmarginrule [...] [..=..]
setupmathalignment	\setupmathalignment [...] [..=..]
setupmathcases	\setupmathcases [...] [..=..]
setupmathematics	\setupmathematics [...] [..=..]
setupmathfence	\setupmathfence [...] [..=..]
setupmathfraction	\setupmathfraction [...] [..=..]
setupmathfractions	\setupmathfractions [...] [..=..]
setupmathframed	\setupmathframed [...] [..=..]
setupmathmatrix	\setupmathmatrix [...] [..=..]
setupmathornament	\setupmathornament [...] [..=..]
setupmathradical	\setupmathradical [...] [..=..]
setupmathstackers	\setupmathstackers [...] [..=..]
setupmathstyle	\setupmathstyle [...]
setupmixedcolumns	\setupmixedcolumns [...] [..=..]
setupmodule	\setupmodule [...] [..=..]
setupnotation	\setupnotation [...] [..=..]
setupnotations	\setupnotations [...] [..=..]
setupnote	\setupnote [...] [..=..]
setupnotes	\setupnotes [...] [..=..]
setupoffset	\setupoffset [..=..]
setupoffsetbox	\setupoffsetbox [..=..]
setupoutputroutine	\setupoutputroutine [...] [..=..]
setupoutputroutine:name	\setupoutputroutine [...]
setuppagechecker	\setuppagechecker [...] [..=..]
setuppagecolumns	\setuppagecolumns [...] [..=..]
setuppageinjection	\setuppageinjection [...] [..=..]
setuppageinjectionalternative	\setuppageinjectionalternative [...] [..=..]
setuppageshift	\setuppageshift [...] [...] [...]
setuppagestate	\setuppagestate [...] [..=..]
setuppairedbox	\setuppairedbox [...] [..=..]
setuppairedbox:instance	\reglePAIREDBOX [..=..]
setuppairedbox:instance:legend	\reglelegend [..=..]
setupparagraph	\setupparagraph [...] [..=..]
setupparagraphintro	\setupparagraphintro [...] [...]
setupparallel	\setupparallel [...] [...] [..=..]
setupperiodkerning	\setupperiodkerning [...] [..=..]
setupperiods	\setupperiods [..=..]
setupplacement	\setupplacement [...] [..=..]
setuppositionbar	\setuppositionbar [..=..]
setupprocessor	\setupprocessor [...] [..=..]
setupprofile	\setupprofile [...] [..=..]
setupquotation	\setupquotation [..=..]
setuprealpagenumber	\setuprealpagenumber [..=..]
setupreferenceformat	\setupreferenceformat [...] [..=..]
setupreferenceprefix	\setupreferenceprefix [...]
setupreferencestructureprefix	\setupreferencestructureprefix [...] [...] [..=..]
setupregisters	\setupregisters [...] [..=..]
setupregisters:argument	\setupregisters [...] [...] [..=..]
setuprenderingwindow	\setuprenderingwindow [...] [..=..]
setupruby	\setupruby [...] [..=..]
setups	\setups [...]
setupscale	\setupscale [...] [..=..]
setupscript	\setupscript [...] [..=..]
setupscripts	\setupscripts [...] [..=..]
setupselector	\setupselector [...] [..=..]
setupshift	\setupshift [...] [..=..]
setupsidebar	\setupsidebar [...] [..=..]
setupspellchecking	\setupspellchecking [..=..]
setupstretched	\setupstretched [..=..]
setupstruts	\setupstruts [...]
setupstyle	\setupstyle [...] [..=..]
setupsubformula	\setupsubformula [...] [..=..]
setupsubformulas	\setupsubformulas [...] [..=..]
setupsymbols	\setupsymbols [..=..]
setupsynctex	\setupsynctex [..=..]
setups:direct	\setups {...}
setupTABLE	\setupTABLE [...] [...] [..=..]
setupTEXpage	\setupTEXpage [..=..]
setuptabulation	\setuptabulation [...] [..=..]
setuptagging	\setuptagging [..=..]
setuptextbackground	\setuptextbackground [...] [..=..]
setuptextflow	\setuptextflow [...] [..=..]

```
setuptextnote                          \setuptextnote [...] [..=..]
setuptooltip                           \setuptooltip [...] [..=..]
setupunit                              \setupunit [...] [..=..]
setupuserdata                          \setupuserdata [...] [..=..]
setupuserdataalternative               \setupuserdataalternative [...] [..=..]
setupuserpagenumber                    \setupuserpagenumber [..=..]
setupversion                           \setupversion [...]
setupviewerlayer                       \setupviewerlayer [..=..]
setupvspacing                          \setupvspacing [...]
setupwithargument                      \setupwithargument {...} {...}
setupwithargumentswapped               \setupwithargumentswapped {...} {...}
setupxml                               \setupxml [..=..]
setupxtable                            \setupxtable [...] [..=..]
setuvalue                              \setuvalue {...} {...}
setuxvalue                             \setuxvalue {...} {...}
setvalue                               \setvalue {...} {...}
setvariable                            \setvariable {...} {...} {...}
setvariables                           \setvariables [...] [..=..]
setvboxregister                        \setvboxregister ... {...}
setvisualizerfont                      \setvisualizerfont [...]
setvtopregister                        \setvtopregister ... {...}
setwidthof                             \setwidthof ... \to \...
setxmeasure                            \setxmeasure {...} {...}
setxvalue                              \setxvalue {...} {...}
setxvariable                           \setxvariable {...} {...} {...}
setxvariables                          \setxvariables [...] [..=..]
shapedhbox                             \shapedhbox {...}
shiftbox                               \shiftbox {...}
shift:instance                         \SHIFT {...}
shift:instance:shiftdown               \shiftdown {...}
shift:instance:shiftup                 \shiftup {...}
showallmakeup                          \showallmakeup
showattributes                         \showattributes
showboxes                              \showboxes
showbtxdatasetauthors                  \showbtxdatasetauthors [..=..]
showbtxdatasetauthors:argument         \showbtxdatasetauthors [...]
showbtxdatasetcompleteness             \showbtxdatasetcompleteness [..=..]
showbtxdatasetcompleteness:argument    \showbtxdatasetcompleteness [...]
showbtxdatasetfields                   \showbtxdatasetfields [..=..]
showbtxdatasetfields:argument          \showbtxdatasetfields [...]
showbtxfields                          \showbtxfields [..=..]
showbtxfields:argument                 \showbtxfields [...]
showbtxhashedauthors                   \showbtxhashedauthors [...]
showbtxtables                          \showbtxtables [...]
showchardata                           \showchardata {...}
showcharratio                          \showcharratio {...}
showcolorbar                           \showcolorbar [...]
showcolorcomponents                    \showcolorcomponents [...]
showcolorset                           \showcolorset [...]
showcolorstruts                        \showcolorstruts
showcounter                            \showcounter [...]
showdirectives                         \showdirectives
showdirsinmargin                       \showdirsinmargin
showedebuginfo                         \showedebuginfo
showexperiments                        \showexperiments
showfont                               \showfont [...] [...]
showfontdata                           \showfontdata
showfontexpansion                      \showfontexpansion
showfontitalics                        \showfontitalics
showfontkerns                          \showfontkerns
showfontparameters                     \showfontparameters
showfontstrip                          \showfontstrip [...]
showfontstyle                          \showfontstyle [...] [...] [...] [...]
showglyphdata                          \showglyphdata
showglyphs                             \showglyphs
showgridsnapping                       \showgridsnapping
showhelp                               \showhelp {...} [...]
showhyphenationtrace                   \showhyphenationtrace [...] [...]
showhyphens                            \showhyphens {...}
showinjector                           \showinjector [...]
showjustification                      \showjustification
showkerning                            \showkerning {...}
```

showlayoutcomponents	\showlayoutcomponents
showligature	\showligature {...}
showligatures	\showligatures [...]
showlogcategories	\showlogcategories
showmargins	\showmargins
showmessage	\showmessage {...} {...} {...}
showminimalbaseline	\showminimalbaseline
shownextbox	\shownextbox \... {...}
showotfcomposition	\showotfcomposition {...} {...} {...}
showparentchain	\showparentchain \... {...}
showsetupsdefinition	\showsetupsdefinition [...]
showtimer	\showtimer {...}
showtokens	\showtokens [...]
showtrackers	\showtrackers
showvalue	\showvalue {...}
showvariable	\showvariable {...} {...}
showwarning	\showwarning {...} {...} {...}
signalrightpage	\signalrightpage
simplealignedbox	\simplealignedbox {...} {...} {...}
simplealignedboxplus	\simplealignedboxplus {...} {...} {...} {...}
simplealignedspreadbox	\simplealignedspreadbox {...} {...} {...}
simplegroupedcommand	\simplegroupedcommand {...} {...}
simplereversealignedbox	\simplereversealignedbox {...} {...} {...}
simplereversealignedboxplus	\simplereversealignedboxplus {...} {...} {...} {...}
singalcharacteralign	\singalcharacteralign {...} {...}
singlebond	\singlebond
sixthofsixarguments	\sixthofsixarguments {...} {...} {...} {...} {...} {...}
slantedface	\slantedface
slicepages	\slicepages [...] [..=..] [..=..]
slovenianNumerals	\slovenianNumerals {...}
sloveniannumerals	\sloveniannumerals {...}
smallcappedcharacters	\smallcappedcharacters {...}
smallcappedromannumerals	\smallcappedromannumerals {...}
smaller	\smaller
smallskip	\smallskip
smash	\smash [...] {...}
smashbox	\smashbox ...
smashboxed	\smashboxed ...
smashedhbox	\smashedhbox ... {...}
smashedvbox	\smashedvbox ... {...}
snaptogrid	\snaptogrid [...] \... {...}
snaptogrid:list	\snaptogrid [...] \... {...}
someheadnumber	\someheadnumber [...] [...]
somekindoftab	\somekindoftab [..=..]
somelocalfloat	\somelocalfloat
somenamedheadnumber	\somenamedheadnumber {...} {...}
someplace	\someplace {...} {...} {...} {...} {...} [...]
sorting:instance	\SORTING [...] {...}
sorting:instance:logo	\logo [...] {...}
sousnumeropage	\sousnumeropage
souspagesuivante	\souspagesuivante
spaceddigits	\spaceddigits {...}
spaceddigitsmethod	\spaceddigitsmethod
spaceddigitsseparator	\spaceddigitsseparator
spaceddigitssymbol	\spaceddigitssymbol
spanishNumerals	\spanishNumerals {...}
spanishnumerals	\spanishnumerals {...}
splitatasterisk	\splitatasterisk ... \... \...
splitatcolon	\splitatcolon ... \... \...
splitatcolons	\splitatcolons ... \... \...
splitatcomma	\splitatcomma ... \... \...
splitatperiod	\splitatperiod ... \... \...
splitdfrac	\splitdfrac {...} {...}
splitfilename	\splitfilename {...}
splitfrac	\splitfrac {...} {...}
splitoffbase	\splitoffbase
splitofffull	\splitofffull
splitoffkind	\splitoffkind
splitoffname	\splitoffname
splitoffpath	\splitoffpath
splitoffroot	\splitoffroot
splitofftokens	\splitofftokens ... \from ... \to \...

```
splitofftype                              \splitofftype
splitstring                               \splitstring ... \at ... \to \... \and \...
spreadhbox                                \spreadhbox ...
sqrt                                      \sqrt [...] {...}
stackrel                                  \stackrel {...} {...}
stackscripts                              \stackscripts
startlinenote:instance                    \demarreLINENOTE [...] {...}
startlinenote:instance:linenote           \demarrelinenote [...] {...}
startregister                             \startregister [...] [...] [...] [...] {..+...+..} ... \stopregister [..
startstop:example                         \STARTSTOP {...}
startstructurepageregister                \startstructurepageregister [...] [...] [..=..] [..=..] ... \stopstructu
stoplinenote:instance                     \stoppeLINENOTE [...]
stoplinenote:instance:linenote            \stoppelinenote [...]
stoppeligne                               \stoppeligne [...]
strictdoifelsenextoptional                \strictdoifelsenextoptional {...} {...}
strictdoifnextoptionalelse                \strictdoifnextoptionalelse {...} {...}
stripcharacter                            \stripcharacter ... \from ... \to \...
strippedcsname                            \strippedcsname \...
strippedcsname:string                     \strippedcsname ...
stripspaces                               \stripspaces \from ... \to \...
structurelistuservariable                 \structurelistuservariable {...}
structurenumber                           \structurenumber
structuretitle                            \structuretitle
structureuservariable                     \structureuservariable {...}
structurevariable                         \structurevariable {...}
strut                                     \strut
strutdp                                   \strutdp
strutgap                                  \strutgap
strutht                                   \strutht
struthtdp                                 \struthtdp
struttedbox                               \struttedbox {...}
strutwd                                   \strutwd
style                                     \style [..=..] {...}
styleinstance                             \styleinstance [...]
style:argument                            \style [...] {...}
style:instance                            \STYLE {...}
subsentence                               \subsentence {...}
substituteincommalist                     \substituteincommalist {...} {...} \...
subtractfeature                           \subtractfeature [...]
subtractfeature:direct                     \subtractfeature {...}
suggestion:instance                       \TOOLTIP [..=..] {...} {...}
suggestion:instance:argument              \TOOLTIP [...] {...} {...}
suggestion:instance:argument:tooltip      \tooltip [...] {...} {...}
suggestion:instance:tooltip               \tooltip [..=..] {...} {...}
swapcounts                                \swapcounts \... \...
swapdimens                                \swapdimens \... \...
swapface                                  \swapface
swapmacros                                \swapmacros \... \...
swaptypeface                              \swaptypeface
switchstyleonly                           \switchstyleonly [...]
switchstyleonly:command                    \switchstyleonly \...
switchtocolor                             \switchtocolor [...]
switchtointerlinespace                    \switchtointerlinespace [...] [..=..]
switchtointerlinespace:argument           \switchtointerlinespace [...]
switchtointerlinespace:name               \switchtointerlinespace [...]
symbole                                    \symbole [...] [...]
symbole:direct                            \symbole {...}
symbolreference                           \symbolreference [...]
synchronizeblank                          \synchronizeblank
synchronizeindenting                      \synchronizeindenting
synchronizemarking                        \synchronizemarking [...] [...] [...]
synchronizeoutputstreams                   \synchronizeoutputstreams [...]
synchronizestrut                          \synchronizestrut {...}
synchronizewhitespace                     \synchronizewhitespace
synctexblockfilename                      \synctexblockfilename {...}
synctexresetfilename                      \synctexresetfilename
synctexsetfilename                        \synctexsetfilename {...}
synonym:instance                          \SYNONYM [...] {...} {...}
synonym:instance:abbreviation             \abbreviation [...] {...} {...}
systemlog                                 \systemlog {...} {...} {...}
systemlogfirst                            \systemlogfirst {...} {...} {...}
systemloglast                             \systemloglast {...} {...} {...}
```

systemsetups	`\systemsetups {...}`
TABLE	`\TABLE`
TaBlE	`\TaBlE`
TEX	`\TEX`
TeX	`\TeX`
TheNormalizedFontSize	`\TheNormalizedFontSize`
TransparencyHack	`\TransparencyHack`
tabulateautoline	`\tabulateautoline`
tabulateautorule	`\tabulateautorule`
tabulateline	`\tabulateline`
tabulaterule	`\tabulaterule`
taggedctxcommand	`\taggedctxcommand {...}`
taggedlabeltexts	`\taggedlabeltexts {...} {...} {...}`
tapebuffer	`\tapebuffer [...] [..=..]`
tapebuffer:instance	`\dactylographierBUFFER [..=..]`
tbox	`\tbox {...}`
testandsplitstring	`\testandsplitstring ... \at ... \to \... \and \...`
testcolumn	`\testcolumn [...] [...]`
testfeature	`\testfeature {...} {...}`
testfeatureonce	`\testfeatureonce {...} {...}`
testpage	`\testpage [...] [...]`
testpageonly	`\testpageonly [...] [...]`
testpagesync	`\testpagesync [...] [...]`
testtokens	`\testtokens [...]`
tex	`\tex {...}`
texdefinition	`\texdefinition {...}`
texsetup	`\texsetup {...}`
textbackground:example	`\TEXTBACKGROUND {...}`
textcitation	`\textcitation [..=..] [...]`
textcitation:alternative	`\textcitation [...] [...]`
textcitation:userdata	`\textcitation [..=..] [..=..]`
textcite	`\textcite [..=..] [...]`
textcite:alternative	`\textcite [...] [...]`
textcite:userdata	`\textcite [..=..] [..=..]`
textcontrolspace	`\textcontrolspace`
texteaide	`\texteaide [...] {...} {...}`
texteencadre:instance	`\FRAMEDTEXT [..=..] {...}`
texteencadre:instance:framedtext	`\framedtext [..=..] {...}`
textenotepdp	`\textenotepdp [...] {...}`
textenotepdp:assignment	`\textenotepdp [..=..]`
textflowcollector	`\textflowcollector {...}`
textmath	`\textmath {...}`
textminus	`\textminus`
textnote	`\textnote [..=..] {...}`
textormathchar	`\textormathchar {...}`
textormathchars	`\textormathchars {...}`
textplus	`\textplus`
textvisiblespace	`\textvisiblespace`
thainumerals	`\thainumerals {...}`
thefirstcharacter	`\thefirstcharacter {...}`
thenormalizedbodyfontsize	`\thenormalizedbodyfontsize {...}`
theremainingcharacters	`\theremainingcharacters {...}`
thickspace	`\thickspace`
thinspace	`\thinspace`
thirdoffivearguments	`\thirdoffivearguments {...} {...} {...} {...} {...}`
thirdoffourarguments	`\thirdoffourarguments {...} {...} {...} {...}`
thirdofsixarguments	`\thirdofsixarguments {...} {...} {...} {...} {...} {...}`
thirdofthreearguments	`\thirdofthreearguments {...} {...} {...}`
thirdofthreeunexpanded	`\thirdofthreeunexpanded {...} {...} {...}`
threedigitrounding	`\threedigitrounding {...}`
tibetannumerals	`\tibetannumerals {...}`
tightlayer	`\tightlayer [...]`
tilde	`\tilde {...}`
tinyfont	`\tinyfont`
tlap	`\tlap {...}`
tochar	`\tochar {...}`
tolinenote	`\tolinenote [...]`
topbox	`\topbox {...}`
topleftbox	`\topleftbox {...}`
toplinebox	`\toplinebox {...}`
toprightbox	`\toprightbox {...}`
topskippedbox	`\topskippedbox {...}`

tracecatcodetables	\tracecatcodetables
tracedfontname	\tracedfontname {...}
traceoutputroutines	\traceoutputroutines
tracepositions	\tracepositions
traduire	\traduire [..=..]
traiteblocs	\traiteblocs [...] [...] [..=..]
traitfin	\traitfin
traitsfins	\traitsfins [..=..]
transparencycomponents	\transparencycomponents {...}
transparent	\transparent [...] {...}
triplebond	\triplebond
truefilename	\truefilename {...}
truefontname	\truefontname {...}
ttraggedright	\ttraggedright
twodigitrounding	\twodigitrounding {...}
tx	\tx
txx	\txx
typ	\typ [..=..] {...}
typedefinedbuffer	\typedefinedbuffer [...] [..=..]
typeface	\typeface
typeinlinebuffer	\typeinlinebuffer [...] [..=..]
typescriptone	\typescriptone
typescriptprefix	\typescriptprefix {...}
typescriptthree	\typescriptthree
typescripttwo	\typescripttwo
typesetbuffer	\typesetbuffer [...] [..=..]
typesetfile	\typesetfile [...] [...] [..=..]
typ:angles	\typ [..=..] <<...>>
uconvertnumber	\uconvertnumber {...} {...}
uedcatcodecommand	\uedcatcodecommand \... ... {...}
undefinevalue	\undefinevalue {...}
undepthed	\undepthed {...}
underset	\underset {...} {...}
undoassign	\undoassign [...] [..=..]
uneligne	\uneligne [...]
unexpanddocumentvariable	\unexpanddocumentvariable {...}
unhhbox	\unhhbox ... \with {...}
unihex	\unihex {...}
uniqueMPgraphic	\uniqueMPgraphic {...} {..=..}
uniqueMPpagegraphic	\uniqueMPpagegraphic {...} {..=..}
unite:instance	\UNIT {...}
unite:instance:unit	\unit {...}
unprotect	\unprotect ... \protect
unprotected	\unprotected ... \par
unregisterhyphenationpattern	\unregisterhyphenationpattern [...] [...]
unspaceafter	\unspaceafter \... {...}
unspaceargument	\unspaceargument ... \to \...
unspaced	\unspaced {...}
unspacestring	\unspacestring ... \to \...
unstackscripts	\unstackscripts
untexargument	\untexargument {...} \to \...
untexcommand	\untexcommand {...} \to \...
uppercased	\uppercased {...}
uppercasestring	\uppercasestring ... \to \...
upperleftdoubleninequote	\upperleftdoubleninequote
upperleftdoublesixquote	\upperleftdoublesixquote
upperleftsingleninequote	\upperleftsingleninequote
upperleftsinglesixquote	\upperleftsinglesixquote
upperrightdoubleninequote	\upperrightdoubleninequote
upperrightdoublesixquote	\upperrightdoublesixquote
upperrightsingleninequote	\upperrightsingleninequote
upperrightsinglesixquote	\upperrightsinglesixquote
url	\url [...]
usealignparameter	\usealignparameter \...
useblankparameter	\useblankparameter \...
usebodyfont	\usebodyfont [...]
usebodyfontparameter	\usebodyfontparameter \...
usebtxdataset	\usebtxdataset [...] [...] [..=..]
usebtxdefinitions	\usebtxdefinitions [...]
usecitation	\usecitation [...]
usecitation:direct	\usecitation {...}
usecolors	\usecolors [...]

usecomponent	`\usecomponent [...]`
usedummycolorparameter	`\usedummycolorparameter {...}`
usedummystyleandcolor	`\usedummystyleandcolor {...} {...}`
usedummystyleparameter	`\usedummystyleparameter {...}`
useenvironment	`\useenvironment [...]`
useexternalrendering	`\useexternalrendering [...] [...] [...] [...]`
usefigurebase	`\usefigurebase [...]`
usefile	`\usefile [...] [...] [...]`
usegridparameter	`\usegridparameter \...`
useindentingparameter	`\useindentingparameter \...`
useindentnextparameter	`\useindentnextparameter \...`
useinterlinespaceparameter	`\useinterlinespaceparameter \...`
uselanguageparameter	`\uselanguageparameter \...`
useluamodule	`\useluamodule [...]`
useMPenvironmentbuffer	`\useMPenvironmentbuffer [...]`
useMPgraphic	`\useMPgraphic {...} {..=..}`
useMPlibrary	`\useMPlibrary [...]`
useMPrun	`\useMPrun {...} {...}`
useMPvariables	`\useMPvariables [...] [...]`
usemathstyleparameter	`\usemathstyleparameter \...`
useproduct	`\useproduct [...]`
useprofileparameter	`\useprofileparameter \...`
useproject	`\useproject [...]`
usereferenceparameter	`\usereferenceparameter \...`
userpagenumber	`\userpagenumber`
usesetupsparameter	`\usesetupsparameter \...`
usestaticMPfigure	`\usestaticMPfigure [..=..] [...]`
usesubpath	`\usesubpath [...]`
usetexmodule	`\usetexmodule [...] [...] [..=..]`
usetypescript	`\usetypescript [...] [...] [...]`
usetypescriptfile	`\usetypescriptfile [...]`
usezipfile	`\usezipfile [...] [...]`
utfchar	`\utfchar {...}`
utflower	`\utflower {...}`
utfupper	`\utfupper {...}`
utiliseblocs	`\utiliseblocs [...] [...] [..=..]`
utilisechemin	`\utilisechemin [...]`
utilisedocumentexterne	`\utilisedocumentexterne [...] [...] [...]`
utilisefigureexterne	`\utilisefigureexterne [...] [...] [...] [..=..]`
utiliseJSscripts	`\utiliseJSscripts [...] [...]`
utilisemodule	`\utilisemodule [...] [...] [..=..]`
utilisepsiteaudioexterne	`\utilisepsiteaudioexterne [...] [...]`
utilisesymboles	`\utilisesymboles [...]`
utiliseURL	`\utiliseURL [...] [...] [...] [...]`
utiliseurl	`\utiliseurl [...] [...] [...] [...]`
utilityregisterlength	`\utilityregisterlength`
VerboseNumber	`\VerboseNumber {...}`
va	`\va {...} [...]`
vaalaboite	`\vaalaboite {...} [...]`
vaalapage	`\vaalapage {...} [...]`
vaenbas	`\vaenbas [...]`
valeurcouleur	`\valeurcouleur {...}`
vboxreference	`\vboxreference [...] {...}`
vec	`\vec {...}`
verbatim	`\verbatim {...}`
verbatimstring	`\verbatimstring {...}`
verbosenumber	`\verbosenumber {...}`
version	`\version [...]`
verticalgrowingbar	`\verticalgrowingbar [..=..]`
verticalpositionbar	`\verticalpositionbar [..=..]`
veryraggedcenter	`\veryraggedcenter`
veryraggedleft	`\veryraggedleft`
veryraggedright	`\veryraggedright`
vglue	`\vglue ...`
vide	`\vide [...]`
viewerlayer	`\viewerlayer [...] {...}`
vl	`\vl [...]`
vpackbox	`\vpackbox`
vpackedbox	`\vpackedbox`
vphantom	`\vphantom {...}`
vpos	`\vpos {...} {...}`
vsmash	`\vsmash {...}`

```
vsmashbox                          \vsmashbox ...
vsmashed                           \vsmashed {...}
vspace                             \vspace [...] [...]
vspacing                           \vspacing [...]
WidthSpanningText                  \WidthSpanningText {...} {...} {...}
wdofstring                         \wdofstring {...}
widthofstring                      \widthofstring {...}
widthspanningtext                  \widthspanningtext {...} {...} {...}
withoutpt                          \withoutpt {...}
words                              \words {...}
wordtonumber                       \wordtonumber {...} {...}
writedatatolist                    \writedatatolist [...] [..=..] [..=..]
writestatus                        \writestatus {...} {...}
XETEX                              \XETEX
XeTeX                              \XeTeX
xdefconvertedargument              \xdefconvertedargument \... {...}
xmladdindex                        \xmladdindex {...}
xmlafterdocumentsetup              \xmlafterdocumentsetup {...} {...} {...}
xmlaftersetup                      \xmlaftersetup {...} {...}
xmlall                             \xmlall {...} {...}
xmlappenddocumentsetup             \xmlappenddocumentsetup {...} {...}
xmlappendsetup                     \xmlappendsetup {...}
xmlapplyselectors                  \xmlapplyselectors {...}
xmlatt                             \xmlatt {...} {...}
xmlattdef                          \xmlattdef {...} {...} {...}
xmlattribute                       \xmlattribute {...} {...} {...}
xmlattributedef                    \xmlattributedef {...} {...} {...} {...}
xmlbadinclusions                   \xmlbadinclusions {...}
xmlbeforedocumentsetup             \xmlbeforedocumentsetup {...} {...} {...}
xmlbeforesetup                     \xmlbeforesetup {...} {...}
xmlchainatt                        \xmlchainatt {...} {...}
xmlchainattdef                     \xmlchainattdef {...} {...} {...}
xmlchecknamespace                  \xmlchecknamespace {...} {...}
xmlcommand                         \xmlcommand {...} {...} {...}
xmlconcat                          \xmlconcat {...} {...} {...}
xmlconcatrange                     \xmlconcatrange {...} {...} {...} {...} {...}
xmlcontext                         \xmlcontext {...} {...}
xmlcount                           \xmlcount {...}
xmldefaulttotext                   \xmldefaulttotext {...}
xmldirectives                      \xmldirectives {...}
xmldirectivesafter                 \xmldirectivesafter {...}
xmldirectivesbefore                \xmldirectivesbefore {...}
xmldisplayverbatim                 \xmldisplayverbatim {...}
xmldoif                            \xmldoif {...} {...} {...}
xmldoifatt                         \xmldoifatt {...} {...}
xmldoifelse                        \xmldoifelse {...} {...} {...} {...}
xmldoifelseatt                     \xmldoifelseatt {...} {...} {...}
xmldoifelseempty                   \xmldoifelseempty {...} {...} {...} {...}
xmldoifelseselfempty               \xmldoifelseselfempty {...} {...} {...}
xmldoifelsetext                    \xmldoifelsetext {...} {...} {...} {...}
xmldoifelsevalue                   \xmldoifelsevalue {...} {...} {...} {...}
xmldoifnot                         \xmldoifnot {...} {...} {...}
xmldoifnotatt                      \xmldoifnotatt {...} {...}
xmldoifnotselfempty                \xmldoifnotselfempty {...} {...}
xmldoifnottext                     \xmldoifnottext {...} {...} {...}
xmldoifselfempty                   \xmldoifselfempty {...} {...}
xmldoiftext                        \xmldoiftext {...} {...} {...}
xmlelement                         \xmlelement {...} {...}
xmlfilter                          \xmlfilter {...} {...}
xmlfirst                           \xmlfirst {...} {...}
xmlflush                           \xmlflush {...}
xmlflushcontext                    \xmlflushcontext {...}
xmlflushdocumentsetups             \xmlflushdocumentsetups {...} {...}
xmlflushlinewise                   \xmlflushlinewise {...}
xmlflushpure                       \xmlflushpure {...}
xmlflushspacewise                  \xmlflushspacewise {...}
xmlflushtext                       \xmlflushtext {...}
xmlinclude                         \xmlinclude {...} {...} {...}
xmlinclusion                       \xmlinclusion {...}
xmlinclusions                      \xmlinclusions {...}
xmlinfo                            \xmlinfo {...}
xmlinjector                        \xmlinjector {...}
```

```
xmlinlineprettyprint              \xmlinlineprettyprint {...} {...}
xmlinlineprettyprinttext          \xmlinlineprettyprinttext {...} {...}
xmlinlineverbatim                 \xmlinlineverbatim {...}
xmlinstalldirective               \xmlinstalldirective {...} {...}
xmllast                           \xmllast {...} {...}
xmllastatt                        \xmllastatt
xmllastmatch                      \xmllastmatch
xmllastpar                        \xmllastpar
xmlloadbuffer                     \xmlloadbuffer {...} {...} {...}
xmlloaddata                       \xmlloaddata {...} {...} {...}
xmlloaddirectives                 \xmlloaddirectives {...}
xmlloadfile                       \xmlloadfile {...} {...} {...}
xmlloadonly                       \xmlloadonly {...} {...} {...}
xmlmain                           \xmlmain {...}
xmlmapvalue                       \xmlmapvalue {...} {...} {...}
xmlname                           \xmlname {...}
xmlnamespace                      \xmlnamespace {...}
xmlnonspace                       \xmlnonspace {...} {...}
xmlpar                            \xmlpar {...} {...}
xmlparam                          \xmlparam {...} {...} {...}
xmlpath                           \xmlpath {...}
xmlpos                            \xmlpos {...}
xmlposition                       \xmlposition {...} {...} {...}
xmlprependdocumentsetup           \xmlprependdocumentsetup {...} {...}
xmlprependsetup                   \xmlprependsetup {...}
xmlprettyprint                    \xmlprettyprint {...} {...}
xmlprettyprinttext                \xmlprettyprinttext {...} {...}
xmlprocessbuffer                  \xmlprocessbuffer {...} {...} {...}
xmlprocessdata                    \xmlprocessdata {...} {...} {...}
xmlprocessfile                    \xmlprocessfile {...} {...} {...}
xmlpure                           \xmlpure {...} {...}
xmlraw                            \xmlraw {...}
xmlrefatt                         \xmlrefatt {...} {...}
xmlregistereddocumentsetups       \xmlregistereddocumentsetups {...} {...}
xmlregisteredsetups               \xmlregisteredsetups
xmlregisterns                     \xmlregisterns {...} {...}
xmlremapname                      \xmlremapname {...} {...} {...} {...}
xmlremapnamespace                 \xmlremapnamespace {...} {...} {...}
xmlremovedocumentsetup            \xmlremovedocumentsetup {...} {...}
xmlremovesetup                    \xmlremovesetup {...}
xmlresetdocumentsetups            \xmlresetdocumentsetups {...}
xmlresetinjectors                 \xmlresetinjectors
xmlresetsetups                    \xmlresetsetups {...}
xmlsave                           \xmlsave {...} {...}
xmlsetatt                         \xmlsetatt {...} {...} {...}
xmlsetattribute                   \xmlsetattribute {...} {...} {...} {...}
xmlsetentity                      \xmlsetentity {...} {...}
xmlsetfunction                    \xmlsetfunction {...} {...} {...}
xmlsetinjectors                   \xmlsetinjectors [...]
xmlsetpar                         \xmlsetpar {...} {...} {...}
xmlsetparam                       \xmlsetparam {...} {...} {...} {...}
xmlsetsetup                       \xmlsetsetup {...} {...} {...}
xmlsetup                          \xmlsetup {...} {...}
xmlshow                           \xmlshow {...}
xmlsnippet                        \xmlsnippet {...} {...}
xmlstrip                          \xmlstrip {...} {...}
xmlstripnolines                   \xmlstripnolines {...} {...}
xmlstripped                       \xmlstripped {...} {...}
xmlstrippednolines                \xmlstrippednolines {...} {...}
xmltag                            \xmltag {...}
xmltexentity                      \xmltexentity {...} {...}
xmltext                           \xmltext {...} {...}
xmltobuffer                       \xmltobuffer {...} {...} {...}
xmltobufferverbose                \xmltobufferverbose {...} {...} {...}
xmltofile                         \xmltofile {...} {...} {...}
xmlvalue                          \xmlvalue {...} {...} {...}
xmlverbatim                       \xmlverbatim {...}
xsplitstring                      \xsplitstring \... {...}
xypos                             \xypos {...}
zeronumberconversion              \zeronumberconversion {...}
```