

MP attributes backends **basexx** **bit32** blobs
boolean buffers builders caches **callback**
callbacks catcodes characters chemistry
commands containers context converters
coroutine ctxrunner **debug** dir directives
document documentdata drivers environment
experiments figures **file** **fio** floats **font** fonts
functions global graphics **gzip** images
interactions interfaces **io** job **language**
languages layouts **lfs** libraries lmx logs lpdf
lpeg **lua** luatex lxml **math** mathematics **md5**
metapost **mime** moduledata modules mp **mplib**
noads **node** nodes number objects optional **os**
package pagebuilders parametersets **pdf**
pdfdecode **pdfe** physics **pngdecode** publications
regimes resolvers sandbox scripts set **sha2** **sio**
socket sorters statistics **status** storage
streams **string** structures **table** **tex**
texconditionals **texconfig** texconstants texifs
texio texisdefined texmodes texsystemmodes
thirddata **token** tokens tracers trackers
typesetters updaters url userdata **utf8**
utilities visualizers **xcomplex** **xdecimal** **xmath**
xml **xzip** zip zlib

ConT_EXt LMTX

global (alias: _G)

CONTEXT	number	directives	table
FFISUPPORTED	boolean	document	table
INITEXMODE	boolean	documentdata	table
LUAMAJORVERSION	number	dofile	function
LUAMINORVERSION	number	drivers	table
LUATEXENGINE	string	environment	table
LUATEXFORMATID	number	error	function
LUATEXFUNCTIONALITY	number	experiments	table
LUATEXVERSION	number	figures	table
LUAVERSION	number	file	table
MP	function	fio	table
arg	table	floats	table
assert	function	flushfontchar	function
attributes	table	flushsimpplerule	function
backends	table	flushspecialrule	function
basexx	table	font	table
bit32	table	fonts	table
blobs	table	functions	table
blockrequire	function	getmetatable	function
boolean	table	getscriptstatus	function
buffers	table	global	table
builders	table	graphics	table
caches	table	gzip	table
callback	table	images	table
callbacks	table	inspect	function
catcodes	table	interactions	table
characters	table	interfaces	table
checkimage	function	io	table
chemistry	table	ipairs	function
collectgarbage	function	job	table
commands	table	language	table
containers	table	languages	table
context	function	layouts	table
converters	table	lfs	table
coroutine	table	libraries	table
createmask	function	lmx	table
ctxrunner	table	load	function
data	table	loadfile	function
debug	table	loadstring	function
dimen	function	logs	table
dir	table	lpdf	table

lpeg	table	resolvers	table
lua	table	ruledspace	function
luatex	table	sandbox	table
lxml	table	scripts	table
math	table	select	function
mathematics	table	set	table
md5	table	setinspector	function
metapost	table	setmetatable	function
mime	table	sha2	table
moduledata	table	shipbox_ref_h	number
modules	table	shipbox_ref_v	number
mp	function	sio	table
mplib	table	socket	table
next	function	sorters	table
noads	table	statistics	table
node	table	status	table
nodes	table	storage	table
number	table	streams	table
objects	table	string	table
optional	table	structures	table
optionalrequire	function	table	table
os	table	tex	table
package	table	texconditionals	data table
pagebuilders	table	texconfig	table
pairs	function	texconstants	data table
parametersets	table	texifs	data table
pcall	function	texio	table
pdf	table	texisdefined	data table
pdfdecode	table	texmodes	data table
pdfe	table	texsystemmodes	data table
pdfprint	function	thirddata	table
physics	table	toboolean	function
pngdecode	table	todecimal	function
poporientation	function	token	table
print	function	tokens	table
publications	table	tonumber	function
pushorientation	function	tostring	function
rawequal	function	tracers	table
rawget	function	trackers	table
rawlen	function	type	function
rawset	function	typesetters	table
regimes	table	unpack	function
require	function	updaters	table
required	function	url	table

userdata	table	xdecimal	table
utf	table	xmath	table
utf8	table	xml	table
utilities	table	xpcall	function
visualizers	table	xzip	table
warn	function	zip	table
xcomplex	table	zlib	table

attributes (context)

applyoverloads function

colorintents table

N attribute
D data
F enable
F handler
F register
D registered

colors table

N attribute
F cmyk
F cmyktogray
F cmyktorgb
F colorcomponents
D counts
B couple
F currentmodel
F currentnamedmodel
D data
N default
F defineintermediatecolor
F definemultitonecolor
F defineprocesscolor
F defineprocesscolordirect
F definesimplegray
F definespotcolor
F definetransparency
F enable
F filter
N forced
F forcedmodel
F forcesupport
F formatcolor
F formatgray
F getpagecolormodel
F gray
F graytohsv
F handler
T helpers
F complement
F inbetween

F justone
F hsvtogray
F hsvtorgb
F hwbtorgb
F iccprofile
F isblack
N main
S model
D models
F mpcolor
F mpnamedcolor
F mpoptions
F namedcolorattributes
N none
F popset
F processcolorcomponents
F pushset
F register
D registered
F registerspotcolor
F rgb
F rgbtocmyk
F rgbtogray
F rgbtohsv
N selector
F setlist
F setmodel
F setpagecolormodel
D sets
F spec
F spot
F spotcolorname
F spotcolorparent
F spotcolorvalue
B supported
F toattributes
F transparencycomponents
B triggering
F usecolors
D valid
F value

D values		F enable	
B weightgray		F forcesupport	
define	function	F handler	
effects	table	T names	
N attribute		N color	
D data		N colorburn	
F enable		N colordodge	
F handler		N darken	
F register		N difference	
D registered		N exclusion	
D values		N hardlight	
handlers	table	N hue	
list	data table	N lighten	
markasoverload	function	N luminosity	
names	data table	N multiply	
negatives	table	N none	
N attribute		N normal	
D data		N overlay	
F enable		N saturation	
F handler		N screen	
F register		N softlight	
D registered		N none	
F set		F register	
numbers	data table	D registered	
ofnode	function	B supported	
private	function	F toattribute	
public	function	B triggering	
restore	function	F value	
save	function	D values	
showcurrent	function	unsetvalue	number
states	table	viewerlayers	table
F disabletriggering		N attribute	
F enabletriggering		F cleanup	
F finalize		D data	
F initialize		F define	
F process		F definedlayoutcomponent	
F selective		F enable	
F stacked		F forcesupport	
F stacker		F handler	
system	function	B hasorder	
tooverloads	function	D listwise	
transparencies	table	F register	
N attribute		D registered	
D data		F resolve_begin	

F resolve_end
F resolve_reset
F resolve_step
D scopes
F setfeatures

F start
F stop
B supported
D values

backends (context)

closeout	function	F fieldsurrounding
codeinjections	table	F flushmergelayer
F boxresourcedimensions		F getbookmarks
F registerboxresource		F getdefaultfieldvalue
F restoreboxresource		F getfieldcategory
current	string	F getfieldset
defaults	table	F getformatoption
T codeinjections		F getidentityvariable
F getpagedimensions		F getinfo
F setpagedimensions		F getpreviewfigure
T nodeinjections		F insertrenderingwindow
T registrations		F jp2
D tables		F jpg
getcallbackstate	function	F maptag
included	table	F mergebookmarks
B context		F mergecomments
B date		F mergefields
B id		F mergereferences
B metadata		F mergeviewerlayers
B pdf		F newimage
install	function	F png
latelua	function	F prerollreference
nodeinjections	table	F presetsymbol
nothing	function	F presetsymbollist
openout	function	F processrendering
pdf	table	F registerdocumentcloseaction
T codeinjections		F registerdocumentopenaction
F addbookmarks		F registeredsymbol
F analyzenormalsymbol		F registerpagecloseaction
F analyzesymbol		F registerpageopenaction
F attachmentid		F registerpattern
F bitmap		F registersymbol
F clonefield		F scanningage
F copyimage		F setattachmentsupport
F definefield		F setfieldcalculationset
F definefieldset		F setfigurealternative
F defineviewerlayer		F setfigurecolorspace
F embedfile		F setfiguremask
F embedimage		F setformat
F enabletags		F setformsmethod
F exportformdata		F setpagetransition

F settaggingsupport	F insertsound	
F setupcanvas	F insertu3d	
F setupidentity	F knockout	
F setxmpfile	F negative	
F startlayer	F overprint	
F startunicodetoactualtext	F positive	
F startunicodetoactualtextdirect	F reference	
F stoplayer	F rgbcolor	
F stopunicodetoactualtext	F spotcolor	
F stopunicodetoactualtextdirect	F startlayer	
F supportedformats	F startstackedlayer	
F unicodetoactualtext	F stoplayer	
F useviewerlayer	F stopstackedlayer	
F validfield	F transparency	
F validfieldcategory	F typesetfield	
F validfieldset	T registrations	
F wrapimage	F cmykindexcolor	
S comment	F cmykspotcolor	
T nodeinjections	F getspotcolorreference	
F addtags	F grayindexcolor	
F annotation	F grayspotcolor	
F attachfile	F rgbindexcolor	
F changestackedlayer	F rgbspotcolor	
F cmykcolor	F spotcolorname	
F comment	F transparency	
F destination	T tables	
F effect	D vfspecials	
F graycolor	registrations	table
F injectbitmap	tables	table
F insertmovie	writeout	function

basexx (extra lua)

decode16 function

decode64 function

decode85 function

decodeLZW function

decodeRL function

encode16 function

encode64 function

encode85 function

encodeLZW function

encodeRL function

bit32 (basic lua)

arshift function

band function

bnot function

bor function

btest function

bxor function

extract function

lrotate function

lshift function

replace function

rrotate function

rshift function

blobs (context)

append	function
dimensions	function
dispose	function
new	function
pack	function
strdp	function
strhd	function

strht	function
strwd	function
tohpack	function
tonodes	function
tovpack	function
write	function

boolean (context)

tocontext function

tonumber function

buffers (context)

append	function
assign	function
collectcontent	function
erase	function
exists	function
get	function
getcontent	function
getlines	function
gettexbuffer	function
loadcontent	function
parallel	table

	F define
	F hassomecontent
	F next
	F place
	F reset
	F save
prepend	function
raw	function
run	function
samplefile	function
undent	function

builders (context)

checksidefloat function

kernel table

- F hyphenating
- F hyphenation
- F kerning
- F ligaturing
- F mlist_to_hlist

paragraphs table

- T constructors
 - N attribute
 - F define
 - F disable
 - F enable
 - F handler
- T methods
 - F basic
 - F default
 - F hpack
 - F oneline
- D names
- D numbers
- F set
- F start
- F stop
- T expansion
 - F trace
- F keptogether
- F registertogether
- T solutions
 - T splitters
 - F define
 - F optimize
 - T registered
 - F reset
 - F set
 - F split
 - F start
 - F stop

F tag

profiling table

- F add
- F distance
- F fixedprofile
- F get
- F list
- F pagehandler
- F profilebox
- F set

vspacing table

- D categories
- F checkstrutdepth
- F collapsevbox
- T data
 - D map
 - D skip
 - D snapmethods
- F definesnapmethod
- B fixed
- F forcepageflush
- F forcestrutdepth
- F getnofpreviouslines
- F inject
- F injectdisable
- F injectpenalty
- F injectskip
- F pagehandler
- F pageoverflow
- F popatsame
- F pushatsame
- F setmap
- F setskip
- F snapbox
- F synchronizepage
- F tocategories
- F tocategory
- F vboxhandler

cache (context)

base	string	loadcontent	function
collapsecontent	function	loaddata	function
configfiles	function	more	string
contentstate	function	savecontent	function
defaults	table	savedata	function
getfirstreadablefile	function	setfirstwritablefile	function
getreadablepaths	function	setluanames	function
getwritablepath	function	treehash	function
hashed	function	usedpaths	function
is_writable	function		

callback (basic tex)

find function
known function
list function

register overloaded function
usage function

callbacks (context)

freeze function

functions table

F start_page_number

F stop_page_number

known function

list data table

pop function

push function

register function

report function

supported table

B append_to_vlist_filter

B begin_paragraph

B build_page_insert

B buildpage_filter

B contribute_filter

B define_font

B find_format_file

B find_log_file

B handle_overload

B hpack_filter

B hpack_quality

B hyphenate

B insert_par

B intercept_lua_error

B intercept_tex_error

B kerning

B ligaturing

B linebreak_filter

B make_extensible

B mlist_to_hlist

B open_data_file

B post_linebreak_filter

B pre_dump

B pre_linebreak_filter

B pre_output_filter

B process_jobname

B show_error_message

B show_lua_call

B show_warning_message

B show_whatsit

B start_file

B start_run

B stop_file

B stop_run

B trace_memory

B vpack_filter

B vpack_quality

B wrapup_run

catcodes (context)

names data table

numbers data table

register function

characters (context)

adobename	function	T before_half	
bidirectional	data table	T before_main	
blockrange	function	T before_postscript	
blocks	data table	T before_subscript	
casemap	table	T below_mark	
categories	data table	T consonant	
category	function	T dependent_vowel	
categorytags	data table	T halant	
classifiers	table	T independent_vowel	
collapsed	data table	T nukta	
contextname	function	T post_mark	
csletters	data table	T pre_mark	
data	data table	T ra	
decomposed	data table	T stress_tone_mark	
description	function	T twopart_mark	
descriptions	data table	T vowel_modifier	
detailtags	data table	initialize	function
directions	table	is_character	data table
emoji	table	is_command	data table
F compact		is_letter	data table
F known		is_mark	data table
F resolve		is_punctuation	data table
emojized	function	is_spacing	data table
encodes	data table	is_symbol	data table
entities	data table	lcchars	data table
fallbacks	data table	lccode	function
filters	data table	lccodes	data table
fractions	table	lettered	function
fromnumber	function	lhash	data table
fschars	data table	linebreaks	data table
fscodes	data table	lower	function
getrange	function	mathlists	data table
graphemes	data table	mirrors	table
hangul	data table	otfscripts	data table
indicgroups	table	private	table
T above_mark		ranges	data table
T after_half		registerentities	function
T after_main		remap_hangul_syllable	function
T after_postscript		setactivecatcodes	function
T after_subscript		setlettercatcodes	function
T anudatta		setothercatcodes	function

shape	function	D accentmapping	
shaped	function	D commandmapping	
shash	data table	F defineaccents	
shchars	data table	F safechar	
shcodes	data table	F toutf	
showstring	function	F toutfpattern	
specialchars	data table	textclasses	table
specials	data table	tonumber	function
splits	table	ucchars	data table
T char		uccode	function
T compat		uccodes	data table
subscripts	table	uhash	data table
superscripts	table	unicodechar	function
synonyms	data table	upper	function
tex	table		

chemistry (context)

component	function	method	string
define	function	molecule	function
definitions	data table	moleculeparser	userdata
format	string	start	function
inlinechemical	function	stop	function
instance	string	undefine	function

containers (context)

cleannname function
content function
define function
is_usable function

is_valid function
read function
usecache boolean
write function

converters (context)

A	function	cn-c	function
A:es	function	convert	function
A:ru	function	decimals	function
A:sl	function	define	function
AK	function	gregorian_to_hebrew	function
Alphabetic	function	gregorian_to_jalali	function
Alphabetic:es	function	hebrewnumerals	function
Alphabetic:ru	function	helpers	table
Alphabetic:sl	function	hexstringtonumber	function
Character	function	i	function
Characters	function	isleapyear	function
I	function	jalali_to_gregorian	function
KA	function	lchexnumber	function
KR	function	lchexnumbers	function
R	function	leapyear	function
RK	function	lower	function
Romannumerals	function	max	function
Russiannumerals	function	maxchrs	function
Sloveniannumerals	function	nicenumber	function
Spanishnumerals	function	nofdays	function
Word	function	number	function
Words	function	numbers	function
a	function	octnumber	function
a:es	function	octstringtonumber	function
a:ru	function	ordinal	function
a:sl	function	r	function
abjadnodotnumerals	function	rawcharacter	function
abjadnumerals	function	romannumerals	function
alphabetic	function	russiannumerals	function
alphabetic:es	function	sequences	data table
alphabetic:ru	function	settime	function
alphabetic:sl	function	sloveniannumerals	function
character	function	spaceddigits	function
characters	function	spanishnumerals	function
chineseallnumerals	function	textime	function
chinesecapnumerals	function	toabjad	function
chinesenumerals	function	tochinese	function
chr	function	tohebrew	function
chrs	function	toroman	function
cn	function	totime	function
cn-a	function	uchexnumber	function

uchexnumbers

upper

verbose

D data

function

function

table

F translate

weekday

word

words

function

function

function

coroutine (basic lua)

close function
create function
isyieldable function
resume function

running function
status function
wrap function
yield function

ctxrunner (context)

load	function	prepfiles	data table
preparedfile	function	resolve	function

data (context)

action	function	prerolled	string
depth	number	width	number
height	number		

debug (basic lua)

getinfo function

sethook function

traceback function

dir (context)

collectpattern	function
current	function
expandname	function
found	function
glob	function
globdirs	function
globfiles	function

globpattern	function
ls	function
makedirs	function
mkdirs	function
pop	function
push	function

directives (context)

data	data table
default	function
disable	function
done	table
enable	function
list	function

name	string
register	function
report	function
reset	function
show	function
value	function

document (context)

arguments	data table		D modes
files	table		D modules
functions	table	setargument	function
getargument	function	setcommandline	function
getfilename	function	setdefaultargument	function
options	table	setenvironments	function
T commandline		setfilename	function
D environments		setfilenames	function
D modes		setmodes	function
D modules		setmodules	function
T ctxfile		variables	data table
D environments			

documentdata (context)

variable function

drivers (context)

convert	function	T actions
converters	table	F cleanup
F engine		F convert
F lmtx		F finalize
enable	function	F initialize
gethpos	function	F outputfilename
getpos	function	F prepare
getrpos	function	F wrapup
getvpos	function	T flushers
helpers	table	F character
install	function	F rule
instances	table	F simplerule
T default		F specialrule
T actions		F updatefontstate
F convert		S name
F outputfilename		T lua
T flushers		T actions
S name		F cleanup
T empty		F convert
T actions		F finalize
F convert		F initialize
F prepare		F outputfilename
T flushers		F prepare
S name		F wrapup
T js		T flushers
T actions		F character
F cleanup		F rule
F convert		F simplerule
F finalize		F specialrule
F initialize		F updatefontstate
F outputfilename		S name
F prepare		T mps
F wrapup		T actions
T flushers		F cleanup
F character		F convert
F rule		F finalize
F simplerule		F initialize
F specialrule		F outputfilename
F updatefontstate		F prepare
S name		F wrapup
T json		T flushers

- F character
- F rule
- F simplerule
- F specialrule
- F updatefontstate
- S name
- T none
- T actions
- T flushers
- S name
- T pdf
- T actions
 - F cleanup
 - F convert
 - F finalize
 - F initialize
 - F outputfilename
 - F prepare
 - F wrapup

- T flushers
- F character
- F fontchar
- F group
- F image
- F literal
- F poporientation
- F pushorientation
- F restore
- F rule
- F save
- F setmatrix
- F simplerule
- F specialrule
- F updatefontstate
- S name
- lmtxversion** number
- outputfilename** function
- report** function

environment (context)

argument	function	luafile	function
arguments	data table	luafilechunk	function
basicengines	data table	luatexengine	string
currentrun	number	luatexfunctionality	number
definefilefallback	function	luatexversion	number
definefilesynonym	function	maxnofruns	number
engineflags	data table	oldhome	string
filename	string	originalarguments	data table
filenames	table	outputfilename	string
files	table	ownbin	string
filesynonyms	data table	ownmain	string
forcedruns	number	ownname	string
getargument	function	ownpath	string
homedir	string	prerollrun	boolean
initex	boolean	rawarguments	data table
initexmode	boolean	reconstructcommandline	function
initializearguments	function	relativepath	function
initializefilenames	function	setargument	function
inputfilebarename	string	splitarguments	function
inputfilename	string	suffix	string
inputfilesuffix	string	texfile	function
jobfilefullname	string	texmfos	string
jobfilename	string	texos	string
jobfilesuffix	string	texroot	string
jobname	string	truefilename	function
kindofrun	number	uselua module	function
lmtxmode	number	usemodules	function
loadexamodes	function	validengines	data table
loadluafile	function	version	string

experiments (context)

data	data table
default	function
disable	function
enable	function
list	function
name	string

register	function
report	function
reset	function
show	function
value	function

figures (context)

applyratio	function	B bleed	
badname	function	B crop	
bases	data table	B media	
bitmapimage	function	B none	
boxnumber	number	B trim	
cachepaths	data table	F totable	
check	function	T types	
checkers	data table	N jbig2	
converters	data table	N jp2	
current	function	N jpg	
defaultdepth	number	N none	
defaultheight	number	N pdf	
defaultsearch	boolean	N png	
defaultwidth	number	N stream	
done	function	F wrap	
dummy	function	include	function
exists	data table	includers	data table
exists	function	initialize	function
formats	data table	loaded	data table
found	data table	localpaths	data table
get	function	magics	data table
getinfo	function	mergegoodies	function
getpdfinfo	function	nofmissing	number
getrealpage	function	nofprocessed	number
guess	function	order	data table
guessfromstring	function	paths	data table
hash	function	patterns	data table
identifiers	data table	pop	function
identify	function	preferquality	boolean
images	table	programs	data table
F check		push	function
F checksize		registerpattern	function
F copy		registerresource	function
F create		registersuffix	function
F embed		remappers	data table
T keys		resources	data table
F print		scale	function
F scan		set	function
F serialize		setlookups	function
T sizes		setorder	function
B art		setpaths	function

suffixes
used

data table
data table

file (basic lua)

addsuffix	function	needsupdating	function
basename	function	pathpart	function
checksum	function	readdata	function
collapsepath	function	removesuffix	function
copy	function	replacesuffix	function
dirname	function	reslash	function
expandname	function	robustname	function
extname	function	savechecksum	function
is_qualified_path	function	savedata	function
is_readable	function	size	function
is_rootbased_path	function	splitbase	function
is_writable	function	splitname	function
isreadable	function	splitpath	function
iswritable	function	strip	function
join	function	suffix	function
joinpath	function	suffixes	function
loadchecksum	function	suffixesonly	function
nameonly	function	suffixonly	function
nametotable	function	syncmtimes	function
needs Updating	function	withinbase	function

fio (extra lua)

getposition	function
read2dot14	function
readbytes	function
readbytetable	function
readcardinal1	function
readcardinal1le	function
readcardinal2	function
readcardinal2le	function
readcardinal3	function
readcardinal3le	function
readcardinal4	function
readcardinal4le	function
readcardinaltable	function
readfixed2	function
readfixed4	function
readinteger1	function
readinteger1le	function
readinteger2	function

readinteger2le	function
readinteger3	function
readinteger3le	function
readinteger4	function
readinteger4le	function
readintegertable	function
readline	function
setposition	function
skipposition	function
writecardinal1	function
writecardinal1le	function
writecardinal2	function
writecardinal2le	function
writecardinal3	function
writecardinal3le	function
writecardinal4	function
writecardinal4le	function

floats (context)

analysemethod	function	nofstacked	function
checkedpagefloat	function	pop	function
collect	function	push	function
consult	function	resave	function
flush	function	save	function
getvariable	function	stacked	function
hasstacked	function		

font (basic tex)

addcharacters function
current function
define function
getfont function
getfontdimen function

id function
max function
nextid function
setfont function
setfontdimen function

fonts (context)

analyzers table

- D features
- D initializers
- D methods
- F setstate
- D states
- B useunicodemarks

checkers table

- F getmissing
- F missing
- F placeholder

cid table

- F getmap
- F loadfile

collections table

- F checkenabled
- F clonevector
- F define
- T definitions
- F found
- F prepare
- F process
- F registermain
- F report
- F reset
- T vectors

constructors table

- F addcharacters
- F addcoreunicodes
- F aftercopyingcharacters
- F applymanipulators
- F assignmathparameters
- F beforecopyingcharacters
- D cache
- F calculatescale
- F checkedfeatures
- F checkedfilename
- F collectprocessors
- F currentfonthasfeature
- D designsizes
- F enhanceparameters

T enhancers

- T afm
 - F apply
 - F patch
- T patches
 - F register
 - F report
- F register
- F report

- T otf
 - F addfeature
 - F apply
 - F enhance
 - F patch
- T patches
 - F register
 - F report
- F register
- F report

- T tfm
 - F apply
 - F patch
- T patches
 - F register
 - F report
- F register
- F report

N factor

T features

- D afm
- D otf
- D tfm

F finalize

F getfeatureaction

F getmathparameter

F getprivate

T handlers

- T afm
 - B autoprefixed
- D cache
- D features

F getkern	F getmultiple
T helpdata	F getstreamhash
D bothkerned	F getsubstitution
D leftkerned	T handlers
D ligatures	F devanagari_remove_joiners
D rightkerned	F devanagari_reorder_matras
D texligatures	F devanagari_reorder_pre_base_reordering_consonants
F load	F devanagari_reorder_reph
T readers	F gpos_context
F getinfo	F gpos_contextchain
F loadfont	F gpos_cursive
F loadshapes	F gpos_mark2base
F setfeatures	F gpos_mark2ligature
B syncspace	F gpos_mark2mark
N version	F gpos_pair
T otf	F gpos_single
F addfeature	F gsub_alternate
F basemodeinitializer	F gsub_context
D cache	F gsub_contextchain
F collectlookups	F gsub_ligature
T coverup	F gsub_multiple
T actions	F gsub_reversecontextchain
F alternate	F gsub_single
F chainposition	F trigger_space_kerns
F chainsubstitution	T helpers
F kern	F blockligatures
F ligature	F pardirstate
F multiple	F txtfirststate
F pair	F load
F single	F loadoutlinedata
F substitution	F loadstreamdata
F register	F modeinitializer
S stepkey	D mpscache
F dataset	D pdfcache
F datasetpositionprocessor	F plugininitializer
S defaultbasealternate	F pluginprocessor
S defaultnodealternate	T plugins
D features	D pngcache
F featuresinitializer	B pngenabled
F featuresprocessor	T readers
F getactualtext	F addunicodetable
F getalternate	F avar
F getgsub	F cbdt
F getkern	F cblc

F cff	F cleannname
F cff2	F getaxisscale
F cffcheck	F getfactors
T cffencoder	F getscales
F checkhash	F gotodatatable
F cmap	F normalizedaxis
F colr	T normalizedaxishash
F compact	F readvariationdata
F cpal	F reportskippedtable
F ebdt	F setvariabledata
F eblc	F hhea
F ebsc	F hmtx
F expand	F hvar
F extend	F kern
F fvar	F loadfont
F gdef	F loadshapes
F getcomponents	F loca
F getinfo	F math
F glyf	F maxp
F gpos	F mvar
T gposhandlers	F name
F chainedcontext	F os/2
F context	F pack
F cursive	F parsecharstrings
F extension	F post
F marktobase	F registerextender
F marktoligature	F rehash
F marktomark	F sbix
F pair	F stat
F single	T streamreader
F gsub	F close
T gsubhandlers	F getposition
F alternate	F getsize
F chainedcontext	F look
F context	F open
F extension	F read2dot14
F ligature	F readbyte
F multiple	F readbytes
F reversechainedcontextsingle	F readbytetable
F single	F readcardinal
F gvar	F readcardinal1
F head	F readcardinal1le
T helpers	F readcardinal2
F axistofactors	F readcardinal2le

F readcardinal3	F writestring
F readcardinal3le	F stripredundant
F readcardinal4	F svg
F readcardinal4le	N tableversion
F readcardinaltable	F unifymissing
F readchar	F unpack
F readfixed2	F vhea
F readfixed4	F vmtx
F readinteger	F vorg
F readinteger1	F vvar
F readinteger1le	F woff2otf
F readinteger2	F registerpalette
F readinteger2le	F registerplugin
F readinteger3	F reorderlookups
F readinteger3le	F scriptandlanguage
F readinteger4	F setdynamics
F readinteger4le	F setfeatures
F readintegertable	T statistics
F readsignedbyte	D usedfeatures
F readstring	D svgcache
F readtag	B svgenabled
F setposition	T tables
F size	D baselines
F skip	D features
F skiplong	D featuretypes
F skipposition	D languages
F skipshort	D scripts
F writebyte	N version
F writecardinal1	T pfb
F writecardinal1le	F loadvector
F writecardinal2	T tfm
F writecardinal2le	D cache
F writecardinal3	D features
F writecardinal3le	N maxnestingdepth
F writecardinal4	N maxnestingsize
F writecardinal4le	T readers
F writeinteger1	F loadpk
F writeinteger1le	F loadtfm
F writeinteger2	F loadtfmvf
F writeinteger2le	F loadvf
F writeinteger3	F pktopdf
F writeinteger3le	F showpk
F writeinteger4	F reencode
F writeinteger4le	F setfeatures

N version		S defaultlookup	
T vf		F define	
T combinations		F getspecification	
F combine		F internal	
T combiner		F loadfont	
D commands		F makespecification	
D helpers		T methods	
D math		F install	
N version		D variants	
D whatever		F read	
F hashfeatures		F register	
F hashinstance		F registered	
T hashmethods		F registersplit	
F normal		F resetnullfont	
F virtual		F resolve	
F initializefeatures		T resolvers	
D loadedfonts		F file	
N noffontsloaded		F name	
N nofsharedfonts		F spec	
N nofsharedhashes		definetypface	function
N nofsharedvectors		dropins	table
N privateoffset		F clone	
D privateslots		F nextid	
F readanddefine		F provide	
F registerfeature		F registerglyph	
F resetfeature		F registerglyphs	
B resolvevirtualtoo		F swap	
F scale		encodings	table
F scaled		T agl	
F setfactor		D ctxcodes	
F setfeature		D extras	
F setmathparameter		D names	
F setname		D synonyms	
B sharefonts		D unicodes	
F trytosharefont		D cache	
N version		F is_known	
current	function	D known	
currentid	function	F load	
definers	table	F make_unicode_vector	
F addlookup		D math	
F analyze		N version	
F applypostprocessors		enhanceid	function
F checkedmode		expansions	data table
F checkedscript		formats	data table

getalternate function
getindices function
getkern function
getmultiple function
getsubstitution function
getters table

 T alternate
 F opentype
 T kern
 F opentype
 F type1
 F type3
 T multiple
 F opentype
 T substitution
 F opentype

goodies table

 D colorschemes
 T data
 T dejavu-math
 S author
 S comment
 S copyright
 B initialized
 T mathematics
 T alternates
 T dotless
 S comment
 S feature
 N value
 T kerns
 S name
 S version
 D designsizes
 D filenames
 F getcompositions
 T list
 F load
 F prepare_features
 F register
 F registerpostprocessor
 F report
 T suffixes

handlers table

hashes table

 D characters
 D classes
 D csnames
 D descriptions
 D dynamics
 D emwidths
 D exheights
 D extensibles
 D features
 D identifiers
 D italics
 D lastmathids
 D marks
 D mathparameters
 D modes
 D originals
 D parameters
 T processes
 D properties
 D quads
 D resources
 T setdynamics
 T shapes
 D spaces
 D spacings
 T streams
 D unicodes
 D variants
 D xheights

helpers table

 F addextraprivate
 F addprivate
 F appendcommands
 F appendcommandtable
 F checkflags
 F checkmerge
 F checksteps
 F collectanchors
 D commands
 F composecharacters
 F descriptiontoslot
 F dimenfactor
 F expandglyph

- T extraprivates
- F fontpatternhassize
- F getcoloredglyphs
- F getdigitwidth
- F getinstancespec
- F getparameters
- F getprivatecharornode
- F getprivatenode
- F getprivates
- F getprivateslot
- F hasprivate
- F indextoslot
- F name
- F nametoslot
- F newprivateslot
- F prependcommands
- F prependcommandtable
- F privateslot
- F setdigitwidth
- F splitfontpattern
- F tochar

infofont function

iterators table

- F characters
- F descriptions
- F glyphs

loggers table

- F format
- F onetimemessage
- F register
- F reportdefinedfonts
- F reportusedfeatures

mappings table

- F addtounicode
- F fromunicode16
- F getentry
- F loadfile
- F loadline
- F makenameparser
- D overloads
- F reset
- F tounicode
- F tounicode16
- F tounicode16sequence

metapost table

- F boundingbox
- F boxtomp
- F draw
- F fill
- F maxbounds
- F output
- F paths
- F widthline
- F zeroline

names data table

nulldata data table

privateoffsets table

- B keepnames
- N mathbase
- N mathextrabase
- N textbase
- N textextrabase

protrusions data table

readers table

- F afm
- F check_lua
- F check_tfm
- F lua
- F ofm
- F opentype
- F otf
- F pfb
- D sequence
- F tfm
- F ttc
- F ttf
- F woff

reserveid function

select table

- D alternatives
- F bodyfont
- D data
- F default
- D defaults
- F definefallbackfamily
- F definefontfamily
- F definefontfamilypreset
- D extras

F fallback	
D fallbacks	
F features	
F filefallback	
F fontdata	
F fontfallback	
F fontsynonym	
F goodies	
F mathfallback	
D methods	
D presets	
F registerfallback	
F registerfiles	
F registerfontalternative	
F registerfontfamily	
F textfallback	
F typeface	
F typescript	
F userdata	
specifiers	table
D contextmerged	
F contextnumber	
D contextnumbers	
D contextsetups	
F contexttostring	
F definecontext	
F mergecontext	
F presetcontext	
F registercontext	
F showcontext	
F splitcontext	
D synonyms	
D variants	
symbols	table
T emoji	
F checked	
F resolved	
F uselibrary	
tables	table
tracers	table
treatments	table
F applyfixes	
D data	
S filename	
F ignoredfile	
F report	
F trace	
typefaces	table
vfcommands	table
F startcolor	
F startslant	
F stopcolor	
F stopslant	

functions (context)

dummy function

graphics (context)

backgrounds table

- F fetchmultipar
- F pair
- F path
- F point

bitmaps table

- F flush
- F new

F placeholder

F tocontext

identifiers table

- F bitmap
- F jp2
- F jpg
- F png

identify function

gzip (extra lua)

compress function
compressed function
decompress function

load function
save function
suffix function

images (context)

check function
checksize function
copy function
create function
embed function
keys table
print function
scan function
serialize function
sizes table

 B art
 B bleed
 B crop

 B media
 B none
 B trim
totable function
types table

 N jbig2
 N jp2
 N jpg
 N none
 N pdf
 N png
 N stream
wrap function

interactions (context)

attachments data table

fields table

- F clone
- F define
- F defineset
- F insert

general table

- F getidentity
- F setupidentity

help table

- F collect
- F reference
- F register

javascripts table

- F addtopreamble
- F code
- D codes
- F flushpreambles

D functions

D preambles

F setpreamble

F storecode

F storepreamble

F usepreamblenow

F usescripts

linkedLists data table

pages table

F setpagetransition

F setupcanvas

references table

F setcloseddocument

F setclosepage

F setopendocument

F setopenpage

renderings data table

soundclips data table

interfaces (context)

arrays	table	namesofscanners	table
cachedsetups	data table	namespaces	table
cachesetup	function	F define	
cardinals	table	F list	
checkedspecification	function	numbers	table
complete	data table	registernamespace	function
constants	data table	registerscanner	function
corenamespaces	data table	scanners	data table
currentinterface	string	setconstant	function
currentresponse	string	setcount	function
definecommand	function	setdimen	function
defined	function	setelement	function
doifelsemessage	function	setformat	function
elements	data table	setmacro	function
floats	table	setmessage	function
formats	data table	setmessages	function
getmessage	function	settranslation	function
getnamespace	function	setupstrings	data table
getsetupstring	function	setvariable	function
hashedsetups	data table	showmessage	function
implement	function	storedscanners	data table
integers	table	tolist	function
interfacedcommand	function	translations	data table
interfaces	table	usednamespaces	data table
knownscanner	function	variables	data table
message	function	writestatus	function
nameofscanner	function		

io (basic lua)

ask	function
bytes	function
characters	function
close	function
copydata	function
exists	function
fileseparator	string
flush	function
input	overloaded function
lines	overloaded function
loadchunk	function
loaddata	function
loadlines	function
newreader	function
noflines	function
open	overloaded function

output	overloaded function
pathseparator	string
popen	overloaded function
read	function
readall	function
readnumber	function
readstring	function
savedata	function
size	function
stderr	userdata
stdin	userdata
stdout	userdata
tmpfile	function
type	function
write	function

job (context)

comment	function	D tobesaved	
datasets	table	parwrappers	table
D collected		D collected	
F extend		D tobesaved	
F getdata		passes	table
F setdata		F check	
D tobesaved		D collected	
disablesave	function	F count	
embedded	table	F define	
D collected		F find	
D tobesaved		F first	
fileobjreferences	table	F get	
D collected		F getcollected	
D tobesaved		F getdata	
files	table	F getfield	
D collected		F gettobesaved	
F context		F inlist	
B forcerun		F last	
F run		F list	
D tobesaved		F save	
getrandomseed	function	F savetagged	
initialize	function	D tobesaved	
load	function	positions	table
loadother	function	F b_column	
objects	table	F b_region	
D collected		F c	
F get		D collected	
F number		F column	
F page		F columnofpos	
F save		F copy	
F set		F depth	
D tobesaved		F e_column	
pack	boolean	F e_region	
packversion	number	F enhance	
pagestates	table	F extra	
D collected		F get	
F countervalue		F getfree	
F extend		F gethpos	
F realpage		F getpos	
F realpageorder		F getreserved	
F setstate		F getrpos	

F gettobesaved	D tobесaved	
F getvpos	F upperleft	
F hangafter	F upperright	
F hangindent	F used	
F height	F whd	
F hsize	F width	
F leftskip	F x	
F lowerleft	F xy	
F lowerright	F y	
F markregionbox	register	function
F n	save	function
F onsamepage	structure	table
F overlapping	D collected	
F p	T components	
F page	T tobесaved	
T pagedata	T branches	
F paragraph	S name	
F parindent	S type	
F position	variables	table
F r	D checksums	
F region	D collected	
F registerhandlers	F getchecksum	
F replace	F makechecksum	
F rightskip	F restore	
F set	F save	
F setall	F setchecksum	
F setregionbox	D tobесaved	
F setspec	version	number
F settobесaved		

language (basic tex)

clean	function
clear_hyphenation	function
clear_patterns	function
current	function
gethjcode	function
has_language	function
hyphenate	function
hyphenation	function
hyphenationmin	function

id	function
new	function
patterns	function
postexhyphenchar	function
posthyphenchar	function
preexhyphenchar	function
prehyphenchar	function
sethjcode	function

languages (context)

associate	function	F registerpattern	
associated	data table	F setfeatures	
association	function	installed	function
counters	data table	labels	table
current	function	F define	
data	data table	F split	
decimals	data table	loadable	function
define	function	loadwords	function
explicitthyphen	function	logger	table
flatten	function	F report	
frequencies	table	nofflattened	function
F averagecharwidth		numbers	data table
F getdata		postexhyphenchar	function
getdata	function	posthyphenchar	function
getnumber	function	preexhyphenchar	function
hjcounts	table	prehyphenchar	function
hyphenate	function	registered	data table
hyphenators	table	replacements	table
T dictionaries		F add	
D featuresets		F addlist	
F handler		F handler	
T methods		F set	
F expanded		serializediscretionary	function
B none		setexceptions	function
F original		setsynonym	function
F tex		showdiscretionaries	function
F traditional		transliteration	table
F popmethod		F define	
F pushmethod		F handler	
F setmethod		F set	
F setup		unload	function
F showhyphenationtrace		urls	table
T traditional		D characters	
F definefeatures		N lefthyphenmin	
F gettrace		D mapping	
F hyphenate		B packslashes	
F injecthyphens		N righthyphenmin	
F installmethod		F setcharacters	
F lasttrace		version	number
F loadpatterns		visualizediscretionaries	function
F registerexception		words	table

F check

T data

F disable

F enable

T enablers

B enables

F found

F load

T methods

N threshold

layouts (context)

status table

F isleftpage

F leftorrightpageaction

lfs (extra lua)

attributes	overloaded function
chdir	overloaded function
currentdir	function
dir	overloaded function
isdir	overloaded function
isfile	overloaded function
isfound	function
isreadabledir	function
isreadablefile	function
iswriteabledir	function

iswriteablefile	function
link	overloaded function
mkdir	overloaded function
makedirs	function
modification	function
readlink	function
rmdir	overloaded function
setexecutable	function
symlink	function
touch	overloaded function

libraries (context)

basiclua data table

basictex data table

builtin data table

extralua data table

extratex data table

functions data table

globals data table

lmx (context)

color	function
convert	function
convertfile	function
convertstring	function
einject	function
eprint	function
escape	function
finalized	function
finject	function
fprint	function
get	function
getvariables	function
htmfile	function
html	table
F a	
F td	
F th	
include	function
inherited	table
S color-background-four	
S color-background-one	
S color-background-three	
S color-background-two	
S title	
initialize	function
inject	function
lmxfile	function

loadedfile	function
make	function
new	function
overloaderror	function
popupfile	function
print	function
pv	function
report	function
reset	function
result	function
set	function
show	function
showerror	function
stripcss	function
tv	function
type	function
urlescape	function
variable	function
variables	table
S color-background-blue	
S color-background-body	
S color-background-green	
S color-background-main	
S color-background-purple	
S color-background-yellow	
S title-default	

logs (context)

application	function
categories	function
direct	function
disable	function
enable	function
finalactions	function
flush	function
loggingerrors	function
messenger	function
new	function
newline	function
poptarget	function
private	table
F enablepagetiming	
F getpagetiming	
pushtarget	function
registerfinalactions	function
report	function
reporter	function
setformats	function

setformatters	function
setlogfile	function
setmessenger	function
setprocessor	function
settarget	function
settimedlog	function
settranslations	function
show	function
start_page_number	function
start_run	function
starterrorlogging	function
startfilelogging	function
status	function
stop_page_number	function
stoperrorlogging	function
stopfilelogging	function
subdirect	function
subreport	function
texerrormessage	function
writer	function

lpdf (context)

action	function	delayedobject	function
adddocumentcolorspace	function	destinationspecification	function
adddocumenttextgstate	function	dictionary	function
adddocumentpattern	function	docstring	function
adddocumentshade	function	epdf	table
addtocatalog	function	F analyzefonts	
addtoinfo	function	F contenttotext	
addtonames	function	F expanded	
addtopageattributes	function	F getpagecontent	
addtopageresources	function	F getstructure	
addtopagesattributes	function	T image	
addxmpinfo	function	F close	
annotationspecification	function	F copy	
array	function	F new	
attachmentsymbols	function	F open	
boolean	function	F query	
border	function	F load	
checkedkey	function	F parsecontent	
checkedvalue	function	F plugin	
circularshade	function	T resolvers	
cmykcode	function	F destinations	
collectedresources	function	F embeddedfiles	
color	function	F javascripts	
colorspace	function	F layers	
colorspaceconstants	data table	F pages	
colorspec	function	F structure	
colorvalue	function	F widgets	
colorvalues	function	F stripcontent	
commentssymbols	function	F unload	
compresslevel	function	escaped	function
constant	function	finalizedocument	function
copyarray	function	finalizefonts	function
copyboolean	function	finalizepage	function
copyconstant	function	finishtransparencycode	function
copydictionary	function	flags	table
copyfloat	function	T annotations	
copyinteger	function	N AutoView	
copynumber	function	N Hidden	
copystring	function	N Invisible	
copyunicode	function	N Locked	
deferredobject	function	N LockedContents	

N NoRotate		F color_indirect	
N NoView		formats	data table
N NoZoom		frombytes	function
N Print		fromeight	function
N Printable		frompdfdoc	function
N ReadOnly		fromsixteen	function
N ToggleNoView		getcatalog	function
N auto		getcompression	function
N hidden		getfontname	function
N printable		getfontobjectnumber	function
T widgets		getinfo	function
N Comb		getmatrix	function
N CommitOnSelChange		getmetadata	function
N DoNotScroll		getnofpages	function
N DoNotSpellCheck		getpageproperties	function
N Edit		getpagereference	function
N FileSelect		getpagetags	function
N MultiLine		getpos	function
N NoExport		getversion	function
N NoToggleToOff		getxformname	function
N Password		graycode	function
N PopUp		hasmatrix	function
N PushButton		id	function
N Radio		immediateobject	function
N RadiosInUnison		includeimage	function
N ReadOnly		injectors	table
N Required		F bitmap	
N RichText		F jp2	
N Sort		F jpg	
N file		F png	
N fixed		injectxmpinfo	function
N nocheck		insertxmpinfo	function
N protected		layerreference	function
N readonly		limited	function
N required		linearshade	function
N sorted		literal	function
N unavailable		majorversion	function
flushfonts	function	makenametree	function
flushgroup	function	minorversion	function
flushobject	function	nofpages	function
flushstreamfileobject	function	null	function
flushstreamobject	function	number	function
fonts	table	object	function
F color_direct		objectcompresslevel	function

pagereference	function	setomitcidset	function
patternstream	function	setpageorder	function
pdfcolor	function	setpagetag	function
pdftimestamp	function	settime	function
pdfvfimage	function	setversion	function
permitdetail	function	shareobject	function
print	function	shareobjectreference	function
procset	function	spotcode	function
protectresources	boolean	stream	function
rectangle	function	string	function
reference	function	toeight	function
registerannotation	function	topdfdoc	function
registerdestination	function	tosixteen	function
registerdocumentfinalizer	function	transparency	function
registerfont	function	transparencycode	function
registerpagefinalizer	function	transparencygroups	table
registerpattern	function	B none	
reserveobject	function	transparencyvalue	function
rgbcode	function	unicode	function
rotationcm	function	usedcharacters	table
setcompression	function	verbose	function
setomitcharset	function		

lpeg (basic lua)

B	function	firstofsplit	function
C	function	frontstripper	function
Carg	function	instringchecker	function
Cb	function	is_lpeg	function
Cc	function	keeper	function
Cf	function	locale	function
Cg	function	match	function
Cmt	function	oneof	function
Cp	function	patterns	data table
Cs	function	pcode	function
Ct	function	print	function
P	function	ptree	function
R	function	replacer	function
S	function	secondofsplit	function
UP	function	setmaxstack	function
UR	function	setutfcasers	function
US	function	split	function
V	function	splitat	function
afterprefix	function	splitter	function
anywhere	function	stripper	function
append	function	times	function
balancer	function	tsplitat	function
beforesuffix	function	tsplitter	function
checkedsplit	function	type	function
containsws	function	utfchartabletopattern	function
counter	function	utfreplacer	function
endstripper	function	version	function
finder	function		

lua (basic tex)

bytecode	table
bytedata	data table
bytedone	table
callbytecode	function
collectgarbage	function
delay	function
finalize	function
firstbytecode	number
flush	function
flushdelayed	function
get_functions_table	function
getbytecode	function
getcurrenttime	function
getfunctionstable	overloaded function
getpreciseseconds	function
getpreciseticks	function
getruntime	function
getstacktop	function
getstartupfile	function
getversion	function
lastbytecode	number

macros	table
B enabled	
F loaded	
F required	
F reset	
F resolvestring	
F resolving	
F showdefinitions	
messages	data table
newindex	function
newtable	function
numbers	data table
registercode	function
registeredcodes	function
registerfinalizer	function
registername	function
setbytecode	function
setexitcode	function
startupfile	string
version	string

luatex (context)

abort	function	F finish	
cleanup	function	F pause	
cleanuptempfiles	function	F popline	
currentfile	function	F pushline	
registerdumpactions	function	F registerdisabler	
registerpageactions	function	F registerenabler	
registerstartactions	function	F resetfilename	
registerstopactions	function	F resume	
registertempfile	function	F setfilename	
starttime	number	F setup	
synctex	table	F start	
F blockfilename		F stop	
F collect		F wrapup	
F disable		wrapup	function
F enable			

lxml (context)

addindex	function	first	function
all	function	flush	function
applyfunction	function	flushlinewise	function
applyselectors	function	flushsetups	function
att	function	flushspacewise	function
attribute	function	get_id	function
badinclusions	function	getid	function
chainattribute	function	getindex	function
checkindex	function	id	function
collected	function	idsplitter	userdata
command	function	include	function
concat	function	inclusion	function
concatrange	function	inclusions	function
content	function	index	function
context	function	inlineverbatimim	function
convert	function	installsetup	function
count	function	last	function
delete	function	lastatt	function
depth	function	lastmatch	function
direct	function	lastpar	function
directives	table	load	function
F after		loadbuffer	function
F before		loaddata	function
F handle		loaded	table
F load		main	function
F setup		match	function
displayverbatimim	function	name	function
doif	function	namespace	function
doifelse	function	nonspace	function
doifelseempty	function	par	function
doifelsetext	function	param	function
doifempty	function	parameter	function
doifnot	function	path	function
doifnotempty	function	popmatch	function
doifnottext	function	pos	function
doiftext	function	position	function
element	function	pure	function
elements	function	pushmatch	function
entities	data table	raw	function
filter	function	rawroot	function
filterlist	function	rawtex	function

refatt	function	F add	
register	function	F compare	
registerentity	function	F flush	
removesetup	function	F reset	
replace	function	F show	
resetcdata	function	F sort	
resetsetups	function	splitid	function
resolvedentity	function	startraw	function
root	function	startunesescaped	function
save	function	stopraw	function
serialize	function	stopunesescaped	function
setaction	function	store	function
setatt	function	strip	function
setattribute	function	stripped	function
setcdata	function	tag	function
setcommandtonone	function	text	function
setcommandtotext	function	tobuffer	function
setpar	function	tofile	function
setparam	function	toparameters	function
setparameter	function	toverbatim	function
setsetup	function	verbatim	function
snippet	function	withindex	function
sorters	table	xmltexhandler	data table

math (basic lua)

abs	function	min	function
acos	function	mininteger	number
asin	function	mod	function
atan	function	modf	function
atan2	function	odd	function
ceil	function	pi	number
ceiling	function	pow	function
cos	function	rad	function
cosd	function	random	overloaded function
cosh	function	randomseed	function
deg	function	round	function
div	function	setrandomseedi	function
even	function	sin	function
exp	function	sind	function
floor	function	sinh	function
fmod	function	sqrt	function
huge	number	tan	function
initialseed	number	tand	function
ldexp	function	tanh	function
log	function	tointeger	function
log10	function	type	function
max	function	ult	function
maxinteger	number		

mathematics (context)

addfallbacks	function	mapremap	data table
alphabets	data table	overloadadditions	function
alternatives	data table	overloadparameters	function
big	function	privatebase	number
boldmap	data table	registerdomain	function
categories	table	registerfallbackid	function
D functions		remapalphabets	function
charactersets	data table	renderings	table
checkaccentbaseheight	function	D mappings	
checkprivateparameters	function	D numbers	
classes	data table	D sets	
codes	data table	renderset	function
define	function	resetattributes	function
dimensions	function	resetitalics	function
domains	table	resolvefallbacks	function
extensiblecode	function	scaleparameters	function
extensibles	data table	setdomain	function
extrabase	number	setitalics	function
extras	table	setridofprime	function
F add		sets	data table
F copy		styles	data table
fallbacks	table	syncboth	function
F apply		syncname	function
F install		syncstyle	function
fallbackstyleattr	function	toname	function
families	data table	tostyle	function
finishfallbacks	function	tweakaftercopyingfont	function
gaps	data table	tweakbeforecopyingfont	function
getboth	function	tweaks	table
getdomain	function	utfmathaccent	function
getitalics	function	utfmathclass	function
getridofprime	function	utfmathcommand	function
getstyle	function	utfmathfiller	function
horizontalcode	function	utfmathstretch	function
initializeparameters	function	virtualize	function
makefont	function	virtualized	data table

md5 (extra lua)

HEX function
dec function
hex function

sum function
sumHEX function
sumhex function

metapost (context)

checkformat	function	N newinternal
cm	function	N nullary
codes	table	N numeric
N addto		N of
N ampersand		N ofbinary
N and		N outertag
N assignment		N parametertype
N atleast		N plus_or_minus
N begingroup		N primarybinary
N btex		N primarydef
N capsule		N protection
N colon		N randomseed
N comma		N relax
N controls		N repeat_loop
N curl		N rightbrace
N cycle		N rightbracket
N declare		N rightdelimiter
N def		N runscript
N definedmacro		N save
N delimiters		N scantokens
N endgroup		N scope
N equals		N secondarybinary
N etex		N secondarydef
N everyjob		N semicolon
N exitif		N setbounds
N expandafter		N shipout
N fi_or_else		N show
N if		N skip
N input		N slash
N interim		N step
N internal		N stop
N iteration		N str
N join		N string
N leftbrace		N tag
N leftbracket		N tension
N leftdelimiter		N tertiarybinary
N let		N tertiarydef
N macrospecial		N thingstoadd
N maketext		N to
N message		N unary
N mode		N undefinedcs

N until		graphic	function
N void		graphic_base_pass	function
N with		includesvgbuffer	function
N within		includesvgfile	function
N write		installplugin	function
colorinitializer	function	isobject	function
comment	function	knownparameters	table
convert	function	lastlog	string
currentmpx	function	load	function
currentmpxstatus	function	maketext	function
defaultformat	string	metafun	table
defaultinstance	string	F interpolate	
defaultmethod	string	F topath	
directrun	function	mptopdf	table
escaped	function	F convertmpstopdf	
exectime	table	N nofconverted	
extensiondata	data table	n	number
filterclippath	function	nofruns	number
flush	function	nofscriptruns	function
flushers	table	nvformat	function
T pdf		pdfliterals	function
F comment		pluginactions	function
F flushfigure		popformat	function
F startfigure		popscriptrunner	function
F stopfigure		popvariable	function
F textfigure		popvariables	function
flushliteral	function	preparetexttextsdata	function
flushnormalpath	function	process	function
flushreset	function	processing	function
fonts	table	processplugins	function
F define		properties	table
format_number	function	pushformat	function
format_string	function	pushscriptrunner	function
formatnumber	function	pushvariable	function
getclippath	function	pushvariables	function
getextensions	function	reducetogray	boolean
getextradata	function	registerscript	function
gethashentries	function	remappedtext	function
getinstancenames	function	remaptext	function
getjobdata	function	reporterror	function
getparameter	function	reportsvgfonts	function
getparameterset	function	reset	function
getstatistics	function	resetlastlog	function
gettext	function	resetplugins	function

run	function	F reset	
runscript	function	F set	
scanparameters	function	F setfrombuffer	
scripterror	function	texerrors	boolean
scriptindex	function	texexp	function
setextensions	function	theclippath	function
setoutercolor	function	tographic	function
setparameterset	function	totable	function
settext	function	types	table
setvariable	function	N boolean	
showlog	boolean	N cmykcolor	
showsvgpage	function	N color	
simple	function	N dependent	
splitprescript	function	N independent	
startgraphic	function	N known	
startsvghashing	function	N numeric	
stopgraphic	function	N pair	
stopsvghashing	function	N path	
svformat	function	N pen	
svgcolorremapper	function	N picture	
svgfactors	table	N protodependent	
N cm		N string	
N em		N structured	
N ex		N suffixedmacro	
N in		N tokenlist	
N mm		N transform	
N pc		N unknownboolean	
N pt		N unknownpath	
N px		N unknownpen	
svgglyphtomp	function	N unknownpicture	
svgshapestomp	function	N unknownstring	
svgshapestopdf	function	N unsuffixedmacro	
svgsplitcolor	function	N vacuous	
svgtomp	function	typesvgpage	function
svgtopdf	function	unload	function
sxsy	function	untagvariable	function
tex	table	variables	table
F get			

mime (extra lua)

b64 function

decode function

decodet table

 F base64

 F quoted-printable

dot function

encode function

encodet table

 F base64

 F quoted-printable

eol function

normalize function

qp function

qpwrp function

report function

stuff function

unb64 function

unqp function

wrap function

wrapt table

 F base64

 F default

 F quoted-printable

 F text

wrp function

mp (context)

autoinject	function	direct3	function
aux	table	direct4	function
F boolean		disposehash	function
F color		draw	function
F direct		fill	function
F direct1		flatten	function
F direct2		flush	function
F direct3		format	function
F direct4		formatted	function
F draw		fprint	function
F fill		fromhash	function
F flush		get	table
F fprint		F hashentry	
F integer		graphformat	function
F number		inhash	function
F numeric		inject	function
F pair		F boolean	
F pairpoints		F cmykcolor	
F path		F color	
F pathpoints		F integer	
F points		F number	
F print		F numeric	
F quadruple		F pair	
F quadruplepoints		F path	
F quoted		F quadruplet	
F size		F string	
F string		F transform	
F transform		F triplet	
F triplet		F whatever	
F tripletpoints		integer	function
F vprint		isarray	function
boolean	function	isobject	function
cleaned	function	lmt_color_functions	table
color	function	F shade	
dataset	function	F step	
datasets	function	lmt_contours_bitmap_get	function
F load		lmt_contours_bitmap_set	function
dimension	function	lmt_contours_cleanup	function
direct	function	lmt_contours_color	function
direct1	function	lmt_contours_edge_get_band	function
direct2	function	lmt_contours_edge_get_cell	function

lmt_contours_edge_paths	function	mf_inject_blob	function
lmt_contours_edge_set	function	mf_map_move	function
lmt_contours_edge_set_by_band	function	mf_map_text	function
lmt_contours_edge_set_by_cell	function	mf_named_color	function
lmt_contours_format	function	mf_outline_text	function
lmt_contours_function	function	mf_save_data	function
lmt_contours_maxmean	function	mf_script_index	function
lmt_contours_maxz	function	mf_start_saving_data	function
lmt_contours_minmean	function	mf_stop_saving_data	function
lmt_contours_minz	function	mf_tb_dimensions	function
lmt_contours_nofvalues	function	mf_tt_dimensions	function
lmt_contours_nx	function	mf_tt_initialize	function
lmt_contours_ny	function	mode	function
lmt_contours_range	function	n	function
lmt_contours_shade_paths	function	newhash	function
lmt_contours_shade_set	function	number	function
lmt_contours_shape_paths	function	numeric	function
lmt_contours_start	function	pair	function
lmt_contours_stop	function	pairpoints	function
lmt_contours_value	function	path	function
lmt_contours_xrange	function	pathpoints	function
lmt_contours_yrange	function	points	function
lmt_function_x	function	positionanchor	function
lmt_mesh_set	function	positionbox	function
lmt_mesh_update	function	positioncurve	function
lmt_poisson_generate	function	positionpage	function
lmt_surface_do	function	positionpath	function
lmt_svg_include	function	positionpxy	function
mf_blob_add	function	positionregion	function
mf_blob_dimensions	function	positionwhd	function
mf_blob_index	function	positionxy	function
mf_blob_new	function	prefix	function
mf_blob_raw_content	function	print	function
mf_blob_raw_dimensions	function	processingmode	function
mf_blob_raw_reset	function	quadruple	function
mf_blob_raw_toutf	function	quadruplepoints	function
mf_blob_raw_wipe	function	quoted	function
mf_blob_size	function	report	function
mf_blob_width	function	scan	table
mf_external_figure	function	F boolean	
mf_finish_saving_data	function	F cmykcolor	
mf_formatted_text	function	F color	
mf_get_outline_text	function	F expression	
mf_graphic_text	function	F integer	

F next		skip	table
F number		F token	
F numeric		solve	function
F pair		string	function
F path		systemmode	function
F pen		texstr	function
F property		texttextanchor	function
F string		texvar	function
F symbol		tohash	function
F token		transform	function
F transform		triplet	function
set	table	tripletpoints	function
size	function	vprint	function

mplib (extra tex)

execute	function	inject_whatever	function
finder	function	new	overloaded function
finders	table	pen_info	function
F file		propertycodes	table
F mpstemplate		realtimelogging	boolean
finish	function	scan_boolean	function
getcallbackstate	function	scan_cmykcolor	function
getcodes	function	scan_color	function
getfields	function	scan_expression	function
gethashentries	function	scan_integer	function
gethashentry	function	scan_next	function
getstates	function	scan_number	function
getstatistics	function	scan_numeric	function
getstatus	function	scan_pair	function
gettype	function	scan_path	function
gettypes	function	scan_pen	function
inject_boolean	function	scan_property	function
inject_cmykcolor	function	scan_string	function
inject_color	function	scan_symbol	function
inject_integer	function	scan_token	function
inject_number	function	scan_transform	function
inject_numeric	function	showcontext	function
inject_pair	function	skip_token	function
inject_path	function	solve_path	function
inject_string	function	version	function
inject_transform	function		

noads (context)

handlers	table		F resize
F align			F showtree
F alternates			F tags
F autofences			F unscript
F classes			F unstack
F collapse			F variants
F domains		process	function
F families		processnested	function
F fixscripts		processors	table
F italics		F mlist_to_hlist	
F kernpairs		T unscript	
F makeup		T unstack	
F relocate		processouter	function
F render			

node (basic tex)

check_discretionaries	function	F getfam
check_discretionary	function	F getfield
copy	function	F getfont
copy_list	function	F getglue
count	function	F getglyphdata
current_attributes	function	F getglyphdimensions
dimensions	function	F getheight
direct	table	F getid
F check_discretionaries		F getindex
F check_discretionary		F getkern
F copy		F getkerndimension
F copy_list		F getlanguage
F copy_only		F getleader
F count		F getlist
F current_attributes		F getnext
F dimensions		F getnormalizedline
F effective_glue		F getnucleus
F end_of_math		F getoffsets
F exchange		F getoptions
F fields		F getorientation
F find_attribute		F getparstate
F find_attribute_range		F getpenalty
F find_node		F getpost
F first_glyph		F getpre
F flatten_discretionaries		F getprev
F flush_list		F getproperty
F flush_node		F getreplace
F free		F getscales
F get_attribute		F getscript
F get_attributes		F getshift
F get_properties_table		F getstate
F get_synctex_fields		F getsub
F getattributelist		F getsubpre
F getboth		F getsubtype
F getbox		F getsup
F getchar		F getsuppre
F getdata		F gettotal
F getdepth		F getwhatever
F getdirection		F getwhd
F getdisc		F getwidth
F getexpansion		F getxscale

F getxyscales	F setchar
F getyscale	F setdata
F has_attribute	F setdepth
F has_dimensions	F setdirection
F has_field	F setdisc
F has_glyph	F setexpansion
F has_glyph_option	F setfam
F hpack	F setfield
F hyphenating	F setfont
F id	F setglue
F ignore_math_skip	F setglyphdata
F insert_after	F setheight
F insert_before	F setindex
F is_char	F setkern
F is_direct	F setlanguage
F is_glyph	F setleader
F is_next_char	F setlink
F is_next_glyph	F setlist
F is_node	F setnext
F is_prev_char	F setnucleus
F is_prev_glyph	F setoffsets
F is_valid	F setoptions
F is_zero_glue	F setorientation
F kerning	F setpenalty
F last_node	F setpost
F length	F setpre
F ligaturing	F setprev
F make_extensible	F setproperty
F migrate	F setreplace
F mlist_to_hlist	F setscales
F naturalwidth	F setscript
F new	F setshift
F protect_glyph	F setsplit
F protect_glyphs	F setstate
F protrusion_skippable	F setsub
F rangedimensions	F setsubpre
F remove	F setsubtype
F reverse	F setsup
F set_attribute	F setsuppre
F set_attributes	F setttotal
F set_synctex_fields	F setwhd
F setattributelist	F setwidth
F setboth	F slide
F setbox	F start_of_par

F subtypes		hpack	function
F tail		hyphenating	function
F todirect		id	function
F tonode		insert_after	function
F toString		insert_before	function
F tovaliddirect		instock	function
F traverse		inuse	function
F traverse_char		is_node	function
F traverse_content		is_zero_glue	function
F traverse_glyph		kerning	function
F traverse_id		last_node	function
F traverse_list		length	function
F type		ligaturing	function
F types		make_extensible	function
F unprotect_glyph		mlist_to_hlist	function
F unprotect_glyphs		new	function
F unset_attribute		protect_glyph	function
F unset_attributes		protect_glyphs	function
F usedlist		protrusion_skippable	function
F uses_font		rangedimensions	function
F values		remove	function
F vertical_break		set_attribute	function
F vpack		set_glue	function
F write		setfield	function
effective_glue	function	setProperty	function
end_of_math	function	slide	function
family_font	function	subtypes	function
fields	function	tail	function
find_attribute	function	toString	function
first_glyph	function	traverse	function
flatten_discretionaries	function	traverse_id	function
flush_list	function	type	function
flush_node	function	types	function
free	function	unprotect_glyph	function
get_attribute	function	unprotect_glyphs	function
get_glue	function	unset_attribute	function
get_properties_table	function	usedlist	function
getfield	function	uses_font	function
getproperty	function	values	function
has_attribute	function	vpack	function
has_field	function	write	function
has_glyph	function		

nodes (context)

accentcodes	data table	end_of_math	function
aligned	function	fencecodes	data table
append	function	fields	function
apply	function	fieldtypes	table
applyvisuals	function	fillcodes	data table
astable	function	fillvalues	data table
basepoints	function	find_attribute	function
boundarycodes	data table	first_glyph	function
boxes	table	firstcharacter	function
F dimensions		firstcharinbox	function
F direct		firstdirinbox	function
F found		firstglyph	function
F reset		flatten_discretionaries	function
F restore		flush	function
F save		flush_list	function
F savenode		flush_node	function
builders	table	free	function
F buildpage_filter		fullhpack	function
F vpack_filter		getattr	function
check_discretionaries	function	getattribute	function
concat	function	getboth	function
copy	function	getbox	function
copy_list	function	getchar	function
copy_node	function	getfield	function
count	function	getfont	function
countall	function	getid	function
current_attributes	function	getleader	function
delete	function	getlist	function
destinations	table	getnext	function
N attribute		getprev	function
T done		getsubtype	function
F handler		gluecodes	data table
T stack		glyphcodes	data table
dimensions	function	handlers	table
dircodes	data table	F accessibility	
directioncodes	data table	F backgrounds	
directionvalues	data table	F backgroundspage	
dirvalues	data table	F backgroundsvbox	
disccodes	data table	F characters	
discretionarycodes	data table	F checkglyphs	
effective_glue	function	F checkparcounter	

F cleanuppage		kerncodes	data table
F export		kerning	function
F finalizebox		keys	table
F flatten		T whatsit	
F flattenline		last_node	function
F migrate		leftmarginwidth	function
F protectglyphs		length	function
F stripping		ligaturing	function
F textbackgrounds		linefillers	table
F unprotectglyphs		D data	
has_attribute	function	F define	
has_field	function	F enable	
has_glyph	function	F filler	
hpack	function	F handler	
hyphenating	function	lines	table
idsandsubtypes	function	T boxed	
idstostring	function	F addlinenumbers	
injections	table	F register	
F copy		F setup	
F getligaindex		D data	
F getthreshold		F finalize	
F handler		F number	
F installgetspaceboth		link	function
F installnewkern		linked	function
F isspace		list	function
F keepcounts		listcodes	data table
F reset		listtoutf	function
F resetcounts		literalvalues	data table
F setcursive		locate	function
F setkern		markers	table
F setligaindex		F get	
F setmark		mathcodes	data table
F setmove		maxboxwidth	function
F setposition		migrations	table
F setspacekerns		F setinserts	
insert_after	function	F setmarks	
insert_before	function	mlist_to_hlist	function
insert_list_after	function	new	function
installattributehandler	function	noadcodes	data table
is_direct	function	noadoptions	table
is_display_math	function	N axis	
is_node	function	N exact	
is_nut	function	N left	
is_zero_glue	function	N middle	

N no_axis		F fullhpack
N right		F get_components
N set		F getattr
N unused_1		F getattribute
N unused_2		F getattributelist
nodecodes	data table	F getattrlist
nopts	function	F getattrs
nuts	table	F getboth
F append		F getbox
F apply		F getboxglue
F applyvisuals		F getchar
F check_discretionaries		F getcomponents
T colors		F getdata
F set		F getdepth
F concat		F getdirection
F copy		F getdisc
F copy_list		F getdiscretionary
F copy_no_components		F getexpansion
F copy_node		F getfam
F copy_only		F getfield
F copy_only_glyphs		F getfont
F copy_properties		F getglue
F copyvisual		F getglyphdata
F count		F getglyphdimensions
F count_components		F getheight
F countall		F getid
F current_attributes		F getkern
F delete		F getkerndimension
F dimensions		F getlang
F dirdimensions		F getlanguage
F effective_glue		F getleader
F end_of_math		F getlist
F exchange		F getnext
F find_attribute		F getnormalizedline
F first_glyph		F getnucleus
F firstcharacter		F getoffsets
F firstcharinbox		F getoptions
F firstglyph		F getorientation
F flatten_discretionaries		F getpenalty
F flush		F getpost
F flush_components		F getpre
F flush_list		F getprev
F flush_node		F getprop
F free		F getreplace

F getruledata
F getscales
F getscript
F getshift
F getstate
F getsub
F getsubpre
F getsubtype
F getsup
F getsuppre
F getsurround
F getsynctexfields
F gettotal
F getvalue
F getwhatever
F getwhd
F getwidth
F getxscale
F getxyscales
F getyscale
F has_attribute
F has_dimensions
F has_field
F has_glyph
F has_glyph_option
F hpack
F hyphenating
F insert_after
F insert_before
F insert_list_after
F is_display_math
F is_node
F is_nut
F is_zero_glue
F ischar
F isdone
F isglyph
F isnextchar
F isnextglyph
F isprevchar
F isprevglyph
F kerning
F last_node
F leftmarginwidth

F length
F ligaturing
F link
F linked
F locate
F migrate
F mlist_to_hlist
F nestedtracedslide
F new
T pool
F accent
F baselineskip
F boundary
F choice
F cleanup
F delim
F delimiter
F direction
F directliteral
F disc
F emptyrule
F fence
F fontkern
F fraction
F glue
F gluespec
F glyph
F hlist
F indentskip
F italicckern
F kern
F latelua
F leader
F lefthangskip
F leftmarginkern
F leftskip
F lineskip
F literal
F mathchar
F mathtextchar
F negatedglue
F noad
F originliteral
F outlinerule

F pageliteral	T ruleactions
F penalty	F box
F radical	F draw
F rawliteral	F fill
F register	F mp
F restore	F stroke
F righthangskip	F userrule
F rightmarginkern	F set_attribute
F rightskip	F set_components
F rule	F setattr
F save	F setattribute
F savepos	F setattributelist
F setmatrix	F setattributes
F shrink	F setattrlist
F stock	F setattrs
F stretch	F setboth
F subbox	F setbox
F submlist	F setboxglue
F temp	F setchar
F usage	F setcomponents
T userids	F setdata
N margins.inline	F setdepth
N splitters.one	F setdirection
N splitters.two	F setdisc
F usernode	F setdiscretionary
F userrule	F setexpansion
F vlist	F setfam
F wordboundary	F setfield
F prepend	F setfont
F processranges	F setglue
F processwords	F setglyphdata
F protect_glyph	F setheight
F protect_glyphs	F setkern
F protrusion_skippable	F setlang
F rangedimensions	F setlanguage
F rawprop	F setleader
F reference	F setlink
F rehpick	F setlist
F remove	F setnext
F repackhlist	F setnucleus
F replace	F setoffsets
F reverse	F setoptions
F rightmarginwidth	F setorientation
T rules	F setparproperty

F setpenalty	F traverse_content	
F setpost	F traverse_glyph	
F setpre	F traverse_id	
F setprev	F traverse_list	
F setprop	T traversers	
F setreplace	F boundary	
F setruledata	F char	
F setscales	F content	
F setscript	F dir	
F setshift	F disc	
F setsplit	F glue	
F setsstate	F glyph	
F setsub	F hlist	
F setsubpre	F list	
F setsubtype	F next	
F setup	F node	
F setsuppre	F vlist	
F setsurround	F whatsit	
F setsynctexfields	T typesetters	
F setunsetattributes	F tohbox	
F setvalue	F tohpack	
F setvisual	F tonodes	
F setvisuals	F toinbox	
F setwhd	F tovpack	
F setwidth	F unprotect_glyph	
F slide	F unprotect_glyphs	
F somepenalty	F unset_attribute	
F somespace	F unset_attributes	
F splitbox	F unsetattribute	
F start_of_par	F unsetattributes	
F striprange	F untracedslide	
F tail	F usedlist	
F takeattr	F uses_font	
F takebox	F vianodes	
F takelist	F vianuts	
F theprop	F vpack	
F tonode	F write	
F tonodes	packlist	function
F tonut	parcodes	data table
F tosequence	penaltycodes	data table
F toString	plugindata	table
F tracedslide	F finalizer	
F traverse	F initializer	
F traverse_char	S name	

T namespace		pts	function
N attribute		radicalcodes	data table
D data		rangedimensions	function
F enable		reference	function
F handler		references	table
F register		N attribute	
D registered		T done	
D values		F handler	
F processor		T stack	
points	function	rehpack	function
pool	table	remove	function
F baselineskip		repackhlist	function
F cleanup		replace	function
F directliteral		report	function
F glyph		rightmarginwidth	function
F hlist		rulecodes	data table
F latelua		rules	table
F lineskip		D data	
F literal		F define	
F originliteral		F enable	
F register		F handler	
F restore		F process	
F rule		F userrule	
F save		serialize	function
F savepos		serializebox	function
F setmatrix		set_attribute	function
F special		setattr	function
F stock		setattribute	function
F usage		setattributes	function
F vlist		setboth	function
prepend	function	setbox	function
print	function	setboxtonaturalwd	function
processors	table	setchar	function
F contribute_filter		setfield	function
B enabled		setfont	function
F hpack_filter		setleader	function
F post_linebreak_filter		setlink	function
F pre_linebreak_filter		setlist	function
F tracer		setnext	function
properties	table	setprev	function
T data		setunsetattributes	function
protect_glyph	function	shifts	table
protect_glyphs	function	D data	
protrusion_skippable	function	F define	

F enable		todimen	function
F handler		toinches	function
showboxes	function	tomillimeters	function
showlist	function	tonode	function
showsimplelist	function	tonodes	function
skipcodes	data table	tonut	function
slide	function	topicas	function
snapshots	table	topoints	function
F getsamples		toscaledpoints	function
F resetsamples		tosequence	function
F takesample		tostring	function
somepenalty	function	totable	function
somespace	function	totree	function
splitbox	function	toutf	function
start_of_par	function	tracers	table
stripdiscretionaries	function	T colors	
stripping	table	F reset	
T glyphs		F set	
F set		F setlist	
subtypes	data table	F directions	
tail	function	F fontchar	
takeattr	function	T frequencies	
takebox	function	F register	
tasks	table	T pool	
F actions		T nodes	
F appendaction		F rule	
F disableaction		T nuts	
F disablegroup		F rule	
F enableaction		F resetproperties	
F enablegroup		F rule	
F freeze		F setlist	
F freezegroup		F setproperties	
F new		F start	
F prependaction		T steppers	
F removeaction		F check	
F replaceaction		F codes	
F restart		F features	
F setaction		F font	
F showactions		F glyphs	
F table		F message	
tobasepoints	function	F messages	
tocentimeters	function	F nofsteps	
toxiceros	function	F register	
todidots	function	F reset	

F start		unsetattributes	function
F stop		usedlist	function
F stop		usercodes	data table
T transparencies		uses_font	function
F reset		vianodes	function
F set		vianuts	function
F setlist		visualizebox	function
traverse	function	visualizers	table
traverse_id	function	F attribute	
typesetters	table	T attributes	
F hbox		F box	
F hpack		F handler	
F tohbox		F markfonts	
F tohpack		F register	
F tonodes		F setfont	
F toinbox		F setlayer	
F toinbox		F setruledglyph	
F vpack		F setvisual	
unprotect_glyph	function	vpack	function
unprotect_glyphs	function	whatcodes	data table
unset_attribute	function	whatsitcodes	data table
unsetattribute	function	write	function

number (context)

	function		
basepoints	function	tobasepoints	function
bytetodecimal	function	tobitstring	function
compactfloat	function	tocentimeters	function
decimaltobyte	function	toxiceros	function
dimenfactors	data table	tocontext	function
formatted	function	todidots	function
formattedfloat	function	todimen	function
idiv	function	toevenhex	function
maxdimen	number	toinches	function
nopts	function	tomillimeters	function
percent	function	tonumberf	function
points	function	tonumberg	function
pts	function	topicsas	function
signed	function	topoints	function
sparseexponent	function	toscaled	function
splitdimen	function	toscaledpoints	function
tol6dot16	function	valid	function

objects (context)

data	table
dimensions	function
found	function
n	number

page	function
reference	function
register	function
restore	function

optional (context)

curl table

F escape
F fetch
F getversion
F initialize
F unescape

ghostscript table

F execute
F initialize

graphicsmagick table

F execute
F initialize

kpse table

F expand_braces
F expand_path
F expand_var
F find_file
F find_files
F get_file_types
F initialize
F readable_file
F set_program_name
F var_value

loaded table

mujs table

F dofile
F execute
F initialize

F reset
F setclosefile
F setconsole
F setfindfile
F setopenfile
F setreadfile
F setseekfile

mysql table

F close
F execute
F getmessage
F initialize
F open

postgres table

F close
F execute
F getmessage
F initialize
F open

sqlite table

F close
F execute
F getmessage
F initialize
F open

zint table

F execute
F initialize

os (basic lua)

__getenv__	function
__setenv__	function
binsuffix	string
binsuffixes	table
clock	function
converttime	function
date	overloaded function
difftime	function
enableansi	function
env	data table
execute	overloaded function
exit	overloaded function
fulltime	function
getcodepage	function
getenv	overloaded function
gettimeofday	function
isleapyear	function
launch	function
libsuffix	string
localtime	function
name	string
newline	string
nofdays	function
now	function
pipeto	function
platform	string
remove	overloaded function

rename	overloaded function
resolvers	table
F bits	
resultof	function
runtime	function
selfarg	table
selfbase	string
selfbin	string
selfcore	string
selfdir	string
selfname	string
selfpath	string
setenv	overloaded function
setexitcode	function
setlocale	overloaded function
sleep	function
time	function
timezone	function
tmpname	function
today	function
type	string
uname	function
uuid	function
validdatetime	function
weekday	function
where	function
which	function

package (basic lua)

config	string	loadlib	function
cpath	string	luapaths	function
extralibpath	function	path	string
extralibpaths	function	poplibpath	function
extralupath	function	popluapath	function
extralupaths	function	preload	table
helpers	table	pushlibpath	function
libpaths	function	pushluapath	function
loaded	table	searchers	table
loaders	table	searchpath	function

pagebuilders (context)

columnsets table

F add
F block
F check
F currentcolumn
F define
F finishflush
F flushareas
F flushcolumn
F flushrest
F goto
F noto
F prepareflush
F put
F registerarea
F reset
F setarea

F sethsize
F sethspace
F setlines
F setproperties
F setstart
F setvsize

injections table

F flushafter
F flushbefore
F save

mixedcolumns table

F cleanup
F finalize
F getlist
F getrest
F getsplit
F setsplit

pdf (basic tex)

`immediateobj` function

pdf (extra tex)

arraytotable	function	getnumber	function
close	function	getpage	function
closestream	function	getpages	function
dictionarytotable	function	getsize	function
encryptioncodes	data table	getstatus	function
getarray	function	getstream	function
getboolean	function	getstring	function
getbox	function	gettrailer	function
getcatalag	function	getversion	function
getdictionary	function	new	function
getfromarray	function	objectcodes	data table
getfromdictionary	function	open	function
getfromreference	function	openfile	function
getfromstream	function	openstream	function
getinfo	function	pages totable	function
getinteger	function	readfromstream	function
getmemoryusage	function	readwholestream	function
getname	function	type	function
getnofobjects	function	unencrypt	function
getnofpages	function		

physics (context)

units table

F registerunit

D tables

pngdecode (extra tex)

applyfilter function

expand function

interlace function

splitmask function

tocmyk function

publications (context)

addtexentry	function	converttoxml	function
analyze	function	currentspecification	table
anywhere	function	S author	
authorcache	data table	T categories	
authorcollapsers	data table	T article	
authorhashers	table	S category	
F invertedshort		T extra	
F normal		T fields	
F normalinverted		S author	
F normalshort		S editor	
F sequential		S journal	
F sequentialshort		S keywords	
F short		S note	
authormap	data table	S number	
authortoregister	function	S pages	
casters	table	S title	
F author		S volume	
F keyword		S year	
F pagenumber		T optional	
F range		T required	
checkeddataset	function	T sets	
citevariants	table	T author	
F author		T virtual	
F authornum		T book	
F authoryear		S category	
F authoryears		T extra	
F category		T fields	
F default		S address	
F entry		S author	
F index		S edition	
F keywords		S editor	
F num		S keywords	
F page		S note	
F short		S number	
F tag		S publisher	
F textnum		S subtitle	
F year		S title	
collected	data table	S volume	
components	table	S year	
F author		T optional	
concatstate	function	T required	

T sets	S pages	
T author	S volume	
T editionset	S version	
T virtual	D virtual	
T demo-a	T virtualfields	
S category	B authornum	
T extra	B authoryear	
T fields	B authoryears	
S author	B num	
S institution	B suffix	
S organization	datasets	table
S subtitle	detailed	table
S title	endnotes_to_btx	function
S year	enhancer	table
T optional	S arguments	
T required	T askip	
T sets	B dirty	
T author	T gskip	
T virtual	T kind	
T demo-b	T list	
S category	T system	
T extra	T order	
T fields	N steps	
S author	enhancers	table
S institution	F details	
S organization	F order	
S subtitle	F suffixes	
S title	finder	function
S year	firstofrange	function
T optional	found	function
T required	get	function
T sets	getcasted	function
T authors	getdetail	function
T virtual	getdirect	function
S comment	getfaster	function
S copyright	getfield	function
T fields	getfuzzy	function
S name	getindex	function
T types	inspectors	data table
S author	journals	table
S editor	F abbreviated	
S keywords	F add	
S number	F expanded	
S page	F load	

F save		F lua	
lastofrange	function	F refman	
lists	table	F registercleaner	
F collectentries		F xml	
F combiinlist		loadreplacementfile	function
F fetchentries		new	function
F filterall		okay	function
F flushcombi		oneorange	function
F flushentry		parenttag	function
F flushtag		permitted	function
T methods		prerollcmdstring	function
F dataset		refman_to_btx	function
F force		resolvedname	function
F global		save	function
F local		savers	table
F nofregistered		F bib	
F prepareentries		F lua	
F register		F xml	
F sameasprevious		search	function
T sorters		setcategory	function
F cite		setspecification	function
F dataset		singularorplural	function
F default		sortedentries	function
F index		sortmethods	table
F list		T authoryear	
F reference		T sequence	
F short		specifications	table
F used		T default	
F uservariable		S author	
listvariants	table	S comment	
F default		S copyright	
F index		S name	
F num		S version	
F short		D virtual	
F tag		splitauthor	function
load	function	splitoneauthor	function
loadbibdata	function	statistics	table
loaddefinitionfile	function	N nofbytes	
loaders	table	N nofdatasets	
F bbl		N nofdefinitions	
F bib		N nofshortcuts	
F buffer		tables	table
F endnote		D implicits	
F json		D origins	

D privates		F showtables	
D sets		F showvariants	
D specials		typesetters	table
D types		F author	
D virtuals		F string	
tags	function	usedataset	function
tracers	table	usedentries	function
F showdatasetauthors		writers	table
F showdatasetcompleteness		F author	
F showdatasetfields		F keyword	
F showentry		F pagenumber	
F showfields		F range	
F showhashedauthors			

regimes (context)

backmapping	data table
cleanup	function
disable	function
enable	function
fromregime	function
list	function

mapping	data table
pop	function
process	function
push	function
toregime	function
translate	function

resolvers (context)

allprefixes	function	findtexfile	function
appendhash	function	findwildcardfile	function
automount	function	findwildcardfiles	function
booleanvariable	function	formatofsuffix	function
cacheversion	string	formatofvariable	function
checkedvariable	function	formats	data table
cleanedpathlist	function	foundintree	function
cleanpath	function	foundintrees	function
cleanpathlist	function	generators	data table
concatinators	data table	get_from_content	function
configbanner	string	getenv	function
configurationfiles	function	getextrapaths	function
dangerous	data table	getfilehashes	function
datastate	function	gethashes	function
defaultsuffixes	table	getownpath	function
dirstatus	function	getreadfilename	function
dowithfilesandreport	function	hashers	data table
dowithfilesintree	function	homedir	string
dowithpath	function	initialized	function
dowithvariable	function	installinputfilehandler	function
executers	table	installinputlinehandler	function
expandbraces	function	jobpath	function
expandedpathfromlist	function	jobs	table
expandedpathlist	function	F currentcomponent	
expandedpathlistfromvariable	function	F currentenvironment	
expandpath	function	F currentproduct	
expandpathfromvariable	function	F currentproject	
expansion	function	F justacomponent	
extendtexmfvariable	function	D processors	
filtered_from_content	function	F productcomponent	
find_file	function	F usefile	
find_files	function	joinpath	function
findbinfile	function	knownvariables	function
findctxfile	function	libraries	table
finders	data table	F optionalloaded	
findfile	function	F validoptional	
findfiles	function	load	function
findgivenfile	function	loadbinfile	function
findgivenfiles	function	loaders	data table
findlib	function	loadlua lib	function
findpath	function	loadtexfile	function

loadtime	function	resetresolve	function
locateformat	function	resolve	function
locators	data table	savers	data table
luacnffallback	string	scandata	function
luacnfname	string	scanfiles	function
luacnfspec	string	schemes	table
luacnfstate	string		
macros	table	T cleaners	
F convertfile		F md5	
F decodecomment		F none	
F enablecomment		F strip	
F encodecomment		F cleanname	
F preprocessed		F fetchstring	
F processmk		F fetchtable	
F processmklx		F install	
F processmkvi		setdynamic	function
F version		setenv	function
maxreadlevel	number	showpath	function
methodhandler	function	simplescanfiles	function
openbinfile	function	splitconfigurationpath	function
openers	data table	splitexpansions	function
openfile	function	splitmethod	function
opentextfile	function	splitpath	function
ownpath	string	stackpath	function
popextrapath	function	starttiming	function
popinputname	function	stoptiming	function
poppath	function	suffixes	data table
prefixes	data table	suffixmap	data table
prependhash	function	suffixofformat	function
pushextrapath	function	texdatablob	function
pushinputname	function	toppath	function
pushpath	function	unexpandedpath	function
registerextrapath	function	unexpandedpathlist	function
registerfile	function	unresolve	function
registerfilehash	function	updaterelations	function
registerintrees	function	updatescript	function
registermethod	function	uselibrary	function
registerzipfile	function	usertypes	data table
relations	data table	usezipfile	function
renew	function	validatedpath	function
renewcache	function	variable	function
repath	function	variableofformat	function
reset	function	variableofformatorsuffix	function
resetextrapaths	function	wildcardpattern	function

sandbox (context)

disablelibraries	function
disablerunners	function
enable	function
filehandlerone	function
filehandlertwo	function
finalizer	function
getrunner	function
initializer	function
iohandler	function
logcalls	function
logfiles	function
original	function
overload	function

possiblepath	function
redefine	function
register	function
registerbinary	function
registerlibrary	function
registerroot	function
registerrunner	function
report	function
setfilenamelogger	function
setlogger	function
setreporter	function
settrace	function
validfilename	function

scripts (context)

autofontfeature table

F disable
F enable
F handler

colors data table

decomposehangul function

defaults table

N inter_char_half_shrink_factor
N inter_char_half_stretch_factor
N inter_char_hangul_penalty
N inter_char_quarter_shrink_factor
N inter_char_quarter_stretch_factor
N inter_char_shrink_factor
N inter_char_stretch_factor
N inter_word_stretch_factor

getdata function

getinjector function

getsplitter function

getstatus function

handlers data table

hash table

injectors data table

inserters table

F nobreakspace_after

F nobreakspace_before

F space_after

F space_before

F zerowidthspace_after

F zerowidthspace_before

installdataset function

installmethod function

numbertodataset data table

numbertohandler data table

reset function

set function

setstatus function

splitters data table

set (context)

contains function

create function

tolist function

tonumber function

totable function

sha2 (extra lua)

HASH256	function
HASH384	function
HASH512	function
HEX256	function
HEX384	function
HEX512	function
digest256	function
digest384	function
digest512	function

hash256	function
hash384	function
hash512	function
hex256	function
hex384	function
hex512	function
sum256	function
sum384	function
sum512	function

sio (extra lua)

read2dot14 function
readbytes function
readbytetable function
readcardinal1 function
readcardinal1le function
readcardinal2 function
readcardinal2le function
readcardinal3 function
readcardinal3le function
readcardinal4 function
readcardinal4le function
readcardinaltable function

readfixed2 function
readfixed4 function
readinteger1 function
readinteger1le function
readinteger2 function
readinteger2le function
readinteger3 function
readinteger3le function
readinteger4 function
readinteger4le function
readintegertable function

socket (extra lua)

BLOCKSIZE	number	S content-md5
_DATAGRAMSIZE	number	S content-range
_SETSIZE	number	S content-transfer-encoding
_SOCKETINVALID	number	S content-type
bind	function	S cookie
choose	function	S date
connect	function	S diagnostic-code
connect4	function	S dsn-gateway
connect6	function	S etag
dns	table	S expect
F getaddrinfo		S expires
F gethostname		S final-log-id
F getnameinfo		S final-recipient
F tohostname		S from
F toip		S host
gettime	function	S if-match
headers	table	S if-modified-since
T canonic		S if-none-match
S accept		S if-range
S accept-charset		S if-unmodified-since
S accept-encoding		S in-reply-to
S accept-language		S keywords
S accept-ranges		S last-attempt-date
S action		S last-modified
S age		S location
S allow		S max-forwards
S alternate-recipient		S message-id
S arrival-date		S mime-version
S authorization		S original-envelope-id
S bcc		S original-recipient
S cache-control		S pragma
S cc		S proxy-authenticate
S comments		S proxy-authorization
S connection		S range
S content-description		S received
S content-disposition		S received-from-mta
S content-encoding		S references
S content-id		S referer
S content-language		S remote-mta
S content-length		S reply-to
S content-location		S reporting-mta

S resent-bcc
 S resent-cc
 S resent-date
 S resent-from
 S resent-message-id
 S resent-reply-to
 S resent-sender
 S resent-to
 S retry-after
 S return-path
 S sender
 S server
 S smtp-remote-recipient
 S status
 S subject
 S te
 S to
 S trailer
 S transfer-encoding
 S upgrade
 S user-agent
 S vary
 S via
 S warning
 S will-retry-until
 S www-authenticate
 S x-mailer
 F lower
 F normalize
http table
 N TIMEOUT
 S USERAGENT
 F genericform
 F open
 F request
newtry function

protect function
report function
select function
sink function
sinkt table
 F close-when-done
 F default
 F http-chunked
 F keep-open
skip function
sleep function
source function
sourcet table
 F by-length
 F default
 F http-chunked
 F until-closed
tcp function
tcp4 function
tcp6 function
tp table
 N TIMEOUT
 F connect
try function
udp function
udp4 function
udp6 function
url table
 F absolute
 F build
 F build_path
 F escape
 F parse
 F parse_path
 F unescape

sorters (context)

basicsorter function

comparers table

F basic

constants table

S defaultdigits

S defaultlanguage

S defaultmethod

N digitmaximum

N digitoffset

N ignoredoffset

N replacementoffset

T validmethods

B ch

B mc

B mm

B pc

B pm

B uc

B zc

B zm

definitions data table

firstofsplit function

packch function

packuc function

replacementlist function

setlanguage function

sort function

splitters table

F utf

strip function

tracers data table

update function

statistics (context)

benchmarktimer	function
checkfmtstatus	function
currenttime	function
elapsed	function
elapsedindeed	function
elapsedseconds	function
elapsedtime	function
enable	boolean
formatruntime	function
hastiming	function
memused	function
register	function

resettiming	function
runtime	function
savefmtstatus	function
show	function
showmemory	function
showusage	function
starttiming	function
stoptiming	function
threshold	number
timed	function
tracefunction	function

status (basic tex)

getbufferstate	function
getcallbackstate	function
getconstants	function
geterrorlinestate	function
geterrorstate	function
getexpandstate	function
getextrastate	function
getfilestate	function
getfontstate	function
gethalferrorlinestate	function
gethashstate	function
getinputstate	function
getlanguagestate	function
getlookupstate	function
getluastate	function

getmarksstate	function
getneststate	function
getnodestate	function
getparameterstate	function
getpoolstate	function
getreadstate	function
getsavestate	function
getsparsestate	function
getstringstate	function
gettexstate	function
gettokenstate	function
getwarningstate	function
iocodes	table
list	function
resetmessages	function

storage (context)

allocate	function	noftables	number
data	table	register	function
mark	function	shared	data table
marked	function	storedfunctions	data table
max	number	strip	boolean
min	number	tofmodules	number
nofmodules	number	toftables	number

streams (context)

collect	function
disable	function
enable	function
flush	function
initialize	function

push	function
start	function
stop	function
synchronize	function

string (basic lua)

autodouble	function	nspace	table
autosingle	function	optionalquoted	function
booleanstring	function	pack	function
byte	function	packsize	function
bytepairs	function	quote	function
bytes	function	quoted	function
bytetable	function	rep	function
char	function	replacenewlines	function
characterpairs	function	reverse	function
characters	function	split	function
checkedsplit	function	splitlines	function
collapsespaces	function	splitup	function
containsws	function	strip	function
count	function	sub	function
dawson	function	tformat	function
dump	function	toHEX	function
erf	function	toboollean	function
erfc	function	tobytes	function
erfcx	function	tocontext	function
erfi	function	todec	function
escapedpattern	function	todimen	function
escapedquotes	function	tohex	function
explode	function	tonodes	function
f6	function	topattern	function
find	function	totable	function
format	function	tounicode16	function
formatter	function	toutf	function
formatters	function	toutf32	function
fullstrip	function	toutf8	function
gmatch	function	tracedchar	function
gsub	function	tracedchars	table
is_boolean	function	unpack	function
is_empty	function	unquote	function
itself	function	unquoted	function
len	function	upper	function
limit	function	utfcharacter	function
linetable	function	utfcharacters	function
longtostring	function	utfcharacter table	function
lower	function	utflength	function
match	function	utfpadd	function
nspace	function	utfpadding	function

utfvalue	function	valid	function
utfvalues	function	voigt	function
utfvaluetable	function	voigt_hwhm	function

structures (context)

atlocation	function	F next
blocks	table	F prev
D collected		F previous
F define		F raw
F print		F record
F save		F reset
F select		F restart
F setstate		F restore
D states		F save
D tobesaved		F set
F uservariable		F setlevel
bookmarks	table	F setoffset
T extras		F setown
F get		F setstate
F mergesections		F setvalue
F register		T specials
F reset		F userpage
F tosections		F subs
F finalize		D tobesaved
F flatten		F value
F installhandler		F way
F merge		currentsectionnumber function
S method		descriptions table
F overload		documents table
F place		D data
F register		F initialize
F setopened		F preset
F setup		F reset
counters	table	floats table
F add		formulas table
F analyze		helpers table
F check		F analyze
D collected		F formulanumber
F compact		F merged
F converted		F page
F currentvalue		F pageofinternal
D data		F prefix
F define		F prefixlastpage
F first		F prefixpage
F get		F simplify
F last		F title

F touserdata		F reordered	
inserts	table	T result	
D data		F savedlistnumber	
F define		F savedlistprefixednumber	
F getdata		F savedlisttitle	
F getlocation		D sectionblocks	
F getname		F sectionnumber	
F getnumber		F size	
F setlocation		F title	
F setup		D tobesaved	
D stored		F userdata	
itemgroups	table	F uservalue	
lists	table	marks	table
F addto		D data	
F analyze		F define	
B autoreorder		F exists	
D cached		F fetch	
D collected		F fetchallmarks	
F discard		F fetched	
F enhance		F fetchonemark	
T enhancers		F fetchtwomarks	
F filter		F get	
F formulainumber		F number	
F getresult		F relate	
F groupindex		F reset	
F hasnumberdata		F set	
F haspagedata		F show	
F hastitledata		F synchronize	
F iscached		F title	
D kinds		T tracers	
F label		F showtable	
F location		notes	table
D names		F check_spacing	
F number		F checkpagechange	
D ordered		F define	
F page		F doifonsamepageasprevious	
F popnesting		F get	
F prefix		F getdeltapage	
F prefixednumber		F getinternal	
F prefixedpage		F getn	
F process		F getstate	
D pushed		F hascontent	
F pushnesting		F internal	
F realpage		F internalid	

F listindex
D numbers
F ordered
F postpone
F resetpostponed
F restore
F save
F setstate
D states
F store

pages table

F allmarked
F analyze
D collected
F fraction
F has_changed
F in_body
F is_odd
F mark
F marked
N nopages
F number
F on_right
F save
D tobesaved
F toranges

references table

F analyze
F checkedfile
F checkedfileorurl
F checkedprogram
F checkedrealpage
F checkedurl
D collected
U componentsplitter
F currentmetadata
F currentorder
D currentset
F define
D defined
D derived
F enhance
D executers
F expandcurrent

F export
T files
T data
F define
F found
F get
F filter
F filterdefault
D filters
D flaginternals
F from
D functions
F get
F getcurrentmetadata
F getcurrentprefixspec
F getinnermethod
F getinternalcachedlistreference
F getinternallistreference
F getinternalreference
F getoutermethod
D handlers
F identify
F import
F inject
F injectcurrentset
S innermethod
D internals
F load
F loadpresets
F mark
S outermethod
D pages
U prefixsplitter
D productdata
T programs
T data
F define
F get
F realpageofpage
U referencesplitter
D referred
F referredpage
F registerfinalizer
F registerinitializer

- F registerpage
- F reset
- D runners
- F set
- F setandgetattribute
- F setcomponent
- F setinternalreference
- F setlinkmethod
- F setnextinternal
- F setnextorder
- F setreferencerealpage
- D specials
- F splitcomponent
- F splitprefix
- F splitreference
- F synchronizepage
- T testrunners
 - F inner
 - F special
 - F special operation
 - F special operation with arguments
- T testspecials
 - F deltapage
 - F i
 - F internal
 - F page
 - F realpage
 - F section
 - F userpage
- D tobereferred
- D tobesaved
- D tracedpages
- T urls
 - T data
 - F define
 - F found
 - F get
 - F untex
- D usedinternals
- D usedviews
- F valid

registers

- F analyze
- D collected

table

- F compare
- F define
- F enhance
- F extend
- F filter
- F filtercollected
- F finalize
- F findinternal
- F flush
- F get
- F prepare
- F process
- F setmethod
- F sort
- F store
- D tobesaved
- F unique
- F userdata

sections

- F autodepth
- F cct
- D collected
- F current
- F currentblock
- F currentid
- F currentlevel
- F currentsectionindex
- F depthnumber
- F finddata
- F findnumber
- F fullnumber
- F getcurrentlevel
- F getlevel
- F getnumber
- F internalreference
- D levelmap
- D levels
- F matchingtilldepth
- F numberatdepth
- F numbers
- F popblock
- F prefixedconverted
- F pushblock
- F register

table

D registered		F registershown	
F reportstructure		F registerused	
F save		F resetshown	
T sectionblockdata		F resetused	
T bodypart		F sort	
S bookmark		F synonym	
F set		D tobesaved	
F setblock		tags	table
F setchecker		F current	
F setentry		F elementtag	
F setinitialblock		F finishexport	
F setlevel		F getextradata	
F setnumber		F getid	
F showstructure		F getmetadata	
F structuredata		F gettablecell	
F title		F gettabulatecell	
D tobesaved		F handler	
F typesetnumber		F initializeexport	
F userdata		D labels	
B verbose		F last	
sets	table	F lastinchain	
F define		F locatedtag	
F get		T patterns	
F getall		U splitter	
D setlist		D properties	
specials	table	F registerextradata	
D collected		F registermetadata	
F retrieve		F restart	
F store		F setaspect	
D tobesaved		F setattributehash	
synonyms	table	F setcombination	
F analyzed		F setconstruct	
D collected		F setfigure	
F compare		F setfloat	
F define		F setformulacontent	
F filter		F sethighlight	
F finalize		F setitem	
F flush		F setitemgroup	
F isshown		F setlist	
F isused		F setnotation	
F meaning		F setnotationsymbol	
F prepare		F setparagraph	
F process		F setproperty	
F register		F setpublication	

F setregister

F setsorting

F setsynonym

F settablecell

F settabulatecell

F settagdelimitedsymbol

F settagsubsentencesymbol

F setupexport

F setuserproperties

D specifications

F start

F stop

F strip

D taglist

T usewithcare

T images

table (basic lua)

allkeys	function	pack	function
append	function	prepend	function
are_equal	function	print	function
collapsed	function	remove	function
collapsedhash	function	reverse	function
compact	function	reversed	function
concat	function	save	function
contains	function	sequenced	function
copy	function	serialize	function
count	function	setmetatablecall	function
derive	function	setmetatableindex	function
deserialize	function	setmetatableindices	function
drop	function	setmetatablekey	function
fastcopy	function	setmetatablenewindex	function
fastserialize	function	sort	function
filtered	function	sorted	function
flattened	function	sortedhash	function
fromhash	function	sortedhashkeys	function
getmetatablekey	function	sortedhashonly	function
getn	function	sortedindexonly	function
has_one_entry	function	sortedkeys	function
hashed	function	sortedpairs	function
identical	function	sparse	function
imerge	function	strip	function
imerged	function	sub	function
insert	function	swapped	function
is_empty	function	tocontext	function
is_simple_table	function	tocsv	function
keys	function	tofile	function
load	function	tohandle	function
loweredkeys	function	tohash	function
makewweak	function	toxml	function
merge	function	twowaymapper	function
merged	function	unique	function
mirrored	function	unnest	function
move	function	unpack	function
ordered	function	values	function
orderedhash	function		

tex (basic tex)

attribute	table	getcount	function
badness	function	getdelcode	function
box	table	getdelcodes	function
boxresources	table	getdimen	function
F getbox		getdimensionvalue	function
F getdimensions		geterrorvalues	function
F save		getflagvalues	function
F use		getfontoffamily	function
catcode	table	getfrozenparvalues	function
chardef	function	getglue	function
conditionals	data table	getglyphdata	function
constants	data table	getglyphoptionvalues	function
count	table	getglyphscript	function
cprint	function	getglyphstate	function
ctdcatcodes	number	getgroupvalues	function
ctxcatcodes	number	gethelptext	function
definefont	function	gethyphenationvalues	function
delcode	table	getintegervalue	function
dimen	table	getinteraction	function
dimensiondef	function	getiovalues	function
directives	data table	getlargestusedmark	function
enableprimitives	function	getlccode	function
error	function	getlinedir	function
experiments	data table	getlist	function
extraprimitives	function	getlocallevel	function
fatalerror	function	getmark	function
flagcodes	data table	getmath	function
fontidentifier	function	getmathcode	function
fontname	function	getmathcodes	function
forcehmode	function	getmathdir	function
forcesynctexline	function	getmodevalues	function
forcesynctextag	function	getmuglue	function
fprint	function	getmuskip	function
frozenparcodes	data table	getnest	function
get	function	getnormalizevalues	function
getattribute	function	getoutputactive	function
getbox	function	getpagesstate	function
getboxdir	function	getpardir	function
getboxresourcebox	function	getprimitiveorigins	function
getboxresourcecdimensions	function	getsfcode	function
getcatcode	function	getskip	function

getsynctexline	function	muglue	table
getsynctexmode	function	muskip	table
getsynctextag	function	nest	table
gettextdir	function	nilcatcodes	number
gettoks	function	normalizecodes	data table
getuccode	function	notcatcodes	number
glue	table	number	function
glyphoptioncodes	data table	poplocal	function
groupcodes	data table	primitives	function
hashtokens	function	print	function
hyphenationcodes	data table	prtcategories	number
ifs	data table	pushlocal	function
inimatcodes	number	quitlocal	function
integerdef	function	quittoks	function
isattribute	function	resetparagraph	function
isbox	function	rlncatcodes	number
iscount	overloaded function	romannumeral	function
isdefined	function	round	function
isdimen	overloaded function	runlocal	function
isglue	function	runtoks	function
ismuglue	function	saveboxresource	function
ismuskip	overloaded function	scale	function
isprintable	function	scantoks	function
isskip	overloaded function	set	function
istoken	function	setattribute	function
istoks	function	setbox	function
lastnodetype	function	setboxdir	function
lccode	table	setcatcode	function
linebreak	function	setcount	function
lists	table	setdelcode	function
luacatcodes	number	setdimen	function
magicconstants	table	setdimensionvalue	function
N maxdimen		setglue	function
N running		setglyphdata	function
N trueinch		setglyphscript	function
mathchardef	function	setglyphstate	function
mathcode	table	setintegervalue	function
modelevels	table	setinteraction	function
N horizontal		setlccode	function
N math		setlinedir	function
N unset		setlist	function
N vertical		setmath	function
modes	data table	setmathcode	function
mprint	function	setmathdir	function

setmuglue	function	systemmodes	data table
setmuskip	function	takebox	function
setnest	function	texcatcodes	number
setpardir	function	toks	table
setsfcode	function	tonumber	function
setskip	function	toscaled	function
setsynctexline	function	tpacatcodes	number
setsynctexmode	function	tpbcatcodes	number
setsynctextag	function	tprint	function
settexmdir	function	trackers	data table
settoks	function	triggerbuildpage	function
setuccode	function	txtcatcodes	number
sfcode	table	type	function
shipout	function	uccode	table
showcontext	function	uprint	function
skip	table	useboxresource	function
sp	function	vrbcacodes	number
splitbox	function	write	function
sprint	function		

texconfig (basic tex)

buffer_size	number	max_pool	number
error_line	number	max_print_line	number
expand_depth	number	max_strings	number
firstline	string	nest_size	number
formatname	string	node_size	number
function_size	number	param_size	number
half_error_line	number	properties_size	number
hash_extra	number	save_size	number
init	overloaded function	shell_escape	string
kpse_init	boolean	stack_size	number
max_in_open	number	token_size	number

texio (basic tex)

closeinput function

terminal function

write function

write_nl function

token (basic tex)

accessors	table	get_tok	function
F active		get_tolerant	function
F cmd		getcommandid	function
F cmdchrsc		getcommandvalues	function
F cmdname		getfunctionvalues	function
F command		getprimitives	function
F csname		gobble	function
F expandable		gobble_dimen	function
F frozen		gobble_integer	function
F index		is_defined	function
F name		is_next_char	function
F protected		is_token	function
F range		new	function
create	function	peek_next	function
expand	function	peek_next_char	function
expand_macro	function	peek_next_expanded	function
future_expand	function	pop_macro	function
get_active	function	push_macro	function
get_cmdchrsc	function	put_back	function
get_cmdname	function	put_next	function
get_command	function	save_lua	function
get_csname	function	scan_argument	function
get_cstoken	function	scan_box	function
get_dimension	function	scan_cardinal	function
get_expandable	function	scan_char	function
get_fields	function	scan_cmdchr	function
get_flags	function	scan_cmdchr_expanded	function
get_frozen	function	scan_code	function
get_id	function	scan_csname	function
get_immutable	function	scan_delimited	function
get_index	function	scan_dimen	function
get_instance	function	scan_dimen_argument	function
get_integer	function	scan_float	function
get_macro	function	scan_glue	function
get_meaning	function	scan_integer	function
get_noaligned	function	scan_integer_argument	function
get_parameters	function	scan_key	function
get_permanent	function	scan_keyword	function
get_primitive	function	scan_keyword_cs	function
get_protected	function	scan_letters	function
get_range	function	scan_luacardinal	function

scan_luainteger	function	scan_value	function
scan_luanumber	function	scan_word	function
scan_next	function	serialize	function
scan_next_char	function	set_char	function
scan_next_expanded	function	set_dimension	function
scan_real	function	set_integer	function
scan_scale	function	set_lua	function
scan_skip	function	set_macro	function
scan_string	function	skip_next	function
scan_token	function	skip_next_expanded	function
scan_token_code	function	type	function
scan_tokenlist	function	undefine_macro	function
scan_toks	function		

tokens (context)

astable function

bits table

N active
N alignment
N begingroup
N character
N close
N comment
N endgroup
N endoffline
N escape
N ignore
N invalid
N letter
N mathshift
N open
N other
N parameter
N space
N subscript
N superscript
N whitespace

cache table

U NC
U NR
U bf
U color
U colordefalc
U colordefflc
U colordefflt
U colordefrft
U dofinishreference
U dostarttext
U finishjob
U firstofoneargument
U firstoftwoarguments
U gobbleoneargument
U goto
U iftrue
U input
U loadfoundtypescriptfile

U resetctxscanner
U rlap
U secondoftwoarguments
U setfalsevalue
U setsectionblock
U setupsystem
U startcolumns
U starttabulate
U starttitle
U startxtitle
U stopcolumns
U stoptabulate
U stoptitle
U stopxtitle
U texsetup
U xmlw

commands data table

compile function

constant function

converters table

S toboolean
S todimen
S toglue
S tonumber
S toString

create function

defined function

flags function

getinteger function

getters table

F box
F count
F cstoken
F dimen
F glue
F macro
F meaning
F skip
F token

isdefined function

istoken function

new	function	F integerargument
pickup	function	F ischar
popmacro	function	F key
presets	table	F keyword
	T 1 argument	F keywordcs
	T 1 string	F letters
	T 2 arguments	F list
	T 2 strings	F luacardinal
	T 3 arguments	F luainteger
	T 3 strings	F luanumber
	T 4 arguments	F lxmlid
	T 4 strings	F next
	T 5 strings	F nextexpanded
	T 6 strings	F number
	T 7 strings	F optional
	T 8 strings	F peek
pushmacro	function	F peekchar
scanners	table	F peekexpanded
	F argument	F real
	F argumentasis	F scanclose
	F array	F scanopen
	F boolean	F skip
	F box	F skipexpanded
	F bracketed	F string
	F bracketedasis	F table
	F cardinal	F token
	F char	F tokencode
	F cmdchr	F tokenlist
	F cmdchrexplained	F tokens
	F code	F toks
	F conditional	F value
	F count	F vbox
	F csname	F verbatim
	F delimited	F vtop
	F dimen	F whd
	F dimenargument	F word
	F dimension	setinteger function
	F float	setters table
	F glue	F box
	F gluespec	F char
	F gluevalues	F count
	F hash	F dimen
	F hbox	F glue
	F integer	F lua

F macro
 F skip
shortcuts table
 T bits
 N active
 N alignment
 N begingroup
 N character
 N close
 N comment
 N endgroup
 N endofline
 N escape
 N ignore
 N invalid
 N letter
 N mathshift
 N open
 N other
 N parameter
 N space
 N subscript
 N superscript
 N whitespace
 N close
 F inspect
 N open
 F report
 F scanargument
 F scanargumentasis
 F scanarray
 F scanboolean
 F scanbox
 F scanbracketed
 F scanbracketedasis
 F scancardinal
 F scanclose
 F scancode
 F scanconditional
 F scancname
 F scandelimited
 F scandimen
 F scandimenargument
 F scandimension

F scanglue
 F scangluespec
 F scangluevalues
 F scanhash
 F scanhbox
 F scaninteger
 F scanintegerargument
 F scankeyword
 F scankeywordcs
 F scanletters
 F scanlist
 T scanners
 F argument
 F argumentasis
 F array
 F boolean
 F box
 F bracketed
 F bracketedasis
 F cardinal
 F char
 F cmdchr
 F cmdchrexploded
 F code
 F conditional
 F count
 F cname
 F delimited
 F dimen
 F dimenargument
 F dimension
 F float
 F glue
 F gluespec
 F gluevalues
 F hash
 F hbox
 F integer
 F integerargument
 F ischar
 F key
 F keyword
 F keywordcs
 F letters

F list	F astable
F luacardinal	T cache
F luainteger	U NC
F luanumber	U NR
F lxmlid	U bf
F next	U color
F nextexpanded	U colordefalc
F number	U colordefflc
F optional	U colordefflt
F peek	U colordefrlt
F peekchar	U dofinishreference
F peekexpanded	U dostarttext
F real	U finishjob
F scanclose	U firstofoneargument
F scanopen	U firstoftwoarguments
F skip	U gobbleoneargument
F skipexpanded	U goto
F string	U iftrue
F table	U input
F token	U loadfoundtypescriptfile
F tokencode	U resetctxscanner
F tokenlist	U rlap
F tokens	U secondoftwoarguments
F toks	U setfalsevalue
F value	U setsectionblock
F vbox	U setupsystem
F verbatim	U startcolumns
F vtop	U starttabulate
F whd	U starttitle
F word	U startxtitle
F scannumber	U stopcolumns
F scanopen	U stoptabulate
F scanoptional	U stoptitle
F scanstring	U stopxtitle
F scantable	U texsetup
F scantokenlist	U xmlw
F scantoks	D commands
F scanvbox	F compile
F scanverbatim	F constant
F scanvtop	T converters
F scanword	S toboolean
F toboolean	S todimen
F todimen	S toglue
T tokens	S tonumber

S tostring	F scanbracketed
F create	F scanbracketedasis
F defined	F scancardinal
F flags	F scanclose
F getinteger	F scancode
T getters	F scanconditional
F box	F scancname
F count	F scandelimited
F cstoken	F scandimen
F dimen	F scandimenargument
F glue	F scandimension
F macro	F scanglue
F meaning	F scangluespec
F skip	F scangluevalues
F token	F scanhash
F isdefined	F scanhbox
F istoken	F scaninteger
F new	F scanintegerargument
F pickup	F scankeyword
F popmacro	F scankeywordcs
T presets	F scanletters
F pushmacro	F scanlist
F setinteger	F scannumber
T setters	F scanopen
F box	F scanoptional
F char	F scanstring
F count	F scantable
F dimen	F scantokenlist
F glue	F scantoks
F lua	F scanvbox
F macro	F scanverbatim
F skip	F scanvtop
T shortcuts	F scanword
N close	F toboolean
F inspect	F todimen
N open	F tonumber
F report	F tostring
F scanargument	D values
F scanargumentasis	F tonumber
F scanarray	F tostring
F scanboolean	values data table
F scanbox	

tracers (context)

printerror function

printwarning function

showlines function

trackers (context)

data	data table	name	string
default	function	register	function
disable	function	report	function
done	table	reset	function
dumphashtofile	function	savehash	function
enable	function	show	function
list	function	value	function

typesetters (context)

alignments table

F handler

F set

breakpoints table

F define

F handler

D mapping

T methods

T numbers

F set

F setreplacement

cases table

T actions

F handler

F register

F set

characteralign table

F handler

F resetcharacteralign

F setcharacteralign

characters table

F handler

T methods

F replacensp

F replacenspaces

checkers table

F handler

F reset

F set

cleaners table

F handler

F set

digits table

T actions

F handler

F set

directions table

F getfences

F getglobal

F getmethod

F handler

T handlers

F installhandler

F processmath

F set

F setcolor

F setmath

F tomode

firstlines table

T actions

F default

F line

F word

F handler

F set

fontkerns table

F handler

initials table

T actions

F default

F addanchortoline

F addtoline

F calculatedelta

F checkline

F handler

F moveinline

F set

injectors table

F check

T list

F mark

F reset

F set

F show

italics table

F enablemath

F enabletext

F forcevariant

F handler

F reset

F set

kerns table

D factors
F handler
F keepligature
D mapping
F set
manipulators table

F apply
F applyspecification
T methods
F Word
F Words
F abbreviatedjournal
F expandedjournal
F lowercase
F stripperperiod
F uppercase
T patterns
U list
U pair
F splitspecification

margins table
F finalhandler
F globalhandler
F localhandler
F save

marksuspects function
paragraphs table

F addanchortoline
F addtoline
F calculatedelta
F checkline
F handler
F moveinline
F set

periodkerns table
D factors
F handler
D mapping
F set

processors table
F apply

F register
F reset
F split
F startapply
F stopapply
F stripped
F tostring

rubies table
F attach
F check

showsuspects function
spacings table

F define
F handler
D mapping
T numbers
T frenchpunctuation
T characters
S name
N number

F reset
F set
F setup

wrappers table
F handler

xtables table

F cleanup
F construct
F create
F finish_row
F flush
F initialize_construct
F initialize_reflow_height
F initialize_reflow_width
F next_row
F reflow_height
F reflow_width
F set_construct
F set_reflow_height
F set_reflow_width

updaters (context)

apply function

register function

url (context)

addscheme	function
barepath	function
construct	function
decode	function
encode	function
escape	function
filename	function

hashed	function
hasscheme	function
query	function
split	function
toquery	function
unescape	function
unescapeget	function

utf8 (basic lua)

char function
charpattern string
codepoint function

codes function
len function
offset function

utilities (context)

debugger	table	
F disable		F readtag
F enable		F setposition
F savestats		F size
F showstats		F skip
F showtraceback		F skiplong
		F skipposition
files	table	F skipshort
F close		F writebyte
F getposition		F writecardinal1
F getsize		F writecardinal1le
F look		F writecardinal2
F open		F writecardinal2le
F read2dot14		F writecardinal3
F readbyte		F writecardinal3le
F readbytes		F writecardinal4
F readbytetable		F writecardinal4le
F readcardinal		F writeinteger1
F readcardinal1		F writeinteger1le
F readcardinal1le		F writeinteger2
F readcardinal2		F writeinteger2le
F readcardinal2le		F writeinteger3
F readcardinal3		F writeinteger3le
F readcardinal3le		F writeinteger4
F readcardinal4		F writeinteger4le
F readcardinal4le		F writestring
F readcardinaltable		formatters table
F readchar		F formatcolumns
F readfixed2		F list
F readfixed4		F stripzeros
F readinteger		garbagecollector table
F readinteger1		F check
F readinteger1le		N criterium
F readinteger2		B enabled
F readinteger2le		ghostscript table
F readinteger3		F convert
F readinteger3le		F statistics
F readinteger4		graphicmagick table
F readinteger4le		F convert
F readintegertable		F statistics
F readsignedbyte		graphicsmagick table
F readstring		F convert

lua **table**

F statistics
B alwaysstripcode
F checkmemory
F compile
F loadedluacode
F loadstring
F loadstripped
N nofstrippedbytes
N nofstrippedchunks
F registerfinalizer
B stripcode
T strippedchunks
F strippedloadstring
T suffixes
S lua
S luc
S lui
S luj
S luv
S tma
S tmc
S tua
S tuc

packers **table**

F hashed
F new
F pack
F simplehashed
F strip
F unpack
N version

parsers **table**

F add_settings_to_array
F arguments_to_table
F array_to_string
F csvsplitter
F getparameters
F groupedsplitat
F hash_to_string
T hashes
T settings_to_set
T text,hidden,paper,page,leftpage,rightpage
B hidden

B leftpage
B page
B paper
B rightpage
B text
F iterator
F keq_to_hash
F listitem
F make_settings_to_hash_pattern
F mergehashes
F options_to_array
F options_to_hash
T patterns
U settings_to_array
U settings_to_hash_a
U settings_to_hash_b
U settings_to_hash_c
U settings_to_hash_d
U unittotex
F process_stripped_settings
F rfc4180splitter
F runtime
F settings_to_array
F settings_to_array_obey_fences
F settings_to_array_with_repeat
F settings_to_hash
F settings_to_hash_colon_too
F settings_to_hash_strict
F settings_to_hash_tolerant
F settings_to_numbers
F settings_to_set
F simple_hash_to_string
F splitmethod
F splitthousands
F stepper
F stripped_settings_to_array
F totime
F unittotex
F unittoxml

randomizer **table**

F get
F getnumber
F getseed
F popseed

- F pushseed
- F reuseseed
- F setseed
- F setseedi
- randomizers** table
- F poisson
- sequencers** table
- F appendaction
- F appendgroup
- F compile
- F disableaction
- F disablegroup
- F enableaction
- F enablegroup
- D functions
- F localize
- F new
- F nodeprocessor
- F prependaction
- F prependgroup
- F removeaction
- F replaceaction
- F setkind
- F tostring
- setters** table
- F disable
- F enable
- F initialize
- F list
- F new
- F register
- F report
- F reset
- F show
- stacker** table
- F new
- storage** table
- F allocate
- F checked
- F mark
- F marked
- F setinitializer
- F sparse
- streams** table

- F close
- F getposition
- F getsize
- F getstring
- F look
- F open
- F openstring
- F read2dot14
- F read2dot4
- F readbyte
- F readbytes
- F readbytetable
- F readcardinal
- F readcardinal1
- F readcardinal2
- F readcardinal2le
- F readcardinal3
- F readcardinal3le
- F readcardinal4
- F readcardinal4le
- F readcardinaltable
- F readchar
- F readfixed2
- F readfixed4
- F readinteger
- F readinteger1
- F readinteger2
- F readinteger2le
- F readinteger3
- F readinteger3le
- F readinteger4
- F readinteger4le
- F readintegertable
- F readsignedbyte
- F readstring
- F setposition
- F size
- F skip
- F skipbytes
- F skiplong
- F skipshort
- strings** table
- F collapse
- F collapseCrLf

T formatters

F add

F new

F newcollector

F newrepeater

F nice

T striplinepatterns

U collapse

U prune

U prune and collapse

U prune and no empty

U prune and to space

U retain

U retain and collapse

U retain and no empty

F striplines

F striplong

F tabtospace

T tracers

tables table

F accesstable

F definedtable

F definetable

F encapsulate

F insertaftervalue

F insertbeforevalue

F migratetable

F removevalue

F replacevalue

templates table

F load

F replace

F replacer

F resolve

zipfiles table

F close

F found

F gunzipfile

F hash

F list

F open

F unzip

F unzipdir

F zipdir

visualizers (context)

escapepatterns	data table	signal	string
getspecification	function	signalpattern	userdata
getvisualizer	function	specifications	data table
load	function	visualize	function
makenested	function	visualizebuffer	function
makepattern	function	visualizefile	function
newgrammar	function	visualizestring	function
newhandler	function	write	function
parsedxml	function	writeargument	function
pattern	function	writedefault	function
register	function	writeemptyline	function
registerescapecommand	function	writenewline	function
registerescapepline	function	writespace	function
registerescapepattern	function		

xcomplex (extra lua)

I	function	F sqrt	
__add	function	F tan	
__div	function	F tanh	
__eq	function	F topair	
__index	table	F tostring	
F I		F __mul	
F __add		S __name	
F __div		F __pow	
F __eq		F __sub	
T __index		F __tostring	
F I		F __unm	
F __add		F abs	
F __div		F acos	
F __eq		F acosh	
F __mul		F arg	
S __name		F asin	
F __pow		F asinh	
F __sub		F atan	
F __tostring		F atanh	
F __unm		F conj	
F abs		F cos	
F acos		F cosh	
F acosh		F exp	
F arg		F i	
F asin		F imag	
F asinh		F log	
F atan		F new	
F atanh		F pow	
F conj		F proj	
F cos		F real	
F cosh		F sin	
F exp		F sinh	
F i		F sqrt	
F imag		F tan	
F log		F tanh	
F new		F topair	
F pow		F tostring	
F proj		__mul	function
F real		__name	string
F sin		__pow	function
F sinh		__sub	function

__tostring	function	i	function
__unm	function	imag	function
abs	function	log	function
acos	function	new	function
acosh	function	pow	function
arg	function	proj	function
asin	function	real	function
asinh	function	sin	function
atan	function	sinh	function
atanh	function	sqrt	function
conj	function	tan	function
cos	function	tanh	function
cosh	function	topair	function
exp	function	tostring	function

xdecimal (extra lua)

__add	function	F min
__band	function	F minus
__bor	function	F new
__bxor	function	F plus
__div	function	F pow
__eq	function	F rotate
__index	table	F setprecision
F __add		F shift
F __band		F sqrt
F __bor		F tonumber
F __bxor		F tostring
F __div		F trim
F __eq		F __le
T __index		F __lt
F __add		F __mul
F __band		S __name
F __bor		F __pow
F __bxor		F __shl
F __div		F __shr
F __eq		F __sub
F __le		F __tostring
F __lt		F __unm
F __mul		F abs
S __name		F band
F __pow		F bor
F __shl		F bxor
F __shr		F conj
F __sub		F copy
F __tostring		F exp
F __unm		F getprecision
F abs		F ln
F band		F log
F bor		F max
F bxor		F min
F conj		F minus
F copy		F new
F exp		F plus
F getprecision		F pow
F ln		F rotate
F log		F setprecision
F max		F shift

F sqrt		copy	function
F tonumber		exp	function
F tostring		getprecision	function
F trim		ln	function
__le	function	log	function
__lt	function	max	function
__mul	function	min	function
__name	string	minus	function
__pow	function	new	function
__shl	function	plus	function
__shr	function	pow	function
__sub	function	rotate	function
__tostring	function	setprecision	function
__unm	function	shift	function
abs	function	sqrt	function
band	function	tonumber	function
bor	function	tostring	function
bxor	function	trim	function
conj	function		

xmath (extra lua)

acos	function	isnormal	function
acosh	function	j0	function
asin	function	j1	function
asinh	function	jn	function
atan	function	ldexp	function
atan2	function	lgamma	function
atanh	function	log	function
cbrt	function	log10	function
ceil	function	log1p	function
copysign	function	log2	function
cos	function	logb	function
cosh	function	modf	function
deg	function	nan	number
erf	function	nearbyint	function
erfc	function	nextafter	function
exp	function	pi	number
exp2	function	pow	function
expm1	function	rad	function
fabs	function	remainder	function
fdim	function	remquo	function
floor	function	round	function
fma	function	scalbn	function
fmax	function	sin	function
fmin	function	sinh	function
fmod	function	sqrt	function
frexp	function	tan	function
gamma	function	tanh	function
hypot	function	tgamma	function
inf	number	trunc	function
isfinite	function	y0	function
isinf	function	y1	function
isnan	function	yn	function

xml (context)

addentitiesdoctype	function	F fontspecification	
addspecialcode	function	F mappedstylevalue	
after	function	F padding	
all	function	F size	
applylpath	function	F style	
applyselector	function	F stylevalue	
assign	function	F todimension	
attribute	function	F variant	
badinclusions	function	F weight	
before	function	defaulthandlers	table
body	function	D file	
builtinentities	table	D parsedxml	
B amp		D string	
B apos		D tex	
B gt		D texline	
B lt		D texspace	
B quot		D verbose	
cdata	function	defaultprotocol	string
cdatatotext	function	delete	function
checkbom	function	delete_element	function
checkerror	function	despecialized	function
checknamespace	function	each	function
checkns	function	each_element	function
cleansed	function	elements	function
collect	function	elementtocdata	function
collect_elements	function	empty	function
collect_tags	function	entities	data table
collect_texts	function	erase	function
collected	function	errorhandler	function
collecttexts	function	escaped	function
compactelement	function	expressions	table
content	function	F attribute	
convert	function	F boolean	
copy	function	F child	
count	function	F contains	
cprint	function	F count	
css	table	F error	
F applyselector		F find	
F colorspecification		F hasclass	
F dimension		F idstring	
F family		F lower	

F name		F upperall	
F number		F xml	
F oneof		T xml	
F print		F all	
F quit		F att	
F tag		F attribute	
F text		F attributes	
F undefined		F cdata	
F upper		F chainattribute	
fillin	function	F count	
filter	function	F default	
finalizers	table	F elements	
F paragraphs		F empty	
T tex		F first	
F all		F function	
F attribute		F index	
F chainattribute		F last	
F chainpath		F lowerall	
F command		F match	
F concat		F name	
F concatrange		F position	
F context		F reverse	
F count		F table	
F ctxtext		F tag	
F default		F tags	
F depth		F text	
F first		F texts	
F function		F upperall	
F index		first	function
F last		found	function
F lettered		functions	table
F lower		F classes	
F lowerall		F hasclass	
F match		getbuffer	function
F name		gethandlers	function
F param		gethandlersfunction	function
F parameter		helpers	table
F position		F recursetext	
F reverse		include	function
F stripped		inclusion	function
F tag		inclusions	function
F tags		index	function
F text		inheritattributes	function
F upper		inheritedconvert	function

inject	function	process	function
inject_element	function	process_attributes	function
inject_element_after	function	process_elements	function
inject_element_before	function	processattributes	function
injectafter	function	profiled	table
injectbefore	function	pure	function
insert	function	pushmatch	function
insert_element	function	raw	function
insert_element_after	function	registerentity	function
insert_element_before	function	registerns	function
insertafter	function	reindex	function
insertbefore	function	remap_name	function
insertcdata	function	remap_namespace	function
insertcomment	function	remap_tag	function
inspect	function	remapname	function
is_valid	function	remapnamespace	function
kind	function	remaptag	function
last	function	rename	function
lastmatch	function	renamespace	function
load	function	reparsedentitylpeg	userdata
lpath	function	replace	function
lpathcached	function	replace_element	function
lpathcalls	function	resetinjectors	function
lshow	function	resolvns	function
makestandalone	function	root	function
match	function	save	function
name	function	selection	function
newhandlers	function	separate	function
nodesettostring	function	serialize	function
originalload	function	serializetotext	function
package	function	setcdata	function
parent	function	setcomment	function
parsedentitylpeg	userdata	sethandlersfunction	function
pihandlers	table	setinjectors	function
F injector		setproperty	function
F tex		settings	function
placeholders	table	specialcodes	table
F unknown_any_entity		S "	
F unknown_dec_entity		S #	
F unknown_hex_entity		S \$	
popmatch	function	S %	
position	function	S &	
privatecodes	table	S '	
privatetoken	function	S <	

<code>S ></code>		<code>tocdata</code>	function
<code>S \</code>		<code>toelement</code>	function
<code>S {</code>		<code>tostring</code>	function
<code>S </code>		<code>totable</code>	function
<code>S }</code>		<code>toxml</code>	function
<code>S ~</code>		<code>tprint</code>	function
<code>specialhandler</code>	table	<code>traverse</code>	function
<code>sprint</code>	function	<code>unescaped</code>	function
<code>string</code>	function	<code>unescapedentitylpeg</code>	userdata
<code>strip</code>	function	<code>unprivatized</code>	function
<code>strip_whitespace</code>	function	<code>unspecialized</code>	function
<code>stripelement</code>	function	<code>wipe</code>	function
<code>stripleadingspaces</code>	function	<code>withelement</code>	function
<code>table</code>	function	<code>withelements</code>	function
<code>text</code>	function	<code>wrap</code>	function
<code>textonly</code>	function	<code>xmlns</code>	table
<code>texttocdata</code>	function		

xzip (extra lua)

adler32 function
compress function
crc32 function

decompress function
expandsize function

zip (extra lua)

archives table
closearchive function

openarchive function
registeredfiles table

zlib (extra lua)

adler32 function
compress function
crc32 function

decompress function
expandsize function