

ConTEXt comandi

language : it / italianoversion : 20 agosto 2019

maintainer: Wolfgang Schuster

comments : ntg-context@ntg.nl

| AfterPar | \AfterPar {} |
|------------------------------|------------------------------------|
| | |
| - | \Alphabeticnumerals {} |
| AMSTEX | \AMSTEX |
| AmSTeX | \AmSTeX |
| And | \And |
| | |
| · · | \abjadnaivenumerals {} |
| abjadnodotnumerals | \abjadnodotnumerals {} |
| abjadnumerals | \abjadnumerals {} |
| · · | \activatespacehandler {} |
| • | |
| actualday | \actualday |
| actualmonth | \actualmonth |
| actualyear | \actualyear |
| , | • |
| | \acute {} |
| adaptcollector | \adaptcollector [] [=] |
| adaptfontfeature | \adaptfontfeature [] [=] |
| | \adaptpapersize [] [] |
| | |
| | \adattacampo [] [=] |
| adattalayout | \adattalayout [] [=] |
| addfeature | \addfeature [] |
| | \addfeature {} |
| | |
| | \addfontpath [] |
| addtocommalist | \addtocommalist {} \ |
| | \addtoJSpreamble {} {} |
| - | - |
| | \addvalue {} {} |
| aftersplitstring | \aftersplitstring \at \to \ |
| aftertestandsplitstring | \aftertestandsplitstring \at \to \ |
| | \al {} {} [] |
| | |
| alignbottom | \alignbottom |
| aligned | \aligned [] {} |
| | \alignedbox [] \ {} |
| | |
| | \alignedline {} {} |
| alignhere | \alignhere |
| alignmentcharacter | \alignmentcharacter |
| | \allineacentro {} |
| | |
| allineadestra | \allineadestra {} |
| allineasinistra | \allineasinistra {} |
| allinputpaths | \allinputpaths |
| | |
| | \alphabeticnumerals {} |
| alwayscitation | \alwayscitation [=] [] |
| alwayscitation:alternative | \alwayscitation [] [] |
| | \alwayscitation [=] [=] |
| | |
| - | \alwayscite [=] [] |
| alwayscite:alternative | \alwayscite [] [] |
| alwayscite:userdata | \alwayscite [=] [=] |
| • | |
| | \ambiente [] |
| ambiente:string | \ambiente |
| ampersand | \ampersand |
| | \anchor [] [=] [=] {} |
| | |
| ap | \ap {} |
| apagina | \apagina [] |
| appendetoks | \appendetoks \to \ |
| | \appendgvalue {} {} |
| | |
| appendtocommalist | \appendtocommalist {} \ |
| appendtoks | \appendtoks \to \ |
| | \appendtoksonce \to \ |
| | |
| | \appendvalue {} {} |
| apply | \apply {} {} |
| applyalternativestyle | \applyalternativestyle {} |
| | |
| | \applyprocessor {} {} |
| applytocharacters | \applytocharacters \ \{\} |
| applytofirstcharacter | \applytofirstcharacter \ {} |
| | \applytosplitstringchar \ {} |
| | |
| | \applytosplitstringcharspaced \ {} |
| applytosplitstringline | \applytosplitstringline \ {} |
| | \applytosplitstringlinespaced \ {} |
| | |
| | \applytosplitstringword \ {} |
| applytosplitstringwordspaced | \applytosplitstringwordspaced \ {} |
| | \applytowords \ {} |
| · | \HIGH {} |
| • | |
| | \unitshigh {} |
| arabicdecimals | \arabicdecimals {} |
| | \arabicexnumerals {} |
| | , |

| arabicnumerals | \arabicnumerals {} |
|--|---|
| arg | \arg {} |
| asciistr | \asciistr {} |
| assignalfadimension | \assignalfadimension $\{\ldots\}$ \ $\{\ldots\}$ $\{\ldots\}$ |
| assigndimen | \assigndimen \ {} |
| assigndimension | \assigndimension $\{\ldots\}$ \ $\{\ldots\}$ $\{\ldots\}$ |
| assignifempty | \assignifempty \ {} |
| assigntranslation | \assigntranslation [=] \to \ |
| assignvalue | \assignvalue {} \ {} {} {} |
| assignwidth | \assignwidth $\{\ldots\}$ \ $\{\ldots\}$ $\{\ldots\}$ |
| assumelongusagecs | \assumelongusagecs \ {} |
| astype | \astype {} |
| attachment:instance | \ATTACHMENT [] [=] |
| attachment:instance:attachment | \attachment [] [=] |
| autocap | \autocap {} |
| autodirhbox | \autodirhbox {} |
| autodirvbox | \autodirvbox {} |
| autodirvtop | \autodirvtop {} |
| autoinsertnextspace | \autoinsertnextspace |
| autointegral | \autointegral {} {} |
| automathematics | \automathematics {} |
| autopagestaterealpage | \autopagestaterealpage {} |
| | |
| autopagestaterealpageorder | \autopagestaterealpageorder {} |
| autosetups | \autosetups {} |
| autostarttesto | \autostarttesto \autostoptesto |
| availablehsize | \availablehsize |
| averagecharwidth | \averagecharwidth |
| BeforePar | \BeforePar {} |
| Big | \Big |
| Bigg | \Bigg |
| Biggl | \Biggl |
| Biggm | \Biggm |
| Biggr | \Biggr |
| Bigl | \Bigl |
| Bigm | \Bigm |
| Bigr | \Bigr |
| backgroundimage | \backgroundimage $\{\}$ $\{\}$ $\{\}$ |
| backgroundimagefill | \backgroundimagefill $\{\}$ $\{\}$ $\{\}$ |
| backgroundline | \backgroundline [] {} |
| bar | \bar {} |
| barracolori | \barracolori [] |
| barrainterazione | \barrainterazione [] [=] |
| bar:instance | \BAR {} |
| bar:instance:hiddenbar | \hiddenbar {} |
| bar:instance:nobar | \nobar {} |
| bar:instance:overbar | \overbar {} |
| bar:instance:overbars | \overbars {} |
| bar:instance:overstrike | \overstrike {} |
| bar:instance:overstrikes | \overstrikes {} |
| bar:instance:underbar | \underbar {} |
| bar:instance:underbar bar:instance:underbars | \underbar \\\ |
| | |
| bar:instance:underdash | \underdash {} |
| bar:instance:underdashes | \underdashes {} |
| bar:instance:underdot | \underdot {} |
| bar:instance:underdots | \underdots {} |
| bar:instance:underrandom | \underrandom {} |
| bar:instance:underrandoms | \underrandoms {} |
| bar:instance:understrike | \understrike {} |
| bar:instance:understrikes | \understrikes {} |
| basegrid | \basegrid [=] |
| baselinebottom | \baselinebottom |
| baselineleftbox | \baselineleftbox {} |
| baselinemiddlebox | \baselinemiddlebox {} |
| baselinerightbox | \baselinerightbox {} |
| bbordermatrix | \bbordermatrix {} |
| bbox | \bbox {} |
| beforesplitstring | \beforesplitstring \at \to \ |
| beforetestandsplitstring | \beforetestandsplitstring \at \to \ |
| beginblock:example | \beginBLOCK [] [=] \endBLOCK |
| beginhbox | \beginhbox \endhbox |
| beginofshapebox | \beginofshapebox \endofshapebox |
| beginvbox | \beginvbox \endvbox |
| | |

| beginvtop | \beginvtop \endvtop |
|---|---|
| begstrut | \begstrut \endstrut |
| bigg | \bigg |
| bigger | \bigger |
| biggl | \biggl |
| biggm | \biggm |
| biggr | \biggr |
| bigl | \bigl |
| bigm | \bigm |
| bigr | \bigr |
| bigskip | \bigskip |
| bitmapimage | \bitmapimage [=] {} |
| blap | \blap {} |
| bleed | \bleed [=] {} |
| | |
| bleedheight bleedwidth | \bleedheight \bleedwidth |
| | |
| blockligatures | \blockligatures [] |
| blocksynctexfile | \blocksynctexfile [] |
| blockuservariable | \blockuservariable {} |
| bodyfontenvironmentlist | \bodyfontenvironmentlist |
| bodyfontsize | \bodyfontsize |
| boldface | \boldface |
| booleanmodevalue | \booleanmodevalue {} |
| bordermatrix | \bordermatrix {} |
| bottombox | \bottombox {} |
| bottomleftbox | \bottomleftbox {} |
| bottomrightbox | \bottomrightbox {} |
| boxcursor | \boxcursor |
| boxmarker | \boxmarker {} {} |
| boxofsize | \boxofsize \ {} |
| boxreference | \boxreference [] \ {} |
| bpar | \bpar \epar |
| bpos | \bpos {} |
| breakhere | \breakhere |
| | |
| breve | \breve {} |
| bTABLE | \bTABLE [=] \eTABLE |
| bTABLEbody | \bTABLEbody [=] \eTABLEbody |
| bTABLEfoot | \bTABLEfoot [=] \eTABLEfoot |
| bTABLEhead | \bTABLEhead [=] \eTABLEhead |
| bTABLEnext | \bTABLEnext [=] \eTABLEnext |
| bTC | \bTC [=] \eTC |
| bTD | \bTD [=] \eTD |
| bTDs | \bTDs [] \eTDs |
| bTH | \bTH [=] \eTH |
| bTN | \bTN [=] \eTN |
| bTR | \bTR [=] \eTR |
| bTRs | \bTRs [] \eTRs |
| bTX | \bTX [=] \eTX |
| bTY | \bTY [=] \eTY |
| btxabbreviatedjournal | \btxabbreviatedjournal {} |
| btxaddjournal | \btxaddjournal [] [] |
| btxalwayscitation | \btxalwayscitation [=] [] |
| btxalwayscitation:alternative | \btxalwayscitation [] |
| btxalwayscitation:userdata | \btxalwayscitation [=] [=] |
| btxauthorfield | \btxauthorfield {} |
| btxdetail | \btxdetail {} |
| btxdirect | \btxdirect {} |
| btxdoif | |
| | \btxdoif {} {} |
| btxdoifcombiinlistelse | \btxdoifcombiinlistelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| btxdoifelse | \btxdoifelse {} {} |
| btxdoifelsecombiinlist | \btxdoifelsecombiinlist \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| btxdoifelsesameasprevious | \btxdoifelsesameasprevious \{\ldots\} \{\ldots\} \{\ldots\} |
| btxdoifelsesameaspreviouschecked | \btxdoifelsesameaspreviouschecked \{\ldots\} \{\ldots\} \{\ldots\} \{\ldots\} |
| btxdoifelseuservariable | \btxdoifelseuservariable {} {} |
| btxdoifnot | \btxdoifnot {} {} |
| ${\tt btxdoifsame as previous checkedelse}$ | \btxdoifsameaspreviouscheckedelse $\{\ldots\}$ $\{\ldots\}$ $\{\ldots\}$ |
| btxdoifsameaspreviouselse | \btxdoifsameaspreviouselse $\{\ldots\}$ $\{\ldots\}$ |
| btxdoifuservariableelse | \btxdoifuservariableelse {} {} |
| btxexpandedjournal | \btxexpandedjournal {} |
| btxfield | \btxfield {} |
| btxfieldname | \btxfieldname {} |
| btxfieldtype | \btxfieldtype {} |
| | |

| btxfirstofrange | \btxfirstofrange {} |
|---|--|
| btxflush | \btxflush {} |
| btxflushauthor | \btxflushauthor [] {} |
| btxflushauthorinverted | \btxflushauthorinverted {} |
| btxflushauthorinvertedshort | \btxflushauthorinvertedshort {} |
| btxflushauthorname | \btxflushauthorname {} |
| btxflushauthornormal | \btxflushauthornormal {} |
| btxflushauthornormalshort | \btxflushauthornormalshort {} |
| btxflushsuffix | \btxflushsuffix |
| btxfoundname | \btxfoundname {} |
| btxfoundtype | \btxfoundtype {} |
| btxhiddencitation | \btxhiddencitation [] |
| btxhybridcite | \btxhybridcite [=] [] |
| btxhybridcite:alternative | \btxhybridcite [] [] |
| btxhybridcite:direct | \btxhybridcite {} |
| btxhybridcite:userdata | \btxhybridcite [=] [=] |
| btxlistcitation | \btxlistcitation [=] [] |
| btxlistcitation:alternative | \btxlistcitation [] [] |
| btxlistcitation:userdata | \btxlistcitation [=] [=] |
| btxloadjournalist | \btxloadjournalist [] |
| btxoneorrange | \btxoneorrange {} {} {} |
| btxremapauthor | \btxremapauthor [] [] |
| btxsavejournalist | \btxsavejournalist [] |
| btxsetup | \btxsetup {} |
| btxsingularorplural | \btxsingularorplural \{\ldots\} \{\ldots\} |
| btxsingularplural | \btxsingularplural {} {} |
| btxtextcitation | \btxtextcitation [=] [] |
| btxtextcitation:alternative | \btxtextcitation [] [] |
| btxtextcitation:userdata | \btxtextcitation [=] [=] |
| buildmathaccent | \buildmathaccent {} {} |
| buildtextaccent | \buildtextaccent {} {} |
| buildtextbottomcomma | \buildtextbottomcomma {} |
| buildtextbottomdot | \buildtextbottomdot {} |
| buildtextcedilla | \buildtextcedilla {} |
| buildtextgrave | \buildtextgrave {} |
| buildtextmacron | \buildtextmacron \{\ldots\} |
| buildtextognek | \buildtextognek {} |
| Cap | \Cap {} |
| Caps | \Caps {} |
| CONTEXT | \CONTEXT |
| ConTeXt | \ConTeXt |
| Context | Context |
| ConvertConstantAfter | \ConvertConstantAfter \ \{\} \{\} |
| ConvertToConstant | \ConvertToConstant \ \{\} \{\} |
| calligrafico | \calligrafico |
| cambiaafontdeltesto | \cambiaafontdeltesto [] |
| camel | \camel {} |
| | \camei [] [] |
| campi | |
| cap | \cap {} |
| capello | = |
| capoverso:instance | \SECTION [] {} |
| capoverso:instance:assignment | \SECTION [=] |
| capoverso:instance:assignment:chapter | \chapter [=] |
| capoverso:instance:assignment:part | \part [=] |
| capoverso:instance:assignment:section | \section [=] |
| capoverso:instance:assignment:subject | \subject [=] |
| capoverso:instance:assignment:subsection | \subsection [=] |
| capoverso:instance:assignment:subsubject | \subsubject [=] |
| capoverso:instance:assignment:subsubsection | \subsubsection [=] |
| capoverso:instance:assignment:subsubsubject | \subsubsubject [=] |
| capoverso:instance:assignment:subsubsubsection | \subsubsubsection [=] |
| capoverso:instance:assignment:subsubsubsubject | \subsubsubsubject [=] |
| capoverso:instance:assignment:subsubsubsection | \subsubsubsubsection [=] |
| capoverso:instance:assignment:subsubsubsubsubject | \subsubsubsubject [=] |
| capoverso:instance:assignment:title | \title [=] |
| capoverso:instance:chapter | \chapter [] {} |
| capoverso:instance:ownnumber | \SECTION [] {} {} |
| capoverso:instance:ownnumber:chapter | \chapter [] {} {} |
| capoverso:instance:ownnumber:part | \part [] {} |
| capoverso:instance:ownnumber:section | \section [] {} {} |
| capoverso:instance:ownnumber:subject | \subject [] {} {} |
| capoverso:instance:ownnumber:subsection | \subsection [] { } { } |

| capoverso:instance:ownnumber:subsubject | \subsubject [] {} {} |
|--|-------------------------------|
| capoverso:instance:ownnumber:subsubsection | \subsubsection [] {} {} |
| capoverso:instance:ownnumber:subsubsubject | \subsubsubject [] {} {} |
| capoverso:instance:ownnumber:subsubsubsection | \subsubsubsection [] {} {} |
| capoverso:instance:ownnumber:subsubsubject | \subsubsubsubject [] {} |
| capoverso:instance:ownnumber:subsubsubsection | \subsubsubsubsection [] {} {} |
| capoverso:instance:ownnumber:subsubsubsubsubject | \subsubsubsubsubject [] {} {} |
| | • |
| capoverso:instance:ownnumber:title | \title [] {} |
| capoverso:instance:part | \part [] {} |
| capoverso:instance:section | \section [] {} |
| capoverso:instance:subject | \subject [] {} |
| capoverso:instance:subsection | \subsection [] {} |
| capoverso:instance:subsubject | $\subsubject [] {}$ |
| capoverso:instance:subsubsection | \subsubsection [] {} |
| capoverso:instance:subsubsubject | \subsubsubject [] {} |
| capoverso:instance:subsubsubsection | \subsubsubsection [] {} |
| capoverso:instance:subsubsubsubject | \subsubsubsubject [] {} |
| capoverso:instance:subsubsubsubsection | \subsubsubsection [] {} |
| capoverso:instance:subsubsubsubsubject | \subsubsubsubsubject [] {} |
| capoverso:instance:title | \title [] {} |
| | \catcodetablename |
| catcodetablename | • |
| cbox | \cbox {} |
| centeraligned | \centeraligned {} |
| centerbox | \centerbox {} |
| centeredbox | \centeredbox {} |
| centeredlastline | \centeredlastline |
| centerednextbox | \centerednextbox {} |
| centerline | \centerline {} |
| centro | \centro |
| cfrac | \cfrac [] {} {} |
| | \CHARACTERKERNING [] {} |
| characterkerning:example | |
| chardescription | \chardescription {} |
| charwidthlanguage | \charwidthlanguage |
| check | \check {} |
| checkcharacteralign | \checkcharacteralign {} |
| checkedblank | \checkedblank [] |
| checkedchar | \checkedchar {} {} |
| checkedfiller | \checkedfiller {} |
| checkedstrippedcsname | \checkedstrippedcsname \ |
| checkedstrippedcsname:string | \checkedstrippedcsname |
| checkinjector | \checkinjector [] |
| checknextindentation | \checknextindentation [] |
| | |
| checknextinjector | \checknextinjector [] |
| checkpage | \checkpage [] [=] |
| checkparameters | \checkparameters [] |
| checkpreviousinjector | \checkpreviousinjector [] |
| checksoundtrack | \checksoundtrack {} |
| checktwopassdata | \checktwopassdata {} |
| checkvariables | \checkvariables [] [=] |
| chemical | \chemical [] [] |
| chemicalbottext | \chemicalbottext {} |
| chemicalmidtext | \chemicalmidtext {} |
| chemicalsymbol | \chemicalsymbol [] |
| chemicaltext | \chemicaltext {} |
| chemicaltoptext | \chemicaltoptext {} |
| chim | \chim {} {} |
| | |
| chineseallnumerals | \chineseallnumerals {} |
| chinesecapnumerals | \chinesecapnumerals {} |
| chinesenumerals | \chinesenumerals {} |
| circondato | \circondato [=] {} |
| citation | \citation [=] [] |
| citation:alternative | \citation [] [] |
| citation:direct | \citation {} |
| citation:userdata | \citation [=] [=] |
| cite | \cite [=] [] |
| cite:alternative | \cite [] [] |
| cite:direct | \cite {} |
| | \cite \s \cite [=] [=] |
| cite:userdata | |
| clap | \clap {} |
| classfont | \classfont {} {} |
| cldcommand | \cldcommand {} |
| cldcontext | \cldcontext {} |
| | |

| cldloadfile | \cldloadfile {} |
|---|--|
| cldprocessfile | \cldprocessfile {} |
| clip | \clip [=] {} |
| clippedoverlayimage | \clippedoverlayimage {} |
| clonacampo | \clonacampo [] [] [] |
| collect | \collect {} |
| collectedtext | \collectedtext [=] [=] {} {} |
| collectexpanded | \collectexpanded {} |
| colonna | \colonna [] |
| colorcomponents | \colorcomponents {} |
| colore | \colore [] {} |
| colored | \colored [=] {} |
| colored:name | \colored [] {} |
| coloregrigio | \coloregrigio [] {} |
| coloronly | \coloronly [] {} |
| columnbreak | \columnbreak [] |
| columnsetspanwidth | \columnsetspanwidth {} |
| combinepages | \combinepages [] [=] |
| commonstelement | \commalistelement |
| | \commalisterement \commalistsentence [] [] |
| commalistsentence | |
| commalistsize | \commalistsize |
| commento | \commento (,) (,) [=] {} |
| commento:instance | \COMMENT [] [=] {} |
| commento:instance:comment | \comment [] [=] {} |
| comparedimension | \comparedimension \{\ldots\} |
| comparedimensioneps | \comparedimensioneps \{\ldots\} \{\ldots\} |
| completebtxrendering | \completebtxrendering [] [=] |
| completecombinedlist:instance | \completoCOMBINEDLIST [=] |
| completecombinedlist:instance:content | \completocontent [=] |
| completelist | \completelist [] [=] |
| completelistoffloats:instance | \completelistofFLOATS [=] |
| completelistoffloats:instance:chemicals | \completelistofchemicals [=] |
| completelistoffloats:instance:figures | \completelistoffigures [=] |
| completelistoffloats:instance:graphics | \completelistofgraphics [=] |
| completelistoffloats:instance:intermezzi | \completelistofintermezzi [=] |
| completelistoffloats:instance:tables | \completelistoftables [=] |
| completelistofpublications | \completelistofpublications [] [=] |
| completelistofsorts | \completelistofsorts [] [=] |
| completelistofsorts:instance | \completelistofSORTS [=] |
| completelistofsorts:instance:logos | \completelistoflogos [=] |
| completelistofsynonyms | \completelistofsynonyms [] [=] |
| completelistofsynonyms:instance | \completelistofSYNONYMS [=] |
| completelistofsynonyms:instance:abbreviations | \completelistofabbreviations [=] |
| completeregister | \completeregister [] [=] |
| 00mp101010612001 | (combigged [] [] |
| completeregister:instance | \completoRFGISTFR [=] |
| completeregister:instance | \completoREGISTER [=] |
| completeregister:instance:index | \completoindex [=] |
| completeregister:instance:index complexorsimple | <pre>\completoindex [=] \complexorsimple \</pre> |
| completeregister:instance:index complexorsimple complexorsimpleempty | <pre>\completoindex [=] \complexorsimple \ \complexorsimpleempty \</pre> |
| completeregister:instance:index complexorsimple complexorsimpleempty complexorsimpleempty:argument | <pre>\completoindex [=] \complexorsimple \ \complexorsimpleempty \ \complexorsimpleempty {}</pre> |
| completeregister:instance:index complexorsimple complexorsimpleempty complexorsimpleempty:argument complexorsimple:argument | <pre>\completoindex [=] \complexorsimple \ \complexorsimpleempty \ \complexorsimpleempty {} \complexorsimple {}</pre> |
| completeregister:instance:index complexorsimple complexorsimpleempty complexorsimpleempty:argument complexorsimple:argument componenet | <pre>\completoindex [=] \complexorsimple \ \complexorsimpleempty \ \complexorsimpleempty {} \complexorsimple {} \componenet []</pre> |
| completeregister:instance:index complexorsimple complexorsimpleempty complexorsimpleempty:argument complexorsimple:argument componenet componenet:string | <pre>\completoindex [=] \complexorsimple \ \complexorsimpleempty \ \complexorsimpleempty {} \complexorsimple {} \componenet [] \componenet</pre> |
| completeregister:instance:index complexorsimple complexorsimpleempty complexorsimpleempty:argument complexorsimple:argument componenet componenet:string composedcollector | <pre>\completoindex [=] \complexorsimple \ \complexorsimpleempty \ \complexorsimpleempty {} \complexorsimple {} \componenet [] \componenet \composedcollector {}</pre> |
| completeregister:instance:index complexorsimple complexorsimpleempty complexorsimpleempty:argument complexorsimple:argument componenet componenet:string composedcollector composedlayer | <pre>\completoindex [=] \complexorsimple \ \complexorsimpleempty \ \complexorsimpleempty {} \complexorsimple {} \component [] \component \composedcollector {} \composedlayer {}</pre> |
| completeregister:instance:index complexorsimple complexorsimpleempty complexorsimpleempty:argument complexorsimple:argument componenet componenet:string composedcollector composedlayer compresult | <pre>\completoindex [=] \complexorsimple \ \complexorsimpleempty \ \complexorsimpleempty {} \complexorsimple {} \component [] \component \composedcollector {} \composedlayer {} \compression</pre> |
| completeregister:instance:index complexorsimple complexorsimpleempty complexorsimpleempty:argument complexorsimple:argument componenet componenet:string composedcollector composedlayer compresult confrontagruppocolori | <pre>\completoindex [=] \complexorsimple \ \complexorsimpleempty \ \complexorsimpleempty {} \complexorsimple {} \componenet [] \componenet \composedcollector {} \composedlayer {} \compresult \confrontagruppocolori []</pre> |
| completeregister:instance:index complexorsimple complexorsimpleempty complexorsimpleempty:argument complexorsimple:argument componenet componenet:string composedcollector composedlayer compresult confrontagruppocolori confrontatavolozza | <pre>\completoindex [=] \complexorsimple \ \complexorsimpleempty \ \complexorsimpleempty {} \complexorsimple {} \componenet [] \componenet \composedcollector {} \composedlayer {} \composedrontagruppocolori [] \confrontagruppocolori []</pre> |
| completeregister:instance:index complexorsimple complexorsimpleempty complexorsimpleempty:argument complexorsimple:argument componenet componenet componenet:string composedcollector composedlayer compresult confrontagruppocolori confrontatavolozza constantdimen | <pre>\completoindex [=] \complexorsimple \ \complexorsimpleempty \ \complexorsimpleempty {} \complexorsimple {} \componenet [] \componenet \composedcollector {} \composedlayer {} \composedlayer {} \confrontagruppocolori [] \confrontatavolozza [] \constantdimen \</pre> |
| completeregister:instance:index complexorsimple complexorsimpleempty complexorsimpleempty:argument complexorsimple:argument componenet componenet:string composedcollector composedlayer compresult confrontagruppocolori confrontatavolozza | <pre>\completoindex [=] \complexorsimple \ \complexorsimpleempty \ \complexorsimpleempty {} \complexorsimple {} \componenet [] \componenet \composedcollector {} \composedlayer {} \compresult \confrontagruppocolori [] \constantdimen \ \constantdimenargument \</pre> |
| completeregister:instance:index complexorsimple complexorsimpleempty complexorsimpleempty:argument complexorsimple:argument componenet componenet componenet:string composedcollector composedlayer compresult confrontagruppocolori confrontatavolozza constantdimen | <pre>\completoindex [=] \complexorsimple \ \complexorsimpleempty \ \complexorsimpleempty {} \complexorsimple {} \componenet [] \componenet \composedcollector {} \composedlayer {} \compresult \confrontagruppocolori [] \confrontatavolozza [] \constantdimen \ \constantdimenargument \ \constantemptyargument \</pre> |
| completeregister:instance:index complexorsimple complexorsimpleempty complexorsimpleempty:argument complexorsimple:argument componenet componenet:string composedcollector composedlayer compresult confrontagruppocolori confrontatavolozza constantdimen constantdimenargument constantnumber | <pre>\completoindex [=] \complexorsimple \ \complexorsimpleempty \ \complexorsimpleempty {} \complexorsimple {} \componenet [] \componenet \composedcollector {} \composedlayer {} \compresult \confrontagruppocolori [] \confrontatavolozza [] \constantdimen \ \constantdimenargument \ \constantemptyargument \ \constantnumber \</pre> |
| completeregister:instance:index complexorsimple complexorsimpleempty complexorsimpleempty:argument complexorsimple:argument componenet componenet:string composedcollector composedlayer compresult confrontagruppocolori confrontatavolozza constantdimen constantdimenargument constantdemptyargument | <pre>\completoindex [=] \complexorsimple \ \complexorsimpleempty \ \complexorsimpleempty {} \complexorsimple {} \componenet [] \componenet \composedcollector {} \composedlayer {} \composedlayer {] \confrontagruppocolori [] \confrontatavolozza [] \constantdimen \ \constantdimenargument \ \constantnumber \ \constantnumberargument \ \constantnumberargument \</pre> |
| completeregister:instance:index complexorsimple complexorsimpleempty complexorsimpleempty:argument complexorsimple:argument componenet componenet:string composedcollector composedlayer compresult confrontagruppocolori confrontatavolozza constantdimen constantdimenargument constantnumber | <pre>\completoindex [=] \complexorsimple \ \complexorsimpleempty \ \complexorsimpleempty {} \complexorsimple {} \componenet [] \componenet \composedcollector {} \composedlayer {} \compresult \confrontagruppocolori [] \confrontatavolozza [] \constantdimen \ \constantdimenargument \ \constantemptyargument \ \constantnumber \</pre> |
| completeregister:instance:index complexorsimple complexorsimpleempty complexorsimpleempty:argument complexorsimple:argument componenet componenet:string composedcollector composedlayer compresult confrontagruppocolori confrontatavolozza constantdimen constantdimen constantdimenargument constantnumber constantnumber constantnumberargument contentreference | <pre>\completoindex [=] \complexorsimple \ \complexorsimpleempty \ \complexorsimpleempty {} \complexorsimple {} \componenet [] \componenet \composedcollector {} \composedlayer {} \composedlayer {] \confrontagruppocolori [] \confrontatavolozza [] \constantdimen \ \constantdimenargument \ \constantnumber \ \constantnumberargument \ \constantnumberargument \</pre> |
| completeregister:instance:index complexorsimple complexorsimpleempty complexorsimpleempty:argument complexorsimple:argument componenet componenet:string composedcollector composedlayer compresult confrontagruppocolori confrontatavolozza constantdimen constantdimenargument constantnumber constantnumber constantnumberargument contentreference continuednumber | <pre>\completoindex [=] \complexorsimple \ \complexorsimpleempty \ \complexorsimpleempty {} \complexorsimple {} \componenet [] \componenet \composedcollector {} \composedlayer {} \compresult \confrontagruppocolori [] \confrontatavolozza [] \constantdimen \ \constantdimenargument \ \constantnumber \ \constantnumberargument \ \constantnumberargument \ \contentreference [] [=] {}</pre> |
| completeregister:instance:index complexorsimple complexorsimpleempty complexorsimpleempty:argument complexorsimple:argument componenet componenet:string composedcollector composedlayer compresult confrontagruppocolori confrontatavolozza constantdimen constantdimen constanttemptyargument constantnumber constantnumber continuednumber continueifinputfile | <pre>\completoindex [=] \complexorsimple \ \complexorsimpleempty \ \complexorsimpleempty {} \complexorsimple {} \componenet [] \componenet \composedcollector {} \composedlayer {} \compresult \confrontatruppocolori [] \confrontatavolozza [] \constantdimen \ \constantdimenargument \ \constantnumber \ \constantnumberargument \ \contentreference [] [=] {} \continuednumber {}</pre> |
| completeregister:instance:index complexorsimple complexorsimpleempty complexorsimpleempty:argument complexorsimple:argument componenet componenet:string composedcollector composedlayer compresult confrontagruppocolori confrontatavolozza constantdimen constantdimenargument constantnumber constantnumber constantnumberargument | <pre>\completoindex [=] \complexorsimple \ \complexorsimpleempty \ \complexorsimpleempty {} \complexorsimple {} \componenet [] \componenet \composedcollector {} \composedlayer {} \composedlayer {] \confrontatgruppocolori [] \confrontatavolozza [] \constantdimen \ \constantdimenargument \ \constantnumber \ \constantnumber \ \constantnumber argument \ \continuednumber {} \continuednumber {} \continuedinputfile {}</pre> |
| completeregister:instance:index complexorsimple complexorsimpleempty complexorsimpleempty:argument complexorsimple:argument componenet componenet:string composedcollector composedlayer compresult confrontagruppocolori confrontatavolozza constantdimen constantdimen constantdimenargument constantnumber constantnumber continuednumber continueifinputfile convertargument | <pre>\completoindex [=] \complexorsimple \ \complexorsimpleempty \ \complexorsimpleempty {} \complexorsimple {} \componenet [] \componenet \composedcollector {} \composedlayer {} \compresult \confrontagruppocolori [] \confrontatavolozza [] \constantdimen \ \constantdimenargument \ \constantemptyargument \ \constantnumber \ \constantnumberargument \ \continuednumber {} \continuednumber {} \continuedinputfile {} \convertargument \to \</pre> |
| completeregister:instance:index complexorsimple complexorsimpleempty complexorsimpleempty:argument complexorsimple:argument componenet componenet:string composedcollector composedlayer compresult confrontagruppocolori confrontatavolozza constantdimen constantdimen constantdimenargument constantnumber constantnumber continuednumber continuedinumber continueifinputfile convertargument convertcommand | <pre>\completoindex [=] \complexorsimple \ \complexorsimpleempty \ \complexorsimpleempty {} \complexorsimple {} \componenet [] \componenet \composedcollector {} \composedlayer {} \compresult \confrontagruppocolori [] \confrontatavolozza [] \constantdimen \ \constantdimenargument \ \constantdimenargument \ \constantnumber \ \constantnumber \ \continuednumber {} \continuednumber {} \continuedinputfile {} \convertargument \to \ \convertcommand \ \to \ \convertcommand \ \to \</pre> |
| completeregister:instance:index complexorsimple complexorsimpleempty complexorsimpleempty:argument complexorsimple:argument componenet componenet:string composedcollector composedlayer compresult confrontagruppocolori confrontatavolozza constantdimen constantdimen constanttdimenargument constantnumber constantnumber constantnumber continuednumber continuedinumber continueifinputfile convertcommand convertedcounter | <pre>\completoindex [=] \complexorsimple \ \complexorsimpleempty \ \complexorsimpleempty {} \complexorsimple {} \componenet [] \componenet \composedcollector {} \composedlayer {} \compresult \confrontagruppocolori [] \confrontatavolozza [] \constantdimen \ \constantdimenargument \ \constantnumber \ \constantnumber \ \constantnumber argument \ \continuednumber {} \continuednumber {} \convertargument \to \ \convertedcounter [] [=]</pre> |
| completeregister:instance:index complexorsimple complexorsimpleempty complexorsimpleempty:argument complexorsimple:argument componenet componenet:string composedcollector composedlayer compresult confrontagruppocolori confrontatavolozza constantdimen constantdimen constantnumber constantnumber constantnumber continuednumber continuedinumber convertedcounter converteddimen | <pre>\completoindex [=] \complexorsimple \ \complexorsimpleempty \ \complexorsimpleempty {} \complexorsimple {} \componenet [] \componenet \composedcollector {} \composedlayer {} \compresult \confrontagruppocolori [] \confrontatavolozza [] \constantdimen \ \constantdimenargument \ \constantnumber \ \constantnumber \ \continuednumber {} \continuednumber {} \convertargument \to \ \convertedcounter [] [=] \convertedcounter [] [=] \converteddimen {} {} \</pre> |

| convertvalue | \convertvalue \to \ |
|--------------------------------------|--|
| convertvboxtohbox | \convertvboxtohbox |
| copiacampo | \copiacampo [] [] |
| copyboxfromcache | \copyboxfromcache {} {} |
| copylabeltext:instance | \copyLABELtesto [] [=] |
| copylabeltext:instance:btxlabel | \copybtxlabeltesto [] [=] |
| copylabeltext:instance:head | \copyheadtesto [] [=] |
| copylabeltext:instance:label | \copylabeltesto [] [=] |
| copylabeltext:instance:mathlabel | \copymathlabeltesto [] [=] |
| copylabeltext:instance:operator | \copyoperatortesto [] [=] |
| copylabeltext:instance:prefix | \copyprefixtesto [] [=] |
| copylabeltext:instance:suffix | \copysuffixtesto [] [=] |
| copylabeltext:instance:taglabel | \copytaglabeltesto [] [=] |
| copylabeltext:instance:unit | \copyunittesto [] [=] |
| copypages | \copypages [] [=] |
| copyparameters | \copyparameters [] [] |
| copyposition | \copyposition \{\ldots\} |
| copysetups | \copysetups [] [] |
| correggispaziobianco | \correggispaziobianco {} |
| corsivo | \corsivo |
| corsivograssetto | \corsivograssetto |
| countersubs | \countersubs [] [] |
| counttoken | \counttoken \in \to \ |
| counttokens | \counttokens \to \ |
| cramped | \cramped {} |
| crampedclap | \crampedclap {} |
| crampedllap | \crampedllap {} |
| crampedrlap | \crampedrlap {} |
| crlf | \crlf |
| crlfplaceholder | \crlfplaceholder |
| ctop | \ctop {} |
| ctxcommand | \ctxcommand {} |
| ctxdirectcommand | \ctxdirectcommand {} |
| ctxdirectlua | \ctxdirectlua {} |
| ctxfunction | \ctxfunction {} |
| ctxfunctiondefinition:example | \CTXFUNCTIONDEFINITION |
| ctxfunction:example | \CTXFUNCTION |
| ctxlatecommand | \ctxlatecommand {} |
| ctxlatelua | \ctxlatelua {} |
| ctxloadluafile | \ctxloadluafile {} |
| ctxlua | \ctxlua {} |
| ctxluabuffer | \ctxluabuffer [] |
| ctxluacode | \ctxluacode {} |
| ctxreport | \ctxreport {} |
| ctxsprint | \ctxsprint {} |
| currentassignmentlistkey | \currentassignmentlistkey |
| currentassignmentlistvalue | \currentassignmentlistvalue |
| currentbtxuservariable | \currentbtxuservariable {} |
| currentcommalistitem | \currentcommalistitem |
| currentcomponent | \currentcomponent |
| currentenvironment | \currentenvironment |
| currentfeaturetest | \currentfeaturetest |
| currentinterface | \currentinterface |
| currentlabel:example | \currentETICHETTA [] {} |
| currentlanguage | \currentlanguage |
| currentlistentrydestinationattribute | \currentlistentrydestinationattribute |
| currentlistentrylimitedtext | \currentlistentrylimitedtext {} |
| currentlistentrynumber | \currentlistentrynumber |
| currentlistentrypagenumber | \currentlistentrypagenumber |
| currentlistentryreferenceattribute | $\verb \currentlistentryreference attribute {} $ |
| currentlistentrytitle | \currentlistentrytitle |
| currentlistentrytitlerendered | \currentlistentrytitlerendered |
| currentlistsymbol | \currentlistsymbol |
| currentmainlanguage | \currentmainlanguage |
| currentmessagetext | \currentmessagetext |
| currentmoduleparameter | \currentmoduleparameter {} |
| currentoutputstream | \currentoutputstream |
| currentproduct | \currentproduct |
| currentproject | \currentproject |
| currentregime | \currentregime |
| currentregisterpageuserdata | \currentregisterpageuserdata {} |
| currentresponses | \currentresponses |
| | |

| currenttime | \currenttime [] |
|---------------------------------------|---|
| currentvalue | \currentvalue |
| currentxtablecolumn | \currentxtablecolumn |
| currentxtablerow | \currentxtablerow |
| d | \d {} |
| da | \da [] |
| daqualcheparte | \daqualcheparte $\{\}$ $[]$ |
| data | \data [=] [] |
| datadioggi | \datadioggi [] |
| datasetvariable | \datasetvariable \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| dayoftheweek | \dayoftheweek $\{\ldots\}$ $\{\ldots\}$ |
| dayspermonth | \dayspermonth \{\ldots\} |
| dddot | \dddot {} |
| ddot | \ddot {} |
| decrement | \decrement \ |
| decrementcounter | \decrementcounter [] [] |
| decrementedcounter | \decrementedcounter [] |
| decrementpagenumber | \decrementpagenumber |
| decrementsubpagenumber | \decrementsubpagenumber |
| decrementvalue | \decrementvalue \{\ldots\} |
| decrement:argument | \decrement () |
| defaultinterface | \defaultinterface |
| defaultobjectpage | \defaultobjectpage |
| defaultobjectreference | \defaultobjectreference |
| defcatcodecommand | \defcatcodecommand \ {} |
| defconvertedargument | \defconvertedargument \ \{\} |
| defconvertedcommand | \defconvertedcommand \ \ |
| defconvertedvalue | \defconvertedvalue \ \{\} |
| defineactivecharacter | \defineactivecharacter {} |
| definealternativestyle | \definealternativestyle [] [] |
| defineanchor | \defineanchor [] [=] [=] |
| defineattachment | \defineattachment [] [] [=] |
| defineattribute | \defineattribute [] [] |
| definebackground | \definebackground [] [=] |
| definebar | \definebar [] [=] |
| definebodyfontswitch | \definebodyfontswitch [] [] |
| definebreakpoint | \definebreakpoint [] [=] |
| definebreakpoints | \definebreakpoints [] |
| definebtx | \definebtx [] [] [=] |
| definebtxdataset | \definebtxdataset [] [] [=] |
| definebtxregister | \definebtxregister [] [] [=] |
| definebtxrendering | \definebtxrendering [] [] [=] |
| definebutton | \definebutton [] [] [] |
| definecapitals | \definecapitals [] [] [] |
| definecharacterkerning | \definecharacterkerning [] [] [=] |
| definecharacterspacing definechemical | \definecharacterspacing [] |
| definechemical | \definechemical [] \.\. |
| | \definechemicals [] [=] \definechemicalsymbol [] [] |
| definechemicalsymbol definecollector | \definechemicalsymbol [] [] \definecollector [] [] |
| definecoliector definecolumnbreak | \definecoliector [] [] [] \definecolumnbreak [] [] |
| definecolumnsetarea | \definecolumnsetarea [] [] \definecolumnsetarea [] [] |
| definecolumnsetspan | \definecolumnsetspan [] [] \langle [] |
| definecontination | \definecontimesetspan [] [] [] \definecombination [] [] |
| definecomment | \definecomment [] [] [=] |
| definecomment | \definecomment [] \langle definecomplexorsimple \ |
| definecomplexorsimpleempty | \definecomplexorsimple \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| definecomplexorsimpleempty:argument | \definecomplexorsimpleempty \{\delta\} |
| definecomplexorsimple:argument | \definecomplexorsimple {} |
| defineconversionset | \defineconversionset [] [] [] |
| definecounter | \definecounter [] [] [=] |
| definedataset | \definedataset [] [] [=] |
| definedalimitedtext | \definedelimitedtext [] [=] |
| definedent | \definedefimitedvext [] [] [] \definedfont [] |
| defineeffect | \defineeffect [] [] [=] |
| defineexpandable | \defineexpandable [] \ \{\} |
| defineexternalfigure | \defineexternalfigure [] [] [=] |
| definefacingfloat | \definefacingfloat [] [] [=] |
| definefallbackfamily | \definefallbackfamily [] [] [] [] |
| definefallbackfamily:preset | \definefallbackfamily [] [] [] \definefallbackfamily [] [] [] |
| definefieldbody | \definefieldbody [] [] [] \ |
| definefieldbodyset | \definefieldbodyset [] [] |
| · · · · · · · · · · · · · · · · · · · | |

| | \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
|---|---|
| definefieldcategory definefileconstant | \definefieldcategory [] [] [=] \definefileconstant {} {} |
| definefileconstant | \definefilefallback [] [] |
| definefilesynonym | \definefilesynonym [] [] |
| definefiller | \definefiller [] [=] |
| definefirstline | \definefirstline [] [=] |
| definefittingpage | \definefittingpage [] [=] |
| definefontalternative | \definefontalternative [] |
| definefontfallback | \definefontfallback [] [] [] [=] |
| definefontfamily | \definefontfamily $[]$ $[]$ $[=]$ |
| definefontfamilypreset | \definefontfamilypreset [] [=] |
| definefontfamilypreset:name | \definefontfamilypreset [] [] |
| definefontfamily:preset | \definefontfamily [] [] [] |
| definefontfeature | \definefontfeature [] [] [] |
| definefontfile definefontsize | \definefontfile [] [=] \definefontsize [] |
| definefontsolution | \definefontsolution [] [] [=] |
| defineformula | \defineformula [] [] [] |
| defineformulaalternative | \defineformulaalternative [] [] |
| defineformulaframed | \defineformulaframed [] [=] |
| defineframedcontent | \defineframedcontent [] [] [=] |
| defineframedtable | \defineframedtable [] [] |
| definefrozenfont | \definefrozenfont [] [] |
| defineglobalcolor | \defineglobalcolor [] [=] |
| defineglobalcolor:name | \defineglobalcolor [] |
| definegraphictypesynonym | \definegraphictypesynonym [] [] |
| definegridsnapping | \definegridsnapping [] [] |
| defineheadalternative | \defineheadalternative [] [] [=] |
| definehelp | \definehelp [] [] [=] |
| definehigh definehighlight | \definehigh [] [=] \definehighlight [] [=] |
| definehspace | \definehspace [] [] \definehspace [] |
| definehypenationfeatures | \definehypenationfeatures [] [=] |
| defineindentedtext | \defineindentedtext [] [=] |
| defineindenting | \defineindenting [] [] |
| defineinitial | \defineinitial [] [=] |
| defineinsertion | \defineinsertion [] [=] |
| defineinteraction | \defineinteraction [] [=] |
| defineinteractionbar | \defineinteractionbar [] [] [=] |
| defineinterfaceconstant | \defineinterfaceconstant {} {} |
| defineinterfaceelement defineinterfacevariable | \defineinterfaceelement {} {} \defineinterfacevariable {} {} |
| defineinterlinespace | \defineinterlacevariable \(\lambda \define \) \defineinterlinespace \([\ldots \] \] \([\ldots \] \] |
| defineintermediatecolor | \defineinterinespace [] [] [=] \defineintermediatecolor [] [] [=] |
| defineitemgroup | \defineitemgroup [] [] [] |
| defineitems | \defineitems [] [=] |
| definelabelclass | \definelabelclass [] [] |
| definelayer | \definelayer [] [=] |
| definelayerpreset | \definelayerpreset [] [=] |
| definelayerpreset:name | \definelayerpreset [] |
| definelinefiller | \definelinefiller [] [=] |
| definelinenote definelinenumbering | \definelinenote [] [] [] \definelinenumbering [] [] [] |
| definelines | \definelines [] [] [] \definelines [] [] |
| definelistalternative | \definelistalternative [] [] [=] |
| definelistextra | \definelistextra [] [] [=] |
| definelow | \definelow [] [=] |
| definelowhigh | \definelowhigh [] [=] |
| definelowmidhigh | \definelowmidhigh [] [] [=] |
| defineMPinstance | \defineMPinstance [] [=] |
| definemarginblock | \definemarginblock [] [=] |
| definemargindata | \definemargindata [] [] [=] |
| definemarker | \definemarker [] |
| definemathaccent | \definemathaccent |
| definemathalignment definemathcases | \definemathalignment [] [] [=] \definemathcases [] [] [=] |
| definemathcommand | \definemathcases [] [] [] \definemathcommand [] [] [] \{} |
| definemathdouble | \definemathdouble [] [] [] [] |
| definemathdoubleextensible | \definemathdoubleextensible [] [] [] |
| definemathematics | \definemathematics [] [=] |
| definemathextensible | \definemathextensible [] [] |
| definemathfence | \definemathfence [] [] [=] |
| | |

| definemathfraction | \definemathfraction [] [=] |
|--------------------------------|---------------------------------------|
| definemathframed | \definemathframed [] [=] |
| definemathmatrix | \definemathmatrix [] [] [=] |
| definemathornament | \definemathornament [] [] [=] |
| definemathover | \definemathover [] [] |
| definemathoverextensible | \definemathoverextensible [] [] |
| definemathovertextextensible | \definemathovertextextensible [] [] |
| definemathradical | \definemathradical [] [=] |
| definemathstackers | \definemathstackers [] [] [] |
| | |
| definemathstyle | \definemathstyle [] [] |
| definemathtriplet | \definemathtriplet [] [] |
| definemathunder | \definemathunder [] [] |
| definemathunderextensible | \definemathunderextensible [] [] |
| definemathundertextextensible | \definemathundertextextensible [] [] |
| definemathunstacked | \definemathunstacked [] [] |
| definemeasure | \definemeasure [] [] |
| definemessageconstant | \definemessageconstant {} |
| definemixedcolumns | \definemixedcolumns [] [] [=] |
| definemode | \definemode [] [] |
| definemultitonecolor | \definemultitonecolor [] [=] [=] [=] |
| | |
| definenamedcolor | \definenamedcolor [] [=] |
| definenamedcolor:name | \definenamedcolor [] [] |
| definenamespace | \definenamespace [] [=] |
| definenarrower | \definenarrower [] [=] |
| definenote | \definenote [] [=] |
| defineornament:collector | \defineornament [] [=] |
| defineornament:layer | \defineornament [] [=] [=] |
| defineoutputroutine | \defineoutputroutine [] [=] |
| defineoutputroutinecommand | \defineoutputroutinecommand [] |
| - | |
| definepage | \definepage [] [] |
| definepagebreak | \definepagebreak [] [] |
| definepagechecker | \definepagechecker [] [] [=] |
| definepagecolumns | \definepagecolumns [] [=] |
| definepageinjection | \definepageinjection [] [=] |
| definepageinjectionalternative | \definepageinjectionalternative [] [] |
| definepageshift | \definepageshift [] [] |
| definepagestate | \definepagestate [] [=] |
| definepairedbox | \definepairedbox [] [] [=] |
| defineparagraph | \defineparagraph [] [=] |
| defineparallel | \defineparallel [] [] |
| defineparbuilder | \defineparbuilder [] |
| defineperiodkerning | \defineperiodkerning [] [] [=] |
| defineplacement | \defineplacement [] [] [] |
| definepositioning | |
| 1 0 | \definepositioning [] [] [=] |
| defineprefixset | \defineprefixset [] [] |
| defineprocesscolor | \defineprocesscolor [] [=] |
| defineprocessor | \defineprocessor [] [] [=] |
| definepushbutton | \definepushbutton [] [=] |
| definepushsymbol | \definepushsymbol [] |
| definerenderingwindow | \definerenderingwindow [] [] [=] |
| defineresetset | \defineresetset [] [] |
| defineruby | \defineruby [] [=] |
| definescale | \definescale [] [=] |
| definescript | \definescript [] [=] |
| definesectionlevels | \definesectionlevels [] [] |
| defineselector | \defineselector [] [] |
| | |
| defineseparatorset | \defineseparatorset [] [] |
| defineshift | \defineshift [] [=] |
| definesidebar | \definesidebar [] [=] |
| definesort | \definesort [] [] {} |
| definespotcolor | \definespotcolor [] [=] |
| definestyleinstance | \definestyleinstance [] [] [] |
| definesubformula | \definesubformula [] [=] |
| definesynonym | \definesynonym [] [] {} {} |
| definesystemattribute | \definesystemattribute [] [] |
| definesystemconstant | \definesystemconstant {} |
| definesystemvariable | \definesystemvariable {} |
| defineTABLEsetup | \defineTABLEsetup [] [=] |
| definetabulation | \definetabulation [] [] [=] |
| definetextbackground | \definetexbackground [] [] [=] |
| definetextflow definetextflow | |
| | \definetextflow [] [] [] |
| definetextnote | \definetextnote [] [=] |

| definetokenlist | \definetokenlist [] |
|--|--|
| definetooltip | \definetooltip [] [=] |
| definetransparency:1 | \definetransparency [] [] |
| definetransparency:2 | \definetransparency [] [=] |
| <pre>definetransparency:3 definetwopasslist</pre> | \definetransparency [] [] \definetwopasslist {} |
| definetypeface | \definetwopassist () \definetypeface [] [] [] [] [] [] |
| definetypescriptprefix | \definetypescriptprefix [] [] |
| definetypescriptsynonym | \definetypescriptsynonym [] [] |
| definetypesetting | \definetypesetting [] [=] |
| defineunit | \defineunit [] [=] |
| defineuserdata | \defineuserdata [] [] [=] |
| defineuserdataalternative | \defineuserdataalternative [] [] [] |
| defineviewerlayer | \defineviewerlayer [] [=] \definevspace [] [] |
| definevspace definevspacing | \definevspace [] [] \definevspacing [] |
| definevspacingamount | \definevspacingamount [] [] |
| definextable | \definextable [] [=] |
| definisci | \definisci [] \ {} |
| definisciaccento | \definisciaccento |
| definisciambientefontdeltesto | \definisciambientefontdeltesto [] [] [=] |
| definisciblocco | \definisciblocco [] [] [=] |
| definiscibloccosezione | \definiscibloccosezione [] [] |
| definiscibuffer definiscicampo | \definiscionne [] [] [] |
| definiscicapoversi | \definiscicampo [] [] [] [] \definiscicapoversi [] [] [=] |
| definiscicarattere | \definiscicarattere |
| definiscicolore | \definiscicolore [] [=] |
| definiscicolore:name | \definiscicolore [] [] |
| definiscicomando | \definiscicomando |
| definisciconversione | \definisciconversione [] [] |
| definisciconversione:list | \definisciconversione [] [] |
| definiscidescrizione definiscidimensionicarta | \definiscidescrizione [] [] [=] \definiscidimensionicarta [] [=] |
| definiscidimensionicarta:name | \definiscidimensionicarta [] [] \definiscidimensionicarta [] [] |
| definiscielenco | \definiscielenco [] [] [] |
| definiscielencocombinato | \definiscielencocombinato [] [=] |
| definiscienumerazione | \definiscienumerazione [] [=] |
| definiscietichetta | \definiscietichetta [] [=] |
| definiscifigurasimbolo | \definiscifigurasimbolo [] [] [=] |
| definiscifont | \definiscifont [] [] |
| definiscifontdeltesto definiscifontdeltesto:argument | \definiscifontdeltesto [] [] [] \definiscifontdeltesto [] [] [] |
| definiscifont:argument | \definiscifont [] [] \definiscifont [] |
| definisciformatoriferimento | \definisciformatoriferimento [] [] [] |
| definiscigruppocolonne | \definiscigruppocolonne [] [] [=] |
| definiscigruppocolori | \definiscigruppocolori [] [x:y:z,] |
| definiscihbox | \definiscihbox [] [] |
| definisciincorniciato | \definisciincorniciato [] [] [=] |
| definisciiniziatermina | \definisciiniziatermina [] [] [=] |
| definiscilayout definiscimakeup | \definiscilayout [] [] [] \definiscimakeup [] [] [] |
| definiscimarcatura | \definiscimarcatura [] [] [=] |
| definiscimenuinterazione | \definiscimenuinterazione [] [] [=] |
| definiscimodellotabella | \definiscimodellotabella [] [] [] |
| definiscioggettomobile | \definiscioggettomobile [] [=] |
| definiscioggettomobile:name | \definiscioggettomobile [] [] |
| definisciordinamento | \definisciordinamento [] [] |
| definisciprofilo | \definisciprofilo [] [] [] |
| definisciprogramma definisciregistro | \definisciprogramma [] [] |
| definisciriferimento | \definisciregistro [] [] [] \definisciriferimento [] [] |
| definiscisezione | \definiscisezione [] |
| definiscisimbolo | \definiscisimbolo [] [] |
| definiscisinonimi | \definiscisinonimi [] [] [] |
| definiscisinonimofont | \definiscisinonimofont [] [] [=] |
| definiscisottocampo | \definiscisottocampo [] [] |
| definiscisovrapposizione | \definiscisovrapposizione [] [] |
| definiscistackcampi definiscistile | \definiscistackcampi [] [] [] |
| definiscistile definiscistilefont | \definiscistile [] [] [] \definiscistilefont [] [] |
| definiscitabulato | \definiscitabulato [] [] |
| | OPT |
| | |

| definiscitavolozza | \definiscitavolozza [] [=] |
|-----------------------------------|--|
| definiscitavolozza:name | \definiscitavolozza [] [] |
| definiscitesta | \definiscitesta [] [=] |
| definiscitesto | \definiscitesto [] [] [] [] [] [] |
| definiscitestoincorniciato | \definiscitestoincorniciato [] [] [=] |
| definiscitype | \definiscitype [] [=] |
| definiscityping | \definiscityping [] [=] |
| delimited | \delimited [] [} |
| delimitedtext | \delimitedtext [] [] {} |
| delimitedtext:instance | \DELIMITEDTEXT [] {} |
| delimitedtext:instance:aside | \aside [] {} |
| delimitedtext:instance:blockquote | \blockquote [] {} |
| delimitedtext:instance:quotation | \quotation [] {} |
| delimitedtext:instance:quote | \quote [] {} |
| delimitedtext:instance:speech | \speech [] {} |
| depthofstring | \depthofstring {} |
| depthonlybox | \depthonlybox {} |
| depthspanningtext | \depthspanningtext {} {} {} |
| depthstrut | \depthstrut \DESCRIZIONE [] {} \par |
| descrizione:example destra | \destra |
| determinacaratteristicheregistro | \determinacaratteristicheregistro [] [=] |
| determinacarattersticheelenco | \determinacarattersticheelenco [] [=] |
| determinanumerotesta | \determinational actions to the control of the cont |
| determinenoflines | \determinantmerotesta [] \determinenoflines {} |
| devanagarinumerals | \devanagarinumerals {} |
| digits | \digits {} |
| digits:string | \digits |
| dimensiontocount | \dimensiontocount {} \ |
| directboxfromcache | \directboxfromcache {} {} |
| directcolor | \directcolor [] |
| directcolored | \directcolored [=] |
| directcolored:name | \directcolored [] |
| directconvertedcounter | \directconvertedcounter {} {} |
| directcopyboxfromcache | \directcopyboxfromcache {} {} |
| directdummyparameter | \directdummyparameter {} |
| directgetboxllx | \directgetboxllx |
| directgetboxlly | \directgetboxlly |
| directhighlight | \directhighlight \{\ldots\} \\\ |
| directlocalframed | \directlocalframed [] {} |
| directluacode | \directluacode {} |
| directselect | \directselect {} {} {} {} {} |
| directsetbar | \directsetbar {} OPT OPT OPT OPT |
| directsetup | \directsetup {} |
| directsymbol directvspacing | <pre>\directsymbol {} {} \directvspacing {}</pre> |
| dis | \dis {} |
| disabledirectives | \disabledirectives [] |
| disableexperiments | \disableexperiments [] |
| disablemode | \disablemode [] |
| disableoutputstream | \disableoutputstream |
| disableparpositions | \disableparpositions |
| disableregime | \disableregime |
| disabletrackers | \disabletrackers [] |
| displaymath | \displaymath {} |
| displaymathematics | \displaymathematics {} |
| displaymessage | \displaymessage {} |
| distributedhsize | \distributedhsize {} {} |
| dividedsize | \dividedsize {} {} {} |
| doadaptleftskip | \doadaptleftskip {} |
| doadaptrightskip | \doadaptrightskip {} |
| doaddfeature | \doaddfeature {} |
| doassign | \doassign [] [=] |
| doassignempty | \doassignempty [] [=] |
| doboundtext | \doboundtext {} {} {} |
| docheckassignment | \docheckassignment {} |
| docheckedpagestate | \docheckedpagestate {} {} {} {} {} {} {} |
| docheckedpair documentvariable | <pre>\docheckedpair {} \documentvariable {}</pre> |
| dodoubleargument | \documentvariable \lambda \document |
| dodoubleargumentwithset | \dodoubleargumentwithset \ [] [] |
| dodoubleempty | \dodoubleempty \ [] |
| 1 V | _ v : = = = = = |

| dodoubleemptywithset | \dodoubleemptywithset \ [] [] |
|--|--|
| dodoublegroupempty | \dodoublegroupempty \ \{} \{} |
| doeassign | \doeassign [] [=] |
| doexpandedrecurse | \doexpandedrecurse {} {} |
| dofastloopcs | \dofastloopcs {} \ |
| dogetattribute | \dogetattribute {} |
| dogetattributeid | \dogetattributeid {} |
| dogetcommacommandelement | \dogetcommacommandelement \from \to \ |
| dogobbledoubleempty | \dogobbledoubleempty [] [] |
| dogobblesingleempty | \dogobblesingleempty [] |
| doif | \doif {} {} |
| doifallcommon | \doifallcommon {} {} {} |
| doifallcommonelse | \doifallcommonelse $\{\}$ $\{\}$ $\{\}$ |
| doifalldefinedelse | \doifalldefinedelse {} {} {} |
| doifallmodes | \doifallmodes {} {} |
| doifallmodeselse | \doifallmodeselse {} {} |
| doifassignmentelse | \doifassignmentelse {} {} {} |
| doifassignmentelsecs | \doifassignmentelsecs {} \ \ |
| doifblackelse | \doifblackelse {} {} |
| doifbothsides | \doifbothsides \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| doifbothsidesoverruled | \doifbothsidesoverruled \{\ldots\} \{\ldots\} |
| doifboxelse | \doifboxelse {} {} {} |
| doifbufferelse | \doifbufferelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| doifcolor | \doifcolor {} {} |
| doifcolorelse | \doifcolorelse {} {} |
| doifcommandhandler | \doifcommandhandler \ \{} \{} |
| doifcommandhandlerelse | \doifcommandhandlerelse \ \{} \{} \{} |
| doifcommon | \doifcommon {} {} {} |
| doifcommonelse | \doifcommonelse {} {} {} |
| doifcontent | \doifcontent {} {} \ {} |
| doifconversiondefinedelse | \doifconversiondefinedelse \{\ldots\} \\ \\.\\ |
| doifconversionnumberelse | \doifconversionnumberelse $\{\ldots\}$ $\{\ldots\}$ $\{\ldots\}$ |
| doifcounter | \doifcounter {} {} |
| doifcounterelse | \doifcounterelse \{\ldots\} \\\.\} |
| doifcurrentfonthasfeatureelse | \doifcurrentfonthasfeatureelse $\{\}$ $\{\}$ |
| doifdefined | \doifdefined {} {} |
| doifdefinedcounter | \doifdefinedcounter \{\ldots\} |
| doifdefinedcounterelse | \doifdefinedcounterelse $\{\}$ $\{\}$ |
| doifdefinedelse | \doifdefinedelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| doifdimensionelse | \doifdimensionelse $\{\}$ $\{\}$ |
| doifdimenstringelse | \doifdimenstringelse $\{\ldots\}$ $\{\ldots\}$ |
| doifdocumentargument | \doifdocumentargument \{\ldots\} \{\ldots\} |
| doifdocumentargumentelse | \doifdocumentargumentelse \{\ldots\} \{\ldots\} |
| doifdocumentfilename | \doifdocumentfilename {} {} |
| doifdocumentfilenameelse | \doifdocumentfilenameelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| doifdocumentvariable | \doifdocumentvariable \{\ldots\} |
| doifdocumentvariableelse | \doifdocumentvariableelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| doifdrawingblackelse | \doifdrawingblackelse \{\ldots\} \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \ |
| doifelse | \doifelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| doifelseallcommon | \doifelseallcommon \{\ldots\} \{\ldots\} \{\ldots\} \\ |
| doifelsealldefined | \doifelsealldefined \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| doifelseallmodes | \doifelseallmodes \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| doifelseassignment | \doifelseassignment \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| doifelseassignmentcs | \doifelseassignmentcs \{\ldots\}\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| doifelseblack | \doifelseblack \{\} \{\} |
| doifelsebox | \doifelsebox \{\} \{\} \{\} |
| doifelseboxincache | \doifelseboxincache \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| doifelsebuffer | \doifelsebuffer {} {} {} |
| doifelsecolor | \doifelsecolor \{\} \{\} |
| doifelsecommandhandler | \doifelsecommandhandler \ \{\} \{\} |
| doifelsecommon | \doifelsecommon \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| doifelseconversiondefined | \doifelseconversiondefined \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| doifelseconversionnumber | \doifelseconversionnumber \{\ldots\} \{\ldots\} \\doifelseconversionnumber \{\ldots\} \\doifelseconversionnu |
| doifelsecounter | \doifelsecounter \{\} \{\} |
| doifelsecurrentfonthasfeature | \doifelsecurrentfonthasfeature \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| doifelsecurrentsortingused | \doifelsecurrentsortingused \{\doifelsecurrentsortingused \{\doife |
| doifelsecurrentsynonymshown | \doifelsecurrentsynonymshown \{\ldots\} \{\ldots\} |
| doifelsecurrentsynonymused | \doifelsecurrentsynonymused {} {} |
| doifelsedefined doifelsedefinedcounter | \doifelsedefined \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| = 1.5EUE1 1.0EU. 00001.EU | \doifeleadefinedcounter \ \ \ \ \ \ \ |
| | \doifelsedefinedcounter \{\ldots\} \\\.\\\ |
| doifelsedimension doifelsedimenstring | \doifelsedefinedcounter \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |

| doifelsedocumentargument | \doifelsedocumentargument \{\ldots\} \{\ldots\} |
|--|--|
| doifelsedocumentfilename | \doifelsedocumentfilename $\{\}$ $\{\}$ |
| doifelsedocumentvariable | \doifelsedocumentvariable {} {} {} |
| doifelsedrawingblack | \doifelsedrawingblack \{\} \{\} |
| doifelseempty | \doifelseempty {} {} |
| doifelseemptyvalue | \doifelseemptyvalue {} {} |
| doifelseemptyvariable | \doifelseemptyvariable \{\} \{\} \{\} |
| doifelseenv | \doifelseenv \{\} \\\\} |
| | |
| doifelsefastoptionalcheck | \doifelsefastoptionalcheck \{\ldots\} \{\ldots\} |
| doifelsefastoptionalcheckcs | \doifelsefastoptionalcheckcs \ \ |
| doifelsefieldbody | \doifelsefieldbody \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| doifelsefieldcategory | \doifelsefieldcategory \{\ldots\} \{\ldots\} |
| doifelsefigure | \doifelsefigure \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| doifelsefile | \doifelsefile \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| doifelsefiledefined | \doifelsefiledefined \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| doifelsefileexists | \doifelsefileexists {} {} {} |
| doifelsefirstchar | \doifelsefirstchar {} {} {} {} |
| doifelseflagged | \doifelseflagged {} {} |
| doifelsefontchar | \doifelsefontchar \{\} \{\} \{\} |
| doifelsefontfeature | \doifelsefontfeature \{\doifelsefontfeature \ |
| doifelsefontpresent | \doifelsefontpresent \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| - | \doifelsefontsynonym \{\ldots\} \\\ \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| doifelsefontsynonym doifelseframed | \doifelseframed \ \{\} |
| | |
| doifelsehasspace | \doifelsehasspace \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| doifelsehelp | \doifelsehelp \{\ldots\} |
| doifelseincsname | \doifelseincsname $\{\ldots\}$ $\{\ldots\}$ $\{\ldots\}$ |
| doifelseinelement | \doifelseinelement \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| doifelseinputfile | \doifelseinputfile $\{\}$ $\{\}$ |
| doifelseinsertion | \doifelseinsertion $\{\ldots\}$ $\{\ldots\}$ |
| doifelseinset | \doifelseinset $\{\}$ $\{\}$ $\{\}$ |
| doifelseinstring | \doifelseinstring $\{\}$ $\{\}$ $\{\}$ |
| doifelseinsymbolset | \doifelseinsymbolset $\{\}$ $\{\}$ $\{\}$ |
| doifelseintoks | \doifelseintoks $\{\}$ $\{\}$ $\{\}$ |
| doifelseintwopassdata | $\doint doifelseint words data {} {} {} {}$ |
| doifelseitalic | \doifelseitalic {} {} |
| doifelselanguage | \doifelselanguage {} {} |
| doifelselayerdata | \doifelselayerdata $\{\}$ $\{\}$ |
| doifelselayoutdefined | \doifelselayoutdefined $\{\}$ $\{\}$ |
| doifelselayoutsomeline | \doifelselayoutsomeline $\{\}$ $\{\}$ |
| doifelselayouttextline | \doifelselayouttextline \{\ldots\} \{\ldots\} |
| doifelseleapyear | \doifelseleapyear {} {} |
| doifelselist | \doifelselist {} {} |
| doifelselocation | \doifelselocation {} {} |
| doifelselocfile | \doifelselocfile {} {} |
| doifelseMPgraphic | \doifelseMPgraphic {} {} |
| doifelsemainfloatbody | \doifelsemainfloatbody \{\ldots\} \\ |
| doifelsemarkedpage | \doifelsemarkedpage {} {} {} |
| doifelsemarking | \doifelsemarking {} {} |
| doifelsemeaning | \doifelsemeaning \ \ \ \} |
| doifelsemessage | \doifelsemessage {} {} {} |
| doifelsemode | \doifelsemode \(\tau \) \\ \(\tau \) |
| doifelsenextbgroup | \doifelsenextbgroup {} {} |
| doifelsenextbgroupcs | \doifelsenextbgroupcs \ \ |
| doifelsenextchar | \doifelsenextchar \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| doifelsenextoptional | \doifelsenextoptional {} {} |
| doifelsenextoptionalcs | \doifelsenextoptionalcs \ \ |
| doifelsenextparenthesis | \doifelsenextparenthesis {} {} |
| doifelsenonzeropositive | \doifelsenonzeropositive {} {} |
| doifelsenoteonsamepage | \doifelsenoteonsamepage {} {} {} |
| doifelsenothing | \doifelsenothing {} {} {} |
| doifelsenumber | \doifelsenumber \{\} \{\} |
| doifelseobjectfound | \doifelseobjectfound \{\} \{\} \{\} |
| doifelseobjectreferencefound | \doifelseobjectreferencefound \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| doifelseoddpage | \doifelseoddpage \{\ldots\} \\\.\\ |
| doifelseoddpagefloat | \doifelseoddpagefloat \{\ldots\} \\\ |
| doifelseoldercontext | \doifelseoldercontext \{\doifelseoldercontext \{\doife |
| doifelseolderversion | \doifelseolderversion \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| doifelseoverlapping | \doifelseoverlapping \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| | |
| doifelseoverlay | \doifelseoverlay \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| doifelseparallel doifelseparentfile | \doifelseparallel \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| doifelsepath | \doifelseparentfile {} {} {} \doifelsepath {} {} {} |
| aorrorpopuun | /20110100puvm () () |

| doifelsepathexists | \doifelsepathexists \{\ldots\} \{\ldots\} |
|--------------------------------|---|
| doifelsepatterns | \doifelsepatterns $\{\ldots\}$ $\{\ldots\}$ |
| doifelseposition | \doifelseposition $\{\ldots\}$ $\{\ldots\}$ |
| doifelsepositionaction | \doifelsepositionaction $\{\ldots\}$ $\{\ldots\}$ |
| doifelsepositiononpage | \doifelsepositiononpage \{\ldots\} \{\ldots\} \{\ldots\} \\ |
| doifelsepositionsonsamepage | \doifelsepositionsonsamepage $\{\}$ $\{\}$ |
| doifelsepositionsonthispage | \doifelsepositionsonthispage $\{\}$ $\{\}$ |
| doifelsepositionsused | \doifelsepositionsused $\{\ldots\}$ $\{\ldots\}$ |
| doifelsereferencefound | \doifelsereferencefound \{\ldots\} \{\ldots\} |
| doifelserightpage | \doifelserightpage {} {} |
| doifelserightpagefloat | \doifelserightpagefloat {} {} |
| doifelserighttoleftinbox | \doifelserighttoleftinbox {} {} |
| doifelsesamelinereference | \doifelsesamelinereference $\{\ldots\}$ $\{\ldots\}$ |
| doifelsesamestring | \doifelsesamestring $\{\}$ $\{\}$ $\{\}$ |
| doifelsesetups | \doifelsesetups $\{\}$ $\{\}$ |
| doifelsesomebackground | $\doint doifelse some background {} {} {}$ |
| doifelsesomespace | \doifelsesomespace $\{\}$ $\{\}$ |
| doifelsesomething | \doifelsesomething $\{\ldots\}$ $\{\ldots\}$ |
| doifelsesometoks | \doifelsesometoks \ \{\} \{\} |
| doifelsestringinstring | \doifelsestringinstring $\{\}$ $\{\}$ $\{\}$ |
| doifelsestructurelisthasnumber | $\doing 1 = 1 $ |
| doifelsestructurelisthaspage | \doifelsestructurelisthaspage {} {} |
| doifelsesymboldefined | \doifelsesymboldefined $\{\}$ $\{\}$ |
| doifelsesymbolset | \doifelsesymbolset {} {} |
| doifelsetext | \doifelsetext {} {} |
| doifelsetextflow | \doifelsetextflow {} {} {} |
| doifelsetextflowcollector | \doifelsetextflowcollector {} {} {} |
| doifelsetopofpage | \doifelsetopofpage {} {} |
| doifelsetypingfile | \doifelsetypingfile {} {} |
| doifelseundefined | \doifelseundefined \{\ldots\} \\\.\\ |
| doifelseurldefined | \doifelseurldefined {} {} {} |
| doifelsevalue | \doifelsevalue $\{\}$ $\{\}$ $\{\}$ |
| doifelsevaluenothing | \doifelsevaluenothing \{\ldots\} \\\.\} |
| doifelsevariable | \doifelsevariable $\{\}$ $\{\}$ $\{\}$ |
| doifempty | \doifempty {} {} |
| doifemptyelse | \doifemptyelse {} {} |
| doifemptytoks | \doifemptytoks \ {} |
| doifemptyvalue | \doifemptyvalue {} {} |
| doifemptyvalueelse | \doifemptyvalueelse $\{\}$ $\{\}$ |
| doifemptyvariable | \doifemptyvariable $\{\}$ $\{\}$ |
| doifemptyvariableelse | \doifemptyvariableelse $\{\}$ $\{\}$ $\{\}$ |
| doifenv | \doifenv {} {} |
| doifenvelse | \doifenvelse {} {} |
| doiffastoptionalcheckcselse | \doiffastoptionalcheckcselse \ \ |
| doiffastoptionalcheckelse | \doiffastoptionalcheckelse {} {} |
| doiffieldbodyelse | \doiffieldbodyelse {} {} |
| doiffieldcategoryelse | \doiffieldcategoryelse {} {} {} |
| doiffigureelse | \doiffigureelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| doiffile | \doiffile {} {} |
| doiffiledefinedelse | \doiffiledefinedelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| doiffileelse | \doiffileelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| doiffileexistselse | \doiffileexistselse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| doiffirstcharelse | \doiffirstcharelse \{\} \{\} \{\} |
| doifflaggedelse | \doifflaggedelse {} {} {} |
| doiffontcharelse | \doiffontcharelse \{\} \{\} \{\} |
| doiffontfeatureelse | \doiffontfeatureelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| doiffontpresentelse | \doiffontpresentelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| doiffontsynonymelse | \doiffontsynonymelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| doifhasspaceelse | \doifhasspaceelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| doifhelpelse | \doifhelpelse \{\ldots\} |
| doifincsnameelse | \doifincsnameelse \{\} \{\} \{\} |
| doifinelementelse | \doifinelementelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| doifinputfileelse | \doifinputfileelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| doifinsertionelse | \doifinsertionelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| doifinset | \doifinset {} {} |
| doifinsetelse | \doifinsetelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| doifinstring | \doifinstring \{\} \\\ |
| doifinstringelse | \doifinstringelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| doifinsymbolset | \doifinsymbolset \{\} \{\} \{\} |
| doifinsymbolsetelse | \doifinsymbolsetelse \{\} \{\} \{\} |
| doifintokselse | \doifintokselse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| doifintwopassdataelse | \doifintwopassdataelse \{\ldots\} \{\ldots\} \{\ldots\} \\ |
| | |

| doifitalicelse | \doifitalicelse {} {} |
|------------------------------|--|
| doiflanguageelse | \doiflanguageelse {} {} |
| doiflayerdataelse | \doiflayerdataelse {} {} |
| doiflayoutdefinedelse | \doiflayoutdefinedelse {} {} {} |
| doiflayoutsomelineelse | \doiflayoutsomelineelse {} {} {} |
| doiflayouttextlineelse | \doiflayouttextlineelse {} {} {} |
| doifleapyearelse | \doifleapyearelse {} {} |
| doiflistelse | \doiflistelse {} {} |
| doiflocationelse | \doiflocationelse {} {} |
| doiflocfileelse | \doiflocfileelse {} {} |
| doifMPgraphicelse | \doifMPgraphicelse {} {} |
| doifmainfloatbodyelse | \doifmainfloatbodyelse \{\doifmainfloatbodyelse \{\doifmainfloatbodyels |
| doifmarkingelse | \doifmarkingelse {} {} {} |
| doifmeaningelse | \doifmeaningelse \ \ \{\} |
| doifmessageelse | \doifmessageelse {} {} {} {} |
| doifmode | \doifmode {} {} |
| doifmodeelse | \doifmodeelse {} {} {} |
| doifnextbgroupcselse | \doifnextbgroupcselse \ \ |
| doifnextbgroupelse | \doifnextbgroupelse \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| doifnextcharelse | \doifnextcharelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| doifnextonalcselse | \doifnextonielse \ \ |
| • | \doifnextoptionalclselse \ \\ |
| doifnextoptionalelse | |
| doifnextparenthesiselse | \doifnextparenthesiselse \{\dots\} \\doifnextparenthesiselse \{\dots\} \\doifnextparenthesiselse \{\doifnextparenthesiselse \}\} \} \end{picture}}} |
| doifnonzeropositiveelse | \doifnonzeropositiveelse \{\ldots\} \\doifnonzeropositiveelse \{\ldots\} \\doifnonzer |
| doifnot | \doifnot {} {} |
| doifnotallcommon | \doifnotallcommon \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| doifnotallmodes | \doifnotallmodes \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| doifnotcommandhandler | \doifnotcommandhandler \ \{\} |
| doifnotcommon | \doifnotcommon {} {} |
| doifnotcounter | \doifnotcounter \{\ldots\} |
| doifnotdocumentargument | \doifnotdocumentargument \{\ldots\} \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \ |
| doifnotdocumentfilename | \doifnotdocumentfilename \{\ldots\} \{\ldots\} |
| doifnotdocumentvariable | \doifnotdocumentvariable {} {} |
| doifnotempty | \doifnotempty \{\ldots\} |
| doifnotemptyvalue | \doifnotemptyvalue {} {} |
| doifnotemptyvariable | \doifnotemptyvariable \{\ldots\} \{\ldots\} |
| doifnotenv | \doifnotenv \{\ldots\} |
| doifnoteonsamepageelse | \doifnoteonsamepageelse \{\ldots\} \{\ldots\} |
| doifnotescollected | \doifnotescollected \{\ldots\} \\\ |
| doifnotfile | \doifnotfile {} {} |
| doifnotflagged | \doifnotflagged {} {} |
| doifnothing | \doifnothing {} {} |
| doifnothingelse | \doifnothingelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| doifnotinset | \doifnotinset {} {} |
| doifnotinsidesplitfloat | \doifnotinsidesplitfloat {} |
| doifnotinstring | \doifnotinstring {} {} |
| doifnotmode | \doifnotmode {} {} |
| doifnotnumber | \doifnotnumber \{\ldots\} |
| doifnotsamestring | \doifnotsamestring {} {} |
| doifnotsetups | \doifnotsetups {} {} |
| doifnotvalue | \doifnotvalue {} {} |
| doifnotvariable | \doifnotvariable \{\ldots\} \\\ |
| doifnumber | \doifnumber {} {} |
| doifnumberelse | \doifnumberelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| doifobjectfoundelse | \doifobjectfoundelse {} {} {} |
| doifobjectreferencefoundelse | \doifobjectreferencefoundelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| doifoddpageelse | \doifoddpageelse {} {} |
| doifoddpagefloatelse | \doifoddpagefloatelse {} {} |
| doifoldercontextelse | \doifoldercontextelse {} {} |
| doifolderversionelse | \doifolderversionelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| doifoverlappingelse | \doifoverlappingelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| doifoverlayelse | \doifoverlayelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| doifparallelelse | \doifparallelelse {} {} {} |
| doifparentfileelse | \doifparentfileelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| doifpathelse | \doifpathelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| doifpathexistselse | \doifpatherist \(\ldots \rightarrow \) \doifpathexistselse \{ \ldots \rightarrow \rightarrow \ldots \rightarrow |
| doifpatternselse | \doifpatternselse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| doifposition | \doifposition \{\ldots\} \\\.\} |
| doifpositionaction | \doifpositionaction \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| doifpositionactionelse | \doifpositionactionelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| doifpositionelse | \doifpositionactionelse \(\(\.\.\) \\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| doifpositiononpageelse | \doifpositionerse \lambda \ldots \footnote \ldots \ |
| ZOTT LANTATOMON PROCEDO | " |
| | |

| doifpositionsonsamepageelse | \doifpositionsonsamepageelse {} {} {} |
|---------------------------------------|--|
| doifpositionsonthispageelse | \doifpositionsonthispageelse \{\doifpositionsonthispageelse \{ |
| doifpositionsusedelse | \doifpositionsusedelse \{\ldots\} \\\\ |
| doifreferencefoundelse | \doifreferencefoundelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| doifrightpagefloatelse | \doifrightpagefloatelse {} {} |
| doifrighttoleftinboxelse | \doifrighttoleftinboxelse {} {} |
| doifsamelinereferenceelse | \doifsamelinereferenceelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| doifsamestring | \doifsamestring {} {} {} |
| doifsamestringelse | \doifsamestringelse {} {} {} |
| doifsetups | \doifsetups {} {} |
| doifsetupselse | \doifsetupselse {} {} |
| doifsomebackground | \doifsomebackground {} {} |
| doifsomebackgroundelse | $\label{local_doing} $$ \doings = {\ldots} {\ldots} {\ldots} $$$ |
| doifsomespaceelse | \doifsomespaceelse $\{\ldots\}$ $\{\ldots\}$ |
| doifsomething | \doifsomething {} {} |
| doifsomethingelse | \doifsomethingelse $\{\}$ $\{\}$ |
| doifsometoks | \doifsometoks \ {} |
| doifsometokselse | \doifsometokselse \ \{\} |
| doifstringinstringelse | \doifstringinstringelse $\{\}$ $\{\}$ $\{\}$ |
| doifstructurelisthasnumberelse | \doifstructurelisthasnumberelse {} {} |
| doifstructurelisthaspageelse | \doifstructurelisthaspageelse {} {} |
| doifsymboldefinedelse | \doifsymboldefinedelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| doifsymbolsetelse | $\label{local_doifsymbolsetelse} $$ \{\ldots\} \ \{\ldots\} $$$ |
| doiftext | \doiftext {} {} {} |
| doiftextelse | \doiftextelse {} {} |
| doiftextflowcollectorelse | \doiftextflowcollectorelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| doiftextflowelse | \doiftextflowelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| doiftopofpageelse | \doiftopofpageelse {} {} |
| doiftypingfileelse | \doiftypingfileelse {} {} |
| doifundefined | \doifundefined \{\ldots\} \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \ |
| doifundefinedcounter | \doifundefinedcounter \{\ldots\\} |
| doifundefinedelse | \doifundefinedelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| doifunknownfontfeature | \doifunknownfontfeature \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| doifurldefinedelse | \doifurldefinedelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| doifvalue | \doifvalue {} {} {} |
| doifvalueelse | \doifvalueelse {} {} {} |
| doifvaluenothing | \doifvaluenothing {} {} |
| doifvaluenothingelse | \doifvaluenothingelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| doifvaluesomething | \doifvaluesomething \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| doifvariable | \doifvariable \{\} \\\} |
| doifvariableelse | \doifvariableelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| doindentation dollar | \doindentation \dollar |
| doloop | \doloop {} |
| doloopoverlist | \doloop \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| donothing | \donothing |
| dontconvertfont | \dontconvertfont |
| dontleavehmode | \dontleavehmode |
| dontpermitspacesbetweengroups | \dontreavenmode \dontreavenmode \dontreavenmode \ |
| dopositionaction | \dopositionaction {} |
| doprocesslocalsetups | \doprocesslocalsetups {} |
| doquadrupleargument | \doquadrupleargument \ [] [] [] |
| doquadrupleempty | \doquadrupleempty \ [] [] [] |
| doquadruplegroupempty | \doquadruplegroupempty \ {} {} {} {} |
| doquintupleargument | \doquintupleargument \ [] [] [] [] |
| doquintupleempty | \doquintupleempty \ [] [] [] [] |
| doquintuplegroupempty | \doquintuplegroupempty \ \{\} \{\} \{\} \{\} |
| dorechecknextindentation | \dorechecknextindentation |
| dorecurse | \dorecurse {} {} |
| dorepeatwithcommand | \dorepeatwithcommand [] \ |
| doreplacefeature | \doreplacefeature {} |
| doresetandafffeature | \doresetandafffeature {} |
| doresetattribute | \doresetattribute {} |
| dorotatebox | \dorotatebox {} \ {} |
| dosetattribute | \dosetattribute {} {} |
| dosetleftskipadaption | \dosetleftskipadaption {} |
| dosetrightskipadaption | \dosetrightskipadaption {} |
| dosetupcheckedinterlinespace | \dosetupcheckedinterlinespace {=} |
| dosetupcheckedinterlinespace:argument | \dosetupcheckedinterlinespace {} |
| dosetupcheckedinterlinespace:name | \dosetupcheckedinterlinespace {} |
| doseventupleargument | \doseventupleargument \ [] [] [] [] [] [] |
| doseventupleempty | \doseventupleempty \ [] [] [] [] [] [] |

| | \1\\\\ |
|-------------------------|--|
| dosingleargument | \dosingleargument \ [] |
| dosingleempty | \dosingleempty \ [] |
| dosinglegroupempty | \dosinglegroupempty \ {} |
| dosixtupleargument | $\label{local_dosixtupleargument} $$ \colon [] [] [] [] [] [] [] $$$ |
| dosixtupleempty | \dosixtupleempty \ [] [] [] [] [] |
| dostarttagged | \dostarttagged {} {} \dostoptagged |
| dostepwiserecurse | \dostepwiserecurse {} {} {} |
| dosubtractfeature | \dosubtractfeature {} |
| | |
| dotfskip | \dotfskip {} |
| dotoks | \dotoks \ |
| dotripleargument | \dotripleargument \ [] [] |
| dotripleargumentwithset | \dotripleargumentwithset \ [] [] |
| dotripleempty | \dotripleempty \ [] [] |
| dotripleemptywithset | \dotripleemptywithset \ [] [] |
| dotriplegroupempty | \dotriplegroupempty \ \{\} \{\} |
| doublebond | \doublebond |
| dowith | \dowith {} {} |
| dowithnextbox | \dowithnextbox {} \ {} |
| | |
| dowithnextboxcontent | \dowithnextboxcontent \{\ldots\} \\ldots\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| dowithnextboxcontentcs | \dowithnextboxcontentcs \ \ \ \ \ |
| dowithnextboxcs | \dowithnextboxcs \ \ \} |
| dowithpargument | \dowithpargument \ |
| dowithrange | \dowithrange {} \ |
| dowithwargument | \dowithwargument \ |
| dpofstring | \dpofstring {} |
| dummydigit | \dummydigit |
| | |
| dummyparameter | \dummyparameter {} |
| ETEX | \ETEX |
| EveryLine | \EveryLine {} |
| EveryPar | \EveryPar {} |
| edefconvertedargument | \edefconvertedargument \ {} |
| efcmaxheight | \efcmaxheight {} |
| efcmaxwidth | \efcmaxwidth {} |
| efcminheight | \efcminheight {} |
| • | <u> </u> |
| efcminwidth | \efcminwidth {} |
| efcparameter | \efcparameter {} {} |
| effect | \effect [] {} |
| elaborablocchi | \elaborablocchi [] [=] |
| elapsedseconds | \elapsedseconds |
| elapsedtime | \elapsedtime |
| elementi | \elementi [=] {} |
| elemento | \elemento [] |
| | \em_ |
| | \emphasisboldface |
| emphasisboldface | - |
| emphasistypeface | \emphasistypeface |
| emptylines | \emptylines [] |
| emspace | \emspace |
| enabledirectives | \enabledirectives [] |
| enableexperiments | \enableexperiments [] |
| enablemode | \enablemode [] |
| enableoutputstream | \enableoutputstream [] |
| enableparpositions | \enableparpositions |
| | |
| enableregime | \enableregime [] |
| enabletrackers | \enabletrackers [] |
| enskip | \enskip |
| enspace | \enspace |
| enumerazione:example | \ENUMERAZIONE [] {} \par |
| env | \env {} |
| envvar | \envvar {} {} |
| epos | \epos {} |
| • | |
| equaldigits | \equaldigits {} |
| eTeX | \eTeX |
| etichetta:example | \ETICHETTA [] {} |
| executeifdefined | \executeifdefined {} {} |
| exitloop | \exitloop |
| exitloopnow | \exitloopnow |
| expandcheckedcsname | \expandcheckedcsname \ {} {} |
| expanded | \expanded {} |
| expandeddoif | \expandeddoif \{\} \{\} |
| expandeddoifelse | \expandeddoifelse \{\} \{\} \{\} |
| • | |
| expandeddoifnot | \expandeddoifnot \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| expandfontsynonym | \expandfontsynonym \ {} |

| expdoif | \expdoif {} {} {} |
|-----------------------------------|--|
| expdoifcommonelse | \expdoifcommonelse $\{\ldots\}$ $\{\ldots\}$ $\{\ldots\}$ |
| expdoifelse | \expdoifelse {} {} {} |
| expdoifelsecommon | \expdoifelsecommon $\{\ldots\}$ $\{\ldots\}$ $\{\ldots\}$ |
| expdoifelseinset | \expdoifelseinset $\{\}$ $\{\}$ $\{\}$ |
| expdoifinsetelse | \expdoifinsetelse {} {} {} |
| expdoifnot | \expdoifnot {} {} |
| externalfigurecollectionmaxheight | \externalfigurecollectionmaxheight {} |
| externalfigurecollectionmaxwidth | \externalfigurecollectionmaxwidth {} |
| externalfigurecollectionminheight | \externalfigurecollectionminheight {} |
| externalfigurecollectionminwidth | \externalfigurecollectionminwidth {} |
| externalfigurecollectionparameter | \externalfigurecollectionparameter {} {} |
| fakebox | \fakebox |
| fastdecrement | \fastdecrement \ |
| fastincrement | \fastincrement \ |
| fastlocalframed | \fastlocalframed [] [=] {} |
| fastloopfinal | \fastloopfinal |
| fastloopindex | \fastloopindex |
| fastscale | \fastscale {} {} |
| fastsetup | \fastsetup {} |
| fastsetupwithargument | \fastsetupwithargument \{\ldots\} \\\ |
| fastsetupwithargumentswapped | \fastsetupwithargument \(\(\cdot\) \(\cdot\) \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| | \fastswitchtobodyfont {} |
| fastswitchtobodyfont | · · |
| fastsxsy feature | \fastsxsy {} {} {} |
| feature:direct | \feature [] [] |
| | \feature \{\} \\frac{1}{1000} |
| fence | \fence |
| fenced | \fenced [] {} |
| fence:example | \FENCE \{\dagger_1\} |
| fetchallmarkings | \fetchallmarkings [] [] |
| fetchallmarks | \fetchallmarks [] |
| fetchmark | \fetchmark [] [] |
| fetchmarking | \fetchmarking [] [] |
| fetchonemark | \fetchonemark [] [] |
| fetchonemarking | \fetchonemarking [] [] |
| fetchruntinecommand | \fetchruntinecommand \ \{\} |
| fetchtwomarkings | \fetchtwomarkings [] [] |
| fetchtwomarks | \fetchtwomarks [] |
| fieldbody | \fieldbody [] [=] |
| fifthoffivearguments | \fifthoffivearguments $\{\}$ $\{\}$ $\{\}$ $\{\}$ |
| fifthofsixarguments | \fifthofsixarguments \{\ldots\} \ |
| figuraesterna | \figuraesterna [] [=] |
| figurefilename | \figurefilename |
| figurefilepath | \figurefilepath |
| figurefiletype | \figurefiletype |
| figurefullname | \figurefullname |
| figureheight | \figureheight |
| figurenaturalheight | \figurenaturalheight |
| figurenaturalwidth | \figurenaturalwidth |
| figuresymbol | \figuresymbol [] [=] |
| figurewidth | \figurewidth |
| filename | \filename {} |
| filledhboxb | \filledhboxb {} |
| filledhboxc | \filledhboxc {} |
| filledhboxg | \filledhboxg {} |
| filledhboxk | \filledhboxk {} |
| filledhboxm | \filledhboxm {} |
| filledhboxr | \filledhboxr {} |
| filledhboxy | \filledhboxy {} |
| filler | \filler [] |
| fillupto | \fillupto [] {} |
| filterfromnext | \filterfromnext \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| filterfromvalue | \filterfromvalue {} {} {PPT OPT OPT OPT OPT |
| filterpages | \filterpages [] [=] |
| filterreference | \filterreference {} |
| findtwopassdata | \findtwopassdata {} {} |
| finishregisterentry | \finishregisterentry [] [=] |
| firstcharacter | \firstcharacter |
| firstcounter | \firstcounter [] [] |
| firstcountervalue | \firstcountervalue [] |
| firstinlist | \firstinlist [] |
| firstoffivearguments | \firstoffivearguments {} {} {} {} {} |
| | |

| firstoffourarguments | \firstoffourarguments \{\ldots\} \{\ldots\} \{\ldots\} \{\ldots\} |
|--------------------------|---|
| firstofoneargument | \firstofoneargument {} |
| firstofoneunexpanded | \firstofoneunexpanded {} |
| - | \firstofsixarguments \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| firstofsixarguments | |
| firstofthreearguments | \firstofthreearguments \{\ldots\} \{\ldots\} \{\ldots\} |
| firstofthreeunexpanded | \firstofthreeunexpanded \{\ldots\} \{\ldots\} \\\ |
| firstoftwoarguments | \firstoftwoarguments {} {} |
| firstoftwounexpanded | \firstoftwounexpanded {} {} |
| - | - |
| firstrealpage | \firstrealpage |
| firstrealpagenumber | \firstrealpagenumber |
| firstsubcountervalue | \firstsubcountervalue [] [] |
| firstsubpagenumber | \firstsubpagenumber |
| firstuserpage | \firstuserpage |
| . • | |
| firstuserpagenumber | \firstuserpagenumber |
| fitfieldframed | \fitfieldframed [=] {} |
| fittopbaselinegrid | \fittopbaselinegrid {} |
| flag | \flag {} |
| | \floatuserdataparameter {} |
| floatuserdataparameter | |
| flushbox | \flushbox {} {} |
| flushboxregister | \flushboxregister |
| flushcollector | \flushcollector [] |
| flushedrightlastline | \flushedrightlastline |
| <u> </u> | |
| flushlayer | \flushlayer [] |
| flushlocalfloats | \flushlocalfloats |
| flushnextbox | \flushnextbox |
| flushnotes | \flushnotes |
| | |
| flushoutputstream | \flushoutputstream [] |
| flushshapebox | \flushshapebox |
| flushtextflow | \flushtextflow {} |
| flushtokens | \flushtokens [] |
| flushtoks | \flushtoks \ |
| | |
| fontalternative | \fontalternative |
| fontbody | \fontbody |
| fontchar | \fontchar {} |
| fontcharbyindex | \fontcharbyindex {} |
| fontclass | \fontclass |
| | |
| fontclassname | \fontclassname \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| fontface | \fontface |
| fontfeaturelist | \fontfeaturelist [] [] |
| fontsize | \fontsize |
| | |
| fontstyle | \fontstyle |
| forcecharacterstripping | \forcecharacterstripping |
| forcelocalfloats | \forcelocalfloats |
| forgeteverypar | \forgeteverypar |
| forgetparameters | \forgetparameters [] [=] |
| 5 1 | |
| forgetparskip | \forgetparskip |
| forgetragged | \forgetragged |
| formula | \formula [] {} |
| foundbox | \foundbox {} {} |
| | |
| fourthoffivearguments | \fourthoffivearguments \{\ldots\} \{\ldots\} \{\ldots\} \{\ldots\} \{\ldots\} |
| fourthoffourarguments | \fourthoffourarguments $\{\}$ $\{\}$ $\{\}$ |
| fourthofsixarguments | \fourthofsixarguments \{\ldots\} |
| frameddimension | \frameddimension {} |
| framedparameter | \framedparameter {} |
| - | • |
| frazione:instance | \FRACTION {} {} |
| frazione:instance:binom | \binom {} {} |
| frazione:instance:dbinom | \dbinom {} {} |
| frazione:instance:dfrac | \dfrac {} {} |
| frazione:instance:frac | \frac {} {} |
| | |
| frazione:instance:sfrac | \sfrac {} {} |
| frazione:instance:tbinom | \tbinom {} {} |
| frazione:instance:xfrac | \xfrac {} {} |
| frazione:instance:xxfrac | \xxfrac {} {} |
| | |
| freezedimenmacro | \freezedimenmacro \ \ |
| freezemeasure | \freezemeasure [] [] |
| frenchspacing | \frenchspacing |
| fromlinenote | \fromlinenote [] {} |
| frozenhbox | \frozenhbox {} |
| | |
| frule | \frule \relax |
| GetPar | \GetPar |
| GIORNOSETTIMANA | \GIORNOSETTIMANA {} |
| GotoPar | \GotoPar |
| | 10000 04 |

| Greeknumerals | \Greeknumerals {} |
|--|--|
| gdefconvertedargument | \gdefconvertedargument \ {} |
| gdefconvertedcommand | \gdefconvertedcommand \ \ |
| getboxfromcache | \getboxfromcache \{\ldots\} \{\ldots\} \ldots |
| getboxllx | \getboxllx |
| getboxlly | \getboxlly |
| getbufferdata | \getbufferdata [] |
| getcommacommandsize | \getcommacommandsize [] |
| getcommalistsize | \getcommalistsize [] |
| getdayoftheweek | \getdayoftheweek {} {} {} |
| getdayspermonth getdefinedbuffer | \getdayspermonth \{\ldots\} \{\ldots\} \getdefinedbuffer \[\ldots\] |
| | \getderinedburier [] \getdocumentargument {} |
| getdocumentargument getdocumentargumentdefault | \getdocumentargument \{\cdot\cdot\cdot\} \{\cdot\cdot\cdot\cdot\cdot\cdot\cdot\cdot |
| getdocumentfilename | \getdocumentalgamentaelault () \getdocumentfilename {} |
| getdummyparameters | \getdummyparameters [=] |
| getemptyparameters | \getemptyparameters [] [=] |
| geteparameters | \geteparameters [] [=] |
| getexpandedparameters | \getexpandedparameters [] [=] |
| getfiguredimensions | \getfiguredimensions [] [=] |
| getfirstcharacter | \getfirstcharacter {} |
| getfirsttwopassdata | \getfirsttwopassdata {} |
| getfromcommacommand | \getfromcommacommand [] [] |
| getfromcommalist | \getfromcommalist [] [] |
| getfromtwopassdata | \getfromtwopassdata {} {} |
| getglyphdirect | \getglyphdirect {} {} |
| getglyphstyled | \getglyphstyled {} {} |
| getgparameters | \getgparameters [] [=] |
| getinlineuserdata | \getinlineuserdata |
| getlasttwopassdata | \getlasttwopassdata {} |
| getlocalfloat | \getlocalfloat {} |
| getlocalfloats | \getlocalfloats |
| getMPdrawing | \getMPdrawing |
| getMPlayer | \getMPlayer [] [=] {} |
| getmessage | \getmessage {} {} |
| getnamedglyphdirect | |
| | |
| | \getnamedglyphdirect {} {} \getnamedglyphstvled {} {} |
| getnamedglyphstyled | \getnamedglyphstyled {} {} |
| getnamedglyphstyled getnamedtwopassdatalist | \getnamedglyphstyled {} {} \getnamedtwopassdatalist \ {} |
| getnamedglyphstyled getnamedtwopassdatalist getnaturaldimensions | \getnamedglyphstyled {} {} \getnamedtwopassdatalist \ {} \getnaturaldimensions |
| getnamedglyphstyled getnamedtwopassdatalist getnaturaldimensions getnoflines | <pre>\getnamedglyphstyled {} {} \getnamedtwopassdatalist \ {} \getnaturaldimensions \getnoflines {}</pre> |
| getnamedglyphstyled getnamedtwopassdatalist getnaturaldimensions | <pre>\getnamedglyphstyled {} {} \getnamedtwopassdatalist \ {} \getnaturaldimensions \getnoflines {} \getobject {} {}</pre> |
| getnamedglyphstyled getnamedtwopassdatalist getnaturaldimensions getnoflines getobject getobjectdimensions | <pre>\getnamedglyphstyled {} {} \getnamedtwopassdatalist \ {} \getnaturaldimensions \getnoflines {} \getobject {} {} \getobjectdimensions {} {}</pre> |
| getnamedglyphstyled getnamedtwopassdatalist getnaturaldimensions getnoflines getobject getobjectdimensions getpaletsize | <pre>\getnamedglyphstyled {} {} \getnamedtwopassdatalist \ {} \getnaturaldimensions \getnoflines {} \getobject {} {}</pre> |
| getnamedglyphstyled getnamedtwopassdatalist getnaturaldimensions getnoflines getobject getobjectdimensions getpaletsize getparameters | <pre>\getnamedglyphstyled {} {} \getnamedtwopassdatalist \ {} \getnaturaldimensions \getnoflines {} \getobject {} {} \getobjectdimensions {} {} \getpaletsize []</pre> |
| getnamedglyphstyled getnamedtwopassdatalist getnaturaldimensions getnoflines getobject getobjectdimensions getpaletsize getparameters getprivatechar | <pre>\getnamedglyphstyled {} {} \getnamedtwopassdatalist \ {} \getnaturaldimensions \getnoflines {} \getobject {} {} \getobjectdimensions {} {} \getpaletsize [] \getparameters [] [=]</pre> |
| getnamedglyphstyled getnamedtwopassdatalist getnaturaldimensions getnoflines getobject getobjectdimensions getpaletsize getparameters | <pre>\getnamedglyphstyled {} {} \getnamedtwopassdatalist \ {} \getnaturaldimensions \getnoflines {} \getobject {} {} \getobjectdimensions {} {} \getpaletsize [] \getparameters [] [=] \getprivatechar {}</pre> |
| getnamedglyphstyled getnamedtwopassdatalist getnaturaldimensions getnoflines getobject getobjectdimensions getpaletsize getparameters getprivatechar getprivateslot | <pre>\getnamedglyphstyled {} {} \getnamedtwopassdatalist \ {} \getnaturaldimensions \getnoflines {} \getobject {} {} \getobjectdimensions {} {} \getpaletsize [] \getparameters [] [=] \getprivatechar {} \getprivateslot {}</pre> |
| getnamedglyphstyled getnamedtwopassdatalist getnaturaldimensions getnoflines getobject getobjectdimensions getpaletsize getparameters getprivatechar getprivateslot getrandomcount | <pre>\getnamedglyphstyled {} {} \getnamedtwopassdatalist \ {} \getnaturaldimensions \getnoflines {} \getobject {} {} \getobjectdimensions {} {} \getpaletsize [] \getparameters [] [=] \getprivatechar {} \getprivateslot {} \getrandomcount \ {} {}</pre> |
| getnamedglyphstyled getnamedtwopassdatalist getnaturaldimensions getnoflines getobject getobjectdimensions getpaletsize getparameters getprivatechar getprivateslot getrandomcount getrandomdimen | <pre>\getnamedglyphstyled {} {} \getnamedtwopassdatalist \ {} \getnaturaldimensions \getnoflines {} \getobject {} {} \getobjectdimensions {} {} \getpaletsize [] \getparameters [] [=] \getprivatechar {} \getprivateslot {} \getrandomcount \ {} {} \getrandomdimen \ {} {}</pre> |
| getnamedglyphstyled getnamedtwopassdatalist getnaturaldimensions getnoflines getobject getobjectdimensions getpaletsize getparameters getprivatechar getprivateslot getrandomcount getrandomdimen getrandomfloat | <pre>\getnamedglyphstyled {} {} \getnamedtwopassdatalist \ {} \getnaturaldimensions \getnoflines {} \getobject {} {} \getobjectdimensions {} {} \getpaletsize [] \getparameters [] [=] \getprivatechar {} \getprivateslot {} \getrandomcount \ {} {} \getrandomdimen \ {} {} \getrandomfloat \ {} {}</pre> |
| getnamedglyphstyled getnamedtwopassdatalist getnaturaldimensions getnoflines getobject getobjectdimensions getpaletsize getparameters getprivatechar getprivateslot getrandomcount getrandomdimen getrandomfloat getrandomnumber | <pre>\getnamedglyphstyled {} {} \getnamedtwopassdatalist \ {} \getnaturaldimensions \getnoflines {} \getobject {} {} \getobjectdimensions {} {} \getpaletsize [] \getparameters [] [=] \getprivatechar {} \getprivateslot {} \getrandomcount \ {} {} \getrandomfloat \ {} {} \getrandomnumber \ {} {} \getrandomseed \</pre> |
| getnamedglyphstyled getnamedtwopassdatalist getnaturaldimensions getnoflines getobject getobjectdimensions getpaletsize getparameters getprivatechar getprivateslot getrandomcount getrandomdimen getrandomfloat getrandomseed | <pre>\getnamedglyphstyled {} {} \getnamedtwopassdatalist \ {} \getnaturaldimensions \getnoflines {} \getobject {} {} \getobjectdimensions {} {} \getpaletsize [] \getparameters [] [=] \getprivatechar {} \getprivateslot {} \getrandomcount \ {} {} \getrandomfloat \ {} {} \getrandomnumber \ {} {}</pre> |
| getnamedglyphstyled getnamedtwopassdatalist getnaturaldimensions getnoflines getobject getobjectdimensions getpaletsize getparameters getprivatechar getprivateslot getrandomcount getrandomdimen getrandomfloat getrandomnumber getrandomseed getraweparameters | <pre>\getnamedglyphstyled {} {} \getnamedtwopassdatalist \ {} \getnaturaldimensions \getnoflines {} \getobject {} {} \getobjectdimensions {} {} \getpaletsize [] \getparameters [] [=] \getprivatechar {} \getprivateslot {} \getrandomcount \ {} {} \getrandomfloat \ {} {} \getrandomnumber \ {} {} \getrandomseed \ \getraweparameters [] [=]</pre> |
| getnamedglyphstyled getnamedtwopassdatalist getnaturaldimensions getnoflines getobject getobjectdimensions getpaletsize getparameters getprivatechar getprivatechar getprivateslot getrandomcount getrandomfloat getrandomfloat getrandomseed getraweparameters getrawgparameters | <pre>\getnamedglyphstyled {} {} \getnamedtwopassdatalist \ {} \getnaturaldimensions \getnoflines {} \getobject {} {} \getobjectdimensions {} {} \getpaletsize [] \getparameters [] [=] \getprivatechar {} \getprivateslot {} \getrandomcount \ {} {} \getrandomfloat \ {} {} \getrandomnumber \ {} {} \getrandomseed \ \getraweparameters [] [=] \getrawgparameters [] [=]</pre> |
| getnamedglyphstyled getnamedtwopassdatalist getnaturaldimensions getnoflines getobject getobjectdimensions getpaletsize getparameters getprivatechar getprivateslot getrandomcount getrandomfloat getrandomfloat getrandomseed getraweparameters getrawparameters getrawparameters | <pre>\getnamedglyphstyled {} {} \getnamedtwopassdatalist \ {} \getnaturaldimensions \getnoflines {} \getobject {} {} \getobjectdimensions {} {} \getpaletsize [] \getparameters [] [=] \getprivatechar {} \getprivateslot {} \getrandomcount \ {} {} \getrandomfloat \ {} {} \getrandomnumber \ {} {} \getrandomseed \ \getraweparameters [] [=] \getrawgparameters [] [=] \getrawoparameters [] [=] \getrawnoflines {}</pre> |
| getnamedglyphstyled getnamedtwopassdatalist getnaturaldimensions getnoflines getobject getobjectdimensions getpaletsize getparameters getprivatechar getprivateslot getrandomcount getrandomfloat getrandomfloat getrandomseed getraweparameters getrawgparameters getrawnoflines | <pre>\getnamedglyphstyled {} {} \getnamedtwopassdatalist \ {} \getnaturaldimensions \getnoflines {} \getobject {} {} \getobjectdimensions {} {} \getpaletsize [] \getparameters [] [=] \getprivatechar {} \getprivateslot {} \getrandomcount \ {} {} \getrandomfloat \ {} {} \getrandomnumber \ {} {} \getrandomseed \ \getraweparameters [] [=] \getrawoflines {} \getrawoflines {} \getrawparameters [] [=]</pre> |
| getnamedglyphstyled getnamedtwopassdatalist getnaturaldimensions getnoflines getobject getobjectdimensions getpaletsize getparameters getprivatechar getprivateslot getrandomcount getrandomfloat getrandomfloat getrandomseed getraweparameters getrawgparameters getrawparameters getrawparameters getrawparameters getrawparameters getrawparameters | <pre>\getnamedglyphstyled {} {} \getnamedtwopassdatalist \ {} \getnaturaldimensions \getnoflines {} \getobject {} {} \getobjectdimensions {} {} \getpaletsize [] \getpaletsize [] \getparameters [] [=] \getprivatechar {} \getprivateslot {} \getrandomcount \ {} {} \getrandomfloat \ {} {} \getrandomseed \ \getraweparameters [] [=] \getrawoflines {} \getrawoflines {} \getrawparameters [] [=] \getrawparameters [] [=] \getrawparameters [] [=] \getrawparameters [] [=]</pre> |
| getnamedglyphstyled getnamedtwopassdatalist getnaturaldimensions getnoflines getobject getobjectdimensions getpaletsize getparameters getprivatechar getprivateslot getrandomcount getrandomfloat getrandomfloat getrandomseed getraweparameters getrawgparameters getrawparameters getrawparameters getrawparameters getrawparameters getrawparameters getrawxparameters getrawxparameters getreference | <pre>\getnamedglyphstyled {} {} \getnamedtwopassdatalist \ {} \getnaturaldimensions \getnoflines {} \getobject {} {} \getobjectdimensions {} {} \getpaletsize [] \getparameters [] [=] \getprivatechar {} \getprivateslot {} \getrandomcount \ {} {} \getrandomfloat \ {} {} \getrandomseed \ \getraweparameters [] [=] \getrawparameters [] [=]</pre> |
| getnamedglyphstyled getnamedtwopassdatalist getnaturaldimensions getnoflines getobject getobjectdimensions getpaletsize getparameters getprivatechar getprivatechar getrandomcount getrandomdimen getrandomfloat getrandomnumber getrandomseed getraweparameters getrawgparameters getrawyparameters getrawyparameters getrawyparameters getrawyparameters getrawyparameters getrawyparameters getreference getreferenceentry | <pre>\getnamedglyphstyled {} {} \getnamedtwopassdatalist \ {} \getnaturaldimensions \getnoflines {} \getobject {} {} \getobjectdimensions {} {} \getpaletsize [] \getpaletsize [] \getparameters [] [=] \getprivatechar {} \getprivateslot {} \getrandomcount \ {} {} \getrandomfloat \ {} {} \getrandomseed \ \getraweparameters [] [=] \getrawparameters [] [=] \getraference [] [=] \getreference [] [=] \getreference [] [=] \getreference [] [] \getraference [</pre> |
| getnamedglyphstyled getnamedtwopassdatalist getnaturaldimensions getnoflines getobject getobjectdimensions getpaletsize getparameters getprivatechar getprivatechar getrandomcount getrandomdimen getrandomfloat getrandomnumber getrandomseed getraweparameters getrawparameters getrawyparameters getrawyparameters getrawyparameters getrawyparameters getrawyparameters getrawyparameters getrawyparameters getrawyparameters getreference getreference getreferenceentry getroundednoflines | <pre>\getnamedglyphstyled {} {} \getnamedtwopassdatalist \ {} \getnaturaldimensions \getnoflines {} \getobject {} {} \getobjectdimensions {} {} \getpaletsize [] \getpaletsize [] \getparameters [] [=] \getprivatechar {} \getprivateslot {} \getrandomcount \ {} {} \getrandomfloat \ {} {} \getrandomseed \ \getraweparameters [] [=] \getrawparameters [] [=] \getraetrawparameters [] [=] \getraetraetraetraetraetraetraetraetraetra</pre> |
| getnamedglyphstyled getnamedtwopassdatalist getnaturaldimensions getnoflines getobject getobjectdimensions getpaletsize getparameters getprivatechar getprivateslot getrandomcount getrandomfloat getrandomsed getraweparameters getraweparameters getrawyparameters getrawyparameters getrawyparameters getrawyparameters getrawyparameters getrawparameters getrawparameters getrawparameters getreference getreference getreferences getsubstring gettokenlist gettwopassdata | <pre>\getnamedglyphstyled {} {} \getnamedtwopassdatalist \ {} \getnaturaldimensions \getnoflines {} \getobject {} {} \getobject dimensions {} {} \getpaletsize [] \getparameters [] [=] \getprivatechar {} \getprivateslot {} \getrandomcount \ {} {} \getrandomfloat \ {} {} \getrandomseed \ \getraweparameters [] [=] \getrawparameters [] [=] \getreference [] [=] \getreference [] [=] \getreference [] [] \getroundednoflines {} \getroundednoflines {} \getsubstring {} {} {} \</pre> |
| getnamedglyphstyled getnamedtwopassdatalist getnaturaldimensions getnoflines getobject getobjectdimensions getpaletsize getparameters getprivatechar getprivatechar getrandomcount getrandomfloat getrandomnumber getrandomseed getraweparameters getrawparameters getreference getreference getreferences getroundednoflines getsubstring gettokenlist | <pre>\getnamedglyphstyled {} {} \getnamedtwopassdatalist \ {} \getnaturaldimensions \getnoflines {} \getobject {} {} \getobjectdimensions {} {} \getpaletsize [] \getpaletsize [] \getparameters [] [=] \getprivatechar {} \getprivateslot {} \getrandomcount \ {} {} \getrandomfloat \ {} {} \getrandomseed \ \getraweparameters [] [=] \getrawparameters [] [=] \getreference [] [] \getreference [] [] \getroundednoflines {} \getroundednoflines {} \getsubstring {} {} {} \gettokenlist []</pre> |
| getnamedglyphstyled getnamedtwopassdatalist getnaturaldimensions getnoflines getobject getobjectdimensions getpaletsize getparameters getprivatechar getprivateslot getrandomcount getrandomfloat getrandomsed getraweparameters getraweparameters getrawyparameters getrawyparameters getrawyparameters getrawyparameters getrawyparameters getrawparameters getrawparameters getrawparameters getreference getreference getreferences getsubstring gettokenlist gettwopassdata | <pre>\getnamedglyphstyled {} {} \getnamedtwopassdatalist \ {} \getnaturaldimensions \getnoflines {} \getobject {} {} \getobjectdimensions {} {} \getpaletsize [] \getparameters [] [=] \getprivatechar {} \getprivateslot {} \getrandomcount \ {} {} \getrandomfloat \ {} {} \getrandomseed \ \getraweparameters [] [=] \getrawparameters [] [=] \getroundednoflines {} \getroundednoflines {} \getroundednoflines {} \getroundednoflines {} \getroundednoflines {} \getravparameters [] {} \getroundednoflines {} \getroundednoflines {} \getroundednoflines {} \getroundednoflines {} \getravparameters [] {} \getravparameters [] \getravparameters [] {} \getravparameters [] \getravparameters [] {} \getravparameters [] \getravpa</pre> |
| getnamedglyphstyled getnamedtwopassdatalist getnaturaldimensions getnoflines getobject getobjectdimensions getpaletsize getparameters getprivatechar getprivateslot getrandomcount getrandomfloat getrandomfloat getrandomseed getraweparameters getrawparameters getrawparameters getrawparameters getrawparameters getrawparameters getrawparameters getrawparameters getrawparameters getrawparameters getreference getreference getreferences getsubstring gettokenlist gettwopassdata gettwopassdatalist | <pre>\getnamedglyphstyled {} {} \getnamedtwopassdatalist \ {} \getnaturaldimensions \getnoflines {} \getobject {} {} \getobjectdimensions {} {} \getpaletsize [] \getpaletsize [] \getparameters [] [=] \getprivatechar {} \getprivateslot {} \getrandomcount \ {} {} \getrandomfloat \ {} {} \getrandomseed \ \getraweparameters [] [=] \getrawparameters [] [=] \getravparameters [] [=] \getroundednoflines {} \gettoundednoflines {} \gettoundednoflines {} \gettwopassdata {} \gettwopassdata {} \gettwopassdatalist {} \gettwopassdatalist {} \gettwopassdatalist {} \gettwopassdatalist {} \gettwopassdatalist {} \gettalequaters [] {} \gettwopassdatalist {} \gettalequaters [] {} \gett</pre> |
| getnamedglyphstyled getnamedtwopassdatalist getnaturaldimensions getnoflines getobject getobjectdimensions getpaletsize getparameters getprivatechar getprivateslot getrandomcount getrandomfloat getrandomfloat getrandomseed getraweparameters getrawparameters getrawparameters getrawparameters getrawparameters getrawparameters getrawparameters getrawparameters getreference getreference getreferences getsubstring gettokenlist gettwopassdata gettwopassdatalist getuserdata | <pre>\getnamedglyphstyled {} {} \getnamedtwopassdatalist \ {} \getnaturaldimensions \getnoflines {} \getobject {} {} \getobjectdimensions {} {} \getpaletsize [] \getparameters [] [=] \getprivatechar {} \getprivateslot {} \getrandomcount \ {} {} \getrandomfloat \ {} {} \getrandomseed \ \getraweparameters [] [=] \getrawparameters [] [=] \getroundednoflines {} \getroundednoflines {} \gettwopassdata {} \gettwopassdata {} \gettwopassdatalist {} \gettwopassdata</pre> |
| getnamedglyphstyled getnamedtwopassdatalist getnaturaldimensions getnoflines getobject getobjectdimensions getpaletsize getparameters getprivatechar getprivateslot getrandomcount getrandomfloat getrandomseed getraweparameters getraweparameters getrawyparameters getrawyparameters getrawparameters getrawparameters getrawparameters getrawparameters getrawparameters getreference getreferenceentry getroundednoflines getsubstring gettokenlist gettwopassdata gettwopassdatalist getuserdata getuvalue | <pre>\getnamedglyphstyled {} {} \getnamedtwopassdatalist \ {} \getnaturaldimensions \getnoflines {} \getobject {} {} \getobjectdimensions {} {} \getpaletsize [] \getpaletsize [] \getprivatechar {} \getprivateslot {} \getrandomcount \ {} {} \getrandomfloat \ {} {} \getrandomseed \ \getraweparameters [] [] \getrawparameters [] [] \getravparameters [] [] \getreference [] [] \getroundednoflines {} \getroundednoflines {} \gettwopassdata {} \gettwopassdata {} \gettwopassdatalist {} \getuserdata \getuvalue {} \end{arguments} \]</pre> |
| getnamedglyphstyled getnamedtwopassdatalist getnaturaldimensions getnoflines getobject getobjectdimensions getpaletsize getparameters getprivatechar getprivateslot getrandomcount getrandomdimen getrandomfloat getrandomseed getraweparameters getrawgparameters getrawyparameters getrawparameters getrawparameters getrawparameters getrawparameters getrawparameters getreference getreference getreference getreferences getsubstring gettokenlist gettwopassdata gettwopassdata getvalue | <pre>\getnamedglyphstyled {} {} \getnamedtwopassdatalist \ {} \getnaturaldimensions \getnoflines {} \getobject {} {} \getobjectdimensions {} {} \getpaletsize [] \getparameters [] [=] \getprivatechar {} \getprivateslot {} \getrandomcount \ {} {} \getrandomfloat \ {} {} \getrandomseed \ \getraweparameters [] [=] \getrawparameters [] {} \getroundednoflines {} \getroundednoflines {} \gettwopassdata {} \gettwopassdatalist {} \gettwopassdatalist {} \getuserdata \getuvalue {} \getvariable {} {} \getvariable {</pre> |
| getnamedglyphstyled getnamedtwopassdatalist getnaturaldimensions getnoflines getobject getobjectdimensions getpaletsize getparameters getprivatechar getprivateslot getrandomcount getrandomdimen getrandomfloat getrandomseed getrawaparameters getrawsparameters getrawyparameters getrawyparameters getrawpoflines getrawparameters getreference getreference getreference getreferenceantry getroundednoflines getsubstring gettokenlist gettwopassdata gettwopassdata gettwopassdatalist getuserdata getvalue getvalue | <pre>\getnamedglyphstyled {} {} \getnamedtwopassdatalist \ {} \getnaturaldimensions \getnoflines {} \getobject {} {} \getobjectdimensions {} {} \getpaletsize [] \getpaletsize [] \getparameters [] [=] \getprivatechar {} \getprivateslot {} \getrandomcount \ {} {} \getrandomfloat \ {} {} \getrandomseed \ \getraweparameters [] [=] \getrawparameters [] [=] \getravparameters [] [=] \getravparameters [] [=] \getravparameters [] [=] \getravparameters [] [=] \getroundednoflines {} \getroundednoflines {} \getroundednoflines {} \gettwopassdata {} \gettwopassdatalist {} \gettwopassdatalist {} \gettwopassdatalist {} \getuserdata \getuvalue {} \getvariable {} {} \getvariabledefault {} \getvariabledefault {} \getvar</pre> |
| getnamedglyphstyled getnamedtwopassdatalist getnaturaldimensions getnoflines getobject getobjectdimensions getpaletsize getparameters getprivatechar getprivateslot getrandomcount getrandomfloat getrandomfloat getrandomseed getrawparameters getrawparameters getrawyparameters getrawyparameters getrawyparameters getrawyparameters getrawyparameters getrawxparameters getreference getreference getreference getrefevalue getvalue getvalue getvariable getvariabledefault | <pre>\getnamedglyphstyled {} {} \getnamedtwopassdatalist \ {} \getnaturaldimensions \getnoflines {} \getobject {} {} \getobjectdimensions {} {} \getpaletsize [] \getpaletsize [] \getparameters [] [] \getprivatechar {} \getprivateslot {} \getrandomcount \ {} {} \getrandomfloat \ {} {} \getrandomseed \ \getraweparameters [] [] \getrawparameters [] [] \getravparameters [] [] \getravparameters [] {} \getroundednoflines {} \getroundednoflines {} \getroundednoflines {} \gettwopassdata {} \gettwopassdata {} \gettwopassdatalist {} \gettwopassdata \getuvalue {} \getvariable {} {} \getvariable {} {} \getvariabledefault {} \getvariabledefault {} {} \getvariabledefault {} \getvariabledefault {} \getvariabledefault {} \getvariabledefault {} \getvariabledefault {.</pre> |
| getnamedglyphstyled getnamedtwopassdatalist getnaturaldimensions getnoflines getobject getobjectdimensions getpaletsize getparameters getprivatechar getprivateslot getrandomcount getrandomdimen getrandomfloat getrandomseed getraweparameters getrawparameters getrawparameters getrawparameters getrawpoflines getrawparameters getrawparameters getreference getreference getreference getreferenceantry getroundednoflines getsubstring gettokenlist gettwopassdata gettwopassdata gettwopassdatalist getuserdata getvalue getvalue getvariable getvariabledefault getxparameters | <pre>\getnamedglyphstyled {} {} \getnamedtwopassdatalist \ {} \getnaturaldimensions \getnoflines {} \getobject {} {} \getobjectdimensions {} {} \getpaletsize [] \getpaletsize [] \getparameters [] [] \getprivatechar {} \getprivateslot {} \getrandomcount \ {} {} \getrandomfloat \ {} {} \getrandomseed \ \getraweparameters [] [] \getrawparameters [] [] \getravparameters [] [] \getravparameters [] {} \getroundednoflines {} \getroundednoflines {} \getroundednoflines {} \gettwopassdata {} \gettwopassdatalist {} \gettwopassdata \getuvalue {} \getvariable {} {} \getvariable {} {} \getvariabledefault {} \getvariabledefault {} \getvariabledefault {}</pre> |
| getnamedglyphstyled getnamedtwopassdatalist getnaturaldimensions getnoflines getobject getobjectdimensions getpaletsize getparameters getprivatechar getprivatechar getprivateslot getrandomcount getrandomdimen getrandomfloat getrandomseed getraweparameters getrawparameters getrawparameters getrawparameters getrawparameters getrawparameters getrawparameters getrawparameters getreference getreference getreference getreferenceantry getroundednoflines getsubstring gettokenlist gettwopassdata gettwopassdata gettwopassdatalist getuserdata getvalue getvalue getvariable getvariable getvariabledefault getxparameters giornosettimana | <pre>\getnamedglyphstyled {} {} \getnamedtwopassdatalist \ {} \getnaturaldimensions \getnoflines {} \getobject {} {} \getobject dimensions {} {} \getpaletsize [] \getpaletsize [] \getparameters [] [] \getprivatechar {} \getprivateslot {} \getrandomcount \ {} {} \getrandomfloat \ {} {} \getrandomseed \ \getraweparameters [] [] \getraweparameters [] [] \getrawparameters [] [] \getravparameters [] [] \getravparameters [] {} \getroundednoflines {} \getroundednoflines {} \gettwopassdata {} \gettwopassdatalist {} \gettwopassdatalist {} \gettwopassdatalist {} \gettvalue {} \getvariable {} {} \getvariable {} {} \getvariabledefault {} \getvariabledefaul</pre> |

| globalletempty | \globalletempty \ |
|---|--|
| globalpopbox | \globalpopbox |
| globalpopmacro | \globalpopmacro \ |
| globalpreventmode | \globalpreventmode [] |
| globalprocesscommalist | \globalprocesscommalist [] \ |
| globalpushbox | \globalpushbox |
| globalpushmacro | \globalpushmacro \ |
| globalpushreferenceprefix | \globalpushreferenceprefix {} \globalpopreferenceprefix |
| globalswapcounts | \globalswapcounts \ \ |
| globalswapdimens | \globalswapdimens \ \ |
| globalswapmacros | \globalswapmacros \ \ |
| globalundefine | \globalundefine {} |
| glyphfontfile | \glyphfontfile {} |
| gobbledoubleempty | \gobbledoubleempty [] [] |
| gobbleeightarguments | \gobbleeightarguments {} {} {} {} {} {} {} |
| gobblefivearguments | \gobblefivearguments {} {} {} {} |
| gobblefiveoptionals | \gobblefiveoptionals [] [] [] [] |
| gobblefourarguments | \gobblefourarguments {} {} {} |
| gobblefouroptionals | \gobblefouroptionals [] [] [] |
| gobbleninearguments | \gobblerionarguments \{\dots\} \{\do |
| 9 | \gobbleonearguments \ldots \ld |
| gobbleoneargument | |
| gobbleoneoptional | \gobbleoneoptional [] |
| gobblesevenarguments | \gobblesevenarguments {} {} {} {} {} {} |
| gobblesingleempty | \gobblesingleempty [] |
| gobblesixarguments | \gobblesixarguments \{\dots\} \{\dots\} \{\dots\} \{\dots\} \{\dots\} |
| gobblespacetokens | \gobblespacetokens |
| gobbletenarguments | \gobbletenarguments \{\ldots\} \{ |
| gobblethreearguments | \gobblethreearguments {} {} |
| gobblethreeoptionals | \gobblethreeoptionals [] [] |
| gobbletwoarguments | \gobbletwoarguments {} {} |
| gobbletwooptionals | \gobbletwooptionals [] [] |
| gobbleuntil | \gobbleuntil \ |
| gobbleuntilrelax | \gobbleuntilrelax \relax |
| grabbufferdata | \grabbufferdata [] [] [] |
| grabbufferdatadirect | \grabbufferdatadirect {} {} {} |
| grabuntil | \grabuntil {} \ |
| grafiamanuale | \grafiamanuale |
| grande | \grande |
| grassetto | \grassetto |
| grassettocorsivo | \grassettocorsivo |
| grassettoinclinato | \grassettoinclinato |
| 5 | \grave {} |
| grave | . The second of the second |
| grayvalue | \grayvalue {} |
| greedysplitstring | \greedysplitstring \at \to \ \and \ |
| greeknumerals | \greeknumerals {} |
| griglia | \griglia [=] |
| grossofontdeltesto | \grossofontdeltesto |
| groupedcommand | \groupedcommand {} {} |
| gsetboxllx | \gsetboxllx {} |
| gsetboxlly | \gsetboxlly {} |
| gujaratinumerals | \gujaratinumerals {} |
| gurmurkhinumerals | \gurmurkhinumerals {} |
| hairspace | \hairspace |
| halflinestrut | \halflinestrut |
| halfstrut | \halfstrut |
| halfwaybox | \halfwaybox {} |
| handletokens | \handletokens \with \ |
| hash | \hash |
| hat | \hat {} |
| hboxofvbox | \hboxofybox |
| hboxreference | \hboxreference [] {} |
| hbox:example | \hboxBOX {} |
| hdofstring | \hdofstring {} |
| headhbox | \headhbox {} |
| headnumbercontent | \headnumbercontent |
| headnumbercontent headnumberdistance | \headnumbercontent \headnumberdistance |
| | |
| headnumberwidth | \headnumberwidth |
| headreferenceattributes | \headreferenceattributes |
| headsetupspacing | \headsetupspacing |
| headtextcontent | \headtextcontent |
| headtextdistance | \headtextdistance |

 \headtextwidth

 ${\tt headtextwidth}$

| headvbox | \headvbox {} |
|---|---|
| headwidth | \headwidth |
| heightanddepthofstring | \heightanddepthofstring {} |
| heightofstring | \heightofstring {} |
| heightspanningtext | \heightspanningtext $\{\}$ $\{\}$ |
| help:instance | \HELP [] {} |
| help:instance:helptext | \helptext [] {} {} |
| hglue | \hglue |
| hiddencitation | \hiddencitation [] |
| hiddencite | \hiddencite [] |
| highlight | \highlight [] {} |
| highlight:example | \HIGHLIGHT {} |
| highordinalstr | \highordinalstr {} |
| hilo | \hilo [] {} |
| himilo | \himilo {} {} {} |
| hl | \hl [] |
| horizontalgrowingbar | \horizontalgrowingbar [=] |
| horizontalpositionbar | \horizontalpositionbar [=] |
| hpackbox | \hpackbox |
| hpackedbox | \hpackedbox |
| hphantom | \hphantom {} |
| hpos | \hpos {} {} |
| hsizefraction | \hsizefraction {} {} |
| hsmash | \hsmash {} |
| hsmashbox | \hsmashbox |
| hsmashed | \hsmashed {} |
| hspace | \hspace [] |
| htdpofstring | \htdpofstring {} |
| htofstring | \htofstring {} |
| • | \hyphen |
| hyphen hyphenatedcoloredword | \hyphenatedcoloredword {} |
| • • | · - |
| hyphenatedfile | \hyphenatedfile \{\ldots\} \hyphenatedfilename \{\ldots\} |
| hyphenatedfilename | ¥ - |
| hyphenatedhbox | \hyphenatedhbox {} |
| hyphenatedpar | \hyphenatedpar {} |
| hyphenatedurl | \hyphenatedurl {} \hyphenatedword {} |
| hyphenatedword | Inyphenatedword () |
| TNDCTEV | |
| INRSTEX | \INRSTEX |
| ibox | \INRSTEX \ibox {} |
| ibox ifassignment | \INRSTEX \ibox {} \ifassignment \else \fi |
| ibox ifassignment iff | \INRSTEX \ibox {} \ifassignment \else \fi \iff |
| <pre>ibox ifassignment iff ifinobject</pre> | \INRSTEX \ibox {} \ifassignment \else \fi \iff \ifinobject \else \fi |
| <pre>ibox ifassignment iff ifinobject ifinoutputstream</pre> | \INRSTEX \ibox {} \ifassignment \else \fi \iff \ifinobject \else \fi \ifinoutputstream \else \fi |
| ibox ifassignment iff ifinobject ifinoutputstream ifparameters | <pre>\INRSTEX \ibox {} \ifassignment \else \fi \iff \ifinobject \else \fi \ifinoutputstream \else \fi \ifparameters \else \fi</pre> |
| ibox ifassignment iff ifinobject ifinoutputstream ifparameters iftrialtypesetting | <pre>\INRSTEX \ibox {} \ifassignment \else \fi \iff \ifinobject \else \fi \ifinoutputstream \else \fi \ifparameters \else \fi \iftrialtypesetting \else \fi</pre> |
| ibox ifassignment iff ifinobject ifinoutputstream ifparameters iftrialtypesetting ignoreimplicitspaces | \INRSTEX \ibox {} \ifassignment \else \fi \iff \ifinobject \else \fi \ifinoutputstream \else \fi \ifparameters \else \fi \iftrialtypesetting \else \fi \ignoreimplicitspaces |
| ibox ifassignment iff ifinobject ifinoutputstream ifparameters iftrialtypesetting ignoreimplicitspaces ignoretagsinexport | <pre>\INRSTEX \ibox {} \ifassignment \else \fi \iff \ifinobject \else \fi \ifinoutputstream \else \fi \ifparameters \else \fi \iftrialtypesetting \else \fi \ignoreimplicitspaces \ignoretagsinexport []</pre> |
| ibox ifassignment iff ifinobject ifinoutputstream ifparameters iftrialtypesetting ignoreimplicitspaces ignoretagsinexport ignorevalue | <pre>\INRSTEX \ibox {} \ifassignment \else \fi \iff \ifinobject \else \fi \ifinoutputstream \else \fi \ifparameters \else \fi \iftrialtypesetting \else \fi \ignoreimplicitspaces \ignoretagsinexport [] \ignorevalue {}</pre> |
| ibox ifassignment iff ifinobject ifinoutputstream ifparameters iftrialtypesetting ignoreimplicitspaces ignoretagsinexport ignorevalue ignoto | <pre>\INRSTEX \ibox {} \ifassignment \else \fi \iff \ifinobject \else \fi \ifinoutputstream \else \fi \ifparameters \else \fi \iftrialtypesetting \else \fi \ignoreimplicitspaces \ignoretagsinexport [] \ignorevalue {} \ignoto</pre> |
| ibox ifassignment iff ifinobject ifinoutputstream ifparameters iftrialtypesetting ignoreimplicitspaces ignoretagsinexport ignorevalue ignoto immediatesavetwopassdata | <pre>\INRSTEX \ibox {} \ifassignment \else \fi \iff \ifinobject \else \fi \ifinoutputstream \else \fi \ifparameters \else \fi \iftrialtypesetting \else \fi \ignoreimplicitspaces \ignoretagsinexport [] \ignorevalue {} \ignoto \immediatesavetwopassdata {} {} {}</pre> |
| ibox ifassignment iff ifinobject ifinoutputstream ifparameters iftrialtypesetting ignoreimplicitspaces ignoretagsinexport ignorevalue ignoto immediatesavetwopassdata impliedby | <pre>\INRSTEX \ibox {} \ifassignment \else \fi \iff \ifinobject \else \fi \ifinoutputstream \else \fi \ifparameters \else \fi \iftrialtypesetting \else \fi \ignoreimplicitspaces \ignoretagsinexport [] \ignorevalue {} \ignoto \immediatesavetwopassdata {} {} {} \impliedby</pre> |
| ibox ifassignment iff ifinobject ifinoutputstream ifparameters iftrialtypesetting ignoreimplicitspaces ignoretagsinexport ignorevalue ignoto immediatesavetwopassdata impliedby implies | <pre>\INRSTEX \ibox {} \ifassignment \else \fi \iff \ifinobject \else \fi \ifinoutputstream \else \fi \ifparameters \else \fi \ifparameters \else \fi \ifprialtypesetting \else \fi \ignoreimplicitspaces \ignoretagsinexport [] \ignorevalue {} \ignoto \immediatesavetwopassdata {} {} {} \impliedby \implies</pre> |
| ibox ifassignment iff ifinobject ifinoutputstream ifparameters iftrialtypesetting ignoreimplicitspaces ignoretagsinexport ignorevalue ignoto immediatesavetwopassdata impliedby implies imposta | <pre>\INRSTEX \ibox {} \ifassignment \else \fi \iff \ifinobject \else \fi \ifinoutputstream \else \fi \ifparameters \else \fi \ifparameters \else \fi \ifparameters else \fi \ignoreimplicitspaces \ignoretagsinexport [] \ignorevalue {} \ignoto \immediatesavetwopassdata {} {} {} \impliedby \implies \imposta []</pre> |
| ibox ifassignment iff ifinobject ifinoutputstream ifparameters iftrialtypesetting ignoreimplicitspaces ignoretagsinexport ignorevalue ignoto immediatesavetwopassdata impliedby implies imposta impostaallineamento | <pre>\INRSTEX \ibox {} \ifassignment \else \fi \iff \ifinobject \else \fi \ifinoutputstream \else \fi \ifparameters \else \fi \ifparameters \else \fi \ifparameters \else \fi \ignoreimplicitspaces \ignoretagsinexport [] \ignorevalue {} \ignoto \immediatesavetwopassdata {} {} {} \impliedby \implies \imposta [] \impostaallineamento []</pre> |
| ibox ifassignment iff ifinobject ifinoutputstream ifparameters iftrialtypesetting ignoreimplicitspaces ignoretagsinexport ignorevalue ignoto immediatesavetwopassdata impliedby implies imposta impostaallineamento impostaampiezzariga | <pre>\INRSTEX \ibox {} \ifassignment \else \fi \iff \ifinobject \else \fi \ifinoutputstream \else \fi \ifiparameters \else \fi \ifiparameters \else \fi \iftrialtypesetting \else \fi \ignoreimplicitspaces \ignoretagsinexport [] \ignorevalue {} \ignoto \immediatesavetwopassdata {} {} {} \impliedby \implies \imposta [] \impostaallineamento [] \impostaallineamento [] \impostaampiezzariga []</pre> |
| ibox ifassignment iff ifinobject ifinoutputstream ifparameters iftrialtypesetting ignoreimplicitspaces ignoretagsinexport ignorevalue ignoto immediatesavetwopassdata impliedby implies imposta impostaallineamento impostaampiezzariga impostabarrainterazione | <pre>\INRSTEX \ibox {} \ifassignment \else \fi \iff \ifinobject \else \fi \ifinoutputstream \else \fi \ifparameters \else \fi \ifparameters \else \fi \ifparameters \else \fi \ignoreimplicitspaces \ignoretagsinexport [] \ignorevalue {} \ignoto \immediatesavetwopassdata {} {} {} \impliedby \implies \imposta [] \impostaallineamento [] \impostaampiezzariga [] \impostabarrainterazione [] [=]</pre> |
| ibox ifassignment iff ifinobject ifinoutputstream ifparameters iftrialtypesetting ignoreimplicitspaces ignoretagsinexport ignorevalue ignoto immediatesavetwopassdata impliedby implies imposta impostaallineamento impostaampiezzariga impostabarrainterazione impostablocco | \INRSTEX \ibox {} \ifassignment \else \fi \iff \ifinobject \else \fi \ifinoutputstream \else \fi \ifiparameters \else \fi \ifiparameters \else \fi \ifiparameters \else \fi \ignoreimplicitspaces \ignoretagsinexport [] \ignorevalue {} \ignorevalue {} \impostaupiedby \implies \imposta [] \impostaallineamento [] \impostaallineamento [] \impostabarrainterazione [] [=] \impostablocco [] [=] |
| ibox ifassignment iff ifinobject ifinoutputstream ifparameters iftrialtypesetting ignoreimplicitspaces ignoretagsinexport ignorevalue ignoto immediatesavetwopassdata impliedby implies imposta impostaallineamento impostaampiezzariga impostablocco impostablocco impostabloccosezione | \INRSTEX \ibox {} \ifassignment \else \fi \iff \ifinobject \else \fi \ifinoutputstream \else \fi \ifiparameters \else \fi \ifiparameters \else \fi \ifiparameters \else \fi \ignoreimplicitspaces \ignoretagsinexport [] \ignorevalue {} \ignoto \immediatesavetwopassdata {} {} {} \impliedby \implies \imposta [] \impostaallineamento [] \impostabarrainterazione [] [=] \impostablocco [] [=] \impostabloccosezione [] [=] |
| ibox ifassignment iff ifinobject ifinoutputstream ifparameters iftrialtypesetting ignoreimplicitspaces ignoretagsinexport ignorevalue ignoto immediatesavetwopassdata impliedby implies imposta impostaallineamento impostaampiezzariga impostabarrainterazione impostablocco impostabuffer | \INRSTEX \ibox {} \ifassignment \else \fi \iff \ifinobject \else \fi \ifinoutputstream \else \fi \ifiparameters \else \fi \ifiparameters \else \fi \ifiparameters \else \fi \ignoreimplicitspaces \ignoretagsinexport [] \ignorevalue {} \ignoto \immediatesavetwopassdata {} {} {} \impliedby \implies \imposta [] \impostaallineamento [] \impostabarrainterazione [] [=] \impostablocco [] [=] \impostabloccosezione [] [=] |
| ibox ifassignment iff ifinobject ifinoutputstream ifparameters iftrialtypesetting ignoreimplicitspaces ignoretagsinexport ignorevalue ignoto immediatesavetwopassdata impliedby implies imposta impostaallineamento impostaampiezzariga impostabarrainterazione impostablocco impostabuffer impostacampi | \INRSTEX \ibox {} \ifassignment \else \fi \iff \iff \ifinobject \else \fi \ifinoutputstream \else \fi \ifparameters \else \fi \ifparameters \else \fi \ignoreimplicitspaces \ignoretagsinexport [] \ignorevalue {} \ignoto \immediatesavetwopassdata {} {} {} \impliedby \implies \imposta [] \impostaallineamento [] \impostabarrainterazione [] [=] \impostablocco [] [=] \impostabuffer [] [=] \impostabuffer [] [=] [=] |
| ibox ifassignment iff ifinobject ifinoutputstream ifparameters iftrialtypesetting ignoreimplicitspaces ignoretagsinexport ignorevalue ignoto immediatesavetwopassdata impliedby implies imposta impostaallineamento impostaampiezzariga impostabarrainterazione impostablocco impostabuffer impostacampi impostacampo | \INRSTEX \ibox {} \ifassignment \else \fi \iff \ifinobject \else \fi \ifinoutputstream \else \fi \ifiparameters \else \fi \ifiparameters \else \fi \ifiparameters \else \fi \ignoreimplicitspaces \ignoretagsinexport [] \ignorevalue {} \ignoto \immediatesavetwopassdata {} {} {} \impliedby \implies \imposta [] \impostaallineamento [] \impostabarrainterazione [] [=] \impostablocco [] [=] \impostabuffer [] [=] \impostabuffer [] [=] \impostacampi [] [=] [=] \impostacampo [] [=] [=] |
| ibox ifassignment iff ifinobject ifinoutputstream ifparameters iftrialtypesetting ignoreimplicitspaces ignoretagsinexport ignorevalue ignoto immediatesavetwopassdata impliedby implies imposta impostaallineamento impostabarrainterazione impostablocco impostabuffer impostacampi impostacampo impostacampo impostacapoversi | \INRSTEX \ibox {} \ifassignment \else \fi \iff \ifinobject \else \fi \ifinoutputstream \else \fi \ifinoreimplicitspaces \ignoreimplicitspaces \ignorevalue {} \ignorevalue {} \ignorevalue {} \importo \importo \impoliedby \impliedby \impliedby \implies \impostallineamento [] \impostabloctallineamento [] \impostabarrainterazione [] [=] \impostabloccosezione [] [=] \impostabloccosezione [] [=] \impostabuffer [] [=] [=] \impostacampo [] [=] [=] [=] \impostacampostacapoversi [] [=] [=] |
| ibox ifassignment iff ifinobject ifinoutputstream ifparameters iftrialtypesetting ignoreimplicitspaces ignoretagsinexport ignorevalue ignoto immediatesavetwopassdata impliedby implies imposta impostaallineamento impostaampiezzariga impostabarrainterazione impostablocco impostabuffer impostacampo impostacampo impostacapoversi impostacapoversi:assignment | \INRSTEX \ibox {} \ifassignment \else \fi \iff \ifinobject \else \fi \ifinoutputstream \else \fi \ifinoutputstream \else \fi \ifiparameters \fiparameters |
| ibox ifassignment iff ifinobject ifinoutputstream ifparameters iftrialtypesetting ignoreimplicitspaces ignoretagsinexport ignorevalue ignoto immediatesavetwopassdata impliedby implies imposta impostaallineamento impostabarrainterazione impostablocco impostabuffer impostacampi impostacampo impostacapoversi impostacapoversi:assignment impostacaption | \INRSTEX \ibox {} \ifassignment \else \fi \iff \ifinobject \else \fi \ifinoutputstream \else \fi \ifinoutputstream \else \fi \ifiparameters \fiparameters \fiparameter |
| ifassignment iff ifinobject ifinoutputstream ifparameters iftrialtypesetting ignoreimplicitspaces ignoretagsinexport ignorevalue ignoto immediatesavetwopassdata impliedby implies imposta impostaallineamento impostabarrainterazione impostablocco impostabuffer impostacampi impostacampo impostacapoversi impostacapoversi impostacaption impostacaptions | <pre>\INRSTEX \ibox {} \ifassignment \else \fi \iff \ifinobject \else \fi \ifinoutputstream \else \fi \ifinoutputstream \else \fi \ifinoutputstream \else \fi \ifiparameters \else \fi \ifiposta \frac{1}{1} \text{ \text{ \text{impostabuffer [] [=] [=] [=] } \ifipaposta \text{impostacampo [] [=] [=] [=] \ifipapostacapoversi [] [=] \ifipapostacapoversi [] [=] \ifipapostacaption [] [=] \ifipapostacaptions [] [=] \ifipapostacaptions [] [=]</pre> |
| ifassignment iff ifinobject ifinoutputstream ifparameters iftrialtypesetting ignoreimplicitspaces ignoretagsinexport ignorevalue ignoto immediatesavetwopassdata impliedby implies imposta impostaallineamento impostabarrainterazione impostablocco impostabuffer impostacampi impostacampo impostacapoversi impostacapoversi impostacaptions impostacaptions impostacaptions impostacaptions impostacaptions impostacapina | \INRSTEX \ibox {} \ifassignment \else \fi \iff \ifinobject \else \fi \ifinoutputstream \else \fi \ifinoutputstream \else \fi \ifinoutputstream \else \fi \ifiparameters \else \fi \ifiposta \frac{1}{1} \text{ \text |
| ibox ifassignment iff ifinobject ifinoutputstream ifparameters iftrialtypesetting ignoreimplicitspaces ignoretagsinexport ignorevalue ignoto immediatesavetwopassdata impliedby implies imposta impostaallineamento impostabarrainterazione impostablocco impostabloccoezione impostacampi impostacampo impostacapoversi impostacapoversi impostacaption impostacaption impostacapin impostacaption impostacaptions impostacaima impostaclippling | \INRSTEX \ibox {} \ifassignment \else \fi \iff \ifinobject \else \fi \ifinoutputstream \else \fi \ifinoutputstream \else \fi \ifiparameters \fi \ifiparameters \else \fi \ifiparameters \fi \ifiparameters \else \fi \ifiparameters \fiparameters \fiparameter |
| ifassignment iff ifinobject ifinoutputstream ifparameters iftrialtypesetting ignoreimplicitspaces ignoretagsinexport ignorevalue ignoto immediatesavetwopassdata impliedby implies imposta impostaallineamento impostabarrainterazione impostablocco impostabuffer impostacampi impostacampo impostacapoversi impostacapoversi impostacaptions impostacaptions impostacaptions impostacaptions impostacaptions impostacapina | \INRSTEX \ibox {} \ifassignment \else \fi \iff \iff \ifinobject \else \fi \ifinoutputstream \else \fi \ifinoutputstream \else \fi \ifiparameters \else \fi \iftrialtypesetting \else \fi \ignoreimplicitspaces \ignoretagsinexport [] \ignorevalue {} \ignoto \immediatesavetwopassdata {} {} {} \impliedby \implies \imposta [] \impostaallineamento [] \impostabostabocco [] [] \impostabostabocco [] [] \impostabostabocco [] [] \impostabostabotfer [] [] \impostacampi [] [] \impostacampo [] [] [] \impostacapoversi [] [] \impostacapotensi [] [] \impostacapotensi [] [] \impostacaptions [] [] \impostacipostacaptions [] [] \impostacotonne [] [] \impostacotonne [] [] \impostacolonne [] |
| ibox ifassignment iff ifinobject ifinoutputstream ifparameters iftrialtypesetting ignoreimplicitspaces ignoretagsinexport ignorevalue ignoto immediatesavetwopassdata impliedby implies imposta impostaallineamento impostaabrainterazione impostablocco impostabloccosezione impostacampi impostacampo impostacampo impostacapversi:assignment impostacaption impostaccima impostaclippling impostacolone impostacolore | \INRSTEX \ibox {} \ifassignment \else \fi \iff \iff \ifinobject \else \fi \ifinoutputstream \else \fi \ifiparameters \fiparameters \fipar |
| ibox ifassignment iff ifinobject ifinoutputstream ifparameters iftrialtypesetting ignoreimplicitspaces ignoretagsinexport ignorevalue ignoto immediatesavetwopassdata impliedby implies imposta impostaallineamento impostabarrainterazione impostablocco impostabloccosezione impostacampi impostacampo impostacapoversi impostacapoversi impostacaption impostacaptions impostacima impostaclippling impostacolonne | \INRSTEX \ibox {} \ifassignment \else \fi \iff \iff \ifinobject \else \fi \ifinoutputstream \else \fi \ifinoutputstream \else \fi \ifparameters \else \fi \iffinoutputstream \else \fi \iffinoutputstream \else \fi \iffinoreimplicitspaces \ignoretagsinexport [] \ignorevalue {} \ignorevalue {} \imposta \imposta [] \impostapliedby \impliedby \impliedby \impliedby \imposta [] \impostabloctallineamento [] \impostabloctallineamento [] [=] \impostabloctallineamento [] [=] \impostabloctocoezione [] [=] \impostabloccosezione [] [=] \impostacampostacampo [] [=] [=] \impostacampostacampo [] [=] [=] \impostacapotersi [] [=] \impostacapotersi [] [=] \impostacaptions [] [=] \impostacotone [] \impostacolone [] \impostacolone [] \impostacolone [] \impostacolore [] \impostacolore [] \impostacolore [] \impostacolore [] \impostacolore [] \impostacolore [] |
| ibox ifassignment iff ifinobject ifinoutputstream ifparameters iftrialtypesetting ignoreimplicitspaces ignoretagsinexport ignorevalue ignoto immediatesavetwopassdata impliedby implies imposta impostaallineamento impostabarrainterazione impostablocco impostabloccosezione impostacampi impostacampo impostacapoversi impostacaption impostacaptions impostacima impostacina impostacina impostacina impostacolore impostacolore impostacolori impostaccommento | \int \int \lambda \{\} \ifassignment \else \fi \iff \iff \ifinobject \else \fi \ifinoutputstream \else \fi \ifinoutputstream \else \fi \ifparameters \else \fi \iftrialtypesetting \else \fi \ignoreimplicitspaces \ignoretagsinexport [] \ignorevalue \{\} \ignoto \immediatesavetwopassdata \{\} \{\} \{\} \imposta \imposta [] \impostadlineamento [] \impostadampiezzariga [] \impostaburstablocco [] [=] \impostaburstabloccosezione [] [=] \impostaburstacampi [] [=] [=] \impostacampo [] [=] [=] \impostacapoversi [] [=] [=] \impostacapotons [] [=] \impostacaptions [] [=] \impostaccimpostacolone [] \impostacolone [] \impostacolone [] \impostacolore [] |
| ibox ifassignment iff ifinobject ifinoutputstream ifparameters iftrialtypesetting ignoreimplicitspaces ignoretagsinexport ignorevalue ignoto immediatesavetwopassdata impliedby implies imposta impostaallineamento impostaampiezzariga impostabarrainterazione impostablocco impostabloccosezione impostacampi impostacampo impostacampo impostacapoversi impostacapoversi impostacaption impostacaptions impostacima impostaclippling impostacolore impostacolori | \INRSTEX \ibox {} \ifassignment \else \fi \iff \iff \ifinobject \else \fi \ifinoutputstream \else \fi \ifinoutputstream \else \fi \ifparameters \else \fi \iffinoutputstream \else \fi \iffinoutputstream \else \fi \iffinoreimplicitspaces \ignoretagsinexport [] \ignorevalue {} \ignorevalue {} \imposta \imposta [] \impostapliedby \impliedby \impliedby \impliedby \imposta [] \impostabloctallineamento [] \impostabloctallineamento [] [=] \impostabloctallineamento [] [=] \impostabloctocoezione [] [=] \impostabloccosezione [] [=] \impostacampostacampo [] [=] [=] \impostacampostacampo [] [=] [=] \impostacapotersi [] [=] \impostacapotersi [] [=] \impostacaptions [] [=] \impostacotone [] \impostacolone [] \impostacolone [] \impostacolone [] \impostacolore [] \impostacolore [] \impostacolore [] \impostacolore [] \impostacolore [] \impostacolore [] |

| impostadimensionicarta | \impostadimensionicarta [] [=] |
|--|--|
| impostadimensionicarta:name | \impostadimensionicarta [] [] |
| impostaelementi | \impostaelementi [] [=] |
| impostaelencazioni | \impostaelencazioni [] [=] |
| impostaelenco | \impostaelenco [] [=] |
| impostaelencocombinato | \impostaelencocombinato [] [=] |
| impostaelencocombinato:instance | \impostaCOMBINEDLIST [=] |
| <pre>impostaelencocombinato:instance:content</pre> | \impostacontent [=] |
| impostaenumerazioni | \impostaenumerazioni [] [=] |
| impostafondo | \impostafondo [] [=] |
| impostafontdeltesto | \impostafontdeltesto [] |
| impostaforms | \impostaforms [=] |
| impostaformule | \impostaformule [] [=] |
| impostagruppocolonne | \impostagruppocolonne [] [=] |
| impostaincorniciato | \impostaincorniciato [] [=] |
| impostainiziatermina | \impostainiziatermina [] [=] |
| impostainstestazione | \impostainstestazione [] [=] |
| impostainterazione | \impostainterazione [] [=] |
| impostainterazione:name | \impostainterazione [] |
| impostainterlinea | \impostainterlinea [] [=] |
| impostainterlinea:argument | \impostainterlinea [] |
| impostainterlinea:name | \impostainterlinea [] |
| impostalayout | \impostalayout [] [=] |
| impostalayout:name | \impostalayout [] |
| impostalineemargine | \impostalineemargine [] [=] |
| impostalineenere | \impostalineenere [=] |
| impostalineeriempimento | \impostalineeriempimento [=] |
| impostalineesottili | \impostalineesottili [=] |
| impostalineetesto | \impostalineetesto [=] |
| impostalingua | \impostalingua [] [=] |
| impostamaiuscole | \impostamaiuscole [] [=] |
| impostamakeup | \impostamakeup [] [=] |
| impostamarcatura | \impostamarcatura [] [=] |
| impostamenuinterazione | \impostamenuinterazione [] [=] |
| impostamenzione | \impostamenzione [=] |
| impostanotepdp | \impostanotepdp [=] |
| impostanumerazionecapoversi | \impostanumerazionecapoversi [=] |
| impostanumerazionepagina | \impostanumerazionepagina [=] |
| impostanumerazionerighe | \impostanumerazionerighe [] [=] |
| impostanumeropagina | \impostanumeropagina [=] |
| impostanumerosottopagina | \impostanumerosottopagina [=] |
| impostanumerotesta | \impostanumerotesta [] [] |
| impostaoggettimobili | \impostaoggettimobili [] [=] |
| impostaoggettomobile | \impostaoggettomobile [] [=] |
| impostaordinamento | \impostaordinamento [] [=] |
| impostaparranging | \impostaparranging [] |
| impostapdp | \impostapdp [] [=] |
| impostapiustretto | \impostapiustretto [] [=] |
| impostaposizionamento | \impostaposizionamento [] [=] |
| impostaposizionamentoopposti | \impostaprogrammi [-] |
| impostaprogrammi | \impostaprogrammi [=] |
| impostarogistro | |
| impostaregistro | \impostaregistro [] [=] |
| impostaregistro:argument | \impostaregistro [] [=] \impostaregistro [] [] [=] |
| <pre>impostaregistro:argument impostaregistro:instance</pre> | <pre>\impostaregistro [] [=] \impostaregistro [] [] [=] \impostaREGISTER [] [=]</pre> |
| <pre>impostaregistro:argument impostaregistro:instance impostaregistro:instance:index</pre> | <pre>\impostaregistro [] [=] \impostaregistro [] [] [=] \impostaREGISTER [] [=] \impostaindex [] [=]</pre> |
| <pre>impostaregistro:argument impostaregistro:instance impostaregistro:instance:index impostarientro</pre> | <pre>\impostaregistro [] [=] \impostaregistro [] [] [=] \impostaREGISTER [] [=] \impostaindex [] [=] \impostarientro []</pre> |
| <pre>impostaregistro:argument impostaregistro:instance impostaregistro:instance:index impostarientro impostariferimento</pre> | <pre>\impostaregistro [] [=] \impostaregistro [] [] [=] \impostaREGISTER [] [=] \impostarindex [] [=] \impostarientro [] \impostariferimento [=]</pre> |
| <pre>impostaregistro:argument impostaregistro:instance impostaregistro:instance:index impostarientro impostariferimento impostarighe</pre> | <pre>\impostaregistro [] [=] \impostaregistro [] [] [=] \impostaREGISTER [] [=] \impostarindex [] [=] \impostarientro [] \impostariferimento [=] \impostarighe [] [=]</pre> |
| <pre>impostaregistro:argument impostaregistro:instance impostaregistro:instance:index impostarientro impostariferimento impostarighe impostarigheriempimento</pre> | <pre>\impostaregistro [] [=] \impostaregistro [] [] [=] \impostaREGISTER [] [=] \impostarindex [] [=] \impostarientro [] \impostariferimento [=] \impostarigheriempimento [=]</pre> |
| <pre>impostaregistro:argument impostaregistro:instance impostaregistro:instance:index impostarientro impostariferimento impostarighe impostarigheriempimento impostarigovuoto</pre> | <pre>\impostaregistro [] [=] \impostaregistro [] [] [=] \impostaREGISTER [] [=] \impostarindex [] [=] \impostarientro [] \impostariferimento [=] \impostarighe [] [=] \impostarigheriempimento [=] \impostarigovuoto []</pre> |
| <pre>impostaregistro:argument impostaregistro:instance impostaregistro:instance:index impostarientro impostariferimento impostarighe impostarigheriempimento impostarigovuoto impostarotazione</pre> | <pre>\impostaregistro [] [=] \impostaregistro [] [] [=] \impostaREGISTER [] [=] \impostarindex [] [=] \impostarientro [] \impostariferimento [=] \impostarigher [] [=] \impostarigheriempimento [=] \impostarigovuoto [] \impostarotazione [=]</pre> |
| impostaregistro:argument impostaregistro:instance impostaregistro:instance:index impostarientro impostariferimento impostarighe impostarigheriempimento impostarigovuoto impostarotazione impostaschermointerazione | <pre>\impostaregistro [] [=] \impostaregistro [] [] [=] \impostareGISTER [] [=] \impostarindex [] [=] \impostarientro [] \impostariferimento [=] \impostarigheriempimento [=] \impostarigheriempimento [=] \impostarigovuoto [] \impostarotazione [=]</pre> |
| impostaregistro:argument impostaregistro:instance impostaregistro:instance:index impostarientro impostariferimento impostarighe impostarigheriempimento impostarigovuoto impostarotazione impostaschermointerazione impostasegnosillabazione | <pre>\impostaregistro [] [=] \impostaregistro [] [=] \impostaREGISTER [] [=] \impostarindex [] [=] \impostarientro [] \impostariferimento [=] \impostarigher [] [=] \impostarigheriempimento [=] \impostarigovuoto [] \impostarotazione [=] \impostasegnosillabazione [=]</pre> |
| impostaregistro:argument impostaregistro:instance impostaregistro:instance:index impostarientro impostariferimento impostarighe impostarigheriempimento impostarigovuoto impostarotazione impostasegnosillabazione impostasetsimboli | <pre>\impostaregistro [] [=] \impostaregistro [] [=] \impostaREGISTER [] [=] \impostarindex [] [=] \impostarientro [] \impostariferimento [=] \impostarigher [] [=] \impostarigheriempimento [=] \impostarigovuoto [] \impostarotazione [=] \impostarotazione [=] \impostasegnosillabazione [=] \impostasetsimboli []</pre> |
| impostaregistro:argument impostaregistro:instance impostaregistro:instance:index impostarientro impostariferimento impostarighe impostarigheriempimento impostarigovuoto impostarotazione impostaschermointerazione impostasegnosillabazione impostasetsimboli impostasfondi | <pre>\impostaregistro [] [=] \impostaregistro [] [=] \impostaREGISTER [] [=] \impostaindex [] [=] \impostarientro [] \impostariferimento [=] \impostarigheriempimento [=] \impostarigheriempimento [=] \impostarigovuoto [] \impostarotazione [=] \impostaschermointerazione [=] \impostasegnosillabazione [=] \impostasetsimboli [] \impostasetsimboli []</pre> |
| impostaregistro:argument impostaregistro:instance impostaregistro:instance:index impostarientro impostariferimento impostarighe impostarigheriempimento impostarigovuoto impostarotazione impostaschermointerazione impostasegnosillabazione impostasetsimboli impostasfondi:page | <pre>\impostaregistro [] [=] \impostaregistro [] [=] \impostaREGISTER [] [=] \impostaindex [] [=] \impostarientro [] \impostariferimento [=] \impostarigherimento [=] \impostarigherimento [=] \impostarigovuoto [] \impostariostarione [=] \impostarostarione [=] \impostasegnosillabazione [=] \impostasetsimboli [] \impostasfondi [] [=]</pre> |
| impostaregistro:argument impostaregistro:instance impostaregistro:instance:index impostarientro impostariferimento impostarighe impostarigheriempimento impostarigovuoto impostarotazione impostaschermointerazione impostasegnosillabazione impostasetsimboli impostasfondi impostasfondo | <pre>\impostaregistro [] [=] \impostaregistro [] [=] \impostaREGISTER [] [=] \impostaindex [] [=] \impostarientro [] \impostariferimento [=] \impostarigher [] [=] \impostarigheriempimento [=] \impostarigovuoto [] \impostarotazione [=] \impostarotazione [=] \impostasegnosillabazione [=] \impostasetsimboli [] \impostasetsimboli [] [=] \impostasfondi [] [=] \impostasfondo [] [=]</pre> |
| impostaregistro:argument impostaregistro:instance impostaregistro:instance:index impostarientro impostariferimento impostarighe impostarigheriempimento impostarigovuoto impostarotazione impostaschermointerazione impostasegnosillabazione impostasetsimboli impostasfondi impostasfondo impostasfondo impostasinonimi | <pre>\impostaregistro [] [=] \impostaregistro [] [=] \impostaREGISTER [] [=] \impostaindex [] [=] \impostarientro [] \impostariferimento [=] \impostarigher [] [=] \impostarigheriempimento [=] \impostarigovuoto [] \impostarigostarotazione [=] \impostaschermointerazione [=] \impostasegnosillabazione [=] \impostasetsimboli [] \impostasfondi [] [=] \impostasfondo [] [=] \impostasfondo [] [=] \impostasfondosimi [] [=]</pre> |
| impostaregistro:argument impostaregistro:instance impostaregistro:instance:index impostarientro impostariferimento impostarighe impostarigheriempimento impostarigovuoto impostarotazione impostaschermointerazione impostasegnosillabazione impostasetsimboli impostasfondi impostasfondo impostasfondo impostasinonimi impostaspaziatura | <pre>\impostaregistro [] [=] \impostaregistro [] [=] \impostaREGISTER [] [=] \impostaindex [] [=] \impostarientro [] \impostariferimento [=] \impostarigher [] [=] \impostarigheriempimento [=] \impostarigovuoto [] \impostarotazione [=] \impostaschermointerazione [=] \impostasegnosillabazione [=] \impostasetsimboli [] \impostasfondi [] [=] \impostasfondo [] [=] \impostasfondo [] [=] \impostasfondo [] [=] \impostasfondo [] [=] \impostaspaziatura []</pre> |
| impostaregistro:argument impostaregistro:instance impostaregistro:instance:index impostarientro impostariferimento impostarighe impostarigheriempimento impostarigovuoto impostarotazione impostaschermointerazione impostasegnosillabazione impostasetsimboli impostasfondi impostasfondo impostasfondo impostaspaziatura impostaspaziobianco | <pre>\impostaregistro [] [=] \impostaregistro [] [=] \impostaREGISTER [] [=] \impostaindex [] [=] \impostarientro [] \impostariferimento [=] \impostarigher [] [=] \impostarigheriempimento [=] \impostarigovuoto [] \impostarigostarotazione [=] \impostaschermointerazione [=] \impostasegnosillabazione [=] \impostasetsimboli [] \impostasfondi [] [=] \impostasfondo [] [=] \impostasfondo [] [=] \impostaspaziatura [] \impostaspaziatura [] \impostaspaziobianco []</pre> |
| impostaregistro:argument impostaregistro:instance impostaregistro:instance:index impostarientro impostariferimento impostarighe impostarigheriempimento impostarigovuoto impostarotazione impostaschermointerazione impostasegnosillabazione impostasetsimboli impostasfondi impostasfondo impostasfondo impostasinonimi impostaspaziatura | <pre>\impostaregistro [] [=] \impostaregistro [] [=] \impostaREGISTER [] [=] \impostaindex [] [=] \impostarientro [] \impostariferimento [=] \impostarigher [] [=] \impostarigheriempimento [=] \impostarigovuoto [] \impostarotazione [=] \impostaschermointerazione [=] \impostasegnosillabazione [=] \impostasetsimboli [] \impostasfondi [] [=] \impostasfondo [] [=] \impostasfondo [] [=] \impostasfondo [] [=] \impostasfondo [] [=] \impostaspaziatura []</pre> |

| : | \:\:\:\:\:\:\\\\\\\\\\\\\\\\\\\\\\\\\\ |
|---|---|
| impostatabulato | \impostatabulato [] [=] |
| impostatavolozza | \impostatavolozza [] |
| impostatesta | \impostatesta [] [=] |
| impostateste | \impostateste [] [=] |
| impostatesticima | \impostatesticima [] [] [] [] |
| impostatestifondo | \impostatestifondo [] [] [] [] |
| impostatestiincorniciati | \impostatestiincorniciati [] [=] |
| impostatestiintestazioni | \impostatestiintestazioni [] [] [] [] |
| impostatestipdp | \impostatestipdp [] [] [] [] |
| impostatesto | \impostatesto [] [=] |
| impostatestoetichette:instance | \impostaLABELtesto [] [=] |
| <pre>impostatestoetichette:instance:btxlabel</pre> | \impostabtxlabeltesto [] [=] |
| impostatestoetichette:instance:head | \impostaheadtesto [] [=] |
| <pre>impostatestoetichette:instance:label</pre> | \impostalabeltesto [] [=] |
| <pre>impostatestoetichette:instance:mathlabel</pre> | \impostamathlabeltesto [] [=] |
| <pre>impostatestoetichette:instance:operator</pre> | \impostaoperatortesto [] [=] |
| <pre>impostatestoetichette:instance:prefix</pre> | \impostaprefixtesto [] [=] |
| impostatestoetichette:instance:suffix | \impostasuffixtesto [] [=] |
| impostatestoetichette:instance:taglabel | \impostataglabeltesto [] [=] |
| impostatestoetichette:instance:unit | \impostaunittesto [] [=] |
| impostatestotesti | \impostatestotesti [] [] [] [] |
| impostatolleranza | \impostatolleranza [] |
| impostatransizionepagina | \impostatransizionepagina [] |
| impostatype | \impostatype [] [=] |
| impostatyping | \impostatyping [] [=] |
| impostaurl | \impostaurl [=] |
| imposta:direct | \imposta {} |
| in | \in {} {} [] |
| inclinato | \inclinato |
| inclinatograssetto | \inclinatograssetto |
| includemenu | \includemenu [] |
| includeversioninfo | \includeversioninfo {} |
| incorniciato | \incorniciato [=] {} |
| incorniciato:instance | \FRAMED [=] {} |
| incorniciato:instance:fitfieldframed | |
| incorniciato:instance:unframed | \fitfieldframed [=] {} \unframed [=] {} |
| incrementa | \incrementa \ |
| | \incrementa () |
| incrementa: argument | \incrementa () \incrementcounter [] [] |
| incrementcounter | |
| incrementedcounter | \incrementedcounter [] |
| incrementpagenumber | \incrementpagenumber |
| incrementsubpagenumber | \incrementsubpagenumber |
| incrementvalue | \incrementvalue {} |
| indentation | \indentation |
| infofont | \infofont |
| infofontbold | \infofontbold |
| inheritparameter | \inheritparameter [] [] |
| inhibitblank | \inhibitblank |
| initializeboxstack | \initializeboxstack {} |
| inizia | \inizia [] \termina |
| iniziaalignment | \iniziaalignment [] \terminaalignment |
| iniziaallineacentro | \iniziaallineacentro \terminaallineacentro |
| iniziaallineadestra | \iniziaallineadestra \terminaallineadestra |
| iniziaallineasinistra | \iniziaallineasinistra \terminaallineasinistra |
| iniziaallmodes | \iniziaallmodes [] \terminaallmodes |
| iniziaambiente | \iniziaambiente [] \terminaambiente |
| iniziaambientebloccosezione | \iniziaambientebloccosezione [] \terminaambientebloccosezione |
| iniziaambiente:string | \iniziaambiente \terminaambiente |
| iniziaattachment:instance | \iniziaATTACHMENT [] [=] \terminaATTACHMENT |
| iniziaattachment:instance:attachment | \iniziaattachment [] [=] \terminaattachment |
| iniziabar | \iniziabar [] \terminabar |
| iniziabbordermatrix | \iniziabbordermatrix \terminabbordermatrix |
| iniziabitmapimage | \iniziabitmapimage [=] \terminabitmapimage |
| iniziabordermatrix | \iniziabordermatrix \terminabordermatrix |
| iniziabtxrenderingdefinitions | \iniziabtxrenderingdefinitions [] \terminabtxrenderingdefinitions |
| iniziabuffer | \iniziabuffer [] \terminabuffer |
| iniziabuffer:instance | \iniziaBUFFER \terminaBUFFER |
| iniziabuffer:instance:hiding | \iniziahiding \terminahiding |
| iniziacapoverso | \iniziacapoverso [] [=] \terminacapoverso |
| iniziacapoverso:instance | \iniziaSECTION [=] [=] \terminaSECTION |
| iniziacapoverso:instance:chapter | \iniziachapter [=] [=] \terminachapter |
| iniziacapoverso:instance:part | \iniziapart [=] [=] \terminapart |

```
iniziacapoverso:instance:section
                                                                                              \iniziasection [..=..] [..=..] ... \terminasection
iniziacapoverso:instance:subject
                                                                                              \iniziasubject [..=..] [..=..] ... \terminasubject
                                                                                              \iniziasubsection [..=..] [..=..] ... \terminasubsection
iniziacapoverso:instance:subsection
                                                                                              \iniziasubsubject [..=..] [..=..] ... \terminasubsubject
iniziacapoverso:instance:subsubject
                                                                                             iniziacapoverso:instance:subsubsection
iniziacapoverso:instance:subsubsubject
                                                                                             iniziacapoverso:instance:subsubsubsection
                                                                                              \iniziasubsubsubsubject [..=..] [..=..] ... \terminasubsubsubsubject
iniziacapoverso:instance:subsubsubsubject
                                                                                              \iniziasubsubsubsubsection [..=..] [..=..] ... \terminasubsubsubsubsection
iniziacapoverso:instance:subsubsubsection
iniziacapoverso:instance:subsubsubsubsubject
                                                                                              \iniziasubsubsubsubsubject [..=..] [..=..] ... \terminasubsubsubsubsubject
iniziacapoverso:instance:title
                                                                                              \iniziatitle [..=..] [..=..] ... \terminatitle
                                                                                             \iniziacatcodetable \... \terminacatcodetable \iniziacenteraligned ... \terminacenteraligned
iniziacatcodetable
iniziacenteraligned
                                                                                             \iniziacharacteralign [..=..] ... \terminacharacteralign
iniziacharacteralign
                                                                                             \iniziacharacteralign [...] ... \terminacharacteralign
iniziacharacteralign:argument
iniziacheckedfences
                                                                                             \iniziacheckedfences ... \terminacheckedfences
                                                                                             \iniziachemical [...] [..=..] ... \terminachemical
iniziachemical
iniziacodatabella
                                                                                             \iniziacodatabella [...] ... \terminacodatabella
iniziacodatabulato
                                                                                             \iniziacodatabulato [...] ... \terminacodatabulato
iniziacollect
                                                                                             \iniziacollect ... \terminacollect
                                                                                             \iniziacollecting ... \terminacollecting
iniziacollecting
                                                                                             \iniziacolore [...] ... \terminacolore
iniziacolore
                                                                                             \iniziacolorintent [...] ... \terminacolorintent
iniziacolorintent
iniziacoloronly
                                                                                             \iniziacoloronly [...] ... \terminacoloronly
iniziacolorset
                                                                                             \iniziacolorset [...] ... \terminacolorset
iniziacolumnset
                                                                                             \verb|\iniziacolumnset| [...] [..=..] ... \verb|\terminacolumnset|
\verb"iniziacolumnsetspan"
                                                                                             \verb|\iniziacolumnsetspan[...][..=..]... \verb|\terminacolumnsetspan||
                                                                                             \verb|\iniziaCOLUMNSET [..=..] ... \verb|\terminaCOLUMNSET||
iniziacolumnset:example
                                                                                             \verb|\coloredge | 1... | 1... | terminacombination| | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... 
iniziacombination
                                                                                             \iniziacombination [...] [...] ... \terminacombination
iniziacombination:matrix
iniziacommentopagina
                                                                                             \iniziacommentopagina ... \terminacommentopagina
                                                                                             \iniziaCOMMENT [...] [..=..] ... \terminaCOMMENT
iniziacommento:instance
iniziacommento:instance:comment
                                                                                              \iniziacomment [...] [..=..] ... \terminacomment
iniziacomponenet
                                                                                             \iniziacomponenet [...] ... \terminacomponenet
                                                                                             \iniziacomponenet .....\terminacomponenet \iniziacontextcode ...\terminacontextcode
iniziacomponenet:string
iniziacontextcode
                                                                                             \iniziacontextdefinitioncode ... \terminacontextdefinitioncode
iniziacontextdefinitioncode
iniziactxfunction
                                                                                             \iniziactxfunction ... \terminactxfunction
{\tt iniziactxfunction} definition
                                                                                             \iniziactxfunctiondefinition ... ... \terminactxfunctiondefinition
                                                                                             \iniziacurrentcolor ... \terminacurrentcolor
iniziacurrentcolor
iniziacurrentlistentrywrapper
                                                                                             \verb|\label{limit}| \end{tikzpick} 
                                                                                             \iniziadelimited [...] [...] ... \terminadelimited
iniziadelimited
                                                                                             \iniziadelimitedtext [...] [...] ... \terminadelimitedtext
iniziadelimitedtext
                                                                                              \iniziaDELIMITEDTEXT [...] [...] \terminaDELIMITEDTEXT
iniziadelimitedtext:instance
                                                                                              \iniziaaside [...] [...] ... \terminaaside
iniziadelimitedtext:instance:aside
                                                                                             \iniziablockquote [...] [...] ... \terminablockquote
iniziadelimitedtext:instance:blockquote
iniziadelimitedtext:instance:quotation
                                                                                              \verb|\ \ | inizia quotation [...] [...] ... \ | termina quotation |
iniziadelimitedtext:instance:quote
                                                                                              \iniziaquote [...] [...] ... \terminaquote
                                                                                              \iniziaspeech [...] [...] ... \terminaspeech
iniziadelimitedtext:instance:speech
                                                                                              \iniziaDESCRIZIONE [..=..] ... \terminaDESCRIZIONE
iniziadescrizione:example
                                                                                              \iniziaDESCRIZIONE [...] {...} ... \terminaDESCRIZIONE
iniziadescrizione:example:title
                                                                                             \iniziadisplaymath ... \terminadisplaymath
iniziadisplaymath
iniziadmath
                                                                                             \iniziadmath ... \terminadmath
                                                                                             \iniziadocument [..=..] ... \terminadocument
iniziadocument
                                                                                             \iniziaeffect [...] ... \terminaeffect
iniziaeffect
                                                                                              \iniziaEFFECT ... \terminaEFFECT
iniziaeffect:example
                                                                                             \iniziaelement {...} [..=..] ... \terminaelement
iniziaelement
                                                                                             \iniziaelemento [...] ... \terminaelemento
iniziaelemento
                                                                                             \iniziaembeddedxtable [..=..] ... \terminaembeddedxtable
iniziaembeddedxtable
iniziaembeddedxtable:name
                                                                                             \iniziaembeddedxtable [...] ... \terminaembeddedxtable
                                                                                             \iniziaENUMERAZIONE [..=..] ... \terminaENUMERAZIONE
iniziaenumerazione:example
                                                                                              \iniziaENUMERAZIONE [...] {...} ... \terminaENUMERAZIONE
iniziaenumerazione:example:title
                                                                                             \iniziaexceptions [...] ... \terminaexceptions
iniziaexceptions
iniziaexpanded
                                                                                             \iniziaexpanded ... \terminaexpanded
                                                                                             \iniziaexpandedcollect ... \terminaexpandedcollect
inizia expanded collect
                                                                                             \iniziaextendedcatcodetable \... \terminaextendedcatcodetable
iniziaextendedcatcodetable
iniziaexternalfigurecollection
                                                                                             \iniziaexternalfigurecollection [...] ... \terminaexternalfigurecollect
{\tt iniziafacingfloat}
                                                                                             \iniziafacingfloat [...] ... \terminafacingfloat
iniziafigura
                                                                                             \iniziafigura [...] [..=..] ... \terminafigura
iniziafisso
                                                                                             \iniziafisso [...] ... \terminafisso
                                                                                             iniziafittingpage
                                                                                             \iniziaFITTINGPAGE [..=..] ... \terminaFITTINGPAGE
```

 $\verb"inizia fitting page: \verb"instance"$

| iniziafittingpage:instance:MPpage | \iniziaMPpage [=] \terminaMPpage |
|-------------------------------------|--|
| iniziafittingpage:instance:TEXpage | \iniziaTEXpage [=] \terminaTEXpage |
| iniziafloatcombination | \iniziafloatcombination [=] \terminafloatcombination |
| iniziafloatcombination:matrix | \iniziafloatcombination [] \terminafloatcombination |
| iniziafloattext:instance | \iniziaFLOATtesto [] [] {} \terminaFLOATtesto |
| iniziafloattext:instance:chemical | \iniziachemicaltesto [] [] {} \terminachemicaltesto |
| iniziafloattext:instance:figure | \iniziafiguretesto [] [] \terminafiguretesto |
| iniziafloattext:instance:graphic | \iniziagraphictesto [] [] \ \terminagraphictesto |
| iniziafloattext:instance:intermezzo | \iniziaintermezzotesto [] [] \terminagraphictesto \iniziaintermezzotesto [] [] \terminaintermezzotesto |
| | |
| iniziafloattext:instance:table | \iniziatabletesto [] [] {} \terminatabletesto |
| iniziafont | \iniziafont [] \terminafont |
| iniziafontclass | \iniziafontclass [] \terminafontclass |
| iniziafontsolution | \iniziafontsolution [] \terminafontsolution |
| iniziaformula | \iniziaformula [] \terminaformula |
| iniziaformula:assignment | \iniziaformula [=] \terminaformula |
| iniziaformula:instance | \iniziaFORMULAformula [] \terminaFORMULAformula |
| iniziaformula:instance:md | \iniziamdformula [] \terminamdformula |
| iniziaformula:instance:mp | \iniziampformula [] \terminampformula |
| iniziaformula:instance:sd | \iniziasdformula [] \terminasdformula |
| iniziaformula:instance:sp | \iniziaspformula [] \terminaspformula |
| | |
| iniziaformule | \iniziaformule [] \terminaformule |
| iniziaframedcell | \iniziaframedcell [=] \terminaframedcell |
| iniziaframedcontent | \iniziaframedcontent [] \terminaframedcontent |
| iniziaframedrow | \iniziaframedrow [=] \terminaframedrow |
| iniziaframedtable | \iniziaframedtable [] [=] \terminaframedtable |
| iniziagridsnapping | \iniziagridsnapping [] \terminagridsnapping |
| iniziagridsnapping:list | \iniziagridsnapping [] \terminagridsnapping |
| iniziahboxestohbox | \iniziahboxestohbox \terminahboxestohbox |
| iniziahboxregister | \iniziahboxregister \terminahboxregister |
| iniziahelp:instance | \iniziaHELP [] \terminaHELP |
| iniziahelp:instance:helptext | \iniziahelptext [] \terminahelptext |
| iniziahighlight | \iniziahighlight [] \terminahighlight |
| iniziahyphenation | \iniziahyphenation [] \terminahyphenation |
| iniziaimath | \iniziaimath \terminaimath |
| iniziaimpaccato | \iniziaimpaccato [] \terminaimpaccato |
| iniziaincorniciato | \iniziaincorniciato [] [=] \terminaincorniciato |
| iniziaindentedtext | \iniziaindentedtext [] \terminaindentedtext |
| iniziaindentedtext:example | \iniziaINDENTEDTEXT \terminaINDENTEDTEXT |
| iniziainterazione | \iniziainterazione [] \terminainterazione |
| iniziainterface | \iniziainterface \terminainterface |
| | \iniziainterrace \terminainterrace \iniziaintertext \terminaintertext |
| iniziaintertext | • |
| iniziaitemgroup | \iniziaitemgroup [] []\terminaitemgroup |
| iniziaitemgroup:instance | \iniziaITEMGROUP [] [=] \terminaITEMGROUP |
| iniziaitemgroup:instance:itemize | \iniziaitemize [] [=] \terminaitemize |
| iniziaJScode | \iniziaJScode\terminaJScode |
| iniziaJSpreamble | \iniziaJSpreamble \terminaJSpreamble |
| iniziaknockout | \iniziaknockout \terminaknockout |
| inizialayout | \inizialayout [] \terminalayout |
| inizialinealignment | \inizialinealignment [] \terminalinealignment |
| inizialineamargine | \inizialineamargine [] \terminalineamargine |
| inizialineamargine:assignment | \inizialineamargine [=] \terminalineamargine |
| inizialineatesto | \inizialineatesto {} \terminalineatesto |
| inizialinecorrection | \inizialinecorrection [] \terminalinecorrection |
| inizialinefiller | \inizialinefiller [] [=] \terminalinefiller |
| inizialinenumbering | \inizialinenumbering [] [=] \terminalinenumbering |
| inizialinenumbering:argument | \inizialinenumbering [] [] \terminalinenumbering |
| inizialinetable | \inizialinetable \terminalinetable |
| inizialinetablebody | \inizialinetablebody \terminalinetablebody |
| inizialinetablecell | \inizialinetablecell [=] \terminalinetablecell |
| inizialinetablehead | \inizialinetablehead \terminalinetablehead |
| inizialingua | \inizialingua [] \terminalingua |
| inizialocalfootnotes | \inizialocalfootnotes \terminalocalfootnotes |
| inizialocalheadsetup | \inizialocalheadsetup \terminalocalheadsetup |
| - | |
| inizialocalinecorrection | \inizialocallinecorrection [] \terminalocallinecorrection |
| inizialocalnotes | \inizialocalnotes [] \terminalocalnotes |
| inizialocalsetups | \inizialocalsetups [] [] \terminalocalsetups |
| inizialocalsetups:string | \inizialocalsetups\terminalocalsetups |
| inizialua | \inizialua \terminalua |
| inizialuacode | \inizialuacode \terminaluacode |
| inizialuaparameterset | \inizialuaparameterset [] \terminaluaparameterset |
| inizialuasetups | \inizialuasetups [] [] \terminaluasetups |
| inizialuasetups:string | \inizialuasetups \terminaluasetups |

| iniziaMPclip | \iniziaMPclip {} \terminaMPclip |
|---|---|
| iniziaMPcode | \iniziaMPcode {} \terminaMPcode |
| iniziaMPdefinitions | \iniziaMPdefinitions {} \terminaMPdefinitions |
| iniziaMPdrawing | \iniziaMPdrawing [] \terminaMPdrawing |
| iniziaMPenvironment | \iniziaMPenvironment [] \terminaMPenvironment |
| iniziaMPextensions | \iniziaMPextensions {} \terminaMPextensions |
| iniziaMPinclusions | \iniziaMPinclusions [] {} \terminaMPinclusions |
| iniziaMPinitializations | \iniziaMPinitializations \terminaMPinitializations |
| iniziaMPpositiongraphic | $\verb \displays 1 1 termina MP position graphic 1 1 termina MP position graphic 1$ |
| iniziaMPpositionmethod | \iniziaMPpositionmethod {} \terminaMPpositionmethod |
| iniziaMPrun | \iniziaMPrun {} \terminaMPrun |
| iniziamakeup | \iniziamakeup [] [=] \terminamakeup |
| iniziamakeup:instance | \iniziaMAKEUPmakeup [=] \terminaMAKEUPmakeup |
| iniziamakeup:instance:middle | \iniziamiddlemakeup [=] \terminamiddlemakeup |
| iniziamakeup:instance:page | \iniziapagemakeup [=] \terminapagemakeup |
| iniziamakeup:instance:standard | \iniziastandardmakeup [=] \terminastandardmakeup |
| iniziamakeup:instance:text | \iniziatextmakeup [=] \terminatextmakeup |
| iniziamarginblock | \iniziamarginblock [] \terminamarginblock |
| iniziamarkedcontent | \iniziamarkedcontent [] \terminamarkedcontent |
| iniziamarkpages | \iniziamarkpages [] \terminamarkpages |
| iniziamathalignment:instance | \iniziamATHALIGNMENT [=] \terminamATHALIGNMENT |
| iniziamathalignment:instance:align | \iniziaalign [=] \terminaalign |
| iniziamathalignment:instance:mathalignment | \iniziamathalignment [=] \terminamathalignment |
| iniziamathcases:instance | \iniziaMATHCASES [=] \terminaMATHCASES |
| iniziamathcases:instance:cases | \iniziacases [=] \terminacases |
| | |
| iniziamathcases:instance:mathcases | \iniziamathcases [=] \terminamathcases |
| iniziamathmatrix:instance | \iniziaMATHMATRIX [=] \terminaMATHMATRIX |
| iniziamathmatrix:instance:mathmatrix | \iniziamathmatrix [=] \terminamathmatrix |
| iniziamathmatrix:instance:matrix | \iniziamatrix [=] \terminamatrix |
| iniziamathmode | \iniziamathmode \terminamathmode |
| iniziamathstyle | \iniziamathstyle [] \terminamathstyle |
| iniziamatrices | \iniziamatrices [=] \terminamatrices |
| iniziamaxaligned | \iniziamaxaligned \terminamaxaligned |
| iniziamenuinterattivo | \iniziamenuinterattivo [] \terminamenuinterattivo |
| iniziamettiformula | \iniziamettiformula [=] \terminamettiformula |
| iniziamettiformula:argument | \iniziamettiformula [] \terminamettiformula |
| iniziamiddlealigned | \iniziamiddlealigned \terminamiddlealigned |
| iniziamixedcolumns | \iniziamixedcolumns [] [=] \terminamixedcolumns |
| | \iniziamixedcolumns [] [] \terminamixedcolumns |
| iniziamixedcolumns:instance | \iniziamIXEDCOLUMNS [=] \terminamIXEDCOLUMNS |
| | |
| iniziamixedcolumns:instance | \iniziaMIXEDCOLUMNS [=] \terminaMIXEDCOLUMNS \iniziaboxedcolumns [=] \terminaboxedcolumns |
| <pre>iniziamixedcolumns:instance iniziamixedcolumns:instance:boxedcolumns</pre> | \iniziaMIXEDCOLUMNS [=] \terminaMIXEDCOLUMNS \iniziaboxedcolumns [=] \terminaboxedcolumns \iniziacolumns [=] \terminacolumns |
| <pre>iniziamixedcolumns:instance iniziamixedcolumns:instance:boxedcolumns iniziamixedcolumns:instance:columns</pre> | \iniziaMIXEDCOLUMNS [=] \terminaMIXEDCOLUMNS \iniziaboxedcolumns [=] \terminaboxedcolumns \iniziacolumns [=] \terminacolumns \iniziaitemgroupcolumns [=] \terminaitemgroupcolumns |
| <pre>iniziamixedcolumns:instance iniziamixedcolumns:instance:boxedcolumns iniziamixedcolumns:instance:columns iniziamixedcolumns:instance:itemgroupcolumns</pre> | \iniziaMIXEDCOLUMNS [=] \terminaMIXEDCOLUMNS \iniziaboxedcolumns [=] \terminaboxedcolumns \iniziacolumns [=] \terminacolumns |
| <pre>iniziamixedcolumns:instance iniziamixedcolumns:instance:boxedcolumns iniziamixedcolumns:instance:columns iniziamixedcolumns:instance:itemgroupcolumns iniziamode</pre> | \iniziaMIXEDCOLUMNS [=] \terminaMIXEDCOLUMNS \iniziaboxedcolumns [=] \terminaboxedcolumns \iniziacolumns [=] \terminacolumns \iniziaitemgroupcolumns [=] \terminaitemgroupcolumns \iniziamode [] \terminamode \iniziamodeset [] {} \terminamodeset |
| <pre>iniziamixedcolumns:instance iniziamixedcolumns:instance:boxedcolumns iniziamixedcolumns:instance:columns iniziamixedcolumns:instance:itemgroupcolumns iniziamode iniziamodeset</pre> | \iniziaMIXEDCOLUMNS [=] \terminaMIXEDCOLUMNS \iniziaboxedcolumns [=] \terminaboxedcolumns \iniziacolumns [=] \terminacolumns \iniziaitemgroupcolumns [=] \terminaitemgroupcolumns \iniziamode [] \terminamode \iniziamodeset [] {} \terminamodeset \iniziamodule [] \terminamodule |
| <pre>iniziamixedcolumns:instance iniziamixedcolumns:instance:boxedcolumns iniziamixedcolumns:instance:columns iniziamixedcolumns:instance:itemgroupcolumns iniziamode iniziamodeset iniziamodule iniziamoduletestsection</pre> | \iniziaMIXEDCOLUMNS [=] \terminaMIXEDCOLUMNS \iniziaboxedcolumns [=] \terminaboxedcolumns \iniziacolumns [=] \terminacolumns \iniziaitemgroupcolumns [=] \terminaitemgroupcolumns \iniziamode [] \terminamode \iniziamodeset [] {} \terminamodeset \iniziamodule [] \terminamodule \iniziamodule testsection \terminamodule testsection |
| <pre>iniziamixedcolumns:instance iniziamixedcolumns:instance:boxedcolumns iniziamixedcolumns:instance:columns iniziamixedcolumns:instance:itemgroupcolumns iniziamode iniziamodeset iniziamodule iniziamoduletestsection iniziamodule:string</pre> | \iniziaMIXEDCOLUMNS [=] \terminaMIXEDCOLUMNS \iniziaboxedcolumns [=] \terminaboxedcolumns \iniziacolumns [=] \terminacolumns \iniziaitemgroupcolumns [=] \terminaitemgroupcolumns \iniziamode [] \terminamode \iniziamodeset [] {} \terminamodeset \iniziamodule [] \terminamodule \iniziamodule testsection \terminamodule \iniziamodule \terminamodule |
| <pre>iniziamixedcolumns:instance iniziamixedcolumns:instance:boxedcolumns iniziamixedcolumns:instance:columns iniziamixedcolumns:instance:itemgroupcolumns iniziamode iniziamodeset iniziamodule iniziamoduletestsection iniziamodule:string inizianamedsection</pre> | \iniziaMIXEDCOLUMNS [=] \terminaMIXEDCOLUMNS \iniziaboxedcolumns [=] \terminaboxedcolumns \iniziacolumns [=] \terminacolumns \iniziaitemgroupcolumns [=] \terminaitemgroupcolumns \iniziamode [] \terminamode \iniziamodeset [] {} \terminamodeset \iniziamodule [] \terminamodule \iniziamoduletestsection \terminamodule \iniziamodule \terminamodule \inizianamedsection [] [=] [=] \terminanamedsection |
| iniziamixedcolumns:instance iniziamixedcolumns:instance:boxedcolumns iniziamixedcolumns:instance:columns iniziamixedcolumns:instance:itemgroupcolumns iniziamode iniziamodeset iniziamodule iniziamoduletestsection iniziamodule:string inizianamedsection inizianamedsubformulas | \iniziaMIXEDCOLUMNS [] \terminaMIXEDCOLUMNS \iniziaboxedcolumns [] \terminaboxedcolumns \iniziacolumns [] \terminacolumns \iniziaitemgroupcolumns [] \terminaitemgroupcolumns \iniziamode [] \terminamode \iniziamodeset [] \{\} \terminamodeset \iniziamodule [] \terminamodule \iniziamodule testsection \terminamodule \iniziamodule \terminamodule \inizianamedsection [] [] [\terminanamedsection \inizianamedsection [] [] [\terminanamedsection \inizianamedsubformulas [] \{\} \terminanamedsubformulas |
| iniziamixedcolumns:instance iniziamixedcolumns:instance:boxedcolumns iniziamixedcolumns:instance:columns iniziamixedcolumns:instance:itemgroupcolumns iniziamode iniziamodeset iniziamodule iniziamoduletestsection iniziamodule:string inizianamedsection inizianamedsubformulas inizianarrower | \iniziaMIXEDCOLUMNS [=] \terminaMIXEDCOLUMNS \iniziaboxedcolumns [=] \terminaboxedcolumns \iniziacolumns [=] \terminacolumns \iniziaitemgroupcolumns [=] \terminaitemgroupcolumns \iniziamode [] \terminamode \iniziamodeset [] \{\} \terminamodeset \iniziamodule [] \terminamodule \iniziamodule testsection \terminamodule \iniziamodule \terminamodule \inizianamedsection [] [=] [=] \terminanamedsection \inizianamedsubformulas [] \{\} \terminanamedsubformulas \inizianarrower [] \terminanarrower |
| <pre>iniziamixedcolumns:instance iniziamixedcolumns:instance:boxedcolumns iniziamixedcolumns:instance:columns iniziamixedcolumns:instance:itemgroupcolumns iniziamode iniziamodeset iniziamodule iniziamoduletestsection iniziamodule:string inizianamedsection inizianamedsubformulas inizianarrower inizianarrower:example</pre> | \iniziaMIXEDCOLUMNS [] \terminaMIXEDCOLUMNS \iniziaboxedcolumns [] \terminaboxedcolumns \iniziacolumns [] \terminacolumns \iniziaitemgroupcolumns [] \terminaitemgroupcolumns \iniziamode [] \terminamode \iniziamodeset [] \{\} \terminamodeset \iniziamodule [] \terminamodule \iniziamoduletestsection \terminamodule \iniziamoduletestsection \terminamodule \inizianamedsection [] [] [] \terminanamedsection \inizianamedsection \inizianamedsubformulas [] \{\} \terminanamedsubformulas \inizianarrower [] \terminanarrower \iniziaNARROWER [] \terminaNARROWER |
| iniziamixedcolumns:instance iniziamixedcolumns:instance:boxedcolumns iniziamixedcolumns:instance:columns iniziamixedcolumns:instance:itemgroupcolumns iniziamode iniziamodeset iniziamodule iniziamoduletestsection iniziamodule:string inizianamedsection inizianamedsubformulas inizianarrower inizianarrower:example inizianegativo | \iniziaMIXEDCOLUMNS [] \terminaMIXEDCOLUMNS \iniziaboxedcolumns [] \terminaboxedcolumns \iniziacolumns [] \terminacolumns \iniziaitemgroupcolumns [] \terminaitemgroupcolumns \iniziamode [] \terminamode \iniziamodeset [] \ \terminamodule \iniziamodule [] \terminamodule \iniziamodule testsection \terminamodule \iniziamodule \terminamodule \inizianamedsection [] [] [] \terminanamedsection \inizianamedsubformulas [] \ \ \terminanamedsubformulas \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ |
| iniziamixedcolumns:instance iniziamixedcolumns:instance:boxedcolumns iniziamixedcolumns:instance:columns iniziamixedcolumns:instance:itemgroupcolumns iniziamode iniziamodeset iniziamodule iniziamoduletestsection iniziamodule:string inizianamedsection inizianamedsubformulas inizianarrower inizianarrower:example inizianegativo inizianicelyfilledbox | \iniziaMIXEDCOLUMNS [] \terminaMIXEDCOLUMNS \iniziaboxedcolumns [] \terminaboxedcolumns \iniziacolumns [] \terminacolumns \iniziaitemgroupcolumns [] \terminaitemgroupcolumns \iniziamode [] \terminamode \iniziamodeset [] \{\} \terminamodeset \iniziamodule [] \terminamodule \iniziamoduletestsection \terminamodule \iniziamoduletestsection \terminamodule \inizianamedsection [] [] [] \terminanamedsection \inizianamedsection \inizianamedsubformulas [] \{\} \terminanamedsubformulas \inizianarrower [] \terminanarrower \iniziaNARROWER [] \terminanarrower \inizianagativo \terminanegativo \inizianicelyfilledbox [] \terminanicelyfilledbox |
| iniziamixedcolumns:instance iniziamixedcolumns:instance:boxedcolumns iniziamixedcolumns:instance:columns iniziamixedcolumns:instance:itemgroupcolumns iniziamode iniziamodeset iniziamodule iniziamoduletestsection iniziamodule:string inizianamedsection inizianamedsubformulas inizianarrower inizianarrower:example inizianegativo inizianicelyfilledbox inizianointerference | \iniziaMIXEDCOLUMNS [] \terminaMIXEDCOLUMNS \iniziaboxedcolumns [] \terminaboxedcolumns \iniziacolumns [] \terminacolumns \iniziaitemgroupcolumns [] \terminaitemgroupcolumns \iniziamode [] \terminamode \iniziamodeset [] {} \terminamodeset \iniziamodule [] \terminamodule \iniziamodule [] \terminamodule \iniziamoduletestsection \iniziamodule \terminamodule \inizianamedsection [] [] [] \terminanamedsection \inizianamedsection \inizianamedsubformulas [] {} \terminanamedsubformulas \inizianarrower [] \terminanarrower \inizianARROWER [] \terminanARROWER \inizianegativo \terminanegativo \inizianicelyfilledbox [] \terminanicelyfilledbox \inizianointerference \terminanointerference |
| <pre>iniziamixedcolumns:instance iniziamixedcolumns:instance:boxedcolumns iniziamixedcolumns:instance:columns iniziamixedcolumns:instance:itemgroupcolumns iniziamode iniziamodeset iniziamodule iniziamoduletestsection iniziamodule:string inizianamedsection inizianamedsubformulas inizianarrower inizianarrower:example inizianegativo inizianicelyfilledbox inizianointerference inizianotallmodes</pre> | \iniziaMIXEDCOLUMNS [] \terminaMIXEDCOLUMNS \iniziaboxedcolumns [] \terminaboxedcolumns \iniziacolumns [] \terminacolumns \iniziaitemgroupcolumns [] \terminaitemgroupcolumns \iniziamode [] \terminamode \iniziamodeset [] {} \terminamodeset \iniziamodule [] \terminamodule \iniziamodule [] \terminamodule \iniziamodule testsection \iniziamodule \terminamodule \inizianamedsection [] [] [] \terminanamedsection \inizianamedsubformulas [] {} \terminanamedsubformulas \inizianarrower [] \terminanarrower \inizianARROWER [] \terminanarrower \inizianARROWER [] \terminanarrower \inizianicelyfilledbox [] \terminanicelyfilledbox \inizianointerference \inizianointerference \inizianotallmodes [] \terminanotallmodes |
| <pre>iniziamixedcolumns:instance iniziamixedcolumns:instance:boxedcolumns iniziamixedcolumns:instance:columns iniziamixedcolumns:instance:itemgroupcolumns iniziamode iniziamodeset iniziamodule iniziamodule:string inizianamedsection inizianamedsubformulas inizianarrower inizianarrower:example inizianacelyfilledbox inizianointerference inizianotallmodes inizianota:instance</pre> | \iniziaMIXEDCOLUMNS [] \terminaMIXEDCOLUMNS \iniziaboxedcolumns [] \terminaboxedcolumns \iniziacolumns [] \terminacolumns \iniziaitemgroupcolumns [] \terminaitemgroupcolumns \iniziamode [] \terminamode \iniziamodeset [] {} \terminamodeset \iniziamodule [] \terminamodule \iniziamodule [] \terminamodule \iniziamodule testsection \iniziamodule \terminamodule \inizianamedsection [] [] [] \terminanamedsection \inizianamedsubformulas [] {} \terminanamedsubformulas \inizianarrower [] \terminanarrower \inizianARROWER [] \terminanarrower \inizianARROWER [] \terminanarrower \inizianicelyfilledbox [] \terminanicelyfilledbox \inizianointerference \terminanointerference \inizianotallmodes [] \terminanotallmodes \inizianotallmodes \inizi |
| <pre>iniziamixedcolumns:instance iniziamixedcolumns:instance:boxedcolumns iniziamixedcolumns:instance:columns iniziamixedcolumns:instance:itemgroupcolumns iniziamode iniziamodeset iniziamodule iniziamodule:string inizianamedsection inizianamedsection inizianamedsubformulas inizianarrower inizianarrower:example inizianacelyfilledbox inizianicelyfilledbox inizianointerference inizianota:instance inizianota:instance inizianota:instance</pre> | <pre>\iniziaMIXEDCOLUMNS [] \terminaMIXEDCOLUMNS \iniziaboxedcolumns [] \terminaboxedcolumns \iniziacolumns [] \terminacolumns \iniziaitemgroupcolumns [] \terminaitemgroupcolumns \iniziamode [] \terminamode \iniziamodeset [] {} \terminamodeset \iniziamodule [] \terminamodule \iniziamoduletestsection \terminamoduletestsection \iniziamodule \terminamodule \inizianamedsection [] [] [] \terminanamedsection \inizianamedsubformulas [] {} \terminanamedsubformulas \inizianarrower [] \terminanarrower \iniziaNARROWER [] \terminanARROWER \inizianicelyfilledbox [] \terminanicelyfilledbox \inizianointerference \terminanointerference \inizianotallmodes [] \terminanotallmodes \inizianotallmodes [.</pre> |
| <pre>iniziamixedcolumns:instance iniziamixedcolumns:instance:boxedcolumns iniziamixedcolumns:instance:columns iniziamixedcolumns:instance:itemgroupcolumns iniziamode iniziamode iniziamodule iniziamodule iniziamodule:string inizianamedsection inizianamedsubformulas inizianarrower inizianarrower:example inizianarrower:example inizianicelyfilledbox inizianicelyfilledbox inizianotatlmodes inizianota:instance inizianota:instance:assignment inizianota:instance:assignment:endnote</pre> | \iniziaMIXEDCOLUMNS [] \terminaMIXEDCOLUMNS \iniziaboxedcolumns [] \terminaboxedcolumns \iniziacolumns [] \terminacolumns \iniziaitemgroupcolumns [] \terminaitemgroupcolumns \iniziamode [] \terminamode \iniziamodeset [] {} \terminamodeset \iniziamodule [] \terminamodule \iniziamodule [] \terminamodule \iniziamodule testsection \iniziamodule \terminamodule \inizianamedsection [] [] [] \terminanamedsection \inizianamedsubformulas [] {} \terminanamedsubformulas \inizianarrower [] \terminanarrower \inizianARROWER [] \terminanarrower \inizianARROWER [] \terminanarrower \inizianicelyfilledbox [] \terminanicelyfilledbox \inizianointerference \terminanointerference \inizianotallmodes [] \terminanotallmodes \inizianOTE [] \terminanotallmodes \inizianOTE [] \terminanotallmodes \inizianOTE [] \terminanotallmodes \inizianOTE [] \terminanotallmodes \inizianotallmodes [] \terminanotallmodes [] |
| <pre>iniziamixedcolumns:instance iniziamixedcolumns:instance:boxedcolumns iniziamixedcolumns:instance:columns iniziamixedcolumns:instance:itemgroupcolumns iniziamode iniziamodeset iniziamodule iniziamoduletestsection iniziamodule:string inizianamedsection inizianamedsubformulas inizianarrower inizianarrower:example inizianarrower:example inizianicelyfilledbox inizianicelyfilledbox inizianointerference inizianota:instance inizianota:instance inizianota:instance:assignment inizianota:instance:assignment:endnote inizianota:instance:assignment:footnote</pre> | <pre>\iniziaMIXEDCOLUMNS [] \terminaMIXEDCOLUMNS \iniziaboxedcolumns [] \terminaboxedcolumns \iniziacolumns [] \terminacolumns \iniziaitemgroupcolumns [] \terminaitemgroupcolumns \iniziamode [] \terminamode \iniziamodeset [] {} \terminamodeset \iniziamodule [] \terminamodule \iniziamoduletestsection \terminamoduletestsection \iniziamodule \terminamodule \inizianamedsection [] [] [] \terminanamedsection \inizianamedsubformulas [] {} \terminanamedsubformulas \inizianarrower [] \terminanarrower \iniziaNARROWER [] \terminanARROWER \inizianegativo \terminanegativo \inizianicelyfilledbox [] \terminanicelyfilledbox \inizianointerference \terminanointerference \inizianotallmodes [] \terminanotallmodes \inizianotallmodes [] \terminanotallmodes \inizianotalloote [] \terminanotal \inizianotalloote [] \terminanotalloote \inizianota</pre> |
| <pre>iniziamixedcolumns:instance iniziamixedcolumns:instance:boxedcolumns iniziamixedcolumns:instance:columns iniziamixedcolumns:instance:itemgroupcolumns iniziamode iniziamodeset iniziamodule iniziamoduletestsection iniziamodule:string inizianamedsection inizianamedsubformulas inizianarrower inizianarrower:example inizianegativo inizianicelyfilledbox inizianointerference inizianotallmodes inizianota:instance inizianota:instance:assignment inizianota:instance:assignment:footnote inizianota:instance:endnote</pre> | <pre>\iniziaMIXEDCOLUMNS [] \terminaMIXEDCOLUMNS \iniziaboxedcolumns [] \terminaboxedcolumns \iniziacolumns [] \terminacolumns \iniziaitemgroupcolumns [] \terminaitemgroupcolumns \iniziamode [] \terminamode \iniziamodeset [] {} \terminamodeset \iniziamodule [] \terminamodule \iniziamoduletestsection \terminamoduletestsection \inizianamedsubformulas [] [] \terminanamedsubformulas \inizianarrower [] \terminanarrower \inizianARROWER [] \terminanarrower \inizianARROWER [] \terminanarrower \inizianicelyfilledbox [] \terminanicelyfilledbox \inizianointerference \terminanointerference \inizianOTE [] \terminanotallmodes \inizianOTE [] \terminanotallmodes \inizianotallmodes [] \terminanotallmodes \inizianotalota [] \terminanotalota \inizianot</pre> |
| <pre>iniziamixedcolumns:instance iniziamixedcolumns:instance:boxedcolumns iniziamixedcolumns:instance:columns iniziamixedcolumns:instance:itemgroupcolumns iniziamode iniziamodeset iniziamoduletestsection iniziamodule:string inizianamedsection inizianamedsubformulas inizianarrower inizianarrower:example inizianegativo inizianicelyfilledbox inizianointerference inizianotallmodes inizianota:instance inizianota:instance:assignment inizianota:instance:assignment:footnote inizianota:instance:endnote inizianota:instance:endnote inizianota:instance:endnote inizianota:instance:endnote inizianota:instance:footnote</pre> | <pre>\iniziaMIXEDCOLUMNS [] \terminaMIXEDCOLUMNS \iniziaboxedcolumns [] \terminaboxedcolumns \iniziacolumns [] \terminacolumns \iniziaitemgroupcolumns [] \terminaitemgroupcolumns \iniziamode [] \terminamode \iniziamodeset [] {} \terminamodeset \iniziamodule [] \terminamodule \iniziamoduletestsection \terminamodule testsection \inizianamedsubformulas [] [] \terminanamedsection \inizianamedsubformulas [] {} \terminanamedsubformulas \inizianarrower [] \terminanarrower \inizianARROWER [] \terminanarrower \inizianiziancelyfilledbox [] \terminanicelyfilledbox \inizianicelyfilledbox [] \terminanotallmodes \inizianotallmodes [] \terminanotallmodes \inizianotallmodes [] \terminanotallmodes \inizianotallmode [] \terminanotallmodes \inizianotallote [] \terminanotallote \iniziafootnote [] \terminaendnote \iniziafootnote [] \terminaendnote</pre> |
| <pre>iniziamixedcolumns:instance iniziamixedcolumns:instance:boxedcolumns iniziamixedcolumns:instance:columns iniziamixedcolumns:instance:itemgroupcolumns iniziamode iniziamode iniziamodule iniziamoduletestsection iniziamodule:string inizianamedsection inizianamedsubformulas inizianarrower inizianarrower:example inizianegativo inizianicelyfilledbox inizianotallmodes inizianota:instance inizianota:instance:assignment inizianota:instance:assignment:footnote inizianota:instance:endnote inizianota:instance:endnote inizianota:instance:endnote inizianota:instance:endnote inizianota:instance:footnote inizianotext</pre> | <pre>\iniziaMIXEDCOLUMNS [] \terminaMIXEDCOLUMNS \iniziaboxedcolumns [] \terminaboxedcolumns \iniziacolumns [] \terminacolumns \iniziaitemgroupcolumns [] \terminaitemgroupcolumns \iniziaimode [] \terminamode \iniziamodeset [] {} \terminamodeset \iniziamodule [] \terminamodule \iniziamoduletestsection \terminamodule \inizianamedsection [] [] [] \terminanamedsection \inizianamedsubformulas [] {} \terminanamedsubformulas \inizianarrower [] \terminanarrower \iniziaNARROWER [] \terminanarrower \inizianointerference \terminanointerference \inizianointerference \terminanointerference \inizianotallmodes [] \terminanotallmodes \inizianotallmodes [] \terminanotallmodes \inizianotallmodes [] \terminanotallmodes \inizianotallmodes [] \terminanotallmode \inizianotalotote [] \terminaendnote \inizianotalototote [] \terminaendnote \iniziafootnote [] \terminaendnote \inizianotaloute [] \terminaendnote \inizianotalout</pre> |
| <pre>iniziamixedcolumns:instance iniziamixedcolumns:instance:boxedcolumns iniziamixedcolumns:instance:columns iniziamixedcolumns:instance:itemgroupcolumns iniziamode iniziamodeset iniziamodule iniziamoduletestsection iniziamodule:string inizianamedsection inizianamedsubformulas inizianarrower inizianarrower:example inizianarrower:example inizianicelyfilledbox inizianicelyfilledbox inizianotatlmodes inizianota:instance inizianota:instance:assignment inizianota:instance:assignment:endnote inizianota:instance:assignment:footnote inizianota:instance:endnote inizianota:instance:footnote inizianotext inizianotext inizianotmode</pre> | <pre>\iniziaMIXEDCOLUMNS [=] \terminaMIXEDCOLUMNS \iniziaboxedcolumns [=] \terminaboxedcolumns \iniziacolumns [=] \terminacolumns \iniziaitemgroupcolumns [=] \terminaitemgroupcolumns \iniziaimode [] \terminamode \iniziamodeset [] {} \terminamodeset \iniziamodule [] \terminamodule \iniziamoduletestsection \terminamoduletestsection \inizianamedsection [] [=] [=] \terminanamedsection \inizianamedsubformulas [] {} \terminanamedsubformulas \inizianarrower [] \terminanarrower \inizianARROWER [] \terminaNARROWER \inizianointerference \terminanointerference \inizianointerference \terminanotallmodes \inizianotallmodes [] \terminanotallmodes \inizianotallmodes [] \terminanote \inizianotalotote [=] \terminaendnote \iniziafootnote [=] \terminafootnote \iniziafootnote [] \terminafootnote \iniziafootnote [] \terminafootnote \iniziafootnote [] \terminafootnote \inizianotalototote [] \terminafootnote \inizianotalototote [] \terminafootnote \inizianotext \terminanotext \inizianotmode [] \terminanotmode</pre> |
| <pre>iniziamixedcolumns:instance iniziamixedcolumns:instance:boxedcolumns iniziamixedcolumns:instance:columns iniziamixedcolumns:instance:itemgroupcolumns iniziamode iniziamodeset iniziamodule iniziamodule:string inizianamedsection inizianamedsubformulas inizianarrower inizianarrower:example inizianegativo inizianicelyfilledbox inizianotallmodes inizianota:instance inizianota:instance:assignment inizianota:instance:assignment:endnote inizianota:instance:assignment:footnote inizianota:instance:endnote inizianota:instance:endnote inizianota:instance:footnote inizianotext inizianotmode inizianotmode inizianotmode inizianotmode</pre> | <pre>\iniziaMIXEDCOLUMNS [=] \terminaMIXEDCOLUMNS \iniziaboxedcolumns [=] \terminaboxedcolumns \iniziacolumns [=] \terminacolumns \iniziaitemgroupcolumns [=] \terminaitemgroupcolumns \iniziaitemgroupcolumns [=] \terminamode \iniziamode [] \terminamode \iniziamodule [] \terminamodule \iniziamoduletestsection \terminamoduletestsection \iniziamoduletestsection \terminamoduletestsection \inizianamedsection [] [=] \terminanamedsection \inizianianamedsubformulas [] {} \terminanamedsubformulas \inizianarrower [] \terminanarrower \inizianARROWER [] \terminanARROWER \inizianogativo \terminanegativo \inizianicelyfilledbox [=] \terminanicelyfilledbox \inizianointerference \terminanotteference \inizianOTE [] \terminaNOTE \inizianOTE [] \terminaNOTE \inizianOTE [] \terminaNOTE \inizianotnote [] \terminaendnote \iniziafootnote [] \terminaendnote \ini</pre> |
| <pre>iniziamixedcolumns:instance iniziamixedcolumns:instance:boxedcolumns iniziamixedcolumns:instance:columns iniziamixedcolumns:instance:itemgroupcolumns iniziamode iniziamode iniziamodule iniziamoduletestsection iniziamodule:string inizianamedsection inizianamedsubformulas inizianarrower inizianarrower:example inizianarrower:example inizianicelyfilledbox inizianicelyfilledbox inizianotallmodes inizianota:instance inizianota:instance:assignment inizianota:instance:assignment:footnote inizianota:instance:endnote inizianota:instance:footnote inizianotext inizianotext inizianotmode iniziaoutputstream</pre> | <pre>\iniziaMIXEDCOLUMNS [=] \terminaMIXEDCOLUMNS \iniziaboxedcolumns [=] \terminaboxedcolumns \iniziacolumns [=] \terminacolumns \iniziaitemgroupcolumns [=] \terminaitemgroupcolumns \iniziaitemgroupcolumns [=] \terminamode \iniziamode [] \terminamode \iniziamodule [] \terminamodule \iniziamoduletestsection \terminamoduletestsection \iniziamodule \terminamodule \inizianamedsection [] [=] [=] \terminanamedsection \inizianamedsubformulas [] {} \terminanamedsubformulas \inizianarrower [] \terminanarrower \inizianARROWER [] \terminanARROWER \inizianegativo \terminanotalmades \inizianicelyfilledbox [=.] \terminanicelyfilledbox \inizianotalmodes [] \terminanotalmodes \inizianotalmodes [] \terminanotalmodes \inizianotalmode [] \terminanotalmode \iniziaendnote [=] \terminaendnote \iniziaendnote [=] \terminaendnote \iniziaendnote [] \terminaendnote \i</pre> |
| <pre>iniziamixedcolumns:instance iniziamixedcolumns:instance:boxedcolumns iniziamixedcolumns:instance:columns iniziamixedcolumns:instance:itemgroupcolumns iniziamode iniziamodeeet iniziamodule iniziamodule:string inizianamedsection inizianamedsection inizianarrower inizianarrower:example inizianarrower:example inizianicelyfilledbox inizianointerference inizianotallmodes inizianota:instance:assignment inizianota:instance:assignment:endnote inizianota:instance:assignment:footnote inizianota:instance:endnote inizianota:instance:footnote inizianotext inizianotext inizianotmode iniziaoutputstream iniziaoverprint</pre> | <pre>\iniziaMIXEDCOLUMNS [=] \terminaMIXEDCOLUMNS \iniziaboxedcolumns [=] \terminaboxedcolumns \iniziacolumns [=] \terminacolumns \iniziatemgroupcolumns [=] \terminaitemgroupcolumns \iniziamode [] \terminamode \iniziamodeset [] {} \terminamodeset \iniziamodule [] \terminamodule \iniziamoduletestsection \terminamoduletestsection \iniziamodule \terminamodule \inizianamedsection [] [=] [=] \terminanamedsection \inizianamedsubformulas [] {} \terminanamedsubformulas \inizianarrower [] \terminanarrower \iniziaNARROWER [] \terminanARROWER \inizianegativo \terminanoatalmodes \inizianicelyfilledbox [=] \terminanicelyfilledbox \inizianointerference \terminanointerference \inizianotallmodes [] \terminanoTE \inizianotallmodes [] \terminanoTE \inizianotallmote [=] \terminaendnote \iniziafootnote [=] \terminaendnote \iniziafootnote [] \terminafootnote \iniziafootnote [] \terminafootnote \inizianotext \terminanotext \inizi</pre> |
| <pre>iniziamixedcolumns:instance iniziamixedcolumns:instance:boxedcolumns iniziamixedcolumns:instance:columns iniziamixedcolumns:instance:itemgroupcolumns iniziamode iniziamodeset iniziamodule iniziamodule:string inizianamedsection inizianamedsection inizianarrower inizianarrower:example inizianarrower:example inizianicelyfilledbox inizianointerference inizianota:instance inizianota:instance:assignment inizianota:instance:assignment:footnote inizianota:instance:endnote inizianota:instance:footnote inizianotext inizianotext inizianotmode iniziaoutputstream iniziaoverprint iniziapagecolumns</pre> | <pre>\iniziaMIXEDCOLUMNS [=] \terminaMIXEDCOLUMNS \iniziaboxedcolumns [=] \terminaboxedcolumns \iniziacolumns [=] \terminacolumns \iniziaitemgroupcolumns [=] \terminaitemgroupcolumns \iniziamode [] \terminamode \iniziamodeset [] {} \terminamodule \iniziamodule [] \terminamodule \iniziamodule [] \terminamodule \inizianamedsection [] [=] [=] \terminanamedsection \inizianamedsubformulas [] {} \terminanamedsubformulas \inizianarrower [] \terminanarrower \inizianARROWER [] \terminanARROWER \inizianegativo \terminanegativo \inizianicelyfilledbox [=] \terminanicelyfilledbox \inizianointerference \terminanointerference \inizianotallmodes [] \terminanotallmodes \inizianotallmote [] \terminanotE \inizianotnote [] \terminanote \iniziafootnote [] \terminaendnote \iniziafootnote [] \terminaendnote \iniziafootnote [] \terminaendnote \inizianotnotet \terminaendnote \inizianotnotet \terminaendnote \inizianotext \terminaendno</pre> |
| <pre>iniziamixedcolumns:instance:boxedcolumns iniziamixedcolumns:instance:columns iniziamixedcolumns:instance:itemgroupcolumns iniziamode iniziamodeset iniziamodule iniziamodule:string inizianamedsection inizianamedsubformulas inizianarrower inizianarrower:example inizianicelyfilledbox inizianointerference inizianota:instance inizianota:instance:assignment inizianota:instance:assignment:footnote inizianota:instance:endnote inizianotext inizianotext inizianotext inizianotmode inizianotyposto iniziaoyposto iniziapagecolumns iniziapagecolumns:instance</pre> | <pre>\iniziaMIXEDCOLUMNS [=] \terminaMIXEDCOLUMNS \iniziaboxedcolumns [=] \terminaboxedcolumns \iniziacolumns [=] \terminacolumns \iniziaitemgroupcolumns [=] \terminaitemgroupcolumns \iniziaitemgroupcolumns [=] \terminamode \iniziamodee [] \terminamode \iniziamodeset [] \terminamodule \iniziamodule [] \terminamodule \iniziamodule estsection \terminamodule \iniziamodule \terminamodule \inizianamedsection [] [=] [=] \terminanamedsection \inizianamedsubformulas [] {} \terminanamedsubformulas \inizianarrower [] \terminanarrower \inizianARROWER [] \terminaNARROWER \inizianotalangativo \terminanegativo \inizianicelyfilledbox [=] \terminanicelyfilledbox \inizianotallmodes [] \terminanotallmodes \inizianotte [] \terminanotte \inizianotte [] \terminanotte \inizianottot [] \terminanotte \iniziaendnote [] \terminaendnote \iniziaendnote [] \terminaendnote \iniziafootnote [] \terminaendnote \iniziafootnote [] \terminaendnote \inizianotext \terminaotext \inizianotext \terminaotext \inizianotext \terminaoposto \iniziaoutputstream [] \terminaoutputstream \iniziaoverprint \terminaoverprint \iniziapagecolumns [=.] \terminapagecolumns \iniziaPAGECOLUMNS \terminapagecolumns \iniziainiziaPAGECOLUMNS \terminapagecolumns \iniziainiziaPAGECOLUMNS \terminapagecolumns \iniziainiziapagecolumns [=.] \terminapagecolumns \iniziainiziapagecolumns [=.] \terminapagecolumns \iniziainizianotext \terminapagecolumns \iniziainizianotext \terminapagecolumns \iniziainiziapagecolumns [=.] \terminapagecolumns \iniziainiziapagecolumns [=.] \terminapagecolumns \inizianotext \terminapagecol</pre> |
| <pre>iniziamixedcolumns:instance:boxedcolumns iniziamixedcolumns:instance:columns iniziamixedcolumns:instance:itemgroupcolumns iniziamode iniziamodeset iniziamodule iniziamodule:string inizianamedsection inizianamedsubformulas inizianarrower inizianarrower:example inizianicelyfilledbox inizianointerference inizianota:instance inizianota:instance:assignment inizianota:instance:assignment:footnote inizianota:instance:endnote inizianota:instance:footnote inizianotext inizianotext inizianotmode inizianotyposto iniziaoyposto iniziaoyagecolumns:instance inizianpagecolumns:instance inizianpagecolumns:instance inizianpagecolumns:instance inizianpagecolumns:name</pre> | <pre>\iniziaMIXEDCOLUMNS [=] \terminaMIXEDCOLUMNS \iniziaboxedcolumns [=] \terminaboxedcolumns \iniziacolumns [=] \terminacolumns \iniziaitemgroupcolumns [=] \terminaitemgroupcolumns \iniziamode [] \terminamode \iniziamodeset [] {} \terminamodeset \iniziamodule [] \terminamodule \iniziamodule [] \terminamodule \iniziamodule estsection \terminamodule \inizianamedsection [] [=] [=] \terminanamedsection \inizianamedsubformulas [] {} \terminanamedsubformulas \inizianarrower [] \terminanarrower \inizianARROWER [] \terminanarrower \inizianicalyfilledbox [=] \terminanicelyfilledbox \inizianicelyfilledbox [=] \terminanointerference \inizianotallmodes [] \terminanotte \inizianotallmodes [] \terminanotte \inizianotallmodes [] \terminanotte \inizianotallote [=] \terminaendnote \iniziafootnote [=] \terminaendnote \iniziafootnote [=] \terminaendnote \iniziafootnote [] \terminaendnote \iniziafootnote [] \terminaendnote \inizianotmode [] \terminaendnote \inizianotmode [] \terminaoutputstream \inizianotmode [] \terminaoutputstream \iniziaoutputstream [] \terminaoutputstream \iniziaoverprint \terminaoverprint \iniziapagecolumns [] \terminapagecolumns \iniziapagecolumns [] \termina</pre> |
| <pre>iniziamixedcolumns:instance iniziamixedcolumns:instance:boxedcolumns iniziamixedcolumns:instance:columns iniziamixedcolumns:instance:itemgroupcolumns iniziamode iniziamodeset iniziamodule iniziamodule:string inizianamedsection inizianamedsection inizianamrower inizianarrower inizianarrower:example inizianicelyfilledbox inizianicelyfilledbox inizianotallmodes inizianota:instance inizianota:instance:assignment inizianota:instance:assignment:footnote inizianota:instance:footnote inizianota:instance:footnote inizianotext inizianotext inizianotext inizianotposto inizianotposto inizianotapagecolumns inizianpagecolumns:instance inizianpagecolumns:instance inizianpagefigure</pre> | <pre>\iniziaMIXEDCOLUMNS [=] \terminaMIXEDCOLUMNS \iniziaboxedcolumns [=] \terminaboxedcolumns \iniziacolumns [=] \terminacolumns \iniziaitemgroupcolumns [=] \terminaitemgroupcolumns \iniziaitemgroupcolumns [=] \terminamode \iniziamode [] \terminamodeset \iniziamodeset [] {} \terminamodule \iniziamoduletestsection \terminamoduletestsection \iniziamodule \terminamodule \inizianamedsuction [] [=] [=] \terminanamedsection \inizianamedsuctionmulas [] {} \terminanarrower \inizianamrower [] \terminanarrower \inizianarrower [] \terminanarrower \inizianegativo \terminanarrower \inizianicalyfilledbox [=] \terminanicelyfilledbox \inizianicianointerference \terminanointerference \inizianotallmodes [] \terminanotallmodes \inizianotallmodes [] \terminanotte \inizianotallmote [] \terminanotte \iniziaendnote [] \terminanotte \iniziaendnote [] \terminafootnote \iniziaendnote [] \terminafootnote \iniziaendnote [] \terminafootnote \inizianotext \terminanotext \inizianotext \terminanotext \inizianotext \terminanotext \inizianotext \terminaoposto \iniziaoutputstream [] \terminaoutputstream \iniziaoutputstream [] \terminapagecolumns \iniziapagecolumns [] \terminapagecolumns \iniziapagecolumns [] \terminapagecolumns \iniziapagefigure [] [\terminapagecolumns \iniziapagecolumns [] [] [\terminapagecolumns \iniziapagecolumns [] [] [\terminapagecolumns \iniziapagecolumns [] [] [\terminapagecolumns \iniziapag</pre> |
| <pre>iniziamixedcolumns:instance:boxedcolumns iniziamixedcolumns:instance:columns iniziamixedcolumns:instance:itemgroupcolumns iniziamode iniziamodeset iniziamodule iniziamodule:string inizianamedsection inizianamedsubformulas inizianarrower inizianarrower:example inizianicelyfilledbox inizianointerference inizianota:instance inizianota:instance:assignment inizianota:instance:assignment:footnote inizianota:instance:endnote inizianota:instance:footnote inizianotext inizianotext inizianotmode inizianotyposto iniziaoyposto iniziaoyagecolumns:instance inizianpagecolumns:instance inizianpagecolumns:instance inizianpagecolumns:instance inizianpagecolumns:name</pre> | <pre>\iniziaMIXEDCOLUMNS [=] \terminaMIXEDCOLUMNS \iniziaboxedcolumns [=] \terminaboxedcolumns \iniziacolumns [=] \terminacolumns \iniziaitemgroupcolumns [=] \terminaitemgroupcolumns \iniziamode [] \terminamode \iniziamodeset [] {} \terminamodeset \iniziamodule [] \terminamodule \iniziamodule [] \terminamodule \iniziamodule estsection \terminamodule \inizianamedsection [] [=] [=] \terminanamedsection \inizianamedsubformulas [] {} \terminanamedsubformulas \inizianarrower [] \terminanarrower \inizianARROWER [] \terminanarrower \inizianicalyfilledbox [=] \terminanicelyfilledbox \inizianicelyfilledbox [=] \terminanointerference \inizianotallmodes [] \terminanotte \inizianotallmodes [] \terminanotte \inizianotallmodes [] \terminanotte \inizianotallote [=] \terminaendnote \iniziafootnote [=] \terminaendnote \iniziafootnote [=] \terminaendnote \iniziafootnote [] \terminaendnote \iniziafootnote [] \terminaendnote \inizianotmode [] \terminaendnote \inizianotmode [] \terminaoutputstream \inizianotmode [] \terminaoutputstream \iniziaoutputstream [] \terminaoutputstream \iniziaoverprint \terminaoverprint \iniziapagecolumns [] \terminapagecolumns \iniziapagecolumns [] \termina</pre> |

| iniziaparagraphs | \iniziaparagraphs [] \terminaparagraphs |
|--|--|
| iniziaparagraphscell | \iniziaparagraphscell \terminaparagraphscell |
| iniziaparagraphs:example | \iniziaPARAGRAPHS \terminaPARAGRAPHS |
| iniziaparallel:example | \iniziaPARALLEL \terminaPARALLEL |
| iniziaparbuilder | \iniziaparbuilder [] \terminaparbuilder |
| iniziaplacefloat | \iniziaplacefloat [] [=] [=] \terminaplacefloat |
| iniziaplacefloat:instance | \iniziamettiFLOAT [=] [=] \terminamettiFLOAT |
| iniziaplacefloat:instance:chemical | \iniziamettichemical [=] [=] \terminamettichemical |
| iniziaplacefloat:instance:figure | \iniziamettifigure [=] [=] \terminamettifigure |
| iniziaplacefloat:instance:graphic | \iniziamettigraphic [=] [\terminamettigraphic |
| iniziaplacefloat:instance:intermezzo | \iniziamettiintermezzo [=] [=] \terminamettiintermezzo |
| iniziaplacefloat:instance:table | \iniziamettitable [=] [=] \terminamettitable |
| <u>.</u> | |
| iniziaplacepairedbox | \iniziaplacepairedbox [] [=] \terminaplacepairedbox |
| iniziaplacepairedbox:instance | \iniziamettiPAIREDBOX [=] \terminamettiPAIREDBOX |
| iniziaplacepairedbox:instance:legend | \iniziamettilegend [=] \terminamettilegend |
| iniziapositioning | \iniziapositioning [] [=] \terminapositioning |
| iniziapositionoverlay | $\initial \sum_{i=1}^{n} \dots \terminate \sum_{i=1}^{n} \dots \terminate \sum_{i=1}^{n} \sum_{i=1}^{n} y_i $ |
| iniziapositivo | \iniziapositivo \terminapositivo |
| iniziaposporre | \iniziaposporre [] \terminaposporre |
| iniziapostponingnotes | \iniziapostponingnotes \terminapostponingnotes |
| iniziaprocessassignmentcommand | \iniziaprocessassignmentcommand [=] \terminaprocessassignmentcom |
| iniziaprocessassignmentlist | \iniziaprocessassignmentlist [=] \terminaprocessassignmentlist |
| iniziaprocesscommacommand | \iniziaprocesscommacommand [] \terminaprocesscommacommand |
| iniziaprocesscommalist | \iniziaprocesscommalist [] \terminaprocesscommalist |
| iniziaprodotto | |
| • | \iniziaprodotto [] \terminaprodotto |
| iniziaprodotto:string | \iniziaprodotto \terminaprodotto |
| iniziaprogetto | \iniziaprogetto [] \terminaprogetto |
| iniziaprogetto:string | \iniziaprogetto \terminaprogetto |
| iniziaprotectedcolors | \iniziaprotectedcolors \terminaprotectedcolors |
| iniziapubblicazione | \iniziapubblicazione [] [=] \terminapubblicazione |
| iniziarandomized | \iniziarandomized \terminarandomized |
| iniziarawsetups | \iniziarawsetups [] [] \terminarawsetups |
| iniziarawsetups:string | \iniziarawsetups \terminarawsetups |
| iniziareadingfile | \iniziareadingfile \terminareadingfile |
| iniziaregime | \iniziaregime [] \terminaregime |
| iniziareusableMPgraphic | \iniziareusableMPgraphic {} {} \terminareusableMPgraphic |
| | |
| | |
| iniziariga | \iniziariga [] |
| iniziariga iniziarighe:instance | \iniziariga [] \iniziaLINES [=] \terminaLINES |
| <pre>iniziariga iniziarighe:instance iniziarighe:instance:lines</pre> | \iniziariga [] \iniziaLINES [=] \terminaLINES \inizialines [=] \terminalines |
| <pre>iniziariga iniziarighe:instance iniziarighe:instance:lines iniziaruby</pre> | \iniziariga [] \iniziaLINES [=] \terminaLINES \inizialines [=] \terminalines \iniziaruby [] \terminaruby |
| <pre>iniziariga iniziarighe:instance iniziarighe:instance:lines</pre> | \iniziariga [] \iniziaLINES [=] \terminaLINES \inizialines [=] \terminalines \iniziaruby [] \terminaruby \iniziascript [] \terminascript |
| <pre>iniziariga iniziarighe:instance iniziarighe:instance:lines iniziaruby</pre> | \iniziariga [] \iniziaLINES [=] \terminaLINES \inizialines [=] \terminalines \iniziaruby [] \terminaruby \iniziascript [] \terminascript \iniziasectionblock [] [=] \terminasectionblock |
| <pre>iniziariga iniziarighe:instance iniziarighe:instance:lines iniziaruby iniziascript</pre> | \iniziariga [] \iniziaLINES [=] \terminaLINES \inizialines [=] \terminalines \iniziaruby [] \terminaruby \iniziascript [] \terminascript |
| <pre>iniziariga iniziarighe:instance iniziarighe:instance:lines iniziaruby iniziascript iniziasectionblock</pre> | \iniziariga [] \iniziaLINES [=] \terminaLINES \inizialines [=] \terminalines \iniziaruby [] \terminaruby \iniziascript [] \terminascript \iniziasectionblock [] [=] \terminasectionblock |
| <pre>iniziariga iniziarighe:instance iniziarighe:instance:lines iniziaruby iniziascript iniziasectionblock iniziasectionblock:instance</pre> | \iniziariga [] \iniziaLINES [=] \terminaLINES \inizialines [=] \terminalines \iniziaruby [] \terminaruby \iniziascript [] \terminascript \iniziasectionblock [] [=] \terminasectionblock \iniziaSECTIONBLOCK [=] \terminaSECTIONBLOCK |
| <pre>iniziariga iniziarighe:instance iniziarighe:instance:lines iniziaruby iniziascript iniziasectionblock iniziasectionblock:instance iniziasectionblock:instance:appendices iniziasectionblock:instance:backmatter</pre> | <pre>\iniziariga [] \iniziaLINES [=] \terminaLINES \inizialines [=] \terminalines \iniziaruby [] \terminaruby \iniziascript [] \terminascript \iniziasectionblock [] [=] \terminasectionblock \iniziaSECTIONBLOCK [=] \terminaSECTIONBLOCK \iniziaappendices [=] \terminaappendices \iniziabackmatter [=] \terminabackmatter</pre> |
| <pre>iniziariga iniziarighe:instance iniziarighe:instance:lines iniziaruby iniziascript iniziasectionblock iniziasectionblock:instance iniziasectionblock:instance:appendices iniziasectionblock:instance:backmatter iniziasectionblock:instance:bodymatter</pre> | <pre>\iniziariga [] \iniziaLINES [=] \terminaLINES \inizialines [=] \terminalines \iniziaruby [] \terminaruby \iniziascript [] \terminascript \iniziasectionblock [] [=] \terminasectionblock \iniziaSECTIONBLOCK [=] \terminaSECTIONBLOCK \iniziaappendices [=] \terminaappendices \iniziabackmatter [=] \terminabackmatter \iniziabodymatter [=] \terminabodymatter</pre> |
| <pre>iniziariga iniziarighe:instance iniziarighe:instance:lines iniziaruby iniziascript iniziasectionblock iniziasectionblock:instance iniziasectionblock:instance:appendices iniziasectionblock:instance:backmatter iniziasectionblock:instance:bodymatter iniziasectionblock:instance:frontmatter</pre> | <pre>\iniziariga [] \iniziaLINES [=] \terminaLINES \inizialines [=] \terminalines \iniziaruby [] \terminaruby \iniziascript [] \terminascript \iniziasectionblock [] [=] \terminasectionblock \iniziaSECTIONBLOCK [=] \terminaSECTIONBLOCK \iniziaappendices [=] \terminappendices \iniziabackmatter [=] \terminabackmatter \iniziabodymatter [=] \terminabodymatter \iniziafrontmatter [=] \terminafrontmatter</pre> |
| <pre>iniziariga iniziarighe:instance iniziarighe:instance:lines iniziaruby iniziascript iniziasectionblock iniziasectionblock:instance iniziasectionblock:instance:appendices iniziasectionblock:instance:backmatter iniziasectionblock:instance:bodymatter iniziasectionblock:instance:frontmatter iniziasectionblock:instance:frontmatter</pre> | <pre>\iniziariga [] \iniziaLINES [=] \terminaLINES \inizialines [=] \terminalines \iniziaruby [] \terminascript \iniziascript [] \terminascript \iniziasectionblock [] [=] \terminasectionblock \iniziaSECTIONBLOCK [=] \terminaSECTIONBLOCK \iniziaappendices [=] \terminappendices \iniziabackmatter [=] \terminabackmatter \iniziabodymatter [=] \terminabodymatter \iniziafrontmatter [=] \terminafrontmatter \iniziasectionlevel [] [=] [=] \terminasectionlevel</pre> |
| <pre>iniziariga iniziarighe:instance iniziarighe:instance:lines iniziaruby iniziascript iniziasectionblock iniziasectionblock:instance iniziasectionblock:instance:appendices iniziasectionblock:instance:backmatter iniziasectionblock:instance:bodymatter iniziasectionblock:instance:frontmatter iniziasectionlevel iniziasectionlevel</pre> | <pre>\iniziariga [] \iniziaLINES [=] \terminaLINES \inizialines [=] \terminalines \iniziaruby [] \terminascript \iniziascript [] \terminascript \iniziasectionblock [] [=] \terminasectionblock \iniziaSECTIONBLOCK [=] \terminaSECTIONBLOCK \iniziaappendices [=] \terminappendices \iniziabackmatter [=] \terminabackmatter \iniziabodymatter [=] \terminabodymatter \iniziafrontmatter [=] \terminafrontmatter \iniziasectionlevel [] [=] [=] \terminasectionlevel \iniziasetups [] [] \terminasetups</pre> |
| <pre>iniziariga iniziarighe:instance iniziarighe:instance:lines iniziaruby iniziascript iniziasectionblock iniziasectionblock:instance iniziasectionblock:instance:appendices iniziasectionblock:instance:backmatter iniziasectionblock:instance:bodymatter iniziasectionblock:instance:frontmatter iniziasectionlevel iniziasetups iniziasetups:string</pre> | <pre>\iniziariga [] \iniziaLINES [=] \terminaLINES \inizialines [=] \terminalines \iniziaruby [] \terminascript \iniziascript [] \terminascript \iniziasectionblock [] [=] \terminasectionblock \iniziaSECTIONBLOCK [=] \terminaSECTIONBLOCK \iniziaappendices [=] \terminappendices \iniziabackmatter [=] \terminabackmatter \iniziabodymatter [=] \terminabodymatter \iniziafrontmatter [=] \terminafrontmatter \iniziasectionlevel [] [=] [=] \terminasectionlevel \iniziasetups [] [] \terminasetups \iniziasetups \terminasetups</pre> |
| <pre>iniziariga iniziarighe:instance iniziarighe:instance:lines iniziaruby iniziascript iniziasectionblock iniziasectionblock:instance iniziasectionblock:instance:appendices iniziasectionblock:instance:backmatter iniziasectionblock:instance:bodymatter iniziasectionblock:instance:frontmatter iniziasectionlevel iniziasetups iniziasetups iniziasefondo</pre> | <pre>\iniziariga [] \iniziaLINES [=] \terminaLINES \inizialines [=] \terminalines \iniziaruby [] \terminascript \iniziascript [] \terminascript \iniziasectionblock [] [=] \terminasectionblock \iniziaSECTIONBLOCK [=] \terminaSECTIONBLOCK \iniziaappendices [=] \terminappendices \iniziabackmatter [=] \terminabackmatter \iniziabodymatter [=] \terminabodymatter \iniziafrontmatter [=] \terminafrontmatter \iniziasectionlevel [] [=] [=] \terminasectionlevel \iniziasetups [] [] \terminasetups \iniziasfondo [=] \terminasefondo</pre> |
| <pre>iniziariga iniziarighe:instance iniziarighe:instance:lines iniziaruby iniziascript iniziasectionblock iniziasectionblock:instance iniziasectionblock:instance:appendices iniziasectionblock:instance:backmatter iniziasectionblock:instance:bodymatter iniziasectionblock:instance:frontmatter iniziasectionblock:instance:frontmatter iniziasectionlevel iniziasetups iniziasetups:string iniziasfondo iniziasfondo:example</pre> | <pre>\iniziariga [] \iniziaLINES [=] \terminaLINES \inizialines [=] \terminalines \iniziaruby [] \terminascript \iniziascript [] \terminascript \iniziasectionblock [] [=] \terminasectionblock \iniziaSECTIONBLOCK [=] \terminaSECTIONBLOCK \iniziaappendices [=] \terminaappendices \iniziabackmatter [=] \terminabackmatter \iniziabodymatter [=] \terminabodymatter \iniziafrontmatter [=] \terminafrontmatter \iniziasectionlevel [] [=] [=] \terminasectionlevel \iniziasetups [] [] \terminasetups \iniziasfondo [=] \terminasfondo \iniziaSFONDO [=] \terminasFONDO</pre> |
| <pre>iniziariga iniziarighe:instance iniziarighe:instance:lines iniziaruby iniziascript iniziasectionblock iniziasectionblock:instance iniziasectionblock:instance:appendices iniziasectionblock:instance:backmatter iniziasectionblock:instance:bodymatter iniziasectionblock:instance:frontmatter iniziasectionlevel iniziasetups iniziasetups iniziasefondo</pre> | <pre>\iniziariga [] \iniziaLINES [=] \terminaLINES \inizialines [=] \terminalines \iniziaruby [] \terminascript \iniziascript [] \terminascript \iniziasectionblock [] [=] \terminasectionblock \iniziaSECTIONBLOCK [=] \terminaSECTIONBLOCK \iniziaappendices [=] \terminappendices \iniziabackmatter [=] \terminabackmatter \iniziabodymatter [=] \terminabodymatter \iniziafrontmatter [=] \terminafrontmatter \iniziasectionlevel [] [=] [=] \terminasectionlevel \iniziasetups [] [] \terminasetups \iniziasfondo [=] \terminasefondo</pre> |
| <pre>iniziariga iniziarighe:instance iniziarighe:instance:lines iniziaruby iniziascript iniziasectionblock iniziasectionblock:instance iniziasectionblock:instance:appendices iniziasectionblock:instance:backmatter iniziasectionblock:instance:bodymatter iniziasectionblock:instance:frontmatter iniziasectionblock:instance:frontmatter iniziasectionlevel iniziasetups iniziasetups:string iniziasfondo iniziasfondo:example</pre> | <pre>\iniziariga [] \iniziaLINES [=] \terminaLINES \inizialines [=] \terminalines \iniziaruby [] \terminascript \iniziascript [] \terminascript \iniziasectionblock [] [=] \terminasectionblock \iniziaSECTIONBLOCK [=] \terminaSECTIONBLOCK \iniziaappendices [=] \terminaappendices \iniziabackmatter [=] \terminabackmatter \iniziabodymatter [=] \terminabodymatter \iniziafrontmatter [=] \terminafrontmatter \iniziasectionlevel [] [=] [=] \terminasectionlevel \iniziasetups [] [] \terminasetups \iniziasetups (] \terminasfondo \iniziaSFONDO [=] \terminasfONDO \iniziashift [] \terminashift \iniziasidebar [] [=] \terminasidebar</pre> |
| <pre>iniziariga iniziarighe:instance iniziarighe:instance:lines iniziaruby iniziascript iniziasectionblock iniziasectionblock:instance iniziasectionblock:instance:appendices iniziasectionblock:instance:backmatter iniziasectionblock:instance:bodymatter iniziasectionblock:instance:frontmatter iniziasectionblock:instance:frontmatter iniziasectionlevel iniziasetups iniziasetups:string iniziasfondo iniziasfondo:example iniziashift</pre> | <pre>\iniziariga [] \iniziaLINES [=] \terminaLINES \inizialines [=] \terminalines \iniziaruby [] \terminascript \iniziascript [] \terminascript \iniziasectionblock [] [=] \terminasectionblock \iniziaSECTIONBLOCK [=] \terminaSECTIONBLOCK \iniziaappendices [=] \terminaappendices \iniziabackmatter [=] \terminabackmatter \iniziabodymatter [=] \terminabodymatter \iniziafrontmatter [=] \terminafrontmatter \iniziasectionlevel [] [=] [=] \terminasectionlevel \iniziasetups [] [] \terminasetups \iniziasfondo [=] \terminasFONDO \iniziashift [] \terminashift</pre> |
| <pre>iniziariga iniziarighe:instance iniziarighe:instance:lines iniziaruby iniziascript iniziasectionblock iniziasectionblock:instance iniziasectionblock:instance:appendices iniziasectionblock:instance:backmatter iniziasectionblock:instance:bodymatter iniziasectionblock:instance:frontmatter iniziasectionblock:instance:frontmatter iniziasectionlevel iniziasetups iniziasetups:string iniziasfondo iniziasfondo:example iniziasidebar</pre> | <pre>\iniziariga [] \iniziaLINES [=] \terminaLINES \inizialines [=] \terminalines \iniziaruby [] \terminascript \iniziascript [] \terminascript \iniziasectionblock [] [=] \terminasectionblock \iniziaSECTIONBLOCK [=] \terminaSECTIONBLOCK \iniziaappendices [=] \terminaappendices \iniziabackmatter [=] \terminabackmatter \iniziabodymatter [=] \terminabodymatter \iniziafrontmatter [=] \terminafrontmatter \iniziasectionlevel [] [=] [=] \terminasectionlevel \iniziasetups [] [] \terminasetups \iniziasetups \terminasetups \iniziasfondo [=] \terminasFONDO \iniziashift [] \terminashift \iniziasidebar [] [=] \terminasidebar \iniziasimplecolumns [=] \terminasimplecolumns</pre> |
| <pre>iniziariga iniziarighe:instance iniziarighe:instance:lines iniziaruby iniziascript iniziasectionblock iniziasectionblock:instance iniziasectionblock:instance:appendices iniziasectionblock:instance:backmatter iniziasectionblock:instance:bodymatter iniziasectionblock:instance:frontmatter iniziasectionblock:instance:frontmatter iniziasectionlevel iniziasetups iniziasetups iniziasetondo iniziasfondo iniziasfondo:example iniziasidebar iniziasimplecolumns</pre> | <pre>\iniziariga [] \iniziaLINES [=] \terminaLINES \inizialines [=] \terminalines \iniziaruby [] \terminascript \iniziasectionblock [] [=] \terminasectionblock \iniziaSECTIONBLOCK [=] \terminaSECTIONBLOCK \iniziaappendices [=] \terminaappendices \iniziabackmatter [=] \terminabackmatter \iniziabodymatter [=] \terminabodymatter \iniziafrontmatter [=] \terminafrontmatter \iniziasectionlevel [] [=] [=] \terminasectionlevel \iniziasetups [] [] \terminasetups \iniziasetups \terminasetups \iniziasfondo [=] \terminasFONDO \iniziaSFONDO [=] \terminashift \iniziasidebar [] [=] \terminasimplecolumns \iniziasospeso [=] {} \terminasimplecolumns \iniziasospeso [=] {} \terminasospeso</pre> |
| <pre>iniziariga iniziarighe:instance iniziarighe:instance:lines iniziaruby iniziascript iniziasectionblock iniziasectionblock:instance iniziasectionblock:instance:appendices iniziasectionblock:instance:backmatter iniziasectionblock:instance:bodymatter iniziasectionblock:instance:frontmatter iniziasectionblock:instance:frontmatter iniziasectionlevel iniziasetups iniziasetups iniziasetups:string iniziasfondo iniziasfondo:example iniziashift iniziasidebar iniziasimplecolumns iniziasospeso iniziasospeso iniziasospeso:argument</pre> | <pre>\iniziariga [] \iniziaLINES [=] \terminaLINES \inizialines [=] \terminalines \iniziaruby [] \terminascript \iniziasectionblock [] [=] \terminasectionblock \iniziaSECTIONBLOCK [=] \terminaSECTIONBLOCK \iniziaappendices [=] \terminaappendices \iniziabackmatter [=] \terminabackmatter \iniziabodymatter [=] \terminabodymatter \iniziafrontmatter [=] \terminafrontmatter \iniziasectionlevel [] [=] [=] \terminasectionlevel \iniziasetups [] [] \terminasetups \iniziasetups \terminasetups \iniziasfondo [=] \terminasFONDO \iniziaSFONDO [=] \terminashift \iniziasidebar [] [=] \terminasimplecolumns \iniziasospeso [=] {} \terminasospeso \iniziasospeso [=] {} \terminasospeso \iniziasospeso [] {} \terminasospeso \iniziasospeso [] {} \terminasospeso</pre> |
| <pre>iniziariga iniziarighe:instance iniziarighe:instance:lines iniziaruby iniziascript iniziasectionblock iniziasectionblock:instance iniziasectionblock:instance:appendices iniziasectionblock:instance:backmatter iniziasectionblock:instance:bodymatter iniziasectionblock:instance:frontmatter iniziasectionlevel iniziasetups iniziasetups iniziasetups:string iniziasfondo iniziasfondo:example iniziashift iniziasidebar iniziasimplecolumns iniziasospeso iniziasospeso:argument iniziasovrapponi</pre> | <pre>\iniziariga [] \iniziaLINES [=] \terminaLINES \inizialines [=] \terminalines \iniziaruby [] \terminascript \iniziascript [] \terminascript \iniziasectionblock [] [=] \terminasectionblock \iniziaSECTIONBLOCK [=] \terminaSECTIONBLOCK \iniziaappendices [=] \terminabackmatter \iniziabackmatter [=] \terminabackmatter \iniziabodymatter [=] \terminabodymatter \iniziafrontmatter [=] \terminafrontmatter \iniziasectionlevel [] [=] [=] \terminasectionlevel \iniziasetups [] [] \terminasetups \iniziasetups [] \terminasfondo \iniziaSFONDO [=] \terminasfondo \iniziaSFONDO [=] \terminasidebar \iniziasidebar [] [=] \terminasidebar \iniziasimplecolumns [=] \terminasimplecolumns \iniziasospeso [=] {} \terminasospeso \iniziasospeso [] {} \terminasospeso \iniziasovrapponi \terminasovrapponi</pre> |
| <pre>iniziariga iniziarighe:instance iniziarighe:instance:lines iniziaruby iniziascript iniziasectionblock iniziasectionblock:instance iniziasectionblock:instance:appendices iniziasectionblock:instance:backmatter iniziasectionblock:instance:bodymatter iniziasectionblock:instance:frontmatter iniziasectionlevel iniziasetups iniziasetups:string iniziasetups:string iniziasfondo iniziasfondo:example iniziashift iniziasidebar iniziasimplecolumns iniziasopeso iniziasopeso:argument iniziasovrapponi iniziaspecialitem:item</pre> | <pre>\iniziariga [] \iniziaLINES [=] \terminaLINES \inizialines [=] \terminalines \iniziaruby [] \terminascript \iniziascript [] \terminascript \iniziasectionblock [] [=] \terminasectionblock \iniziaSECTIONBLOCK [=] \terminaSECTIONBLOCK \iniziaappendices [=] \terminabackmatter \iniziabackmatter [=] \terminabackmatter \iniziabodymatter [=] \terminabodymatter \iniziafrontmatter [=] \terminafrontmatter \iniziasectionlevel [] [=] [=] \terminasectionlevel \iniziasetups [] [] \terminasetups \iniziasfondo [=] \terminasfondo \iniziaSFONDO [=] \terminasfondo \iniziashift [] \terminashift \iniziasidebar [] [=] \terminasidebar \iniziasimplecolumns [=] \terminasimplecolumns \iniziasospeso [=] {} \terminasospeso \iniziasovrapponi \terminasovrapponi \iniziasovrapponi \terminasovrapponi \iniziasovrapponi \terminasovrapponi \iniziasopecialitem [] [] \terminaspecialitem</pre> |
| <pre>iniziariga iniziarighe:instance iniziarighe:instance:lines iniziaruby iniziascript iniziasectionblock iniziasectionblock:instance iniziasectionblock:instance:appendices iniziasectionblock:instance:backmatter iniziasectionblock:instance:bodymatter iniziasectionblock:instance:frontmatter iniziasectionlevel iniziasetups iniziasetups:string iniziasetups:string iniziasfondo iniziasfondo:example iniziashift iniziasidebar iniziasimplecolumns iniziasopeso iniziasopeso:argument iniziaspecialitem:item iniziaspecialitem:none</pre> | <pre>\iniziariga [] \iniziaLINES [=] \terminaLINES \inizialines [=] \terminalines \iniziaruby [] \terminaruby \iniziascript [] \terminascript \iniziasectionblock [] [=] \terminasectionblock \iniziaSECTIONBLOCK [=] \terminaSECTIONBLOCK \iniziaappendices [=] \terminabackmatter \iniziabodymatter [=] \terminabodymatter \iniziabodymatter [=] \terminabodymatter \iniziafrontmatter [=] \terminafrontmatter \iniziasectionlevel [] [=] [=] \terminasectionlevel \iniziasetups [] [] \terminasetups \iniziasfondo [=] \terminasfondo \iniziaSFONDO [=] \terminasfondo \iniziaSFONDO [=] \terminashift \iniziasidebar [] [=] \terminasidebar \iniziasimplecolumns [=] \terminasimplecolumns \iniziasospeso [] {} \terminasospeso \iniziasospeso [] {} \terminasospeso \iniziasovrapponi \terminasovrapponi \iniziaspecialitem [] [] \terminaspecialitem \iniziaspecialitem [] \terminaspecialitem</pre> |
| <pre>iniziariga iniziarighe:instance iniziarighe:instance:lines iniziaruby iniziascript iniziasectionblock iniziasectionblock:instance iniziasectionblock:instance:appendices iniziasectionblock:instance:backmatter iniziasectionblock:instance:bodymatter iniziasectionblock:instance:frontmatter iniziasectionlevel iniziasetups iniziasetups:string iniziasetups:string iniziasfondo iniziasfondo:example iniziashift iniziasidebar iniziasimplecolumns iniziasopeso iniziasopeso:argument iniziaspecialitem:item iniziaspecialitem:none iniziaspecialitem:symbol</pre> | <pre>\iniziariga [] \iniziaLINES [=] \terminaLINES \inizialines [=] \terminalines \iniziaruby [] \terminaruby \iniziascript [] \terminascript \iniziasectionblock [] [=] \terminasectionblock \iniziaSECTIONBLOCK [=] \terminaSECTIONBLOCK \iniziaappendices [=] \terminabeckmatter \iniziabackmatter [=] \terminabackmatter \iniziabodymatter [=] \terminabodymatter \iniziafrontmatter [=] \terminafrontmatter \iniziasectionlevel [] [=] [=] \terminasectionlevel \iniziasetups [] [] \terminasetups \iniziasetups \terminasetups \iniziasfondo [=] \terminasfondo \iniziaSFONDO [=] \terminashift \iniziasidebar [] [=] \terminasidebar \iniziasiniziasiplecolumns [] \terminasimplecolumns \iniziasopeso [] {} \terminasopeso \iniziasovrapponi \terminasopeso \iniziasovrapponi \terminasopeso \iniziasovrapponi \terminasopecialitem \iniziaspecialitem [] [] \terminaspecialitem \iniziaspecialitem [] \terminaspecialitem \iniziaspecialitem [] \terminaspecialitem \iniziaspecialitem [] \terminaspecialitem</pre> |
| <pre>iniziariga iniziarighe:instance iniziarighe:instance:lines iniziaruby iniziascript iniziasectionblock iniziasectionblock:instance iniziasectionblock:instance:appendices iniziasectionblock:instance:backmatter iniziasectionblock:instance:bodymatter iniziasectionblock:instance:frontmatter iniziasectionlevel iniziasectionlevel iniziasetups:string iniziasetups:string iniziasfondo iniziasfondo:example iniziashift iniziasidebar iniziasimplecolumns iniziasopeso iniziasopeso:argument iniziaspecialitem:item iniziaspecialitem:none iniziaspecialitem:symbol iniziasplitformula</pre> | <pre>\iniziariga [] \iniziaLINES [=] \terminaLINES \inizialines [=] \terminalines \iniziaruby [] \terminascript \iniziascript [] \terminascript \iniziasectionblock [] [=] \terminasectionblock \iniziaSECTIONBLOCK [=] \terminaSECTIONBLOCK \iniziaappendices [=] \terminabackmatter \iniziabackmatter [=] \terminabackmatter \iniziabodymatter [=] \terminabodymatter \iniziafrontmatter [=] \terminafrontmatter \iniziasectionlevel [] [=] [=] \terminasectionlevel \iniziasetups \terminasetups \iniziasetups \terminasetups \iniziasfondo [=] \terminasfondo \iniziaSFONDO [=] \terminasFONDO \iniziashift [] \terminashift \iniziasidebar [] [=] \terminasidebar \iniziasiniziasopeso [=] {} \terminasopeso \iniziasopeso [] {} \terminaspecialitem \iniziaspecialitem [] [] \terminaspecialitem \iniziaspecialitem [] {} \terminaspecialitem \iniziaspecialitem [] {} \terminaspecialitem \iniziaspecialitem [] {} \terminaspecialitem \iniziasplitformula \terminasplitformula</pre> |
| <pre>iniziariga iniziarighe:instance iniziarighe:instance:lines iniziaruby iniziascript iniziasectionblock iniziasectionblock:instance iniziasectionblock:instance:appendices iniziasectionblock:instance:backmatter iniziasectionblock:instance:bodymatter iniziasectionblock:instance:frontmatter iniziasectionlevel iniziasetups iniziasetups:string iniziasfondo iniziasfondo:example iniziashift iniziasidebar iniziasimplecolumns iniziasopeso iniziasopeso:argument iniziaspecialitem:item iniziaspecialitem:none iniziasplitformula iniziasplittext</pre> | <pre>\iniziariga [] \iniziaLINES [=] \terminaLINES \inizialines [=] \terminalines \iniziaruby [] \terminascript \iniziascript [] \terminascript \iniziasectionblock [] [=] \terminaseCTIONBLOCK \iniziasECTIONBLOCK [=] \terminaSECTIONBLOCK \iniziaappendices [=] \terminabpendices \iniziabackmatter [=] \terminabckmatter \iniziabodymatter [=] \terminabodymatter \iniziafrontmatter [=] \terminafrontmatter \iniziasectionlevel [] [=] [=] \terminasectionlevel \iniziasetups [] [] \terminasetups \iniziasetups \terminasetups \iniziasfondo [=] \terminasfondo \iniziaffondo [=] \terminasfondo \iniziasffondo [=] \terminasfondo \iniziasidebar [] [=] \terminasidebar \iniziasidebar [] [=] \terminasidebar \iniziasimplecolumns [=] \terminasimplecolumns \iniziasospeso [] {} \terminasospeso \iniziasovrapponi \terminasopeso \iniziasovrapponi \terminaspecialitem \iniziaspecialitem [] [] \terminaspecialitem \iniziaspecialitem [] [] \terminaspecialitem \iniziaspecialitem [] \terminaspecialitem \iniziaspecialitem [] \terminaspecialitem \iniziaspelitiziasplitformula \terminasplitformula \iniziasplittext \terminasplittext</pre> |
| <pre>iniziariga iniziarighe:instance iniziarighe:instance:lines iniziaruby iniziascript iniziasectionblock iniziasectionblock:instance iniziasectionblock:instance:appendices iniziasectionblock:instance:backmatter iniziasectionblock:instance:bodymatter iniziasectionblock:instance:frontmatter iniziasectionlevel iniziasetups iniziasetups iniziasetups:string iniziasfondo iniziasfondo:example iniziashift iniziasidebar iniziasimplecolumns iniziasopeso iniziasopeso iniziaspecialitem:item iniziaspecialitem:one iniziasplitformula iniziasplittext iniziaspread</pre> | <pre>\iniziariga [] \iniziaLINES [=] \terminaLINES \inizialines [=] \terminalines \iniziaruby [] \terminascript \iniziascript [] \terminascript \iniziasctionblock [] [=] \terminaseCTIONBLOCK \iniziaSECTIONBLOCK [=] \terminaSECTIONBLOCK \iniziaappendices [=] \terminabackmatter \iniziabackmatter [=] \terminabodymatter \iniziabodymatter [=] \terminabodymatter \iniziafrontmatter [=] \terminafrontmatter \iniziasectionlevel [] [=] [=] \terminasectionlevel \iniziasetups [] [] \terminasetups \iniziasfondo [=] \terminasfondo \iniziaSFONDO [=] \terminasFONDO \iniziashift [] \terminashift \iniziasidebar [] [=] \terminasimplecolumns \iniziasopeso [] {} \terminasopeso \iniziasopeso [] {} \terminasopeso \iniziasovrapponi \terminasopeso \iniziaspecialitem [] [] \terminaspecialitem \iniziaspecialitem [] {} \terminaspecialitem \iniz</pre> |
| <pre>iniziariga iniziarighe:instance iniziarighe:instance:lines iniziaruby iniziascript iniziasectionblock iniziasectionblock:instance iniziasectionblock:instance:appendices iniziasectionblock:instance:backmatter iniziasectionblock:instance:bodymatter iniziasectionblock:instance:frontmatter iniziasectionlevel iniziasetups iniziasetups:string iniziasfondo iniziasfondo:example iniziashift iniziasidebar iniziasimplecolumns iniziasopeso iniziasopeso:argument iniziaspecialitem:item iniziaspecialitem:none iniziasplitformula iniziasplittext</pre> | <pre>\iniziariga [] \iniziaLINES [] \terminaLINES \inizialines [] \terminalines \iniziaruby [] \terminaruby \iniziascript [] \terminascript \iniziasectionblock [] [] \terminasectionblock \iniziaSECTIONBLOCK [] \terminaSECTIONBLOCK \iniziaappendices [] \terminabackmatter \iniziabackmatter [] \terminabackmatter \iniziabodymatter [] \terminabodymatter \iniziafrontmatter [] \terminabodymatter \iniziasectionlevel [] [] [] \terminasectionlevel \iniziasetups [] [] \terminasetups \iniziasetups \terminasetups \iniziasfondo [] \terminasfondo \iniziaSFONDO [] \terminasfondo \iniziashift [] \terminasfondo \iniziasidebar [] [] \terminasidebar \iniziasidebar [] [] \terminasimplecolumns \iniziasospeso [] {} \terminasospeso \iniziasospeso [] {} \terminasospeso \iniziasovrapponi \terminasovrapponi \iniziaspecialitem [] [] \terminaspecialitem \iniziaspecialitem [] [] \terminaspecialitem \iniziaspecialitem [] [] \terminaspecialitem \iniziaspecialitem [] [] \terminaspecialitem \iniziaspecialitem [] {} \terminaspecialitem \iniziaspecialitem [] {} \terminaspecialitem \iniziaspecialiten [] \termina</pre> |
| <pre>iniziariga iniziarighe:instance iniziarighe:instance:lines iniziaruby iniziascript iniziasectionblock iniziasectionblock:instance iniziasectionblock:instance:appendices iniziasectionblock:instance:backmatter iniziasectionblock:instance:bodymatter iniziasectionblock:instance:frontmatter iniziasectionlevel iniziasetups iniziasetups iniziasetups:string iniziasfondo iniziasfondo:example iniziashift iniziasidebar iniziasimplecolumns iniziasopeso iniziasopeso iniziaspecialitem:item iniziaspecialitem:one iniziasplitformula iniziasplittext iniziaspread</pre> | <pre>\iniziariga [] \iniziaLINES [] \terminaLINES \inizialines [] \terminaruby \iniziaruby [] \terminaruby \iniziascript [] \terminascript \iniziasectionblock [] [] \terminasectionblock \iniziaSECTIONBLOCK [] \terminaSECTIONBLOCK \iniziaappendices [] \terminabackmatter \iniziabodymatter [] \terminabodymatter \iniziabodymatter [] \terminabodymatter \iniziafrontmatter [] \terminafrontmatter \iniziasctionlevel [] [] [] \terminasectionlevel \iniziasetups [] [] \terminasetups \iniziasetups \terminasetups \iniziasfondo [] \terminasfondo \iniziaSFONDO [] \terminasfondo \iniziashift [] \terminashift \iniziasidebar [] [] \terminasidebar \iniziasimplecolumns [] \terminasimplecolumns \iniziasospeso [] {} \terminasospeso \iniziasospeso [] {} \terminasospeso \iniziasovrapponi \terminasovrapponi \iniziaspecialitem [] [] \terminaspecialitem \iniziaspecialitem [] {} \termin</pre> |
| <pre>iniziariga iniziarighe:instance iniziarighe:instance:lines iniziaruby iniziascript iniziasectionblock iniziasectionblock:instance iniziasectionblock:instance:appendices iniziasectionblock:instance:backmatter iniziasectionblock:instance:bodymatter iniziasectionblock:instance:frontmatter iniziasectionlevel iniziasetups iniziasetups:string iniziasfondo iniziasfondo:example iniziashift iniziasidebar iniziasimplecolumns iniziasopeso iniziasopeso iniziaspecialitem:item iniziaspecialitem:one iniziasplitformula iniziaspread iniziaspread iniziaspread iniziastartstop:example</pre> | <pre>\iniziariga [] \iniziaLINES [] \terminaLINES \inizialines [] \terminalines \iniziaruby [] \terminaruby \iniziascript [] \terminascript \iniziasectionblock [] [] \terminasectionblock \iniziaSECTIONBLOCK [] \terminaSECTIONBLOCK \iniziappendices [] \terminappendices \iniziabackmatter [] \terminabackmatter \iniziabodymatter [] \terminabodymatter \iniziafrontmatter [] \terminafrontmatter \iniziasectionlevel [] [] [] \terminasectionlevel \iniziasetups [] [] \terminastondo \iniziasfondo [] \terminasfondo \iniziasfonzo [] \terminasfondo \iniziashift [] \terminashift \iniziasidebar [] [] \terminasimplecolumns \iniziasospeso [] {} \terminasospeso \iniziasospeso [] {} \terminasopeso \iniziasovrapponi \terminasovrapponi \iniziaspecialitem [] [] \terminaspecialitem \iniziaspecialitem [] [] \terminaspecialitem \iniziaspecialitem [] {} \terminaspecialitem \iniziaspecialitem [] {} \terminaspecialitem \iniziasplitiaspecialitem [] {} \terminaspecialitem \iniziasplitiaspecialitem [] {} \terminaspecialitem \iniziasplitiaspecialitem [] {} \terminaspecialitem \iniziasplitiaspecialitem [] {} \terminasplittext \iniziaspriaspecialitem [] {} \terminaspecialitem \iniziasplitiaspecialitem [] {} \terminasplittext \iniziaspriaspecialitem [] {} \terminasplittext \iniziaspecialiten [] {} \terminastaticMPfigure \iniziastaticMPgraphic {} \terminastaticMPgraphic</pre> |
| <pre>iniziariga iniziarighe:instance iniziarighe:instance:lines iniziaruby iniziascript iniziasectionblock:instance iniziasectionblock:instance:appendices iniziasectionblock:instance:backmatter iniziasectionblock:instance:bodymatter iniziasectionblock:instance:frontmatter iniziasectionblock:instance:frontmatter iniziasectionlevel iniziasetups iniziasetups:string iniziasfondo iniziasfondo:example iniziasidebar iniziasidebar iniziasimplecolumns iniziasospeso iniziasospeso:argument iniziaspecialitem:item iniziaspecialitem:symbol iniziasplitformula iniziaspread iniziastartstop:example iniziastartstop:example iniziastaticMPfigure</pre> | <pre>\iniziariga [] \iniziaLINES [] \terminaLINES \inizialines [] \terminaruby \iniziaruby [] \terminaruby \iniziascript [] \terminascript \iniziasectionblock [] [] \terminasectionblock \iniziaSECTIONBLOCK [] \terminaSECTIONBLOCK \iniziaappendices [] \terminabackmatter \iniziabodymatter [] \terminabodymatter \iniziabodymatter [] \terminabodymatter \iniziafrontmatter [] \terminafrontmatter \iniziasctionlevel [] [] [] \terminasectionlevel \iniziasetups [] [] \terminasetups \iniziasetups \terminasetups \iniziasfondo [] \terminasfondo \iniziaSFONDO [] \terminasfondo \iniziashift [] \terminashift \iniziasidebar [] [] \terminasidebar \iniziasimplecolumns [] \terminasimplecolumns \iniziasospeso [] {} \terminasospeso \iniziasospeso [] {} \terminasospeso \iniziasovrapponi \terminasovrapponi \iniziaspecialitem [] [] \terminaspecialitem \iniziaspecialitem [] {} \termin</pre> |
| <pre>iniziariga iniziarighe:instance iniziarighe:instance:lines iniziaruby iniziascript iniziasectionblock:instance iniziasectionblock:instance:appendices iniziasectionblock:instance:backmatter iniziasectionblock:instance:bodymatter iniziasectionblock:instance:frontmatter iniziasectionblock:instance:frontmatter iniziasectionlevel iniziasetups iniziasetups iniziasetups:string iniziasfondo iniziasfondo:example iniziashift iniziasidebar iniziasimplecolumns iniziasospeso iniziasospeso:argument iniziaspecialitem:item iniziaspecialitem:none iniziaspecialitem:symbol iniziasplittormula iniziaspread iniziastartstop:example iniziastaticMPfigure iniziastaticMPgraphic</pre> | <pre>\iniziariga [] \iniziaLINES [] \terminaLINES \inizialines [] \terminalines \iniziaruby [] \terminaruby \iniziascript [] \terminascript \iniziasectionblock [] [] \terminasectionblock \iniziaSECTIONBLOCK [] \terminaSECTIONBLOCK \iniziappendices [] \terminappendices \iniziabackmatter [] \terminabackmatter \iniziabodymatter [] \terminabodymatter \iniziafrontmatter [] \terminafrontmatter \iniziasectionlevel [] [] [] \terminasectionlevel \iniziasetups [] [] \terminastondo \iniziasfondo [] \terminasfondo \iniziasfonzo [] \terminasfondo \iniziashift [] \terminashift \iniziasidebar [] [] \terminasimplecolumns \iniziasospeso [] {} \terminasospeso \iniziasospeso [] {} \terminasopeso \iniziasovrapponi \terminasovrapponi \iniziaspecialitem [] [] \terminaspecialitem \iniziaspecialitem [] [] \terminaspecialitem \iniziaspecialitem [] {} \terminaspecialitem \iniziaspecialitem [] {} \terminaspecialitem \iniziasplitiaspecialitem [] {} \terminaspecialitem \iniziasplitiaspecialitem [] {} \terminaspecialitem \iniziasplitiaspecialitem [] {} \terminaspecialitem \iniziasplitiaspecialitem [] {} \terminasplittext \iniziaspriaspecialitem [] {} \terminaspecialitem \iniziasplitiaspecialitem [] {} \terminasplittext \iniziaspriaspecialitem [] {} \terminasplittext \iniziaspecialiten [] {} \terminastaticMPfigure \iniziastaticMPgraphic {} \terminastaticMPgraphic</pre> |
| <pre>iniziariga iniziarighe:instance iniziarighe:instance:lines iniziaruby iniziascript iniziasectionblock:instance iniziasectionblock:instance:appendices iniziasectionblock:instance:backmatter iniziasectionblock:instance:bodymatter iniziasectionblock:instance:frontmatter iniziasectionblock:instance:frontmatter iniziasectionlevel iniziasetups iniziasetups:string iniziasfondo iniziasfondo:example iniziashift iniziasidebar iniziasimplecolumns iniziasopeso:argument iniziasopeso:argument iniziaspecialitem:item iniziaspecialitem:item iniziaspecialitem:none iniziasplitformula iniziaspread iniziastattstop:example iniziastaticMPfigure iniziastaticMPgraphic iniziastatteto</pre> | <pre>\iniziariga [] \inizialINES [] \terminalINES \inizialInes [] \terminalines \inizialines [] \terminaruby \iniziascript [] \terminascript \iniziasctionblock [] [] \terminasectionblock \iniziaSECTIONBLOCK [] \terminaSECTIONBLOCK \iniziappendices [] \terminabackmatter \iniziabackmatter [] \terminabodymatter \iniziabodymatter [] \terminabodymatter \iniziafrontmatter [] \terminabodymatter \iniziasctionlevel [] [] [] \terminasectionlevel \iniziasetups [] [] \terminasetups \iniziasetups [] [] \terminasfondo \iniziasfondo [] \terminasfondo \iniziasfondo [] \terminasfondo \iniziasidift [] \terminashift \iniziasidebar [] [] \terminasimplecolumns \iniziasospeso [] {} \terminasospeso \iniziasospeso [] {} \terminasospeso \iniziasovrapponi \terminasovrapponi \iniziaspecialitem [] [] \terminaspecialitem \iniziaspecialitem [] {} \terminaspecialitem \iniziaspecialitem [] {} \terminaspecialitem \iniziaspecialitem [] {} \terminaspecialitem \iniziasplittormula \terminasplittext \iniziasplittormula \terminasplittext \iniziasplitaspecialitem [] {} \terminastaticMPfigure \iniziastaticMPfigure {} \terminastaticMPfigure \iniziastaticMPgraphic {} \terminastaticMPgraphic \iniziastaticMPgraphic {} \terminastretto</pre> |
| iniziariga iniziarighe:instance iniziarighe:instance:lines iniziaruby iniziascript iniziasectionblock iniziasectionblock:instance iniziasectionblock:instance:appendices iniziasectionblock:instance:backmatter iniziasectionblock:instance:bodymatter iniziasectionblock:instance:frontmatter iniziasectionblock:instance:frontmatter iniziasectionlevel iniziasetups iniziasetups iniziasetups iniziasfondo iniziasfondo:example iniziashift iniziasidebar iniziasimplecolumns iniziasospeso iniziasospeso:argument iniziasovrapponi iniziaspecialitem:item iniziaspecialitem:symbol iniziaspecialitem:symbol iniziaspelitertula iniziasperad iniziastattstop:example iniziastattstop:example iniziastatticMPfigure iniziastatticMPgraphic iniziastretto:assignment iniziastretto:name | \inizialInes [] \inizialInes []\terminalINES \inizialInes []\terminalINES \inizialInes []\terminalInes \iniziaruby []\terminascript \iniziascript []\terminascript \iniziasectionblock [] []\terminasectionblock \iniziasectionblock []\terminasectionblock \iniziasectionblock []\terminasectionblock \iniziasectionblock []\terminapendices \iniziasectionblock []\terminabodymatter \iniziabodymatter []\terminabodymatter \iniziafrontmatter []\terminabodymatter \iniziafrontmatter []\terminafrontmatter \iniziafrontmatter [] [] []\terminasetups \iniziasetups [] []\terminasetups \iniziasetups\terminasfondo \iniziasfondo []\terminasfondo \iniziasfondo []\terminasfondo \iniziasfondo []\terminashift \iniziasidebar [] []\terminasimplecolumns \iniziasospeso [] {}\terminasospeso \iniziasospeso [] {}\terminasospeso \iniziasovrapponi\terminasovrapponi \iniziaspecialitem [] []\terminaspecialitem \iniziaspecialitem [] {}\terminaspecialitem \iniziaspecialitem [] {}\terminaspecialitem \iniziasplittormula\terminasplittormula \iniziasplittormula\terminasplittormula \iniziaspread\terminaspread \iniziastraticMpfigure {}\terminastaticMPfigure \iniziastraticATSTOP\terminastratto \iniziastraticATSTOP\terminastretto \iniziastretto [] []\terminastretto |
| <pre>iniziariga iniziarighe:instance iniziarighe:instance:lines iniziaruby iniziascript iniziasectionblock:instance iniziasectionblock:instance:appendices iniziasectionblock:instance:backmatter iniziasectionblock:instance:bodymatter iniziasectionblock:instance:frontmatter iniziasectionblock:instance:frontmatter iniziasectionlevel iniziasetups iniziasetups:string iniziasfondo iniziasfondo:example iniziashift iniziasidebar iniziasimplecolumns iniziasopeso:argument iniziasopeso:argument iniziaspecialitem:item iniziaspecialitem:one iniziaspecialitem:symbol iniziasplittormula iniziaspread iniziastattcMPfigure iniziastattcMPfigure iniziastatteto:assignment</pre> | \iniziariga [] \inizialINES [] \terminalINES \inizialines [] \terminalines \iniziaruby [] \terminaruby \iniziascript [] \terminascript \iniziasctionblock [] [] \terminasectionblock \iniziasectionblock [] \terminasectIONBLOCK \iniziaspendices [] \terminabackmatter \iniziabackmatter [] \terminabodymatter \iniziabodymatter [] \terminabodymatter \iniziastontmatter [] \terminabodymatter \iniziasctionlevel [] [] [] \terminasectionlevel \iniziasetups [] [] \terminasetups \iniziasfondo [] \terminasfondo \iniziasfondo [] \terminasfondo \iniziasfondo [] \terminasfondo \iniziasidibar [] [] \terminasidebar \iniziasidebar [] [] \terminasimplecolumns \iniziasospeso [] {} \terminasospeso \iniziasospeso [] {} \terminasospeso \iniziasospeso [] {} \terminasopeso \iniziasovrapponi \terminasovrapponi \iniziaspecialitem [] [] \terminaspecialitem \iniziaspecialitem [] {} \terminaspecialitem \iniziaspecialitem [] {} \terminaspecialitem \iniziaspecialitem [] {} \terminaspecialitem \iniziasplittormula \terminasplittormula \iniziasplittext \terminasplittext \iniziastretto [] {} \terminastaticMPfigure \iniziastaticMPfigure {} \terminastaticMPfigure \iniziastaticMPgraphic {} \terminastretto \iniziastretto [] [] \terminastretto \iniziastretto [] [] \terminastretto \iniziastretto [] [] \terminastretto |

```
iniziastyle:argument
                                                                                                               \iniziastyle [...] ... \terminastyle
iniziastyle:instance
                                                                                                                \iniziaSTYLE ... \terminaSTYLE
                                                                                                               \iniziasubformulas [...] ... \terminasubformulas
iniziasubformulas
                                                                                                               \iniziasubjectlevel [...] [..=..] ... \terminasubjectlevel
iniziasubjectlevel
                                                                                                               \iniziasubsentence ... \terminasubsentence
iniziasubsentence
                                                                                                               \iniziasubstack ... \terminasubstack
iniziasubstack
                                                                                                               \iniziasymbolset [...] [..=..] ... \terminasymbolset
iniziasymbolset
iniziaTABLE
                                                                                                               \iniziaTABLE [..=..] ... \terminaTABLE
iniziaTABLEbody
                                                                                                               \iniziaTABLEbody [..=..] ... \terminaTABLEbody
                                                                                                               \iniziaTABLEfoot [..=..] ... \terminaTABLEfoot
iniziaTABLEfoot
iniziaTABLEhead
                                                                                                               \iniziaTABLEhead [..=..] ... \terminaTABLEhead
iniziaTABLEnext
                                                                                                               \iniziaTABLEnext [..=..] ... \terminaTABLEnext
                                                                                                               \iniziatabella [|...|] [..=..] ... \terminatabella
iniziatabella
iniziatabella:name
                                                                                                               \iniziatabella [...] [..=..] ... \terminatabella
                                                                                                               \iniziatabelle [|...|] ... \terminatabelle
iniziatabelle
iniziatabelle:name
                                                                                                               \iniziatabelle [...] ... \terminatabelle
                                                                                                                \iniziaTABULATION [...] [..=..] ... \terminaTABULATION
iniziatabulation:example
iniziatabulato
                                                                                                               \iniziatabulato [/.../] [..=..] ... \terminatabulato
iniziatabulato:instance
                                                                                                                \iniziaTABULATE [..ºPT] [..=..] ... \terminaTABULATE
                                                                                                                \iniziafact [...] [..=..] ... \terminafact
iniziatabulato:instance:fact
                                                                                                                \inizialegend [...] [..=..] ... \terminalegend
iniziatabulato:instance:legend
                                                                                                               \iniziatesta [...] {...} ... \terminatesta
iniziatesta
                                                                                                               \iniziatestatabella [...] ... \terminatestatabella
iniziatestatabella
iniziatestatabulato
                                                                                                               \iniziatestatabulato [...] ... \terminatestatabulato
iniziatesto
                                                                                                               \iniziatesto ... \terminatesto
iniziatestoaiuto
                                                                                                                \iniziatestoaiuto [...] ... \terminatestoaiuto
                                                                                                                \iniziaLABELtesto [...] [...] ... \terminaLABELtesto \iniziabtxlabeltesto [...] [...] ... \terminabtxlabeltesto
iniziatestoetichetta:instance
iniziatestoetichetta:instance:btxlabel
                                                                                                                \iniziaheadtesto [...] [...] ... \terminaheadtesto
iniziatestoetichetta:instance:head
iniziatestoetichetta:instance:label
                                                                                                                \inizialabeltesto [...] [...] ... \terminalabeltesto
                                                                                                                \iniziamathlabeltesto [...] [...] ... \terminamathlabeltesto
iniziatestoetichetta:instance:mathlabel
                                                                                                                iniziatestoetichetta:instance:operator
                                                                                                                \iniziaprefixtesto [...] [...] \terminaprefixtesto
iniziatestoetichetta:instance:prefix
iniziatestoetichetta:instance:suffix
                                                                                                                \iniziataglabeltesto [...] [...] ... \terminataglabeltesto
iniziatestoetichetta:instance:taglabel
                                                                                                                \iniziaunittesto [...] [...] ... \terminaunittesto
iniziatestoetichetta:instance:unit
                                                                                                                \iniziaFRAMEDTEXT [...] [..=..] ... \terminaFRAMEDTEXT
iniziatestoincorniciato:instance
iniziatestoincorniciato:instance:framedtext
                                                                                                                \iniziaframedtext [...] [..=..] ... \terminaframedtext
iniziatexcode
                                                                                                               \iniziatexcode ... \terminatexcode
                                                                                                                \iniziatexdefinition ... ... ... ... \terminatexdefiniti
iniziatexdefinition
                                                                                                                \iniziatextbackground [...] [..=..] ... \terminatextbackground
iniziatextbackground
iniziatextbackgroundmanual
                                                                                                               \iniziatextbackgroundmanual ... \terminatextbackgroundmanual
                                                                                                                \iniziaTEXTBACKGROUND [..=..] ... \terminaTEXTBACKGROUND
iniziatextbackground:example
                                                                                                               \iniziatextcolor [...] ... \terminatextcolor
iniziatextcolor
                                                                                                               \iniziatextcolorintent ... \terminatextcolorintent
iniziatextcolorintent
iniziatextflow
                                                                                                               \iniziatextflow [...] ... \terminatextflow
iniziatokenlist
                                                                                                               \iniziatokenlist [...] ... \terminatokenlist
iniziatokens
                                                                                                               \iniziatokens [...] ... \terminatokens
                                                                                                               \iniziatransparent [...] ... \terminatransparent
iniziatransparent
                                                                                                               \iniziatypescript [...] [...] ... \terminatypescript
iniziatypescript
                                                                                                               \verb|\iniziatypescriptcollection| [\dots] \dots \verb|\terminatypescriptcollection|
iniziatypescriptcollection
iniziatyping:instance
                                                                                                                \iniziaTYPING [..=..] ... \terminaTYPING
iniziatyping:instance:argument
                                                                                                                \iniziaTYPING [...] ... \terminaTYPING
iniziatyping:instance:argument:LUA
                                                                                                                \iniziaLUA [...] ... \terminaLUA
iniziatyping:instance:argument:MP
                                                                                                                \iniziaMP [...] ... \terminaMP
iniziatyping:instance:argument:PARSEDXML
                                                                                                                \iniziaPARSEDXML [...] ... \terminaPARSEDXML
                                                                                                                \iniziaTEX [...] ... \terminaTEX
iniziatyping:instance:argument:TEX
                                                                                                                \iniziatyping [...] ... \terminatyping
iniziatyping:instance:argument:typing
iniziatyping:instance:argument:XML
                                                                                                                \iniziaXML [...] ... \terminaXML
iniziatyping:instance:LUA
                                                                                                                \iniziaLUA [..=..] ... \terminaLUA
                                                                                                                \iniziaMP [..=..] ... \terminaMP
iniziatyping:instance:MP
iniziatyping:instance:PARSEDXML
                                                                                                                \iniziaPARSEDXML [..=..] ... \terminaPARSEDXML
                                                                                                                \iniziaTEX [..=..] ... \terminaTEX
iniziatyping:instance:TEX
                                                                                                               \label{linear_constraint} $$ \lim zia XML [..=..] \dots $$ termina XML $$
iniziatyping:instance:typing
iniziatyping:instance:XML
                                                                                                               \verb|\line| \end{tabular}
\verb"iniziauniqueMPgraphic"
                                                                                                               \verb|\coloredge MPpage graphic {...} {...} ... \verb|\coloredge MPpage graphic | ...} | termina unique MPpage graphic | ... | ... | termina unique MPpage graphic | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
\verb"inizia unique MP" page graphic
iniziaunpacked
                                                                                                               \mbox{\colored} \iniziaunpacked ... \mbox{\colored}
\verb"iniziausableMPgraphic"
                                                                                                               \verb|\iniziausableMPgraphic {...} {...} ... \verb|\terminausableMPgraphic | ...} |
iniziauseMPgraphic
                                                                                                               \verb|\coloredge | 1... | 1... | terminauseMPgraphic| | 1... | 1... | terminauseMPgraphic| | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1.
                                                                                                               iniziausemathstyleparameter
iniziauserdata
```

| iniziausingbtxspecification | \iniziausingbtxspecification [] \terminausingbtxspecification |
|---|--|
| iniziavaia | \iniziavaia [] \terminavaia |
| iniziavboxregister | \iniziavboxregister \terminavboxregister |
| iniziavboxtohbox | \iniziavboxtohbox \terminavboxtohbox |
| iniziavboxtohboxseparator | \iniziavboxtohboxseparator \terminavboxtohboxseparator |
| iniziaviewerlayer | \iniziaviewerlayer [] \terminaviewerlayer |
| iniziaviewerlayer:example | \iniziaVIEWERLAYER \terminaVIEWERLAYER |
| iniziavtopregister | \iniziavtopregister \terminavtopregister |
| iniziaxcell | \iniziaxcell [] [=] \terminaxcell |
| iniziaxcellgroup | \iniziaxcellgroup [] [=] \terminaxcellgroup |
| iniziaxcolumn | \iniziaxcolumn [=] \terminaxcolumn |
| iniziaxcolumn:name | \iniziaxcolumn [] \terminaxcolumn |
| iniziaxgroup | \iniziaxgroup [] [=] \terminaxgroup |
| iniziaxmldisplayverbatim iniziaxmlinlineverbatim | \iniziaxmldisplayverbatim [] \terminaxmldisplayverbatim \iniziaxmlinlineverbatim [] \terminaxmlinlineverbatim |
| iniziaxmlraw | \iniziaxmiiniineverbatim [] \terminaxmiiniineverbatim \iniziaxmlraw \terminaxmlraw |
| iniziaxmlsetups | \iniziaxmlsetups [] [] \terminaxmlsetups |
| iniziaxmlsetups:string | \iniziaxmlsetups \terminaxmlsetups |
| iniziaxrow | \iniziaxrow [] [=] \terminaxrow |
| iniziaxrowgroup | \iniziaxrowgroup [] [=] \terminaxrowgroup |
| iniziaxtable | \iniziaxtable [=] \terminaxtable |
| iniziaxtablebody | \iniziaxtablebody [=] \terminaxtablebody |
| iniziaxtablebody:name | \iniziaxtablebody [] \terminaxtablebody |
| iniziaxtablefoot | \iniziaxtablefoot [=] \terminaxtablefoot |
| iniziaxtablefoot:name | \iniziaxtablefoot [] \terminaxtablefoot |
| iniziaxtablehead | \iniziaxtablehead [=] \terminaxtablehead |
| iniziaxtablehead:name | \iniziaxtablehead [] \terminaxtablehead |
| iniziaxtablenext | \iniziaxtablenext [=] \terminaxtablenext |
| iniziaxtablenext:name | \iniziaxtablenext [] \terminaxtablenext |
| iniziaxtable:example | \iniziaXTABLE [=] \terminaXTABLE |
| iniziaxtable:name | \iniziaxtable [] \terminaxtable |
| inlinebuffer | \inlinebuffer [] |
| inlinedbox | \inlinedbox {} |
| inlinemath | \inlinemath {} |
| inlinemathematics | \inlinemathematics {} |
| inlinemessage | \inlinemessage {} |
| inlineordisplaymath | \inlineordisplaymath {} {} |
| inlineprettyprintbuffer | \inlineprettyprintbuffer {} {} |
| inlinerange | \inlinerange [] |
| innerflushshapebox | \innerflushshapebox |
| input | \input {} |
| inputfilebarename | \inputfilebarename |
| = | \inputfilename |
| inputfilecutfix | \inputfilerealsuffix \inputfilesuffix |
| inputfilesuffix inputgivenfile | \inputgivenfile \{\ldots\} |
| input:string | \input |
| inriga | \inriga {} [] |
| insertpages | \insertpages [] [] [=] |
| installactionhandler | \installactionhandler {} |
| installactivecharacter | \installactivecharacter |
| installalingua | \installalingua [] [=] |
| installalingua:name | \installalingua [] [] |
| installanddefineactivecharacter | \installanddefineactivecharacter {} |
| installattributestack | \installattributestack \ |
| installautocommandhandler | \installautocommandhandler \ \{} \ |
| installautosetuphandler | \installautosetuphandler \ {} |
| installbasicautosetuphandler | $\$ \install basicautosetuphandler $\$ \ \\ |
| installbasicparameterhandler | $\$ installbasicparameterhandler $\$ $\{\ldots\}$ |
| installbottomframerenderer | $\verb \installbottomframerenderer {} {} $ |
| installcommandhandler | \installcommandhandler \ {} \ |
| installcorenamespace | \installcorenamespace {} |
| installdefinehandler | $\verb lem:lem:lem:lem:lem:lem:lem:lem:lem:lem:$ |
| installdefinitionset | $\verb \colored= {} $ |
| installdefinitionsetmember | $\verb \colored \colore$ |
| installdirectcommandhandler | \installdirectcommandhandler \ \{\} |
| installdirectparameterhandler | \installdirectparameterhandler \ \{\} |
| installdirectparametersethandler | \installdirectparametersethandler \ \{\} |
| installdirectsetuphandler | \installdirectsetuphandler \ \{\} |
| installdirectstyleandcolorhandler | \installdirectstyleandcolorhandler \ \{\} |
| installframedautocommandhandler | \installframedautocommandhandler \ \{} \ |
| installframedcommandhandler | $\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ $ |

| installglobalmacrostack | \installglobalmacrostack \ |
|---|---|
| installleftframerenderer | \installleftframerenderer {} {} |
| installmacrostack | \installmacrostack \ |
| installnamespace | \installnamespace {} |
| - | - |
| installoutputroutine | \installoutputroutine \ \{\} |
| installpagearrangement | \installpagearrangement {} |
| installparameterhandler | \installparameterhandler \ {} |
| installparameterhashhandler | \installparameterhashhandler \ {} |
| | |
| installparametersethandler | \installparametersethandler \ \{\} |
| installparentinjector | \installparentinjector \ {} |
| installrightframerenderer | \installrightframerenderer {} {} |
| installrootparameterhandler | \installrootparameterhandler \ {} |
| installsetuphandler | \installsetuphandler \ \{\} |
| <u> </u> | |
| installsetuponlycommandhandler | \installsetuponlycommandhandler \ \{\} |
| installshipoutmethod | \installshipoutmethod \{\ldots\} \{\ldots\} |
| installsimplecommandhandler | \installsimplecommandhandler \ \} \ |
| installsimpleframedcommandhandler | \installsimpleframedcommandhandler \ {} \ |
| installstyleandcolorhandler | \installstyleandcolorhandler \ \{\} |
| • | |
| installswitchcommandhandler | \installswitchcommandhandler \ \} \ |
| installswitchsetuphandler | \installswitchsetuphandler \ {} |
| installtexdirective | \installtexdirective \{\ldots\} \{\ldots\} |
| installtextracker | \installtextracker {} {} {} |
| installtopframerenderer | \installtopframerenderer {} {} |
| 1 | |
| installunitsseparator | \installunitsseparator {} {} |
| installunitsspace | \installunitsspace {} {} |
| installversioninfo | \installversioninfo {} {} |
| integerrounding | \integerrounding {} |
| | |
| intertext | \intertext {} |
| intorno | \intorno [] |
| invokepageheandler | \invokepageheandler {} {} |
| italiccorrection | \italiccorrection |
| italicface | \italicface |
| | |
| itemtag | \itemtag [] |
| jobfilename | \jobfilename |
| jobfilesuffix | \jobfilesuffix |
| kap | \kap {} |
| keeplinestogether | \keeplinestogether {} |
| - | |
| keepunwantedspaces | keepunwantedspaces |
| kerncharacters | \kerncharacters [] {} |
| koreancirclenumerals | \koreancirclenumerals {} |
| koreannumerals | \koreannumerals {} |
| koreannumeralsc | \koreannumeralsc {} |
| | |
| koreannumeralsp | \koreannumeralsp {} |
| koreanparentnumerals | \koreanparentnumerals {} |
| LAMSTEX | \LAMSTEX |
| LATEX | \LATEX |
| LamSTeX | \LamSTeX |
| | \LaTeX |
| LaTeX | • • • |
| Lettera | \Lettera {} |
| Lettere | \Lettere {} |
| LUAJITTEX | \LUAJITTEX |
| LUAMETATEX | \LUAMETATEX |
| | LUATEX |
| LUATEX | • • |
| Lua | \Lua |
| LuajitTeX | \LuajitTeX |
| LuaMetaTeX | \LuaMetaTeX |
| LuaTeX | \LuaTeX |
| | |
| labellanguage:instance | \LABEL1ingua |
| labellanguage:instance:btxlabel | \btxlabellingua |
| labellanguage:instance:head | \headlingua |
| labellanguage:instance:label | \labellingua |
| labellanguage:instance:mathlabel | \mathlabellingua |
| | |
| labellanguage:instance:operator | \operatorlingua |
| labellanguage:instance:prefix | \prefixlingua |
| labellanguage:instance:suffix | \suffixlingua |
| labellanguage:instance:taglabel | \taglabellingua |
| | , |
| labellanguage:instance:unit | |
| | \unitlingua |
| labeltexts:instance | \unitlingua \LABELtexts {} {} |
| labeltexts:instance labeltexts:instance:head | \unitlingua |
| | \unitlingua \LABELtexts {} {} |
| <pre>labeltexts:instance:head labeltexts:instance:label</pre> | \unitlingua \LABELtexts {} {} \headtexts {} {} \labeltexts {} {} |
| labeltexts:instance:head | \unitlingua \LABELtexts {} {} \headtexts {} {} |

| languagecharacters | \languagecharacters {} |
|----------------------------------|--|
| languagecharwidth | \languagecharwidth {} |
| lastcounter | \lastcounter [] [] |
| lastcountervalue | \lastcountervalue [] |
| lastdigit | \lastdigit {} |
| lastlinewidth | \lastlinewidth |
| | |
| lastnaturalboxdp | \lastnaturalboxdp |
| lastnaturalboxht | \lastnaturalboxht |
| lastnaturalboxwd | \lastnaturalboxwd |
| lastpredefinedsymbol | \lastpredefinedsymbol |
| lastrealpage | \lastrealpage |
| lastrealpagenumber | \lastrealpagenumber |
| lastsubcountervalue | \lastsubcountervalue [] [] |
| lastsubpagenumber | \lastsubpagenumber |
| | |
| lasttwodigits | \lasttwodigits {} |
| lastuserpage | \lastuserpage |
| lastuserpagenumber | \lastuserpagenumber |
| lateluacode | \lateluacode {} |
| layeredtext | \layeredtext [=] [=] {} {} |
| layerheight | \layerheight |
| layerwidth | \layerwidth |
| | · |
| lazysavetaggedtwopassdata | \lazysavetaggedtwopassdata {} {} {} |
| lazysavetwopassdata | \lazysavetwopassdata {} {} {} |
| lbox | \lbox {} |
| leftbottombox | \leftbottombox {} |
| leftbox | \leftbox {} |
| lefthbox | \lefthbox {} |
| leftlabeltext:instance | \leftLABELtesto {} |
| | |
| leftlabeltext:instance:head | \leftheadtesto {} |
| leftlabeltext:instance:label | \leftlabeltesto {} |
| leftlabeltext:instance:mathlabel | \leftmathlabeltesto {} |
| leftline | \leftline {} |
| leftorrighthbox | \leftorrighthbox {} |
| leftorrightvbox | \leftorrightvbox {} |
| • | \leftorrightvtop {} |
| leftorrightvtop | <u> </u> |
| leftskipadaption | \leftskipadaption |
| leftsubguillemot | \leftsubguillemot |
| lefttopbox | \lefttopbox {} |
| lefttoright | \lefttoright |
| lefttorighthbox | \lefttorighthbox {} |
| lefttorightvbox | \lefttorightvbox {} |
| 9 | \lefttorightvtop {} |
| lefttorightvtop | |
| letbeundefined | \letbeundefined {} |
| letcatcodecommand | \letcatcodecommand \ \ |
| letcscsname | \letcscsname \ \csname \endcsname |
| letcsnamecs | \letcsnamecs \csname \endcsname \ |
| letcsnamecsname | \letcsnamecsname \csname \endcsname \csname \endcsname |
| letdummyparameter | \letdummyparameter {} \ |
| • 1 | |
| letempty | \letempty \ |
| letgvalue | \letgvalue {} \ |
| letgvalueempty | \letgvalueempty {} |
| letgvalurelax | \letgvalurelax {} |
| lettera | \lettera {} |
| letterampersand | \letterampersand |
| letterat | \letterat |
| letterbackslash | \letterbackslash |
| | |
| letterbar | \letterbar |
| letterbgroup | \letterbgroup |
| letterclosebrace | \letterclosebrace |
| lettercolon | \lettercolon |
| letterdollar | \letterdollar |
| letterdoublequote | \letterdoublequote |
| lettere | \lettere {} |
| | |
| letteregroup | \letteregroup |
| letterescape | \letterescape |
| letterexclamationmark | \letterexclamationmark |
| letterhash | \letterhash |
| letterhat | \letterhat |
| letterleftbrace | \letterleftbrace |
| letterleftbracket | \letterleftbracket |
| | • |
| letterleftparenthesis | \letterleftparenthesis |
| letterless | \letterless |

| lettermore | \lettermore |
|----------------------------|--|
| letteropenbrace | \letteropenbrace |
| letterpercent | letterpercent |
| letterquestionmark | \letterquestionmark |
| letterrightbrace | \letterrightbrace |
| letterrightbracket | \letterrightbracket |
| letterrightparenthesis | letterrightparenthesis |
| lettersinglequote | \lettersinglequote |
| letterslash | \letterslash |
| letterspacing | \letterspacing [] {} |
| lettertilde | \lettertilde |
| letterunderscore | \letterunderscore |
| letvalue | \letvalue {} \ |
| letvalueempty | \letvalueempty {} |
| letvaluerelax | \letvaluerelax {} |
| lfence | \lfence {} |
| lhbox | \lhbox {} |
| limitatefirstline | \limitatefirstline {} {} {} |
| limitatelines | \limitatelines \{\} \{\} |
| limitatetext | \limitatetext {} {} |
| limitatetext:list | \limitatetext {} {} {} |
| lineanera | \lineanera [=] |
| lineasottile | \lineasottile |
| lineatesto | \lineatesto [] {} |
| linebox | \linebox {} |
| lineenere | \lineenere [=] |
| lineeriempimento | \lineeriempimento [=] {} {} |
| lineesottili | \lineesottili [=] |
| linenote:instance | \LINENOTE {} |
| linenote:instance:linenote | \linenote {} |
| linespanningtext | \linespanningtext {} {} {} |
| lingua | \lingua [] |
| linguaprincipale | \linguaprincipale [] |
| lingua:example | \LANGUAGE |
| listcitation | \listcitation [=] [] |
| listcitation:alternative | \listcitation [] [] |
| listcitation:userdata | \listcitation [=] [=] |
| listcite | \listcite [=] [] |
| listcite:alternative | \listcite [] [] |
| listcite:userdata | \listcite [=] [=] |
| listnamespaces | \listnamespaces |
| llap | \lap {} |
| loadanyfile | \lambda () |
| loadanyfileonce | \loadanyfileonce [] |
| loadbtxdefinitionfile | \loadbtxdefinitionfile [] |
| loadbtxreplacementfile | |
| loadcldfile | \loadbtxreplacementfile [] \loadcldfile [] |
| loadcldfileonce | |
| | \landfortenedics [] |
| loadfortgoodies | \loadfontgoodies [] |
| loadluafile | \landluafile [] |
| loaduafileonce | \landamallabashist [] [|
| loadspellchecklist | \loadspellchecklist [] [] |
| loadtexfile | \landsquare \landquare \landsquare \landsq |
| loadtexfileonce | \landalian |
| loadtypescriptfile | \landsquare \landquare \landsquare \landsq |
| localframed | \localframed [] [=] {} |
| localframedwithsettings | \localframedwithsettings [] [=] {} |
| localhsize | \localhsize |
| localpopbox | \localpopbox |
| localpopmacro | \localpopmacro \ |
| localpushbox | \localpushbox |
| localpushmacro | \localpushmacro \ |
| localundefine | \localundefine {} |
| locatedfilepath | locatedfilepath |
| locatefilepath | \locatefilepath {} |
| locfilename | \locfilename {} |
| lomihi | \lomihi {} {} |
| lowerbox | \lowerbox \{\} \ \{\} |
| lowercased | \lowercased {} |
| lowercasestring | \lowercasestring \to \ |
| lowerleftdoubleninequote | \lowerleftdoubleninequote |
| lowerleftsingleninequote | \lowerleftsingleninequote |
| | |

| lowerrightdoubleninequote | \lowerrightdoubleninequote |
|------------------------------------|--|
| lowerrightsingleninequote | \lowerrightsingleninequote |
| lowhigh:instance | \LOWHIGH [] {} {} |
| lowmidhigh:instance | \LOWMIDHIGH {} {} {} |
| lrtbbox | \lrtbbox \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| ltop | \ltop {} |
| ltrhbox | \ltrhbox {} |
| ltrybox | \\ltrvbox \{\} \\ltrvtop \{\} |
| ltrvtop luacode | \luacode {} |
| luaconditional | \laconditional \ |
| luaenvironment | \luaenvironment |
| luaexpanded | \luaexpanded {} |
| luaexpr | \luaexpr {} |
| luafunction | \luafunction {} |
| luajitTeX | \luajitTeX |
| luamajorversion | \luamajorversion |
| lumminoryongion | \luametaTeX \luaminorversion |
| luaminorversion luaparameterset | \langle \langl |
| luasetup | \luasetup {} |
| luaTeX | \luaTeX |
| luaversion | \luaversion |
| lunghezzaelenco | \lunghezzaelenco |
| MESE | \MESE {} |
| METAFONT | \METAFONT |
| METAFUN | \METAFUN |
| METAPOST | METAPOST |
| MetaFont | \MetaFont |
| MetaFun MetaPost | \MetaFun \MetaPost |
| MKII | \MKII |
| MKIV | \MKIV |
| MKIX | \MKIX |
| MKVI | \MKVI |
| MKXI | \MKXI |
| MONTHLONG | \MONTHLONG {} |
| MONTHSHORT | \MONTHSHORT {} |
| MPanchor | \MPanchor {} |
| MPbetex | \MPbetex {} |
| MPc | \MPc {} |
| MPcode | \MPcode {} {} |
| MPcolor MPcoloronly | \MPcolor {} \MPcoloronly {} |
| MPcolumn | \MPcolumn {} |
| MPd | \MPd {} |
| MPdrawing | \MPdrawing {} |
| MPfontsizehskip | \MPfontsizehskip {} |
| MPgetmultipars | \MPgetmultipars {} {} |
| MPgetmultishape | \MPgetmultishape $\{\ldots\}$ $\{\ldots\}$ |
| MPgetposboxes | \MPgetposboxes {} {} |
| MPh | \MPh {} |
| MPII | \MPII |
| MPIV | \MPIV |
| MPinclusions MPleftskip | \MPinclusions [] {} {} \MPleftskip {} |
| MP11 | \MP11 {} |
| MPlr | \MPlr {} |
| MPls | \MPls {} |
| MPmenubuttons | \MPmenubuttons {} |
| MPn | \MPn {} |
| MPoptions | \MPoptions {} |
| MPoverlayanchor | \MPoverlayanchor {} |
| MPp | \MPp {} |
| MPpage | \MPpage {} |
| MPpardata | \MPpardata {} |
| MPplus | \MPplus {} {} \MPpos {} |
| MPpos MPpositiongraphic | \MPpositiongraphic \{\ldots\} \{\ldots=\ldots\} |
| MPposset | \MPposset {} |
| MPr | \MPr {} |
| MPrawvar | \MPrawvar {} {} |
| | |

| MPregion | \MPregion {} |
|---|--|
| MPrest | \MPrest {} {} |
| MPrightskip | \MPrightskip {} |
| MPrs | \MPrs {} |
| MPstring | \MPstring {} |
| MPtext | \MPtext {} |
| MPtransparency | \MPtransparency {} |
| MPul | \MPul {} |
| MPur | \MPur {} |
| MPVI | \MPVI |
| MPv | \MPv {} {} |
| MPvar | \MPvar {} |
| MPvariable | \MPvariable {} |
| MPvv | \MPvv {} {} |
| MPw | \MPw {} |
| MPwhd | |
| | \MPwhd {} |
| MPx | \MPx {} |
| MPxy | \MPxy {} |
| MPxywhd | \MPxywhd \{\dots\} |
| МРу | \MPy {} |
| m | \m [] {} |
| maiuscoletto | \maiuscoletto {} |
| maiuscolo | \maiuscolo {} |
| makecharacteractive | \makecharacteractive |
| makerawcommalist | \makerawcommalist [] \ |
| makestrutofbox | \makestrutofbox |
| mapfontsize | \mapfontsize [] [] |
| marcatura | \marcatura (,) (,) [] |
| margindata | \margindata [] [=] [=] {} |
| margindata:instance | \MARGINDATA [=] [=] {} |
| margindata:instance:atleftmargin | \atleftmargin [=] [=] {} |
| margindata:instance:atrightmargin | \atrightmargin [=] [=] {} |
| margindata:instance:ininner | \ininner [=] [=] {} |
| margindata:instance:ininneredge | \ininneredge [=] [=] {} |
| margindata:instance:ininnermargin | \ininnermargin [=] [=] {} |
| margindata:instance:inleft | \inleft [=] [=] {} |
| margindata:instance:inleftedge | \inleftedge [=] [=] {} |
| margindata:instance:inleftmargin | \inleftmargin [=] [=] {} |
| margindata:instance:inmargin | \inmargin [=] [=] {} |
| margindata:instance:inother | \inother [=] [=] {} |
| margindata:instance:inouter | \inouter [=] [=] {} |
| margindata:instance:inouteredge | \inouteredge [=] [=] {} |
| margindata:instance:inoutermargin | \inoutermargin [=] [=] {} |
| margindata:instance:inright | \inright [=] [=] {} |
| margindata:instance:inrightedge | \inrightedge [=] [=] {} |
| margindata:instance:inrightmargin | \inrightmargin [=] [=] {} |
| margindata:instance:margintext | \margintext [=] [=] {} |
| markcontent | \markcontent [] {} |
| markedpages | \markedpages [] |
| markinjector | \markinjector [] |
| markpage | \markpage [] [] |
| mat | \mat {} |
| matematica | \matematica [] {} |
| matematica:assignment | \matematica [] {} |
| math | \math [] {} |
| mathbf | \mathbf |
| mathbi | \mathbi |
| mathblackboard | \mathblackboard |
| | \mathbs |
| mathbs | \MATHCOMMAND {} {} |
| mathcommand:example | |
| mathdefault | \mathdefault |
| mathdouble | \mathdouble [] \{\} \{\} |
| mathdoubleextensible:instance | \MATHDOUBLEEXTENSIBLE \{\ldots\} |
| mathdoubleextensible:instance:doublebar | \doublebar \{\} |
| mathdoubleextensible:instance:doublebrace | \doublebrace \{\ldots\} \\\ |
| mathdoubleextensible:instance:doublebracket | \doublebracket \{\dots\} \\.\} |
| mathdoubleextensible:instance:doubleparent | \doubleparent \{\ldots\} \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \ |
| mathdoubleextensible:instance:overbarunderbar | \overbarunderbar \{\ldots\} |
| mathdoubleextensible:instance:overbraceunderbrace | \overbraceunderbrace \{\ldots\} \{\ldots\} |
| mathdoubleextensible:instance:overbracketunderbracket | \overbracketunderbracket \{\ldots\} \{\ldots\} |
| mathdoubleextensible:instance:overparentunderparent | \overparentunderparent \{\ldots\} \{\ldots\} |
| mathextensible:instance | \MATHEXTENSIBLE {} {} |
| | |

| mathextensible:instance:cleftarrow | \cleftarrow {} {} |
|---|--|
| mathextensible:instance:crightarrow | \crightarrow {} {} |
| mathextensible:instance:crightoverleftarrow | \crightoverleftarrow {} {} |
| mathextensible:instance:eleftarrowfill | \eleftarrowfill {} {} |
| mathextensible:instance:eleftharpoondownfill | \eleftharpoondownfill {} {} |
| mathextensible:instance:eleftharpoonupfill | $\left\{ elefthar poonup fill \left\{ \ldots \right\} \left\{ \ldots \right\}$ |
| mathextensible:instance:eleftrightarrowfill | \eleftrightarrowfill {} {} |
| mathextensible:instance:eoverbarfill | \eoverbarfill {} {} |
| mathextensible:instance:eoverbracefill | \eoverbracefill {} {} |
| mathextensible:instance:eoverbracketfill | \eoverbracketfill {} {} |
| mathextensible:instance:eoverparentfill | \eoverparentfill {} {} |
| mathextensible:instance:erightarrowfill | \erightarrowfill {} {} |
| mathextensible:instance:erightharpoondownfill | \erightharpoondownfill {} {} |
| mathextensible:instance:erightharpoonupfill | \erightharpoonupfill {} {} |
| mathextensible:instance:etwoheadrightarrowfill | \etwoheadrightarrowfill {} {} |
| mathextensible:instance:eunderbarfill | \eunderbarfill \{\dots\} |
| mathextensible:instance:eunderbracefill | \eunderbracefill {} {} |
| mathextensible:instance:eunderbracketfill | \eunderbracketfill {} {} |
| mathextensible:instance:eunderparentfill | \eunderparentfill {} {} |
| <pre>mathextensible:instance:mequal mathextensible:instance:mhookleftarrow</pre> | \mequal {} {} \mhookleftarrow {} {} |
| mathextensible:instance:mhookrightarrow | \mhookrightarrow \{\ldots\} \{\ldots\} |
| mathextensible:instance:mLeftarrow | \mLeftarrow \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| mathextensible:instance:mLeftrightarrow | \mLeftrightarrow \{\ldots\} |
| mathextensible:instance:mleftarrow | \mleftarrow \{\ldots\\} \\ \ldots\\\ |
| mathextensible:instance:mleftharpoondown | \mleftharpoondown {} {} |
| mathextensible:instance:mleftharpoonup | \mleftharpoonup {} {} |
| mathextensible:instance:mleftrightarrow | \mleftrightarrow {} {} |
| mathextensible:instance:mleftrightharpoons | \mleftrightharpoons {} {} |
| mathextensible:instance:mmapsto | \mmapsto {} {} |
| mathextensible:instance:mRightarrow | \mRightarrow {} {} |
| mathextensible:instance:mrel | \mrel {} {} |
| mathextensible:instance:mrightarrow | \mrightarrow {} {} |
| mathextensible:instance:mrightharpoondown | \mrightharpoondown {} {} |
| mathextensible:instance:mrightharpoonup | \mrightharpoonup {} {} |
| mathextensible:instance:mrightleftharpoons | \mrightleftharpoons {} {} |
| mathextensible:instance:mrightoverleftarrow | \mrightoverleftarrow \{\ldots\} \{\ldots\} |
| mathextensible:instance:mtriplerel | \mtriplerel \{\ldots\} |
| mathextensible:instance:mtwoheadleftarrow | \mtwoheadleftarrow {} {} |
| mathextensible:instance:mtwoheadrightarrow | \mtwoheadrightarrow {} {} |
| mathextensible:instance:tequal | \tequal {} {} |
| mathextensible:instance:thookleftarrow | \thookleftarrow \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| mathextensible:instance:thookrightarrow | \thookrightarrow {} {} |
| mathextensible:instance:tLeftarrow | \tLeftarrow \{\dots\} \\ |
| mathextensible:instance:tLeftrightarrow mathextensible:instance:tleftarrow | \tLeftrightarrow {} {} \tleftarrow {} {} |
| mathextensible:instance:tleftharpoondown | \tleftharpoondown \{\ldots\\} \\ |
| mathextensible:instance:tleftharpoonup | \tleftharpoonup {} {} |
| mathextensible:instance:tleftrightarrow | \tleftrightarrow {} {} |
| mathextensible:instance:tleftrightharpoons | \tleftrightharpoons {} {} |
| mathextensible:instance:tmapsto | \tmapsto {} {} |
| mathextensible:instance:tRightarrow | \tRightarrow {} {} |
| mathextensible:instance:trel | \trel {} {} |
| mathextensible:instance:trightarrow | \trightarrow {} {} |
| mathextensible:instance:trightharpoondown | \trightharpoondown {} {} |
| mathextensible:instance:trightharpoonup | \trightharpoonup {} {} |
| mathextensible:instance:trightleftharpoons | \trightleftharpoons {} {} |
| mathextensible:instance:trightoverleftarrow | $\trightowerleftarrow {} {}$ |
| mathextensible:instance:ttriplerel | \ttriplerel {} {} |
| mathextensible:instance:ttwoheadleftarrow | \ttwoheadleftarrow \{\ldots\} \{\ldots\} |
| mathextensible:instance:ttwoheadrightarrow | \ttwoheadrightarrow \{\ldots\} \{\ldots\} |
| mathextensible:instance:xequal | \xequal \{\} |
| mathextensible:instance:xhookleftarrow | \xhookleftarrow {} {} |
| mathextensible:instance:xhookrightarrow | \xhookrightarrow {} {} |
| mathextensible:instance:xLeftarrow | \xLeftarrow {} {} |
| mathextensible:instance:xLeftrightarrow mathextensible:instance:xleftarrow | \xLeftrightarrow \{\} \{\} \xleftarrow \{\} \{\} |
| mathextensible:instance:xleftharpoondown mathextensible:instance:xleftharpoondown | \xleftharpoondown \\\} \\\} |
| mathextensible:instance:xleftharpoonup | \xleftharpoonup \{\ldots\} \\\.\} |
| mathextensible:instance:xleftrightarrow | \xleftrightarrow \\\} \\\} |
| mathextensible:instance:xleftrightharpoons | \xleftrightharpoons {} {} |
| mathextensible:instance:xmapsto | \xmapsto {} {} |
| | 1 |

| mathextensible:instance:xRightarrow | \xRightarrow {} {} |
|--|--|
| mathextensible:instance:xrel | \xrel {} {} |
| mathextensible:instance:xrightarrow | \xrightarrow {} {} |
| mathextensible:instance:xrightharpoondown | \xrightharpoondown {} {} |
| mathextensible:instance:xrightharpoonup | \xrightharpoonup {} {} |
| mathextensible:instance:xrightleftharpoons | \xrightleftharpoons {} {} |
| mathextensible:instance:xrightoverleftarrow | \xrightoverleftarrow {} {} |
| _ | _ |
| mathextensible:instance:xtriplerel | \xtriplerel {} {} |
| mathextensible:instance:xtwoheadleftarrow | \xtwoheadleftarrow {} {} |
| mathextensible:instance:xtwoheadrightarrow | \xtwoheadrightarrow {} {} |
| mathfraktur | \mathfraktur |
| mathframed:instance | \MATHFRAMED [=] {} |
| mathframed:instance:inmframed | \inmframed [=] {} |
| mathframed:instance:mcframed | \mcframed [=] {} |
| mathframed:instance:mframed | \mframed [=] {} |
| mathfunction | \mathfunction {} |
| mathit | \mathit |
| mathitalic | \mathitalic |
| mathmatrix | \MATHMATRIX {} |
| mathop | \mathop {} |
| mathornament:example | \MATHORNAMENT {} |
| mathover | \mathover [] {} |
| mathover mathoverextensible:example | \MATHOVEREXTENSIBLE {} |
| - | \MATHOVEREXTENSIBLE \(\(\cdot\)\) |
| mathovertextextensible:instance | |
| mathradical:example | \MATHRADICAL [] {} |
| mathrm | \mathrm |
| mathscript | \mathscript |
| mathsl | \mathsl |
| mathss | \mathss |
| mathtext | \mathtext {} |
| mathtextbf | \mathtextbf {} |
| mathtextbi | \mathtextbi {} |
| mathtextbs | \mathtextbs {} |
| mathtextit | \mathtextit {} |
| mathtextsl | |
| | \mathtextsl {} |
| mathtexttf | \mathtexttf {} |
| | \ |
| mathtf | \mathtf |
| mathtf mathtriplet | \mathtriplet [] {} {} {} |
| mathtf | • • • |
| mathtf mathtriplet | \mathtriplet [] {} {} {} |
| <pre>mathtf mathtriplet mathtriplet:example</pre> | \mathtriplet [] {} {} {} \MATHTRIPLET [] {} {} {} |
| <pre>mathtf mathtriplet mathtriplet:example mathtt</pre> | \mathtriplet [] {} {} {} \MATHTRIPLET [] {} {} {} \mathtt |
| <pre>mathtf mathtriplet mathtriplet:example mathtt mathunder</pre> | \mathtriplet [] {} {} {} \MATHTRIPLET [] {} {} \mathtt \mathunder [] {} {} |
| <pre>mathtf mathtriplet mathtriplet:example mathtt mathunder mathunderextensible:example</pre> | \mathtriplet [] {} {} {} \MATHTRIPLET [] {} {} \mathtt \mathunder [] {} {} \MATHUNDEREXTENSIBLE {} |
| <pre>mathtf mathtriplet mathtriplet:example mathtt mathunder mathunderextensible:example mathundertextextensible:instance mathunstacked:example</pre> | \mathtriplet [] {} {} {} \MATHTRIPLET [] {} {} \mathtt \mathunder [] {} {} \MATHUNDEREXTENSIBLE {} \MATHUNDERTEXTEXTENSIBLE {} {} |
| <pre>mathtf mathtriplet mathtriplet:example mathtt mathunder mathunderextensible:example mathunderextensible:instance</pre> | \mathtriplet [] {} {} {} \ \MATHTRIPLET [] {} {} {} \ \mathtt \mathunder [] {} {} \ \MATHUNDEREXTENSIBLE {} \ \MATHUNDERTEXTEXTENSIBLE {} {} \ \MATHUNSTACKED \ \mathupright |
| <pre>mathtf mathtriplet mathtriplet:example mathtt mathunder mathunderextensible:example mathundertextextensible:instance mathunstacked:example mathupright mathword</pre> | \mathtriplet [] {} {} {} \\ \MATHTRIPLET [] {} {} \\ \mathtriplet [] {} {} \\ \MATHUNDEREXTENSIBLE {} \\ \MATHUNDERTEXTEXTENSIBLE {} {} \\ \MATHUNSTACKED \\ \mathupright \\ \mathword {} |
| mathtf mathtriplet mathtriplet:example mathtt mathunder mathunderextensible:example mathundertextextensible:instance mathunstacked:example mathupright mathword mathwordbf | \mathtriplet [] {} {} {} \\ \MATHTRIPLET [] {} {} {} \\ \mathtriplet [] {} {} \\ \MATHUNDEREXTENSIBLE {} \\ \MATHUNDERTEXTEXTENSIBLE {} {} \\ \MATHUNSTACKED \\ \mathupright \\ \mathword {} \\ \mathwordbf {} |
| mathtf mathtriplet mathtriplet:example mathtt mathunder mathunderextensible:example mathundertextextensible:instance mathunstacked:example mathupright mathword mathword mathwordbi | \mathtriplet [] {} {} {} \\ \MATHTRIPLET [] {} {} {} \\ \mathtriplet [] {} {} \\ \MATHUNDEREXTENSIBLE {} \\ \MATHUNDEREXTEXTENSIBLE {} {} \\ \MATHUNSTACKED \\ \mathupright \\ \mathword {} \\ \mathwordbf {} \\ \mathwordbi {} \\ \mathwordbi {} |
| mathtf mathtriplet mathtriplet:example mathtt mathunder mathunderextensible:example mathundertextextensible:instance mathunstacked:example mathupright mathword mathwordbf mathwordbi mathwordbs | \mathtriplet [] {} {} {} \\ \MATHTRIPLET [] {} {} {} \\ \mathtriplet [] {} {} \\ \MATHUNDEREXTENSIBLE {} \\ \MATHUNDEREXTEXTENSIBLE {} {} \\ \MATHUNSTACKED \\ \mathword {} \\ \mathwordbf {} \\ \mathwordbf {} \\ \mathwordbf {} \\ \mathwordbs {} \\ \mathwordbs {} |
| mathtf mathtriplet mathtriplet:example mathtt mathunder mathunderextensible:example mathundertextextensible:instance mathunstacked:example mathupright mathword mathwordbf mathwordbi mathwordbs mathwordit | \mathtriplet [] {} {} {} \\ \MATHTRIPLET [] {} {} {} \\ \mathtt \mathunder [] {} {} \\ \MATHUNDEREXTENSIBLE {} \\ \MATHUNDERTEXTEXTENSIBLE {} {} \\ \MATHUNSTACKED \mathupright \mathword {} \\ \mathwordbf {} \\ \mathwordf {} \\ |
| mathtf mathtriplet mathtriplet:example mathtt mathunder mathunderextensible:example mathundertextextensible:instance mathunstacked:example mathupright mathword mathwordbf mathwordbi mathwordbs mathwordit mathwordsl | \mathtriplet [] {} {} {} \\ \MATHTRIPLET [] {} {} {} \\ \mathtt \mathunder [] {} {} \\ \MATHUNDEREXTENSIBLE {} \\ \MATHUNDERTEXTEXTENSIBLE {} {} \\ \MATHUNDERTEXTEXTENSIBLE {} {} \\ \MATHUNDERTEXTEXTENSIBLE {} {} \\ \mathword {} \\ \mathwordbf {} \\ \mathwords1 {} \\ \mathwords1 {} |
| mathtf mathtriplet mathtriplet:example mathtt mathunder mathunderextensible:example mathundertextextensible:instance mathunstacked:example mathupright mathword mathwordbf mathwordbi mathwordbs mathwordit mathwordsl mathwordsl mathwordsl | \mathtriplet [] {} {} {} \\ \MATHTRIPLET [] {} {} {} \\ \mathtt \mathunder [] {} {} \\ \MATHUNDEREXTENSIBLE {} {} \\ \MATHUNDERTEXTEXTENSIBLE {} {} \\ \MATHUNDERTEXTEXTENSIBLE {} {} \\ \MATHUNDERTEXTEXTENSIBLE {} {} \\ \mathword {} \\ \mathwordbf {} \\ \mathwords1 {} \\ \mathwords1 {} \\ \mathwords1 {} \\ \mathwordtf {} \\ |
| mathtf mathtriplet mathtriplet:example mathtt mathunder mathunderextensible:example mathundertextextensible:instance mathunstacked:example mathupright mathword mathwordbf mathwordbi mathwordbs mathwordit mathwordsl mathwordsl mathwordff mathwordff mathwordff mathwordff mathwordff mathwordff mathwordff mathwordff math:assignment | \mathtriplet [] {} {} {} \ \MATHTRIPLET [] {} {} {} \ \mathtt \mathunder [] {} {} \ \MATHUNDEREXTENSIBLE {} {} \ \MATHUNDERTEXTEXTENSIBLE {} {} \ \MATHUNSTACKED \mathupright \mathword {} \ \mathwordbf {} \ \mathwordbf {} \ \mathwordbi {} \ \mathwordbi {} \ \mathword { |
| mathtf mathtriplet mathtriplet:example mathtt mathunder mathunderextensible:example mathundertextextensible:instance mathunstacked:example mathupright mathword mathwordbf mathwordbi mathwordbs mathwordit mathwordsl mathwordsl mathwordsl | \mathtriplet [] {} {} {} \ \MATHTRIPLET [] {} {} {} \ \mathtt \mathunder [] {} {} \ \MATHUNDEREXTENSIBLE {} {} \ \MATHUNDERTEXTEXTENSIBLE {} {} \ \MATHUNSTACKED \mathupright \mathword {} \ \mathwordbf {} \ \mathwordbf {} \ \mathwordbs {} \ \mathwordbs {} \ \mathword { |
| mathtf mathtriplet mathtriplet:example mathtt mathunder mathunderextensible:example mathundertextextensible:instance mathunstacked:example mathupright mathword mathwordbf mathwordbi mathwordbs mathwordit mathwordsl mathwordsl mathwordff mathwordff mathwordff mathwordff mathwordff mathwordff mathwordff mathwordff math:assignment | \mathtriplet [] {} {} {} \ \MATHTRIPLET [] {} {} {} \ \mathtt \mathunder [] {} {} \ \MATHUNDEREXTENSIBLE {} {} \ \MATHUNDERTEXTEXTENSIBLE {} {} \ \MATHUNSTACKED \mathupright \mathword {} \ \mathwordbf {} \ \mathwordbf {} \ \mathwordbi {} \ \mathwordbi {} \ \mathword { |
| mathtf mathtriplet mathtriplet:example mathtt mathunder mathunderextensible:example mathundertextextensible:instance mathunstacked:example mathupright mathword mathwordbf mathwordbi mathwordbs mathwordbs mathwordst mathwordst mathwordst mathwordtf math:assignment maxaligned | \mathtriplet [] {} {} {} \ \MATHTRIPLET [] {} {} {} \ \mathtt \mathunder [] {} {} \ \MATHUNDEREXTENSIBLE {} {} \ \MATHUNDERTEXTEXTENSIBLE {} {} \ \MATHUNSTACKED \mathupright \mathword {} \ \mathwordbf {} \ \mathwordbf {} \ \mathwordbs {} \ \mathwordbs {} \ \mathword { |
| mathtf mathtriplet mathtriplet:example mathtt mathunder mathunderextensible:example mathundertextextensible:instance mathunstacked:example mathupright mathword mathwordbf mathwordbi mathwordbs mathwordit mathwordsl mathwordsl mathwordtf math:assignment maxaligned mbox | \mathtriplet [] {} {} {} \ \MATHTRIPLET [] {} {} {} \ \mathtt \mathunder [] {} {} \ \MATHUNDEREXTENSIBLE {} {} \ \MATHUNDERTEXTEXTENSIBLE {} {} \ \MATHUNSTACKED \mathupright \mathword {} \ \mathwordbf {} \ \mathwordbf {} \ \mathwordbs {} \ \mathwordbs {} \ \mathword { |
| mathtf mathtriplet mathtriplet:example mathtt mathunder mathunderextensible:example mathundertextextensible:instance mathunstacked:example mathupright mathword mathwordbf mathwordbi mathwordbs mathwordit mathwordsl mathwordsl mathwordtf math:assignment maxaligned mbox measure | <pre>\mathtriplet [] {} {} {} \mathtripleT [] {} {} \mathtt \mathunder [] {} {} \mathunDEREXTENSIBLE {} \MATHUNDEREXTEXTENSIBLE {} {} \MATHUNSTACKED \mathupright \mathword {} \mathwordbf {} \mathwordbf {} \mathwordbf {} \mathwordbf {} \mathwordsl {} \mathwordsl {} \mathwordsl {} \mathwordtf {} \mathwordtf {} \mathup \mathup \text{math} \text{math} \text{ {}} \mathup \text{mathwordsl} \mathup \text{mathwordsl} \mathup \text{math} \text{ {}} \mathup \text{mathwordsl} \mathup \text{math} \text{ {}} \mathup \text{mathwordsl} \mathup \text{math} \text{ {}} \mathup \text{ {}} \mathup \text{math} \text{ {}} \mathup \text{math} \text{ {}} \mathup \mathup \text{math} \text{ {}} \mathup \mathup \text{ {}} \mathup \mathup \text{ {}} \mathup \mathup \text{ {}} \mathup \mathup \mathup \text{ {}} \mathup \ma</pre> |
| mathtf mathtriplet mathtriplet:example mathtt mathunder mathunderextensible:example mathundertextextensible:instance mathunstacked:example mathupright mathword mathwordbf mathwordbi mathwordbs mathwordtt mathwords1 mathwordtf math:assignment maxaligned mbox measure measured medskip | \mathtriplet [] {} {} {} \\ \MATHTRIPLET [] {} {} {} \\ \MATHUNDEREXTENSIBLE {} \\ \MATHUNDEREXTEXTENSIBLE {} {} \\ \MATHUNSTACKED \\ \mathwordbi {} \\ \mathwordsl {} \\ \mathwordsl {} \\ \mathunder \text{mathwordsl} \\ \mathunder \text{mathwordsl} \\ \mathunder \text{mathwordsl} \\ \mathword \text{masured {}} \\ \massured \text{measured {}} \\ \medskip |
| mathtf mathtriplet mathtriplet:example mathtt mathunder mathunderextensible:example mathundertextextensible:instance mathunstacked:example mathupright mathword mathwordbf mathwordbi mathwordbs mathwordtt mathwords1 mathwordtf math:assignment maxaligned mbox measure measured medskip medspace | <pre>\mathtriplet [] {} {} {} \mathtripleT [] {} {} \mathtt \mathunder [] {} {} \mathunDEREXTENSIBLE {} \MATHUNDEREXTEXTENSIBLE {} {} \MATHUNSTACKED \mathword {} \mathwordbf {} \mathwordbf {} \mathwordbs {} \mathwordbs {} \mathwords {} \mathwords {} \mathwords {} \mathwordf {} \mathwordf {} \mathwordf {} \mathwordf {} \mathwordf {} \mathword {.</pre> |
| mathtf mathtriplet mathtriplet:example mathtt mathunder mathunderextensible:example mathundertextextensible:instance mathunstacked:example mathupright mathwordd mathwordbf mathwordbi mathwordbs mathwordtt mathwordsl mathwordtf math:assignment maxaligned mbox measure measured medskip medspace menuinterattivo | <pre>\mathtriplet [] {} {} {} \mathtripleT [] {} {} \mathtt \mathunder [] {} {} \MATHUNDEREXTENSIBLE {} \MATHUNDERTEXTEXTENSIBLE {} {} \MATHUNSTACKED \mathword {} \mathwordbi {} \mathwordbi {} \mathwordbi {} \mathwordbi {} \mathwordsl {} \mathwordsl {} \mathwordsl {} \mathwordf {} \</pre> |
| mathtf mathtriplet mathtriplet:example mathtt mathunder mathunderextensible:example mathundertextextensible:instance mathunstacked:example mathupright mathword mathwordbf mathwordbi mathwordbs mathwordit mathwords1 mathwords1 mathwordtf math:assignment maxaligned mbox measure measured medskip medspace menuinterattivo mese | <pre>\mathtriplet [] {} {} {} \mathtripleT [] {} {} \mathtt \mathunder [] {} {} \mathunderEXTENSIBLE {} \mathunderEXTEXTENSIBLE {} {} \mathunderInderEXTEXTENSIBLE {} {} \mathunderInderEXTEXTENSIBLE {} {} \mathword {} \mathinder {} \m</pre> |
| mathtf mathtriplet mathtriplet:example mathtt mathunder mathunderextensible:example mathundertextextensible:instance mathunstacked:example mathupright mathword mathwordbf mathwordbi mathwordbs mathwordsl mathwordsl mathwordtf math:assignment maxaligned mbox measure measured medskip medspace menuinterattivo mese message | <pre>\mathtriplet [] {} {} {} \mathtr \mathtt \mathunder [] {} {} \MATHUNDEREXTENSIBLE {} \MATHUNDEREXTEXTENSIBLE {} {} \MATHUNSTACKED \mathword {} \mathwordbf {} \mathwordbf {} \mathwordbs {} \mathwords {} \mathwords {} \mathwords {} \mathword {.</pre> |
| mathtf mathtriplet mathtriplet:example mathtt mathunder mathunderextensible:example mathundertextextensible:instance mathunstacked:example mathupright mathwordd mathwordbf mathwordbi mathwordbs mathwordtf mathwordtf math:assignment maxaligned mbox measure measured medskip medspace menuinterattivo mese message mettielenco | <pre>\mathtriplet [] {} {} {} \mathtr \mathtt \mathunder [] {} {} \MATHUNDEREXTENSIBLE {} \MATHUNDEREXTEXTENSIBLE {} {} \MATHUNSTACKED \mathword {} \mathwordbf {} \mathwordbf {} \mathwordbs {} \mathwords {} \mathwordf {} \mathword {</pre> |
| mathtf mathtriplet mathtriplet:example mathtt mathunder mathunderextensible:example mathundertextextensible:instance mathunstacked:example mathupright mathword mathwordbf mathwordbi mathwordbs mathwordsl mathwordsf mathwordtf math:assignment maxaligned mbox measure measured medskip medspace menuinterattivo mese message mettielenco mettielencocombinato | \mathtriplet [] {} {} {} \\ \mathtripleT [] {} {} {} \\ \mathtt \mathunder [] {} {} \\ \mathunderEXTENSIBLE {} \\ \mathunderEXTEXTENSIBLE {} {} \\ \mathunder [] {} \\ \mathunder [] {} \\ \mathword [] {} \\ \maxaligned {} \\ \maxaligned {} \\ \measure {} \\ \measure {} \\ \measure {} \\ \measage {} \\ \message {} \\ \mettielenco [] [] [] \\ \mettielenco [] [] [] \\ \mettielenco [] [] [] |
| mathtf mathtriplet mathtriplet:example mathtt mathunder mathunderextensible:example mathundertextextensible:instance mathunstacked:example mathupright mathword mathwordbf mathwordbi mathwordbs mathwordsl mathwordsl mathwordtf math:assignment maxaligned mbox measure measured medskip medspace menuinterattivo mese message mettielenco mettielencocombinato mettielencocombinato:instance | <pre>\mathtriplet [] {} {} {} \mathtr \mathtt \mathunder [] {} {} \mathunder [] {} {} \mathunder [] {} \mathword [] {} \mathunder [] {} \mathunder [] {} \maxaligned {} \measure [] [] \metticlenco [] [] \methiclenco [.</pre> |
| mathtf mathtriplet mathtriplet:example mathtt mathunder mathunderextensible:example mathundertextextensible:instance mathunstacked:example mathupright mathword mathwordbf mathwordbi mathwordbs mathwordtf math:assignment maxaligned mbox measure measured medskip medspace menuinterattivo mese message mettielencocombinato mettielencocombinato:instance mettielencocombinato:instance:content | <pre>\mathtriplet [] {} {} {} \mathtripleT [] {} {} \mathtt \mathunder [] {} {} \mathunder [] {} \mathunderEXTENSIBLE {} \mathunderTEXTEXTENSIBLE {} {} \mathunder [] {} \mathunder [] \mathword [] \mathinder [] \m</pre> |
| mathtf mathtriplet mathtriplet:example mathtt mathunder mathunderextensible:example mathundertextextensible:instance mathunstacked:example mathupright mathword mathwordbf mathwordbi mathwordbs mathwordsl mathwordsl mathwordtf math:assignment maxaligned mbox measure measured medskip medspace menuinterattivo mese message mettielenco mettielencocombinato mettielencocombinato:instance | <pre>\mathtriplet [] {} {} {} \mathtr \mathtt \mathunder [] {} {} \mathunder [] {} {} \mathunder [] {} \mathword [] {} \mathunder [] {} \mathunder [] {} \maxaligned {} \measure [] [] \metticlenco [] [] \methiclenco [.</pre> |
| mathtf mathtriplet mathtriplet:example mathtt mathunder mathunderextensible:example mathundertextextensible:instance mathunstacked:example mathupright mathword mathwordbf mathwordbi mathwordbs mathwordtf math:assignment maxaligned mbox measure measured medskip medspace menuinterattivo mese message mettielencocombinato mettielencocombinato:instance mettielencocombinato:instance:content | <pre>\mathtriplet [] {} {} {} \mathtripleT [] {} {} \mathtt \mathunder [] {} {} \mathunder [] {} \mathunderEXTENSIBLE {} \mathunderTEXTEXTENSIBLE {} {} \mathunder [] {} \mathunder [] \mathword [] \mathinder [] \m</pre> |
| mathtf mathtriplet mathtriplet:example mathtt mathunder mathunderextensible:example mathundertextextensible:instance mathunstacked:example mathupright mathword mathwordbf mathwordbi mathwordsl mathwordsl mathwordtf math:assignment maxaligned mbox measure measured medskip medspace menuinterattivo mese message mettielencocombinato mettielencocombinato:instance mettifiancoafianco | \mathtriplet [] {} {} {} \\ \mathtripleT [] {} {} {} \\ \mathtt \mathunder [] {} {} \\ \mathunderEXTENSIBLE {} \\ \mathunderTEXTEXTENSIBLE {} {} \\ \mathunder [] {} \\ \mathunder [] {} \\ \mathword [] {} \\ \maxaligned {} \\ \maxaligned {} \\ \medskip \\ \medsured {} {\medsaured {} {\medskip} \\ \medsage {} {\medsage {} {\medsage {} {\medsage {} {\medship {\medsine [] [] {\medsine [] [] {\medsine [] |
| mathtf mathtriplet mathtriplet:example mathtt mathunder mathunderextensible:example mathundertextextensible:instance mathunstacked:example mathupright mathword mathwordbf mathwordbi mathwordts mathwordtf math:assignment maxaligned mbox measure measured medskip medspace menuinterattivo mese message mettielencocombinato:instance mettifiancoafianco mettiformula mettiingriglia | \mathtriplet [] {} {} {} \ \mathtripleT [] {} {} {} \ \mathtt \mathunder [] {} {} \ \mathunderEXTENSIBLE {} {} \ \mathunderEXTEXTENSIBLE {} {} \ \mathunder [] {} {} \ \mathunder [] {} {} \ \mathword [] {} {} \ \maxaligned {} {} {} \ \medskip {} {} {} \ \medskip {} {} {} \ \medsage {} {} {} \ \metticlenco [] [] [] {} \ \metticontent [] {} {} \ \mettifiancoafianco {} {} {} \ \mettifiancoafianco {} {} {} \ \mettifianciafianco {} {} {} \ \methifianciafianco {} {} \ \methifianciafianciafianco {} {} {} \ \methifianciafianciafianco {} {} \ \methifiancia |
| mathtf mathtriplet mathtriplet:example mathtt mathunder mathunderextensible:example mathundertextextensible:instance mathunstacked:example mathupright mathword mathwordbi mathwordbi mathwordst mathwordst mathwordst mathwordff math:assignment maxaligned mbox measure measured medskip medspace menuinterattivo mese message mettielencocombinato mettielencocombinato:instance mettifiancoafianco mettiformula mettiingriglia mettiingriglia:list | \mathtriplet [] {} {} {} \\ \mathtripleT [] {} {} {} \\ \mathtt \mathunder [] {} {} \\ \mathunderEXTENSIBLE {} \\ \mathunderEXTEXTENSIBLE {} {} \\ \mathunder [] {} {} \\ \mathunder [] {} {} \\ \mathword [] {} \\ \maxaligned {} \\ \maxaligned {} \\ \medskip \\ \medsured {} \\ \medsage {} \\ \medsage {} \\ \metticlenco [] [] [] \\ \metticontent [] \\ \mettifiancoafianco {} {} \\ \mettifiancoafianco {} {} \\ \mettifianciafianco {} {} \\ \mettingriglia [] {} \\ \methingriglia [] {} \\ \methin |
| mathtf mathtriplet mathtriplet:example mathtt mathunder mathunderextensible:example mathundertextextensible:instance mathunstacked:example mathupright mathword mathwordbf mathwordbi mathwordts mathwordtf math:assignment maxaligned mbox measure measured medskip medspace menuinterattivo mese message mettielencocombinato:instance mettifiancoafianco mettiformula mettiingriglia | \mathtriplet [] {} {} {} \ \mathtripleT [] {} {} {} \ \mathtt \mathunder [] {} {} \ \mathunderEXTENSIBLE {} {} \ \mathunderEXTEXTENSIBLE {} {} \ \mathunder [] {} {} \ \mathunder [] {} {} \ \mathword [] {} {} \ \maxaligned {} {} {} \ \medskip {} {} {} \ \medskip {} {} {} \ \medsage {} {} {} \ \metticlenco [] [] [] {} \ \metticontent [] {} {} \ \mettifiancoafianco {} {} {} \ \mettifiancoafianco {} {} {} \ \mettifianciafianco {} {} {} \ \methifianciafianco {} {} \ \methifianciafianciafianco {} {} {} \ \methifianciafianciafianco {} {} \ \methifiancia |

| mettinumeropagina | \mettinumeropagina |
|---|---|
| mettiregistro | \mettiregistro [] [=] |
| 6 | \mettiREGISTER [=] |
| mettiregistro:instance | |
| mettiregistro:instance:index | \mettiindex [=] |
| mettisegnalibro | \mettisegnalibro [] [=] |
| mettisottoformula | \mettisottoformula [] {} |
| mettiunosullaltro | \mettiunosullaltro {} {} |
| mfence | \mfence {} |
| mfunction | \mfunction {} |
| mfunctionlabeltext | \mfunctionlabeltext {} |
| mhbox | \mhbox {} |
| middlealigned | \middlealigned {} |
| middlebox | \middlebox {} |
| midhbox | \midhbox {} |
| midsubsentence | \midsubsentence |
| minimalhbox | \minimalhbox {} |
| mixedcaps | \mixedcaps {} |
| mkvibuffer | \mkvibuffer [] |
| moduleparameter | \moduleparameter {} {} |
| molecule | \modeleparameter () |
| | |
| mono | \mono |
| monograssetto | \monograssetto |
| mononormal | \mononormal |
| monthlong | \monthlong {} |
| monthshort | \monthshort {} |
| mostraambientefontdeltesto | \mostraambientefontdeltesto [] |
| mostracolore | \mostracolore [] |
| mostracornice | \mostracornice [] [] |
| mostrafontdeltesto | \mostrafontdeltesto [] |
| mostragriglia | \mostragriglia [] |
| mostragruppocolori | \mostragruppocolori [] [] |
| mostraimpostazioni | \mostraimpostazioni [] |
| mostralyout | \mostralyout [] |
| mostramakeup | \mostramakeup [] |
| - | |
| mostrasetsimboli | \mostrasetsimboli [] |
| mostrastampa | \mostrastampa [] [=] |
| mostrastruts | \mostrastruts |
| mostratavolozza | \mostratavolozza [] [] |
| mprandomnumber | \mprandomnumber |
| mtext | \mtext {} |
| m:assignment | \m [=] {} |
| NormalizeFontHeight | \NormalizeFontHeight \ \{\} \{\} |
| NormalizeFontWidth | \NormalizeFontWidth \ \{\} \{\} |
| NormalizeTextHeight | \NormalizeTextHeight {} {} |
| NormalizeTextWidth | \NormalizeTextWidth {} {} {} |
| Numeri | \Numeri {} |
| Numeriromani | \Numeriromani {} |
| namedheadnumber | \namedheadnumber {} |
| namedstructureheadlocation | \namedstructureheadlocation {} |
| namedstructureuservariable | \namedstructureuservariable \{\ldots\} \{\ldots\} |
| | \namedstructurevariable \{\dots\} \\\.\} |
| namedstructurevariable | |
| namedtaggedlabeltexts | \namedtaggedlabeltexts {} {} {} {} {} |
| nascondiblocchi | \nascondiblocchi [] [] |
| naturalhbox | \naturalhbox {} |
| naturalhpack | \naturalhpack {} |
| naturaltpack | \naturaltpack {} |
| naturalvbox | |
| | \naturalvbox {} |
| naturalvcenter | \naturalvbox {} \naturalvcenter {} |
| naturalvcenter naturalvpack | |
| | \naturalvcenter {} |
| naturalvpack | <pre>\naturalvcenter {} \naturalvpack {}</pre> |
| naturalvpack naturalvtop naturalwd | <pre>\naturalvcenter {} \naturalvtop {} \naturalwd</pre> |
| naturalvpack naturalvtop naturalwd negatecolorbox | <pre>\naturalvcenter {} \naturalvtop {} \naturalwd \negatecolorbox</pre> |
| naturalvpack naturalvtop naturalwd negatecolorbox negated | <pre>\naturalvcenter {} \naturalvtop {} \naturalwd \negatecolorbox \negated {}</pre> |
| naturalvpack naturalwtop naturalwd negatecolorbox negated negemspace | <pre>\naturalvcenter {} \naturalvpack {} \naturalvtop {} \naturalwd \negatecolorbox \negated {} \negemspace</pre> |
| naturalvpack naturalwtop naturalwd negatecolorbox negated negemspace negenspace | <pre>\naturalvcenter {} \naturalvpack {} \naturalvtop {} \naturalwd \negatecolorbox \negated {} \negemspace \negenspace</pre> |
| naturalvpack naturalwtop naturalwd negatecolorbox negated negemspace negenspace negthinspace | <pre>\naturalvcenter {} \naturalvpack {} \naturalvtop {} \naturalwd \negatecolorbox \negated {} \negemspace \negenspace \negthinspace</pre> |
| naturalvpack naturalvtop naturalwd negatecolorbox negated negemspace negenspace negthinspace newattribute | <pre>\naturalvcenter {} \naturalvpack {} \naturalvtop {} \naturalwd \negatecolorbox \negated {} \negemspace \negenspace \negthinspace \newattribute \</pre> |
| naturalvpack naturalvtop naturalwd negatecolorbox negated negemspace negenspace negthinspace newattribute newcatcodetable | <pre>\naturalvcenter {} \naturalvpack {} \naturalvtop {} \naturalwd \negatecolorbox \negated {} \negemspace \negenspace \negthinspace \newattribute \ \newcatcodetable \</pre> |
| naturalvpack naturalvtop naturalwd negatecolorbox negated negemspace negenspace negethinspace newattribute newcatcodetable newcounter | <pre>\naturalvcenter {} \naturalvpack {} \naturalvtop {} \naturalwd \negatecolorbox \negated {} \negemspace \negenspace \negthinspace \newattribute \ \newcatcodetable \ \newcounter \</pre> |
| naturalvpack naturalvtop naturalwd negatecolorbox negated negemspace negenspace negthinspace newattribute newcatcodetable newcounter newevery | <pre>\naturalvcenter {} \naturalvpack {} \naturalvtop {} \naturalwd \negatecolorbox \negated {} \negemspace \negenspace \negenspace \negthinspace \newattribute \ \newcounter \</pre> |
| naturalvpack naturalvtop naturalwd negatecolorbox negated negemspace negenspace negethinspace newattribute newcatcodetable newcounter | <pre>\naturalvcenter {} \naturalvpack {} \naturalvtop {} \naturalwd \negatecolorbox \negated {} \negemspace \negenspace \negthinspace \newattribute \ \newcatcodetable \ \newcounter \</pre> |

| newsignal | \newsignal \ |
|--|--|
| newsystemmode | \newsystemmode {} |
| nextbox | \nextbox |
| nextboxdp nextboxht | \nextboxdp \nextboxht |
| nextboxhtdp | \nextboxhtdp |
| nextboxwd | \nextboxmtdp |
| nextcounter | \nextcounter [] [] |
| nextcountervalue | \nextcountervalue [] |
| nextdepth | \nextdepth |
| nextparagraphs | \nextparagraphs |
| nextparagraphs:example | \successivoPARAGRAPHS |
| nextrealpage | \nextrealpage |
| nextrealpagenumber | \nextrealpagenumber |
| nextsubcountervalue | \nextsubcountervalue [] [] |
| nextsubpagenumber | \nextsubpagenumber |
| nextuserpage | \nextuserpage |
| nextuserpagenumber | \nextuserpagenumber |
| nientelineecimafondo | \nientelineecimafondo |
| nientelineintestazionepdp | \nientelineintestazionepdp |
| nientespazio | \nientespazio |
| nocap | \nocap {} |
| nocharacteralign nocitation | \nocharacteralign \nocitation [] |
| nocitation:direct | \nocitation {} |
| nocite | \nocite [] |
| nocite:direct | \nocite {} |
| nodetostring | \nodetostring \ {} |
| noffigurepages | \noffigurepages |
| noflines | \noflines |
| noflocalfloats | \noflocalfloats |
| noheightstrut | \noheightstrut |
| noindentation | \noindentation |
| noitem | \noitem |
| nonfrenchspacing | \nonfrenchspacing |
| nonmathematics | \nonmathematics {} |
| | |
| normalboldface | \normalboldface |
| normale | \normale |
| normale normalframedwithsettings | \normale \normalframedwithsettings [=] {} |
| normale normalframedwithsettings normalitalicface | \normale \normalframedwithsettings [=] {} \normalitalicface |
| normale normalframedwithsettings normalitalicface normalizebodyfontsize | <pre>\normale \normalframedwithsettings [=] {} \normalitalicface \normalizebodyfontsize \ {}</pre> |
| normale normalframedwithsettings normalitalicface normalizebodyfontsize normalizedfontsize | <pre>\normale \normalframedwithsettings [=] {} \normalitalicface \normalizebodyfontsize \ {} \normalizedfontsize</pre> |
| normale normalframedwithsettings normalitalicface normalizebodyfontsize normalizedfontsize normalizefontdepth | <pre>\normale \normalframedwithsettings [=] {} \normalitalicface \normalizebodyfontsize \ {} \normalizedfontsize \normalizefontdepth \ {} {} {}</pre> |
| normale normalframedwithsettings normalitalicface normalizebodyfontsize normalizedfontsize | <pre>\normale \normalframedwithsettings [=] {} \normalitalicface \normalizebodyfontsize \ {} \normalizedfontsize</pre> |
| normale normalframedwithsettings normalitalicface normalizebodyfontsize normalizedfontsize normalizefontdepth normalizefontheight | <pre>\normale \normalframedwithsettings [=] {} \normalitalicface \normalizebodyfontsize \ {} \normalizedfontsize \normalizefontdepth \ {} {} {} \normalizefontheight \ {} {} {}</pre> |
| normale normalframedwithsettings normalitalicface normalizebodyfontsize normalizedfontsize normalizefontdepth normalizefontheight normalizefontline | <pre>\normale \normalframedwithsettings [=] {} \normalitalicface \normalizebodyfontsize \ {} \normalizedfontsize \normalizefontdepth \ {} {} {} \normalizefontheight \ {} {} {}</pre> |
| normale normalframedwithsettings normalitalicface normalizebodyfontsize normalizedfontsize normalizefontdepth normalizefontheight normalizefontline normalizefontwidth | <pre>\normale \normalframedwithsettings [=] {} \normalitalicface \normalizebodyfontsize \ {} \normalizedfontsize \normalizefontdepth \ {} {} {} \normalizefontheight \ {} {} {} \normalizefonttline \ {} {} {}</pre> |
| normale normalframedwithsettings normalitalicface normalizebodyfontsize normalizedfontsize normalizefontdepth normalizefontheight normalizefontline normalizefontwidth normalizetextdepth normalizetextheight normalizetexthine | <pre>\normale \normalframedwithsettings [=] {} \normalizatioface \normalizebodyfontsize \ {} \normalizedfontsize \normalizefontdepth \ {} {} {} \normalizefontheight \ {} {} {} \normalizefonttine \ {} {} {} \normalizefontwidth \ {} {} {} \normalizetextdepth {} {} {} \normalizetextline {} {} {}</pre> |
| normale normalframedwithsettings normalitalicface normalizebodyfontsize normalizedfontsize normalizefontdepth normalizefontheight normalizefontline normalizefontwidth normalizetextdepth normalizetextheight normalizetextline normalizetextwidth | <pre>\normale \normalframedwithsettings [=] {} \normalizaticface \normalizebodyfontsize \ {} \normalizedfontsize \normalizefontdepth \ {} {} {} \normalizefontheight \ {} {} {} \normalizefontline \ {} {} {} \normalizefontwidth \ {} {} {} \normalizetextdepth {} {} {} \normalizetexttline {} {} {} \normalizetexttline {} {} {} \normalizetextwidth {} {} {}</pre> |
| normale normalframedwithsettings normalitalicface normalizebodyfontsize normalizedfontsize normalizefontdepth normalizefontheight normalizefontline normalizefontwidth normalizetextdepth normalizetextheight normalizetextline normalizetextwidth normalizetextwidth normalizetextwidth normalizetextwidth | <pre>\normale \normalframedwithsettings [=] {} \normalizatioface \normalizebodyfontsize \ {} \normalizedfontsize \normalizefontdepth \ {} {} {} \normalizefontheight \ {} {} {} \normalizefontline \ {} {} {} \normalizefontwidth \ {} {} {} \normalizetextdepth {} {} {} \normalizetextheight {} {} {} \normalizetextline {} {} {} \normalizetextwidth {} {} {} \normalizetextwidth {} {} {} \normalizetextwidth {} {} {} \normalizetextdeface</pre> |
| normale normalframedwithsettings normalitalicface normalizebodyfontsize normalizedfontsize normalizefontdepth normalizefontheight normalizefontline normalizefontwidth normalizetextdepth normalizetextheight normalizetexthine normalizetextvidth normalizetextwidth normalizetextwidth normalizetextwidth normalslantedface normaltypeface | <pre>\normale \normalframedwithsettings [=] {} \normalizatioface \normalizebodyfontsize \ {} \normalizedfontsize \normalizefontdepth \ {} {} {} \normalizefontheight \ {} {} {} \normalizefontline \ {} {} {} \normalizefontwidth \ {} {} {} \normalizetextdepth {} {} {} \normalizetextheight {} {} {} \normalizetextline {} {} {} \normalizetextwidth {} {} {}</pre> |
| normale normalframedwithsettings normalitalicface normalizebodyfontsize normalizedfontsize normalizefontdepth normalizefontheight normalizefontline normalizefontwidth normalizetextdepth normalizetextheight normalizetextline normalizetextline normalizetextwidth normalizetextwidth normalslantedface normaltypeface nota | <pre>\normale \normalframedwithsettings [=] {} \normalizaticface \normalizebodyfontsize \ {} \normalizedfontsize \normalizefontdepth \ {} {} {} \normalizefontheight \ {} {} {} \normalizefontline \ {} {} {} \normalizefontwidth \ {} {} {} \normalizetextdepth {} {} {} \normalizetextheight {} {} {} \normalizetextline {} {} {} \normalizetextwidth {} {} {}</pre> |
| normale normalframedwithsettings normalitalicface normalizebodyfontsize normalizedfontsize normalizefontdepth normalizefontheight normalizefontline normalizefontwidth normalizetextdepth normalizetextheight normalizetextline normalizetextwidth normalizetextwidth normalizetextwidth normalslantedface normaltypeface nota nota:instance | <pre>\normale \normalframedwithsettings [=] {} \normalizaticface \normalizebodyfontsize \ {} \normalizedfontsize \normalizefontdepth \ {} {} {} \normalizefontheight \ {} {} {} \normalizefontline \ {} {} {} \normalizefontwidth \ {} {} {} \normalizetextdepth {} {} {} \normalizetextheight {} {} {} \normalizetextline {} {} {} \normalizetextwidth {} {} {} \normalizetextwidth {} {} {} \normalizetextheight {} {} {} \normalizetexthine {} {} {} \normalizetextwidth {} {} {} {} \normalizetextwidth {} {} {} {} \normalizetextwidth {}</pre> |
| normale normalframedwithsettings normalitalicface normalizebodyfontsize normalizedfontsize normalizefontdepth normalizefontheight normalizefontwidth normalizetextdepth normalizetextheight normalizetexthine normalizetextline normalizetextwidth normalizetextwidth normalizetextwidth normalizetextoen normalizetextwidth | <pre>\normale \normalframedwithsettings [=] {} \normalitalicface \normalizebodyfontsize \ {} \normalizedfontsize \normalizefontdepth \ {} {} {} \normalizefontheight \ {} {} {} \normalizefontline \ {} {} {} \normalizefontwidth \ {} {} {} \normalizetextdepth {} {} {} \normalizetextheight {} {} {} \normalizetextline {} {} {} \normalizetextwidth {} {} {} \normalizetextwidth {} {} {} \normalizetextline {} {} {} \nor</pre> |
| normale normalframedwithsettings normalitalicface normalizebodyfontsize normalizedfontsize normalizefontdepth normalizefontheight normalizefontwidth normalizetextdepth normalizetextheight normalizetexthine normalizetextline normalizetextwidth normalizetextwidth normalizetextwidth normalizetextoen normalizetextwidth | <pre>\normale \normalframedwithsettings [=] {} \normalitalicface \normalizebodyfontsize \ {} \normalizedfontsize \normalizefontdepth \ {} {} {} \normalizefontheight \ {} {} {} \normalizefontline \ {} {} {} \normalizefontwidth \ {} {} {} \normalizetextdepth {} {} {} \normalizetextheight {} {} {} \normalizetextline {} {} {} \normalizetextwidth {} {} {} \normalizetextheight {} {} \normalizetextline {} {} {} \n</pre> |
| normale normalframedwithsettings normalitalicface normalizebodyfontsize normalizedfontsize normalizefontdepth normalizefontheight normalizefontwidth normalizetextdepth normalizetextheight normalizetexthine normalizetextline normalizetextwidth normalizetextwidth normalizetextwidth normalizetextoen normalizetextwidth | <pre>\normale \normalframedwithsettings [=] {} \normalitalicface \normalizebodyfontsize \ {} \normalizedfontsize \normalizefontdepth \ {} {} {} \normalizefontheight \ {} {} {} \normalizefontline \ {} {} {} \normalizefontwidth \ {} {} {} \normalizetextdepth {} {} {} \normalizetextheight {} {} {} \normalizetextline {} {} {} \normalizetextwidth {} {} {} \normalizetextwidth {} {} {} \normalizetextline {} {} {} \nor</pre> |
| normale normalframedwithsettings normalitalicface normalizebodyfontsize normalizedfontsize normalizefontdepth normalizefontheight normalizefontwidth normalizetextdepth normalizetextheight normalizetextline normalizetextline normalizetextwidth normalizetextwidth normalizetextoen normalizetextwidth normalizetextwidth normalizetextwidth normalslantedface normaltypeface nota nota:instance nota:instance:assignment nota:instance:assignment:endnote nota:instance:assignment:footnote | <pre>\normale \normalframedwithsettings [=] {} \normalitalicface \normalizebodyfontsize \ {} \normalizedfontsize \normalizefontdepth \ {} {} {} \normalizefontheight \ {} {} {} \normalizefontline \ {} {} {} \normalizefontwidth \ {} {} {} \normalizetextdepth {} {} {} \normalizetextheight {} {} {} \normalizetextline {} {} {} \normalizetextwidth {} {} {} \normalizetextudface \normalizetextline {} {} {} \normalizetextline {} {} \normali</pre> |
| normale normalframedwithsettings normalitalicface normalizebodyfontsize normalizedfontsize normalizefontdepth normalizefontheight normalizefontwidth normalizetextdepth normalizetextheight normalizetextline normalizetextwidth normalizetextwidth normalizetextoen normalizetextwidth normalizetextheight normalize | <pre>\normale \normalframedwithsettings [=] {} \normalitalicface \normalizebodyfontsize \ {} \normalizedfontsize \normalizefontdepth \ {} {} {} \normalizefontheight \ {} {} {} \normalizefontline \ {} {} {} \normalizefontwidth \ {} {} {} \normalizetextdepth {} {} {} \normalizetextheight {} {} {} \normalizetextline {} {} {} \normalizetextwidth {} {} {} \normalizetextwidth {} {} {} \normalizetextline {} {} {} \normalizetextline {} {} {} \normalizetextwidth {} {} {} \normalizetextwidth {} {} {} \normalizetextline {} {} {} \normalizetextline {} {} {} \normalizetextline {} {} {} \normalizetextline {} {</pre> |
| normale normalframedwithsettings normalitalicface normalizebodyfontsize normalizedfontsize normalizefontdepth normalizefontheight normalizefontwidth normalizetextdepth normalizetextheight normalizetextline normalizetextwidth normalizetexturing | <pre>\normale \normalframedwithsettings [=] {} \normalitalicface \normalizebodyfontsize \ {} \normalizedfontsize \normalizefontdepth \ {} {} {} \normalizefontheight \ {} {} {} \normalizefonthine \ {} {} {} \normalizefontwidth \ {} {} {} \normalizetextdepth {} {} {} \normalizetextheight {} {} {} \normalizetextline {} {} {} \normalizetextwidth {} {} {} \normalizetextwidth {} {} {} \normalizetextline {} {} {} \normalizetextline {} {} {} \normalizetextwidth {} {} {} \n</pre> |
| normale normalframedwithsettings normalitalicface normalizebodyfontsize normalizedfontsize normalizefontdepth normalizefontheight normalizefontwidth normalizetextdepth normalizetextheight normalizetextline normalizetextwidth normalizetextheight normalizetextheight normalizetextheight normalizetextheight normalizetextheight normalizetextheight normalizefontwidth | <pre>\normale \normalframedwithsettings [=] {} \normalitalicface \normalizebodyfontsize \ {} \normalizedfontsize \normalizefontdepth \ {} {} {} \normalizefontheight \ {} {} {} \normalizefonthine \ {} {} {} \normalizefontwidth \ {} {} {} \normalizetextdepth {} {} {} \normalizetextheight {} {} {} \normalizetextline {} {} {} \normalizetextwidth {} {} {} \normalizetextwidth {} {} {} \normalizetextwidth {} {} {} \normalizetextline {} {} {} \normalizetextwidth {} {} {} \</pre> |
| normale normalitanedwithsettings normalitalicface normalizebodyfontsize normalizedfontsize normalizefontdepth normalizefontheight normalizefontwidth normalizetextdepth normalizetextheight normalizetextline normalizetextwidth normalizetextwidth normalizetextwidth normalizetextwidth normalizetextwidth normalizetextwidth normalizetextwidth normalizetextwidth nota:instance nota:instance:assignment nota:instance:assignment:endnote nota:instance:assignment:footnote nota:instance:endnote nota:instance:footnote nota:instance:footnote nota:instance:footnote nota:instance:footnote | <pre>\normale \normalframedwithsettings [=] {} \normalitalicface \normalizebodyfontsize \ {} \normalizedfontsize \normalizefontdepth \ {} {} {} \normalizefontheight \ {} {} {} \normalizefonthine \ {} {} {} \normalizefontwidth \ {} {} {} \normalizetextdepth {} {} {} \normalizetextheight {} {} {} \normalizetextline {} {} {} \normalizetextwidth {} {} {} \normalizetextwidth {} {} {} \normalizetextuine {} {} \normalizetextuine {} {} \normalizetextwidth {</pre> |
| normale normalitanedwithsettings normalitalicface normalizebodyfontsize normalizedfontsize normalizefontdepth normalizefontheight normalizefontwidth normalizetextdepth normalizetextheight normalizetexthine normalizetextwidth normalizetextheight norma | \normale \normalframedwithsettings [=] {} \normalitalicface \normalizebodyfontsize \ {} \normalizedfontsize \normalizefontdepth \ {} {} {} \normalizefontheight \ {} {} {} \normalizefonthine \ {} {} {} \normalizefontwidth \ {} {} {} \normalizetextdepth {} {} {} \normalizetextheight {} {} {} \normalizetextline {} {} {} \normalizetextwidth {} {} {} \normalizetextwidth {} {} {} \normalizetextwidth {} {} {} \normalizetextline {} {} {} \normalizetextline {} {} {} \normalizetextwidth {} {} {} \normalizetextwidth {} {} {} \normalizetextwidth {} {} |
| normale normalitanedwithsettings normalitalicface normalizebodyfontsize normalizedfontsize normalizefontdepth normalizefontheight normalizefontwidth normalizetextdepth normalizetextheight normalizetexthine normalizetextwidth normalizetextwidth normalizetextwidth normalslantedface normaltypeface nota nota:instance:assignment nota:instance:assignment:endnote nota:instance:assignment:footnote nota:instance:footnote nota:instance:footnote nota:instance:footnote nota:instance:footnote nota:instance:footnote nota:instance:footnote nota:instance:footnote nota:instance:footnote nota:instance:footnote notesymbol notragged ntimes numberofpoints numeri numeriromani | <pre>\normale \normalframedwithsettings [=] {} \normalitalicface \normalizebodyfontsize \ {} \normalizedfontsize \normalizefontdepth \ {} {} {} \normalizefontheight \ {} {} {} \normalizefonthine \ {} {} {} \normalizefontwidth \ {} {} {} \normalizetextdepth {} {} {} \normalizetextheight {} {} {} \normalizetextline {} {} {} \normalizetextwidth {</pre> |
| normale normalitramedwithsettings normalitalicface normalizebodyfontsize normalizefontsize normalizefontdepth normalizefontheight normalizefontwidth normalizetextdepth normalizetextheight normalizetextline normalizetextwidth nota:instance:assignment nota:instance:assignment nota:instance:assignment:endnote nota:instance:assignment:footnote nota:instance:endnote nota:instance:footnote nota:instance:footnote nota:gged ntimes numberofpoints numeri numeriromani numeroformula | <pre>\normale \normalframedwithsettings [=] {} \normalitalicface \normalizebodyfontsize \ {} \normalizedfontsize \normalizefontdepth \ {} {} {} \normalizefontheight \ {} {} {} \normalizefontheight \ {} {} {} \normalizefontwidth \ {} {} {} \normalizefontwidth \ {} {} {} \normalizetextdepth {} {} {} \normalizetextheight {} {} {} \normalizetextline {} {} {} \normalizetextwidth {} {} {} \normalizetextwidth {} {} {} \normalizetextwidth {} {} {} \normalizetextwidth {} {} {} \notate [] {} \notate [] {} \notate [] {} \notate [] {} \notatesymbol [] [] \notatesymbol [] [] \numberofpoints {} \numerifonani {} \nu</pre> |
| normale normalframedwithsettings normalitalicface normalizebodyfontsize normalizedfontsize normalizefontdepth normalizefontheight normalizefontwidth normalizetextdepth normalizetextheight normalizetextline normalizetextwidth normalizetextwidth normalslantedface normaltypeface nota nota:instance:assignment nota:instance:assignment:endnote nota:instance:assignment:footnote nota:instance:footnote nota:instance:footnote nota:instance:footnote nota:instance:footnote nota:instance:footnote nota:instance:footnote nota:instance:footnote nota:instance:footnote notesymbol notragged ntimes numeri numeriromani numeroformula numeroformula numeropagina | <pre>\normale \normalframedwithsettings [=] {} \normalitalicface \normalizebodyfontsize \ {} \normalizedfontsize \normalizefontdepth \ {} {} {} \normalizefontheight \ {} {} {} \normalizefontheight \ {} {} {} \normalizefontwidth \ {} {} {} \normalizefontwidth \ {} {} {} \normalizetextdepth {} {} {} \normalizetextheight {} {} {} \normalizetextline {} {} {} \normalizetextwidth {} {} {} \normalizetextwidth {} {} {} \normalizetextwidth {} {} {} \normalizetextwidth {} {} {} \notate [] {} \notate [] {} \notate [] {} \notate [] {} \notatesymbol [] [] \notatesymbol [] [] \numberofpoints {} \numerifonami {} \numerifonami {} \numeroformula [] \numeroformula [] \numeroformula [] \numeroformali [] \num</pre> |
| normale normalframedwithsettings normalitalicface normalizebodyfontsize normalizefontsize normalizefontdepth normalizefontheight normalizefontwidth normalizetextdepth normalizetextheight normalizetextline normalizetextwidth normalizetextwidth normalizetextwidth normalslantedface nota nota:instance nota:instance:assignment nota:instance:assignment:footnote nota:instance:endnote nota:instance:footnote nota:instance:footnote notarigged ntimes numberofpoints numeri numeriromani numeropagina numeropagina numeropaginacompleto | <pre>\normale \normalframedwithsettings [=] {} \normalitalicface \normalizebodyfontsize \ {} \normalizedfontsize \normalizefontdepth \ {} {} {} \normalizefontheight \ {} {} {} \normalizefontheight \ {} {} {} \normalizefontwidth \ {} {} {} \normalizefontwidth \ {} {} {} \normalizetextdepth {} {} {} \normalizetextheight {} {} {} \normalizetextline {} {} {} \normalizetextwidth {} {} {} \normalizetextwidth {} {} {} \normalizetextwidth {} {} {} \normalizetextwidth {} {} {} \notate [] {} \notate [] {} \notate [] {} \notate [] {} \notatesymbol [] [] \notatesymbol [] [] \numerifontore [] {} \numerifore [] {} \numerifontore [] {} \numerifonto</pre> |
| normale normalframedwithsettings normalitalicface normalizebodyfontsize normalizedfontsize normalizefontdepth normalizefontheight normalizefontwidth normalizetextdepth normalizetextline normalizetextline normalizetextwidth | <pre>\normale \normalframedwithsettings [=] {} \normalitalicface \normalizebodyfontsize \ {} \normalizedfontsize \normalizefontdepth \ {} {} {} \normalizefontheight \ {} {} {} \normalizefontheight \ {} {} {} \normalizefonthine \ {} {} {} \normalizefontwidth \ {} {} {} \normalizetextdepth {} {} {} \normalizetextheight {} {} {} \normalizetextline {} {} {} \normalizetextwidth {</pre> |
| normale normalframedwithsettings normalitalicface normalizebodyfontsize normalizedfontsize normalizefontdepth normalizefontheight normalizefontline normalizefontwidth normalizetextdepth normalizetextheight normalizetextline normalizetextwidth notalizetextwidth normalizetextwidth | <pre>\normale \normalframedwithsettings [=] {} \normalitalicface \normalizebodyfontsize \ {} \normalizedfontsize \normalizefontdepth \ {} {} {} \normalizefontheight \ {} {} {} \normalizefontheight \ {} {} {} \normalizefonthine \ {} {} {} \normalizefontwidth \ {} {} {} \normalizetextdepth {} {} {} \normalizetextheight {} {} {} \normalizetextline {} {} {} \normalizetextwidth {</pre> |
| normale normalframedwithsettings normalitalicface normalizebodyfontsize normalizedfontsize normalizefontdepth normalizefontheight normalizefontwidth normalizetextdepth normalizetextline normalizetextline normalizetextwidth | <pre>\normale \normalframedwithsettings [=] {} \normalitalicface \normalizebodyfontsize \ {} \normalizedfontsize \normalizefontdepth \ {} {} {} \normalizefontheight \ {} {} {} \normalizefontheight \ {} {} {} \normalizefonthine \ {} {} {} \normalizefontwidth \ {} {} {} \normalizetextdepth {} {} {} \normalizetextheight {} {} {} \normalizetextline {} {} {} \normalizetextwidth {</pre> |

| objectheight | \objectheight |
|-----------------------------|--|
| objectmargin | \objectmargin |
| objectwidth | \objectwidth |
| obox | \obox {} |
| offset | \offset [=] {} |
| offsetbox | \offsetbox [=] \ {} |
| onedigitrounding | \onedigitrounding {} |
| ordinaldaynumber | \ordinaldaynumber {} |
| ordinalstr | \ordinalstr {} |
| ornamenttext:collector | \ornamenttext [=] [=] {} {} |
| ornamenttext:direct | \ornamenttext [] {} {} |
| ornamenttext:layer | \ornamenttext [=] [=] {} {} |
| ornament:example | \ORNAMENT {} {} |
| outputfilename | \outputfilename |
| - | - |
| outputstreambox | \outputstreambox [] |
| outputstreamcopy | \outputstreamcopy [] |
| outputstreamunvbox | \outputstreamunvbox [] |
| outputstreamunvcopy | \outputstreamunvcopy [] |
| over | \over [] |
| overlaybutton | \overlaybutton [] |
| overlaybutton:direct | \overlaybutton {} |
| overlaycolor | \overlaycolor |
| overlaydepth | \overlaydepth |
| overlayfigure | \overlayfigure {} |
| overlayheight | \overlayheight |
| overlayimage | \overlayimage {} |
| overlaylinecolor | \overlaylinecolor |
| overlaylinewidth | \overlaylinewidth |
| overlayoffset | \overlayoffset |
| overlayrollbutton | \overlayrollbutton [] [] |
| overlaywidth | \overlaywidth |
| overloaderror | \overloaderror |
| | |
| overset | \overset {} {} |
| PAROLA | \PAROLA {} |
| PAROLE | \PAROLE {} |
| Parola | \Parola {} |
| Parole | \Parole {} |
| PDFcolor | \PDFcolor {} |
| PDFETEX | \PDFETEX |
| PDFTEX | \PDFTEX |
| PICTEX | \PICTEX |
| PiCTeX | \PiCTeX |
| PointsToBigPoints | \PointsToBigPoints {} \ |
| PointsToReal | \PointsToReal {} \ |
| PointsToWholeBigPoints | \PointsToWholeBigPoints {} \ |
| PPCHTEX | \PPCHTEX |
| PPCHTeX | \PPCHTeX |
| PRAGMA | \PRAGMA |
| PtToCm | \PtToCm {} |
| | |
| pagearea | \pagearea [] [] |
| pagebreak | \pagebreak [] |
| pagefigure | \pagefigure [] [=] |
| pageinjection | \pageinjection [] [=] |
| pageinjection:assignment | \pageinjection [=] [=] |
| pagestaterealpage | \pagestaterealpage {} {} |
| pagestaterealpageorder | \pagestaterealpageorder {} {} |
| pagina | \pagina [] |
| paletsize | \paletsize |
| paragraphs:example | \PARAGRAPHS |
| parola | \parola {} |
| paroladestra | \paroladestra [] {} |
| pdfactualtext | \pdfactualtext {} {} |
| pdfbackendactualtext | \pdfbackendactualtext {} {} |
| pdfbackendcurrentresources | \pdfbackendcurrentresources |
| pdfbackendsetcatalog | \pdfbackendsetcatalog \{\dots\} |
| pdfbackendsetcolorspace | \pdfbackendsetcolorspace \{\dots\} \{\dots\} |
| pdfbackendsetextgstate | \pdfbackendsetcolorspace \(\therefore\) \(\therefor |
| pdfbackendsetinfo | \pdfbackendsetinfo \{\dots\} \{\dots\} |
| • | |
| pdfbackendsetname | \pdfbackendsetname {} {} |
| pdfbackendsetpageattribute | \pdfbackendsetpageattribute {} {} |
| pdfbackendsetpageresource | \pdfbackendsetpageresource \{\dots\} \{\dots\} |
| pdfbackendsetpagesattribute | \pdfbackendsetpagesattribute {} {} |

| pdfbackendsetpattern | \pdfbackendsetpattern {} {} |
|--|-------------------------------------|
| pdfbackendsetshade | \pdfbackendsetshade {} {} |
| pdfcolor | \pdfcolor {} |
| pdfeTeX | \pdfeTeX |
| pdfTeX | \pdfTeX |
| ped | \ped {} |
| pedap | \pedap [] {} |
| ped:instance | \LOW {} |
| ped:instance:unitslow | \unitslow {} |
| percent | \percent |
| percentdimen | \percentdimen \{\ldots\} \\ \ldots\ |
| perlungo | \perlungo {} |
| permitcaretescape | \permitcaretescape |
| permitcircumflexescape | \permitcircumflexescape |
| permitspacesbetweengroups | \permitspacesbetweengroups |
| persiandecimals | \persiandecimals {} |
| persiannumerals | \persiannumerals {} |
| phantom | \phantom {} |
| phantombox | \phantombox [=] |
| piccolo | \piccolo |
| piccolocorsivograssetto | \piccolocorsivograssetto |
| piccolofontdelcorpo | \piccolofontdelcorpo |
| piccolograssetto | \piccolograssetto |
| piccolograssettocorsivo | \piccolograssettocorsivo |
| piccolograssettoinclinato | \piccolograssettoinclinato |
| piccoloinclinato | \piccoloinclinato |
| piccoloinclinatograssetto | \piccoloinclinatograssetto |
| piccolonormale | \piccolonormale |
| piccolotype | \piccolotype |
| pickupgroupedcommand | \pickupgroupedcommand {} {} {} |
| placeattachments | \placeattachments |
| placebtxrendering | \placebtxrendering [] [=] |
| placecitation | \placecitation [] |
| placecomments | \placecomments |
| placecurrentformulanumber | \placecurrentformulanumber |
| placedbox | \placedbox {} |
| placefloat | \placefloat [] [] {} {} |
| placefloatwithsetups | \placefloatwithsetups [] [] {} {} |
| placefloat:instance | mettiFLOAT [] [] {} |
| placefloat:instance:chemical | \mettichemical [] [] {} |
| placefloat:instance:figure | \mettifigure [] [] {} |
| placefloat:instance:graphic | \mettigraphic [] [] {} |
| placefloat:instance:intermezzo | \mettiintermezzo [] [] {} |
| placefloat:instance:table | \mettitable [] [] {} |
| placeframed | \placeframed [] [=] {} |
| placehelp | \placehelp |
| placeinitial | \placeinitial [] |
| placelayer | \placelayer [] |
| placelayeredtext | \placelayeredtext [] [=] [=] {} {} |
| placelistoffloats:instance | \placelistofFLOATS [=] |
| placelistoffloats:instance:chemicals | \placelistofchemicals [=] |
| placelistoffloats:instance:figures | \placelistoffigures [=] |
| placelistoffloats:instance:graphics | \placelistofgraphics [=] |
| placelistoffloats:instance:intermezzi | \placelistofintermezzi [=] |
| placelistoffloats:instance:tables | \placelistoftables [=] |
| placelistofpublications | \placelistofpublications [] [=] |
| placelistofsorts | \placelistofsorts [] [=] |
| placelistofsorts:instance | \placelistofSORTS [=] |
| placelistofsorts:instance:logos | \placelistoflogos [=] |
| placelistofsynonyms | \placelistofsynonyms [] [=] |
| placelistofsynonyms:instance | \placelistofSYNONYMS [=] |
| placelistofsynonyms:instance:abbreviations | \placelistofabbreviations [=] |
| placelocalnotes | \placelocalnotes [] [=] |
| placement | \placement [] [=] {} |
| <pre>placement:example</pre> | \PLACEMENT [=] {} |
| placenamedfloat | \placenamedfloat [] [] |
| placenamedformula | \placenamedformula [] {} {} |
| placenotes | \placenotes [] [=] |
| placepairedbox | \placepairedbox [] [=] {} {} |
| placepairedbox:instance | \mettiPAIREDBOX [=] {} {} |
| placepairedbox:instance:legend | \mettilegend [=] {} {} |
| placeparallel | \placeparallel [] [=] |
| | |

| placerawheaddata | \placerawheaddata [] |
|--|---|
| placerawheadnumber | \placerawheadnumber [] |
| placerawheadtext | \placerawheadtext [] |
| placerawlist | \placerawlist [] [=] |
| placerenderingwindow | \placerenderingwindow [] [] |
| popattribute | \popattribute \ |
| popmacro | \popmacro \ |
| popmode | \popmode [] |
| popsystemmode | \popsystemmode {} |
| positionoverlay positionregionoverlay | <pre>\positionoverlay {} \positionregionoverlay {} {}</pre> |
| posizionanumerotesta | \posizionanumerotesta [] |
| posizionatestotesta | \posizionatestotesta [] |
| posizione | \posizione [=] (,) {} |
| postponenotes | \postponenotes |
| predefinedfont | \predefinedfont [] |
| predefinefont | \predefinefont [] [] |
| predefinesymbol | \predefinesymbol [] |
| prefixedpagenumber | \prefixedpagenumber |
| prendibuffer | \prendibuffer [] |
| prendibuffer:instance | \prendiBUFFER |
| prendimarcatura | \prendimarcatura [] [] \prependetoks \to \ |
| prependetoks prependgvalue | \prependetoks \to \\ \prependgvalue \{\} \{\} |
| prependtocommalist | \prependgvalue \(\therefore\) \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| prependtoks | \prependtoks \to \ |
| prependtoksonce | \prependtoksonce \to \ |
| prependvalue | \prependvalue {} {} |
| prerollblank | \prerollblank [] |
| presetdocument | \presetdocument [=] |
| presetfieldsymbols | \presetfieldsymbols [] |
| <pre>presetlabeltext:instance</pre> | \presetLABELtesto [] [=] |
| <pre>presetlabeltext:instance:btxlabel</pre> | \presetbtxlabeltesto [] [=] |
| presetlabeltext:instance:head | \presetheadtesto [] [=] |
| presetlabeltext:instance:label | \presetlabeltesto [] [=] |
| presetlabeltext:instance:mathlabel | \presetmathlabeltesto [] [=] |
| <pre>presetlabeltext:instance:operator presetlabeltext:instance:prefix</pre> | \presetoperatortesto [] [=] \presetprefixtesto [] [=] |
| presetlabeltext:instance:suffix | \presetsuffixtesto [] [=] |
| presetlabeltext:instance:taglabel | \presettaglabeltesto [] [=] |
| presetlabeltext:instance:unit | \presetunittesto [] [=] |
| pretocommalist | \pretocommalist \{\dots\} \\\ |
| prettyprintbuffer | \prettyprintbuffer {} {} |
| prevcounter | \prevcounter [] [] |
| prevcountervalue | \prevcountervalue [] |
| preventmode | \preventmode [] |
| prevrealpage | \prevrealpage |
| prevrealpagenumber | \prevrealpagenumber |
| prevsubcountervalue | \prevsubcountervalue [] [] |
| prevsubpage prevsubpagenumber | \prevsubpage \prevsubpagenumber |
| prevuserpage | \prevuserpage |
| prevuserpagenumber | \prevuserpage \prevuserpagenumber |
| primasottopagina | \primasottopagina |
| procent | \procent |
| processaction | \processaction [] [,=>,] |
| processallactionsinset | \processallactionsinset [] [,=>,] |
| processassignlist | \processassignlist [] \ |
| processassignmentcommand | \processassignmentcommand [=] \ |
| processassignmentlist | \processassignmentlist [=] \ |
| processbetween | \processbetween \\\ |
| processcolorcomponents | \processbodyfontenvironmentlist \ \processcolorcomponents {} |
| processcolorcomponents processcommacommand | \processcondacommand [] \ |
| processcommacommand processcommalist | \processcommalist [] \ |
| processcommalist | \processcommalist [] \ \processcommalistwithparameters [] \ |
| processcontent | \processcontent \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| processfile | \processfile {} |
| processfilemany | \processfilemany {} |
| processfilenone | \processfilenone {} |
| processfileonce | \processfileonce {} |
| processfirstactioninset | \processfirstactioninset [] [,=>,] |
| | |

| processisolatedchars | \processisolatedchars {} \ |
|------------------------------|--|
| processisolatedwords | \processisolatedwords {} \ |
| processlinetablebuffer | \processlinetablebuffer [] |
| processlinetablefile | \processlinetablefile {} |
| • | |
| processlist | \processlist \{\} \\\} \\ |
| processMPbuffer | \processMPbuffer [] |
| processMPfigurefile | \processMPfigurefile {} |
| processmonth | \processmonth {} {} |
| processranges | \processranges [] \ |
| processseparatedlist | \processseparatedlist [] [] {} |
| processtexbuffer | \processTEXbuffer [] |
| • | - |
| processtokens | \processtokens \{\ldots\} \{\ldots\} \{\ldots\} \{\ldots\} \{\ldots\} \{\ldots\} |
| processuntil | \processuntil \ |
| processxtablebuffer | \processxtablebuffer [] |
| processyear | \processyear {} {} {} |
| prodotto | \prodotto [] |
| prodotto:string | \prodotto |
| profiledbox | \profiledbox [] [=] {} |
| - | \profilegivenbox {} |
| profilegivenbox | |
| progetto | \progetto [] |
| progetto:string | \progetto |
| programma | \programma [] |
| pseudoMixedCapped | \pseudoMixedCapped {} |
| pseudoSmallCapped | \pseudoSmallCapped {} |
| pseudoSmallcapped | \pseudoSmallcapped {} |
| pseudosmallcapped | \pseudosmallcapped {} |
| | |
| pulsante | \pulsante [=] {} [] |
| pulsantemenu:button | \pulsantemenu [=] {} {} |
| pulsantemenu:interactionmenu | \pulsantemenu [] [=] {} {} |
| pulsante:example | \BUTTON [=] {} [] |
| pulsantinterazione | \pulsantinterazione [=] [] |
| punti | \punti [] |
| • | \punti [=] |
| punti:assignment | - |
| punto | \punto {} |
| purenumber | \purenumber {} |
| pusharrangedpages | \pusharrangedpages \poparrangedpages |
| pushattribute | \pushattribute \ |
| pushbar | \pushbar [] \popbar |
| pushbutton | \pushbutton [] [] |
| pushcatcodetable | \pushcatcodetable \popcatcodetable |
| • | |
| pushcolore | \pushcolore [] \popcolore |
| pushendofline | \pushendofline \popendofline |
| pushindentation | \pushindentation \popindentation |
| pushMPdrawing | \pushMPdrawing \popMPdrawing |
| pushmacro | \pushmacro \ |
| pushmathstyle | \pushmathstyle \popmathstyle |
| pushmode | \pushmode [] |
| pushoutputstream | \pushoutputstream [] |
| - | |
| pushpath | \pushpath [] \poppath |
| pushpunctuation | \pushpunctuation \poppunctuation |
| pushrandomseed | \pushrandomseed \poprandomseed |
| pushreferenceprefix | \pushreferenceprefix \{\ldots\}\ldots\\popreferenceprefix |
| pushsfondo | \pushsfondo [] \popsfondo |
| pushsystemmode | \pushsystemmode {} |
| putboxincache | \putboxincache {} {} |
| putnextboxincache | \putnextboxincache \{\dots\} \\\\} \\\ |
| • | |
| qquad | \qquad |
| quad | |
| quads | s [] |
| qualcheriga | \qualcheriga [] |
| quarterstrut | \quarterstrut |
| quitcommalist | \quitcommalist |
| quitprevcommalist | \quitprevcommalist |
| • • | |
| quittypescriptscanning | \quittypescriptscanning |
| ReadFile | \ReadFile {} |
| raggedbottom | \raggedbottom |
| raggedcenter | \raggedcenter |
| raggedleft | \raggedleft |
| raggedright | \raggedright |
| raggedwidecenter | \raggedwidecenter |
| raisebox | \raisebox {} \ {} |
| | |
| randomizetext | \randomizetext {} |

| randomnumber | \randomnumber {} {} |
|--|---|
| rawcounter | \rawcounter [] [] |
| rawcountervalue | \rawcountervalue [] |
| | |
| rawdate | \rawdate [] |
| rawdoifelseinset | \rawdoifelseinset {} {} {} |
| rawdoifinset | \rawdoifinset {} {} |
| rawdoifinsetelse | \rawdoifinsetelse $\{\}$ $\{\}$ $\{\}$ |
| rawgetparameters | \rawgetparameters [] [=] |
| rawprocessaction | \rawprocessaction [] [,=>,] |
| rawprocesscommacommand | \rawprocesscommacommand [] \ |
| rawprocesscommalist | \rawprocesscommalist [] \ |
| rawstructurelistuservariable | \rawstructurelistuservariable {} |
| rawsubcountervalue | \rawsubcountervalue [] [] |
| rbox | \rbox {} |
| readfile | \readfile \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| | |
| readfixfile | \readfixfile \{\ldots\} \{\ldots\} \{\ldots\} |
| readjobfile | \readjobfile {} {} |
| readlocfile | \readlocfile {} {} |
| readsetfile | \readsetfile {} {} {} |
| readsysfile | \readsysfile {} {} |
| readtexfile | \readtexfile {} {} |
| readxmlfile | \readxmlfile {} {} {} |
| realpagenumber | \realpagenumber |
| realSmallCapped | \realSmallCapped \{\} |
| * * | == |
| realSmallcapped | \realSmallcapped {} |
| realsmallcapped | \realsmallcapped {} |
| recursedepth | \recursedepth |
| recurselevel | \recurselevel |
| recursestring | \recursestring |
| redoconvertfont | \redoconvertfont |
| referenceformat:example | \REFERENCEFORMAT {} {} [] |
| referenceprefix | \referenceprefix |
| referring | \referring (,) (,) [] |
| registerattachment | \registerattachment [] [=] |
| | |
| registerctxluafile registerexternalfigure | \registerctxluafile \{\dots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| | |
| - | |
| registerfontclass | \registerfontclass {} |
| - | |
| registerfontclass | \registerfontclass {} |
| registerfontclass registerhyphenationexception | \registerfontclass {} \registerhyphenationexception [] [] |
| registerfontclass registerhyphenationexception registerhyphenationpattern | \registerfontclass {} \registerhyphenationexception [] [] \registerhyphenationpattern [] [] \registermenubuttons [] [] |
| registerfontclass registerhyphenationexception registerhyphenationpattern registermenubuttons registersort | <pre>\registerfontclass {} \registerhyphenationexception [] [] \registerhyphenationpattern [] [] \registermenubuttons [] [] \registersort [] []</pre> |
| registerfontclass registerhyphenationexception registerhyphenationpattern registermenubuttons registersort registersynonym | <pre>\registerfontclass {} \registerhyphenationexception [] [] \registerhyphenationpattern [] [] \registermenubuttons [] [] \registersort [] [] \registersynonym [] []</pre> |
| registerfontclass registerhyphenationexception registerhyphenationpattern registermenubuttons registersort registersynonym registerunit | <pre>\registerfontclass {} \registerhyphenationexception [] [] \registerhyphenationpattern [] [] \registermenubuttons [] [] \registersort [] [] \registersynonym [] [] \registerunit [] [=]</pre> |
| registerfontclass registerhyphenationexception registerhyphenationpattern registermenubuttons registersort registersynonym registerunit registro:instance | <pre>\registerfontclass {} \registerhyphenationexception [] [] \registerhyphenationpattern [] [] \registermenubuttons [] [] \registersort [] [] \registersynonym [] [] \registerunit [] [=] \REGISTER [] {++}</pre> |
| registerfontclass registerhyphenationexception registerhyphenationpattern registermenubuttons registersort registersynonym registerunit registro:instance registro:instance:index | <pre>\registerfontclass {} \registerhyphenationexception [] [] \registerhyphenationpattern [] [] \registermenubuttons [] [] \registersort [] [] \registersynonym [] [] \registerunit [] [=] \REGISTER [] {++} \index [] {++}</pre> |
| registerfontclass registerhyphenationexception registerhyphenationpattern registermenubuttons registersort registersynonym registerunit registro:instance registro:instance:ownnumber | <pre>\registerfontclass {} \registerhyphenationexception [] [] \registerhyphenationpattern [] [] \registermenubuttons [] [] \registersort [] [] \registersynonym [] [] \registerunit [] [=] \REGISTER [] {++} \index [] {++} \REGISTER [] {++}</pre> |
| registerfontclass registerhyphenationexception registerhyphenationpattern registermenubuttons registersort registersynonym registerunit registro:instance registro:instance:ownnumber registro:instance:ownnumber:index | <pre>\registerfontclass {} \registerhyphenationexception [] [] \registerhyphenationpattern [] [] \registermenubuttons [] [] \registersort [] [] \registersynonym [] [] \registerunit [] [=] \REGISTER [] {++} \index [] {++} \index [] {} {++} \index [] {} {++}</pre> |
| registerfontclass registerhyphenationexception registerhyphenationpattern registermenubuttons registersort registersynonym registerunit registro:instance registro:instance:ownnumber registro:instance:ownnumber:index regolare | <pre>\registerfontclass {} \registerhyphenationexception [] [] \registerhyphenationpattern [] [] \registermenubuttons [] [] \registersort [] [] \registersynonym [] [] \registerunit [] [=] \REGISTER [] {++} \index [] {} {++} \index [] {} {++} \regolare</pre> |
| registerfontclass registerhyphenationexception registerhyphenationpattern registermenubuttons registersort registersynonym registerunit registro:instance registro:instance:ownnumber registro:instance:ownnumber:index | <pre>\registerfontclass {} \registerhyphenationexception [] [] \registerhyphenationpattern [] [] \registermenubuttons [] [] \registersort [] [] \registersynonym [] [] \registerunit [] [=] \REGISTER [] {++} \index [] {++} \index [] {} {++} \regolare \reginare \reginare \reginare</pre> |
| registerfontclass registerhyphenationexception registerhyphenationpattern registermenubuttons registersort registersynonym registerunit registro:instance registro:instance:ownnumber registro:instance:ownnumber:index regolare | <pre>\registerfontclass {} \registerhyphenationexception [] [] \registerhyphenationpattern [] [] \registermenubuttons [] [] \registersort [] [] \registersynonym [] [] \registerunit [] [=] \REGISTER [] {++} \index [] {} {++} \index [] {} {++} \regolare</pre> |
| registerfontclass registerhyphenationexception registerhyphenationpattern registermenubuttons registersort registersynonym registerunit registro:instance registro:instance:index registro:instance:ownnumber registro:instance:ownnumber:index regolare reimpostamarcatura | <pre>\registerfontclass {} \registerhyphenationexception [] [] \registerhyphenationpattern [] [] \registermenubuttons [] [] \registersort [] [] \registersynonym [] [] \registerunit [] [=] \REGISTER [] {++} \index [] {++} \index [] {} {++} \regolare \reginare \reginare \reginare</pre> |
| registerfontclass registerhyphenationexception registerhyphenationpattern registermenubuttons registersort registersynonym registerunit registro:instance registro:instance:ownnumber registro:instance:ownnumber:index regolare reimpostamarcatura relatemarking | <pre>\registerfontclass {} \registerhyphenationexception [] [] \registerhyphenationpattern [] [] \registermenubuttons [] [] \registersort [] [] \registersynonym [] [] \registerunit [] [=] \REGISTER [] {++} \index [] {++} \index [] {} {++} \regolare \reginare \reimpostamarcatura [] \relatemarking [] []</pre> |
| registerfontclass registerhyphenationexception registerhyphenationpattern registermenubuttons registersort registersynonym registerunit registro:instance registro:instance:index registro:instance:ownnumber registro:instance:ownnumber:index regolare reimpostamarcatura relatemarking relateparameterhandlers relaxvalueifundefined | <pre>\registerfontclass {} \registerhyphenationexception [] [] \registerhyphenationpattern [] [] \registermenubuttons [] [] \registersort [] [] \registersynonym [] [] \registerunit [] [] \REGISTER [] {++} \index [] {++} \index [] {} {++} \index [] {} {++} \regolare \reginaresimpostamarcatura [] \relatemarking [] [] \relateparameterhandlers {} {} {} {} \relatevalueifundefined {}</pre> |
| registerfontclass registerhyphenationexception registerhyphenationpattern registermenubuttons registersort registersynonym registerunit registro:instance registro:instance:index registro:instance:ownnumber registro:instance:ownnumber:index regolare reimpostamarcatura relatemarking relateparameterhandlers relaxvalueifundefined remainingcharacters | <pre>\registerfontclass {} \registerhyphenationexception [] [] \registerhyphenationpattern [] [] \registermenubuttons [] [] \registersort [] [] \registersynonym [] [] \registerunit [] [] \REGISTER [] {++} \index [] {++} \index [] {} {++} \index [] {} {++} \regolare \reimpostamarcatura [] \relatemarking [] [] \relateparameterhandlers {} {} {} {} \relatevalueifundefined {} \remainingcharacters</pre> |
| registerfontclass registerhyphenationexception registerhyphenationpattern registermenubuttons registersort registersynonym registerunit registro:instance registro:instance:index registro:instance:ownnumber registro:instance:ownnumber:index regolare reimpostamarcatura relatemarking relateparameterhandlers relaxvalueifundefined remainingcharacters removebottomthings | <pre>\registerfontclass {} \registerhyphenationexception [] [] \registerhyphenationpattern [] [] \registermenubuttons [] [] \registersort [] [] \registersynonym [] [] \registerunit [] [] \REGISTER [] {++} \index [] {++} \index [] {} {++} \index [] {} {++} \regolare \reimpostamarcatura [] \relatemarking [] [] \relateparameterhandlers {} {} {} {} \remainingcharacters \removebottomthings</pre> |
| registerfontclass registerhyphenationexception registerhyphenationpattern registermenubuttons registersort registersynonym registerunit registro:instance registro:instance:index registro:instance:ownnumber registro:instance:ownnumber:index regolare reimpostamarcatura relatemarking relateparameterhandlers relaxvalueifundefined remainingcharacters removebottomthings removedepth | <pre>\registerfontclass {} \registerhyphenationexception [] [] \registerhyphenationpattern [] [] \registermenubuttons [] [] \registersort [] [] \registersynonym [] [] \registerunit [] [] \REGISTER [] {++} \index [] {++} \index [] {} {++} \regolare \reimpostamarcatura [] \relatemarking [] [] \relateparameterhandlers {} {} {} {} \removebottomthings \removebottomthings \removedepth</pre> |
| registerfontclass registerhyphenationexception registerhyphenationpattern registermenubuttons registersort registersynonym registerunit registro:instance registro:instance:index registro:instance:ownnumber registro:instance:ownnumber:index regolare reimpostamarcatura relatemarking relateparameterhandlers relaxvalueifundefined remainingcharacters removebottomthings removedepth removefromcommalist | <pre>\registerfontclass {} \registerhyphenationexception [] [] \registerhyphenationpattern [] [] \registermenubuttons [] [] \registersort [] [] \registersynonym [] [] \registerunit [] [] \REGISTER [] {++} \index [] {++} \index [] {} {++} \regolare \reimpostamarcatura [] \relatemarking [] [] \relateparameterhandlers {} {} {} {} \removebottomthings \removedepth \removefromcommalist {} \</pre> |
| registerfontclass registerhyphenationexception registerhyphenationpattern registermenubuttons registersort registersynonym registerunit registro:instance registro:instance:index registro:instance:ownnumber registro:instance:ownnumber:index regolare reimpostamarcatura relatemarking relateparameterhandlers relaxvalueifundefined remainingcharacters removebottomthings removedepth removefromcommalist removelastskip | <pre>\registerfontclass {} \registerhyphenationexception [] [] \registerhyphenationpattern [] [] \registermenubuttons [] [] \registersort [] [] \registersynonym [] [] \registerunit [] [] \registerunit [] [] \REGISTER [] {++} \index [] {++} \index [] {} {++} \regolare \reimpostamarcatura [] \relatemarking [] [] \relateparameterhandlers {} {} {} {} \removebottomthings \removedepth \removefromcommalist {} \ \removelastskip</pre> |
| registerfontclass registerhyphenationexception registerhyphenationpattern registermenubuttons registersort registersynonym registerunit registro:instance registro:instance:index registro:instance:ownnumber registro:instance:ownnumber:index regolare reimpostamarcatura relatemarking relateparameterhandlers relaxvalueifundefined remainingcharacters removebottomthings removedepth removelastskip removelastspace | <pre>\registerfontclass {} \registerhyphenationexception [] [] \registerhyphenationpattern [] [] \registermenubuttons [] [] \registersort [] [] \registersynonym [] [] \registerunit [] [] \registerunit [] [] \REGISTER [] {++} \index [] {++} \index [] {} {++} \regolare \reimpostamarcatura [] \relatemarking [] [] \relateparameterhandlers {} {} {} {} \removebottomthings \removedepth \removefromcommalist {} \ \removelastskip \removelastspace</pre> |
| registerfontclass registerhyphenationexception registerhyphenationpattern registermenubuttons registersort registersynonym registerunit registro:instance registro:instance:index registro:instance:ownnumber registro:instance:ownnumber:index regolare reimpostamarcatura relatemarking relateparameterhandlers relaxvalueifundefined remainingcharacters removebottomthings removedepth removefromcommalist removelastskip | <pre>\registerfontclass {} \registerhyphenationexception [] [] \registerhyphenationpattern [] [] \registermenubuttons [] [] \registersort [] [] \registersynonym [] [] \registerunit [] [] \REGISTER [] {++} \index [] {++} \index [] {} {++} \regolare \reimpostamarcatura [] \relatemarking [] [] \relatemarking [] [] \relateparameterhandlers {} {} {} {} \removebottomthings \removedepth \removefromcommalist {} \ \removelastskip \removelastspace \removemarkedcontent []</pre> |
| registerfontclass registerhyphenationexception registerhyphenationpattern registermenubuttons registersort registersynonym registerunit registro:instance registro:instance:index registro:instance:ownnumber registro:instance:ownnumber:index regolare reimpostamarcatura relatemarking relateparameterhandlers relaxvalueifundefined remainingcharacters removebottomthings removedepth removelastskip removelastspace | <pre>\registerfontclass {} \registerhyphenationexception [] [] \registerhyphenationpattern [] [] \registermenubuttons [] [] \registersort [] [] \registersynonym [] [] \registerunit [] [] \REGISTER [] {++} \index [] {++} \index [] {} {++} \regolare \reimpostamarcatura [] \relatemarking [] [] \relateparameterhandlers {} {} {} \removebottomthings \removebottomthings \removedepth \removefromcommalist {} \ \removelastskip \removelastspace \removemovemarkedcontent [] \removepunctuation</pre> |
| registerfontclass registerhyphenationexception registerhyphenationpattern registermenubuttons registersort registersynonym registerunit registro:instance registro:instance:index registro:instance:ownnumber registro:instance:ownnumber:index regolare reimpostamarcatura relatemarking relateparameterhandlers relaxvalueifundefined remainingcharacters removebottomthings removedepth removefromcommalist removelastskip removelastspace removemarkedcontent | <pre>\registerfontclass {} \registerhyphenationexception [] [] \registerhyphenationpattern [] [] \registermenubuttons [] [] \registersort [] [] \registersynonym [] [] \registerunit [] [] \REGISTER [] {++} \index [] {++} \index [] {} {++} \regolare \reimpostamarcatura [] \relatemarking [] [] \relatemarking [] [] \relateparameterhandlers {} {} {} {} \removebottomthings \removedepth \removefromcommalist {} \ \removelastskip \removelastspace \removemarkedcontent []</pre> |
| registerfontclass registerhyphenationexception registerhyphenationpattern registermenubuttons registersort registersynonym registerunit registro:instance registro:instance:index registro:instance:ownnumber registro:instance:ownnumber:index regolare reimpostamarcatura relatemarking relateparameterhandlers relaxvalueifundefined remainingcharacters removebottomthings removedepth removefromcommalist removelastskip removelastspace removemarkedcontent removepunctuation | <pre>\registerfontclass {} \registerhyphenationexception [] [] \registerhyphenationpattern [] [] \registermenubuttons [] [] \registersort [] [] \registersynonym [] [] \registerunit [] [] \REGISTER [] {++} \index [] {++} \index [] {} {++} \regolare \reimpostamarcatura [] \relatemarking [] [] \relateparameterhandlers {} {} {} {} \removebottomthings \removedepth \removefromcommalist {} \ \removelastskip \removelastspace \removemovemarkedcontent [] \removepunctuation</pre> |
| registerfontclass registerhyphenationexception registerhyphenationpattern registermenubuttons registersort registersynonym registerunit registro:instance registro:instance:index registro:instance:ownnumber registro:instance:ownnumber:index regolare reimpostamarcatura relatemarking relateparameterhandlers relaxvalueifundefined remainingcharacters removebottomthings removedepth removefromcommalist removelastskip removelastspace removemarkedcontent removesubstring removetoks | <pre>\registerfontclass {} \registerhyphenationexception [] [] \registerhyphenationpattern [] [] \registermenubuttons [] [] \registersort [] [] \registersynonym [] [] \registersynonym [] [] \registerunit [] [] \REGISTER [] {++} \index [] {++} \index [] {} {++} \regolare \reimpostamarcatura [] \relatemarking [] [] \relatemarking [] [] \relateparameterhandlers {} {} {} {} \removebottomthings \removebottomthings \removedepth \removefromcommalist {} \ \removelastskip \removelastspace \removemovemarkedcontent [] \removepunctuation \removesubstring \from \to \ \removetoks \from \</pre> |
| registerfontclass registerhyphenationexception registerhyphenationpattern registermenubuttons registersort registersynonym registerunit registro:instance registro:instance:index registro:instance:ownnumber registro:instance:ownnumber:index regolare reimpostamarcatura relatemarking relateparameterhandlers relaxvalueifundefined remainingcharacters removebottomthings removedepth removefromcommalist removelastspace removemarkedcontent removesubstring removetoks removeunwantedspaces | <pre>\registerfontclass {} \registerhyphenationexception [] [] \registerhyphenationpattern [] [] \registermenubuttons [] [] \registersort [] [] \registersynonym [] [] \registerunit [] [] \REGISTER [] {++} \index [] {++} \index [] {} {++} \regolare \reimpostamarcatura [] \relatemarking [] [] \relateparameterhandlers {} {} {} {} \removebottomthings \removebottomthings \removedepth \removefromcommalist {} \ \removelastspace \removemarkedcontent [] \removesubstring \from \to \ \removetoks \from \ \removeunvantedspaces</pre> |
| registerfontclass registerhyphenationexception registerhyphenationpattern registermenubuttons registersort registersynonym registerunit registro:instance registro:instance:index registro:instance:ownnumber registro:instance:ownnumber:index regolare reimpostamarcatura relatemarking relateparameterhandlers relaxvalueifundefined remainingcharacters removebottomthings removedepth removelastskip removelastspace removemarkedcontent removepunctuation removesubstring removetoks removeunwantedspaces repeathead | <pre>\registerfontclass {} \registerhyphenationexception [] [] \registerhyphenationpattern [] [] \registermenubuttons [] [] \registersort [] [] \registersynonym [] [] \registersynonym [] [] \registerunit [] [] \REGISTER [] {++} \index [] {++} \index [] {} {++} \regolare \reimpostamarcatura [] \relatemarking [] [] \relatemarking [] [] \relateparameterhandlers {} {} {} {} \removebottomthings \removebottomthings \removedepth \removefromcommalist {} \ \removelastskip \removelastspace \removemovemarkedcontent [] \removepunctuation \removesubstring \from \to \ \removeunwantedspaces \repeathead []</pre> |
| registerfontclass registerhyphenationexception registerhyphenationpattern registersort registersort registersynonym registerunit registro:instance registro:instance:index registro:instance:ownnumber registro:instance:ownnumber:index regolare reimpostamarcatura relatemarking relateparameterhandlers relaxvalueifundefined remainingcharacters removebottomthings removedepth removefromcommalist removelastskip removelastspace removemarkedcontent removepunctuation removesubstring removetoks removeunwantedspaces repeathead replacefeature | <pre>\registerfontclass {} \registerhyphenationexception [] [] \registerhyphenationpattern [] [] \registermenubuttons [] [] \registersort [] [] \registersynonym [] [] \registersynonym [] [] \registerunit [] [] \registerunit [] [] \registersort [] {++} \index [] {++} \index [] {} {++} \index [] {} {++} \regolare \reimpostamarcatura [] \relatemarking [] [] \relatemarking [] [] \relateparameterhandlers {} {} {} {} \removebottomthings \removebottomthings \removebottomthings \removedepth \removefromcommalist {} \ \removelastskip \removelastspace \removemovebottomthing \from \to \ \removebottoms \from \ \removebottoms \from \ \removeunwantedspaces \repeathead [] \replacefeature []</pre> |
| registerfontclass registerhyphenationexception registerhyphenationpattern registersort registersort registersynonym registerunit registro:instance registro:instance:index registro:instance:ownnumber registro:instance:ownnumber registro:instance:ownnumber:index regolare reimpostamarcatura relatemarking relateparameterhandlers relaxvalueifundefined remainingcharacters removebottomthings removedepth removefromcommalist removelastskip removelastspace removemarkedcontent removepunctuation removesubstring removetoks removeunwantedspaces repeathead replacefeature replacefeature:direct | <pre>\registerfontclass {} \registerhyphenationexception [] [] \registerhyphenationpattern [] [] \registermenubuttons [] [] \registersort [] [] \registersynonym [] [] \registerunit [] [] \REGISTER [] {++} \index [] {++} \index [] {} {++} \regolare \reimpostamarcatura [] \relatemarking [] [] \relatemarking [] [] \relateparameterhandlers {} {} {} {} \removebottomthings \removebottomthings \removedepth \removefromcommalist {} \ \removelastskip \removelastspace \removemovebottomthing \from \to \ \removebottoms \from \ \removebottoms \from \ \removeunwantedspaces \repeathead [] \replacefeature [] \replacefeature {} \replacefeature {</pre> |
| registerfontclass registerhyphenationexception registerhyphenationpattern registersort registersort registersynonym registerunit registro:instance registro:instance:index registro:instance:ownnumber registro:instance:ownnumber:index regolare reimpostamarcatura relatemarking relateparameterhandlers relaxvalueifundefined remainingcharacters removebottomthings removedepth removelastskip removelastskip removelastspace removemarkedcontent removepunctuation removesubstring removetoks removeunwantedspaces repeathead replacefeature:direct replaceincommalist | <pre>\registerfontclass {} \registerhyphenationexception [] [] \registerhyphenationpattern [] [] \registermenubuttons [] [] \registersort [] [] \registersynonym [] [] \registerunit [] [] \registerunit [] [] \REGISTER [] {++} \index [] {++} \index [] {} {++} \regolare \reimpostamarcatura [] \relatemarking [] [] \relatemarking [] [] \relateparameterhandlers {} {} {} {} \removebottomthings \removebottomthings \removedepth \removefromcommalist {} \ \removelastskip \removelastspace \removemovebottomthing \from \to \ \removebottoms \from \ \removebottoms \from \ \removeunwantedspaces \repeathead [] \replacefeature [] \replacefeature {} \replacefeature {} \replacefeature [] \replacefea</pre> |
| registerfontclass registerhyphenationexception registerhyphenationpattern registersort registersort registersynonym registerunit registro:instance registro:instance:index registro:instance:ownnumber registro:instance:ownnumber:index regolare reimpostamarcatura relatemarking relateparameterhandlers relaxvalueifundefined remainingcharacters removebottomthings removedepth removefromcommalist removelastspace removemarkedcontent removepunctuation removesubstring removetoks removeunwantedspaces repeathead replacefeature replaceincommalist replaceword | <pre>\registerfontclass {} \registerhyphenationexception [] [] \registerhyphenationpattern [] [] \registermenubuttons [] [] \registersort [] [] \registersynonym [] [] \registersynonym [] [] \registerunit [] [] \registerunit [] [] \registersort [] {++} \index [] {++} \index [] {} {++} \index [] {} {++} \regolare \reimpostamarcatura [] \relatemarking [] [] \relatemarking [] [] \relateparameterhandlers {} {} {} {} \removebottomthings \removebottomthings \removedepth \removefromcommalist {} \ \removelastskip \removelastspace \removemovebottomthing \from \to \ \removebottoms \from \ \removebottoms \from \ \removebottoms \from \ \removelastering \from \ \removelastering \from \ \removelacefeature [] \replacefeature [] \r</pre> |
| registerfontclass registerhyphenationexception registerhyphenationpattern registersort registersort registersynonym registerunit registro:instance registro:instance:index registro:instance:ownnumber registro:instance:ownnumber:index regolare reimpostamarcatura relatemarking relateparameterhandlers relaxvalueifundefined remainingcharacters removebottomthings removedepth removefromcommalist removelastspace removemarkedcontent removepunctuation removesubstring removetoks removeunwantedspaces repeathead replacefeature replacefeature:direct replaceincommalist replaceword rescan | <pre>\registerfontclass {} \registerhyphenationexception [] [] \registerhyphenationpattern [] [] \registersort [] [] \registersort [] [] \registersynonym [] [] \registerunit [] [] \REGISTER [] {++} \index [] {++} \index [] {} {++} \regolare \reimpostamarcatura [] \relatemarking [] [] \relateparameterhandlers {} {} {} \removebottomthings \removebottomthings \removedepth \removefromcommalist {} \ \removelastskip \removelastspace \removemarkedcontent [] \removebottoks \from \ \removetoks \from \ \removetoks \from \ \removelacefeature [] \replacefeature [] \replacefeature {} \replaceincommalist \ {} \replaceword [] [] [] \replaceword [] [] \replaceword [] [] \replaceword [] []</pre> |
| registerfontclass registerhyphenationexception registerhyphenationpattern registersort registersort registersynonym registerunit registro:instance registro:instance:index registro:instance:ownnumber registro:instance:ownnumber:index regolare reimpostamarcatura relatemarking relateparameterhandlers relaxvalueifundefined remainingcharacters removebottomthings removedepth removefromcommalist removelastspace removemarkedcontent removepunctuation removesubstring removetoks removeunwantedspaces repeathead replacefeature replaceincommalist replaceword | <pre>\registerfontclass {} \registerhyphenationexception [] [] \registerhyphenationpattern [] [] \registermenubuttons [] [] \registersort [] [] \registersynonym [] [] \registersynonym [] [] \registerunit [] [] \registerunit [] [] \registersort [] {++} \index [] {++} \index [] {} {++} \index [] {} {++} \regolare \reimpostamarcatura [] \relatemarking [] [] \relatemarking [] [] \relateparameterhandlers {} {} {} {} \removebottomthings \removebottomthings \removedepth \removefromcommalist {} \ \removelastskip \removelastspace \removemovebottomthing \from \to \ \removebottoms \from \ \removebottoms \from \ \removebottoms \from \ \removelastering \from \ \removelastering \from \ \removelacefeature [] \replacefeature [] \r</pre> |
| registerfontclass registerhyphenationexception registerhyphenationpattern registersort registersort registersynonym registerunit registro:instance registro:instance:index registro:instance:ownnumber registro:instance:ownnumber:index regolare reimpostamarcatura relatemarking relateparameterhandlers relaxvalueifundefined remainingcharacters removebottomthings removedepth removefromcommalist removelastspace removemarkedcontent removepunctuation removesubstring removetoks removeunwantedspaces repeathead replacefeature replacefeature:direct replaceincommalist replaceword rescan | <pre>\registerfontclass {} \registerhyphenationexception [] [] \registerhyphenationpattern [] [] \registersort [] [] \registersort [] [] \registersynonym [] [] \registerunit [] [] \REGISTER [] {++} \index [] {++} \index [] {} {++} \regolare \reimpostamarcatura [] \relatemarking [] [] \relateparameterhandlers {} {} {} \removebottomthings \removebottomthings \removedepth \removefromcommalist {} \ \removelastskip \removelastspace \removemarkedcontent [] \removebottoks \from \ \removetoks \from \ \removetoks \from \ \removelacefeature [] \replacefeature [] \replacefeature [] \replacefeature [] \replacefeature [] \replacefeature [] \replacefeature [] \replaceword [] [] [] \replaceword [] [] [] \rescan {} </pre> |

| resetandaddfeature:direct | \resetandaddfeature {} |
|---|---|
| resetbar | \resetbar |
| resetboxesincache | \resetboxesincache {} |
| resetbreakpoints | \resetbreakpoints |
| resetbuffer | \resetbuffer [] |
| resetcharacteralign | \resetcharacteralign |
| resetcharacterkerning | \resetcharacterkerning |
| resetcharacterspacing | \resetcharacterspacing |
| resetcharacterstripping | \resetcharacterstripping |
| resetcollector | \resetcollector [] |
| resetcounter | \resetcounter [] [] |
| resetdigitsmanipulation resetdirection | \resetdigitsmanipulation \resetdirection |
| resetfeature | \resetteature |
| resetflag | \resetflag {} |
| resetfontcolorsheme | \resetfontcolorsheme |
| resetfontfallback | \resetfontfallback [] [] |
| resetfontsolution | \resetfontsolution |
| resethyphenationfeatures | \resethyphenationfeatures |
| resetinjector | \resetinjector [] |
| resetinteractionmenu | \resetinteractionmenu [] |
| resetitaliccorrection | \resetitaliccorrection |
| resetlayer | \resetlayer [] |
| resetlocalfloats | \resetlocalfloats |
| resetMPdrawing | \resetMPdrawing |
| resetMPenvironment | \resetMPenvironment |
| resetMPinstance resetmarker | \resetMPinstance [] \resetmarker [] |
| resetmode | \resetmarker [] \resetmode {} |
| resetpagenumber | \resetmode () |
| resetparallel | \resetparallel [] [] |
| resetpath | \resetpath |
| resetpenalties | \resetpenalties \ |
| resetperiodkerning | \resetperiodkerning |
| resetprofile | \resetprofile |
| resetrecurselevel | \resetrecurselevel |
| | |
| resetreference | \resetreference [] |
| resetreference resetreplacement | \resetreplacement |
| resetreference resetreplacement resetscript | \resetreplacement \resetscript |
| resetreference resetreplacement resetscript resetsetups | \resetreplacement \resetscript \resetsetups [] |
| resetreference resetreplacement resetscript resetsetups resetshownsynonyms | \resetreplacement \resetscript \resetsetups [] \resetshownsynonyms [] |
| resetreference resetreplacement resetscript resetsetups resetshownsynonyms resetsubpagenumber | \resetreplacement \resetscript \resetsetups [] \resetshownsynonyms [] \resetsubpagenumber |
| resetreference resetreplacement resetscript resetsetups resetshownsynonyms resetsubpagenumber resetsymbolset | \resetreplacement \resetscript \resetsetups [] \resetshownsynonyms [] \resetsubpagenumber \resetsymbolset |
| resetreference resetreplacement resetscript resetsetups resetshownsynonyms resetsubpagenumber resetsymbolset resetsystemmode | \resetreplacement \resetscript \resetsetups [] \resetshownsynonyms [] \resetsubpagenumber \resetsymbolset \resetsystemmode {} |
| resetreference resetreplacement resetscript resetsetups resetshownsynonyms resetsubpagenumber resetsymbolset | \resetreplacement \resetscript \resetsetups [] \resetshownsynonyms [] \resetsubpagenumber \resetsymbolset |
| resetreference resetreplacement resetscript resetsetups resetshownsynonyms resetsubpagenumber resetsymbolset resetsystemmode resettimer | <pre>\resetreplacement \resetscript \resetsetups [] \resetshownsynonyms [] \resetsubpagenumber \resetsymbolset \resetsystemmode {} \resettimer</pre> |
| resetreference resetreplacement resetscript resetsetups resetshownsynonyms resetsubpagenumber resetsymbolset resetsystemmode resettimer resettokenlist | <pre>\resetreplacement \resetscript \resetsetups [] \resetshownsynonyms [] \resetsubpagenumber \resetsymbolset \resetsystemmode {} \resettimer \resettokenlist []</pre> |
| resetreference resetreplacement resetscript resetsetups resetshownsynonyms resetsubpagenumber resetsymbolset resetsystemmode resettimer resettokenlist resettrackers | <pre>\resetreplacement \resetscript \resetsetups [] \resetshownsynonyms [] \resetsubpagenumber \resetsymbolset \resetsystemmode {} \resettimer \resettokenlist [] \resettrackers</pre> |
| resetreference resetreplacement resetscript resetsetups resetshownsynonyms resetsubpagenumber resetsymbolset resetsystemmode resettimer resettokenlist resettrackers resettrialtypesetting resetusedsortings resetusedsynonyms | \resetreplacement \resetscript \resetsetups [] \resetshownsynonyms [] \resetsubpagenumber \resetsymbolset \resetsystemmode {} \resettimer \resettokenlist [] \resettrackers \resettrialtypesetting \resetusedsortings [] \resetusedsynonyms [] |
| resetreference resetreplacement resetscript resetsetups resetshownsynonyms resetsubpagenumber resetsymbolset resetsystemmode resettimer resettokenlist resettrackers resettrialtypesetting resetusedsortings resetuserpagenumber | \resetreplacement \resetscript \resetsetups [] \resetshownsynonyms [] \resetsubpagenumber \resetsymbolset \resetsystemmode {} \resettimer \resettokenlist [] \resettrackers \resettrialtypesetting \resetusedsortings [] \resetusedsynonyms [] \resetuserpagenumber |
| resetreference resetreplacement resetscript resetsetups resetshownsynonyms resetsubpagenumber resetsymbolset resetsystemmode resettimer resettokenlist resettrackers resettrialtypesetting resetusedsortings resetusedsynonyms resetuserpagenumber resetvalue | \resetreplacement \resetscript \resetsetups [] \resetshownsynonyms [] \resetsubpagenumber \resetsymbolset \resetsystemmode {} \resettimer \resettokenlist [] \resettrackers \resettrialtypesetting \resetusedsortings [] \resetusedsynonyms [] \resetusetsetypagenumber \resetvalue {} |
| resetreference resetreplacement resetscript resetsetups resetshownsynonyms resetsubpagenumber resetsymbolset resetsystemmode resettimer resettokenlist resettrackers resettrialtypesetting resetusedsortings resetusedsynonyms resetuserpagenumber resetvalue resetvisualizers | \resetreplacement \resetscript \resetsetups [] \resetshownsynonyms [] \resetsubpagenumber \resetsymbolset \resetsystemmode {} \resettimer \resettokenlist [] \resettrackers \resettrialtypesetting \resetusedsortings [] \resetusedsynonyms [] \resetusetsetyalue {} \resetvisualizers |
| resetreference resetreplacement resetscript resetsetups resetshownsynonyms resetsubpagenumber resetsymbolset resetsystemmode resettimer resettokenlist resettrackers resettrialtypesetting resetusedsortings resetusedsynonyms resetuserpagenumber resetvalue resetvisualizers reshapebox | <pre>\resetreplacement \resetscript \resetsetups [] \resetshownsynonyms [] \resetsubpagenumber \resetsymbolset \resetsystemmode {} \resettimer \resettokenlist [] \resettrackers \resettrialtypesetting \resetusedsortings [] \resetusedsynonyms [] \resetusetsetypagenumber \resetvalue {} \resetvisualizers \reshapebox {}</pre> |
| resetreference resetreplacement resetscript resetsetups resetshownsynonyms resetsubpagenumber resetsymbolset resetsystemmode resettimer resettokenlist resettrackers resettrialtypesetting resetusedsortings resetusedsynonyms resetuserpagenumber resetvalue resetvisualizers reshapebox resolvedglyphdirect | <pre>\resetreplacement \resetscript \resetsetups [] \resetshownsynonyms [] \resetsubpagenumber \resetsymbolset \resetsystemmode {} \resettimer \resettokenlist [] \resettrackers \resettrialtypesetting \resetusedsortings [] \resetusedsynonyms [] \resetusetsetypenumber \resetvalue {} \resetvisualizers \reshapebox {} \resolvedglyphdirect {} {}</pre> |
| resetreference resetreplacement resetscript resetsetups resetshownsynonyms resetsubpagenumber resetsymbolset resetsystemmode resettimer resettokenlist resettrackers resettrialtypesetting resetusedsortings resetusedsynonyms resetuserpagenumber resetvalue resetvisualizers reshapebox resolvedglyphdirect resolvedglyphstyled | <pre>\resetreplacement \resetscript \resetsetups [] \resetshownsynonyms [] \resetsubpagenumber \resetsymbolset \resetsystemmode {} \resettimer \resettokenlist [] \resettrackers \resettrialtypesetting \resetusedsortings [] \resetusedsynonyms [] \resetusetsetypagenumber \resetvalue {} \resetvisualizers \resetvisualizers \resolvedglyphdirect {} {} \resolvedglyphstyled {} {}</pre> |
| resetreference resetreplacement resetscript resetsetups resetshownsynonyms resetsubpagenumber resetsymbolset resetsystemmode resettimer resettokenlist resettrackers resettrialtypesetting resetusedsortings resetusedsynonyms resetuserpagenumber resetvalue resetvisualizers reshapebox resolvedglyphdirect | <pre>\resetreplacement \resetscript \resetsetups [] \resetshownsynonyms [] \resetsubpagenumber \resetsymbolset \resetsystemmode {} \resettimer \resettokenlist [] \resettrackers \resettrialtypesetting \resetusedsortings [] \resetusedsynonyms [] \resetusetsetsetuserpagenumber \resetvalue {} \resetvisualizers \reshapebox {} \resolvedglyphdirect {} {} \resolvedglyphstyled {} {} \restartcounter [] []</pre> |
| resetreference resetreplacement resetscript resetsetups resetshownsynonyms resetsubpagenumber resetsymbolset resetsystemmode resettimer resettokenlist resettrackers resettrialtypesetting resetusedsortings resetusedsynonyms resetuserpagenumber resetvalue resetvisualizers reshapebox resolvedglyphdirect resolvedglyphstyled restartcounter | <pre>\resetreplacement \resetscript \resetsetups [] \resetshownsynonyms [] \resetsubpagenumber \resetsymbolset \resetsystemmode {} \resettimer \resettokenlist [] \resettrackers \resettrialtypesetting \resetusedsortings [] \resetusedsynonyms [] \resetusetsetypagenumber \resetvalue {} \resetvisualizers \resetvisualizers \resolvedglyphdirect {} {} \resolvedglyphstyled {} {}</pre> |
| resetreference resetreplacement resetscript resetsetups resetshownsynonyms resetsubpagenumber resetsymbolset resetsystemmode resettimer resettokenlist resettrackers resettrialtypesetting resetusedsortings resetusedsynonyms resetuserpagenumber resetvalue resetvisualizers reshapebox resolvedglyphdirect resolvedglyphstyled restartcounter restorebox | <pre>\resetreplacement \resetscript \resetsetups [] \resetshownsynonyms [] \resetsubpagenumber \resetsymbolset \resetsystemmode {} \resettimer \resettokenlist [] \resettrackers \resettrialtypesetting \resetusedsortings [] \resetusedsynonyms [] \resetuserpagenumber \resetvalue {} \resetvisualizers \reslapebox {} \resolvedglyphdirect {} {} \restartcounter [] [] \restorebox {} \restorebo</pre> |
| resetreference resetreplacement resetscript resetsetups resetshownsynonyms resetsubpagenumber resetsymbolset resetsystemmode resettimer resettokenlist resettrackers resettrialtypesetting resetusedsortings resetusedsynonyms resetuserpagenumber resetvalue resetvisualizers reshapebox resolvedglyphdirect resolvedglyphstyled restartcounter restorebox restorecatcodes | <pre>\resetreplacement \resetscript \resetsetups [] \resetshownsynonyms [] \resetsubpagenumber \resetsymbolset \resetsystemmode {} \resettimer \resettokenlist [] \resettrackers \resettrialtypesetting \resetusedsortings [] \resetusedsynonyms [] \resetuserpagenumber \resetvalue {} \resetvisualizers \reshapebox {} \resolvedglyphdirect {} {} \restartcounter [] [] [] \restorebox {} \restorebox {} {} \restorecatcodes</pre> |
| resetreference resetreplacement resetscript resetsetups resetshownsynonyms resetsubpagenumber resetsymbolset resetsystemmode resettimer resettokenlist resettrackers resettrialtypesetting resetusedsortings resetusedsynonyms resetuserpagenumber resetvalue resetvisualizers reshapebox resolvedglyphdirect resolvedglyphstyled restartcounter restorebox restorecatcodes restorecourrentattributes restoreendofline | <pre>\resetreplacement \resetscript \resetsetups [] \resetshownsynonyms [] \resetsubpagenumber \resetsymbolset \resetsystemmode {} \resettimer \resettokenlist [] \resettrackers \resettrialtypesetting \resetusedsortings [] \resetusedsynonyms [] \resetuserpagenumber \resetvalue {} \resetvisualizers \reslapebox {} \resolvedglyphdirect {} {} \restartcounter [] [] \restorebox {} \restorecatcodes \restorecounter [] \restorecurrentattributes {} \restorecorrentattributes {} \restorecorrentattribut</pre> |
| resetreference resetreplacement resetscript resetsetups resetshownsynonyms resetsubpagenumber resetsymbolset resetsystemmode resettimer resettokenlist resettrackers resettrialtypesetting resetusedsortings resetusedsynonyms resetuserpagenumber resetvalue resetvisualizers reshapebox resolvedglyphdirect resolvedglyphstyled restartcounter restorebox restorecatcodes restorecourrentattributes restoreglobalbodyfont | <pre>\resetreplacement \resetscript \resetsetups [] \resetshownsynonyms [] \resetsubpagenumber \resetsymbolset \resetsystemmode {} \resettimer \resettokenlist [] \resettrackers \resettrialtypesetting \resetusedsortings [] \resetusedsynonyms [] \resetuserpagenumber \resetvalue {} \resetvisualizers \reshapebox {} \resolvedglyphdirect {} {} \restartcounter [] [] \restorebox {} \restorecatcodes \restorecounter [] \restorecurrentattributes {} \restorecounter[] \restorecounter[]</pre> |
| resetreference resetreplacement resetscript resetsetups resetshownsynonyms resetsubpagenumber resetsymbolset resetsystemmode resettimer resettokenlist resettrackers resettrialtypesetting resetusedsortings resetusedsynonyms resetuserpagenumber resetvalue resetvisualizers reshapebox resolvedglyphdirect resolvedglyphstyled restartcounter restorebox restorecatcodes restorecourrentattributes restoreglobalbodyfont reusableMPgraphic | <pre>\resetreplacement \resetscript \resetsetups [] \resetshownsynonyms [] \resetsubpagenumber \resetsymbolset \resetsystemmode {} \resettimer \resettokenlist [] \resettrackers \resettrialtypesetting \resetusedsortings [] \resetusedsynonyms [] \resetuserpagenumber \resetvalue {} \resetvisualizers \reshapebox {} \resolvedglyphdirect {} {} \restartcounter [] [] [] \restorebox {} \restorecatcodes \restorecounter [] \restorecurrentattributes {} \restoreconteglobalbodyfont \reusableMPgraphic {} {=} </pre> |
| resetreference resetreplacement resetscript resetsetups resetshownsynonyms resetsubpagenumber resetsymbolset resetsystemmode resettimer resettokenlist resettrackers resettrialtypesetting resetusedsortings resetusedsynonyms resetuserpagenumber resetvalue resetvisualizers reshapebox resolvedglyphdirect resolvedglyphstyled restartcounter restorebox restorecatcodes restorecourrentattributes restoreglobalbodyfont reusableMPgraphic reuseMPgraphic | <pre>\resetreplacement \resetscript \resetsetups [] \resetshownsynonyms [] \resetsubpagenumber \resetsymbolset \resetsystemmode {} \resettimer \resettokenlist [] \resettrackers \resettrialtypesetting \resetusedsortings [] \resetusedsynonyms [] \resetuserpagenumber \resetvalue {} \resetvisualizers \reshapebox {} \resolvedglyphdirect {} {} \restartcounter [] [] [] \restorebox {} \restorecatcodes \restorecurrentattributes {} \restorecurrentattributes {} \restorecyphoreuphic {} {} \restorecyphoreuphic {} {} \restoreuphoreuphic {} {} \responsestorecuphoreuphic {} {} \restoreuphoreuphic {} {} \restoreuphoreuphic {} {} \restoreuphoreuphic {} {} \restoreuphoreuphic {} {} \responsestoreuphoreuphic {} {} \responsestoreuphoreuphic {} {} \responsestoreuphoreuphic {} {</pre> |
| resetreference resetreplacement resetscript resetsetups resetshownsynonyms resetsubpagenumber resetsystemmode resettimer resettokenlist resettrackers resettrialtypesetting resetusedsortings resetusedsynonyms resetuserpagenumber resetvalue resetvisualizers reshapebox resolvedglyphdirect resolvedglyphstyled restartcounter restorebox restorecatcodes restorecurrentattributes restoreglobalbodyfont reusableMPgraphic reusernandomseed | <pre>\resetreplacement \resetscript \resetsetups [] \resetshownsynonyms [] \resetsubpagenumber \resetsymbolset \resetsystemmode {} \resettimer \resettokenlist [] \resettrackers \resettrialtypesetting \resetusedsortings [] \resetusedsynonyms [] \resetuserpagenumber \resetvalue {} \resetvisualizers \reshapebox {} \resolvedglyphdirect {} {} \restartcounter [] [] [] \restorebox {} \restorecatcodes \restorecounter [] \restorecurrentattributes {} \restorecurrentattributes {} \restoredeMPgraphic {} {=} \reuseMPgraphic {} {=} \reusemPgraphic {} {=} \reusernandomseed</pre> |
| resetreference resetreplacement resetscript resetsetups resetshownsynonyms resetsubpagenumber resetsymbolset resetsystemmode resettimer resettokenlist resettrackers resettrialtypesetting resetusedsortings resetusedsynonyms resetuserpagenumber resetvalue resetvisualizers reshapebox resolvedglyphdirect resolvedglyphstyled restartcounter restorebox restorecatcodes restorecurrentattributes restoreglobalbodyfont reusableMPgraphic reuseMPgraphic reuserandomseed reversehbox | <pre>\resetreplacement \resetscript \resetsetups [] \resetshownsynonyms [] \resetsubpagenumber \resetsymbolset \resetsystemmode {} \resettimer \resettokenlist [] \resettrackers \resettrialtypesetting \resetusedsortings [] \resetusedsynonyms [] \resetuserpagenumber \resetvalue {} \resetvisualizers \reshapebox {} \resolvedglyphdirect {} {} \restartcounter [] [] [] \restorebox {} {} \restorecatcodes \restorecurrentattributes {} \restorecurrentattributes {} \restorecyphoreuphic {} {} \reuseMPgraphic {} {} \reuseMPgraphic {} {} \reusernandomseed \reversehbox} \reusernandomseed \reversehbox} \reversehbox} \reusernandomseed \reversehbox} \reversehbox</pre> |
| resetreference resetreplacement resetscript resetsetups resetsubpagenumber resetsymbolset resetsystemmode resettimer resettokenlist resettrackers resettrialtypesetting resetusedsortings resetusedsynonyms resetuserpagenumber resetvalue resetvisualizers reshapebox resolvedglyphdirect resolvedglyphstyled restartcounter restorebox restorecatcodes restorecurrentattributes restoreglobalbodyfont reusableMPgraphic reuseMPgraphic reusernadomseed reversehpack | <pre>\resetreplacement \resetscript \resetsetups [] \resetshownsynonyms [] \resetsubpagenumber \resetsymbolset \resetsystemmode {} \resettimer \resettokenlist [] \resettrackers \resettrialtypesetting \resetusedsortings [] \resetusedsynonyms [] \resetuserpagenumber \resetvalue {} \resetvisualizers \reshapebox {} \resolvedglyphdirect {} {} \restartcounter [] [] [] \restorebox {} {} \restorecatcodes \restorecurrentattributes {} \restorecurrentattributes {} \restorecyphonyme {} {} \restoredelphonyme {} {} \restorecurrentattributes {} \restorecurrentattributes {} \restorecendofline \restoredelphonyme {} {} \reuseMPgraphic {} {} \reuseMPgraphic {} {} \reuserandomseed \reversehbox {} \reversehpack {} \restorecondelime {} \reversehpack {} \reversehpac</pre> |
| resetreference resetreplacement resetscript resetsetups resetshownsynonyms resetsubpagenumber resetsymbolset resetsystemmode resettimer resettokenlist resettrackers resettrialtypesetting resetusedsortings resetusedsynonyms resetuserpagenumber resetvalue resetvisualizers reshapebox resolvedglyphdirect resolvedglyphstyled restartcounter restorebox restorecatcodes restorecurrentattributes restoreglobalbodyfont reusableMPgraphic reuseMPgraphic reuserandomseed reversehbox | <pre>\resetreplacement \resetscript \resetsetups [] \resetshownsynonyms [] \resetsubpagenumber \resetsymbolset \resetsystemmode {} \resettimer \resettokenlist [] \resettrackers \resettrialtypesetting \resetusedsortings [] \resetusedsynonyms [] \resetuserpagenumber \resetvalue {} \resetvisualizers \reshapebox {} \resolvedglyphdirect {} {} \restartcounter [] [] [] \restorebox {} {} \restorecatcodes \restorecurrentattributes {} \restorecurrentattributes {} \restorecyphone \restoredploalbodyfont \reusableMPgraphic {} {} \reusemPgraphic {} {} \reuserndomseed \reversehpack {} \reversetpack {} \re</pre> |
| resetreference resetreplacement resetscript resetsetups resetshownsynonyms resetsubpagenumber resetsymbolset resetsystemmode resettimer resettokenlist resettrackers resettrialtypesetting resetusedsortings resetusedsynonyms resetuserpagenumber resetvalue resetvisualizers reshapebox resolvedglyphdirect resolvedglyphstyled restartcounter restorebox restorecatcodes restorecunter | <pre>\resetreplacement \resetscript \resetsetups [] \resetshownsynonyms [] \resetsubpagenumber \resetsymbolset \resetsystemmode {} \resettimer \resettokenlist [] \resettrackers \resettrialtypesetting \resetusedsortings [] \resetusedsynonyms [] \resetuserpagenumber \resetvalue {} \resetvisualizers \reshapebox {} \resolvedglyphdirect {} {} \restartcounter [] [] [] \restorecatcodes \restorecatcodes \restorecurrentattributes {} \restoredibleMPgraphic {} {} \reuseMPgraphic {} {} \reusernadomseed \reversehpack {} \reversetpack {} \reve</pre> |
| resetreference resetreplacement resetscript resetsetups resetshownsynonyms resetsubpagenumber resetsymbolset resetsystemmode resettimer resettokenlist resettrackers resettrialtypesetting resetusedsortings resetusedsynonyms resetuserpagenumber resetvalue resetvisualizers reshapebox resolvedglyphdirect resolvedglyphstyled restartcounter restorebox restorecatcodes restorecurrentattributes restoredoline restoreglobalbodyfont reusableMPgraphic reuseMPgraphic reuserandomseed reversehpack reversetpack reversetpack reversetpack | <pre>\resetreplacement \resetscript \resetsetups [] \resetshownsynonyms [] \resetsubpagenumber \resetsymbolset \resetsystemmode {} \resettimer \resettokenlist [] \resettrackers \resettrialtypesetting \resetusedsortings [] \resetusedsynonyms [] \resetuserpagenumber \resetvalue {} \resetvisualizers \reshapebox {} \resolvedglyphdirect {} {} \restartcounter [] [] [] \restorecatcodes \restorecatcodes \restorecurrentattributes {} \restoredifferentattributes {} \reversetpach {} {=} \reversetpach {} {=} \reversetpack {} \rever</pre> |

| revivefeature | \revivefeature |
|---|--|
| rfence | \rfence {} |
| rhbox | \rhbox {} |
| | \rif [] [] |
| | |
| | \riferimento [] {} |
| riferimentopagina | \riferimentopagina [] |
| riferimentotesto | \riferimentotesto [] {} |
| riflessione | \riflessione {} |
| riga | \riga {} |
| 5 | • |
| | \rigariempimento [=] |
| <u> </u> | \rightbottombox {} |
| rightbox | \rightbox {} |
| righthbox | \righthbox {} |
| rightlabeltext:instance | \rightLABELtesto {} |
| rightlabeltext:instance:head | \rightheadtesto {} |
| | 3 |
| rightlabeltext:instance:label | \rightlabeltesto {} |
| rightlabeltext:instance:mathlabel | \rightmathlabeltesto {} |
| rightline | \rightline {} |
| rightorleftpageaction | \rightorleftpageaction {} {} |
| | \rightpageorder |
| 0 1 0 | |
| | \rightskipadaption |
| | \rightsubguillemot |
| righttoleft | \righttoleft |
| righttolefthbox | \righttolefthbox {} |
| | \righttoleftvbox {} |
| 5 | \righttoleftvtop {} |
| - | |
| | \righttopbox {} |
| rigovuoto | \rigovuoto [] |
| ring | \ring {} |
| - | \rlap {} |
| - | - |
| robustaddtocommalist | \robustaddtocommalist {} \ |
| robustdoifelseinset | \robustdoifelseinset \{\ldots\} \{\ldots\} \{\ldots\} \{\ldots\} \\ |
| robustdoifinsetelse | \robustdoifinsetelse \{\ldots\} \{\ldots\} \{\ldots\} \\ |
| robustpretocommalist | \robustpretocommalist {} \ |
| - | \rollbutton [=] [] |
| | |
| | \rollbutton [] [=] [] |
| roman | \roman |
| rtlhbox | \rtlhbox {} |
| rtlvbox | \rtlvbox {} |
| | \rtlvtop {} |
| - | - |
| • | \rtop {} |
| ruby | \ruby [] {} {} |
| ruledhbox | \ruledhbox {} |
| ruledhpack | \ruledhpack {} |
| ruledmbox | \ruledmbox {} |
| | \ruledtopv {} |
| | |
| | \ruledtpack {} |
| ruledvbox | \ruledvbox {} |
| ruledvpack | |
| ruledvtop | \ruledvpack {} |
| <u>.</u> | |
| runMPhuffer | \ruledvtop {} |
| | \ruledvtop {} \runMPbuffer [] |
| runninghbox | \ruledvtop {} \runMPbuffer [] \runninghbox {} |
| runninghbox ruota | \ruledvtop {} \runMPbuffer [] \runninghbox {} \ruota [=] {} |
| runninghbox ruota | \ruledvtop {} \runMPbuffer [] \runninghbox {} |
| runninghbox ruota ScaledPointsToBigPoints | <pre>\ruledvtop {} \runMPbuffer [] \runninghbox {} \ruota [=] {} \ScaledPointsToBigPoints {} \</pre> |
| runninghbox ruota ScaledPointsToBigPoints ScaledPointsToWholeBigPoints | <pre>\ruledvtop {} \runMPbuffer [] \runninghbox {} \ruota [=] {} \ScaledPointsToBigPoints {} \ \ScaledPointsToWholeBigPoints {} \</pre> |
| runninghbox ruota ScaledPointsToBigPoints ScaledPointsToWholeBigPoints Smallcapped | <pre>\ruledvtop {} \runMPbuffer [] \runninghbox {} \ruota [=] {} \ScaledPointsToBigPoints {} \ \ScaledPointsToWholeBigPoints {} \ \Smallcapped {}</pre> |
| runninghbox ruota ScaledPointsToBigPoints ScaledPointsToWholeBigPoints Smallcapped safechar | <pre>\ruledvtop {} \runMPbuffer [] \runninghbox {} \ruota [=] {} \ScaledPointsToBigPoints {} \ \ScaledPointsToWholeBigPoints {} \ \Smallcapped {} \safechar {}</pre> |
| runninghbox ruota ScaledPointsToBigPoints ScaledPointsToWholeBigPoints Smallcapped safechar | <pre>\ruledvtop {} \runMPbuffer [] \runninghbox {} \ruota [=] {} \ScaledPointsToBigPoints {} \ \ScaledPointsToWholeBigPoints {} \ \Smallcapped {}</pre> |
| runninghbox ruota ScaledPointsToBigPoints ScaledPointsToWholeBigPoints Smallcapped safechar samplefile | <pre>\ruledvtop {} \runMPbuffer [] \runninghbox {} \ruota [=] {} \ScaledPointsToBigPoints {} \ \ScaledPointsToWholeBigPoints {} \ \Smallcapped {} \safechar {}</pre> |
| runninghbox ruota ScaledPointsToBigPoints ScaledPointsToWholeBigPoints Smallcapped safechar samplefile | <pre>\ruledvtop {} \runMPbuffer [] \runninghbox {} \ruota [=] {} \ScaledPointsToBigPoints {} \ \ScaledPointsToWholeBigPoints {} \ \Smallcapped {} \safechar {} \samplefile {}</pre> |
| runninghbox ruota ScaledPointsToBigPoints ScaledPointsToWholeBigPoints Smallcapped safechar samplefile sans sansgrassetto | <pre>\ruledvtop {} \runMPbuffer [] \runninghbox {} \ruota [=] {} \ScaledPointsToBigPoints {} \ \ScaledPointsToWholeBigPoints {} \ \Smallcapped {} \safechar {} \samplefile {} \sans</pre> |
| runninghbox ruota ScaledPointsToBigPoints ScaledPointsToWholeBigPoints Smallcapped safechar samplefile sans sansgrassetto sansnormal | <pre>\ruledvtop {} \runMPbuffer [] \runninghbox {} \ruota [=] {} \ScaledPointsToBigPoints {} \ \ScaledPointsToWholeBigPoints {} \ \Smallcapped {} \safechar {} \samplefile {} \sans \sansgrassetto \sansnormal</pre> |
| runninghbox ruota ScaledPointsToBigPoints ScaledPointsToWholeBigPoints Smallcapped safechar samplefile sans sansgrassetto sansnormal sansserif | <pre>\ruledvtop {} \runMPbuffer [] \runninghbox {} \ruota [=] {} \ScaledPointsToBigPoints {} \ \ScaledPointsToWholeBigPoints {} \ \Smallcapped {} \safechar {} \samplefile {} \sans \sansgrassetto \sansnormal \sansserif</pre> |
| runninghbox ruota ScaledPointsToBigPoints ScaledPointsToWholeBigPoints Smallcapped safechar samplefile sans sansgrassetto sansnormal sansserif savebox | <pre>\ruledvtop {} \runMPbuffer [] \runninghbox {} \ruota [=] {} \ScaledPointsToBigPoints {} \ \ScaledPointsToWholeBigPoints {} \ \Smallcapped {} \safechar {} \samplefile {} \sans \sansgrassetto \sansnormal \sansserif \savebox {} {} {}</pre> |
| runninghbox ruota ScaledPointsToBigPoints ScaledPointsToWholeBigPoints Smallcapped safechar samplefile sans sansgrassetto sansnormal sansserif | <pre>\ruledvtop {} \runMPbuffer [] \runninghbox {} \ruota [=] {} \ScaledPointsToBigPoints {} \ \ScaledPointsToWholeBigPoints {} \ \Smallcapped {} \safechar {} \samplefile {} \sans \sansgrassetto \sansnormal \sansserif</pre> |
| runninghbox ruota ScaledPointsToBigPoints ScaledPointsToWholeBigPoints Smallcapped safechar samplefile sans sansgrassetto sansnormal sansserif savebox | <pre>\ruledvtop {} \runMPbuffer [] \runninghbox {} \ruota [=] {} \ScaledPointsToBigPoints {} \ \ScaledPointsToWholeBigPoints {} \ \Smallcapped {} \safechar {} \samplefile {} \sans \sansgrassetto \sansnormal \sansserif \savebox {} {} {}</pre> |
| runninghbox ruota ScaledPointsToBigPoints ScaledPointsToWholeBigPoints Smallcapped safechar samplefile sans sansgrassetto sansnormal sansserif savebox savebtxdataset savebuffer | <pre>\ruledvtop {} \runMPbuffer [] \runninghbox {} \ruota [=] {} \ScaledPointsToBigPoints {} \ \ScaledPointsToWholeBigPoints {} \ \Smallcapped {} \safechar {} \samplefile {} \sans \sansgrassetto \sansnormal \sansserif \savebox {} {} {} \savebtxdataset [] [] [=] \savebuffer [=]</pre> |
| runninghbox ruota ScaledPointsToBigPoints ScaledPointsToWholeBigPoints Smallcapped safechar samplefile sans sansgrassetto sansnormal sansserif savebox savebtxdataset savebuffer savebuffer:list | <pre>\ruledvtop {} \runMPbuffer [] \runninghbox {} \ruota [=] {} \ScaledPointsToBigPoints {} \ \ScaledPointsToWholeBigPoints {} \ \Smallcapped {} \safechar {} \samplefile {} \sans \sansgrassetto \sansnormal \sansserif \savebox {} {} {} \savebtxdataset [] [] [=] \savebuffer [=]</pre> |
| runninghbox ruota ScaledPointsToBigPoints ScaledPointsToWholeBigPoints Smallcapped safechar samplefile sans sansgrassetto sansnormal sanserif savebox savebtxdataset savebuffer savebuffer:list savecolore | <pre>\ruledvtop {} \runMPbuffer [] \runninghbox {} \ruota [=] {} \ScaledPointsToBigPoints {} \ \ScaledPointsToWholeBigPoints {} \ \Smallcapped {} \safechar {} \samplefile {} \sans \sansgrassetto \sansnormal \sansserif \savebox {} {} {} \savebtxdataset [] [] [=] \savebuffer [=] \savebuffer [] []</pre> |
| runninghbox ruota ScaledPointsToBigPoints ScaledPointsToWholeBigPoints Smallcapped safechar samplefile sans sansgrassetto sansnormal sansserif savebox savebtxdataset savebuffer savebuffer savebuffer:list savecolore savecounter | <pre>\ruledvtop {} \runMPbuffer [] \runninghbox {} \ruota [=] {} \ScaledPointsToBigPoints {} \ \ScaledPointsToWholeBigPoints {} \ \Smallcapped {} \safechar {} \samplefile {} \sans \sansgrassetto \sansnormal \sansorif \savebox {} {} {} \savebtxdataset [] [] [=] \savebuffer [=] \savebuffer [] []</pre> |
| runninghbox ruota ScaledPointsToBigPoints ScaledPointsToWholeBigPoints Smallcapped safechar samplefile sans sansgrassetto sansnormal sanserif savebox savebtxdataset savebuffer savebuffer:list savecolore | <pre>\ruledvtop {} \runMPbuffer [] \runninghbox {} \ruota [=] {} \ScaledPointsToBigPoints {} \ \ScaledPointsToWholeBigPoints {} \ \Smallcapped {} \safechar {} \samplefile {} \sans \sansgrassetto \sansnormal \sansserif \savebox {} {} {} \savebtxdataset [] [] [=] \savebuffer [=] \savebuffer [] []</pre> |
| runninghbox ruota ScaledPointsToBigPoints ScaledPointsToWholeBigPoints Smallcapped safechar samplefile sans sansgrassetto sansnormal sansserif savebox savebtxdataset savebuffer savebuffer savebuffer:list savecolore savecounter | <pre>\ruledvtop {} \runMPbuffer [] \runninghbox {} \ruota [=] {} \ScaledPointsToBigPoints {} \ \ScaledPointsToWholeBigPoints {} \ \Smallcapped {} \safechar {} \samplefile {} \sans \sansgrassetto \sansnormal \sanserif \savebox {} {} {} \savebtxdataset [] [] [=] \savebuffer [=] \savebuffer [] []</pre> |
| runninghbox ruota ScaledPointsToBigPoints ScaledPointsToWholeBigPoints Smallcapped safechar samplefile sans sansgrassetto sansnormal sansserif savebox savebtxdataset savebuffer savebuffer savebuffer savecolore savecounter savecurrentattributes savenormalmeaning | <pre>\ruledvtop {} \runMPbuffer [] \runninghbox {} \ruota [=] {} \ScaledPointsToBigPoints {} \ \ScaledPointsToWholeBigPoints {} \ \Smallcapped {} \safechar {} \samplefile {} \sans \sansgrassetto \sansnormal \sanserif \savebox {} {} {} \savebtxdataset [] [] [=] \savebuffer [=] \savecolore \restorecolore \savecounter [] \savecurrentattributes {} \savenormalmeaning \</pre> |
| runninghbox ruota ScaledPointsToBigPoints ScaledPointsToWholeBigPoints Smallcapped safechar samplefile sans sansgrassetto sansnormal sansserif savebox savebtxdataset savebuffer savebuffer savebuffer savecolore savecounter savecurrentattributes savenormalmeaning | <pre>\ruledvtop {} \runMPbuffer [] \runninghbox {} \ruota [=] {} \ScaledPointsToBigPoints {} \ \ScaledPointsToWholeBigPoints {} \ \Smallcapped {} \safechar {} \samplefile {} \sans \sansgrassetto \sansnormal \sanserif \savebox {} {} {} \savebtxdataset [] [] [=] \savebuffer [=] \savecolore \restorecolore \savecounter [] \savecurrentattributes {}</pre> |

| sbox | \sbox {} |
|----------------------------|---|
| scala | \scala [] [=] {} |
| schermo | \schermo [] |
| script:instance | \SCRIPT |
| script:instance:ethiopic | \ethiopic |
| script:instance:hangul | \hangul |
| script:instance:hanzi | \hanzi |
| script:instance:latin | \latin |
| script:instance:nihongo | \nihongo |
| script:instance:test | \test |
| script:instance:thai | \thai |
| scrividentroelenco | \scrividentroelenco [] [=] {} |
| scriviinelenco | \scriviinelenco [] [=] {} {} |
| secondoffivearguments | \secondoffivearguments $\{\}$ $\{\}$ $\{\}$ $\{\}$ |
| secondoffourarguments | \secondoffourarguments $\{\ldots\}$ $\{\ldots\}$ $\{\ldots\}$ |
| secondofsixarguments | \secondofsixarguments {} {} {} {} {} |
| secondofthreearguments | \secondofthreearguments $\{\ldots\}$ $\{\ldots\}$ |
| secondofthreeunexpanded | \secondofthreeunexpanded $\{\ldots\}$ $\{\ldots\}$ |
| secondoftwoarguments | \secondoftwoarguments {} {} |
| secondoftwounexpanded | \secondoftwounexpanded \{\ldots\} \{\ldots\} |
| seeregister:instance | \vediREGISTER [] {+} {} |
| seeregister:instance:index | \vediindex [] {++} {} |
| segnalibro | \segnalibro [] {} |
| select | \select {} {} {} {} {} |
| selezionablocchi | \selezionablocc $\Pi^{T} [\dots^{0}]^{T} [\dots^{0}]^{T} [\dots^{0}]^{T} [\dots^{0}]^{T}$ |
| serializecommalist | \serializecommalist [] |
| serializedcommalist | \serializedcommalist |
| serif | \serif |
| serifbold | \serifbold |
| serifnormal | \serifnormal |
| setautopagestaterealpageno | \setautopagestaterealpageno {} |
| setbar | \setbar [] |
| setbigbodyfont | \setbigbodyfont |
| setboxllx | \setboxllx {} |
| setboxlly | \setboxlly {} |
| setbreakpoints | \setbreakpoints [] |
| setbuffer | \setbuffer [] \endbuffer |
| setcapstrut | \setcapstrut |
| setcatcodetable | \setcatcodetable \ |
| setcharacteralign | \setcharacteralign {} {} |
| setcharacteraligndetail | \setcharacteraligndetail {} {} {} |
| setcharactercasing | \setcharactercasing [] |
| setcharactercleaning | \setcharactercleaning [] |
| setcharacterkerning | \setcharacterkerning [] |
| setcharacterspacing | \setcharacterspacing [] |
| setcharacterstripping | \setcharacterstripping [] |
| setcharstrut | \setcharstrut {} |
| setcollector | \setcollector [] [=] {} |
| setcolormodell | \setcolormodell [] |
| setcounter | \setcounter [] [] |
| setcounterown | \setcounterown [] [] |
| setcurrentfontclass | \setcurrentfontclass {} |
| setdataset | \setdataset [] [=] |
| setdefaultpenalties | \setdefaultpenalties |
| setdigitsmanipulation | \setdigitsmanipulation [] |
| setdirection | \setdirection [] |
| setdocumentargument | \setdocumentargument {} {} |
| setdocumentargumentdefault | \setdocumentargumentdefault {} {} |
| setdocumentfilename | \setdocumentfilename {} {} |
| setdummyparameter | \setdummyparameter {} {} |
| setelementexporttag | \setelementexporttag [] [] |
| setemeasure | \setemeasure \{\ldots\} |
| setevalue | \setevalue {} {} |
| setevariable | \setevariable {} {} {} |
| setevariables | \setevariables [] [=] |
| setfirstline | \setfirstline [] |
| setfirstpasscharacteralign | \setfirstpasscharacteralign |
| setflag | \setflag {} |
| setfont | \setfont |
| setfontcolorsheme | \setfontcolorsheme [] |
| setfontgalution | \setfontfeature {} |
| setfontsolution | \setfontsolution [] |

| setfontstrut | \setfontstrut |
|---|---|
| setglobalscript | \setglobalscript [] |
| setgmeasure | \setgmeasure {} {} |
| setgvalue | \setgvalue {} {} |
| setgvariable | \setgvariable {} {} |
| setgvariables | \setgvariables [] [=] |
| sethboxregister | \sethboxregister {} |
| sethyphenatedurlafter | \sethyphenatedurlafter {} |
| sethyphenatedurlbefore | \sethyphenatedurlbefore {} |
| sethyphenatedurlnormal | \sethyphenatedurlnormal {} |
| sethyphenationfeatures | \sethyphenationfeatures [] |
| setinitial | \setinitial [] [=] |
| setinjector | \setinjector [] [] |
| setinteraction | \setinteraction [] |
| setinterfacecommand | \setinterfacecommand {} {} |
| setinterfaceconstant | \setinterfaceconstant {} {} |
| setinterfaceelement | \setinterfaceelement {} {} |
| setinterfacemessage setinterfacevariable | \setinterfacemessage \{\dots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| | \setinterfacevariable {} {} |
| setinternalrendering setitaliccorrection | \setinternalrendering [] {} \setitaliccorrection [] |
| | \setJSpreamble {} {} |
| setJSpreamble setlayer | \setJayer [] [] {} |
| setlayerframed | \setlayerframed [] [=] [=] {} |
| setlayerframed:combination | \setlayerframed [] [=] {} |
| setlayertext | \setlayertext [] [=] {} |
| setlinefiller | \setlinefiller [] |
| setlocalhsize | \setlocalhsize [] |
| setlocalscript | \setlocalscript [] |
| setMPlayer | \setMPlayer [] [=] {} |
| setMPpositiongraphic | \setMPpositiongraphic {} {=} |
| setMPpositiongraphicrange | \setMPpositiongraphicrange {} {} {} {=} |
| setMPtext | \setMPtext {} {} |
| setMPvariable | \setMPvariable [] [=] |
| setMPvariables | \setMPvariables [] [=] |
| | \setmainbodyfont |
| setmainbodyfont | (Secmainbody: Onc |
| setmainbodyfont setmainparbuilder | \setmainparbuilder [] |
| | |
| setmainparbuilder | \setmainparbuilder [] |
| setmainparbuilder setmarker | \setmainparbuilder [] \setmarker [] |
| setmainparbuilder setmarker setmarking | \setmainparbuilder [] \setmarker [] [] \setmarking [] {} |
| setmainparbuilder setmarker setmarking setmathstyle | \setmainparbuilder [] \setmarker [] [] \setmarking [] {} \setmathstyle {} |
| setmainparbuilder setmarker setmarking setmathstyle setmeasure | <pre>\setmainparbuilder [] \setmarker [] [] \setmarking [] {} \setmathstyle {} \setmeasure {} {}</pre> |
| setmainparbuilder setmarker setmarking setmathstyle setmeasure setmessagetext | <pre>\setmainparbuilder [] \setmarker [] [] \setmarking [] {} \setmathstyle {} \setmeasure {} {} \setmode {} \setmostrut</pre> |
| setmainparbuilder setmarker setmarking setmathstyle setmeasure setmessagetext setmode | <pre>\setmainparbuilder [] \setmarker [] [] \setmarking [] {} \setmathstyle {} \setmeasure {} {} \setmessagetext {} {} \setmode {} \setnostrut \setnote [] [] {}</pre> |
| setmainparbuilder setmarker setmarking setmathstyle setmeasure setmessagetext setmode setnostrut setnote setnotetext | \setmainparbuilder [] \setmarker [] [] \setmarking [] {} \setmathstyle {} \setmeasure {} {} \setmessagetext {} {} \setmode {} \setnoter [] [] {} \setnotetext [] [] |
| setmainparbuilder setmarker setmarking setmathstyle setmeasure setmessagetext setmode setnostrut setnote setnotetext setnotetext:assignment | \setmainparbuilder [] \setmarker [] [] \setmarking [] {} \setmathstyle {} \setmeasure {} {} \setmessagetext {} {} \setmode {} \setnotetut \setnote [] [] {} \setnotetext [] [] {} \setnotetext [] [] {} |
| setmainparbuilder setmarker setmarking setmathstyle setmeasure setmessagetext setmode setnostrut setnote setnotetext setnotetext setnotetext:assignment setnote:assignment | \setmainparbuilder [] \setmarker [] [] \setmarking [] {} \setmathstyle {} \setmeasure {} {} \setmessagetext {} {} \setmode {} \setnoter [] [] {} \setnotetext [] [] {} \setnotetext [] [] {} \setnote [] [] |
| setmainparbuilder setmarker setmarking setmathstyle setmeasure setmessagetext setmode setnostrut setnote setnotetext setnotetext setnotetext:assignment setnote:assignment setobject | \setmainparbuilder [] \setmarker [] [] \setmarking [] {} \setmathstyle {} \setmeasure {} {} \setmessagetext {} {} \setmode {} \setnoter [] [] {} \setnotetext [] [] {} \setnotetext [] [] {} \setnotetext [] [] \setnote [] [] \setnote [] [] |
| setmainparbuilder setmarker setmarking setmathstyle setmeasure setmessagetext setmode setnostrut setnote setnotetext setnotetext setnotetext:assignment setnote:assignment setobject setoldstyle | \setmainparbuilder [] \setmarker [] [] \setmarking [] {} \setmathstyle {} \setmeasure {} {} \setmessagetext {} {} \setmode {} \setmode {} \setnotetut \setnote [] [] {} \setnotetext [] [] {} \setnotetext [] [] \setnote [] [] \setnote [] [] \setobject {} {} \ {} \setoldstyle |
| setmainparbuilder setmarker setmarking setmathstyle setmeasure setmessagetext setmode setnostrut setnote setnotetext setnotetext setnotetext:assignment setnote:assignment setobject setoldstyle setpagereference | \setmainparbuilder [] \setmarker [] [] \setmarking [] {} \setmathstyle {} \setmeasure {} {} \setmessagetext {} {} \setmode {} \setmode {} \setnotet [] [] {} \setnotetext [] [] {} \setnotetext [] [] \setnote [] [] \setnote [] [] \setnote [] [] \setnote [] {} \setnote [] {} \setnotetoldstyle \setpagereference {} {} |
| setmainparbuilder setmarker setmarking setmathstyle setmeasure setmessagetext setmode setnostrut setnote setnotetext setnotetext setnotetext:assignment setobject setoldstyle setpagereference setpagestate | \setmainparbuilder [] \setmarker [] [] \setmarking [] {} \setmathstyle {} \setmeasure {} {} \setmessagetext {} {} \setmode {} \setmode {} \setnotetut [] [] {} \setnotetext [] [] {} \setnotetext [] [] \setnotetext [] [] \setnote [] [] \setnote [] {} \setobject {} {} \ {} \setoldstyle \setpagestate [] [] |
| setmainparbuilder setmarker setmarking setmathstyle setmeasure setmessagetext setmode setnostrut setnote setnotetext setnotetext:assignment setnote:assignment setobject setoldstyle setpagereference setpagestate setpagestaterealpageno | \setmainparbuilder [] \setmarker [] [] \setmarking [] {} \setmathstyle {} \setmeasure {} {} \setmessagetext {} {} \setmode {} \setmode {} \setnote [] [] {} \setnotetext [] [] {} \setnotetext [] [] \setnotetext [] [] \setnote [] [] \setpagereference {} {} \setpagestate [] [] \setpagestaterealpageno {} {} |
| setmainparbuilder setmarker setmarking setmathstyle setmeasure setmessagetext setmode setnostrut setnote setnotetext setnoteext setnoteext:assignment setnote:assignment setobject setoldstyle setpagereference setpagestate setpagestaterealpageno setpenalties | \setmainparbuilder [] \setmarker [] [] \setmarking [] {} \setmathstyle {} \setmeasure {} {} \setmessagetext {} {} \setmode {} \setnotetut \setnote [] [] {} \setnotetext [] [] \setnotetext [] [] \setnote [] [] \setnote [] [] \setnote [] [] \setpagereference {} {} \setpagereference {} {} \setpagestaterealpageno {} {} \setpenalties \ {} {} |
| setmainparbuilder setmarker setmarking setmathstyle setmeasure setmessagetext setmode setnostrut setnote setnotetext setnotetext:assignment setnote:assignment setobject setoldstyle setpagereference setpagestate setpagestaterealpageno setpenalties setpercentdimen | \setmainparbuilder [] \setmarker [] [] \setmarking [] {} \setmathstyle {} \setmeasure {} {} \setmessagetext {} {} \setmode {} \setnotetrut \setnote [] [] {} \setnotetext [] [] \setnotetext [] [] \setnote [] [] \setnote [] [] \setnote [] [] \setnote [] [] \setpageraference {} {} \setpageraference {} {} \setpagestate [] [] \setpagestaterealpageno {} {} \setpenalties \ {} {} \setpercentdimen {} {} |
| setmainparbuilder setmarker setmarking setmathstyle setmeasure setmessagetext setmode setnostrut setnote setnotetext setnoteext:assignment setnote:assignment setobject setoldstyle setpagereference setpagestate setpagestaterealpageno setpenalties setpercentdimen setperiodkerning | \setmainparbuilder [] \setmarker [] [] \setmarking [] {} \setmathstyle {} \setmeasure {} {} \setmessagetext {} {} \setmode {} \setnotetut \setnote [] [] {} \setnotetext [] [] \setnotetext [] [] \setnote [] [] \setnote [] [] \setnote [] [] \setnote [] [] \setpageraference {} {} \setpageraference {} {} \setpagestate [] [] \setpagestate [] [] \setpenalties \ {} {} \setpercentdimen {} {} \setperiodkerning [] |
| setmainparbuilder setmarker setmarking setmathstyle setmeasure setmessagetext setmode setnostrut setnote setnotetext setnoteext:assignment setnote:assignment setobject setoldstyle setpagereference setpagestate setpagestaterealpageno setpenalties setpercentdimen setposition | \setmainparbuilder [] \setmarker [] [] \setmarking [] {} \setmathstyle {} \setmeasure {} {} \setmessagetext {} {} \setmode {} \setnotetut \setnote [] [] {} \setnotetext [] [] \setnotetext [] [] \setnotetext [] [] \setnote [] [] \setnote [] [] \setpageraference {} {} \setpageraference {} {} \setpagestate [] [] \setpagestate [] [] \setpenalties \ {} {} \setperiodkerning [] \setposition {} |
| setmainparbuilder setmarker setmarking setmathstyle setmeasure setmessagetext setmode setnostrut setnote setnotetext setnoteext:assignment setnote:assignment setobject setoldstyle setpagereference setpagestate setpagestaterealpageno setpenalties setpercentdimen setposition setpositionbox | \setmainparbuilder [] \setmarker [] [] \setmarking [] {} \setmathstyle {} \setmeasure {} {} \setmessagetext {} {} \setmode {} \setnotetut \setnotetut [] [] {} \setnotetext [] [] \setnotetext [] [] \setnote [] [] \setnote [] [] \setnote [] [] \setpagerference {} {} \setpagerference {} {} \setpagestate [] [] \setpagestate [] [] \setpenalties \ {} {} \setpercentdimen {} {} \setposition {} \setpositionbox {} \ {} |
| setmainparbuilder setmarker setmarking setmathstyle setmeasure setmessagetext setmode setnostrut setnote setnotetext setnoteext:assignment setnote:assignment setobject setoldstyle setpagereference setpagestate setpagestaterealpageno setpenalties setpercentdimen setposition setpositionbox setpositiondata | \setmainparbuilder [] \setmarker [] [] \setmarking [] {} \setmathstyle {} \setmeasure {} {} \setmessagetext {} {} \setmode {} \setnotetut \setnote [] [] {} \setnotetext [] [] \setnotetext [] [] \setnote [] [] \setnote [] [] \setnote [] [] \setnote [] [] \setpageraference {} {} \setpageraference {} {} \setpagestate [] [] \setpagestate [] [] \setpenalties \ {} {} \setperiodkerning [] \setposition {} \setpositionbox {} \ {} \setpositiondata {} {} {} |
| setmainparbuilder setmarker setmarking setmathstyle setmeasure setmessagetext setmode setnostrut setnote setnotetext setnoteext:assignment setnote:assignment setobject setoldstyle setpagereference setpagestate setpagestate setpagestaterealpageno setpenalties setpercentdimen setposition setpositiondata setpositiondataplus | \setmainparbuilder [] \setmarker [] [] \setmarking [] {} \setmathstyle {} \setmeasure {} {} \setmessagetext {} {} \setmode {} \setnotetut \setnotetext [] [] {} \setnotetext [] [] \setnote [] [] \setnote [] [] \setnote [] [] \setnote [] [] \setpageraference {} {} \setpageraference {} {} \setpagestate [] [] \setpagestaterealpageno {} {} \setpercentdimen {} {} \setposition {} \setpositionbox {} \ {} \setpositiondata {} {} {} {} \setpositiondataplus {} {} {} |
| setmainparbuilder setmarker setmarking setmathstyle setmeasure setmessagetext setmode setnostrut setnote setnotetext setnoteext:assignment setotoe:assignment setobject setoldstyle setpagereference setpagestate setpagestaterealpageno setpenalties setpercentdimen setposition setpositiondata setpositiononly | \setmainparbuilder [] \setmarker [] [] \setmarking [] {} \setmathstyle {} \setmeasure {} {} \setmessagetext {} {} \setmode {} \setnotetmode {} \setnotetext [] [] {} \setnotetext [] [] \setnote [] [] \setnote [] [] \setnote [] [] \setnote [] [] \setpagerference {} {} \setpagerference {} {} \setpagerference {} {} \setpagestate [] [] \setpagestaterealpageno {} {} \setpercentdimen {} {} \setposition {} \setpositiondata {} {} {} {} \setpositiondataplus {} {} {} \setpositiononly {} |
| setmainparbuilder setmarker setmarking setmathstyle setmeasure setmessagetext setmode setnostrut setnote setnotetext setnoteext:assignment setotoe:assignment setobject setoldstyle setpagereference setpagestate setpagestaterealpageno setpenalties setpercentdimen setposition setpositiondata setpositiononly setpositionplus | \setmainparbuilder [] \setmarker [] [] \setmarking [] {} \setmathstyle {} \setmeasure {} {} \setmessagetext {} {} \setmode {} \setnotetmathstyle {} \setnotetext [] [] {} \setnotetext [] [] \setnotetext [] [] \setnotetext [] [] \setnote [] [] \setnote {} {} \ {} \setobject {} {} \ {} \setpagereference {} {} \setpagestate [] [] \setpagestaterealpageno {} {} \setpercentdimen {} {} \setperiodkerning [] \setpositionbox {} \ {} {} \setpositiondataplus {} {} {} {} \setpositiononly {} \setpositionplus {} {} {} |
| setmainparbuilder setmarker setmarking setmathstyle setmeasure setmessagetext setmode setnostrut setnote setnotetext setnoteext:assignment setotoe:assignment setobject setoldstyle setpagereference setpagestate setpagestate setpercentdimen setperiodkerning setposition setpositiondata setpositiononly setpositionplus setpositionstrut | \setmainparbuilder [] \setmarker [] [] \setmarking [] {} \setmathstyle {} \setmeasure {} {} \setmessagetext {} {} \setmode {} \setnotetmode {} \setnotetext [] [] {} \setnotetext [] [] \setnotetext [] [] \setnote [] [] \setnote [] [] \setnote [] [] \setpagereference {} {} \setpagereference {} {} \setpagestate [] [] \setpagestaterealpageno {} {} \setpercentdimen {} {} \setperiodkerning [] \setpositionbox {} \ {} {} \setpositiondataplus {} {} {} {} \setpositiononly {} \setpositionstrut {} \setpositionstrut {} \setpositionstrut {} |
| setmainparbuilder setmarker setmarking setmathstyle setmeasure setmessagetext setmode setnostrut setnote setnotetext setnoteext:assignment setotoe:assignment setobject setoldstyle setpagereference setpagestate setpagestaterealpageno setpenalties setpercentdimen setposition setpositiondata setpositiononly setpositionplus | \setmainparbuilder [] \setmarker [] [] \setmarking [] {} \setmathstyle {} \setmeasure {} {} \setmessagetext {} {} \setmode {} \setnotetmathstyle {} \setnotetext [] [] {} \setnotetext [] [] \setnotetext [] [] \setnotetext [] [] \setnote [] [] \setpode t {} {} \ {} \setpagestatorial time the set page of the set page o |
| setmainparbuilder setmarker setmarking setmathstyle setmeasure setmessagetext setmode setnostrut setnote setnotetext setnoteext:assignment setote:assignment setobject setoldstyle setpagereference setpagestate setpagestate setpercentdimen setperiodkerning setposition setpositiondata setpositiononly setpositionstrut setpositionstrut setprofile | \setmainparbuilder [] \setmarker [] [] \setmarking [] {} \setmathstyle {} \setmeasure {} {} \setmessagetext {} {} \setmode {} \setnotetmode {} \setnotetext [] [] {} \setnotetext [] [] \setnotetext [] [] \setnote [] [] \setnote [] [] \setnote [] [] \setpagereference {} {} \setpagereference {} {} \setpagestate [] [] \setpagestaterealpageno {} {} \setpercentdimen {} {} \setperiodkerning [] \setpositionbox {} \ {} {} \setpositiondataplus {} {} {} {} \setpositiononly {} \setpositionstrut {} \setpositionstrut {} \setpositionstrut {} |
| setmainparbuilder setmarker setmarking setmathstyle setmeasure setmessagetext setmode setnostrut setnote setnotetext setnoteext:assignment setoject setoldstyle setpagereference setpagestate setpagestaterealpageno setpenalties setpercentdimen setperiodkerning setposition setpositiondata setpositiondata setpositiononly setpositionplus setpositionstrut setprofile setrandomseed | \setmainparbuilder [] \setmarker [] [] \setmarking [] {} \setmathstyle {} \setmeasure {} {} \setmessagetext {} {} \setmode {} \setnotetxt [] [] {} \setnotetext [] [] \setnotetext [] [] \setnote [] [] \setnote [] [] \setnote [] [] \setobject {} {} \ {} \setoldstyle \setpagereference {} {} \setpagestate [] [] \setpagestaterealpageno {} {} \setperiodkerning [] \setposition {} \setposition {} {} {} {} \setpositiondata {} {} {} {} \setpositiononly {} \setpositionstrut {} \setpositionstrut {} \setpositionstrut {} \setpositionstrut {} \setpositionfile [] \setreference [] [] |
| setmainparbuilder setmarker setmarking setmathstyle setmeasure setmessagetext setmode setnostrut setnote setnotetext setnoteext:assignment setobject setoldstyle setpagereference setpagestate setpagestaterealpageno setpenalties setpercentdimen setposition setpositiondata setpositiondata setpositionoly setpositionstrut setprofile setrandomseed setreference | \setmainparbuilder [] \setmarker [] [] \setmarking [] {} \setmathstyle {} \setmeasure {} {} \setmessagetext {} {} \setmode {} \setnotetmathstyle {} \setnotetext [] [] {} \setnotetext [] [] \setnotetext [] [] \setnote [] [] \setnote [] [] \setobject {} {} \ {} \setoldstyle \setpagereference {} {} \setpagestate [] [] \setpagestaterealpageno {} {} \setpercentdimen {} {} \setperiodkerning [] \setposition {} \setpositionbox {} \ {} {} {} \setpositiondataplus {} {} {} {} \setpositiononly {} \setpositionstrut {} \setpositionstrut {} \setpositionstrut {} \setpositionstrut {} \setpositionfile [] \setrandomseed {} |
| setmainparbuilder setmarker setmarking setmathstyle setmeasure setmessagetext setmode setnostrut setnote setnotetext setnotetext:assignment setnote:assignment setobject setoldstyle setpagereference setpagestate setpagestaterealpageno setpenalties setpercentdimen setposition setpositiondata setpositiondata setpositionally setpositionplus setpositionstrut setprofile setrandomseed setreferencedobject | \setmainparbuilder [] \setmarker [] [] \setmarking [] {} \setmathstyle {} \setmeasure {} {} \setmessagetext {} {} \setmode {} \setnotetut \setnotetext [] [] {} \setnotetext [] [] \setnotetext [] [] \setobject {} {} \ \setobject {} {} \setpagereference {} {} \setpagestate [] [] \setpagestaterealpageno {} {} \setpercentdimen {} {} \setperiodkerning [] \setposition {} \setpositiondata {} {} {} {} \setpositiondataplus {} {} {} {} \setpositionplus {} {} {} \setpositionstrut {} \setpositionstrut {} \setpositionstrut {} \setpositionerence [] [] \setreference [] [] \setreferencedobject {} {} \ {} |
| setmainparbuilder setmarker setmarking setmathstyle setmeasure setmessagetext setmode setnostrut setnote setnotetext setnoteext:assignment setotoject setoldstyle setpagereference setpagestate setpagestaterealpageno setperiodkerning setposition setpositiondata setpositiondata setpositiononly setpositionstrut setpofile setrandomseed setreferencedobject setregisterentry | \setmainparbuilder [] \setmarker [] [] \setmarking [] {} \setmathstyle {} \setmeasure {} {} \setmessagetext {} {} \setmode {} \setmode {} \setnotetext [] [] {} \setnotetext [] [] \setnotetext [] [] \setnotetext [] [] \setnote [] [] \setobject {} {} \ {} \setpagereference {} {} \setpagestate [] [] \setpagestaterealpageno {} {} \setpercentdimen {} {} \setperiodkerning [] \setpositiondata {} {} {} \setpositiondata {} {} {} \setpositiononly {} \setpositiononly {} \setpositionstrut {} \setpositionstrut {} \setpositionstrut {} \setpositionerence [] [] \setreference [] [] \setreference [] [] \setreferencedobject {} {} \ {} \setreferencedobject {} {} \ {} \setreferencedobject {} {} \ {} |
| setmainparbuilder setmarker setmarking setmathstyle setmeasure setmessagetext setmode setnostrut setnote setnotetext setnoteext:assignment setoject setoldstyle setpagereference setpagestate setpagestaterealpageno setpenalties setpercentdimen setposition setpositiondata setpositionaly setpositionoly setpositionplus setpositionstrut setpofile setrandomseed setreference setregisterentry setreplacement | \setmainparbuilder [] \setmarker [] [] \setmarking [] {} \setmathstyle {} \setmeasure {} {} \setmessagetext {} {} \setmode {} \setmode {} \setnotetext [] [] {} \setnotetext [] [] \setnotetext [] [] \setnote [] [] \setnote [] [] \setobject {} {} \ {} \setobject {} {} \ \setpagereference {} {} \setpagestate [] [] \setpagestaterealpageno {} {} \setpercentdimen {} {} \setperiodkerning [] \setposition {} \setpositiondata {} {} {} {} {} \setpositiononly {} \setpositiononly {} {} {} {} \setpositionstrut {} \setpositionstrut {} \setpositionstrut {} \setreference [] [] \setreference [] [] \setreferencedobject {} {} \ {} \setregisterentry [] [] \setreglacement [] |

| setsecondpasscharacteralign | \setsecondpasscharacteralign |
|-----------------------------|---|
| setsectionblock | \setsectionblock [] [=] |
| setsimplecolumnshsize | \setsimplecolumnshsize [=] |
| setsmallbodyfont | \setsmallbodyfont |
| setsmallcaps | \setsmallcaps |
| setstackbox | \setstackbox {} {} {} |
| setstructurepageregister | \setstructurepageregister [] [=] [=] |
| setstrut | \setstrut |
| setsuperiors | \setsuperiors |
| setsystemmode | \setsystemmode {} |
| settabular | \settabular |
| settaggedmetadata | \settaggedmetadata [=] |
| settestcrlf | \settestcrlf |
| settext | \settext [] [] [] [] |
| settightobject | \settightobject {} {} \ {} |
| settightreferencedobject | \settightreferencedobject {} \ \ \ |
| settightstrut | \settightstrut |
| settightunreferencedobject | \settightunreferencedobject {} {} \ {} |
| settokenlist | \settokenlist [] {} |
| | |
| settrialtypesetting | \settrialtypesetting |
| setuevalue | \setuevalue {} {} |
| setugvalue | \setugvalue {} {} |
| setunreferencedobject | \setunreferencedobject \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| setupalternativestyles | \setupalternativestyles [=] |
| setupattachment | \setupattachment [] [=] |
| setupattachments | \setupattachments [] [=] |
| setupbackend | \setupbackend [=] |
| setupbar | \setupbar [] [=] |
| setupbars | \setupbars [] [=] |
| setupbleeding | \setupbleeding [=] |
| setupbookmark | \setupbookmark [=] |
| setupbtx | \setupbtx [] [=] |
| setupbtxdataset | \setupbtxdataset [] [=] |
| setupbtxlist | \setupbtxlist [] [=] |
| setupbtxregister | \setupbtxregister [] [=] |
| setupbtxrendering | \setupbtxrendering [] [=] |
| setupbtx:name | \setupbtx [] |
| setupbutton | \setupbutton [] [=] |
| setupcharacteralign | \setupcharacteralign [=] |
| setupcharacterkerning | \setupcharacterkerning [] [=] |
| setupcharacterspacing | \setupcharacterspacing [] [] [=] |
| setupchemical | \setupchemical [] [=] |
| setupchemicalframed | \setupchemicalframed [] [=] |
| setupcollector | \setupcollector [] [=] |
| setupcolumnsetarea | \setupcolumnsetarea [] [=] |
| setupcolumnsetareatext | \setupcolumnsetareatext [] [] |
| setupcolumnsetlines | \setupcolumnsetlines [] [] [] |
| setupcolumnsetspan | \setupcolumnsetspan [] [=] |
| setupcolumnsetstart | \setupcolumnsetstart [] [] [] |
| setupcombination | \setupcombination [] [] |
| setupcounter | \setupcounter [] [=] |
| setupdataset | \setupdataset [] [=] |
| setupdalimitedtext | \setupdataset [] [=] |
| setupdescription | \setupdescription [] [=] |
| • | \setupdirections [] [] |
| setupdirections | - |
| setupdocument | \setupdocument [=] |
| setupeffect | \setupeffect [] [=] |
| setupenumeration | \setupenumeration [] [=] |
| setupenv | \setupenv [=] |
| setupexport | \setupexport [=] |
| setupexternalfigure | \setupexternalfigure [] [=] |
| setupexternalsoundtracks | \setupexternalsoundtracks [=] |
| setupfacingfloat | \setupfacingfloat [] [=] |
| setupfieldbody | \setupfieldbody [] [=] |
| setupfieldcategory | \setupfieldcategory [] [=] |
| setupfieldcontentframed | \setupfieldcontentframed [] [=] |
| setupfieldlabelframed | \setupfieldlabelframed [] [=] |
| setupfieldtotalframed | \setupfieldtotalframed [] [=] |
| setupfiller | \setupfiller [] [=] |
| setupfirstline | \setupfirstline [] [=] |
| setupfittingpage | \setupfittingpage [] [=] |
| setupfloatframed | \setupfloatframed [] [=] |

| | \+ |
|---|---|
| setupfontexpansion | \setupfontexpansion [] [=] |
| setupfontprotrusion | \setupfontprotrusion [] [=] |
| setupfonts | \setupfonts [=] |
| setupfontsolution | \setupfontsolution [] [=] |
| - | |
| setupformula | \setupformula [] [=] |
| setupformulaframed | \setupformulaframed [] [=] |
| setupframedcontent | \setupframedcontent [] [=] |
| setupframedtable | \setupframedtable [] [=] |
| setupframedtablecolumn | \setupframedtablecolumn [] [] [=] |
| - | |
| setupframedtablerow | \setupframedtablerow [] [=] |
| setupframedtext | \setupframedtext [] [=] |
| setupglobalreferenceprefix | \setupglobalreferenceprefix [] |
| setupheadalternative | \setupheadalternative [] [=] |
| setuphelp | \setuphelp [] [=] |
| | |
| setuphigh | \setuphigh [] [=] |
| setuphighlight | \setuphighlight [] [=] |
| setuphyphenation | \setuphyphenation [=] |
| setupindentedtext | \setupindentedtext [] [=] |
| setupinitial | \setupinitial [] [=] |
| • | |
| setupinsertion | \setupinsertion [] [=] |
| setupitaliccorrection | \setupitaliccorrection [] |
| setupitemgroup | \setupitemgroup [] [] [] |
| setupitemgroup:assignment | \setupitemgroup [] [=] |
| | |
| setupitemgroup:instance | \impostaITEMGROUP [] [] [=] |
| setupitemgroup:instance:itemize | \impostaitemize [] [=] |
| setuplabel | \setuplabel [] [=] |
| setuplayer | \setuplayer [] [=] |
| setuplayeredtext | \setuplayeredtext [] [=] |
| - · | = |
| setuplayouttext | \setuplayouttext [] [=] |
| setuplinefiller | \setuplinefiller [] [=] |
| setuplinefillers | \setuplinefillers [] [=] |
| setuplinenote | \setuplinenote [] [=] |
| setuplinetable | \setuplinetable [] [=] |
| - | |
| setuplistalternative | \setuplistalternative [] [=] |
| setuplistextra | \setuplistextra [] [=] |
| setuplocalfloats | \setuplocalfloats [=] |
| 2004920042220402 | |
| - | - |
| setuplocalinterlinespace | \setuplocalinterlinespace [] [=] |
| setuplocalinterlinespace setuplocalinterlinespace:argument | \setuplocalinterlinespace [] [=] \setuplocalinterlinespace [] |
| setuplocalinterlinespace setuplocalinterlinespace:argument setuplocalinterlinespace:name | \setuplocalinterlinespace [] [=] \setuplocalinterlinespace [] \setuplocalinterlinespace [] |
| setuplocalinterlinespace setuplocalinterlinespace:argument | \setuplocalinterlinespace [] [=] \setuplocalinterlinespace [] |
| setuplocalinterlinespace setuplocalinterlinespace:argument setuplocalinterlinespace:name | \setuplocalinterlinespace [] [=] \setuplocalinterlinespace [] \setuplocalinterlinespace [] |
| setuplocalinterlinespace setuplocalinterlinespace:argument setuplocalinterlinespace:name setuplow setuplowhigh | \setuplocalinterlinespace [] [=] \setuplocalinterlinespace [] \setuplocalinterlinespace [] \setuplow [] [=] \setuplowhigh [] [=] |
| setuplocalinterlinespace setuplocalinterlinespace:argument setuplocalinterlinespace:name setuplow setuplowhigh setuplowmidhigh | \setuplocalinterlinespace [] [=] \setuplocalinterlinespace [] \setuplocalinterlinespace [] \setuplow [] [=] \setuplowhigh [] [=] \setuplowmidhigh [] [=] |
| setuplocalinterlinespace setuplocalinterlinespace:argument setuplocalinterlinespace:name setuplow setuplowhigh setuplowmidhigh setupMPgraphics | \setuplocalinterlinespace [] [=] \setuplocalinterlinespace [] \setuplocalinterlinespace [] \setuplow [] [=] \setuplowhigh [] [=] \setuplowmidhigh [] [=] \setupMPgraphics [=] |
| setuplocalinterlinespace setuplocalinterlinespace:argument setuplocalinterlinespace:name setuplow setuplowhigh setuplowmidhigh setupMPgraphics setupMPinstance | \setuplocalinterlinespace [] [=] \setuplocalinterlinespace [] \setuplocalinterlinespace [] \setuplow [] [=] \setuplowhigh [] [=] \setuplowmidhigh [] [=] \setupMPgraphics [=] \setupMPinstance [] [=] |
| setuplocalinterlinespace setuplocalinterlinespace:argument setuplocalinterlinespace:name setuplow setuplowhigh setuplowmidhigh setupMPgraphics | \setuplocalinterlinespace [] [=] \setuplocalinterlinespace [] \setuplocalinterlinespace [] \setuplow [] [=] \setuplowhigh [] [=] \setuplowmidhigh [] [=] \setupMPgraphics [=] |
| setuplocalinterlinespace setuplocalinterlinespace:argument setuplocalinterlinespace:name setuplow setuplowhigh setuplowmidhigh setupMPgraphics setupMPinstance | \setuplocalinterlinespace [] [=] \setuplocalinterlinespace [] \setuplocalinterlinespace [] \setuplow [] [=] \setuplowhigh [] [=] \setuplowmidhigh [] [=] \setupMPgraphics [=] \setupMPinstance [] [=] \setupMPpage [=] |
| setuplocalinterlinespace setuplocalinterlinespace:argument setuplocalinterlinespace:name setuplow setuplowhigh setuplowmidhigh setupMPgraphics setupMPinstance setupMPpage setupMPvariables | \setuplocalinterlinespace [] [=] \setuplocalinterlinespace [] \setuplocalinterlinespace [] \setuplow [] [=] \setuplowhigh [] [=] \setuplowmidhigh [] [=] \setupMPgraphics [=] \setupMPinstance [] [=] \setupMPpage [=] \setupMPvariables [] [=] |
| setuplocalinterlinespace setuplocalinterlinespace:argument setuplocalinterlinespace:name setuplow setuplowhigh setuplowmidhigh setupMPgraphics setupMPinstance setupMPpage setupMPvariables setupmPvariables setupmarginblock | \setuplocalinterlinespace [] [=] \setuplocalinterlinespace [] \setuplocalinterlinespace [] \setuplow [] [=] \setuplowhigh [] [=] \setuplowmidhigh [] [=] \setupMPgraphics [=] \setupMPinstance [] [=] \setupMPpage [=] \setupMPvariables [] [=] \setupMPvariables [] [=] |
| setuplocalinterlinespace:argument setuplocalinterlinespace:name setuplow setuplowhigh setuplowmidhigh setupMPgraphics setupMPpage setupMPpage setupMPvariables setupmarginblock setupmargindata | \setuplocalinterlinespace [] [=] \setuplocalinterlinespace [] \setuplocalinterlinespace [] \setuplow [] [=] \setuplowhigh [] [=] \setuplowmidhigh [] [=] \setupPgraphics [=] \setupMPinstance [] [=] \setupMPpage [=] \setupMPvariables [] [=] \setupmarginblock [] [=] |
| setuplocalinterlinespace:argument setuplocalinterlinespace:name setuplow setuplowhigh setuplowmidhigh setupMPgraphics setupMPinstance setupMPpage setupMPvariables setupmarginblock setupmarginframed | \setuplocalinterlinespace [] [=] \setuplocalinterlinespace [] \setuplocalinterlinespace [] \setuplow [] [=] \setuplowhigh [] [=] \setuplowmidhigh [] [=] \setupPgraphics [=] \setupMPgraphics [] [=] \setupMPpage [=] \setupMPpage [=] \setupMPvariables [] [=] \setupmarginblock [] [=] \setupmargindata [] [=] |
| setuplocalinterlinespace:argument setuplocalinterlinespace:name setuplow setuplowhigh setuplowmidhigh setupMPgraphics setupMPpage setupMPpage setupMPvariables setupmarginblock setupmargindata | \setuplocalinterlinespace [] [=] \setuplocalinterlinespace [] \setuplocalinterlinespace [] \setuplow [] [=] \setuplowhigh [] [=] \setuplowmidhigh [] [=] \setupPgraphics [=] \setupMPgraphics [] [=] \setupMPpage [=] \setupMPpage [=] \setupMPvariables [] [=] \setupmarginblock [] [=] \setupmarginframed [] [=] \setupmarginframed [] [=] |
| setuplocalinterlinespace:argument setuplocalinterlinespace:name setuplow setuplowhigh setuplowmidhigh setupMPgraphics setupMPinstance setupMPpage setupMPvariables setupmarginblock setupmarginframed | \setuplocalinterlinespace [] [=] \setuplocalinterlinespace [] \setuplocalinterlinespace [] \setuplow [] [=] \setuplowhigh [] [=] \setuplowmidhigh [] [=] \setupPgraphics [=] \setupMPgraphics [] [=] \setupMPpage [=] \setupMPpage [=] \setupMPvariables [] [=] \setupmarginblock [] [=] \setupmarginframed [] [=] \setupmarginframed [] [=] |
| setuplocalinterlinespace:argument setuplocalinterlinespace:name setuplow setuplowhigh setuplowmidhigh setupMPgraphics setupMPinstance setupMPpage setupMPvariables setupmarginblock setupmarginframed setupmarginrule setupmardinument | \setuplocalinterlinespace [] [=] \setuplocalinterlinespace [] \setuplocalinterlinespace [] \setuplow [] [=] \setuplowhigh [] [=] \setuplowmidhigh [] [=] \setupMPgraphics [=] \setupMPinstance [] [=] \setupMPpage [=] \setupMPvariables [] [=] \setupmarginblock [] [=] \setupmarginframed [] [=] \setupmarginrule [] [=] \setupmarginrule [] [=] |
| setuplocalinterlinespace setuplocalinterlinespace:argument setuplocalinterlinespace:name setuplow setuplowhigh setuplowmidhigh setupMPgraphics setupMPpage setupMPpage setupmPpage setupmarginblock setupmarginframed setupmarginrule setupmathalignment setupmathcases | \setuplocalinterlinespace [] [=] \setuplocalinterlinespace [] \setuplocalinterlinespace [] \setuplow [] [=] \setuplowhigh [] [=] \setuplowmidhigh [] [=] \setupPgraphics [=] \setupMPgraphics [] [=] \setupMPpage [=] \setupMPpage [=] \setupMPvariables [] [=] \setupmarginblock [] [=] \setupmarginframed [] [=] \setupmarginrule [] [=] \setupmathalignment [] [=] |
| setuplocalinterlinespace setuplocalinterlinespace:argument setuplow setuplow setuplowhigh setuplomidhigh setupMPgraphics setupMPpage setupMPpage setupmarginblock setupmarginframed setupmarginrule setupmathalignment setupmathematics | \setuplocalinterlinespace [] [=] \setuplocalinterlinespace [] \setuplocalinterlinespace [] \setuplow [] [=] \setuplowhigh [] [=] \setuplowmidhigh [] [=] \setupMPgraphics [=] \setupMPjinstance [] [=] \setupMPpage [=] \setupMPpage [=] \setupMPvariables [] [=] \setupmarginblock [] [=] \setupmarginframed [] [=] \setupmarginrule [] [=] \setupmathalignment [] [=] \setupmathcases [] [=] \setupmathematics [] [=] |
| setuplocalinterlinespace setuplocalinterlinespace:argument setuplow setuplow setuplowhigh setuplomidhigh setupMPgraphics setupMPpage setupMPpage setupmarginblock setupmarginframed setupmarginframed setupmarginrule setupmathalignment setupmathematics setupmathematics setupmathematics | \setuplocalinterlinespace [] [=] \setuplocalinterlinespace [] \setuplocalinterlinespace [] \setuplow [] [=] \setuplowhigh [] [=] \setuplowmidhigh [] [=] \setupMPgraphics [=] \setupMPinstance [] [=] \setupMPpage [=] \setupMPpage [=] \setupMPvariables [] [=] \setupmarginblock [] [=] \setupmarginframed [] [=] \setupmarginrule [] [=] \setupmathalignment [] [=] \setupmathematics [] [=] \setupmathematics [] [=] |
| setuplocalinterlinespace setuplocalinterlinespace:argument setuplow setuplow setuplowhigh setuplomidhigh setupMPgraphics setupMPpage setupMPpage setupmarginblock setupmarginframed setupmarginrule setupmathalignment setupmathematics | \setuplocalinterlinespace [] [=] \setuplocalinterlinespace [] \setuplocalinterlinespace [] \setuplow [] [=] \setuplowhigh [] [=] \setuplowmidhigh [] [=] \setupMPgraphics [=] \setupMPpinstance [] [=] \setupMPpage [=] \setupMPpage [=] \setupMPpage in [] [=] \setupmarginblock [] [=] \setupmargindata [] [=] \setupmarginframed [] [=] \setupmarginrule [] [=] \setupmathalignment [] [=] \setupmathematics [] [=] \setupmathematics [] [=] \setupmathfraction [] [=] |
| setuplocalinterlinespace setuplocalinterlinespace:argument setuplow setuplow setuplowhigh setuplomidhigh setupMPgraphics setupMPpage setupMPpage setupmarginblock setupmarginframed setupmarginframed setupmarginrule setupmathalignment setupmathematics setupmathematics setupmathematics | \setuplocalinterlinespace [] [=] \setuplocalinterlinespace [] \setuplocalinterlinespace [] \setuplow [] [=] \setuplowhigh [] [=] \setuplowmidhigh [] [=] \setupMPgraphics [=] \setupMPpinstance [] [=] \setupMPpage [=] \setupMPpage [=] \setupMPpage in [] [=] \setupmarginblock [] [=] \setupmargindata [] [=] \setupmarginframed [] [=] \setupmarginrule [] [=] \setupmathalignment [] [=] \setupmathematics [] [=] \setupmathematics [] [=] \setupmathfraction [] [=] |
| setuplocalinterlinespace setuplocalinterlinespace:argument setuplocalinterlinespace:name setuplow setuplowhigh setuplowmidhigh setupMPgraphics setupMPpage setupMPvariables setupmApvariables setupmarginblock setupmarginframed setupmarginframed setupmarginrule setupmathalignment setupmathcases setupmathematics setupmathfraction setupmathfractions | \setuplocalinterlinespace [] [=] \setuplocalinterlinespace [] \setuplocalinterlinespace [] \setuplow [] [=] \setuplowhigh [] [=] \setuplowmidhigh [] [=] \setupMPgraphics [=] \setupMPpinstance [] [=] \setupMPpage [=] \setupMPvariables [] [=] \setupmPvariables [] [=] \setupmargindata [] [=] \setupmarginframed [] [=] \setupmarginrule [] [=] \setupmathalignment [] [=] \setupmathematics [] [=] \setupmathfence [] [=] \setupmathfraction [] [=] \setupmathfraction [] [=] |
| setuplocalinterlinespace:argument setuplocalinterlinespace:name setuplow setuplowhigh setuplowmidhigh setupMPgraphics setupMPpage setupMPvariables setupmarginblock setupmargintata setupmarginramed setupmarginrule setupmathalignment setupmathcases setupmathfraction setupmathfractions setupmathfractions | \setuplocalinterlinespace [] [=] \setuplocalinterlinespace [] \setuplocalinterlinespace [] \setuplow [] [=] \setuplowhigh [] [=] \setuplowmidhigh [] [=] \setupMPgraphics [=] \setupMPpinstance [] [=] \setupMPpage [=] \setupMPvariables [] [=] \setupmarginblock [] [=] \setupmarginframed [] [=] \setupmarginframed [] [=] \setupmathalignment [] [=] \setupmathematics [] [=] \setupmathfraction [] [=] \setupmathfraction [] [=] \setupmathfractions [] [=] \setupmathfractions [] [=] |
| setuplocalinterlinespace:argument setuplocalinterlinespace:name setuplow setuplowhigh setuplowmidhigh setupMPgraphics setupMPpage setupMPvariables setupmarginblock setupmargintata setupmarginramed setupmarginrule setupmathalignment setupmathcases setupmathfraction setupmathfractions setupmathframed setupmathframed setupmathframed setupmathframed setupmathfractions | \setuplocalinterlinespace [] [=] \setuplocalinterlinespace [] \setuplocalinterlinespace [] \setuplow [] [=] \setuplowhigh [] [=] \setuplowmidhigh [] [=] \setupMPgraphics [=] \setupMPpinstance [] [=] \setupMPpage [=] \setupMPvariables [] [=] \setupmarginblock [] [=] \setupmarginframed [] [=] \setupmarginframed [] [=] \setupmarginrule [] [=] \setupmathalignment [] [=] \setupmathematics [] [=] \setupmathfraction [] [=] \setupmathfractions [] [=] \setupmathframed [] [=] \setupmathframed [] [=] \setupmathframed [] [=] |
| setuplocalinterlinespace:argument setuplocalinterlinespace:name setuplow setuplowhigh setuplowmidhigh setupMPgraphics setupMPpage setupMPvariables setupmarginblock setupmarginframed setupmarginrule setupmathalignment setupmathcases setupmathfraction setupmathfraction setupmathframed setupmathframed setupmathframed setupmathframed setupmathfractions setupmathframed setupmathframed setupmathframed setupmathframed setupmathframed | \setuplocalinterlinespace [] [=] \setuplocalinterlinespace [] \setuplocalinterlinespace [] \setuplow [] [=] \setuplowhigh [] [=] \setuplowmidhigh [] [=] \setupMPgraphics [=] \setupMPpinstance [] [=] \setupMPpage [=] \setupMPvariables [] [=] \setupmarginblock [] [=] \setupmarginframed [] [=] \setupmarginframed [] [=] \setupmarginrule [] [=] \setupmathalignment [] [=] \setupmathematics [] [=] \setupmathfraction [] [=] \setupmathfractions [] [=] \setupmathframed [] [=] \setupmathmatrix [] [=] \setupmathmatrix [] [=] \setupmathmatrix [] [=] |
| setuplocalinterlinespace:argument setuplocalinterlinespace:name setuplow setuplowhigh setuplowmidhigh setupMPgraphics setupMPpage setupMPvariables setupmarginblock setupmargintata setupmarginramed setupmarginrule setupmathalignment setupmathcases setupmathfraction setupmathfractions setupmathframed setupmathframed setupmathframed setupmathframed setupmathfractions | \setuplocalinterlinespace [] [=] \setuplocalinterlinespace [] \setuplocalinterlinespace [] \setuplow [] [=] \setuplowhigh [] [=] \setuplowmidhigh [] [=] \setupMPgraphics [=] \setupMPpinstance [] [=] \setupMPpage [=] \setupMPvariables [] [=] \setupmarginblock [] [=] \setupmarginframed [] [=] \setupmarginframed [] [=] \setupmarginrule [] [=] \setupmathalignment [] [=] \setupmathematics [] [=] \setupmathfraction [] [=] \setupmathfractions [] [=] \setupmathframed [] [=] \setupmathmatrix [] [=] |
| setuplocalinterlinespace:argument setuplocalinterlinespace:name setuplow setuplowhigh setuplowmidhigh setupMPgraphics setupMPpage setupMPvariables setupmarginblock setupmarginframed setupmarginrule setupmathalignment setupmathcases setupmathfraction setupmathfraction setupmathframed setupmathframed setupmathframed setupmathframed setupmathfractions setupmathframed setupmathframed setupmathframed setupmathframed setupmathframed | \setuplocalinterlinespace [] [=] \setuplocalinterlinespace [] \setuplocalinterlinespace [] \setuplow [] [=] \setuplowhigh [] [=] \setuplowmidhigh [] [=] \setupMPgraphics [=] \setupMPpinstance [] [=] \setupMPpage [=] \setupMPvariables [] [=] \setupmarginblock [] [=] \setupmarginframed [] [=] \setupmarginframed [] [=] \setupmarginrule [] [=] \setupmathalignment [] [=] \setupmathematics [] [=] \setupmathfraction [] [=] \setupmathfractions [] [=] \setupmathframed [] [=] \setupmathmatrix [] [=] \setupmathmatrix [] [=] \setupmathmatrix [] [=] |
| setuplocalinterlinespace:argument setuplocalinterlinespace:name setuplow setuplowhigh setuplowmidhigh setupMPgraphics setupMPpage setupMPvariables setupmarginblock setupmarginframed setupmarginrule setupmathalignment setupmathematics setupmathfraction setupmathfraction setupmathframed setupmathmatrix setupmathradical setupmathradical setupmathradical setupmathradical | \setuplocalinterlinespace [] [=] \setuplocalinterlinespace [] \setuplocalinterlinespace [] \setuplow [] [=] \setuplowhigh [] [=] \setuplowmidhigh [] [=] \setupMPgraphics [] [=] \setupMPpage [=] \setupMPpage [=] \setupMPvariables [] [=] \setupmarginblock [] [=] \setupmarginframed [] [=] \setupmarginframed [] [=] \setupmarginrule [] [=] \setupmathalignment [] [=] \setupmathematics [] [=] \setupmathfraction [] [=] \setupmathfraction [] [=] \setupmathframed [] [=] \setupmathradical [] [=] \setupmathradical [] [=] |
| setuplocalinterlinespace:argument setuplocalinterlinespace:name setuplow setuplowhigh setuplowmidhigh setupMPgraphics setupMPpage setupMPvariables setupmarginblock setupmarginframed setupmarginrule setupmathalignment setupmathcases setupmathfraction setupmathfraction setupmathframed setupmathmatrix setupmathornament setupmathornament setupmathradical setupmathstackers setupmathstackers setupmathstackers | \setuplocalinterlinespace [] [=] \setuplocalinterlinespace [] \setuplocalinterlinespace [] \setuplow [] [=] \setuplowhigh [] [=] \setuplowmidhigh [] [=] \setupMPgraphics [=] \setupMPpinstance [] [=] \setupMPpage [=] \setupMPpage [=] \setupMPvariables [] [=] \setupmarginblock [] [=] \setupmarginframed [] [=] \setupmarginframed [] [=] \setupmarginrule [] [=] \setupmathalignment [] [=] \setupmathematics [] [=] \setupmathfraction [] [=] \setupmathfraction [] [=] \setupmathframed [] [=] \setupmathframed [] [=] \setupmathframed [] [=] \setupmathradical [] [=] \setupmathradical [] [=] \setupmathstackers [] [=] \setupmathstackers [] [=] |
| setuplocalinterlinespace:argument setuplocalinterlinespace:name setuplow setuplowhigh setuplowmidhigh setupMPgraphics setupMPpage setupMPvariables setupmarginblock setupmarginframed setupmarginrule setupmathalignment setupmathcases setupmathfraction setupmathfraction setupmathframed setupmathframed setupmathframed setupmathradical setupmathradical setupmathradical setupmathstyle setupmixedcolumns | \setuplocalinterlinespace [] [=] \setuplocalinterlinespace [] \setuplocalinterlinespace [] \setuplow [] [=] \setuplowhigh [] [=] \setuplowmidhigh [] [=] \setupMPgraphics [=] \setupMPpage [=] \setupMPpage [=] \setupMPvariables [] [=] \setupmarginblock [] [=] \setupmarginframed [] [=] \setupmarginframed [] [=] \setupmarginrule [] [=] \setupmathalignment [] [=] \setupmathematics [] [=] \setupmathfraction [] [=] \setupmathfraction [] [=] \setupmathframed [] [=] \setupmathframed [] [=] \setupmathradical [] [=] \setupmathradical [] [=] \setupmathstackers [] [=] \setupmathstyle [] \setupmixedcolumns [] [=] |
| setuplocalinterlinespace:argument setuplocalinterlinespace:name setuplow setuplowhigh setuplowmidhigh setupMPgraphics setupMPpage setupMPvariables setupmarginblock setupmarginframed setupmarginrule setupmathalignment setupmathcases setupmathfraction setupmathfraction setupmathframed setupmathframed setupmathractions | \setuplocalinterlinespace [] [=] \setuplocalinterlinespace [] \setuplow [] [=] \setuplowhigh [] [=] \setuplowmidhigh [] [=] \setupMPgraphics [=] \setupMPpage [=] \setupMPpage [=] \setupMPvariables [] [=] \setupmarginblock [] [=] \setupmarginframed [] [=] \setupmarginframed [] [=] \setupmarginrule [] [=] \setupmathalignment [] [=] \setupmathematics [] [=] \setupmathfraction [] [=] \setupmathfraction [] [=] \setupmathframed [] [=] \setupmathmatrix [] [=] \setupmathmatrix [] [=] \setupmathmatrix [] [=] \setupmathstackers [] [=] \setupmathstackers [] [=] \setupmathstyle [] \setupmixedcolumns [] [=] \setupmodule [] [=] |
| setuplocalinterlinespace:argument setuplocalinterlinespace:name setuplow setuplowhigh setuplowmidhigh setupMPgraphics setupMPpage setupMPvariables setupmarginblock setupmarginframed setupmarginrule setupmathalignment setupmathcases setupmathfraction setupmathfraction setupmathframed setupmathframed setupmathframed setupmathradical setupmathradical setupmathradical setupmathstyle setupmixedcolumns | \setuplocalinterlinespace [] [=] \setuplocalinterlinespace [] \setuplocalinterlinespace [] \setuplow [] [=] \setuplowhigh [] [=] \setuplowmidhigh [] [=] \setupMPgraphics [=] \setupMPpage [=] \setupMPpage [=] \setupMPvariables [] [=] \setupmarginblock [] [=] \setupmarginframed [] [=] \setupmarginframed [] [=] \setupmarginrule [] [=] \setupmathalignment [] [=] \setupmathematics [] [=] \setupmathfraction [] [=] \setupmathfraction [] [=] \setupmathframed [] [=] \setupmathframed [] [=] \setupmathradical [] [=] \setupmathradical [] [=] \setupmathstackers [] [=] \setupmathstyle [] \setupmixedcolumns [] [=] |
| setuplocalinterlinespace:argument setuplocalinterlinespace:name setuplow setuplowhigh setuplowmidhigh setupMPgraphics setupMPpage setupMPvariables setupmarginblock setupmarginframed setupmarginrule setupmathalignment setupmathcases setupmathfraction setupmathfraction setupmathframed setupmathframed setupmathractions | \setuplocalinterlinespace [] [=] \setuplocalinterlinespace [] \setuplow [] [=] \setuplowhigh [] [=] \setuplowmidhigh [] [=] \setupMPgraphics [=] \setupMPpage [=] \setupMPpage [=] \setupMPvariables [] [=] \setupmarginblock [] [=] \setupmarginframed [] [=] \setupmarginframed [] [=] \setupmarginrule [] [=] \setupmathalignment [] [=] \setupmathematics [] [=] \setupmathfraction [] [=] \setupmathfraction [] [=] \setupmathframed [] [=] \setupmathmatrix [] [=] \setupmathmatrix [] [=] \setupmathmatrix [] [=] \setupmathstackers [] [=] \setupmathstackers [] [=] \setupmathstyle [] \setupmixedcolumns [] [=] \setupmodule [] [=] |
| setuplocalinterlinespace setuplocalinterlinespace:name setuplow setuplowigh setuplowmidhigh setupMPgraphics setupMPpage setupMPvariables setupmarginblock setupmarginframed setupmarginrule setupmathalignment setupmathcases setupmathfraction setupmathfraction setupmathfractions setupmathradical setupmathstackers setupmathstyle setupmathstion setupmodule setupmodule setupnotation setupnotation setupnotations | \setuplocalinterlinespace [] [=] \setuplocalinterlinespace [] \setuplocalinterlinespace [] \setuplow [] [=] \setuplowhigh [] [=] \setuplowmidhigh [] [=] \setupMPgraphics [=] \setupMPpage [=] \setupMPpage [=] \setupMPvariables [] [=] \setupmarginblock [] [=] \setupmarginframed [] [=] \setupmarginframed [] [=] \setupmarginrule [] [=] \setupmathalignment [] [=] \setupmathematics [] [=] \setupmathfraction [] [=] \setupmathfraction [] [=] \setupmathframed [] [=] \setupmathframed [] [=] \setupmathradical [] [=] \setupmathstackers [] [=] \setupmathstyle [] \setupmodule [] [=] \setupnotation [] [=] \setupnotation [] [=] \setupnotation [] [=] \setupnotation [] [=] |
| setuplocalinterlinespace setuplocalinterlinespace:argument setuplow setuplow setuplowhigh setuplowmidhigh setupMPgraphics setupMPpage setupMPvariables setupmargindata setupmarginframed setupmarginrule setupmathlignment setupmathless setupmathematics setupmathfraction setupmathframed setupmathframed setupmathfractions setupmathhractions setupmathstackers setupmathstyle setupmathstyle setupmodule setupnotation setupnotations setupnotations setupnote | \setuplocalinterlinespace [] [=] \setuplocalinterlinespace [] \setuplocalinterlinespace [] \setuplow [] [=] \setuplowhigh [] [=] \setuplowmidhigh [] [=] \setupMPgraphics [=] \setupMPpage [=] \setupMPpage [=] \setupMPvariables [] [=] \setupmarginblock [] [=] \setupmarginframed [] [=] \setupmarginframed [] [=] \setupmarginrule [] [=] \setupmathalignment [] [=] \setupmathematics [] [=] \setupmathfraction [] [=] \setupmathfraction [] [=] \setupmathframed [] [=] \setupmathframed [] [=] \setupmathradical [] [=] \setupmathradical [] [=] \setupmathstackers [] [=] \setupmathstyle [] \setupmodule [] [=] \setupnotation [] [=] \setupnotation [] [=] \setupnotations [] [=] \setupnotations [] [=] \setupnotations [] [=] |
| setuplocalinterlinespace:argument setuplocalinterlinespace:name setuplow setuplowhigh setuplowmidhigh setupMPgraphics setupMPinstance setupMPpage setupMPvariables setupmarginblock setupmarginframed setupmarginrule setupmathalignment setupmathcases setupmathfraction setupmathfraction setupmathfractions setupmathradical setupmathstackers setupmathstyle setupmathston setupmodule setupnotation setupnote setupnotes | \setuplocalinterlinespace [] [=] \setuplocalinterlinespace [] \setuplocalinterlinespace [] \setuplow [] [=] \setuplowhigh [] [=] \setuplowmidhigh [] [=] \setupMPgraphics [=] \setupMPpage [=] \setupMPpage [=] \setupMPvariables [] [=] \setupmarginblock [] [=] \setupmarginframed [] [=] \setupmarginframed [] [=] \setupmathalignment [] [=] \setupmathematics [] [=] \setupmathematics [] [=] \setupmathfraction [] [=] \setupmathfractions [] [=] \setupmathframed [] [=] \setupmathradical [] [=] \setupmathstackers [] [=] \setupmathstackers [] [=] \setupmathstyle [] \setupmodule [] [=] \setupnotation [] [=] \setupnotations [] [=] |
| setuplocalinterlinespace:argument setuplocalinterlinespace:name setuplow setuplowhigh setuplowhidhigh setupMPgraphics setupMPpage setupMPvariables setupmarginblock setupmarginframed setupmarginrule setupmathalignment setupmathesics setupmathfraction setupmathfraction setupmathframed setupmathframed setupmathractions setupmathractions setupmathractions setupmathraction setupmathractions setupmathraction setupmathstole setupmathstole setupnotation setupnotation setupnote setupnote setupnotes setupoffset | \setuplocalinterlinespace [] [=] \setuplocalinterlinespace [] \setuplocalinterlinespace [] \setuplow [] [=] \setuplowhigh [] [=] \setuplowmidhigh [] [=] \setupMPgraphics [=] \setupMPpage [=] \setupMPpage [=] \setupMPvariables [] [=] \setupmarginblock [] [=] \setupmarginframed [] [=] \setupmarginframed [] [=] \setupmarginrule [] [=] \setupmathalignment [] [=] \setupmathematics [] [=] \setupmathematics [] [=] \setupmathfraction [] [=] \setupmathfractions [] [=] \setupmathframed [] [=] \setupmathradical [] [=] \setupmathradical [] [=] \setupmathstackers [] [=] \setupmodule [] [=] \setupnotation [] [=] \setupnotations [] [=] \setupnotes [] [=] \setupnotes [] [=] \setupnotes [] [=] |
| setuplocalinterlinespace:argument setuplocalinterlinespace:name setuplow setuplowhigh setuplowmidhigh setupMPgraphics setupMPinstance setupMPpage setupMPvariables setupmarginblock setupmarginframed setupmarginrule setupmathalignment setupmathcases setupmathfraction setupmathfraction setupmathfractions setupmathradical setupmathstackers setupmathstyle setupmathston setupmodule setupnotation setupnote setupnotes | \setuplocalinterlinespace [] [=] \setuplocalinterlinespace [] \setuplocalinterlinespace [] \setuplow [] [=] \setuplowhigh [] [=] \setuplowmidhigh [] [=] \setupMPgraphics [=] \setupMPpage [=] \setupMPpage [=] \setupMPvariables [] [=] \setupmarginblock [] [=] \setupmarginframed [] [=] \setupmarginframed [] [=] \setupmathalignment [] [=] \setupmathematics [] [=] \setupmathematics [] [=] \setupmathfraction [] [=] \setupmathfractions [] [=] \setupmathframed [] [=] \setupmathradical [] [=] \setupmathstackers [] [=] \setupmathstackers [] [=] \setupmathstyle [] \setupmodule [] [=] \setupnotation [] [=] \setupnotations [] [=] |
| setuplocalinterlinespace:argument setuplocalinterlinespace:name setuplow setuplowhigh setuplowhidhigh setupMPgraphics setupMPpage setupMPvariables setupmarginblock setupmarginframed setupmarginrule setupmathalignment setupmathesics setupmathfraction setupmathfraction setupmathframed setupmathframed setupmathractions setupmathractions setupmathractions setupmathraction setupmathractions setupmathraction setupmathstole setupmathstole setupnotation setupnotation setupnote setupnote setupnotes setupoffset | \setuplocalinterlinespace [] [=] \setuplocalinterlinespace [] \setuplocalinterlinespace [] \setuplow [] [=] \setuplowhigh [] [=] \setuplowmidhigh [] [=] \setupMPgraphics [=] \setupMPpage [=] \setupMPpage [=] \setupMPvariables [] [=] \setupmarginblock [] [=] \setupmarginframed [] [=] \setupmarginframed [] [=] \setupmarginrule [] [=] \setupmathalignment [] [=] \setupmathematics [] [=] \setupmathematics [] [=] \setupmathfraction [] [=] \setupmathfractions [] [=] \setupmathframed [] [=] \setupmathradical [] [=] \setupmathradical [] [=] \setupmathstackers [] [=] \setupmodule [] [=] \setupnotation [] [=] \setupnotations [] [=] \setupnotes [] [=] \setupnotes [] [=] \setupnotes [] [=] |

| setuppagechecker | \setuppagechecker [] [=] |
|---|--|
| setuppagecolumns | \setuppagecolumns [] [=] |
| setuppageinjection | \setuppageinjection [] [=] |
| setuppageinjectionalternative | \setuppageinjectionalternative [] [=] |
| | \setuppageshift [] [] |
| setuppageshift | |
| setuppagestate | \setuppagestate [] [=] |
| setuppairedbox | \setuppairedbox [] [=] |
| setuppairedbox:instance | \impostaPAIREDBOX [=] |
| setuppairedbox:instance:legend | \impostalegend [=] |
| setuppaper | \setuppaper [=] |
| setupparagraph | \setupparagraph [] [=] |
| setupparagraphintro | \setupparagraphintro [] [] |
| setupparallel | \setupparallel [] [=] |
| setupperiodkerning | \setupperiodkerning [] [=] |
| setupperiods | \setupperiods [=] |
| setupplacement | \setupplacement [] [=] |
| setuppositionbar | \setuppositionbar [=] |
| | |
| setupprocessor | \setupprocessor [] [=] |
| setupprofile | \setupprofile [] [=] |
| setupquotation | \setupquotation [=] |
| setuprealpagenumber | \setuprealpagenumber [=] |
| setupreferenceformat | \setupreferenceformat [] [=] |
| setupreferenceprefix | \setupreferenceprefix [] |
| setupreferencestructureprefix | \setupreferencestructureprefix [] [] [=] |
| setupregisters | \setupregisters [] [=] |
| setupregisters:argument | \setupregisters [] [=] |
| setuprenderingwindow | \setuprenderingwindow [] [=] |
| - | |
| setupruby | \setupruby [] [=] |
| setups _ | \setups [] |
| setupscale | \setupscale [] [=] |
| setupscript | \setupscript [] [=] |
| setupscripts | \setupscripts [] [=] |
| setupselector | \setupselector [] [=] |
| setupshift | \setupshift [] [=] |
| setupsidebar | \setupsidebar [] [=] |
| setupspellchecking | \setupspellchecking [=] |
| setupstretched | \setupstretched [=] |
| setupstruts | \setupstruts [] |
| setupstyle | \setupstyle [] [=] |
| - · · · · · · · · · · · · · · · · · · · | |
| setupsubformula | \setupsubformula [] [=] |
| setupsubformulas | \setupsubformulas [] [=] |
| setupsymbols | \setupsymbols [=] |
| setupsynctex | \setupsynctex [=] |
| setups:direct | \setups {} |
| setupTABLE | \setupTABLE [] [=] |
| setupTEXpage | \setupTEXpage [=] |
| setuptabulation | \setuptabulation [] [=] |
| setuptagging | \setuptagging [=] |
| setuptextbackground | \setuptextbackground [] [=] |
| setuptextflow | \setuptextflow [] [=] |
| setuptextnote | \setuptextnote [] [=] |
| - | |
| setuptooltip | \setuptooltip [] [=] |
| setupunit | \setupunit [] [=] |
| setupuserdata | \setupuserdata [] [=] |
| setupuserdataalternative | \setupuserdataalternative [] [=] |
| setupuserpagenumber | \setupuserpagenumber [=] |
| setupversion | \setupversion [] |
| setupviewerlayer | \setupviewerlayer [=] |
| setupvspacing | \setupvspacing [] |
| setupwithargument | \setupwithargument {} {} |
| setupwithargumentswapped | \setupwithargumentswapped {} {} |
| setupxml | \setupxml [=] |
| setupxtable | |
| | \setupxtable [] [=] |
| setuvalue | \setuvalue {} {} |
| setuxvalue | \setuxvalue {} {} |
| setvalue | \setvalue {} {} |
| setvariable | \setvariable {} {} |
| setvariables | \setvariables [] [=] |
| setvboxregister | \setvboxregister {} |
| setvisualizerfont | \setvisualizerfont [] |
| setvtopregister | \setvtopregister {} |
| setwidthof | \setwidthof \to \ |
| | , ,~~ \ |

| setxmeasure | \setxmeasure {} {} |
|-------------------------------------|---|
| setxvalue | \setxvalue {} {} |
| setxvariable | \setxvariable {} {} {} |
| setxvariables | \setxvariables [] [=] |
| sfondo | \sfondo {} |
| sfondo:example | \SFONDO {} |
| shapedhbox | \shapedhbox {} |
| shiftbox | \shiftbox {} |
| shift:instance | \SHIFT {} |
| shift:instance:shiftdown | \shiftdown {} |
| shift:instance:shiftup | \shiftup {} |
| showallmakeup | \showallmakeup |
| showattributes | \showattributes |
| showboxes | \showboxes |
| showbtxdatasetauthors | \showbtxdatasetauthors [=] |
| showbtxdatasetauthors:argument | \showbtxdatasetauthors [] |
| showbtxdatasetcompleteness | \showbtxdatasetcompleteness [=] |
| showbtxdatasetcompleteness:argument | \showbtxdatasetcompleteness [] |
| showbtxdatasetfields | \showbtxdatasetfields [=] |
| showbtxdatasetfields:argument | \showbtxdatasetfields [] |
| showbtxfields | \showbtxfields [=] |
| showbtxfields:argument | \showbtxfields [] |
| showbtxhashedauthors | \showbtxhashedauthors [] |
| showbtxtables | \showbtxtables [] |
| showchardata | \showchardata {} |
| showcharratio | \showcharratio {} |
| showcolorbar | \showcolorbar [] |
| showcolorcomponents | \showcolorcomponents [] |
| showcolorset | \showcolorset [] |
| showcolorstruts | \showcolorstruts |
| showcounter | \showcounter [] |
| showdirectives | \showdirectives |
| showdirsinmargin | \showdirsinmargin |
| showedebuginfo | \showedebuginfo |
| showexperiments | \showexperiments |
| showfont | \showfont [] [] |
| showfontdata | \showfontdata |
| showfontexpansion | \showfontexpansion |
| showfontitalics | \showfontitalics |
| showfontkerns | \showfontkerns |
| showfontparameters | \showfontparameters |
| showfontstrip | \showfontstrip [] |
| showfortstyle | \showfontstyle [] [] [] |
| showglyphdata | \showglyphdata |
| showglyphs showgridsnapping | \showglyphs \showgridsnapping |
| showellp | \showhelp {} [] |
| showhyphenationtrace | \showhyphenationtrace [] [] |
| showhyphens | \showhyphenationsidec [] [] |
| showinjector | \showinjector [] |
| showjustification | \showjustification |
| showkerning | \showkerning {} |
| showlayoutcomponents | \showlayoutcomponents |
| showligature | \showligature {} |
| showligatures | \showligatures [] |
| showlogcategories | \showlogcategories |
| showmargins | \showmargins |
| showmessage | \showmessage {} {} {} |
| showminimalbaseline | \showminimalbaseline |
| shownextbox | \shownextbox \ {} |
| showotfcomposition | \showotfcomposition $\{\ldots\}$ $\{\ldots\}$ |
| showparentchain | \showparentchain \ {} |
| showsetupsdefinition | \showsetupsdefinition [] |
| showtimer | \showtimer {} |
| showtokens | \showtokens [] |
| showtrackers | \showtrackers |
| showvalue | \showvalue {} |
| showvariable | \showvariable {} {} |
| showwarning | \showwarning {} {} {} |
| signalrightpage | \signalrightpage |
| simbolo | \simbolo [] [] |
| simbolo:direct | \simbolo {} |

| | \-:1:1:1\-: |
|---------------------------------------|---|
| simplealignedbox simplealignedboxplus | \simplealignedbox {} {} {} \simplealignedboxplus {} {} {} |
| simplealignedspreadbox | \simplealignedboxplus \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| simplegroupedcommand | \simplearighedspreadbox \(\(\cdot\) \(\cdot\) \(\cdot\) |
| simplereversealignedbox | \simplereversealignedbox \{\ldots\} \\\.\\} |
| simplereversealignedboxplus | \simplereversealignedboxplus {} {} {} {} |
| singalcharacteralign | \singalcharacteralign {} {} |
| singlebond | \singlebond |
| sinistra | \sinistra |
| sixthofsixarguments | \sixthofsixarguments {} {} {} {} {} |
| slantedface | \slantedface |
| slicepages | \slicepages [] [=] |
| slovenianNumerals | \slovenianNumerals {} |
| sloveniannumerals | \sloveniannumerals {} |
| smallcappedcharacters | \smallcappedcharacters {} |
| smallcappedromannumerals | \smallcappedromannumerals {} |
| smaller | \smaller |
| smallskip | \smallskip |
| smash | \smash [] {} |
| smashbox | \smashbox |
| smashboxed | \smashboxed |
| smashedhbox | \smashedhbox {} |
| smashedvbox | \smashedvbox {} |
| snaptogrid | \snaptogrid [] \ {} |
| snaptogrid:list someheadnumber | \snaptogrid [] \ {} \someheadnumber [] [] |
| somekindoftab | \somekindoftab [=] |
| somelocalfloat | \somelocalfloat |
| somenamedheadnumber | \somenamedheadnumber {} {} |
| someplace | \someplace \{\ldots\} \{\ldots\} \{\ldots\} \{\ldots\} \[\ldots\] |
| sorting:instance | \SORTING [] {} |
| sorting:instance:logo | \logo [] {} |
| sottopaginasuccessiva | \sottopaginasuccessiva |
| spaceddigits | \spaceddigits {} |
| spaceddigitsmethod | \spaceddigitsmethod |
| spaceddigitsseparator | \spaceddigitsseparator |
| spaceddigitssymbol | \spaceddigitssymbol |
| spanishNumerals | \spanishNumerals {} |
| spanishnumerals | \spanishnumerals {} |
| spazifissi | \spazifissi |
| spazio | \spazio |
| spaziofisso | \spaziofisso |
| spessoreriga | \spessoreriga |
| spezzaoggettomobile | \spezzaoggettomobile [=] {} {} |
| splitatasterisk | \splitatasterisk \ |
| splitatcolon | \splitatcolon \ \ |
| splitatcolons | \splitatcolons \ \ |
| splitatcomma | \splitatcomma \ \ |
| splitatperiod | \splitatperiod \ |
| splitdfrac | \splitdfrac {} {} |
| splitfilename | \splitfilename {} |
| splitfrac splitoffbase | \splitfrac {} {} \splitoffbase |
| splitofffull | \splitofffull |
| splitoffkind | \splitoffkind |
| splitoffname | \splitoffname |
| splitoffpath | \splitoffpath |
| splitoffroot | \splitoffroot |
| splitofftokens | \splitofftokens \from \to \ |
| splitofftype | \splitofftype |
| splitstring | \splitstring \at \to \ \and \ |
| spreadhbox | \spreadhbox |
| sqrt | \sqrt [] {} |
| stackcampi | \stackcampi [] [=] |
| stackrel | \stackrel {} {} |
| stackscripts | \stackscripts |
| startlinenote:instance | \iniziaLINENOTE [] {} |
| startlinenote:instance:linenote | \inizialinenote [] {} |
| startregister | \startregister [] [] [] {++} \stopregister [. |
| startstop:example | \STARTSTOP {} |
| startstructurepageregister | \startstructurepageregister [] [=] [=] \stopstruct |
| stirato | \stirato [=] {} |

| stoplinenote:instance | \terminaLINENOTE [] |
|---------------------------------|---|
| stoplinenote:instance:linenote | \terminalinenote [] |
| strictdoifelsenextoptional | \strictdoifelsenextoptional {} {} |
| strictdoifnextoptionalelse | \strictdoifnextoptionalelse {} {} |
| stripcharacter | \stripcharacter \from \to \ |
| strippedcsname | \strippedcsname \ |
| strippedcsname:string | \strippedcsname |
| stripspaces | \stripspaces \from \to \ |
| structurelistuservariable | \structurelistuservariable {} |
| structurenumber | \structurenumber |
| structuretitle | \structuretitle |
| structureuservariable | \structureuservariable {} |
| structurevariable | \structurevariable {} |
| strut | \strut |
| strutdp | \strutdp |
| strutgap | \strutgap |
| strutht | \strutht |
| struthtdp | \struthtdp |
| struttedbox | \struttedbox {} |
| strutwd | \strutwd |
| style | \style [=] {} |
| styleinstance | \styleinstance [] |
| style:argument | \style [] \style [] |
| style:instance | \STYLE {} |
| subpagenumber | \subpagenumber |
| subsentence | \subsentence {} |
| substituteincommalist | \substituteincommalist \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| subtractfeature | \subtractfeature [] |
| subtractfeature:direct | \subtractieature [] \subtractfeature {} |
| | |
| swapcounts | \swapcounts \ \ |
| swapdimens | \swapdimens \ \ |
| swapface | \swapface |
| swapmacros | \swapmacros \ \ |
| swaptypeface | \swaptypeface |
| switchstyleonly | \switchstyleonly [] |
| switchstyleonly:command | \switchstyleonly \ |
| switchtocolor | \switchtocolor [] |
| switchtointerlinespace | \switchtointerlinespace [] [=] |
| switchtointerlinespace:argument | \switchtointerlinespace [] |
| switchtointerlinespace:name | \switchtointerlinespace [] |
| symbolreference | \symbolreference [] |
| synchronizeblank | \synchronizeblank |
| synchronizeindenting | \synchronizeindenting |
| synchronizemarking | \synchronizemarking [] [] |
| synchronizeoutputstreams | \synchronizeoutputstreams [] |
| synchronizestrut | \synchronizestrut {} |
| synchronizewhitespace | \synchronizewhitespace |
| synctexblockfilename | \synctexblockfilename {} |
| synctexresetfilename | \synctexresetfilename |
| synctexsetfilename | \synctexsetfilename {} |
| synonym:instance | \SYNONYM [] {} |
| synonym:instance:abbreviation | \abbreviation [] {} |
| systemlog | \systemlog {} {} |
| systemlogfirst | \systemlogfirst {} {} |
| systemloglast | \systemloglast {} {} {} |
| systemsetups | \systemsetups {} |
| TABLE | \TABLE |
| TaBlE | \TaBlE |
| TEX | \TEX |
| TeX | \TeX |
| TheNormalizedFontSize | \TheNormalizedFontSize |
| TransparencyHack | \TransparencyHack |
| tabulateautoline | \tabulateautoline |
| tabulateautorule | \tabulateautorule |
| tabulateline | \tabulateline |
| tabulaterule | \tabulaterule |
| taggedctxcommand | \taggedctxcommand {} |
| taggedlabeltexts | \taggedlabeltexts {} {} {} |
| tbox | \tbox {} |
| terminariga | \terminariga [] |
| testandsplitstring | \testandsplitstring \at \to \ \and \ |
| testcolumn | \testcolumn [] [] |
| | |

| testfeature | \testfeature {} {} |
|---------------------------------------|---|
| testfeatureonce | \testfeatureonce {} {} |
| testoaiuto | \testoaiuto [] {} |
| testoetichetta:instance | \LABELtesto {} |
| testoetichetta:instance:btxlabel | \btxlabeltesto {} |
| testoetichetta:instance:head | \headtesto {} |
| testoetichetta:instance:label | \labeltesto {} |
| testoetichetta:instance:mathlabel | \mathlabeltesto {} |
| testoetichetta:instance:operator | \operatortesto {} |
| testoetichetta:instance:prefix | \prefixtesto {} |
| testoetichetta:instance:suffix | \suffixtesto {} |
| testoetichetta:instance:taglabel | \taglabeltesto {} |
| testoetichetta:instance:unit | \unittesto {} |
| testoincorniciato:instance | \FRAMEDTEXT [=] {} |
| testoincorniciato:instance:framedtext | \framedtext [=] {} |
| testonotapdp | \testonotapdp [] {} |
| testonotapdp:assignment | \testonotapdp [=] |
| testoriempimento | \testoriempimento [=] {} {} |
| testpage | \testpage [] [] |
| testpageonly | \testpageonly [] [] |
| testpagesync | \testpagesync [] [] |
| testtokens | \testtokens [] |
| tex | \tex {} |
| texdefinition | \texdefinition {} |
| texsetup | \texsetup {} |
| textbackground:example | \TEXTBACKGROUND {} |
| textcitation | \textcitation [=] [] |
| textcitation:alternative | \textcitation [] [] |
| textcitation:userdata | \textcitation [=] [=] |
| textcite | \textcite [=] [] |
| textcite:alternative | \textcite [] [] |
| textcite:userdata | \textcite [=] [=] |
| textcontrolspace | \textcontrolspace |
| textflowcollector | \textflowcollector {} |
| textmath | \textmath {} |
| textminus | \textminus |
| textnote | \textnote [=] {} |
| textormathchar | \textormathchar {} |
| textormathchars | \textormathchars {} |
| textplus | \textplus |
| textvisiblespace | \textvisiblespace |
| thainumerals | \thainumerals {} |
| thefirstcharacter | \thefirstcharacter {} |
| thenormalizedbodyfontsize | \thenormalizedbodyfontsize {} |
| theremainingcharacters | \theremainingcharacters {} |
| thickspace | \thickspace |
| thinspace | \thinspace |
| thirdoffivearguments | \thirdoffivearguments \{\} \{\} \{\} \{\} |
| thirdoffourarguments | \thirdoffourarguments $\{\}$ $\{\}$ $\{\}$ |
| thirdofsixarguments | \thirdofsixarguments $\{\ldots\}$ $\{\ldots\}$ $\{\ldots\}$ $\{\ldots\}$ $\{\ldots\}$ |
| thirdofthreearguments | \thirdofthreearguments \{\ldots\} \{\ldots\} |
| thirdofthreeunexpanded | \thirdofthreeunexpanded $\{\ldots\}$ $\{\ldots\}$ |
| threedigitrounding | \threedigitrounding {} |
| tibetannumerals | \tibetannumerals {} |
| tieniblocchi | \tieniblocchi [] [] |
| tightlayer | \tightlayer [] |
| tilde | \tilde {} |
| tinyfont | \tinyfont |
| tlap | \tlap {} |
| tochar | \tochar {} |
| tolinenote | \tolinenote [] |
| tooltip:instance | \TOOLTIP [=] {} {} |
| tooltip:instance:argument | \TOOLTIP [] {} {} |
| tooltip:instance:argument:tooltip | \tooltip [] {} |
| tooltip:instance:tooltip | \tooltip [=] {} {} |
| topbox | \topbox {} |
| topleftbox | \topleftbox {} |
| toplinebox | \toplinebox {} |
| toprightbox | \toprightbox {} |
| topskippedbox | \topskippedbox {} |
| tracecatcodetables | \tracecatcodetables |
| tracedfontname | \tracedfontname {} |

| \traceoutputroutines |
|---|
| $\$ tracepositions |
| \traduci [=] |
| \transparencycomponents {} |
| \transparent [] {} |
| \triplebond \truefilename {} |
| \truefontname {} |
| \ttraggedright |
| \twodigitrounding {} |
| \tx |
| \txx |
| \typ [=] {} |
| \type [=] {} |
| \typebuffer [] [=] |
| \typeBUFFER [=] |
| \typedefinedbuffer [] [=] |
| \typeface |
| \typefile [] [=] {} |
| \typeinlinebuffer [] [=] |
| <pre>\typescriptone \typescriptprefix {}</pre> |
| \typescriptprerix \\\typescriptthree |
| \typescripttwo |
| \typesetbuffer [] [=] |
| \typesetfile [] [] [=] |
| \type [=] <<>> |
| \TYPE [=] {} |
| \TYPE [=] <<>> |
| \typ [=] <<>> |
| \uconvertnumber {} {} |
| \uedcatcodecommand \ {} |
| \ultimasottopagina |
| \undefinevalue {} |
| \undepthed {} |
| \underset {} {} |
| \undoassign [] [=] \unexpandeddocumentvariable {} |
| \unhhbox \with {} |
| \unihex {} |
| \uniqueMPgraphic {} {=} |
| \uniqueMPpagegraphic {} {=} |
| \UNIT {} |
| \unit {} |
| \unprotect \protect |
| \unprotected \par |
| \unregisterhyphenationpattern [] [] |
| \unspaceafter \ {} |
| \unspaceargument \to \ |
| \unspaced {} |
| \unspacestring \to \ |
| \unstackscripts \untexargument {} \to \ |
| \untexangument \(\(\cdot\)\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| \uppercased {} |
| \uppercasestring \to \ |
| \upperleftdoubleninequote |
| \upperleftdoublesixquote |
| \upperleftsingleninequote |
| \upperleftsinglesixquote |
| \upperrightdoubleninequote |
| \upperrightdoublesixquote |
| $\verb \upperrightsingleninequote $ |
| \upperrightsinglesixquote |
| \url [] |
| \usablocco [] [] [=] |
| \usacartella [] |
| \usacolonnasonoraesterna [] [] |
| \usadocumentoesterno [] [] |
| \usafiguraesterna [] [] [=] \usaJSscripts [] [] |
| \usamodulo [] [] [=] |
| |

| | \ | | |
|---|---|--|--|
| nsasimboli | \usasimboli [] | | |
| ısaURL | \usaURL [] [] [] | | |
| ısaurl | \usaurl [] [] [] | | |
| sealignparameter | \usealignparameter \ | | |
| • | \useblankparameter \ | | |
| nsebodyfont | \usebodyfont [] | | |
| • • | \usebodyfontparameter \ | | |
| nsebtxdataset | \usebtxdataset [] [] [=] | | |
| nsebtxdefinitions | \usebtxdefinitions [] | | |
| nsecitation | \usecitation [] | | |
| nsecitation:direct | \usecitation {} | | |
| secolors | \usecolors [] | | |
| secomponent | \usecomponent [] | | |
| sedummycolorparameter | \usedummycolorparameter {} \usedummystyleandcolor {} {} | | |
| sedummystyleandcolor | \usedummystyleparameter {} | | |
| nsedummystyleparameter nseenvironment | \useenvironment [] | | |
| seexternalrendering | \useexternalrendering [] [] [] [] | | |
| nseexternarrendering nsefigurebase | \usefigurebase [] | | |
| nsefile | \usefile [] [] | | |
| | \usegridparameter \ | | |
| nsegridparameter nseindentingparameter | \useindentingparameter \ | | |
| nseindentingparameter | \useindentnextparameter \ | | |
| seinterlinespaceparameter | \useinterlinespaceparameter \ | | |
| uselanguageparameter | \uselanguageparameter \ | | |
| useluamodule | \useluamodule [] | | |
| useMPenvironmentbuffer | \useMPenvironmentbuffer [] | | |
| useMPgraphic | \useMPgraphic {} {=} | | |
| useMPlibrary | \useMPlibrary [] | | |
| useMPrun | \useMPrun {} {} | | |
| useMPvariables | \useMPvariables [] [] | | |
| usemathstyleparameter | \usemathstyleparameter \ | | |
| | \useproduct [] | | |
| useprofileparameter | \useprofileparameter \ | | |
| nseproject | \useproject [] | | |
| usereferenceparameter | \usereferenceparameter \ | | |
| serpagenumber | \userpagenumber | | |
| | \usesetupsparameter \ | | |
| usestaticMPfigure | \usestaticMPfigure [=] [] | | |
| sesubpath | \usesubpath [] | | |
| nsetexmodule | \usetexmodule [] [=] | | |
| setypescript | \usetypescript [] [] | | |
| setypescriptfile | \usetypescriptfile [] | | |
| sezipfile | \usezipfile [] [] | | |
| utfchar | \utfchar {} | | |
| utflower | \utflower {} | | |
| utfupper | \utfupper {} | | |
| ntilityregisterlength | \utilityregisterlength | | |
| VerboseNumber | \VerboseNumber {} | | |
| <i>r</i> aia | \vaia {} [] | | |
| | \vaiabox {} [] | | |
| | \vaiapagina {} [] | | |
| | \vaigiu [] | | |
| valorecolore | \valorecolore {} | | |
| | \vboxreference [] {} | | |
| | \vec {} | | |
| verbatim | \verbatim {} | | |
| verbatimstring | \verbatimstring {} | | |
| verbosenumber | \verbosenumber {} | | |
| versione | \versione [] | | |
| | \verticalgrowingbar [=] | | |
| - | \verticalpositionbar [=] | | |
| • •• | \veryraggedcenter | | |
| | \veryraggedleft | | |
| | \veryraggedright | | |
| glue | \vglue | | |
| viewerlayer | \viewerlayer [] {} | | |
| | \v1 [] | | |
| packdbox | \vpackodbox | | |
| /packedbox | \vpackedbox \vphantom {} | | |
| /phantom | \vpnantom {} | | |

| vsmash | \vsmash {} | | |
|-----------------------------------|--|--|--|
| vsmashbox | \vsmashbox | | |
| vsmashed | \vsmashed {} | | |
| vspace | \vspace [] [] | | |
| vspacing | \vspacing [] | | |
| WidthSpanningText | \WidthSpanningText {} {} | | |
| wdofstring | \wdofstring {} | | |
| widthofstring | \widthofstring {} | | |
| widthspanningtext | \widthspanningtext {} {} {} | | |
| withoutpt | \withoutpt {} | | |
| words wordtonumber | \words {} \wordtonumber {} {} | | |
| wordtonumber writedatatolist | \wordtonumber {} {} \writedatatolist [] [=] [=] | | |
| writestatus | \writedatatolist [] [=] [=] \writestatus {} {} | | |
| XETEX | \XETEX | | |
| XeTeX | \XeTeX | | |
| xdefconvertedargument | \xdefconvertedargument \ {} | | |
| xmladdindex | \xmladdindex {} | | |
| xmlafterdocumentsetup | $\verb \xmlafterdocumentsetup {} {} {} $ | | |
| xmlaftersetup | $\mbox{\em Lorentz} \{ \ldots \} \ \{ \ldots \}$ | | |
| xmlall | \xmlall {} {} | | |
| xmlappenddocumentsetup | \xmlappenddocumentsetup {} {} | | |
| xmlappendsetup | \xmlappendsetup {} | | |
| xmlapplyselectors | \xmlapplyselectors {} | | |
| xmlatt | \xmlatt {} {} | | |
| xmlattribute | \xmlattdef {} {} {} \xmlattribute {} {} | | |
| xmlattributedef | \xmlattribute \(\(\)\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ | | |
| xmladinclusions | \xmlbadinclusions {} | | |
| xmlbeforedocumentsetup | \xmlbeforedocumentsetup {} {} {} | | |
| xmlbeforesetup | \xmlbeforesetup {} {} | | |
| xmlchainatt | \xmlchainatt {} {} | | |
| xmlchainattdef | \xmlchainattdef {} {} {} | | |
| xmlchecknamespace | $\verb \xmlchecknamespace {} {} $ | | |
| xmlcommand | $\mbox{xmlcommand } \{\} \{\}$ | | |
| xmlconcat | \xmlconcat {} {} {} | | |
| xmlconcatrange | \xmlconcatrange \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ | | |
| xmlcontext | \xmlcontext {} {} | | |
| xmlcount | \xmlcount {} | | |
| xmldefaulttotext xmldirectives | \xmldefaulttotext {} \xmldirectives {} | | |
| xmldirectives xmldirectivesafter | \xmldirectives {} \xmldirectivesafter {} | | |
| xmldirectivesarter | \xmldirectivesarter \(\tau.\) | | |
| xmldisplayverbatim | \xmldisplayverbatim {} | | |
| xmldoif | \xmldoif {} {} | | |
| xmldoifatt | \xmldoifatt {} {} | | |
| xmldoifelse | $\label{local_continuity} $$ \xmldoifelse {} {} {} {} $$ | | |
| xmldoifelseatt | $\verb \xm doifelseatt {} {} {}$ | | |
| xmldoifelseempty | \xmldoifelseempty {} {} {} | | |
| xmldoifelseselfempty | \xmldoifelseselfempty {} {} | | |
| xmldoifelsetext | \xmldoifelsetext {} {} {} {} | | |
| xmldoifelsevalue | \xmldoifelsevalue {} {} {} {} | | |
| xmldoifnot | \xmldoifnot {} {} {} | | |
| xmldoifnotatt xmldoifnotselfempty | \xmldoifnotatt {} {} \xmldoifnotselfempty {} {} | | |
| xmldoifnottext | \xmldoifnottext \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ | | |
| xmldoifselfempty | \xmldoifselfempty {} {} | | |
| xmldoiftext | \xmldoiftext {} {} | | |
| xmlelement | \xmlelement {} {} | | |
| xmlfilter | \xmlfilter {} {} | | |
| xmlfirst | \xmlfirst {} {} | | |
| xmlflush | \xmlflush {} | | |
| xmlflushcontext | \xmlflushcontext {} | | |
| xmlflushdocumentsetups | \xmlflushdocumentsetups {} {} | | |
| xmlflushlinewise | \xmlflushlinewise {} | | |
| xmlflushpure | \xmlflushpure {} | | |
| xmlflushspacewise | \xmlflushspacewise {} | | |
| xmlflushtext | \xmlflushtext {} | | |
| xmlinclude xmlinclusion | \xmlinclude {} {} \xmlinclusion {} | | |
| xmlinclusion | \xmlinclusion \{\ldots\} | | |
| xmlinfo | \xmlinfo {} | | |
| | \ | | |

| xmlinjector | \xmlinjector {} | | |
|-----------------------------|--|--|--|
| xmlinlineprettyprint | \xmlinlineprettyprint \{\ldots\} \{\ldots\} | | |
| xmlinlineprettyprinttext | \xmlinlineprettyprinttext {} {} | | |
| xmlinlineverbatim | \xmlinlineverbatim {} | | |
| xmlinstalldirective | \xmlinstalldirective \{\ldots\} \{\ldots\} | | |
| xmllast | \xmllast {} {} | | |
| xmllastatt | \xmllastatt | | |
| xmllastmatch | \xmllastmatch | | |
| xmllastpar | \xmllastpar | | |
| xmlloadbuffer | $\xr = \xr $ | | |
| xmlloaddata | \xmlloaddata {} {} {} | | |
| xmlloaddirectives | \xmlloaddirectives {} | | |
| xmlloadfile | \xmlloadfile {} {} {} | | |
| xmlloadonly | \xmlloadonly {} {} {} | | |
| xmlmain | \xmlmain {} | | |
| xmlmapvalue | \xmlmapvalue {} {} | | |
| xmlname | \xmlname {} | | |
| xmlnamespace | \xmlnamespace {} | | |
| xmlnonspace | \xmlnonspace {} {} | | |
| • | \xmlpar {} {} | | |
| xmlpar | | | |
| xmlparam | \xmlparam {} {} {} | | |
| xmlpath | \xmlpath {} | | |
| xmlpos | \xmlpos {} | | |
| xmlposition | \xmlposition {} {} {} | | |
| xmlprependdocumentsetup | \xmlprependdocumentsetup {} {} | | |
| xmlprependsetup | \xmlprependsetup {} | | |
| xmlprettyprint | \xmlprettyprint {} {} | | |
| xmlprettyprinttext | \xmlprettyprinttext {} {} | | |
| xmlprocessbuffer | \xmlprocessbuffer \{\ldots\} \{\ldots\} | | |
| xmlprocessdata | $\mbox{xmlprocessdata} \{\} \{\}$ | | |
| xmlprocessfile | $\xr = \xr $ | | |
| xmlpure | \xmlpure {} {} | | |
| xmlraw | \xmlraw {} | | |
| xmlrefatt | \xmlrefatt {} {} | | |
| xmlregistereddocumentsetups | \xmlregistereddocumentsetups {} {} | | |
| xmlregisteredsetups | \xmlregisteredsetups | | |
| xmlregisterns | \xmlregisterns {} {} | | |
| xmlremapname | \xmlremapname {} {} {} | | |
| xmlremapnamespace | \xmlremapnamespace {} {} {} | | |
| xmlremovedocumentsetup | \xmlremovedocumentsetup {} {} | | |
| xmlremovesetup | \xmlremovesetup {} | | |
| xmlresetdocumentsetups | \xmlresetdocumentsetups {} | | |
| xmlresetinjectors | \xmlresetinjectors | | |
| xmlresetsetups | \xmlresetsetups {} | | |
| xmlsave | \xmlsave {} {} | | |
| xmlsetatt | \xmlsetatt \{\dots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ | | |
| xmlsetattribute | \xmlsetatt \(\cdot\)\forall \(\lambda\) \(\lambda\) \(\lambda\) \(\lambda\) \(\lambda\) \(\lambda\) \(\lambda\) \(\lambda\)\forall \(\lambda\)\fo | | |
| | | | |
| xmlsetentity | \xmlsetentity {} {} | | |
| xmlsetfunction | \xmlsetfunction {} {} {} | | |
| xmlsetinjectors | \xmlsetinjectors [] | | |
| xmlsetpar | \xmlsetpar {} {} | | |
| xmlsetparam | \xmlsetparam {} {} {} {} | | |
| xmlsetsetup | \xmlsetsetup {} {} {} | | |
| xmlsetup | \xmlsetup {} {} | | |
| xmlshow | \xmlshow {} | | |
| xmlsnippet | $\mbox{xmlsnippet } \{\}$ | | |
| xmlstrip | \xmlstrip {} {} | | |
| xmlstripnolines | $\xim \xim \xim \xim \xim \xim \xim \xim $ | | |
| xmlstripped | $\xr = \xr $ | | |
| xmlstrippednolines | \xmlstrippednolines {} {} | | |
| xmltag | \xmltag {} | | |
| xmltexentity | \xmltexentity {} {} | | |
| xmltext | \xmltext {} {} | | |
| xmltobuffer | \xmltobuffer {} {} {} | | |
| xmltobufferverbose | \xmltobufferverbose {} {} {} | | |
| xmltofile | \xmltofile {} {} {} | | |
| xmlvalue | \xmlvalue {} {} {} | | |
| xmlverbatim | \xmlvarde () \xmlverbatim \{\} | | |
| xsplitstring | \xsplitstring \ \{\} | | |
| xypos | \xypos {} | | |
| zeronumberconversion | \zeronumberconversion {} | | |
| 201011411100100111011 | (| | |

