## ConTeXt

comandi

## ConTEXt comandi

language : it / italianoversion : 13 luglio 2020

maintainer: Wolfgang Schuster

comments : ntg-context@ntg.nl

AfterPar	\AfterPar {}
Alphabeticnumerals	\Alphabeticnumerals {}
AMSTEX	\AMSTEX
AmSTeX	\AmSTeX
And	\And
abjadnaivenumerals	\abjadnaivenumerals {}
abjadnodotnumerals	\abjadnodotnumerals {}
abjadnumerals	\abjadnumerals {}
activatespacehandler	\activatespacehandler {}
actualday	\actualday
actualmonth	\actualmonth
actualyear	\actualyear
acute	\acute {}
adaptcollector	\adaptcollector [] [=]
adaptfontfeature	\adaptfontfeature [] [=]
adaptpapersize	\adaptpapersize [] []
adattacampo	\adattacampo [] [=]
adattalayout	\adattalayout [] [=]
addfeature	\addfeature []
addfeature:direct	\addfeature {}
addtocommalist	\addtocommalist {} \
addtoJSpreamble	\addtoJSpreamble {} {}
addvalue	\addvalue {} {}
aftersplitstring	\aftersplitstring \at \to \
aftertestandsplitstring	\aftertestandsplitstring \at \to \
al	\al {} {} []
alignbottom	\alignbottom
aligned	\aligned [] {}
alignedbox	\alignedbox [] \ {}
alignedline	\alignedline {} {}
alignhere	\alignhere
alignmentcharacter	\alignmentcharacter
allineacentro	\allineacentro {}
allineadestra	\allineadestra {}
allineasinistra	\allineasinistra {}
allinputpaths	\allinputpaths
alphabeticnumerals	\alphabeticnumerals {}
alwayscitation	\alwayscitation [=] []
alwayscitation:alternative	\alwayscitation [] []
alwayscitation:userdata	\alwayscitation [=] [=]
alwayscite	\alwayscite [=] []
alwayscite:alternative	\alwayscite []
alwayscite:userdata	\alwayscite [=] [=]
ambiente	\ambiente []
ambiente:string	\ambiente
ampersand	\ampersand
anchor	\anchor [] [=] [=] {}
ap	\ap {}
apagina	\apagina []
appendetoks	\appendetoks \to \
appendgvalue	\appendgvalue {} {}
appendtocommalist	\appendtocommalist {} \
appendtoks	\appendtoks \to \
appendtoksonce	\appendtoksonce \to \
appendvalue	\appendvalue {} {}
apply	\apply {} {}
applyalternativestyle	\applyalternativestyle {}
applyprocessor	\applyprocessor {} {}
applytocharacters	\applytocharacters \ \{\}
applytofirstcharacter	\applytofirstcharacter \ \{\}
applytosplitstringchar	\applytosplitstringchar \ \{\}
applytosplitstringcharspaced	\applytosplitstringcharspaced \ \{\}
applytosplitstringline	\applytosplitstringline \ \{\}
applytosplitstringlinespaced	\applytosplitstringlinespaced \ \{\}
applytosplitstringlinespaced applytosplitstringword	\applytosplitstringund \ \\\
applytosplitstringword applytosplitstringwordspaced	\applytosplitstringwordspaced \ \{}
applytowords	\applytospiitstiingwordspaced \ \\\footnote{\lambda}
apply towords ap:instance	\HIGH {}
ap:instance ap:instance:unitshigh	\unitshigh {}
arabicdecimals	\arabicdecimals {}
arabicexnumerals	\arabiceecimais \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
arabicexnumerals	\arabicexnumerals \{\dots\}
ar apronumer are	(GIGSIONGMOTAIS ()

arg	\arg {}
asciimode	\asciimode
asciistr	\asciistr {}
assignalfadimension	\assignalfadimension $\{\ldots\}$ \ $\{\ldots\}$ $\{\ldots\}$
assigndimen	\assigndimen \ {}
assigndimension	\assigndimension $\{\ldots\}$ \ $\{\ldots\}$ $\{\ldots\}$
assignifempty	\assignifempty \ {}
assigntranslation	\assigntranslation [=] \to \
assignvalue	\assignvalue {} \ {} {} {}
assignwidth	\assignwidth {} \ {} {}
assumelongusagecs	\assumelongusagecs \ {}
astype	\astype {}
attachment:instance	\ATTACHMENT [] [=]
attachment:instance:attachment	\attachment [] [=]
autocap	\autocap {}
autodirhbox	\autodirhbox {}
autodirvbox	\autodirvbox {}
autodirvtop	\autodirvtop {}
autoinsertnextspace	\autoinsertnextspace
autointegral	\autointegral {} {}
automathematics	\automathematics {}
autoorientation	\autoorientation {}
autopagestaterealpage	\autopagestaterealpage {}
autopagestaterealpageorder	\autopagestaterealpageorder {}
autorule	\autorule \relax
autosetups	\autosetups {}
autostarttesto	\autostarttesto \autostoptesto
availablehsize	\availablehsize
averagecharwidth	\averagecharwidth
BeforePar	\BeforePar {}
Big	\Big
Bigg	\Bigg
Biggl	\Biggl
Biggm	\Biggm
Biggr	\Biggr
Bigl	\Bigl
Bigm	\Bigm
Bigr	\Bigr
backgroundimage	\backgroundimage \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
backgroundimagefill	\backgroundimagefill {} {} {}
backgroundline	\backgroundline [] {}
backgroundrine	\bar {}
barracolori	
barrainterazione	\barracolori []
	\barrainterazione [] [=]
bar:instance	\BAR {}
bar:instance:hiddenbar	\hiddenbar {}
bar:instance:nobar	\nobar {}
bar:instance:overbar	\overbar {}
bar:instance:overbars	\overbars {}
bar:instance:overstrike	\overstrike \{\}
bar:instance:overstrikes	\overstrikes {}
bar:instance:underbar	\underbar {}
bar:instance:underbars	\underbars {}
bar:instance:underdash	\underdash {}
bar:instance:underdashes	\underdashes {}
bar:instance:underdot	\underdot {}
bar:instance:underdots	\underdots {}
bar:instance:underrandom	\underrandom {}
bar:instance:underrandoms	\underrandoms {}
bar:instance:understrike	\understrike {}
bar:instance:understrikes	\understrikes {}
basegrid	\basegrid [=]
baselinebottom	\baselinebottom
baselineleftbox	\baselineleftbox {}
baselinemiddlebox	\baselinemiddlebox {}
baselinerightbox	\baselinerightbox {}
bbordermatrix	\bbordermatrix {}
bbox	\bbox {}
beforesplitstring	\beforesplitstring \at \to \
beforetestandsplitstring	\beforetestandsplitstring \at \to \
beginblock:example	\beginBLOCK [] [=] \endBLOCK
heginhhox	\heginhhox \endhhox

haminafahanahan	\haminefehanehan \3-f-11
beginofshapebox	\beginofshapebox \endofshapebox \beginvbox \endvbox
beginvtop	\beginvbox \endvbox \beginvtop \endvbox
begstrut	\begstrut \endstrut
bigg	bigg
bigger	\bigger
biggl	\biggl
biggm	\biggm
biggr	\biggr
bigl	\bigl
bigm	\bigm
bigr	\bigr
bigskip	\bigskip
bitmapimage	\bitmapimage [=] {}
blap bleed	\blap {} \bleed [=] {}
bleedheight	\bleed [] \bleedheight
bleedwidth	\bleedwidth
blockligatures	\blockligatures []
blocksynctexfile	\blocksynctexfile []
blockuservariable	\blockuservariable {}
bodyfontenvironmentlist	\bodyfontenvironmentlist
bodyfontsize	\bodyfontsize
boldface	\boldface
booleanmodevalue	\booleanmodevalue {}
bordermatrix	\bordermatrix {}
bottombox	\bottombox {}
bottomleftbox	\bottomleftbox {}
bottomrightbox	\bottomrightbox {}
boxcursor	\boxcursor
boxmarker	\boxmarker {} {}
boxofsize boxreference	\boxofsize \ \ \\\
	\boxreference [] \ {} \bpar \epar
bpar bpos	\bpos {}
breakhere	\breakhere
breve	\breve {}
bTABLE	\bTABLE [=] \eTABLE
bTABLEbody	\bTABLEbody [=] \eTABLEbody
bTABLEfoot	\bTABLEfoot [=] \eTABLEfoot
bTABLEhead	\bTABLEhead [=] \eTABLEhead
bTABLEnested	\bTABLEnested [=] \eTABLEnested
bTABLEnext	\bTABLEnext [=] \eTABLEnext
bTC	\bTC [=] \eTC
bTD	\bTD [=] \eTD
bTDs bTH	\bTDs [] \eTDs \bTH [=] \eTH
bTN	\bTN [=] \eTN
bTR	\bTR [=.] \eTR
bTRs	\bTRs [] \eTRs
bTX	\bTX [=] \eTX
bTY	\bTY [=] \eTY
btxabbreviatedjournal	\btxabbreviatedjournal {}
btxaddjournal	\btxaddjournal [] []
btxalwayscitation	\btxalwayscitation [=] []
btxalwayscitation:alternative	\btxalwayscitation [] []
btxalwayscitation:userdata	\btxalwayscitation [=] [=]
btxauthorfield	\btxauthorfield {}
btxdetail	\btxdetail {}
btxdirect	\btxdirect {}
btxdoif	\btxdoif {} {}
btxdoifcombiinlistelse btxdoifelse	\btxdoifcombiinlistelse \{\} \{\} \{\} \\btxdoifelse \{\} \{\}
btxdoifelsecombiinlist	\btxdoifelsecombiinlist \{\ldots\} \{\ldots\} \{\ldots\} \{\ldots\} \\
btxdoifelsesameasprevious	\btxdoifelsecomoliniist \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
btxdoifelsesameaspreviouschecked	\btxdoifelsesameasprevious \(\ldots\) \(\ldots\) \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
btxdoifelseuservariable	\btxdoifelseuservariable \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
btxdoifnot	\btxdoifnot {} {}
btxdoifsameaspreviouscheckedelse	\btxdoifsameaspreviouscheckedelse \{\ldots\} \{\ldots\} \{\ldots\} \\
btxdoifsameaspreviouselse	\btxdoifsameaspreviouselse {} {} {}
btxdoifuservariableelse	\btxdoifuservariableelse {} {} {}
btxexpandedjournal	\btxexpandedjournal {}
bukekpanacajournar	

btxfield	\btxfield {}
btxfieldname	\btxfieldname {}
btxfieldtype	\btxfieldtype {}
btxfirstofrange btxflush	\btxfirstofrange {} \btxflush {}
btxflushauthor	\btxflushauthor [] {}
btxflushauthorinverted	\btxflushauthorinverted {}
btxflushauthorinvertedshort	\btxflushauthorinvertedshort {}
btxflushauthorname	\btxflushauthorname {}
btxflushauthornormal	\btxflushauthornormal {}
btxflushauthornormalshort	\btxflushauthornormalshort {}
btxflushsuffix	\btxflushsuffix
btxfoundname	\btxfoundname {}
btxfoundtype	\btxfoundtype {}
btxhiddencitation	\btxhiddencitation []
btxhybridcite	\btxhybridcite [=] []
btxhybridcite:alternative	\btxhybridcite [] []
btxhybridcite:direct	\btxhybridcite {}
btxhybridcite:userdata	\btxhybridcite [=] [=]
btxlistcitation	\btxlistcitation [=] []
btxlistcitation:alternative btxlistcitation:userdata	\btxlistcitation [] [] \btxlistcitation [=] [=]
btxloadjournalist	\btxloadjournalist []
btxoneorrange	\btxoneorrange {} {} {}
btxremapauthor	\btxremapauthor [] []
btxsavejournalist	\btxsavejournalist []
btxsetup	\btxsetup {}
btxsingularorplural	\btxsingularorplural {} {} {}
btxsingularplural	\btxsingularplural {} {} {}
btxtextcitation	\btxtextcitation [=] []
btxtextcitation:alternative	\btxtextcitation [] []
btxtextcitation:userdata	\btxtextcitation [=] [=]
buildmathaccent	\buildmathaccent {} {}
buildtextaccent	\buildtextaccent {} {}
buildtextbottomcomma	\buildtextbottomcomma {}
buildtextbottomdot	\buildtextbottomdot {}
buildtextcedilla	\buildtextcedilla {}
buildtextgrave buildtextmacron	\buildtextgrave {} \buildtextmacron {}
buildtextognek	\buildtextmacron \\\}
Cap	\Cap {}
Caps	\Caps {}
CONTEXT	CONTEXT
ConTeXt	\ConTeXt
Context	Context
ConvertConstantAfter	\ConvertConstantAfter \ {} {}
ConvertToConstant	\ConvertToConstant \ {} {}
calligrafico	\calligrafico
cambiaafontdeltesto	\cambiaafontdeltesto []
camel	\came1 {}
campi	\campi []
cap	\cap {}
capello	\capello
capoverso:instance	\SECTION [] {} \SECTION [=]
<pre>capoverso:instance:assignment capoverso:instance:assignment:chapter</pre>	\chapter [=]
capoverso:instance:assignment:part	\part [=]
capoverso:instance:assignment:section	\section [=]
capoverso:instance:assignment:subject	\subject [=]
capoverso:instance:assignment:subsection	\subsection [=]
capoverso:instance:assignment:subsubject	\subsubject [=]
capoverso:instance:assignment:subsubsection	\subsubsection [=]
capoverso:instance:assignment:subsubsubject	\subsubsubject [=]
capoverso:instance:assignment:subsubsubsection	\subsubsubsection [=]
capoverso:instance:assignment:subsubsubsubject	\subsubsubsubject [=]
capoverso:instance:assignment:subsubsubsubsection	\subsubsubsubsection [=]
capoverso:instance:assignment:subsubsubsubsubject	\subsubsubsubject [=]
capoverso:instance:assignment:title	\title [=]
capoverso:instance:chapter	\chapter [] {}
<pre>capoverso:instance:ownnumber capoverso:instance:ownnumber:chapter</pre>	\SECTION [] {} \chapter [] {}
capoverso:instance:ownnumber:cnapter capoverso:instance:ownnumber:part	\part [] \\\\}
The state of the s	grand carries carries carries

capoverso:instance:ownnumber:section	\section [] {} {}
capoverso:instance:ownnumber:subject	\subject [] {} {}
capoverso:instance:ownnumber:subsection	\subsection [] $\{\}$
capoverso:instance:ownnumber:subsubject	$\subsubject [] {} {}$
capoverso:instance:ownnumber:subsubsection	\subsubsection [] $\{\}$
capoverso:instance:ownnumber:subsubsubject	$\subsubsubject [] {} {}$
capoverso:instance:ownnumber:subsubsubsection	\subsubsubsection [] {} {}
capoverso:instance:ownnumber:subsubsubsubject	\subsubsubsubject [] {} {}
capoverso:instance:ownnumber:subsubsubsubsection	\subsubsubsubsection [] {} {}
capoverso:instance:ownnumber:subsubsubsubject	\subsubsubsubsubject [] {} {}
capoverso:instance:ownnumber:title	\title [] {}
capoverso:instance:part	\part [] {}
capoverso:instance:section	\section [] {}
•	\subject [] {}
capoverso:instance:subject	<u> </u>
capoverso:instance:subsection	\subsection [] {}
capoverso:instance:subsubject	\subsubject [] {}
capoverso:instance:subsubsection	\subsubsection [] {}
capoverso:instance:subsubsubject	\subsubsubject [] {}
capoverso:instance:subsubsubsection	\subsubsubsection [] {}
capoverso:instance:subsubsubject	\subsubsubsubject [] {}
capoverso:instance:subsubsubsubsection	\subsubsubsection [] {}
capoverso:instance:subsubsubsubject	\subsubsubsubject [] {}
capoverso:instance:title	\title [] {}
catcodetablename	\catcodetablename
cbox	\cbox {}
centeraligned	\centeraligned {}
centerbox	\centerbox {}
centeredbox	\centeredbox {}
centeredlastline	\centeredlastline
centerednextbox	\centerednextbox {}
centerline	\centerline {}
	\centre
centro	
cfrac	\cfrac [] {}
characterkerning:example	\CHARACTERKERNING [] {}
chardescription	\chardescription {}
charwidthlanguage	\charwidthlanguage
check	\check {}
check checkcharacteralign	\checkcharacteralign {}
checkcharacteralign	\checkcharacteralign {}
checkcharacteralign checkedblank	\checkcharacteralign {} \checkedblank []
checkcharacteralign checkedblank checkedchar	\checkcharacteralign {} \checkedblank [] \checkedchar {} {}
checkcharacteralign checkedblank checkedchar checkedfiller checkedstrippedcsname	\checkcharacteralign {} \checkedblank [] \checkedchar {} {} \checkedfiller {} \checkedstrippedcsname \
checkcharacteralign checkedblank checkedchar checkedfiller checkedstrippedcsname checkinjector	\checkcharacteralign {} \checkedblank [] \checkedchar {} {} \checkedfiller {} \checkedstrippedcsname \ \checkinjector []
checkcharacteralign checkedblank checkedchar checkedfiller checkedstrippedcsname checkinjector checknextinjector	\checkcharacteralign {} \checkedblank [] \checkedchar {} {} \checkedfiller {} \checkedstrippedcsname \ \checkinjector [] \checknextinjector []
checkcharacteralign checkedblank checkedchar checkedfiller checkedstrippedcsname checkinjector checknextinjector checkpage	<pre>\checkcharacteralign {} \checkedblank [] \checkedchar {} {} \checkedfiller {} \checkedstrippedcsname \ \checkinjector [] \checknextinjector [] \checkpage [] [=]</pre>
checkcharacteralign checkedblank checkedchar checkedfiller checkedstrippedcsname checkinjector checknextinjector checkpage checkparameters	\checkcharacteralign {} \checkedblank [] \checkedchar {} {} \checkedfiller {} \checkedstrippedcsname \ \checkinjector [] \checknextinjector [] \checkpage [] [=] \checkparameters []
checkcharacteralign checkedblank checkedchar checkedfiller checkedstrippedcsname checkinjector checknextinjector checkpage checkparameters checkpreviousinjector	\checkcharacteralign {} \checkedblank [] \checkedchar {} {} \checkedfiller {} \checkedstrippedcsname \ \checkinjector [] \checknextinjector [] \checkpage [] [=] \checkparameters [] \checkpreviousinjector []
checkcharacteralign checkedblank checkedchar checkedfiller checkedstrippedcsname checkinjector checknextinjector checkpage checkparameters checkpreviousinjector checksoundtrack	\checkcharacteralign {} \checkedblank [] \checkedchar {} {} \checkedfiller {} \checkedstrippedcsname \ \checkinjector [] \checknextinjector [] \checkpage [] [=] \checkparameters [] \checkpreviousinjector [] \checksoundtrack {}
checkcharacteralign checkedblank checkedchar checkedfiller checkedstrippedcsname checkinjector checknextinjector checkpage checkparameters checkpreviousinjector checksoundtrack checktwopassdata	\checkcharacteralign {} \checkedblank [] \checkedchar {} {} \checkedfiller {} \checkedstrippedcsname \ \checkinjector [] \checknextinjector [] \checkpage [] [=] \checkparameters [] \checkpreviousinjector [] \checksoundtrack {} \checktwopassdata {}
checkcharacteralign checkedblank checkedchar checkedfiller checkedstrippedcsname checkinjector checknextinjector checkpage checkparameters checkpreviousinjector checksoundtrack checktwopassdata checkvariables	\checkcharacteralign {} \checkedblank [] \checkedchar {} {} \checkedfiller {} \checkedstrippedcsname \ \checkinjector [] \checknextinjector [] \checkpage [] [=] \checkparameters [] \checkpreviousinjector [] \checksoundtrack {} \checktwopassdata {} \checkvariables [] [=]
checkcharacteralign checkedblank checkedchar checkedfiller checkedstrippedcsname checkinjector checknextinjector checkpage checkparameters checkpreviousinjector checksoundtrack checktwopassdata checkvariables chemical	\checkcharacteralign {} \checkedblank [] \checkedchar {} {} \checkedfiller {} \checkedstrippedcsname \ \checkinjector [] \checknextinjector [] \checkpage [] [=] \checkparameters [] \checkpreviousinjector [] \checksoundtrack {} \checktwopassdata {} \checkvariables [] [=] \chemical [] []
checkcharacteralign checkedblank checkedchar checkedfiller checkedstrippedcsname checkinjector checknextinjector checkpage checkparameters checkpreviousinjector checksoundtrack checktwopassdata checkvariables chemical chemicalbottext	\checkcharacteralign {} \checkedblank [] \checkedchar {} {} \checkedfiller {} \checkedstrippedcsname \ \checkinjector [] \checknextinjector [] \checkpage [] [=] \checkparameters [] \checkpreviousinjector [] \checksoundtrack {} \checktwopassdata {} \checkvariables [] [=] \chemical [] [] [] \chemicalbottext {}
checkcharacteralign checkedblank checkedchar checkedfiller checkedstrippedcsname checkinjector checknextinjector checkpage checkparameters checkpreviousinjector checksoundtrack checktwopassdata checkvariables chemical chemicalbottext chemicalmidtext	\checkcharacteralign {} \checkedblank [] \checkedchar {} {} \checkedfiller {} \checkedstrippedcsname \ \checkinjector [] \checknextinjector [] \checkpage [] [=] \checkparameters [] \checkparameters [] \checkpreviousinjector [] \checksoundtrack {} \checktwopassdata {} \checkvariables [] [=] \chemical [] [] [] \chemicalbottext {}
checkcharacteralign checkedblank checkedchar checkedfiller checkedstrippedcsname checkinjector checknextinjector checkpage checkparameters checkpreviousinjector checksoundtrack checktwopassdata checkvariables chemical chemicalbottext chemicalsymbol	\checkcharacteralign {} \checkedblank [] \checkedchar {} {} \checkedfiller {} \checkedstrippedcsname \ \checkinjector [] \checknextinjector [] \checkpage [] [=] \checkparameters [] \checkpreviousinjector [] \checksoundtrack {} \checktwopassdata {} \checkvariables [] [=] \chemical [] [] \chemicalbottext {} \chemicalmidtext {} \chemicalsymbol []
checkcharacteralign checkedblank checkedchar checkedfiller checkedstrippedcsname checkinjector checknextinjector checkpage checkparameters checkpreviousinjector checksoundtrack checktwopassdata checkvariables chemical chemicalbottext chemicalsymbol chemicaltext	<pre>\checkcharacteralign {} \checkedblank [] \checkedchar {} {} \checkedfiller {} \checkedstrippedcsname \ \checkinjector [] \checknextinjector [] \checkpage [] [=] \checkparameters [] \checkperviousinjector [] \checksoundtrack {} \checktwopassdata {} \checkvariables [] [=] \chemical [] [] \chemicalmidtext {} \chemicalsymbol [] \chemicaltext {}</pre>
checkcharacteralign checkedblank checkedchar checkedfiller checkedstrippedcsname checkinjector checknextinjector checkpage checkparameters checkpreviousinjector checksoundtrack checktwopassdata checkvariables chemical chemicalbottext chemicalsymbol	<pre>\checkcharacteralign {} \checkedblank [] \checkedchar {} {} \checkedfiller {} \checkedstrippedcsname \ \checkinjector [] \checknextinjector [] \checkpage [] [=] \checkparameters [] \checkparameters [] \checkpreviousinjector [] \checksoundtrack {} \checktwopassdata {} \checkvariables [] [=] \chemical [] [] \chemicalbottext {} \chemicalsymbol [] \chemicaltext {} \chemicaltoptext {} \chemicaltoptext {}</pre>
checkcharacteralign checkedblank checkedchar checkedfiller checkedstrippedcsname checkinjector checknextinjector checkpage checkparameters checkpreviousinjector checksoundtrack checktwopassdata checkvariables chemical chemicalbottext chemicalsymbol chemicaltext	<pre>\checkcharacteralign {} \checkedblank [] \checkedchar {} {} \checkedfiller {} \checkedstrippedcsname \ \checkinjector [] \checknextinjector [] \checkpage [] [=] \checkparameters [] \checkperviousinjector [] \checksoundtrack {} \checktwopassdata {} \checkvariables [] [=] \chemical [] [] \chemicalmidtext {} \chemicalsymbol [] \chemicaltext {}</pre>
checkcharacteralign checkedblank checkedchar checkedfiller checkedstrippedcsname checkinjector checknextinjector checkpage checkparameters checkpreviousinjector checksoundtrack checktwopassdata checkvariables chemical chemicalbottext chemicalsymbol chemicaltext chemicaltoptext chim chineseallnumerals	<pre>\checkcharacteralign {} \checkedblank [] \checkedchar {} {} \checkedfiller {} \checkedstrippedcsname \ \checkinjector [] \checknextinjector [] \checkpage [] [=] \checkparameters [] \checkparameters [] \checkpreviousinjector [] \checksoundtrack {} \checktwopassdata {} \checkvariables [] [=] \chemical [] [] \chemicalbottext {} \chemicalsymbol [] \chemicaltext {} \chemicaltoptext {} \chemicaltoptext {}</pre>
checkcharacteralign checkedblank checkedchar checkedfiller checkedstrippedcsname checkinjector checknextinjector checkpage checkparameters checkpreviousinjector checksoundtrack checktwopassdata checkvariables chemical chemicalbottext chemicalsymbol chemicaltoptext chim	<pre>\checkcharacteralign {} \checkedblank [] \checkedchar {} {} \checkedfiller {} \checkedstrippedcsname \ \checkinjector [] \checknextinjector [] \checkpage [] [=] \checkparameters [] \checkperviousinjector [] \checksoundtrack {} \checktwopassdata {} \checkvariables [] [=] \chemical [] [] [] \chemicalbottext {} \chemicalsymbol [] \chemicaltext {} \chemicaltoptext {} \chim {} {} {} \chim {} {}</pre>
checkcharacteralign checkedblank checkedchar checkedfiller checkedstrippedcsname checkinjector checknextinjector checkpage checkparameters checkpreviousinjector checksoundtrack checktwopassdata checkvariables chemical chemicalbottext chemicalsymbol chemicaltext chemicaltoptext chim chineseallnumerals	<pre>\checkcharacteralign {} \checkedblank [] \checkedchar {} {} \checkedfiller {} \checkedstrippedcsname \ \checkinjector [] \checknextinjector [] \checkpage [] [=] \checkparameters [] \checkparameters [] \checkpreviousinjector [] \checksoundtrack {} \checktwopassdata {} \checkvariables [] [=] \chemical [] [] [] \chemicalbottext {} \chemicalsymbol [] \chemicaltext {} \chemicaltoptext {} \chemicaltoptext {} \chim {} {} {} \chim {} {} {} {} \chim {} {</pre>
checkcharacteralign checkedblank checkedchar checkedfiller checkedstrippedcsname checkinjector checknextinjector checkpage checkparameters checkpreviousinjector checksoundtrack checktwopassdata checkvariables chemical chemicalbottext chemicalsymbol chemicaltext chemicaltoptext chim chineseallnumerals chinesecapnumerals	<pre>\checkcharacteralign {} \checkedblank [] \checkedchar {} {} \checkedfiller {} \checkedstrippedcsname \ \checkinjector [] \checknextinjector [] \checkpage [] [=] \checkparameters [] \checkparameters [] \checkpreviousinjector [] \checksoundtrack {} \checksoundtrack {} \checktwopassdata {} \checkvariables [] [=] \chemical [] [] [] \chemicalbottext {} \chemicalmidtext {} \chemicaltext {} \chemicaltoptext {} \chemicaltoptext {} \chim {} {} {} \chineseallnumerals {} \chinesecapnumerals {}</pre>
checkcharacteralign checkedblank checkedchar checkedfiller checkedstrippedcsname checkinjector checknextinjector checkpage checkparameters checkpreviousinjector checksoundtrack checktwopassdata checkvariables chemical chemicalbottext chemicalsymbol chemicaltext chemicaltoptext chim chineseallnumerals chinesecapnumerals chinesenumerals	<pre>\checkcharacteralign {} \checkedblank [] \checkedchar {} {} \checkedfiller {} \checkedstrippedcsname \ \checkinjector [] \checknextinjector [] \checkpage [] [=] \checkparameters [] \checkparameters [] \checkpreviousinjector [] \checksoundtrack {} \checksoundtrack {} \checktwopassdata {} \checkvariables [] [=] \chemical [] [] [] \chemicalbottext {} \chemicalmidtext {} \chemicaltext {} \chemicaltoptext {} \chim {} {} {} \chineseallnumerals {} \chinesecapnumerals {} \chinesecumerals {} \chinesenumerals {} \chinese</pre>
checkcharacteralign checkedblank checkedchar checkedfiller checkedstrippedcsname checkinjector checknextinjector checkpage checkparameters checkpreviousinjector checksoundtrack checktwopassdata checkvariables chemical chemicalbottext chemicalsymbol chemicaltext chemicaltoptext chim chineseallnumerals chinesecapnumerals circondato	\checkcharacteralign {} \checkedblank [] \checkedchar {} {} \checkedfiller {} \checkedstrippedcsname \ \checkinjector [] \checknextinjector [] \checkpage [] [=] \checkparameters [] \checkparameters [] \checkpreviousinjector [] \checksoundtrack {} \checksoundtrack {} \checktwopassdata {} \checkvariables [] [] \chemical [] [] \chemicalbottext {} \chemicalbottext {} \chemicaltext {} \chemicaltoptext {} \chemicaltoptext {} \chim {} {} {} \chineseallnumerals {} \chinesecapnumerals {} \chinesenumerals {} \chinesenumerals {} \chinesenumerals {}
checkcharacteralign checkedblank checkedchar checkedfiller checkedstrippedcsname checkinjector checknextinjector checkpage checkparameters checkpreviousinjector checksoundtrack checktwopassdata checkvariables chemical chemicalbottext chemicalsymbol chemicaltext chemicaltoptext chim chineseallnumerals chinesecapnumerals circondato citation	\checkcharacteralign {} \checkedblank [] \checkedchar {} {} \checkedfiller {} \checkedstrippedcsname \ \checkinjector [] \checknextinjector [] \checkpage [] [=] \checkparameters [] \checkpreviousinjector [] \checkpreviousinjector [] \checksoundtrack {} \checktwopassdata {} \checkvariables [] [] \chemical [] [] [] \chemicalbottext {} \chemicalbottext {} \chemicaltext {} \chemicaltoptext {} \chemicaltoptext {} \chim {} {} {} \chineseallnumerals {} \chinesecapnumerals {} \chinesenumerals {} \chinesenumerals {} \chinesenumerals {} \chinesenumerals {} \chinesenumerals {} \chinesenumerals {}
checkcharacteralign checkedblank checkedchar checkedfiller checkedstrippedcsname checkinjector checknextinjector checkpage checkparameters checkpreviousinjector checksoundtrack checktwopassdata checkvariables chemical chemicalbottext chemicalmidtext chemicalsymbol chemicaltext chemicaltoptext chim chineseallnumerals chinesecapnumerals circondato citation citation:alternative citation:direct	<pre>\checkcharacteralign {} \checkedblank [] \checkedchar {} {} \checkedfiller {} \checkedstrippedcsname \ \checkinjector [] \checknextinjector [] \checkpage [] [] \checkparameters [] \checkparameters [] \checkpreviousinjector [] \checksoundtrack {} \checksoundtrack {} \checkvariables [] [] \chemical [] [] [] \chemicalbottext {} \chemicalbottext {} \chemicalsymbol [] \chemicaltoptext {} \chemicaltoptext {} \chim {} {} {} \chineseallnumerals {} \chinesecapnumerals {} \chinesecapnumerals {} \chinesenumerals [] \citation [] [] \citation [] [] \citation [] [] \citation {}</pre>
checkcharacteralign checkedblank checkedchar checkedfiller checkedstrippedcsname checkinjector checkinjector checkpage checkparameters checkpreviousinjector checksoundtrack checktwopassdata checkvariables chemical chemicalbottext chemicalmidtext chemicalsymbol chemicaltext chim chineseallnumerals chinesecapnumerals circondato citation citation:alternative citation:userdata	\checkcharacteralign {} \checkedblank [] \checkedchar {} {} \checkedfiller {} \checkedstrippedcsname \ \checkinjector [] \checknextinjector [] \checkpage [] [] \checkparameters [] \checkpreviousinjector [] \checkpreviousinjector [] \checksoundtrack {} \checktwopassdata {} \checkvariables [] [] \chemical [] [] [] \chemicalbottext {} \chemicalmidtext {} \chemicaltext {} \chemicaltoptext {} \chemicaltoptext {} \chineseallnumerals {} \chinesecapnumerals {} \chinesecapnumerals {} \chinesenumerals {} \citation [] [] \citation [] [] \citation [] [] \citation [] []
checkcharacteralign checkedblank checkedchar checkedfiller checkedstrippedcsname checkinjector checknextinjector checkpage checkparameters checkpreviousinjector checksoundtrack checktwopassdata checkvariables chemical chemicalbottext chemicalmidtext chemicalsymbol chemicaltext chim chineseallnumerals chinesecapnumerals circondato citation citation:alternative citation:userdata cite	\checkcharacteralign {} \checkedblank [] \checkedchar {} {} \checkedfiller {} \checkedstrippedcsname \ \checkinjector [] \checkpage [] [] \checkpage [] [] \checkparameters [] \checkpreviousinjector [] \checkpreviousinjector [] \checksoundtrack {} \checksoundtrack {} \checkvariables [] [] \chemical [] [] [] \chemicalbottext {} \chemicalbottext {} \chemicalsymbol [] \chemicaltext {} \chemicaltoptext {} \chineseallnumerals {} \chineseallnumerals {} \chinesecapnumerals {} \chinesenumerals {} \chinesenumerals {} \chinesenumerals [] \citation [] []
checkcharacteralign checkedblank checkedchar checkedfiller checkedstrippedcsname checkinjector checknextinjector checkpage checkparameters checkpreviousinjector checksoundtrack checktwopassdata checkvariables chemical chemicalbottext chemicalmidtext chemicalsymbol chemicaltext chemicaltoptext chim chineseallnumerals chinesecapnumerals chinesenumerals circondato citation citation:alternative citation:userdata cite cite:alternative	\checkcharacteralign {} \checkedblank [] \checkedchar {} {} \checkedfiller {} \checkedstrippedcsname \ \checkinjector [] \checkpage [] [] \checkpage [] [] \checkparameters [] \checkpreviousinjector [] \checksoundtrack {} \checksoundtrack {} \checkvariables [] [] \chemical [] [] \chemicalbottext {} \chemicalbottext {} \chemicalsymbol [] \chemicaltext {} \chemicaltoptext {} \chineseallnumerals {} \chineseallnumerals {} \chinesenumerals {}
checkcharacteralign checkedblank checkedchar checkedfiller checkedstrippedcsname checkinjector checknextinjector checkpage checkparameters checkpreviousinjector checksoundtrack checktwopassdata checkvariables chemical chemicalbottext chemicalmidtext chemicalsymbol chemicaltext chemicaltoptext chim chineseallnumerals chinesecapnumerals chinesenumerals circondato citation citation:alternative citation:userdata cite cite:alternative cite:direct	\checkcharacteralign {} \checkedblank [] \checkedchar {} {} \checkedfiller {} \checkedstrippedcsname \ \checkinjector [] \checknextinjector [] \checkpage [] [] \checkparameters [] \checkpreviousinjector [] \checkpreviousinjector [] \checksoundtrack {} \checkvariables [] [] \chemical [] [] \chemical [] [] \chemicalbottext {} \chemicalbottext {} \chemicalsymbol [] \chemicaltext {} \chemicaltoptext {} \chineseallnumerals {} \chineseallnumerals {} \chinesenumerals {} \chinesenumerals {} \chinesenumerals {} \chinesenumerals {} \citation [] [] \citation {} \citation [] [] \citation [] [] \cite [] [] \cite [] [] \cite [] []
checkcharacteralign checkedblank checkedchar checkedfiller checkedstrippedcsname checkinjector checkpage checkparameters checkpreviousinjector checksoundtrack checktwopassdata checkvariables chemical chemicalbottext chemicalsymbol chemicaltext chemicaltoptext chim chineseallnumerals chinesecapnumerals circondato citation citation:alternative cite:alternative cite:direct cite:userdata	\checkedblank [] \checkedchar {} {} \checkedchar {} {} \checkedfiller {} \checkedstrippedcsname \ \checkinjector [] \checknextinjector [] \checkpage [] [] \checkparameters [] \checkpareviousinjector [] \checkpreviousinjector [] \checksoundtrack {} \checksoundtrack {} \checkvariables [] [] \chemical [] [] [] \chemicalbottext {} \chemicalbottext {} \chemicalsymbol [] \chemicaltext {} \chemicaltoptext {} \chineseallnumerals {} \chineseallnumerals {} \chinesecapnumerals {} \chinesenumerals {} \chinesenumerals [] \citation [] [] \citation [] [] \citation [] [] \citation [] [] \cite [] [] \cite [] [] \cite [] []
checkcharacteralign checkedblank checkedchar checkedfiller checkedstrippedcsname checkinjector checkpage checkparameters checkpreviousinjector checksoundtrack checktwopassdata checkvariables chemical chemicalbottext chemicalsymbol chemicaltext chemicaltoptext chim chineseallnumerals chinesecapnumerals chinesenumerals circondato citation citation:direct citetion:userdata cite cite:userdata clap	\checkedblank [] \checkedchar {} {} \checkedchar {} {} \checkedfiller {} \checkedstrippedcsname \ \checkinjector [] \checkpage [] [] \checkpage [] [] \checkparameters [] \checkpreviousinjector [] \checksoundtrack {} \checksoundtrack {} \checkvariables [] [] \chemical [] [] [] \chemicalbottext {} \chemicalbottext {} \chemicalsymbol [] \chemicaltext {} \chemicaltoptext {} \chineseallnumerals {} \chineseallnumerals {} \chinesecapnumerals {} \chinesenumerals {}
checkcharacteralign checkedblank checkedchar checkedfiller checkedstrippedcsname checkinjector checkpage checkparameters checkpreviousinjector checksoundtrack checktwopassdata checkvariables chemical chemicalbottext chemicalsymbol chemicaltext chemicaltoptext chim chineseallnumerals chinesecapnumerals circondato citation citation:alternative cite:alternative cite:direct cite:userdata	\checkedblank [] \checkedchar {} {} \checkedchar {} {} \checkedfiller {} \checkedstrippedcsname \ \checkinjector [] \checknextinjector [] \checkpage [] [] \checkparameters [] \checkpareviousinjector [] \checkpreviousinjector [] \checksoundtrack {} \checksoundtrack {} \checkvariables [] [] \chemical [] [] [] \chemicalbottext {} \chemicalbottext {} \chemicalsymbol [] \chemicaltext {} \chemicaltoptext {} \chineseallnumerals {} \chineseallnumerals {} \chinesecapnumerals {} \chinesenumerals {} \chinesenumerals [] \citation [] [] \citation [] [] \citation [] [] \citation [] [] \cite [] [] \cite [] [] \cite [] []

cldcontext	\cldcontext {}
cldloadfile	\cldloadfile {}
cldprocessfile	\cldprocessfile {}
clip	\clip [=] {}
clippedoverlayimage	\clippedoverlayimage {}
clonacampo	\clonacampo [] [] []
collect	\collect {}
collectedtext	\collectedtext [=] [=] {} {}
collectexpanded	\collectexpanded {}
colonna	\colonna []
colorcomponents	\colorcomponents {}
colore	\colore [] {}
colored	\colored [=] {}
colored:name	\colored [] {}
coloregrigio	\coloregrigio [] {}
coloronly	\coloronly [] {}
columnbreak	\columnbreak []
columnsetspanwidth	\columnsetspanwidth {}
•	
combinepages	\combinepages [] [=]
commalistelement	\commalistelement
commalistsentence	\commalistsentence [] []
commalistsize	\commalistsize
commento	\commento (,) (,) [=] {}
commento:instance	\COMMENT [] [=] {}
commento:instance:comment	\comment [] [=] {}
comparedimension	\comparedimension \{\ldots\} \\.\}
-	\comparedimensioneps \{\dots\} \\\
comparedimensioneps	-
completebtxrendering	\completebtxrendering [] [=]
completecombinedlist:instance	\completoCOMBINEDLIST [=]
completecombinedlist:instance:content	\completocontent [=]
completelist	\completelist [] [=]
completelistoffloats:instance	\completelistofFLOATS [=]
completelistoffloats:instance:chemicals	\completelistofchemicals [=]
completelistoffloats:instance:figures	\completelistoffigures [=]
completelistoffloats:instance:graphics	\completelistofgraphics [=]
completelistoffloats:instance:intermezzi	\completelistofintermezzi [=]
completelistoffloats:instance:tables	\completelistoftables [=]
completelistofpublications	\completelistofpublications [] [=]
completelistofsorts	\completelistofsorts [] [=]
completelistofsorts:instance	\completelistofSORTS [=]
completelistofsorts:instance:logos	\completelistoflogos [=]
completelistofsynonyms	\completelistofsynonyms [] [=]
completelistofsynonyms:instance	\completelistofSYNONYMS [=]
completelistofsynonyms:instance:abbreviations	\completelistofabbreviations [=]
completeregister	\completeregister [] [=]
completeregister:instance	\completoREGISTER [=]
completeregister:instance:index	\completoindex [=]
complexorsimple	\complexorsimple \
complexorsimpleempty	\complexorsimpleempty \
complexorsimpleempty:argument	\complexorsimpleempty {}
complexorsimple:argument	\complexorsimple {}
componenet	\componenet []
componenet:string	\componenet
composedcollector	\composedcollector {}
-	\composedlayer {}
composedlayer	
compresult	\compresult
confrontagruppocolori	\confrontagruppocolori []
confrontatavolozza	\confrontatavolozza []
constantdimen	\constantdimen \
constantdimenargument	\constantdimenargument \
constantemptyargument	\constantemptyargument \
constantnumber	\constantnumber \
constantnumberargument	\constantnumberargument \
contentreference	\contentreference [] [=] {}
continuednumber	\continuednumber {}
continueifinputfile	\continueifinputfile {}
convertargument	\convertargument \to \
convertcommand	\convertcommand \ \to \
convertedcounter	\convertedcounter [] [=]
converteddimen	\converteddimen {} {}
convertedsupcounter	\convertedsubcounter [] [] [ = ]
convertedsubcounter convertinumero	\convertedsubcounter [] [] [=] \convertinumero {} {}

convertmenth	\convertmenth {}
convertvalue	\convertvalue \to \
convertvboxtohbox	\convertvboxtohbox
	\copiacampo [] []
	\copyboxfromcache {} {}
copylabeltext:instance	\copyLABELtesto [] [=]
copylabeltext:instance:btxlabel	\copybtxlabeltesto [] [=]
copylabeltext:instance:head	\copyheadtesto [] [=]
copylabeltext:instance:label	\copylabeltesto [] [=]
copylabeltext:instance:mathlabel	\copymathlabeltesto [] [=]
<pre>copylabeltext:instance:operator copylabeltext:instance:prefix</pre>	\copyoperatortesto [] [=]
copylabeltext:instance:prefix	\copyprefixtesto [] [=] \copysuffixtesto [] [=]
copylabeltext:instance:taglabel	\copytaglabeltesto [] [=]
copylabeltext:instance:unit	\copyunittesto [] [=]
<del></del>	\copypages [] [=]
	\copyparameters [] []
	\copyposition {} {}
	\copysetups [] []
	\correggispaziobianco {}
corsivo	\corsivo
corsivograssetto	\corsivograssetto
countersubs	\countersubs [] []
counttoken	\counttoken \in \to \
counttokens	\counttokens \to \
cramped	\cramped {}
crampedclap	\crampedclap {}
	\crampedllap {}
	\crampedrlap {}
	\crlf
<del>-</del>	\crlfplaceholder
<del>-</del>	\ctop {}
	\ctxcommand {}
	\ctxdirectcommand {}
	\ctxdirectlua {}
	\ctxfunction {} \CTXFUNCTIONDEFINITION
ctxfunctiondefinition:example ctxfunction:example	\CTXFUNCTION \CTXFUNCTION
-	\ctxlatecommand {}
	\ctxlatelua {}
	\ctxloadluafile {}
	\ctxlua {}
ctxluabuffer	\ctxluabuffer []
ctxluacode	\ctxluacode {}
ctxreport	\ctxreport {}
ctxsprint	\ctxsprint {}
currentassignmentlistkey	\currentassignmentlistkey
currentassignmentlistvalue	\currentassignmentlistvalue
currentbtxuservariable	\currentbtxuservariable {}
currentcommalistitem	\currentcommalistitem
currentcomponent	\currentcomponent
	\currentenvironment
currentfeaturetest	\currentfeaturetest
	\currentinterface
currentlabel:example	\currentETICHETTA [] {}
5 5	\currentlanguage
•	\currentlistentrydestinationattribute \currentlistentrylimitedtext {}
•	\currentlistentrylimitedtext \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
•	\currentlistentrypagenumber
	\currentlistentryreferenceattribute {}
•	\currentlistentrytitle
•	\currentlistentrytitlerendered
•	\currentlistsymbol
•	\currentmainlanguage
	\currentmessagetext
currentmoduleparameter	\currentmoduleparameter {}
currentoutputstream	\currentoutputstream
currentproduct	\currentproduct
currentproject	\currentproject
currentregime	\currentregime
currentregisterpageuserdata	\currentregisterpageuserdata {}

currentresponses	\currentresponses
currenttime	\currenttime []
currentvalue	\currentvalue
currentxtablecolumn	\currentxtablecolumn
currentxtablerow	\currentxtablerow
DAYLONG	\DAYLONG {}
DAYSHORT	\DAYSHORT {}
d	\d {}
da	\da []
daqualcheparte	\daqualcheparte {} {} []
data	\data [=] []
datadioggi	\datadioggi []
datadioggi:name	\datadioggi []
datasetvariable	\datasetvariable $\{\}$ $\{\}$
data:name	\data [=] []
daylong	\daylong {}
dayoftheweek	\dayoftheweek {} {} {}
dayshort	\dayshort {}
dayspermonth	\dayspermonth {} {}
dddot	\dddot {}
ddot	\ddot {}
decrement	\decrement \
decrementcounter	\decrementcounter [] []
decrementedcounter	\decrementedcounter []
decrementpagenumber	\decrementpagenumber
decrementsubpagenumber	\decrementsubpagenumber
decrementvalue	\decrementvalue {}
decrement:argument	\decrement ()
defaultinterface	\defaultinterface
defaultobjectpage	\defaultobjectpage
defaultobjectreference	\defaultobjectreference
	•
defcatcodecommand	\defcatcodecommand \ \ \{\}
defconvertedargument	\defconvertedargument \ \{\}
defconvertedcommand	\defconvertedcommand \ \
defconvertedvalue	\defconvertedvalue \ \{\}
defineactivecharacter	\defineactivecharacter {}
definealternativestyle	\definealternativestyle [] []
defineanchor	\defineanchor [] [] [=] [=]
defineattachment	\defineattachment [] [] [=]
defineattribute	\defineattribute [] []
definebackground	\definebackground [] [] [=]
	\definebackground [] [] [] \definebackground [] []
definebar	
definebodyfontswitch	\definebodyfontswitch [] []
definebreakpoint	\definebreakpoint [] [] [=]
definebreakpoints	\definebreakpoints []
definebtx	\definebtx [] [=]
definebtxdataset	\definebtxdataset [] [] [=]
definebtxregister	\definebtxregister [] [] [=]
definebtxrendering	\definebtxrendering [] [] [=]
definebutton	\definebutton [] [] [=]
definecapitals	\definecapitals [] [] [=]
definecharacterkerning	\definecharacterkerning [] [=]
definecharacterspacing	\definecharacterspacing []
definechemical	
	\definechemical [] {}
definechemicals	\definechemicals [] []
definechemicalsymbol	\definechemicalsymbol [] []
definecollector	\definecollector [] [] [=]
definecolumnbreak	\definecolumnbreak [] []
definecolumnsetarea	\definecolumnsetarea [] [] [=]
definecolumnsetspan	\definecolumnsetspan [] [] [=]
definecombination	\definecombination [] [] [=]
definecomment	\definecomment [] [] [=]
definecomment	\definecomment [] [] \definecomplexorsimple \
definecomplexorsimpleempty	\definecomplexorsimpleempty \
definecomplexorsimpleempty:argument	\definecomplexorsimpleempty {}
definecomplexorsimple:argument	\definecomplexorsimple {}
defineconversionset	\defineconversionset [] []
definecounter	\definecounter [] [] [=]
definedataset	\definedataset [] [] [=]
definedate	\definedate [] []
definedelimitedtext	\definedelimitedtext [] [] [=]
definedfont	\definedfont [ ]

defineeffect	\defineeffect [ ] [ ] [ - ]
defineexpandable	\defineeffect [] [] [] \defineexpandable [] \ {}
defineexpansion	\defineexpansion [] [] []
defineexternalfigure	\defineexternalfigure [] [] [=]
definefacingfloat	\definefacingfloat [] [] [=]
definefallbackfamily	\definefallbackfamily [] [] [] [=]
definefallbackfamily:preset	\definefallbackfamily [] [] []
definefieldbody	\definefieldbody [] [=]
definefieldbodyset	\definefieldbodyset [] []
definefieldcategory	\definefieldcategory [] [=]
definefileconstant	\definefileconstant {} {}
definefilefallback definefilesynonym	\definefilefallback [] [] \definefilesynonym [] []
definefiler	\definefiller [] []
definefirstline	\definefirstline [] [] [=]
definefittingpage	\definefittingpage [] [] [=]
definefontalternative	\definefontalternative []
definefontfallback	\definefontfallback [] [] [] [=]
definefontfamily	\definefontfamily [] [] []
definefontfamilypreset	\definefontfamilypreset [] [=]
definefontfamilypreset:name	\definefontfamilypreset [] []
definefontfamily:preset	\definefontfamily [] [] []
definefontfeature	\definefontfeature [] [] [=]
definefontfile	\definefontfile [] [=]
definefontsize	\definefontsize []
definefontsolution defineformula	\definefontsolution [] [] [=] \defineformula [] [] [=]
defineformulaalternative	\defineformulaalternative [] [] []
defineformulaframed	\defineformulaframed [] [] []
defineframedcontent	\defineframedcontent [] [] []
defineframedtable	\defineframedtable [] []
definefrozenfont	\definefrozenfont []
defineglobalcolor	\defineglobalcolor [] [=]
defineglobalcolor:name	\defineglobalcolor []
definegraphictypesynonym	\definegraphictypesynonym [] []
definegridsnapping	\definegridsnapping [] []
defineheadalternative	\defineheadalternative [] [=]
definehelp	\definehelp [] [] []
definehigh definehighlight	\definehigh [] [=]
definehspace	\definehighlight [] [] [] \definehspace [] []
definehyphenationfeatures	\definehyphenationfeatures [] [=]
defineindentedtext	\defineindentedtext [] [=]
defineinitial	\defineinitial [] [=]
defineinsertion	\defineinsertion [] [] [=]
defineinteraction	\defineinteraction [] [=]
defineinteractionbar	\defineinteractionbar [] [] [=]
defineinterfaceconstant	\defineinterfaceconstant \{\ldots\} \{\ldots\}
defineinterfaceelement	\defineinterfaceelement {} {}
defineinterfacevariable	\defineinterfacevariable \{\ldots\} \\.\\
defineinterlinespace defineintermediatecolor	\defineinterlinespace [] [] [=] \defineintermediatecolor [] [] [=]
defineitemgroup	\defineitemgroup [] [] []
defineitems	\defineitems [] [] [=]
definelabelclass	\definelabelclass [] []
definelayer	\definelayer [] [=]
definelayerpreset	\definelayerpreset [] [=]
definelayerpreset:name	\definelayerpreset [] []
definelinefiller	\definelinefiller [] [=]
definelinenote	\definelinenote [] [=]
definelinenumbering	\definelinenumbering [] [=]
definelines	\definelines [] [] [=]
definelistalternative	\definelistalternative [] [] \definelistarter [ ] [ ] [ - ]
definelistextra definelow	\definelistextra [] [] [=] \definelow [] [] [=]
definelow definelowhigh	\definelow [] [] [=] \definelowhigh [] [] [=]
definelowmidhigh	\definelownigh [] [] [=]
defineMPinstance	\defineMPinstance [] [] [=]
definemarginblock	\definemarginblock [] [] [=]
definemargindata	\definemargindata [] [=]
definemarker	\definemarker []
definemathaccent	\definemathaccent

definemathalignment	\definemathalignment [] [] [=]
definemathcases	\definemathcases [] [] [=]
definemathcommand	\definemathcommand [] [] {}
definemathdouble	\definemathdouble [] [] []
definemathdoubleextensible	\definemathdoubleextensible [] [] []
definemathematics	\definemathematics [] [=]
definemathextensible	\definemathextensible [] []
definemathfence	\definemathfence [] [=]
definemathfraction	\definemathfraction [] [=]
definemathframed	\definemathframed [] [] [=]
definemathmatrix	\definemathmatrix [] [] [=]
definemathornament	\definemathornament [] [] [=]
definemathover	\definemathover [] []
definemathoverextensible	\definemathoverextensible [] []
definemathovertextextensible	\definemathovertextextensible [] []
definemathradical	\definemathradical [] [=]
definemathstackers	\definemathstackers [] [] [=]
definemathstyle	\definemathstyle [] []
definemathtriplet	\definemathtriplet [] []
definemathunder	\definemathunder [] []
definemathunderextensible	\definemathunderextensible [] []
definemathundertextextensible	\definemathundertextextensible [] []
definemathunstacked	\definemathunstacked [] []
definemeasure	\definemeasure [] []
definemessageconstant	\definemessageconstant {}
definemixedcolumns	\definemixedcolumns [] [=]
definemode	\definemode [] []
definemultitonecolor	\definemultitonecolor [] [=] [=] [=]
definenamedcolor	\definenamedcolor [] [=]
definenamedcolor:name	\definenamedcolor [] []
definenamespace	\definenamespace [] [=]
definenarrower	\definenarrower [] [=]
definenote	\definenote [] [] [=]
defineorientation defineornament:collector	\defineorientation [] [] [] \defineornament [] [] []
defineornament:collector defineornament:layer	\defineornament [] [=] [=] \defineornament [] [=] [=]
delineornament.layer	
defineoutputroutine	\defineoutputroutine [ ] [ ] [ = ]
defineoutputroutine	\defineoutputroutine [] [] [=]
defineoutputroutinecommand	\defineoutputroutinecommand []
defineoutputroutinecommand definepage	\defineoutputroutinecommand [] \definepage [] []
defineoutputroutinecommand definepage definepagebreak	\defineoutputroutinecommand [] \definepage [] [] \definepagebreak [] []
defineoutputroutinecommand definepage	\defineoutputroutinecommand [] \definepage [] [] \definepagebreak [] [] \definepagechecker [] [] [=]
defineoutputroutinecommand definepage definepagebreak definepagechecker definepagecolumns	\defineoutputroutinecommand [] \definepage [] [] \definepagebreak [] [] \definepagechecker [] [] [=] \definepagecolumns [] [] [=]
defineoutputroutinecommand definepage definepagebreak definepagechecker	\defineoutputroutinecommand [] \definepage [] [] \definepagebreak [] [] \definepagechecker [] [] [=] \definepagecolumns [] [] [=] \definepageinjection [] [] [=]
defineoutputroutinecommand definepage definepagebreak definepagechecker definepagecolumns definepageinjection	\defineoutputroutinecommand [] \definepage [] [] \definepagebreak [] [] \definepagechecker [] [] [=] \definepagecolumns [] [] [=] \definepageinjection [] [] [=]
defineoutputroutinecommand definepage definepagebreak definepagechecker definepagecolumns definepageinjection definepageinjectionalternative	\defineoutputroutinecommand [] \definepage [] [] \definepagebreak [] [] \definepagechecker [] [] [=] \definepagecolumns [] [] [=] \definepageinjection [] [] [=]
defineoutputroutinecommand definepage definepagebreak definepagechecker definepagecolumns definepageinjection definepageinjectionalternative definepageshift	<pre>\defineoutputroutinecommand [] \definepage [] [] \definepagebreak [] [] \definepagechecker [] [] [=] \definepagecolumns [] [] [=] \definepageinjection [] [] [=] \definepageinjectionalternative [] [] [=] \definepageshift [] [] []</pre>
defineoutputroutinecommand definepage definepagebreak definepagechecker definepagecolumns definepageinjection definepageinjectionalternative definepageshift definepagestate	<pre>\defineoutputroutinecommand [] \definepage [] [] \definepagebreak [] [] \definepagechecker [] [] [=] \definepagecolumns [] [] [=] \definepageinjection [] [] [=] \definepageinjectionalternative [] [] [=] \definepageshift [] [] [] \definepagestate [] [] [=] \definepairedbox [] [] [=] \defineparagraph [] [] [=]</pre>
defineoutputroutinecommand definepage definepagebreak definepagechecker definepagecolumns definepageinjection definepageinjectionalternative definepageshift definepagestate definepairedbox	<pre>\defineoutputroutinecommand [] \definepage [] [] \definepagebreak [] [] \definepagechecker [] [] [=] \definepagecolumns [] [] [=] \definepageinjection [] [] [=] \definepageshift [] [] [] \definepagestate [] [] [] \definepairedbox [] [] [=]</pre>
defineoutputroutinecommand definepage definepagebreak definepagechecker definepagecolumns definepageinjection definepageinjectionalternative definepageshift definepagestate definepairedbox defineparagraph	<pre>\defineoutputroutinecommand [] \definepage [] [] \definepagebreak [] [] \definepagechecker [] [] [=] \definepagecolumns [] [] [=] \definepageinjection [] [] [=] \definepageinjectionalternative [] [] [=] \definepageshift [] [] [] \definepagestate [] [] [=] \definepairedbox [] [] [=] \defineparagraph [] [] [=]</pre>
defineoutputroutinecommand definepage definepagebreak definepagechecker definepagecolumns definepageinjection definepageinjectionalternative definepageshift definepagestate definepairedbox defineparagraph defineparallel	<pre>\defineoutputroutinecommand [] \definepage [] [] \definepagebreak [] [] \definepagechecker [] [] [=] \definepagecolumns [] [] [=] \definepageinjection [] [] [=] \definepageinjectionalternative [] [] [=] \definepageshift [] [] [] \definepagestate [] [] [=] \definepairedbox [] [] [=] \defineparagraph [] [] [=] \defineparabuilder [] \defineparbuilder [] \defineperiodkerning [] [] [=]</pre>
defineoutputroutinecommand definepage definepagebreak definepagechecker definepagecolumns definepageinjection definepageinjectionalternative definepageshift definepagestate definepairedbox defineparagraph defineparallel defineparbuilder defineperiodkerning defineplaceholder	<pre>\defineoutputroutinecommand [] \definepage [] [] \definepagebreak [] [] \definepagechecker [] [] [=] \definepagecolumns [] [] [=] \definepageinjection [] [] [=] \definepageinjectionalternative [] [] [=] \definepageshift [] [] [] \definepagestate [] [] [=] \definepairedbox [] [] [=] \defineparagraph [] [] [=] \defineparbuilder [] \defineperiodkerning [] [] [=]</pre>
defineoutputroutinecommand definepage definepagebreak definepagechecker definepagecolumns definepageinjection definepageinjectionalternative definepageshift definepagestate definepairedbox defineparagraph defineparallel defineparbuilder defineperiodkerning defineplacement	<pre>\defineoutputroutinecommand [] \definepage [] [] \definepagebreak [] [] \definepagechecker [] [] [=] \definepagecolumns [] [] [=] \definepageinjection [] [] [] \definepageinjectionalternative [] [] [] \definepageshift [] [] [] \definepagestate [] [] [=] \definepairedbox [] [] [=] \defineparagraph [] [] [=] \defineparbuilder [] \defineperiodkerning [] [] [=] \defineplaceholder [] [] [=]</pre>
defineoutputroutinecommand  definepage  definepagebreak  definepagechecker  definepagecolumns  definepageinjection  definepageinjectionalternative  definepageshift  definepagestate  defineparagraph  defineparagraph  defineparallel  defineparbuilder  defineperiodkerning  defineplacement  definepositioning	<pre>\defineoutputroutinecommand [] \definepage [] [] \definepagebreak [] [] \definepagechecker [] [] [=] \definepagecolumns [] [] [=] \definepageinjection [] [] [] [] \definepageinjectionalternative [] [] [] \definepageshift [] [] [] \definepagestate [] [] [] \definepairedbox [] [] [] \defineparagraph [] [] [] \defineparabuilder [] \defineparbuilder [] \defineplaceholder [] [] [] \defineplacement [] [] [] \definepositioning [] [] []</pre>
defineoutputroutinecommand  definepage  definepagebreak  definepagechecker  definepagecolumns  definepageinjection  definepageinjectionalternative  definepageshift  definepagestate  defineparagraph  defineparagraph  defineparallel  defineparbuilder  defineperiodkerning  defineplacement  definepositioning  defineprefixset	<pre>\defineoutputroutinecommand [] \definepage [] [] \definepagebreak [] [] \definepagechecker [] [] [=] \definepagecolumns [] [] [=] \definepageinjection [] [] [] \definepageinjectionalternative [] [] [] \definepageshift [] [] [] \definepagestate [] [] [] \definepairedbox [] [] [] \defineparagraph [] [] \defineparallel [] [] \defineparbuilder [] \defineperiodkerning [] [] [=] \defineplacement [] [] [=] \definepositioning [] [] [=] \defineprefixset [] [] []</pre>
defineoutputroutinecommand  definepage  definepagebreak  definepagecolumns  definepageinjection  definepageinjectionalternative  definepageshift  definepagestate  defineparagraph  defineparagraph  defineparallel  defineparbuilder  defineperiodkerning  defineplacement  definepositioning  defineprefixset  defineprocesscolor	<pre>\defineoutputroutinecommand [] \definepage [] [] \definepagebreak [] [] \definepagechecker [] [] [=] \definepagecolumns [] [] [=] \definepageinjection [] [] [] \definepageinjectionalternative [] [] [] \definepageshift [] [] [] \definepagestate [] [] [] \definepairedbox [] [] [] \defineparagraph [] [] \defineparallel [] [] \defineparbuilder [] \defineparbounder [] [] [] \defineplacement [] [] [] \definepositioning [] [] [] \defineprefixset [] [] [] \defineprocesscolor [] [] []</pre>
defineoutputroutinecommand definepage definepagebreak definepagechecker definepagecolumns definepageinjection definepageinjectionalternative definepageshift definepagestate defineparagraph defineparallel defineparbuilder defineperiodkerning defineplacement definepositioning defineprefixset defineprocessor	<pre>\defineoutputroutinecommand [] \definepage [] [] \definepagebreak [] [] \definepagechecker [] [] [=] \definepagecolumns [] [] [=] \definepageinjection [] [] [] \definepageinjectionalternative [] [] [] \definepageshift [] [] [] \definepagestate [] [] [] \defineparagraph [] [] [] \defineparagraph [] [] \defineparabuilder [] \defineparbuilder [] \definepacholder [] [] [=] \defineplacement [] [] [=] \definepositioning [] [] [=] \defineprocesscolor [] [] [=] \defineprocesscolor [] [] [=] \defineprocesscolor [] [] [=]</pre>
defineoutputroutinecommand  definepage  definepagebreak  definepagecolumns  definepageinjection  definepageinjectionalternative  definepageshift  definepagestate  defineparagraph  defineparallel  defineparbuilder  defineparbuilder  defineplacement  definepositioning  defineprefixset  defineprocessor  defineprocessor  definepushbutton	\defineoutputroutinecommand [] \definepage [] [] \definepagebreak [] [] \definepagechecker [] [] [=] \definepagecolumns [] [] [=] \definepageinjection [] [] [=] \definepageinjectionalternative [] [] [=] \definepageshift [] [] [] \definepagestate [] [] [=] \definepairedbox [] [] [=] \defineparagraph [] [] [=] \defineparabuilder [] \defineparbuilder [] \definepacholder [] [] [=] \defineplacement [] [] [=] \definepositioning [] [] [=] \defineprocesscolor [] [] [=] \defineprocesscolor [] [] [=] \defineprocessor [] [] [=] \definepushbutton [] [=]
defineoutputroutinecommand definepage definepagebreak definepagechecker definepagecolumns definepageinjection definepageinjectionalternative definepageshift definepagestate definepairedbox defineparagraph defineparallel defineparbuilder defineparbuilder defineplaceholder defineplacement definepositioning defineprocesscolor defineprocessor definepushbutton definepushsymbol	\defineoutputroutinecommand [] \definepage [] [] \definepagebreak [] [] \definepagechecker [] [] [=] \definepagecolumns [] [] [=] \definepageinjection [] [] [=] \definepageinjectionalternative [] [] [=] \definepageshift [] [] [] \definepagestate [] [] [=] \definepairedbox [] [] [=] \defineparagraph [] [] [=] \defineparallel [] [] \defineparbuilder [] \defineparbuilder [] \defineplaceholder [] [] [=] \definepositioning [] [] [=] \definepositioning [] [] [=] \defineprocesscolor [] [] [=] \defineprocessor [] [] [=] \definepushbutton [] [=] \definepushsymbol [] []
defineoutputroutinecommand definepage definepagebreak definepagechecker definepagecolumns definepageinjection definepageinjectionalternative definepageshift definepagestate definepairedbox defineparagraph defineparallel defineparbuilder defineparbuilder defineplaceholder defineplacement definepositioning defineprocesscolor definepushbutton definepushsymbol definerenderingwindow	\defineoutputroutinecommand [] \definepage [] [] \definepagebreak [] [] \definepagechecker [] [] [=] \definepagecolumns [] [] [=] \definepageinjection [] [] [=] \definepageinjectionalternative [] [] [=] \definepageshift [] [] [] \definepagestate [] [] [] \definepairedbox [] [] [=] \defineparagraph [] [] [=] \defineparallel [] [] \defineparbuilder [] \defineparbuilder [] \defineplaceholder [] [] [=] \defineplacement [] [] [=] \definepositioning [] [] [=] \defineprocesscolor [] [] [=] \defineprocessor [] [] [=] \definepushbutton [] [] [=] \definepushsymbol [] [] \definerenderingwindow [] [] [=]
defineoutputroutinecommand definepage definepagebreak definepagechecker definepagecolumns definepageinjection definepageinjectionalternative definepageshift definepagestate definepairedbox defineparagraph defineparallel defineparbuilder defineperiodkerning defineplacement definepositioning defineprefixset defineprocessor definepushbutton definepushsymbol definerenderingwindow defineresetset	\defineoutputroutinecommand [] \definepage [] [] \definepagebreak [] [] \definepagechecker [] [] [=] \definepagecolumns [] [] [=] \definepageinjection [] [] [=] \definepageinjectionalternative [] [] [=] \definepageshift [] [] [] \definepagestate [] [] [=] \defineparedbox [] [] [=] \defineparagraph [] [] [=] \defineparallel [] [] \defineparbuilder [] \defineparbuilder [] [] [=] \defineplaceholder [] [] [=] \definepositioning [] [] [=] \defineprocesscolor [] [] [=] \defineprocesscolor [] [] [=] \definepushbutton [] [=] \definepushsymbol [] [] \definerenderingwindow [] [] [=]
defineoutputroutinecommand definepage definepage definepagebreak definepagecolumns definepageinjection definepageinjectionalternative definepageshift definepagestate definepairedbox defineparagraph defineparallel defineparbuilder defineperiodkerning defineplacement definepositioning defineprocesscolor defineprocessor definepushbutton definepushsymbol defineresetset defineresetset defineresetset defineresetset	\defineoutputroutinecommand [] \definepage [] [] \definepagebreak [] [] \definepagechecker [] [] [=] \definepagecolumns [] [] [=] \definepageinjection [] [] [] \definepageinjectionalternative [] [] [] \definepageshift [] [] [] \definepagestate [] [] [] \defineparedbox [] [] [] \defineparagraph [] [] [] \defineparagraph [] [] \defineparabuilder [] \defineparbuilder [] \defineparbounder [] [] [] \defineplacement [] [] [] \definepositioning [] [] [] \defineprocesscolor [] [] [] \defineprocesscolor [] [] \definepushbutton [] [] \definepushsymbol [] [] \definerenderingwindow [] [] \defineresetset [] [] []
defineoutputroutinecommand definepage definepage definepagebreak definepagecolumns definepageinjection definepageinjectionalternative definepageshift definepagestate defineparagraph defineparallel defineparbuilder defineparbuilder defineplaceholder defineplacement definepositioning defineprocesscolor defineprocessor definepushbutton definepushsymbol defineresetset defineresetset definerescale	\defineoutputroutinecommand [] \definepage [] [] \definepagebreak [] [] \definepagechecker [] [] [=] \definepagecolumns [] [] [=] \definepagecinjection [] [] [] \definepagesinjectionalternative [] [] [] \definepageshift [] [] [] \definepagestate [] [] [] \defineparedbox [] [] [] \defineparagraph [] [] [] \defineparagraph [] [] [] \defineparabuilder [] \defineparbuilder [] \defineplaceholder [] [] [] \defineplacement [] [] [] \definepositioning [] [] [] \defineprocesscolor [] [] [] \defineprocessor [] [] [] \definepushbutton [] [] \definepushsymbol [] [] \definerenderingwindow [] [] [] \defineresetset [] [] [] \definerescale [] [] []
defineoutputroutinecommand definepage definepage definepagebreak definepagecolumns definepageinjection definepageinjectionalternative definepageshift definepagestate defineparagraph defineparallel defineparbuilder defineparbuilder defineplaceholder defineplacement defineprocesscolor defineprocessor definepushbutton definepushymbol defineresetset defineresetset definerescale definescript	\defineoutputroutinecommand [] \definepage [] [] \definepagebreak [] [] \definepagechecker [] [] [=] \definepagecolumns [] [] [=] \definepageinjection [] [] [] \definepageinjectionalternative [] [] [] \definepageshift [] [] [] \definepagestate [] [] [] \defineparedbox [] [] [] \defineparagraph [] [] [] \defineparagraph [] [] [] \defineparabuilder [] \defineparbuilder [] \definepriodkerning [] [] [] \defineplacement [] [] [] \definepositioning [] [] [] \defineprocesscolor [] [] [] \defineprocesscolor [] [] [] \definepushbutton [] [] \definepushsymbol [] [] \definerenderingwindow [] [] \defineresetset [] [] [] \definescale [] [] [] \definescale [] [] []
defineoutputroutinecommand definepage definepage definepagebreak definepagecolumns definepageinjection definepageinjectionalternative definepageshift definepagestate definepairedbox defineparagraph defineparallel defineparbuilder defineparbuilder defineplaceholder defineplacement definepositioning defineprocesscolor defineprocessor definepushbutton definepushymbol defineresetset defineresetset definesccipt definescctionlevels	\defineoutputroutinecommand [] \definepage [] [] \definepage [] [] \definepagebreak [] [] [] \definepagecolumns [] [] [] \definepagecolumns [] [] [] \definepageinjection [] [] [] \definepageshift [] [] [] \definepagestate [] [] [] \defineparedbox [] [] [] \defineparagraph [] [] [] \defineparagraph [] [] \defineparabuilder [] \defineparbuilder [] \defineparbuilder [] \defineplaceholder [] [] [] \defineplacement [] [] [] \definepositioning [] [] [] \defineprocesscolor [] [] [] \definepushbutton [] [] \definepushsymbol [] [] \definerenderingwindow [] [] \defineresetset [] [] [] \definescale [] [] [] \definescale [] [] [] \definescript [] [] [] \definescript [] [] []
defineoutputroutinecommand definepage definepage definepagebreak definepagecolumns definepageinjection definepageinjectionalternative definepageshift definepagestate definepairedbox defineparagraph defineparallel defineparbuilder defineparbuilder defineplaceholder defineplacement definepositioning defineprocesscolor defineprocessor definepushbutton definepushymbol defineresetset defineresetset definesccionlevels definescetionlevels definesectionlevels	\defineoutputroutinecommand [] \definepage [] [] \definepagebreak [] [] \definepagechecker [] [] [=] \definepagecolumns [] [] [=] \definepageinjection [] [] [] \definepageinjectionalternative [] [] [] \definepageshift [] [] [] \definepagestate [] [] [] \definepairedbox [] [] [] \defineparagraph [] [] [] \defineparallel [] [] \defineparabuilder [] \defineparbuilder [] \defineplaceholder [] [] [] \defineplacement [] [] [] \definepositioning [] [] [] \defineprocesscolor [] [] [] \defineprocessor [] [] [] \definepushbutton [] [] \definepushsymbol [] [] \definerenderingwindow [] [] \defineresetset [] [] [] \definescale [] [] [] \definescale [] [] [] \definescale [] [] [] \definesctionlevels [] [] \definescetionlevels [] []
defineoutputroutinecommand definepage definepagebreak definepagechecker definepagecolumns definepageinjection definepageinjectionalternative definepageshift definepagestate defineparagraph defineparallel defineparbuilder defineperiodkerning defineplacement definepositioning defineprocesscolor defineprocessor definepushbutton definepushymbol defineresetset defineresetset definescale definescript definesectionlevels defineseparatorset	\defineoutputroutinecommand []   \definepage [] []   \definepage [] []   \definepagebreak [] []   []   []   \definepagecolumns [] [] []   []   \definepageinjection [] [] []   \definepageinjectionalternative [] []   \definepageshift [] []   []   \definepagestate [] []   []   \definepairedbox [] []   []   \defineparagraph [] []   []   \defineparallel [] []   []   \defineparbuilder []   []   []   \defineplaceholder [] []   []   \definepositioning [] []   []   \defineprocesscolor [] []   []   \defineprocesscolor [] []   []   \definepushbutton [] []   []   \definepushsymbol [] []   \definerenderingwindow [] []   []   \defineresetset [] []   []   \definescale [] []   []   \definescale [] []   []   \definescale [] []   []   \definesetionlevels [] []   \defineselector [] []   []   \defineselector [] []   []   \defineselector [] []   []   \defineselector [] []   []   \defineselector [] []   []   []   \defineselector [] []   []   []   \defineselector [] []   []   []   \defineselector [] []   []   []   \defineselector [] []   []   []   \defineselector [] []   []   []   \defineselector [] []   []   []   \defineselector [] []   []   []   \defineselector [] []   []   []   \defineselector [] []   []   []   []   \defineselector [] []   []   []   \defineselector [] []   []   []   \defineselector [] []   []   []   \defineselector [] []   []   []   \defineselector [] []   []   []   \defineselector [] []   []   []   \defineselector [] []   []   []   \defineselector [] []   []   []   \defineselector []   []   []   []   \defineselector []   []   []   \de
defineoutputroutinecommand definepage definepage definepagebreak definepagecolumns definepageinjection definepageinjectionalternative definepageshift definepagestate definepairedbox defineparagraph defineparallel defineparbuilder defineparbuilder defineplaceholder defineplacement definepositioning defineprocesscolor defineprocessor definepushbutton definepushymbol defineresetset defineresetset definesccionlevels definescetionlevels definesectionlevels	\defineoutputroutinecommand []   \definepage [] []   \definepage [] []   \definepagebreak [] []   []   []   \definepagecolumns [] [] []   []   \definepageinjection [] [] []   \definepageinjectionalternative [] []   \definepageshift [] [] []   \definepagestate [] [] []   \definepagestate [] [] []   \defineparagraph [] [] []   \defineparagraph [] [] []   \defineparabuilder []   []   []   \defineparbuilder []   []   []   \defineplacement [] []   []   []   \definepositioning [] []   []   \defineprocesscolor [] []   []   \defineprocesscolor [] []   []   \definepushbutton [] []   \definepushbutton [] []   \definepushsymbol [] []   \definerederingwindow [] []   []   \definescale [] []   []   \defineseparatorset [] []   []   \defineseparatorset [] []   []   \defineshift [] []   []   []   \defineshift [] []   []   []   \defineshift [] []   []   []   \defineshift [] []   []   []   \defineshift [] []   []   []   \defineshift [] []   []   []   \defineshift [] []   []   []   []   \defineshift [] []   []   []   \defineshift [] []   []   []   \defineshift [] []   []   []   \defineshift [] []   []   []   []   []   \defineshift [] []   []   []   \defineshift [] []   []   []   \defineshift [] []   []   []   \defineshift [] []   []   []   \defineshift [] []   []   []   \defineshift []   []   \defineshift []   []   \defineshift [
defineoutputroutinecommand definepage definepagebreak definepagechecker definepagecolumns definepageinjection definepageinjectionalternative definepageshift definepagestate definepairedbox defineparallel defineparallel defineparbuilder defineperiodkerning defineplacement definepositioning defineprocesscolor defineprocessor definepushbutton definepushymbol defineresetset defineresetset definescript definesectionlevels defineseparatorset defineseparatorset defineseparatorset defineseparatorset defineseparatorset	\defineoutputroutinecommand []   \definepage [] []   \definepagebreak [] []   \definepagechecker [] [] []   \definepagecolumns [] [] []   \definepageinjection [] [] []   \definepageinjectionalternative [] []   \definepageshift [] []   []   \definepagestate [] []   []   \defineparagraph [] []   []   \defineparagraph [] []   []   \defineparallel [] []   \defineparabuilder []   []   \defineparoutharder [] []   []   \definepacement [] []   []   \definepositioning [] []   []   \defineprocessor [] []   []   \defineprocessor [] []   []   \definepushbutton [] []   []   \definepushymbol [] []   \definerenderingvindow [] []   \definescale [] []   []   \definescale [] []   []   \definescale [] []   []   \defineselector [] []   []   \defineselector [] []   []   \defineselector [] []   []   \defineshift [] []   []   []   \defineshift [] []   []   []   \defineshift [] []   []   []   \defineshift [] []   []   []   \defineshift [] []   []   []   []   \defineshift [] []   []   []   []   \defineshift [] []   []   []   []   \definesidebar [] []   []   []   []   \definesidebar [] []   []   []   \definesidebar [] []   []   []   \definesidebar [] []   []   []   \definesidebar [] []   []   []   []   \definesidebar [] []   []   []   \definesidebar [] []   []   []   []   \definesidebar [] []   []   []   []   \definesidebar [] []   []   []   []   \definesidebar [] []   []   []   []   \definesidebar [] []   []   []   \definesidebar [] []   []   []   \definesidebar [] []   []   []   \definesidebar []   []   []   \definesidebar [] []   []   \defi
defineoutputroutinecommand definepage definepagebreak definepagechecker definepagecolumns definepageinjection definepageinjectionalternative definepageshift definepagestate defineparardbox defineparallel defineparallel defineparbuilder defineplaceholder defineplacement defineprocessor defineprocessor definepushbutton definepushbymbol defineresetset defineresetset definescript definesectionlevels defineseparatorset definesidebar definesort	\defineoutputroutinecommand []   \definepage [] []   \definepagebreak [] []   \definepagechecker [] [] []   \definepagecolumns [] [] []   \definepageinjection [] [] []   \definepageinjectionalternative [] []   \definepageshift [] []   []   \definepagestate [] []   []   \defineparagraph [] []   []   \defineparagraph [] []   []   \defineparallel [] []   \defineparabuilder []   []   \defineparouthering [] []   []   \defineplaceholder [] []   []   \definepositioning [] []   []   \defineprocessor [] []   []   \defineprocessor [] []   []   \definepushbutton [] []   []   \definepushymbol [] []   \definerenderingvindow [] []   \defineresetset [] []   []   \definescale [] []   []   \definescale [] []   []   \defineselector [] []   []   \defineselector [] []   []   \defineselector [] []   []   \defineshift [] []   []   []   \defineshift [] []   []   []   \definesidebar [] []   []   []   \definesort [] []   []   \definesort [] []   []   \definesort [] []   []   \definesort [] []   []   \definesort [] []   []   \definesort [] []   \definesort []   []   \definesort []   []   \definesort []
defineoutputroutinecommand definepage definepagebreak definepagechecker definepagecolumns definepageinjection definepageinjectionalternative definepageshift definepagestate defineparalel defineparallel defineparbuilder definepariodkerning defineplacement defineprocessolor defineprocessor defineprocessor definepushbutton definepenshbutton defineresetset defineresetset definescale definescript definesectionlevels defineseparatorset definesidebar	\defineoutputroutinecommand []   \definepage [] []   \definepagebreak [] []   \definepagechecker [] [] []   \definepagecolumns [] [] []   \definepageinjection [] [] []   \definepageinjectionalternative [] []   \definepageshift [] []   []   \definepagestate [] []   []   \defineparagraph [] []   []   \defineparagraph [] []   []   \defineparallel [] []   \defineparabuilder []   []   \defineparoutharder [] []   []   \definepacement [] []   []   \definepositioning [] []   []   \defineprocessor [] []   []   \defineprocessor [] []   []   \definepushbutton [] []   []   \definepushymbol [] []   \definerenderingvindow [] []   \definescale [] []   []   \definescale [] []   []   \definescale [] []   []   \defineselector [] []   []   \defineselector [] []   []   \defineselector [] []   []   \defineshift [] []   []   []   \defineshift [] []   []   []   \defineshift [] []   []   []   \defineshift [] []   []   []   \defineshift [] []   []   []   []   \defineshift [] []   []   []   []   \defineshift [] []   []   []   []   \definesidebar [] []   []   []   []   \definesidebar [] []   []   []   \definesidebar [] []   []   []   \definesidebar [] []   []   []   \definesidebar [] []   []   []   []   \definesidebar [] []   []   []   \definesidebar [] []   []   []   []   \definesidebar [] []   []   []   []   \definesidebar [] []   []   []   []   \definesidebar [] []   []   []   []   \definesidebar [] []   []   []   \definesidebar [] []   []   []   \definesidebar [] []   []   []   \definesidebar []   []   []   \definesidebar [] []   []   \defi

definesubformula	\definesubformula [] [] [=]
definesynonym	\definesynonym [] [] {} {}
definesystemattribute	\definesystemattribute [] []
definesystemconstant	\definesystemconstant {}
definesystemvariable defineTABLEsetup	\definesystemvariable {} \defineTABLEsetup [] [=]
definetextbackground	\definetextbackground [] [=]
definetextflow	\definetextbackground [] [] [] \definetextflow [] [] []
definetextnote	\definetextnote [] []
definetokenlist	\definetokenlist []
definetooltip	\definetooltip [] [=]
definetransparency:1	\definetransparency [] []
definetransparency:2	\definetransparency [] [=]
definetransparency:3	\definetransparency [] []
definetwopasslist	\definetwopasslist {}
definetypeface	\definetypeface [] [] [] [] []
definetypescriptprefix	\definetypescriptprefix [] []
definetypescriptsynonym definetypesetting	\definetypescriptsynonym [] [] \definetypesetting [] [] []
defineunit	\defineupit [] [] [] \defineunit [] []
defineuserdata	\defineuserdata [] [] [=]
defineuserdataalternative	\defineuserdataalternative [] [] [=]
defineviewerlayer	\defineviewerlayer [] [=]
definevspace	\definevspace [] []
definevspacing	\definevspacing [] []
definevspacingamount	\definevspacingamount [] []
definextable	\definextable [] [=]
definisci	\definisci [] \ {}
definisciaccento	\definisciaccento
definisciambientefontdeltesto definisciblocco	\definisciambientefontdeltesto [] [] [=] \definisciblocco [] [] [=]
definiscibloccosezione	\definiscibloccosezione [] [=]
definiscibuffer	\definiscibioccosezione [] [] [] \definiscibuffer [] [] []
definiscicampo	\definiscicampo [] [] [] []
definiscicapoversi	\definiscicapoversi [] [] []
definiscicarattere	\definiscicarattere
definiscicolore	\definiscicolore [] [=]
definiscicolore:name	\definiscicolore [] []
definiscicomando	\definiscicomando
definisciconversione	\definisciconversione [] []
definisciconversione:list	\definisciconversione [] []
definiscidescrizione	\definiscidescrizione [] []
definiscidimensionicarta definiscidimensionicarta:name	\definiscidimensionicarta [] [=]
definiscielenco	\definiscidimensionicarta [] [] \definiscielenco [] [] [=]
definiscielencocombinato	\definiscielencocombinato [] [=]
definiscienumerazione	\definiscienumerazione [] [] []
definiscietichetta	\definiscietichetta [] [] [=]
definiscifigurasimbolo	\definiscifigurasimbolo [] [] [=]
definiscifont	\definiscifont [] [=]
definiscifontdeltesto	\definiscifontdeltesto [] [] [] [=]
definiscifontdeltesto:argument	\definiscifontdeltesto [] [] []
definiscifont:argument	\definiscifont [] []
definisciformatoriferimento	\definisciformatoriferimento [] [] [=]
definiscigruppocolonne	\definiscigruppocolonne [] [] [=]
definiscigruppocolori definiscihbox	\definiscigruppocolori [] [] [x:y:z,] \definiscihbox [] []
definisciincorniciato	\definiscincorniciato [] [] [=]
definisciiniziatermina	\definisciiniziatermina [] [] [=]
definiscilayout	\definiscilayout [] [] [=]
definiscimakeup	\definiscimakeup [] [=]
definiscimarcatura	\definiscimarcatura [] [] [=]
definiscimenuinterazione	\definiscimenuinterazione [] [] [=]
definiscimodellotabella	$\verb \definiscimodellotabella[][  ][] $
definiscioggettomobile	\definiscioggettomobile [] [] [=]
definiscioggettomobile:name	\definiscioggettomobile [] []
definisciordinamento	\definisciordinamento [] []
definisciprofilo	\definisciprofilo [] [] []
definisciprogramma	\definisciprogramma [] []
definisciregistro definisciriferimento	\definisciregistro [] [] [] \definisciriferimento [] []
definisciriferimento definiscisezione	\definisciriferimento [] \definiscisezione []
~~~ ~~ ~~ ~~ ~~ ~~ ~~ ~~ ~~ ~~ ~~ ~~ ~~	/227_1120120110110 []

1.61 1	V1.61.1
definiscisimbolo	\definiscisimbolo [] []
definiscisinonimi	\definiscisinonimi [] [] []
definiscisinonimofont	\definiscisinonimofont [] [=]
definiscisottocampo	\definiscisottocampo [] []
definiscisovrapposizione	\definiscisovrapposizione [] []
definiscistackcampi	\definiscistackcampi [] [=]
definiscistile	\definiscistile [] [=]
definiscistilefont	\definiscistilefont [] []
definiscitabulato	\definiscitabulato [] []
	\definiscitavolozza [] [=] OPT
definiscitavolozza	
definiscitavolozza:name	\definiscitavolozza [] []
definiscitesta	\definiscitesta [] [=]
definiscitesto	$\label{eq:definiscitesto} $$ \left[ \ldots \right] $
definiscitestoincorniciato	\definiscitestoincorniciato [] [] [=]
definiscitype	\definiscitype [] [=]
definiscityping	\definiscityping [] [=]
delimited	\delimited [] [] {}
delimitedtext	\delimitedtext [] [] {}
delimitedtext:instance	\DELIMITEDTEXT [] {}
delimitedtext:instance:aside	\aside [] {}
delimitedtext:instance:blockquote	\blockquote [] {}
delimitedtext:instance:quotation	\quotation [] {}
delimitedtext:instance:quote	\quote [] {}
delimitedtext:instance:speech	\speech [] {}
•	-
depthofstring	\depthofstring {}
depthonlybox	\depthonlybox {}
depthspanningtext	\depthspanningtext {} {}
depthstrut	\depthstrut
descrizione:example	\DESCRIZIONE [] {} \par
-	<del>-</del>
destra	\destra
determinacaratteristicheregistro	\determinacaratteristicheregistro [] [=]
determinacarattersticheelenco	\determinacarattersticheelenco [] [=]
determinanumerotesta	\determinanumerotesta []
determinenoflines	\determinenoflines {}
devanagarinumerals	\devanagarinumerals {}
digits	\digits {}
digits:string	\digits
dimensiontocount	\dimensiontocount {} \
directboxfromcache	\directboxfromcache {} {}
directcolor	\directcolor []
directcolored	\directcolored [=]
directcolored:name	\directcolored []
directconvertedcounter	\directconvertedcounter {} {}
directcopyboxfromcache	\directcopyboxfromcache {} {}
directdummyparameter	\directdummyparameter {}
directgetboxllx	\directgetboxllx
directgetboxlly	\directgetboxlly
directhighlight	\directhighlight {} {}
directlocalframed	\directlocalframed [] {}
directluacode	\directluacode {}
directselect	\directselect \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
directsetbar	\directsetbar {} OPT OPT OPT OPT OPT
directsetup	\directsetup {}
directsymbol	\directsymbol {} {}
•	
directvspacing	\directvspacing {}
dis	\dis {}
disabledirectives	\disabledirectives []
disableexperiments	\disableexperiments []
disablemode	\disablemode []
disableoutputstream	\disableoutputstream
disableparpositions	\disableparpositions
disableregime	\disableregime
disabletrackers	\disabletrackers []
displaymath	\displaymath {}
displaymathematics	\displaymathematics {}
displaymessage	\displaymessage {}
disposeluatable	\disposeluatable \
distributedhsize	\distributedhsize $\{\}$ $\{\}$
dividedsize	\dividedsize {} {}
doadaptleftskip	\doadaptleftskip {}
doadaptrightskip	\doadaptrightskip {}
doaddfeature	\doaddfeature {}

doassign	\doassign [] [=]
doassignempty	\doassignempty [] [=]
doboundtext	\doboundtext {} {}
docheckassignment	\docheckassignment {}
docheckedpair	\docheckedpair {}
documentvariable	\documentvariable {}
dodoubleargument	\dodoubleargument \ []
dodoubleargumentwithset	\dodoubleargumentwithset \ [] []
dodoubleempty	\dodoubleempty \ []
dodoubleemptywithset	\dodoubleemptywithset \ [] []
dodoublegroupempty doeassign	\dodoublegroupempty \ \ \\} \\doesnot \ \\] [=]
doexpandedrecurse	\doexpandedrecurse {} {}
dofastloopcs	\dofastloopcs {} \
dogetattribute	\dogetattribute {}
dogetattributeid	\dogetattributeid {}
dogetcommacommandelement	\dogetcommacommandelement \from \to \
dogobbledoubleempty	\dogobbledoubleempty [] []
dogobblesingleempty	\dogobblesingleempty []
doif	\doif {} {}
doifallcommon	\doifallcommon {} {} {}
doifallcommonelse	\doifallcommonelse \{\} \{\} \{\}
doifalledelse	\doifalldefinedelse {} {} {} \doifallmodes {} {} {}
doifallmodes doifallmodeselse	\doifallmodeselse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifassignmentelse	\doifassignmentelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifassignmentelsecs	\doifassignmentelsecs \{\doifassignmentelsecs \}\doifassignmentelsecs \}\doifassignmentelsecs \{\doifassignmentelsecs \}\doifassignmentelsecs \}\doifassignmentelsecs \{\doifassignmentelsecs \{\doifassignmentelsecs \}\doifassignmentelsecs \}\doifassignmentelsecs \}\doifassignmentelsecs \}\doifassignmentelsecs \{\doifassignmentelsecs \}\doifassignmentelsecs \}\doifassignmentelsecs \}\doifassignmentelsecs \{\doifassignmentelsecs \}\doifassignmentelsecs \}\doifassignmentelsecs \}\doifassignmentelsecs \}\doifassignmentelsecs \}\doifassignmentelsecs \}\doifassignmentelsecs \}\doifassignmentelsecs \{\doifassignmentelsecs \}\doifassignmentelsecs \}\doifassignmentelsecs \}\doifassignmentelsecs \}\doifassignmentelsecs \}\doifassignmentelsecs \}\doifassignmentelsecs \}\doifassignmentelsecs \}\doifassignmentelsecs \}\doifassignmentelsecs \}\doifa
doifblackelse	\doifblackelse {} {}
doifbothsides	\doifbothsides {} {} {}
doifbothsidesoverruled	\doifbothsidesoverruled \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifboxelse	\doifboxelse {} {} {}
doifbufferelse	\doifbufferelse $\{\ldots\}$ $\{\ldots\}$
doifcheckedpagestate	$\label{local_doif} $$ \doif checked page state $\{\ldots\} $\{\ldots\} $\{\ldots\} $\{\ldots\} $\{\ldots\} $\{\ldots\} $\{\ldots\} $\{\ldots\}$
doifcolor	\doifcolor {} {}
doifcolorelse	\doifcolorelse \{\} \{\}
doifcommandhandler	\doifcommandhandler \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
doifcommandhandlerelse	\doifcommandhandlerelse \ \{\} \{\}
doifcommon doifcommonelse	\doifcommon \{\} \{\} \\doifcommonelse \{\} \{\} \\\\}
doifcontent	\doifcontent {} {} \ {}
doifconversiondefinedelse	\doifconversiondefinedelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifconversionnumberelse	\doifconversionnumberelse \{\ldots\} \{\ldots\} \{\ldots\} \{\ldots\}
doifcounter	\doifcounter {} {}
doifcounterelse	\doifcounterelse {} {}
doifcurrentfonthasfeatureelse	\doifcurrentfonthasfeatureelse $\{\ldots\}$ $\{\ldots\}$
doifdefined	\doifdefined \{\ldots\} \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \
doifdefinedcounter	\doifdefinedcounter \{\ldots\}
doifdefinedcounterelse	\doifdefinedcounterelse {} {}
doifdefinedelse	\doifdefinedelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifdimensionelse	\doifdimensionelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifdimenstringelse doifdocumentargument	\doifdimenstringelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifdocumentargumentelse	\doifdocumentargumentelse \{\ldot\ldot\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifdocumentfilename	\doifdocumentfilename \{\ldots\} \\\
doifdocumentfilenameelse	\doifdocumentfilenameelse {} {} {}
doifdocumentvariable	\doifdocumentvariable \{\doifdocumentvariable \{\doifd
doifdocumentvariableelse	\doifdocumentvariableelse {} {} {}
doifdrawingblackelse	\doifdrawingblackelse {} {}
doifelse	\doifelse {} {} {}
doifelseallcommon	\doifelseallcommon $\{\}$ $\{\}$ $\{\}$
doifelsealldefined	\doifelsealldefined \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelseallmodes	\doifelseallmodes \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelseassignment	\doifelseassignment \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelseassignmentcs	\doifelseassignmentcs \\\\
doifelseblack	\doifelseblack \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsebox	\doifelsebox \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelseburincache doifelsebuffer	\doifelseboxincache \{\} \{\} \\doifelsebuffer \{\} \\\\}
doifelsecolor	\doifelsecolor {} {} {}
doifelsecommandhandler	\doifelsecommandhandler \ \{\} \{\} \{\}
doifelsecommon	\doifelsecommon {} {} {} {}
doifelseconversiondefined	\doifelseconversiondefined $\{\ldots\}$ $\{\ldots\}$

doifelseconversionnumber	\doifelseconversionnumber \{\ldots\} \{\ldots\} \{\ldots\} \\
doifelsecounter	\doifelsecounter \{\ldots\} \\\ \ldots\\\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\
doifelsecurrentfonthasfeature	\doifelsecurrentfonthasfeature \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsecurrentsortingused	\doifelsecurrentsortingused \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsecurrentsynonymshown doifelsecurrentsynonymused	\doifelsecurrentsynonymshown \{\ldots\} \\doifelsecurrentsynonymused \{\ldots\} \\\doifelsecurrentsynonymused \{\ldots\} \\doifelsecurrentsynonymused \{\ldots\} \\\doifelsecurrentsynonymused \{\ldots\}
doifelsedefined	\doifelsedefined \{\ldots\} \\\.\\
doifelsedefinedcounter	\doifelsedefinedcounter \{\ldots\} \\\ \ldots\}
doifelsedimension	\doifelsedimension {} {} {}
doifelsedimenstring	\doifelsedimenstring {} {} {}
doifelsedocumentargument	\doifelsedocumentargument {} {} {}
doifelsedocumentfilename	\doifelsedocumentfilename $\{\ldots\}$ $\{\ldots\}$
doifelsedocumentvariable	\doifelsedocumentvariable $\{\ldots\}$ $\{\ldots\}$
doifelsedrawingblack	\doifelsedrawingblack \{\} \{\}
doifelseempty	\doifelseempty \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelseemptyvalue	\doifelseemptyvalue \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelseemptyvariable	\doifelseemptyvariable \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelseenv doifelsefastoptionalcheck	\doifelseenv \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsefastoptionalcheckcs	\doifelsefastoptionalcheckc \ \
doifelsefieldbody	\doifelsefieldbody \{\ldots\} \\\.\\
doifelsefieldcategory	\doifelsefieldcategory {} {} {}
doifelsefigure	\doifelsefigure \{\ldots\} \\ \\.\\
doifelsefile	\doifelsefile {} {}
doifelsefiledefined	\doifelsefiledefined \{\ldots\} \\\\\
doifelsefileexists	\doifelsefileexists {} {} {}
doifelsefirstchar	\doifelsefirstchar $\{\}$ $\{\}$ $\{\}$
doifelseflagged	\doifelseflagged {} {}
doifelsefontchar	\doifelsefontchar {} {} {} {}
doifelsefontfeature	\doifelsefontfeature \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsefontpresent	\doifelsefontpresent \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsefontsynonym doifelseframed	\doifelsefontsynonym \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsehasspace	\doifelseliamed \ \ \ \ \\doifelseliamed \ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\
doifelsehelp	\doifelsehelp \{\} \\\}
doifelseincsname	\doifelseincsname \{\ldots\} \\\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\
doifelseinelement	\doifelseinelement {} {} {}
doifelseinputfile	\doifelseinputfile $\{\}$ $\{\}$
doifelseinsertion	\doifelseinsertion $\{\ldots\}$ $\{\ldots\}$
doifelseinset	\doifelseinset \{\} \{\} \{\}
doifelseinstring	\doifelseinstring \{\} \{\} \{\}
doifelseinsymbolset	\doifelseinsymbolset \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelseintoks	\doifelseintoks \{\doifelseintoks \}\doifelseintoks \{\doifelseintoks \{\doifelseintoks \{\doifelseintoks \{\doifelseintoks \}\doifelseintoks \{\doifelseintoks \{\doifelseintoks \{\doifelseintoks \}\doifelseintoks \{\doifelseintoks \{\doifelseintoks \}\doifelseintoks \{\doifelseintoks \}\doifelseintoks \{\doifelseintoks \{\doifelseintoks \}\doifelseintoks \{\doifelseintoks \}\doifelseintoks \{\doifelseintoks \}\doifelseintoks \{\doifelseintoks \}\doifelseintoks \{\doifelseintoks \}\doifelseintoks \{\doifelseintoks \}\doifelseintoks \}\doifelseintoks \{\doifelseintoks \}\doifelseintoks \}\doifelseintoks \}\doifelseintoks \}\doifelseintoks \{\doifelseintoks \}\doifelseintoks \}\doifelseint
doifelseintwopassdata doifelseitalic	\doifelseintwopassdata \{\ldots\} \{\ldots\} \{\ldots\} \\doifelseitalic \{\ldots\} \{\ldots\}
doifelselanguage	\doifelselanguage \{\} \{\}
doifelselayerdata	\doifelselayerdata {} {} {}
doifelselayoutdefined	\doifelselayoutdefined {} {} {}
doifelselayoutsomeline	\doifelselayoutsomeline \{\ldots\} \{\ldots\}
doifelselayouttextline	\doifelselayouttextline \{\ldots\} \{\ldots\}
doifelseleapyear	\doifelseleapyear $\{\}$ $\{\}$
doifelselist	\doifelselist \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelselocation	\doifelselocation \{\ldots\}
doifelselocfile	\doifelselocfile \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelseMPgraphic	\doifelseMPgraphic \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsemainfloatbody doifelsemarkedcontent	\doifelsemainfloatbody \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsemarkedpage	\doifelsemarkedpage \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsemarking	\doifelsemarking \{\ldots\} \\\.\\
doifelsemeaning	\doifelsemeaning \ \ \{\}
doifelsemessage	\doifelsemessage {} {} {}
doifelsemode	\doifelsemode {} {} {}
doifelsenextbgroup	\doifelsenextbgroup {} {}
doifelsenextbgroupcs	\doifelsenextbgroupcs \ \
doifelsenextchar	\doifelsenextchar \{\ldots\} \\\.\\
doifelsenextoptional	$\verb \doifelsenextoptional {} {} $
doifelsenextoptionalcs	\doifelsenextoptionalcs \ \
doifelsenextparenthesis	\doifelsenextparenthesis {} {}
doifelsenonzeropositive	\doifelsenonzeropositive {} {} {}
doifelsenoteonsamepage	\doifelsenoteonsamepage \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsenothing doifelsenumber	\doifelsenothing \{\} \{\} \doifelsenumber \{\} \{\}
#011019eHminet	/MOTIGISGHAMMOGI [] []

doifelseobjectfound	\doifelseobjectfound \{\ldots\} \{\ldots\} \{\ldots\} \\
doifelseobjectreferencefound	\doifelseobjectreferencefound \{\ldots\} \{\ldots\} \{\ldots\} \\
doifelseoddpage	\doifelseoddpage {} {}
doifelseoddpagefloat	\doifelseoddpagefloat {} {}
doifelseoldercontext	\doifelseoldercontext \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelseolderversion	\doifelseolderversion \{\ldots\} \{\ldots\} \{\ldots\} \\
doifelseorientation	\doifelseorientation \{\ldots\} \{\ldots\} \\
doifelseoverlapping	\doifelseoverlapping \{\ldots\} \{\ldots\} \{\ldots\} \{\ldots\}
doifelseoverlay	\doifelseoverlay \{\ldots\} \{\ldots\}
doifelseparallel	\doifelseparallel \{\ldots\} \{\ldots\} \{\ldots\} \{\ldots\}
doifelseparentfile	\doifelseparentfile \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsepath	\doifelsepath {} {}
doifelsepathexists	\doifelsepathexists \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsepatterns	\doifelsepatterns \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelseposition	\doifelseposition \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsepositionaction	\doifelsepositionaction \{\ldots\} \{\ldots\}
doifelsepositiononpage	\doifelsepositiononpage \{\ldots\} \{\ldots\} \\\
doifelsepositionsonsamepage	\doifelsepositionsonsamepage \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsepositionsonthispage	\doifelsepositionsonthispage \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsepositionsused	\doifelsepositionsused {} {}
doifelsereferencefound	\doifelsereferencefound \{\ldots\} \{\ldots\} \\
doifelserightpage	\doifelserightpage {} {}
doifelserightpagefloat	\doifelserightpagefloat {} {}
doifelserighttoleftinbox	\doifelserighttoleftinbox \{\} \{\}
doifelsesamelinereference	\doifelsesamelinereference \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsesamestring	\doifelsesamestring \{\} \{\} \{\}
doifelsesetups	\doifelsesetups {} {}
doifelsesomebackground	\doifelsesomebackground \{\ldots\} \{\ldots\}
doifelsesomespace	\doifelsesomespace \{\ldots\} \{\ldots\} \{\ldots\}
doifelsesomething	\doifelsesomething \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsesometoks	\doifelsesometoks \ \{\} \{\}
doifelsestringinstring doifelsestructurelisthasnumber	\doifelsestringinstring \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
	\doifelsestructurelisthasnumber \{\ldots\} \{\ldots\} \doifelsestructurelisthaspage \{\ldots\} \{\ldots\}
doifelsestructurelisthaspage doifelsesymboldefined	\doifelsestructureristnaspage \lambda \footnote{\lambda} \lambda \lambda \footnote{\lambda} \lambda \l
doifelsesymbolset	\doifelsesymbolset \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsetext	\doifelsetext \{\} \\\.\.\}
doifelsetextflow	\doifelsetextflow \{\} \{\}
doifelsetextflowcollector	\doifelsetextflowcollector \{\ldots\} \\\.\\\
doifelsetopofpage	\doifelsetopofpage {} {}
doifelsetypingfile	\doifelsetypingfile \{\ldots\} \\\.\}
doifelseundefined	\doifelseundefined \{\ldots\} \\\ \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelseurldefined	\doifelseurldefined \{\ldots\} \\\ \\.\\\
doifelsevalue	\doifelsevalue \{\} \{\}
doifelsevaluenothing	\doifelsevaluenothing \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsevariable	\doifelsevariable {} {} {}
doifempty	\doifempty {} {}
doifemptyelse	\doifemptyelse {} {}
doifemptytoks	\doifemptytoks \ {}
doifemptyvalue	\doifemptyvalue {} {}
doifemptyvalueelse	\doifemptyvalueelse {} {}
doifemptyvariable	\doifemptyvariable $\{\}$ $\{\}$
doifemptyvariableelse	\doifemptyvariableelse $\{\}$ $\{\}$ $\{\}$
doifenv	\doifenv {} {}
doifenvelse	\doifenvelse $\{\}$ $\{\}$
doiffastoptionalcheckcselse	\doiffastoptionalcheckcselse \ \
doiffastoptionalcheckelse	\doiffastoptionalcheckelse \{\ldots\} \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \
doiffieldbodyelse	\doiffieldbodyelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doiffieldcategoryelse	\doiffieldcategoryelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doiffigureelse	\doiffigureelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doiffile	\doiffile {} {}
doiffiledefinedelse	\doiffiledefinedelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doiffileelse	\doiffileelse \{\} \{\}
doiffileexistselse	\doiffileexistselse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doiffirstcharelse	\doiffirstcharelse \{\ldots\} \{\ldots\} \{\ldots\}
doifflaggedelse	\doifflaggedelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doiffontcharelse	\doiffontcharelse \{\doiffont \} \\\.\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doiffontprogentalse	\doiffontfeatureelse \{\doiffontprogentelse \
doiffontgresentelse	\doiffontpresentelse \{\ldots\} \\\.\\\
doiffontsynonymelse	\doiffortsynonymelse \{\ldots\} \\\.\\\
doifhasspaceelse doifhelpelse	\doifhasspaceelse {} {} {}
dollmerherse	\doifhelpelse \{\ldots\} \\

dofinenamesles  dofinputfiledis  dofinentes		
doifinputfilealse () {	doifincsnameelse	\doifincsnameelse $\{\}$ $\{\}$ $\{\}$
doifinertionelse doifinertelse doifinertelse doifinertelse doifinertelse doifinertelse doifinertelse doifinertelse doifinertelse doifinertelse doifinerting doifintring doifin		
doifinetelee  doifinetelee  doifinetelee  doifinetelee  doifinitings  do	-	
doifinstring doifi		
doifinatring () {} {} doifinating () {} {} {} doifinating less doifinating less () {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {		
doifinstringelse		
doifinsymboleties	5	
doifinsymbolestelse	5	
doifintoteselse doifitationseadataelse () {} {} {} {} doifintutpassadataelse () {} {} {} doifinaticulse () {} doifinatic	•	
doi:Intropassdatable   doi:Intropassdatable	•	
doifinguageales doifinguageale		
doiflayoutdefinedelse	-	
doiflaywordsteelse		
doiflayoutnoselinealse		
doiflayoutsomelineelse	•	
doiflayouttextlineelse doiflayouttextlineelse doiflatelse doiflatelse doiflatelse doifloctineelse doifloctinee	•	
doifleapyearelse	•	
doifilistelse		
doiffocfileelse	10	
doiffWgraphicelse	doiflocationelse	
doiffWgraphicelse	doiflocfileelse	\doiflocfileelse {} {}
doifmarkingelse	doifMPgraphicelse	
doifmarkingelse	doifmainfloatbodyelse	\doifmainfloatbodyelse {} {}
doifmesageelse	doifmarkingelse	
doifmode	doifmeaningelse	\doifmeaningelse \ \ {} {}
doifnoteles	doifmessageelse	\doifmessageelse $\{\}$ $\{\}$ $\{\}$
doifnextbgroupese	doifmode	\doifmode {} {}
doifnextbgroupelse         \doifnextcharelse           doifnextcharelse         \doifnextcharelse {} {}           doifnextoptionalcelse         \doifnextoptionalcelse \ \           doifnextoptionalclese         \doifnextoptionalcelse \ \           doifnextparenthesiselse         \doifnextparenthesiselse \ \{}           doifnot         \doifnotxerpositivelse \ \{}           doifnot         \doifnotallommon \ \{}           doifnotdlommon         \doifnotallommon \ \{}           doifnotallomdes         \doifnotallomdes \ \{}           doifnotdommandhandler         \doifnotcommandhandler \ \{}           doifnotcommen         \doifnotcommen \ \{}           doifnotdocumentargument         \doifnotdocumentargument \ \{}           doifnotdocumentargument         \doifnotdocumentargument \ \{}           doifnotdocumentvariable         \doifnotdocumentvariable \ \{}           doifnotdocumentvariable         \doifnotdocumentvariable \ \{}           doifnotemptyvalue         \ \{}           doifnotemptyvalue         \ \{}           doifnotemptyvariable         \doifnotemptyvariable \ \{}           doifnotensamepageelse         \doifnotemptyvariable \ \{}           doifnotificensamepageelse         \doifnotinotificensamepageel	doifmodeelse	\doifmodeelse {} {}
doifnextcharelse         \doifnextcharelse { } { } { }           doifnextoptionalcselse         \doifnextoptionalcselse \ \           doifnextoptionalclese         \doifnextoptionalclese { } { }           doifnextoptionalclese         \doifnextoptionalclese { } { }           doifnotterpositiveelse         \doifnotzerpositiveelse { } { }           doifnotalloomnon         \doifnotalloomnon { } { } { }           doifnotallooms         \doifnotalloomnon { } { } { }           doifnotcommon         \doifnotcommon { } { } { }           doifnotdocumentalloom         \doifnotcommon { } { } { }           doifnotdocumentargument         \doifnotdocumentargument { } { }           doifnotdocumentargument         \doifnotdocumentrilename { } { }           doifnotdocumentrariable         \doifnotdocumentrariable { } { }           doifnotdocumentvariable         \doifnotdocumentvariable { } { }           doifnotemptyvalue         \doifnotemptyvalue { } { }           doifnotemptyvariable         \doifnotemptyvalue { } { }           doifnotemptyvariable         \doifnotemptyvariable { } { }           doifnotemptyvariable         \doifnotemptyvariable { } { }           doifnotiflagged         \doifnotemptyvariable { } { }	doifnextbgroupcselse	\doifnextbgroupcselse \ \
doifnextoptionalcselse         \doifnextoptionalcselse \\\           doifnextparenthesiselse         \doifnextparenthesiselse \\\\           doifnonzeropositiveelse         \doifnotalnozeropositiveelse \\\\	doifnextbgroupelse	\doifnextbgroupelse {} {}
doifnextpptionalelse         \doifnextparenthesiselse {} {}           doifnonzeropositiveelse         \doifnonzeropositiveelse {} {}           doifnot         \doifnot {} {} {}           doifnot         \doifnot {} {} {}           doifnotallcommon         \doifnotallmodes {} {} {}           doifnotcommandhandler         \doifnotcommon {} {} {}           doifnotcommon         \doifnotcommon {} {} {}           doifnotdocumentargument         \doifnotdocumentargument {} {}           doifnotdocumentrilename         \doifnotdocumentrilename {} {}           doifnotdocumentrilename         \doifnotdocumentrilename {} {}           doifnotdocumentvariable         \doifnotdocumentvariable {} {}           doifnotempty         \doifnotempty {} {}           doifnotemptyvalue         \doifnotemptyvariable {} {}           doifnotemptyvariable         \doifnotemptyvariable {} {}           doifnotescollected         \doifnotescollected {} {}           doifnotescollected         \doifnotfile {} {}           doifnotfile         \doifnotfile {} {}           doifnothing         \doifnotfilaged {} {}           doifnothing         \doifnoting {} {}           doifnotinset         \doifnotingelepitfloat {} {}     <	doifnextcharelse	
doifnotzeropositiveelse         \doifnotzeropositiveelse \	doifnextoptionalcselse	\doifnextoptionalcselse \ \
doifnoteropositiveelse         \doifnot {} {} {} {}           doifnotallcommon         \doifnotallcommon {} {} {}           doifnotallmodes         \doifnotallmodes {} {} {}           doifnotcommandhandler         \doifnotcommandhandler \ {}           doifnotcommon         \doifnotcommon {} {}           doifnotcounter         \doifnotcounter {} {}           doifnotdocumentargument         \doifnotdocumentargument {} {}           doifnotdocumentrylment         \doifnotdocumentrylename {} {}           doifnotdocumentryariable         \doifnotdocumentry {} {}           doifnotempty         \doifnotdocumentry {} {}           doifnotemptyvalue         \doifnotemptyvariable {} {}           doifnotemptyvariable         \doifnotemptyvariable {} {}           doifnotemptyvariable         \doifnotemptyvariable {} {}           doifnotensamepageelse         \doifnotemptyvariable {} {}           doifnotentor         \doifnotemptyvariable {} {}           doifnotflagged         \doifnotflagged {} {}           doifnotflagged         \doifnotflagged {} {}           doifnotinsidesplitfloat         \doifnotinsidesplitfloat {} {}           doifnotinsidesplitfloat         \doifnotinsidesplitfloat {} {}           doifnotmode	doifnextoptionalelse	
doifnotallcommon         \doifnotallcommon {} {}           doifnotallmodes         \doifnotallmodes {} {}           doifnotcommandhandler         \doifnotcommandhandler \ {} {}           doifnotcommon         \doifnotcommon {} {} {}           doifnotcounter         \doifnotcounter {} {}           doifnotdocumentargument         \doifnotdocumentgrument {} {}           doifnotdocumentraible         \doifnotdocumentraible {} {}           doifnotdocumentvariable         \doifnotdocumentvariable {} {}           doifnotemptyvalue         \doifnotemptyvalue {} {}           doifnotemptyvariable         \doifnotemptyvariable {} {}           \doifnotemptyvariable         \doifnotemptyvariable {} {}           \doifnotentounter {} {}         \doifnotemptyvariable {} {}           \doifnotentinetent {} {}         \doifnotemptyvariable {} {}           \doifnotemptyvariable         \doifnotemptyvariable {} {}           \doifnotemptyvariable         \doifnotemptyvariable {} {}           \doifnotemptyvariable {} {}         \doifnotemptyvariable {} {}           \doifnotemptyvariable         \doifnotemptyvariable {} {}           \doifnotemptyvariable {} {}         \doifnotemptyvariable {} {}           \doifnotempty         \doifnotinting {} {.	•	
doifnotallmodes         \doifnotallmodes \ \\} \\\}           doifnotcommandhandler         \doifnotcommandhandler \\} \\\}           doifnotcommon         \doifnotcommon \\\} \\\}           doifnotcounter         \doifnotcounter \\\} \\\}           doifnotdocumentargument         \doifnotdocumentargument \\\} \\\}           doifnotdocumentrilename         \doifnotdocumentrariable \\\} \\\}           doifnotdocumentvariable         \doifnotdocumentvariable \\\} \\\}           doifnotempty         \doifnotempty \\\} \\\}           doifnotemptyvalue         \doifnotemptyvalue \\\} \\\}           doifnotemptyvariable         \doifnotemptyvariable \\\} \\\} \\\}           doifnotensamepageelse         \doifnotemptyvariable \\\} \\\} \\\}           doifnotensamepageelse         \doifnotensamepageelse \\\} \\\} \\\}           doifnotflagged         \doifnotflagged \\\} \\\}           doifnotflagged         \doifnotflagged \\\} \\\}           doifnoting         \doifnoting \\\} \\\}           doifnotinglese         \doifnotinglese \\\} \\\}           doifnotinsidesplitfloat         \doifnotinset \\\} \\\}           doifnotmode         \doifnotinstring \\\} \\\}           doifnotmode         \doifnotmode \\\} \\\} <td< td=""><td></td><td></td></td<>		
doifnotallmodes         \doifnotcommandhandler         \doifnotcommandhandler         \		
doifnotcommandhandler         \doifnotcommandhandler \ \ \		
doifnotcounter         \doifnotcounter {} {}           doifnotdocumentargument         \doifnotdocumentargument {} {}           doifnotdocumentfilename         \doifnotdocumentargument {} {}           doifnotdocumentfilename         \doifnotdocumentfilename {} {}           doifnotdocumentvariable         \doifnotdocumentvariable {} {}           doifnotempty         \doifnotdocumentvariable {} {}           doifnotemptyvalue         \doifnotemptyvariable {} {}           doifnotemptyvariable         \doifnotemptyvariable {} {}           doifnotenosamepageelse         \doifnotenosamepageelse {} {} {}           doifnoteonsamepageelse         \doifnoteonsamepageelse {} {} {}           doifnotfile         \doifnotescollected {} {}           doifnotfileged         \doifnotfalgged {} {}           doifnotflagged {} {}         \doifnotflagged {} {}           doifnotflagged {} {}         \doifnotflaggelse {} {}           doifnotfingelse         \doifnotfnotflaggelse {} {}           doifnotfingelse         \doifnotfnothingelse {} {}           doifnotinsidesplitfloat         \doifnotinsidesplitfloat {} {}           doifnotmode         \doifnotmode {} {}           doifnotmode         \doifnotmode {} {}           doifnotva		
doifnotcounter         \doifnotdocumentargument           doifnotdocumentargument         \doifnotdocumentargument           doifnotdocumentfilename         \doifnotdocumentrariable           doifnotdocumentvariable         \doifnotdocumentvariable           doifnotempty         \doifnotempty \{\} \{\}           doifnotempty         \doifnotemptyvalue           doifnotemptyvariable         \doifnotemptyvariable \{\} \{\}           doifnotemptyvariable         \doifnotemptyvariable \{\} \{\} \{\}           doifnotenotemptyvariable         \doifnotemptyvariable \{\} \{\} \{\}           doifnotemptyvariable         \doifnotemptyvariable \{\} \{\} \{\}           doifnotemptyvariable         \doifnotemptyvariable \{		
doifnotdocumentargument         \doifnotdocumentrgument {} {}           doifnotdocumentfilename         \doifnotdocumentfilename {} {}           doifnotdocumentvariable         \doifnotdocumentvariable {} {}           doifnotempty         \doifnotempty {} {}           doifnotemptyvalue         \doifnotemptyvalue {} {}           doifnotemptyvariable         \doifnotemptyvariable {} {}           doifnotenv         \doifnotenv           doifnotenva         \doifnotenvariable {} {}           doifnotensamepageelse         \doifnotenvariable {} {}           \doifnotescollected         \doifnotenvariable {} {}           \doifnotfile         \doifnotfile {} {}           \doifnotfile {} {}         \doifnotfile {} {}           \doifnotfile {} {}         \doifnotfile {} {}           \doifnotfile {} {}         \doifnotfile {} {}           \doifnotfile {} {} {}         \doifnothing {} {}           \doifnotfile {} {} {}         \doifnothing {} {}           \doifnothing {} {} {}         \doifnotinstring {} {}           \doifnotinstring {} {} {}         \doifnotmode {} {}           \doifnotmode {} {} {}         \doifnotemptyvalue {} {}           \doifnotemptyvalue {} {} {		
doifnotdocumentfilename         \doifnotdocumentvariable         {}           doifnotdocumentvariable         \doifnotdocumentvariable         {}           doifnotempty         \doifnotempty         {}           doifnotemptyvalue         \doifnotemptyvalue {}         {}           doifnotemptyvariable         \doifnotemptyvariable {}         {}           doifnotenosamepageelse         \doifnotenosamepageelse {}         {}           doifnotescollected         \doifnotescollected {}         {}           doifnotfile         \doifnotfile {}         {}           doifnotfileged         \doifnotfileged {}         {}           doifnothing         \doifnothing {}         {}           doifnothingelse         \doifnothingelse {}         {}           doifnotinset         \doifnothingelse {}         {}           doifnotinsetels         \doifnotinsidesplitfloat {}         {}           doifnotinsetilesplitfloat         \doifnotinstring {}         {}           doifnotnumber         \doifnotnumber {}         {}           doifnotnumber         \doifnotnumber {}         {}           doifnotamestring         \doifnotsemptyrariable {}         {}           doifnotametring         <		
doifnotdocumentvariable         \doifnotdocumentvariable {} {}           doifnotempty         \doifnotempty {} {}           doifnotemptyvalue         \doifnotemptyvariable {} {}           doifnotemptyvariable         \doifnotemptyvariable {} {}           doifnotenv         \doifnotenv {} {}           doifnotensamepageelse         \doifnotensamepageelse {} {} {}           doifnotescollected         \doifnotescollected {} {}           doifnotfile         \doifnotfilagged {} {}           doifnotflagged         \doifnotflagged {} {}           doifnothing         \doifnotfnotinglese {} {}           doifnothingelse         \doifnothingelse {} {}           doifnothingelse         \doifnotinsidesplitfloat {}           doifnotinsidesplitfloat         \doifnotinsidesplitfloat {}           doifnotinstring         \doifnotinsidesplitfloat {}           doifnotmode         \doifnotnotmode {} {}           doifnotsamestring         \doifnotnumber {} {}           doifnotsatups         \doifnotsatups {} {}           doifnotvalue         \doifnotsatups {} {}           doifnotvalue {} {}         \doifnotvalue {} {}           doifnotperelse         \doifnotperelse {} {}           doifobjectroundelse	5	
doifnotempty         \doifnotemptyvalue           doifnotemptyvariable         \doifnotemptyvariable {} {}           doifnotenv         \doifnotenv {} {}           doifnoteonsamepageelse         \doifnoteonsamepageelse {} {} {}           doifnotescollected         \doifnotescollected {} {}           doifnotfile         \doifnotfile {} {}           doifnotflagged         \doifnotflagged {} {}           doifnothing         \doifnothing {} {}           doifnothingelse         \doifnothingelse {} {} {}           doifnotinset         \doifnotinset {} {} {}           doifnotinstring         \doifnotinstring {} {} {}           doifnotinstring         \doifnotinstring {} {} {}           doifnotnumber         \doifnotmode {} {}           doifnotsestups         \doifnotnumber {} {}           doifnotsetups         \doifnotsetups {} {}           doifnotvalue         \doifnotvalue {} {}           doifnotvariable         \doifnotvariable {} {}           doifnotperelse         \doifnotperelse {} {}           doifodpectererencefoundelse         \doifnotperelse {} {}           doifoddpagefloatelse         \doifoddpagefloatelse {} {}           \doifoddpagefloatelse         \doifoddpag		
doifnotemptyvalue         \doifnotemptyvalue {} {}           doifnotemptyvariable         \doifnotemptyvariable {} {}           doifnotenv         \doifnotenv {} {}           doifnoteonsamepageelse         \doifnoteonsamepageelse {} {} {}           doifnotescollected         \doifnoteonsamepageelse {} {} {}           doifnotfile         \doifnoteonsamepageelse {} {}           doifnotfilegged         \doifnotflagged {} {}           doifnothing         \doifnothing {} {}           doifnothingelse         \doifnothing {} {}           doifnothingelse         \doifnothing {} {}           doifnotinstet         \doifnothingelse {} {}           doifnotinstetles         \doifnotinstetlese {} {}           doifnotinstetleshifoat         \doifnotinstetleshifoat {} {}           doifnotinstring         \doifnotinstring {} {} {}           doifnotmode         \doifnotinstring {} {} {}           doifnotsetups         \doifnotsetups {} {}           doifnotsetups         \doifnotsetups {} {}           doifnotvalue         \doifnotsetups {} {}           doifnotvalue {} {}         \doifnotups           doifnotups         \doifnotups           \doifnotups         \doifnotups		
doifnotemptyvariable         \doifnotemptyvariable {} {}           doifnotenv         \doifnotenv {} {}           doifnoteonsamepageelse         \doifnoteonsamepageelse {} {}           doifnotescollected         \doifnotescollected {} {}           doifnotfile         \doifnotfile {} {}           doifnotfile         \doifnotfile {} {}           doifnotflagged         \doifnotflagged {} {}           doifnothing         \doifnothing {} {}           doifnothingelse         \doifnothingelse {} {} {}           doifnotinset         \doifnothingelse {} {} {}           doifnotinsidesplitfloat         \doifnothinset {} {} {}           \doifnotinsidesplitfloat {}         \doifnotinsidesplitfloat {}           \doifnotinstring         \doifnotinstring {} {} {}           \doifnotnotmode         \doifnotnotmode {} {}           \doifnotsetups         \doifnotmode {} {}           \doifnotsetups         \doifnotsetups {} {}           \doifnotsetups         \doifnotsetups {} {}           \doifnotvariable         \doifnotvariable {} {}           \doifnotpate {} {}         \doifnotpate {} {}           \doifnotpate {} {}         \doifnotpate {} {}           \doifnotpate {} {}<	1 0	
doifnotenv         \doifnotenv {} {}           doifnoteonsamepageelse         \doifnoteonsamepageelse {} {} {}           doifnotescollected         \doifnotescollected {} {}           doifnotfile         \doifnotfile {} {}           doifnotfilagged         \doifnotfilagged {} {}           doifnothing         \doifnothing {} {}           doifnothing         \doifnothing {} {}           doifnothing         \doifnothing {} {} {}           doifnothing         \doifnotinsting {} {} {}           doifnothing         \doifnotinsting {} {} {}           doifnotinsting         \doifnotinsting {} {} {}           doifnotnote         \doifnotinsting {} {} {}           doifnotmode         \doifnotnothing         \doifnotnothing         \doifnotnothing         \doifnotnothing         \doifnotnothing </td <td>- ·</td> <td></td>	- ·	
doifnoteonsamepageelse         \doifnoteonsamepageelse {} {}           doifnotescollected         \doifnotescollected {} {}           doifnotfile         \doifnotfile {} {}           doifnotflagged         \doifnotflagged {} {}           doifnothing         \doifnothing {} {}           doifnothingelse         \doifnothingelse {} {} {}           doifnotinset         \doifnotinset {} {} {}           doifnotinsel         \doifnotinset {} {} {}           doifnotinstring         \doifnotinstring {} {} {}           doifnotmode         \doifnotmode {} {}           doifnotnumber         \doifnotmode {} {}           doifnotsamestring         \doifnototamestring {} {} {}           doifnotvalue         \doifnottvalue {} {} {}           doifnotvariable         \doifnotvariable {} {} {}           doifnumber         \doifnotvariable {} {} {}           doifnumberelse         \doifnumberelse {} {} {}           doifobjectreferencefoundelse         \doifodpageelse {} {} {}           doifoddpageelse         \doifoddpageelse {} {}           doifoddpagefloatelse         \doifoddpagefloatelse {} {}           doifolddercontextelse         \doifoldercontextelse {} {}	- ·	
doifnotescollected         \doifnotfile {} {}           doifnotfile         \doifnotfile {} {}           doifnotfilegged         \doifnotfilagged {} {}           doifnothing         \doifnotfilagged {} {}           doifnothing         \doifnotfilagged {} {}           doifnothing         \doifnotfilagged {} {}           doifnothing         \doifnothing           doifnothing         \doifnothing           doifnotinset         \doifnotinset {} {} {}           doifnotinsidesplitfloat         \doifnotinsidesplitfloat {} {}           doifnotinstring         \doifnotinstring {} {} {}           doifnotmode         \doifnotmode {		
doifnotfile         \doifnotfile {} {}           doifnotflagged         \doifnotflagged {} {}           doifnothing         \doifnotflagged {} {}           doifnothingelse         \doifnothingelse {} {} {}           doifnotinset         \doifnotinset {} {} {}           doifnotinsidesplitfloat         \doifnotinsidesplitfloat {}           doifnotinstring         \doifnotinstring {} {} {}           doifnotmode         \doifnotmode {} {}           doifnotsamestring         \doifnotsamestring {} {}           doifnotsamestring         \doifnotsetups {} {}           doifnotvalue         \doifnotsetups {} {}           doifnotvalue         \doifnotrvalue {} {}           \doifnotvariable         \doifnotvariable {} {}           \doifnumber         \doifnumber {} {}           \doifnumberelse         \doifnumberelse {} {}           \doifobjectfoundelse         \doifnotjectfoundelse {} {}           \doifoddpageelse         \doifoddpageelse {} {}           \doifoddpageelse         \doifoddpageelse {} {}           \doifoddpageelse {} {}         \doifoddpageelse {} {}           \doifoldercontextelse         \doifoldercontextelse {} {}	1 0	
doifnotflagged         \doifnothing {} {}           doifnothing         \doifnothing {} {}           doifnothingelse         \doifnothingelse {} {} {}           doifnotinset         \doifnothinset {} {} {}           doifnotinsidesplitfloat         \doifnotinsidesplitfloat {}           doifnotinstring         \doifnotinstring {} {} {}           doifnotmode         \doifnotnothingelse {} {}           doifnotnumber         \doifnotnumber {} {}           doifnotsamestring         \doifnotsamestring {} {} {}           doifnotsetups         \doifnotsetups {} {}           doifnotvalue         \doifnotvalue {} {} {}           doifnumber         \doifnotvariable {} {} {}           doifnumberelse         \doifnumberelse {} {} {}           doifobjectfoundelse         \doifnumberelse {} {} {}           doifobjectreferencefoundelse         \doifobjectreferencefoundelse {} {} {}           doifoddpageelse         \doifoddpageelse {} {}           doifoddpagefloatelse         \doifoddpagefloatelse {} {}           \doifoddpagefloatelse {} {}         \doifoddpagefloatelse {} {}		
doifnothing         \doifnothing {} {}           doifnothingelse         \doifnothingelse {} {} {}           doifnotinset         \doifnotinset {} {} {}           doifnotinsidesplitfloat         \doifnotinsidesplitfloat {}           doifnotinstring         \doifnotinstring {} {} {}           doifnotmode         \doifnotmode {} {}           doifnotnumber         \doifnotnumber {} {}           doifnotsamestring         \doifnotsamestring {} {} {}           doifnotsetups         \doifnotsetups {} {}           doifnotvalue         \doifnotsetups {} {}           doifnotvariable         \doifnotvariable {} {}           doifnumber         \doifnumber {} {}           doifnumberelse         \doifnumberelse {} {} {}           doifobjectfoundelse         \doifobjectfoundelse {} {} {}           doifoddpageelse         \doifoddpageelse {} {}           doifoddpagefloatelse         \doifoddpagefloatelse {} {}           doifoddercontextelse         \doifoldercontextelse {} {}		
doifnothingelse         \doifnothingelse {} {} {}           doifnotinset         \doifnotinset {} {} {}           doifnotinsidesplitfloat         \doifnotinsidesplitfloat {}           doifnotinstring         \doifnotinstring {} {} {}           doifnotmode         \doifnotmode {} {}           doifnotnumber         \doifnotnumber {} {}           doifnotsamestring         \doifnotsamestring {} {} {}           doifnotsetups         \doifnotsetups {} {}           doifnotvalue         \doifnotvalue {} {} {}           doifnotvariable         \doifnotvariable {} {} {}           doifnumber         \doifnumber {} {} {}           doifnumberelse         \doifnumberelse {} {} {}           doifobjectfoundelse         \doifobjectfoundelse {} {} {}           doifoddpageelse         \doifoddpageelse {} {}           doifoddpagefloatelse         \doifoddpagefloatelse {} {}           doifoldercontextelse         \doifoldercontextelse {} {}		
doifnotinset         \doifnotinset {} {} {}           doifnotinsidesplitfloat         \doifnotinsidesplitfloat {}           doifnotinstring         \doifnotinstring {} {} {}           doifnotmode         \doifnotmode {} {}           doifnotnumber         \doifnotnumber {} {}           doifnotsamestring         \doifnotsamestring {} {} {}           doifnotsetups         \doifnotsetups {} {} {}           doifnotvalue         \doifnotvalue {} {} {}           doifnotvariable         \doifnotvariable {} {} {}           doifnumber         \doifnumber {} {}           doifnumberelse         \doifnumberelse {} {} {}           doifobjectfoundelse         \doifobjectfoundelse {} {} {} {}           doifoddpageelse         \doifoddpageelse {} {}           doifoddpagefloatelse         \doifoddpagefloatelse {} {}           doifoldercontextelse         \doifoldercontextelse {} {}	<u> </u>	<u> </u>
doifnotinstring         \doifnotmode {} {}           doifnotmode         \doifnotmode {} {}           doifnotnumber         \doifnotnumber {} {}           doifnotsamestring         \doifnotsamestring {} {} {}           doifnotsetups         \doifnotsetups {} {}           doifnotvalue         \doifnotvalue {} {} {}           doifnotvariable         \doifnotvariable {} {} {}           doifnumber         \doifnumber {} {} {}           doifnumberelse         \doifnumberelse {} {} {} {}           doifobjectfoundelse         \doifobjectfoundelse {} {} {} {}           doifoddpageelse         \doifoddpageelse {} {}           doifoddpagefloatelse         \doifoddpagefloatelse {} {}           doifoldercontextelse         \doifoldercontextelse {} {}	5	\doifnotinset {} {}
doifnotmode         \doifnotmode {} {}           doifnotnumber         \doifnotnumber {} {}           doifnotsamestring         \doifnotsamestring {} {} {}           doifnotsetups         \doifnotsetups {} {} {}           doifnotvalue         \doifnotvalue {} {} {}           doifnotvariable         \doifnotvariable {} {} {}           doifnumber         \doifnumber {} {} {}           doifnumberelse         \doifnumberelse {} {} {} {}           doifobjectfoundelse         \doifobjectfoundelse {} {} {} {}           doifoddpageelse         \doifoddpageelse {} {}           doifoddpagefloatelse         \doifoddpagefloatelse {} {}           doifoldercontextelse         \doifoldercontextelse {} {}	doifnotinsidesplitfloat	\doifnotinsidesplitfloat {}
doifnotnumber         \doifnotnumber {} {}           doifnotsamestring         \doifnotsamestring {} {}           doifnotsetups         \doifnotsetups {} {}           doifnotvalue         \doifnotvalue {} {} {}           doifnotvariable         \doifnotvariable {} {} {}           doifnumber         \doifnumber {} {} {}           doifnumberelse         \doifnumberelse {} {} {} {}           doifobjectfoundelse         \doifobjectfoundelse {} {} {} {} {}           doifoddpageelse         \doifoddpageelse {} {}           doifoddpagefloatelse         \doifoddpagefloatelse {} {}           doifoldercontextelse         \doifoldercontextelse {} {}	doifnotinstring	\doifnotinstring {} {}
doifnotsamestring\doifnotsamestring {} {} {}doifnotsetups\doifnotsetups {} {}doifnotvalue\doifnotvalue {} {} {}doifnotvariable\doifnotvariable {} {} {}doifnumber\doifnumber {} {} {}doifnumberelse\doifnumberelse {} {} {} {}doifobjectfoundelse\doifobjectfoundelse {} {} {} {}doifoddpageelse\doifoddpageelse {} {} {}doifoddpagefloatelse\doifoddpagefloatelse {} {}doifoldercontextelse\doifoldercontextelse {} {}	doifnotmode	\doifnotmode {} {}
$\begin{array}{llllllllllllllllllllllllllllllllllll$	doifnotnumber	\doifnotnumber {} {}
$\begin{array}{llll} \mbox{doifnotvalue} & & & & & & & \\ \mbox{doifnotvariable} & & & & & & \\ \mbox{doifnotvariable} & & & & & \\ \mbox{doifnumber} & & & & & \\ \mbox{doifnumber} & & & & & \\ \mbox{doifnumberelse} & & & & \\ \mbox{doifnumberelse} & & & & \\ \mbox{doifobjectfoundelse} & & & \\ \mbox{doifobjectreferencefoundelse} & & & \\ \mbox{doifoddpageelse} & & & \\ \mbox{doifoddpageelse} & & & \\ \mbox{doifoddpagefloatelse} & & & \\ \mbox{doifoddpagefloatelse} & & & \\ \mbox{doifoldercontextelse} & & \\ doifoldercont$	doifnotsamestring	\doifnotsamestring $\{\}$ $\{\}$
$\begin{array}{llll} & & & & & & \\ & & & & & \\ & & & & & \\ & & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & \\ & & & \\ & & & \\ & & & \\ & & \\ & & & \\ & & \\ & & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & $	doifnotsetups	\doifnotsetups {} {}
doifnumber\doifnumber {} {}doifnumberelse\doifnumberelse {} {} {}doifobjectfoundelse\doifobjectfoundelse {} {} {} {}doifobjectreferencefoundelse\doifobjectreferencefoundelse {} {} {} {}doifoddpageelse\doifoddpageelse {} {}doifoddpagefloatelse\doifoddpagefloatelse {} {}doifoldercontextelse\doifoldercontextelse {} {}	doifnotvalue	\doifnotvalue $\{\}$ $\{\}$
$\begin{array}{llllllllllllllllllllllllllllllllllll$	doifnotvariable	
doifobjectfoundelse\doifobjectfoundelse {} {} {} {}doifobjectreferencefoundelse\doifobjectreferencefoundelse {} {} {}doifoddpageelse\doifoddpageelse {} {}doifoddpagefloatelse\doifoddpagefloatelse {} {}doifoldercontextelse\doifoldercontextelse {} {} {}	doifnumber	
doifobjectreferencefoundelse       \doifobjectreferencefoundelse {} {} {}         doifoddpageelse       \doifoddpageelse {} {}         doifoddpagefloatelse       \doifoddpagefloatelse {} {}         doifoldercontextelse       \doifoldercontextelse {} {} {}		
doifoddpageelse       \doifoddpageelse {} {}         doifoddpagefloatelse       \doifoddpagefloatelse {} {}         doifoldercontextelse       \doifoldercontextelse {} {} {}	•	
doifoddpagefloatelse \\doifoddpagefloatelse \\\} \\doifoldercontextelse \\doifoldercontextelse \\\} \\\\}		
doifoldercontextelse \doifoldercontextelse \\ \{\}	. •	
	1 0	
doifolderversionelse \\ \\ \\ \\ \\ \\ \\ \\ \\		
	dolioiderversioneise	\doi:olderversionelse \langle

doifoverlappingelse	\doifoverlappingelse \{\ldots\} \{\ldots\} \{\ldots\}
doifoverlayelse	\doifoverlayelse $\{\ldots\}$ $\{\ldots\}$
doifparallelelse	\doifparallelelse $\{\}$ $\{\}$ $\{\}$
doifparentfileelse	\doifparentfileelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifpathelse	\doifpathelse $\{\}$ $\{\}$
doifpathexistselse	\doifpathexistselse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifpatternselse	\doifpatternselse {} {}
doifposition	\doifposition $\{\}$ $\{\}$
doifpositionaction	\doifpositionaction $\{\}$ $\{\}$
doifpositionactionelse	\doifpositionactionelse $\{\ldots\}$ $\{\ldots\}$
doifpositionelse	\doifpositionelse $\{\}$ $\{\}$
doifpositiononpageelse	\doifpositiononpageelse $\{\}$ $\{\}$ $\{\}$
doifpositionsonsamepageelse	$\doint formula for the constant of the const$
doifpositionsonthispageelse	\doifpositionsonthispageelse $\{\ldots\}$ $\{\ldots\}$
doifpositionsusedelse	\doifpositionsusedelse $\{\ldots\}$ $\{\ldots\}$
doifreferencefoundelse	\doifreferencefoundelse $\{\ldots\}$ $\{\ldots\}$
doifrightpageelse	\doifrightpageelse {} {}
doifrightpagefloatelse	\doifrightpagefloatelse {} {}
doifrighttoleftinboxelse	\doifrighttoleftinboxelse {} {}
doifsamelinereferenceelse	\doifsamelinereferenceelse $\{\ldots\}$ $\{\ldots\}$
doifsamestring	\doifsamestring $\{\}$ $\{\}$
doifsamestringelse	\doifsamestringelse $\{\}$ $\{\}$ $\{\}$
doifsetups	\doifsetups {} {}
doifsetupselse	\doifsetupselse {} {}
doifsomebackground	\doifsomebackground {} {}
doifsomebackgroundelse	\doifsomebackgroundelse {} {} {}
doifsomespaceelse	\doifsomespaceelse {} {}
doifsomething	\doifsomething {} {}
doifsomethingelse	\doifsomethingelse {} {}
doifsometoks	\doifsometoks \ {}
doifsometokselse	\doifsometokselse \ \{} \{}
doifstringinstringelse	\doifstringinstringelse {} {} {}
doifstructurelisthasnumberelse	\doifstructurelisthasnumberelse {} {}
doifstructurelisthaspageelse	\doifstructurelisthaspageelse {} {}
doifsymboldefinedelse	\doifsymboldefinedelse {} {} {}
doifsymbolsetelse	\doifsymbolsetelse $\{\}$ $\{\}$
doiftext	\doiftext {} {} {}
doiftextelse	\doiftextelse {} {}
doiftextflowcollectorelse	\doiftextflowcollectorelse {} {} {}
doiftextflowelse	\doiftextflowelse {} {}
doiftopofpageelse	\doiftopofpageelse {} {}
doiftypingfileelse	\doiftypingfileelse {} {}
doifundefined	\doifundefined {} {}
doifundefinedcounter	\doifundefinedcounter \{\ldots\}
doifundefinedelse	\doifundefinedelse {} {}
doifunknownfontfeature	$\doinner \{\} \{\}$
doifurldefinedelse	\doifurldefinedelse {} {} {}
doifvalue	\doifvalue {} {}
doifvalueelse	\doifvalueelse {} {} {}
doifvaluenothing	\doifvaluenothing {} {}
doifvaluenothingelse	\doifvaluenothingelse $\{\}$ $\{\}$
doifvaluesomething	\doifvaluesomething $\{\ldots\}$ $\{\ldots\}$
doifvariable	\doifvariable {} {}
doifvariableelse	\doifvariableelse $\{\}$ $\{\}$ $\{\}$
dollar	\dollar
doloop	\doloop {}
doloopoverlist	\doloopoverlist {} {}
donothing	\donothing
dontconvertfont	\dontconvertfont
dontleavehmode	\dontleavehmode
dontpermitspacesbetweengroups	$\don't permit spaces between groups$
dopositionaction	$\dopositionaction {}$
doprocesslocalsetups	\doprocesslocalsetups {}
doquadrupleargument	\doquadrupleargument \ [] [] []
doquadrupleempty	\doquadrupleempty \ [] [] []
doquadruplegroupempty	$\label{local-document} $$ \doquad ruple group empty $$\ldots$ $$ {\ldots} $$ {\ldots} $$$
doquintupleargument	\doquintupleargument \ [] [] [] []
doquintupleempty	\doquintupleempty \ [] [] [] []
doquintuplegroupempty	$\label{localization} $$ \doquintuple group empty $$\ldots$ $$\{\ldots\} $$$ $$\{\ldots\} $$$$ $$\{\ldots\} $$$
dorecurse	\dorecurse {} {}
dorepeatwithcommand	\dorepeatwithcommand [] \
doreplacefeature	\doreplacefeature {}

doresetandafffeature	\doresetandafffeature {}
doresetattribute	\doresetattribute {}
dorotatebox	\dorotatebox {} \ {}
dosetattribute	\dosetattribute {} {}
dosetleftskipadaption	\dosetleftskipadaption {}
dosetrightskipadaption	\dosetrightskipadaption {}
dosetupcheckedinterlinespace	\dosetupcheckedinterlinespace {=}
dosetupcheckedinterlinespace:argument	\dosetupcheckedinterlinespace {}
dosetupcheckedinterlinespace:name	\dosetupcheckedinterlinespace {}
doseventupleargument	\doseventupleargument \ [] [] [] [] [] []
doseventupleempty	\doseventupleempty \ [] [] [] [] [] []
dosingleargument	\dosingleargument \ []
dosingleempty	\dosingleempty \ []
dosinglegroupempty	\dosinglegroupempty \ \{\}
dosixtupleargument	\dosixtupleargument \ [] [] [] [] []
dosixtupleempty	\dosixtupleempty \ [] [] [] [] []
- · ·	
dostarttagged	\dostarttagged {} {} \dostoptagged
dostepwiserecurse	\dostepwiserecurse $\{\ldots\}$ $\{\ldots\}$ $\{\ldots\}$
dosubtractfeature	\dosubtractfeature {}
dotfill	\dotfill
dotfskip	\dotfskip {}
dotoks	\dotoks \
dotripleargument	\dotripleargument \ [] []
dotripleargumentwithset	\dotripleargumentwithset \ [] []
dotripleempty	\dotripleempty \ [] []
dotripleemptywithset	\dotripleemptywithset \ [] []
dotriplegroupempty	\dotriplegroupempty \ \{\} \{\}
doublebond	\doublebond
dowith	\dowith {} {}
dowithnextbox	\dowithnextbox {} \ {}
dowithnextboxcontent	\dowithnextboxcontent \{\ldots\} \\\\ \\\\\
dowithnextboxcontentcs	\dowithnextboxcontentcs \ \ \ \ \
dowithnextboxcs	\dowithnextboxcs \ \ {}
dowithpargument	\dowithpargument \
dowithrange	\dowithrange {} \
dowithwargument	\dowithwargument \
dpofstring	\dpofstring {}
dummydigit	\dummydigit
dummyparameter	\dummyparameter {}
	••
ETEX	\ETEX
EveryLine	\EveryLine {}
EveryPar	\EveryPar {}
edefconvertedargument	\edefconvertedargument \ {}
efcmaxheight	\efcmaxheight {}
efcmaxwidth	\efcmaxwidth {}
efcminheight	\efcminheight {}
efcminwidth	\efcminwidth {}
efcparameter	\efcparameter {} {}
effect	\effect [] {}
elaborablocchi	\elaborablocchi [] [=]
elapsedseconds	\elapsedseconds
elapsedsteptime	\elapsedsteptime
elapsedtime	\elapsedtime
elementi	\elementi [=] {}
elemento	\elemento []
em	\em
emphasisboldface	\emphasisboldface
emphasistypeface	\emphasistypeface
emptylines	\emptylines []
emspace	\emspace
enableasciimode	\enableasciimode
enabledirectives	\enabledirectives []
enableexperiments	\enableexperiments []
enablemode	\enablemode []
enableoutputstream	\enableoutputstream []
enableparpositions	\enableparpositions
enableregime	\enableregime []
enabletrackers	\enabletrackers []
enskip	\enskip
enspace	\enspace
enumerazione:example	\ENUMERAZIONE [] {} \par
env	\env {}

envvar	\envvar {} {}
epos	\epos {}
equaldigits	\equaldigits {}
eTeX	\eTeX \ETICHETTA [] {}
etichetta:example executeifdefined	\executeifdefined \{\ldots\}\ \\
exitloop	\exitloop
exitloopnow	\exitloop \exitloopnow
expandcheckedcsname	\expandcheckedcsname \ \{\}
expanded	\expanded {}
expandeddoif	\expandeddoif {} {} {}
expandeddoifelse	\expandeddoifelse {} {} {}
expandeddoifnot	\expandeddoifnot {} {} {}
expandfontsynonym	\expandfontsynonym \ {}
expdoif	\expdoif {} {} {}
expdoifcommonelse	\expdoifcommonelse $\{\ldots\}$ $\{\ldots\}$ $\{\ldots\}$
expdoifelse	\expdoifelse {} {} {}
expdoifelsecommon	\expdoifelsecommon $\{\ldots\}$ $\{\ldots\}$ $\{\ldots\}$
expdoifelseinset	\expdoifelseinset {} {} {}
expdoifinsetelse	\expdoifinsetelse {} {} {}
expdoifnot	\expdoifnot {} {}
externalfigurecollectionmaxheight	\externalfigurecollectionmaxheight {}
externalfigurecollectionmaxwidth	\externalfigurecollectionmaxwidth {}
externalfigurecollectionminheight	\externalfigurecollectionminheight {}
externalfigurecollectionminwidth	\externalfigurecollectionminwidth {}
externalfigurecollectionparameter fakebox	\externalfigurecollectionparameter {} {} \fakebox
fastdecrement	\fastdecrement \
fastincrement	\fastincrement \
fastlocalframed	\fastlocalframed [] [=] {}
fastloopfinal	\fastloopfinal
fastloopindex	\fastloopindex
fastscale	\fastscale {} {}
fastsetup	\fastsetup {}
fastsetupwithargument	\fastsetupwithargument {} {}
fastsetupwithargumentswapped	\fastsetupwithargumentswapped \{\ldots\} \{\ldots\}
fastswitchtobodyfont	\fastswitchtobodyfont {}
fastsxsy	\fastsxsy {} {} {}
feature	\feature []
feature:direct	\feature {} {}
fence	\fence
<pre>fenced fence:example</pre>	\fenced [] {} \FENCE {}
fetchallmarkings	\fetchallmarkings [] []
fetchallmarks	\fetchallmarks []
fetchmark	\fetchmark [] []
fetchmarking	\fetchmarking [] []
fetchonemark	\fetchonemark [] []
fetchonemarking	\fetchonemarking [] []
fetchruntinecommand	\fetchruntinecommand \ \{\}
fetchtwomarkings	\fetchtwomarkings [] []
fetchtwomarks	\fetchtwomarks []
fieldbody	\fieldbody [] [=]
fifthoffivearguments	\fifthoffivearguments $\{\ldots\}$ $\{\ldots\}$ $\{\ldots\}$ $\{\ldots\}$
fifthofsixarguments	\fifthofsixarguments \{\ldots\} \
figuraesterna	\figuraesterna [] [] [=]
figurefilename	\figurefilename
figurefilepath figurefiletype	\figurefilepath \figurefiletype
figurefullname	\figurefullname
figureheight	\figureheight
figurenaturalheight	\figurenaturalheight
figurenaturalwidth	\figurenaturalwidth
figuresymbol	\figuresymbol [] [=]
figurewidth	\figurewidth
filename	\filename {}
filledhboxb	\filledhboxb {}
filledhboxc	\filledhboxc {}
filledhboxg	\filledhboxg {}
filledhboxk	\filledhboxk {}
filledhboxm	\filledhboxm {}
filledhboxr	\filledhboxr {}

filledhboxy	\filledhboxy {}
filler	\filler []
fillupto	\fillupto [] {}
filterfromnext	\filterfromnext \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
filterfromvalue	\filterfromvalue {} {} {OPT OPT OPT OPT OPT
filterpages	\filterpages [] []
filterreference	\filterreference {}
findtwopassdata	\findtwopassdata {} {}
·	\finishregisterentry [] [=] [=]
finishregisterentry	
firstcharacter	\firstcharacter
firstcounter	\firstcounter []
firstcountervalue	\firstcountervalue []
firstinlist	\firstinlist []
firstoffivearguments	\firstoffivearguments \{\} \{\} \{\} \{\}
firstoffourarguments	\firstoffourarguments \{\ldots\} \{\ldots\} \{\ldots\} \\
firstofoneargument	\firstofoneargument {}
firstofoneunexpanded	\firstofoneunexpanded {}
firstofsixarguments	\firstofsixarguments {} {} {} {} {} {}
firstofthreearguments	\firstofthreearguments {} {} {}
firstofthreeunexpanded	\firstofthreeunexpanded {} {} {}
firstoftwoarguments	\firstoftwoarguments {} {}
firstoftwounexpanded	\firstoftwounexpanded {} {}
firstrealpage	\firstrealpage
firstrealpagenumber	\firstrealpagenumber
firstsubcountervalue	\firstsubcountervalue [] []
firstsubpagenumber	\firstsubpagenumber
firstuserpage	\firstuserpage
firstuserpagenumber	\firstuserpagenumber
fitfieldframed	\fitfieldframed [=] {}
fittopbaselinegrid	\fittopbaselinegrid {}
flag	\flag {}
floatuserdataparameter	\floatuserdataparameter {}
flushbox	\flushbox {} {}
flushboxregister	\flushboxregister
flushcollector	\flushcollector []
flushedrightlastline	\flushedrightlastline
flushlayer	\flushlayer []
·	\flushlocalfloats
flushlocalfloats	•
flushnextbox	\flushnextbox
flushnotes	\flushnotes
flushoutputstream	\flushoutputstream []
flushshapebox	\flushshapebox
flushtextflow	\flushtextflow {}
flushtokens	\flushtokens []
flushtoks	\flushtoks \
fontalternative	\fontalternative
fontbody	\fontbody
fontchar	\fontchar {}
fontcharbyindex	\fontcharbyindex {}
fontclass	\fontclass
fontclassname	\fontclassname \{\ldots\} \\\
fontface	\fontface
fontfeaturelist	
	\fontfeaturelist [] []
fontsize	\fontsize
fontstyle	\fontstyle
forcecharacterstripping	\forcecharacterstripping
forcelocalfloats	\forcelocalfloats
forgeteverypar	\forgeteverypar
forgetparameters	\forgetparameters [] [=]
forgetparskip	\forgetparskip
forgetragged	\forgetragged
formula	\formula [] {}
foundbox	\foundbox {} {}
fourthoffivearguments	\fourthoffivearguments \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
fourthoffourarguments	\fourthoffourarguments \{\dots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
5	
fourthofsixarguments	\fourthofsixarguments \{\\} \{\\} \{\\} \{\\} \{\\}
frameddimension	\frameddimension \{\}
framedparameter	\framedparameter {}
frazione:instance	\FRACTION \{\}
frazione:instance:binom	\binom \{\} \{\}
frazione:instance:dbinom	\dbinom {} {}
frazione:instance:dfrac	\dfrac {} {}

frazione:instance:frac	\frac {} {}
frazione:instance:sfrac	\sfrac {} {}
frazione:instance:tbinom	\tbinom {} {}
frazione:instance:xfrac	\xfrac {} {}
frazione:instance:xxfrac	\xxfrac {} {}
freezedimenmacro	\freezedimenmacro \ \
freezemeasure frenchspacing	\freezemeasure [] [] \frenchspacing
fromlinenote	\fromlinenote [] {}
frozenhbox	\frozenhbox {}
frule	\frule \relax
GetPar	\GetPar
GIORNOSETTIMANA	\GIORNOSETTIMANA {}
GotoPar	\GotoPar
Greeknumerals	\Greeknumerals {}
gdefconvertedargument	\gdefconvertedargument \ {}
gdefconvertedcommand	\gdefconvertedcommand \ \
getboxfromcache	<pre>\getboxfromcache {} {} \getboxllx</pre>
getboxllx getboxlly	\getboxIIx
getbufferdata	\getbufferdata []
getcommacommandsize	\getcommacommandsize []
getcommalistsize	\getcommalistsize []
getdatavalue	\getdatavalue {}
getdayoftheweek	\getdayoftheweek {} {} {}
getdayspermonth	\getdayspermonth {} {}
getdefinedbuffer	\getdefinedbuffer []
getdocumentargument	\getdocumentargument {}
getdocumentargumentdefault	\getdocumentargumentdefault {} {}
getdocumentfilename	\getdocumentfilename {}
getdummyparameters	\getdummyparameters [=]
getemptyparameters	\getemptyparameters [] [=]
geteparameters	\geteparameters [] [=]
getexpandedparameters	\getexpandedparameters [] [=]
getfiguredimensions getfirstcharacter	\getfiguredimensions [] [=] \getfirstcharacter {}
getfirsttwopassdata	\getfirsttwopassdata {}
getfromcommacommand	\getfromcommacommand [] []
getfromcommalist	\getfromcommalist [] []
getfromluatable	\getfromluatable \ {}
getfromtwopassdata	\getfromtwopassdata {} {}
getglyphdirect	\getglyphdirect {} {}
getglyphstyled	\getglyphstyled {} {}
getgparameters	\getgparameters [] [=]
getinlineuserdata	\getinlineuserdata
getlasttwopassdata getlocalfloat	<pre>\getlasttwopassdata {} \getlocalfloat {}</pre>
getlocalfloats	\getlocalfloats
getMPdrawing	\getMPdrawing
getMPlayer	\getMPlayer [] [=] {}
getmessage	\getmessage {} {}
getnamedglyphdirect	\getnamedglyphdirect {} {}
getnamedglyphstyled	\getnamedglyphstyled {} {}
getnamedtwopassdatalist	\getnamedtwopassdatalist \ {}
getnaturaldimensions	\getnaturaldimensions
getnoflines	\getnoflines {}
getobject	\getobject {} {}
getobjectdimensions	\getobjectdimensions {} {}
getpaletsize	\getpaletsize [] \getparameters [] [=]
getparameters getprivatechar	\getparameters [] [] \getprivatechar {}
getprivatechar	\getprivateslot {}
getrandomcount	\getrandomcount \ \{\}
getrandomdimen	\getrandomdimen \ \{\}
getrandomfloat	\getrandomfloat \ {} {}
getrandomnumber	\getrandomnumber \ {} {}
getrandomseed	\getrandomseed \
getraweparameters	\getraweparameters [] [=]
getrawgparameters	\getrawgparameters [] [=]
getrawnoflines	\getrawnoflines {}
getrawparameters	\getrawparameters [] [=]
getrawxparameters	\getrawxparameters [] [=]

getreference	\getreference [] []
getreferenceentry	\getreferenceentry {}
getroundednoflines	\getroundednoflines {}
getsubstring	\getsubstring {} {}
gettokenlist	\gettokenlist []
gettwopassdata	\gettwopassdata {}
gettwopassdatalist	\gettwopassdatalist {}
getuserdata	\getuserdata
getuvalue	\getuvalue {}
getvalue	\getvalue {}
getvariable	\getvariable {} {}
getvariabledefault	\getvariabledefault {} {}
getxparameters	\getxparameters [] [=] \giornosettimana {}
giornosettimana globaldisablemode	\globaldisablemode []
globalenablemode	\globalenablemode []
globalletempty	\globalletempty \
globalpopbox	\globalpopbox
globalpopmacro	\globalpopmacro \
globalpreventmode	\globalpreventmode []
globalprocesscommalist	\globalprocesscommalist [] \
globalpushbox	\globalpushbox
globalpushmacro	\globalpushmacro \
globalpushreferenceprefix	\globalpushreferenceprefix {} \globalpopreferenceprefix
globalswapcounts	\globalswapcounts \ \
globalswapdimens	\globalswapdimens \ \
globalswapmacros	\globalswapmacros \ \
globalundefine	\globalundefine {}
glyphfontfile	\glyphfontfile {}
gobbledoubleempty	\gobbledoubleempty [] []
gobbleeightarguments	$\label{lem:conditional} $$ \gobbleeight arguments $\{\ldots\} $\{\ldots\} $\{\ldots\} $\{\ldots\} $\{\ldots\} $\{\ldots\} $$
gobblefivearguments	\gobblefivearguments $\{\ldots\}$ $\{\ldots\}$ $\{\ldots\}$ $\{\ldots\}$
gobblefiveoptionals	\gobblefiveoptionals [] [] [] []
gobblefourarguments	\gobblefourarguments {} {} {}
gobblefouroptionals	\gobblefouroptionals [] [] []
gobbleninearguments	\gobbleninearguments {} {} {} {} {} {} {} {} {
gobbleoneargument	\gobbleoneargument {}
gobbleoneoptional	\gobbleoneoptional []
gobblesevenarguments	\gobblesevenarguments {} {} {} {} {} {}
gobblesingleempty	\gobblesingleempty []
gobblesixarguments	\gobblesixarguments {} {} {} {} {}
gobblespacetokens	\gobblespacetokens \gobbletenarguments {} {} {} {} {} {} {} {} {}
gobbletenarguments gobblethreearguments	\gobblethreearguments \{\dots\} \{\dots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
gobblethreeoptionals	\gobblethreearignments [] [] \gobblethreeoptionals [] []
gobbletwoarguments	\gobbletwoarguments {} {}
gobbletwooptionals	\gobbletwooptionals [] []
gobbleuntil	\gobbleuntil \
gobbleuntilrelax	\gobbleuntilrelax \relax
grabbufferdata	\grabbufferdata [] [] []
grabbufferdatadirect	\grabbufferdatadirect {} {} {}
grabuntil	\grabuntil {} \
grafiamanuale	\grafiamanuale
grande	\grande
grassetto	\grassetto
grassettocorsivo	\grassettocorsivo
grassettoinclinato	\grassettoinclinato
grave	\grave {}
grayvalue	\grayvalue {}
greedysplitstring	\greedysplitstring \at \to \ \and \
greeknumerals	\greeknumerals {}
griglia	\griglia [=]
grossofontdeltesto	\grossofontdeltesto
groupedcommand	\groupedcommand \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
gsetboxllx	\gsetboxllx {}
gsetboxlly	\gsetboxlly {}
gujaratinumerals	\gujaratinumerals {}
gurmurkhinumerals	\gurmurkhinumerals {}
hairspace	\hairspace \halflinestrut
halflinestrut halfstrut	\halfstrut
	\halfstrut \halfwaybox {}
halfwaybox	/marrwaybov ()

handletokens	\handletokens \with \
hash	\hash
hat	\hat {}
hboxofvbox	\hboxofvbox
hboxreference	\hboxreference [] {} \hboxBOX {}
hbox:example hdofstring	\hdofstring {}
headhbox	\headhbox {}
headnumbercontent	\headnumbercontent
headnumberdistance	\headnumberdistance
headnumberwidth	\headnumberwidth
headreferenceattributes	\headreferenceattributes
headsetupspacing	\headsetupspacing
headtextcontent	\headtextcontent
headtextdistance	\headtextdistance
headtextwidth	\headtextwidth
headvbox	\headvbox {}
headwidth	\headwidth
hebrewnumerals	\hebrewnumerals {}
heightanddepthofstring	\heightanddepthofstring {} \heightofstring {}
heightofstring heightspanningtext	\heightspanningtext \{\ldots\} \{\ldots\}
help:instance	\HELP [] {}
help:instance:helptext	\helptext [] {} {}
hexnumber	\hexnumber {}
hexstringtonumber	\hexstringtonumber {}
hglue	\hglue
hiddencitation	\hiddencitation []
hiddencite	\hiddencite []
highlight	\highlight [] {}
highlight:example	\HIGHLIGHT {}
highordinalstr	\highordinalstr {}
hilo	\hilo [] {}
himilo	\himilo {} {}
hl	\h1 []
horizontalgrowingbar	\horizontalgrowingbar [=]
horizontalpositionbar	\horizontalpositionbar [=]
hpackbox hpackedbox	\hpackbox \hpackedbox
hphantom	\hphantom {}
hpos	\hpos {} {}
hsizefraction	\hsizefraction {} {}
hsmash	\hsmash {}
hsmashbox	\hsmashbox
hsmashed	\hsmashed {}
hspace	\hspace [] []
htdpofstring	\htdpofstring {}
htofstring	\htofstring {}
hyphen	hyphen
hyphenatedcoloredword	\hyphenatedcoloredword {}
hyphenatedfile	\hyphenatedfile {}
hyphenatedfilename	\hyphenatedfilename {}
hyphenatedhbox hyphenatedpar	\hyphenatedhbox {} \hyphenatedpar {}
hyphenatedurl	\hyphenatedurl {}
hyphenatedword	\hyphenatedword {}
INRSTEX	\INRSTEX
ibox	\ibox {}
idxfromluatable	\idxfromluatable \
ifassignment	\ifassignment \else \fi
iff	\iff
ifinobject	\ifinobject \else \fi
ifinoutputstream	\ifinoutputstream \else \fi
ifparameters	\ifparameters \else \fi
iftrialtypesetting	\iftrialtypesetting \else \fi
ignoreimplicitspaces	\ignoreimplicitspaces
ignoretagsinexport	\ignoretagsinexport []
ignorevalue	\ignorevalue {}
ignoto immediatesavetwopassdata	\ignoto \immediatesavetwopassdata \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
impliedby	\impliedby
implies	\implies
	, <u>F</u> + + + + + + + + + + + + + + + + + + +

imposta	\imposta []
imposta	\imposta []
impostaambientefontdeltesto	\impostaambientefontdeltesto [] [=]
impostaampiezzariga	\impostaampiezzariga []
impostabarrainterazione	\impostabarrainterazione [] [=]
impostablocco	\impostablocco [] [=]
impostabloccosezione	\impostabloccosezione [] [=]
impostabuffer	\impostabuffer [] [=]
impostacampi	\impostacampi [] [=] [=]
impostacampo	\impostacampo [] [=] [=] [=]
impostacapoversi	\impostacapoversi [] [=]
impostacapoversi:assignment	\impostacapoversi [] [=]
impostacaption	\impostacaption [] [=]
impostacaptions	\impostacaptions [] [=]
impostacima	\impostacima [] [=]
impostaclippling	\impostaclippling [=]
impostacolonne	\impostacolonne [=]
impostacolore	\impostacolore []
impostacolori	\impostacolori [=]
impostacommento	\impostacommento [] [=]
impostacommentopagina	\impostacommentopagina [=]
impostadescrizioni	\impostadescrizioni [] [=]
impostadimensionicarta	\impostadimensionicarta [] [=]
impostadimensionicarta:name	\impostadimensionicarta [] []
impostaelementi	\impostaelementi [] [=]
impostaelencazioni	\impostaelencazioni [] [=]
impostaelenco	\impostaelenco [] [=]
impostaelencocombinato	\impostaelencocombinato [] [=]
impostaelencocombinato:instance	\impostaCOMBINEDLIST [=]
impostaelencocombinato:instance:content	\impostacontent [=]
impostaenumerazioni	\impostaenumerazioni [] [=]
impostafigureesterne	\impostafigureesterne [] [=]
impostafondo	\impostafondo [] [=]
impostaforms	\impostafontdeltesto [] \impostaforms [=]
impostaforms impostaformule	\impostaformule [] [=]
impostagruppocolonne	\impostagruppocolonne [] [=]
impostaincorniciato	\impostaincorniciato [] [=]
impostainiziatermina	\impostainiziatermina [] [=]
impostainstestazione	\impostainstestazione [] [=]
impostainterazione	\impostainterazione [] [=]
impostainterazione:name	\impostainterazione []
impostainterlinea	\impostainterlinea [] [=]
impostainterlinea:argument	\impostainterlinea []
impostainterlinea:name	\impostainterlinea []
impostalayout	\impostalayout [] [=]
impostalayout:name	\impostalayout []
impostalineemargine	\impostalineemargine [] [=]
impostalineenere	\impostalineenere [=]
impostalineeriempimento	\impostalineeriempimento [=]
impostalineesottili	\impostalineesottili [=]
impostalineetesto	\impostalineetesto [=]
impostalingua	\impostalingua [] [=]
impostamaiuscole	\impostamaiuscole [] [=]
impostamakeup	\impostamakeup [] [=]
impostamarcatura	\impostamarcatura [] [=]
impostamenuinterazione	\impostamenuinterazione [] [=]
impostamenzione	\impostamenzione [=]
impostanotepdp	\impostanotepdp [=]
impostanumerazionecapoversi	\impostanumerazionecapoversi [=]
impostanumerazionepagina	\impostanumerazionepagina [=]
impostanumerazionerighe	\impostanumerazionerighe [] [=]
impostanumeropagina	\impostanumeropagina [=]
impostanumerosottopagina	\impostanumerotesta [ ] [ ]
impostanumerotesta impostanggettimohili	\impostanumerotesta [] [] \impostaoggettimobili [] [=]
impostaoggettimobili impostaoggettomobile	\impostaoggettimobili [] [=] \impostaoggettomobile [] [=]
impostaordinamento	\impostaoggettomobile [] [] \impostaordinamento [] [=]
impostaoutput	\impostaordinamento [] \impostaordinamento []
impostaparranging	\impostatoutput []
impostapdp	\impostapdp [] [=]
impostapiustretto	\impostapiustretto [] [=]
- · · ·	

impostaposizionamento	\impostaposizionamento [] [=]
impostaposizionamentoopposti	\impostaposizionamentoopposti [=]
impostaprogrammi	\impostaprogrammi [=]
impostaregistro	\impostaregistro [] [=]
impostaregistro:argument	\impostaregistro [] [] [=]
impostaregistro:instance	\impostaREGISTER [] [=]
<pre>impostaregistro:instance:index impostariferimento</pre>	\impostaindex [] [=] \impostariferimento [=]
impostarighe	\impostarifierimento [] \impostarighe [] [=]
impostarigheriempimento	\impostarigheriempimento [=]
impostarigovuoto	\impostarigovuoto []
impostarotazione	\impostarotazione [=]
impostaschermointerazione	\impostaschermointerazione [=]
impostasegnosillabazione	\impostasegnosillabazione [=]
impostasetsimboli	\impostasetsimboli []
impostasfondi	\impostasfondi [] [] [=]
impostasfondi:page	\impostasfondi [] [=]
impostasfondo	\impostasfondo [] [=]
impostasinonimi	\impostasinonimi [] [=]
impostasistema	\impostasistema [=]
impostaspaziatura impostaspaziobianco	\impostaspaziatura [] \impostaspaziobianco []
impostaspaziobianeo impostaspezzamentooggettomobile	\impostaspazzoblanco [] \impostaspezzamentooggettomobile [=]
impostastrut	\impostastrut []
impostatabelle	\impostatabelle [=]
impostatabulato	\impostatabulato [] [] [=]
impostatavolozza	\impostatavolozza []
impostatesta	\impostatesta [] [=]
impostateste	\impostateste [] [=]
impostatesticima	\impostatesticima [] [] [] []
impostatestifondo	\impostatestifondo [] [] [] []
impostatestiincorniciati	\impostatestiincorniciati [] [=]
impostatestiintestazioni	\impostatestiintestazioni [] [] [] []
impostatestipdp	\impostatestipdp [] [] [] []
impostatesto impostatestoetichette:instance	\impostatesto [] [=] \impostaLABELtesto [] [=]
impostatestoetichette:instance:btxlabel	\impostabtxlabeltesto [] [=]
impostatestoetichette:instance:head	\impostaheadtesto [] [=]
impostatestoetichette:instance:label	\impostalabeltesto [] [=]
impostatestoetichette:instance:mathlabel	\impostamathlabeltesto [] [=]
impostatestoetichette:instance:operator	\impostaoperatortesto [] [=]
impostatestoetichette:instance:prefix	\impostaprefixtesto [] [=]
impostatestoetichette:instance:suffix	\impostasuffixtesto [] [=]
impostatestoetichette:instance:taglabel	\impostataglabeltesto [] [=]
impostatestoetichette:instance:unit	\impostaunittesto [] [=]
impostatestotesti	\impostatestotesti [] [] [] [] \impostate1]
impostatolleranza impostatransizionepagina	\impostatolleranza [] \impostatransizionepagina []
impostatransizionepagina impostatype	\impostationsizionepagina [] \impostatype [] [=]
impostatyping	\impostatyping [] [=]
impostaurl	\impostaurl [=]
imposta:direct	\imposta {}
in	\in {} {} []
inclinato	\inclinato
inclinatograssetto	\inclinatograssetto
includemenu	\includemenu []
includesvgbuffer	\includesvgbuffer [] [=]
includesvgfile	\includesvgfile [] [=]
includeversioninfo	\includeversioninfo {}
incorniciato	\incorniciato [=] {} \FRAMED [=] {}
incorniciato:instance incorniciato:instance:fitfieldframed	\fitfieldframed [=] {}
incorniciato:instance:intileidifamed	\unframed [=] {}
incrementa	\incrementa \
incrementa:argument	\incrementa ()
incrementcounter	\incrementcounter [] []
incrementedcounter	\incrementedcounter []
incrementpagenumber	\incrementpagenumber
incrementsubpagenumber	\incrementsubpagenumber
incrementvalue	\incrementvalue {}
infofont	\infofont
infofontbold	\infofontbold

inheritparameter	\inheritparameter [] []
inhibitblank	\inhibitblank
initializeboxstack	\initializeboxstack {}
inizia	\inizia [] \termina
iniziaalignment	\iniziaalignment [] \terminaalignment
iniziaallineacentro	\iniziaallineacentro \terminaallineacentro
iniziaallineadestra	\iniziaallineadestra \terminaallineadestra
iniziaallineasinistra	\iniziaallineasinistra \terminaallineasinistra
iniziaallmodes	\iniziaallmodes [] \terminaallmodes
iniziaambiente	\iniziaambiente [] \terminaambiente
iniziaambientebloccosezione	\iniziaambientebloccosezione [] \terminaambientebloccosezione
iniziaambiente:string	\iniziaambiente \terminaambiente
iniziaasciimode	\iniziaasciimode \terminaasciimode
iniziaattachment:instance	
	\iniziaATTACHMENT [] [=] \terminaATTACHMENT
iniziaattachment:instance:attachment	\iniziaattachment [] [=] \terminaattachment
iniziabar	\iniziabar [] \terminabar
iniziabbordermatrix	\iniziabbordermatrix \terminabbordermatrix
iniziabitmapimage	$\$ iniziabitmapimage [=] $\$ terminabitmapimage
iniziabordermatrix	\iniziabordermatrix \terminabordermatrix
iniziabtxrenderingdefinitions	\iniziabtxrenderingdefinitions [] \terminabtxrenderingdefinitions
iniziabuffer	\iniziabuffer [] \terminabuffer
iniziabuffer:instance	\iniziaBUFFER \terminaBUFFER
iniziabuffer:instance:hiding	\iniziahiding \terminahiding
iniziacapoverso	\iniziacapoverso [] [=] \terminacapoverso
iniziacapoverso:instance	\iniziaSECTION [=] [=] \terminaSECTION
iniziacapoverso:instance:chapter	\iniziachapter [=] [=] \terminachapter
iniziacapoverso:instance:part	\iniziapart [=] [\terminapart
<u>.</u>	
iniziacapoverso:instance:section	\iniziasection [=] [=] \terminasection
iniziacapoverso:instance:subject	\iniziasubject [=] [=] \terminasubject
iniziacapoverso:instance:subsection	\iniziasubsection [=] [=] \terminasubsection
iniziacapoverso:instance:subsubject	\iniziasubsubject [=] [=] \terminasubsubject
iniziacapoverso:instance:subsubsection	\iniziasubsubsection [=] [=] \terminasubsubsection
iniziacapoverso:instance:subsubsubject	\iniziasubsubsubject [=] [=] \terminasubsubsubject
iniziacapoverso:instance:subsubsubsection	\iniziasubsubsection [=] [=] \terminasubsubsubsection
•	
iniziacapoverso:instance:subsubsubject	\iniziasubsubsubsubject [=] [=] \terminasubsubsubsubject
iniziacapoverso:instance:subsubsubsubsection	\iniziasubsubsubsubsection [=] [=] \terminasubsubsubsubsecti
iniziacapoverso:instance:subsubsubsubsubject	\iniziasubsubsubsubsubject [=] [=] \terminasubsubsubsubje
iniziacapoverso:instance:title	\iniziatitle [=] [=] \terminatitle
iniziacatcodetable	\iniziacatcodetable \ \terminacatcodetable
iniziacenteraligned	\iniziacenteraligned \terminacenteraligned
iniziacharacteralign	\iniziacharacteralign [=] \terminacharacteralign
<u> </u>	\iniziacharacteralign [] \terminacharacteralign
iniziacharacteralign:argument	<u> </u>
iniziacheckedfences	\iniziacheckedfences \terminacheckedfences
iniziachemical	\iniziachemical [] [=] \terminachemical
iniziacodatabella	\iniziacodatabella [] \terminacodatabella
iniziacodatabulato	\iniziacodatabulato [] \terminacodatabulato
iniziacollect	\iniziacollect \terminacollect
iniziacollecting	\iniziacollecting \terminacollecting
iniziacolore	\iniziacolore [] \terminacolore
iniziacolorintent	\iniziacolorintent [] \terminacolorintent
iniziacoloronly	\iniziacoloronly [] \terminacoloronly
iniziacolorset	\iniziacolorset [] \terminacolorset
iniziacolumnset	\iniziacolumnset [] [=] \terminacolumnset
iniziacolumnsetspan	\iniziacolumnsetspan [] [=] \terminacolumnsetspan
iniziacolumnset:example	\iniziaCOLUMNSET [=] \terminaCOLUMNSET
iniziacombination	\iniziacombination [] [=] \terminacombination
iniziacombination:matrix	\iniziacombination [] [] \terminacombination
iniziacommentopagina	\iniziacommentopagina \terminacommentopagina
iniziacommento:instance	\iniziaCOMMENT [] [=] \terminaCOMMENT
iniziacommento:instance:comment	\iniziacomment [] [=] \terminacomment
iniziacomponenet	\iniziacomponenet [] \terminacomponenet
iniziacomponenet:string	\iniziacomponenet \terminacomponenet
iniziacontextcode	\iniziacontextcode \terminacontextcode
iniziacontextdefinitioncode	\iniziacontextdefinitioncode \terminacontextdefinitioncode
iniziactxfunction	\iniziactxfunction \terminactxfunction
iniziactxfunctiondefinition	$\mbox{\colored}$ \iniziactxfunctiondefinition \terminactxfunctiondefinition
iniziacurrentcolor	\iniziacurrentcolor \terminacurrentcolor
iniziacurrentlistentrywrapper	\iniziacurrentlistentrywrapper \terminacurrentlistentrywrapper
iniziadelimited	\iniziadelimited [] [] \terminadelimited
iniziadelimitedtext	\iniziadelimitedtext [] [] \terminadelimitedtext
iniziadelimitedtext:instance	\iniziaDELIMITEDTEXT [] [] \terminaDELIMITEDTEXT
iniziadelimitedtext:instance:aside	\iniziaaside [] [] \terminaaside

iniziadelimitedtext:instance:blockquote	\iniziablockquote [] [] \terminablockquote
iniziadelimitedtext:instance:quotation	\iniziaquotation [] [] \terminaquotation
iniziadelimitedtext:instance:quote	\iniziaquote [] [] \terminaquote
iniziadelimitedtext:instance:speech	\iniziaspeech [] [] \terminaspeech
	\iniziaDESCRIZIONE [=] \terminaDESCRIZIONE
iniziadescrizione:example	
iniziadescrizione:example:title	\iniziaDESCRIZIONE [] {} \terminaDESCRIZIONE
iniziadisplaymath	\iniziadisplaymath \terminadisplaymath
iniziadmath	\iniziadmath \terminadmath
iniziadocument	\iniziadocument [=] \terminadocument
iniziaeffect	\iniziaeffect [] \terminaeffect
iniziaeffect:example	\iniziaEFFECT \terminaEFFECT
-	
iniziaelement	\iniziaelement {} [=] \terminaelement
iniziaelemento	\iniziaelemento [] \terminaelemento
iniziaembeddedxtable	\iniziaembeddedxtable [=] \terminaembeddedxtable
iniziaembeddedxtable:name	\iniziaembeddedxtable [] \terminaembeddedxtable
iniziaenumerazione:example	\iniziaENUMERAZIONE [=] \terminaENUMERAZIONE
iniziaenumerazione:example:title	\iniziaENUMERAZIONE [] {} \terminaENUMERAZIONE
iniziaexceptions	\iniziaexceptions [] \terminaexceptions
•	
iniziaexpanded	\iniziaexpanded \terminaexpanded
iniziaexpandedcollect	\iniziaexpandedcollect \terminaexpandedcollect
iniziaextendedcatcodetable	\iniziaextendedcatcodetable \ \terminaextendedcatcodetable
iniziaexternalfigurecollection	\iniziaexternalfigurecollection [] \terminaexternalfigurecollection
iniziafacingfloat	\iniziafacingfloat [] \terminafacingfloat
•	
iniziafigura	\iniziafigura [] [=] \terminafigura
iniziafisso	\iniziafisso [] \terminafisso
iniziafittingpage	\iniziafittingpage [] [=] \terminafittingpage
iniziafittingpage:instance	\iniziaFITTINGPAGE [=] \terminaFITTINGPAGE
iniziafittingpage:instance:MPpage	\iniziaMPpage [=] \terminaMPpage
iniziafittingpage:instance:TEXpage	\iniziaTEXpage [=] \terminaTEXpage
6. 6	
iniziafloatcombination	\iniziafloatcombination [=] \terminafloatcombination
iniziafloatcombination:matrix	\iniziafloatcombination [] \terminafloatcombination
iniziafloattext:instance	\iniziaFLOATtesto [] [] \terminaFLOATtesto
iniziafloattext:instance:chemical	\iniziachemicaltesto [] [] \terminachemicaltesto
<pre>iniziafloattext:instance:figure</pre>	\iniziafiguretesto [] [] \terminafiguretesto
5	\iniziagraphictesto [] [] \terminagraphictesto
iniziafloattext:instance:graphic	
iniziafloattext:instance:intermezzo	\iniziaintermezzotesto [] [] \terminaintermezzotesto
iniziafloattext:instance:table	\iniziatabletesto [] [] \terminatabletesto
iniziafont	\iniziafont [] \terminafont
iniziafontclass	\iniziafontclass [] \terminafontclass
iniziafontsolution	\iniziafontsolution [] \terminafontsolution
iniziaformula	\iniziaformula [] \terminaformula
iniziaformula:assignment	\iniziaformula [=] \terminaformula
iniziaformula:instance	\iniziaFORMULAformula [] \terminaFORMULAformula
iniziaformula:instance:md	\iniziamdformula [] \terminamdformula
iniziaformula:instance:mp	\iniziampformula [] \terminampformula
iniziaformula:instance:sd	\iniziasdformula [] \terminasdformula
iniziaformula:instance:sp	
<u>.</u>	\iniziaspformula [] \terminaspformula
iniziaformule	\iniziaformule [] \terminaformule
iniziaframedcell	\iniziaframedcell [=] \terminaframedcell
iniziaframedcontent	\iniziaframedcontent [] \terminaframedcontent
iniziaframedrow	\iniziaframedrow [=] \terminaframedrow
iniziaframedtable	\iniziaframedtable [] [=] \terminaframedtable
iniziagridsnapping	\iniziagridsnapping [] \terminagridsnapping
0 11 0	
iniziagridsnapping:list	\iniziagridsnapping [] \terminagridsnapping
iniziahboxestohbox	\iniziahboxestohbox \terminahboxestohbox
iniziahboxregister	\iniziahboxregister \terminahboxregister
iniziahelp:instance	\iniziaHELP [] \terminaHELP
iniziahelp:instance:helptext	\iniziahelptext [] \terminahelptext
iniziahighlight	\iniziahighlight [] \terminahighlight
iniziahyphenation	\iniziahyphenation [] \terminahyphenation
iniziaimath	\iniziaimath \terminaimath
iniziaimpaccato	\iniziaimpaccato [] \terminaimpaccato
iniziaincorniciato	\iniziaincorniciato [] [=] \terminaincorniciato
iniziaindentedtext	\iniziaindentedtext [] \terminaindentedtext
	\iniziaIndentedtext [] \terminaIndentedtext \iniziaInDENTEDTEXT \terminaInDENTEDTEXT
iniziaindentedtext:example	
iniziainterazione	\iniziainterazione [] \terminainterazione
iniziainterface	\iniziainterface \terminainterface
iniziaintertext	\iniziaintertext \terminaintertext
iniziaitemgroup	\iniziaitemgroup [] [=] \terminaitemgroup
iniziaitemgroup:instance	\iniziaITEMGROUP [] [=] \terminaITEMGROUP
9 .	
iniziaitemgroup:instance:itemize	\iniziaitemize [] [=] \terminaitemize
iniziaJScode	\iniziaJScode \terminaJScode

:-:-:- IC	\:\:\:\:\:\:\\:\\:\\\\\\\\\\\\\\\\\\\\
iniziaJSpreamble	\iniziaJSpreamble\terminaJSpreamble \iniziaknockout\terminaknockout
iniziaknockout	
inizialayout	\inizialayout [] \terminalayout
inizialinealignment	\inizialinealignment [] \terminalinealignment
inizialineamargine	\inizialineamargine [] \terminalineamargine
inizialineamargine:assignment	\inizialineamargine [=] \terminalineamargine
inizialineatesto	\inizialineatesto {} \terminalineatesto
inizialinecorrection	$\verb \line  inizial inecorrection [] \verb \line  terminal inecorrection  $
inizialinefiller	\inizialinefiller [] [=] \terminalinefiller
inizialinenumbering	\inizialinenumbering [] [=] \terminalinenumbering
inizialinenumbering:argument	\inizialinenumbering [] [] \terminalinenumbering
inizialinetable	\inizialinetable \terminalinetable
inizialinetablebody	\inizialinetablebody \terminalinetablebody
inizialinetablecell	\inizialinetablecell [=] \terminalinetablecell
inizialinetablehead	\inizialinetablehead \terminalinetablehead
inizialingua	\inizialingua [] \terminalingua
inizialocalfootnotes	\inizialocalfootnotes \terminalocalfootnotes
inizialocalheadsetup	\inizialocalheadsetup \terminalocalheadsetup
inizialocallinecorrection	\inizialocallinecorrection [] \terminalocallinecorrection
inizialocalnotes	\inizialocalnotes [] \terminalocalnotes
inizialocalsetups	\inizialocalsetups [] [] \terminalocalsetups
inizialocalsetups:string	\inizialocalsetups \terminalocalsetups
inizialua	\inizialua \terminalua
inizialuacode	\inizialuacode \terminaluacode
inizialuaparameterset	\inizialuaparameterset [] \terminaluaparameterset
inizialuasetups	\inizialuasetups [] [ \terminaluasetups
inizialuasetups:string	\inizialuasetups\terminaluasetups
. •	\iniziaMPclip {} \terminaMPclip
iniziaMPclip iniziaMPcode	<del>-</del>
	\iniziaMPcode \{\dots\}\dots\\terminaMPcode
iniziaMPdefinitions	\iniziaMPdefinitions \\\terminaMPdefinitions
iniziaMPdrawing	\iniziaMPdrawing [] \terminaMPdrawing
iniziaMPenvironment	\iniziaMPenvironment [] \terminaMPenvironment
iniziaMPextensions	\iniziaMPextensions \\ \\\ \terminaMPextensions
iniziaMPinclusions	\iniziaMPinclusions [] {} \terminaMPinclusions
iniziaMPinitializations	\iniziaMPinitializations \terminaMPinitializations
iniziaMPpositiongraphic	$\verb \iniziaMPpositiongraphic {} {} \verb \terminaMPpositiongraphi $
iniziaMPpositionmethod	\iniziaMPpositionmethod {} \terminaMPpositionmethod
iniziaMPrun	\iniziaMPrun {} \terminaMPrun
iniziamakeup	\iniziamakeup [] [=] \terminamakeup
iniziamakeup:instance	\iniziaMAKEUPmakeup [=] \terminaMAKEUPmakeup
iniziamakeup:instance:middle	\iniziamiddlemakeup [=] \terminamiddlemakeup
iniziamakeup:instance:page	\iniziapagemakeup [=] \terminapagemakeup
iniziamakeup:instance:standard	\iniziastandardmakeup [=] \terminastandardmakeup
iniziamakeup:instance:text	\iniziatextmakeup [=] \terminatextmakeup
iniziamarginblock	\iniziamarginblock [] \terminamarginblock
iniziamarkedcontent	\iniziamarkedcontent [] \terminamarkedcontent
iniziamarkpages	\iniziamarkpages [] \terminamarkpages
iniziamathalignment:instance	\iniziaMATHALIGNMENT [=] \terminaMATHALIGNMENT
iniziamathalignment:instance:align	\iniziaalign [=] \terminaalign
iniziamathalignment:instance:mathalignment	\iniziamathalignment [=] \terminamathalignment
iniziamathcases:instance	\iniziaMATHCASES [=] \terminaMATHCASES
iniziamathcases:instance:cases	\iniziacases [=] \terminacases
iniziamathcases:instance:mathcases	\iniziamathcases [=] \terminamathcases
iniziamathmatrix:instance	\iniziaMATHMATRIX [=] \terminaMATHMATRIX
iniziamathmatrix:instance:mathmatrix	\iniziamathmatrix [=] \terminamathmatrix
iniziamathmatrix:instance:matrix	\iniziamatrix [=] \terminamatrix
iniziamathmode	
	\iniziamathmode \terminamathmode
iniziamathstyle	\iniziamathstyle [] \terminamathstyle
iniziamatrices	\iniziamatrices [=] \terminamatrices
iniziamaxaligned	\iniziamaxaligned \terminamaxaligned
iniziamenuinterattivo	\iniziamenuinterattivo [] \terminamenuinterattivo
iniziamettiformula	\iniziamettiformula [=] \terminamettiformula
iniziamettiformula:argument	\iniziamettiformula [] \terminamettiformula
iniziamiddlealigned	\iniziamiddlealigned \terminamiddlealigned
iniziamixedcolumns	\iniziamixedcolumns [] [=] \terminamixedcolumns
iniziamixedcolumns:instance	\iniziaMIXEDCOLUMNS [=] \terminaMIXEDCOLUMNS
iniziamixedcolumns:instance:boxedcolumns	\iniziaboxedcolumns [=] \terminaboxedcolumns
iniziamixedcolumns:instance:columns	\iniziacolumns [=] \terminacolumns
$\verb iniziamixedcolumns:instance:itemgroupcolumns \\$	\iniziaitemgroupcolumns [=] \terminaitemgroupcolumns
iniziamode	\iniziamode [] \terminamode
iniziamodeset	\iniziamodeset [] {} \terminamodeset
iniziamodule	\iniziamodule [] \terminamodule

iniziamoduletestsection	\iniziamoduletestsection \terminamoduletestsection
iniziamodule:string	\iniziamodule \terminamodule
inizianamedsection	\inizianamedsection [] [=] \terminanamedsection
inizianamedsubformulas	$\verb \inizianamed subformulas [] {}   \verb \terminanamed subformulas                                      $
inizianarrower	\inizianarrower [] \terminanarrower
inizianarrower:example	\iniziaNARROWER [] \terminaNARROWER
inizianegativo	\inizianegativo \terminanegativo
inizianicelyfilledbox	\inizianicelyfilledbox [=] \terminanicelyfilledbox \inizianointerference \terminanointerference
inizianointerference inizianotallmodes	\inizianointerierence \terminanointerierence \inizianotallmodes [] \terminanotallmodes
inizianota:imstance	\inizianotalimodes [] \terminanotalimodes \inizianoTE [] \terminanoTE
inizianota:instance:assignment	\iniziaNOTE [] \terminaNOTE
inizianota:instance:assignment:endnote	\iniziaendnote [=] \terminaendnote
inizianota:instance:assignment:footnote	\iniziafootnote [=] \terminafootnote
inizianota:instance:endnote	\iniziaendnote [] \terminaendnote
inizianota:instance:footnote	\iniziafootnote [] \terminafootnote
inizianotext	\inizianotext \terminanotext
inizianotmode	\inizianotmode [] \terminanotmode
iniziaopposto	\iniziaopposto \terminaopposto
iniziaoutputstream	\iniziaoutputstream [] \terminaoutputstream
iniziaoverprint	\iniziaoverprint \terminaoverprint
iniziapagecolumns	\iniziapagecolumns [=] \terminapagecolumns \iniziaPAGECOLUMNS \terminaPAGECOLUMNS
<pre>iniziapagecolumns:instance iniziapagecolumns:instance:</pre>	\iniziaPAGECOLUMNS \terminaPAGECOLUMNS
iniziapagecolumns:name	\iniziapagecolumns [] \terminapagecolumns
iniziapagefigure	\iniziapagefigure [] [=.] \terminapagefigure
iniziapagelayout	\iniziapagelayout [] \terminapagelayout
iniziapar	\iniziapar [] [=] \terminapar
iniziaparagraphs	\iniziaparagraphs [] \terminaparagraphs
iniziaparagraphscell	\iniziaparagraphscell \terminaparagraphscell
iniziaparagraphs:example	\iniziaPARAGRAPHS \terminaPARAGRAPHS
iniziaparallel:example	\iniziaPARALLEL \terminaPARALLEL
iniziaparbuilder	\iniziaparbuilder [] \terminaparbuilder
iniziaplacefloat	\iniziaplacefloat [] [=] \terminaplacefloat
iniziaplacefloat:instance	\iniziamettiFLOAT [=] [=] \terminamettiFLOAT
iniziaplacefloat:instance:chemical	\iniziamettichemical [=] [=] \terminamettichemical
iniziaplacefloat:instance:figure	\iniziamettifigure [=] [=] \terminamettifigure
<pre>iniziaplacefloat:instance:graphic iniziaplacefloat:instance:intermezzo</pre>	\iniziamettigraphic [=] [=] \terminamettigraphic \iniziamettiintermezzo [=] [=] \terminamettiintermezzo
iniziaplacefloat:instance:table	\iniziamettitable [=] [=] \terminamettitable
iniziaplacepairedbox	\iniziaplacepairedbox [] [=] \terminaplacepairedbox
iniziaplacepairedbox:instance	\iniziamettiPAIREDBOX [=] \terminamettiPAIREDBOX
iniziaplacepairedbox:instance:legend	\iniziamettilegend [=] \terminamettilegend
iniziapositioning	\iniziapositioning [] [=] \terminapositioning
iniziapositionoverlay	$\mbox{\colored} \mbox{\colored} \color$
iniziapositivo	\iniziapositivo \terminapositivo
iniziaposporre	\iniziaposporre [] \terminaposporre
iniziapostponingnotes	\iniziapostponingnotes \terminapostponingnotes
iniziaprocessassignmentcommand	\iniziaprocessassignmentcommand [=] \terminaprocessassignmentcom
iniziaprocessassignmentlist	\iniziaprocessassignmentlist [=] \terminaprocessassignmentlist
iniziaprocesscommacommand	\iniziaprocesscommacommand [] \terminaprocesscommacommand
iniziaprocesscommalist iniziaprodotto	\iniziaprocesscommalist [] \terminaprocesscommalist \iniziaprodotto [] \terminaprodotto
iniziaprodotto:string	\iniziaprodotto \( \ldots \) \terminaprodotto
iniziaprogetto	\iniziaprogetto [] \terminaprogetto
iniziaprogetto:string	\iniziaprogetto \terminaprogetto
iniziaprotectedcolors	\iniziaprotectedcolors \terminaprotectedcolors
iniziapubblicazione	\iniziapubblicazione [] [=] \terminapubblicazione
iniziarandomized	\iniziarandomized \terminarandomized
iniziarawsetups	\iniziarawsetups [] [] \terminarawsetups
iniziarawsetups:string	\iniziarawsetups \terminarawsetups
iniziareadingfile	\iniziareadingfile \terminareadingfile
iniziaregime	\iniziaregime [] \terminaregime
iniziareusableMPgraphic	\iniziareusableMPgraphic \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
iniziariga	\iniziariga []
iniziarighe:instance	\iniziaLINES [=] \terminaLINES
iniziarighe:instance:lines	\inizialines [=] \terminalines \iniziaruby [] \terminaruby
iniziaruby iniziascript	\iniziaruoy [] \terminaruoy \iniziascript [] \terminascript
iniziascript	\iniziascript [] \terminascript \iniziasectionblock [] [=] \terminasectionblock
iniziasectionblock:instance	\iniziaSECTIONBLOCK [=] \terminaSECTIONBLOCK
iniziasectionblock:instance:appendices	\iniziaappendices [=] \terminaappendices

```
iniziasectionblock:instance:backmatter
                                                                                                                     \iniziabackmatter [..=..] ... \terminabackmatter
iniziasectionblock:instance:bodymatter
                                                                                                                     \iniziabodymatter [..=..] ... \terminabodymatter
                                                                                                                     \iniziafrontmatter [..=..] ... \terminafrontmatter
\verb|iniziasectionblock:instance:frontmatter|\\
                                                                                                                     iniziasectionlevel
                                                                                                                     \iniziasetups [...] [...] \terminasetups
iniziasetups
iniziasetups:string
                                                                                                                     \iniziasetups ... \terminasetups
                                                                                                                     \iniziasfondo [..=..] ... \terminasfondo
iniziasfondo
                                                                                                                     \iniziaSFONDO [..=..] ... \terminaSFONDO
iniziasfondo:example
iniziashift
                                                                                                                     \iniziashift [...] ... \terminashift
                                                                                                                     \verb|\color= [...] [..=..] ... \verb|\color= [theorem]|
iniziasidebar
                                                                                                                     \verb|\columns| [..=..] ... \verb|\terminasimplecolumns|
iniziasimplecolumns
                                                                                                                     \verb|\iniziasospeso| [..=..] {...} ... \verb|\terminasospeso|
iniziasospeso
                                                                                                                     \iniziasospeso [...] {...} ... \terminasospeso
iniziasospeso:argument
                                                                                                                     \iniziasovrapponi ... \terminasovrapponi
iniziasovrapponi
                                                                                                                     \iniziaspecialitem [...] [...] ... \terminaspecialitem
iniziaspecialitem:item
iniziaspecialitem:none
                                                                                                                     \iniziaspecialitem [...] ... \terminaspecialitem
                                                                                                                     \verb|\coloredge [...] {...} ... \verb|\coloredge [...] {...} |
iniziaspecialitem:symbol
iniziasplitformula
                                                                                                                     \iniziasplitformula ... \terminasplitformula
iniziasplittext
                                                                                                                     \iniziasplittext ... \terminasplittext
                                                                                                                     \iniziaspread ... \terminaspread \iniziaSTARTSTOP ... \terminaSTARTSTOP
iniziaspread
iniziastartstop:example
                                                                                                                     \verb|\label{limit}| \end{tikzer}
\verb"iniziastatic MPfigure"
                                                                                                                     \verb|\displaystaticMPgraphic {...} {...} ... \verb|\displaystaticMPgraphic {...} |
iniziastaticMPgraphic
iniziastretto
                                                                                                                     \verb"iniziastretto: assignment"
                                                                                                                     \verb|\iniziastretto| [..=..] [...] ... \verb|\terminastretto|
                                                                                                                     \iniziastretto [...] [...] \terminastretto
iniziastretto:name
iniziastrictinspectnextcharacter
                                                                                                                     \iniziastrictinspectnextcharacter ... \terminastrictinspectnextcharacter
iniziastyle
                                                                                                                     \iniziastyle [..=..] ... \terminastyle
                                                                                                                     \verb|\coloredge| 1... | terminastyle|
\verb"iniziastyle:argument"
                                                                                                                     \iniziaSTYLE ... \terminaSTYLE
iniziastyle:instance
iniziastyle:instance:
                                                                                                                     \iniziaSTYLE ... \terminaSTYLE
                                                                                                                     \iniziasubformulas [...] ... \terminasubformulas
iniziasubformulas
                                                                                                                     \iniziasubjectlevel [...] [..=..] ... \terminasubjectlevel
iniziasubjectlevel
iniziasubsentence
                                                                                                                     \iniziasubsentence ... \terminasubsentence
                                                                                                                     \iniziasubstack ... \terminasubstack \iniziasymbolset [...] [..=..] ... \terminasymbolset
iniziasubstack
iniziasvmbolset
iniziaTABLE
                                                                                                                     \iniziaTABLE [..=..] ... \terminaTABLE
iniziaTABLEbody
                                                                                                                     \iniziaTABLEbody [..=..] ... \terminaTABLEbody
                                                                                                                     \iniziaTABLEfoot [..=..] ... \terminaTABLEfoot
iniziaTABLEfoot
iniziaTABLEhead
                                                                                                                     \iniziaTABLEhead [..=..] ... \terminaTABLEhead
iniziaTABLEnext
                                                                                                                     \iniziaTABLEnext [..=..] ... \terminaTABLEnext
iniziatabella
                                                                                                                     \iniziatabella [|...|] [..=..] ... \terminatabella
iniziatabella:name
                                                                                                                     \iniziatabella [...] [..=..] ... \terminatabella
                                                                                                                     \iniziatabelle [|...|] ... \terminatabelle
iniziatabelle
                                                                                                                     \iniziatabelle [...] ... \terminatabelle
iniziatabelle:name
iniziatabulato
                                                                                                                     \iniziatabulato [/.../] [..=..] ... \terminatabulato
                                                                                                                     \verb|\iniziaTABULATE [...] ... \verb|\terminaTABULATE||
iniziatabulato:instance
iniziatabulato:instance:fact
                                                                                                                     \verb|\iniziafact[...][..=..]... \verb|\terminafact||
iniziatabulato:instance:legend
                                                                                                                     \inizialegend [...] [..=..] ... \terminalegend
                                                                                                                     \mbox{\colored} \mbox{\color
iniziatesta
                                                                                                                     \iniziatestatabella [...] ... \terminatestatabella
iniziatestatabella
                                                                                                                     \iniziatestatabulato [...] ... \terminatestatabulato
iniziatestatabulato
                                                                                                                     \iniziatesto ... \terminatesto
iniziatesto
iniziatestoaiuto
                                                                                                                     \iniziatestoaiuto [...] ... \terminatestoaiuto
                                                                                                                     \iniziaLABELtesto [...] [...] \terminaLABELtesto
iniziatestoetichetta:instance
                                                                                                                     \verb|\ | iniziabtx | label testo [...] [...] ... \ | terminabtx | label testo | label t
iniziatestoetichetta:instance:btxlabel
                                                                                                                     \iniziaheadtesto [...] [...] ... \terminaheadtesto
iniziatestoetichetta:instance:head
                                                                                                                     \inizialabeltesto [...] [...] ... \terminalabeltesto
iniziatestoetichetta:instance:label
                                                                                                                     \iniziamathlabeltesto [...] [...] ... \terminamathlabeltesto
iniziatestoetichetta:instance:mathlabel
                                                                                                                     \iniziaoperatortesto [...] [...] ... \terminaoperatortesto
iniziatestoetichetta:instance:operator
                                                                                                                     \iniziaprefixtesto [...] [...] ... \terminaprefixtesto
iniziatestoetichetta:instance:prefix
                                                                                                                     \iniziasuffixtesto [...] [...] \terminasuffixtesto
iniziatestoetichetta:instance:suffix
                                                                                                                     \iniziataglabeltesto [...] [...] ... \terminataglabeltesto
iniziatestoetichetta:instance:taglabel
                                                                                                                     \iniziaunittesto [...] [...] ... \terminaunittesto \iniziaFRAMEDTEXT [...] [..=..] ... \terminaFRAMEDTEXT
iniziatestoetichetta:instance:unit
iniziatestoincorniciato:instance
                                                                                                                     \iniziaframedtext [...] [..=..] ... \terminaframedtext
iniziatestoincorniciato:instance:framedtext
iniziatexcode
                                                                                                                     \iniziatexcode ... \terminatexcode
                                                                                                                     \iniziatexdefinition ... ... ... ... \terminatexdefinition
\verb"iniziatexdefinition"
\verb"iniziatextbackground"
                                                                                                                     \verb|\iniziatextbackground| [...] [..=..] ... \verb|\terminatextbackground|
{\tt iniziatextbackgroundmanual}
                                                                                                                     iniziatextbackground:example
                                                                                                                     \iniziaTEXTBACKGROUND [..=..] ... \terminaTEXTBACKGROUND
                                                                                                                     \iniziatextcolor [...] ... \terminatextcolor
```

iniziatextcolor

	At 1 to 1 a 1 a 1 a 1 a 1 a 1 a 1 a 1 a 1 a 1
iniziatextcolorintent	\iniziatextcolorintent \terminatextcolorintent
iniziatextflow	\iniziatextflow [] \terminatextflow
iniziatokenlist	\iniziatokenlist [] \terminatokenlist
iniziatokens	\iniziatokens [] \terminatokens
iniziatransparent	\iniziatransparent [] \terminatransparent
iniziatypescript	\iniziatypescript [] [] \terminatypescript
iniziatypescriptcollection	\iniziatypescriptcollection [] \terminatypescriptcollection
iniziatyping:instance	\iniziaTYPING [=] \terminaTYPING
iniziatyping:instance:argument	\iniziaTYPING [] \terminaTYPING
iniziatyping:instance:argument:LUA	\iniziaLUA [] \terminaLUA
iniziatyping:instance:argument:MP	\iniziaMP [] \terminaMP
iniziatyping:instance:argument:PARSEDXML	\iniziaPARSEDXML [] \terminaPARSEDXML
iniziatyping:instance:argument:TEX	\iniziaTEX [] \terminaTEX
<pre>iniziatyping:instance:argument:typing</pre>	\iniziatyping [] \terminatyping
iniziatyping:instance:argument:XML	\iniziaXML [] \terminaXML
iniziatyping:instance:LUA	\iniziaLUA [=] \terminaLUA
iniziatyping:instance:MP	\iniziaMP [=] \terminaMP
iniziatyping:instance:PARSEDXML	\iniziaPARSEDXML [=] \terminaPARSEDXML
iniziatyping:instance:TEX	\iniziaTEX [=] \terminaTEX
iniziatyping:instance:typing	\iniziatyping [=] \terminatyping
iniziatyping:instance:XML	\iniziaXML [=] \terminaXML
iniziauniqueMPgraphic	$\verb \iniziauniqueMPgraphic {} {} \verb \terminauniqueMPgraphic                                      $
iniziauniqueMPpagegraphic	$\verb \iniziauniqueMPpagegraphic {} {} \terminauniqueMPpagegraphic$
iniziaunpacked	\iniziaunpacked \terminaunpacked
iniziausableMPgraphic	\iniziausableMPgraphic {} {} \terminausableMPgraphic
iniziauseMPgraphic	\iniziauseMPgraphic {} {} \terminauseMPgraphic
iniziausemathstyleparameter	\iniziausemathstyleparameter \ \terminausemathstyleparameter
iniziauserdata	\iniziauserdata [] [=] \terminauserdata
iniziausingbtxspecification	\iniziausingbtxspecification [] \terminausingbtxspecification
iniziavaia	\iniziavaia [] \terminavaia
iniziavboxregister	\iniziavboxregister \terminavboxregister
iniziavboxtohbox	\iniziavboxtohbox \terminavboxtohbox
iniziavboxtohboxseparator	\iniziavboxtohboxseparator \terminavboxtohboxseparator
iniziaviewerlayer	\iniziaviewerlayer [] \terminaviewerlayer
iniziaviewerlayer:example	\iniziaVIEWERLAYER \terminaVIEWERLAYER
iniziavtopregister	\iniziavtopregister \terminavtopregister
iniziaxcell	\iniziaxcell [] [=] \terminaxcell
iniziaxcellgroup	\iniziaxcellgroup [] [=] \terminaxcellgroup
iniziaxcolumn	\iniziaxcolumn [=] \terminaxcolumn
iniziaxcolumn:name	\iniziaxcolumn [] \terminaxcolumn
iniziaxgroup	\iniziaxgroup [] [=] \terminaxgroup
iniziaxmldisplayverbatim	\iniziaxmldisplayverbatim [] \terminaxmldisplayverbatim
iniziaxmlinlineverbatim	\iniziaxmlinlineverbatim [] \terminaxmlinlineverbatim
iniziaxmlraw	\iniziaxmlraw \terminaxmlraw
iniziaxmlsetups	\iniziaxmlsetups [] [] \terminaxmlsetups
iniziaxmlsetups:string	\iniziaxmlsetups\terminaxmlsetups
iniziaxrow	\iniziaxrow [] [=] \terminaxrow
iniziaxrowgroup	\iniziaxrowgroup [] [=] \terminaxrowgroup
iniziaxtable	\iniziaxtable [=] \terminaxtable
iniziaxtablebody	\iniziaxtablebody [=] \terminaxtablebody
iniziaxtablebody:name	\iniziaxtablebody [] \terminaxtablebody
iniziaxtablefoot	\iniziaxtablefoot [=] \terminaxtablefoot
iniziaxtablefoot:name	\iniziaxtablefoot [] \terminaxtablefoot
iniziaxtablehead	\iniziaxtablehead [=] \terminaxtablehead
iniziaxtablehead:name	\iniziaxtablehead [] \terminaxtablehead
iniziaxtablenext	\iniziaxtablenext [=] \terminaxtablenext
iniziaxtablenext:name	\iniziaxtablenext [] \terminaxtablenext
iniziaxtable:example	\iniziaXTABLE [=] \terminaXTABLE
iniziaxtable:name	\iniziaxtable [] \terminaxtable
inlinebuffer	\inlinebuffer []
inlinedbox	\inlinedbox \{\dots\}
inlinemath	\inlineabox \(\ldots\)
inlinemathematics	\inlinemath \(\ldots\)
inlinemathematics	\inlinemathematics \(\tau\) \inlinemathematics \(\tau\)
inlinemessage	\inlinemessage \(\tau\) \\ \inlineordisplaymath \{\ldots\} \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \
inlineprettyprintbuffer	\inlineordisplaymath \(\lambda \ \) \inlineordisplayma
	\inlineprettyprintbuffer \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
inlinerange	\ininerange [] \innerflushshapebox
innerflushshapebox	\innerriusnsnapeoox \input {}
input iloharonamo	-
inputfilename	\inputfilebarename \inputfilename
inputfilename	<u>•</u>
inputfilerealsuffix	\inputfilerealsuffix

innutfilesuffir	\:+f:1ff:
<pre>inputfilesuffix inputgivenfile</pre>	\inputfilesuffix \inputgivenfile {}
input:string	\input
inriga	\inriga {} []
insertpages	\insertpages [] [=]
inspectluatable	\inspectluatable \
installactionhandler	\installactionhandler {}
installactivecharacter	\installactivecharacter
installalingua	\installalingua [] [=]
installalingua:name	\installalingua [] []
installanddefineactivecharacter	\installanddefineactivecharacter {}
installattributestack	\installattributestack \
installautocommandhandler	\installautocommandhandler \ \ \
installautosetuphandler	\installautosetuphandler \ {}
installbasicautosetuphandler installbasicparameterhandler	\installbasicautosetuphandler \ \ \ \installbasicparameterhandler \ \}
installbottomframerenderer	\installbottomframerenderer \{\dots\} \\\
installcommandhandler	\installcommandhandler \ \\
installcorenamespace	\installcorenamespace {}
installdefinehandler	\installdefinehandler \ \{} \
installdefinitionset	\installdefinitionset \ {}
installdefinitionsetmember	\installdefinitionsetmember \ \\ \\
installdirectcommandhandler	\installdirectcommandhandler \ {}
installdirectparameterhandler	\installdirectparameterhandler \ {}
in stall direct parameters ethandler	$\$ \installdirectparametersethandler $\$ $\{\dots\}$
installdirectsetuphandler	$\$ \installdirectsetuphandler $\$ \ $\{\}$
installdirectstyleandcolorhandler	\installdirectstyleandcolorhandler $\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \$
installframedautocommandhandler	\installframedautocommandhandler \ \
installframedcommandhandler	\installframedcommandhandler \ \{} \
installglobalmacrostack	\installglobalmacrostack \
installleftframerenderer	\installleftframerenderer {} {}
installmacrostack	\installmacrostack \
installnamespace	\installnamespace {}
installoutputroutine	\installoutputroutine \ \{\}
installpagearrangement	\installpagearrangement {}
installparameterhandler installparameterhashhandler	\installparameterhandler \ \{\}
installparametersethandler	\installparameterhashhandler \ \{\} \installparametersethandler \ \{\}
installparentinjector	\installparentinjector \ \\}
installrightframerenderer	\installrightframerenderer \{\dots\\}
installrootparameterhandler	\installrootparameterhandler \ \{\}
installsetuphandler	\installsetuphandler \ \{\}
installsetuponlycommandhandler	\installsetuponlycommandhandler \ {}
installshipoutmethod	\installshipoutmethod {} {}
installsimplecommandhandler	\installsimplecommandhandler \ \{} \
installsimpleframedcommandhandler	\installsimpleframedcommandhandler \ \{} \
installstyleandcolorhandler	\installstyleandcolorhandler \ {}
installswitchcommandhandler	$\$ \installswitchcommandhandler $\$ \ $\$ \
installswitchsetuphandler	$\$ \installswitchsetuphandler $\$ \ $\{\}$
installtexdirective	\installtexdirective \{\ldots\} \{\ldots\} \\
installtextracker	\installtextracker {} {}
installtopframerenderer	\installtopframerenderer {} {}
installunitsseparator	\installunitsseparator {} {}
installunitsspace	\installunitsspace {} {}
installversioninfo	\installversioninfo \{\ldots\} \{\ldots\}
integerrounding	\integerrounding {}
intertext	\intertext {}
interwordspaceafter interwordspacebefore	\interwordspaceafter \interwordspacebefore
interwordspaces	\interwordspaces {}
interwordspacesafter	\interwordspaces \( \cdots \) \interwordspacesafter \( \cdots \) \
interwordspacesbefore	\interwordspacesbefore \{\dots\}
intorno	\intorno []
invokepagehandler	\invokepagehandler \{\ldots\}
italiccorrection	\italiccorrection
italicface	\italicface
itemtag	\itemtag []
jobfilename	\jobfilename
jobfilesuffix	\jobfilesuffix
kap	\kap {}
keeplinestogether	\keeplinestogether {}
keepunwantedspaces	\keepunwantedspaces

kerncharacters	\kerncharacters [] {}
koreancirclenumerals	\koreancirclenumerals {}
koreannumerals	\koreannumerals {}
koreannumeralsc	\koreannumeralsc {}
koreannumeralsp	\koreannumeralsp {}
koreanparentnumerals	\koreanparentnumerals {}
LAMSTEX LATEX	\LAMSTEX \LATEX
LamSTeX	\LamSTeX
LaTeX	\Lamsiex \LaTeX
Lettera	\Lettera {}
Lettere	\Lettere {}
LUAJITTEX	\LUAJITTEX
LUAMETATEX	LUAMETATEX
LUATEX	\LUATEX
Lua	\Lua
LuajitTeX	\LuajitTeX
LuaMetaTeX	\LuaMetaTeX
LuaTeX	\LuaTeX
labellanguage:instance	\LABELlingua
labellanguage:instance:btxlabel	\btxlabellingua
labellanguage:instance:head	\headlingua
labellanguage:instance:label	\labellingua
labellanguage:instance:mathlabel	\mathlabellingua
labellanguage:instance:operator	\operatorlingua
labellanguage:instance:prefix	\prefixlingua
labellanguage:instance:suffix	\suffixlingua
labellanguage:instance:taglabel	\taglabellingua
labellanguage:instance:unit	\unitlingua \LABELtexts {} {}
labeltexts:instance labeltexts:instance:head	\headtexts \\\\} \\\\}
labeltexts:instance:label	\labeltexts \{\dots\} \\\.\}
labeltexts:instance:mathlabel	\mathlabeltexts \{\ldots\}
languageCharacters	\languageCharacters {}
languagecharacters	\languagecharacters {}
languagecharwidth	\languagecharwidth {}
lastcounter	\lastcounter []
lastcountervalue	\lastcountervalue []
lastdigit	\lastdigit {}
lastlinewidth	\lastlinewidth
lastnaturalboxdp	\lastnaturalboxdp
lastnaturalboxht	\lastnaturalboxht
lastnaturalboxwd	\lastnaturalboxwd
lastpredefinedsymbol	\lastpredefinedsymbol
lastrealpage	\lastrealpage
lastrealpagenumber	\lastrealpagenumber
lastsubcountervalue	\lastsubcountervalue [] []
lastsubpagenumber	\lastsubpagenumber
lasttwodigits	\lasttwodigits {} \lastuserpage
lastuserpage lastuserpagenumber	\lastuserpage \lastuserpagenumber
lateluacode	\lateluacode {}
layeredtext	\layeredtext [=] [=] {} {}
layerheight	\layerheight
layerwidth	\layerwidth
lazysavetaggedtwopassdata	\lazysavetaggedtwopassdata {} {} {} {}
lazysavetwopassdata	\lazysavetwopassdata {} {} {}
lbox	\lbox {}
lchexnumber	\lchexnumber {}
lchexnumbers	\lchexnumbers {}
leftbottombox	\leftbottombox {}
leftbox	\leftbox {}
lefthbox	\lefthbox {}
leftlabeltext:instance	\leftLABELtesto {}
leftlabeltext:instance:head	\leftheadtesto {}
leftlabeltext:instance:label	\leftlabeltesto {}
leftlabeltext:instance:mathlabel	\leftmathlabeltesto {}
leftline	\leftline {}
leftorrighthbox	\leftorrighthbox {}
leftorrightvbox	\leftorrightvbox {}
leftorrightvtop	\leftorrightvtop {}
leftskipadaption	\leftskipadaption

leftsubguillemot	\leftsubguillemot
lefttopbox	\lefttopbox {}
lefttoright	\lefttoright
lefttorighthbox	\lefttorighthbox {}
lefttorightvbox	\lefttorightvbox {}
lefttorightvtop	\lefttorightvtop {}
letbeundefined	\letbeundefined {}
letcatcodecommand	\letcatcodecommand \ \
letcscsname	\letcscsname \ \csname \endcsname
	\letcscsname \ \csname \ \endcsname \
letcsnamecs	
letcsnamecsname	\letcsnamecsname \csname \\endcsname \\endcsname
letdummyparameter	\letdummyparameter {} \
letempty	\letempty \
letgvalue	\letgvalue {} \
letgvalueempty	\letgvalueempty {}
letgvalurelax	\letgvalurelax {}
lettera	\lettera {}
letterampersand	\letterampersand
letterat	\letterat
letterbackslash	\letterbackslash
	\letterbar
letterbar	
letterbgroup	\letterbgroup
letterclosebrace	\letterclosebrace
lettercolon	\lettercolon
letterdollar	\letterdollar
letterdoublequote	\letterdoublequote
lettere	\lettere {}
letteregroup	\letteregroup
letterescape	\letterescape
letterexclamationmark	\letterexclamationmark
letterhash	\letterhash
letterhat	\letterhat
letterleftbrace	\letterleftbrace
letterleftbracket	\letterleftbracket
letterleftparenthesis	\letterleftparenthesis
letterless	\letterless
lettermore	\lettermore
letteropenbrace	\letteropenbrace
letterpercent	\letterpercent
letterquestionmark	\letterquestionmark
<del>-</del>	· -
letterrightbrace	\letterrightbrace
letterrightbracket	\letterrightbracket
letterrightparenthesis	\letterrightparenthesis
lettersinglequote	\lettersinglequote
letterslash	\letterslash
letterspacing	\letterspacing [] {}
lettertilde	\lettertilde
letterunderscore	\letterunderscore
letvalue	\letvalue {} \
letvalueempty	\letvalueempty {}
letvaluerelax	\letvaluerelax {}
lfence	\lfence {}
lhbox	\lhbox {}
limitatefirstline	\limitatefirstline \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
limitatelines	\limitatelines {} {}
limitatetext	
limitatetext	\limitatetext {} {} {}
limitatetext:list	\limitatetext {} {} {} \limitatetext {} {}
limitatetext:list	\limitatetext {} {} {}
limitatetext:list lineanera lineasottile	<pre>\limitatetext {} {} \lineanera [=] \lineasottile</pre>
limitatetext:list lineanera lineasottile lineatesto	<pre>\limitatetext {} {} \lineanera [=] \lineasottile \lineatesto [] {}</pre>
<pre>limitatetext:list lineanera lineasottile lineatesto linebox</pre>	<pre>\limitatetext {} {} \lineanera [=] \lineasottile \lineatesto [] {} \linebox {}</pre>
limitatetext:list lineanera lineasottile lineatesto linebox lineenere	<pre>\limitatetext {} {} \lineanera [=] \lineasottile \lineatesto [] {} \linebox {} \lineanere [=]</pre>
limitatetext:list lineanera lineasottile lineatesto linebox lineenere lineeriempimento	\limitatetext {} {} {} \lineanera [=] \lineasottile \lineatesto [] {} \linebox {} \lineeriempimento [=] {} {}
limitatetext:list lineanera lineasottile lineatesto linebox lineenere lineeriempimento lineesottili	<pre>\limitatetext {} {} \lineanera [=] \lineasottile \lineatesto [] {} \linebox {} \lineenere [=] \lineeriempimento [=] {} {} \lineesottili [=]</pre>
limitatetext:list lineanera lineasottile lineatesto linebox lineenere lineeriempimento lineesottili linefillerhbox	<pre>\limitatetext {} {} \lineanera [=] \lineasottile \lineatesto [] {} \linebox {} \lineenere [=] \lineeriempimento [=] {} {} \linesottili [=] \linefillerhbox [] {}</pre>
limitatetext:list lineanera lineasottile lineatesto linebox lineenere lineeriempimento lineesottili	\limitatetext {} {} {} \lineanera [=] \lineasottile \lineatesto [] {} \linebox {} \lineeriempimento [=] {} {} \linesottili [=] \linefillerhbox [] {} \linefillervbox [] {}
limitatetext:list lineanera lineasottile lineatesto linebox lineenere lineeriempimento lineesottili linefillerhbox	<pre>\limitatetext {} {} \lineanera [=] \lineasottile \lineatesto [] {} \linebox {} \lineenere [=] \lineeriempimento [=] {} {} \linesottili [=] \linefillerhbox [] {}</pre>
limitatetext:list lineanera lineasottile lineatesto linebox lineenere lineeriempimento lineesottili linefillerhbox linefillervbox	\limitatetext {} {} {} \lineanera [=] \lineasottile \lineatesto [] {} \linebox {} \lineeriempimento [=] {} {} \linesottili [=] \linefillerhbox [] {} \linefillervbox [] {}
limitatetext:list lineanera lineasottile lineatesto linebox lineenere lineeriempimento lineesottili linefillerbox linefillervbox linefillervtop	\limitatetext {} {} {} \lineanera [=] \lineasottile \lineatesto [] {} \linebox {} \lineenere [=] \lineeriempimento [=] {} {} \linesottili [=] \linefillerhbox [] {} \linefillervbox [] {} \linefillervtop [] {}
<pre>limitatetext:list lineanera lineasottile lineatesto linebox lineenere lineeriempimento lineesottili linefillerhbox linefillervtop linenote:instance linenote:instance:linenote</pre>	<pre>\limitatetext {} {} {} \lineanera [=] \lineasottile \lineatesto [] {} \linebox {} \lineenere [=] \lineeriempimento [=] {} {} \lineitlinesottili [=] \linefillerhbox [] {} \linefillervbox [] {} \linefillervtop [] {} \LINENOTE {} \linenote {}</pre>
<pre>limitatetext:list lineanera lineasottile lineatesto linebox lineenere lineeriempimento lineesottili linefillerhbox linefillervtop linenote:instance linenote:instance:linenote linespanningtext</pre>	<pre>\limitatetext {} {} {} \lineanera [=] \lineasottile \lineatesto [] {} \linebox {} \lineenere [=] \lineeriempimento [=] {} {} \lineeriempimento [=] {} \lineitlerhbox [] {} \linefillervbox [] {} \linefillervtop [] {} \LINENOTE {} \lineote {} \linespanningtext {} {} {}</pre>
<pre>limitatetext:list lineanera lineasottile lineatesto linebox lineenere lineeriempimento lineesottili linefillerhbox linefillervtop linenote:instance linenote:instance:linenote</pre>	<pre>\limitatetext {} {} {} \lineanera [=] \lineasottile \lineatesto [] {} \linebox {} \lineenere [=] \lineeriempimento [=] {} {} \lineitlinesottili [=] \linefillerhbox [] {} \linefillervbox [] {} \linefillervtop [] {} \LINENOTE {} \linenote {}</pre>

lingua:example	\LANGUAGE
listcitation	\listcitation [=] []
listcitation:alternative	\listcitation []
listcitation:userdata	\listcitation [=] [=]
listcite	\listcite [=] []
listcite:alternative	\listcite [] []
listcite:userdata	\listcite [=] [=]
listnamespaces	\listnamespaces
literalmode	\literalmode
llap	\llap {}
loadanyfile	\loadanyfile []
loadanyfileonce	\loadanyfileonce []
loadbtxdefinitionfile	\loadbtxdefinitionfile []
loadbtxreplacementfile	\loadbtxreplacementfile []
loadcldfile	\loadcldfile []
loadcldfileonce	\loadcldfileonce []
	\loadfontgoodies []
loadfontgoodies loadluafile	\loadluafile []
loadluafileonce	\loadluafileonce []
loadspellchecklist	\loadspellchecklist [] []
loadtexfile	\landaloadtexfile []
loadtexfileonce	\landalia \landa
loadtypescriptfile	\loadtypescriptfile []
localframed	\localframed [] [=] {}
localframedwithsettings	\localframedwithsettings [] [=] {}
localhsize	\localhsize
localpopbox	\localpopbox
localpopmacro	\localpopmacro \
localpushbox	\localpushbox
localpushmacro	\localpushmacro \
localundefine	\localundefine {}
locatedfilepath	\locatedfilepath
locatefilepath	\locatefilepath {}
locfilename	\locfilename {}
lomihi	\lomihi {} {}
lowerbox	\lowerbox {} \ {}
lowercased	\lowercased {}
lowercased lowercasestring	
	\lowercased {}
lowercasestring	\lowercased {} \lowercasestring \to \
lowercasestring lowercasing	<pre>\lowercased {} \lowercasestring \to \ \lowercasing</pre>
lowercasestring lowercasing lowerleftdoubleninequote	\lowercased {} \lowercasestring \to \ \lowercasing \lowerleftdoubleninequote
lowercasestring lowercasing lowerleftdoubleninequote lowerleftsingleninequote	\lowercased {} \lowercasestring \to \ \lowercasing \lowerleftdoubleninequote \lowerleftsingleninequote
lowercasestring lowercasing lowerleftdoubleninequote lowerleftsingleninequote lowerrightdoubleninequote	\lowercased {} \lowercasestring \to \ \lowercasing \lowerleftdoubleninequote \lowerleftsingleninequote \lowerrightdoubleninequote
lowercasestring lowercasing lowerleftdoubleninequote lowerleftsingleninequote lowerrightdoubleninequote lowerrightsingleninequote	<pre>\lowercased {} \lowercasestring \to \ \lowercasing \lowerleftdoubleninequote \lowerleftsingleninequote \lowerrightdoubleninequote \lowerrightsingleninequote</pre>
lowercasestring lowercasing lowerleftdoubleninequote lowerleftsingleninequote lowerrightdoubleninequote lowerrightsingleninequote lowhigh:instance	\lowercased {} \lowercasestring \to \ \lowercasing \lowerleftdoubleninequote \lowerleftsingleninequote \lowerrightdoubleninequote \LOWHIGH [] {} {} \LOWHIGH [] {} {}
lowercasestring lowerleftdoubleninequote lowerleftsingleninequote lowerrightdoubleninequote lowerrightsingleninequote lowhigh:instance lowhigh:instance:	\lowercased {} \lowercasestring \to \ \lowercasing \lowerleftdoubleninequote \lowerleftsingleninequote \lowerrightdoubleninequote \LOWHIGH [] {}
lowercasestring lowercasing lowerleftdoubleninequote lowerleftsingleninequote lowerrightdoubleninequote lowerrightsingleninequote lowhigh:instance lowhigh:instance: lowmidhigh:instance	<pre>\lowercased {} \lowercasestring \to \ \lowercasing \lowerleftdoubleninequote \lowerleftsingleninequote \lowerrightdoubleninequote \lowerrightsingleninequote \LOWHIGH [] {} {} \LOWHIGH [] {} {}</pre>
lowercasestring lowercasing lowerleftdoubleninequote lowerleftsingleninequote lowerrightdoubleninequote lowerrightsingleninequote lowhigh:instance lowhigh:instance: lowmidhigh:instance lowmidhigh:instance:	<pre>\lowercased {} \lowercasestring \to \ \lowercasing \lowerleftdoubleninequote \lowerleftsingleninequote \lowerrightdoubleninequote \lowerrightsingleninequote \LOWHIGH [] {} {} \LOWHIGH [] {} {} \LOWMIDHIGH {} {} {}</pre>
lowercasestring lowerleftdoubleninequote lowerleftsingleninequote lowerrightdoubleninequote lowerrightsingleninequote lowhigh:instance lowhigh:instance: lowmidhigh:instance: lowmidhigh:instance: lowmidbigh:instance:	<pre>\lowercased {} \lowercasestring \to \ \lowercasing \lowerleftdoubleninequote \lowerleftsingleninequote \lowerrightdoubleninequote \lowerrightsingleninequote \LOWHIGH [] {} {} \LOWHIGH [] {} {} \LOWMIDHIGH {} {} {} \LOWMIDHIGH {} {} {} \lowmidthloom {} {} {} {}</pre>
lowercasestring lowerleftdoubleninequote lowerleftsingleninequote lowerrightdoubleninequote lowerrightsingleninequote lowhigh:instance lowhigh:instance: lowmidhigh:instance: lowmidhigh:instance: lowmidhigh:instance: lowbox ltop	<pre>\lowercased {} \lowercasestring \to \ \lowercasing \lowerleftdoubleninequote \lowerleftsingleninequote \lowerrightdoubleninequote \lowerrightsingleninequote \LOWHIGH [] {} {} \LOWHIGH [] {} {} \LOWMIDHIGH {} {} {} \LOWMIDHIGH {} {} {} \lowerlightsingleninequote \LOWMIDHIGH {} {} {} \LOWMIDHIGH {} {} {} \lowerlightsingleninequote \LOWMIDHIGH {} {} {} \Lowerlightsingleninequote \Lowerlightsingleninequ</pre>
lowercasestring lowerleftdoubleninequote lowerleftsingleninequote lowerrightdoubleninequote lowerrightsingleninequote lowhigh:instance lowhigh:instance: lowmidhigh:instance: lowmidhigh:instance: lrtbbox ltop ltrhbox ltrybox	<pre>\lowercased {} \lowercasestring \to \ \lowercasing \lowerleftdoubleninequote \lowerleftsingleninequote \lowerrightdoubleninequote \lowerrightsingleninequote \LOWHIGH [] {} {} \LOWHIGH [] {} {} \LOWMIDHIGH {} {} {} \LOWMIDHIGH {} {} {} \lowmidthicht {} {} {} \lowerrightsingleninequote \Lowmidthicht {} {} {} \Lowmidthicht {} {} {} \lowerrightsingleninequote \Lowmidthicht {} {} {} \Lowmidthicht {} {} {} \lowerrightsingleninequote \Lowerr</pre>
lowercasestring lowerleftdoubleninequote lowerleftsingleninequote lowerrightdoubleninequote lowerrightsingleninequote lowhigh:instance lowhigh:instance: lowmidhigh:instance: lowmidhigh:instance: lrtbbox ltop ltrhbox	<pre>\lowercased {} \lowercasestring \to \ \lowercasing \lowerleftdoubleninequote \lowerleftsingleninequote \lowerrightdoubleninequote \lowerrightsingleninequote \LOWHIGH [] {} {} \LOWHIGH [] {} {} \LOWMIDHIGH {} {} {} \LOWMIDHIGH {} {} {} \lowerrightsingleninequote \LOWMIDHIGH {} {} {} \LOWMIDHIGH {} {} {} \lowerrightsingleninequote \LOWMIDHIGH {} {} {} \LOWMIDHIGH {} {} {} \LITABOX {} {} {} \ltnbox} \ltnbox}</pre>
lowercasestring lowerleftdoubleninequote lowerleftsingleninequote lowerrightdoubleninequote lowerrightsingleninequote lowhigh:instance lowhigh:instance: lowmidhigh:instance: lowmidhigh:instance: lrtbbox ltop ltrhbox ltrvbox	<pre>\lowercased {} \lowercasestring \to \ \lowercasing \lowerleftdoubleninequote \lowerleftsingleninequote \lowerrightdoubleninequote \lowerrightsingleninequote \LOWHIGH [] {} {} \LOWHIGH [] {} {} \LOWMIDHIGH {} {} {} \LOWMIDHIGH {} {} {} \lowerrightsingleninequote \LOWHIGH [] {} {} \LOWMIDHIGH {} {} {} \LITUDOX {} {} {} \ltrybox {} {} \ltrybox {} \ltrybox {} \ltrybox {} \ltrybox {}</pre>
lowercasestring lowerleftdoubleninequote lowerleftsingleninequote lowerrightdoubleninequote lowerrightsingleninequote lowhigh:instance lowhigh:instance: lowmidhigh:instance: lowmidhigh:instance: lrtbbox ltop ltrhbox ltrvbox ltrvtop luacode	<pre>\lowercased {} \lowercasestring \to \ \lowercasing \lowerleftdoubleninequote \lowerleftsingleninequote \lowerrightdoubleninequote \lowerrightsingleninequote \LowHIGH [] {} {} \LOWHIGH [] {} {} \LOWMIDHIGH {} {} {} \LOWMIDHIGH {} {} {} \lowHIGD [] {.</pre>
lowercasestring lowerleftdoubleninequote lowerleftsingleninequote lowerrightdoubleninequote lowerrightsingleninequote lowhigh:instance lowhigh:instance: lowmidhigh:instance: lowmidhigh:instance: lrtbbox ltop ltrhbox ltrvbox ltrvtop luacode luaconditional luaenvironment	<pre>\lowercased {} \lowercasestring \to \ \lowercasing \lowerleftdoubleninequote \lowerleftsingleninequote \lowerrightdoubleninequote \lowerrightsingleninequote \LowHIGH [] {} {} \LOWHIGH [] {} {} \LOWMIDHIGH {} {} {} \lowMIDHIGH {} {} {} \ltrbbox {} {} {} {} \ltrbbox {} {} {} \ltrbox {} \ltrbox {} \ltrvbox {} \ltrvtop {} \ltrvtop {} \luacode {} \luaconditional \ \luaenvironment</pre>
lowercasestring lowerleftdoubleninequote lowerleftsingleninequote lowerrightdoubleninequote lowerrightsingleninequote lowhigh:instance lowhigh:instance: lowmidhigh:instance: lowmidhigh:instance: lrtbbox ltop ltrhbox ltrvbox ltrvtop luacode luaconditional luaenvironment luaexpanded	<pre>\lowercased {} \lowercasestring \to \ \lowercasing \lowerleftdoubleninequote \lowerleftsingleninequote \lowerrightdoubleninequote \lowerrightsingleninequote \LowHIGH [] {} {} \LOWHIGH [] {} {} \LOWMIDHIGH {} {} {} \lowMIDHIGH {} {} {} \ltrbbox {} {} {} {} \ltrbbox {} {} {} \ltrbox {} \ltrvbox {} \ltrvbox {} \ltrvtop {} \luacode {} \luaconditional \ \luaexpanded {}</pre>
lowercasestring lowerleftdoubleninequote lowerleftsingleninequote lowerrightdoubleninequote lowerrightsingleninequote lowhigh:instance lowhigh:instance: lowmidhigh:instance: lowmidhigh:instance: lrtbbox ltop ltrhbox ltrvbox ltrvtop luacode luaconditional luaenvironment luaexpanded luaexpr	<pre>\lowercased {} \lowercasestring \to \ \lowercasing \lowerleftdoubleninequote \lowerleftsingleninequote \lowerrightdoubleninequote \lowerrightsingleninequote \LowHIGH [] {} {} \LOWHIGH [] {} {} \LOWMIDHIGH {} {} {} \lowMIDHIGH {} {} {} \ltrbbox {} {} {} {} \ltrbox {} {} {} \ltrbox {} \ltrvbox {} \ltrvtop {} \ltrvtop {} \luacode {} \luaconditional \ \luaexpanded {} \luaexpanded {} \luaexpr {}</pre>
lowercasing lowerleftdoubleninequote lowerleftsingleninequote lowerrightdoubleninequote lowerrightsingleninequote lowhigh:instance lowhigh:instance: lowmidhigh:instance: lowmidhigh:instance: lrtbbox ltop ltrhbox ltrvbox ltrvtop luacode luaconditional luaenvironment luaexpanded luaexpr luafunction	<pre>\lowercased {} \lowercasestring \to \ \lowercasing \lowerleftdoubleninequote \lowerleftsingleninequote \lowerrightdoubleninequote \lowerrightsingleninequote \LowHight [] {} {} \limbdox {} {} {} \limbdox {} {} {} \limbdox {} {} \limbdox {.</pre>
lowercasing lowerleftdoubleninequote lowerleftsingleninequote lowerrightdoubleninequote lowerrightsingleninequote lowerrightsingleninequote lowhigh:instance lowhigh:instance: lowmidhigh:instance: lowmidhigh:instance: lrtbbox ltop ltrhbox ltrvbox ltrvtop luacode luaconditional luaenvironment luaexpanded luaexpr luafunction luajitTeX	<pre>\lowercased {} \lowercasestring \to \ \lowercasing \lowerleftdoubleninequote \lowerleftsingleninequote \lowerrightdoubleninequote \lowerrightsingleninequote \LowHight [] {} {} \lowHight [] {} \lowHight [</pre>
lowercasing lowerleftdoubleninequote lowerleftsingleninequote lowerrightdoubleninequote lowerrightsingleninequote lowhigh:instance lowhigh:instance: lowmidhigh:instance: lowmidhigh:instance: lrtbox ltop ltrhbox ltrvbox ltrvtop luacode luaconditional luaenvironment luaexpanded luaexpr luafunction luajitTeX luamajorversion	<pre>\lowercased {} \lowercasestring \to \ \lowercasing \lowerleftdoubleninequote \lowerleftsingleninequote \lowerrightdoubleninequote \lowerrightsingleninequote \LowHight [] {} {} \lowHight [] {</pre>
lowercasing lowerleftdoubleninequote lowerleftsingleninequote lowerrightdoubleninequote lowerrightsingleninequote lowhigh:instance lowhigh:instance: lowmidhigh:instance: lowmidhigh:instance: lrtbbox ltop ltrhbox ltrvbox ltrvtop luacode luaconditional luaenvironment luaexpanded luaexpr luafunction luajitTeX luamajorversion luametaTeX	<pre>\lowercased {} \lowercasing \lowerleftdoubleninequote \lowerleftsingleninequote \lowerlightdoubleninequote \lowerrightdoubleninequote \lowerrightsingleninequote \LOWHIGH [] {} {} \LOWHIGH [] {} {} \LOWMIDHIGH {} {} {} \lowMIDHIGH {} {} {} \ltrbbox {} {} {} {} \ltrbox {} {} {} \ltrbox {} {} \ltrvbox {} \ltrvbox {} \ltrvtop {} \luacode {} \luaconditional \ \luaexpanded {} \luaexpr {} \luafunction {} \luajitTeX \luamajorversion \luametaTeX</pre>
lowercasing lowerleftdoubleninequote lowerleftsingleninequote lowerrightdoubleninequote lowerrightsingleninequote lowhigh:instance lowhigh:instance: lowmidhigh:instance: lowmidhigh:instance: lrtbox ltop ltrhbox ltrvtop luacode luaconditional luaenvironment luaexpanded luaexpr luafunction luajitTeX luamajorversion	<pre>\lowercased {} \lowercasing \lowerleftdoubleninequote \lowerleftsingleninequote \lowerleftsingleninequote \lowerrightdoubleninequote \lowerrightsingleninequote \LowHIGH [] {} {} \LOWHIGH [] {} {} \LOWMIDHIGH {} {} {} \lowMIDHIGH {} {} {} \ltrbbox {} {} {} {} \ltrbox {} {} {} \ltrvbox {} \ltrvbox {} \ltrvtop {} \luacode {} \luaconditional \ \luaexpanded {} \luaexpr {} \luafunction {} \luamajorversion \luametaTeX \luaminorversion</pre>
lowercasing lowerleftdoubleninequote lowerleftsingleninequote lowerrightdoubleninequote lowerrightsingleninequote lowhigh:instance lowhigh:instance: lowmidhigh:instance: lowmidhigh:instance: lrtbbox ltop ltrhbox ltrvtop luacode luaconditional luaenvironment luaexpanded luaexpr luafunction luajitTeX luamajorversion luaparameterset	<pre>\lowercased {} \lowercasestring \to \ \lowercasing \lowerleftdoubleninequote \lowerleftsingleninequote \lowerrightdoubleninequote \lowerrightsingleninequote \LOWHIGH [] {} {} \LOWHIGH [] {} {} \LOWMIDHIGH {} {} {} \lowMIDHIGH {} {} {} \lowmid {} {} {} \ltrbbox {} {} {} \ltrbox {} \ltrvbox {} \ltrvtox {} \ltrvtop {} \luacode {} \luaconditional \ \luaexpanded {} \luaexpr {} \luafunction {} \luamajorversion \luametaTeX \luaminorversion \luaparameterset {} {}</pre>
lowercasing lowerleftdoubleninequote lowerleftsingleninequote lowerrightdoubleninequote lowerrightsingleninequote lowhigh:instance lowhigh:instance: lowmidhigh:instance: lowmidhigh:instance: lrtbbox ltop ltrhbox ltrvtop luacode luaconditional luaenvironment luaexpanded luaexpr luafunction luajitTeX luamajorversion luaparameterset luasetup	<pre>\lowercased {} \lowercasing \lowerleftdoubleninequote \lowerleftsingleninequote \lowerrightdoubleninequote \lowerrightsingleninequote \LowHight [] {} {} \lowHight [] {} \lowHi</pre>
lowercasing lowerleftdoubleninequote lowerleftsingleninequote lowerrightdoubleninequote lowerrightsingleninequote lowerrightsingleninequote lowhigh:instance lowhigh:instance: lowmidhigh:instance: lowmidhigh:instance: lrtbbox ltop ltrhbox ltrvtop luacode luaconditional luaenvironment luaexpanded luaexpr luafunction luajitTeX luamajorversion luametaTeX luaminorversion luaparameterset luasetup luaTeX	<pre>\lowercased {} \lowercasing \lowerleftdoubleninequote \lowerleftsingleninequote \lowerrightdoubleninequote \lowerrightsingleninequote \LOWHIGH [] {} {} \LOWHIGH [] {} {} \LOWMIDHIGH {} {} {} \LOWMIDHIGH {} {} {} \lowerthous {} {} {} \ltrbbox {} {} {} \ltrbox {} \ltrvbox {} \ltrvtop {} \ltrvtop {} \luacode {} \luaconditional \ \luaexpanded {} \luaexpr {} \luamajorversion \luametaTeX \luaminorversion \luaparameterset {} {} \luaetup {</pre>
lowercasing lowerleftdoubleninequote lowerleftsingleninequote lowerrightdoubleninequote lowerrightsingleninequote lowhigh:instance lowhigh:instance: lowmidhigh:instance: lowmidhigh:instance: lrtbbox ltop ltrhbox ltrvtop luacode luaconditional luaenvironment luaexpanded luaexpr luafunction luajitTeX luamajorversion luametaTeX luametaTeX luaversion	<pre>\lowercased {} \lowercasing \lowerleftdoubleninequote \lowerleftsingleninequote \lowerrightdoubleninequote \lowerrightsingleninequote \LOWHIGH [] {} {} \LOWHIGH [] {} {} \LOWMIDHIGH {} {} {} \LOWMIDHIGH {} {} {} \lowerthbox {} {} {} \ltrbbox {} {} {} \ltrbox {} \ltrvbox {} \ltrvbox {} \ltrvtop {} \luacode {} \luacode {} \luaexpranded {} \luaexpranded {} \luaintex \luamiorversion \luametatex \luaminorversion \luaparameterset {} {} \luatex \luaexpr {} \luaexpr {} \luaexpr {} \luaexpranded {} \luaexprand</pre>
lowercasing lowerleftdoubleninequote lowerleftsingleninequote lowerrightdoubleninequote lowerrightsingleninequote lowhigh:instance lowhigh:instance: lowmidhigh:instance: lowmidhigh:instance: lowmidhigh:instance: ltrbbox ltop ltrhbox ltrvtop luacode luaconditional luaenvironment luaexpanded luaexpr luafunction luajitTeX luamajorversion luametaTeX luaminorversion luaparameterset luasetup luaTeX luaversion lunghezzaelenco	<pre>\lowercased {} \lowercasing \lowerleftdoubleninequote \lowerleftsingleninequote \lowerrightdoubleninequote \lowerrightsingleninequote \LOWHIGH [] {} {} \LOWHIGH [] {} {} \LOWMIDHIGH {} {} {} \lowMIDHIGH {} {} {} \lowmidlatop {} {} {} \lowerthook {} {} {} \lowerthook {} {} {} \ltrbbox {} {} \ltrvbox {} \ltrvtop {} \luacode {} \luacode {} \luaexpranded {} \luaexpranded {} \luaintex \luamiorversion \luametaTeX \luamiorversion \luaparameterset {} {} \luaexpr {} \luaexpr {} \luaexpranded {</pre>
lowercasing lowerleftdoubleninequote lowerleftsingleninequote lowerrightdoubleninequote lowerrightsingleninequote lowhigh:instance lowhigh:instance: lowmidhigh:instance: lowmidhigh:instance: lowmidhigh:instance: ltrbbox ltop ltrhbox ltrvtop luacode luaconditional luaenvironment luaexpanded luaexpr luafunction luajitTeX luamajorversion luametaTeX luaminorversion luaparameterset luasetup luaTeX luaversion lunghezzaelenco MESE	<pre>\lowercased {} \lowercasing \lowerleftdoubleninequote \lowerleftsingleninequote \lowerrightdoubleninequote \lowerrightsingleninequote \LOWHIGH [] {} {} \LOWHIGH [] {} {} \LOWMIDHIGH {} {} {} \LOWMIDHIGH {} {} {} \lowertype {} \lowe</pre>
lowercasing lowerleftdoubleninequote lowerleftsingleninequote lowerrightdoubleninequote lowerrightsingleninequote lowhigh:instance lowhigh:instance: lowmidhigh:instance: lowmidhigh:instance: lrtbbox ltop ltrhbox ltrvbox ltrvtop luacode luaconditional luaenvironment luaexpanded luaexpr luafunction luajitTeX luamajorversion luametaTeX luaminorversion luaparameterset luasetup luaTeX luaversion lunghezzaelenco MESE METAFONT	<pre>\lowercased {} \lowercasing \lowerleftdoubleninequote \lowerleftsingleninequote \lowerleftsingleninequote \lowerrightsingleninequote \lowerrightsingleninequote \LOWHIGH [] {} {} \LOWHIGH [] {} {} \LOWMIDHIGH {} {} {} \lowmidthight {} {} {} \lowerthight {} {} \</pre>
lowercasing lowerleftdoubleninequote lowerleftsingleninequote lowerrightdoubleninequote lowerrightsingleninequote lowhigh:instance lowhigh:instance: lowmidhigh:instance: lowmidhigh:instance: ltrbbox ltop ltrhbox ltrvbox ltrvtop luacode luaconditional luaenvironment luaexpanded luaexpr luafunction luajitTeX luamajorversion luametaTeX luaminorversion luaparameterset luasetup luaTeX luaversion lunghezzaelenco MESE METAFONT METAFUN	<pre>\lowercased {} \lowercasing \lowerleftdoubleninequote \lowerleftsingleninequote \lowerrightdoubleninequote \lowerrightsingleninequote \LOWHIGH [] {} {} \LOWHIGH [] {} {} \LOWHIGH [] {} {} \LOWMIDHIGH {} {} {} \ltrbbox {} {} {} \ltrbox {} {} {} \ltrvbox {} \ltrvtop {} \luacode {} \luaconditional \ \luaenvironment \luaexpanded {} \luamajorversion \luametaTeX \luaminorversion \luaparameterset {} {} \luateX \luaversion \luadezaelenco \MESE {} \METAFONT \METAFUN</pre>
lowercasing lowerleftdoubleninequote lowerleftsingleninequote lowerrightdoubleninequote lowerrightsingleninequote lowhigh:instance lowhigh:instance: lowmidhigh:instance: lowmidhigh:instance: lrtbbox ltop ltrhbox ltrvbox ltrvtop luacode luaconditional luaenvironment luaexpanded luaexpr luafunction luajitTeX luamajorversion luametaTeX luaminorversion luaparameterset luasetup luaTeX luaversion lunghezzaelenco MESE METAFONT	<pre>\lowercased {} \lowercasing \lowerleftdoubleninequote \lowerleftsingleninequote \lowerleftsingleninequote \lowerrightsingleninequote \lowerrightsingleninequote \LOWHIGH [] {} {} \LOWHIGH [] {} {} \LOWMIDHIGH {} {} {} \lowmidthight {} {} {} \lowerthight {} {} \</pre>

Marka Com	\ W - + - T
MetaFun MetaPagt	\MetaFun \MetaPost
MetaPost	
MKII	\MKII
MKIV	\MKIV
MKIX	\MKIX
MKLX	\MKLX
MKVI	\MKVI
MKXI	\MKXI
MKXL	\MKXL
MONTHLONG	\MONTHLONG {}
MONTHSHORT	\MONTHSHORT {}
MPanchor	\MPanchor {}
MPbetex	\MPbetex {}
MPc	\MPc {}
MPcode	\MPcode {} {}
MPcolor	\MPcolor {}
MPcoloronly	\MPcoloronly {}
MPcolumn	\MPcolumn {}
MPd	\MPd {}
MPdrawing	\MPdrawing {}
MPfontsizehskip	\MPfontsizehskip {}
MPgetmultipars	\MPgetmultipars \{\ldots\}
MPgetmultishape	\MPgetmultishape \{\ldots\} \\\
MPgetposboxes	\MPgetposboxes {} {}
MPh	\MPh {}
MPII	\MPII
MPIV	\MPIV
MPinclusions	\MPinclusions [] \{\}
MPLX	\MPLX
MPleftskip	\MPleftskip {}
MP11	\MP11 {}
MP1r	\MP1r {}
MP1s	\MPls {}
MPmenubuttons MPn	\MPmenubuttons {}
MPoptions	\MPn {} \MPoptions {}
MPoverlayanchor	\MPoverlayanchor {}
MPp	\MPp {}
MPpage	\MPpage {}
in page	Am bage ()
MPnardata	\MPnardata { }
MPpardata MPplus	\MPpardata {} \MPplus {} {} {}
MPplus	\MPplus {} {}
MPplus MPpos	\MPplus {} {} {} \MPpos {}
MPplus MPpos MPpositiongraphic	\MPplus {} {} {} \MPpos {} \MPpositiongraphic {} {=}
MPplus MPpos	\MPplus {} {} {} \MPpos {}
MPplus MPpos MPpositiongraphic MPposset	\MPplus {} {} {} \MPpos {} \MPpositiongraphic {} {=} \MPposset {} \MPr {}
MPplus MPpos MPpositiongraphic MPposset MPr	\MPplus {} {} {} \MPpos {} \MPpositiongraphic {} {=} \MPposset {}
MPplus MPpos MPpositiongraphic MPposset MPr MPrawvar	\MPplus {} {} {} \MPpos {} \MPpositiongraphic {} {=} \MPposset {} \MPr {} \MPrawvar {} {}
MPplus MPpos MPpositiongraphic MPposset MPr MPrawvar MPregion	\MPplus {} {} {} \MPpos {} \MPpositiongraphic {} {=} \MPposset {} \MPr {}
MPplus MPpos MPpositiongraphic MPposset MPr MPrawvar MPregion MPrest	\MPplus {} {} {} \MPpos {} \MPpositiongraphic {} {=} \MPposset {} \MPr {} \MPrawvar {} {} \MPregion {} \MPrest {}
MPplus MPpos MPpositiongraphic MPposset MPr MPr MPrawvar MPregion MPrest MPrightskip	\MPplus {} {} {} \MPpos {} \MPpositiongraphic {} {=} \MPposset {} \MPr {} \MPrawvar {} {} \MPregion {} \MPrest {} {}
MPplus MPpos MPpositiongraphic MPposset MPr MPr MPrawvar MPregion MPrest MPrightskip MPrs	\MPplus {} {} {} \MPpos {} \MPpositiongraphic {} {=} \MPposset {} \MPr {} \MPrawvar {} {} \MPregion {} \MPrest {} {} \MPrightskip {}
MPplus MPpos MPpositiongraphic MPposset MPr MPr MPrawvar MPregion MPrest MPrightskip MPrs MPstring	\MPplus {} {} {} \MPpos {} \MPpositiongraphic {} {=} \MPposset {} \MPr {} \MPrawvar {} {} \MPregion {} \MPrest {} {} \MPrightskip {} \MPrs {}
MPplus MPpos MPpositiongraphic MPposset MPr MPr MPrawvar MPregion MPrest MPrightskip MPrs MPstring MPtext	<pre>\MPplus {} {} {} \MPpos {} \MPpositiongraphic {} {=} \MPposset {} \MPrawvar {} {} \MPregion {} \MPrest {} {} \MPrightskip {} \MPstring {} \MPtransparency {} \MPul {}</pre>
MPplus MPpos MPpositiongraphic MPposset MPr MPr MPrawvar MPregion MPrest MPrightskip MPrs MPstring MPtext MPtransparency	\MPplus {} {} {} \MPpos {} \MPpositiongraphic {} {=} \MPposset {} \MPr {} \MPrawvar {} {} \MPregion {} \MPrest {} {} \MPrightskip {} \MPstring {} \MPtransparency {}
MPplus MPpos MPpositiongraphic MPposset MPr MPrawvar MPregion MPrest MPrightskip MPrs MPstring MPtext MPtransparency MPul	<pre>\MPplus {} {} {} \MPpos {} \MPpositiongraphic {} {=} \MPposset {} \MPr {} \MPrawvar {} {} \MPregion {} \MPrest {} {} \MPrightskip {} \MPstring {} \MPtext {} \MPtul {} \MPul {} \MPul {} \MPur {} \MPUI</pre>
MPplus MPpos MPpositiongraphic MPposset MPr MPrawvar MPregion MPrest MPrightskip MPrs MPstring MPtext MPtransparency MPul MPur	<pre>\MPplus {} {} {} \MPpos {} \MPpositiongraphic {} {=} \MPposset {} \MPrawvar {} {} \MPregion {} \MPrest {} {} \MPrightskip {} \MPstring {} \MPtransparency {} \MPul {} \MPur {} \MPv {} {}</pre>
MPplus MPpos MPpositiongraphic MPposset MPr MPr MPrawvar MPregion MPrest MPrightskip MPrs MPstring MPtext MPtransparency MPul MPur MPV MPV	<pre>\MPplus {} {} {} \MPpos {} \MPpositiongraphic {} {=} \MPposset {} \MPrawvar {} {} \MPregion {} \MPrest {} {} \MPrightskip {} \MPstring {} \MPtransparency {} \MPul {} \MPur {} \MPvI {} \MPvar {} \MPvar</pre>
MPplus MPpos MPpositiongraphic MPposset MPr MPr MPrawvar MPregion MPrest MPrightskip MPrs MPstring MPtext MPtransparency MPul MPur MPV MPV MPVar MPvariable	<pre>\MPplus {} {} {} \MPpos {} \MPpositiongraphic {} {=} \MPposset {} \MPr {} \MPrawvar {} {} \MPregion {} \MPrest {} {} \MPrightskip {} \MPstring {} \MPtransparency {} \MPul {} \MPur {} \MPvar {} \MPvar {} \MPvar {} \MPvar {} \MPvariable {} \MPvariable {} \MPvariable {} \MPvar {} \MPvariable {} \MPvar {} \MPvariable {} \MPvar {} \MPvariable {} \</pre>
MPplus MPpos MPpositiongraphic MPposset MPr MPrawvar MPregion MPrest MPrightskip MPrs MPstring MPtext MPtransparency MPul MPur MPVI MPV MPVar MPvariable MPvv	<pre>\MPplus {} {} \MPpos {} \MPpositiongraphic {} {=} \MPposset {} \MPr {} \MPrawvar {} {} \MPregion {} \MPrest {} {} \MPrightskip {} \MPstring {} \MPtransparency {} \MPtul {} \MPul {} \MPvI {} \MPvar {} \MPvariable {} \MPvv {} {} \MPvv {} {}</pre>
MPplus MPpos MPpos MPpositiongraphic MPposset MPr MPrawvar MPregion MPrest MPrightskip MPrs MPstring MPtext MPtransparency MPul MPur MPVI MPV MPVar MPVar MPVariable MPvv MPW	<pre>\MPplus {} {} {} \MPpos {} \MPpositiongraphic {} {=} \MPposset {} \MPr {} \MPregion {} \MPregion {} \MPrightskip {} \MPrightskip {} \MPtext {} \MPtransparency {} \MPul {} \MPur {} \MPvur {} \MPvur {} \MPvariable {} \MPvw {} \MPvw {} {} \MPvw {} \MP</pre>
MPplus MPpos MPpositiongraphic MPposset MPr MPrawvar MPregion MPrest MPrightskip MPrs MPstring MPtext MPtransparency MPul MPur MPVI MPV MPV MPVar MPVar MPVariable MPV MPW MPW MPW	\MPplus {} {} {} \MPpos {} \MPpositiongraphic {} {=} \MPposset {} \MPr {} \MPrawvar {} {} \MPregion {} \MPrest {} {} \MPrightskip {} \MPstring {} \MPtransparency {} \MPul {} \MPur {} \MPvur {} {} \MPvar {} \MPvariable {} \MPvw {} {}
MPplus MPpos MPpositiongraphic MPposset MPr MPrawvar MPregion MPrest MPrightskip MPrs MPstring MPtext MPtransparency MPul MPur MPVI MPV MPV MPVar MPVariable MPVV MPW MPW MPWM MPWH MPWH MPWH MPWH MPWH M	\MPplus {} {} {} \MPpos {} \MPpositiongraphic {} {=} \MPposset {} \MPr {} \MPrawvar {} {} \MPregion {} \MPrest {} {} \MPrightskip {} \MPstring {} \MPtransparency {} \MPut {} \MPut {} \MPvu {} {} \MPvu {} {} \MPvar {} \MPvar {} \MPvar {} \MPvar {} \MPvv {} {} \MPvw {} {} \MPwhd {} \MPWAXL
MPplus MPpos MPpositiongraphic MPposset MPr MPrawvar MPregion MPrest MPrightskip MPrs MPstring MPtext MPtransparency MPul MPur MPVI MPV MPV MPVar MPVariable MPvv MPW MPW MPWM MPWM MPWH MPXL MPX	<pre>\MPplus {} {} {} \MPpos {} \MPpositiongraphic {} {=} \MPposset {} \MPrawvar {} {} \MPregion {} \MPrest {} {} \MPrightskip {} \MPrightskip {} \MPstring {} \MPtransparency {} \MPul {} \MPul {} \MPvur {} {} \MPvar {} \MPvariable {} \MPvw {} {} \MPwhd {} \MPwXL \MPX {}</pre>
MPplus MPpos MPpositiongraphic MPposset MPr MPrawvar MPregion MPrest MPrightskip MPrs MPstring MPtext MPtransparency MPul MPur MPVI MPV MPV MPVar MPVariable MPvv MPW MPW MPWM MPWM MPWH MPXL MPX MPX MPX MPX MPX MPX MPX	<pre>\MPplus {} {} \MPpos {} \MPpositiongraphic {} {=} \MPposset {} \MPrawvar {} {} \MPregion {} \MPregion {} \MPrightskip {} \MPrightskip {} \MPstring {} \MPtransparency {} \MPtul {} \MPul {} \MPvu {} {} \MPvar {} \MPvariable {} \MPvw {} {} \MPvw {} {} \MPwhd {} \MPXL \MPxy {} \MPxy {}</pre>
MPplus MPpos MPpositiongraphic MPposset MPr MPrawvar MPregion MPrest MPrightskip MPrs MPstring MPtext MPtransparency MPul MPur MPVI MPV MPV MPVar MPvariable MPvv MPW MPW MPW MPWM MPWH MPXL MPX	<pre>\MPplus {} {} \MPpos {} \MPpositiongraphic {} {=} \MPposset {} \MPrawvar {} {} \MPregion {} \MPregion {} \MPrightskip {} \MPrightskip {} \MPstring {} \MPtext {} \MPtransparency {} \MPul {} \MPvu {} {} \MPvu {} {} \MPvariable {} \MPvw {} {} \MPvw {} {} \MPwhd {} \MPXL \MPxy {} \MPxy {</pre>
MPplus MPpos MPpositiongraphic MPposset MPr MPrawvar MPregion MPrest MPrightskip MPrs MPstring MPtext MPtransparency MPul MPur MPVI MPv MPvar MPvariable MPvv MPw MPw MPw MPwM MPW MPWM MPWM MPXL MPX MPxy MPxy MPxy MPxy MPxy MPxy MPxy MPxy	<pre>\MPplus {} {} \MPpos {} \MPpos {} \MPpositiongraphic {} {=} \MPrest {} \MPregion {} \MPregion {} \MPrest {} \MPrightskip {} \MPrightskip {} \MPtext {} \MPtext {} \MPtransparency {} \MPul {} \MPul {} \MPvu {} {} \MPvar {} \MPvariable {} \MPvar {} \MPvar {} \MPwhd {} \MPXL \MPxy {} \MPy {</pre>
MPplus MPpos MPpositiongraphic MPposset MPr MPrawvar MPregion MPrest MPrightskip MPrs MPstring MPtext MPtransparency MPul MPur MPVI MPV MPV MPVar MPvariable MPvv MPW	<pre>\MPplus {} {} \MPpos {} \MPpositiongraphic {} {=} \MPposset {} \MPr {} \MPrawvar {} {} \MPregion {} \MPregion {} \MPrightskip {} \MPrightskip {} \MPstring {} \MPtext {} \MPtransparency {} \MPul {} \MPur {} \MPvur {} \MPvar {} \MPvariable {} \MPvar {} \MPwhd {} \MPxy {} \MPy {</pre>
MPplus MPpos MPpositiongraphic MPposset MPr MPrawvar MPregion MPrest MPrightskip MPrs MPstring MPtext MPtransparency MPul MPur MPVI MPv MPvar MPvariable MPvv MPw MPwM MPwhd MPXL MPx MPxy MPxy MPxy MPxy MPxy MPxy MPxy	<pre>\MPplus {} {} \MPpos {} \MPpositiongraphic {} {=} \MPposset {} \MPrawvar {} {} \MPregion {} \MPregion {} \MPrightskip {} \MPrightskip {} \MPstring {} \MPtext {} \MPtransparency {} \MPul {} \MPul {} \MPvur {} \MPvar {} \MPvariable {} \MPvw {} {} \MPwAXL \MPxy {} \MPxywhd {} \MPy {} \MILLIAND \MILLIAND \MPy {} \MILLIAND \MILLIAND \MPy {} \MILLIAND \MILL</pre>
MPplus MPpos MPpositiongraphic MPposset MPr MPrawvar MPregion MPrest MPrightskip MPrs MPstring MPtext MPtransparency MPul MPur MPVI MPv MPvar MPvariable MPvv MPw MPwhd MPXL MPx MPxy MPxy MPxy MPxy MPxy MPyy m maiuscoletto maiuscolo	\MPplus {} {} {} \MPpos {} \MPpos {} \MPpositiongraphic {} {=} \MPposset {} \MPrawvar {} {} \MPregion {} \MPregion {} \MPregion {} \MPrightskip {} \MPrightskip {} \MPstring {} \MPtext {} \MPtext {} \MPtext {} \MPul {} \MPul {} \MPul {} \MPvar {} \MPvar {} \MPvar {} \MPvar {} \MPvar {} \MPvw {} {} \MPwhd {} \MPwhd {} \MPxy {} \
MPplus MPpos MPpositiongraphic MPposset MPr MPrawvar MPregion MPrest MPrightskip MPrs MPstring MPtext MPtransparency MPul MPur MPVI MPv MPvar MPvariable MPvv MPw MPwM MPwhd MPXL MPx MPxy MPxy MPxy MPxy MPxy MPxy MPxy	<pre>\MPplus {} {} {} \MPpos {} \MPpositiongraphic {} {=} \MProset {} \MPrawvar {} {} \MPregion {} \MPregion {} \MPrightskip {} \MPrightskip {} \MPstring {} \MPtext {} \MPtransparency {} \MPul {} \MPur {} \MPvur {} \MPvar {} \MPvariable {} \MPvar {} \MPwh {} \MPxy {} \MPy {} \MPy {} \MPy {} \MPy {} \MPy {} \MPy {} \MID {} \MPy {} \MID {} \MPy {} \MID {} \</pre>

makestrutofbox	\makestrutofbox
mapfontsize	\mapfontsize []
marcatura	\marcatura (,) (,) []
margindata	\margindata [] [=] [=] {}
margindata:instance	\MARGINDATA [=] [=] {}
margindata:instance:atleftmargin	\atleftmargin [=] [=] {}
margindata:instance:atrightmargin	\atrightmargin [=] [=] {}
margindata:instance:ininner	\ininner [=] [=] {}
margindata:instance:ininneredge	\ininneredge [=] [=] {}
margindata:instance:ininnermargin	\ininnermargin [=] [=] {}
margindata:instance:inleft	\inleft [=] [=] {}
margindata:instance:inleftedge	\inleftedge [=] [=] {}
margindata:instance:inleftmargin	\inleftmargin [=] [=] {}
margindata:instance:inmargin	\inmargin [=] [=] {}
margindata:instance:inother	\inother [=] [=] {}
margindata:instance:inouter	\inouter [=] [=] {}
margindata:instance:inouteredge	\inouteredge [=] [=] {}
margindata:instance:inoutermargin	\inoutermargin [=] [=] {}
margindata:instance:inright	\inright [=] [=] {}
margindata:instance:inrightedge	\inrightedge [=] [=] {}
margindata:instance:inrightmargin	\inrightmargin [=] [=] {}
	\margintext [=] [=] {}
margindata:instance:margintext	
markcontent	\markcontent [] {}
markedpages	\markedpages []
markinjector	\markinjector []
markpage	\markpage [] []
markreferencepage	markreferencepage
mat	\mat {}
matematica	\matematica [] {}
matematica:assignment	\matematica [=] {}
math	\math [] {}
mathbf	\mathbf
mathbi	\mathbi
mathblackboard	\mathblackboard
mathbs	\mathbs
mathcommand:example	\MATHCOMMAND {} {}
mathdefault	\mathdefault
mathdouble	\mathdouble [] {} {} {}
mathdoubleextensible:instance	\MATHDOUBLEEXTENSIBLE \{\ldots\}
mathdoubleextensible:instance:doublebar	\doublebar \{\} \doublebar \langle \langle \frac{\doublebar}{\doublebar} \doublebar \doubleb
mathdoubleextensible:instance:doublebrace	\doublebrace \{\ldots\} \\.\}
mathdoubleextensible:instance:doublebracket	
	\doublebracket \{\ldots\} \\doublebracket \\do
mathdoubleextensible:instance:doubleparent	\doubleparent {} {}
mathdoubleextensible:instance:overbarunderbar	\overbarunderbar \{\ldots\}
mathdoubleextensible:instance:overbraceunderbrace	\overbraceunderbrace \{\ldots\} \{\ldots\}
mathdoubleextensible:instance:overbracketunderbracket	
mathdoubleextensible:instance:overparentunderparent	\overparentunderparent {} {}
mathextensible:instance	\MATHEXTENSIBLE {} {}
mathextensible:instance:cleftarrow	\cleftarrow {} {}
mathextensible:instance:crightarrow	\crightarrow {} {}
mathextensible:instance:crightoverleftarrow	\crightoverleftarrow \{\ldots\} \{\ldots\}
mathextensible:instance:eleftarrowfill	\eleftarrowfill {} {}
mathextensible:instance:eleftharpoondownfill	\eleftharpoondownfill {} {}
mathextensible:instance:eleftharpoonupfill	\eleftharpoonupfill {} {}
mathextensible:instance:eleftrightarrowfill	
mathextensible:instance:eoverbarfill	\eleftrightarrowfill {} {}
mathextensible:instance:eoverbracefill	\eleftrightarrowfill \{\ldots\} \\ellowerbarfill \{\ldots\} \\\
	\eoverbarfill {} {}
	\eoverbarfill {} {} \eoverbracefill {} {}
mathextensible:instance:eoverbracketfill	\eoverbarfill {} {} \eoverbracefill {} {} \eoverbracketfill {} {}
<pre>mathextensible:instance:eoverbracketfill mathextensible:instance:eoverparentfill</pre>	\eoverbarfill \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
<pre>mathextensible:instance:eoverbracketfill mathextensible:instance:eoverparentfill mathextensible:instance:erightarrowfill</pre>	\eoverbarfill \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
<pre>mathextensible:instance:eoverbracketfill mathextensible:instance:eoverparentfill mathextensible:instance:erightarrowfill mathextensible:instance:erightharpoondownfill</pre>	<pre>\eoverbarfill {} {} \eoverbracefill {} {} \eoverbracketfill {} {} \eoverparentfill {} {} \erightarrowfill {} {} \erightharpoondownfill {} {}</pre>
<pre>mathextensible:instance:eoverbracketfill mathextensible:instance:eoverparentfill mathextensible:instance:erightarrowfill mathextensible:instance:erightharpoondownfill mathextensible:instance:erightharpoonupfill</pre>	<pre>\eoverbarfill {} {} \eoverbracefill {} {} \eoverbracketfill {} {} \eoverparentfill {} {} \erightarrowfill {} {} \erightharpoondownfill {} {} \erightharpoonupfill {} {}</pre>
<pre>mathextensible:instance:eoverbracketfill mathextensible:instance:eoverparentfill mathextensible:instance:erightarrowfill mathextensible:instance:erightharpoondownfill mathextensible:instance:erightharpoonupfill mathextensible:instance:etwoheadrightarrowfill</pre>	<pre>\eoverbarfill {} {} \eoverbracefill {} {} \eoverbracketfill {} {} \eoverparentfill {} {} \erightarrowfill {} {} \erightharpoondownfill {} {} \erightharpoonupfill {} {} \etwoheadrightarrowfill {} {}</pre>
mathextensible:instance:eoverbracketfill mathextensible:instance:eoverparentfill mathextensible:instance:erightarrowfill mathextensible:instance:erightharpoondownfill mathextensible:instance:erightharpoonupfill mathextensible:instance:etwoheadrightarrowfill mathextensible:instance:eunderbarfill	<pre>\eoverbarfill {} {} \eoverbracefill {} {} \eoverbracketfill {} {} \eoverparentfill {} {} \erightarrowfill {} {} \erightharpoondownfill {} {} \erightharpoonupfill {} {} \etwoheadrightarrowfill {} {} \eunderbarfill {} {}</pre>
mathextensible:instance:eoverbracketfill mathextensible:instance:eoverparentfill mathextensible:instance:erightarrowfill mathextensible:instance:erightharpoondownfill mathextensible:instance:erightharpoonupfill mathextensible:instance:etwoheadrightarrowfill mathextensible:instance:eunderbarfill mathextensible:instance:eunderbracefill	<pre>\eoverbarfill {} {} \eoverbracefill {} {} \eoverbracketfill {} {} \eoverparentfill {} {} \erightarrowfill {} {} \erightharpoondownfill {} {} \etwoheadrightarrowfill {} {} \eunderbarfill {} {} \eunderbracefill {} {}</pre>
mathextensible:instance:eoverbracketfill mathextensible:instance:eoverparentfill mathextensible:instance:erightarrowfill mathextensible:instance:erightharpoondownfill mathextensible:instance:erightharpoonupfill mathextensible:instance:etwoheadrightarrowfill mathextensible:instance:eunderbarfill mathextensible:instance:eunderbracefill mathextensible:instance:eunderbracefill	<pre>\eoverbarfill {} {} \eoverbracefill {} {} \eoverbracketfill {} {} \eoverparentfill {} {} \erightarrowfill {} {} \erightharpoondownfill {} {} \etwoheadrightarrowfill {} {} \eunderbarfill {} {} \eunderbracefill {} {} \eunderbracketfill {} {}</pre>
mathextensible:instance:eoverbracketfill mathextensible:instance:erightarrowfill mathextensible:instance:erightarrowfill mathextensible:instance:erightharpoondownfill mathextensible:instance:erightharpoonupfill mathextensible:instance:etwoheadrightarrowfill mathextensible:instance:eunderbarfill mathextensible:instance:eunderbracefill mathextensible:instance:eunderbracketfill mathextensible:instance:eunderparentfill	<pre>\eoverbarfill {} {} \eoverbracefill {} {} \eoverbracketfill {} {} \eoverparentfill {} {} \erightarrowfill {} {} \erightharpoondownfill {} {} \etwoheadrightarrowfill {} {} \eunderbarfill {} {} \eunderbracefill {} {} \eunderbracefill {} {} \eunderparentfill {} {}</pre>
mathextensible:instance:eoverbracketfill mathextensible:instance:erightarrowfill mathextensible:instance:erightarrowfill mathextensible:instance:erightharpoondownfill mathextensible:instance:erightharpoonupfill mathextensible:instance:etwoheadrightarrowfill mathextensible:instance:eunderbarfill mathextensible:instance:eunderbracefill mathextensible:instance:eunderbracketfill mathextensible:instance:eunderparentfill mathextensible:instance:eunderparentfill mathextensible:instance:mequal	<pre>\eoverbarfill {} {} \eoverbracefill {} {} \eoverbracketfill {} {} \eoverparentfill {} {} \erightarrowfill {} {} \erightharpoondownfill {} {} \erightharpoonupfill {} {} \etwoheadrightarrowfill {} {} \eunderbarfill {} {} \eunderbracefill {} {} \eunderbracketfill {} {} \mediagrammarketfill {</pre>
mathextensible:instance:eoverbracketfill mathextensible:instance:erightarrowfill mathextensible:instance:erightarpoondownfill mathextensible:instance:erightharpoonupfill mathextensible:instance:etwoheadrightarrowfill mathextensible:instance:etwoheadrightarrowfill mathextensible:instance:eunderbarfill mathextensible:instance:eunderbracefill mathextensible:instance:eunderbracketfill mathextensible:instance:eunderparentfill mathextensible:instance:mequal mathextensible:instance:mhookleftarrow	<pre>\eoverbarfill {} {} \eoverbracefill {} {} \eoverbracketfill {} {} \eoverparentfill {} {} \erightarrowfill {} {} \erightharpoondownfill {} {} \erightharpoonupfill {} {} \etwoheadrightarrowfill {} {} \eunderbarfill {} {} \eunderbracefill {} {} \eunderbracketfill {} {} \mequal {} {} \mhookleftarrow {} {}</pre>
mathextensible:instance:eoverbracketfill mathextensible:instance:eoverparentfill mathextensible:instance:erightarrowfill mathextensible:instance:erightharpoondownfill mathextensible:instance:erightharpoonupfill mathextensible:instance:etwoheadrightarrowfill mathextensible:instance:eunderbarfill mathextensible:instance:eunderbracefill mathextensible:instance:eunderbracketfill mathextensible:instance:eunderparentfill mathextensible:instance:mequal mathextensible:instance:mhookleftarrow mathextensible:instance:mhookrightarrow	<pre>\eoverbarfill {} {} \eoverbracefill {} {} \eoverbracketfill {} {} \eoverparentfill {} {} \erightarrowfill {} {} \erightharpoondownfill {} {} \erightharpoonupfill {} {} \etwoheadrightarrowfill {} {} \eunderbarfill {} {} \eunderbracefill {} {} \eunderbracketfill {} {} \manual {} {} \mhookleftarrow {} {} \mhookrightarrow {} {}</pre>
mathextensible:instance:eoverbracketfill mathextensible:instance:erightarrowfill mathextensible:instance:erightharpoondownfill mathextensible:instance:erightharpoonupfill mathextensible:instance:etwoheadrightarrowfill mathextensible:instance:etwoheadrightarrowfill mathextensible:instance:eunderbarfill mathextensible:instance:eunderbracefill mathextensible:instance:eunderbracketfill mathextensible:instance:eunderparentfill mathextensible:instance:mequal mathextensible:instance:mhookleftarrow mathextensible:instance:mhookrightarrow mathextensible:instance:mLeftarrow	<pre>\eoverbarfill {} {} \eoverbracefill {} {} \eoverbracketfill {} {} \eoverparentfill {} {} \erightarrowfill {} {} \erightharpoondownfill {} {} \erightharpoonupfill {} {} \etwoheadrightarrowfill {} {} \eunderbarfill {} {} \eunderbracefill {} {} \eunderbracketfill {} {} \mediade \mediad</pre>
mathextensible:instance:eoverbracketfill mathextensible:instance:eoverparentfill mathextensible:instance:erightarrowfill mathextensible:instance:erightharpoondownfill mathextensible:instance:erightharpoonupfill mathextensible:instance:etwoheadrightarrowfill mathextensible:instance:eunderbarfill mathextensible:instance:eunderbracefill mathextensible:instance:eunderbracketfill mathextensible:instance:eunderparentfill mathextensible:instance:mequal mathextensible:instance:mhookleftarrow mathextensible:instance:mhookrightarrow	<pre>\eoverbarfill {} {} \eoverbracefill {} {} \eoverbracketfill {} {} \eoverparentfill {} {} \erightarrowfill {} {} \erightharpoondownfill {} {} \erightharpoonupfill {} {} \etwoheadrightarrowfill {} {} \eunderbarfill {} {} \eunderbracefill {} {} \eunderbracketfill {} {} \manual {} {} \mhookleftarrow {} {} \mhookrightarrow {} {}</pre>

	\ 7 Gt \ 1 \ 2 G \ 2
mathextensible:instance:mleftarrow	\mleftarrow {} {}
mathextensible:instance:mleftharpoondown	\mleftharpoondown {} {}
mathextensible:instance:mleftharpoonup	\mleftharpoonup {} {}
mathextensible:instance:mleftrightarrow	\mleftrightarrow {} {}
mathextensible:instance:mleftrightharpoons	\mleftrightharpoons {} {}
mathextensible:instance:mmapsto	\mmapsto {} {}
mathextensible:instance:mRightarrow	\mRightarrow \{\ldots\} \{\ldots\}
mathextensible:instance:mrel	\mrel {} {}
mathextensible:instance:mrightarrow	\mrightarrow {} {}
mathextensible:instance:mrightharpoondown	$\mbox{\em mright} \mbox{\em mright} \em $
mathextensible:instance:mrightharpoonup	$\mbox{\em mright} harpoonup {} {}$
mathextensible:instance:mrightleftharpoons	\mrightleftharpoons {} {}
mathextensible:instance:mrightoverleftarrow	\mrightoverleftarrow {} {}
mathextensible:instance:mtriplerel	\mtriplerel {} {}
mathextensible:instance:mtwoheadleftarrow	\mtwoheadleftarrow \{\ldots\} \{\ldots\}
mathextensible:instance:mtwoheadrightarrow	\mtwoheadrightarrow {} {}
mathextensible:instance:tequal	\tequal {} {}
mathextensible:instance:thookleftarrow	\thookleftarrow {} {}
mathextensible:instance:thookrightarrow	\thookrightarrow {} {}
mathextensible:instance:tLeftarrow	\tLeftarrow {} {}
mathextensible:instance:tLeftrightarrow	\tLeftrightarrow {} {}
mathextensible:instance:tleftarrow	\tleftarrow {} {}
mathextensible:instance:tleftharpoondown	\tleftharpoondown {} {}
mathextensible:instance:tleftharpoonup	\tleftharpoonup {} {}
mathextensible:instance:tleftrightarrow	\tleftrightarrow {} {}
mathextensible:instance:tleftrightharpoons	\tleftrightharpoons {} {}
mathextensible:instance:tmapsto	\tmapsto {} {}
mathextensible:instance:tRightarrow	\tRightarrow {} {}
mathextensible:instance:trel	\trel {} {}
mathextensible:instance:trightarrow	\trightarrow {} {}
mathextensible:instance:trightharpoondown	\trightharpoondown {} {}
mathextensible:instance:trightharpoonup	\trightharpoonup {} {}
mathextensible:instance:trightleftharpoons	\trightleftharpoons {} {}
mathextensible:instance:trightoverleftarrow	\trightoverleftarrow \{\ldots\} \\
mathextensible:instance:ttriplerel	<u> </u>
mathextensible:instance:ttriplerer mathextensible:instance:ttwoheadleftarrow	\ttriplerel {} {} \ttwoheadleftarrow {} {}
	\ttwoheadrightarrow \{\dots\} \\\
mathextensible:instance:ttwoheadrightarrow	ttwoneadrightarrow \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
<pre>mathextensible:instance:xequal mathextensible:instance:xhookleftarrow</pre>	\xhookleftarrow {} {}
mathextensible:instance:xhookrightarrow	\xhookrightarrow {} {}
mathextensible:instance:xLeftarrow	\xLeftarrow {} {}
mathextensible:instance:xLeftrightarrow	\xLeftrightarrow {} {}
mathextensible:instance:xleftarrow	\xleftarrow {} {}
mathextensible:instance:xleftharpoondown	\xleftharpoondown {} {}
mathextensible:instance:xleftharpoonup	\xleftharpoonup {} {}
mathextensible:instance:xleftrightarrow	\xleftrightarrow {} {}
mathextensible:instance:xleftrightharpoons	\xleftrightharpoons {} {}
mathextensible:instance:xmapsto	\xmapsto {} {}
mathextensible:instance:xRightarrow	\xRightarrow {} {}
mathextensible:instance:xrel	\xrel {} {}
mathextensible:instance:xrightarrow	\xrightarrow {} {}
mathextensible:instance:xrightharpoondown	\xrightharpoondown {} {}
mathextensible:instance:xrightharpoonup	\xrightharpoonup {} {}
mathextensible:instance:xrightleftharpoons	\xrightleftharpoons {} {}
mathextensible:instance:xrightoverleftarrow	\xrightoverleftarrow {} {}
mathextensible:instance:xtriplerel	\xtriplerel {} {}
mathextensible:instance:xtwoheadleftarrow	\xtwoheadleftarrow {} {}
mathextensible:instance:xtwoheadrightarrow	$\xtwo$ headrightarrow $\{\ldots\}$ $\{\ldots\}$
mathfraktur	\mathfraktur
mathframed:instance	$\MATHFRAMED [=] {}$
mathframed:instance:inmframed	\inmframed [=] {}
mathframed:instance:mcframed	\mcframed [=] {}
mathframed:instance:mframed	\mframed [=] {}
mathfunction	\mathfunction {}
mathit	\mathit
mathitalic	\mathitalic
mathmatrix	\MATHMATRIX {}
mathop	\mathop {}
mathornament:example	\MATHORNAMENT {}
mathover	\mathover [] {} {}
mathoverextensible:example	\MATHOVEREXTENSIBLE {}
mathovertextextensible:instance	\MATHOVERTEXTEXTENSIBLE {} {}

mathovertextextensible:instance:	\MATHOVERTEXTEXTENSIBLE {} {}
mathradical:example	\MATHRADICAL [] {}
mathrm	\mathrm
	•
mathscript	\mathscript
mathsl	\maths1
mathss	\mathss
mathtext	\mathtext {}
mathtextbf	\mathtextbf {}
mathtextbi	\mathtextbi {}
mathtextbs	\mathtextbs {}
mathtextit	\mathtextit {}
mathtextsl	\mathtextsl {}
mathtexttf	\mathtexttf {}
mathtf	\mathtf
mathtriplet	\mathtriplet [] {} {} {}
mathtriplet:example	\MATHTRIPLET [] {} {} {}
mathtt	\mathtt
mathunder	\mathunder $[]$ $\{\}$
mathunderextensible:example	\MATHUNDEREXTENSIBLE {}
mathundertextextensible:instance	\MATHUNDERTEXTEXTENSIBLE {} {}
mathundertextextensible:instance:	\MATHUNDERTEXTEXTENSIBLE {} {}
mathunstacked:example	\MATHUNSTACKED
mathupright	\mathupright
mathword	\mathword {}
mathwordbf	\mathwordbf {}
mathwordbi	\mathwordbi {}
mathwordbs	\mathwordbs {}
mathwordit	\mathwordit {}
mathwordsl	\mathwordsl {}
mathwordtf	\mathwordtf {}
math:assignment	\math [=] {}
maxaligned	\maxaligned {}
	•
mbox	\mbox {}
measure	\measure {}
measured	\measured {}
medskip	\medskip
medspace	\medspace
•	-
menuinterattivo	\menuinterattivo [] [=]
mese	\mese {}
message	\message {}
mettielenco	\mettielenco [] [=]
mettielencocombinato	\mettielencocombinato [] [=]
mettielencocombinato:instance	\mettiCOMBINEDLIST [=]
mettielencocombinato:instance:content	\metticontent [=]
mettifiancoafianco	\mettifiancoafianco \{\ldots\} \{\ldots\}
mettiformula	$mettiformula\ [\ldots]\ \{\ldots\}$
mettiingriglia	\mettiingriglia [] {}
mettiingriglia:list	\mettiingriglia [] {}
mettinotepdp	\mettinotepdp [=]
1 1	
mettinotepdplocali	\mettinotepdplocali [=]
mettinumeropagina	\mettinumeropagina
mettiregistro	\mettiregistro [] [=]
mettiregistro:instance	\mettiREGISTER [=]
mettiregistro:instance:index	\mettiindex [=]
mettisegnalibro	\mettisegnalibro [] [] [=]
<u> </u>	
mettisottoformula	\mettisottoformula [] {}
mettiunosullaltro	\mettiunosullaltro \{\ldots\} \{\ldots\}
mfence	\mfence {}
mfunction	\mfunction {}
mfunctionlabeltext	\mfunctionlabeltext {}
mhbox	\mhbox {}
middlealigned	\middlealigned {}
middlebox	\middlebox {}
midhbox	\midhbox {}
midsubsentence	\midsubsentence
minimalhbox	\minimalhbox {}
mixedcaps	\mixedcaps {}
mkvibuffer	\mkvibuffer []
moduleparameter	\moduleparameter \{\ldots\right\}
molecule	\molecule {}
mono	\mono
monograssetto	\monograssetto
	<del>.</del>

mononormal	\mononormal
monthlong	\monthlong {}
monthshort	\monthshort {}
mostraambientefontdeltesto	\mostraambientefontdeltesto []
mostracolore mostracornice	\mostracolore [] \mostracornice [] []
mostracornice mostrafontdeltesto	\mostracornice [] \mostrafontdeltesto []
mostragriglia	\mostragriglia []
mostragruppocolori	\mostragruppocolori [] []
mostraimpostazioni	\mostraimpostazioni []
mostralyout	\mostralyout []
mostramakeup	\mostramakeup []
mostrasetsimboli	\mostrasetsimboli []
mostrastampa	\mostrastampa [] [=]
mostratavolozza	\mostratruts \mostratavolozza [] []
mprandomnumber	\mprandomnumber
mtext	\mtext {}
m:assignment	\m [=] {}
NormalizeFontHeight	\NormalizeFontHeight \ \{\} \{\}
NormalizeFontWidth	\NormalizeFontWidth \ {} {} {}
NormalizeTextHeight	lem:lem:lem:lem:lem:lem:lem:lem:lem:lem:
NormalizeTextWidth	$\verb  NormalizeTextWidth {} {} {}  $
Numeri	\Numeri {}
Numeriromani	\Numeriromani {}
namedheadnumber	\namedheadnumber {}
namedstructureheadlocation namedstructureuservariable	\namedstructureheadlocation {} \namedstructureuservariable {} {}
namedstructurevariable	\namedstructurevariable \{\dots\} \\\\
namedtaggedlabeltexts	\namedtaggedlabeltexts {} {} {} {} {}
nascondiblocchi	\nascondiblocchi [] []
naturalhbox	\naturalhbox {}
naturalhpack	\naturalhpack {}
naturaltpack	\naturaltpack {}
naturalvbox	\naturalvbox {}
naturalvcenter	\naturalvcenter {}
naturalypack	\naturalvpack {}
naturalvtop naturalwd	\naturalvtop {}
negatecolorbox	\negatecolorbox
negated	\negated {}
negemspace	\negemspace
negenspace	\negenspace
negthinspace	\negthinspace
newattribute	\newattribute \
newcatcodetable	\newcatcodetable \
newcounter	\newcounter \
newevery	\newevery \ \
newfrenchspacing newluatable	<pre>\newfrenchspacing \newluatable \</pre>
newmode	\newmode {}
newsignal	\newsignal \
newsystemmode	\newsystemmode {}
nextbox	\nextbox
nextboxdp	\nextboxdp
nextboxht	\nextboxht
nextboxhtdp	\nextboxhtdp
nextboxwd	\nextboxwd
nextcounter nextcountervalue	\nextcounter [] [] \nextcountervalue []
nextdepth	\nextdepth
nextpaaragraphs	\nextdepth \nextparagraphs
nextparagraphs:example	\successivoPARAGRAPHS
nextrealpage	\nextrealpage
nextrealpagenumber	\nextrealpagenumber
nextsubcountervalue	\nextsubcountervalue [] []
nextsubpagenumber	\nextsubpagenumber
nextuserpage	\nextuserpage
nextuserpagenumber	\nextuserpagenumber
nientelineecimafondo nientelineintestazionendo	\nientelineecimafondo
nientelineintestazionepdp nientespazio	\nientelineintestazionepdp \nientespazio

	N
nocap	\nocap {}
nocharacteralign nocitation	\nocharacteralign \nocitation []
nocitation:direct	\nocitation \( \ldots \)
nocite	\nocite []
nocite:direct	\nocite {}
	\nodetostring \ {}
nodetostring	
noffigurepages	\noffigurepages
noflines	\noflines
noflinesinbox	\noflinesinbox
noflocalfloats	\noflocalfloats
noheightstrut	\noheightstrut
noitem	\noitem
nonfrenchspacing	\nonfrenchspacing
nonmathematics	\nonmathematics {}
normalboldface	\normalboldface
normale	\normale
normalframedwithsettings	\normalframedwithsettings [=] {}
normalitalicface	\normalitalicface
normalizebodyfontsize	\normalizebodyfontsize \ \{\}
normalizedfontsize	\normalizedfontsize
normalizefontdepth	\normalizefontdepth \ \{\} \{\}
normalizefontheight	\normalizefontheight \ $\{\}$ $\{\}$
normalizefontline	\normalizefontline \ $\{\}$ $\{\}$
normalizefontwidth	$\verb  \normalizefontwidth \ {} {} {} {}  $
normalizetextdepth	\normalizetextdepth {} {} {}
normalizetextheight	\normalizetextheight {} {} {}
normalizetextline	\normalizetextline \{\ldots\} \{\ldots\}
normalizetextwidth	\normalizetextwidth \{\ldots\} \{\ldots\}
normalslantedface	\normalslantedface
normaltypeface	\normaltypeface
nota	\nota [] []
nota:instance	\NOTE [] {}
nota:instance:assignment	\NOTE [=]
nota:instance:assignment:endnote	\endnote [=]
nota:instance:assignment:footnote	\footnote [=]
nota:instance:endnote	\endnote [] {}
nota:instance:footnote	\footnote [] {}
notesymbol	\notesymbol []
notragged	\notragged
ntimes	\ntimes {} {}
numberofpoints	\numberofpoints {}
numeri	\numeri {}
numeriromani	\numeriromani {}
numeroformula	\numeroformula []
numeropagina	\numeropagina
numeropaginacompleto	\numeropagina \numeropaginacompleto
numerotesta	\numerotesta [] []
numerotesta	\numerotesta [] [] \numerotestacorrente
	\obeydepth
obeydepth	\objectdepth
objectdepth	
objectheight	\objectheight
objectmargin	\objectmargin
objectwidth	\objectwidth
obox	\obox {}
octnumber	\octnumber {}
octstringtonumber	\octstringtonumber {}
offset	\offset [=] {}
offsetbox	\offsetbox [=] \ {}
onedigitrounding	\onedigitrounding {}
ordinaldaynumber	\ordinaldaynumber {}
ordinalstr	\ordinalstr {}
ornamenttext:collector	\ornamenttext [=] [=] {} {}
ornamenttext:direct	\ornamenttext [] {} {}
ornamenttext:layer	\ornamenttext [=] [=] {} {}
ornament:example	\ORNAMENT {} {}
outputfilename	\outputfilename
outputstreambox	\outputstreambox []
outputstreamcopy	\outputstreamcopy []
outputstreamunvbox	\outputstreamunvbox []
outputstreamunvcopy	\outputstreamunvcopy []
over	\over []

overlaybutton	\overlaybutton []
overlaybutton:direct	\overlaybutton {}
overlaycolor	\overlaycolor
overlaydepth	\overlaydepth
overlayfigure	\overlayfigure {}
overlayheight	\overlayligate ()
• 0	
overlayimage	\overlayimage {}
overlaylinecolor	\overlaylinecolor
overlaylinewidth	$\operatorname{\ooverlaylinewidth}$
overlayoffset	\overlayoffset
overlayrollbutton	\overlayrollbutton [] []
overlaywidth	\overlaywidth
overloaderror	\overloaderror
overset	\overset {} {}
PAROLA	\PAROLA {}
PAROLE	\PAROLE {}
Parola	\Parola {}
Parole	\Parole {}
PDFcolor	\PDFcolor {}
PDFETEX	\PDFETEX
PDFTEX	\PDFTEX
PICTEX	\PICTEX
PiCTeX	\PiCTeX
PointsToBigPoints	\PointsToBigPoints {} \
PointsToReal	\PointsToReal \\\} \\
PointsToWholeBigPoints	\PointsToWholeBigPoints {} \
PPCHTEX	\PPCHTEX
PPCHTeX	\PPCHTeX
PRAGMA	\PRAGMA
PtToCm	\PtToCm {}
pagearea	\pagearea [] []
pagebreak	\pagebreak []
pagefigure	\pagefigure [] [=]
pageinjection	\pageinjection [] [=]
pageinjection:assignment	\pageinjection [=] [=]
pagestaterealpage	\pagestaterealpage {} {}
pagestaterealpageorder	\pagestaterealpageorder $\{\ldots\}$ $\{\ldots\}$
pagina	\pagina []
paletsize	\paletsize
paragraphs:example	\PARAGRAPHS
parola	\parola {}
paroladestra	\paroladestra [] {}
pdfactualtext	
-	\pdfactualtext {} {}
pdfbackendactualtext	\pdfbackendactualtext {} {}
pdfbackendcurrentresources	\pdfbackendcurrentresources
pdfbackendsetcatalog	\pdfbackendsetcatalog {} {}
	(Paradonomasoudated () ()
pdfbackendsetcolorspace	\pdfbackendsetcolorspace {} {}
pdfbackendsetcolorspace pdfbackendsetextgstate	- <del>-</del>
	\pdfbackendsetcolorspace \{\ldots\}\{\ldots\}\
pdfbackendsetextgstate pdfbackendsetinfo	<pre>\pdfbackendsetcolorspace {} {} \pdfbackendsetextgstate {} {} \pdfbackendsetinfo {} {}</pre>
pdfbackendsetextgstate pdfbackendsetinfo pdfbackendsetname	<pre>\pdfbackendsetcolorspace {} {} \pdfbackendsetextgstate {} {} \pdfbackendsetinfo {} {} \pdfbackendsetname {} {}</pre>
pdfbackendsetextgstate pdfbackendsetinfo pdfbackendsetname pdfbackendsetpageattribute	<pre>\pdfbackendsetcolorspace {} {} \pdfbackendsetextgstate {} {} \pdfbackendsetinfo {} {} \pdfbackendsetname {} {} \pdfbackendsetpageattribute {} {}</pre>
pdfbackendsetextgstate pdfbackendsetinfo pdfbackendsetname pdfbackendsetpageattribute pdfbackendsetpageresource	<pre>\pdfbackendsetcolorspace {} {} \pdfbackendsetextgstate {} {} \pdfbackendsetinfo {} {} \pdfbackendsetname {} {} \pdfbackendsetpageattribute {} {} \pdfbackendsetpageresource {} {}</pre>
pdfbackendsetextgstate pdfbackendsetinfo pdfbackendsetname pdfbackendsetpageattribute pdfbackendsetpageresource pdfbackendsetpagesattribute	<pre>\pdfbackendsetcolorspace {} {} \pdfbackendsetextgstate {} {} \pdfbackendsetinfo {} {} \pdfbackendsetname {} {} \pdfbackendsetpageattribute {} {} \pdfbackendsetpageresource {} {} \pdfbackendsetpagesattribute {} {}</pre>
pdfbackendsetextgstate pdfbackendsetinfo pdfbackendsetname pdfbackendsetpageattribute pdfbackendsetpageresource pdfbackendsetpagesattribute pdfbackendsetpagesattribute pdfbackendsetpattern	<pre>\pdfbackendsetcolorspace {} {} \pdfbackendsetextgstate {} {} \pdfbackendsetinfo {} {} \pdfbackendsetname {} {} \pdfbackendsetpageattribute {} {} \pdfbackendsetpageresource {} {} \pdfbackendsetpagesattribute {} {} \pdfbackendsetpattern {} {}</pre>
pdfbackendsetextgstate pdfbackendsetinfo pdfbackendsetname pdfbackendsetpageattribute pdfbackendsetpageresource pdfbackendsetpagesattribute pdfbackendsetpattern pdfbackendsetshade	<pre>\pdfbackendsetcolorspace {} {} \pdfbackendsetextgstate {} {} \pdfbackendsetinfo {} {} \pdfbackendsetname {} {} \pdfbackendsetpageattribute {} {} \pdfbackendsetpageresource {} {} \pdfbackendsetpagesattribute {} {} \pdfbackendsetpattern {} {} \pdfbackendsetshade {} {}</pre>
pdfbackendsetextgstate pdfbackendsetinfo pdfbackendsetname pdfbackendsetpageattribute pdfbackendsetpageresource pdfbackendsetpagesattribute pdfbackendsetpagesattribute pdfbackendsetpattern	<pre>\pdfbackendsetcolorspace {} {} \pdfbackendsetextgstate {} {} \pdfbackendsetinfo {} {} \pdfbackendsetname {} {} \pdfbackendsetpageattribute {} {} \pdfbackendsetpageresource {} {} \pdfbackendsetpagesattribute {} {} \pdfbackendsetpattern {} {} \pdfbackendsetshade {} {} \pdfbackendsetshade {} {}</pre>
pdfbackendsetextgstate pdfbackendsetinfo pdfbackendsetname pdfbackendsetpageattribute pdfbackendsetpageresource pdfbackendsetpagesattribute pdfbackendsetpattern pdfbackendsetshade	<pre>\pdfbackendsetcolorspace {} {} \pdfbackendsetextgstate {} {} \pdfbackendsetinfo {} {} \pdfbackendsetname {} {} \pdfbackendsetpageattribute {} {} \pdfbackendsetpageresource {} {} \pdfbackendsetpagesattribute {} {} \pdfbackendsetpattern {} {} \pdfbackendsetshade {} {}</pre>
pdfbackendsetextgstate pdfbackendsetinfo pdfbackendsetname pdfbackendsetpageattribute pdfbackendsetpageresource pdfbackendsetpagesattribute pdfbackendsetpattern pdfbackendsetshade pdfcolor	<pre>\pdfbackendsetcolorspace {} {} \pdfbackendsetextgstate {} {} \pdfbackendsetinfo {} {} \pdfbackendsetname {} {} \pdfbackendsetpageattribute {} {} \pdfbackendsetpageresource {} {} \pdfbackendsetpagesattribute {} {} \pdfbackendsetpattern {} {} \pdfbackendsetshade {} {} \pdfbackendsetshade {} {}</pre>
pdfbackendsetextgstate pdfbackendsetinfo pdfbackendsetname pdfbackendsetpageattribute pdfbackendsetpageresource pdfbackendsetpagesattribute pdfbackendsetpattern pdfbackendsetshade pdfcolor pdfeTeX	<pre>\pdfbackendsetcolorspace {} {} \pdfbackendsetextgstate {} {} \pdfbackendsetinfo {} {} \pdfbackendsetname {} {} \pdfbackendsetpageattribute {} {} \pdfbackendsetpageresource {} {} \pdfbackendsetpagesattribute {} {} \pdfbackendsetpattern {} {} \pdfbackendsetshade {} {} \pdfcolor {} \pdfcolor {} \pdfeTeX</pre>
pdfbackendsetextgstate pdfbackendsetinfo pdfbackendsetname pdfbackendsetpageattribute pdfbackendsetpageresource pdfbackendsetpagesattribute pdfbackendsetpattern pdfbackendsetshade pdfcolor pdfeTeX pdfTeX ped	<pre>\pdfbackendsetcolorspace {} {} \pdfbackendsetextgstate {} {} \pdfbackendsetinfo {} {} \pdfbackendsetname {} {} \pdfbackendsetpageattribute {} {} \pdfbackendsetpageresource {} {} \pdfbackendsetpagesattribute {} {} \pdfbackendsetpattern {} {} \pdfbackendsetshade {} {} \pdfcolor {} \pdfTeX \pdf {}</pre>
pdfbackendsetextgstate pdfbackendsetinfo pdfbackendsetname pdfbackendsetpageattribute pdfbackendsetpageresource pdfbackendsetpagesattribute pdfbackendsetpattern pdfbackendsetshade pdfcolor pdfeTeX pdfTeX ped pedap	<pre>\pdfbackendsetcolorspace {} {} \pdfbackendsetextgstate {} {} \pdfbackendsetinfo {} {} \pdfbackendsetiname {} {} \pdfbackendsetpageattribute {} {} \pdfbackendsetpageresource {} {} \pdfbackendsetpagesattribute {} {} \pdfbackendsetpagesattribute {} {} \pdfbackendsetpattern {} {} \pdfbackendsetshade {} {} \pdfcolor {} \pdfTeX \pdfTeX \ped {} \pedap [] {} {}</pre>
pdfbackendsetextgstate pdfbackendsetinfo pdfbackendsetname pdfbackendsetpageattribute pdfbackendsetpageresource pdfbackendsetpagesattribute pdfbackendsetpattern pdfbackendsetshade pdfcolor pdfeTeX pdfTeX ped pedap ped:instance	<pre>\pdfbackendsetcolorspace {} {} \pdfbackendsetextgstate {} {} \pdfbackendsetinfo {} {} \pdfbackendsetname {} {} \pdfbackendsetpageattribute {} {} \pdfbackendsetpageresource {} {} \pdfbackendsetpagesattribute {} {} \pdfbackendsetpagesattribute {} {} \pdfbackendsetpattern {} {} \pdfbackendsetshade {} {} \pdfcolor {} \pdfTeX \pdfTeX \ped {} \pedap [] {} {} \LOW {}</pre>
pdfbackendsetextgstate pdfbackendsetinfo pdfbackendsetname pdfbackendsetpageattribute pdfbackendsetpageresource pdfbackendsetpagesattribute pdfbackendsetpattern pdfbackendsetshade pdfcolor pdfeTeX pdfTeX ped pedap ped:instance ped:instance:unitslow	<pre>\pdfbackendsetcolorspace {} {} \pdfbackendsetextgstate {} {} \pdfbackendsetinfo {} {} \pdfbackendsetiname {} {} \pdfbackendsetpageattribute {} {} \pdfbackendsetpageresource {} {} \pdfbackendsetpagesattribute {} {} \pdfbackendsetpagesattribute {} {} \pdfbackendsetpattern {} {} \pdfbackendsetshade {} {} \pdfcolor {} \pdfcolor {} \pdfTeX \pdf TeX \ped {} \pedap [] {} {} \LOW {} \unitslow {}</pre>
pdfbackendsetextgstate pdfbackendsetinfo pdfbackendsetname pdfbackendsetpageattribute pdfbackendsetpageresource pdfbackendsetpagesattribute pdfbackendsetpattern pdfbackendsetshade pdfcolor pdfeTeX pdfTeX ped pedap ped:instance ped:instance:unitslow percent	<pre>\pdfbackendsetcolorspace {} {} \pdfbackendsetextgstate {} {} \pdfbackendsetinfo {} {} \pdfbackendsetiname {} {} \pdfbackendsetpageattribute {} {} \pdfbackendsetpageresource {} {} \pdfbackendsetpagesattribute {} {} \pdfbackendsetpagesattribute {} {} \pdfbackendsetpattern {} {} \pdfbackendsetshade {} {} \pdfcolor {} \pdfcolor {} \pdfTeX \pdf TeX \ped {} \ped {} \pedap [] {} {} \LOW {} \unitslow {} \percent</pre>
pdfbackendsetextgstate pdfbackendsetinfo pdfbackendsetname pdfbackendsetpageattribute pdfbackendsetpageresource pdfbackendsetpagesattribute pdfbackendsetpattern pdfbackendsetshade pdfcolor pdfeTeX pdfTeX ped pedap ped:instance ped:instance:unitslow percent percentdimen	<pre>\pdfbackendsetcolorspace {} {} \pdfbackendsetextgstate {} {} \pdfbackendsetinfo {} {} \pdfbackendsetinme {} {} \pdfbackendsetpageattribute {} {} \pdfbackendsetpageresource {} {} \pdfbackendsetpagesattribute {} {} \pdfbackendsetpagesattribute {} {} \pdfbackendsetpattern {} {} \pdfbackendsetshade {} {} \pdfcolor {} \pdfcolor {} \pdfTeX \pdf TeX \ped {} \ped {} \pedap [] {} {} \LOW {} \unitslow {} \percent \percentdimen {} {} </pre>
pdfbackendsetextgstate pdfbackendsetinfo pdfbackendsetname pdfbackendsetpageattribute pdfbackendsetpageresource pdfbackendsetpagesattribute pdfbackendsetpattern pdfbackendsetshade pdfcolor pdfeTeX pdfTeX ped pedap ped:instance ped:instance:unitslow percent percentdimen perlungo	<pre>\pdfbackendsetcolorspace {} {} \pdfbackendsetextgstate {} {} \pdfbackendsetinfo {} {} \pdfbackendsetinme {} {} \pdfbackendsetpageattribute {} {} \pdfbackendsetpageresource {} {} \pdfbackendsetpageresource {} {} \pdfbackendsetpagesattribute {} {} \pdfbackendsetpattern {} {} \pdfbackendsetshade {} {} \pdfcolor {} \pdfcolor {} \pdfTeX \pdfTeX \ped {} \pedap [] {} {} \LOW {} \unitslow {} \percent \percentdimen {} {} \perlungo {} \perlungo {} \</pre>
pdfbackendsetextgstate pdfbackendsetinfo pdfbackendsetname pdfbackendsetpageattribute pdfbackendsetpageresource pdfbackendsetpagesattribute pdfbackendsetpattern pdfbackendsetshade pdfcolor pdfeTeX pdfTeX ped pedap ped:instance ped:instance:unitslow percent percentdimen perlungo permitcaretescape	<pre>\pdfbackendsetcolorspace {} {} \pdfbackendsetextgstate {} {} \pdfbackendsetinfo {} {} \pdfbackendsetinme {} {} \pdfbackendsetpageattribute {} {} \pdfbackendsetpageresource {} {} \pdfbackendsetpagesattribute {} {} \pdfbackendsetpagesattribute {} {} \pdfbackendsetpattern {} {} \pdfbackendsetshade {} {} \pdfcolor {} \pdfcolor {} \pdfTeX \pdfTeX \ped {} \pedap [] {} {} \LOW {} \unitslow {} \percent \percentdimen {} {} \perlungo {} \permitcaretescape</pre>
pdfbackendsetextgstate pdfbackendsetinfo pdfbackendsetname pdfbackendsetpageattribute pdfbackendsetpageresource pdfbackendsetpagesattribute pdfbackendsetpattern pdfbackendsetshade pdfcolor pdfeTeX pdfTeX ped pedap ped:instance ped:instance:unitslow percent percentdimen perlungo	<pre>\pdfbackendsetcolorspace {} {} \pdfbackendsetextgstate {} {} \pdfbackendsetinfo {} {} \pdfbackendsetinme {} {} \pdfbackendsetpageattribute {} {} \pdfbackendsetpageresource {} {} \pdfbackendsetpageresource {} {} \pdfbackendsetpagesattribute {} {} \pdfbackendsetpattern {} {} \pdfbackendsetshade {} {} \pdfcolor {} \pdfcolor {} \pdfTeX \pdfTeX \ped {} \pedap [] {} {} \LOW {} \unitslow {} \percent \percentdimen {} {} \perlungo {} \perlungo {} \</pre>
pdfbackendsetextgstate pdfbackendsetinfo pdfbackendsetname pdfbackendsetpageattribute pdfbackendsetpageresource pdfbackendsetpagesattribute pdfbackendsetpattern pdfbackendsetshade pdfcolor pdfeTeX pdfTeX ped pedap ped:instance ped:instance:unitslow percent percentdimen perlungo permitcaretescape	<pre>\pdfbackendsetcolorspace {} {} \pdfbackendsetextgstate {} {} \pdfbackendsetinfo {} {} \pdfbackendsetinme {} {} \pdfbackendsetpageattribute {} {} \pdfbackendsetpageresource {} {} \pdfbackendsetpagesattribute {} {} \pdfbackendsetpagesattribute {} {} \pdfbackendsetpattern {} {} \pdfbackendsetshade {} {} \pdfcolor {} \pdfcolor {} \pdfTeX \pdfTeX \ped {} \pedap [] {} {} \LOW {} \unitslow {} \percent \percentdimen {} {} \perlungo {} \permitcaretescape</pre>
pdfbackendsetextgstate pdfbackendsetinfo pdfbackendsetname pdfbackendsetpageattribute pdfbackendsetpageresource pdfbackendsetpagesattribute pdfbackendsetpattern pdfbackendsetshade pdfcolor pdfeTeX pdfTeX ped pedap ped:instance ped:instance:unitslow percent percentdimen perlungo permitcaretescape permitcircumflexescape	<pre>\pdfbackendsetcolorspace {} {} \pdfbackendsetextgstate {} {} \pdfbackendsetinfo {} {} \pdfbackendsetinfo {} {} \pdfbackendsetname {} {} \pdfbackendsetpageattribute {} {} \pdfbackendsetpageresource {} {} \pdfbackendsetpagesattribute {} {} \pdfbackendsetpagesattribute {} {} \pdfbackendsetpattern {} {} \pdfbackendsetshade {} {} \pdfcolor {} \pdfcolor {} \pdfTeX \pdfTeX \pdf {} \pedap [] {} {} \LOW {} \unitslow {} \percent \percentdimen {} {} \perlungo {} \permitcaretescape \permitcircumflexescape</pre>
pdfbackendsetextgstate pdfbackendsetinfo pdfbackendsetname pdfbackendsetpageattribute pdfbackendsetpageresource pdfbackendsetpagesattribute pdfbackendsetpattern pdfbackendsetshade pdfcolor pdfeTeX pdfTeX ped pedap ped:instance ped:instance:unitslow percent percentdimen perlungo permitcaretescape permitspacesbetweengroups	<pre>\pdfbackendsetcolorspace {} {} \pdfbackendsetextgstate {} {} \pdfbackendsetinfo {} {} \pdfbackendsetinfo {} {} \pdfbackendsetname {} {} \pdfbackendsetpageattribute {} {} \pdfbackendsetpageresource {} {} \pdfbackendsetpagesattribute {} {} \pdfbackendsetpagesattribute {} {} \pdfbackendsetpattern {} {} \pdfbackendsetshade {} {} \pdfbackendsetshade {} {} \pdfcolor {} \pdfTeX \pdfTeX \pdf {} \pedap [] {} {} \LOW {} \unitslow {} \percent \percentdimen {} {} \perlungo {} \permitcaretescape \permitcircumflexescape \permitcircumflexescape \permitspacesbetweengroups</pre>
pdfbackendsetinfo pdfbackendsetinfo pdfbackendsetname pdfbackendsetpageattribute pdfbackendsetpageresource pdfbackendsetpagesattribute pdfbackendsetpattern pdfbackendsetshade pdfcolor pdfeTeX pdfTeX ped pedap ped:instance ped:instance:unitslow percent percentdimen perlungo permitcaretescape permitcircumflexescape permitspacesbetweengroups persiandecimals persiannumerals	<pre>\pdfbackendsetcolorspace {} {} \pdfbackendsetextgstate {} {} \pdfbackendsetinfo {} {} \pdfbackendsetinme {} {} \pdfbackendsetpageattribute {} {} \pdfbackendsetpageresource {} {} \pdfbackendsetpagesattribute {} {} \pdfbackendsetpagesattribute {} {} \pdfbackendsetpagesattribute {} {} \pdfbackendsetpattern {} {} \pdfbackendsetshade {} {} \pdfcolor {} \pdfcolor {} \pdfTeX \pdfTeX \pdf {} \pedap [] {} {} \LOW {} \unitslow {} \percent \percentdimen {} {} \perlungo {} \permitcaretescape \permitcircumflexescape \permitspacesbetweengroups \persiandecimals {} \persiannumerals {}</pre>
pdfbackendsetinfo pdfbackendsetinfo pdfbackendsetname pdfbackendsetpageattribute pdfbackendsetpageresource pdfbackendsetpagesattribute pdfbackendsetpattern pdfbackendsetshade pdfcolor pdfeTeX pdfTeX ped pedap ped:instance ped:instance:unitslow percent percentdimen perlungo permitcaretescape permitspacesbetweengroups persiandecimals	<pre>\pdfbackendsetcolorspace {} {} \pdfbackendsetextgstate {} {} \pdfbackendsetinfo {} {} \pdfbackendsetinme {} {} \pdfbackendsetpageattribute {} {} \pdfbackendsetpageresource {} {} \pdfbackendsetpagesattribute {} {} \pdfbackendsetpagesattribute {} {} \pdfbackendsetpattern {} {} \pdfbackendsetshade {} {} \pdfbackendsetshade {} {} \pdfcolor {} \pdfTeX \pdfTeX \pdf {} \pedap [] {} {} \LOW {} \unitslow {} \percent \percentdimen {} {} \perlungo {} \permitcaretescape \permitcircumflexescape \permitcircumflexescape \permitcircumflexescape \permitspacesbetweengroups \persiandecimals {}</pre>

piccolo	\piccolo
piccolocorsivograssetto	\piccolocorsivograssetto
piccolofontdelcorpo	\piccolofontdelcorpo
piccolograssetto	\piccolograssetto
piccolograssettocorsivo	\piccolograssettocorsivo
piccolograssettoinclinato	\piccolograssettoinclinato
piccoloinclinato	\piccoloinclinato
piccoloinclinatograssetto	\piccoloinclinatograssetto
piccolonormale	\piccolonormale
piccolotype	\piccolotype
pickupgroupedcommand	\pickupgroupedcommand {} {} {}
placeattachments	\placeattachments
placebtxrendering	\placebtxrendering [] [=]
placecitation	\placecitation []
placecomments	\placecomments
placecurrentformulanumber	\placecurrentformulanumber
placedbox	\placedbox {}
placefloat	\placefloat [] [] {} {}
placefloatcaption	\placefloatcaption [] [=] [=]
placefloatwithsetups	\placefloatwithsetups [] [] {} {}
placefloat:instance	\mettiFLOAT [] [] {}
placefloat:instance:chemical	\mettichemical [] [] {}
placefloat:instance:figure	\mettifigure [] [] {}
placefloat:instance:graphic	\mettigraphic [] [] {}
placefloat:instance:intermezzo	\mettiintermezzo [] [] {} {}
placefloat:instance:table	\mettitable [] [] {}
placeframed	\placeframed [] [=] {}
placehelp	\placehelp
placeholder	\placeholder []
placeinitial	\placeinitial []
placelayer	\placelayer []
placelayeredtext	\placelayeredtext [] [=] [=] {} {}
placelistoffloats:instance	\placelistofFLOATS [=]
placelistoffloats:instance:chemicals	\placelistofchemicals [=]
placelistoffloats:instance:figures	\placelistoffigures [=]
placelistoffloats:instance:graphics	\placelistofgraphics [=]
placelistoffloats:instance:intermezzi	\placelistofintermezzi [=]
placelistoffloats:instance:tables	\placelistoftables [=]
placelistofpublications	\placelistofpublications [] [=]
placelistofsorts	\placelistofsorts [] [=]
placelistofsorts:instance	\placelistofSORTS [=]
placelistofsorts:instance:logos	\placelistoflogos [=]
placelistofsynonyms	\placelistofsynonyms [] [=]
placelistofsynonyms:instance	\placelistofSYNONYMS [=]
placelistofsynonyms:instance:abbreviations	\placelistofabbreviations [=]
placelocalnotes	\placelocalnotes [] [=]
placement	\placement [] [=] {}
placement:example	\PLACEMENT [=] {}
placenamedfloat	\placenamedfloat [] []
placenamedformula	\placenamedformula [] {} {}
placenotes	\placenotes [] [=]
placepairedbox	\placepairedbox [] [=] {} {}
placepairedbox:instance	\mettiPAIREDBOX [=] {} {}
placepairedbox:instance:legend	\mettilegend [=] {} {}
placeparallel	\placeparallel [] [=]
placerawheaddata	\placerawheaddata []
placerawheadnumber	\placerawheadnumber []
placerawheadtext	\placerawheadtext []
placerawlist	\placerawlist [] [=]
placerenderingwindow	\placerenderingwindow [] []
popattribute	\popattribute \
popmacro	\popmacro \
popmode	\popmode []
popsystemmode	\popsystemmode {}
positionoverlay	\positionoverlay {}
positionregionoverlay	\positionregionoverlay $\{\ldots\}$
posizionanumerotesta	\posizionanumerotesta []
posizionatestotesta	\posizionatestotesta []
posizione	\posizione [=] (,) {}
postponenotes	\postponenotes
predefinedfont	\predefinedfont []
predefinefont	\predefinefont [] []

1.0	
predefinesymbol	\predefinesymbol []
prefixedpagenumber	\prefixedpagenumber
prendibuffer	\prendibuffer []
prendibuffer:instance	\prendiBUFFER
<pre>prendibuffer:instance:</pre>	\prendiBUFFER
prendimarcatura	\prendimarcatura [] []
prependetoks	\prependetoks \to \
prependgvalue	\prependgvalue {} {}
prependtocommalist	\prependtocommalist {} \
prependtoks	\prependtoks \to \
prependtoksonce	\prependtoksonce \to \
prependvalue	\prependvalue \{\ldots\} \{\ldots\}
prerollblank	\prerollblank []
presetdocument	\presetdocument [=]
presetfieldsymbols	\presetfieldsymbols []
presetlabeltext:instance	\presetLABELtesto [] [=]
presetlabeltext:instance:btxlabel	\presetbtxlabeltesto [] [=]
presetlabeltext:instance:head	\presetheadtesto [] [=]
presetlabeltext:instance:label	\presetlabeltesto [] [=]
presetlabeltext:instance:mathlabel	\presetmathlabeltesto [] [=]
presetlabeltext:instance:operator	\presetoperatortesto [] [=]
presetlabeltext:instance:prefix	\presetprefixtesto [] [=]
presetlabeltext:instance:suffix	\presetsuffixtesto [] [=]
presetlabeltext:instance:taglabel	\presettaglabeltesto [] [=]
presetlabeltext:instance:unit	\presetunittesto [] [=]
pretocommalist	\pretocommalist \{\dots\}\\\
prettyprintbuffer	\prettyprintbuffer {} {}
prevcounter	\prevcounter [] []
prevcountervalue	\prevcountervalue []
preventmode	\preventmode []
prevrealpage	\prevrealpage
prevrealpagenumber	\prevrealpagenumber
prevsubcountervalue	\prevsubcountervalue [] []
prevsubpage	\prevsubpage
prevsubpagenumber	\prevsubpagenumber
prevuserpage	\prevuserpage
prevuserpagenumber	\prevuserpagenumber
primasottopagina	\primasottopagina
procent	\procent
processaction	\processaction [] [,=>,]
processallactionsinset	\processallactionsinset [] [,=>,]
processassignlist	\processassignlist [] \
processassignmentcommand	\processassignmentcommand [=] \
processassignmentlist	\processassignmentlist [=] \
processbetween	
processbodyfontenvironmentlist	\processbetween {} \
procession	\processbetween {} \ \processbodyfontenvironmentlist \
processcolorcomponents	-
1 0	\processbodyfontenvironmentlist \\processcolorcomponents \{\}
processcolorcomponents	\processbodyfontenvironmentlist \\processcolorcomponents \{\}\processcommacommand [] \
processcolorcomponents processcommacommand	\processbodyfontenvironmentlist \\processcolorcomponents {} \processcommacommand [] \ \processcommalist [] \
processcolorcomponents processcommacommand processcommalist	\processbodyfontenvironmentlist \\processcolorcomponents \{\}\processcommacommand [] \
processcolorcomponents processcommacommand processcommalist processcommalistwithparameters	\processbodyfontenvironmentlist \\ \processcolorcomponents {} \processcommacommand [] \ \processcommalist [] \ \processcommalistwithparameters [] \ \processcontent {} \
processcolorcomponents processcommacommand processcommalist processcommalistwithparameters processcontent	\processbodyfontenvironmentlist \\ \processcolorcomponents {} \processcommacommand [] \ \processcommalist [] \ \processcommalistwithparameters [] \
processcolorcomponents processcommacommand processcommalist processcommalistwithparameters processcontent processfile	\processbodyfontenvironmentlist \ \processcolorcomponents {} \processcommacommand [] \ \processcommalist [] \ \processcommalistwithparameters [] \ \processcontent {} \ \processfile {}
processcolorcomponents processcommacommand processcommalist processcommalistwithparameters processcontent processfile processfilemany	\processbodyfontenvironmentlist \ \processcolorcomponents {} \processcommacommand [] \ \processcommalist [] \ \processcommalist ithparameters [] \ \processcontent {} \ \processfile {} \processfilemany {}
processcolorcomponents processcommacommand processcommalist processcommalistwithparameters processcontent processfile processfilemany processfilenone	\processbodyfontenvironmentlist \ \processcolorcomponents {} \processcommacommand [] \ \processcommalist [] \ \processcommalistwithparameters [] \ \processcontent {} \ \processfile {} \processfilemany {} \processfilenone {} \processfileonce {}
processcolorcomponents processcommacommand processcommalist processcontent processfile processfilemany processfilenone processfileonce	\processbodyfontenvironmentlist \ \processcolorcomponents {} \processcommacommand [] \ \processcommalist [] \ \processcommalistwithparameters [] \ \processcontent {} \ \processfile {} \processfilemany {} \processfilenone {}
processcolorcomponents processcommacommand processcommalist processcontent processfile processfilemany processfilenone processfileonce processfirstactioninset	<pre>\processbodyfontenvironmentlist \ \processcolorcomponents {} \processcommacommand [] \ \processcommalist [] \ \processcommalistwithparameters [] \ \processcontent {} \ \processfile {} \processfilemany {} \processfilenone {} \processfileonce {} \processfirstactioninset [] [,=&gt;,] \processisolatedchars {} \</pre>
processcolorcomponents processcommacommand processcommalist processcontent processfile processfilemany processfilenone processfileonce processfirstactioninset processisolatedchars	<pre>\processbodyfontenvironmentlist \ \processcolorcomponents {} \processcommacommand [] \ \processcommalist [] \ \processcommalistwithparameters [] \ \processcontent {} \ \processfile {} \processfilemany {} \processfilenone {} \processfileonce {} \processfirstactioninset [] [,=&gt;,]</pre>
processcolorcomponents processcommacommand processcommalist processcommalistwithparameters processcontent processfile processfilemany processfilenone processfileonce processfirstactioninset processisolatedchars processisolatedwords	<pre>\processbodyfontenvironmentlist \ \processcolorcomponents {} \processcommacommand [] \ \processcommalist [] \ \processcommalistwithparameters [] \ \processcontent {} \ \processfile {} \processfilemany {} \processfilenone {} \processfileonce {} \processfirstactioninset [] [=&gt;] \processisolatedchars {} \ \processisolatedwords {} \</pre>
processcolorcomponents processcommacommand processcommalist processcommalistwithparameters processcontent processfile processfilemany processfilenone processfileonce processfirstactioninset processisolatedchars processisolatedwords processlinetablebuffer	<pre>\processbodyfontenvironmentlist \ \processcolorcomponents {} \processcommacommand [] \ \processcommalist [] \ \processcommalistwithparameters [] \ \processcontent {} \ \processfile {} \processfilemany {} \processfilenone {} \processfileonce {} \processfirstactioninset [] [=&gt;] \processisolatedchars {} \ \processlinetablebuffer []</pre>
processcolorcomponents processcommacommand processcommalist processcommalistwithparameters processcontent processfile processfilemany processfilenone processfileonce processfirstactioninset processisolatedchars processisolatedwords processlinetablebuffer processlinetablefile	<pre>processbodyfontenvironmentlist \ processcolorcomponents {} processcommacommand [] \ processcommalist [] \ processcommalistwithparameters [] \ processcontent {} \ processfile {} processfilemany {} processfilenone {} processfirstactioninset [] [,.=&gt;] processisolatedchars {} \ processlinetablebuffer []</pre>
processcolorcomponents processcommacommand processcommalist processcommalistwithparameters processcontent processfile processfilemany processfilenone processfileonce processfirstactioninset processisolatedchars processisolatedwords processlinetablebuffer processlist	<pre>processbodyfontenvironmentlist \ processcolorcomponents {} processcommacommand [] \ processcommalist [] \ processcommalist in [] processcommalist in [] processcommalist in [] processfile {} processfile {} processfilemany {} processfilenone {} processfileonce {} processfirstactioninset [] [,.=&gt;] processisolatedchars {} \ processisolatedwords {} \ processlinetablebuffer [] processlinetablefile {} processlist {} {} \</pre>
processcolorcomponents processcommacommand processcommalist processcommalistwithparameters processcontent processfile processfilemany processfilenone processfileonce processfirstactioninset processisolatedchars processisolatedwords processlinetablebuffer processlinetablefile processMPbuffer	<pre>processbodyfontenvironmentlist \  processcolorcomponents {}  processcommacommand [] \  processcommalist [] \  processcommalist withparameters [] \  processfile {}  processfile {}  processfilemany {}  processfilenone {}  processfirstactioninset [] [,.=&gt;]  processisolatedchars {} \  processlinetablebuffer []  processlinetablefile {}  processMPbuffer []</pre>
processcolorcomponents processcommacommand processcommalist processcommalistwithparameters processcontent processfile processfilemany processfilenone processfileonce processfirstactioninset processisolatedchars processisolatedwords processlinetablebuffer processlinetablefile processMPbuffer processMPfigurefile	<pre>processbodyfontenvironmentlist \  processcolorcomponents {}  processcommacommand [] \  processcommalist [] \  processcommalistwithparameters [] \  processfile {}  processfile {}  processfilenone {}  processfilenone {}  processfirstactioninset [] [, =&gt;]  processisolatedwords {} \  processlinetablebuffer []  processlinetablefile {}  processMPbuffer []  processMPfigurefile {}</pre>
processcolorcomponents processcommacommand processcommalist processcommalistwithparameters processcontent processfile processfilemany processfilenone processfileonce processfirstactioninset processisolatedchars processisolatedwords processlinetablebuffer processlinetablefile processlist processMPbuffer processMPfigurefile processmonth	<pre>processbodyfontenvironmentlist \  processcolorcomponents {}  processcommacommand [] \  processcommalist [] \  processcommalist withparameters [] \  processfile {}  processfile {}  processfilemany {}  processfilenone {}  processfirstactioninset [] [,.=&gt;]  processiolatedwords {} \  processlinetablebuffer []  processlinetablefile {}  processMPbuffer []  processMPfigurefile {}  processmonth {} {} {}</pre>
processcolorcomponents processcommacommand processcommalist processcommalistwithparameters processcontent processfile processfilemany processfilenone processfileonce processfirstactioninset processisolatedchars processisolatedwords processlinetablebuffer processlinetablefile processlist processMPbuffer processMPfigurefile processmonth processranges	<pre>processbodyfontenvironmentlist \  processcolorcomponents {}  processcommacommand [] \  processcommalist [] \  processcommalist withparameters [] \  processfile {}  processfile {}  processfilenone {}  processfirstactioninset [] [,.=&gt;]  processisolatedwards {} \  processlinetablebuffer []  processlinetablefile {}  processMPbuffer []  processMPfigurefile {}  processmonth {} {} {}  processranges [] \</pre>
processcolorcomponents processcommacommand processcommalist processcommalistwithparameters processcontent processfile processfilemany processfilenone processfileonce processisolatedchars processisolatedwords processlinetablebuffer processlinetablefile processlist processMPbuffer processMPfigurefile processmonth processranges processseparatedlist	<pre>processbodyfontenvironmentlist \ processcolorcomponents {} processcommacommand [] \ processcommalist [] \ processcommalist [] \ processcontent {} \ processfile {} processfile {} processfilemany {} processfileonce {} processfirstactioninset [] [,.=&gt;] processiolatedchars {} \ processiolatedwords {} \ processlinetablebuffer [] processlinetablefile {} processMPbuffer [] processMPfigurefile {} processmonth {} {} {} processranges [] \ processseparatedlist [] [] {}</pre>
processcolorcomponents processcommacommand processcommalist processcommalistwithparameters processcontent processfile processfilemany processfilenone processfileonce processiolatedchars processisolatedchars processlinetablebuffer processlinetablefile processlinetablefile processMPbuffer processMPfigurefile processmonth processranges processeparatedlist processtexbuffer	<pre>\processbodyfontenvironmentlist \ \processcolorcomponents {} \processcommacommand [] \ \processcommalist [] \ \processcommalist [] \ \processcontent {} \ \processfile {} \processfile {} \processfilemany {} \processfilenone {} \processfileonce {} \processiolatedchars {} \ \processiolatedwords {} \ \processlinetablebuffer [] \processlinetablefile {} \processMPbuffer [] \processMPfigurefile {} \processmonth {} {} {} \processranges [] \ \processTEXbuffer []</pre>
processcolorcomponents processcommacommand processcommalist processcommalistwithparameters processcontent processfile processfile processfilemany processfileonce processfirstactioninset processisolatedchars processisolatedwords processlinetablebuffer processlinetablefile processlist processMPbuffer processMPfigurefile processmonth processranges processeparatedlist processtexbuffer processtokens	<pre>processbodyfontenvironmentlist \  processcolorcomponents {}  processcommacommand [] \  processcommalist [] \  processcommalist withparameters [] \  processfile {}  processfile {}  processfilemany {}  processfileonce {}  processfirstactioninset [] [,.=&gt;]  processiolatedchars {} \  processlinetablebuffer []  processlinetablefile {}  processMPbuffer []  processMPfigurefile {}  processmonth {} {} {}  processranges [] \  processTEXbuffer []  processTEXbuffer []  processtokens {} {} {} {} {}  }</pre>
processcolorcomponents processcommacommand processcommalist processcommalistwithparameters processcontent processfile processfilemany processfilenone processfileonce processisolatedchars processisolatedchars processlinetablebuffer processlinetablefile processlist processMPbuffer processMPfigurefile processmonth processeparatedlist processtexbuffer processtokens processuntil	\processbodyfontenvironmentlist \ \processcolorcomponents \{\} \processcommacommand \[\] \ \processcommalist \[\] \ \processcommalist \[\] \ \processcontent \{\} \ \processfile \{\} \processiolated \{\} \processiolated \{\} \processline \{\} \processline \{\} \processline \{\} \processline \{\} \process \{\}  \{\}  \{\}  \{\}  \{\}  \{\}  \{\}  \{\}  \{\}  \{\}  \{\}  \{\}  \{\}  \{\}  \{\}  \{\}  \{\}  \{\}  \{\}  \{\}  \{\}  \{\}  \{\}  \{\}  \{\}  \{\}  \{\}  \{\}  \{\}  \{\}  \{\}  \{\}  \{\}  \{\}  \{\}  \{\}  \{\}  \{\}  \{\}  \{\}  \{\}  \{\}  \{\}  \{\}  \{\}  \{\}  \{\}  \{\}  \{\}  \{\}  \{\}  \{\}  \{\}  \{\}  \{\}  \{\}  \{\}  \{\}  \{\}  \{\}  \{\}  \{\}  \{\}  \{\}  \{\}  \{\}  \{\}  \{\}  \{\}  \{\}  \{\}  \{\}  \{\}  \{\}  \{\}  \{\}  \{\}  \{\}  \{\}  \{\}  \{\}  \{\}  \{\}  \{\}  \{\}  \{\}  \{\}  \{\}  \{\}  \{\}  \{\}  \{\}  \
processcolorcomponents processcommacommand processcommalist processcommalistwithparameters processcontent processfile processfilemany processfilenone processfileonce processisolatedchars processisolatedchars processlinetablebuffer processlinetablefile processlinetablefile processMPbuffer processMPbuffer processmonth processranges processeparatedlist processtexbuffer processtokens processuntil processxtablebuffer	<pre>processbodyfontenvironmentlist \  processcolorcomponents {}  processcommacommand [] \  processcommalist [] \  processcommalistwithparameters [] \  processfile {}  processfile {}  processfilemany {}  processfileonce {}  processfirstactioninset [] [, =&gt;]  processiolatedchars {} \  processlinetablebuffer []  processlinetablefile {}  processMPbuffer []  processMPfigurefile {}  processmonth {} {} {}  processranges [] \  processTEXbuffer []  processuntil \  processxtablebuffer []</pre>

prodotto:string	\prodotto
profiledbox	\profiledbox [] [=] {}
profilegivenbox	\profilegivenbox {}
progetto	\progetto []
progetto:string	\progetto
programma	\programma []
pseudoMixedCapped	\pseudoMixedCapped {} \pseudoSmallCapped {}
pseudoSmallCapped pseudoSmallcapped	\pseudoSmallcapped \{\dots\}
pseudosmallcapped	\pseudosmallcapped {}
pulsante	\pulsante [=.] {} []
pulsantemenu:button	\pulsantemenu [=] {} {}
pulsantemenu:interactionmenu	\pulsantemenu [] [=] {} {}
pulsante:example	\BUTTON [=] {} []
pulsantinterazione	\pulsantinterazione [=] []
punti	\punti []
punti:assignment punto	\punti [=] \punto {}
purenumber	\purenumber {}
pusharrangedpages	\pusharrangedpages \poparrangedpages
pushattribute	\pushattribute \
pushbar	\pushbar [] \popbar
pushbutton	\pushbutton [] []
pushcatcodetable	\pushcatcodetable \popcatcodetable
pushcolore	\pushcolore [] \popcolore
pushendofline	\pushendofline \popendofline
pushMPdrawing	\pushMPdrawing \popMPdrawing \pushmacro \
pushmacro pushmathstyle	\pushmathstyle \popmathstyle
pushmode	\pushmode []
pushoutputstream	\pushoutputstream []
pushpath	\pushpath [] \poppath
pushpunctuation	\pushpunctuation \poppunctuation
pushrandomseed	\pushrandomseed \poprandomseed
pushreferenceprefix	\pushreferenceprefix {} \popreferenceprefix
pushsfondo	\pushsfondo [] \popsfondo \pushsystemmode {}
pushsystemmode	
putboxincache	\putboxincache $\{\ldots\}$ $\{\ldots\}$ $\ldots$
putboxincache putnextboxincache	\putboxincache {} {} \putnextboxincache {} {} \ {}
putboxincache	\putboxincache $\{\ldots\}$ $\{\ldots\}$ $\ldots$
putboxincache putnextboxincache qquad	\putboxincache {} {} \ \putnextboxincache {} {} \ \qquad
putboxincache putnextboxincache qquad quad	<pre>\putboxincache {} {} \ \putnextboxincache {} {} \ {} \qquad </pre>
putboxincache putnextboxincache qquad quad quads qualcheriga quarterstrut	<pre>\putboxincache {} {} \ \putnextboxincache {} {} \ {} \qquad  s [] \qualcheriga [] \quarterstrut</pre>
putboxincache putnextboxincache qquad quad quads qualcheriga quarterstrut quitcommalist	<pre>\putboxincache {} {} \ \putnextboxincache {} {} \ {}   s [] \qualcheriga [] \quarterstrut \quitcommalist</pre>
putboxincache putnextboxincache qquad quad quads qualcheriga quarterstrut quitcommalist quitprevcommalist	<pre>\putboxincache {} {} \ \putnextboxincache {} {} \ {}   s [] \qualcheriga [] \quarterstrut \quitcommalist \quitprevcommalist</pre>
putboxincache putnextboxincache qquad quad quads qualcheriga quarterstrut quitcommalist quitprevcommalist quittypescriptscanning	<pre>\putboxincache {} {} \ \putnextboxincache {} {} \ {}   s [] \qualcheriga [] \quarterstrut \quitcommalist \quitprevcommalist \quittypescriptscanning</pre>
putboxincache putnextboxincache qquad quad quads qualcheriga quarterstrut quitcommalist quitprevcommalist quittypescriptscanning ReadFile	<pre>\putboxincache {} {} \ \putnextboxincache {} {} \ {}   s [] \qualcheriga [] \quarterstrut \quitcommalist \quittypescriptscanning \ReadFile {}</pre>
putboxincache putnextboxincache qquad quad quads qualcheriga quarterstrut quitcommalist quitprevcommalist quittypescriptscanning	<pre>\putboxincache {} {} \ \putnextboxincache {} {} \ {}   s [] \qualcheriga [] \quarterstrut \quitcommalist \quitprevcommalist \quittypescriptscanning</pre>
putboxincache putnextboxincache qquad quad quads qualcheriga quarterstrut quitcommalist quitprevcommalist quittypescriptscanning ReadFile raggedbottom	<pre>\putboxincache {} {} \ \putnextboxincache {} {} \ {}   s [] \qualcheriga [] \quarterstrut \quitcommalist \quitprevcommalist \quittypescriptscanning \ReadFile {} \raggedbottom</pre>
putboxincache putnextboxincache qquad quad quad quads qualcheriga quarterstrut quitcommalist quitprevcommalist quittypescriptscanning ReadFile raggedbottom raggedcenter raggedleft raggedright	<pre>\putboxincache {} {} \ \putnextboxincache {} {} \ {}    s [] \qualcheriga [] \quarterstrut \quitcommalist \quitprevcommalist \quitprevcommalist \quittypescriptscanning \ReadFile {} \raggedbottom \raggedcenter \raggedleft \raggedright</pre>
putboxincache putnextboxincache qquad quad quads qualcheriga quarterstrut quitcommalist quitprevcommalist quittypescriptscanning ReadFile raggedbottom raggedcenter raggedleft raggedright raggedwidecenter	<pre>\putboxincache {} {} \ \putnextboxincache {} {} \    s [] \qualcheriga [] \quarterstrut \quitcommalist \quitprevcommalist \quitprevcommalist \quittypescriptscanning \ReadFile {} \raggedbottom \raggedcenter \raggedleft \raggedright \raggedvidecenter</pre>
putboxincache putnextboxincache qquad quad quad quads qualcheriga quarterstrut quitcommalist quitprevcommalist quittypescriptscanning ReadFile raggedbottom raggedcenter raggedleft raggedright raggedwidecenter raisebox	<pre>\putboxincache {} {} \ \putnextboxincache {} {} \ {}    s [] \qualcheriga [] \quarterstrut \quitcommalist \quittypescriptscanning \ReadFile {} \raggedbottom \raggedcenter \raggedright \raggedvidecenter \raggedvidecenter \raggedvidecenter \raisebox {} \ {}</pre>
putboxincache putnextboxincache qquad quad quad quads qualcheriga quarterstrut quitcommalist quitprevcommalist quittypescriptscanning ReadFile raggedbottom raggedcenter raggedleft raggedright raggedwidecenter raisebox randomizetext	<pre>\putboxincache {} {} \ \putnextboxincache {} {} \ {}    s [] \qualcheriga [] \quarterstrut \quitcommalist \quittypescriptscanning \ReadFile {} \raggedbottom \raggedcenter \raggedleft \raggedright \raggedvidecenter \raisebox {} \ {} \randomizetext {}</pre>
putboxincache putnextboxincache qquad quad quad quads qualcheriga quarterstrut quitcommalist quitprevcommalist quittypescriptscanning ReadFile raggedbottom raggedcenter raggedleft raggedright raggedwidecenter raisebox randomizetext randomnumber	<pre>\putboxincache {} {} \ \putnextboxincache {} {} \    s [] \qualcheriga [] \quarterstrut \quitcommalist \quittypescriptscanning \ReadFile {} \raggedbottom \raggedcenter \raggedleft \raggedright \raggedright \raggedvidecenter \raisebox {} \ {} \randomizetext {} \randomnumber {} {}</pre>
putboxincache putnextboxincache qquad quad quad quads qualcheriga quarterstrut quitcommalist quitprevcommalist quittypescriptscanning ReadFile raggedbottom raggedcenter raggedleft raggedright raggedwidecenter raisebox randomizetext	<pre>\putboxincache {} {} \ \putnextboxincache {} {} \ {}    s [] \qualcheriga [] \quarterstrut \quitcommalist \quittypescriptscanning \ReadFile {} \raggedbottom \raggedcenter \raggedleft \raggedright \raggedvidecenter \raisebox {} \ {} \randomizetext {}</pre>
putboxincache putnextboxincache qquad quad quad quads qualcheriga quarterstrut quitcommalist quitprevcommalist quittypescriptscanning ReadFile raggedbottom raggedcenter raggedleft raggedright raggedwidecenter raisebox randomizetext randomnumber rawcounter	<pre>\putboxincache {} {} \ \putnextboxincache {} {} \    s [] \qualcheriga [] \quarterstrut \quitcommalist \quittypevcommalist \quittypescriptscanning \ReadFile {} \raggedbottom \raggedcenter \raggedleft \raggedright \raggedvidecenter \raigedox {} \ {} \randomizetext {} \randomnumber {} {} \rawcounter []</pre>
putboxincache putnextboxincache qquad quad quad quads qualcheriga quarterstrut quitcommalist quitprevcommalist quittypescriptscanning ReadFile raggedbottom raggedcenter raggedleft raggedright raggedwidecenter raisebox randomizetext randomnumber rawcounter rawcountervalue rawdate rawdoifelseinset	<pre>\putboxincache {} {} \ \putnextboxincache {} {} \    s [] \qualcheriga [] \quarterstrut \quitcommalist \quitprevcommalist \quittypescriptscanning \ReadFile {} \raggedbottom \raggedcenter \raggedleft \raggedright \raggedright \raggedwidecenter \raisebox {} \ {} \randomnumber {} {} \rawcounter [] [] \rawdoifelseinset {} {} {} {} \rawdoifelseinset {} {} {} {} \rawdoifelseinset {} {} {} \rawdoifelseinset {} {} {} {}</pre>
putboxincache putnextboxincache qquad quad quad quads qualcheriga quarterstrut quitcommalist quitprevcommalist quittypescriptscanning ReadFile raggedbottom raggedcenter raggedleft raggedright raggedwidecenter raisebox randomizetext randomnumber rawcounter rawcountervalue rawdate rawdoifelseinset rawdoifinset	<pre>\putboxincache {} {} \ \putnextboxincache {} {} \ \qquad   s [] \qualcheriga [] \quarterstrut \quitcommalist \quitprevcommalist \quittypescriptscanning \ReadFile {} \raggedbottom \raggedcenter \raggedleft \raggedright \raggedwidecenter \raisebox {} \ {} \randomnumber {} {} \rawcounter [] [] \rawdoifelseinset {} {} {} \rawdoifinset {} {} \rawdoifinset {} {} {} \rawdoifinset {} {} {} \rawdoifinset {} {} {} \rawdoifinset {} {} {} \rawdoifinset {} {} {} \rawdoifinset {} {} {} \rawdoifinset {}</pre>
putboxincache putnextboxincache qquad quad quad quads qualcheriga quarterstrut quitcommalist quitprevcommalist quittypescriptscanning ReadFile raggedbottom raggedcenter raggedleft raggedright raggedwidecenter raisebox randomizetext randomnumber rawcounter rawcountervalue rawdate rawdoifinset rawdoifinsetelse	<pre>\putboxincache {} {} \ \putnextboxincache {} {} \    s [] \qualcheriga [] \quarterstrut \quitcommalist \quittypevcommalist \quittypescriptscanning \ReadFile {} \raggedbottom \raggedcenter \raggedleft \raggedright \raggedwidecenter \raisebox {} \ {} \randomizetext {} \randomnumber {} {} \rawcounter[] [] \rawdoifelseinset {} {} {} \rawdoifinsetelse {} {} {} \rawdoifin</pre>
putboxincache putnextboxincache qquad quad quad quads qualcheriga quarterstrut quitcommalist quitprevcommalist quittypescriptscanning ReadFile raggedbottom raggedcenter raggedleft raggedright raggedwidecenter raisebox randomizetext randomnumber rawcounter rawcounter rawdoifelseinset rawdoifinsetelse rawdoifinsetelse rawgetparameters	<pre>\putboxincache {} {} \ \putnextboxincache {} {} \    s [] \qualcheriga [] \quarterstrut \quitcommalist \quittypevcommalist \quittypescriptscanning \ReadFile {} \raggedbottom \raggedcenter \raggedleft \raggedright \raggedwidecenter \raisebox {} \ {} \randomnumber {} {} \rawcounter [] [] \rawdoifelseinset {} {} {} \rawdoifinsetelse {} {} {} \rawdoifinsetelse {} {} {} \rawgetparameters [] []</pre>
putboxincache putnextboxincache qquad quad quad quads qualcheriga quarterstrut quitcommalist quitprevcommalist quittypescriptscanning ReadFile raggedbottom raggedcenter raggedleft raggedright raggedwidecenter raisebox randomizetext randomnumber rawcounter rawcounter rawdoifelseinset rawdoifinsetelse rawgetparameters rawprocessaction	<pre>\putboxincache {} {} \ \putnextboxincache {} {} \    s [] \qualcheriga [] \quarterstrut \quitcommalist \quittypevcommalist \quittypescriptscanning \ReadFile {} \raggedbottom \raggedcenter \raggedleft \raggedright \raggedwidecenter \raisebox {} \ {} \randomizetext {} \randomnumber {} {} \rawcounter [] [] \rawdoifinset {} {} {} \rawdoifinsetelse {} {} {} \rawdoordinsetelse {} {} {} \rawgetparameters [] [] \rawprocessaction [] []</pre>
putboxincache putnextboxincache qquad quad quad quads qualcheriga quarterstrut quitcommalist quitprevcommalist quittypescriptscanning ReadFile raggedbottom raggedcenter raggedleft raggedright raggedwidecenter raisebox randomizetext randomnumber rawcounter rawcounter rawdoifelseinset rawdoifinset rawdoifinsetelse rawgetparameters rawprocesscommacommand	<pre>\putboxincache {} {} \ \putnextboxincache {} {} \    s [] \qualcheriga [] \quarterstrut \quitcommalist \quittypevcommalist \quittypescriptscanning \ReadFile {} \raggedbottom \raggedcenter \raggedleft \raggedright \raggedwidecenter \raisebox {} \ {} \randomizetext {} \randomnumber {} {} \rawcounter [] \rawdoifelseinset {} {} {} \rawdoifinsetelse {} {} {} \rawgetparameters [] [] \rawprocessaction [] [] \rawprocesscommacommand [] \</pre>
putboxincache putnextboxincache qquad quad quad quads qualcheriga quarterstrut quitcommalist quitprevcommalist quittypescriptscanning ReadFile raggedbottom raggedcenter raggedleft raggedright raggedwidecenter raisebox randomizetext randomnumber rawcounter rawcounter rawdoifelseinset rawdoifinsetelse rawgetparameters rawprocessaction	<pre>\putboxincache {} {} \ \putnextboxincache {} {} \    s [] \qualcheriga [] \quarterstrut \quitcommalist \quittypevcommalist \quittypescriptscanning \ReadFile {} \raggedbottom \raggedcenter \raggedleft \raggedright \raggedwidecenter \raisebox {} \ {} \randomizetext {} \randomnumber {} {} \rawcounter [] [] \rawdoifinset {} {} {} \rawdoifinsetelse {} {} {} \rawdoordinsetelse {} {} {} \rawgetparameters [] [] \rawprocessaction [] []</pre>
putboxincache putnextboxincache qquad quad quad quads qualcheriga quarterstrut quitcommalist quitprevcommalist quittypescriptscanning ReadFile raggedbottom raggedcenter raggedleft raggedright raggedwidecenter raisebox randomizetext randomnumber rawcounter rawcounter rawcounter rawdoifelseinset rawdoifinset rawdoifinsetelse rawprocesscommacommand rawprocesscommalist	<pre>\putboxincache {} {} \ \putnextboxincache {} {} \    s [] \qualcheriga [] \quarterstrut \quitcommalist \quittypevcommalist \quittypescriptscanning \ReadFile {} \raggedbottom \raggedcenter \raggedleft \raggedright \raggedwidecenter \raisebox {} \ {} \randomnumber {} {} \rawcounter [] \rawdoifelseinset {} {} {} \rawdoifinsetelse {} {} {} \rawprocesscommacommand [] \ \rawprocesscommalist [] \ \rawprocesscommalist [] \</pre>
putboxincache putnextboxincache qquad quad quad quads qualcheriga quarterstrut quitcommalist quitprevcommalist quittypescriptscanning ReadFile raggedbottom raggedcenter raggedleft raggedright raggedwidecenter raisebox randomizetext randomnumber rawcounter rawcounter rawdoifelseinset rawdoifinset rawdoifinsetelse rawprocesscommacommand rawprocesscommalist rawstructurelistuservariable	<pre>\putboxincache {} {} \ \putnextboxincache {} {} \    s [] \qualcheriga [] \quarterstrut \quittommalist \quittypescriptscanning \ReadFile {} \raggedbottom \raggedcenter \raggedleft \raggedright \raggedwidecenter \raisebox {} \ {} \randomnumber {} {} \rawcounter [] \rawdoifelseinset {} {} {} \rawdoifinsetelse {} {} {} \rawprocesscommacommand [] \ \rawprocesscommalist [] \ \rawstructurelistuservariable {} \rawstructurelistuservariable {} \rawprocesscommand [] \ \rawstructurelistuservariable {} \rawprocesscommand [] \ \rawproce</pre>
putboxincache putnextboxincache qquad quad quad quads qualcheriga quarterstrut quitcommalist quitypescriptscanning ReadFile raggedbottom raggedcenter raggedleft raggedright raggedwidecenter raisebox randomizetext randomnumber rawcounter rawcounter rawdate rawdoifelseinset rawdoifinset rawdoifinsetelse rawgetparameters rawprocesscommacommand rawprocesscommalist rawstructurelistuservariable rawsubcountervalue rbox readfile	<pre>\putboxincache {} {} \ \putnextboxincache {} {} \    s [] \qualcheriga [] \quarterstrut \quitcommalist \quittypescriptscanning \ReadFile {} \raggedbottom \raggedcenter \raggedleft \raggedwidecenter \raggedwidecenter \raisebox {} \ {} \randomizetext {} \randomizetext {} \randomizetext {} \randomizetext {} {} \rawdoifelseinset {} {} {} \rawdoifinsetelse {} {} {} \rawdoifinsetelse {} {} {} \rawprocesscommacommand [] \ \rawstructurelistuservariable {} \rawsubcountervalue [] \rawsubcountervalue [] [] \rawstructurelistuservariable {} \rawsubcountervalue [] [] \rawsubcount</pre>
putboxincache putnextboxincache qquad quad quad quads qualcheriga quarterstrut quitcommalist quittypescriptscanning ReadFile raggedbottom raggedcenter raggedright raggedright raggedwidecenter raisebox randomizetext randomnumber rawcounter rawcounter rawdoifelseinset rawdoifinset rawdoifinsetelse rawprocessaction rawprocesscommalist rawstructurelistuservariable rawsubcountervalue rawsubcountervalue rawsubcountervalue rawsubcountervalue	<pre>\putboxincache {} {} \ \putnextboxincache {} {} \    s [] \qualcheriga [] \quatterstrut \quitcommalist \quitprevcommalist \quittypescriptscanning \ReadFile {} \raggedbottom \raggedcenter \raggedright \raggedright \raggedwidecenter \raisebox {} \ {} \randomnumber {} {} \randomnumber {} {} \rawcounter [] \rawdoifelseinset {} {} {} \rawdoifinset {} {} {} \rawdoifinsetelse {} {} {} \rawprocesscommacommand [] \ \rawprocesscommacommand [] \ \rawsubcountervalue [] \rawsubcountervalue [] [] \rawsubcountervalue []</pre>

readlocfile	\readlocfile {} {} {}
readsetfile	\readsetfile {} {} {}
readsysfile	\readsysfile {} {} {}
readtexfile	\readtexfile {} {}
readxmlfile	\readxmlfile {} {}
realpagenumber	\realpagenumber
realSmallCapped	\realSmallCapped {}
realSmallcapped	\realSmallcapped {}
realsmallcapped	\realsmallcapped {}
recursedepth	\recursedepth
recurselevel	\recurselevel
recursestring	recursestring
redoconvertfont	\redoconvertfont
referencecolumnnumber	\referencecolumnnumber
referenceformat:example	\REFERENCEFORMAT \{\ldots\} \[\ldots\]
referencepagedetail	\referencepagedetail
referencepagestate	\referencepagestate
referenceprefix	\referenceprefix
referencerealpage	\referencerealpage
referencesymbol	\referencesymbol
referring	\referring (,) (,) []
registerattachment	\registerattachment [] [=]
registerctxluafile	\registerctxluafile \{\dots\} \\
registerexternalfigure	\registerexternalfigure [] [=]
registerfontclass	\registerfontclass {}
registerhyphenationexception	\registerhyphenationexception [] []
registerhyphenationpattern	\registerhyphenationpattern [] []
registermenubuttons	\registermenubuttons [] []
registersort	\registersort [] []
<u> </u>	\registersynonym [] []
registersynonym	\registersynonym [] \registerunit [] [=]
registerunit	\REGISTER [] \\REGISTER []
registro:instance	\index [] \( \.\ \.\ \.\ \)
registro:instance:index	
registro:instance:ownnumber	\REGISTER [] \{\} \\\\}
registro:instance:ownnumber:index	\index [] {++}
regolare	\regolare
reimpostamarcatura	\reimpostamarcatura []
relatemarking	\relatemarking []
relatemarking relateparameterhandlers	<pre>\relatemarking [] [] \relateparameterhandlers {} {} {} {}</pre>
relatemarking relateparameterhandlers relaxvalueifundefined	<pre>\relatemarking [] [] \relateparameterhandlers {} {} {} {} \relaxvalueifundefined {}</pre>
relatemarking relateparameterhandlers relaxvalueifundefined remainingcharacters	<pre>\relatemarking [] [] \relateparameterhandlers {} {} {} \relaxvalueifundefined {} \remainingcharacters</pre>
relatemarking relateparameterhandlers relaxvalueifundefined remainingcharacters removebottomthings	<pre>\relatemarking [] [] \relateparameterhandlers {} {} {} \relaxvalueifundefined {} \remainingcharacters \removebottomthings</pre>
relatemarking relateparameterhandlers relaxvalueifundefined remainingcharacters removebottomthings removedepth	<pre>\relatemarking [] [] \relateparameterhandlers {} {} {} \relaxvalueifundefined {} \remainingcharacters \removebottomthings \removedepth</pre>
relatemarking relateparameterhandlers relaxvalueifundefined remainingcharacters removebottomthings removedepth removefromcommalist	<pre>\relatemarking [] [] \relateparameterhandlers {} {} {} \relaxvalueifundefined {} \remainingcharacters \removebottomthings \removedepth \removefromcommalist {} \</pre>
relatemarking relateparameterhandlers relaxvalueifundefined remainingcharacters removebottomthings removedepth removefromcommalist removelastskip	<pre>\relatemarking [] [] \relateparameterhandlers {} {} {} \relaxvalueifundefined {} \remainingcharacters \removebottomthings \removedepth \removefromcommalist {} \ \removelastskip</pre>
relatemarking relateparameterhandlers relaxvalueifundefined remainingcharacters removebottomthings removedepth removefromcommalist removelastskip removelastspace	<pre>\relatemarking [] [] \relateparameterhandlers {} {} {} \relaxvalueifundefined {} \remainingcharacters \removebottomthings \removedepth \removefromcommalist {} \ \removelastskip \removelastspace</pre>
relatemarking relateparameterhandlers relaxvalueifundefined remainingcharacters removebottomthings removedepth removefromcommalist removelastskip removelastspace removemarkedcontent	<pre>\relatemarking [] [] \relateparameterhandlers {} {} {} \relaxvalueifundefined {} \remainingcharacters \removebottomthings \removedepth \removefromcommalist {} \ \removelastskip \removelastspace \removemarkedcontent []</pre>
relatemarking relateparameterhandlers relaxvalueifundefined remainingcharacters removebottomthings removedepth removefromcommalist removelastskip removelastspace removemarkedcontent removepunctuation	<pre>\relatemarking [] [] \relateparameterhandlers {} {} {} \relaxvalueifundefined {} \remainingcharacters \removebottomthings \removedepth \removefromcommalist {} \ \removelastskip \removelastspace \removemarkedcontent [] \removepunctuation</pre>
relatemarking relateparameterhandlers relaxvalueifundefined remainingcharacters removebottomthings removedepth removefromcommalist removelastskip removelastspace removemarkedcontent removepunctuation removesubstring	<pre>\relatemarking [] [] \relateparameterhandlers {} {} {} \relaxvalueifundefined {} \remainingcharacters \removebottomthings \removedepth \removefromcommalist {} \ \removelastskip \removelastspace \removemarkedcontent [] \removepunctuation \removesubstring \from \to \</pre>
relatemarking relateparameterhandlers relaxvalueifundefined remainingcharacters removebottomthings removedepth removefromcommalist removelastskip removelastspace removemarkedcontent removepunctuation removesubstring removetoks	<pre>\relatemarking [] [] \relateparameterhandlers {} {} {} \relaxvalueifundefined {} \remainingcharacters \removebottomthings \removedepth \removefromcommalist {} \ \removelastskip \removelastspace \removemarkedcontent [] \removepunctuation \removesubstring \from \to \ \removetoks \from \</pre>
relatemarking relateparameterhandlers relaxvalueifundefined remainingcharacters removebottomthings removedepth removefromcommalist removelastskip removelastspace removemarkedcontent removepunctuation removesubstring removetoks removeunwantedspaces	<pre>\relatemarking [] [] \relateparameterhandlers {} {} {} \relaxvalueifundefined {} \remainingcharacters \removebottomthings \removedepth \removefromcommalist {} \ \removelastskip \removelastspace \removemarkedcontent [] \removepunctuation \removesubstring \from \to \ \removetoks \from \ \removeunwantedspaces</pre>
relatemarking relateparameterhandlers relaxvalueifundefined remainingcharacters removebottomthings removedepth removefromcommalist removelastskip removelastspace removemarkedcontent removepunctuation removesubstring removetoks removeunwantedspaces repeathead	<pre>\relatemarking [] [] \relateparameterhandlers {} {} {} \relaxvalueifundefined {} \remainingcharacters \removebottomthings \removedepth \removefromcommalist {} \ \removelastskip \removelastspace \removemarkedcontent [] \removepunctuation \removesubstring \from \to \ \removetoks \from \ \removeunwantedspaces \repeathead []</pre>
relatemarking relateparameterhandlers relaxvalueifundefined remainingcharacters removebottomthings removedepth removefromcommalist removelastskip removelastspace removemarkedcontent removepunctuation removesubstring removetoks removeunwantedspaces repeathead replacefeature	<pre>\relatemarking [] [] \relateparameterhandlers {} {} {} \relaxvalueifundefined {} \remainingcharacters \removebottomthings \removedepth \removefromcommalist {} \ \removelastskip \removelastspace \removemarkedcontent [] \removepunctuation \removesubstring \from \to \ \removetoks \from \ \removeunwantedspaces \repeathead [] \replacefeature []</pre>
relatemarking relateparameterhandlers relaxvalueifundefined remainingcharacters removebottomthings removedepth removefromcommalist removelastskip removelastspace removemarkedcontent removepunctuation removesubstring removetoks removeunwantedspaces repeathead replacefeature replacefeature:direct	<pre>\relatemarking [] [] \relateparameterhandlers {} {} {} \relaxvalueifundefined {} \remainingcharacters \removebottomthings \removedepth \removefromcommalist {} \ \removelastskip \removelastspace \removemarkedcontent [] \removepunctuation \removesubstring \from \to \ \removetoks \from \ \removeunwantedspaces \repeathead [] \replacefeature [] \replacefeature {}</pre>
relatemarking relateparameterhandlers relaxvalueifundefined remainingcharacters removebottomthings removedepth removefromcommalist removelastskip removelastspace removemarkedcontent removepunctuation removesubstring removetoks removeunwantedspaces repeathead replacefeature replacefeature:direct replaceincommalist	<pre>\relatemarking [] [] \relateparameterhandlers {} {} {} \relaxvalueifundefined {} \remainingcharacters \removebottomthings \removedepth \removefromcommalist {} \ \removelastskip \removelastspace \removemarkedcontent [] \removepunctuation \removesubstring \from \to \ \removetoks \from \ \removeunwantedspaces \repeathead [] \replacefeature [] \replacefeature {} \replaceincommalist \ {}</pre>
relatemarking relateparameterhandlers relaxvalueifundefined remainingcharacters removebottomthings removedepth removefromcommalist removelastskip removelastspace removemarkedcontent removepunctuation removesubstring removetoks removeunwantedspaces repeathead replacefeature replacefeature:direct	<pre>\relatemarking [] [] \relateparameterhandlers {} {} {} \relaxvalueifundefined {} \remainingcharacters \removebottomthings \removedepth \removefromcommalist {} \ \removelastskip \removelastspace \removemarkedcontent [] \removepunctuation \removesubstring \from \to \ \removeunwantedspaces \repeathead [] \replacefeature [] \replacefeature {} \replaceincommalist \ {} \replaceincommalist \ {} \replaceword [] [] []</pre>
relatemarking relateparameterhandlers relaxvalueifundefined remainingcharacters removebottomthings removedepth removefromcommalist removelastskip removelastspace removemarkedcontent removepunctuation removesubstring removetoks removeunwantedspaces repeathead replacefeature replacefeature:direct replaceword rescan	<pre>\relatemarking [] [] \relateparameterhandlers {} {} {} \relaxvalueifundefined {} \remainingcharacters \removebottomthings \removedepth \removefromcommalist {} \ \removelastskip \removelastspace \removemarkedcontent [] \removepunctuation \removesubstring \from \to \ \removetoks \from \ \removeunwantedspaces \repeathead [] \replacefeature [] \replacefeature {} \replaceincommalist \ {} \replaceword [] [] [] \replaceword [] []</pre>
relatemarking relateparameterhandlers relaxvalueifundefined remainingcharacters removebottomthings removedepth removefromcommalist removelastskip removelastspace removemarkedcontent removepunctuation removesubstring removetoks removeunwantedspaces repeathead replacefeature replacefeature:direct replaceincommalist replaceword rescan rescanwithsetup	<pre>\relatemarking [] [] \relateparameterhandlers {} {} {} \relaxvalueifundefined {} \remainingcharacters \removebottomthings \removedepth \removefromcommalist {} \ \removelastskip \removelastspace \removemarkedcontent [] \removepunctuation \removesubstring \from \to \ \removeunwantedspaces \repeathead [] \replacefeature [] \replacefeature {} \replaceincommalist \ {} \replaceword [] [] \rescan {} \rescanwithsetup {} {}</pre>
relatemarking relateparameterhandlers relaxvalueifundefined remainingcharacters removebottomthings removedepth removefromcommalist removelastskip removelastspace removemarkedcontent removepunctuation removesubstring removetoks removeunwantedspaces repeathead replacefeature replacefeature:direct replaceincommalist replaceword rescan rescanwithsetup resetallattributes	<pre>\relatemarking [] [] \relateparameterhandlers {} {} {} \relaxvalueifundefined {} \remainingcharacters \removebottomthings \removedepth \removefromcommalist {} \ \removelastskip \removelastspace \removemarkedcontent [] \removepunctuation \removesubstring \from \to \ \removeunwantedspaces \repeathead [] \replacefeature [] \replacefeature {} \replaceincommalist \ {} \replaceword [] [] \rescan {} \rescanwithsetup {} {} \rescanwithsetup</pre>
relatemarking relateparameterhandlers relaxvalueifundefined remainingcharacters removebottomthings removedepth removefromcommalist removelastskip removelastspace removemarkedcontent removepunctuation removesubstring removetoks removeunwantedspaces repeathead replacefeature replacefeature:direct replaceincommalist replaceword rescan rescanwithsetup resetallattributes resetandaddfeature	<pre>\relatemarking [] [] \relateparameterhandlers {} {} {} \relaxvalueifundefined {} \remainingcharacters \removebottomthings \removedepth \removefromcommalist {} \ \removelastskip \removelastspace \removemarkedcontent [] \removepunctuation \removesubstring \from \to \ \removeunwantedspaces \repeathead [] \replacefeature [] \replacefeature {} \replaceincommalist \ {} \replaceword [] [] \rescan {} \rescanwithsetup {} {} \resetallattributes \resetandaddfeature []</pre>
relatemarking relateparameterhandlers relaxvalueifundefined remainingcharacters removebottomthings removedepth removefromcommalist removelastskip removelastspace removemarkedcontent removepunctuation removesubstring removetoks removeunwantedspaces repeathead replacefeature replacefeature:direct replaceword rescan rescanwithsetup resetallattributes resetandaddfeature:direct	<pre>\relatemarking [] [] \relateparameterhandlers {} {} {} \relaxvalueifundefined {} \remainingcharacters \removebottomthings \removedepth \removefromcommalist {} \ \removelastskip \removelastspace \removemarkedcontent [] \removepunctuation \removesubstring \from \to \ \removeunwantedspaces \repeathead [] \replacefeature [] \replacefeature {} \replaceincommalist \ {} \replaceword [] [] [] \rescan {} \rescanwithsetup {} {} \resetallattributes \resetandaddfeature [] \resetandaddfeature [] \resetandaddfeature {}</pre>
relatemarking relateparameterhandlers relaxvalueifundefined remainingcharacters removebottomthings removedepth removefromcommalist removelastskip removelastspace removemarkedcontent removepunctuation removesubstring removetoks removeunwantedspaces repeathead replacefeature replacefeature:direct replaceincommalist replaceword rescan rescanwithsetup resetallattributes resetandaddfeature:direct resetbar	<pre>\relatemarking [] [] \relateparameterhandlers {} {} {} \relaxvalueifundefined {} \remainingcharacters \removebottomthings \removedepth \removefromcommalist {} \ \removelastskip \removelastspace \removemarkedcontent [] \removepunctuation \removesubstring \from \to \ \removeunwantedspaces \repeathead [] \replacefeature [] \replacefeature {} \replaceincommalist \ {} \replaceword [] [] [] \rescan {} \rescanwithsetup {} {} \resetallattributes \resetandaddfeature [] \resetandaddfeature {} \resetandaddfeature</pre>
relatemarking relateparameterhandlers relaxvalueifundefined remainingcharacters removebottomthings removedepth removefromcommalist removelastskip removelastspace removemarkedcontent removepunctuation removesubstring removetoks removeunwantedspaces repeathead replacefeature replacefeature:direct replaceincommalist replaceword rescan rescanwithsetup resetallattributes resetandaddfeature:direct resetbar resetboxesincache	<pre>\relatemarking [] [] \relateparameterhandlers {} {} {} \relaxvalueifundefined {} \remainingcharacters \removebottomthings \removedepth \removefromcommalist {} \ \removelastskip \removenovemarkedcontent [] \removepunctuation \removesubstring \from \to \ \removetoks \from \ \removeunwantedspaces \repeathead [] \replacefeature [] \replacefeature {} \replaceincommalist \ {} \replaceword [] [] [] \rescan {} \rescanwithsetup {} {} \resetallattributes \resetandaddfeature [] \resetandaddfeature {} \resetboxesincache {}</pre>
relatemarking relateparameterhandlers relaxvalueifundefined remainingcharacters removebottomthings removedepth removefromcommalist removelastskip removelastspace removemarkedcontent removepunctuation removesubstring removetoks removeunwantedspaces repeathead replacefeature replacefeature:direct replaceincommalist replaceword rescan rescanwithsetup resetallattributes resetandaddfeature resetandaddfeature:direct resetbar resetboxesincache resetbreakpoints	<pre>\relatemarking [] [] \relateparameterhandlers {} {} {} \relaxvalueifundefined {} \remainingcharacters \removebottomthings \removedepth \removefromcommalist {} \ \removelastskip \removelastspace \removemarkedcontent [] \removepunctuation \removesubstring \from \to \ \removetoks \from \ \removeunwantedspaces \repeathead [] \replacefeature [] \replacefeature {} \replaceincommalist \ {} \replaceword [] [] [] \rescan {} \rescanwithsetup {} {} \resetallattributes \resetandaddfeature [] \resetandaddfeature {} \resetboxesincache {} \resetbreakpoints</pre>
relatemarking relateparameterhandlers relaxvalueifundefined remainingcharacters removebottomthings removedepth removefromcommalist removelastskip removelastspace removemarkedcontent removepunctuation removesubstring removetoks removeunwantedspaces repeathead replacefeature replacefeature:direct replaceincommalist replaceword rescan rescanwithsetup resetallattributes resetandaddfeature:direct resetbar resetboxesincache	<pre>\relatemarking [] [] \relateparameterhandlers {} {} {} \relaxvalueifundefined {} \remainingcharacters \removebottomthings \removedepth \removefromcommalist {} \ \removelastskip \removenovemarkedcontent [] \removepunctuation \removesubstring \from \to \ \removetoks \from \ \removeunwantedspaces \repeathead [] \replacefeature [] \replacefeature {} \replaceincommalist \ {} \replaceword [] [] [] \rescan {} \rescanwithsetup {} {} \resetallattributes \resetandaddfeature [] \resetandaddfeature {} \resetboxesincache {}</pre>
relatemarking relateparameterhandlers relaxvalueifundefined remainingcharacters removebottomthings removedepth removefromcommalist removelastskip removelastspace removemarkedcontent removepunctuation removesubstring removetoks removeunwantedspaces repeathead replacefeature replacefeature:direct replaceincommalist replaceword rescan rescanwithsetup resetallattributes resetandaddfeature resetandaddfeature:direct resetbar resetboxesincache resetbreakpoints resetbuffer resetcharacteralign	<pre>\relatemarking [] [] \relateparameterhandlers {} {} {} \relaxvalueifundefined {} \remainingcharacters \removebottomthings \removedepth \removelastskip \removelastspace \removemarkedcontent [] \removebottomthings \from \to \ \removebottomthings \removedepth \removelastspace \removemovemarkedcontent [] \removeboutdation \removesubstring \from \to \ \removeunvantedspaces \repeathead [] \replacefeature [] \replacefeature [] \replacefeature {} \replaceincommalist \ {} \replaceword [] [] [] \rescan {} \rescan \times \times</pre>
relatemarking relateparameterhandlers relaxvalueifundefined remainingcharacters removebottomthings removedepth removefromcommalist removelastskip removelastspace removemarkedcontent removepunctuation removesubstring removetoks removeunwantedspaces repeathead replacefeature replacefeature:direct replaceincommalist replaceword rescan rescanwithsetup resetallattributes resetandaddfeature:direct resetbar resetboxesincache resetbreakpoints resetbuffer	<pre>\relatemarking [] [] \relateparameterhandlers {} {} {} \relaxvalueifundefined {} \remainingcharacters \removebottomthings \removedepth \removelastskip \removelastspace \removemarkedcontent [] \removebottomthing \from \to \ \removebottomthing \removenctuation \removesubstring \from \ \removebottomthing \from \ \removebottomthing \from \ \removenctuation \removesubstring \from \ \removebottomthing \from \ \replacefeature [] \restandadfeature [] \restandadfeature [] \restandaddfeature [] \restandaddfeature  \restboxesincache  \restbreakpoints \restbreakpoints \restbreakpoints \restbreakpoints \resetcharacteralign \resetchar</pre>
relatemarking relateparameterhandlers relaxvalueifundefined remainingcharacters removebottomthings removedepth removefromcommalist removelastskip removelastspace removemarkedcontent removepunctuation removesubstring removetoks removeunwantedspaces repeathead replacefeature replacefeature:direct replaceincommalist replaceword rescan rescanwithsetup resetallattributes resetandaddfeature resetbar resetboxesincache resetbreakpoints resetcharacteralign resetcharacterspacing	<pre>\relatemarking [] [] \relateparameterhandlers {} {} {} \relaxvalueifundefined {} \remainingcharacters \removebottomthings \removedepth \removelastskip \removelastspace \removemarkedcontent [] \removebottomthings \from \to \ \removebottomthings \removelastspace \removemarkedcontent [] \removeboutdation \removesubstring \from \to \ \removeunded [] \removebother = [] \removebother = [] \replacefeature [] \replacefeature [] \replacefeature [] \replacefeature [] \rescan {} \rescan {} \rescan {} \rescanded [] [] \resetandaddfeature [] \resetandaddfeature [] \resetbreakpoints \resetbreakpoints \resetcharacteralign \resetcharacterspacing \resetcharacterspacing</pre>
relatemarking relateparameterhandlers relaxvalueifundefined remainingcharacters removebottomthings removedepth removefromcommalist removelastskip removelastspace removemarkedcontent removepunctuation removesubstring removetoks removeunwantedspaces repeathead replacefeature replacefeature:direct replaceincommalist replaceword rescan rescanwithsetup resetallattributes resetandaddfeature resetbar resetboxesincache resetbreakpoints resetcharacteralign resetcharacterkerning	<pre>\relatemarking [] [] \relateparameterhandlers {} {} {} \relaxvalueifundefined {} \remainingcharacters \removebottomthings \removedepth \removefromcommalist {} \ \removelastskip \removelastspace \removemarkedcontent [] \removepunctuation \removesubstring \from \to \ \removeunwantedspaces \repeathead [] \replacefeature [] \replacefeature {} \replaceincommalist \ {} \replaceword [] [] [] \rescan {} \rescanwithsetup {} {} \resetallattributes \resetandaddfeature [] \resetbar \resetboxesincache {} \resetbreakpoints \resetbreakpoints \resetcharacterstripping \resetcharacterstripping</pre>
relatemarking relateparameterhandlers relaxvalueifundefined remainingcharacters removebottomthings removedepth removefromcommalist removelastskip removelastspace removemarkedcontent removepunctuation removesubstring removetoks removeunwantedspaces repeathead replacefeature replacefeature:direct replaceincommalist replaceword rescan rescanwithsetup resetallattributes resetandaddfeature resetbar resetboxesincache resetbreakpoints resetcharacteralign resetcharacterspacing	<pre>\relatemarking [] [] \relateparameterhandlers {} {} {} \relaxvalueifundefined {} \remainingcharacters \removebottomthings \removedepth \removefromcommalist {} \ \removelastskip \removelastspace \removemarkedcontent [] \removepunctuation \removesubstring \from \to \ \removeunwantedspaces \repeathead [] \replacefeature [] \replacefeature {} \replaceincommalist \ {} \replaceword [] [] [] \rescan {} \rescanwithsetup {} {} \resetallattributes \resetandaddfeature [] \resetbar \resetboxesincache {} \resetbreakpoints \resetbreakpoints \resetcharacteralign \resetcharacterspacing \resetcharacterstripping \resetcharacterstripping \resetcollector []</pre>
relatemarking relateparameterhandlers relaxvalueifundefined remainingcharacters removebottomthings removedepth removefromcommalist removelastskip removelastspace removemarkedcontent removepunctuation removesubstring removetoks removeunwantedspaces repeathead replacefeature replacefeature:direct replaceincommalist replaceword rescan rescanwithsetup resetallattributes resetandaddfeature:direct resetbar resetboxesincache resetbreakpoints resetcharacteralign resetcharacterspacing resetcharacterspring	<pre>\relatemarking [] [] \relateparameterhandlers {} {} {} \relaxvalueifundefined {} \remainingcharacters \removebottomthings \removedepth \removefromcommalist {} \ \removelastskip \removelastspace \removemarkedcontent [] \removepunctuation \removesubstring \from \to \ \removeunwantedspaces \repeathead [] \replacefeature [] \replacefeature {} \replaceincommalist \ {} \replaceword [] [] [] \rescan {} \rescanwithsetup {} {} \resetallattributes \resetandaddfeature [] \resetbar \resetboxesincache {} \resetbreakpoints \resetbreakpoints \resetcharacterstripping \resetcharacterstripping</pre>

resetdirection	\resetdirection
resetfeature	\resetfeature
resetflag	\resetflag {}
resetfontcolorsheme	\resetfontcolorsheme
resetfontfallback	\resetfontfallback [] []
resetfontsolution	\resetfontsolution
resethyphenationfeatures	\resethyphenationfeatures
resetinjector resetinteractionmenu	\resetinjector [] \resetinteractionmenu []
resetitaliccorrection	\resettitelactionment []
resetlayer	\resetlayer []
resetlocalfloats	\resetlocalfloats
resetMPdrawing	\resetMPdrawing
resetMPenvironment	\resetMPenvironment
resetMPinstance	\resetMPinstance []
resetmarker	\resetmarker []
resetmode	\resetmode {}
resetpagenumber	\resetpagenumber
resetparallel	\resetparallel [] []
resetpath	\resetpath
resetpenalties	\resetpenalties \
resetperiodkerning	\resetperiodkerning
resetprofile	\resetprofile
resetrecurselevel resetreference	\resetrecurselevel \resetreference []
resetreplacements	\resetreplacements
resetscript	\resetscript
resetsetups	\resetsetipt \resetsetips []
resetshownsynonyms	\resetshownsynonyms []
resetsubpagenumber	\resetsubpagenumber
resetsymbolset	\resetsymbolset
resetsystemmode	\resetsystemmode {}
resettimer	\resettimer
resettokenlist	\resettokenlist []
resettrackers	\resettrackers
resettrialtypesetting	\resettrialtypesetting
resetusedsortings	\resetusedsortings []
resetusedsynonyms	\resetusedsynonyms []
resetuserpagenumber	\resetuserpagenumber
resetvalue	\resetvalue {}
resetvisualizers	\resetvisualizers
reshapebox	\reshapebox {}
resolvedglyphdirect	\resolvedglyphdirect {} {}
resolvedglyphstyled	\resolvedglyphstyled {} {}
restartcounter restorebox	\restartcounter [] [] \restorebox {} {}
restorecatcodes	\restoredox \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
restorecounter	\restorecatcodes \restorecounter []
restorecurrentattributes	\restorecurrentattributes {}
restoreendofline	\restoreendofline
restoreglobalbodyfont	\restoreglobalbodyfont
retestfeature	\retestfeature
reusableMPgraphic	\reusableMPgraphic {} {=}
reuseMPgraphic	\reuseMPgraphic {} {=}
reuserandomseed	\reuserandomseed
reversehbox	\reversehbox {}
reversehpack	\reversehpack {}
reversetpack	\reversetpack {}
reversevbox	\reversevbox {}
reversevpack	\reversevpack {}
reversevtop	\reversevtop {}
revivefeature	\revivefeature
rfence	\rfence {}
rhbox	\rhbox {}
rif	\rif [] []
riferimento riferimentonagina	\riferimentonagina [ ]
riferimentopagina riferimentotesto	\riferimentopagina [] \riferimentotesto [] {}
riflessione	\riflessione \{\dots\}
riga	\riga {}
rigariempimento	\rigariempimento [=]
rightbottombox	\rightbottombox {}
	•

rightbox	\rightbox {}
righthbox	\righthbox {}
rightlabeltext:instance	\rightLABELtesto {}
rightlabeltext:instance:head	\rightheadtesto {}
rightlabeltext:instance:label	\rightlabeltesto {}
rightlabeltext:instance:mathlabel	\rightmathlabeltesto {}
rightline	\rightline {}
rightorleftpageaction	\rightorleftpageaction {} {}
rightpageorder	\rightpageorder
rightskipadaption	\rightskipadaption
rightsubguillemot	\rightsubguillemot
righttoleft	\righttoleft
<u> </u>	\righttoleft\righttoleft\sum_{\cdots}
righttolefthbox	<u> </u>
righttoleftvbox	\righttoleftvbox {}
righttoleftvtop	\righttoleftvtop {}
righttopbox	\righttopbox {}
rigovuoto	\rigovuoto []
ring	\ring {}
rlap	\rlap {}
robustaddtocommalist	\robustaddtocommalist {} \
robustdoifelseinset	\robustdoifelseinset \{\ldots\} \{\ldots\} \{\ldots\} \{\ldots\}
robustdoifinsetelse	\robustdoifinsetelse \{\ldots\} \{\ldots\} \{\ldots\} \\
robustpretocommalist	\robustpretocommalist {} \
rollbutton:button	\rollbutton [=] []
rollbutton:interactionmenu	\rollbutton [] [=] []
roman	\roman
rtlhbox	\rtlhbox {}
rtlvbox	\rtlvbox {}
rtlvtop	\rtlvtop {}
rtop	\rtop {}
ruby	\ruby [] {} {}
ruledhbox	\ruledhbox {}
ruledhpack	\ruledhpack {}
ruledmbox	\ruledmbox {}
ruledtopv	\ruledtopv {}
ruledtpack	\ruledtpack {}
ruledvbox	\ruledvbox {}
ruledvpack	\ruledvpack {}
ruledvtop	\ruledvtop {}
runMPbuffer	\runMPbuffer []
runninghbox	\runninghbox {}
ruota	\ruota [=] {}
russianNumerals	\russianNumerals {}
russiannumerals	\russiannumerals {}
ScaledPointsToBigPoints	\ScaledPointsToBigPoints {} \
ScaledPointsToWholeBigPoints	\ScaledPointsToWholeBigPoints {} \
Smallcapped	\Smallcapped {}
safechar	\safechar {}
samplefile	\samplefile {}
sans	\sans
sansgrassetto	\sansgrassetto
sansnormal	\sansnormal
sansserif	\sansserif
savebox	\savebox {} {} {}
savebtxdataset	\savebtxdataset [] [] [=]
savebuffer	\savebuffer [=]
savebuffer:list	\savebuffer [] []
savecolore	\savecolore \restorecolore
savecounter	\savecounter []
savecurrentattributes	\savecounter [] \savecounter []
savenormalmeaning	\savenormalmeaning \
savetaggedtwopassdata	\savetuopassdata { } { } { }
savetwopassdata	\savetwopassdata {} {} {}
sbox	\sbox {}
scala	\scala [] [=] {}
schermo	\schermo []
script:instance	\SCRIPT
script:instance:ethiopic	\ethiopic
script:instance:hangul	\hangul
script:instance:hanzi	\hanzi
script:instance:latin	\latin
script:instance:nihongo	\nihongo

script:instance:test	\test
script:instance:thai	\thai
scrividentroelenco	\scrividentroelenco [] [=] {}
scriviinelenco	\scriviinelenco [] [=] {} {}
secondoffivearguments	\secondoffivearguments $\{\}$ $\{\}$ $\{\}$ $\{\}$
secondoffourarguments	\secondoffourarguments $\{\ldots\}$ $\{\ldots\}$ $\{\ldots\}$
secondofsixarguments	\secondofsixarguments {} {} {} {} {} {}
secondofthreearguments	\secondofthreearguments {} {} {}
secondofthreeunexpanded	\secondofthreeunexpanded $\{\ldots\}$ $\{\ldots\}$
secondoftwoarguments	\secondoftwoarguments {} {}
secondoftwounexpanded	\secondoftwounexpanded \{\ldots\}\ \{\ldots\}
seeregister:instance	\vediREGISTER [] {++} {}
seeregister:instance:index	\vediindex [] {++} {}
segnalibro	\segnalibro [] {}
select	\select {} {} {} {} {}
selezionablocchi	\selezionablocc $\mathbb{H}^{PT}_{1}$ [ $\mathbb{H}^{PT}_{1}$ [ $\mathbb{H}^{PT}_{2}$ ] $\mathbb{H}^{OPT}_{1}$
serializecommalist	\serializecommalist []
serializedcommalist	\serializedcommalist
serif	\serif
serifbold	\serifbold
serifnormal	\serifnormal
setautopagestaterealpageno	\setautopagestaterealpageno {}
setbar	\setbar []
setbigbodyfont	\setbigbodyfont
setboxllx	\setboxllx {}
setboxlly	\setboxlly {}
setbreakpoints	\setbreakpoints []
setbuffer	\setbuffer [] \endbuffer
setcapstrut	\setcapstrut
setcatcodetable	\setcatcodetable \
setcharacteralign	\setcharacteralign {} {}
setcharacteraligndetail	\setcharacteraligndetail {} {} {} {}
setcharactercasing	\setcharactercasing []
setcharactercleaning	\setcharactercleaning []
setcharacterkerning	\setcharacterkerning []
setcharacterspacing	\setcharacterspacing []
setcharacterstripping	\setcharacterstripping []
setcharstrut	\setcharstrut {}
setcollector	\setcollector [] [=] {}
setcolormodell	\setcolormodell []
setcounter	\setcounter [] []
setcounterown	\setcounterown [] []
setcurrentfontclass	\setcurrentfontclass {}
setdataset	\setdataset [] [=]
setdatavalue	\setdatavalue {} {}
setdefaultpenalties	\setdefaultpenalties
setdigitsmanipulation	\setdigitsmanipulation []
setdirection	\setdirection []
setdocumentargument	\setdocumentargument {} {}
setdocumentargumentdefault	\setdocumentargumentdefault {} {}
setdocumentfilename	\setdocumentfilename {} {}
setdummyparameter	\setdummyparameter {} {}
setelementexporttag	\setelementexporttag [] []
setemeasure	\setemeasure {} {}
setevalue	\setevalue {} {}
setevariable	\setevariable {} {} {}
setevariables	\setevariables [] [=]
setexpansion	\setexpansion []
setfirstline	\setfirstline []
setfirstpasscharacteralign	\setfirstpasscharacteralign
setflag	\setflag {}
setfont	\setfont
setfontcolorsheme	\setfontcolorsheme []
setfontfeature	\setfontfeature {}
setfontsolution	\setfontsolution []
setfontstrut	\setfontstrut
	\setfractions
setfractions	·
setglobalscript	\setglobalscript []
setgmeasure	\setgmeasure {} {} \setgvalue {} {}
setgvalue	
setgvariable	\setgvariable {} {} {}
setgvariables	\setgvariables [] [=]

acthhorrogiator	\ao+bbownogia+on
	\sethboxregister {}
• •	\sethyphenatedurlafter {}
sethyphenatedurlbefore	\sethyphenatedurlbefore {}
sethyphenatedurlnormal	\sethyphenatedurlnormal {}
sethyphenationfeatures	\sethyphenationfeatures []
• •	\setinitial [] [=]
	\setinjector [] []
	\setinteraction []
setinterfacecommand	\setinterfacecommand {} {}
setinterfaceconstant	\setinterfaceconstant {} {}
setinterfaceelement	\setinterfaceelement {} {}
setinterfacemessage	\setinterfacemessage {} {} {}
<u> </u>	\setinterfacevariable {} {}
	\setinternalrendering [] [] {}
	\setitaliccorrection []
setJSpreamble	\setJSpreamble {} {}
setlayer	\setlayer [] [=] {}
setlayerframed	\setlayerframed [] [=] [=] {}
	\setlayerframed [] [=] {}
·	\setlayertext [] [=] [=] {}
•	
	\setlinefiller []
setlocalhsize	\setlocalhsize []
setlocalscript	\setlocalscript []
setluatable	\setluatable \ {}
	\setMPlayer [] [=] {}
•	•
	\setMPpositiongraphic {} {} {}
	\setMPpositiongraphicrange {} {} {}
setMPtext	\setMPtext {} {}
setMPvariable	\setMPvariable [] [=]
setMPvariables	\setMPvariables [] [=]
	\setmainbodyfont
•	\setmainparbuilder []
	\setmarker [] []
setmarking	\setmarking [] {}
setmathstyle	\setmathstyle {}
	\
setmeasure	\setmeasure {} {}
setmessagetext	\setmessagetext {} {}
setmessagetext	\setmessagetext {} {} \setmode {}
setmessagetext setmode setnostrut	\setmessagetext {} {} \setmode {} \setnostrut
setmessagetext setmode setnostrut	\setmessagetext {} {} \setmode {}
setmessagetext setmode setnostrut setnote	\setmessagetext {} {} \setmode {} \setnostrut
setmessagetext setmode setnostrut setnote setnotetext	\setmessagetext {} {} \setmode {} \setnostrut \setnote [] []
setmessagetext setmode setnostrut setnote setnotetext setnotetext:assignment	\setmessagetext {} {} \setmode {} \setmostrut \setnote [] [] {} \setnotetext [] [] {} \setnotetext [] [=]
setmessagetext setmode setnostrut setnote setnotetext setnotetext:assignment setnote:assignment	\setmessagetext {} {} \setmode {} \setmostrut \setnote [] [] {} \setmotetext [] [] {} \setmotetext [] [=] \setmote [] [=]
setmessagetext setmode setnostrut setnote setnotetext setnotetext:assignment setnote:assignment setobject	\setmessagetext {} {} \setmode {} \setmostrut \setnote [] [] {} \setnotetext [] [] {} \setnotetext [] [=] \setnote [] [=]
setmessagetext setmode setnostrut setnote setnotetext setnotetext:assignment setnote:assignment setobject setoldstyle	\setmessagetext {} {} \setmode {} \setmostrut \setnote [] [] {} \setnotetext [] [] {} \setnotetext [] [=] \setnote [] [=] \setobject {} {} \ {} \setoldstyle
setmessagetext setmode setnostrut setnote setnotetext setnotetext:assignment setnote:assignment setobject setoldstyle setpagereference	\setmessagetext {} {} \setmode {} \setmostrut \setnote [] [] {} \setnotetext [] [] {} \setnotetext [] [=] \setnote [] [=] \setobject {} {} \ {} \setoldstyle \setpagereference {} {}
setmessagetext setmode setnostrut setnote setnotetext setnotetext:assignment setnote:assignment setobject setoldstyle setpagereference	\setmessagetext {} {} \setmode {} \setmostrut \setnote [] [] {} \setnotetext [] [] {} \setnotetext [] [=] \setnote [] [=] \setobject {} {} \ {} \setoldstyle
setmessagetext setmode setnostrut setnote setnotetext setnotetext:assignment setnote:assignment setobject setoldstyle setpagereference setpagestate	\setmessagetext {} {} \setmode {} \setmostrut \setnote [] [] {} \setnotetext [] [] {} \setnotetext [] [=] \setnote [] [=] \setobject {} {} \ {} \setoldstyle \setpagereference {} {}
setmessagetext setmode setnostrut setnote setnotetext setnotetext:assignment setnote:assignment setobject setoldstyle setpagereference setpagestate setpagestaterealpageno	\setmessagetext {} {} \setmode {} \setmostrut \setnote [] [] {} \setnotetext [] [] \setnotetext [] [] \setnotetext [] [] \setnote [] [] \setobject {} {} \ {} \setpagereference {} {} \setpagestate [] [] \setpagestaterealpageno {} {}
setmessagetext setmode setnostrut setnote setnotetext setnotetext:assignment setnote:assignment setobject setoldstyle setpagereference setpagestate setpagestaterealpageno setpenalties	\setmessagetext {} {} \setmode {} \setmostrut \setnote [] [] {} \setnotetext [] [] \setnotetext [] [] \setnotetext [] [] \setnote [] [] \setobject {} {} \ {} \setpagereference {} {} \setpagestate [] [] \setpagestaterealpageno {} {} \setpenalties \ {}
setmessagetext setmode setnostrut setnote setnotetext setnotetext:assignment setnote:assignment setobject setoldstyle setpagereference setpagestate setpagestaterealpageno setpenalties setpercentdimen	\setmessagetext {} {} \setmode {} \setmostrut \setnote [] [] {} \setnotetext [] [] {} \setnotetext [] [] \setnotetext [] [] \setnote [] [] \setobject {} {} \ {} \setpagereference {} {} \setpagestate [] [] \setpagestaterealpageno {} {} \setpenalties \ {} {} \setpercentdimen {} {}
setmessagetext setmode setnostrut setnote setnotetext setnotetext:assignment setnote:assignment setobject setoldstyle setpagereference setpagestate setpagestaterealpageno setpenalties setpercentdimen setperiodkerning	\setmessagetext {} {} \setmode {} \setmostrut \setnote [] [] {} \setnotetext [] [] \setnotetext [] [] \setnotet [] [] \setobject {} {} \ {} \setpagereference {} {} \setpagestate [] [] \setpagestaterealpageno {} {} \setpenalties \ {} {} \setperiodkerning []
setmessagetext setmode setnostrut setnote setnotetext setnotetext:assignment setnote:assignment setobject setoldstyle setpagereference setpagestate setpagestaterealpageno setpenalties setpercentdimen setperiodkerning setposition	\setmessagetext {} {} \setmode {} \setmostrut \setnote [] [] {} \setnotetext [] [] {} \setnotetext [] [] \setnotet [] [] \setobject {} {} \ {} \setpagereference {} {} \setpagestate [] [] \setpagestaterealpageno {} {} \setpenalties \ {} {} \setperiodkerning [] \setposition {}
setmessagetext setmode setnostrut setnote setnotetext setnotetext:assignment setnote:assignment setobject setoldstyle setpagereference setpagestate setpagestaterealpageno setpenalties setpercentdimen setperiodkerning setposition	\setmessagetext {} {} \setmode {} \setmostrut \setnote [] [] {} \setnotetext [] [] \setnotetext [] [] \setnotet [] [] \setobject {} {} \ {} \setpagereference {} {} \setpagestate [] [] \setpagestaterealpageno {} {} \setpenalties \ {} {} \setperiodkerning []
setmessagetext setmode setnostrut setnote setnotetext setnotetext:assignment setnote:assignment setobject setoldstyle setpagereference setpagestate setpagestaterealpageno setpenalties setpercentdimen setperiodkerning setposition	\setmessagetext {} {} \setmode {} \setmote [] [] {} \setnotetext [] [] {} \setnotetext [] [] \setnotetext [] [] \setnote [] [] \setobject {} {} \ {} \setpagereference {} {} \setpagestate [] [] \setpagestaterealpageno {} {} \setpenalties \ {} {} \setperiodkerning [] \setposition {} \setpositionbox {} \ {}
setmessagetext setmode setnostrut setnote setnotetext setnotetext:assignment setnote:assignment setobject setoldstyle setpagereference setpagestate setpagestaterealpageno setpenalties setpercentdimen setperiodkerning setposition setpositiondata	\setmessagetext {} {} \setmode {} \setmote [] [] {} \setnotetext [] [] {} \setnotetext [] [] \setnote [] [] \setobject {} {} \ {} \setpagereference {} {} \setpagestate [] [] \setpagestaterealpageno {} {} \setpenalties \ {} {} \setperiodkerning [] \setpositionbox {} \ {} \setpositiondata {} {} {}
setmessagetext setmode setnostrut setnote setnotetext setnotetext:assignment setnote:assignment setobject setoldstyle setpagereference setpagestate setpagestaterealpageno setpenalties setpercentdimen setperiodkerning setposition setpositiondata setpositiondataplus	\setmessagetext {} {} \setmode {} \setmode {} \setnostrut \setnote [] [] {} \setnotetext [] [] \setnotetext [] [] \setnote [] [] \setobject {} {} \ \setobject {} {} \setpagereference {} {} \setpagereference {} {} \setpagestate [] [] \setpagestaterealpageno {} {} \setpenalties \ {} {} \setpercentdimen {} {} \setposition {} \setpositiondata {} {} {} {} \setpositiondataplus {} {} {} {}
setmessagetext setmode setnostrut setnote setnotetext setnotetext:assignment setnote:assignment setobject setoldstyle setpagereference setpagestate setpagestaterealpageno setpenalties setpercentdimen setperiodkerning setposition setpositiondata setpositiondataplus setpositiononly	\setmessagetext {} {} \setmode {} \setmode {} \setnostrut \setnote [] [] {} \setnotetext [] [] \setnotetext [] [] \setnote [] [] \setobject {} {} \ \setobject {} {} \setpagereference {} {} \setpagestate [] [] \setpagestaterealpageno {} {} \setpenalties \ {} {} \setperiodkerning [] \setpositionbox {} \ {} \setpositiondata {} {} {} {} \setpositiondataplus {} {} {} {} \setpositiononly {}
setmessagetext setmode setnostrut setnote setnotetext setnotetext:assignment setnote:assignment setobject setoldstyle setpagereference setpagestate setpagestaterealpageno setpenalties setpercentdimen setperiodkerning setposition setpositiondata setpositiondata setpositiononly setpositionplus	\setmessagetext {} {} \setmode {} \setmode {} \setnostrut \setnote [] [] {} \setnotetext [] [] {} \setnotetext [] [] \setnote [] [] \setobject {} {} \ {} \setobject {} {} \setpagereference {} {} \setpagestate [] [] \setpagestaterealpageno {} {} \setpenalties \ {} {} \setperiodkerning [] \setposition {} \setpositiondata {} {} {} {} \setpositiondata {} {} {} \setpositiononly {} \setpositionplus {} {} \ {}
setmessagetext setmode setnostrut setnote setnotetext setnotetext:assignment setnote:assignment setobject setoldstyle setpagereference setpagestate setpagestate setpagestaterealpageno setpenalties setpercentdimen setperiodkerning setposition setpositionbox setpositiondata setpositiononly setpositionplus setpositionstrut	\setmessagetext {} {} \setmode {} \setmode {} \setnostrut \setnote [] [] {} \setnotetext [] [] {} \setnotetext [] [] \setnote [] [] \setobject {} {} \ {} \setoldstyle \setpagereference {} {} \setpagestate [] [] \setpagestaterealpageno {} {} \setpenalties \ {} {} \setperiodkerning [] \setposition {} \setpositiondata {} {} {} {} \setpositiondataplus {} {} {} {} \setpositiononly {} \setpositionstrut {} \setpositionstrut {}
setmessagetext setmode setnostrut setnote setnotetext setnotetext:assignment setnote:assignment setobject setoldstyle setpagereference setpagestate setpagestate setpagestaterealpageno setpenalties setpercentdimen setperiodkerning setposition setpositionbox setpositiondata setpositiononly setpositionplus setpositionstrut	\setmessagetext {} {} \setmode {} \setmode {} \setnostrut \setnote [] [] {} \setnotetext [] [] {} \setnotetext [] [] \setnote [] [] \setobject {} {} \ {} \setobject {} {} \setpagereference {} {} \setpagestate [] [] \setpagestaterealpageno {} {} \setpenalties \ {} {} \setperiodkerning [] \setposition {} \setpositiondata {} {} {} {} \setpositiondata {} {} {} \setpositiononly {} \setpositionplus {} {} \ {}
setmessagetext setmode setnostrut setnote setnotetext setnotetext:assignment setnote:assignment setobject setoldstyle setpagereference setpagestate setpagestaterealpageno setpenalties setpercentdimen setperiodkerning setposition setpositiondata setpositiondata setpositiononly setpositionplus setpositionstrut setprofile	\setmessagetext {} {} \setmode {} \setmode {} \setnostrut \setnote [] [] {} \setnotetext [] [] {} \setnotetext [] [] \setnote [] [] \setobject {} {} \ {} \setoldstyle \setpagereference {} {} \setpagestate [] [] \setpagestaterealpageno {} {} \setpenalties \ {} {} \setperiodkerning [] \setposition {} \setpositiondata {} {} {} {} \setpositiondataplus {} {} {} {} \setpositiononly {} \setpositionstrut {} \setpositionstrut {}
setmessagetext setmode setnostrut setnote setnotetext setnotetext:assignment setnote:assignment setobject setoldstyle setpagereference setpagestate setpagestaterealpageno setpenalties setpercentdimen setperiodkerning setposition setpositionbox setpositiondata setpositionaly setpositionplus setpositionstrut setprofile setrandomseed	\setmosagetext {} {} \setmode {} \setmode {} \setnostrut \setnote [] [] {} \setnotetext [] [] {} \setnotetext [] [] \setnote [] [] \setobject {} {} \ {} \setobject {} {} \ \setpagereference {} {} \setpagestate [] [] \setpagestaterealpageno {} {} \setpenalties \ {} {} \setperiodkerning [] \setposition {} \setpositiondata {} {} {} {} \setpositiondataplus {} {} {} {} \setpositiononly {} \setpositionstrut {} \setpositionstrut {} \setpositionfile []
setmessagetext setmode setnostrut setnote setnotetext setnotetext:assignment setnote:assignment setobject setoldstyle setpagereference setpagestate setpagestaterealpageno setpenalties setpercentdimen setperiodkerning setposition setpositiondata setpositiondata setpositionaly setpositionplus setpositionstrut setprofile setrandomseed setreference	\setmode {} \setmode {} \setmode {} \setmote [] [] {} \setnotetext [] [] {} \setnotetext [] [] \setnote [] [] \setobject {} {} \ {} \setobject {} {} \setpagereference {} {} \setpagestate [] [] \setpagestaterealpageno {} {} \setpenalties \ {} {} \setperiodkerning [] \setposition {} \setpositiondata {} {} {} {} \setpositiondataplus {} {} {} {} \setpositiononly {} \setpositionstrut {} \setpositionstrut {} \setpositionfie [] \setpositionfie [] \setreference [] []
setmessagetext setmode setnostrut setnote setnotetext setnotetext:assignment setnote:assignment setobject setoldstyle setpagereference setpagestate setpagestaterealpageno setpenalties setpercentdimen setperiodkerning setposition setpositionbox setpositiondata setpositiondata setpositionplus setpositionplus setpositionstrut setprofile setrandomseed setreference setreferencedobject	\setmessagetext {} {} \setmode {} \setmoterut \setnote [] [] {} \setnotetext [] [] {} \setnotetext [] [] \setnote [] [] \setnote [] [] \setobject {} {} \ {} \setoldstyle \setpagereference {} {} \setpagestate [] [] \setpagestaterealpageno {} {} \setpenalties \ {} {} \setperiodkerning [] \setperiodkerning [] \setposition {} \setpositiondata {} {} {} {} {} \setpositiondataplus {} {} {} {} \setpositionplus {} {} {} \setpositionstrut {} \setpositionstrut {} \setpositionfile [] \setreference [] [=] \setreferencedobject {} {} \ {}
setmessagetext setmode setnostrut setnote setnotetext setnotetext:assignment setnote:assignment setobject setoldstyle setpagereference setpagestate setpagestaterealpageno setpenalties setpercentdimen setperiodkerning setposition setpositiondata setpositiondata setpositionally setpositionplus setpositionstrut setprofile setrandomseed setreference setreferencedobject setregisterentry	\setmessagetext {} {} \setmode {} \setmoterut \setnote [] [] {} \setnotetext [] [] \setnotetext [] [] \setnote [] [] \setobject {} {} \ {} \setoldstyle \setpagereference {} {} \setpagestate [] [] \setpagestaterealpageno {} {} \setpenalties \ {} {} \setperiodkerning [] \setposition {} \setposition {} {} {} {} {} \setpositiondata {} {} {} {} {} \setposition {} \setposition {} {} {} {} {} {} {} {} {} {} \setposition {} {} {} {} {} {} \setposition {} {} {} {} {} {} {} {} \setposition {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {
setmessagetext setmode setnostrut setnote setnotetext setnotetext:assignment setnote:assignment setobject setoldstyle setpagereference setpagestate setpagestate setpagestaterealpageno setpenalties setpercentdimen setperiodkerning setposition setpositionbox setpositiondata setpositiondataplus setpositionplus setpositionplus setpositionstrut setprofile setrandomseed setreference setreferencedobject setregisterentry setreplacements	\setmessagetext {} {} \setmode {} \setmostrut \setnote [] [] {} \setnotetext [] [] {} \setnotetext [] [] \setnote [] [] \setobject {} {} \ {} \setoldstyle \setpagereference {} {} \setpagestate [] [] \setpagestaterealpageno {} {} \setpenalties \ {} {} \setperiodkerning [] \setposition {} \setposition {} {} {} {} {} \setpositiondata {} {} {} {} {} \setposition {} \setposition {} {} {} {} {} {} \setposition {} {} {} {} \setposition {} {} {} {} \setposition {} {} {} {} {} \setposition {} {} {} \setposition {} {} {} {} \setposition {} {} {} {} \setposition {} {} {} \setposition {} {} {} \setposition {} {} {} {} \setposition {} {} \setposition {} {} {} \setposi
setmessagetext setmode setnostrut setnote setnotetext setnotetext:assignment setnote:assignment setobject setoldstyle setpagereference setpagestate setpagestaterealpageno setpenalties setpercentdimen setperiodkerning setposition setpositionbox setpositiondata setpositiondataplus setpositionplus setpositionplus setpositionstrut setprofile setrandomseed setreference setreferencedobject setregisterentry setreplacements setrigidcolumnbalance	\setmessagetext {} {} \setmode {} \setmoterut \setnote [] [] {} \setnotetext [] [] \setnotetext [] [] \setnote [] [] \setobject {} {} \ {} \setoldstyle \setpagereference {} {} \setpagestate [] [] \setpagestaterealpageno {} {} \setpenalties \ {} {} \setperiodkerning [] \setposition {} \setposition {} {} {} {} {} \setpositiondata {} {} {} {} {} \setposition {} \setposition {} {} {} {} {} {} {} {} {} {} \setposition {} {} {} {} {} {} \setposition {} {} {} {} {} {} {} {} \setposition {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {} {
setmessagetext setmode setnostrut setnote setnotetext setnotetext:assignment setnote:assignment setobject setoldstyle setpagereference setpagestate setpagestaterealpageno setpenalties setpercentdimen setperiodkerning setposition setpositionbox setpositiondata setpositiondataplus setpositionplus setpositionstrut setprofile setrandomseed setreference setreferencedobject setregisterentry setreplacements setrigidcolumnbalance	\setmessagetext {} {} \setmode {} \setmostrut \setnote [] [] {} \setnotetext [] [] {} \setnotetext [] [] \setnote [] [] \setobject {} {} \ {} \setoldstyle \setpagereference {} {} \setpagestate [] [] \setpagestaterealpageno {} {} \setpenalties \ {} {} \setperiodkerning [] \setposition {} \setposition {} {} {} {} {} \setpositiondata {} {} {} {} {} \setposition {} \setposition {} {} {} {} {} {} \setposition {} {} {} {} \setposition {} {} {} {} \setposition {} {} {} {} {} \setposition {} {} {} \setposition {} {} {} {} \setposition {} {} {} {} \setposition {} {} {} \setposition {} {} {} \setposition {} {} {} {} \setposition {} {} \setposition {} {} {} \setposi
setmessagetext setmode setnostrut setnote setnotetext setnotetext:assignment setnote:assignment setobject setoldstyle setpagereference setpagestate setpagestaterealpageno setpenalties setpercentdimen setperiodkerning setposition setpositionbox setpositiondata setpositionaly setpositionplus setpositionplus setpositionstrut setprofile setrandomseed setreference setreferencedobject setregisterentry setreplacements setrigidcolumnbalance setrigidcolumnbalance	\setmessagetext {} {} \setmode {} \setmostrut \setnote [] [] {} \setnotetext [] [] {} \setnotetext [] [] \setnote [] [] \setnote [] [] \setobject {} {} \ {} \setoldstyle \setpagereference {} {} \setpagestate [] [] \setpagestaterealpageno {} {} \setpenalties \ {} {} \setperiodkerning [] \setposition {} \setpositionbox {} \ {} {} \setpositiondata {} {} {} {} {} \setpositiondataplus {} {} {} {} \setpositionplus {} {} {} \setpositionstrut {} \setpositionstrut {} \setreference [] [] \setreferencedobject {} {} \ {} \setregisterentry [] [] \setrigidcolumnbalance \setrigidcolumnbalance \setrigidcolumnbaize {} {} {}
setmessagetext setmode setnostrut setnote setnotetext setnotetext:assignment setotoject setoldstyle setpagereference setpagestate setpagestaterealpageno setpenalties setpercentdimen setperiodkerning setposition setpositiondata setpositionalus setpositionalus setpositionplus setpositionplus setpositionstrut setprofile setrandomseed setreference setreferencedobject setregisterentry setreplacements setrigidcolumnbalance setrigidcolumnbaize setscript	\setmode {} \setmode {} \setmostrut \setnote [] [] {} \setnotetext [] [] {} \setnotetext [] [] \setnotetext [] [] \setnote [] [] \setobject {} {} \ \setobject {} {} \setpagereference {} {} \setpagestate [] [] \setpagestate [] [] \setpagestaterealpageno {} {} \setpenalties \ {} {} \setperiodkerning [] \setperiodkerning [] \setposition {} \setpositiondata {} {} {} {} {} \setpositiondata {} {} {} {} \setpositiononly {} \setpositiononly {} \setpositionstrut {} \setpositionstrut {} \setpositioned {} \setreference [] [=] \setreferencedobject {} {} \ {} \setregisterentry [] [=] [=] \setrigidcolumnbalance \setrigidcolumnbalance \setrigidcolumnbaice {} {} {} \setscript []
setmessagetext setmode setnostrut setnote setnotetext setnotetext:assignment setnote:assignment setobject setoldstyle setpagereference setpagestate setpagestaterealpageno setpenalties setpercentdimen setperiodkerning setposition setpositionbox setpositiondata setpositionalus setpositiononly setpositionplus setpositionstrut setprofile setrandomseed setreference setreferencedobject setregisterentry setreplacements setrigidcolumnbalance setscript setsecondpasscharacteralign	\setmostrut \setnote [] [] {} \setnotetext [] [] {} \setnotetext [] [] {} \setnotetext [] [] \setnote [] [] \setnote [] [] \setnote [] [] \setobject {} {} \ \setpagereference {} {} \setpagestate [] [] \setpagestaterealpageno {} {} \setpenalties \ {} {} \setperiodkerning [] \setposition {} \setpositiondata {} {} {} {} \setpositiondata {} {} {} {} \setpositiondata {} {} {} {} \setpositionplus {} {} {} \setpositionstrut {} \setpositionstrut {} \setreference [] [=] \setreferencedobject {} {} \ {} \setregisterentry [] [=] [=] \setrigidcolumnbalance \setrigidcolumnbalance \setrigidcolumnbalance {} {} {} \setscript [] \setsecondpasscharacteralign
setmessagetext setmode setnostrut setnote setnotetext setnotetext:assignment setnote:assignment setobject setoldstyle setpagerference setpagestate setpagestaterealpageno setpenalties setpercentdimen setperiodkerning setposition setpositionbox setpositiondata setpositionalus setpositionstrut setprofile setrandomseed setreference setreference setregisterentry setreplacements setrigidcolumnbalance setscript setsecondpasscharacteralign setsectionblock	\setmode {} \setmode {} \setnostrut \setnote [] [] {} \setnotetext [] [] {} \setnotetext [] [] \setnote [] [] \setnote [] [] \setnote [] [] \setobject {} {} \ {} \setoldstyle \setpagereference {} {} \setpagestate [] [] \setpagestaterealpageno {} {} \setpenalties \ {} {} \setperiodkerning [] \setperiodkerning [] \setpositionbox {} \ {} {} \setpositiondata {} {} {} {} {} \setpositiondataplus {} {} {} {} \setpositionplus {} {} \ {} \setpositionstrut {} \setpositionstrut {} \setpositionsed {} \setreference [] [=] \setreference [] [=] \setreference [] [=] \setrejidcolumnbalance \setrijidcolumnbalance \setrijidcolumnbalance {} {} {} \setsecondpasscharacteralign \setsectionblock [] [=]
setmessagetext setmode setnostrut setnote setnotetext setnotetext:assignment setnote:assignment setobject setoldstyle setpagereference setpagestate setpagestaterealpageno setpenalties setpercentdimen setperiodkerning setposition setpositionbox setpositiondata setpositionalus setpositionstrut setprofile setrandomseed setreference setreference setreferences setregisterentry settpolumnbalance setrigidcolumnbalance setsectionblock setsimplecolumnshsize	\setmode {} \setmode {} \setnotrut \setnote [] [] {} \setnotetext [] [] {} \setnotetext [] [] \setnotetext [] [] \setnote [] [] \setnote [] [] \setobject {} {} \ {} \setoldstyle \setpagereference {} {} \setpagestate [] [] \setpagestaterealpageno {} {} \setpenalties \ {} {} \setperiodkerning [] \setperiodkerning [] \setposition {} \setpositiondata {} {} {} {} {} \setpositiondata {} {} {} {} {} \setpositionalta {} {} {} {} \setpositionstrut {} \setpositionstrut {} \setpositionstrut {} \setreference [] [=] \setreference [] [=] \setreficedolumnbalance \setrigidcolumnbalance \setrigidcolumnbalance [] \setsecondpasscharacteralign \setsectionblock [] [=] \setsectionblock [] [=] \setsimplecolumnshsize [=]
setmessagetext setmode setnostrut setnote setnotetext setnotetext:assignment setnote:assignment setobject setoldstyle setpagerference setpagestate setpagestaterealpageno setpenalties setpercentdimen setperiodkerning setposition setpositionbox setpositiondata setpositionalus setpositionstrut setprofile setrandomseed setreference setreference setregisterentry setreplacements setrigidcolumnbalance setscript setsecondpasscharacteralign setsectionblock	\setmode {} \setmode {} \setnostrut \setnote [] [] {} \setnotetext [] [] {} \setnotetext [] [] \setnote [] [] \setnote [] [] \setnote [] [] \setobject {} {} \ {} \setoldstyle \setpagereference {} {} \setpagestate [] [] \setpagestaterealpageno {} {} \setpenalties \ {} {} \setperiodkerning [] \setperiodkerning [] \setpositionbox {} \ {} {} \setpositiondata {} {} {} {} {} \setpositiondataplus {} {} {} {} \setpositionplus {} {} \ {} \setpositionstrut {} \setpositionstrut {} \setpositionsed {} \setreference [] [=] \setreference [] [=] \setreference [] [=] \setrejidcolumnbalance \setrijidcolumnbalance \setrijidcolumnbalance {} {} {} \setsecondpasscharacteralign \setsectionblock [] [=]

setstackbox	\setstackbox {} {}
setstructurepageregister	\setstructurepageregister [] [=] [=]
setstrut	\setstrut
setsuperiors	\setsuperiors
setsystemmode	\setsystemmode {}
settabular	\settabular
settaggedmetadata	\settaggedmetadata [=]
settestcrlf	\settestcrlf
settext	\settext [] [] [] []
settightobject	\settightobject {} {} \ {}
settightreferencedobject	\settightreferencedobject \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
settightstrut	\settightstrut
settightunreferencedobject	\settightunreferencedobject \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
settokenlist	\settokenlist [] {}
settrialtypesetting	\settrialtypesetting
setuevalue	\setuevalue \{\ldots\} \{\ldots\}
setugvalue	\setugvalue {} {}
setunreferencedobject	\setunreferencedobject \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
setupalternativestyles	\setupalternativestyles [=]
setupattachment	\setupattachment [] [=]
setupattachments	\setupattachments [] [=]
setupbackend	\setupbackend [=]
setupbar	\setupbar [] [=]
setupbars	\setupbars [] [=]
setupbleeding	\setupbleeding [=]
setupbookmark	\setupbookmark [=]
setupbtx	\setupbtx [] [=]
setupbtxdataset	\setupbtxdataset [] [=]
setupbtxlist	\setupbtxlist [] [=]
setupbtxregister	\setupbtxregister [] [=]
setupbtxrendering	\setupbtxrendering [] [=]
setupbtx:name	\setupbtx []
setupbutton	\setupbutton [] [=]
setupcharacteralign	\setupcharacteralign [=]
setupcharacterkerning	\setupcharacterkerning [] [=]
setupcharacterspacing	\setupcharacterspacing [] [] [=]
setupchemical	\setupchemical [] [=]
setupchemicalframed	\setupchemicalframed [] [=]
setupcollector	\setupcollector [] [=]
setupcolumnsetarea	\setupcolumnsetarea [] [=]
setupcolumnsetareatext	\setupcolumnsetareatext [] []
setupcolumnsetlines	\setupcolumnsetlines [] [] []
setupcolumnsetspan	\setupcolumnsetspan [] [=]
setupcolumnsetstart	\setupcolumnsetstart [] [] []
setupcombination	\setupcombination [] [=]
setupcounter	\setupcounter [] [=]
setupdataset	\setupdataset [] [=]
setupdelimitedtext	\setupdelimitedtext [] [=]
setupdescription	\setupdescription [] [=]
setupdirections	\setupdirections [=]
setupdocument	\setupdocument [=]
setupeffect	\setupeffect [] [=]
setupenumeration	\setupenumeration [] [=]
setupenv	\setupenv [=]
setupexpansion	\setupexpansion [] [=]
setupexport	\setupexport [=]
setupexternalfigure	\setupexternalfigure [] [=]
setupexternalsoundtracks	\setupexternalsoundtracks [=]
setupfacingfloat	\setupfacingfloat [] [=]
setupfieldbody	\setupfieldbody [] [=]
setupfieldcategory	\setupfieldcategory [] [=]
setupfieldcontentframed	\setupfieldcontentframed [] [=]
setupfieldlabelframed	\setupfieldlabelframed [] [=]
setupfieldtotalframed	\setupfieldtotalframed [] [=]
setupfiller	\setupfiller [] [=]
setupfirstline	\setupfirstline [] [=]
setupfittingpage	\setupfittingpage [] [=]
setupfloatframed	\setupfloatframed [] [=]
setupfontexpansion	\setupfontexpansion [] [=]
setupfontprotrusion	\setupfontprotrusion [] [=]
setupfonts	\setupfonts [=]
setupfontsolution	\setupfontsolution [] [=]

setupformula	\setupformula [] [=]
setupformulaframed	\setupformulaframed [] [=]
setupframedcontent	\setupframedcontent [] [=]
setupframedtable	\setupframedtable [] [=]
setupframedtablecolumn	\setupframedtablecolumn [] [] [=]
setupframedtablerow	\setupframedtablerow [] [] [=]
setupframedtext	\setupframedtext [] [=]
setupglobalreferenceprefix	\setupglobalreferenceprefix []
setupheadalternative	\setupheadalternative [] [=]
setuphelp	\setuphelp [] [=]
setuphigh	\setuphigh [] [=]
setuphighlight	\setuphighlight [] [=]
setuphyphenation	\setuphyphenation [=]
setupindentedtext	\setupindentedtext [] [=]
setupinitial	\setupinitial [] [=]
setupinsertion	\setupinsertion [] [=]
setupitaliccorrection	\setupitaliccorrection []
setupitemgroup	\setupitemgroup [] [] [=]
setupitemgroup:assignment	\setupitemgroup [] [=]
setupitemgroup:instance	\impostaITEMGROUP [] [] [=]
setupitemgroup:instance:itemize	\impostaitemize [] [] [=]
setuplabel	\setuplabel [] [=]
setuplayer	\setuplayer [] [=]
setuplayeredtext	\setuplayeredtext [] [=]
setuplayouttext	\setuplayouttext [] [] [=]
setuplinefiller	\setuplinefiller [] [=]
setuplinefillers	\setuplinefillers [] [=]
setuplinenote	\setuplinenote [] [=]
setuplinetable	\setuplinetable [] [] [=]
setuplistalternative	\setuplistalternative [] [=]
setuplistextra	\setuplistextra [] [=]
setuplocalfloats	\setuplocalfloats [=]
setuplocalinterlinespace	\setuplocalinterlinespace [] [=]
setuplocalinterlinespace:argument	\setuplocalinterlinespace []
setuplocalinterlinespace:name	\setuplocalinterlinespace []
setuplow	\setuplow [] [=]
setuplowhigh	\setuplowhigh [] [=]
setuplowmidhigh	\setuplowmidhigh [] [=]
setupMPgraphics	\setupMPgraphics [=]
setupMPinstance	\setupMPinstance [] [=]
setupMPpage	\setupMPpage [=]
setupMPvariables	\setupMPvariables [] [=]
setupmarginblock	\setupmarginblock [] [=]
setupmargindata	\setupmargindata [] [=]
setupmarginframed	\setupmarginframed [] [=]
setupmarginrule	\setupmarginrule [] [=]
setupmathalignment	\setupmathalignment [] [=]
setupmathcases	\setupmathcases [] [=]
setupmathematics	\setupmathematics [] [=]
setupmathfence	\setupmathfence [] [=]
setupmathfraction	\setupmathfraction [] [=]
setupmathfractions	\setupmathfractions [] [=]
setupmathframed	\setupmathframed [] [=]
setupmathmatrix	\setupmathmatrix [] [=]
setupmathornament	\setupmathornament [] [=]
setupmathradical	\setupmathradical [] [=]
setupmathstackers	\setupmathstackers [] [=]
setupmathstyle	\setupmathstyle []
setupmixedcolumns	\setupmixedcolumns [] [=]
setupmodule	\setupmodule [] [=]
setupnotation	\setupnotation [] [=]
setupnotations	\setupnotations [] [=]
setupnote	\setupnote [] [=]
setupnotes	\setupnotes [] [=]
setupoffset	\setupoffset [=]
setupoffsetbox	\setupoffsetbox [=]
setuporientation	\setuporientation [] [=]
setupoutputroutine	\setupoutputroutine [] [=]
setupoutputroutine:name	\setupoutputroutine []
setuppagechecker	\setuppagechecker [] [=]
setuppagecolumns	\setuppagecolumns [] [=]
setuppageinjection	\setuppageinjection [] [=]

setuppageinjectionalternative	\setuppageinjectionalternative [] [=]
setuppageshift	\setuppageshift [] []
setuppagestate	\setuppagestate [] [=]
	\setuppairedbox [] [=]
setuppairedbox	<del></del>
setuppairedbox:instance	\impostaPAIREDBOX [=]
setuppairedbox:instance:legend	\impostalegend [=]
setuppaper	\setuppaper [=]
setupparagraph	\setupparagraph [] [=]
setupparagraphintro	\setupparagraphintro [] []
setupparallel	\setupparallel [] [=]
**	\setupperiodkerning [] [=]
setupperiodkerning	
setupperiods	\setupperiods [=]
setupplaceholder	\setupplaceholder [] [=]
setupplacement	\setupplacement [] [=]
setuppositionbar	\setuppositionbar [=]
setupprocessor	\setupprocessor [] [=]
setupprofile	\setupprofile [] [=]
setupquotation	\setupquotation [=]
setuprealpagenumber	\setuprealpagenumber [=]
setupreferenceformat	\setupreferenceformat [] [=]
setupreferenceprefix	\setupreferenceprefix []
setupreferencestructureprefix	\setupreferencestructureprefix [] [] [=]
setupregisters	\setupregisters [] [=]
setupregisters:argument	\setupregisters [] [] [=]
setuprenderingwindow	\setuprenderingwindow [] [=]
setupruby	\setupruby [] [=]
setups	\setups []
setupscale	\setupscale [] [=]
setupscript	\setupscript [] [=]
setupscripts	\setupscripts [] [=]
setupselector	\setupselector [] [=]
setupshift	\setupshift [] [=]
setupsidebar	\setupsidebar [] [=]
setupspellchecking	\setupspellchecking [=]
setupstretched	\setupstretched [=]
setupstyle	\setupstyle [] [=]
setupsubformula	\setupsubformula [] [=]
	<del>-</del>
setupsubformulas	\setupsubformulas [] [=]
setupsymbols	\setupsymbols [=]
setupsynctex	\setupsynctex [=]
setups:direct	\setups {}
setupTABLE	\setupTABLE [] [=]
setupTEXpage	\setupTEXpage [=]
setuptagging	\setuptagging [=]
setuptextbackground	\setuptextbackground [] [=]
setuptextflow	\setuptextflow [] [=]
setuptextnote	\setuptextnote [] [=]
setuptooltip	\setuptooltip [] [=]
setupunit	\setupunit [] [=]
setupuserdata	\setupuserdata [] [=]
	<del>-</del>
setupuserdataalternative	\setupuserdataalternative [] [=]
setupuserpagenumber	\setupuserpagenumber [=]
setupversion	\setupversion []
setupviewerlayer	\setupviewerlayer [=]
setupvspacing	\setupvspacing []
setupwithargument	\setupwithargument {} {}
setupwithargumentswapped	\setupwithargumentswapped {} {}
setupxml	\setupxml [=]
setupxtable	\setupxtable [] [=]
setuvalue	\setuvalue {} {}
setuxvalue	\setuxvalue {} {}
setvalue	\setvalue {} {}
setvariable	\setvariable {} {}
setvariables	\setvariables [] [=]
setvboxregister	\setvboxregister {}
setvisualizerfont	\setvisualizerfont []
setvtopregister	\setvtopregister {}
setwidthof	\setwidthof \to \
setxmeasure	\setxmeasure {} {}
setxvalue	\setxvalue {} {}
setxvariable	\setxvariable {} {}
setxvariables	\setxvariables [] [=]

sfondo	\sfondo {}
sfondo:example	\SFONDO {}
shapedhbox	\shapedhbox {}
shiftbox	\shiftbox {}
shift:instance	\SHIFT {}
shift:instance:shiftdown	\shiftdown {}
shift:instance:shiftup	\shiftup {}
showallmakeup	\showallmakeup
showattributes	\showattributes
showboxes	\showboxes
showbtxdatasetauthors	\showbtxdatasetauthors [=]
showbtxdatasetauthors:argument	\showbtxdatasetauthors []
showbtxdatasetcompleteness	\showbtxdatasetcompleteness [=]
showbtxdatasetcompleteness:argument	\showbtxdatasetcompleteness []
showbtxdatasetfields	\showbtxdatasetfields [=]
showbtxdatasetfields:argument	\showbtxdatasetfields []
showbtxfields	\showbtxfields [=]
showbtxfields:argument	\showbtxfields []
showbtxhashedauthors	\showbtxhashedauthors []
showbtxtables	\showbtxtables []
showchardata	\showchardata {}
showcharratio	\showchartatio {}
showcolorbar	\showcolorbar []
showcolorcomponents	\showcolorcomponents []
showcolorset	\showcolorset []
showcolorstruts	\showcolorstruts
showcounter	\showcounter []
showdirectives	\showdirectives
showdirsinmargin	\showdirsinmargin
showedebuginfo	\showedebuginfo
showexperiments	\showexperiments
showfont	\showfont [] []
showfontdata	\showfontdata
showfontexpansion	\showfontexpansion
showfontitalics	\showfontitalics
showfontkerns	\showfontkerns
showfontparameters	\showfontparameters
showfontstrip	\showfontstrip []
showfontstyle	\showfontstyle [] [] []
showglyphdata	\showglyphdata
showglyphs	\showglyphs
showgridsnapping	\showgridsnapping
showhelp	\showhelp {} []
showhyphenationtrace	\showhyphenationtrace [] []
showhyphens	\showhyphens {}
showinjector	\showinjector []
showjustification	\showjustification
showkerning	\showkerning {}
showlayoutcomponents	\showlayoutcomponents
showligature	\showligature {}
showligatures	\showligatures []
showlogcategories	\showlogcategories
showluatables	\showluatables
shownargins	\showmargins
showmessage	\showmessage {} {} {}
showminimalbaseline	\showminimalbaseline
shownextbox	\shownextbox \ {}
showotfcomposition	\showotfcomposition \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
showparentchain	\showparentchain \ {}
showsetupsdefinition	\showsetupsdefinition []
showtimer	\showtimer {}
showtokens	\showtokens []
showtrackers	\showtrackers
showvalue	\showvalue {}
showvariable	\showvariable {} {}
showwarning	\showwarning {} {}
signalrightpage	\signalrightpage
simbolo	\simbolo [] []
simbolo:direct	\simbolo {}
simplealignedbox	\simplealignedbox \{\ldots\} \{\ldots\}
simplealignedboxplus	\simplealignedboxplus $\{\ldots\}$ $\{\ldots\}$ $\{\ldots\}$
simplealignedspreadbox	\simplealignedspreadbox $\{\}$ $\{\}$

simplegroupedcommand	\simplegroupedcommand {} {}
simplereversealignedbox	$\verb \simplereversealignedbox {} {} {}$
simplereversealignedboxplus	\simplereversealignedboxplus $\{\ldots\}$ $\{\ldots\}$ $\{\ldots\}$
singalcharacteralign	\singalcharacteralign {} {}
singlebond	\singlebond
sinistra	\sinistra
sixthofsixarguments	\sixthofsixarguments {} {} {} {} {}
slantedface slicepages	\slantedface \slicepages [] [=]
slovenianNumerals	\slovenianNumerals {}
sloveniannumerals	\sloveniannumerals {}
smallcappedcharacters	\smallcappedcharacters {}
smallcappedromannumerals	\smallcappedromannumerals {}
smaller	\smaller
smallskip	\smallskip
smash	\smash [] {}
smashbox	\smashbox
smashboxed	\smashboxed
smashedhbox	\smashedhbox {}
smashedvbox	\smashedvbox {}
snaptogrid	\snaptogrid [] \ {}
snaptogrid:list	\snaptogrid [] \ {}
someheadnumber	\someheadnumber [] []
somekindoftab	\somekindoftab [=]
somelocalfloat	\somelocalfloat
somenamedheadnumber	\somenamedheadnumber {} {}
someplace	\someplace \{\ldots\} \{\ldots\} \{\ldots\} \{\ldots\} \[\ldots\]
sorting:instance	\SORTING [] {}
sorting:instance:logo	\logo [] {}
sottopaginasuccessiva	\sottopaginasuccessiva
spaceddigits	\spaceddigits {}
spaceddigitsmethod	\spaceddigitsmethod
spaceddigitsseparator	\spaceddigitsseparator
spaceddigitssymbol	\spaceddigitssymbol
spanishNumerals	\spanishNumerals {}
spanishnumerals	\spanishnumerals {}
spazifissi	\spazifissi
spazio	\spazio
spaziofisso	\spaziofisso
spessoreriga	\spessoreriga
spezzaoggettomobile	\spezzaoggettomobile [=] {}
splitatasterisk	\splitatasterisk \ \
splitatcolon	\splitatcolon \
splitatcolons	\splitatcolons \ \
splitatcomma	\splitatcomma \ \
splitatperiod	\splitatperiod \
splitdfrac	\splitdfrac {} {}
splitfilename	\splitfilename {}
splitfrac	\splitfrac {} {}
splitoffbase	\splitoffbase
splitofffull	\splitofffull
splitoffkind	\splitoffkind
splitoffname	\splitoffname
splitoffpath	\splitoffpath
splitoffroot splitofftokens	\splitoffroot \splitofftokens \from \to \
splitofftype	\splitofftype
splitstring	\splitstring \at \to \ \and \
spreadhbox	\spreadhbox
sqrt	\sqrt [] {}
stackcampi	\stackcampi [] [=]
stackrel	\stackrel {} {}
stackscripts	\stackscripts
startlinenote:instance	\iniziaLINENOTE [] {}
startlinenote:instance:linenote	\inizialinenote [] \\:
startregister	\startregister [] [] [] {++} \stopregister [
startstop:example	\STARTSTOP {}
startstructurepageregister	\startstructurepageregister [] [=] [=] \stopstructurepageregister []
stirato	\stirato [=] {}
stoplinenote:instance	\terminaLINENOTE []
stoplinenote:instance:linenote	\terminalinenote []
strictdoifelsenextoptional	\strictdoifelsenextoptional {} {}

	\
strictdoifnextoptionalelse	\strictdoifnextoptionalelse {} {}
stripcharacter	\stripcharacter \from \to \
strippedcsname	\strippedcsname \
strippedcsname:string	\strippedcsname
stripspaces	\stripspaces \from \to \
structurelistuservariable	\structurelistuservariable {}
structurenumber	\structurenumber
structuretitle	\structuretitle
structureuservariable	\structureuservariable {}
structurevariable	\structurevariable {}
strut	\strut
strutdp	\strutdp
strutgap	\strutgap
strutht	\strutht
struthtdp	\struthtdp
struttedbox	\struttedbox {}
strutwd	\strutwd
style	\style [=] {}
styleinstance	\styleinstance []
style:argument	\style [] {}
	\STYLE {}
style:instance	
style:instance:	\STYLE {}
subpagenumber	\subpagenumber
subsentence	\subsentence {}
substituteincommalist	\substituteincommalist {} {} \
subtractfeature	\subtractfeature []
subtractfeature:direct	\subtractfeature {}
swapcounts	\swapcounts \ \
swapdimens	\swapdimens \ \
swapface	\swapface
swapmacros	\swapmacros \ \
swaptypeface	\swaptypeface
switchstyleonly	\switchstyleonly []
switchstyleonly:command	\switchstyleonly \
switchtocolor	\switchtocolor []
switchtointerlinespace	\switchtointerlinespace [] [=]
switchtointerlinespace:argument	\switchtointerlinespace []
switchtointerlinespace:name	\switchtointerlinespace []
symbolreference	\symbolreference []
	· ·
synchronizeblank	\synchronizeblank
synchronizemarking	\synchronizemarking [] []
synchronizeoutputstreams	\synchronizeoutputstreams []
synchronizestrut	\synchronizestrut {}
synchronizewhitespace	\synchronizewhitespace
synctexblockfilename	\synctexblockfilename {}
•	\synctexresetfilename
synctexresetfilename	· · · · · · · · · · · · · · · · · · ·
synctexsetfilename	\synctexsetfilename {}
synonym:instance	\SYNONYM [] {} {}
synonym:instance:abbreviation	\abbreviation $[\ldots]$ $\{\ldots\}$
systemlog	\systemlog {} {} {}
systemlogfirst	\systemlogfirst {} {} {}
systemloglast	\systemloglast {} {} {}
-	
systemsetups	\systemsetups {}
TABLE	\TABLE
TaBlE	\TaB1E
TEX	\TEX
TeX	\TeX
TheNormalizedFontSize	\TheNormalizedFontSize
TransparencyHack	\TransparencyHack
- •	- *
tabulateautoline	\tabulateautoline
tabulateautorule	\tabulateautorule
tabulateline	\tabulateline
tabulaterule	\tabulaterule
taggedctxcommand	\taggedctxcommand {}
taggedlabeltexts	\taggedlabeltexts {} {} {}
tbox	\tbox {}
terminariga	\terminariga []
testandsplitstring	\testandsplitstring \at \to \ \and \
testcolumn	\testcolumn [] []
testfeature	\testfeature {} {}
testfeatureonce	\testfeatureonce {} {}
testoaiuto	\testoaiuto [] {}
000 00 dI u 00	/ΛΕΒΛΛατάΛΛ [] [] []

testoetichetta:instance	\LABELtesto {}
testoetichetta:instance:btxlabel	\btxlabeltesto {}
testoetichetta:instance:head	\headtesto {}
testoetichetta:instance:label	\labeltesto {}
testoetichetta:instance:mathlabel	\mathlabeltesto {}
testoetichetta:instance:operator	\operatortesto {}
testoetichetta:instance:prefix	\prefixtesto {}
testoetichetta:instance:suffix	\suffixtesto {}
testoetichetta:instance:taglabel	\taglabeltesto {}
testoetichetta:instance:unit	\unittesto {}
testoincorniciato:instance	\FRAMEDTEXT [=] {}
testoincorniciato:instance:framedtext	\framedtext [=] {}
testonotapdp	\testonotapdp [] {}
testonotapap: testonotapap:assignment	\testonotapdp [=]
testoriempimento	\testoriempimento [=] {} {}
testpage	\testpage [] []
	\testpageonly [] []
testpageonly	
testpagesync	\testpagesync [] \testtokens []
testtokens	
tex	\tex {}
texdefinition	textefinition {
texsetup	\texsetup {}
textbackground:example	\TEXTBACKGROUND {}
textcitation	\textcitation [=] []
textcitation:alternative	\textcitation []
textcitation:userdata	\textcitation [=] [=]
textcite	\textcite [=] []
textcite:alternative	\textcite [] []
textcite:userdata	\textcite [=] [=]
textcontrolspace	\textcontrolspace
textflowcollector	\textflowcollector {}
textmath	\textmath {}
textminus	\textminus
textnote	\textnote [=] {}
textormathchar	\textormathchar {}
textormathchars	\textormathchars {}
textplus	\textplus
textvisiblespace	\textvisiblespace
thainumerals	\thainumerals {}
thedatavalue	\thedatavalue {}
thefirstcharacter	\thefirstcharacter {}
thenormalizedbodyfontsize	\thenormalizedbodyfontsize {}
theorientation	\theorientation {}
theremainingcharacters	\theremainingcharacters {}
thickspace	\thickspace
thinspace	\thinspace
thirdoffivearguments	\thirdoffivearguments {} {} {} {} {}
thirdoffourarguments	\thirdoffourarguments {} {} {}
thirdofsixarguments	\thirdofsixarguments \{\ldots\} \
thirdofthreearguments	\thirdofthreearguments {} {} {}
thirdofthreeunexpanded	\thirdofthreeunexpanded {} {} {}
threedigitrounding	\threedigitrounding {}
tibetannumerals	\tibetannumerals {}
tieniblocchi	\tieniblocchi [] []
tightlayer	\tightlayer []
tilde	\tilde {}
tinyfont	\tinyfont
tlap	\tlap {}
tochar	\tochar {}
tolinenote	\tolinenote []
tooltip:instance	\TOOLTIP [=] {} {}
tooltip:instance:argument	\TOOLTIP [] {} {}
tooltip:instance:argument:tooltip	\tooltip [] {} {}
tooltip:instance:tooltip	\tooltip [] \tooltip [] \tooltip [] \tooltip []
topbox	\topbox {}
topleftbox	\topleftbox {}
toplinebox	\toplinebox {}
toprightbox	\toprightbox {}
topskippedbox	\topskippedbox {}
tracecatcodetables	\tracecatcodetables
tracedfontname	\tracedfontname {}
tracedpagestate	\tracedpagestate

traceoutputroutines	\traceoutputroutines			
tracepositions	\tracepositions			
traduci	\traduci [=]			
transparencycomponents	\transparencycomponents {}			
transparent	\transparent [] {}			
triplebond	\triplebond			
truefilename	\truefilename {}			
truefontname	\truefontname {}			
ttraggedright	\ttraggedright			
twodigitrounding	\twodigitrounding {}			
tx	\tx			
txx	\txx			
typ	\typ [=] {}			
type	\type [=] {}			
typebuffer	\typebuffer [] [=]			
typebuffer:instance	\typeBUFFER [=]			
typebuffer:instance:	\typeBUFFER [=]			
typedefinedbuffer	\typedefinedbuffer [] [=]			
typeface	\typeface			
typefile	\typefile [] [=] {}			
typeinlinebuffer	\typeinlinebuffer [] [=]			
typescriptone	\typescriptone			
typescriptprefix	\typescriptprefix {}			
typescriptthree	\typescriptthree			
typescripttwo	\typescripttwo			
typesetbuffer	\typesetbuffer [] [=]			
typesetbufferonly	\typesetbufferonly []			
typesetfile	\typesetfile [] [=]			
type:angles	\type [=] <<>>			
type:example	\TYPE [=.] {}			
type:example:angles	\TYPE [=.] <<>>			
typ:angles	\typ [=] <<>>			
uchexnumber	\uchexnumber {}			
uchexnumbers	\uchexnumbers {}			
uconvertnumber	\uconvertnumber {} {}			
uedcatcodecommand	\uedcatcodecommand \ {}			
ultimasottopagina	\ultimasottopagina			
undefinevalue	\undefinevalue {}			
undepthed	\undepthed {}			
underset	\underset {} {}			
undoassign	\undoassign [] [=]			
unexpandeddocumentvariable	\unexpandeddocumentvariable {}			
unhhbox	\unhhbox \with {}			
unihex	\unihex {}			
uniqueMPgraphic	\uniqueMPgraphic {} {=}			
uniqueMPpagegraphic	\uniqueMPpagegraphic {} {=}			
unita:instance	\UNIT {}			
unita:instance:unit	\unit {}			
unprotect	\unprotect \protect			
unprotected	\unprotected \par			
unregisterhyphenationpattern	\unregisterhyphenationpattern [] []			
unspaceafter	\unspaceafter \ {}			
unspaceargument	\unspaceargument \to \			
unspaced	\unspaced {}			
unspacestring	\unspacestring \to \			
unstackscripts	\unstackscripts			
untexargument	\untexargument {} \to \			
untexcommand	\untexcommand {} \to \			
uppercased	\uppercased {}			
uppercasestring	\uppercasestring \to \			
uppercasing	\uppercasing			
upperleftdoubleninequote	\upperleftdoubleninequote			
upperleftdoublesixquote	\upperleftdoublesixquote			
upperleftsingleninequote	\upperleftsingleninequote			
upperleftsinglesixquote	\upperleftsinglesixquote			
upperrightdoubleninequote	\upperrightdoubleninequote			
upperrightdoublesixquote	\upperrightdoublesixquote			
upperrightsingleninequote	\upperrightsingleninequote			
upperrightsinglesixquote	\upperrightsinglesixquote			
url	\url []			
usablocco	\usablocco [] [] [=]			
usacartella	\usacartella [ ]			

usacolonnasonoraesterna	\usacolonnasonoraesterna [] []		
usadocumentoesterno	\usadocumentoesterno [] []		
usafiguraesterna	\usafiguraesterna [] [] [] [=]		
usaJSscripts	\usaJSscripts [] []		
usamodulo	\usamodulo [] [=]		
usasimboli	\usasimboli []		
usaURL	\usaURL [] [] []		
usaurl	\usaurl [] [] []		
usealignparameter	\usealignparameter \		
useblankparameter	\useblankparameter \		
usebodyfont	\usebodyfont []		
usebodyfontparameter	\usebodyfontparameter \		
usebtxdataset	\usebtxdataset [] [] [=]		
usebtxdefinitions	\usebtxdefinitions []		
usecitation	\usecitation []		
usecitation:direct	\usecitation {}		
usecolors	\usecolors []		
usecomponent	\useconors []		
-	\usedummycolorparameter {}		
usedummycolorparameter			
usedummystyleandcolor	\usedummystyleandcolor {} {}		
usedummystyleparameter	\usedummystyleparameter {}		
useenvironment	\useenvironment []		
useexternalrendering	\useexternalrendering [] [] []		
usefigurebase	\usefigurebase []		
usefile	\usefile [] []		
usefontpath	\usefontpath []		
usegridparameter	\usegridparameter \		
useinterlinespaceparameter	\useinterlinespaceparameter \		
uselanguageparameter	\uselanguageparameter \		
useluamodule	\useluamodule []		
useluatable	\useluatable \		
useMPenvironmentbuffer	\useMPenvironmentbuffer []		
useMPgraphic	\useMPgraphic {} {=}		
useMPlibrary	\useMPlibrary []		
useMPrun	\useMPrun {} {}		
useMPvariables	\useMPvariables [] []		
usemathstyleparameter	\usemathstyleparameter \		
useproduct	\useproduct []		
useprofileparameter	\useprofileparameter \		
useproject	\useproject []		
usereferenceparameter	\usereferenceparameter \		
userpagenumber	\userpagenumber		
usesetupsparameter	\usesetupsparameter \		
usestaticMPfigure	\usestaticMPfigure [=] []		
usesubpath	\usesubpath []		
usetexmodule	\usetexmodule [] [] [=]		
usetypescript	\usetypescript [] []		
usetypescriptfile	\usetypescriptfile []		
usezipfile	\usezipfile [] []		
utfchar	\utfchar {}		
utflower	\utflower {}		
	\utfupper {}		
utfupper utilityregisterlength			
VerboseNumber	\utilityregisterlength \VerboseNumber {}		
vaia	\vaia {} []		
vaiabox	\vaiabox {} []		
vaiapagina 	\vaiapagina {} []		
vaigiu	\vaigiu []		
valorecolore	\valorecolore {}		
vboxreference	\vboxreference [] {}		
vec	\vec {}		
verbatim	\verbatim {}		
verbatimstring	\verbatimstring {}		
verbosenumber	\verbosenumber {}		
versione	\versione []		
verticalgrowingbar	\verticalgrowingbar [=]		
verticalpositionbar	\verticalpositionbar [=]		
veryraggedcenter	\veryraggedcenter		
veryraggedleft	\veryraggedleft		
veryraggedright	\veryraggedright		
vglue	\vglue		
viewerlaver	\viewerlaver [] {}		

vl	\vl []
vpackbox	\vpackbox
vpackedbox	\vpackedbox
vphantom	\vphantom {}
vpos	\vpos {} {}
vsmash	\vsmash {}
vsmashbox	\vsmashbox
vsmashed	\vsmashed {}
vspace vspacing	\vspace [] \vspacing []
WidthSpanningText	\WidthSpanningText {} {} {}
wdofstring	\wdofstring {}
widthofstring	\widthofstring {}
widthspanningtext	$\widthspanningtext {} {} {}$
withoutpt	\withoutpt {}
words	\words {}
wordtonumber	\wordtonumber {} {}
writedatatolist	\writedatatolist [] [=] [=]
writestatus XETEX	\writestatus {} {}
XeTeX	\XeTeX
xdefconvertedargument	\xdefconvertedargument \ \{\}
xmladdindex	\xmladdindex {}
xmlafterdocumentsetup	\xmlafterdocumentsetup {} {} {}
xmlaftersetup	\xmlaftersetup {} {}
xmlall	\xmlall {} {}
xmlappenddocumentsetup	$\xspace \xspace \xsp$
xmlappendsetup	\xmlappendsetup {}
xmlapplyselectors	\xmlapplyselectors {}
xmlatt	\xmlatt {} {}
xmlattribute	\xmlattdef {} {} {} \xmlattribute {} {}
xmlattributedef	\xmlattributedef {} {} {} {}
xmlbadinclusions	\xmlbadinclusions {}
xmlbeforedocumentsetup	\xmlbeforedocumentsetup {} {}
xmlbeforesetup	\xmlbeforesetup {} {}
xmlchainatt	\xmlchainatt {} {}
xmlchainattdef	$\mbox{xmlchainattdef } \{\} \{\}$
xmlchecknamespace	\xmlchecknamespace {} {}
xmlcommand	\xmlcommand {} {} {}
xmlconcat	\xmlconcat {} {}
xmlconcatrange xmlcontext	\xmlconcatrange \{\dots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
xmlcount	\xmlcount {}
xmldefaulttotext	\xmldefaulttotext {}
xmldepth	\xmldepth {}
xmldirectives	\xmldirectives {}
xmldirectivesafter	\xmldirectivesafter {}
xmldirectivesbefore	\xmldirectivesbefore {}
xmldisplayverbatim	\xmldisplayverbatim {}
xmldoif	\xmldoif {} {} {}
xmldoifatt xmldoifelse	\xmldoifatt \{\} \\\.\\\\\\\\\\\\\\\\\\\\\\\\\\\
xmldoifelseatt	\xmldoifelseatt {} {} {}
xmldoifelseempty	\xmldoifelseempty {} {} {} {}
xmldoifelseselfempty	\xmldoifelseselfempty {} {}
xmldoifelsetext	\xmldoifelsetext {} {} {} {}
xmldoifelsevalue	\xmldoifelsevalue $\{\ldots\}$ $\{\ldots\}$ $\{\ldots\}$
xmldoifnot	\xmldoifnot {} {} {}
xmldoifnotatt	\xmldoifnotatt {} {}
xmldoifnotselfempty	\xmldoifnotselfempty {} {}
xmldoifnottext	\xmldoifnottext {} {} {}
xmldoifselfempty xmldoiftext	\xmldoifselfempty {} {} \xmldoiftext {} {}
xmlelement	\xmlelement {} {}
xmlfilter	\xmlfilter {} {}
xmlfirst	\xmlfirst {} {}
xmlflush	\xmlflush {}
xmlflushcontext	\xmlflushcontext {}
xmlflushdocumentsetups	$\verb \xmlflushdocumentsetups {} {} $
xmlflushlinewise	\xmlflushlinewise {}
xmlflushpure	\xmlflushpure {}

xmlflushspacewise	\xmlflushspacewise {}		
xmlflushtext	\xmlflushtext {}		
xmlinclude	\xmlinclude {} {} {}		
xmlinclusion	\xmlinclusion {}		
xmlinclusions	\xmlinclusions {}		
xmlinfo	\xmlinfo {}		
xmlinjector	\xmlinjector {}		
xmlinlineprettyprint	\xmlinlineprettyprint {} {}		
xmlinlineprettyprinttext	\xmlinlineprettyprinttext {} {}		
xmlinlineverbatim	\xmlinlineverbatim {}		
xmlinstalldirective	\xmlinstalldirective {} {}		
xmllast	\xmllast {} {}		
xmllastatt	\xmllastatt		
xmllastmatch	\xmllastmatch		
xmllastpar	\xmllastpar		
xmlloadbuffer	\xmlloadbuffer {} {} {}		
xmlloaddata	\xmlloaddata {} {} {}		
xmlloaddirectives	\xmlloaddirectives {}		
xmlloadfile	\xmlloadfile \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\		
xmlloadonly	\xmlloadonly {} {}		
xmlmain	\xmlmain {}		
xmlmapvalue	\xmlmapvalue {} {} {}		
xmlname	\xmlname {}		
xmlnamespace	\xmlnamespace {}		
xmlnonspace	\xmlnonspace {} {}		
xmlpar	\xmlpar {} {}		
xmlparam	\xmlparam {} {} {}		
xmlpath	\xmlpath {}		
xmlpos	\xmlpos {}		
xmlposition	$\mathbf{xmlposition} \ \{\ldots\} \ \{\ldots\}$		
xmlprependdocumentsetup	$\xr = \xr $		
xmlprependsetup	\xmlprependsetup {}		
xmlprettyprint	\xmlprettyprint {} {}		
xmlprettyprinttext	\xmlprettyprinttext {} {}		
xmlprocessbuffer	\xmlprocessbuffer {} {} {}		
xmlprocessdata	\xmlprocessdata {} {} {}		
xmlprocessfile	\xmlprocessfile {} {} {}		
xmlpure	\xmlpure {} {}		
xmlraw	\xmlraw {}		
xmlrefatt	\xmlrefatt {} {}		
xmlregistereddocumentsetups	\xmlregistereddocumentsetups {} {}		
xmlregisteredsetups	\xmlregisteredsetups		
xmlregisterns	\xmlregisterns {} {}		
xmlremapname	\xmlremapname {} {} {} {}		
xmlremapnamespace	\xmlremapnamespace {} {} {}		
xmlremovedocumentsetup	\xmlremovedocumentsetup {} {}		
xmlremovesetup	\xmlremovesetup {}		
xmlresetdocumentsetups	\xmlresetdocumentsetups {}		
xmlresetinjectors	\xmlresetinjectors		
xmlresetsetups	\xmlresetsetups {}		
xmlsave	\xmlsave {} {}		
xmlsetatt	\xmlsave \(\cdot\) \(\cdot\) \(\cdot\)		
xmlsetattribute	\xmlsetatt \(\(\cdot\) \(\cdot\) \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\		
	\xmlsetattiibute \(\text{\cdots}\) \(\text{xmlsetentity}\) \(\text{\cdots}\)		
xmlsetentity xmlsetfunction	\xmlsetfunction \{\} \{\}		
xmlsetinjectors	\xmlsetinjectors []		
xmlsetpar	\xmlsetpar {} {}		
xmlsetparam	\xmlsetparam {} {} {} {}		
xmlsetsetup	\xmlsetsetup {} {} {}		
xmlsetup	\xmlsetup {} {}		
xmlshow	\xmlshow {}		
xmlsnippet	\xmlsnippet {} {}		
xmlstrip	\xmlstrip {} {}		
xmlstripnolines	\xmlstripnolines {} {}		
xmlstripped	\xmlstripped {} {}		
xmlstrippednolines	\xmlstrippednolines {} {}		
xmltag	\xmltag {}		
xmltexentity	\xmltexentity {} {}		
xmltext	\xmltext {} {}		
xmltobuffer	\xmltobuffer {} {} {}		
xmltobufferverbose	$\mbox{xmltobufferverbose } \{\ldots\} \ \{\ldots\} \ \{\ldots\}$		
xmltofile	\xmltofile {} {}		

xmlvalue xmlverbatim xsplitstring xypos yiddishnumerals zeronumberconversion \xmlvalue {...} {...} {...}
\xmlverbatim {...}
\xsplitstring \... {...}
\xypos {...}
\yiddishnumerals {...}
\zeronumberconversion {...}

