ConTEXt

comandi

IT

ConTeXt

comandi

AfterPar	`\AfterPar {...}`
Alphabeticnumerals	`\Alphabeticnumerals {...}`
AMSTEX	`\AMSTEX`
AmSTeX	`\AmSTeX`
And	`\And`
abjadnaivenumerals	`\abjadnaivenumerals {...}`
abjadnodotnumerals	`\abjadnodotnumerals {...}`
abjadnumerals	`\abjadnumerals {...}`
activatespacehandler	`\activatespacehandler {...}`
acute	`\acute {...}`
adaptcollector	`\adaptcollector [...] [..=..]`
adaptfontfeature	`\adaptfontfeature [...] [..=..]`
adaptpapersize	`\adaptpapersize [...] [...]`
adattacampo	`\adattacampo [...] [..=..]`
adattalayout	`\adattalayout [...] [..=..]`
addfeature	`\addfeature [...]`
addfeature:direct	`\addfeature {...}`
addtocommalist	`\addtocommalist {...} \...`
addtoJSpreamble	`\addtoJSpreamble {...} {...}`
addvalue	`\addvalue {...} {...}`
aftersplitstring	`\aftersplitstring ... \at ... \to \...`
aftertestandsplitstring	`\aftertestandsplitstring ... \at ... \to \...`
al	`\al {...} {...} [...]`
alignbottom	`\alignbottom`
aligned	`\aligned [...] {...}`
alignedbox	`\alignedbox [...] \... {...}`
alignedline	`\alignedline {...} {...} {...}`
alignhere	`\alignhere`
alignmentcharacter	`\alignmentcharacter`
allineacentro	`\allineacentro {...}`
allineadestra	`\allineadestra {...}`
allineasinistra	`\allineasinistra {...}`
allinputpaths	`\allinputpaths`
alphabeticnumerals	`\alphabeticnumerals {...}`
alwayscitation	`\alwayscitation [..=..] [...]`
alwayscitation:alternative	`\alwayscitation [...] [...]`
alwayscitation:userdata	`\alwayscitation [..=..] [..=..]`
alwayscite	`\alwayscite [..=..] [...]`
alwayscite:alternative	`\alwayscite [...] [...]`
alwayscite:userdata	`\alwayscite [..=..] [..=..]`
ambiente	`\ambiente [...]`
ambiente:string	`\ambiente ...`
ampersand	`\ampersand`
anchor	`\anchor [...] [..=..] [..=..] {...}`
ap	`\ap {...}`
apagina	`\apagina [...]`
appendetoks	`\appendetoks ... \to \...`
appendgvalue	`\appendgvalue {...} {...}`
appendtocommalist	`\appendtocommalist {...} \...`
appendtoks	`\appendtoks ... \to \...`
appendtoksonce	`\appendtoksonce ... \to \...`
appendvalue	`\appendvalue {...} {...}`
apply	`\apply {...} {...}`
applyalternativestyle	`\applyalternativestyle {...}`
applyprocessor	`\applyprocessor {...} {...}`
applytocharacters	`\applytocharacters \... {...}`
applytofirstcharacter	`\applytofirstcharacter \... {...}`
applytosplitstringchar	`\applytosplitstringchar \... {...}`
applytosplitstringcharspaced	`\applytosplitstringcharspaced \... {...}`
applytosplitstringline	`\applytosplitstringline \... {...}`
applytosplitstringlinespaced	`\applytosplitstringlinespaced \... {...}`
applytosplitstringword	`\applytosplitstringword \... {...}`
applytosplitstringwordspaced	`\applytosplitstringwordspaced \... {...}`
applytowords	`\applytowords \... {...}`
ap:instance	`\HIGH {...}`
ap:instance:unitshigh	`\unitshigh {...}`
arabicdecimals	`\arabicdecimals {...}`
arabicexnumerals	`\arabicexnumerals {...}`
arabicnumerals	`\arabicnumerals {...}`
arg	`\arg {...}`
asciistr	`\asciistr {...}`
assignalfadimension	`\assignalfadimension {...} \... {...} {...} {...}`
assigndimen	`\assigndimen \... {...}`
assigndimension	`\assigndimension {...} \... {...} {...} {...}`
assignifempty	`\assignifempty \... {...}`

assigntranslation	`\assigntranslation [..=..] \to \...`
assignvalue	`\assignvalue {...} \... {...} {...} {...}`
assignwidth	`\assignwidth {...} \... {...} {...}`
assumelongusagecs	`\assumelongusagecs \... {...}`
astype	`\astype {...}`
attachment:instance	`\ATTACHMENT [...] [..=..]`
attachment:instance:attachment	`\attachment [...] [..=..]`
autocap	`\autocap {...}`
autodirhbox	`\autodirhbox ... {...}`
autodirvbox	`\autodirvbox ... {...}`
autodirvtop	`\autodirvtop ... {...}`
autoinsertnextspace	`\autoinsertnextspace`
autointegral	`\autointegral {...} {...} {...}`
automathematics	`\automathematics {...}`
autosetups	`\autosetups {...}`
autostarttesto	`\autostarttesto ... \autostoptesto`
availablehsize	`\availablehsize`
averagecharwidth	`\averagecharwidth`
BeforePar	`\BeforePar {...}`
Big	`\Big ...`
Bigg	`\Bigg ...`
Biggl	`\Biggl ...`
Biggm	`\Biggm ...`
Biggr	`\Biggr ...`
Bigl	`\Bigl ...`
Bigm	`\Bigm ...`
Bigr	`\Bigr ...`
backgroundimage	`\backgroundimage {...} {...} {...} {...}`
backgroundimagefill	`\backgroundimagefill {...} {...} {...} {...}`
backgroundline	`\backgroundline [...] {...}`
bar	`\bar {...}`
barracolori	`\barracolori [...]`
barrainterazione	`\barrainterazione [...] [..=..]`
bar:instance	`\BAR {...}`
bar:instance:hiddenbar	`\hiddenbar {...}`
bar:instance:nobar	`\nobar {...}`
bar:instance:overbar	`\overbar {...}`
bar:instance:overbars	`\overbars {...}`
bar:instance:overstrike	`\overstrike {...}`
bar:instance:overstrikes	`\overstrikes {...}`
bar:instance:underbar	`\underbar {...}`
bar:instance:underbars	`\underbars {...}`
bar:instance:underdash	`\underdash {...}`
bar:instance:underdashes	`\underdashes {...}`
bar:instance:underdot	`\underdot {...}`
bar:instance:underdots	`\underdots {...}`
bar:instance:underrandom	`\underrandom {...}`
bar:instance:underrandoms	`\underrandoms {...}`
bar:instance:understrike	`\understrike {...}`
bar:instance:understrikes	`\understrikes {...}`
basegrid	`\basegrid [..=..]`
baselinebottom	`\baselinebottom`
baselineleftbox	`\baselineleftbox {...}`
baselinemiddlebox	`\baselinemiddlebox {...}`
baselinerightbox	`\baselinerightbox {...}`
bbordermatrix	`\bbordermatrix {...}`
bbox	`\bbox {...}`
beforesplitstring	`\beforesplitstring ... \at ... \to \...`
beforetestandsplitstring	`\beforetestandsplitstring ... \at ... \to \...`
beginblock:example	`\beginBLOCK [...] ... \endBLOCK`
beginhbox	`\beginhbox ... \endhbox`
beginofshapebox	`\beginofshapebox ... \endofshapebox`
beginvbox	`\beginvbox ... \endvbox`
beginvtop	`\beginvtop ... \endvtop`
begstrut	`\begstrut ... \endstrut`
bigg	`\bigg ...`
bigger	`\bigger`
biggl	`\biggl ...`
biggm	`\biggm ...`
biggr	`\biggr ...`
bigl	`\bigl ...`
bigm	`\bigm ...`
bigr	`\bigr ...`
bigskip	`\bigskip`
bitmapimage	`\bitmapimage [..=..] {...}`

```
blap                                \blap {...}
bleed                               \bleed [..=..] {...}
bleedheight                         \bleedheight
bleedwidth                          \bleedwidth
blockligatures                      \blockligatures [...]
blocksynctexfile                    \blocksynctexfile [...]
bodyfontenvironmentlist             \bodyfontenvironmentlist
bodyfontsize                        \bodyfontsize
boldface                            \boldface
booleanmodevalue                    \booleanmodevalue {...}
bordermatrix                        \bordermatrix {...}
bottombox                           \bottombox {...}
bottomleftbox                       \bottomleftbox {...}
bottomrightbox                      \bottomrightbox {...}
boxcursor                           \boxcursor
boxmarker                           \boxmarker {...} {...}
boxofsize                           \boxofsize \... ... {...}
boxreference                        \boxreference [...] \... {...}
bpar                                \bpar ... \epar
bpos                                \bpos {...}
breakhere                           \breakhere
breve                               \breve {...}
bTABLE                              \bTABLE [..=..] ... \eTABLE
bTABLEbody                          \bTABLEbody [..=..] ... \eTABLEbody
bTABLEfoot                          \bTABLEfoot [..=..] ... \eTABLEfoot
bTABLEhead                          \bTABLEhead [..=..] ... \eTABLEhead
bTABLEnext                          \bTABLEnext [..=..] ... \eTABLEnext
bTC                                 \bTC [..=..] ... \eTC
bTD                                 \bTD [..=..] ... \eTD
bTDs                                \bTDs [...] ... \eTDs
bTH                                 \bTH [..=..] ... \eTH
bTN                                 \bTN [..=..] ... \eTN
bTR                                 \bTR [..=..] ... \eTR
bTRs                                \bTRs [...] ... \eTRs
bTX                                 \bTX [..=..] ... \eTX
bTY                                 \bTY [..=..] ... \eTY
btxabbreviatedjournal               \btxabbreviatedjournal {...}
btxaddjournal                       \btxaddjournal [...] [...]
btxalwayscitation                   \btxalwayscitation [..=..] [...]
btxalwayscitation:alternative       \btxalwayscitation [...] [...]
btxalwayscitation:userdata          \btxalwayscitation [..=..] [..=..]
btxauthorfield                      \btxauthorfield {...}
btxdetail                           \btxdetail {...}
btxdirect                           \btxdirect {...}
btxdoif                             \btxdoif {...} {...}
btxdoifcombiinlistelse              \btxdoifcombiinlistelse {...} {...} {...} {...}
btxdoifelse                         \btxdoifelse {...} {...} {...}
btxdoifelsecombiinlist              \btxdoifelsecombiinlist {...} {...} {...} {...}
btxdoifelsesameasprevious           \btxdoifelsesameasprevious {...} {...} {...}
btxdoifelsesameaspreviouschecked    \btxdoifelsesameaspreviouschecked {...} {...} {...} {...}
btxdoifelseuservariable             \btxdoifelseuservariable {...} {...} {...}
btxdoifnot                          \btxdoifnot {...} {...}
btxdoifsameaspreviouscheckedelse    \btxdoifsameaspreviouscheckedelse {...} {...} {...} {...}
btxdoifsameaspreviouselse           \btxdoifsameaspreviouselse {...} {...} {...}
btxdoifuservariableelse             \btxdoifuservariableelse {...} {...} {...}
btxexpandedjournal                  \btxexpandedjournal {...}
btxfield                            \btxfield {...}
btxfieldname                        \btxfieldname {...}
btxfieldtype                        \btxfieldtype {...}
btxfirstofrange                     \btxfirstofrange {...}
btxflush                            \btxflush {...}
btxflushauthor                      \btxflushauthor [...] {...}
btxflushauthorinverted              \btxflushauthorinverted {...}
btxflushauthorinvertedshort         \btxflushauthorinvertedshort {...}
btxflushauthorname                  \btxflushauthorname {...}
btxflushauthornormal                \btxflushauthornormal {...}
btxflushauthornormalshort           \btxflushauthornormalshort {...}
btxflushsuffix                      \btxflushsuffix
btxfoundname                        \btxfoundname {...}
btxfoundtype                        \btxfoundtype {...}
btxhiddencitation                   \btxhiddencitation [...]
btxhybridcite                       \btxhybridcite [..=..] [...]
btxhybridcite:alternative           \btxhybridcite [...] [...]
btxhybridcite:direct                \btxhybridcite {...}
btxhybridcite:userdata              \btxhybridcite [..=..] [..=..]
```

```
btxlistcitation                                     \btxlistcitation [..=..] [...]
btxlistcitation:alternative                         \btxlistcitation [...] [...]
btxlistcitation:userdata                            \btxlistcitation [..=..] [..=..]
btxloadjournalist                                   \btxloadjournalist [...]
btxoneorrange                                       \btxoneorrange {...} {...} {...}
btxremapauthor                                      \btxremapauthor [...] [...]
btxsavejournalist                                   \btxsavejournalist [...]
btxsetup                                            \btxsetup {...}
btxsingularorplural                                 \btxsingularorplural {...} {...} {...}
btxsingularplural                                   \btxsingularplural {...} {...} {...}
btxtextcitation                                     \btxtextcitation [..=..] [...]
btxtextcitation:alternative                         \btxtextcitation [...] [...]
btxtextcitation:userdata                            \btxtextcitation [..=..] [..=..]
buildmathaccent                                     \buildmathaccent {...} {...}
buildtextaccent                                     \buildtextaccent {...} {...}
buildtextbottomcomma                                \buildtextbottomcomma {...}
buildtextbottomdot                                  \buildtextbottomdot {...}
buildtextcedilla                                    \buildtextcedilla {...}
buildtextgrave                                      \buildtextgrave {...}
buildtextmacron                                     \buildtextmacron {...}
buildtextognek                                      \buildtextognek {...}
Cap                                                 \Cap {...}
Caps                                                \Caps {...}
CONTEXT                                             \CONTEXT
ConTeXt                                             \ConTeXt
Context                                             \Context
ConvertConstantAfter                                \ConvertConstantAfter \... {...} {...}
ConvertToConstant                                   \ConvertToConstant \... {...} {...}
calligrafico                                        \calligrafico
cambiaafontdeltesto                                 \cambiaafontdeltesto [...]
camel                                               \camel {...}
campi                                               \campi [...] [...]
cap                                                 \cap {...}
capello                                             \capello
capoverso:instance                                  \SECTION [...] {...}
capoverso:instance:assignment                       \SECTION [..=..]
capoverso:instance:assignment:chapter               \chapter [..=..]
capoverso:instance:assignment:part                  \part [..=..]
capoverso:instance:assignment:section               \section [..=..]
capoverso:instance:assignment:subject               \subject [..=..]
capoverso:instance:assignment:subsection            \subsection [..=..]
capoverso:instance:assignment:subsubject            \subsubject [..=..]
capoverso:instance:assignment:subsubsection         \subsubsection [..=..]
capoverso:instance:assignment:subsubsubject         \subsubsubject [..=..]
capoverso:instance:assignment:subsubsubsection      \subsubsubsection [..=..]
capoverso:instance:assignment:subsubsubsubject      \subsubsubsubject [..=..]
capoverso:instance:assignment:title                 \title [..=..]
capoverso:instance:chapter                          \chapter [...] {...}
capoverso:instance:ownnumber                        \SECTION [...] {...} {...}
capoverso:instance:ownnumber:chapter                \chapter [...] {...} {...}
capoverso:instance:ownnumber:part                   \part [...] {...} {...}
capoverso:instance:ownnumber:section                \section [...] {...} {...}
capoverso:instance:ownnumber:subject                \subject [...] {...} {...}
capoverso:instance:ownnumber:subsection             \subsection [...] {...} {...}
capoverso:instance:ownnumber:subsubject             \subsubject [...] {...} {...}
capoverso:instance:ownnumber:subsubsection          \subsubsection [...] {...} {...}
capoverso:instance:ownnumber:subsubsubject          \subsubsubject [...] {...} {...}
capoverso:instance:ownnumber:subsubsubsection       \subsubsubsection [...] {...} {...}
capoverso:instance:ownnumber:subsubsubsubject       \subsubsubsubject [...] {...} {...}
capoverso:instance:ownnumber:title                  \title [...] {...} {...}
capoverso:instance:part                             \part [...] {...}
capoverso:instance:section                          \section [...] {...}
capoverso:instance:subject                          \subject [...] {...}
capoverso:instance:subsection                       \subsection [...] {...}
capoverso:instance:subsubject                       \subsubject [...] {...}
capoverso:instance:subsubsection                    \subsubsection [...] {...}
capoverso:instance:subsubsubject                    \subsubsubject [...] {...}
capoverso:instance:subsubsubsection                 \subsubsubsection [...] {...}
capoverso:instance:subsubsubsubject                 \subsubsubsubject [...] {...}
```

```
capoverso:instance:title                    \title [...] {...}
catcodetablename                             \catcodetablename
cbox                                         \cbox ... {...}
centeraligned                                \centeraligned {...}
centerbox                                    \centerbox ... {...}
centeredbox                                  \centeredbox ... {...}
centeredlastline                             \centeredlastline
centerednextbox                              \centerednextbox ... {...}
centerline                                   \centerline {...}
centro                                       \centro ...
cfrac                                        \cfrac [...] {...} {...}
characterkerning:example                     \CHARACTERKERNING [...] {...}
chardescription                              \chardescription {...}
charwidthlanguage                            \charwidthlanguage
check                                        \check {...}
checkcharacteralign                          \checkcharacteralign {...}
checkedchar                                  \checkedchar {...} {...}
checkedfiller                                \checkedfiller {...}
checkedstrippedcsname                        \checkedstrippedcsname \...
checkedstrippedcsname:string                 \checkedstrippedcsname ...
checkinjector                                \checkinjector [...]
checknextindentation                         \checknextindentation [...]
checknextinjector                            \checknextinjector [...]
checkpage                                    \checkpage [...] [..=..]
checkparameters                              \checkparameters [...]
checkpreviousinjector                        \checkpreviousinjector [...]
checksoundtrack                              \checksoundtrack {...}
checktwopassdata                             \checktwopassdata {...}
checkvariables                               \checkvariables [...] [..=..]
chemical                                     \chemical [...] [...] [...]
chemicalbottext                              \chemicalbottext {...}
chemicalmidtext                              \chemicalmidtext {...}
chemicalsymbol                               \chemicalsymbol [...]
chemicaltext                                 \chemicaltext {...}
chemicaltoptext                              \chemicaltoptext {...}
chim                                         \chim {...} {...} {...}
chineseallnumerals                           \chineseallnumerals {...}
chinesecapnumerals                           \chinesecapnumerals {...}
chinesenumerals                              \chinesenumerals {...}
circondato                                   \circondato [..=..] {...}
citation                                     \citation [..=..] [...]
citation:alternative                         \citation [...] [...]
citation:direct                              \citation {...}
citation:userdata                            \citation [..=..] [..=..]
cite                                         \cite [..=..] [...]
cite:alternative                             \cite [...] [...]
cite:direct                                  \cite {...}
cite:userdata                                \cite [..=..] [..=..]
clap                                         \clap {...}
classfont                                    \classfont {...} {...}
cldcommand                                   \cldcommand {...}
cldcontext                                   \cldcontext {...}
cldloadfile                                  \cldloadfile {...}
cldprocessfile                               \cldprocessfile {...}
clip                                         \clip [..=..] {...}
clonacampo                                   \clonacampo [...] [...] [...] [...]
collect                                      \collect {...}
collectedtext                                \collectedtext [..=..] [..=..] {...} {...}
collectexpanded                              \collectexpanded {...}
colonna                                      \colonna [...]
colorcomponents                              \colorcomponents {...}
colore                                       \colore [...] {...}
colored                                      \colored [..=..] {...}
colored:name                                 \colored [...] {...}
coloregrigio                                 \coloregrigio [...] {...}
coloronly                                    \coloronly [...] {...}
columnbreak                                  \columnbreak [...]
combinepages                                 \combinepages [...] [..=..]
commalistelement                             \commalistelement
commalistsentence                            \commalistsentence [...] [...]
commalistsize                                \commalistsize
commento                                     \commento (...,...) (...,...) [..=..] {...}
commento:instance                            \COMMENT [...] [..=..] {...}
commento:instance:comment                    \comment [...] [..=..] {...}
comparedimension                             \comparedimension {...} {...}
```

```
comparedimensioneps                          \comparedimensioneps {...} {...}
completebtxrendering                          \completebtxrendering [...] [..=..]
completecombinedlist:instance                 \completoCOMBINEDLIST [..=..]
completecombinedlist:instance:content         \completocontent [..=..]
completelist                                  \completelist [...] [..=..]
completelistoffloats:instance                 \completelistofFLOATS [..=..]
completelistoffloats:instance:chemicals       \completelistofchemicals [..=..]
completelistoffloats:instance:figures         \completelistoffigures [..=..]
completelistoffloats:instance:graphics        \completelistofgraphics [..=..]
completelistoffloats:instance:intermezzi      \completelistofintermezzi [..=..]
completelistoffloats:instance:tables          \completelistoftables [..=..]
completelistofpublications                    \completelistofpublications [...] [..=..]
completelistofsorts                           \completelistofsorts [...] [..=..]
completelistofsorts:instance                  \completelistofSORTS [..=..]
completelistofsorts:instance:logos            \completelistoflogos [..=..]
completelistofsynonyms                        \completelistofsynonyms [...] [..=..]
completelistofsynonyms:instance               \completelistofSYNONYMS [..=..]
completelistofsynonyms:instance:abbreviations \completelistofabbreviations [..=..]
completeregister                              \completeregister [...] [..=..]
completeregister:instance                     \completoREGISTER [..=..]
completeregister:instance:index               \completoindex [..=..]
complexorsimple                               \complexorsimple \...
complexorsimpleempty                          \complexorsimpleempty \...
complexorsimpleempty:argument                 \complexorsimpleempty {...}
complexorsimple:argument                      \complexorsimple {...}
componenet                                    \componenet [...]
componenet:string                             \componenet ...
composedcollector                             \composedcollector {...}
composedlayer                                 \composedlayer {...}
compresult                                    \compresult
confrontagruppocolori                         \confrontagruppocolori [...]
confrontatavolozza                            \confrontatavolozza [...]
constantdimen                                 \constantdimen \...
constantdimenargument                         \constantdimenargument \...
constantemptyargument                         \constantemptyargument \...
constantnumber                                \constantnumber \...
constantnumberargument                        \constantnumberargument \...
contentreference                              \contentreference [...] [..=..] {...}
continuednumber                               \continuednumber {...}
continueifinputfile                           \continueifinputfile {...}
convertargument                               \convertargument ... \to \...
convertcommand                                \convertcommand \... \to \...
convertedcounter                              \convertedcounter [...] [..=..]
converteddimen                                \converteddimen {...} {...}
convertedsubcounter                           \convertedsubcounter [...] [...] [..=..]
convertinumero                                \convertinumero {...} {...}
convertmonth                                  \convertmonth {...}
convertvalue                                  \convertvalue ... \to \...
convertvboxtohbox                             \convertvboxtohbox
copiacampo                                    \copiacampo [...] [...]
copyboxfromcache                              \copyboxfromcache {...} {...} ...
copylabeltext:instance                        \copyLABELtesto [...] [..=..]
copylabeltext:instance:btxlabel               \copybtxlabeltesto [...] [..=..]
copylabeltext:instance:head                   \copyheadtesto [...] [..=..]
copylabeltext:instance:label                  \copylabeltesto [...] [..=..]
copylabeltext:instance:mathlabel              \copymathlabeltesto [...] [..=..]
copylabeltext:instance:operator               \copyoperatortesto [...] [..=..]
copylabeltext:instance:prefix                 \copyprefixtesto [...] [..=..]
copylabeltext:instance:suffix                 \copysuffixtesto [...] [..=..]
copylabeltext:instance:taglabel               \copytaglabeltesto [...] [..=..]
copylabeltext:instance:unit                   \copyunittesto [...] [..=..]
copypages                                     \copypages [...] [..=..] [..=..]
copyparameters                                \copyparameters [...] [...] [...]
copyposition                                  \copyposition {...} {...}
correggispaziobianco                          \correggispaziobianco {...}
corsivo                                       \corsivo
corsivograssetto                              \corsivograssetto
countersubs                                   \countersubs [...] [...]
counttoken                                    \counttoken ... \in ... \to \...
counttokens                                   \counttokens ... \to \...
cramped                                       \cramped {...}
crampedclap                                   \crampedclap {...}
crampedllap                                   \crampedllap {...}
crampedrlap                                   \crampedrlap {...}
ctop                                          \ctop ... {...}
```

```
ctxcommand                                  \ctxcommand {...}
ctxdirectcommand                            \ctxdirectcommand {...}
ctxdirectlua                                \ctxdirectlua {...}
ctxfunction                                 \ctxfunction {...}
ctxfunctiondefinition:example               \CTXFUNCTIONDEFINITION
ctxfunction:example                         \CTXFUNCTION
ctxlatecommand                              \ctxlatecommand {...}
ctxlatelua                                  \ctxlatelua {...}
ctxloadluafile                              \ctxloadluafile {...}
ctxlua                                      \ctxlua {...}
ctxluabuffer                                \ctxluabuffer [...]
ctxluacode                                  \ctxluacode {...}
ctxreport                                   \ctxreport {...}
ctxsprint                                   \ctxsprint {...}
currentassignmentlistkey                    \currentassignmentlistkey
currentassignmentlistvalue                  \currentassignmentlistvalue
currentbtxuservariable                      \currentbtxuservariable {...}
currentcommalistitem                        \currentcommalistitem
currentcomponent                            \currentcomponent
currentenvironment                          \currentenvironment
currentfeaturetest                          \currentfeaturetest
currentinterface                            \currentinterface
currentlabel:example                        \currentETICHETTA [...] {...}
currentlanguage                             \currentlanguage
currentlistentrydestinationattribute        \currentlistentrydestinationattribute
currentlistentrylimitedtext                 \currentlistentrylimitedtext {...}
currentlistentrynumber                      \currentlistentrynumber
currentlistentrypagenumber                  \currentlistentrypagenumber
currentlistentryreferenceattribute          \currentlistentryreferenceattribute {...}
currentlistentrytitle                       \currentlistentrytitle
currentlistentrytitlerendered               \currentlistentrytitlerendered
currentlistsymbol                           \currentlistsymbol
currentmainlanguage                         \currentmainlanguage
currentmessagetext                          \currentmessagetext
currentmoduleparameter                      \currentmoduleparameter {...}
currentoutputstream                         \currentoutputstream
currentproduct                              \currentproduct
currentproject                              \currentproject
currentregime                               \currentregime
currentregisterpageuserdata                 \currentregisterpageuserdata {...}
currentresponses                            \currentresponses
currenttime                                 \currenttime [...]
currentvalue                                \currentvalue
currentxtablecolumn                         \currentxtablecolumn
currentxtablerow                            \currentxtablerow
d                                           \d {...}
da                                          \da [...]
daqualcheparte                              \daqualcheparte {...} {...} [...]
data                                        \data [..=..] [...]
datadioggi                                  \datadioggi [...]
datasetvariable                             \datasetvariable {...} {...} {...}
dayoftheweek                                \dayoftheweek {...} {...} {...}
dayspermonth                                \dayspermonth {...} {...}
dddot                                       \dddot {...}
ddot                                        \ddot {...}
decrement                                   \decrement \...
decrementcounter                            \decrementcounter [...] [...]
decrementedcounter                          \decrementedcounter [...]
decrementpagenumber                         \decrementpagenumber
decrementsubpagenumber                      \decrementsubpagenumber
decrementvalue                              \decrementvalue {...}
decrement:argument                          \decrement cd:parentheses-s
defaultinterface                            \defaultinterface
defaultobjectpage                           \defaultobjectpage
defaultobjectreference                      \defaultobjectreference
defcatcodecommand                           \defcatcodecommand \... ... {...}
defconvertedargument                        \defconvertedargument \... {...}
defconvertedcommand                         \defconvertedcommand \... \...
defconvertedvalue                           \defconvertedvalue \... {...}
defineactivecharacter                       \defineactivecharacter ... {...}
definealternativestyle                      \definealternativestyle [...] [...] [...]
defineanchor                                \defineanchor [...] [...] [..=..] [..=..]
defineattachment                            \defineattachment [...] [...] [..=..]
defineattribute                             \defineattribute [...] [...]
definebackground                            \definebackground [...] [...] [..=..]
```

```
definebar                              \definebar [...] [...] [..=..]
definebodyfontswitch                   \definebodyfontswitch [...] [...]
definebreakpoint                       \definebreakpoint [...] [...] [..=..]
definebreakpoints                      \definebreakpoints [...]
definebtx                              \definebtx [...] [...] [..=..]
definebtxdataset                       \definebtxdataset [...] [...] [..=..]
definebtxregister                      \definebtxregister [...] [...] [..=..]
definebtxrendering                     \definebtxrendering [...] [...] [..=..]
definebutton                           \definebutton [...] [...] [..=..]
definecapitals                         \definecapitals [...] [...] [..=..]
definecharacterkerning                 \definecharacterkerning [...] [...] [..=..]
definecharacterspacing                 \definecharacterspacing [...]
definechemical                         \definechemical [...] {...}
definechemicals                        \definechemicals [...] [...] [..=..]
definechemicalsymbol                   \definechemicalsymbol [...] [...]
definecollector                        \definecollector [...] [...] [..=..]
definecolumnbreak                      \definecolumnbreak [...] [...]
definecombination                      \definecombination [...] [...] [..=..]
definecomment                          \definecomment [...] [...] [..=..]
definecomplexorsimple                  \definecomplexorsimple \...
definecomplexorsimpleempty             \definecomplexorsimpleempty \...
definecomplexorsimpleempty:argument    \definecomplexorsimpleempty {...}
definecomplexorsimple:argument         \definecomplexorsimple {...}
defineconversionset                    \defineconversionset [...] [...] [...]
definecounter                          \definecounter [...] [...] [..=..]
definedataset                          \definedataset [...] [...] [..=..]
definedelimitedtext                    \definedelimitedtext [...] [...] [..=..]
definedfont                            \definedfont [...]
defineeffect                           \defineeffect [...] [...] [..=..]
defineexpandable                       \defineexpandable [...] \... {...}
defineexternalfigure                   \defineexternalfigure [...] [...] [..=..]
definefallbackfamily                   \definefallbackfamily [...] [...] [...] [..=..]
definefallbackfamily:preset            \definefallbackfamily [...] [...] [...] [...]
definefieldbody                        \definefieldbody [...] [...] [..=..]
definefieldbodyset                     \definefieldbodyset [...] [...]
definefieldcategory                    \definefieldcategory [...] [...] [..=..]
definefileconstant                     \definefileconstant {...} {...}
definefilefallback                     \definefilefallback [...] [...]
definefilesynonym                      \definefilesynonym [...] [...]
definefiller                           \definefiller [...] [...] [..=..]
definefirstline                        \definefirstline [...] [...] [..=..]
definefittingpage                      \definefittingpage [...] [...] [..=..]
definefontalternative                  \definefontalternative [...]
definefontfallback                     \definefontfallback [...] [...] [...] [..=..]
definefontfamily                       \definefontfamily [...] [...] [...] [..=..]
definefontfamilypreset                 \definefontfamilypreset [...] [..=..]
definefontfamilypreset:name            \definefontfamilypreset [...] [...]
definefontfamily:preset                \definefontfamily [...] [...] [...] [...]
definefontfeature                      \definefontfeature [...] [...] [..=..]
definefontfile                         \definefontfile [...] [...] [..=..]
definefontsize                         \definefontsize [...]
definefontsolution                     \definefontsolution [...] [...] [..=..]
defineformula                          \defineformula [...] [...] [..=..]
defineformulaalternative               \defineformulaalternative [...] [...] [...]
defineformulaframed                    \defineformulaframed [...] [...] [..=..]
defineframedcontent                    \defineframedcontent [...] [...] [..=..]
defineframedtable                      \defineframedtable [...] [...]
definefrozenfont                       \definefrozenfont [...] [...]
defineglobalcolor                      \defineglobalcolor [...] [..=..]
defineglobalcolor:name                 \defineglobalcolor [...] [...]
definegraphictypesynonym               \definegraphictypesynonym [...] [...]
definegridsnapping                     \definegridsnapping [...] [...]
defineheadalternative                  \defineheadalternative [...] [...] [..=..]
definehelp                             \definehelp [...] [...] [..=..]
definehigh                             \definehigh [...] [...] [..=..]
definehighlight                        \definehighlight [...] [...] [..=..]
definehspace                           \definehspace [...] [...] [...]
definehypenationfeatures               \definehypenationfeatures [...] [..=..]
defineindentedtext                     \defineindentedtext [...] [...] [..=..]
defineindenting                        \defineindenting [...] [...]
defineinitial                          \defineinitial [...] [...] [..=..]
defineinsertion                        \defineinsertion [...] [...] [..=..]
defineinteraction                      \defineinteraction [...] [...] [..=..]
defineinteractionbar                   \defineinteractionbar [...] [...] [..=..]
defineinterfaceconstant                \defineinterfaceconstant {...} {...}
```

8

```
defineinterfaceelement          \defineinterfaceelement {...} {...}
defineinterfacevariable         \defineinterfacevariable {...} {...}
defineinterlinespace            \defineinterlinespace [...] [...] [..=..]
defineintermediatecolor         \defineintermediatecolor [...] [...] [..=..]
defineitemgroup                 \defineitemgroup [...] [...] [..=..]
defineitems                     \defineitems [...] [...] [..=..]
definelabelclass                \definelabelclass [...] [...]
definelayer                     \definelayer [...] [...] [..=..]
definelayerpreset               \definelayerpreset [...] [..=..]
definelayerpreset:name          \definelayerpreset [...] [...]
definelinefiller                \definelinefiller [...] [...] [..=..]
definelinenote                  \definelinenote [...] [...] [..=..]
definelinenumbering             \definelinenumbering [...] [...] [..=..]
definelines                     \definelines [...] [...] [..=..]
definelistalternative           \definelistalternative [...] [...] [..=..]
definelistextra                 \definelistextra [...] [...] [..=..]
definelow                       \definelow [...] [...] [..=..]
definelowhigh                   \definelowhigh [...] [...] [..=..]
definelowmidhigh                \definelowmidhigh [...] [...] [..=..]
defineMPinstance                \defineMPinstance [...] [...] [..=..]
definemarginblock               \definemarginblock [...] [...] [..=..]
definemargindata                \definemargindata [...] [...] [..=..]
definemarker                    \definemarker [...]
definemathaccent                \definemathaccent ... ...
definemathalignment             \definemathalignment [...] [...] [..=..]
definemathcases                 \definemathcases [...] [...] [..=..]
definemathcommand               \definemathcommand [...] [...] [...] {...}
definemathdouble                \definemathdouble [...] [...] [...] [...]
definemathdoubleextensible      \definemathdoubleextensible [...] [...] [...] [...]
definemathematics               \definemathematics [...] [...] [..=..]
definemathextensible            \definemathextensible [...] [...] [...]
definemathfence                 \definemathfence [...] [...] [..=..]
definemathfraction              \definemathfraction [...] [...] [..=..]
definemathframed                \definemathframed [...] [...] [..=..]
definemathmatrix                \definemathmatrix [...] [...] [..=..]
definemathornament              \definemathornament [...] [...] [..=..]
definemathover                  \definemathover [...] [...] [...]
definemathoverextensible        \definemathoverextensible [...] [...] [...]
definemathovertextextensible    \definemathovertextextensible [...] [...] [...]
definemathradical               \definemathradical [...] [...] [..=..]
definemathstackers              \definemathstackers [...] [...] [..=..]
definemathstyle                 \definemathstyle [...] [...]
definemathtriplet               \definemathtriplet [...] [...] [...]
definemathunder                 \definemathunder [...] [...] [...]
definemathunderextensible       \definemathunderextensible [...] [...] [...]
definemathundertextextensible   \definemathundertextextensible [...] [...] [...]
definemathunstacked             \definemathunstacked [...] [...] [...]
definemeasure                   \definemeasure [...] [...]
definemessageconstant           \definemessageconstant {...}
definemixedcolumns              \definemixedcolumns [...] [...] [..=..]
definemode                      \definemode [...] [...]
definemultitonecolor            \definemultitonecolor [...] [..=..] [..=..] [..=..]
definenamedcolor                \definenamedcolor [...] [..=..]
definenamedcolor:name           \definenamedcolor [...] [..=..]
definenamespace                 \definenamespace [...] [..=..]
definenarrower                  \definenarrower [...] [...] [..=..]
definenote                      \definenote [...] [...] [..=..]
defineornament:collector        \defineornament [...] [..=..] [..=..]
defineornament:layer            \defineornament [...] [..=..] [..=..]
defineoutputroutine             \defineoutputroutine [...] [...] [..=..]
defineoutputroutinecommand      \defineoutputroutinecommand [...]
definepage                      \definepage [...] [...]
definepagebreak                 \definepagebreak [...] [...]
definepagechecker               \definepagechecker [...] [...] [..=..]
definepagegrid                  \definepagegrid [...] [...] [..=..]
definepagegridarea              \definepagegridarea [...] [...] [..=..]
definepagegridspan              \definepagegridspan [...] [...] [..=..]
definepageinjection             \definepageinjection [...] [...] [..=..]
definepageinjectionalternative  \definepageinjectionalternative [...] [...] [..=..]
definepageshift                 \definepageshift [...] [...] [...]
definepagestate                 \definepagestate [...] [...] [..=..]
definepairedbox                 \definepairedbox [...] [...] [..=..]
defineparagraph                 \defineparagraph [...] [...] [..=..]
defineparallel                  \defineparallel [...] [...]
defineparbuilder                \defineparbuilder [...]
```

defineplacement	\defineplacement [...] [...] [..=..]
definepositioning	\definepositioning [...] [...] [..=..]
defineprefixset	\defineprefixset [...] [...] [...]
defineprocesscolor	\defineprocesscolor [...] [...] [..=..]
defineprocessor	\defineprocessor [...] [...] [..=..]
definepushbutton	\definepushbutton [...] [..=..]
definepushsymbol	\definepushsymbol [...] [...]
definerenderingwindow	\definerenderingwindow [...] [...] [..=..]
defineresetset	\defineresetset [...] [...] [...]
definescale	\definescale [...] [...] [..=..]
definescript	\definescript [...] [...] [..=..]
definesectionlevels	\definesectionlevels [...] [...]
defineselector	\defineselector [...] [..=..]
defineseparatorset	\defineseparatorset [...] [...] [...]
defineshift	\defineshift [...] [...] [..=..]
definesidebar	\definesidebar [...] [...] [..=..]
definesort	\definesort [...] [...] [...] {...}
definespotcolor	\definespotcolor [...] [...] [..=..]
definestyleinstance	\definestyleinstance [...] [...] [...] [...]
definesubformula	\definesubformula [...] [...] [..=..]
definesynonym	\definesynonym [...] [...] [...] {...} {...}
definesystemattribute	\definesystemattribute [...] [...]
definesystemconstant	\definesystemconstant {...}
definesystemvariable	\definesystemvariable {...}
defineTABLEsetup	\defineTABLEsetup [...] [..=..]
definetabulation	\definetabulation [...] [...] [..=..]
definetextbackground	\definetextbackground [...] [...] [..=..]
definetextflow	\definetextflow [...] [...] [..=..]
definetooltip	\definetooltip [...] [...] [..=..]
definetransparency:1	\definetransparency [...] [...]
definetransparency:2	\definetransparency [...] [..=..]
definetransparency:3	\definetransparency [...] [...]
definetwopasslist	\definetwopasslist {...}
definetypeface	\definetypeface [...] [...] [...] [...] [...] [..=..]
definetypescriptprefix	\definetypescriptprefix [...] [...]
definetypescriptsynonym	\definetypescriptsynonym [...] [...]
definetypesetting	\definetypesetting [...] [...] [..=..]
defineunit	\defineunit [...] [...] [..=..]
defineviewerlayer	\defineviewerlayer [...] [...] [..=..]
definevspace	\definevspace [...] [...] [...]
definevspacing	\definevspacing [...] [...]
definevspacingamount	\definevspacingamount [...] [...] [...]
definextable	\definextable [...] [...] [..=..]
definisci	\definisci [...] \... {...}
definisciaccento	\definisciaccento ... ...
definisciambientefontdeltesto	\definisciambientefontdeltesto [...] [...] [..=..]
definisciblocco	\definisciblocco [...] [...] [..=..]
definiscibloccosezione	\definiscibloccosezione [...] [...] [..=..]
definiscibuffer	\definiscibuffer [...] [...] [..=..]
definiscicampo	\definiscicampo [...] [...] [...] [...] [...]
definiscicapoversi	\definiscicapoversi [...] [...] [..=..]
definiscicarattere	\definiscicarattere ... ...
definiscicolore	\definiscicolore [...] [..=..]
definiscicolore:name	\definiscicolore [...] [...]
definiscicomando	\definiscicomando ... ...
definisciconversione	\definisciconversione [...] [...] [...]
definisciconversione:list	\definisciconversione [...] [...] [...]
definiscidescrizione	\definiscidescrizione [...] [...] [..=..]
definiscidimensionicarta	\definiscidimensionicarta [...] [..=..]
definiscidimensionicarta:name	\definiscidimensionicarta [...] [...] [...]
definiscielenco	\definiscielenco [...] [...] [..=..]
definiscielencocombinato	\definiscielencocombinato [...] [...] [..=..]
definiscienumerazione	\definiscienumerazione [...] [...] [..=..]
definiscietichetta	\definiscietichetta [...] [...] [..=..]
definiscifigurasimbolo	\definiscifigurasimbolo [...] [...] [..=..]
definiscifont	\definiscifont [...] [...] [..=..]
definiscifontdeltesto	\definiscifontdeltesto [...] [...] [...] [..=..]
definiscifontdeltesto:argument	\definiscifontdeltesto [...] [...] [...] [...]
definiscifont:argument	\definiscifont [...] [...] [...]
definisciformatoriferimento	\definisciformatoriferimento [...] [...] [..=..]
definiscigruppocolori	\definiscigruppocolori [...] [...] [x:y:z,..]
definiscihbox	\definiscihbox [...] [...]
definisciincorniciato	\definisciincorniciato [...] [...] [..=..]
definisciiniziatermina	\definisciiniziatermina [...] [...] [..=..]
definiscilayout	\definiscilayout [...] [...] [..=..]

```
definiscimakeup                        \definiscimakeup [...] [...] [..=..]
definiscimarcatura                     \definiscimarcatura [...] [...] [..=..]
definiscimenuinterazione               \definiscimenuinterazione [...] [...] [..=..]
definiscimodellotabella                \definiscimodellotabella [...] [|...|] [...] [...]
definiscioggettomobile                 \definiscioggettomobile [...] [...] [..=..]
definiscioggettomobile:name            \definiscioggettomobile [...] [...] [...]
definisciordinamento                   \definisciordinamento [...] [...] [...]
definisciprofilo                       \definisciprofilo [...] [...] [..=..]
definisciprogramma                     \definisciprogramma [...] [...] [...]
definisciregistro                      \definisciregistro [...] [...] [..=..]
definisciriferimento                   \definisciriferimento [...] [...]
definiscisezione                       \definiscisezione [...]
definiscisimbolo                       \definiscisimbolo [...] [...] [...]
definiscisinonimi                      \definiscisinonimi [...] [...] [...] [...]
definiscisinonimofont                  \definiscisinonimofont [...] [...] [..=..]
definiscisottocampo                    \definiscisottocampo [...] [...] [...]
definiscisovrapposizione               \definiscisovrapposizione [...] [...] [...]
definiscistackcampi                    \definiscistackcampi [...] [...] [..=..]
definiscistile                         \definiscistile [...] [...] [..=..]
definiscistilefont                     \definiscistilefont [...] [...]
definiscitabulato                      \definiscitabulato [...] [...] [|...|]
definiscitavolozza                     \definiscitavolozza [...] [..=..] OPT
definiscitavolozza:name                \definiscitavolozza [...] [...]
definiscitesta                         \definiscitesta [...] [...] [..=..]
definiscitesto                         \definiscitesto [...] [...] [...] [...] [...] [...] [...]
definiscitestoincorniciato             \definiscitestoincorniciato [...] [...] [..=..]
definiscitype                          \definiscitype [...] [...] [..=..]
definiscityping                        \definiscityping [...] [...] [..=..]
delimited                              \delimited [...] [...] {...}
delimitedtext                          \delimitedtext [...] [...] {...}
delimitedtext:instance                 \DELIMITEDTEXT [...] {...}
delimitedtext:instance:aside           \aside [...] {...}
delimitedtext:instance:blockquote      \blockquote [...] {...}
delimitedtext:instance:quotation       \quotation [...] {...}
delimitedtext:instance:quote           \quote [...] {...}
delimitedtext:instance:speech          \speech [...] {...}
depthofstring                          \depthofstring {...}
depthonlybox                           \depthonlybox {...}
depthspanningtext                      \depthspanningtext {...} {...} {...}
depthstrut                             \depthstrut
descrizione:example                    \DESCRIZIONE [...] {...} ... \par
destra                                 \destra ...
determinacaratteristicheregistro       \determinacaratteristicheregistro [...] [..=..]
determinacarattersticheelenco          \determinacarattersticheelenco [...] [..=..]
determinanumerotesta                   \determinanumerotesta [...]
determinenoflines                      \determinenoflines {...}
devanagarinumerals                     \devanagarinumerals {...}
digits                                 \digits {...}
digits:string                          \digits ...
dimensiontocount                       \dimensiontocount {...} \...
directboxfromcache                     \directboxfromcache {...} {...}
directcolor                            \directcolor [...]
directcolored                          \directcolored [..=..]
directcolored:name                     \directcolored [...]
directconvertedcounter                 \directconvertedcounter {...} {...}
directcopyboxfromcache                 \directcopyboxfromcache {...} {...}
directdummyparameter                   \directdummyparameter {...}
directgetboxllx                        \directgetboxllx ...
directgetboxlly                        \directgetboxlly ...
directhighlight                        \directhighlight {...} {...}
directlocalframed                      \directlocalframed [...] {...}
directluacode                          \directluacode {...}
directselect                           \directselect {...} {...} {...} {...} {...} {...}
directsetbar                           \directsetbar {...}   OPT   OPT   OPT   OPT   OPT
directsetup                            \directsetup {...}
directsymbol                           \directsymbol {...} {...}
directvspacing                         \directvspacing {...}
dis                                    \dis {...}
disabledirectives                      \disabledirectives [...]
disableexperiments                     \disableexperiments [...]
disablemode                            \disablemode [...]
disableoutputstream                    \disableoutputstream
disableparpositions                    \disableparpositions
disableregime                          \disableregime
disabletrackers                        \disabletrackers [...]
```

displaymath	`\displaymath {...}`
displaymathematics	`\displaymathematics {...}`
displaymessage	`\displaymessage {...}`
distributedhsize	`\distributedhsize {...} {...} {...}`
dividedsize	`\dividedsize {...} {...} {...}`
doadaptleftskip	`\doadaptleftskip {...}`
doadaptrightskip	`\doadaptrightskip {...}`
doaddfeature	`\doaddfeature {...}`
doassign	`\doassign [...] [..=..]`
doassignempty	`\doassignempty [...] [..=..]`
doboundtext	`\doboundtext {...} {...} {...}`
docheckassignment	`\docheckassignment {...}`
docheckedpagestate	`\docheckedpagestate {...} {...} {...} {...} {...} {...} {...}`
docheckedpair	`\docheckedpair {...}`
documentvariable	`\documentvariable {...}`
dodoubleargument	`\dodoubleargument \... [...] [...]`
dodoubleargumentwithset	`\dodoubleargumentwithset \... [...] [...]`
dodoubleempty	`\dodoubleempty \... [...] [...]`
dodoubleemptywithset	`\dodoubleemptywithset \... [...] [...]`
dodoublegroupempty	`\dodoublegroupempty \... {...} {...}`
doeassign	`\doeassign [...] [..=..]`
doexpandedrecurse	`\doexpandedrecurse {...} {...}`
dofastloopcs	`\dofastloopcs {...} \...`
dogetattribute	`\dogetattribute {...}`
dogetattributeid	`\dogetattributeid {...}`
dogetcommacommandelement	`\dogetcommacommandelement ... \from ... \to \...`
dogobbledoubleempty	`\dogobbledoubleempty [...] [...]`
dogobblesingleempty	`\dogobblesingleempty [...]`
doif	`\doif {...} {...} {...}`
doifallcommon	`\doifallcommon {...} {...} {...}`
doifallcommonelse	`\doifallcommonelse {...} {...} {...} {...}`
doifalldefinedelse	`\doifalldefinedelse {...} {...} {...}`
doifallmodes	`\doifallmodes {...} {...} {...}`
doifallmodeselse	`\doifallmodeselse {...} {...} {...}`
doifassignmentelse	`\doifassignmentelse {...} {...} {...}`
doifblackelse	`\doifblackelse {...} {...} {...}`
doifbothsides	`\doifbothsides {...} {...} {...}`
doifbothsidesoverruled	`\doifbothsidesoverruled {...} {...} {...}`
doifboxelse	`\doifboxelse {...} {...} {...} {...}`
doifbufferelse	`\doifbufferelse {...} {...} {...}`
doifcolor	`\doifcolor {...} {...}`
doifcolorelse	`\doifcolorelse {...} {...} {...}`
doifcommandhandler	`\doifcommandhandler \... {...} {...}`
doifcommandhandlerelse	`\doifcommandhandlerelse \... {...} {...} {...}`
doifcommon	`\doifcommon {...} {...} {...}`
doifcommonelse	`\doifcommonelse {...} {...} {...} {...}`
doifcontent	`\doifcontent {...} {...} {...} \... {...}`
doifconversiondefinedelse	`\doifconversiondefinedelse {...} {...} {...}`
doifconversionnumberelse	`\doifconversionnumberelse {...} {...} {...} {...}`
doifcounter	`\doifcounter {...} {...}`
doifcounterelse	`\doifcounterelse {...} {...} {...}`
doifcurrentfonthasfeatureelse	`\doifcurrentfonthasfeatureelse {...} {...} {...}`
doifdefined	`\doifdefined {...} {...}`
doifdefinedcounter	`\doifdefinedcounter {...} {...}`
doifdefinedcounterelse	`\doifdefinedcounterelse {...} {...} {...}`
doifdefinedelse	`\doifdefinedelse {...} {...} {...}`
doifdimensionelse	`\doifdimensionelse {...} {...} {...}`
doifdimenstringelse	`\doifdimenstringelse {...} {...} {...}`
doifdocumentargument	`\doifdocumentargument {...} {...}`
doifdocumentargumentelse	`\doifdocumentargumentelse {...} {...} {...}`
doifdocumentfilename	`\doifdocumentfilename {...} {...}`
doifdocumentfilenameelse	`\doifdocumentfilenameelse {...} {...} {...}`
doifdrawingblackelse	`\doifdrawingblackelse {...} {...}`
doifelse	`\doifelse {...} {...} {...} {...}`
doifelseallcommon	`\doifelseallcommon {...} {...} {...} {...}`
doifelsealldefined	`\doifelsealldefined {...} {...} {...}`
doifelseallmodes	`\doifelseallmodes {...} {...} {...}`
doifelseassignment	`\doifelseassignment {...} {...} {...}`
doifelseblack	`\doifelseblack {...} {...} {...}`
doifelsebox	`\doifelsebox {...} {...} {...} {...}`
doifelseboxincache	`\doifelseboxincache {...} {...} {...} {...}`
doifelsebuffer	`\doifelsebuffer {...} {...} {...}`
doifelsecolor	`\doifelsecolor {...} {...} {...}`
doifelsecommandhandler	`\doifelsecommandhandler \... {...} {...} {...}`
doifelsecommon	`\doifelsecommon {...} {...} {...} {...}`

```
doifelseconversiondefined          \doifelseconversiondefined {...} {...} {...}
doifelseconversionnumber           \doifelseconversionnumber {...} {...} {...} {...}
doifelsecounter                    \doifelsecounter {...} {...} {...}
doifelsecurrentfonthasfeature      \doifelsecurrentfonthasfeature {...} {...} {...}
doifelsecurrentsortingused         \doifelsecurrentsortingused {...} {...}
doifelsecurrentsynonymshown        \doifelsecurrentsynonymshown {...} {...}
doifelsecurrentsynonymused         \doifelsecurrentsynonymused {...} {...}
doifelsedefined                    \doifelsedefined {...} {...} {...}
doifelsedefinedcounter             \doifelsedefinedcounter {...} {...} {...}
doifelsedimension                  \doifelsedimension {...} {...} {...}
doifelsedimenstring                \doifelsedimenstring {...} {...} {...}
doifelsedocumentargument           \doifelsedocumentargument {...} {...} {...}
doifelsedocumentfilename           \doifelsedocumentfilename {...} {...} {...}
doifelsedrawingblack               \doifelsedrawingblack {...} {...}
doifelseempty                      \doifelseempty {...} {...} {...}
doifelseemptyvalue                 \doifelseemptyvalue {...} {...} {...}
doifelseemptyvariable              \doifelseemptyvariable {...} {...} {...} {...}
doifelseenv                        \doifelseenv {...} {...} {...}
doifelsefastoptionalcheck          \doifelsefastoptionalcheck {...} {...}
doifelsefastoptionalcheckcs        \doifelsefastoptionalcheckcs \... \...
doifelsefieldbody                  \doifelsefieldbody {...} {...} {...}
doifelsefieldcategory              \doifelsefieldcategory {...} {...} {...}
doifelsefigure                     \doifelsefigure {...} {...} {...}
doifelsefile                       \doifelsefile {...} {...} {...}
doifelsefiledefined                \doifelsefiledefined {...} {...} {...}
doifelsefileexists                 \doifelsefileexists {...} {...} {...}
doifelsefirstchar                  \doifelsefirstchar {...} {...} {...} {...}
doifelseflagged                    \doifelseflagged {...} {...} {...}
doifelsefontchar                   \doifelsefontchar {...} {...} {...} {...}
doifelsefontpresent                \doifelsefontpresent {...} {...} {...}
doifelsefontsynonym                \doifelsefontsynonym {...} {...} {...}
doifelsehasspace                   \doifelsehasspace {...} {...} {...}
doifelsehelp                       \doifelsehelp {...} {...}
doifelseincsname                   \doifelseincsname {...} {...} {...} {...}
doifelseinelement                  \doifelseinelement {...} {...} {...}
doifelseinputfile                  \doifelseinputfile {...} {...} {...}
doifelseinsertion                  \doifelseinsertion {...} {...} {...}
doifelseinset                      \doifelseinset {...} {...} {...} {...}
doifelseinstring                   \doifelseinstring {...} {...} {...} {...}
doifelseinsymbolset                \doifelseinsymbolset {...} {...} {...} {...}
doifelseintoks                     \doifelseintoks {...} {...} {...} {...}
doifelseintwopassdata              \doifelseintwopassdata {...} {...} {...} {...}
doifelseitalic                     \doifelseitalic {...} {...}
doifelselanguage                   \doifelselanguage {...} {...} {...}
doifelselayerdata                  \doifelselayerdata {...} {...} {...}
doifelselayoutdefined              \doifelselayoutdefined {...} {...} {...}
doifelselayoutsomeline             \doifelselayoutsomeline {...} {...} {...}
doifelselayouttextline             \doifelselayouttextline {...} {...} {...}
doifelseleapyear                   \doifelseleapyear {...} {...} {...}
doifelselist                       \doifelselist {...} {...} {...}
doifelselocation                   \doifelselocation {...} {...}
doifelselocfile                    \doifelselocfile {...} {...} {...}
doifelseMPgraphic                  \doifelseMPgraphic {...} {...} {...}
doifelsemainfloatbody              \doifelsemainfloatbody {...} {...}
doifelsemarkedpage                 \doifelsemarkedpage {...} {...} {...}
doifelsemarking                    \doifelsemarking {...} {...} {...}
doifelsemeaning                    \doifelsemeaning \... \... {...} {...}
doifelsemessage                    \doifelsemessage {...} {...} {...} {...}
doifelsemode                       \doifelsemode {...} {...} {...}
doifelsenextbgroup                 \doifelsenextbgroup {...} {...}
doifelsenextbgroupcs               \doifelsenextbgroupcs \... \...
doifelsenextchar                   \doifelsenextchar {...} {...} {...}
doifelsenextoptional               \doifelsenextoptional {...} {...}
doifelsenextoptionalcs             \doifelsenextoptionalcs \... \...
doifelsenextparenthesis            \doifelsenextparenthesis {...} {...}
doifelsenonzeropositive            \doifelsenonzeropositive {...} {...} {...}
doifelsenoteonsamepage             \doifelsenoteonsamepage {...} {...} {...}
doifelsenothing                    \doifelsenothing {...} {...} {...}
doifelsenumber                     \doifelsenumber {...} {...} {...}
doifelseobjectfound                \doifelseobjectfound {...} {...} {...} {...}
doifelseobjectreferencefound       \doifelseobjectreferencefound {...} {...} {...} {...}
doifelseoddpage                    \doifelseoddpage {...} {...}
doifelseoddpagefloat               \doifelseoddpagefloat {...} {...}
doifelseoldercontext               \doifelseoldercontext {...} {...} {...}
doifelseolderversion               \doifelseolderversion {...} {...} {...} {...}
```

```
doifelseoverlapping              \doifelseoverlapping {...} {...} {...} {...}
doifelseoverlay                  \doifelseoverlay {...} {...} {...}
doifelseparallel                 \doifelseparallel {...} {...} {...} {...}
doifelseparentfile               \doifelseparentfile {...} {...} {...}
doifelsepath                     \doifelsepath {...} {...} {...}
doifelsepathexists               \doifelsepathexists {...} {...} {...}
doifelsepatterns                 \doifelsepatterns {...} {...} {...}
doifelseposition                 \doifelseposition {...} {...} {...}
doifelsepositionaction           \doifelsepositionaction {...} {...} {...}
doifelsepositiononpage           \doifelsepositiononpage {...} {...} {...} {...}
doifelsepositionsonsamepage      \doifelsepositionsonsamepage {...} {...} {...}
doifelsepositionsonthispage      \doifelsepositionsonthispage {...} {...} {...}
doifelsepositionsused            \doifelsepositionsused {...} {...}
doifelsereferencefound           \doifelsereferencefound {...} {...} {...}
doifelserightpagefloat           \doifelserightpagefloat {...} {...}
doifelserighttoleftinbox         \doifelserighttoleftinbox ... {...} {...}
doifelsesamelinereference        \doifelsesamelinereference {...} {...} {...}
doifelsesamestring               \doifelsesamestring {...} {...} {...} {...}
doifelsesetups                   \doifelsesetups {...} {...} {...}
doifelsesomebackground           \doifelsesomebackground {...} {...} {...}
doifelsesomespace                \doifelsesomespace {...} {...} {...}
doifelsesomething                \doifelsesomething {...} {...} {...}
doifelsesometoks                 \doifelsesometoks \... {...} {...}
doifelsestringinstring           \doifelsestringinstring {...} {...} {...} {...}
doifelsestructurelisthasnumber   \doifelsestructurelisthasnumber {...} {...}
doifelsestructurelisthaspage     \doifelsestructurelisthaspage {...} {...}
doifelsesymboldefined            \doifelsesymboldefined {...} {...} {...}
doifelsesymbolset                \doifelsesymbolset {...} {...} {...}
doifelsetext                     \doifelsetext {...} {...} {...}
doifelsetextflow                 \doifelsetextflow {...} {...} {...}
doifelsetextflowcollector        \doifelsetextflowcollector {...} {...} {...}
doifelsetopofpage                \doifelsetopofpage {...} {...}
doifelsetypingfile               \doifelsetypingfile {...} {...} {...}
doifelseundefined                \doifelseundefined {...} {...} {...}
doifelseurldefined               \doifelseurldefined {...} {...} {...}
doifelsevalue                    \doifelsevalue {...} {...} {...} {...}
doifelsevaluenothing             \doifelsevaluenothing {...} {...} {...}
doifelsevariable                 \doifelsevariable {...} {...} {...} {...}
doifempty                        \doifempty {...} {...}
doifemptyelse                    \doifemptyelse {...} {...} {...}
doifemptytoks                    \doifemptytoks \... {...}
doifemptyvalue                   \doifemptyvalue {...} {...}
doifemptyvalueelse               \doifemptyvalueelse {...} {...} {...}
doifemptyvariable                \doifemptyvariable {...} {...} {...}
doifemptyvariableelse            \doifemptyvariableelse {...} {...} {...} {...}
doifenv                          \doifenv {...} {...}
doifenvelse                      \doifenvelse {...} {...} {...}
doiffastoptionalcheckcselse      \doiffastoptionalcheckcselse \... \...
doiffastoptionalcheckelse        \doiffastoptionalcheckelse {...} {...}
doiffieldbodyelse                \doiffieldbodyelse {...} {...} {...}
doiffieldcategoryelse            \doiffieldcategoryelse {...} {...} {...}
doiffigureelse                   \doiffigureelse {...} {...} {...}
doiffile                         \doiffile {...} {...}
doiffiledefinedelse              \doiffiledefinedelse {...} {...} {...}
doiffileelse                     \doiffileelse {...} {...} {...}
doiffileexistselse               \doiffileexistselse {...} {...} {...}
doiffirstcharelse                \doiffirstcharelse {...} {...} {...} {...}
doifflaggedelse                  \doifflaggedelse {...} {...} {...}
doiffontcharelse                 \doiffontcharelse {...} {...} {...} {...}
doiffontpresentelse              \doiffontpresentelse {...} {...} {...}
doiffontsynonymelse              \doiffontsynonymelse {...} {...} {...}
doifhasspaceelse                 \doifhasspaceelse {...} {...} {...}
doifhelpelse                     \doifhelpelse {...} {...}
doifincsnameelse                 \doifincsnameelse {...} {...} {...} {...}
doifinelementelse                \doifinelementelse {...} {...} {...}
doifinputfileelse                \doifinputfileelse {...} {...} {...}
doifinsertionelse                \doifinsertionelse {...} {...} {...}
doifinset                        \doifinset {...} {...} {...}
doifinsetelse                    \doifinsetelse {...} {...} {...} {...}
doifinstring                     \doifinstring {...} {...} {...}
doifinstringelse                 \doifinstringelse {...} {...} {...} {...}
doifinsymbolset                  \doifinsymbolset {...} {...} {...} {...}
doifinsymbolsetelse              \doifinsymbolsetelse {...} {...} {...} {...}
doifintokselse                   \doifintokselse {...} {...} {...} {...}
doifintwopassdataelse            \doifintwopassdataelse {...} {...} {...} {...}
```

doifitalicelse	`\doifitalicelse {...} {...}`
doiflanguageelse	`\doiflanguageelse {...} {...} {...}`
doiflayerdataelse	`\doiflayerdataelse {...} {...} {...}`
doiflayoutdefinedelse	`\doiflayoutdefinedelse {...} {...} {...}`
doiflayoutsomelineelse	`\doiflayoutsomelineelse {...} {...} {...}`
doiflayouttextlineelse	`\doiflayouttextlineelse {...} {...} {...}`
doifleapyearelse	`\doifleapyearelse {...} {...} {...}`
doiflistelse	`\doiflistelse {...} {...} {...}`
doiflocationelse	`\doiflocationelse {...} {...}`
doiflocfileelse	`\doiflocfileelse {...} {...} {...}`
doifMPgraphicelse	`\doifMPgraphicelse {...} {...} {...}`
doifmainfloatbodyelse	`\doifmainfloatbodyelse {...} {...}`
doifmarkingelse	`\doifmarkingelse {...} {...} {...}`
doifmeaningelse	`\doifmeaningelse \... \... {...} {...}`
doifmessageelse	`\doifmessageelse {...} {...} {...} {...}`
doifmode	`\doifmode {...} {...}`
doifmodeelse	`\doifmodeelse {...} {...} {...}`
doifnextbgroupcselse	`\doifnextbgroupcselse \... \...`
doifnextbgroupelse	`\doifnextbgroupelse {...} {...}`
doifnextcharelse	`\doifnextcharelse {...} {...} {...}`
doifnextoptionalcselse	`\doifnextoptionalcselse \... \...`
doifnextoptionalelse	`\doifnextoptionalelse {...} {...}`
doifnextparenthesiselse	`\doifnextparenthesiselse {...} {...}`
doifnonzeropositiveelse	`\doifnonzeropositiveelse {...} {...} {...}`
doifnot	`\doifnot {...} {...} {...}`
doifnotallcommon	`\doifnotallcommon {...} {...} {...}`
doifnotallmodes	`\doifnotallmodes {...} {...} {...}`
doifnotcommandhandler	`\doifnotcommandhandler \... {...} {...}`
doifnotcommon	`\doifnotcommon {...} {...} {...}`
doifnotcounter	`\doifnotcounter {...} {...}`
doifnotdocumentargument	`\doifnotdocumentargument {...} {...}`
doifnotdocumentfilename	`\doifnotdocumentfilename {...} {...}`
doifnotempty	`\doifnotempty {...} {...}`
doifnotemptyvalue	`\doifnotemptyvalue {...} {...}`
doifnotemptyvariable	`\doifnotemptyvariable {...} {...} {...}`
doifnotenv	`\doifnotenv {...} {...}`
doifnoteonsamepageelse	`\doifnoteonsamepageelse {...} {...} {...}`
doifnotescollected	`\doifnotescollected {...} {...}`
doifnotfile	`\doifnotfile {...} {...}`
doifnotflagged	`\doifnotflagged {...} {...}`
doifnothing	`\doifnothing {...} {...}`
doifnothingelse	`\doifnothingelse {...} {...} {...}`
doifnotinset	`\doifnotinset {...} {...} {...}`
doifnotinsidesplitfloat	`\doifnotinsidesplitfloat {...}`
doifnotinstring	`\doifnotinstring {...} {...} {...}`
doifnotmode	`\doifnotmode {...} {...}`
doifnotnumber	`\doifnotnumber {...} {...}`
doifnotsamestring	`\doifnotsamestring {...} {...} {...}`
doifnotsetups	`\doifnotsetups {...} {...}`
doifnotvalue	`\doifnotvalue {...} {...} {...}`
doifnotvariable	`\doifnotvariable {...} {...} {...}`
doifnumber	`\doifnumber {...} {...}`
doifnumberelse	`\doifnumberelse {...} {...} {...}`
doifobjectfoundelse	`\doifobjectfoundelse {...} {...} {...} {...}`
doifobjectreferencefoundelse	`\doifobjectreferencefoundelse {...} {...} {...} {...}`
doifoddpageelse	`\doifoddpageelse {...} {...}`
doifoddpagefloatelse	`\doifoddpagefloatelse {...} {...}`
doifoldercontextelse	`\doifoldercontextelse {...} {...} {...}`
doifolderversionelse	`\doifolderversionelse {...} {...} {...} {...}`
doifoverlappingelse	`\doifoverlappingelse {...} {...} {...} {...}`
doifoverlayelse	`\doifoverlayelse {...} {...} {...}`
doifparallelelse	`\doifparallelelse {...} {...} {...} {...}`
doifparentfileelse	`\doifparentfileelse {...} {...} {...}`
doifpathelse	`\doifpathelse {...} {...} {...}`
doifpathexistselse	`\doifpathexistselse {...} {...} {...}`
doifpatternselse	`\doifpatternselse {...} {...} {...}`
doifposition	`\doifposition {...} {...} {...}`
doifpositionaction	`\doifpositionaction {...} {...} {...}`
doifpositionactionelse	`\doifpositionactionelse {...} {...} {...}`
doifpositionelse	`\doifpositionelse {...} {...} {...}`
doifpositiononpageelse	`\doifpositiononpageelse {...} {...} {...} {...}`
doifpositionsonsamepageelse	`\doifpositionsonsamepageelse {...} {...} {...}`
doifpositionsonthispageelse	`\doifpositionsonthispageelse {...} {...} {...}`
doifpositionsusedelse	`\doifpositionsusedelse {...} {...}`
doifreferencefoundelse	`\doifreferencefoundelse {...} {...} {...}`

```
doifrightpagefloatelse                         \doifrightpagefloatelse {...} {...}
doifrighttoleftinboxelse                        \doifrighttoleftinboxelse ... {...} {...}
doifsamelinereferenceelse                       \doifsamelinereferenceelse {...} {...} {...}
doifsamestring                                  \doifsamestring {...} {...} {...}
doifsamestringelse                              \doifsamestringelse {...} {...} {...} {...}
doifsetups                                      \doifsetups {...} {...}
doifsetupselse                                  \doifsetupselse {...} {...} {...}
doifsomebackground                              \doifsomebackground {...} {...} {...}
doifsomebackgroundelse                          \doifsomebackgroundelse {...} {...} {...}
doifsomespaceelse                               \doifsomespaceelse {...} {...} {...}
doifsomething                                   \doifsomething {...} {...}
doifsomethingelse                               \doifsomethingelse {...} {...} {...}
doifsometoks                                    \doifsometoks \... {...}
doifsometokselse                                \doifsometokselse \... {...} {...}
doifstringinstringelse                          \doifstringinstringelse {...} {...} {...} {...}
doifstructurelisthasnumberelse                  \doifstructurelisthasnumberelse {...} {...}
doifstructurelisthaspageelse                    \doifstructurelisthaspageelse {...} {...}
doifsymboldefinedelse                           \doifsymboldefinedelse {...} {...} {...}
doifsymbolsetelse                               \doifsymbolsetelse {...} {...} {...}
doiftext                                        \doiftext {...} {...} {...}
doiftextelse                                    \doiftextelse {...} {...} {...}
doiftextflowcollectorelse                       \doiftextflowcollectorelse {...} {...} {...}
doiftextflowelse                                \doiftextflowelse {...} {...} {...}
doiftopofpageelse                               \doiftopofpageelse {...} {...}
doiftypingfileelse                              \doiftypingfileelse {...} {...} {...}
doifundefined                                   \doifundefined {...} {...}
doifundefinedcounter                            \doifundefinedcounter {...} {...}
doifundefinedelse                               \doifundefinedelse {...} {...} {...}
doifurldefinedelse                              \doifurldefinedelse {...} {...} {...}
doifvalue                                       \doifvalue {...} {...} {...}
doifvalueelse                                   \doifvalueelse {...} {...} {...} {...}
doifvaluenothing                                \doifvaluenothing {...} {...}
doifvaluenothingelse                            \doifvaluenothingelse {...} {...} {...}
doifvaluesomething                              \doifvaluesomething {...} {...}
doifvariable                                    \doifvariable {...} {...} {...}
doifvariableelse                                \doifvariableelse {...} {...} {...} {...}
doindentation                                   \doindentation
dollar                                          \dollar
doloop                                          \doloop {...}
doloopoverlist                                  \doloopoverlist {...} {...}
donothing                                       \donothing
dontconvertfont                                 \dontconvertfont
dontleavehmode                                  \dontleavehmode
dontpermitspacesbetweengroups                   \dontpermitspacesbetweengroups
dopositionaction                                \dopositionaction {...}
doprocesslocalsetups                            \doprocesslocalsetups {...}
doquadrupleargument                             \doquadrupleargument \... [...] [...] [...] [...]
doquadrupleempty                                \doquadrupleempty \... [...] [...] [...] [...]
doquadruplegroupempty                           \doquadruplegroupempty \... {...} {...} {...} {...}
doquintupleargument                             \doquintupleargument \... [...] [...] [...] [...] [...]
doquintupleempty                                \doquintupleempty \... [...] [...] [...] [...] [...]
doquintuplegroupempty                           \doquintuplegroupempty \... {...} {...} {...} {...} {...}
dorechecknextindentation                        \dorechecknextindentation
dorecurse                                       \dorecurse {...} {...}
dorepeatwithcommand                             \dorepeatwithcommand [...] \...
doreplacefeature                                \doreplacefeature {...}
doresetandafffeature                            \doresetandafffeature {...}
doresetattribute                                \doresetattribute {...}
dorotatebox                                     \dorotatebox {...} \... {...}
dosetattribute                                  \dosetattribute {...} {...}
dosetleftskipadaption                           \dosetleftskipadaption {...}
dosetrightskipadaption                          \dosetrightskipadaption {...}
dosetupcheckedinterlinespace                    \dosetupcheckedinterlinespace {..=..}
dosetupcheckedinterlinespace:argument           \dosetupcheckedinterlinespace {...}
dosetupcheckedinterlinespace:name               \dosetupcheckedinterlinespace {...}
doseventupleargument                            \doseventupleargument \... [...] [...] [...] [...] [...] [...] [...]
doseventupleempty                               \doseventupleempty \... [...] [...] [...] [...] [...] [...] [...]
dosingleargument                                \dosingleargument \... [...]
dosingleempty                                   \dosingleempty \... [...]
dosinglegroupempty                              \dosinglegroupempty \... {...}
dosixtupleargument                              \dosixtupleargument \... [...] [...] [...] [...] [...] [...]
dosixtupleempty                                 \dosixtupleempty \... [...] [...] [...] [...] [...] [...]
dostarttagged                                   \dostarttagged {...} {...} ... \dostoptagged
dostepwiserecurse                               \dostepwiserecurse {...} {...} {...} {...}
dosubtractfeature                               \dosubtractfeature {...}
```

dotfskip	\dotfskip {...}
dotoks	\dotoks \...
dotripleargument	\dotripleargument \... [...] [...] [...]
dotripleargumentwithset	\dotripleargumentwithset \... [...] [...] [...]
dotripleempty	\dotripleempty \... [...] [...] [...]
dotripleemptywithset	\dotripleemptywithset \... [...] [...] [...]
dotriplegroupempty	\dotriplegroupempty \... {...} {...} {...}
doublebond	\doublebond
dowith	\dowith {...} {...}
dowithnextbox	\dowithnextbox {...} \... {...}
dowithnextboxcontent	\dowithnextboxcontent {...} {...} \... {...}
dowithnextboxcontentcs	\dowithnextboxcontentcs \... \... \... {...}
dowithnextboxcs	\dowithnextboxcs \... \... {...}
dowithpargument	\dowithpargument \...
dowithrange	\dowithrange {...} \...
dowithwargument	\dowithwargument \...
dpofstring	\dpofstring {...}
dummydigit	\dummydigit
dummyparameter	\dummyparameter {...}
ETEX	\ETEX
EveryLine	\EveryLine {...}
EveryPar	\EveryPar {...}
edefconvertedargument	\edefconvertedargument \... {...}
efcmaxheight	\efcmaxheight {...}
efcmaxwidth	\efcmaxwidth {...}
efcminheight	\efcminheight {...}
efcminwidth	\efcminwidth {...}
efcparameter	\efcparameter {...} {...}
effect	\effect [...] {...}
elaborablocchi	\elaborablocchi [...] [...] [..=..]
elapsedseconds	\elapsedseconds
elapsedtime	\elapsedtime
elementi	\elementi [..=..] {...}
elemento	\elemento [...]
em	\em
emphasisboldface	\emphasisboldface
emphasistypeface	\emphasistypeface
emptylines	\emptylines [...]
emspace	\emspace
enabledirectives	\enabledirectives [...]
enableexperiments	\enableexperiments [...]
enablemode	\enablemode [...]
enableoutputstream	\enableoutputstream [...]
enableparpositions	\enableparpositions
enableregime	\enableregime [...]
enabletrackers	\enabletrackers [...]
enskip	\enskip
enspace	\enspace
enumerazione:example	\ENUMERAZIONE [...] {...} ... \par
env	\env {...}
envvar	\envvar {...} {...}
epos	\epos {...}
equaldigits	\equaldigits {...}
eTeX	\eTeX
etichetta:example	\ETICHETTA [...] {...}
executeifdefined	\executeifdefined {...} {...}
exitloop	\exitloop
exitloopnow	\exitloopnow
expandcheckedcsname	\expandcheckedcsname \... {...} {...}
expanded	\expanded {...}
expandfontsynonym	\expandfontsynonym \... {...}
expdoif	\expdoif {...} {...} {...}
expdoifcommonelse	\expdoifcommonelse {...} {...} {...} {...}
expdoifelse	\expdoifelse {...} {...} {...} {...}
expdoifelsecommon	\expdoifelsecommon {...} {...} {...} {...}
expdoifelseinset	\expdoifelseinset {...} {...} {...} {...}
expdoifinsetelse	\expdoifinsetelse {...} {...} {...} {...}
expdoifnot	\expdoifnot {...} {...} {...}
externalfigurecollectionmaxheight	\externalfigurecollectionmaxheight {...}
externalfigurecollectionmaxwidth	\externalfigurecollectionmaxwidth {...}
externalfigurecollectionminheight	\externalfigurecollectionminheight {...}
externalfigurecollectionminwidth	\externalfigurecollectionminwidth {...}
externalfigurecollectionparameter	\externalfigurecollectionparameter {...} {...}
fakebox	\fakebox ...
fastdecrement	\fastdecrement \...

```
fastincrement                          \fastincrement \...
fastlocalframed                        \fastlocalframed [...] [..=..] {...}
fastloopfinal                          \fastloopfinal
fastloopindex                          \fastloopindex
fastscale                              \fastscale {...} {...}
fastsetup                              \fastsetup {...}
fastsetupwithargument                  \fastsetupwithargument {...} {...}
fastsetupwithargumentswapped           \fastsetupwithargumentswapped {...} {...}
fastswitchtobodyfont                   \fastswitchtobodyfont {...}
fastsxsy                               \fastsxsy {...} {...} {...}
feature                                \feature [...] [...]
feature:direct                         \feature {...} {...}
fence                                  \fence
fenced                                 \fenced [...] {...}
fence:example                          \FENCE {...}
fetchallmarkings                       \fetchallmarkings [...] [...]
fetchallmarks                          \fetchallmarks [...]
fetchmark                              \fetchmark [...] [...]
fetchmarking                           \fetchmarking [...] [...] [...]
fetchonemark                           \fetchonemark [...] [...]
fetchonemarking                        \fetchonemarking [...] [...] [...]
fetchruntinecommand                    \fetchruntinecommand \... {...}
fetchtwomarkings                       \fetchtwomarkings [...] [...]
fetchtwomarks                          \fetchtwomarks [...]
fieldbody                              \fieldbody [...] [..=..]
fifthoffivearguments                   \fifthoffivearguments {...} {...} {...} {...} {...}
fifthofsixarguments                    \fifthofsixarguments {...} {...} {...} {...} {...} {...}
figuraesterna                          \figuraesterna [...] [...] [..=..]
figurefilename                         \figurefilename
figurefilepath                         \figurefilepath
figurefiletype                         \figurefiletype
figurefullname                         \figurefullname
figureheight                           \figureheight
figurenaturalheight                    \figurenaturalheight
figurenaturalwidth                     \figurenaturalwidth
figuresymbol                           \figuresymbol [...] [..=..]
figurewidth                            \figurewidth
filename                               \filename {...}
filledhboxb                            \filledhboxb ... {...}
filledhboxc                            \filledhboxc ... {...}
filledhboxg                            \filledhboxg ... {...}
filledhboxk                            \filledhboxk ... {...}
filledhboxm                            \filledhboxm ... {...}
filledhboxr                            \filledhboxr ... {...}
filledhboxy                            \filledhboxy ... {...}
filler                                 \filler [...]
filterfromnext                         \filterfromnext {...} {...} {...} {...} {...} {...} {...}
filterfromvalue                        \filterfromvalue {...} {...} {...}  OPT   OPT   OPT   OPT
filterpages                            \filterpages [...] [...] [..=..]
filterreference                        \filterreference {...}
findtwopassdata                        \findtwopassdata {...} {...}
finishregisterentry                    \finishregisterentry [...] [..=..] [..=..]
firstcharacter                         \firstcharacter
firstcounter                           \firstcounter [...] [...]
firstcountervalue                      \firstcountervalue [...]
firstoffivearguments                   \firstoffivearguments {...} {...} {...} {...} {...}
firstoffourarguments                   \firstoffourarguments {...} {...} {...} {...}
firstofoneargument                     \firstofoneargument {...}
firstofoneunexpanded                   \firstofoneunexpanded {...}
firstofsixarguments                    \firstofsixarguments {...} {...} {...} {...} {...} {...}
firstofthreearguments                  \firstofthreearguments {...} {...} {...}
firstofthreeunexpanded                 \firstofthreeunexpanded {...} {...} {...}
firstoftwoarguments                    \firstoftwoarguments {...} {...}
firstoftwounexpanded                   \firstoftwounexpanded {...} {...}
firstrealpage                          \firstrealpage
firstrealpagenumber                    \firstrealpagenumber
firstsubcountervalue                   \firstsubcountervalue [...] [...]
firstsubpagenumber                     \firstsubpagenumber
firstuserpage                          \firstuserpage
firstuserpagenumber                    \firstuserpagenumber
fitfieldframed                         \fitfieldframed [..=..] {...}
fittopbaselinegrid                     \fittopbaselinegrid {...}
flag                                   \flag {...}
floatuserdataparameter                 \floatuserdataparameter {...}
flushbox                               \flushbox {...} {...}
```

```
flushboxregister                \flushboxregister ...
flushcollector                  \flushcollector [...]
flushedrightlastline            \flushedrightlastline
flushlayer                      \flushlayer [...]
flushlocalfloats                \flushlocalfloats
flushnextbox                    \flushnextbox
flushnotes                      \flushnotes
flushoutputstream               \flushoutputstream [...]
flushshapebox                   \flushshapebox
flushtextflow                   \flushtextflow {...}
flushtokens                     \flushtokens [...]
flushtoks                       \flushtoks \...
fontalternative                 \fontalternative
fontbody                        \fontbody
fontchar                        \fontchar {...}
fontcharbyindex                 \fontcharbyindex {...}
fontclass                       \fontclass
fontclassname                   \fontclassname {...} {...}
fontface                        \fontface
fontfeaturelist                 \fontfeaturelist [...] [...]
fontsize                        \fontsize
fontstyle                       \fontstyle
forcecharacterstripping         \forcecharacterstripping
forcelocalfloats                \forcelocalfloats
forgeteverypar                  \forgeteverypar
forgetparameters                \forgetparameters [...] [..=..]
forgetragged                    \forgetragged
formula                         \formula [...] {...}
foundbox                        \foundbox {...} {...}
fourthoffivearguments           \fourthoffivearguments {...} {...} {...} {...} {...}
fourthoffourarguments           \fourthoffourarguments {...} {...} {...} {...}
fourthofsixarguments            \fourthofsixarguments {...} {...} {...} {...} {...} {...}
frameddimension                 \frameddimension {...}
framedparameter                 \framedparameter {...}
frazione:instance               \FRACTION {...} {...}
frazione:instance:binom         \binom {...} {...}
frazione:instance:dbinom        \dbinom {...} {...}
frazione:instance:dfrac         \dfrac {...} {...}
frazione:instance:frac          \frac {...} {...}
frazione:instance:sfrac         \sfrac {...} {...}
frazione:instance:tbinom        \tbinom {...} {...}
frazione:instance:xfrac         \xfrac {...} {...}
frazione:instance:xxfrac        \xxfrac {...} {...}
freezedimenmacro                \freezedimenmacro \... \...
freezemeasure                   \freezemeasure [...] [...]
frenchspacing                   \frenchspacing
fromlinenote                    \fromlinenote [...] {...}
frozenhbox                      \frozenhbox {...}
frule                           \frule ... \relax
GetPar                          \GetPar
GIORNOSETTIMANA                 \GIORNOSETTIMANA {...}
GotoPar                         \GotoPar
Greeknumerals                   \Greeknumerals {...}
gdefconvertedargument           \gdefconvertedargument \... {...}
gdefconvertedcommand            \gdefconvertedcommand \... \...
getboxfromcache                 \getboxfromcache {...} {...} ...
getboxllx                       \getboxllx ...
getboxlly                       \getboxlly ...
getbufferdata                   \getbufferdata [...]
getcommacommandsize             \getcommacommandsize [...]
getcommalistsize                \getcommalistsize [...]
getdayoftheweek                 \getdayoftheweek {...} {...} {...}
getdayspermonth                 \getdayspermonth {...} {...}
getdefinedbuffer                \getdefinedbuffer [...]
getdocumentargument             \getdocumentargument {...}
getdocumentargumentdefault      \getdocumentargumentdefault {...} {...}
getdocumentfilename             \getdocumentfilename {...}
getdummyparameters              \getdummyparameters [..=..]
getemptyparameters              \getemptyparameters [...] [..=..]
geteparameters                  \geteparameters [...] [..=..]
getexpandedparameters           \getexpandedparameters [...] [..=..]
getfiguredimensions             \getfiguredimensions [...] [..=..]
getfirstcharacter               \getfirstcharacter {...}
getfirsttwopassdata             \getfirsttwopassdata {...}
getfromcommacommand             \getfromcommacommand [...] [...]
```

getfromcommalist	`\getfromcommalist [...] [...]`
getfromtwopassdata	`\getfromtwopassdata {...} {...}`
getglyphdirect	`\getglyphdirect {...} {...}`
getglyphstyled	`\getglyphstyled {...} {...}`
getgparameters	`\getgparameters [...] [..=..]`
getlasttwopassdata	`\getlasttwopassdata {...}`
getlocalfloat	`\getlocalfloat {...}`
getlocalfloats	`\getlocalfloats`
getMPdrawing	`\getMPdrawing`
getMPlayer	`\getMPlayer [...] [..=..] {...}`
getmessage	`\getmessage {...} {...}`
getnamedglyphdirect	`\getnamedglyphdirect {...} {...}`
getnamedglyphstyled	`\getnamedglyphstyled {...} {...}`
getnamedtwopassdatalist	`\getnamedtwopassdatalist \... {...}`
getnaturaldimensions	`\getnaturaldimensions ...`
getnoflines	`\getnoflines {...}`
getobject	`\getobject {...} {...}`
getobjectdimensions	`\getobjectdimensions {...} {...}`
getpaletsize	`\getpaletsize [...]`
getparameters	`\getparameters [...] [..=..]`
getprivatechar	`\getprivatechar {...}`
getprivateslot	`\getprivateslot {...}`
getrandomcount	`\getrandomcount \... {...} {...}`
getrandomdimen	`\getrandomdimen \... {...} {...}`
getrandomfloat	`\getrandomfloat \... {...} {...}`
getrandomnumber	`\getrandomnumber \... {...} {...}`
getrandomseed	`\getrandomseed \...`
getraweparameters	`\getraweparameters [...] [..=..]`
getrawgparameters	`\getrawgparameters [...] [..=..]`
getrawnoflines	`\getrawnoflines {...}`
getrawparameters	`\getrawparameters [...] [..=..]`
getrawxparameters	`\getrawxparameters [...] [..=..]`
getreference	`\getreference [...] [...]`
getreferenceentry	`\getreferenceentry {...}`
getroundednoflines	`\getroundednoflines {...}`
getsubstring	`\getsubstring {...} {...} {...}`
gettwopassdata	`\gettwopassdata {...}`
gettwopassdatalist	`\gettwopassdatalist {...}`
getuvalue	`\getuvalue {...}`
getvalue	`\getvalue {...}`
getvariable	`\getvariable {...} {...}`
getvariabledefault	`\getvariabledefault {...} {...} {...}`
getxparameters	`\getxparameters [...] [..=..]`
giornosettimana	`\giornosettimana {...}`
globaldisablemode	`\globaldisablemode [...]`
globalenablemode	`\globalenablemode [...]`
globalletempty	`\globalletempty \...`
globalpopbox	`\globalpopbox ...`
globalpopmacro	`\globalpopmacro \...`
globalpreventmode	`\globalpreventmode [...]`
globalprocesscommalist	`\globalprocesscommalist [...] \...`
globalpushbox	`\globalpushbox ...`
globalpushmacro	`\globalpushmacro \...`
globalpushreferenceprefix	`\globalpushreferenceprefix {...} ... \globalpopreferenceprefix`
globalswapcounts	`\globalswapcounts \... \...`
globalswapdimens	`\globalswapdimens \... \...`
globalswapmacros	`\globalswapmacros \... \...`
globalundefine	`\globalundefine {...}`
glyphfontfile	`\glyphfontfile {...}`
gobbledoubleempty	`\gobbledoubleempty [...] [...]`
gobbleeightarguments	`\gobbleeightarguments {...} {...} {...} {...} {...} {...} {...} {...}`
gobblefivearguments	`\gobblefivearguments {...} {...} {...} {...} {...}`
gobblefiveoptionals	`\gobblefiveoptionals [...] [...] [...] [...] [...]`
gobblefourarguments	`\gobblefourarguments {...} {...} {...} {...}`
gobblefouroptionals	`\gobblefouroptionals [...] [...] [...] [...]`
gobbleninearguments	`\gobbleninearguments {...} {...} {...} {...} {...} {...} {...} {...} {...}`
gobbleoneargument	`\gobbleoneargument {...}`
gobbleoneoptional	`\gobbleoneoptional [...]`
gobblesevenarguments	`\gobblesevenarguments {...} {...} {...} {...} {...} {...} {...}`
gobblesingleempty	`\gobblesingleempty [...]`
gobblesixarguments	`\gobblesixarguments {...} {...} {...} {...} {...} {...}`
gobblespacetokens	`\gobblespacetokens`
gobbletenarguments	`\gobbletenarguments {...} {...} {...} {...} {...} {...} {...} {...} {...} {...}`
gobblethreearguments	`\gobblethreearguments {...} {...} {...}`
gobblethreeoptionals	`\gobblethreeoptionals [...] [...] [...]`

gobbletwoarguments	`\gobbletwoarguments {...} {...}`
gobbletwooptionals	`\gobbletwooptionals [...] [...]`
gobbleuntil	`\gobbleuntil \...`
gobbleuntilrelax	`\gobbleuntilrelax ... \relax`
grabbufferdata	`\grabbufferdata [...] [...] [...] [...]`
grabbufferdatadirect	`\grabbufferdatadirect {...} {...} {...}`
grabuntil	`\grabuntil {...} \...`
grafiamanuale	`\grafiamanuale`
grande	`\grande ...`
grassetto	`\grassetto`
grassettocorsivo	`\grassettocorsivo`
grassettoinclinato	`\grassettoinclinato`
grave	`\grave {...}`
grayvalue	`\grayvalue {...}`
greedysplitstring	`\greedysplitstring ... \at ... \to \... \and \...`
greeknumerals	`\greeknumerals {...}`
griglia	`\griglia [..=..]`
grossofontdeltesto	`\grossofontdeltesto`
groupedcommand	`\groupedcommand {...} {...}`
gsetboxllx	`\gsetboxllx ... {...}`
gsetboxlly	`\gsetboxlly ... {...}`
gujaratinumerals	`\gujaratinumerals {...}`
gurmurkhinumerals	`\gurmurkhinumerals {...}`
hairspace	`\hairspace`
halflinestrut	`\halflinestrut`
halfstrut	`\halfstrut`
halfwaybox	`\halfwaybox {...}`
handletokens	`\handletokens ... \with \...`
hash	`\hash`
hat	`\hat {...}`
hboxofvbox	`\hboxofvbox ...`
hboxreference	`\hboxreference [...] {...}`
hbox:example	*\hboxBOX {...}*
hdofstring	`\hdofstring {...}`
headhbox	`\headhbox ... {...}`
headnumbercontent	`\headnumbercontent`
headnumberdistance	`\headnumberdistance`
headnumberwidth	`\headnumberwidth`
headreferenceattributes	`\headreferenceattributes`
headsetupspacing	`\headsetupspacing`
headtextcontent	`\headtextcontent`
headtextdistance	`\headtextdistance`
headtextwidth	`\headtextwidth`
headvbox	`\headvbox ... {...}`
headwidth	`\headwidth`
heightanddepthofstring	`\heightanddepthofstring {...}`
heightofstring	`\heightofstring {...}`
heightspanningtext	`\heightspanningtext {...} {...} {...}`
help:instance	*\HELP [...] {...} {...}*
help:instance:helptext	*\helptext [...] {...} {...}*
hglue	`\hglue ...`
hiddencitation	`\hiddencitation [...]`
hiddencite	`\hiddencite [...]`
highlight	`\highlight [...] {...}`
highlight:example	*\HIGHLIGHT {...}*
highordinalstr	`\highordinalstr {...}`
hilo	`\hilo [...] {...} {...}`
himilo	`\himilo {...} {...} {...}`
hl	`\hl [...]`
horizontalgrowingbar	`\horizontalgrowingbar [..=..]`
horizontalpositionbar	`\horizontalpositionbar [..=..]`
hphantom	`\hphantom {...}`
hpos	`\hpos {...} {...}`
hsizefraction	`\hsizefraction {...} {...}`
hsmash	`\hsmash {...}`
hsmashbox	`\hsmashbox ...`
hsmashed	`\hsmashed {...}`
hspace	`\hspace [...] [...]`
htdpofstring	`\htdpofstring {...}`
htofstring	`\htofstring {...}`
hyphen	`\hyphen`
hyphenatedcoloredword	`\hyphenatedcoloredword {...}`
hyphenatedfile	`\hyphenatedfile {...}`
hyphenatedfilename	`\hyphenatedfilename {...}`
hyphenatedhbox	`\hyphenatedhbox {...}`

hyphenatedpar	`\hyphenatedpar {...}`
hyphenatedurl	`\hyphenatedurl {...}`
hyphenatedword	`\hyphenatedword {...}`
INRSTEX	`\INRSTEX`
ibox	`\ibox {...}`
ifassignment	`\ifassignment ... \else ... \fi`
iff	`\iff`
ifinobject	`\ifinobject ... \else ... \fi`
ifinoutputstream	`\ifinoutputstream ... \else ... \fi`
ifparameters	`\ifparameters ... \else ... \fi`
iftrialtypesetting	`\iftrialtypesetting ... \else ... \fi`
ignoreimplicitspaces	`\ignoreimplicitspaces`
ignorevalue	`\ignorevalue {...}`
ignoto	`\ignoto`
immediatesavetwopassdata	`\immediatesavetwopassdata {...} {...} {...}`
impliedby	`\impliedby`
implies	`\implies`
imposta	`\imposta [...]`
impostaallineamento	`\impostaallineamento [...]`
impostaampiezzariga	`\impostaampiezzariga [...]`
impostabarrainterazione	`\impostabarrainterazione [...] [..=..]`
impostablocco	`\impostablocco [...] [..=..]`
impostabloccosezione	`\impostabloccosezione [...] [..=..]`
impostabuffer	`\impostabuffer [...] [..=..]`
impostacampi	`\impostacampi [...] [..=..] [..=..] [..=..]`
impostacampo	`\impostacampo [...] [...] [..=..] [..=..] [..=..]`
impostacapoversi	`\impostacapoversi [...] [...] [..=..]`
impostacapoversi:assignment	`\impostacapoversi [...] [..=..]`
impostacaption	`\impostacaption [...] [..=..]`
impostacaptions	`\impostacaptions [...] [..=..]`
impostacima	`\impostacima [...] [..=..]`
impostaclippling	`\impostaclippling [..=..]`
impostacolonne	`\impostacolonne [..=..]`
impostacolore	`\impostacolore [...]`
impostacolori	`\impostacolori [..=..]`
impostacommento	`\impostacommento [...] [..=..]`
impostacommentopagina	`\impostacommentopagina [..=..]`
impostadimensionicarta	`\impostadimensionicarta [...] [..=..]`
impostadimensionicarta:name	`\impostadimensionicarta [...] [...]`
impostaelementi	`\impostaelementi [...] [..=..]`
impostaelencazioni	`\impostaelencazioni [...] [..=..]`
impostaelenco	`\impostaelenco [...] [..=..]`
impostaelencocombinato	`\impostaelencocombinato [...] [..=..]`
impostaelencocombinato:instance	*\impostaCOMBINEDLIST [..=..]*
impostaelencocombinato:instance:content	*\impostacontent [..=..]*
impostaenumerazioni	`\impostaenumerazioni [...] [..=..]`
impostafondo	`\impostafondo [...] [..=..]`
impostafontdeltesto	`\impostafontdeltesto [...]`
impostaforms	`\impostaforms [..=..]`
impostaformule	`\impostaformule [...] [..=..]`
impostaincorniciato	`\impostaincorniciato [...] [..=..]`
impostainiziatermina	`\impostainiziatermina [...] [..=..]`
impostainstestazione	`\impostainstestazione [...] [..=..]`
impostainterazione	`\impostainterazione [...] [..=..]`
impostainterazione:name	`\impostainterazione [...]`
impostainterlinea	`\impostainterlinea [...] [..=..]`
impostainterlinea:argument	`\impostainterlinea [...]`
impostainterlinea:name	`\impostainterlinea [...]`
impostalayout	`\impostalayout [...] [..=..]`
impostalayout:name	`\impostalayout [...]`
impostalineemargine	`\impostalineemargine [...] [..=..]`
impostalineenere	`\impostalineenere [..=..]`
impostalineeriempimento	`\impostalineeriempimento [..=..]`
impostalineesottili	`\impostalineesottili [..=..]`
impostalineetesto	`\impostalineetesto [..=..]`
impostalingua	`\impostalingua [...] [..=..]`
impostamaiuscole	`\impostamaiuscole [...] [..=..]`
impostamakeup	`\impostamakeup [...] [..=..]`
impostamarcatura	`\impostamarcatura [...] [..=..]`
impostamenuinterazione	`\impostamenuinterazione [...] [..=..]`
impostamenzione	`\impostamenzione [..=..]`
impostanumerazionecapoversi	`\impostanumerazionecapoversi [..=..]`
impostanumerazionepagina	`\impostanumerazionepagina [..=..]`
impostanumerazionerighe	`\impostanumerazionerighe [...] [..=..]`
impostanumeropagina	`\impostanumeropagina [..=..]`

impostanumerosottopagina	\impostanumerosottopagina [..=..]
impostanumerotesta	\impostanumerotesta [...] [...]
impostaoggettimobili	\impostaoggettimobili [...] [..=..]
impostaoggettomobile	\impostaoggettomobile [...] [..=..]
impostaordinamento	\impostaordinamento [...] [..=..]
impostaparranging	\impostaparranging [...]
impostapdp	\impostapdp [...] [..=..]
impostapiustretto	\impostapiustretto [...] [..=..]
impostaposizionamento	\impostaposizionamento [...] [..=..]
impostaposizionamentoopposti	\impostaposizionamentoopposti [..=..]
impostaprogrammi	\impostaprogrammi [..=..]
impostaregistro	\impostaregistro [...] [..=..]
impostaregistro:argument	\impostaregistro [...] [...] [..=..]
impostaregistro:instance	\impostaREGISTER [...] [..=..]
impostaregistro:instance:index	\impostaindex [...] [..=..]
impostarientro	\impostarientro [...]
impostariferimento	\impostariferimento [..=..]
impostarighe	\impostarighe [...] [..=..]
impostarigheriempimento	\impostarigheriempimento [..=..]
impostarigovuoto	\impostarigovuoto [...]
impostarotazione	\impostarotazione [..=..]
impostaschermointerazione	\impostaschermointerazione [..=..]
impostasegnosillabazione	\impostasegnosillabazione [..=..]
impostasetsimboli	\impostasetsimboli [...]
impostasfondi	\impostasfondi [...] [...] [..=..]
impostasfondi:page	\impostasfondi [...] [..=..]
impostasfondo	\impostasfondo [...] [..=..]
impostasinonimi	\impostasinonimi [...] [..=..]
impostaspaziatura	\impostaspaziatura [...]
impostaspaziobianco	\impostaspaziobianco [...]
impostaspezzamentooggettomobile	\impostaspezzamentooggettomobile [..=..]
impostatabelle	\impostatabelle [..=..]
impostatabulato	\impostatabulato [...] [...] [..=..]
impostatavolozza	\impostatavolozza [...]
impostatesta	\impostatesta [...] [..=..]
impostateste	\impostateste [...] [..=..]
impostatesticima	\impostatesticima [...] [...] [...] [...] [...]
impostatestifondo	\impostatestifondo [...] [...] [...] [...] [...]
impostatestiincorniciati	\impostatestiincorniciati [...] [..=..]
impostatestiintestazioni	\impostatestiintestazioni [...] [...] [...] [...] [...]
impostatestipdp	\impostatestipdp [...] [...] [...] [...] [...]
impostatesto	\impostatesto [...] [..=..]
impostatestoetichette:instance	\impostaLABELtesto [...] [..=..]
impostatestoetichette:instance:btxlabel	\impostabtxlabeltesto [...] [..=..]
impostatestoetichette:instance:head	\impostaheadtesto [...] [..=..]
impostatestoetichette:instance:label	\impostalabeltesto [...] [..=..]
impostatestoetichette:instance:mathlabel	\impostamathlabeltesto [...] [..=..]
impostatestoetichette:instance:operator	\impostaoperatortesto [...] [..=..]
impostatestoetichette:instance:prefix	\impostaprefixtesto [...] [..=..]
impostatestoetichette:instance:suffix	\impostasuffixtesto [...] [..=..]
impostatestoetichette:instance:taglabel	\impostataglabeltesto [...] [..=..]
impostatestoetichette:instance:unit	\impostaunittesto [...] [..=..]
impostatestotesti	\impostatestotesti [...] [...] [...] [...] [...]
impostatolleranza	\impostatolleranza [...]
impostatransizionepagina	\impostatransizionepagina [...]
impostatype	\impostatype [...] [..=..]
impostatyping	\impostatyping [...] [..=..]
impostaurl	\impostaurl [..=..]
imposta:direct	\imposta {...}
in	\in {...} {...} [...]
inclinato	\inclinato
inclinatograssetto	\inclinatograssetto
includemenu	\includemenu [...]
includeversioninfo	\includeversioninfo {...}
incorniciato	\incorniciato [..=..] {...}
incorniciato:instance	\FRAMED [..=..] {...}
incorniciato:instance:fitfieldframed	\fitfieldframed [..=..] {...}
incorniciato:instance:unframed	\unframed [..=..] {...}
incrementa	\incrementa \...
incrementa:argument	\incrementa cd:parentheses-s
incrementcounter	\incrementcounter [...] [...]
incrementedcounter	\incrementedcounter [...]
incrementpagenumber	\incrementpagenumber
incrementsubpagenumber	\incrementsubpagenumber
incrementvalue	\incrementvalue {...}

```
indentation                                    \indentation
infofont                                       \infofont
infofontbold                                   \infofontbold
inheritparameter                               \inheritparameter [...] [...] [...]
inhibitblank                                   \inhibitblank
initializeboxstack                             \initializeboxstack {...}
iniziaalignment                                \iniziaalignment [...] ... \terminaalignment
iniziaallineacentro                            \iniziaallineacentro ... \terminaallineacentro
iniziaallineadestra                            \iniziaallineadestra ... \terminaallineadestra
iniziaallineasinistra                          \iniziaallineasinistra ... \terminaallineasinistra
iniziaallmodes                                 \iniziaallmodes [...] ... \terminaallmodes
iniziaambiente                                 \iniziaambiente [...] ... \terminaambiente
iniziaambientebloccosezione                    \iniziaambientebloccosezione [...] ... \terminaambientebloccosezione
iniziaambiente:string                          \iniziaambiente ... ... \terminaambiente
iniziaattachment:instance                      \iniziaATTACHMENT [...] [..=..] ... \terminaATTACHMENT
iniziaattachment:instance:attachment           \iniziaattachment [...] [..=..] ... \terminaattachment
iniziabar                                      \iniziabar [...] ... \terminabar
iniziabbordermatrix                            \iniziabbordermatrix ... \terminabbordermatrix
iniziabitmapimage                              \iniziabitmapimage [..=..] ... \terminabitmapimage
iniziabordermatrix                             \iniziabordermatrix ... \terminabordermatrix
iniziabtxrenderingdefinitions                  \iniziabtxrenderingdefinitions [...] ... \terminabtxrenderingdefinitions
iniziabuffer                                   \iniziabuffer [...] ... \terminabuffer
iniziabuffer:instance                          \iniziaBUFFER ... \terminaBUFFER
iniziabuffer:instance:hiding                   \iniziahiding ... \terminahiding
iniziacapoverso                                \iniziacapoverso [...] [..=..] ... \terminacapoverso
iniziacapoverso:instance                       \iniziaSECTION [..=..] [..=..] ... \terminaSECTION
iniziacapoverso:instance:chapter               \iniziachapter [..=..] [..=..] ... \terminachapter
iniziacapoverso:instance:part                  \iniziapart [..=..] [..=..] ... \terminapart
iniziacapoverso:instance:section               \iniziasection [..=..] [..=..] ... \terminasection
iniziacapoverso:instance:subject               \iniziasubject [..=..] [..=..] ... \terminasubject
iniziacapoverso:instance:subsection            \iniziasubsection [..=..] [..=..] ... \terminasubsection
iniziacapoverso:instance:subsubject            \iniziasubsubject [..=..] [..=..] ... \terminasubsubject
iniziacapoverso:instance:subsubsection         \iniziasubsubsection [..=..] [..=..] ... \terminasubsubsection
iniziacapoverso:instance:subsubsubject         \iniziasubsubsubject [..=..] [..=..] ... \terminasubsubsubject
iniziacapoverso:instance:subsubsubsection      \iniziasubsubsubsection [..=..] [..=..] ... \terminasubsubsubsection
iniziacapoverso:instance:subsubsubsubject      \iniziasubsubsubsubject [..=..] [..=..] ... \terminasubsubsubsubject
iniziacapoverso:instance:title                 \iniziatitle [..=..] [..=..] ... \terminatitle
iniziacatcodetable                             \iniziacatcodetable \... ... \terminacatcodetable
iniziacenteraligned                            \iniziacenteraligned ... \terminacenteraligned
iniziacharacteralign                           \iniziacharacteralign [...] ... \terminacharacteralign
iniziacheckedfences                            \iniziacheckedfences ... \terminacheckedfences
iniziachemical                                 \iniziachemical [...] [..=..] ... \terminachemical
iniziacodatabella                              \iniziacodatabella [...] ... \terminacodatabella
iniziacodatabulato                             \iniziacodatabulato [...] ... \terminacodatabulato
iniziacollect                                  \iniziacollect ... \terminacollect
iniziacollecting                               \iniziacollecting ... \terminacollecting
iniziacolonne                                  \iniziacolonne [..=..] ... \terminacolonne
iniziacolore                                   \iniziacolore [...] ... \terminacolore
iniziacolorintent                              \iniziacolorintent [...] ... \terminacolorintent
iniziacoloronly                                \iniziacoloronly [...] ... \terminacoloronly
iniziacolorset                                 \iniziacolorset [...] ... \terminacolorset
iniziacolumnspan                               \iniziacolumnspan [..=..] ... \terminacolumnspan
iniziacombination                              \iniziacombination [...] [..=..] ... \terminacombination
iniziacombination:matrix                       \iniziacombination [...] [...] ... \terminacombination
iniziacommentopagina                           \iniziacommentopagina ... \terminacommentopagina
iniziacommento:instance                        \iniziaCOMMENT [...] [..=..] ... \terminaCOMMENT
iniziacommento:instance:comment                \iniziacomment [...] [..=..] ... \terminacomment
iniziacomponenet                               \iniziacomponenet [...] ... \terminacomponenet
iniziacomponenet:string                        \iniziacomponenet ... ... \terminacomponenet
iniziacontextcode                              \iniziacontextcode ... \terminacontextcode
iniziacontextdefinitioncode                    \iniziacontextdefinitioncode ... \terminacontextdefinitioncode
iniziactxfunction                              \iniziactxfunction ... ... \terminactxfunction
iniziactxfunctiondefinition                    \iniziactxfunctiondefinition ... ... \terminactxfunctiondefinition
iniziacurrentcolor                             \iniziacurrentcolor ... \terminacurrentcolor
iniziacurrentlistentrywrapper                  \iniziacurrentlistentrywrapper ... \terminacurrentlistentrywrapper
iniziadelimited                                \iniziadelimited [...] [...] [...] ... \terminadelimited
iniziadelimitedtext                            \iniziadelimitedtext [...] [...] [...] ... \terminadelimitedtext
iniziadelimitedtext:instance                   \iniziaDELIMITEDTEXT [...] [...] ... \terminaDELIMITEDTEXT
iniziadelimitedtext:instance:aside             \iniziaaside [...] [...] ... \terminaaside
iniziadelimitedtext:instance:blockquote        \iniziablockquote [...] [...] ... \terminablockquote
iniziadelimitedtext:instance:quotation         \iniziaquotation [...] [...] ... \terminaquotation
iniziadelimitedtext:instance:quote             \iniziaquote [...] [...] ... \terminaquote
iniziadelimitedtext:instance:speech            \iniziaspeech [...] [...] ... \terminaspeech
```

iniziadescrizione:example	*\iniziaDESCRIZIONE* [..=..] ... *\terminaDESCRIZIONE*
iniziadescrizione:example:title	*\iniziaDESCRIZIONE* [...] {...} ... *\terminaDESCRIZIONE*
iniziadisplaymath	**\iniziadisplaymath** ... **\terminadisplaymath**
iniziadmath	**\iniziadmath** ... **\terminadmath**
iniziadocument	**\iniziadocument** [..=..] ... **\terminadocument**
iniziaeffect	**\iniziaeffect** [...] ... **\terminaeffect**
iniziaeffect:example	*\iniziaEFFECT* ... *\terminaEFFECT*
iniziaelement	**\iniziaelement** {...} [..=..] ... **\terminaelement**
iniziaelemento	**\iniziaelemento** [...] ... **\terminaelemento**
iniziaembeddedxtable	**\iniziaembeddedxtable** [..=..] ... **\terminaembeddedxtable**
iniziaembeddedxtable:name	**\iniziaembeddedxtable** [...] ... **\terminaembeddedxtable**
iniziaenumerazione:example	*\iniziaENUMERAZIONE* [..=..] ... *\terminaENUMERAZIONE*
iniziaenumerazione:example:title	*\iniziaENUMERAZIONE* [...] {...} ... *\terminaENUMERAZIONE*
iniziaexceptions	**\iniziaexceptions** [...] ... **\terminaexceptions**
iniziaexpanded	**\iniziaexpanded** ... **\terminaexpanded**
iniziaexpandedcollect	**\iniziaexpandedcollect** ... **\terminaexpandedcollect**
iniziaextendedcatcodetable	**\iniziaextendedcatcodetable** \... ... **\terminaextendedcatcodetable**
iniziaexternalfigurecollection	**\iniziaexternalfigurecollection** [...] ... **\terminaexternalfigurecollection**
iniziafigura	**\iniziafigura** [...] [...] [..=..] ... **\terminafigura**
iniziafisso	**\iniziafisso** [...] ... **\terminafisso**
iniziafittingpage	**\iniziafittingpage** [...] [..=..] ... **\terminafittingpage**
iniziafittingpage:instance	*\iniziaFITTINGPAGE* [..=..] ... *\terminaFITTINGPAGE*
iniziafittingpage:instance:MPpage	*\iniziaMPpage* [..=..] ... *\terminaMPpage*
iniziafittingpage:instance:TEXpage	*\iniziaTEXpage* [..=..] ... *\terminaTEXpage*
iniziafloatcombination	**\iniziafloatcombination** [..=..] ... **\terminafloatcombination**
iniziafloatcombination:matrix	**\iniziafloatcombination** [...] ... **\terminafloatcombination**
iniziafloattext:instance	*\iniziaFLOATtesto* [...] [...] {...} ... *\terminaFLOATtesto*
iniziafloattext:instance:chemical	*\iniziachemicaltesto* [...] [...] {...} ... *\terminachemicaltesto*
iniziafloattext:instance:figure	*\iniziafiguretesto* [...] [...] {...} ... *\terminafiguretesto*
iniziafloattext:instance:graphic	*\iniziagraphictesto* [...] [...] {...} ... *\terminagraphictesto*
iniziafloattext:instance:intermezzo	*\iniziaintermezzotesto* [...] [...] {...} ... *\terminaintermezzotesto*
iniziafloattext:instance:table	*\iniziatabletesto* [...] [...] {...} ... *\terminatabletesto*
iniziafont	**\iniziafont** [...] ... **\terminafont**
iniziafontclass	**\iniziafontclass** [...] ... **\terminafontclass**
iniziafontsolution	**\iniziafontsolution** [...] ... **\terminafontsolution**
iniziaformula	**\iniziaformula** [...] ... **\terminaformula**
iniziaformula:assignment	**\iniziaformula** [..=..] ... **\terminaformula**
iniziaformula:instance	*\iniziaFORMULAformula* [...] ... *\terminaFORMULAformula*
iniziaformula:instance:md	*\iniziamdformula* [...] ... *\terminamdformula*
iniziaformula:instance:mp	*\iniziampformula* [...] ... *\terminampformula*
iniziaformula:instance:sd	*\iniziasdformula* [...] ... *\terminasdformula*
iniziaformula:instance:sp	*\iniziaspformula* [...] ... *\terminaspformula*
iniziaformule	**\iniziaformule** [...] ... **\terminaformule**
iniziaframedcell	**\iniziaframedcell** [..=..] ... **\terminaframedcell**
iniziaframedcontent	**\iniziaframedcontent** [...] ... **\terminaframedcontent**
iniziaframedrow	**\iniziaframedrow** [..=..] ... **\terminaframedrow**
iniziaframedtable	**\iniziaframedtable** [...] [..=..] ... **\terminaframedtable**
iniziagridsnapping	**\iniziagridsnapping** [...] ... **\terminagridsnapping**
iniziagridsnapping:list	**\iniziagridsnapping** [...] ... **\terminagridsnapping**
iniziahboxestohbox	**\iniziahboxestohbox** ... **\terminahboxestohbox**
iniziahboxregister	**\iniziahboxregister** ... ... **\terminahboxregister**
iniziahelp:instance	*\iniziaHELP* [...] ... *\terminaHELP*
iniziahelp:instance:helptext	*\iniziahelptext* [...] ... *\terminahelptext*
iniziahighlight	**\iniziahighlight** [...] ... **\terminahighlight**
iniziahyphenation	**\iniziahyphenation** [...] ... **\terminahyphenation**
iniziaimath	**\iniziaimath** ... **\terminaimath**
iniziaimpaccato	**\iniziaimpaccato** [...] ... **\terminaimpaccato**
iniziaincorniciato	**\iniziaincorniciato** [...] [..=..] ... **\terminaincorniciato**
iniziaindentedtext	**\iniziaindentedtext** [...] ... **\terminaindentedtext**
iniziaindentedtext:example	*\iniziaINDENTEDTEXT* ... *\terminaINDENTEDTEXT*
iniziainterazione	**\iniziainterazione** [...] ... **\terminainterazione**
iniziainterface	**\iniziainterface** ... ... **\terminainterface**
iniziaintertext	**\iniziaintertext** ... **\terminaintertext**
iniziaitemgroup	**\iniziaitemgroup** [...] [...] [..=..] ... **\terminaitemgroup**
iniziaitemgroup:instance	*\iniziaITEMGROUP* [...] [..=..] ... *\terminaITEMGROUP*
iniziaitemgroup:instance:itemize	*\iniziaitemize* [...] [..=..] ... *\terminaitemize*
iniziaJScode	**\iniziaJScode** ... ... **\terminaJScode**
iniziaJSpreamble	**\iniziaJSpreamble** ... ... **\terminaJSpreamble**
iniziaknockout	**\iniziaknockout** ... **\terminaknockout**
inizialayout	**\inizialayout** [...] ... **\terminalayout**
inizialinealignment	**\inizialinealignment** [...] ... **\terminalinealignment**
inizialineamargine	**\inizialineamargine** [...] ... **\terminalineamargine**
inizialineamargine:assignment	**\inizialineamargine** [..=..] ... **\terminalineamargine**
inizialineatesto	**\inizialineatesto** {...} ... **\terminalineatesto**
inizialinecorrection	**\inizialinecorrection** [...] ... **\terminalinecorrection**

```
inizialinefiller                              \inizialinefiller [...] [..=..] ... \terminalinefiller
inizialinenumbering                           \inizialinenumbering [...] [..=..] ... \terminalinenumbering
inizialinenumbering:argument                  \inizialinenumbering [...] [...] ... \terminalinenumbering
inizialinetable                               \inizialinetable ... \terminalinetable
inizialinetablebody                           \inizialinetablebody ... \terminalinetablebody
inizialinetablecell                           \inizialinetablecell [..=..] ... \terminalinetablecell
inizialinetablehead                           \inizialinetablehead ... \terminalinetablehead
inizialocalfootnotes                          \inizialocalfootnotes ... \terminalocalfootnotes
inizialocalheadsetup                          \inizialocalheadsetup ... \terminalocalheadsetup
inizialocallinecorrection                     \inizialocallinecorrection [...] ... \terminalocallinecorrection
inizialocalnotes                              \inizialocalnotes [...] ... \terminalocalnotes
inizialocalsetups                             \inizialocalsetups [...] [...] ... \terminalocalsetups
inizialocalsetups:string                      \inizialocalsetups ... ... \terminalocalsetups
inizialua                                     \inizialua ... \terminalua
inizialuacode                                 \inizialuacode ... \terminaluacode
inizialuaparameterset                         \inizialuaparameterset [...] ... \terminaluaparameterset
inizialuasetups                               \inizialuasetups [...] [...] ... \terminaluasetups
inizialuasetups:string                        \inizialuasetups ... ... \terminaluasetups
iniziaMPclip                                  \iniziaMPclip {...} ... \terminaMPclip
iniziaMPcode                                  \iniziaMPcode {...} ... \terminaMPcode
iniziaMPdefinitions                           \iniziaMPdefinitions {...} ... \terminaMPdefinitions
iniziaMPdrawing                               \iniziaMPdrawing [...] ... \terminaMPdrawing
iniziaMPenvironment                           \iniziaMPenvironment [...] ... \terminaMPenvironment
iniziaMPextensions                            \iniziaMPextensions {...} ... \terminaMPextensions
iniziaMPinclusions                            \iniziaMPinclusions [...] {...} ... \terminaMPinclusions
iniziaMPinitializations                       \iniziaMPinitializations ... \terminaMPinitializations
iniziaMPpositiongraphic                       \iniziaMPpositiongraphic {...} {...} ... \terminaMPpositiongraphic
iniziaMPpositionmethod                        \iniziaMPpositionmethod {...} ... \terminaMPpositionmethod
iniziaMPrun                                   \iniziaMPrun {...} ... \terminaMPrun
iniziamakeup                                  \iniziamakeup [...] [..=..] ... \terminamakeup
iniziamakeup:instance                         \iniziaMAKEUPmakeup [..=..] ... \terminaMAKEUPmakeup
iniziamakeup:instance:middle                  \iniziamiddlemakeup [..=..] ... \terminamiddlemakeup
iniziamakeup:instance:page                    \iniziapagemakeup [..=..] ... \terminapagemakeup
iniziamakeup:instance:standard                \iniziastandardmakeup [..=..] ... \terminastandardmakeup
iniziamakeup:instance:text                    \iniziatextmakeup [..=..] ... \terminatextmakeup
iniziamarginblock                             \iniziamarginblock [...] ... \terminamarginblock
iniziamarkedcontent                           \iniziamarkedcontent [...] ... \terminamarkedcontent
iniziamathalignment:instance                  \iniziaMATHALIGNMENT [..=..] ... \terminaMATHALIGNMENT
iniziamathalignment:instance:align            \iniziaalign [..=..] ... \terminaalign
iniziamathalignment:instance:mathalignment    \iniziamathalignment [..=..] ... \terminamathalignment
iniziamathcases:instance                      \iniziaMATHCASES [..=..] ... \terminaMATHCASES
iniziamathcases:instance:cases                \iniziacases [..=..] ... \terminacases
iniziamathcases:instance:mathcases            \iniziamathcases [..=..] ... \terminamathcases
iniziamathmatrix:instance                     \iniziaMATHMATRIX [..=..] ... \terminaMATHMATRIX
iniziamathmatrix:instance:mathmatrix          \iniziamathmatrix [..=..] ... \terminamathmatrix
iniziamathmatrix:instance:matrix              \iniziamatrix [..=..] ... \terminamatrix
iniziamathmode                                \iniziamathmode ... \terminamathmode
iniziamathstyle                               \iniziamathstyle [...] ... \terminamathstyle
iniziamatrices                                \iniziamatrices [..=..] ... \terminamatrices
iniziamaxaligned                              \iniziamaxaligned ... \terminamaxaligned
iniziamenuinterattivo                         \iniziamenuinterattivo [...] ... \terminamenuinterattivo
iniziamettiformula                            \iniziamettiformula [..=..] ... \terminamettiformula
iniziamettiformula:argument                   \iniziamettiformula [...] ... \terminamettiformula
iniziamiddlealigned                           \iniziamiddlealigned ... \terminamiddlealigned
iniziamixedcolumns                            \iniziamixedcolumns [...] [..=..] ... \terminamixedcolumns
iniziamixedcolumns:instance                   \iniziaMIXEDCOLUMNS [..=..] ... \terminaMIXEDCOLUMNS
iniziamixedcolumns:instance:boxedcolumns      \iniziaboxedcolumns [..=..] ... \terminaboxedcolumns
iniziamixedcolumns:instance:itemgroupcolumns  \iniziaitemgroupcolumns [..=..] ... \terminaitemgroupcolumns
iniziamode                                    \iniziamode [...] ... \terminamode
iniziamodeset                                 \iniziamodeset [...] {...} ... \terminamodeset
iniziamodule                                  \iniziamodule [...] ... \terminamodule
iniziamoduletestsection                       \iniziamoduletestsection ... \terminamoduletestsection
iniziamodule:string                           \iniziamodule ... ... \terminamodule
inizianamedsection                            \inizianamedsection [...] [..=..] [..=..] ... \terminanamedsection
inizianamedsubformulas                        \inizianamedsubformulas [...] {...} ... \terminanamedsubformulas
inizianarrower                                \inizianarrower [...] ... \terminanarrower
inizianarrower:example                        \iniziaNARROWER [...] ... \terminaNARROWER
inizianegativo                                \inizianegativo ... \terminanegativo
inizianicelyfilledbox                         \inizianicelyfilledbox [..=..] ... \terminanicelyfilledbox
inizianointerference                          \inizianointerference ... \terminanointerference
inizianotallmodes                             \inizianotallmodes [...] ... \terminanotallmodes
inizianota:instance                           \iniziaNOTE [...] ... \terminaNOTE
inizianota:instance:assignment                \iniziaNOTE [..=..] ... \terminaNOTE
inizianota:instance:assignment:endnote        \iniziaendnote [..=..] ... \terminaendnote
inizianota:instance:assignment:footnote       \iniziafootnote [..=..] ... \terminafootnote
```

```
inizianota:instance:endnote              \iniziaendnote [...] ... \terminaendnote
inizianota:instance:footnote             \iniziafootnote [...] ... \terminafootnote
inizianotext                             \inizianotext ... \terminanotext
inizianotmode                            \inizianotmode [...] ... \terminanotmode
iniziaopposto                            \iniziaopposto ... \terminaopposto
iniziaoutputstream                       \iniziaoutputstream [...] ... \terminaoutputstream
iniziaoverprint                          \iniziaoverprint ... \terminaoverprint
iniziapagefigure                         \iniziapagefigure [...] [..=..] ... \terminapagefigure
iniziapagegrid                           \iniziapagegrid [...] [..=..] ... \terminapagegrid
iniziapagegridspan                       \iniziapagegridspan [...] [..=..] ... \terminapagegridspan
iniziapagegrid:example                   \iniziaPAGEGRID [..=..] ... \terminaPAGEGRID
iniziapagelayout                         \iniziapagelayout [...] ... \terminapagelayout
iniziapar                                \iniziapar [...] [..=..] ... \terminapar
iniziaparagraphs                         \iniziaparagraphs [...] ... \terminaparagraphs
iniziaparagraphscell                     \iniziaparagraphscell ... \terminaparagraphscell
iniziaparagraphs:example                 \iniziaPARAGRAPHS ... \terminaPARAGRAPHS
iniziaparallel:example                   \iniziaPARALLEL ... \terminaPARALLEL
iniziaparbuilder                         \iniziaparbuilder [...] ... \terminaparbuilder
iniziaplacefloat                         \iniziaplacefloat [...] [..=..] [..=..] ... \terminaplacefloat
iniziaplacefloat:instance                \iniziamettiFLOAT [..=..] [..=..] ... \terminamettiFLOAT
iniziaplacefloat:instance:chemical       \iniziamettichemical [..=..] [..=..] ... \terminamettichemical
iniziaplacefloat:instance:figure         \iniziamettifigure [..=..] [..=..] ... \terminamettifigure
iniziaplacefloat:instance:graphic        \iniziamettigraphic [..=..] [..=..] ... \terminamettigraphic
iniziaplacefloat:instance:intermezzo     \iniziamettiintermezzo [..=..] [..=..] ... \terminamettiintermezzo
iniziaplacefloat:instance:table          \iniziamettitable [..=..] [..=..] ... \terminamettitable
iniziaplacepairedbox                     \iniziaplacepairedbox [...] [..=..] ... \terminaplacepairedbox
iniziaplacepairedbox:instance            \iniziamettiPAIREDBOX [..=..] ... \terminamettiPAIREDBOX
iniziaplacepairedbox:instance:legend     \iniziamettilegend [..=..] ... \terminamettilegend
iniziapositioning                        \iniziapositioning [...] [..=..] ... \terminapositioning
iniziapositionoverlay                    \iniziapositionoverlay {...} ... \terminapositionoverlay
iniziapositivo                           \iniziapositivo ... \terminapositivo
iniziaposporre                           \iniziaposporre [...] ... \terminaposporre
iniziaprocessassignmentcommand           \iniziaprocessassignmentcommand [..=..] ... \terminaprocessassignmentcommand
iniziaprocessassignmentlist              \iniziaprocessassignmentlist [..=..] ... \terminaprocessassignmentlist
iniziaprocesscommacommand                \iniziaprocesscommacommand [...] ... \terminaprocesscommacommand
iniziaprocesscommalist                   \iniziaprocesscommalist [...] ... \terminaprocesscommalist
iniziaprodotto                           \iniziaprodotto [...] ... \terminaprodotto
iniziaprodotto:string                    \iniziaprodotto ... ... \terminaprodotto
iniziaprogetto                           \iniziaprogetto [...] ... \terminaprogetto
iniziaprogetto:string                    \iniziaprogetto ... ... \terminaprogetto
iniziaprotectedcolors                    \iniziaprotectedcolors ... \terminaprotectedcolors
iniziapubblicazione                      \iniziapubblicazione [...] [..=..] ... \terminapubblicazione
iniziarandomized                         \iniziarandomized ... \terminarandomized
iniziarawsetups                          \iniziarawsetups [...] [...] ... \terminarawsetups
iniziarawsetups:string                   \iniziarawsetups ... ... \terminarawsetups
iniziareadingfile                        \iniziareadingfile ... \terminareadingfile
iniziaregime                             \iniziaregime [...] ... \terminaregime
iniziareusableMPgraphic                  \iniziareusableMPgraphic {...} {...} ... \terminareusableMPgraphic
iniziariga                               \iniziariga [...]
iniziarighe:instance                     \iniziaLINES [..=..] ... \terminaLINES
iniziarighe:instance:lines               \inizialines [..=..] ... \terminalines
iniziascript                             \iniziascript [...] ... \terminascript
iniziasectionblock                       \iniziasectionblock [...] [..=..] ... \terminasectionblock
iniziasectionblock:instance              \iniziaSECTIONBLOCK [..=..] ... \terminaSECTIONBLOCK
iniziasectionblock:instance:appendices   \iniziaappendices [..=..] ... \terminaappendices
iniziasectionblock:instance:backmatter   \iniziabackmatter [..=..] ... \terminabackmatter
iniziasectionblock:instance:bodymatter   \iniziabodymatter [..=..] ... \terminabodymatter
iniziasectionblock:instance:frontmatter  \iniziafrontmatter [..=..] ... \terminafrontmatter
iniziasectionlevel                       \iniziasectionlevel [...] [..=..] [..=..] ... \terminasectionlevel
iniziasetups                             \iniziasetups [...] [...] ... \terminasetups
iniziasetups:string                      \iniziasetups ... ... \terminasetups
iniziasfondo                             \iniziasfondo [..=..] ... \terminasfondo
iniziasfondo:example                     \iniziaSFONDO [..=..] ... \terminaSFONDO
iniziashift                              \iniziashift [...] ... \terminashift
iniziasidebar                            \iniziasidebar [...] [..=..] ... \terminasidebar
iniziasimplecolumns                      \iniziasimplecolumns [..=..] ... \terminasimplecolumns
iniziasospeso                            \iniziasospeso [..=..] {...} ... \terminasospeso
iniziasospeso:argument                   \iniziasospeso [...] {...} ... \terminasospeso
iniziasovrapponi                         \iniziasovrapponi ... \terminasovrapponi
iniziaspecialitem:item                   \iniziaspecialitem [...] [...] ... \terminaspecialitem
iniziaspecialitem:none                   \iniziaspecialitem [...] ... \terminaspecialitem
iniziaspecialitem:symbol                 \iniziaspecialitem [...] {...} ... \terminaspecialitem
iniziasplitformula                       \iniziasplitformula ... \terminasplitformula
iniziaspread                             \iniziaspread ... \terminaspread
iniziastartstop                          \inizia [...] ... \termina
```

```
iniziastartstop:example                      \iniziaSTARTSTOP ... \terminaSTARTSTOP
iniziastaticMPfigure                         \iniziastaticMPfigure {...} ... \terminastaticMPfigure
iniziastaticMPgraphic                        \iniziastaticMPgraphic {...} {...} ... \terminastaticMPgraphic
iniziastretto                                \iniziastretto [...] [..=..] ... \terminastretto
iniziastretto:assignment                     \iniziastretto [..=..] [...] ... \terminastretto
iniziastretto:name                           \iniziastretto [...] [...] ... \terminastretto
iniziastrictinspectnextcharacter             \iniziastrictinspectnextcharacter ... \terminastrictinspectnextcharacter
iniziastyle                                  \iniziastyle [..=..] ... \terminastyle
iniziastyle:argument                         \iniziastyle [...] ... \terminastyle
iniziastyle:instance                         \iniziaSTYLE ... \terminaSTYLE
iniziasubformulas                            \iniziasubformulas [...] ... \terminasubformulas
iniziasubjectlevel                           \iniziasubjectlevel [...] [..=..] [..=..] ... \terminasubjectlevel
iniziasubsentence                            \iniziasubsentence ... \terminasubsentence
iniziasubstack                               \iniziasubstack ... \terminasubstack
iniziasymbolset                              \iniziasymbolset [...] ... \terminasymbolset
iniziaTABLE                                  \iniziaTABLE [..=..] ... \terminaTABLE
iniziaTABLEbody                              \iniziaTABLEbody [..=..] ... \terminaTABLEbody
iniziaTABLEfoot                              \iniziaTABLEfoot [..=..] ... \terminaTABLEfoot
iniziaTABLEhead                              \iniziaTABLEhead [..=..] ... \terminaTABLEhead
iniziaTABLEnext                              \iniziaTABLEnext [..=..] ... \terminaTABLEnext
iniziatabella                                \iniziatabella [|...|] [..=..] ... \terminatabella
iniziatabella:name                           \iniziatabella [...] [..=..] ... \terminatabella
iniziatabelle                                \iniziatabelle [|...|] ... \terminatabelle
iniziatabelle:name                           \iniziatabelle [...] ... \terminatabelle
iniziatabulation:example                     \iniziaTABULATION [...] [..=..] ... \terminaTABULATION
iniziatabulato                               \iniziatabulato [|...|] [..=..] ... \terminatabulato
iniziatabulato:instance                      \iniziaTABULATE [..ᴼᴾᵀ..] [..=..] ... \terminaTABULATE
iniziatabulato:instance:fact                 \iniziafact [...] [..=..] ... \terminafact
iniziatabulato:instance:legend               \inizialegend [...] [..=..] ... \terminalegend
iniziatesta                                  \iniziatesta [...] {...} ... \terminatesta
iniziatestatabella                           \iniziatestatabella [...] ... \terminatestatabella
iniziatestatabulato                          \iniziatestatabulato [...] ... \terminatestatabulato
iniziatesto                                  \iniziatesto ... \terminatesto
iniziatestoaiuto                             \iniziatestoaiuto [...] ... \terminatestoaiuto
iniziatestoetichetta:instance                \iniziaLABELtesto [...] [...] ... \terminaLABELtesto
iniziatestoetichetta:instance:btxlabel       \iniziabtxlabeltesto [...] [...] ... \terminabtxlabeltesto
iniziatestoetichetta:instance:head           \iniziaheadtesto [...] [...] ... \terminaheadtesto
iniziatestoetichetta:instance:label          \inizialabeltesto [...] [...] ... \terminalabeltesto
iniziatestoetichetta:instance:mathlabel      \iniziamathlabeltesto [...] [...] ... \terminamathlabeltesto
iniziatestoetichetta:instance:operator       \iniziaoperatortesto [...] [...] ... \terminaoperatortesto
iniziatestoetichetta:instance:prefix         \iniziaprefixtesto [...] [...] ... \terminaprefixtesto
iniziatestoetichetta:instance:suffix         \iniziasuffixtesto [...] [...] ... \terminasuffixtesto
iniziatestoetichetta:instance:taglabel       \iniziataglabeltesto [...] [...] ... \terminataglabeltesto
iniziatestoetichetta:instance:unit           \iniziaunittesto [...] [...] ... \terminaunittesto
iniziatestoincorniciato:instance             \iniziaFRAMEDTEXT [...] [..=..] ... \terminaFRAMEDTEXT
iniziatestoincorniciato:instance:framedtext  \iniziaframedtext [...] [..=..] ... \terminaframedtext
iniziatexcode                                \iniziatexcode ... \terminatexcode
iniziatexdefinition                          \iniziatexdefinition ... ... ... ... ... ... ... ... \terminatexdefinition
iniziatextbackground                         \iniziatextbackground [...] [..=..] ... \terminatextbackground
iniziatextbackgroundmanual                   \iniziatextbackgroundmanual ... \terminatextbackgroundmanual
iniziatextbackground:example                 \iniziaTEXTBACKGROUND [..=..] ... \terminaTEXTBACKGROUND
iniziatextcolor                              \iniziatextcolor [...] ... \terminatextcolor
iniziatextcolorintent                        \iniziatextcolorintent ... \terminatextcolorintent
iniziatextflow                               \iniziatextflow [...] ... \terminatextflow
iniziatokens                                 \iniziatokens [...] ... \terminatokens
iniziatransparent                            \iniziatransparent [...] ... \terminatransparent
iniziatypescript                             \iniziatypescript [...] [...] [...] ... \terminatypescript
iniziatypescriptcollection                   \iniziatypescriptcollection [...] ... \terminatypescriptcollection
iniziatyping:instance                        \iniziaTYPING [..=..] ... \terminaTYPING
iniziatyping:instance:argument               \iniziaTYPING [...] ... \terminaTYPING
iniziatyping:instance:argument:LUA           \iniziaLUA [...] ... \terminaLUA
iniziatyping:instance:argument:MP            \iniziaMP [...] ... \terminaMP
iniziatyping:instance:argument:PARSEDXML     \iniziaPARSEDXML [...] ... \terminaPARSEDXML
iniziatyping:instance:argument:TEX           \iniziaTEX [...] ... \terminaTEX
iniziatyping:instance:argument:typing        \iniziatyping [...] ... \terminatyping
iniziatyping:instance:argument:XML           \iniziaXML [...] ... \terminaXML
iniziatyping:instance:LUA                     \iniziaLUA [..=..] ... \terminaLUA
iniziatyping:instance:MP                      \iniziaMP [..=..] ... \terminaMP
iniziatyping:instance:PARSEDXML               \iniziaPARSEDXML [..=..] ... \terminaPARSEDXML
iniziatyping:instance:TEX                     \iniziaTEX [..=..] ... \terminaTEX
iniziatyping:instance:typing                  \iniziatyping [..=..] ... \terminatyping
iniziatyping:instance:XML                     \iniziaXML [..=..] ... \terminaXML
iniziauniqueMPgraphic                        \iniziauniqueMPgraphic {...} {...} ... \terminauniqueMPgraphic
iniziauniqueMPpagegraphic                    \iniziauniqueMPpagegraphic {...} {...} ... \terminauniqueMPpagegraphic
iniziaunpacked                               \iniziaunpacked ... \terminaunpacked
```

```
iniziausableMPgraphic          \iniziausableMPgraphic {...} {...} ... \terminausableMPgraphic
iniziauseMPgraphic             \iniziauseMPgraphic {...} {...} ... \terminauseMPgraphic
iniziausemathstyleparameter    \iniziausemathstyleparameter \... ... \terminausemathstyleparameter
iniziausingbtxspecification    \iniziausingbtxspecification [...] ... \terminausingbtxspecification
iniziavaia                     \iniziavaia [...] ... \terminavaia
iniziavboxregister             \iniziavboxregister ... ... \terminavboxregister
iniziavboxtohbox               \iniziavboxtohbox ... \terminavboxtohbox
iniziavboxtohboxseparator      \iniziavboxtohboxseparator ... \terminavboxtohboxseparator
iniziaviewerlayer              \iniziaviewerlayer [...] ... \terminaviewerlayer
iniziaviewerlayer:example      \iniziaVIEWERLAYER ... \terminaVIEWERLAYER
iniziavtopregister             \iniziavtopregister ... ... \terminavtopregister
iniziaxcell                    \iniziaxcell [...] [..=..] ... \terminaxcell
iniziaxcellgroup               \iniziaxcellgroup [...] [..=..] ... \terminaxcellgroup
iniziaxgroup                   \iniziaxgroup [...] [..=..] ... \terminaxgroup
iniziaxmldisplayverbatim       \iniziaxmldisplayverbatim [...] ... \terminaxmldisplayverbatim
iniziaxmlinlineverbatim        \iniziaxmlinlineverbatim [...] ... \terminaxmlinlineverbatim
iniziaxmlraw                   \iniziaxmlraw ... \terminaxmlraw
iniziaxmlsetups                \iniziaxmlsetups [...] [...] ... \terminaxmlsetups
iniziaxmlsetups:string         \iniziaxmlsetups ... ... \terminaxmlsetups
iniziaxrow                     \iniziaxrow [...] [..=..] ... \terminaxrow
iniziaxrowgroup                \iniziaxrowgroup [...] [..=..] ... \terminaxrowgroup
iniziaxtable                   \iniziaxtable [..=..] ... \terminaxtable
iniziaxtablebody               \iniziaxtablebody [..=..] ... \terminaxtablebody
iniziaxtablebody:name          \iniziaxtablebody [...] ... \terminaxtablebody
iniziaxtablefoot               \iniziaxtablefoot [..=..] ... \terminaxtablefoot
iniziaxtablefoot:name          \iniziaxtablefoot [...] ... \terminaxtablefoot
iniziaxtablehead               \iniziaxtablehead [..=..] ... \terminaxtablehead
iniziaxtablehead:name          \iniziaxtablehead [...] ... \terminaxtablehead
iniziaxtablenext               \iniziaxtablenext [..=..] ... \terminaxtablenext
iniziaxtablenext:name          \iniziaxtablenext [...] ... \terminaxtablenext
iniziaxtable:example           \iniziaXTABLE [..=..] ... \terminaXTABLE
iniziaxtable:name              \iniziaxtable [...] ... \terminaxtable
inlinebuffer                   \inlinebuffer [...]
inlinedbox                     \inlinedbox {...}
inlinemath                     \inlinemath {...}
inlinemathematics              \inlinemathematics {...}
inlinemessage                  \inlinemessage {...}
inlineordisplaymath            \inlineordisplaymath {...} {...}
inlineprettyprintbuffer        \inlineprettyprintbuffer {...} {...}
inlinerange                    \inlinerange [...]
innerflushshapebox             \innerflushshapebox
input                          \input {...}
inputfilebarename              \inputfilebarename
inputfilename                  \inputfilename
inputfilerealsuffix            \inputfilerealsuffix
inputfilesuffix                \inputfilesuffix
inputgivenfile                 \inputgivenfile {...}
input:string                   \input ...
inriga                         \inriga {...} [...]
insertpages                    \insertpages [...] [...] [..=..]
installactionhandler           \installactionhandler {...}
installactivecharacter         \installactivecharacter ...
installalingua                 \installalingua [...] [..=..]
installalingua:name            \installalingua [...] [...]
installanddefineactivecharacter \installanddefineactivecharacter ... {...}
installattributestack          \installattributestack \...
installautocommandhandler      \installautocommandhandler \... {...} \...
installautosetuphandler        \installautosetuphandler \... {...}
installbasicautosetuphandler   \installbasicautosetuphandler \... {...} \...
installbasicparameterhandler   \installbasicparameterhandler \... {...}
installbottomframerenderer     \installbottomframerenderer {...} {...}
installcommandhandler          \installcommandhandler \... {...} \...
installcorenamespace           \installcorenamespace {...}
installdefinehandler           \installdefinehandler \... {...} \...
installdefinitionset           \installdefinitionset \... {...}
installdefinitionsetmember     \installdefinitionsetmember \... {...} \... {...}
installdirectcommandhandler    \installdirectcommandhandler \... {...}
installdirectparameterhandler  \installdirectparameterhandler \... {...}
installdirectparametersethandler \installdirectparametersethandler \... {...}
insizlldirectsetuphandler      \instilldirectsetuphandler \... {...}
instilldirectstyleandcolorhandler \installdirectstyleandcolorhandler \... {...}
installframedautocommandhandler \installframedautocommandhandler \... {...} \...
installframedcommandhandler    \installframedcommandhandler \... {...} \...
installleftframerenderer       \installleftframerenderer {...} {...}
installnamespace               \installnamespace {...}
```

installoutputroutine	`\installoutputroutine \... {...}`
installpagearrangement	`\installpagearrangement ... {...}`
installparameterhandler	`\installparameterhandler \... {...}`
installparameterhashhandler	`\installparameterhashhandler \... {...}`
installparametersethandler	`\installparametersethandler \... {...}`
installparentinjector	`\installparentinjector \... {...}`
installrightframerenderer	`\installrightframerenderer {...} {...}`
installrootparameterhandler	`\installrootparameterhandler \... {...}`
installsetuphandler	`\installsetuphandler \... {...}`
installsetuponlycommandhandler	`\installsetuponlycommandhandler \... {...}`
installshipoutmethod	`\installshipoutmethod {...} {...}`
installsimplecommandhandler	`\installsimplecommandhandler \... {...} \...`
installsimpleframedcommandhandler	`\installsimpleframedcommandhandler \... {...} \...`
installstyleandcolorhandler	`\installstyleandcolorhandler \... {...}`
installswitchcommandhandler	`\installswitchcommandhandler \... {...} \...`
installswitchsetuphandler	`\installswitchsetuphandler \... {...}`
installtexdirective	`\installtexdirective {...} {...} {...}`
installtextracker	`\installtextracker {...} {...} {...}`
installtopframerenderer	`\installtopframerenderer {...} {...}`
installunitsseparator	`\installunitsseparator {...} {...}`
installunitsspace	`\installunitsspace {...} {...}`
installversioninfo	`\installversioninfo {...} {...}`
integerrounding	`\integerrounding {...}`
intertext	`\intertext {...}`
intorno	`\intorno [...]`
invokepageheandler	`\invokepageheandler {...} {...}`
istltdir	`\istltdir ...`
istrtdir	`\istrtdir ...`
italiccorrection	`\italiccorrection`
italicface	`\italicface`
itemtag	`\itemtag [...]`
jobfilename	`\jobfilename`
jobfilesuffix	`\jobfilesuffix`
kap	`\kap {...}`
keeplinestogether	`\keeplinestogether {...}`
keepunwantedspaces	`\keepunwantedspaces`
kerncharacters	`\kerncharacters [...] {...}`
koreancirclenumerals	`\koreancirclenumerals {...}`
koreannumerals	`\koreannumerals {...}`
koreannumeralsc	`\koreannumeralsc {...}`
koreannumeralsp	`\koreannumeralsp {...}`
koreanparentnumerals	`\koreanparentnumerals {...}`
LAMSTEX	`\LAMSTEX`
LATEX	`\LATEX`
LamSTeX	`\LamSTeX`
LaTeX	`\LaTeX`
Lettera	`\Lettera {...}`
Lettere	`\Lettere {...}`
LUAJITTEX	`\LUAJITTEX`
LUATEX	`\LUATEX`
Lua	`\Lua`
LuajitTeX	`\LuajitTeX`
LuaTeX	`\LuaTeX`
labellanguage:instance	`\LABELlingua`
labellanguage:instance:btxlabel	`\btxlabellingua`
labellanguage:instance:head	`\headlingua`
labellanguage:instance:label	`\labellingua`
labellanguage:instance:mathlabel	`\mathlabellingua`
labellanguage:instance:operator	`\operatorlingua`
labellanguage:instance:prefix	`\prefixlingua`
labellanguage:instance:suffix	`\suffixlingua`
labellanguage:instance:taglabel	`\taglabellingua`
labellanguage:instance:unit	`\unitlingua`
labeltexts:instance	`\LABELtexts {...} {...}`
labeltexts:instance:head	`\headtexts {...} {...}`
labeltexts:instance:label	`\labeltexts {...} {...}`
labeltexts:instance:mathlabel	`\mathlabeltexts {...} {...}`
languageCharacters	`\languageCharacters {...}`
languagecharacters	`\languagecharacters {...}`
languagecharwidth	`\languagecharwidth {...}`
lastcounter	`\lastcounter [...] [...]`
lastcountervalue	`\lastcountervalue [...]`
lastdigit	`\lastdigit {...}`
lastlinewidth	`\lastlinewidth`
lastnaturalboxdp	`\lastnaturalboxdp`

lastnaturalboxht	\lastnaturalboxht
lastnaturalboxwd	\lastnaturalboxwd
lastpredefinedsymbol	\lastpredefinedsymbol
lastrealpage	\lastrealpage
lastrealpagenumber	\lastrealpagenumber
lastsubcountervalue	\lastsubcountervalue [...] [...]
lastsubpagenumber	\lastsubpagenumber
lasttwodigits	\lasttwodigits {...}
lastuserpage	\lastuserpage
lastuserpagenumber	\lastuserpagenumber
lateluacode	\lateluacode {...}
layeredtext	\layeredtext [..=..] [..=..] {...} {...}
layerheight	\layerheight
layerwidth	\layerwidth
lazysavetaggedtwopassdata	\lazysavetaggedtwopassdata {...} {...} {...} {...}
lazysavetwopassdata	\lazysavetwopassdata {...} {...} {...}
lbox	\lbox ... {...}
leftbottombox	\leftbottombox {...}
leftbox	\leftbox {...}
lefthbox	\lefthbox {...}
leftlabeltext:instance	*\leftLABELtesto* {...}
leftlabeltext:instance:head	*\leftheadtesto* {...}
leftlabeltext:instance:label	*\leftlabeltesto* {...}
leftlabeltext:instance:mathlabel	*\leftmathlabeltesto* {...}
leftline	\leftline {...}
leftorrighthbox	\leftorrighthbox ... {...}
leftorrightvbox	\leftorrightvbox ... {...}
leftorrightvtop	\leftorrightvtop ... {...}
leftskipadaption	\leftskipadaption
leftsubguillemot	\leftsubguillemot
lefttopbox	\lefttopbox {...}
lefttoright	\lefttoright
lefttorighthbox	\lefttorighthbox ... {...}
lefttorightvbox	\lefttorightvbox ... {...}
lefttorightvtop	\lefttorightvtop ... {...}
letbeundefined	\letbeundefined {...}
letcatcodecommand	\letcatcodecommand \... ... \...
letcscsname	\letcscsname \... \csname ... \endcsname
letcsnamecs	\letcsnamecs \csname ... \endcsname \...
letcsnamecsname	\letcsnamecsname \csname ... \endcsname \csname ... \endcsname
letdummyparameter	\letdummyparameter {...} \...
letempty	\letempty \...
letgvalue	\letgvalue {...} \...
letgvalueempty	\letgvalueempty {...}
letgvaluerelax	\letgvaluerelax {...}
lettera	\lettera {...}
letterampersand	\letterampersand
letterat	\letterat
letterbackslash	\letterbackslash
letterbar	\letterbar
letterbgroup	\letterbgroup
letterclosebrace	\letterclosebrace
lettercolon	\lettercolon
letterdollar	\letterdollar
letterdoublequote	\letterdoublequote
lettere	\lettere {...}
letteregroup	\letteregroup
letterescape	\letterescape
letterexclamationmark	\letterexclamationmark
letterhash	\letterhash
letterhat	\letterhat
letterleftbrace	\letterleftbrace
letterleftbracket	\letterleftbracket
letterleftparenthesis	\letterleftparenthesis
letterless	\letterless
lettermore	\lettermore
letteropenbrace	\letteropenbrace
letterpercent	\letterpercent
letterquestionmark	\letterquestionmark
letterrightbrace	\letterrightbrace
letterrightbracket	\letterrightbracket
letterrightparenthesis	\letterrightparenthesis
lettersinglequote	\lettersinglequote
letterslash	\letterslash
letterspacing	\letterspacing [...] {...}

```
lettertilde                      \lettertilde
letterunderscore                 \letterunderscore
letvalue                         \letvalue {...} \...
letvalueempty                    \letvalueempty {...}
letvaluerelax                    \letvaluerelax {...}
lfence                           \lfence {...}
lhbox                            \lhbox {...}
limitatefirstline                \limitatefirstline {...} {...} {...}
limitatelines                    \limitatelines {...} {...} {...}
limitatetext                     \limitatetext {...} {...} {...}
limitatetext:list                \limitatetext {...} {...} {...}
lineanera                        \lineanera [..=..]
lineasottile                     \lineasottile
lineatesto                       \lineatesto [...] {...}
lineenere                        \lineenere [..=..]
lineeriempimento                 \lineeriempimento [..=..] {...} {...}
lineesottili                     \lineesottili [..=..]
linenote:instance                \LINENOTE {...}
linenote:instance:linenote       \linenote {...}
linespanningtext                 \linespanningtext {...} {...} {...}
lingua                           \lingua [...]
linguaprincipale                 \linguaprincipale [...]
lingua:example                   \LANGUAGE
listcitation                     \listcitation [..=..] [...]
listcitation:alternative         \listcitation [...] [...]
listcitation:userdata            \listcitation [..=..] [..=..]
listcite                         \listcite [..=..] [...]
listcite:alternative             \listcite [...] [...]
listcite:userdata                \listcite [..=..] [..=..]
listnamespaces                   \listnamespaces
llap                             \llap {...}
loadanyfile                      \loadanyfile [...]
loadanyfileonce                  \loadanyfileonce [...]
loadbtxdefinitionfile            \loadbtxdefinitionfile [...]
loadbtxreplacementfile           \loadbtxreplacementfile [...]
loadcldfile                      \loadcldfile [...]
loadcldfileonce                  \loadcldfileonce [...]
loadfontgoodies                  \loadfontgoodies [...]
loadluafile                      \loadluafile [...]
loadluafileonce                  \loadluafileonce [...]
loadspellchecklist               \loadspellchecklist [...] [...]
loadtexfile                      \loadtexfile [...]
loadtexfileonce                  \loadtexfileonce [...]
loadtypescriptfile               \loadtypescriptfile [...]
localframed                      \localframed [...] [..=..] {...}
localframedwithsettings          \localframedwithsettings [...] [..=..] {...}
localhsize                       \localhsize
localpopbox                      \localpopbox ...
localpopmacro                    \localpopmacro \...
localpushbox                     \localpushbox ...
localpushmacro                   \localpushmacro \...
localundefine                    \localundefine {...}
locatedfilepath                  \locatedfilepath
locatefilepath                   \locatefilepath {...}
locfilename                      \locfilename {...}
lomihi                           \lomihi {...} {...} {...}
lowerbox                         \lowerbox {...} \... {...}
lowercased                       \lowercased {...}
lowercasestring                  \lowercasestring ... \to \...
lowerleftdoubleninequote         \lowerleftdoubleninequote
lowerleftsingleninequote         \lowerleftsingleninequote
lowerrightdoubleninequote        \lowerrightdoubleninequote
lowerrightsingleninequote        \lowerrightsingleninequote
lowhigh:instance                 \LOWHIGH [...] {...} {...}
lowmidhigh:instance              \LOWMIDHIGH {...} {...} {...}
lrtbbox                          \lrtbbox {...} {...} {...} {...} {...}
ltop                             \ltop ... {...}
luacode                          \luacode {...}
luaconditional                   \luaconditional \...
luaenvironment                   \luaenvironment ...
luaexpanded                      \luaexpanded {...}
luaexpr                          \luaexpr {...}
luafunction                      \luafunction {...}
luajitTeX                        \luajitTeX
luamajorversion                  \luamajorversion
```

luaminorversion	\luaminorversion
luaparameterset	\luaparameterset {...} {...}
luasetup	\luasetup {...}
luaTeX	\luaTeX
luaversion	\luaversion
lunghezzaelenco	\lunghezzaelenco
MESE	\MESE {...}
METAFONT	\METAFONT
METAFUN	\METAFUN
METAPOST	\METAPOST
MetaFont	\MetaFont
MetaFun	\MetaFun
MetaPost	\MetaPost
MKII	\MKII
MKIV	\MKIV
MKIX	\MKIX
MKVI	\MKVI
MKXI	\MKXI
MONTHLONG	\MONTHLONG {...}
MONTHSHORT	\MONTHSHORT {...}
MPanchor	\MPanchor {...}
MPbetex	\MPbetex {...}
MPc	\MPc {...}
MPcode	\MPcode {...} {...}
MPcolor	\MPcolor {...}
MPcoloronly	\MPcoloronly {...}
MPcolumn	\MPcolumn {...}
MPd	\MPd {...}
MPdrawing	\MPdrawing {...}
MPfontsizehskip	\MPfontsizehskip {...}
MPgetmultipars	\MPgetmultipars {...} {...}
MPgetmultishape	\MPgetmultishape {...} {...}
MPgetposboxes	\MPgetposboxes {...} {...}
MPh	\MPh {...}
MPII	\MPII
MPIV	\MPIV
MPinclusions	\MPinclusions [...] {...} {...}
MPleftskip	\MPleftskip {...}
MPll	\MPll {...}
MPlr	\MPlr {...}
MPls	\MPls {...}
MPmenubuttons	\MPmenubuttons {...}
MPn	\MPn {...}
MPoptions	\MPoptions {...}
MPoverlayanchor	\MPoverlayanchor {...}
MPp	\MPp {...}
MPpage	\MPpage {...}
MPpardata	\MPpardata {...}
MPplus	\MPplus {...} {...} {...}
MPpos	\MPpos {...}
MPpositiongraphic	\MPpositiongraphic {...} {..=..}
MPposset	\MPposset {...}
MPr	\MPr {...}
MPrawvar	\MPrawvar {...} {...}
MPregion	\MPregion {...}
MPrest	\MPrest {...} {...}
MPrightskip	\MPrightskip {...}
MPrs	\MPrs {...}
MPstring	\MPstring {...}
MPtext	\MPtext {...}
MPtransparency	\MPtransparency {...}
MPul	\MPul {...}
MPur	\MPur {...}
MPVI	\MPVI
MPv	\MPv {...} {...} {...}
MPvar	\MPvar {...}
MPvariable	\MPvariable {...}
MPvv	\MPvv {...} {...}
MPw	\MPw {...}
MPwhd	\MPwhd {...}
MPx	\MPx {...}
MPxy	\MPxy {...}
MPxywhd	\MPxywhd {...}
MPy	\MPy {...}
m	\m [...] {...}

makecharacteractive	`\makecharacteractive ...`
makerawcommalist	`\makerawcommalist [...] \...`
makestrutofbox	`\makestrutofbox ...`
mapfontsize	`\mapfontsize [...] [...]`
marcatura	`\marcatura (...,...) (...,...) [...]`
margindata	`\margindata [...] [..=..] [..=..] {...}`
margindata:instance	`\MARGINDATA [..=..] [..=..] {...}`
margindata:instance:atleftmargin	`\atleftmargin [..=..] [..=..] {...}`
margindata:instance:atrightmargin	`\atrightmargin [..=..] [..=..] {...}`
margindata:instance:ininner	`\ininner [..=..] [..=..] {...}`
margindata:instance:ininneredge	`\ininneredge [..=..] [..=..] {...}`
margindata:instance:ininnermargin	`\ininnermargin [..=..] [..=..] {...}`
margindata:instance:inleft	`\inleft [..=..] [..=..] {...}`
margindata:instance:inleftedge	`\inleftedge [..=..] [..=..] {...}`
margindata:instance:inleftmargin	`\inleftmargin [..=..] [..=..] {...}`
margindata:instance:inmargin	`\inmargin [..=..] [..=..] {...}`
margindata:instance:inother	`\inother [..=..] [..=..] {...}`
margindata:instance:inouter	`\inouter [..=..] [..=..] {...}`
margindata:instance:inouteredge	`\inouteredge [..=..] [..=..] {...}`
margindata:instance:inoutermargin	`\inoutermargin [..=..] [..=..] {...}`
margindata:instance:inright	`\inright [..=..] [..=..] {...}`
margindata:instance:inrightedge	`\inrightedge [..=..] [..=..] {...}`
margindata:instance:inrightmargin	`\inrightmargin [..=..] [..=..] {...}`
margindata:instance:margintext	`\margintext [..=..] [..=..] {...}`
markcontent	`\markcontent [...] {...}`
markinjector	`\markinjector [...]`
markpage	`\markpage [...] [...]`
mat	`\mat {...}`
matematica	`\matematica [...] {...}`
math	`\math [...] {...}`
mathbf	`\mathbf`
mathbi	`\mathbi`
mathblackboard	`\mathblackboard`
mathbs	`\mathbs`
mathcommand:example	`\MATHCOMMAND {...} {...}`
mathdefault	`\mathdefault`
mathdouble	`\mathdouble [...] {...} {...} {...}`
mathdoubleextensible:instance	`\MATHDOUBLEEXTENSIBLE {...} {...}`
mathdoubleextensible:instance:doublebar	`\doublebar {...} {...}`
mathdoubleextensible:instance:doublebrace	`\doublebrace {...} {...}`
mathdoubleextensible:instance:doublebracket	`\doublebracket {...} {...}`
mathdoubleextensible:instance:doubleparent	`\doubleparent {...} {...}`
mathdoubleextensible:instance:overbarunderbar	`\overbarunderbar {...} {...}`
mathdoubleextensible:instance:overbraceunderbrace	`\overbraceunderbrace {...} {...}`
mathdoubleextensible:instance:overbracketunderbracket	`\overbracketunderbracket {...} {...}`
mathdoubleextensible:instance:overparentunderparent	`\overparentunderparent {...} {...}`
mathextensible:instance	`\MATHEXTENSIBLE {...} {...}`
mathextensible:instance:cleftarrow	`\cleftarrow {...} {...}`
mathextensible:instance:crightarrow	`\crightarrow {...} {...}`
mathextensible:instance:crightoverleftarrow	`\crightoverleftarrow {...} {...}`
mathextensible:instance:eleftarrowfill	`\eleftarrowfill {...} {...}`
mathextensible:instance:eleftharpoondownfill	`\eleftharpoondownfill {...} {...}`
mathextensible:instance:eleftharpoonupfill	`\eleftharpoonupfill {...} {...}`
mathextensible:instance:eleftrightarrowfill	`\eleftrightarrowfill {...} {...}`
mathextensible:instance:eoverbarfill	`\eoverbarfill {...} {...}`
mathextensible:instance:eoverbracefill	`\eoverbracefill {...} {...}`
mathextensible:instance:eoverbracketfill	`\eoverbracketfill {...} {...}`
mathextensible:instance:eoverparentfill	`\eoverparentfill {...} {...}`
mathextensible:instance:erightarrowfill	`\erightarrowfill {...} {...}`
mathextensible:instance:erightharpoondownfill	`\erightharpoondownfill {...} {...}`
mathextensible:instance:erightharpoonupfill	`\erightharpoonupfill {...} {...}`
mathextensible:instance:etwoheadrightarrowfill	`\etwoheadrightarrowfill {...} {...}`
mathextensible:instance:eunderbarfill	`\eunderbarfill {...} {...}`
mathextensible:instance:eunderbracefill	`\eunderbracefill {...} {...}`
mathextensible:instance:eunderbracketfill	`\eunderbracketfill {...} {...}`
mathextensible:instance:eunderparentfill	`\eunderparentfill {...} {...}`
mathextensible:instance:mequal	`\mequal {...} {...}`
mathextensible:instance:mhookleftarrow	`\mhookleftarrow {...} {...}`
mathextensible:instance:mhookrightarrow	`\mhookrightarrow {...} {...}`
mathextensible:instance:mLeftarrow	`\mLeftarrow {...} {...}`
mathextensible:instance:mLeftrightarrow	`\mLeftrightarrow {...} {...}`
mathextensible:instance:mleftarrow	`\mleftarrow {...} {...}`
mathextensible:instance:mleftharpoondown	`\mleftharpoondown {...} {...}`
mathextensible:instance:mleftharpoonup	`\mleftharpoonup {...} {...}`
mathextensible:instance:mleftrightarrow	`\mleftrightarrow {...} {...}`

```
mathextensible:instance:mleftrightharpoons          \mleftrightharpoons {...} {...}
mathextensible:instance:mmapsto                      \mmapsto {...} {...}
mathextensible:instance:mRightarrow                  \mRightarrow {...} {...}
mathextensible:instance:mrel                         \mrel {...} {...}
mathextensible:instance:mrightarrow                  \mrightarrow {...} {...}
mathextensible:instance:mrightharpoondown            \mrightharpoondown {...} {...}
mathextensible:instance:mrightharpoonup              \mrightharpoonup {...} {...}
mathextensible:instance:mrightleftharpoons           \mrightleftharpoons {...} {...}
mathextensible:instance:mrightoverleftarrow          \mrightoverleftarrow {...} {...}
mathextensible:instance:mtriplerel                   \mtriplerel {...} {...}
mathextensible:instance:mtwoheadleftarrow            \mtwoheadleftarrow {...} {...}
mathextensible:instance:mtwoheadrightarrow           \mtwoheadrightarrow {...} {...}
mathextensible:instance:tequal                       \tequal {...} {...}
mathextensible:instance:thookleftarrow               \thookleftarrow {...} {...}
mathextensible:instance:thookrightarrow              \thookrightarrow {...} {...}
mathextensible:instance:tLeftarrow                   \tLeftarrow {...} {...}
mathextensible:instance:tLeftrightarrow              \tLeftrightarrow {...} {...}
mathextensible:instance:tleftarrow                   \tleftarrow {...} {...}
mathextensible:instance:tleftharpoondown             \tleftharpoondown {...} {...}
mathextensible:instance:tleftharpoonup               \tleftharpoonup {...} {...}
mathextensible:instance:tleftrightarrow              \tleftrightarrow {...} {...}
mathextensible:instance:tleftrightharpoons           \tleftrightharpoons {...} {...}
mathextensible:instance:tmapsto                      \tmapsto {...} {...}
mathextensible:instance:tRightarrow                  \tRightarrow {...} {...}
mathextensible:instance:trel                         \trel {...} {...}
mathextensible:instance:trightarrow                  \trightarrow {...} {...}
mathextensible:instance:trightharpoondown            \trightharpoondown {...} {...}
mathextensible:instance:trightharpoonup              \trightharpoonup {...} {...}
mathextensible:instance:trightleftharpoons           \trightleftharpoons {...} {...}
mathextensible:instance:trightoverleftarrow          \trightoverleftarrow {...} {...}
mathextensible:instance:ttriplerel                   \ttriplerel {...} {...}
mathextensible:instance:ttwoheadleftarrow            \ttwoheadleftarrow {...} {...}
mathextensible:instance:ttwoheadrightarrow           \ttwoheadrightarrow {...} {...}
mathextensible:instance:xequal                       \xequal {...} {...}
mathextensible:instance:xhookleftarrow               \xhookleftarrow {...} {...}
mathextensible:instance:xhookrightarrow              \xhookrightarrow {...} {...}
mathextensible:instance:xLeftarrow                   \xLeftarrow {...} {...}
mathextensible:instance:xLeftrightarrow              \xLeftrightarrow {...} {...}
mathextensible:instance:xleftarrow                   \xleftarrow {...} {...}
mathextensible:instance:xleftharpoondown             \xleftharpoondown {...} {...}
mathextensible:instance:xleftharpoonup               \xleftharpoonup {...} {...}
mathextensible:instance:xleftrightarrow              \xleftrightarrow {...} {...}
mathextensible:instance:xleftrightharpoons           \xleftrightharpoons {...} {...}
mathextensible:instance:xmapsto                      \xmapsto {...} {...}
mathextensible:instance:xRightarrow                  \xRightarrow {...} {...}
mathextensible:instance:xrel                         \xrel {...} {...}
mathextensible:instance:xrightarrow                  \xrightarrow {...} {...}
mathextensible:instance:xrightharpoondown            \xrightharpoondown {...} {...}
mathextensible:instance:xrightharpoonup              \xrightharpoonup {...} {...}
mathextensible:instance:xrightleftharpoons           \xrightleftharpoons {...} {...}
mathextensible:instance:xrightoverleftarrow          \xrightoverleftarrow {...} {...}
mathextensible:instance:xtriplerel                   \xtriplerel {...} {...}
mathextensible:instance:xtwoheadleftarrow            \xtwoheadleftarrow {...} {...}
mathextensible:instance:xtwoheadrightarrow           \xtwoheadrightarrow {...} {...}
mathfraktur                                          \mathfraktur
mathframed:instance                                  \MATHFRAMED [..=..] {...}
mathframed:instance:inmframed                        \inmframed [..=..] {...}
mathframed:instance:mcframed                         \mcframed [..=..] {...}
mathframed:instance:mframed                          \mframed [..=..] {...}
mathfunction                                         \mathfunction {...}
mathit                                               \mathit
mathitalic                                           \mathitalic
mathop                                               \mathop {...}
mathornament:example                                 \MATHORNAMENT {...}
mathover                                             \mathover [...] {...} {...}
mathoverextensible:example                           \MATHOVEREXTENSIBLE {...}
mathovertextextensible:instance                      \MATHOVERTEXTEXTENSIBLE {...} {...}
mathradical:example                                  \MATHRADICAL [...] {...}
mathrm                                               \mathrm
mathscript                                           \mathscript
mathsl                                               \mathsl
mathss                                               \mathss
mathtext                                             \mathtext ... {...}
mathtextbf                                           \mathtextbf ... {...}
mathtextbi                                           \mathtextbi ... {...}
```

```
mathtextbs                                  \mathtextbs ... {...}
mathtextit                                  \mathtextit ... {...}
mathtextsl                                  \mathtextsl ... {...}
mathtexttf                                  \mathtexttf ... {...}
mathtf                                      \mathtf
mathtriplet                                 \mathtriplet [...] {...} {...} {...}
mathtriplet:example                         \MATHTRIPLET [...] {...} {...} {...}
mathtt                                      \mathtt
mathunder                                   \mathunder [...] {...} {...}
mathunderextensible:example                 \MATHUNDEREXTENSIBLE {...}
mathundertextextensible:instance            \MATHUNDERTEXTEXTENSIBLE {...} {...}
mathunstacked:example                       \MATHUNSTACKED
mathupright                                 \mathupright
mathword                                    \mathword ... {...}
mathwordbf                                  \mathwordbf ... {...}
mathwordbi                                  \mathwordbi ... {...}
mathwordbs                                  \mathwordbs ... {...}
mathwordit                                  \mathwordit ... {...}
mathwordsl                                  \mathwordsl ... {...}
mathwordtf                                  \mathwordtf ... {...}
maxaligned                                  \maxaligned {...}
mbox                                        \mbox {...}
measure                                     \measure {...}
measured                                    \measured {...}
medskip                                     \medskip
medspace                                    \medspace
menuinterattivo                             \menuinterattivo [...] [..=..]
mese                                        \mese {...}
message                                     \message {...}
metaTeX                                     \metaTeX
mettielenco                                 \mettielenco [...] [..=..]
mettielencocombinato                        \mettielencocombinato [...] [..=..]
mettielencocombinato:instance               \mettiCOMBINEDLIST [..=..]
mettielencocombinato:instance:content       \metticontent [..=..]
mettifiancoafianco                          \mettifiancoafianco {...} {...}
mettiformula                                \mettiformula [...]
mettiingriglia                              \mettiingriglia [...] {...}
mettiingriglia:list                         \mettiingriglia [...] {...}
mettinotepdp                                \mettinotepdp [..=..]
mettinotepdplocali                          \mettinotepdplocali [..=..]
mettinumeropagina                           \mettinumeropagina
mettiregistro                               \mettiregistro [...] [..=..]
mettiregistro:instance                      \mettiREGISTER [..=..]
mettiregistro:instance:index                \mettiindex [..=..]
mettisegnalibro                             \mettisegnalibro [...] [...] [..=..]
mettisottoformula                           \mettisottoformula [...]
mettiunosullaltro                           \mettiunosullaltro {...} {...}
mfence                                      \mfence {...}
mfunction                                   \mfunction {...}
mfunctionlabeltext                          \mfunctionlabeltext {...}
mhbox                                       \mhbox {...}
middlealigned                               \middlealigned {...}
middlebox                                   \middlebox {...}
midhbox                                     \midhbox {...}
midsubsentence                              \midsubsentence
minimalhbox                                 \minimalhbox ... {...}
mixedcaps                                   \mixedcaps {...}
mkvibuffer                                  \mkvibuffer [...]
moduleparameter                             \moduleparameter {...} {...}
molecule                                    \molecule {...}
mono                                        \mono
monograssetto                               \monograssetto
mononormal                                  \mononormal
monthlong                                   \monthlong {...}
monthshort                                  \monthshort {...}
mostraambientefontdeltesto                  \mostraambientefontdeltesto [...]
mostracolore                                \mostracolore [...]
mostracornice                               \mostracornice [...] [...]
mostrafontdeltesto                          \mostrafontdeltesto [...]
mostragriglia                               \mostragriglia [...]
mostragruppocolori                          \mostragruppocolori [...] [...]
mostraimpostazioni                          \mostraimpostazioni [...]
mostralyout                                 \mostralyout [...]
mostramakeup                                \mostramakeup [...]
mostrasetsimboli                            \mostrasetsimboli [...]
```

mostrastampa	\mostrastampa [...] [...] [..=..]
mostrastruts	\mostrastruts
mostratavolozza	\mostratavolozza [...] [...]
mprandomnumber	\mprandomnumber
mtext	\mtext {...}
NormalizeFontHeight	\NormalizeFontHeight \... {...} {...} {...}
NormalizeFontWidth	\NormalizeFontWidth \... {...} {...} {...}
NormalizeTextHeight	\NormalizeTextHeight {...} {...} {...}
NormalizeTextWidth	\NormalizeTextWidth {...} {...} {...}
Numeri	\Numeri {...}
Numeriromani	\Numeriromani {...}
namedheadnumber	\namedheadnumber {...}
namedstructureheadlocation	\namedstructureheadlocation {...}
namedstructureuservariable	\namedstructureuservariable {...} {...}
namedstructurevariable	\namedstructurevariable {...} {...}
namedtaggedlabeltexts	\namedtaggedlabeltexts {...} {...} {...} {...} {...}
nascondiblocchi	\nascondiblocchi [...] [...]
naturalhbox	\naturalhbox ... {...}
naturalhpack	\naturalhpack ... {...}
naturalvbox	\naturalvbox ... {...}
naturalvcenter	\naturalvcenter ... {...}
naturalvpack	\naturalvpack ... {...}
naturalvtop	\naturalvtop ... {...}
naturalwd	\naturalwd ...
negatecolorbox	\negatecolorbox ...
negated	\negated {...}
negthinspace	\negthinspace
newattribute	\newattribute \...
newcatcodetable	\newcatcodetable \...
newcounter	\newcounter \...
newevery	\newevery \... \...
newfrenchspacing	\newfrenchspacing
newmode	\newmode {...}
newsignal	\newsignal \...
newsystemmode	\newsystemmode {...}
nextbox	\nextbox
nextboxdp	\nextboxdp
nextboxht	\nextboxht
nextboxhtdp	\nextboxhtdp
nextboxwd	\nextboxwd
nextcounter	\nextcounter [...] [...]
nextcountervalue	\nextcountervalue [...]
nextdepth	\nextdepth
nextparagraphs	\nextparagraphs
nextparagraphs:example	*\successivoPARAGRAPHS*
nextrealpage	\nextrealpage
nextrealpagenumber	\nextrealpagenumber
nextsubcountervalue	\nextsubcountervalue [...] [...]
nextsubpagenumber	\nextsubpagenumber
nextuserpage	\nextuserpage
nextuserpagenumber	\nextuserpagenumber
nientelineecimafondo	\nientelineecimafondo
nientelineeintestazionepdp	\nientelineeintestazionepdp
nientespazio	\nientespazio
nocap	\nocap {...}
nocitation	\nocitation [...]
nocitation:direct	\nocitation {...}
nocite	\nocite [...]
nocite:direct	\nocite {...}
nodetostring	\nodetostring \... {...}
noffigurepages	\noffigurepages
noflines	\noflines
noflocalfloats	\noflocalfloats
noheightstrut	\noheightstrut
noindentation	\noindentation
noitem	\noitem
nonfrenchspacing	\nonfrenchspacing
nonmathematics	\nonmathematics {...}
normalboldface	\normalboldface
normale	\normale
normalframedwithsettings	\normalframedwithsettings [..=..] {...}
normalitalicface	\normalitalicface
normalizebodyfontsize	\normalizebodyfontsize \... {...}
normalizedfontsize	\normalizedfontsize
normalizefontdepth	\normalizefontdepth \... {...} {...} {...}

normalizefontheight	`\normalizefontheight \... {...} {...} {...}`
normalizefontline	`\normalizefontline \... {...} {...} {...}`
normalizefontwidth	`\normalizefontwidth \... {...} {...} {...}`
normalizetextdepth	`\normalizetextdepth {...} {...} {...}`
normalizetextheight	`\normalizetextheight {...} {...} {...}`
normalizetextline	`\normalizetextline {...} {...} {...}`
normalizetextwidth	`\normalizetextwidth {...} {...} {...}`
normalslantedface	`\normalslantedface`
normaltypeface	`\normaltypeface`
nota	`\nota [...] [...]`
nota:instance	*NOTE* `[...] {...}`
nota:instance:assignment	*NOTE* `[..=..]`
nota:instance:assignment:endnote	`\endnote [..=..]`
nota:instance:assignment:footnote	`\footnote [..=..]`
nota:instance:endnote	`\endnote [...] {...}`
nota:instance:footnote	`\footnote [...] {...}`
notesymbol	`\notesymbol [...] [...]`
notragged	`\notragged`
ntimes	`\ntimes {...} {...}`
numberofpoints	`\numberofpoints {...}`
numeri	`\numeri {...}`
numeriromani	`\numeriromani {...}`
numeroformula	`\numeroformula [...]`
numeropagina	`\numeropagina`
numeropaginacompleto	`\numeropaginacompleto`
numerotesta	`\numerotesta [...] [...]`
numerotestacorrente	`\numerotestacorrente`
obeydepth	`\obeydepth`
objectdepth	`\objectdepth`
objectheight	`\objectheight`
objectmargin	`\objectmargin`
objectwidth	`\objectwidth`
obox	`\obox {...}`
offset	`\offset [..=..] {...}`
offsetbox	`\offsetbox [..=..] \... {...}`
onedigitrounding	`\onedigitrounding {...}`
ordinaldaynumber	`\ordinaldaynumber {...}`
ordinalstr	`\ordinalstr {...}`
ornamenttext:collector	`\ornamenttext [..=..] [..=..] {...} {...}`
ornamenttext:direct	`\ornamenttext [...] {...} {...}`
ornamenttext:layer	`\ornamenttext [..=..] [..=..] {...} {...}`
ornament:example	*ORNAMENT* `{...} {...}`
outputfilename	`\outputfilename`
outputstreambox	`\outputstreambox [...]`
outputstreamcopy	`\outputstreamcopy [...]`
outputstreamunvbox	`\outputstreamunvbox [...]`
outputstreamunvcopy	`\outputstreamunvcopy [...]`
over	`\over [...]`
overlaybutton	`\overlaybutton [...]`
overlaybutton:direct	`\overlaybutton {...}`
overlaycolor	`\overlaycolor`
overlaydepth	`\overlaydepth`
overlayfigure	`\overlayfigure {...}`
overlayheight	`\overlayheight`
overlaylinecolor	`\overlaylinecolor`
overlaylinewidth	`\overlaylinewidth`
overlayoffset	`\overlayoffset`
overlayrollbutton	`\overlayrollbutton [...] [...]`
overlaywidth	`\overlaywidth`
overloaderror	`\overloaderror`
overset	`\overset {...} {...}`
PAROLA	`\PAROLA {...}`
PAROLE	`\PAROLE {...}`
Parola	`\Parola {...}`
Parole	`\Parole {...}`
PDFcolor	`\PDFcolor {...}`
PDFETEX	`\PDFETEX`
PDFTEX	`\PDFTEX`
PICTEX	`\PICTEX`
PiCTeX	`\PiCTeX`
PointsToBigPoints	`\PointsToBigPoints {...} \...`
PointsToReal	`\PointsToReal {...} \...`
PointsToWholeBigPoints	`\PointsToWholeBigPoints {...} \...`
PPCHTEX	`\PPCHTEX`
PPCHTeX	`\PPCHTeX`

```
PRAGMA                              \PRAGMA
PtToCm                              \PtToCm {...}
pagearea                            \pagearea [...] [...] [...]
pagebreak                           \pagebreak [...]
pagefigure                          \pagefigure [...] [..=..]
pagegridspanwidth                   \pagegridspanwidth {...}
pageinjection                       \pageinjection [...] [..=..]
pageinjection:assignment            \pageinjection [..=..] [..=..]
pagestaterealpage                   \pagestaterealpage {...} {...}
pagina                              \pagina [...]
paletsize                           \paletsize
paragraphs:example                  \PARAGRAPHS
parola                              \parola {...}
paroladestra                        \paroladestra [...] {...}
pdfactualtext                       \pdfactualtext {...} {...}
pdfbackendactualtext                \pdfbackendactualtext {...} {...}
pdfbackendcurrentresources          \pdfbackendcurrentresources
pdfbackendsetcatalog                \pdfbackendsetcatalog {...} {...}
pdfbackendsetcolorspace             \pdfbackendsetcolorspace {...} {...}
pdfbackendsetextgstate              \pdfbackendsetextgstate {...} {...}
pdfbackendsetinfo                   \pdfbackendsetinfo {...} {...}
pdfbackendsetname                   \pdfbackendsetname {...} {...}
pdfbackendsetpageattribute          \pdfbackendsetpageattribute {...} {...}
pdfbackendsetpageresource           \pdfbackendsetpageresource {...} {...}
pdfbackendsetpagesattribute         \pdfbackendsetpagesattribute {...} {...}
pdfbackendsetpattern                \pdfbackendsetpattern {...} {...}
pdfbackendsetshade                  \pdfbackendsetshade {...} {...}
pdfcolor                            \pdfcolor {...}
pdfeTeX                             \pdfeTeX
pdfTeX                              \pdfTeX
ped                                 \ped {...}
pedap                               \pedap [...] {...} {...}
ped:instance                        \LOW {...}
ped:instance:unitslow               \unitslow {...}
percent                             \percent
percentdimen                        \percentdimen {...} {...}
perlungo                            \perlungo {...}
permitcaretescape                   \permitcaretescape
permitcircumflexescape              \permitcircumflexescape
permitspacesbetweengroups           \permitspacesbetweengroups
persiandecimals                     \persiandecimals {...}
persiannumerals                     \persiannumerals {...}
phantom                             \phantom {...}
phantombox                          \phantombox [..=..]
piccolo                             \piccolo
piccolocorsivograssetto             \piccolocorsivograssetto
piccolofontdelcorpo                 \piccolofontdelcorpo
piccolograssetto                    \piccolograssetto
piccolograssettocorsivo             \piccolograssettocorsivo
piccolograssettoinclinato           \piccolograssettoinclinato
piccoloinclinato                    \piccoloinclinato
piccoloinclinatograssetto           \piccoloinclinatograssetto
piccolonormale                      \piccolonormale
piccolotype                         \piccolotype
pickupgroupedcommand                \pickupgroupedcommand {...} {...} {...}
placeattachments                    \placeattachments
placebtxrendering                   \placebtxrendering [...] [..=..]
placecitation                       \placecitation [...]
placecomments                       \placecomments
placecurrentformulanumber           \placecurrentformulanumber
placedbox                           \placedbox {...}
placefloat                          \placefloat [...] [...] [...] {...} {...}
placefloatwithsetups                \placefloatwithsetups [...] [...] [...] {...} {...}
placefloat:instance                 \mettiFLOAT [...] [...] {...} {...}
placefloat:instance:chemical        \mettichemical [...] [...] {...} {...}
placefloat:instance:figure          \mettifigure [...] [...] {...} {...}
placefloat:instance:graphic         \mettigraphic [...] [...] {...} {...}
placefloat:instance:intermezzo      \mettiintermezzo [...] [...] {...} {...}
placefloat:instance:table           \mettitable [...] [...] {...} {...}
placeframed                         \placeframed [...] [..=..] {...}
placehelp                           \placehelp
placeinitial                        \placeinitial [...]
placelayer                          \placelayer [...]
placelayeredtext                    \placelayeredtext [...] [..=..] [..=..] {...} {...}
placelistoffloats:instance          \placelistofFLOATS [..=..]
```

```
placelistoffloats:instance:chemicals              \placelistofchemicals [..=..]
placelistoffloats:instance:figures                \placelistoffigures [..=..]
placelistoffloats:instance:graphics               \placelistofgraphics [..=..]
placelistoffloats:instance:intermezzi             \placelistofintermezzi [..=..]
placelistoffloats:instance:tables                 \placelistoftables [..=..]
placelistofpublications                           \placelistofpublications [...] [..=..]
placelistofsorts                                  \placelistofsorts [...] [..=..]
placelistofsorts:instance                         \placelistofSORTS [..=..]
placelistofsorts:instance:logos                   \placelistoflogos [..=..]
placelistofsynonyms                               \placelistofsynonyms [...] [..=..]
placelistofsynonyms:instance                      \placelistofSYNONYMS [..=..]
placelistofsynonyms:instance:abbreviations        \placelistofabbreviations [..=..]
placelocalnotes                                   \placelocalnotes [...] [..=..]
placement                                         \placement [...] [..=..] {...}
placement:example                                 \PLACEMENT [..=..] {...}
placenamedfloat                                   \placenamedfloat [...] [...]
placenamedformula                                 \placenamedformula [...] {...}
placenotes                                        \placenotes [...] [..=..]
placepairedbox                                    \placepairedbox [...] [..=..] {...} {...}
placepairedbox:instance                           \mettiPAIREDBOX [..=..] {...} {...}
placepairedbox:instance:legend                    \mettilegend [..=..] {...} {...}
placeparallel                                     \placeparallel [...] [...] [..=..]
placerawlist                                      \placerawlist [...] [..=..]
placerenderingwindow                              \placerenderingwindow [...] [...]
popattribute                                      \popattribute \...
popmacro                                          \popmacro \...
popmode                                           \popmode [...]
popsystemmode                                     \popsystemmode {...}
positionoverlay                                   \positionoverlay {...}
positionregionoverlay                             \positionregionoverlay {...} {...}
posizionanumerotesta                              \posizionanumerotesta [...]
posizionatestotesta                               \posizionatestotesta [...]
posizione                                         \posizione [..=..] (...,...) {...}
postponenotes                                     \postponenotes
predefinedfont                                    \predefinedfont [...]
predefinefont                                     \predefinefont [...] [...]
predefinesymbol                                   \predefinesymbol [...]
prefixedpagenumber                                \prefixedpagenumber
prendibuffer                                      \prendibuffer [...]
prendibuffer:instance                             \prendiBUFFER
prendimarcatura                                   \prendimarcatura [...] [...] [...]
prependetoks                                      \prependetoks ... \to \...
prependgvalue                                     \prependgvalue {...} {...}
prependtocommalist                                \prependtocommalist {...} \...
prependtoks                                        \prependtoks ... \to \...
prependtoksonce                                   \prependtoksonce ... \to \...
prependvalue                                      \prependvalue {...} {...}
presetdocument                                    \presetdocument [..=..]
presetfieldsymbols                                \presetfieldsymbols [...]
presetlabeltext:instance                          \presetLABELtesto [...] [..=..]
presetlabeltext:instance:btxlabel                 \presetbtxlabeltesto [...] [..=..]
presetlabeltext:instance:head                     \presetheadtesto [...] [..=..]
presetlabeltext:instance:label                    \presetlabeltesto [...] [..=..]
presetlabeltext:instance:mathlabel                \presetmathlabeltesto [...] [..=..]
presetlabeltext:instance:operator                 \presetoperatortesto [...] [..=..]
presetlabeltext:instance:prefix                   \presetprefixtesto [...] [..=..]
presetlabeltext:instance:suffix                   \presetsuffixtesto [...] [..=..]
presetlabeltext:instance:taglabel                 \presettaglabeltesto [...] [..=..]
presetlabeltext:instance:unit                     \presetunittesto [...] [..=..]
pretocommalist                                    \pretocommalist {...} \...
prettyprintbuffer                                 \prettyprintbuffer {...} {...}
prevcounter                                       \prevcounter [...] [...]
prevcountervalue                                  \prevcountervalue [...]
preventmode                                       \preventmode [...]
prevrealpage                                      \prevrealpage
prevrealpagenumber                                \prevrealpagenumber
prevsubcountervalue                               \prevsubcountervalue [...] [...]
prevsubpage                                       \prevsubpage
prevsubpagenumber                                 \prevsubpagenumber
prevuserpage                                      \prevuserpage
prevuserpagenumber                                \prevuserpagenumber
primasottopagina                                  \primasottopagina
procent                                           \procent
processaction                                     \processaction [...] [..,..=>..,..]
processallactionsinset                            \processallactionsinset [...] [..,..=>..,..]
```

processassignlist	`\processassignlist [...] \...`
processassignmentcommand	`\processassignmentcommand [..=..] \...`
processassignmentlist	`\processassignmentlist [..=..] \...`
processbetween	`\processbetween {...} \...`
processbodyfontenvironmentlist	`\processbodyfontenvironmentlist \...`
processcolorcomponents	`\processcolorcomponents {...}`
processcommacommand	`\processcommacommand [...] \...`
processcommalist	`\processcommalist [...] \...`
processcommalistwithparameters	`\processcommalistwithparameters [...] \...`
processcontent	`\processcontent {...} \...`
processfile	`\processfile {...}`
processfilemany	`\processfilemany {...}`
processfilenone	`\processfilenone {...}`
processfileonce	`\processfileonce {...}`
processfirstactioninset	`\processfirstactioninset [...] [..,..=>..,..]`
processisolatedchars	`\processisolatedchars {...} \...`
processisolatedwords	`\processisolatedwords {...} \...`
processlinetablebuffer	`\processlinetablebuffer [...]`
processlinetablefile	`\processlinetablefile {...}`
processlist	`\processlist {...} {...} {...} \...`
processMPbuffer	`\processMPbuffer [...]`
processMPfigurefile	`\processMPfigurefile {...}`
processmonth	`\processmonth {...} {...} {...}`
processranges	`\processranges [...] \...`
processseparatedlist	`\processseparatedlist [...] [...] {...}`
processtexbuffer	`\processTEXbuffer [...]`
processtokens	`\processtokens {...} {...} {...} {...} {...}`
processuntil	`\processuntil \...`
processxtablebuffer	`\processxtablebuffer [...]`
processyear	`\processyear {...} {...} {...} {...}`
prodotto	`\prodotto [...]`
prodotto:string	`\prodotto ...`
profiledbox	`\profiledbox [...] [..=..] {...}`
profilegivenbox	`\profilegivenbox {...} ...`
progetto	`\progetto [...]`
progetto:string	`\progetto ...`
programma	`\programma [...]`
pseudoMixedCapped	`\pseudoMixedCapped {...}`
pseudoSmallCapped	`\pseudoSmallCapped {...}`
pseudoSmallcapped	`\pseudoSmallcapped {...}`
pseudosmallcapped	`\pseudosmallcapped {...}`
pulsante	`\pulsante [..=..] {...} [...]`
pulsantemenu:button	`\pulsantemenu [..=..] {...} {...}`
pulsantemenu:interactionmenu	`\pulsantemenu [...] [..=..] {...} {...}`
pulsante:example	`\BUTTON [..=..] {...} [...]`
pulsantinterazione	`\pulsantinterazione [..=..] [...]`
punti	`\punti [...]`
punti:assignment	`\punti [..=..]`
punto	`\punto {...}`
purenumber	`\purenumber {...}`
pusharrangedpages	`\pusharrangedpages ... \poparrangedpages`
pushattribute	`\pushattribute \...`
pushbar	`\pushbar [...] ... \popbar`
pushbutton	`\pushbutton [...] [...]`
pushcatcodetable	`\pushcatcodetable ... \popcatcodetable`
pushcolore	`\pushcolore [...] ... \popcolore`
pushendofline	`\pushendofline ... \popendofline`
pushindentation	`\pushindentation ... \popindentation`
pushMPdrawing	`\pushMPdrawing ... \popMPdrawing`
pushmacro	`\pushmacro \...`
pushmathstyle	`\pushmathstyle ... \popmathstyle`
pushmode	`\pushmode [...]`
pushoutputstream	`\pushoutputstream [...]`
pushpath	`\pushpath [...] ... \poppath`
pushpunctuation	`\pushpunctuation ... \poppunctuation`
pushrandomseed	`\pushrandomseed ... \poprandomseed`
pushreferenceprefix	`\pushreferenceprefix {...} ... \popreferenceprefix`
pushsfondo	`\pushsfondo [...] ... \popsfondo`
pushsystemmode	`\pushsystemmode {...}`
putboxincache	`\putboxincache {...} {...} ...`
putnextboxincache	`\putnextboxincache {...} {...} \... {...}`
qquad	`\qquad`
quad	`\quad`
quads	`\quads [...]`
qualcheriga	`\qualcheriga [...]`

```
quarterstrut                               \quarterstrut
quitcommalist                              \quitcommalist
quitprevcommalist                          \quitprevcommalist
quittypescriptscanning                     \quittypescriptscanning
ReadFile                                   \ReadFile {...}
raggedbottom                               \raggedbottom
raggedcenter                               \raggedcenter
raggedleft                                 \raggedleft
raggedright                                \raggedright
raggedwidecenter                           \raggedwidecenter
raisebox                                   \raisebox {...} \... {...}
randomizetext                              \randomizetext {...}
randomnumber                               \randomnumber {...} {...}
rawcounter                                 \rawcounter [...] [...]
rawcountervalue                            \rawcountervalue [...]
rawdate                                    \rawdate [...]
rawdoifelseinset                           \rawdoifelseinset {...} {...} {...} {...}
rawdoifinset                               \rawdoifinset {...} {...} {...}
rawdoifinsetelse                           \rawdoifinsetelse {...} {...} {...} {...}
rawgetparameters                           \rawgetparameters [...] [..=..]
rawprocessaction                           \rawprocessaction [...] [..,..=>..,..]
rawprocesscommacommand                     \rawprocesscommacommand [...] \...
rawprocesscommalist                        \rawprocesscommalist [...] \...
rawstructurelistuservariable               \rawstructurelistuservariable {...}
rawsubcountervalue                         \rawsubcountervalue [...] [...]
rbox                                       \rbox ... {...}
readfile                                   \readfile {...} {...} {...}
readfixfile                                \readfixfile {...} {...} {...} {...}
readjobfile                                \readjobfile {...} {...} {...}
readlocfile                                \readlocfile {...} {...} {...}
readsetfile                                \readsetfile {...} {...} {...} {...}
readsysfile                                \readsysfile {...} {...} {...}
readtexfile                                \readtexfile {...} {...} {...}
readxmlfile                                \readxmlfile {...} {...} {...}
realpagenumber                             \realpagenumber
realSmallCapped                            \realSmallCapped {...}
realSmallcapped                            \realSmallcapped {...}
realsmallcapped                            \realsmallcapped {...}
recursedepth                               \recursedepth
recurselevel                               \recurselevel
recursestring                              \recursestring
redoconvertfont                            \redoconvertfont
referenceformat:example                    \REFERENCEFORMAT {...} {...} [...]
referenceprefix                            \referenceprefix
referring                                  \referring (...,...) (...,...) [...]
registerattachment                         \registerattachment [...] [..=..]
registerctxluafile                         \registerctxluafile {...} {...}
registerexternalfigure                     \registerexternalfigure [...] [...] [..=..]
registerfontclass                          \registerfontclass {...}
registerhyphenationexception               \registerhyphenationexception [...] [...]
registerhyphenationpattern                 \registerhyphenationpattern [...] [...]
registermenubuttons                        \registermenubuttons [...] [...]
registersort                               \registersort [...] [...]
registersynonym                            \registersynonym [...] [...]
registerunit                               \registerunit [...] [..=..]
registro:instance                          \REGISTER [...] [..+...+..]
registro:instance:index                    \index [...] [..+...+..]
registro:instance:ownnumber                \REGISTER [...] {...} [..+...+..]
registro:instance:ownnumber:index          \index [...] {...} [..+...+..]
regolare                                   \regolare
reimpostamarcatura                         \reimpostamarcatura [...]
relatemarking                              \relatemarking [...] [...]
relateparameterhandlers                    \relateparameterhandlers {...} {...} {...} {...}
relaxvalueifundefined                      \relaxvalueifundefined {...}
remainingcharacters                        \remainingcharacters
removebottomthings                         \removebottomthings
removedepth                                \removedepth
removefromcommalist                        \removefromcommalist {...} \...
removelastskip                             \removelastskip
removelastspace                            \removelastspace
removemarkedcontent                        \removemarkedcontent [...]
removepunctuation                          \removepunctuation
removesubstring                            \removesubstring ... \from ... \to \...
removetoks                                 \removetoks ... \from \...
removeunwantedspaces                       \removeunwantedspaces
```

```
replacefeature                    \replacefeature [...]
replacefeature:direct             \replacefeature {...}
replaceincommalist                \replaceincommalist \... {...}
replaceword                       \replaceword [...] [...] [...]
rescan                            \rescan {...}
rescanwithsetup                   \rescanwithsetup {...} {...}
resetallattributes                \resetallattributes
resetandaddfeature                \resetandaddfeature [...]
resetandaddfeature:direct         \resetandaddfeature {...}
resetbar                          \resetbar
resetboxesincache                 \resetboxesincache {...}
resetbreakpoints                  \resetbreakpoints
resetbuffer                       \resetbuffer [...]
resetcharacteralign               \resetcharacteralign
resetcharacterkerning             \resetcharacterkerning
resetcharacterspacing             \resetcharacterspacing
resetcharacterstripping           \resetcharacterstripping
resetcollector                    \resetcollector [...]
resetcounter                      \resetcounter [...] [...]
resetdigitsmanipulation           \resetdigitsmanipulation
resetdirection                    \resetdirection
resetfeature                      \resetfeature
resetflag                         \resetflag {...}
resetfontcolorsheme               \resetfontcolorsheme
resetfontfallback                 \resetfontfallback [...] [...]
resetfontsolution                 \resetfontsolution
resethyphenationfeatures          \resethyphenationfeatures
resetinjector                     \resetinjector [...]
resetinteractionmenu              \resetinteractionmenu [...]
resetitaliccorrection             \resetitaliccorrection
resetlayer                        \resetlayer [...]
resetlocalfloats                  \resetlocalfloats
resetMPdrawing                    \resetMPdrawing
resetMPenvironment                \resetMPenvironment
resetMPinstance                   \resetMPinstance [...]
resetmarker                       \resetmarker [...]
resetmode                         \resetmode {...}
resetpagenumber                   \resetpagenumber
resetparallel                     \resetparallel [...] [...]
resetpath                         \resetpath
resetpenalties                    \resetpenalties \...
resetprofile                      \resetprofile
resetrecurselevel                 \resetrecurselevel
resetreference                    \resetreference [...]
resetreplacement                  \resetreplacement
resetscript                       \resetscript
resetsetups                       \resetsetups [...]
resetshownsynonyms                \resetshownsynonyms [...]
resetsubpagenumber                \resetsubpagenumber
resetsymbolset                    \resetsymbolset
resetsystemmode                   \resetsystemmode {...}
resettimer                        \resettimer
resettrackers                     \resettrackers
resettrialtypesetting             \resettrialtypesetting
resetusedsortings                 \resetusedsortings [...]
resetusedsynonyms                 \resetusedsynonyms [...]
resetuserpagenumber               \resetuserpagenumber
resetvalue                        \resetvalue {...}
resetvisualizers                  \resetvisualizers
reshapebox                        \reshapebox {...}
resolvedglyphdirect               \resolvedglyphdirect {...} {...}
resolvedglyphstyled               \resolvedglyphstyled {...} {...}
restartcounter                    \restartcounter [...] [...] [...]
restorebox                        \restorebox {...} {...}
restorecatcodes                   \restorecatcodes
restorecounter                    \restorecounter [...]
restorecurrentattributes          \restorecurrentattributes {...}
restoreendofline                  \restoreendofline
restoreglobalbodyfont             \restoreglobalbodyfont
reusableMPgraphic                 \reusableMPgraphic {...} {..=..}
reuseMPgraphic                    \reuseMPgraphic {...} {..=..}
reuserandomseed                   \reuserandomseed
revivefeature                     \revivefeature
rfence                            \rfence {...}
rhbox                             \rhbox {...}
```

```
rif                                \rif [...] [...]
riferimento                        \riferimento [...] {...}
riferimentopagina                  \riferimentopagina [...]
riferimentotesto                   \riferimentotesto [...] {...}
riflessione                        \riflessione {...}
riga                               \riga {...}
rigariempimento                    \rigariempimento [..=..]
rightbottombox                     \rightbottombox {...}
rightbox                           \rightbox {...}
righthbox                          \righthbox {...}
rightlabeltext:instance            \rightLABELtesto {...}
rightlabeltext:instance:head       \rightheadtesto {...}
rightlabeltext:instance:label      \rightlabeltesto {...}
rightlabeltext:instance:mathlabel  \rightmathlabeltesto {...}
rightline                          \rightline {...}
rightorleftpageaction              \rightorleftpageaction {...} {...}
rightskipadaption                  \rightskipadaption
rightsubguillemot                  \rightsubguillemot
righttoleft                        \righttoleft
righttolefthbox                    \righttolefthbox ... {...}
righttoleftvbox                    \righttoleftvbox ... {...}
righttoleftvtop                    \righttoleftvtop ... {...}
righttopbox                        \righttopbox {...}
rigovuoto                          \rigovuoto [...]
ring                               \ring {...}
rlap                               \rlap {...}
robustaddtocommalist               \robustaddtocommalist {...} \...
robustdoifelseinset                \robustdoifelseinset {...} {...} {...} {...}
robustdoifinsetelse                \robustdoifinsetelse {...} {...} {...} {...}
robustpretocommalist               \robustpretocommalist {...} \...
rollbutton:button                  \rollbutton [..=..] ... [...]
rollbutton:interactionmenu         \rollbutton [...] [..=..] ... [...]
roman                              \roman
rtop                               \rtop ... {...}
ruledhbox                          \ruledhbox ... {...}
ruledhpack                         \ruledhpack ... {...}
ruledmbox                          \ruledmbox {...}
ruledtopv                          \ruledtopv ... {...}
ruledtpack                         \ruledtpack ... {...}
ruledvbox                          \ruledvbox ... {...}
ruledvpack                         \ruledvpack ... {...}
ruledvtop                          \ruledvtop ... {...}
runMPbuffer                        \runMPbuffer [...]
runninghbox                        \runninghbox {...}
ruota                              \ruota [..=..] {...}
ScaledPointsToBigPoints            \ScaledPointsToBigPoints {...} \...
ScaledPointsToWholeBigPoints       \ScaledPointsToWholeBigPoints {...} \...
Smallcapped                        \Smallcapped {...}
safechar                           \safechar {...}
samplefile                         \samplefile {...}
sans                               \sans
sansgrassetto                      \sansgrassetto
sansnormal                         \sansnormal
sansserif                          \sansserif
savebox                            \savebox {...} {...} {...}
savebtxdataset                     \savebtxdataset [...] [...] [..=..]
savebuffer                         \savebuffer [..=..]
savebuffer:list                    \savebuffer [...] [...]
savecolore                         \savecolore ... \restorecolore
savecounter                        \savecounter [...]
savecurrentattributes              \savecurrentattributes {...}
savenormalmeaning                  \savenormalmeaning \...
savetaggedtwopassdata              \savetaggedtwopassdata {...} {...} {...} {...}
savetwopassdata                    \savetwopassdata {...} {...} {...}
sbox                               \sbox {...}
scala                              \scala [...] [..=..] {...}
schermo                            \schermo [...]
script:instance                    \SCRIPT
script:instance:ethiopic           \ethiopic
script:instance:hangul             \hangul
script:instance:hanzi              \hanzi
script:instance:latin              \latin
script:instance:nihongo            \nihongo
script:instance:test               \test
script:instance:thai               \thai
```

scrividentroelenco	\scrividentroelenco [...] [..=..] {...}
scriviinelenco	\scriviinelenco [...] [..=..] {...} {...}
secondoffivearguments	\secondoffivearguments {...} {...} {...} {...} {...}
secondoffourarguments	\secondoffourarguments {...} {...} {...} {...}
secondofsixarguments	\secondofsixarguments {...} {...} {...} {...} {...} {...}
secondofthreearguments	\secondofthreearguments {...} {...} {...}
secondofthreeunexpanded	\secondofthreeunexpanded {...} {...} {...}
secondoftwoarguments	\secondoftwoarguments {...} {...}
secondoftwounexpanded	\secondoftwounexpanded {...} {...}
seeregister:instance	*\vediREGISTER* [...] [..+...+..] {...}
seeregister:instance:index	*\vediindex* [...] [..+...+..] {...}
segnalibro	\segnalibro [...] {...}
select	\select {...} *{...}* *{...}* *{...}* *{...}* *{...}*
selezionablocchi	\selezionablocchi [...] [...] [..=..] ᴼᴾᵀ
serializecommalist	\serializecommalist [...]
serializedcommalist	\serializedcommalist
serif	\serif
serifbold	\serifbold
serifnormal	\serifnormal
setbar	\setbar [...]
setbigbodyfont	\setbigbodyfont
setboxllx	\setboxllx ... {...}
setboxlly	\setboxlly ... {...}
setbreakpoints	\setbreakpoints [...]
setbuffer	\setbuffer [...] ... \endbuffer
setcapstrut	\setcapstrut
setcatcodetable	\setcatcodetable \...
setcharacteralign	\setcharacteralign {...} {...}
setcharactercasing	\setcharactercasing [...]
setcharactercleaning	\setcharactercleaning [...]
setcharacterkerning	\setcharacterkerning [...]
setcharacterspacing	\setcharacterspacing [...]
setcharacterstripping	\setcharacterstripping [...]
setcharstrut	\setcharstrut {...}
setcollector	\setcollector [...] [..=..] {...}
setcolormodell	\setcolormodell [...]
setcounter	\setcounter [...] [...] [...]
setcounterown	\setcounterown [...] [...] [...]
setcurrentfontclass	\setcurrentfontclass {...}
setdataset	\setdataset [...] [...] [..=..]
setdefaultpenalties	\setdefaultpenalties
setdigitsmanipulation	\setdigitsmanipulation [...]
setdirection	\setdirection [...]
setdocumentargument	\setdocumentargument {...} {...}
setdocumentargumentdefault	\setdocumentargumentdefault {...} {...}
setdocumentfilename	\setdocumentfilename {...} {...}
setdummyparameter	\setdummyparameter {...} {...}
setelementexporttag	\setelementexporttag [...] [...] [...]
setemeasure	\setemeasure {...} {...}
setevalue	\setevalue {...} {...}
setevariable	\setevariable {...} {...} {...}
setevariables	\setevariables [...] [..=..]
setfirstline	\setfirstline [...]
setflag	\setflag {...}
setfont	\setfont ...
setfontcolorsheme	\setfontcolorsheme [...]
setfontfeature	\setfontfeature {...}
setfontsolution	\setfontsolution [...]
setfontstrut	\setfontstrut
setgmeasure	\setgmeasure {...} {...}
setgvalue	\setgvalue {...} {...}
setgvariable	\setgvariable {...} {...} {...}
setgvariables	\setgvariables [...] [..=..]
sethboxregister	\sethboxregister ... {...}
sethyphenatedurlafter	\sethyphenatedurlafter {...}
sethyphenatedurlbefore	\sethyphenatedurlbefore {...}
sethyphenatedurlnormal	\sethyphenatedurlnormal {...}
sethyphenationfeatures	\sethyphenationfeatures [...]
setinitial	\setinitial [...] [..=..]
setinjector	\setinjector [...] [...] [...]
setinteraction	\setinteraction [...]
setinterfacecommand	\setinterfacecommand {...} {...}
setinterfaceconstant	\setinterfaceconstant {...} {...}
setinterfaceelement	\setinterfaceelement {...} {...}
setinterfacemessage	\setinterfacemessage {...} {...} {...}

setinterfacevariable	`\setinterfacevariable {...} {...}`
setinternalrendering	`\setinternalrendering [...] [...] {...}`
setitaliccorrection	`\setitaliccorrection [...]`
setJSpreamble	`\setJSpreamble {...} {...}`
setlayer	`\setlayer [...] [...] [..=..] {...}`
setlayerframed	`\setlayerframed [...] [..=..] [..=..] {...}`
setlayerframed:combination	`\setlayerframed [...] [..=..] {...}`
setlayertext	`\setlayertext [...] [..=..] [..=..] {...}`
setlinefiller	`\setlinefiller [...]`
setlocalhsize	`\setlocalhsize [...]`
setMPlayer	`\setMPlayer [...] [...] [..=..] {...}`
setMPpositiongraphic	`\setMPpositiongraphic {...} {...} {..=..}`
setMPpositiongraphicrange	`\setMPpositiongraphicrange {...} {...} {...} {..=..}`
setMPtext	`\setMPtext {...} {...}`
setMPvariable	`\setMPvariable [...] [..=..]`
setMPvariables	`\setMPvariables [...] [..=..]`
setmainbodyfont	`\setmainbodyfont`
setmainparbuilder	`\setmainparbuilder [...]`
setmarker	`\setmarker [...] [...]`
setmarking	`\setmarking [...] {...}`
setmathstyle	`\setmathstyle {...}`
setmeasure	`\setmeasure {...} {...}`
setmessagetext	`\setmessagetext {...} {...}`
setmode	`\setmode {...}`
setnostrut	`\setnostrut`
setnote	`\setnote [...] [...] {...}`
setnotetext	`\setnotetext [...] [...] {...}`
setnotetext:assignment	`\setnotetext [...] [..=..]`
setnote:assignment	`\setnote [...] [..=..]`
setobject	`\setobject {...} {...} \... {...}`
setoldstyle	`\setoldstyle`
setpagegrid	`\setpagegrid [..=..] {...}`
setpagereference	`\setpagereference {...} {...}`
setpagestate	`\setpagestate [...] [...]`
setpagestaterealpageno	`\setpagestaterealpageno {...} {...}`
setpenalties	`\setpenalties \... {...} {...}`
setpercentdimen	`\setpercentdimen {...} {...}`
setposition	`\setposition {...}`
setpositionbox	`\setpositionbox {...} \... {...}`
setpositiondata	`\setpositiondata {...} {...} {...} {...}`
setpositiondataplus	`\setpositiondataplus {...} {...} {...} {...} {...}`
setpositiononly	`\setpositiononly {...}`
setpositionplus	`\setpositionplus {...} {...} \... {...}`
setpositionstrut	`\setpositionstrut {...}`
setprofile	`\setprofile [...]`
setrandomseed	`\setrandomseed {...}`
setreference	`\setreference [...] [..=..]`
setreferencedobject	`\setreferencedobject {...} {...} \... {...}`
setregisterentry	`\setregisterentry [...] [..=..] [..=..]`
setreplacement	`\setreplacement [...]`
setrigidcolumnbalance	`\setrigidcolumnbalance ...`
setrigidcolumnhsize	`\setrigidcolumnhsize {...} {...} {...}`
setscript	`\setscript [...]`
setsectionblock	`\setsectionblock [...] [..=..]`
setsimplecolumnhsize	`\setsimplecolumnhsize [..=..]`
setsmallbodyfont	`\setsmallbodyfont`
setsmallcaps	`\setsmallcaps`
setstackbox	`\setstackbox {...} {...} {...}`
setstructurepageregister	`\setstructurepageregister [...] [..=..] [..=..]`
setstrut	`\setstrut`
setsuperiors	`\setsuperiors`
setsystemmode	`\setsystemmode {...}`
settabular	`\settabular`
settaggedmetadata	`\settaggedmetadata [..=..]`
settext	`\settext [...] [...] [...] [...] [...]`
settightobject	`\settightobject {...} {...} \... {...}`
settightreferencedobject	`\settightreferencedobject {...} {...} \... {...}`
settightunreferencedobject	`\settightunreferencedobject {...} {...} \... {...}`
settrialtypesetting	`\settrialtypesetting`
setuevalue	`\setuevalue {...} {...}`
setugvalue	`\setugvalue {...} {...}`
setunreferencedobject	`\setunreferencedobject {...} {...} \... {...}`
setupalternativestyles	`\setupalternativestyles [..=..]`
setupattachment	`\setupattachment [...] [..=..]`
setupattachments	`\setupattachments [...] [..=..]`

setupbackend	`\setupbackend [..=..]`
setupbar	`\setupbar [...] [..=..]`
setupbars	`\setupbars [...] [..=..]`
setupbleeding	`\setupbleeding [..=..]`
setupbookmark	`\setupbookmark [..=..]`
setupbtx	`\setupbtx [...] [..=..]`
setupbtxdataset	`\setupbtxdataset [...] [..=..]`
setupbtxlist	`\setupbtxlist [...] [..=..]`
setupbtxregister	`\setupbtxregister [...] [..=..]`
setupbtxrendering	`\setupbtxrendering [...] [..=..]`
setupbtx:name	`\setupbtx [...]`
setupbutton	`\setupbutton [...] [..=..]`
setupcharacterkerning	`\setupcharacterkerning [...] [..=..]`
setupcharacterspacing	`\setupcharacterspacing [...] [...] [..=..]`
setupchemical	`\setupchemical [...] [..=..]`
setupchemicalframed	`\setupchemicalframed [...] [..=..]`
setupcollector	`\setupcollector [...] [..=..]`
setupcolumnspan	`\setupcolumnspan [..=..]`
setupcombination	`\setupcombination [...] [..=..]`
setupcounter	`\setupcounter [...] [..=..]`
setupdataset	`\setupdataset [...] [..=..]`
setupdelimitedtext	`\setupdelimitedtext [...] [..=..]`
setupdescription	`\setupdescription [...] [..=..]`
setupdirections	`\setupdirections [..=..]`
setupdocument	`\setupdocument [..=..]`
setupeffect	`\setupeffect [...] [..=..]`
setupenumeration	`\setupenumeration [...] [..=..]`
setupenv	`\setupenv [..=..]`
setupexport	`\setupexport [..=..]`
setupexternalfigure	`\setupexternalfigure [...] [..=..]`
setupexternalsoundtracks	`\setupexternalsoundtracks [..=..]`
setupfieldbody	`\setupfieldbody [...] [..=..]`
setupfieldcategory	`\setupfieldcategory [...] [..=..]`
setupfieldcontentframed	`\setupfieldcontentframed [...] [..=..]`
setupfieldlabelframed	`\setupfieldlabelframed [...] [..=..]`
setupfieldtotalframed	`\setupfieldtotalframed [...] [..=..]`
setupfiller	`\setupfiller [...] [..=..]`
setupfirstline	`\setupfirstline [...] [..=..]`
setupfittingpage	`\setupfittingpage [...] [..=..]`
setupfloatcaption	`\setupfloatcaption [...] [..=..]`
setupfontexpansion	`\setupfontexpansion [...] [..=..]`
setupfontprotrusion	`\setupfontprotrusion [...] [..=..]`
setupfonts	`\setupfonts [..=..]`
setupfontsolution	`\setupfontsolution [...] [..=..]`
setupformula	`\setupformula [...] [..=..]`
setupformulaframed	`\setupformulaframed [...] [..=..]`
setupframedcontent	`\setupframedcontent [...] [..=..]`
setupframedtable	`\setupframedtable [...] [..=..]`
setupframedtablecolumn	`\setupframedtablecolumn [...] [...] [..=..]`
setupframedtablerow	`\setupframedtablerow [...] [...] [..=..]`
setupframedtext	`\setupframedtext [...] [..=..]`
setupglobalreferenceprefix	`\setupglobalreferenceprefix [...]`
setupheadalternative	`\setupheadalternative [...] [..=..]`
setuphelp	`\setuphelp [...] [..=..]`
setuphigh	`\setuphigh [...] [..=..]`
setuphighlight	`\setuphighlight [...] [..=..]`
setuphyphenation	`\setuphyphenation [..=..]`
setupindentedtext	`\setupindentedtext [...] [..=..]`
setupinitial	`\setupinitial [...] [..=..]`
setupinsertion	`\setupinsertion [...] [..=..]`
setupitaliccorrection	`\setupitaliccorrection [...]`
setupitemgroup	`\setupitemgroup [...] [...] [...] [..=..]`
setupitemgroup:assignment	`\setupitemgroup [...] [..=..]`
setupitemgroup:instance	`\impostaITEMGROUP [...] [...] [..=..]`
setupitemgroup:instance:itemize	`\impostaitemize [...] [...] [..=..]`
setuplabel	`\setuplabel [...] [..=..]`
setuplayer	`\setuplayer [...] [..=..]`
setuplayeredtext	`\setuplayeredtext [...] [..=..]`
setuplayouttext	`\setuplayouttext [...] [...] [..=..]`
setuplinefiller	`\setuplinefiller [...] [..=..]`
setuplinefillers	`\setuplinefillers [...] [..=..]`
setuplinenote	`\setuplinenote [...] [..=..]`
setuplinetable	`\setuplinetable [...] [...] [..=..]`
setuplistalternative	`\setuplistalternative [...] [..=..]`
setuplistextra	`\setuplistextra [...] [..=..]`

setuplocalfloats	`\setuplocalfloats [..=..]`
setuplocalinterlinespace	`\setuplocalinterlinespace [...] [..=..]`
setuplocalinterlinespace:argument	`\setuplocalinterlinespace [...]`
setuplocalinterlinespace:name	`\setuplocalinterlinespace [...]`
setuplow	`\setuplow [...] [..=..]`
setuplowhigh	`\setuplowhigh [...] [..=..]`
setuplowmidhigh	`\setuplowmidhigh [...] [..=..]`
setupMPgraphics	`\setupMPgraphics [..=..]`
setupMPinstance	`\setupMPinstance [...] [..=..]`
setupMPpage	`\setupMPpage [..=..]`
setupMPvariables	`\setupMPvariables [...] [..=..]`
setupmarginblock	`\setupmarginblock [...] [..=..]`
setupmargindata	`\setupmargindata [...] [..=..]`
setupmarginframed	`\setupmarginframed [...] [..=..]`
setupmarginrule	`\setupmarginrule [...] [..=..]`
setupmathalignment	`\setupmathalignment [...] [..=..]`
setupmathcases	`\setupmathcases [...] [..=..]`
setupmathematics	`\setupmathematics [...] [..=..]`
setupmathfence	`\setupmathfence [...] [..=..]`
setupmathfraction	`\setupmathfraction [...] [..=..]`
setupmathfractions	`\setupmathfractions [...] [..=..]`
setupmathframed	`\setupmathframed [...] [..=..]`
setupmathmatrix	`\setupmathmatrix [...] [..=..]`
setupmathornament	`\setupmathornament [...] [..=..]`
setupmathradical	`\setupmathradical [...] [..=..]`
setupmathstackers	`\setupmathstackers [...] [..=..]`
setupmathstyle	`\setupmathstyle [...]`
setupmixedcolumns	`\setupmixedcolumns [...] [..=..]`
setupmodule	`\setupmodule [...] [..=..]`
setupnotation	`\setupnotation [...] [..=..]`
setupnotations	`\setupnotations [...] [..=..]`
setupnote	`\setupnote [...] [..=..]`
setupnotes	`\setupnotes [...] [..=..]`
setupoffset	`\setupoffset [..=..]`
setupoffsetbox	`\setupoffsetbox [..=..]`
setupoutputroutine	`\setupoutputroutine [...] [..=..]`
setupoutputroutine:name	`\setupoutputroutine [...]`
setuppagechecker	`\setuppagechecker [...] [..=..]`
setuppagegrid	`\setuppagegrid [...] [..=..]`
setuppagegridarea	`\setuppagegridarea [...] [..=..]`
setuppagegridareatext	`\setuppagegridareatext [...] [...]`
setuppagegridlines	`\setuppagegridlines [...] [...] [...] [...]`
setuppagegridspan	`\setuppagegridspan [...] [..=..]`
setuppagegridstart	`\setuppagegridstart [...] [...] [...] [...]`
setuppageinjection	`\setuppageinjection [...] [..=..]`
setuppageinjectionalternative	`\setuppageinjectionalternative [...] [..=..]`
setuppageshift	`\setuppageshift [...] [...] [...]`
setuppagestate	`\setuppagestate [...] [..=..]`
setuppairedbox	`\setuppairedbox [...] [..=..]`
setuppairedbox:instance	`\impostaPAIREDBOX [..=..]`
setuppairedbox:instance:legend	`\impostalegend [..=..]`
setuppaper	`\setuppaper [..=..]`
setupparagraph	`\setupparagraph [...] [..=..]`
setupparagraphintro	`\setupparagraphintro [...] [...]`
setupparallel	`\setupparallel [...] [...] [..=..]`
setupperiods	`\setupperiods [..=..]`
setupplacement	`\setupplacement [...] [..=..]`
setuppositionbar	`\setuppositionbar [..=..]`
setupprocessor	`\setupprocessor [...] [..=..]`
setupprofile	`\setupprofile [...] [..=..]`
setupquotation	`\setupquotation [..=..]`
setuprealpagenumber	`\setuprealpagenumber [..=..]`
setupreferenceformat	`\setupreferenceformat [...] [..=..]`
setupreferenceprefix	`\setupreferenceprefix [...]`
setupreferencestructureprefix	`\setupreferencestructureprefix [...] [...] [..=..]`
setupregisters	`\setupregisters [...] [..=..]`
setupregisters:argument	`\setupregisters [...] [...] [..=..]`
setuprenderingwindow	`\setuprenderingwindow [...] [..=..]`
setups	`\setups [...]`
setupscale	`\setupscale [...] [..=..]`
setupscript	`\setupscript [...] [..=..]`
setupscripts	`\setupscripts [...] [..=..]`
setupselector	`\setupselector [...] [..=..]`
setupshift	`\setupshift [...] [..=..]`
setupsidebar	`\setupsidebar [...] [..=..]`

setupspellchecking	\setupspellchecking [..=..]
setupstretched	\setupstretched [..=..]
setupstruts	\setupstruts [...]
setupstyle	\setupstyle [...] [..=..]
setupsubformula	\setupsubformula [...] [..=..]
setupsubformulas	\setupsubformulas [...] [..=..]
setupsynctex	\setupsynctex [..=..]
setups:direct	\setups {...}
setupTABLE	\setupTABLE [...] [...] [..=..]
setupTEXpage	\setupTEXpage [..=..]
setuptabulation	\setuptabulation [...] [..=..]
setuptagging	\setuptagging [..=..]
setuptextbackground	\setuptextbackground [...] [..=..]
setuptextflow	\setuptextflow [...] [..=..]
setuptooltip	\setuptooltip [...] [..=..]
setupunit	\setupunit [...] [..=..]
setupuserpagenumber	\setupuserpagenumber [..=..]
setupversion	\setupversion [...]
setupviewerlayer	\setupviewerlayer [..=..]
setupvspacing	\setupvspacing [...]
setupwithargument	\setupwithargument {...} {...}
setupwithargumentswapped	\setupwithargumentswapped {...} {...}
setupxml	\setupxml [..=..]
setupxtable	\setupxtable [...] [..=..]
setuvalue	\setuvalue {...} {...}
setuxvalue	\setuxvalue {...} {...}
setvalue	\setvalue {...} {...}
setvariable	\setvariable {...} {...} {...}
setvariables	\setvariables [...] [..=..]
setvboxregister	\setvboxregister ... {...}
setvisualizerfont	\setvisualizerfont [...]
setvtopregister	\setvtopregister ... {...}
setwidthof	\setwidthof ... \to \...
setxmeasure	\setxmeasure {...} {...}
setxvalue	\setxvalue {...} {...}
setxvariable	\setxvariable {...} {...} {...}
setxvariables	\setxvariables [...] [..=..]
sfondo	\sfondo {...}
sfondo:example	\SFONDO {...}
shapedhbox	\shapedhbox {...}
shift:instance	\SHIFT {...}
shift:instance:shiftdown	\shiftdown {...}
shift:instance:shiftup	\shiftup {...}
showallmakeup	\showallmakeup
showattributes	\showattributes
showboxes	\showboxes
showbtxdatasetauthors	\showbtxdatasetauthors [..=..]
showbtxdatasetauthors:argument	\showbtxdatasetauthors [...]
showbtxdatasetcompleteness	\showbtxdatasetcompleteness [..=..]
showbtxdatasetcompleteness:argument	\showbtxdatasetcompleteness [...]
showbtxdatasetfields	\showbtxdatasetfields [..=..]
showbtxdatasetfields:argument	\showbtxdatasetfields [...]
showbtxfields	\showbtxfields [..=..]
showbtxfields:argument	\showbtxfields [...]
showbtxhashedauthors	\showbtxhashedauthors [...]
showbtxtables	\showbtxtables [...]
showchardata	\showchardata {...}
showcharratio	\showcharratio {...}
showcolorbar	\showcolorbar [...]
showcolorcomponents	\showcolorcomponents [...]
showcolorset	\showcolorset [...]
showcolorstruts	\showcolorstruts
showcounter	\showcounter [...]
showdirectives	\showdirectives
showdirsinmargin	\showdirsinmargin
showedebuginfo	\showedebuginfo
showexperiments	\showexperiments
showfont	\showfont [...] [...]
showfontdata	\showfontdata
showfontitalics	\showfontitalics
showfontkerns	\showfontkerns
showfontparameters	\showfontparameters
showfontstrip	\showfontstrip [...]
showfontstyle	\showfontstyle [...] [...] [...] [...]
showglyphs	\showglyphs

showgridsnapping	\showgridsnapping
showhelp	\showhelp {...} [...]
showhyphenationtrace	\showhyphenationtrace [...] [...]
showhyphens	\showhyphens {...}
showinjector	\showinjector [...]
showjustification	\showjustification
showkerning	\showkerning {...}
showlayoutcomponents	\showlayoutcomponents
showligature	\showligature {...}
showligatures	\showligatures [...]
showlogcategories	\showlogcategories
showmargins	\showmargins
showmessage	\showmessage {...} {...} {...}
showminimalbaseline	\showminimalbaseline
shownextbox	\shownextbox \... {...}
showotfcomposition	\showotfcomposition {...} {...} {...}
showparentchain	\showparentchain \... {...}
showsetupsdefinition	\showsetupsdefinition [...]
showtimer	\showtimer {...}
showtokens	\showtokens [...]
showtrackers	\showtrackers
showvalue	\showvalue {...}
showvariable	\showvariable {...} {...}
showwarning	\showwarning {...} {...} {...}
simbolo	\simbolo [...] [...]
simbolo:direct	\simbolo {...}
simplealignedbox	\simplealignedbox {...} {...} {...}
simplealignedboxplus	\simplealignedboxplus {...} {...} {...} {...}
simplealignedspreadbox	\simplealignedspreadbox {...} {...} {...}
simplegroupedcommand	\simplegroupedcommand {...} {...}
simplereversealignedbox	\simplereversealignedbox {...} {...} {...}
simplereversealignedboxplus	\simplereversealignedboxplus {...} {...} {...} {...}
singalcharacteralign	\singalcharacteralign {...} {...}
singlebond	\singlebond
sinistra	\sinistra ...
sixthofsixarguments	\sixthofsixarguments {...} {...} {...} {...} {...} {...}
slantedface	\slantedface
slicepages	\slicepages [...] [..=..] [..=..]
slovenianNumerals	\slovenianNumerals {...}
sloveniannumerals	\sloveniannumerals {...}
smallcappedcharacters	\smallcappedcharacters {...}
smallcappedromannumerals	\smallcappedromannumerals {...}
smaller	\smaller
smallskip	\smallskip
smash	\smash [...] {...}
smashbox	\smashbox ...
smashboxed	\smashboxed ...
smashedhbox	\smashedhbox ... {...}
smashedvbox	\smashedvbox ... {...}
snaptogrid	\snaptogrid [...] \... {...}
snaptogrid:list	\snaptogrid [...] \... {...}
someheadnumber	\someheadnumber [...] [...]
somekindoftab	\somekindoftab [..=..]
somelocalfloat	\somelocalfloat
somenamedheadnumber	\somenamedheadnumber {...} {...}
someplace	\someplace {...} {...} {...} {...} {...} [...]
sorting:instance	*\SORTING* [...] {...}
sorting:instance:logo	*\logo* [...] {...}
sottopaginasuccessiva	\sottopaginasuccessiva
spanishNumerals	\spanishNumerals {...}
spanishnumerals	\spanishnumerals {...}
spazifissi	\spazifissi
spazio	\spazio
spaziofisso	\spaziofisso
spessoreriga	\spessoreriga
spezzaoggettomobile	\spezzaoggettomobile [..=..] {...} {...}
splitatasterisk	\splitatasterisk ... \... \...
splitatcolon	\splitatcolon ... \... \...
splitatcolons	\splitatcolons ... \... \...
splitatcomma	\splitatcomma ... \... \...
splitatperiod	\splitatperiod ... \... \...
splitdfrac	\splitdfrac {...} {...}
splitfilename	\splitfilename {...}
splitfrac	\splitfrac {...} {...}
splitoffbase	\splitoffbase

splitofffull	\splitofffull
splitoffkind	\splitoffkind
splitoffname	\splitoffname
splitoffpath	\splitoffpath
splitoffroot	\splitoffroot
splitofftokens	\splitofftokens ... \from ... \to \...
splitofftype	\splitofftype
splitstring	\splitstring ... \at ... \to \... \and \...
spreadhbox	\spreadhbox ...
sqrt	\sqrt [...] {...}
stackcampi	\stackcampi [...] [...] [..=..]
stackrel	\stackrel {...} {...}
startlinenote:instance	\iniziaLINENOTE [...] {...}
startlinenote:instance:linenote	\inizialinenote [...] {...}
startregister	\startregister [...] [...] [...] [...] [..+...+..]
startstop:example	\STARTSTOP {...}
startstructurepageregister	\startstructurepageregister [...] [...] [..=..] [..=..]
stirato	\stirato [..=..] {...}
stoplinenote:instance	\terminaLINENOTE [...]
stoplinenote:instance:linenote	\terminalinenote [...]
stopregister	\stopregister [...] [...]
stopstructurepageregister	\stopstructurepageregister [...] [...]
strictdoifelsenextoptional	\strictdoifelsenextoptional {...} {...}
strictdoifnextoptionalelse	\strictdoifnextoptionalelse {...} {...}
stripcharacter	\stripcharacter ... \from ... \to \...
strippedcsname	\strippedcsname \...
strippedcsname:string	\strippedcsname ...
stripspaces	\stripspaces \from ... \to \...
structurelistuservariable	\structurelistuservariable {...}
structurenumber	\structurenumber
structuretitle	\structuretitle
structureuservariable	\structureuservariable {...}
structurevariable	\structurevariable {...}
strut	\strut
strutdp	\strutdp
strutgap	\strutgap
strutht	\strutht
struthtdp	\struthtdp
struttedbox	\struttedbox {...}
strutwd	\strutwd
style	\style [..=..] {...}
styleinstance	\styleinstance [...]
style:argument	\style [...] {...}
style:instance	\STYLE {...}
subpagenumber	\subpagenumber
subsentence	\subsentence {...}
substituteincommalist	\substituteincommalist {...} {...} \...
subtractfeature	\subtractfeature [...]
subtractfeature:direct	\subtractfeature {...}
swapcounts	\swapcounts \... \...
swapdimens	\swapdimens \... \...
swapface	\swapface
swapmacros	\swapmacros \... \...
swaptypeface	\swaptypeface
switchstyleonly	\switchstyleonly [...]
switchstyleonly:command	\switchstyleonly \...
switchtocolor	\switchtocolor [...]
switchtointerlinespace	\switchtointerlinespace [...] [..=..]
switchtointerlinespace:argument	\switchtointerlinespace [...]
switchtointerlinespace:name	\switchtointerlinespace [...]
symbolreference	\symbolreference [...]
synchronizeblank	\synchronizeblank
synchronizeindenting	\synchronizeindenting
synchronizemarking	\synchronizemarking [...] [...] [...]
synchronizeoutputstreams	\synchronizeoutputstreams [...]
synchronizestrut	\synchronizestrut {...}
synchronizewhitespace	\synchronizewhitespace
synctexblockfilename	\synctexblockfilename {...}
synctexresetfilename	\synctexresetfilename
synctexsetfilename	\synctexsetfilename {...}
synonym:instance	\SYNONYM [...] {...} {...}
synonym:instance:abbreviation	\abbreviation [...] {...} {...}
systemlog	\systemlog {...} {...} {...}
systemlogfirst	\systemlogfirst {...} {...} {...}
systemloglast	\systemloglast {...} {...} {...}

systemsetups	`\systemsetups {...}`
TABLE	`\TABLE`
TaBlE	`\TaBlE`
TEX	`\TEX`
TeX	`\TeX`
TheNormalizedFontSize	`\TheNormalizedFontSize`
TransparencyHack	`\TransparencyHack`
tabulateautoline	`\tabulateautoline`
tabulateautorule	`\tabulateautorule`
tabulateline	`\tabulateline`
tabulaterule	`\tabulaterule`
taggedctxcommand	`\taggedctxcommand {...}`
taggedlabeltexts	`\taggedlabeltexts {...} {...} {...}`
tbox	`\tbox {...}`
terminariga	`\terminariga [...]`
testandsplitstring	`\testandsplitstring ... \at ... \to \... \and \...`
testcolumn	`\testcolumn [...] [...]`
testfeature	`\testfeature {...} {...}`
testfeatureonce	`\testfeatureonce {...} {...}`
testoaiuto	`\testoaiuto [...] {...} {...}`
testoetichetta:instance	*`\LABELtesto {...}`*
testoetichetta:instance:btxlabel	*`\btxlabeltesto {...}`*
testoetichetta:instance:head	*`\headtesto {...}`*
testoetichetta:instance:label	*`\labeltesto {...}`*
testoetichetta:instance:mathlabel	*`\mathlabeltesto {...}`*
testoetichetta:instance:operator	*`\operatortesto {...}`*
testoetichetta:instance:prefix	*`\prefixtesto {...}`*
testoetichetta:instance:suffix	*`\suffixtesto {...}`*
testoetichetta:instance:taglabel	*`\taglabeltesto {...}`*
testoetichetta:instance:unit	*`\unittesto {...}`*
testoincorniciato:instance	*`\FRAMEDTEXT [..=..] {...}`*
testoincorniciato:instance:framedtext	*`\framedtext [..=..] {...}`*
testonotapdp	`\testonotapdp [...] {...}`
testonotapdp:assignment	`\testonotapdp [..=..]`
testoriempimento	`\testoriempimento [..=..] {...} {...}`
testpage	`\testpage [...] [...]`
testpageonly	`\testpageonly [...] [...]`
testpagesync	`\testpagesync [...] [...]`
testtokens	`\testtokens [...]`
tex	`\tex {...}`
texdefinition	`\texdefinition {...}`
texsetup	`\texsetup {...}`
textbackground:example	*`\TEXTBACKGROUND {...}`*
textcitation	`\textcitation [..=..] [...]`
textcitation:alternative	`\textcitation [...] [...]`
textcitation:userdata	`\textcitation [..=..] [..=..]`
textcite	`\textcite [..=..] [...]`
textcite:alternative	`\textcite [...] [...]`
textcite:userdata	`\textcite [..=..] [..=..]`
textcontrolspace	`\textcontrolspace`
textflowcollector	`\textflowcollector {...}`
textmath	`\textmath {...}`
textminus	`\textminus`
textormathchar	`\textormathchar {...}`
textplus	`\textplus`
textvisiblespace	`\textvisiblespace`
thainumerals	`\thainumerals {...}`
thefirstcharacter	`\thefirstcharacter {...}`
thenormalizedbodyfontsize	`\thenormalizedbodyfontsize {...}`
theremainingcharacters	`\theremainingcharacters {...}`
thickspace	`\thickspace`
thinspace	`\thinspace`
thirdoffivearguments	`\thirdoffivearguments {...} {...} {...} {...} {...}`
thirdoffourarguments	`\thirdoffourarguments {...} {...} {...} {...}`
thirdofsixarguments	`\thirdofsixarguments {...} {...} {...} {...} {...} {...}`
thirdofthreearguments	`\thirdofthreearguments {...} {...} {...}`
thirdofthreeunexpanded	`\thirdofthreeunexpanded {...} {...} {...}`
threedigitrounding	`\threedigitrounding {...}`
tibetannumerals	`\tibetannumerals {...}`
tieniblocchi	`\tieniblocchi [...] [...]`
tightlayer	`\tightlayer [...]`
tilde	`\tilde {...}`
tinyfont	`\tinyfont`
tlap	`\tlap {...}`
tochar	`\tochar {...}`

tolinenote	`\tolinenote [...]`
tooltip:instance	`\TOOLTIP [..=..] {...} {...}`
tooltip:instance:argument	`\TOOLTIP [...] {...} {...}`
tooltip:instance:argument:tooltip	`\tooltip [...] {...} {...}`
tooltip:instance:tooltip	`\tooltip [..=..] {...} {...}`
topbox	`\topbox {...}`
topleftbox	`\topleftbox {...}`
toplinebox	`\toplinebox {...}`
toprightbox	`\toprightbox {...}`
topskippedbox	`\topskippedbox {...}`
tracecatcodetables	`\tracecatcodetables`
tracedfontname	`\tracedfontname {...}`
traceoutputroutines	`\traceoutputroutines`
tracepositions	`\tracepositions`
traduci	`\traduci [..=..]`
transparencycomponents	`\transparencycomponents {...}`
transparent	`\transparent [...] {...}`
triplebond	`\triplebond`
truefilename	`\truefilename {...}`
truefontname	`\truefontname {...}`
ttraggedright	`\ttraggedright`
twodigitrounding	`\twodigitrounding {...}`
tx	`\tx`
txx	`\txx`
typ	`\typ [..=..] {...}`
type	`\type [..=..] {...}`
typebuffer	`\typebuffer [...] [..=..]`
typebuffer:instance	`\typeBUFFER [..=..]`
typedefinedbuffer	`\typedefinedbuffer [...] [..=..]`
typeface	`\typeface`
typefile	`\typefile [...] [..=..] {...}`
typeinlinebuffer	`\typeinlinebuffer [...] [..=..]`
typescriptone	`\typescriptone`
typescriptprefix	`\typescriptprefix {...}`
typescriptthree	`\typescriptthree`
typescripttwo	`\typescripttwo`
typesetbuffer	`\typesetbuffer [...] [..=..]`
typesetfile	`\typesetfile [...] [...] [..=..]`
type:angles	`\type [..=..] <<...>>`
type:example	`\TYPE [..=..] {...}`
type:example:angles	`\TYPE [..=..] <<...>>`
typ:angles	`\typ [..=..] <<...>>`
uconvertnumber	`\uconvertnumber {...} {...}`
uedcatcodecommand	`\uedcatcodecommand \... ... {...}`
ultimasottopagina	`\ultimasottopagina`
undefinevalue	`\undefinevalue {...}`
undepthed	`\undepthed {...}`
underset	`\underset {...} {...}`
undoassign	`\undoassign [...] [..=..]`
unexpandeddocumentvariable	`\unexpandeddocumentvariable {...}`
unhhbox	`\unhhbox ... \with {...}`
unihex	`\unihex {...}`
uniqueMPgraphic	`\uniqueMPgraphic {...} {..=..}`
uniqueMPpagegraphic	`\uniqueMPpagegraphic {...} {..=..}`
unita:instance	`\UNIT {...}`
unita:instance:unit	`\unit {...}`
unprotect	`\unprotect ... \protect`
unprotected	`\unprotected ... \par`
unregisterhyphenationpattern	`\unregisterhyphenationpattern [...] [...]`
unspaceafter	`\unspaceafter \... {...}`
unspaceargument	`\unspaceargument ... \to \...`
unspaced	`\unspaced {...}`
unspacestring	`\unspacestring ... \to \...`
untexargument	`\untexargument {...} \to \...`
untexcommand	`\untexcommand {...} \to \...`
uppercased	`\uppercased {...}`
uppercasestring	`\uppercasestring ... \to \...`
upperleftdoubleninequote	`\upperleftdoubleninequote`
upperleftdoublesixquote	`\upperleftdoublesixquote`
upperleftsingleninequote	`\upperleftsingleninequote`
upperleftsinglesixquote	`\upperleftsinglesixquote`
upperrightdoubleninequote	`\upperrightdoubleninequote`
upperrightdoublesixquote	`\upperrightdoublesixquote`
upperrightsingleninequote	`\upperrightsingleninequote`
upperrightsinglesixquote	`\upperrightsinglesixquote`

url	\url [...]
usablocco	\usablocco [...] [...] [..=..]
usacartella	\usacartella [...]
usacolonnasonoraesterna	\usacolonnasonoraesterna [...] [...]
usadocumentoesterno	\usadocumentoesterno [...] [...] [...]
usafiguraesterna	\usafiguraesterna [...] [...] [...] [..=..]
usaJSscripts	\usaJSscripts [...] [...]
usamodulo	\usamodulo [...] [...] [..=..]
usasimboli	\usasimboli [...]
usaURL	\usaURL [...] [...] [...] [...]
usaurl	\usaurl [...] [...] [...] [...]
usealignparameter	\usealignparameter \...
useblankparameter	\useblankparameter \...
usebodyfont	\usebodyfont [...]
usebodyfontparameter	\usebodyfontparameter \...
usebtxdataset	\usebtxdataset [...] [...] [..=..]
usebtxdefinitions	\usebtxdefinitions [...]
usecitation	\usecitation [...]
usecitation:direct	\usecitation {...}
usecolors	\usecolors [...]
usecomponent	\usecomponent [...]
usedummycolorparameter	\usedummycolorparameter {...}
usedummystyleandcolor	\usedummystyleandcolor {...} {...}
usedummystyleparameter	\usedummystyleparameter {...}
useenvironment	\useenvironment [...]
useexternalrendering	\useexternalrendering [...] [...] [...] [...]
usefigurebase	\usefigurebase [...]
usefile	\usefile [...] [...] [...]
usegridparameter	\usegridparameter \...
useindentingparameter	\useindentingparameter \...
useindentnextparameter	\useindentnextparameter \...
useinterlinespaceparameter	\useinterlinespaceparameter \...
uselanguageparameter	\uselanguageparameter \...
useluamodule	\useluamodule [...]
useMPenvironmentbuffer	\useMPenvironmentbuffer [...]
useMPgraphic	\useMPgraphic {...} {..=..}
useMPlibrary	\useMPlibrary [...]
useMPrun	\useMPrun {...} {...}
useMPvariables	\useMPvariables [...] [...]
usemathstyleparameter	\usemathstyleparameter \...
useproduct	\useproduct [...]
useprofileparameter	\useprofileparameter \...
useproject	\useproject [...]
usereferenceparameter	\usereferenceparameter \...
userpagenumber	\userpagenumber
usesetupsparameter	\usesetupsparameter \...
usestaticMPfigure	\usestaticMPfigure [..=..] [...]
usesubpath	\usesubpath [...]
usetexmodule	\usetexmodule [...] [...] [..=..]
usetypescript	\usetypescript [...] [...] [...]
usetypescriptfile	\usetypescriptfile [...]
usezipfile	\usezipfile [...] [...]
utfchar	\utfchar {...}
utflower	\utflower {...}
utfupper	\utfupper {...}
utilityregisterlength	\utilityregisterlength
VerboseNumber	\VerboseNumber {...}
vaia	\vaia {...} [...]
vaiabox	\vaiabox {...} [...]
vaiapagina	\vaiapagina {...} [...]
vaigiu	\vaigiu [...]
valorecolore	\valorecolore {...}
vboxreference	\vboxreference [...] {...}
vec	\vec {...}
verbatim	\verbatim {...}
verbatimstring	\verbatimstring {...}
verbosenumber	\verbosenumber {...}
versione	\versione [...]
verticalgrowingbar	\verticalgrowingbar [..=..]
verticalpositionbar	\verticalpositionbar [..=..]
veryraggedcenter	\veryraggedcenter
veryraggedleft	\veryraggedleft
veryraggedright	\veryraggedright
vglue	\vglue ...
viewerlayer	\viewerlayer [...] {...}

```
vl                              \vl [...]
vphantom                        \vphantom {...}
vpos                            \vpos {...} {...}
vsmash                          \vsmash {...}
vsmashbox                       \vsmashbox ...
vsmashed                        \vsmashed {...}
vspace                          \vspace [...] [...]
vspacing                        \vspacing [...]
WidthSpanningText               \WidthSpanningText {...} {...} {...}
wdofstring                      \wdofstring {...}
widthofstring                   \widthofstring {...}
widthspanningtext               \widthspanningtext {...} {...} {...}
withoutpt                       \withoutpt {...}
words                           \words {...}
wordtonumber                    \wordtonumber {...} {...}
writedatatolist                 \writedatatolist [...] [..=..] [..=..]
writestatus                     \writestatus {...} {...}
XETEX                           \XETEX
XeTeX                           \XeTeX
xdefconvertedargument           \xdefconvertedargument \... {...}
xmladdindex                     \xmladdindex {...}
xmlafterdocumentsetup           \xmlafterdocumentsetup {...} {...} {...}
xmlaftersetup                   \xmlaftersetup {...} {...}
xmlall                          \xmlall {...} {...}
xmlappenddocumentsetup          \xmlappenddocumentsetup {...} {...}
xmlappendsetup                  \xmlappendsetup {...}
xmlapplyselectors               \xmlapplyselectors {...}
xmlatt                          \xmlatt {...} {...}
xmlattdef                       \xmlattdef {...} {...} {...}
xmlattribute                    \xmlattribute {...} {...} {...}
xmlattributedef                 \xmlattributedef {...} {...} {...} {...}
xmlbadinclusions                \xmlbadinclusions {...}
xmlbeforedocumentsetup          \xmlbeforedocumentsetup {...} {...} {...}
xmlbeforesetup                  \xmlbeforesetup {...} {...}
xmlchainatt                     \xmlchainatt {...} {...}
xmlchainattdef                  \xmlchainattdef {...} {...} {...}
xmlchecknamespace               \xmlchecknamespace {...} {...}
xmlcommand                      \xmlcommand {...} {...} {...}
xmlconcat                       \xmlconcat {...} {...} {...}
xmlconcatrange                  \xmlconcatrange {...} {...} {...} {...} {...}
xmlcontext                      \xmlcontext {...} {...}
xmlcount                        \xmlcount {...}
xmldefaulttotext                \xmldefaulttotext {...}
xmldirectives                   \xmldirectives {...}
xmldirectivesafter              \xmldirectivesafter {...}
xmldirectivesbefore             \xmldirectivesbefore {...}
xmldisplayverbatim              \xmldisplayverbatim {...}
xmldoif                         \xmldoif {...} {...} {...}
xmldoifelse                     \xmldoifelse {...} {...} {...} {...}
xmldoifelseempty                \xmldoifelseempty {...} {...} {...} {...}
xmldoifelseselfempty            \xmldoifelseselfempty {...} {...} {...}
xmldoifelsetext                 \xmldoifelsetext {...} {...} {...} {...}
xmldoifelsevalue                \xmldoifelsevalue {...} {...} {...} {...}
xmldoifnot                      \xmldoifnot {...} {...} {...}
xmldoifnotselfempty             \xmldoifnotselfempty {...} {...}
xmldoifnottext                  \xmldoifnottext {...} {...} {...}
xmldoifselfempty                \xmldoifselfempty {...} {...}
xmldoiftext                     \xmldoiftext {...} {...} {...}
xmlelement                      \xmlelement {...} {...}
xmlfilter                       \xmlfilter {...} {...}
xmlfirst                        \xmlfirst {...} {...}
xmlflush                        \xmlflush {...}
xmlflushcontext                 \xmlflushcontext {...}
xmlflushdocumentsetups          \xmlflushdocumentsetups {...} {...}
xmlflushlinewise                \xmlflushlinewise {...}
xmlflushpure                    \xmlflushpure {...}
xmlflushspacewise               \xmlflushspacewise {...}
xmlflushtext                    \xmlflushtext {...}
xmlinclude                      \xmlinclude {...} {...} {...}
xmlinclusion                    \xmlinclusion {...}
xmlinclusions                   \xmlinclusions {...}
xmlinfo                         \xmlinfo {...}
xmlinjector                     \xmlinjector {...}
xmlinlineprettyprint            \xmlinlineprettyprint {...} {...}
xmlinlineprettyprinttext        \xmlinlineprettyprinttext {...} {...}
```

```
xmlinlineverbatim                    \xmlinlineverbatim {...}
xmlinstalldirective                  \xmlinstalldirective {...} {...}
xmllast                              \xmllast {...} {...}
xmllastatt                           \xmllastatt
xmllastmatch                         \xmllastmatch
xmllastpar                           \xmllastpar
xmlloadbuffer                        \xmlloadbuffer {...} {...} {...}
xmlloaddata                          \xmlloaddata {...} {...} {...}
xmlloaddirectives                    \xmlloaddirectives {...}
xmlloadfile                          \xmlloadfile {...} {...} {...}
xmlloadonly                          \xmlloadonly {...} {...} {...}
xmlmain                              \xmlmain {...}
xmlmapvalue                          \xmlmapvalue {...} {...} {...}
xmlname                              \xmlname {...}
xmlnamespace                         \xmlnamespace {...}
xmlnonspace                          \xmlnonspace {...} {...}
xmlpar                               \xmlpar {...} {...}
xmlparam                             \xmlparam {...} {...} {...}
xmlpath                              \xmlpath {...}
xmlpos                               \xmlpos {...}
xmlposition                          \xmlposition {...} {...} {...}
xmlprependdocumentsetup              \xmlprependdocumentsetup {...} {...}
xmlprependsetup                      \xmlprependsetup {...}
xmlprettyprint                       \xmlprettyprint {...} {...}
xmlprettyprinttext                   \xmlprettyprinttext {...} {...}
xmlprocessbuffer                     \xmlprocessbuffer {...} {...} {...}
xmlprocessdata                       \xmlprocessdata {...} {...} {...}
xmlprocessfile                       \xmlprocessfile {...} {...} {...}
xmlpure                              \xmlpure {...} {...}
xmlraw                               \xmlraw {...}
xmlrefatt                            \xmlrefatt {...} {...}
xmlregistereddocumentsetups          \xmlregistereddocumentsetups {...} {...}
xmlregisteredsetups                  \xmlregisteredsetups
xmlregisterns                        \xmlregisterns {...} {...}
xmlremapname                         \xmlremapname {...} {...} {...} {...}
xmlremapnamespace                    \xmlremapnamespace {...} {...} {...}
xmlremovedocumentsetup               \xmlremovedocumentsetup {...} {...}
xmlremovesetup                       \xmlremovesetup {...}
xmlresetdocumentsetups               \xmlresetdocumentsetups {...}
xmlresetinjectors                    \xmlresetinjectors
xmlresetsetups                       \xmlresetsetups {...}
xmlsave                              \xmlsave {...} {...}
xmlsetatt                            \xmlsetatt {...} {...} {...}
xmlsetattribute                      \xmlsetattribute {...} {...} {...} {...}
xmlsetentity                         \xmlsetentity {...} {...}
xmlsetfunction                       \xmlsetfunction {...} {...} {...}
xmlsetinjectors                      \xmlsetinjectors [...]
xmlsetpar                            \xmlsetpar {...} {...} {...}
xmlsetparam                          \xmlsetparam {...} {...} {...} {...}
xmlsetsetup                          \xmlsetsetup {...} {...} {...}
xmlsetup                             \xmlsetup {...} {...}
xmlshow                              \xmlshow {...}
xmlsnippet                           \xmlsnippet {...} {...}
xmlstrip                             \xmlstrip {...} {...}
xmlstripnolines                      \xmlstripnolines {...} {...}
xmlstripped                          \xmlstripped {...} {...}
xmlstrippednolines                   \xmlstrippednolines {...} {...}
xmltag                               \xmltag {...}
xmltexentity                         \xmltexentity {...} {...}
xmltext                              \xmltext {...} {...}
xmltobuffer                          \xmltobuffer {...} {...} {...}
xmltobufferverbose                   \xmltobufferverbose {...} {...} {...}
xmltofile                            \xmltofile {...} {...} {...}
xmlvalue                             \xmlvalue {...} {...} {...}
xmlverbatim                          \xmlverbatim {...}
xsplitstring                         \xsplitstring \... {...}
xypos                                \xypos {...}
```

PRAGMA ADE
Ridderstraat 27
8061GH Hasselt NL
www.pragma-ade.com