

Impact Data: intra-European flights only


Based on our prediction model, this is the impact from the DHL flights that are included in the EU's non-CO2 reporting requirements. The EU ETS area covers flights within and between countries in the European Economic Area (EEA, which consists of EU member states and Iceland, Norway, and Liechtenstein), and from the EEA to the UK and Switzerland. It also covers the EU's nine, so-called outermost regions: French Guiana, Guadeloupe, Martinique, Mayotte, Reunion Island, Saint-Martin, Azores, Madeira, and The Can  ry Islands.

of Flights ⓘ
7,880 flights

Flight hours ⓘ
25,010 hours


Contrails (GWP 50) ⓘ
135k metric tons CO2e

Fuel burn ⓘ
454k metric tons CO2



Observation coverage area & verification

The yellow area shows the coverage region where our satellite imagery based verification has been validated. For the rest of the world, we use our algorithm predictions.



● Observations area ● Algorithm prediction area
— Flight paths

Predicted contrails in observation area ⓘ
1,218k km

Verified contrails kilometers ⓘ
1,850k km

Contrail warming using different time horizons: GWP20, GWP50, and GWP100.

There is no single “correct” way to convert contrail warming to CO2e. This is partly because the lifetime of a single contrail (hours) is much shorter than the lifetime of CO2 in the atmosphere (hundreds to thousands of years). So when using the Global Warming Potential (GWP) metric and comparing contrail warming to the warming from CO2 over 20 years, the contrail warming will be about four times higher than if comparing to CO2 over 100 years. We use GWP20, GWP50, and GWP100 to align with the EU MRV guidelines. The middle value, GWP50, is used as the default in the report.

GWP 100 ⓘ
157k metric tons

GWP 50 ⓘ
275k metric tons

GWP 20 ⓘ
578k metric tons